



DAILY STATUS REPORT

Prepared By:
Thomas Jensen

WEATHER	Snow	Rain	Overcast	Partly Cloudy	Bright Sun	X	Wind	
TEMP.	< 32	32-50	50-70	X	70-85	X	>85	NNE – 4 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 09/05/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 18:30</p>	<p>Personnel On Site: IEEG (Environmental) – Thomas Jensen Broadway Construction Group – Shannon Dowling / Tom Caporale WSP – Charlie Lambert Cascade – John Vollmer Concrete Courses</p> <p>Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	---

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to continue drilling ISS columns; Concrete Courses to continue with rebar fabrication and concrete-form construction in the Butler corridor.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Concrete Courses continued rebar fabrication and concrete-form construction in the Butler Corridor;
- Cascade received two (2) deliveries of slag and one (1) delivery of portland;
- Cascade consolidated swell material into stockpile;
- IEEG applied ISS foam spray to the swell material throughout the shift and at the end of the shift;
- Cascade drilled **Column 336** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 18 batches;
 - A wet mix sample was collected from 35’;
- Cascade drilled **Column 338** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 16 batches;
- Cascade drilled **Column 400** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 17 batches;
- Cascade drilled **Column 402** with column specification below:
 - Column is 8’ diameter and drilled 36’ deep from Site grade;
 - The column consisted of a total of 16 batches;

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.190_ mg/m³ @ 06:46
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.459_ mg/m³ @ 13:28
- High Conditions (Downwind 1) – PID = _0.4_ ppm @ 10:58, Dust = _0.874_ mg/m³ @ 17:33
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _2.74_ mg/m³ @ 09:31

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Cascade to continue to installing ISS columns;
- Conduct test piles for Con Ed Vault on Douglass Street; and
- Concrete Courses to continue superstructure work in the Butler corridor.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of ISS
column
installation.



Photo 2-
Representative
photo of
collecting a wet
mix sample at 35'
from Column
336.



Photo 3-
Representative
photo excavation
for test piles in
Con Ed vault.



Photo 4-
Representative
photo ATMOS
foam sprayed
atop
consolidated
swell stockpile.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY



SCM Report





Project name: Douglass Street BCG ISS Element name: 336a
 Project number

Start date: 09/05/2024

Drilling rig: BG36H_5717

Details		Start time: 12:58 PM	
Max. depth: 38.123 ft.		End Date: 09/05/2024	
Volume/m 1: 46.615 ft³		End time: 02:14 PM	
		Production duration: 01:16:05	
		Final depth time: 02:04 PM	
		Total suspension quantity: 540.28 ft³	



SCM Report






Project name	Douglass Street BCG ISS	Element name	336b
		Project number	

		Start date	09/05/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details			
Max. depth	38.189 ft.	Start time	02:14 PM
Volume/m 1	16.598 ft³	End Date	09/05/2024
		End time	02:41 PM
		Production duration	00:27:21
		Final depth time	02:31 PM
		Total suspension quantity	194.725 ft³



SCM Report





Project name: Douglass Street BCG ISS Element name: 338a
Project number

Start date: 09/05/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.091 ft.	04:03 PM	
Volume/m 1	48.028 ft³	End Date	09/05/2024
		End time	05:21 PM
		Production duration	01:17:57
		Final depth time	05:11 PM
		Total suspension quantity	558.82 ft³



SCM Report




Project name: Douglass Street BCG ISS Element name: 338b
Project number

Start date: 09/05/2024

Drilling rig: BG36H_5717

Details		Start time	
Max. depth	38.123 ft.	05:21 PM	09/05/2024
Volume/m 1	16.951 ft³	End time	05:48 PM
		Production duration	00:27:31
		Final depth time	05:39 PM
		Total suspension quantity	196.562 ft³



SCM Report





Project name	Douglass Street BCG ISS	Element name	400a
		Project number	

		Start date	09/05/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

Details			
Max. depth	38.091 ft.	Start time	09:17 AM
Volume/m 1	32.136 ft³	End Date	09/05/2024
		End time	10:09 AM
		Production duration	00:51:25
		Final depth time	09:57 AM
		Total suspension quantity	373.983 ft³



SCM Report





Project name: Douglass Street BCG ISS Element name: 402a
 Project number

Start date: 09/05/2024

Drilling rig: BG36H_5717

Details		Start time: 10:54 AM	
Max. depth: 38.091 ft.		End Date: 09/05/2024	
Volume/m 1: 29.664 ft³		End time: 11:42 AM	
		Production duration: 00:47:48	
		Final depth time: 11:33 AM	
		Total suspension quantity: 345.025 ft³	



SCM Report






Project name: Douglass Street BCG ISS Element name: 402b
 Project number

Start date: 09/05/2024

Drilling rig: BG36H_5717

Details		Start time: 11:43 AM	
Max. depth: 38.123 ft.		End Date: 09/05/2024	
Volume/m 1: 25.073 ft³		End time: 12:12 PM	
		Production duration: 00:29:07	
		Final depth time: 12:01 PM	
		Total suspension quantity: 291.982 ft³	





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_002
Test Start Time	6:46:01 AM
Test Start Date	9/5/2024
Test Length [D:H:M]	0:11:23
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.039
Mass Minimum [mg/m3]	0.012
Mass Maximum [mg/m3]	0.459
Mass TWA [mg/m3]	0.036
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	683

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:46	0.19		
6:47	0.044		
6:48	0.03		
6:49	0.032		
6:50	0.033		
6:51	0.032		
6:52	0.03		
6:53	0.031		
6:54	0.031		
6:55	0.027		
6:56	0.037		
6:57	0.051		
6:58	0.047		
6:59	0.036		
7:00	0.121		
7:01	0.083		
7:02	0.046		
7:03	0.044		
7:04	0.037		
7:05	0.041		
7:06	0.037		
7:07	0.034		
7:08	0.035		
7:09	0.042		

7:10	0.054
7:11	0.048
7:12	0.042
7:13	0.042
7:14	0.039
7:15	0.075
7:16	0.042
7:17	0.068
7:18	0.041
7:19	0.035
7:20	0.031
7:21	0.029
7:22	0.035
7:23	0.07
7:24	0.194
7:25	0.166
7:26	0.135
7:27	0.119
7:28	0.103
7:29	0.059
7:30	0.318
7:31	0.275
7:32	0.11
7:33	0.042
7:34	0.038
7:35	0.031
7:36	0.028
7:37	0.026
7:38	0.027
7:39	0.028
7:40	0.027
7:41	0.025
7:42	0.024
7:43	0.024
7:44	0.024
7:45	0.024
7:46	0.027
7:47	0.094
7:48	0.055
7:49	0.049
7:50	0.116
7:51	0.1
7:52	0.044
7:53	0.144

7:54	0.141
7:55	0.075
7:56	0.033
7:57	0.026
7:58	0.032
7:59	0.038
8:00	0.045
8:01	0.046
8:02	0.034
8:03	0.026
8:04	0.024
8:05	0.023
8:06	0.023
8:07	0.048
8:08	0.029
8:09	0.025
8:10	0.027
8:11	0.024
8:12	0.025
8:13	0.031
8:14	0.026
8:15	0.033
8:16	0.026
8:17	0.024
8:18	0.03
8:19	0.045
8:20	0.021
8:21	0.061
8:22	0.074
8:23	0.052
8:24	0.043
8:25	0.025
8:26	0.021
8:27	0.032
8:28	0.026
8:29	0.028
8:30	0.029
8:31	0.027
8:32	0.026
8:33	0.026
8:34	0.031
8:35	0.034
8:36	0.032
8:37	0.063

8:38	0.042
8:39	0.049
8:40	0.031
8:41	0.019
8:42	0.02
8:43	0.031
8:44	0.039
8:45	0.039
8:46	0.09
8:47	0.04
8:48	0.036
8:49	0.028
8:50	0.019
8:51	0.024
8:52	0.031
8:53	0.038
8:54	0.027
8:55	0.023
8:56	0.02
8:57	0.016
8:58	0.016
8:59	0.02
9:00	0.021
9:01	0.024
9:02	0.018
9:03	0.023
9:04	0.017
9:05	0.015
9:06	0.016
9:07	0.017
9:08	0.018
9:09	0.017
9:10	0.02
9:11	0.02
9:12	0.017
9:13	0.015
9:14	0.018
9:15	0.017
9:16	0.016
9:17	0.018
9:18	0.033
9:19	0.017
9:20	0.034
9:21	0.021

9:22	0.019
9:23	0.014
9:24	0.016
9:25	0.015
9:26	0.017
9:27	0.016
9:28	0.02
9:29	0.04
9:30	0.037
9:31	0.018
9:32	0.017
9:33	0.015
9:34	0.014
9:35	0.015
9:36	0.022
9:37	0.018
9:38	0.018
9:39	0.02
9:40	0.018
9:41	0.027
9:42	0.048
9:43	0.027
9:44	0.016
9:45	0.014
9:46	0.017
9:47	0.021
9:48	0.019
9:49	0.015
9:50	0.016
9:51	0.014
9:52	0.015
9:53	0.034
9:54	0.015
9:55	0.014
9:56	0.013
9:57	0.014
9:58	0.015
9:59	0.021
10:00	0.02
10:01	0.015
10:02	0.016
10:03	0.014
10:04	0.013
10:05	0.013

10:06	0.012
10:07	0.013
10:08	0.013
10:09	0.044
10:10	0.018
10:11	0.015
10:12	0.014
10:13	0.014
10:14	0.018
10:15	0.02
10:16	0.024
10:17	0.023
10:18	0.019
10:19	0.017
10:20	0.015
10:21	0.012
10:22	0.031
10:23	0.196
10:24	0.03
10:25	0.218
10:26	0.142
10:27	0.053
10:28	0.033
10:29	0.02
10:30	0.018
10:31	0.015
10:32	0.015
10:33	0.017
10:34	0.034
10:35	0.017
10:36	0.023
10:37	0.022
10:38	0.025
10:39	0.021
10:40	0.018
10:41	0.017
10:42	0.016
10:43	0.015
10:44	0.015
10:45	0.03
10:46	0.035
10:47	0.052
10:48	0.023
10:49	0.027

10:50	0.083
10:51	0.042
10:52	0.09
10:53	0.057
10:54	0.06
10:55	0.049
10:56	0.026
10:57	0.038
10:58	0.025
10:59	0.025
11:00	0.04
11:01	0.018
11:02	0.02
11:03	0.023
11:04	0.024
11:05	0.02
11:06	0.02
11:07	0.015
11:08	0.015
11:09	0.017
11:10	0.029
11:11	0.022
11:12	0.036
11:13	0.034
11:14	0.026
11:15	0.019
11:16	0.019
11:17	0.107
11:18	0.06
11:19	0.03
11:20	0.027
11:21	0.034
11:22	0.033
11:23	0.063
11:24	0.035
11:25	0.059
11:26	0.017
11:27	0.014
11:28	0.017
11:29	0.032
11:30	0.031
11:31	0.016
11:32	0.017
11:33	0.017

11:34	0.03
11:35	0.03
11:36	0.059
11:37	0.042
11:38	0.056
11:39	0.052
11:40	0.045
11:41	0.038
11:42	0.032
11:43	0.077
11:44	0.049
11:45	0.037
11:46	0.024
11:47	0.031
11:48	0.02
11:49	0.019
11:50	0.02
11:51	0.019
11:52	0.016
11:53	0.019
11:54	0.021
11:55	0.027
11:56	0.027
11:57	0.037
11:58	0.023
11:59	0.02
12:00	0.027
12:01	0.034
12:02	0.029
12:03	0.025
12:04	0.024
12:05	0.041
12:06	0.024
12:07	0.023
12:08	0.023
12:09	0.019
12:10	0.016
12:11	0.015
12:12	0.018
12:13	0.015
12:14	0.016
12:15	0.017
12:16	0.017
12:17	0.016

12:18	0.017
12:19	0.017
12:20	0.018
12:21	0.016
12:22	0.017
12:23	0.019
12:24	0.031
12:25	0.039
12:26	0.065
12:27	0.035
12:28	0.027
12:29	0.03
12:30	0.031
12:31	0.032
12:32	0.065
12:33	0.025
12:34	0.029
12:35	0.019
12:36	0.084
12:37	0.056
12:38	0.072
12:39	0.063
12:40	0.043
12:41	0.036
12:42	0.025
12:43	0.018
12:44	0.016
12:45	0.016
12:46	0.021
12:47	0.034
12:48	0.021
12:49	0.021
12:50	0.025
12:51	0.03
12:52	0.031
12:53	0.026
12:54	0.02
12:55	0.024
12:56	0.021
12:57	0.018
12:58	0.017
12:59	0.021
13:00	0.018
13:01	0.016

13:02	0.018
13:03	0.017
13:04	0.02
13:05	0.029
13:06	0.03
13:07	0.02
13:08	0.016
13:09	0.03
13:10	0.029
13:11	0.019
13:12	0.037
13:13	0.021
13:14	0.035
13:15	0.022
13:16	0.035
13:17	0.021
13:18	0.064
13:19	0.046
13:20	0.033
13:21	0.02
13:22	0.016
13:23	0.019
13:24	0.019
13:25	0.064
13:26	0.02
13:27	0.029
13:28	0.459
13:29	0.149
13:30	0.228
13:31	0.042
13:32	0.027
13:33	0.021
13:34	0.052
13:35	0.027
13:36	0.019
13:37	0.015
13:38	0.017
13:39	0.024
13:40	0.034
13:41	0.027
13:42	0.025
13:43	0.022
13:44	0.044
13:45	0.03

13:46	0.021
13:47	0.021
13:48	0.032
13:49	0.036
13:50	0.044
13:51	0.096
13:52	0.018
13:53	0.045
13:54	0.029
13:55	0.02
13:56	0.018
13:57	0.03
13:58	0.026
13:59	0.021
14:00	0.017
14:01	0.019
14:02	0.019
14:03	0.017
14:04	0.019
14:05	0.065
14:06	0.034
14:07	0.018
14:08	0.05
14:09	0.023
14:10	0.019
14:11	0.021
14:12	0.016
14:13	0.04
14:14	0.02
14:15	0.023
14:16	0.03
14:17	0.149
14:18	0.061
14:19	0.022
14:20	0.02
14:21	0.015
14:22	0.015
14:23	0.058
14:24	0.03
14:25	0.019
14:26	0.014
14:27	0.017
14:28	0.015
14:29	0.013

14:30	0.016
14:31	0.021
14:32	0.014
14:33	0.013
14:34	0.014
14:35	0.025
14:36	0.022
14:37	0.026
14:38	0.057
14:39	0.042
14:40	0.077
14:41	0.082
14:42	0.049
14:43	0.023
14:44	0.023
14:45	0.029
14:46	0.019
14:47	0.047
14:48	0.042
14:49	0.045
14:50	0.017
14:51	0.034
14:52	0.02
14:53	0.015
14:54	0.018
14:55	0.015
14:56	0.012
14:57	0.029
14:58	0.021
14:59	0.071
15:00	0.045
15:01	0.014
15:02	0.015
15:03	0.012
15:04	0.017
15:05	0.016
15:06	0.041
15:07	0.02
15:08	0.017
15:09	0.014
15:10	0.037
15:11	0.094
15:12	0.042
15:13	0.043

15:14	0.042
15:15	0.091
15:16	0.076
15:17	0.021
15:18	0.099
15:19	0.047
15:20	0.029
15:21	0.029
15:22	0.027
15:23	0.015
15:24	0.019
15:25	0.096
15:26	0.308
15:27	0.286
15:28	0.04
15:29	0.032
15:30	0.024
15:31	0.048
15:32	0.024
15:33	0.022
15:34	0.041
15:35	0.215
15:36	0.128
15:37	0.023
15:38	0.016
15:39	0.018
15:40	0.022
15:41	0.029
15:42	0.048
15:43	0.117
15:44	0.06
15:45	0.072
15:46	0.093
15:47	0.037
15:48	0.017
15:49	0.037
15:50	0.021
15:51	0.121
15:52	0.031
15:53	0.019
15:54	0.017
15:55	0.019
15:56	0.02
15:57	0.016

15:58	0.018
15:59	0.015
16:00	0.025
16:01	0.033
16:02	0.014
16:03	0.021
16:04	0.014
16:05	0.042
16:06	0.017
16:07	0.028
16:08	0.034
16:09	0.017
16:10	0.025
16:11	0.026
16:12	0.016
16:13	0.027
16:14	0.032
16:15	0.019
16:16	0.017
16:17	0.015
16:18	0.018
16:19	0.028
16:20	0.014
16:21	0.075
16:22	0.245
16:23	0.304
16:24	0.04
16:25	0.035
16:26	0.081
16:27	0.041
16:28	0.128
16:29	0.097
16:30	0.084
16:31	0.103
16:32	0.131
16:33	0.147
16:34	0.184
16:35	0.036
16:36	0.114
16:37	0.027
16:38	0.188
16:39	0.212
16:40	0.186
16:41	0.407

16:42	0.37
16:43	0.182
16:44	0.133
16:45	0.074
16:46	0.027
16:47	0.018
16:48	0.015
16:49	0.019
16:50	0.016
16:51	0.016
16:52	0.016
16:53	0.014
16:54	0.015
16:55	0.013
16:56	0.017
16:57	0.015
16:58	0.035
16:59	0.027
17:00	0.02
17:01	0.018
17:02	0.013
17:03	0.016
17:04	0.012
17:05	0.013
17:06	0.014
17:07	0.013
17:08	0.014
17:09	0.014
17:10	0.012
17:11	0.013
17:12	0.013
17:13	0.012
17:14	0.012
17:15	0.012
17:16	0.012
17:17	0.016
17:18	0.013
17:19	0.012
17:20	0.012
17:21	0.019
17:22	0.014
17:23	0.017
17:24	0.02
17:25	0.025

17:26	0.019
17:27	0.025
17:28	0.049
17:29	0.048
17:30	0.016
17:31	0.027
17:32	0.045
17:33	0.055
17:34	0.038
17:35	0.032
17:36	0.019
17:37	0.021
17:38	0.014
17:39	0.013
17:40	0.012
17:41	0.017
17:42	0.013
17:43	0.014
17:44	0.016
17:45	0.014
17:46	0.015
17:47	0.014
17:48	0.013
17:49	0.013
17:50	0.013
17:51	0.016
17:52	0.014
17:53	0.014
17:54	0.021
17:55	0.021
17:56	0.016
17:57	0.013
17:58	0.013
17:59	0.013
18:00	0.016
18:01	0.014
18:02	0.013
18:03	0.017
18:04	0.014
18:05	0.026
18:06	0.018
18:07	0.049
18:08	0.021

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-601274	9/5/2024 18:10	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:09	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:08	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:07	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:06	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:05	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:04	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:03	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:02	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:01	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 18:00	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:59	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:58	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:57	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:56	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:55	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:54	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:53	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:52	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:51	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:50	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:49	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:48	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:47	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:46	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:45	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:44	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:43	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:42	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:41	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:40	Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 17:39	Readings	PID	SC23030921B3	Normal	0

592-601274	9/5/2024 7:11 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:10 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:09 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:08 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:07 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:06 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:05 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:04 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:03 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:02 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:01 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 7:00 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:59 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:58 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:57 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:56 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:55 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:54 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:53 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:52 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:51 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:50 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:49 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:48 Readings	PID	SC23030921B3	Normal	0
592-601274	9/5/2024 6:47 CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	7/11/2024
Test Name	MANUAL_002
Test Start Time	6:53:55 AM
Test Start Date	9/5/2024
Test Length [D:H:M]	0:11:09
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.021
PM1 Minimum [mg/m3]	0.009
PM1 Maximum [mg/m3]	0.874
PM1 TWA [mg/m3]	0.02
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	669

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
6:53	0.087		
6:54	0.029		
6:55	0.022		
6:56	0.02		
6:57	0.021		
6:58	0.018		
6:59	0.019		
7:00	0.018		
7:01	0.02		
7:02	0.02		
7:03	0.019		
7:04	0.02		
7:05	0.023		
7:06	0.023		
7:07	0.032		
7:08	0.021		
7:09	0.027		
7:10	0.023		
7:11	0.021		
7:12	0.03		
7:13	0.026		
7:14	0.021		
7:15	0.028		

7:16	0.026
7:17	0.025
7:18	0.024
7:19	0.021
7:20	0.026
7:21	0.021
7:22	0.02
7:23	0.028
7:24	0.022
7:25	0.027
7:26	0.023
7:27	0.033
7:28	0.112
7:29	0.062
7:30	0.041
7:31	0.033
7:32	0.027
7:33	0.03
7:34	0.043
7:35	0.038
7:36	0.025
7:37	0.025
7:38	0.031
7:39	0.037
7:40	0.034
7:41	0.043
7:42	0.019
7:43	0.019
7:44	0.018
7:45	0.02
7:46	0.019
7:47	0.018
7:48	0.019
7:49	0.018
7:50	0.017
7:51	0.017
7:52	0.018
7:53	0.017
7:54	0.02
7:55	0.03
7:56	0.031
7:57	0.022
7:58	0.021
7:59	0.021

8:00	0.023
8:01	0.022
8:02	0.019
8:03	0.019
8:04	0.018
8:05	0.037
8:06	0.024
8:07	0.02
8:08	0.016
8:09	0.015
8:10	0.02
8:11	0.028
8:12	0.021
8:13	0.021
8:14	0.02
8:15	0.018
8:16	0.017
8:17	0.016
8:18	0.023
8:19	0.019
8:20	0.016
8:21	0.017
8:22	0.018
8:23	0.015
8:24	0.015
8:25	0.017
8:26	0.019
8:27	0.019
8:28	0.018
8:29	0.021
8:30	0.019
8:31	0.016
8:32	0.016
8:33	0.013
8:34	0.016
8:35	0.028
8:36	0.027
8:37	0.021
8:38	0.036
8:39	0.019
8:40	0.011
8:41	0.012
8:42	0.023
8:43	0.021

8:44	0.017
8:45	0.031
8:46	0.032
8:47	0.034
8:48	0.016
8:49	0.011
8:50	0.01
8:51	0.011
8:52	0.016
8:53	0.017
8:54	0.017
8:55	0.014
8:56	0.011
8:57	0.011
8:58	0.012
8:59	0.01
9:00	0.011
9:01	0.014
9:02	0.014
9:03	0.013
9:04	0.012
9:05	0.01
9:06	0.01
9:07	0.012
9:08	0.017
9:09	0.01
9:10	0.009
9:11	0.009
9:12	0.01
9:13	0.009
9:14	0.009
9:15	0.009
9:16	0.011
9:17	0.011
9:18	0.01
9:19	0.01
9:20	0.011
9:21	0.011
9:22	0.016
9:23	0.023
9:24	0.016
9:25	0.013
9:26	0.013
9:27	0.01

9:28	0.039
9:29	0.037
9:30	0.023
9:31	0.02
9:32	0.016
9:33	0.023
9:34	0.02
9:35	0.018
9:36	0.031
9:37	0.017
9:38	0.011
9:39	0.011
9:40	0.015
9:41	0.024
9:42	0.016
9:43	0.027
9:44	0.012
9:45	0.013
9:46	0.022
9:47	0.014
9:48	0.012
9:49	0.009
9:50	0.012
9:51	0.009
9:52	0.009
9:53	0.009
9:54	0.009
9:55	0.01
9:56	0.011
9:57	0.012
9:58	0.013
9:59	0.011
10:00	0.012
10:01	0.012
10:02	0.011
10:03	0.012
10:04	0.009
10:05	0.009
10:06	0.011
10:07	0.009
10:08	0.015
10:09	0.011
10:10	0.012
10:11	0.014

10:12	0.012
10:13	0.01
10:14	0.011
10:15	0.016
10:16	0.016
10:17	0.013
10:18	0.013
10:19	0.011
10:20	0.01
10:21	0.016
10:22	0.014
10:23	0.038
10:24	0.021
10:25	0.013
10:26	0.011
10:27	0.011
10:28	0.011
10:29	0.011
10:30	0.012
10:31	0.011
10:32	0.01
10:33	0.011
10:34	0.011
10:35	0.01
10:36	0.011
10:37	0.012
10:38	0.024
10:39	0.025
10:40	0.013
10:41	0.016
10:42	0.016
10:43	0.015
10:44	0.014
10:45	0.017
10:46	0.014
10:47	0.014
10:48	0.025
10:49	0.014
10:50	0.012
10:51	0.013
10:52	0.013
10:53	0.011
10:54	0.013
10:55	0.016

10:56	0.02
10:57	0.016
10:58	0.019
10:59	0.043
11:00	0.015
11:01	0.022
11:02	0.013
11:03	0.012
11:04	0.014
11:05	0.024
11:06	0.025
11:07	0.05
11:08	0.028
11:09	0.017
11:10	0.015
11:11	0.016
11:12	0.017
11:13	0.024
11:14	0.035
11:15	0.016
11:16	0.014
11:17	0.02
11:18	0.029
11:19	0.023
11:20	0.033
11:21	0.031
11:22	0.018
11:23	0.018
11:24	0.017
11:25	0.023
11:26	0.015
11:27	0.017
11:28	0.017
11:29	0.02
11:30	0.034
11:31	0.024
11:32	0.023
11:33	0.021
11:34	0.038
11:35	0.025
11:36	0.02
11:37	0.023
11:38	0.026
11:39	0.017

11:40	0.018
11:41	0.018
11:42	0.014
11:43	0.022
11:44	0.024
11:45	0.023
11:46	0.02
11:47	0.02
11:48	0.038
11:49	0.031
11:50	0.031
11:51	0.021
11:52	0.02
11:53	0.018
11:54	0.018
11:55	0.023
11:56	0.015
11:57	0.026
11:58	0.021
11:59	0.04
12:00	0.034
12:01	0.021
12:02	0.022
12:03	0.037
12:04	0.036
12:05	0.02
12:06	0.019
12:07	0.023
12:08	0.034
12:09	0.019
12:10	0.018
12:11	0.015
12:12	0.017
12:13	0.017
12:14	0.019
12:15	0.017
12:16	0.017
12:17	0.019
12:18	0.02
12:19	0.021
12:20	0.018
12:21	0.017
12:22	0.018
12:23	0.027

12:24	0.017
12:25	0.027
12:26	0.019
12:27	0.023
12:28	0.024
12:29	0.033
12:30	0.024
12:31	0.019
12:32	0.027
12:33	0.024
12:34	0.017
12:35	0.191
12:36	0.167
12:37	0.026
12:38	0.018
12:39	0.036
12:40	0.041
12:41	0.021
12:42	0.017
12:43	0.015
12:44	0.033
12:45	0.02
12:46	0.021
12:47	0.067
12:48	0.033
12:49	0.022
12:50	0.015
12:51	0.017
12:52	0.017
12:53	0.015
12:54	0.018
12:55	0.017
12:56	0.017
12:57	0.017
12:58	0.017
12:59	0.015
13:00	0.014
13:01	0.015
13:02	0.015
13:03	0.015
13:04	0.017
13:05	0.018
13:06	0.016
13:07	0.015

13:08	0.014
13:09	0.017
13:10	0.016
13:11	0.018
13:12	0.023
13:13	0.016
13:14	0.016
13:15	0.015
13:16	0.015
13:17	0.017
13:18	0.029
13:19	0.047
13:20	0.018
13:21	0.014
13:22	0.014
13:23	0.015
13:24	0.016
13:25	0.015
13:26	0.014
13:27	0.017
13:28	0.016
13:29	0.08
13:30	0.034
13:31	0.017
13:32	0.02
13:33	0.031
13:34	0.021
13:35	0.029
13:36	0.021
13:37	0.017
13:38	0.018
13:39	0.02
13:40	0.026
13:41	0.033
13:42	0.017
13:43	0.019
13:44	0.015
13:45	0.02
13:46	0.019
13:47	0.024
13:48	0.017
13:49	0.017
13:50	0.02
13:51	0.018

13:52	0.023
13:53	0.019
13:54	0.017
13:55	0.017
13:56	0.018
13:57	0.015
13:58	0.016
13:59	0.015
14:00	0.015
14:01	0.014
14:02	0.017
14:03	0.017
14:04	0.023
14:05	0.019
14:06	0.016
14:07	0.015
14:08	0.014
14:09	0.016
14:10	0.016
14:11	0.015
14:12	0.016
14:13	0.016
14:14	0.015
14:15	0.015
14:16	0.017
14:17	0.02
14:18	0.018
14:19	0.014
14:20	0.014
14:21	0.014
14:22	0.02
14:23	0.024
14:24	0.019
14:25	0.016
14:26	0.015
14:27	0.014
14:28	0.014
14:29	0.014
14:30	0.014
14:31	0.015
14:32	0.014
14:33	0.015
14:34	0.015
14:35	0.015

14:36	0.014
14:37	0.015
14:38	0.014
14:39	0.014
14:40	0.015
14:41	0.017
14:42	0.014
14:43	0.014
14:44	0.017
14:45	0.014
14:46	0.015
14:47	0.018
14:48	0.015
14:49	0.015
14:50	0.015
14:51	0.015
14:52	0.015
14:53	0.015
14:54	0.015
14:55	0.015
14:56	0.027
14:57	0.015
14:58	0.016
14:59	0.026
15:00	0.014
15:01	0.014
15:02	0.015
15:03	0.019
15:04	0.014
15:05	0.014
15:06	0.015
15:07	0.014
15:08	0.014
15:09	0.014
15:10	0.015
15:11	0.016
15:12	0.015
15:13	0.016
15:14	0.019
15:15	0.02
15:16	0.015
15:17	0.016
15:18	0.015
15:19	0.022

15:20	0.017
15:21	0.017
15:22	0.014
15:23	0.015
15:24	0.029
15:25	0.017
15:26	0.018
15:27	0.021
15:28	0.016
15:29	0.015
15:30	0.016
15:31	0.015
15:32	0.015
15:33	0.014
15:34	0.019
15:35	0.021
15:36	0.016
15:37	0.014
15:38	0.014
15:39	0.014
15:40	0.016
15:41	0.021
15:42	0.016
15:43	0.02
15:44	0.019
15:45	0.016
15:46	0.018
15:47	0.02
15:48	0.019
15:49	0.018
15:50	0.018
15:51	0.016
15:52	0.019
15:53	0.016
15:54	0.014
15:55	0.014
15:56	0.014
15:57	0.016
15:58	0.019
15:59	0.024
16:00	0.022
16:01	0.02
16:02	0.016
16:03	0.024

16:04	0.021
16:05	0.019
16:06	0.014
16:07	0.014
16:08	0.018
16:09	0.016
16:10	0.015
16:11	0.016
16:12	0.014
16:13	0.014
16:14	0.014
16:15	0.014
16:16	0.015
16:17	0.015
16:18	0.016
16:19	0.015
16:20	0.015
16:21	0.019
16:22	0.016
16:23	0.016
16:24	0.014
16:25	0.014
16:26	0.018
16:27	0.022
16:28	0.019
16:29	0.015
16:30	0.017
16:31	0.019
16:32	0.015
16:33	0.013
16:34	0.012
16:35	0.012
16:36	0.017
16:37	0.02
16:38	0.02
16:39	0.017
16:40	0.016
16:41	0.033
16:42	0.029
16:43	0.018
16:44	0.025
16:45	0.015
16:46	0.065
16:47	0.058

16:48	0.021
16:49	0.023
16:50	0.016
16:51	0.014
16:52	0.016
16:53	0.016
16:54	0.024
16:55	0.019
16:56	0.021
16:57	0.028
16:58	0.023
16:59	0.021
17:00	0.019
17:01	0.015
17:02	0.018
17:03	0.019
17:04	0.017
17:05	0.018
17:06	0.018
17:07	0.018
17:08	0.017
17:09	0.015
17:10	0.015
17:11	0.015
17:12	0.018
17:13	0.017
17:14	0.047
17:15	0.018
17:16	0.017
17:17	0.019
17:18	0.018
17:19	0.019
17:20	0.018
17:21	0.018
17:22	0.014
17:23	0.018
17:24	0.019
17:25	0.017
17:26	0.016
17:27	0.018
17:28	0.022
17:29	0.021
17:30	0.021
17:31	0.018

17:32	0.014
17:33	0.874
17:34	0.247
17:35	0.049
17:36	0.021
17:37	0.016
17:38	0.013
17:39	0.012
17:40	0.013
17:41	0.011
17:42	0.011
17:43	0.014
17:44	0.013
17:45	0.012
17:46	0.014
17:47	0.012
17:48	0.011
17:49	0.011
17:50	0.012
17:51	0.012
17:52	0.012
17:53	0.011
17:54	0.015
17:55	0.012
17:56	0.012
17:57	0.013
17:58	0.012
17:59	0.012
18:00	0.012
18:01	0.012

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-906376	9/5/2024 18:04	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 18:03	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 18:02	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 18:01	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 18:00	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 17:59	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:58	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:57	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:56	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:55	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:54	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:53	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:52	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:51	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:50	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:49	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 17:48	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:47	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 17:46	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:45	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:44	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:43	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:42	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:41	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:40	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:39	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:38	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:37	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:36	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:35	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:34	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 17:33	Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 16:59	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:58	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:57	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:56	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:55	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:54	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:53	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:52	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:51	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:50	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:49	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:48	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:47	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:46	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:45	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:44	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:43	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:42	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:41	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:40	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:39	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:38	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:37	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:36	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:35	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:34	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:33	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:32	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:31	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:30	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:29	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:28	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:27	Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 16:26	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:25	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:24	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:23	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:22	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:21	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:20	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:19	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:18	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:17	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:16	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:15	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:14	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:13	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:12	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:11	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:10	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:09	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:08	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 16:07	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:06	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:05	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 16:04	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:03	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:02	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:01	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 16:00	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:59	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:58	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:57	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:56	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:54	Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 15:53	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:52	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:51	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:50	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:49	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:48	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:47	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:46	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:45	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:44	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:43	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:42	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:41	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:40	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:39	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:38	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:37	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:36	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:35	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:34	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:33	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:32	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:31	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:30	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:29	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:28	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:27	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:26	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:25	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:24	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:23	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:22	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:21	Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 15:20	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:19	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:18	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:17	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:16	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:15	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:14	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:13	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:12	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:11	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:10	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:09	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:08	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 15:07	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:06	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:05	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:04	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:03	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:02	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:01	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 15:00	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:59	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:58	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:57	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:56	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:55	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:54	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:53	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:52	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:51	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:50	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:49	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:48	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 14:47	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:46	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:45	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:44	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:43	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:42	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:41	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:40	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:39	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:38	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:37	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:36	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:35	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:34	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:33	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:32	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:31	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:30	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:29	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:28	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:27	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:26	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:25	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:24	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:23	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:22	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:21	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:20	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:19	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:18	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:17	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:16	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:15	Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 14:14 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:13 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:12 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:11 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:10 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:09 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:08 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:07 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:06 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:05 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 14:04 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:03 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:02 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:01 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 14:00 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:59 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:58 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:57 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:56 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:55 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:54 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:53 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:52 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:51 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:50 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:49 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:48 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:47 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:46 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:45 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:44 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:43 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:42 Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 13:41	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:40	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:39	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:38	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:37	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:36	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:35	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:34	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:33	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:32	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:31	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:30	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:29	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:28	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:27	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:26	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:25	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:24	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:23	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 13:22	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:21	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:20	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:19	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:18	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:17	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:16	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:15	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:14	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:13	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:12	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:11	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:10	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:09	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 13:08	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:07	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 13:06	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:05	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:04	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:03	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:02	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 13:01	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 13:00	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:59	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:58	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:57	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:56	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:54	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:53	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:52	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:51	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:50	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:49	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:48	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:47	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:46	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:45	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:44	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:43	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:42	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:41	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:40	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:39	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:38	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:37	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:36	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 12:35	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:34	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:33	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:32	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:31	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:30	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:29	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:28	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:27	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:26	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:25	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:24	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:23	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:22	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:21	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:20	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:19	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:18	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:17	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:16	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:15	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:14	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:13	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:12	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:11	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:10	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:09	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:08	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:07	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:06	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:05	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:04	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:03	Readings	PID	SC23030159V4	Normal	0.2

592-906376	9/5/2024 12:02	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 12:01	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 12:00	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:59	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:58	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:57	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:56	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:54	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:53	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:52	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:51	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:50	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:49	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:48	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:47	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:46	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:45	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:44	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:43	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:42	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:41	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:40	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:39	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:38	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:37	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:36	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:35	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:34	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:33	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:32	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:31	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:30	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 11:29	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:28	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:27	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:26	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:25	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:24	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:23	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:22	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:21	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:20	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:19	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:18	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:17	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:16	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:15	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:14	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:13	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:12	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:11	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:10	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:09	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:08	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:07	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:06	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:05	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:04	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:03	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 11:02	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:01	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 11:00	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:59	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:58	Readings	PID	SC23030159V4	Normal	0.4
592-906376	9/5/2024 10:57	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 10:56	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:55	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:54	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:53	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:52	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:51	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:50	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:49	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:48	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:47	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:46	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:45	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:44	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:43	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:42	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:41	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:40	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:39	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:38	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:37	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:36	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:35	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:34	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:33	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:32	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:31	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:30	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:29	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:28	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/5/2024 10:27	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/5/2024 10:26	Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/5/2024 10:25	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:24	Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 10:23	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:22	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:21	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:20	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:19	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:18	Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 10:17	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:16	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:15	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:14	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:13	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:12	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:11	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 10:10	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 10:09	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:08	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:07	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:06	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:05	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:04	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:03	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:02	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:01	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 10:00	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:59	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:58	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:57	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:56	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:54	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:53	Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:52	Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:51	Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 9:50 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:49 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:48 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:47 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:46 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:45 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:44 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:43 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:42 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:41 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:40 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:39 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:38 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:37 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:36 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:35 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:34 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:33 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:32 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:31 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:30 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:29 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:28 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:27 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:26 Readings	PID	SC23030159V4	Normal	0.3
592-906376	9/5/2024 9:25 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:24 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:23 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:22 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:21 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:20 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:19 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:18 Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 9:17 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:16 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:15 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:14 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:13 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:12 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:11 Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 9:10 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:09 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:08 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:07 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:06 Readings	PID	SC23030159V4	Normal	0.2
592-906376	9/5/2024 9:05 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:04 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:03 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:02 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 9:01 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 9:00 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:59 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:58 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:57 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:56 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:55 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:54 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:53 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:52 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:51 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:50 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:49 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:48 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:47 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:46 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:45 Readings	PID	SC23030159V4	Normal	0.1

592-906376	9/5/2024 8:44 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:43 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:42 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:41 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:40 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:39 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:38 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:37 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:36 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:35 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:34 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:33 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:32 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:31 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:30 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:29 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:28 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:27 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:26 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:25 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:24 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:23 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:22 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:21 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:20 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:19 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:18 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:17 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:16 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:15 Readings	PID	SC23030159V4	Normal	0.1
592-906376	9/5/2024 8:14 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:13 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 8:12 Readings	PID	SC23030159V4	Normal	0

592-906376	9/5/2024 7:05 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 7:04 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 7:03 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 7:02 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 7:01 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 7:00 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:59 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:58 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:57 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:56 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:55 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:54 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:53 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:52 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:51 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:50 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:49 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:48 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:47 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:46 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:45 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:44 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:43 Readings	PID	SC23030159V4	Normal	0
592-906376	9/5/2024 6:42 CONFIG	PID	SC23030159V4		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_008
Test Start Time	6:50:54 AM
Test Start Date	9/5/2024
Test Length [D:H:M]	0:11:14
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.044
Mass Minimum [mg/m3]	0
Mass Maximum [mg/m3]	2.74
Mass TWA [mg/m3]	0.057
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	674

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:50	0.134		
6:51	0.03		
6:52	0.029		
6:53	0.028		
6:54	0.03		
6:55	0.028		
6:56	0.035		
6:57	0.028		
6:58	0.031		
6:59	0.029		
7:00	0.032		
7:01	0.033		
7:02	0.027		
7:03	0.028		
7:04	0.036		
7:05	0.045		
7:06	0.062		
7:07	0.094		
7:08	0.056		
7:09	0.034		
7:10	0.046		
7:11	0.031		
7:12	0.045		
7:13	0.035		

7:14	0.04
7:15	0.059
7:16	0.112
7:17	0.042
7:18	0.038
7:19	0.061
7:20	0.055
7:21	0.205
7:22	0.071
7:23	0.115
7:24	0.17
7:25	0.318
7:26	0.36
7:27	0.746
7:28	0.379
7:29	0.369
7:30	0.696
7:31	0.033
7:32	0.241
7:33	0.073
7:34	0.54
7:35	0.143
7:36	0.19
7:37	0.242
7:38	0.311
7:39	0.46
7:40	0.026
7:41	0.289
7:42	0.047
7:43	0.037
7:44	0.112
7:45	0.137
7:46	0.041
7:47	0.065
7:48	0.061
7:49	0.074
7:50	0.032
7:51	0.027
7:52	0.034
7:53	0.033
7:54	0.058
7:55	0.104
7:56	0.168
7:57	0.148

7:58	0.113
7:59	0.047
8:00	0.049
8:01	0.057
8:02	0.049
8:03	0.142
8:04	0.123
8:05	0.177
8:06	0.1
8:07	0.05
8:08	0.029
8:09	0.094
8:10	0.09
8:11	0.111
8:12	0.031
8:13	0.029
8:14	0.032
8:15	0.023
8:16	0.031
8:17	0.022
8:18	0.04
8:19	0.025
8:20	0.019
8:21	0.02
8:22	0.023
8:23	0.022
8:24	0.03
8:25	0.033
8:26	0.151
8:27	0.034
8:28	0.03
8:29	0.023
8:30	0.031
8:31	0.026
8:32	0.028
8:33	0.021
8:34	0.17
8:35	0.04
8:36	0.031
8:37	0.019
8:38	0.02
8:39	0.023
8:40	0.017
8:41	0.028

8:42	0.061
8:43	0.046
8:44	0.108
8:45	0.121
8:46	0.172
8:47	0.052
8:48	0.029
8:49	0.023
8:50	0.021
8:51	0.036
8:52	0.048
8:53	0.049
8:54	0.047
8:55	0.023
8:56	0.02
8:57	0.035
8:58	0.029
8:59	0.26
9:00	0.031
9:01	0.031
9:02	0.025
9:03	0.042
9:04	0.054
9:05	0.02
9:06	0.019
9:07	0.029
9:08	0.021
9:09	0.02
9:10	0.016
9:11	0.016
9:12	0.012
9:13	0.013
9:14	0.012
9:15	0.014
9:16	0.017
9:17	0.016
9:18	0.019
9:19	0.017
9:20	0.014
9:21	0.031
9:22	0.022
9:23	0.043
9:24	0.032
9:25	0.026

9:26	0.02
9:27	0.055
9:28	0.845
9:29	0.044
9:30	0.487
9:31	2.74
9:32	0.049
9:33	0.058
9:34	0.097
9:35	0.095
9:36	0.288
9:37	0.271
9:38	0.102
9:39	0.036
9:40	0.082
9:41	0.023
9:42	0.021
9:43	0.059
9:44	0.562
9:45	0.024
9:46	0.033
9:47	0.022
9:48	0.017
9:49	0.014
9:50	0.014
9:51	0.012
9:52	0.047
9:53	0.012
9:54	0.02
9:55	0.015
9:56	0.014
9:57	0.016
9:58	0.023
9:59	0.012
10:00	0.013
10:01	0.012
10:02	0.011
10:03	0.011
10:04	0.01
10:05	0.01
10:06	0.012
10:07	0.016
10:08	0.013
10:09	0.013

10:10	0.011
10:11	0.011
10:12	0.014
10:13	0.02
10:14	0.02
10:15	0.04
10:16	0.018
10:17	0.04
10:18	0.017
10:19	0.015
10:20	0.012
10:21	0.037
10:22	0.019
10:23	0.018
10:24	0.012
10:25	0.012
10:26	0.011
10:27	0.012
10:28	0.012
10:29	0.011
10:30	0.012
10:31	0.01
10:32	0.01
10:33	0.016
10:34	0.011
10:35	0.012
10:36	0.011
10:37	0.013
10:38	0.04
10:39	0.038
10:40	0.016
10:41	0.034
10:42	0.019
10:43	0.023
10:44	0.027
10:45	0.04
10:46	0.02
10:47	0.016
10:48	0.03
10:49	0.021
10:50	0.012
10:51	0.022
10:52	0.022
10:53	0.012

10:54	0.022
10:55	0.027
10:56	0.028
10:57	0.019
10:58	0.033
10:59	0.027
11:00	0.032
11:01	0.023
11:02	0.013
11:03	0.022
11:04	0.022
11:05	0.062
11:06	0.041
11:07	0.015
11:08	0.017
11:09	0.026
11:10	0.015
11:11	0.016
11:12	0.025
11:13	0.027
11:14	0.023
11:15	0.019
11:16	0.013
11:17	0.031
11:18	0.033
11:19	0.035
11:20	0.016
11:21	0.022
11:22	0.016
11:23	0.02
11:24	0.016
11:25	0.012
11:26	0.014
11:27	0.011
11:28	0.013
11:29	0.017
11:30	0.023
11:31	0.015
11:32	0.017
11:33	0.021
11:34	0.02
11:35	0.094
11:36	0.057
11:37	0.024

11:38	0.024
11:39	0.013
11:40	0.026
11:41	0.042
11:42	0.016
11:43	0.084
11:44	0.018
11:45	0.017
11:46	0.027
11:47	0.044
11:48	0.033
11:49	0.027
11:50	0.017
11:51	0.011
11:52	0.018
11:53	0.02
11:54	0.017
11:55	0.024
11:56	0.145
11:57	0.037
11:58	0.028
11:59	0.077
12:00	0.048
12:01	0.018
12:02	0.014
12:03	0.018
12:04	0.017
12:05	0.013
12:06	0.012
12:07	0.012
12:08	0.017
12:09	0.014
12:10	0.011
12:11	0.011
12:12	0.011
12:13	0.012
12:14	0.013
12:15	0.011
12:16	0.012
12:17	0.015
12:18	0.014
12:19	0.05
12:20	0.014
12:21	0.012

12:22	0.01
12:23	0.009
12:24	0.01
12:25	0.011
12:26	0.035
12:27	0.027
12:28	0.011
12:29	0.015
12:30	0.015
12:31	0.016
12:32	0.019
12:33	0.021
12:34	0.015
12:35	0.015
12:36	0.012
12:37	0.018
12:38	0.023
12:39	0.03
12:40	0.042
12:41	0.05
12:42	0.04
12:43	0.018
12:44	0.074
12:45	0.05
12:46	0.055
12:47	0.348
12:48	0.18
12:49	0.055
12:50	0.019
12:51	0.02
12:52	0.013
12:53	0.012
12:54	0.021
12:55	0.015
12:56	0.014
12:57	0.013
12:58	0.014
12:59	0.014
13:00	0.009
13:01	0.011
13:02	0.011
13:03	0.014
13:04	0.01
13:05	0.013

13:06	0.01
13:07	0.012
13:08	0.011
13:09	0.016
13:10	0.011
13:11	0.022
13:12	0.015
13:13	0.011
13:14	0.023
13:15	0.01
13:16	0.011
13:17	0.015
13:18	0.023
13:19	0.017
13:20	0.013
13:21	0.01
13:22	0.01
13:23	0.012
13:24	0.018
13:25	0.013
13:26	0.017
13:27	0.034
13:28	0.015
13:29	0.479
13:30	0.057
13:31	0.016
13:32	0.017
13:33	0.034
13:34	0.026
13:35	0.06
13:36	0.101
13:37	0.03
13:38	0.054
13:39	0.024
13:40	0.015
13:41	0.032
13:42	0.016
13:43	0.019
13:44	0.014
13:45	0.023
13:46	0.014
13:47	0.016
13:48	0.008
13:49	0.05

13:50	0.331
13:51	0.218
13:52	0.041
13:53	0.017
13:54	0.021
13:55	0.018
13:56	0.01
13:57	0.009
13:58	0.009
13:59	0.013
14:00	0.01
14:01	0.008
14:02	0.016
14:03	0.014
14:04	0.014
14:05	0.013
14:06	0.011
14:07	0.01
14:08	0.013
14:09	0.011
14:10	0.01
14:11	0.01
14:12	0.013
14:13	0.012
14:14	0.017
14:15	0.01
14:16	0.014
14:17	0.012
14:18	0.01
14:19	0.008
14:20	0.008
14:21	0.009
14:22	0.014
14:23	0.014
14:24	0.011
14:25	0.01
14:26	0.01
14:27	0.008
14:28	0.01
14:29	0.011
14:30	0.01
14:31	0.009
14:32	0.008
14:33	0.009

14:34	0.01
14:35	0.011
14:36	0.009
14:37	0.015
14:38	0.009
14:39	0.009
14:40	0.009
14:41	0.013
14:42	0.03
14:43	0.018
14:44	0.022
14:45	0.01
14:46	0.015
14:47	0.016
14:48	0.012
14:49	0.019
14:50	0.016
14:51	0.011
14:52	0.01
14:53	0.012
14:54	0.008
14:55	0.01
14:56	0.018
14:57	0.01
14:58	0.019
14:59	0.026
15:00	0.01
15:01	0.008
15:02	0.011
15:03	0.012
15:04	0.008
15:05	0.009
15:06	0.009
15:07	0.01
15:08	0.009
15:09	0.01
15:10	0.01
15:11	0.013
15:12	0.015
15:13	0.014
15:14	0.016
15:15	0.013
15:16	0.013
15:17	0.009

15:18	0.01
15:19	0.02
15:20	0.025
15:21	0.012
15:22	0.011
15:23	0.011
15:24	0.019
15:25	0.014
15:26	0.022
15:27	0.024
15:28	0.013
15:29	0.009
15:30	0.01
15:31	0.01
15:32	0.01
15:33	0.013
15:34	0.019
15:35	0.025
15:36	0.012
15:37	0.008
15:38	0.01
15:39	0.01
15:40	0.037
15:41	0.032
15:42	0.009
15:43	0.018
15:44	0.01
15:45	0.01
15:46	0.017
15:47	0.021
15:48	0.015
15:49	0.015
15:50	0.015
15:51	0.017
15:52	0.024
15:53	0.019
15:54	0.009
15:55	0.011
15:56	0.009
15:57	0.01
15:58	0.014
15:59	0.01
16:00	0.01
16:01	0.011

16:02	0.024
16:03	0.025
16:04	0.011
16:05	0.01
16:06	0.017
16:07	0.01
16:08	0.009
16:09	0.011
16:10	0.013
16:11	0.014
16:12	0.011
16:13	0.01
16:14	0.01
16:15	0.01
16:16	0.009
16:17	0.015
16:18	0.01
16:19	0.009
16:20	0.009
16:21	0.013
16:22	0.013
16:23	0.012
16:24	0.01
16:25	0.009
16:26	0.014
16:27	0.014
16:28	0.011
16:29	0.011
16:30	0.012
16:31	0.015
16:32	0.01
16:33	0.009
16:34	0.008
16:35	0.008
16:36	0.015
16:37	0.017
16:38	0.018
16:39	0.014
16:40	0.015
16:41	0.039
16:42	0.015
16:43	0.018
16:44	0.016
16:45	0.011

16:46	0.013
16:47	0.009
16:48	0.011
16:49	0.013
16:50	0.01
16:51	0.01
16:52	0.012
16:53	0.01
16:54	0.009
16:55	0.01
16:56	0.009
16:57	0.024
16:58	0
16:59	0
17:00	0
17:01	0
17:02	0
17:03	0
17:04	0
17:05	0
17:06	0
17:07	0
17:08	0
17:09	0
17:10	0
17:11	0
17:12	0
17:13	0.025
17:14	0
17:15	0
17:16	0
17:17	0
17:18	0
17:19	0.012
17:20	0.015
17:21	0.026
17:22	0.023
17:23	0.014
17:24	0.013
17:25	0.014
17:26	0.009
17:27	0.012
17:28	0.014
17:29	0.011

17:30	0.011
17:31	0.009
17:32	0.01
17:33	0.013
17:34	0.032
17:35	0.011
17:36	0.009
17:37	0.01
17:38	0.011
17:39	0.012
17:40	0.043
17:41	0.014
17:42	0.011
17:43	0.012
17:44	0.01
17:45	0.012
17:46	0.013
17:47	0.01
17:48	0.01
17:49	0.009
17:50	0.011
17:51	0.012
17:52	0.011
17:53	0.01
17:54	0.011
17:55	0.015
17:56	0.011
17:57	0.011
17:58	0.012
17:59	0.013
18:00	0.013
18:01	0.017
18:02	0.015
18:03	0.022

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-906020	9/5/2024 18:05	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 18:04	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 18:03	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 18:02	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 18:01	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 18:00	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:59	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:58	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:57	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:56	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:55	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:54	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:53	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:52	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:51	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:50	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:49	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:48	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:47	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:46	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:45	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:44	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:43	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:42	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:41	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:40	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:39	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:38	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:37	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:36	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:35	Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 17:34	Readings	PID	SC23030396CB	Normal	0

592-906020	9/5/2024 7:06 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 7:05 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 7:04 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 7:03 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 7:02 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 7:01 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 7:00 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:59 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:58 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:57 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:56 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:55 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:54 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:53 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:52 Readings	PID	SC23030396CB	Normal	0
592-906020	9/5/2024 6:51 CONFIG	PID	SC23030396CB		