



DAILY STATUS REPORT

Prepared By:
Alex Keenan

WEATHER	Snow	Rain	Overcast	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70	X	70-85	X	>85	NE – 7 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 09/21/24
Project:	251 Douglass Street, Brooklyn, NY			

<p>Consultant: Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:35 Time Out: 10:45</p>	<p>Personnel On Site: IEEG (Environmental) – Alex Keenan Broadway Construction Group – Tom Caporale Cascade – John Vollmer Concrete Courses</p> <p>Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	---

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to continue ISS column installation; Concrete Courses conducting general housekeeping.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Cascade conducted batch plant maintenance and consolidated swell stockpile material; and
- Concrete Courses conducted housekeeping in the superstructure and in the Bulter corridor.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.497_ mg/m³ @ 06:58
- High Conditions (Upwind) – PID = _0.0_ ppm, Dust = _0.479_ mg/m³ @ 06:58
- High Conditions (Downwind 1) – PID = _3.5_ ppm @ 07:47, Dust = _0.305_ mg/m³ @ 08:55
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _1.17_ mg/m³ @ 07:06

Notable Site Conditions:

- None.

Planned for the Next Day/Week:

- Continue ISS Column Installation.

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
view of the
superstructure.



Photo 2-
Representative
view of the rig
and soil
stockpile.



Photo 3-
Representative
view of the
western portion
of the site.



Photo 4-
Representative
view of the site
facing east.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_001
Test Start Time	6:58:19 AM
Test Start Date	9/21/2024
Test Length [D:H:M]	0:03:16
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.018
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.479
Mass TWA [mg/m3]	0.007
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	196

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58:19 AM	0.479		
6:59:19 AM	0.036		
7:00:19 AM	0.038		
7:01:19 AM	0.021		
7:02:19 AM	0.021		
7:03:19 AM	0.013		
7:04:19 AM	0.022		
7:05:19 AM	0.016		
7:06:19 AM	0.028		
7:07:19 AM	0.023		
7:08:19 AM	0.042		
7:09:19 AM	0.017		
7:10:19 AM	0.017		
7:11:19 AM	0.012		
7:12:19 AM	0.013		
7:13:19 AM	0.012		
7:14:19 AM	0.013		
7:15:19 AM	0.013		
7:16:19 AM	0.012		
7:17:19 AM	0.015		
7:18:19 AM	0.012		
7:19:19 AM	0.012		
7:20:19 AM	0.012		
7:21:19 AM	0.012		
7:22:19 AM	0.012		
7:23:19 AM	0.015		
7:24:19 AM	0.013		

7:25:19 AM	0.012
7:26:19 AM	0.012
7:27:19 AM	0.012
7:28:19 AM	0.012
7:29:19 AM	0.012
7:30:19 AM	0.013
7:31:19 AM	0.012
7:32:19 AM	0.011
7:33:19 AM	0.012
7:34:19 AM	0.013
7:35:19 AM	0.012
7:36:19 AM	0.011
7:37:19 AM	0.013
7:38:19 AM	0.011
7:39:19 AM	0.011
7:40:19 AM	0.014
7:41:19 AM	0.016
7:42:19 AM	0.012
7:43:19 AM	0.013
7:44:19 AM	0.014
7:45:19 AM	0.015
7:46:19 AM	0.016
7:47:19 AM	0.013
7:48:19 AM	0.01
7:49:19 AM	0.012
7:50:19 AM	0.011
7:51:19 AM	0.016
7:52:19 AM	0.012
7:53:19 AM	0.012
7:54:19 AM	0.011
7:55:19 AM	0.012
7:56:19 AM	0.011
7:57:19 AM	0.011
7:58:19 AM	0.011
7:59:19 AM	0.013
8:00:19 AM	0.013
8:01:19 AM	0.012
8:02:19 AM	0.012
8:03:19 AM	0.011
8:04:19 AM	0.01
8:05:19 AM	0.01
8:06:19 AM	0.01
8:07:19 AM	0.012
8:08:19 AM	0.011
8:09:19 AM	0.01
8:10:19 AM	0.01
8:11:19 AM	0.011

8:12:19 AM	0.011
8:13:19 AM	0.011
8:14:19 AM	0.012
8:15:19 AM	0.011
8:16:19 AM	0.011
8:17:19 AM	0.011
8:18:19 AM	0.011
8:19:19 AM	0.011
8:20:19 AM	0.011
8:21:19 AM	0.012
8:22:19 AM	0.012
8:23:19 AM	0.013
8:24:19 AM	0.012
8:25:19 AM	0.014
8:26:19 AM	0.013
8:27:19 AM	0.014
8:28:19 AM	0.012
8:29:19 AM	0.011
8:30:19 AM	0.012
8:31:19 AM	0.013
8:32:19 AM	0.017
8:33:19 AM	0.013
8:34:19 AM	0.013
8:35:19 AM	0.011
8:36:19 AM	0.012
8:37:19 AM	0.016
8:38:19 AM	0.015
8:39:19 AM	0.012
8:40:19 AM	0.01
8:41:19 AM	0.01
8:42:19 AM	0.017
8:43:19 AM	0.013
8:44:19 AM	0.013
8:45:19 AM	0.01
8:46:19 AM	0.01
8:47:19 AM	0.01
8:48:19 AM	0.01
8:49:19 AM	0.015
8:50:19 AM	0.027
8:51:19 AM	0.02
8:52:19 AM	0.027
8:53:19 AM	0.033
8:54:19 AM	0.053
8:55:19 AM	0.206
8:56:19 AM	0.103
8:57:19 AM	0.06
8:58:19 AM	0.055

8:59:19 AM	0.028
9:00:19 AM	0.017
9:01:19 AM	0.073
9:02:19 AM	0.016
9:03:19 AM	0.028
9:04:19 AM	0.01
9:05:19 AM	0.01
9:06:19 AM	0.012
9:07:19 AM	0.011
9:08:19 AM	0.011
9:09:19 AM	0.01
9:10:19 AM	0.011
9:11:19 AM	0.01
9:12:19 AM	0.01
9:13:19 AM	0.011
9:14:19 AM	0.011
9:15:19 AM	0.01
9:16:19 AM	0.01
9:17:19 AM	0.047
9:18:19 AM	0.016
9:19:19 AM	0.013
9:20:19 AM	0.011
9:21:19 AM	0.012
9:22:19 AM	0.011
9:23:19 AM	0.01
9:24:19 AM	0.01
9:25:19 AM	0.009
9:26:19 AM	0.01
9:27:19 AM	0.014
9:28:19 AM	0.011
9:29:19 AM	0.013
9:30:19 AM	0.011
9:31:19 AM	0.012
9:32:19 AM	0.011
9:33:19 AM	0.01
9:34:19 AM	0.01
9:35:19 AM	0.009
9:36:19 AM	0.009
9:37:19 AM	0.01
9:38:19 AM	0.011
9:39:19 AM	0.035
9:40:19 AM	0.011
9:41:19 AM	0.009
9:42:19 AM	0.012
9:43:19 AM	0.009
9:44:19 AM	0.011
9:45:19 AM	0.011

9:46:19 AM	0.012
9:47:19 AM	0.013
9:48:19 AM	0.012
9:49:19 AM	0.01
9:50:19 AM	0.009
9:51:19 AM	0.01
9:52:19 AM	0.009
9:53:19 AM	0.011
9:54:19 AM	0.011
9:55:19 AM	0.01
9:56:19 AM	0.012
9:57:19 AM	0.01
9:58:19 AM	0.011
9:59:19 AM	0.009
10:00:19 AM	0.009
10:01:19 AM	0.009
10:02:19 AM	0.009
10:03:19 AM	0.009
10:04:19 AM	0.01
10:05:19 AM	0.01
10:06:19 AM	0.009
10:07:19 AM	0.009
10:08:19 AM	0.009
10:09:19 AM	0.011
10:10:19 AM	0.009
10:11:19 AM	0.009
10:12:19 AM	0.015
10:13:19 AM	0.011

592-601274	9/21/2024 7:04 Readings	PID	SC23030921B3	Normal	0
592-601274	9/21/2024 7:03 Readings	PID	SC23030921B3	Normal	0
592-601274	9/21/2024 7:02 Readings	PID	SC23030921B3	Normal	0
592-601274	9/21/2024 7:01 Readings	PID	SC23030921B3	Normal	0
592-601274	9/21/2024 7:00 Readings	PID	SC23030921B3	Normal	0
592-601274	9/21/2024 6:59 Readings	PID	SC23030921B3	Normal	0
592-601274	9/21/2024 6:58 CONFIG	PID	SC23030921B3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	7/11/2024
Test Name	MANUAL_001
Test Start Time	6:51:45 AM
Test Start Date	9/21/2024
Test Length [D:H:M]	0:03:19
Test Interval [M:S]	1:00
PM10 Average [mg/m3]	0.028
PM10 Minimum [mg/m3]	0.009
PM10 Maximum [mg/m3]	0.305
PM10 TWA [mg/m3]	0.012
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	199

Elapsed Time [s]	PM10 [mg/m3]	Alarms	Errors
6:51:45 AM	0.053		
6:52:45 AM	0.057		
6:53:45 AM	0.02		
6:54:45 AM	0.028		
6:55:45 AM	0.021		
6:56:45 AM	0.012		
6:57:45 AM	0.012		
6:58:45 AM	0.015		
6:59:45 AM	0.012		
7:00:45 AM	0.013		
7:01:45 AM	0.011		
7:02:45 AM	0.012		
7:03:45 AM	0.015		
7:04:45 AM	0.024		
7:05:45 AM	0.015		
7:06:45 AM	0.04		
7:07:45 AM	0.191		
7:08:45 AM	0.1		
7:09:45 AM	0.05		
7:10:45 AM	0.025		
7:11:45 AM	0.021		
7:12:45 AM	0.016		
7:13:45 AM	0.017		
7:14:45 AM	0.013		
7:15:45 AM	0.013		
7:16:45 AM	0.012		

7:17:45 AM	0.014
7:18:45 AM	0.013
7:19:45 AM	0.013
7:20:45 AM	0.012
7:21:45 AM	0.012
7:22:45 AM	0.013
7:23:45 AM	0.016
7:24:45 AM	0.011
7:25:45 AM	0.012
7:26:45 AM	0.012
7:27:45 AM	0.011
7:28:45 AM	0.012
7:29:45 AM	0.012
7:30:45 AM	0.014
7:31:45 AM	0.015
7:32:45 AM	0.015
7:33:45 AM	0.011
7:34:45 AM	0.018
7:35:45 AM	0.015
7:36:45 AM	0.012
7:37:45 AM	0.011
7:38:45 AM	0.011
7:39:45 AM	0.014
7:40:45 AM	0.015
7:41:45 AM	0.013
7:42:45 AM	0.038
7:43:45 AM	0.021
7:44:45 AM	0.014
7:45:45 AM	0.012
7:46:45 AM	0.012
7:47:45 AM	0.016
7:48:45 AM	0.011
7:49:45 AM	0.011
7:50:45 AM	0.011
7:51:45 AM	0.012
7:52:45 AM	0.014
7:53:45 AM	0.02
7:54:45 AM	0.015
7:55:45 AM	0.018
7:56:45 AM	0.085
7:57:45 AM	0.047
7:58:45 AM	0.054
7:59:45 AM	0.034
8:00:45 AM	0.017
8:01:45 AM	0.031
8:02:45 AM	0.015
8:03:45 AM	0.014

8:04:45 AM	0.012
8:05:45 AM	0.013
8:06:45 AM	0.016
8:07:45 AM	0.013
8:08:45 AM	0.011
8:09:45 AM	0.023
8:10:45 AM	0.015
8:11:45 AM	0.012
8:12:45 AM	0.033
8:13:45 AM	0.029
8:14:45 AM	0.024
8:15:45 AM	0.023
8:16:45 AM	0.021
8:17:45 AM	0.018
8:18:45 AM	0.042
8:19:45 AM	0.028
8:20:45 AM	0.016
8:21:45 AM	0.018
8:22:45 AM	0.018
8:23:45 AM	0.049
8:24:45 AM	0.023
8:25:45 AM	0.019
8:26:45 AM	0.019
8:27:45 AM	0.021
8:28:45 AM	0.285
8:29:45 AM	0.213
8:30:45 AM	0.043
8:31:45 AM	0.026
8:32:45 AM	0.077
8:33:45 AM	0.042
8:34:45 AM	0.017
8:35:45 AM	0.015
8:36:45 AM	0.024
8:37:45 AM	0.027
8:38:45 AM	0.014
8:39:45 AM	0.012
8:40:45 AM	0.014
8:41:45 AM	0.015
8:42:45 AM	0.023
8:43:45 AM	0.023
8:44:45 AM	0.04
8:45:45 AM	0.02
8:46:45 AM	0.032
8:47:45 AM	0.025
8:48:45 AM	0.024
8:49:45 AM	0.027
8:50:45 AM	0.02

8:51:45 AM	0.018
8:52:45 AM	0.023
8:53:45 AM	0.016
8:54:45 AM	0.11
8:55:45 AM	0.305
8:56:45 AM	0.062
8:57:45 AM	0.082
8:58:45 AM	0.037
8:59:45 AM	0.024
9:00:45 AM	0.016
9:01:45 AM	0.027
9:02:45 AM	0.025
9:03:45 AM	0.016
9:04:45 AM	0.013
9:05:45 AM	0.013
9:06:45 AM	0.079
9:07:45 AM	0.032
9:08:45 AM	0.014
9:09:45 AM	0.012
9:10:45 AM	0.011
9:11:45 AM	0.013
9:12:45 AM	0.013
9:13:45 AM	0.014
9:14:45 AM	0.012
9:15:45 AM	0.014
9:16:45 AM	0.014
9:17:45 AM	0.012
9:18:45 AM	0.057
9:19:45 AM	0.043
9:20:45 AM	0.023
9:21:45 AM	0.265
9:22:45 AM	0.13
9:23:45 AM	0.036
9:24:45 AM	0.024
9:25:45 AM	0.015
9:26:45 AM	0.013
9:27:45 AM	0.015
9:28:45 AM	0.013
9:29:45 AM	0.012
9:30:45 AM	0.015
9:31:45 AM	0.019
9:32:45 AM	0.017
9:33:45 AM	0.013
9:34:45 AM	0.013
9:35:45 AM	0.011
9:36:45 AM	0.015
9:37:45 AM	0.013

9:38:45 AM	0.014
9:39:45 AM	0.018
9:40:45 AM	0.032
9:41:45 AM	0.018
9:42:45 AM	0.012
9:43:45 AM	0.013
9:44:45 AM	0.012
9:45:45 AM	0.018
9:46:45 AM	0.021
9:47:45 AM	0.013
9:48:45 AM	0.012
9:49:45 AM	0.011
9:50:45 AM	0.012
9:51:45 AM	0.011
9:52:45 AM	0.01
9:53:45 AM	0.015
9:54:45 AM	0.012
9:55:45 AM	0.025
9:56:45 AM	0.014
9:57:45 AM	0.01
9:58:45 AM	0.009
9:59:45 AM	0.01
10:00:45 AM	0.01
10:01:45 AM	0.011
10:02:45 AM	0.058
10:03:45 AM	0.012
10:04:45 AM	0.015
10:05:45 AM	0.013
10:06:45 AM	0.013
10:07:45 AM	0.017
10:08:45 AM	0.032
10:09:45 AM	0.023

592-906376	9/21/2024 7:01 Readings	PID	SC23030159V4	Normal	0
592-906376	9/21/2024 7:00 Readings	PID	SC23030159V4	Normal	0
592-906376	9/21/2024 6:59 Readings	PID	SC23030159V4	Normal	0
592-906376	9/21/2024 6:58 Readings	PID	SC23030159V4	Normal	0
592-906376	9/21/2024 6:57 Readings	PID	SC23030159V4	Normal	0
592-906376	9/21/2024 6:56 CONFIG	PID	SC23030159V4		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_001
Test Start Time	6:46:20 AM
Test Start Date	9/21/2024
Test Length [D:H:M]	0:03:19
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.027
Mass Minimum [mg/m3]	0.014
Mass Maximum [mg/m3]	1.17
Mass TWA [mg/m3]	0.011
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	199

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:46:20 AM	0.527		
6:47:20 AM	0.037		
6:48:20 AM	0.019		
6:49:20 AM	0.019		
6:50:20 AM	0.015		
6:51:20 AM	0.015		
6:52:20 AM	0.015		
6:53:20 AM	0.015		
6:54:20 AM	0.014		
6:55:20 AM	0.015		
6:56:20 AM	0.014		
6:57:20 AM	0.017		
6:58:20 AM	0.015		
6:59:20 AM	0.016		
7:00:20 AM	0.016		
7:01:20 AM	0.015		
7:02:20 AM	0.016		
7:03:20 AM	0.015		
7:04:20 AM	0.015		
7:05:20 AM	0.066		
7:06:20 AM	1.17		
7:07:20 AM	0.237		
7:08:20 AM	0.024		
7:09:20 AM	0.019		
7:10:20 AM	0.02		
7:11:20 AM	0.022		
7:12:20 AM	0.016		

7:13:20 AM	0.015
7:14:20 AM	0.015
7:15:20 AM	0.016
7:16:20 AM	0.015
7:17:20 AM	0.017
7:18:20 AM	0.015
7:19:20 AM	0.015
7:20:20 AM	0.015
7:21:20 AM	0.016
7:22:20 AM	0.017
7:23:20 AM	0.019
7:24:20 AM	0.017
7:25:20 AM	0.017
7:26:20 AM	0.015
7:27:20 AM	0.015
7:28:20 AM	0.016
7:29:20 AM	0.016
7:30:20 AM	0.016
7:31:20 AM	0.015
7:32:20 AM	0.016
7:33:20 AM	0.015
7:34:20 AM	0.016
7:35:20 AM	0.018
7:36:20 AM	0.016
7:37:20 AM	0.016
7:38:20 AM	0.016
7:39:20 AM	0.015
7:40:20 AM	0.017
7:41:20 AM	0.016
7:42:20 AM	0.022
7:43:20 AM	0.019
7:44:20 AM	0.019
7:45:20 AM	0.017
7:46:20 AM	0.016
7:47:20 AM	0.016
7:48:20 AM	0.016
7:49:20 AM	0.016
7:50:20 AM	0.016
7:51:20 AM	0.018
7:52:20 AM	0.016
7:53:20 AM	0.016
7:54:20 AM	0.016
7:55:20 AM	0.016
7:56:20 AM	0.015
7:57:20 AM	0.015
7:58:20 AM	0.017
7:59:20 AM	0.016

8:00:20 AM	0.016
8:01:20 AM	0.016
8:02:20 AM	0.016
8:03:20 AM	0.015
8:04:20 AM	0.015
8:05:20 AM	0.015
8:06:20 AM	0.015
8:07:20 AM	0.023
8:08:20 AM	0.015
8:09:20 AM	0.015
8:10:20 AM	0.015
8:11:20 AM	0.016
8:12:20 AM	0.016
8:13:20 AM	0.017
8:14:20 AM	0.016
8:15:20 AM	0.016
8:16:20 AM	0.018
8:17:20 AM	0.018
8:18:20 AM	0.019
8:19:20 AM	0.018
8:20:20 AM	0.016
8:21:20 AM	0.016
8:22:20 AM	0.017
8:23:20 AM	0.017
8:24:20 AM	0.017
8:25:20 AM	0.029
8:26:20 AM	0.017
8:27:20 AM	0.018
8:28:20 AM	0.016
8:29:20 AM	0.017
8:30:20 AM	0.027
8:31:20 AM	0.021
8:32:20 AM	0.016
8:33:20 AM	0.023
8:34:20 AM	0.019
8:35:20 AM	0.019
8:36:20 AM	0.016
8:37:20 AM	0.023
8:38:20 AM	0.018
8:39:20 AM	0.016
8:40:20 AM	0.016
8:41:20 AM	0.015
8:42:20 AM	0.016
8:43:20 AM	0.038
8:44:20 AM	0.02
8:45:20 AM	0.017
8:46:20 AM	0.019

8:47:20 AM	0.017
8:48:20 AM	0.019
8:49:20 AM	0.016
8:50:20 AM	0.016
8:51:20 AM	0.016
8:52:20 AM	0.016
8:53:20 AM	0.017
8:54:20 AM	0.016
8:55:20 AM	0.016
8:56:20 AM	0.02
8:57:20 AM	0.021
8:58:20 AM	0.02
8:59:20 AM	0.017
9:00:20 AM	0.016
9:01:20 AM	0.034
9:02:20 AM	0.023
9:03:20 AM	0.017
9:04:20 AM	0.017
9:05:20 AM	0.016
9:06:20 AM	0.015
9:07:20 AM	0.016
9:08:20 AM	0.017
9:09:20 AM	0.016
9:10:20 AM	0.016
9:11:20 AM	0.016
9:12:20 AM	0.016
9:13:20 AM	0.016
9:14:20 AM	0.016
9:15:20 AM	0.021
9:16:20 AM	0.017
9:17:20 AM	0.016
9:18:20 AM	0.016
9:19:20 AM	0.015
9:20:20 AM	0.015
9:21:20 AM	0.016
9:22:20 AM	0.036
9:23:20 AM	0.017
9:24:20 AM	0.019
9:25:20 AM	0.017
9:26:20 AM	0.018
9:27:20 AM	0.016
9:28:20 AM	0.016
9:29:20 AM	0.016
9:30:20 AM	0.015
9:31:20 AM	0.016
9:32:20 AM	0.015
9:33:20 AM	0.015

9:34:20 AM	0.016
9:35:20 AM	0.015
9:36:20 AM	0.015
9:37:20 AM	0.015
9:38:20 AM	0.015
9:39:20 AM	0.015
9:40:20 AM	0.018
9:41:20 AM	0.015
9:42:20 AM	0.016
9:43:20 AM	0.031
9:44:20 AM	0.016
9:45:20 AM	0.015
9:46:20 AM	0.015
9:47:20 AM	0.016
9:48:20 AM	0.022
9:49:20 AM	0.015
9:50:20 AM	0.014
9:51:20 AM	0.014
9:52:20 AM	0.015
9:53:20 AM	0.019
9:54:20 AM	0.018
9:55:20 AM	0.016
9:56:20 AM	0.014
9:57:20 AM	0.014
9:58:20 AM	0.014
9:59:20 AM	0.014
10:00:20 AM	0.015
10:01:20 AM	0.015
10:02:20 AM	0.014
10:03:20 AM	0.015
10:04:20 AM	0.016

