



**DAILY STATUS REPORT**

**Prepared By:**  
Bill Chaky

WEATHER	Snow	Rain	Overcast	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70	X	70-85	X	>85	ESE – 3 mph

<b>IEEG Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b> 10/03/24
<b>Project:</b>	251 Douglass Street, Brooklyn, NY			

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:30 Time Out: 20:00</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Bill Chaky Broadway Construction Group – Shannon Dowling / Tom Caporale WSP – Monica Pula Cascade – John Vollmer Concrete Courses</p> <p><b>Equipment On Site:</b> (3) MiniRAE 3000 PID, (3) DustTrak II</p>
-----------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**Scope of Work:** IEEG to deploy CAMP stations according to wind direction; Cascade to load out waste soil from swell stockpile; Cascade to continue ISS column installation; Concrete Courses to continue with super structure work.

**Site Activities:**

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Four (4) truckloads of swell material from stockpile were loaded for off Site disposal to the Pure Soil, Jackson, facility;
- Concrete Courses loaded two (2) tri-axle dump-trucks with excavated soil from southeast corner of site for disposal at Pure Soil in Jackson, NJ;
- IEEG applied ATMOS foam to stockpile, swell material, and site surface as needed throughout Sit work;
- Concrete Courses continued work on the superstructure in the Butler Corridor;
- Concrete Courses continued rebar work in the phase 2 construction area on the rat slab;
- Cascade drilled **Column 135** with column specification below:
  - Column is 8’ diameter and drilled 36’ deep from Site grade;
  - The column consisted of a total of 8 batches;
- Cascade drilled **Column 142** with column specification below:
  - Column is 8’ diameter and drilled 36’ deep from Site grade;
  - The column consisted of a total of 16 batches;
- Cascade drilled **Column 246** with column specification below:
  - Column is 8’ diameter and drilled 36’ deep from Site grade;
  - The column consisted of a total of 18 batches;
  - A wet-mix sample was collected from ~10’ depth;
- Cascade drilled **Column 248** with column specification below:
  - Column is 8’ diameter and drilled 36’ deep from Site grade;
  - The column consisted of a total of 18 batches;

**Community Air Monitoring Program (CAMP) - CAMP** action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.049\_ mg/m<sup>3</sup> @ 06:59
- High Conditions (Upwind) – PID = \_0.0\_ ppm, Dust = \_2.48\_ mg/m<sup>3</sup> @ 10:22
- High Conditions (Downwind 1) – PID = \_0.0\_ ppm, Dust = \_2.11\_ mg/m<sup>3</sup> @ 09:47
- High Conditions (Downwind 2) – PID = \_0.3\_ ppm @ 07:46, Dust = \_0.086\_ mg/m<sup>3</sup> @ 11:51

**Notable Site Conditions:**

- None.

**Planned for the Next Day/Week:**

- Concrete Courses to continue super structure for phase 2 of construction;
- ISS swell material trucking; and
- Cascade to continue ISS column installation.



**PHOTO LOG**


251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative  
photo of swell  
material loadout.



**Photo 2-**  
Representative  
photo of truck  
washing over  
track pad prior to  
exiting the Site.



**Photo 3-**  
Representative  
photo of ISS  
column  
installation.




**Photo 4-**  
Representative  
photo of swell  
material covered  
with ATMOS  
foam at the end  
of site activities  
and covered in  
poly.




**SITE PLANS**

251 DOUGLASS STREET, BROOKLYN, NY







### LEGEND


- PROPERTY LINE
- 55' EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- APPROVED TO 55'
- SIX FOOT DIA. HYDRAULIC COLUMN (TYP.)
- ISS COLUMN INSTALLED TO TERMINAL DEPTH
- ISS COLUMN UNABLE TO BE INSTALLED TO TERMINAL DEPTH
- ISS COLUMN / GRID APPROVED BY DEC
- WET MIX SAMPLE COLLECTED FROM ISS COLUMN
- ▲ COMPLETED CORING LOCATION

NOTES:  
 1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

<b>251 Douglass Street Brooklyn, New York</b>	
PROJECT NO:	13028-01
DESIGNED BY:	AB
DRAWN BY:	AB
CHECKED BY:	DP
DATE:	10/4/2024
SCALE:	N.T.S.
REVISIONS	

**IMPACT ENVIRONMENTAL ENGINEERING & GEOLOGY PLLC.**

170 KEYLAND COURT  
 BOHEMIA, NEW YORK 11716  
 TEL (631) 269-8800  
 FAX (631) 269-1599



Columns 135, 142,  
246 and 248  
Completed on  
10/3/24



# SCM Report





Project name: Douglass Street BCG ISS      Element name: 246a  
 Project number

Start date: 10/03/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 04:12 PM	
Max. depth: 38.714 ft.		End Date: 10/03/2024	
Volume/m 1: 45.909 ft³		End time: 05:17 PM	
		Production duration: 01:04:45	
		Final depth time: 05:07 PM	
		Total suspension quantity: 541.833 ft³	



# SCM Report






Project name: Douglass Street BCG ISS      Element name: 248b  
 Project number

Start date: 10/03/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 03:21 PM	
Max. depth: 38.78 ft.		End Date: 10/03/2024	
Volume/m 1: 27.545 ft³		End time: 03:53 PM	
		Production duration: 00:31:21	
		Final depth time: 03:41 PM	
		Total suspension quantity: 323.942 ft³	



# SCM Report






Project name	Douglass Street BCG ISS	Element name	142a
		Project number	

		Start date	10/03/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.747 ft.	Start time	11:40 AM
Volume/m 1	48.028 ft³	End Date	10/03/2024
		End time	12:49 PM
		Production duration	01:08:29
		Final depth time	12:39 PM
		Total suspension quantity	565.953 ft³



# SCM Report






Project name	Douglass Street BCG ISS	Element name	248a
		Project number	

		Start date	10/03/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.812 ft.	Start time	02:28 PM
Volume/m 1	40.612 ft <sup>3</sup>	End Date	10/03/2024
		End time	03:21 PM
		Production duration	00:53:31
		Final depth time	03:11 PM
		Total suspension quantity	481.516 ft <sup>3</sup>



# SCM Report






Project name	Douglass Street BCG ISS	Element name	135b
		Project number	

		Start date	10/03/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.944 ft.	Start time	10:31 AM
Volume/m 1	20.836 ft³	End Date	10/03/2024
		End time	11:02 AM
		Production duration	00:30:11
		Final depth time	10:52 AM
		Total suspension quantity	247.627 ft³



# SCM Report






Project name	Douglass Street BCG ISS	Element name	135a
		Project number	

		Start date	10/03/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.714 ft.	Start time	09:34 AM
Volume/m 1	39.906 ft³	End Date	10/03/2024
		End time	10:31 AM
		Production duration	00:57:16
		Final depth time	10:21 AM
		Total suspension quantity	471.698 ft³



# SCM Report






Project name: Douglass Street BCG ISS      Element name: 246b  
Project number

Start date: 10/03/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 05:17 PM	
Max. depth: 38.747 ft.		End Date: 10/03/2024	
Volume/m 1: 22.248 ft³		End time: 05:46 PM	
		Production duration: 00:29:07	
		Final depth time: 05:36 PM	
		Total suspension quantity: 264.507 ft³	



# SCM Report






Project name	Douglass Street BCG ISS	Element name	142b
		Project number	

		Start date	10/03/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.944 ft.	Start time	12:49 PM
Volume/m 1	20.483 ft <sup>3</sup>	End Date	10/03/2024
		End time	01:20 PM
		Production duration	00:31:04
		Final depth time	01:10 PM
		Total suspension quantity	244.166 ft <sup>3</sup>







**IMPACT ENVIRONMENTAL**

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

welcome to solid ground...

[www.impactenvironmental.com](http://www.impactenvironmental.com)

---

**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_005
Test Start Time	6:59:20 AM
Test Start Date	10/3/2024
Test Length [D:H:M]	0:06:22
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.06
Mass Minimum [mg/m3]	0.01
Mass Maximum [mg/m3]	2.48
Mass TWA [mg/m3]	0.048
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	382

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.049		
120	0.035		
180	0.019		
240	0.036		
300	0.038		
360	0.022		
420	0.04		
480	0.083		
540	0.046		
600	0.146		
660	0.172		
720	0.054		
780	0.027		
840	0.019		
900	0.018		
960	0.019		
1020	0.018		
1080	0.018		
1140	0.021		
1200	0.015		
1260	0.014		
1320	0.015		
1380	0.015		
1440	0.019		

1500	0.019
1560	0.014
1620	0.014
1680	0.015
1740	0.023
1800	0.019
1860	0.014
1920	0.013
1980	0.016
2040	0.013
2100	0.012
2160	0.013
2220	0.016
2280	0.014
2340	0.013
2400	0.012
2460	0.013
2520	0.034
2580	0.025
2640	0.017
2700	0.013
2760	0.025
2820	0.023
2880	0.022
2940	0.021
3000	0.018
3060	0.015
3120	0.016
3180	0.039
3240	0.034
3300	0.026
3360	0.033
3420	0.021
3480	0.018
3540	0.012
3600	0.012
3660	0.018
3720	0.017
3780	0.014
3840	0.018
3900	0.023
3960	0.031
4020	0.028
4080	0.014

4140	0.011
4200	0.01
4260	0.01
4320	0.01
4380	0.025
4440	0.025
4500	0.023
4560	0.024
4620	0.024
4680	0.025
4740	0.016
4800	0.012
4860	0.017
4920	0.015
4980	0.02
5040	0.019
5100	0.016
5160	0.012
5220	0.011
5280	0.014
5340	0.015
5400	0.011
5460	0.012
5520	0.012
5580	0.014
5640	0.014
5700	0.016
5760	0.015
5820	0.014
5880	0.021
5940	0.021
6000	0.019
6060	0.022
6120	0.021
6180	0.019
6240	0.026
6300	0.025
6360	0.022
6420	0.02
6480	0.027
6540	0.017
6600	0.015
6660	0.015
6720	0.014

6780	0.017
6840	0.015
6900	0.013
6960	0.014
7020	0.022
7080	0.028
7140	0.014
7200	0.019
7260	0.021
7320	0.018
7380	0.018
7440	0.016
7500	0.017
7560	0.019
7620	0.015
7680	0.015
7740	0.014
7800	0.014
7860	0.015
7920	0.017
7980	0.019
8040	0.018
8100	0.019
8160	0.018
8220	0.025
8280	0.053
8340	0.047
8400	0.02
8460	0.024
8520	0.024
8580	0.033
8640	0.028
8700	0.028
8760	0.044
8820	0.034
8880	0.035
8940	0.033
9000	0.027
9060	0.032
9120	0.026
9180	0.032
9240	0.039
9300	0.043
9360	0.031

9420	0.022
9480	0.021
9540	0.025
9600	0.059
9660	0.027
9720	0.026
9780	0.037
9840	0.03
9900	0.022
9960	0.023
10020	0.028
10080	0.027
10140	0.046
10200	0.035
10260	0.023
10320	0.022
10380	0.027
10440	0.027
10500	0.039
10560	0.064
10620	0.225
10680	0.135
10740	0.027
10800	0.024
10860	0.17
10920	0.419
10980	1.87
11040	1.01
11100	0.314
11160	0.04
11220	0.037
11280	0.033
11340	0.046
11400	0.031
11460	0.027
11520	0.025
11580	0.02
11640	2.48
11700	0.405
11760	0.169
11820	0.048
11880	0.038
11940	0.024
12000	0.037

12060	0.023
12120	0.018
12180	0.017
12240	0.016
12300	0.015
12360	0.017
12420	0.017
12480	0.022
12540	0.021
12600	0.02
12660	0.024
12720	0.024
12780	0.018
12840	0.02
12900	0.026
12960	0.027
13020	0.024
13080	0.023
13140	0.026
13200	0.024
13260	0.026
13320	0.254
13380	0.212
13440	0.145
13500	0.366
13560	0.142
13620	0.071
13680	0.071
13740	0.024
13800	0.018
13860	0.022
13920	0.022
13980	0.024
14040	0.029
14100	0.029
14160	0.019
14220	0.02
14280	0.026
14340	0.027
14400	0.039
14460	0.046
14520	0.022
14580	0.02
14640	0.016

14700	0.016
14760	0.018
14820	0.019
14880	0.016
14940	0.014
15000	0.014
15060	0.016
15120	0.025
15180	0.04
15240	0.018
15300	0.024
15360	0.029
15420	0.025
15480	0.016
15540	0.016
15600	0.016
15660	0.02
15720	0.017
15780	0.014
15840	0.022
15900	0.03
15960	0.022
16020	0.016
16080	0.017
16140	0.019
16200	0.018
16260	0.017
16320	0.018
16380	0.024
16440	0.024
16500	0.023
16560	0.021
16620	0.021
16680	0.023
16740	0.028
16800	0.024
16860	0.023
16920	0.023
16980	0.022
17040	0.025
17100	0.027
17160	0.024
17220	0.023
17280	0.022



17340	0.025
17400	0.023
17460	0.024
17520	0.027
17580	0.031
17640	0.022
17700	0.019
17760	0.264
17820	0.088
17880	0.031
17940	1.43
18000	0.041
18060	0.04
18120	0.025
18180	0.021
18240	0.023
18300	0.019
18360	0.018
18420	0.015
18480	0.02
18540	0.018
18600	0.017
18660	0.015
18720	0.016
18780	0.021
18840	0.023
18900	0.021
18960	0.018
19020	0.019
19080	0.025
19140	0.024
19200	0.025
19260	0.02
19320	0.02
19380	0.017
19440	0.016
19500	0.018
19560	0.017
19620	0.017
19680	0.016
19740	0.016
19800	0.015
19860	0.017
19920	0.022

19980	0.019
20040	0.017
20100	0.018
20160	0.015
20220	0.016
20280	0.018
20340	0.016
20400	0.118
20460	0.339
20520	0.032
20580	0.019
20640	0.022
20700	0.028
20760	0.027
20820	0.028
20880	0.035
20940	0.04
21000	0.025
21060	0.026
21120	0.952
21180	0.043
21240	0.023
21300	0.021
21360	0.021
21420	0.018
21480	0.035
21540	0.062
21600	0.023
21660	0.018
21720	0.021
21780	0.025
21840	0.806
21900	1.5
21960	0.296
22020	0.075
22080	0.098
22140	0.029
22200	0.023
22260	0.021
22320	0.024
22380	0.023
22440	0.022
22500	0.022
22560	0.018

22620	0.021
22680	0.029
22740	0.021
22800	0.02
22860	0.031
22920	0.028

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-927198	10/3/2024 18:45	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:44	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:43	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:42	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:41	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:40	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:39	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:38	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:37	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:36	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:35	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:34	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:33	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:32	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:31	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:30	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:29	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:28	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:27	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:26	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:25	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:24	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:23	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:22	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:21	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:20	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:19	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:18	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:17	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:16	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:15	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 18:14	Readings	PID	SC23030235W3	Normal	0











































592-927198	10/3/2024 7:46	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:45	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:44	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:43	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:42	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:41	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:40	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:39	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:38	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:37	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:36	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:35	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:34	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:33	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:32	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:31	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:30	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:29	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:28	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:27	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:26	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:25	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:24	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:23	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:22	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:21	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:20	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:19	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:18	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:17	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:16	Readings	PID	SC23030235W3	Normal	0
592-927198	10/3/2024 7:15	CONFIG	PID	SC23030235W3		



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	7/11/2024
Test Name	MANUAL_005
Test Start Time	7:02:43 AM
Test Start Date	10/3/2024
Test Length [D:H:M]	0:06:23
Test Interval [M:S]	1:00
PM1 Average [mg/m3]	0.024
PM1 Minimum [mg/m3]	0.008
PM1 Maximum [mg/m3]	2.11
PM1 TWA [mg/m3]	0.019
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	383

Elapsed Time [s]	PM1 [mg/m3]	Alarms	Errors
60	0.038		
120	0.01		
180	0.014		
240	0.012		
300	0.016		
360	0.011		
420	0.011		
480	0.015		
540	0.019		
600	0.017		
660	0.015		
720	0.014		
780	0.012		
840	0.013		
900	0.013		
960	0.012		
1020	0.011		
1080	0.01		
1140	0.009		
1200	0.011		
1260	0.01		
1320	0.009		
1380	0.009		

1440	0.009
1500	0.01
1560	0.009
1620	0.009
1680	0.009
1740	0.008
1800	0.009
1860	0.009
1920	0.01
1980	0.009
2040	0.009
2100	0.008
2160	0.009
2220	0.009
2280	0.01
2340	0.01
2400	0.01
2460	0.01
2520	0.016
2580	0.015
2640	0.011
2700	0.009
2760	0.01
2820	0.01
2880	0.009
2940	0.011
3000	0.011
3060	0.01
3120	0.009
3180	0.008
3240	0.009
3300	0.009
3360	0.009
3420	0.01
3480	0.013
3540	0.011
3600	0.011
3660	0.011
3720	0.011
3780	0.01
3840	0.011
3900	0.009
3960	0.009
4020	0.01

4080	0.009
4140	0.01
4200	0.013
4260	0.01
4320	0.016
4380	0.013
4440	0.009
4500	0.008
4560	0.008
4620	0.008
4680	0.008
4740	0.008
4800	0.008
4860	0.008
4920	0.009
4980	0.008
5040	0.008
5100	0.008
5160	0.01
5220	0.009
5280	0.009
5340	0.01
5400	0.01
5460	0.01
5520	0.01
5580	0.01
5640	0.012
5700	0.013
5760	0.012
5820	0.014
5880	0.012
5940	0.011
6000	0.013
6060	0.012
6120	0.012
6180	0.011
6240	0.016
6300	0.015
6360	0.011
6420	0.011
6480	0.012
6540	0.013
6600	0.011
6660	0.01

6720	0.014
6780	0.013
6840	0.018
6900	0.012
6960	0.01
7020	0.012
7080	0.011
7140	0.011
7200	0.011
7260	0.013
7320	0.015
7380	0.012
7440	0.011
7500	0.01
7560	0.01
7620	0.012
7680	0.014
7740	0.014
7800	0.013
7860	0.013
7920	0.013
7980	0.013
8040	0.012
8100	0.012
8160	0.013
8220	0.013
8280	0.014
8340	0.017
8400	0.016
8460	0.015
8520	0.015
8580	0.014
8640	0.015
8700	0.015
8760	0.019
8820	0.016
8880	0.015
8940	0.019
9000	0.016
9060	0.015
9120	0.014
9180	0.014
9240	0.014
9300	0.015

9360	0.032
9420	0.021
9480	0.015
9540	0.014
9600	0.014
9660	0.014
9720	0.015
9780	0.02
9840	0.024
9900	0.027
9960	0.028
10020	0.017
10080	0.014
10140	0.016
10200	0.487
10260	2.11
10320	0.383
10380	0.75
10440	0.041
10500	0.019
10560	0.028
10620	0.034
10680	0.019
10740	0.02
10800	0.021
10860	0.022
10920	0.021
10980	0.018
11040	0.017
11100	0.014
11160	0.014
11220	0.014
11280	0.02
11340	0.021
11400	0.022
11460	0.014
11520	0.014
11580	0.017
11640	0.02
11700	0.027
11760	0.025
11820	0.021
11880	0.013
11940	0.013

12000	0.012
12060	0.012
12120	0.012
12180	0.016
12240	0.021
12300	0.032
12360	0.015
12420	0.013
12480	0.012
12540	0.012
12600	0.024
12660	0.016
12720	0.015
12780	0.016
12840	0.017
12900	0.02
12960	0.02
13020	0.02
13080	0.024
13140	0.013
13200	0.012
13260	0.012
13320	0.02
13380	0.013
13440	0.012
13500	0.011
13560	0.012
13620	0.019
13680	0.018
13740	0.019
13800	0.016
13860	0.021
13920	0.018
13980	0.015
14040	0.019
14100	0.038
14160	0.036
14220	0.03
14280	0.015
14340	0.013
14400	0.012
14460	0.011
14520	0.012
14580	0.015

14640	0.012
14700	0.01
14760	0.011
14820	0.012
14880	0.016
14940	0.021
15000	0.038
15060	0.052
15120	0.022
15180	0.016
15240	0.015
15300	0.014
15360	0.024
15420	0.014
15480	0.016
15540	0.012
15600	0.014
15660	0.015
15720	0.014
15780	0.011
15840	0.011
15900	0.011
15960	0.011
16020	0.013
16080	0.015
16140	0.019
16200	0.024
16260	0.016
16320	0.016
16380	0.02
16440	0.019
16500	0.018
16560	0.014
16620	0.014
16680	0.015
16740	0.014
16800	0.013
16860	0.013
16920	0.013
16980	0.016
17040	0.015
17100	0.016
17160	0.016
17220	0.016

17280	0.019
17340	0.02
17400	0.018
17460	0.016
17520	0.014
17580	0.015
17640	0.014
17700	0.015
17760	0.017
17820	0.038
17880	0.017
17940	0.013
18000	0.013
18060	0.012
18120	0.011
18180	0.011
18240	0.012
18300	0.021
18360	0.016
18420	0.013
18480	0.012
18540	0.012
18600	0.014
18660	0.011
18720	0.01
18780	0.01
18840	0.01
18900	0.011
18960	0.012
19020	0.012
19080	0.011
19140	0.01
19200	0.01
19260	0.01
19320	0.011
19380	0.01
19440	0.01
19500	0.01
19560	0.011
19620	0.01
19680	0.011
19740	0.012
19800	0.031
19860	0.012



19920	0.011
19980	0.012
20040	0.012
20100	0.012
20160	0.012
20220	0.011
20280	0.011
20340	0.012
20400	0.011
20460	0.012
20520	0.012
20580	0.012
20640	0.012
20700	0.017
20760	0.018
20820	0.013
20880	0.019
20940	0.019
21000	0.014
21060	0.013
21120	0.012
21180	0.012
21240	0.012
21300	0.012
21360	0.014
21420	0.013
21480	0.012
21540	0.016
21600	0.015
21660	0.015
21720	0.017
21780	0.021
21840	0.016
21900	0.015
21960	0.014
22020	0.012
22080	0.014
22140	0.014
22200	0.014
22260	0.018
22320	0.014
22380	0.014
22440	0.015
22500	0.014

22560	0.026
22620	0.032
22680	0.024
22740	0.014
22800	0.016
22860	0.018
22920	0.014
22980	0.017

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-906376	10/3/2024 18:33	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:32	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:31	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:30	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:29	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:28	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:27	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:26	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:25	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:24	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:23	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:22	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:21	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:20	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:19	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:18	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:17	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:16	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:15	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:14	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:13	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:12	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:11	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:10	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:09	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:08	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:07	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:06	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:05	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:04	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:03	Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 18:02	Readings	PID	SC23030159V4	Normal	0

































592-906376	10/3/2024 10:19 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:18 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:17 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:16 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:15 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:14 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:13 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:12 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:11 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:10 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:09 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:08 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:07 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:06 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:05 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:04 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:03 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:02 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:01 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 10:00 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:59 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:58 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:57 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:56 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:55 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:54 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:53 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:52 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:51 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:50 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:49 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:48 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 9:47 Readings	PID	SC23030159V4	Normal	0









592-906376	10/3/2024 7:34 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:33 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:32 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:31 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:30 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:29 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:28 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:27 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:26 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:25 Readings	PID	SC23030159V4	Normal	0
592-906376	10/3/2024 7:24 CONFIG	PID	SC23030159V4		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_005
Test Start Time	7:04:21 AM
Test Start Date	10/3/2024
Test Length [D:H:M]	0:06:23
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.025
Mass Minimum [mg/m3]	0.014
Mass Maximum [mg/m3]	0.086
Mass TWA [mg/m3]	0.02
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	383

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
60	0.044		
120	0.053		
180	0.016		
240	0.016		
300	0.016		
360	0.019		
420	0.018		
480	0.024		
540	0.021		
600	0.022		
660	0.019		
720	0.02		
780	0.025		
840	0.031		
900	0.02		
960	0.019		
1020	0.027		
1080	0.019		
1140	0.019		
1200	0.02		
1260	0.019		
1320	0.019		
1380	0.017		
1440	0.016		



1500	0.017
1560	0.018
1620	0.021
1680	0.042
1740	0.018
1800	0.018
1860	0.018
1920	0.022
1980	0.021
2040	0.023
2100	0.019
2160	0.018
2220	0.017
2280	0.018
2340	0.017
2400	0.017
2460	0.017
2520	0.02
2580	0.022
2640	0.019
2700	0.016
2760	0.015
2820	0.017
2880	0.019
2940	0.021
3000	0.016
3060	0.018
3120	0.018
3180	0.021
3240	0.024
3300	0.022
3360	0.021
3420	0.024
3480	0.022
3540	0.02
3600	0.017
3660	0.016
3720	0.019
3780	0.017
3840	0.021
3900	0.017
3960	0.015
4020	0.016
4080	0.019

4140	0.028
4200	0.017
4260	0.016
4320	0.014
4380	0.015
4440	0.016
4500	0.017
4560	0.015
4620	0.017
4680	0.014
4740	0.017
4800	0.015
4860	0.016
4920	0.015
4980	0.015
5040	0.015
5100	0.015
5160	0.022
5220	0.04
5280	0.017
5340	0.017
5400	0.017
5460	0.017
5520	0.023
5580	0.023
5640	0.02
5700	0.021
5760	0.02
5820	0.018
5880	0.018
5940	0.023
6000	0.02
6060	0.019
6120	0.019
6180	0.022
6240	0.025
6300	0.021
6360	0.02
6420	0.026
6480	0.024
6540	0.021
6600	0.023
6660	0.022
6720	0.028

6780	0.025
6840	0.018
6900	0.019
6960	0.019
7020	0.019
7080	0.018
7140	0.019
7200	0.02
7260	0.022
7320	0.019
7380	0.018
7440	0.018
7500	0.02
7560	0.021
7620	0.022
7680	0.023
7740	0.023
7800	0.023
7860	0.041
7920	0.039
7980	0.031
8040	0.052
8100	0.07
8160	0.062
8220	0.054
8280	0.035
8340	0.033
8400	0.024
8460	0.026
8520	0.025
8580	0.025
8640	0.026
8700	0.027
8760	0.025
8820	0.023
8880	0.023
8940	0.023
9000	0.023
9060	0.024
9120	0.025
9180	0.025
9240	0.035
9300	0.039
9360	0.027

9420	0.024
9480	0.023
9540	0.023
9600	0.025
9660	0.024
9720	0.03
9780	0.033
9840	0.036
9900	0.027
9960	0.024
10020	0.025
10080	0.026
10140	0.033
10200	0.032
10260	0.028
10320	0.025
10380	0.027
10440	0.028
10500	0.029
10560	0.028
10620	0.032
10680	0.035
10740	0.038
10800	0.048
10860	0.039
10920	0.033
10980	0.026
11040	0.024
11100	0.025
11160	0.026
11220	0.024
11280	0.022
11340	0.023
11400	0.023
11460	0.042
11520	0.035
11580	0.028
11640	0.039
11700	0.033
11760	0.024
11820	0.02
11880	0.021
11940	0.02
12000	0.02

12060	0.02
12120	0.054
12180	0.027
12240	0.02
12300	0.02
12360	0.018
12420	0.018
12480	0.024
12540	0.026
12600	0.021
12660	0.02
12720	0.023
12780	0.025
12840	0.033
12900	0.027
12960	0.032
13020	0.025
13080	0.021
13140	0.022
13200	0.023
13260	0.022
13320	0.022
13380	0.02
13440	0.019
13500	0.022
13560	0.027
13620	0.032
13680	0.036
13740	0.033
13800	0.029
13860	0.025
13920	0.028
13980	0.054
14040	0.085
14100	0.077
14160	0.045
14220	0.027
14280	0.021
14340	0.022
14400	0.025
14460	0.025
14520	0.025
14580	0.018
14640	0.017

14700	0.02
14760	0.02
14820	0.021
14880	0.032
14940	0.063
15000	0.077
15060	0.068
15120	0.029
15180	0.022
15240	0.021
15300	0.02
15360	0.025
15420	0.026
15480	0.02
15540	0.026
15600	0.024
15660	0.019
15720	0.017
15780	0.019
15840	0.019
15900	0.021
15960	0.022
16020	0.037
16080	0.086
16140	0.05
16200	0.029
16260	0.023
16320	0.026
16380	0.03
16440	0.031
16500	0.022
16560	0.025
16620	0.027
16680	0.026
16740	0.02
16800	0.02
16860	0.027
16920	0.025
16980	0.024
17040	0.024
17100	0.025
17160	0.028
17220	0.031
17280	0.029

17340	0.023
17400	0.023
17460	0.021
17520	0.021
17580	0.021
17640	0.022
17700	0.066
17760	0.055
17820	0.028
17880	0.022
17940	0.019
18000	0.018
18060	0.018
18120	0.027
18180	0.025
18240	0.07
18300	0.029
18360	0.03
18420	0.025
18480	0.035
18540	0.03
18600	0.017
18660	0.017
18720	0.016
18780	0.017
18840	0.034
18900	0.028
18960	0.019
19020	0.018
19080	0.017
19140	0.017
19200	0.017
19260	0.016
19320	0.016
19380	0.017
19440	0.016
19500	0.016
19560	0.017
19620	0.018
19680	0.018
19740	0.018
19800	0.018
19860	0.017
19920	0.019

19980	0.017
20040	0.018
20100	0.018
20160	0.018
20220	0.017
20280	0.018
20340	0.017
20400	0.019
20460	0.019
20520	0.021
20580	0.02
20640	0.022
20700	0.022
20760	0.028
20820	0.03
20880	0.025
20940	0.021
21000	0.02
21060	0.019
21120	0.018
21180	0.019
21240	0.019
21300	0.02
21360	0.018
21420	0.018
21480	0.019
21540	0.019
21600	0.026
21660	0.039
21720	0.032
21780	0.023
21840	0.022
21900	0.02
21960	0.019
22020	0.023
22080	0.02
22140	0.024
22200	0.024
22260	0.022
22320	0.023
22380	0.023
22440	0.035
22500	0.028
22560	0.035



22620	0.029
22680	0.022
22740	0.026
22800	0.023
22860	0.024
22920	0.027
22980	0.039

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-602806	10/3/2024 18:31	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:30	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:29	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:28	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:27	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:26	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:25	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:24	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:23	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:22	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:21	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:20	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:19	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:18	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:17	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:16	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:15	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:14	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:13	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:12	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:11	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:10	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:09	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:08	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:07	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:06	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:05	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:04	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:03	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:02	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:01	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 18:00	Readings	PID	SC23030186C8	Normal	0























592-602806	10/3/2024 12:29	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:28	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:27	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:26	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:25	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:24	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:23	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:22	Readings	PID	SC23030186C8	Normal	0.2
592-602806	10/3/2024 12:21	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:20	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:19	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:18	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:17	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:16	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:15	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:14	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:13	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:12	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:11	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:10	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:09	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:08	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:07	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:06	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:05	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:04	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:03	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:02	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:01	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 12:00	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 11:59	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 11:58	Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 11:57	Readings	PID	SC23030186C8	Normal	0









592-602806	10/3/2024 10:17 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:16 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:15 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:14 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:13 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:12 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:11 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:10 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:09 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:08 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:07 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:06 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:05 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:04 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:03 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:02 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:01 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 10:00 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:59 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:58 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:57 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:56 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:55 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:54 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:53 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:52 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:51 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:50 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:49 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:48 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:47 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:46 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 9:45 Readings	PID	SC23030186C8	Normal	0







592-602806	10/3/2024 8:05 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 8:04 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 8:03 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 8:02 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 8:01 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 8:00 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:59 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:58 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:57 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:56 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:55 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:54 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:53 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:52 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:51 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:50 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:49 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:48 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:47 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:46 Readings	PID	SC23030186C8	Normal	0.3
592-602806	10/3/2024 7:45 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:44 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:43 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:42 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:41 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:40 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:39 Readings	PID	SC23030186C8	Normal	0
592-602806	10/3/2024 7:38 CONFIG	PID	SC23030186C8		