



**DAILY STATUS REPORT**

**Prepared By:**  
Thomas Jensen

WEATHER	Snow	Rain	Overcast	X	Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70	X	70-85	X	>85		NE – 9 mph

<b>IEEG Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b> 10/07/24
<b>Project:</b>	251 Douglass Street, Brooklyn, NY			

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:50 Time Out: 18:50</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Thomas Jensen Broadway Construction Group – Shannon Dowling / Tom Caporale WSP – Charlie Lambert Cascade – John Vollmer Concrete Courses</p> <p><b>Equipment On Site:</b> (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	---

**Scope of Work:** IEEG to deploy CAMP stations according to wind direction; load out of material from swell stockpile; Cascade to continue ISS column installation; and Concrete Courses to continue with super structure work.

- Site Activities:**
- IEEG deployed three (3) CAMP stations prior to the start of work activities;
  - Cascade loaded thirteen (13) truckloads of swell material from stockpile for off Site disposal to the Pure Soil, Jackson, facility;
  - ACT delivered two (2) loads of slag to the silo;
  - IEEG applied ATMOS foam to stockpile, swell material, and site surface as needed throughout Site work;
  - Concrete Courses continued work on the superstructure in the Butler Corridor;
  - Concrete Courses continued rebar work in the phase 2 construction area on the rat slab;
  - Cascade drilled **Column 200** with column specification below:
    - Column is 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 17 batches;
    - Drill data for 200b (2<sup>nd</sup> Pass) was corrupted and unable to be recovered, therefore no SCM report for 200b is able to be provided.
  - Cascade drilled **Column 202** with column specification below:
    - Column is 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 18 batches;
  - Cascade drilled **Column 243** with column specification below:
    - Column is 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 17 batches;
  - Cascade drilled **Column 245** with column specification below:
    - Column is 8’ diameter and drilled 36’ deep from Site grade;
    - The column consisted of a total of 16 batches;

**Community Air Monitoring Program (CAMP) - CAMP** action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_1.06\_ mg/m<sup>3</sup> @ 07:00
- High Conditions (Upwind) – PID = \_0.0\_ ppm, Dust = \_6.05\_ mg/m<sup>3</sup> @ 12:38
- High Conditions (Downwind 1) – PID = \_0.5\_ ppm @ 13:55, Dust = \_0.338\_ mg/m<sup>3</sup> @ 08:44
- High Conditions (Downwind 2) – PID = \_0.0\_ ppm, Dust = \_1.55\_ mg/m<sup>3</sup> @ 18:27

**Notable Site Conditions:**

- None.

**Planned for the Next Day/Week:**

- Cascade to continue ISS column installation; and
- Concrete Courses to continue super structure activities.



**PHOTO LOG**

251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative photo of straps on the side of a truck prior to exiting the Site.



**Photo 2-**  
Representative photo of superstructure work in the elevator pit.





**Photo 3-**  
Representative  
photo of swell  
stockpile covered  
with poly.



**Photo 4-**  
Representative  
photo of swell  
material sprayed  
with ATMOS  
foam.








# LEGEND

- PROPERTY LINE
- 55' EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- APPROVED TO 55'
- SIX FOOT DIA. HYDRAULIC COLUMN (TYP.)
- ISS COLUMN INSTALLED TO TERMINAL DEPTH
- ISS COLUMN UNABLE TO BE INSTALLED TO TERMINAL DEPTH
- ISS COLUMN / GRID APPROVED BY DEC
- WET MIX SAMPLE COLLECTED FROM ISS COLUMN
- ▲ COMPLETED CORING LOCATION
- ▲ PROPOSED CORING LOCATION

NOTES:  
 1. THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NSPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

251 Douglass Street Brooklyn, New York	
PROJECT NO:	13028-01
DESIGNED BY:	AB
DRAWN BY:	AB
CHECKED BY:	DP
DATE:	10/4/2024
SCALE:	N.T.S.
REVISIONS	

**IMPACT ENVIRONMENTAL ENGINEERING & GEOLOGY PLLC.**  
 170 KEYLAND COURT  
 BOHEMIA, NEW YORK 11716  
 TEL (631) 269-8800  
 FAX (631) 269-1599



# SCM Report






Project name: Douglass Street BCG ISS      Element name: 245a  
Project number

Start date: 10/07/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 01:48 PM	
Max. depth: 38.681 ft.		End Date: 10/07/2024	
Volume/m 1: 36.727 ft³		End time: 02:44 PM	
		Production duration: 00:55:39	
		Final depth time: 02:34 PM	
		Total suspension quantity: 431.369 ft³	



# SCM Report






Project name	Douglass Street BCG ISS	Element name	245b
		Project number	

		Start date	10/07/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.714 ft.	Start time	02:44 PM
Volume/m 1	19.776 ft³	End Date	10/07/2024
		End time	03:14 PM
		Production duration	00:29:59
		Final depth time	03:04 PM
		Total suspension quantity	233.713 ft³



# SCM Report






Project name	Douglass Street BCG ISS	Element name	202a
		Project number	

		Start date	10/07/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.78 ft.	Start time	03:45 PM
Volume/m 1	52.266 ft <sup>3</sup>	End Date	10/07/2024
		End time	04:57 PM
		Production duration	01:12:23
		Final depth time	04:47 PM
		Total suspension quantity	619.137 ft <sup>3</sup>



# SCM Report






Project name	Douglass Street BCG ISS	Element name	202b
		Project number	

		Start date	10/07/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.747 ft.	Start time	04:57 PM
Volume/m 1	24.72 ft <sup>3</sup>	End Date	10/07/2024
		End time	05:32 PM
		Production duration	00:34:26
		Final depth time	05:21 PM
		Total suspension quantity	293.642 ft <sup>3</sup>



# SCM Report






Project name	Douglass Street BCG ISS	Element name	243a
		Project number	

		Start date	10/07/2024
--	--	------------	------------

Drilling rig	BG36H_5717
--------------	------------

<b>Details</b>			
Max. depth	38.714 ft.	Start time	12:08 PM
Volume/m 1	39.552 ft³	End Date	10/07/2024
		End time	01:05 PM
		Production duration	00:56:49
		Final depth time	12:54 PM
		Total suspension quantity	465.766 ft³






# SCM Report



Project name	Douglass Street BCG ISS	Element name	243b
		Project number	
		Start date	10/07/2024
Drilling rig	BG36H_5717		

<b>Details</b>			
Max. depth	38.747 ft.	Start time	01:05 PM
Volume/m 1	20.483 ft <sup>3</sup>	End Date	10/07/2024
		End time	01:35 PM
		Production duration	00:29:24
		Final depth time	01:25 PM
		Total suspension quantity	241.764 ft <sup>3</sup>



# SCM Report






Project name: Douglass Street BCG ISS      Element name: 200a  
Project number

Start date: 10/07/2024

Drilling rig: BG36H\_5717

<b>Details</b>		Start time: 05:46 PM	
Max. depth: 38.681 ft.		End Date: 10/07/2024	
Volume/m 1: 42.024 ft³		End time: 06:47 PM	
		Production duration: 01:00:11	
		Final depth time: 06:37 PM	
		Total suspension quantity: 496.913 ft³	





**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_002
Test Start Time	7:00:28 AM
Test Start Date	10/7/2024
Test Length [D:H:M]	0:12:09
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.056
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	6.05
Mass TWA [mg/m3]	0.074
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	729

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:00	1.06		
7:01	0.032		
7:02	0.021		
7:03	0.02		
7:04	0.02		
7:05	0.201		
7:06	0.082		
7:07	0.027		
7:08	0.079		
7:09	0.028		
7:10	0.118		
7:11	0.029		
7:12	0.019		
7:13	0.024		
7:14	0.037		
7:15	0.038		
7:16	0.035		
7:17	0.031		
7:18	0.037		
7:19	0.048		
7:20	0.055		
7:21	0.038		
7:22	0.069		
7:23	0.049		
7:24	0.158		
7:25	0.078		
7:26	0.116		

7:27	0.057
7:28	0.032
7:29	0.056
7:30	0.043
7:31	0.039
7:32	0.057
7:33	0.035
7:34	0.032
7:35	0.046
7:36	0.032
7:37	0.032
7:38	0.025
7:39	0.04
7:40	0.033
7:41	0.029
7:42	0.032
7:43	0.025
7:44	0.047
7:45	0.028
7:46	0.042
7:47	0.053
7:48	0.032
7:49	0.037
7:50	0.073
7:51	0.051
7:52	0.049
7:53	0.053
7:54	0.033
7:55	0.037
7:56	0.233
7:57	0.05
7:58	0.034
7:59	0.037
8:00	0.024
8:01	0.083
8:02	0.032
8:03	0.086
8:04	0.103
8:05	0.026
8:06	0.018
8:07	0.028
8:08	0.045
8:09	0.078
8:10	0.023
8:11	0.044
8:12	0.074
8:13	0.128

8:14	0.026
8:15	0.094
8:16	0.265
8:17	0.033
8:18	0.031
8:19	0.061
8:20	0.032
8:21	0.047
8:22	0.103
8:23	0.073
8:24	0.042
8:25	0.035
8:26	0.029
8:27	0.04
8:28	0.023
8:29	0.028
8:30	0.033
8:31	0.12
8:32	0.027
8:33	0.041
8:34	0.047
8:35	0.028
8:36	0.026
8:37	0.025
8:38	0.035
8:39	0.034
8:40	0.04
8:41	0.062
8:42	0.025
8:43	0.045
8:44	0.065
8:45	0.026
8:46	0.078
8:47	0.021
8:48	0.025
8:49	0.016
8:50	0.018
8:51	0.018
8:52	0.016
8:53	0.031
8:54	0.026
8:55	0.028
8:56	0.03
8:57	0.025
8:58	0.027
8:59	0.022
9:00	0.023

9:01	0.022
9:02	0.018
9:03	0.031
9:04	0.036
9:05	0.022
9:06	0.018
9:07	0.023
9:08	0.02
9:09	0.021
9:10	0.021
9:11	0.032
9:12	0.031
9:13	0.049
9:14	0.023
9:15	0.035
9:16	0.068
9:17	0.033
9:18	0.056
9:19	0.035
9:20	0.032
9:21	0.075
9:22	0.042
9:23	0.022
9:24	0.028
9:25	0.03
9:26	0.022
9:27	0.019
9:28	0.021
9:29	0.021
9:30	0.019
9:31	0.022
9:32	0.08
9:33	0.022
9:34	0.044
9:35	0.024
9:36	0.021
9:37	0.02
9:38	0.021
9:39	0.019
9:40	0.026
9:41	0.029
9:42	0.02
9:43	0.019
9:44	0.017
9:45	0.021
9:46	0.021
9:47	0.019

9:48	0.026
9:49	0.026
9:50	0.021
9:51	0.029
9:52	0.027
9:53	0.02
9:54	0.021
9:55	0.025
9:56	0.02
9:57	0.021
9:58	0.02
9:59	0.025
10:00	0.03
10:01	0.032
10:02	0.036
10:03	0.041
10:04	0.048
10:05	0.036
10:06	0.03
10:07	0.022
10:08	0.025
10:09	0.03
10:10	0.038
10:11	0.028
10:12	0.03
10:13	0.037
10:14	0.038
10:15	0.043
10:16	0.037
10:17	0.046
10:18	0.038
10:19	0.034
10:20	0.03
10:21	0.03
10:22	0.068
10:23	0.056
10:24	0.038
10:25	0.047
10:26	0.051
10:27	0.043
10:28	0.037
10:29	0.031
10:30	0.033
10:31	0.025
10:32	0.03
10:33	0.031
10:34	0.035

10:35	0.05
10:36	0.059
10:37	0.031
10:38	0.034
10:39	0.029
10:40	0.024
10:41	0.029
10:42	0.029
10:43	0.027
10:44	0.024
10:45	0.024
10:46	0.024
10:47	0.022
10:48	0.033
10:49	0.04
10:50	0.037
10:51	0.035
10:52	0.044
10:53	0.07
10:54	0.073
10:55	0.037
10:56	0.033
10:57	0.044
10:58	0.053
10:59	0.041
11:00	0.027
11:01	0.025
11:02	0.033
11:03	0.036
11:04	0.027
11:05	0.025
11:06	0.025
11:07	0.027
11:08	0.027
11:09	0.033
11:10	0.041
11:11	0.032
11:12	0.032
11:13	0.03
11:14	0.031
11:15	0.038
11:16	0.031
11:17	0.045
11:18	0.034
11:19	0.027
11:20	0.028
11:21	0.027

11:22	0.028
11:23	0.033
11:24	0.099
11:25	0.205
11:26	0.065
11:27	0.038
11:28	0.033
11:29	0.059
11:30	1.09
11:31	0.117
11:32	0.109
11:33	0.052
11:34	0.032
11:35	0.035
11:36	0.048
11:37	0.044
11:38	0.035
11:39	0.028
11:40	0.029
11:41	0.031
11:42	0.031
11:43	0.031
11:44	0.029
11:45	0.038
11:46	0.025
11:47	0.022
11:48	0.024
11:49	0.043
11:50	0.033
11:51	0.029
11:52	0.021
11:53	0.022
11:54	0.024
11:55	0.025
11:56	0.039
11:57	0.048
11:58	0.026
11:59	0.022
12:00	0.054
12:01	0.032
12:02	0.038
12:03	0.034
12:04	0.028
12:05	0.061
12:06	0.026
12:07	0.029
12:08	0.033

12:09	0.025
12:10	0.027
12:11	0.025
12:12	0.035
12:13	0.05
12:14	0.03
12:15	0.026
12:16	0.025
12:17	0.03
12:18	0.026
12:19	0.026
12:20	0.07
12:21	0.026
12:22	0.027
12:23	0.046
12:24	0.035
12:25	0.038
12:26	0.036
12:27	0.031
12:28	0.037
12:29	0.028
12:30	0.025
12:31	0.047
12:32	0.046
12:33	0.106
12:34	0.051
12:35	0.04
12:36	0.066
12:37	0.972
12:38	6.05
12:39	3.47
12:40	1.45
12:41	0.684
12:42	0.166
12:43	0.153
12:44	0.305
12:45	0.061
12:46	0.029
12:47	0.029
12:48	0.029
12:49	0.031
12:50	0.043
12:51	0.042
12:52	0.033
12:53	0.049
12:54	0.036
12:55	0.083

12:56	0.052
12:57	0.038
12:58	0.039
12:59	0.039
13:00	0.037
13:01	0.032
13:02	0.043
13:03	0.055
13:04	0.033
13:05	0.036
13:06	0.04
13:07	0.04
13:08	0.036
13:09	0.041
13:10	0.055
13:11	0.071
13:12	0.063
13:13	0.059
13:14	0.045
13:15	0.043
13:16	0.039
13:17	0.033
13:18	0.03
13:19	0.036
13:20	0.032
13:21	0.035
13:22	0.033
13:23	0.031
13:24	0.067
13:25	0.043
13:26	0.087
13:27	0.042
13:28	0.032
13:29	0.049
13:30	0.099
13:31	0.052
13:32	0.054
13:33	0.05
13:34	0.06
13:35	0.274
13:36	0.063
13:37	0.033
13:38	0.035
13:39	0.038
13:40	0.039
13:41	0.051
13:42	0.045

13:43	0.038
13:44	0.041
13:45	0.061
13:46	0.048
13:47	0.047
13:48	0.062
13:49	0.042
13:50	0.039
13:51	0.035
13:52	0.034
13:53	0.036
13:54	0.043
13:55	0.041
13:56	0.041
13:57	0.039
13:58	0.035
13:59	0.035
14:00	0.037
14:01	0.039
14:02	0.037
14:03	0.042
14:04	0.042
14:05	0.043
14:06	0.04
14:07	0.039
14:08	0.044
14:09	0.049
14:10	0.051
14:11	0.042
14:12	0.067
14:13	0.044
14:14	0.049
14:15	0.067
14:16	0.053
14:17	0.061
14:18	0.059
14:19	0.057
14:20	0.067
14:21	0.058
14:22	0.044
14:23	0.043
14:24	0.049
14:25	0.041
14:26	0.043
14:27	0.046
14:28	0.04
14:29	0.045

14:30	0.055
14:31	0.044
14:32	0.041
14:33	0.038
14:34	0.042
14:35	0.061
14:36	0.071
14:37	0.048
14:38	0.065
14:39	0.045
14:40	0.128
14:41	0.04
14:42	0.042
14:43	0.054
14:44	0.06
14:45	0.048
14:46	0.041
14:47	0.045
14:48	0.042
14:49	0.041
14:50	0.043
14:51	0.039
14:52	0.053
14:53	0.073
14:54	0.049
14:55	0.05
14:56	0.041
14:57	0.053
14:58	0.037
14:59	0.037
15:00	0.1
15:01	0.13
15:02	0.069
15:03	0.068
15:04	0.057
15:05	0.056
15:06	0.05
15:07	0.057
15:08	0.053
15:09	0.05
15:10	0.034
15:11	0.053
15:12	0.043
15:13	0.046
15:14	0.04
15:15	0.041
15:16	0.042

15:17	0.04
15:18	0.045
15:19	0.05
15:20	0.044
15:21	0.049
15:22	0.038
15:23	0.039
15:24	0.046
15:25	0.051
15:26	0.039
15:27	0.033
15:28	0.032
15:29	0.03
15:30	0.033
15:31	0.036
15:32	0.045
15:33	0.03
15:34	0.032
15:35	0.036
15:36	0.031
15:37	0.031
15:38	0.033
15:39	0.029
15:40	0.031
15:41	0.042
15:42	0.033
15:43	0.028
15:44	0.037
15:45	0.03
15:46	0.033
15:47	0.031
15:48	0.033
15:49	0.036
15:50	0.04
15:51	0.03
15:52	0.035
15:53	0.027
15:54	0.026
15:55	0.03
15:56	0.027
15:57	0.025
15:58	0.026
15:59	0.028
16:00	0.038
16:01	0.034
16:02	0.035
16:03	0.028

16:04	0.088
16:05	0.025
16:06	0.03
16:07	0.022
16:08	0.021
16:09	0.021
16:10	0.029
16:11	0.022
16:12	0.021
16:13	0.051
16:14	0.031
16:15	0.022
16:16	0.018
16:17	0.018
16:18	0.02
16:19	0.019
16:20	0.017
16:21	0.019
16:22	0.021
16:23	0.017
16:24	0.016
16:25	0.016
16:26	0.019
16:27	0.016
16:28	0.018
16:29	0.016
16:30	0.016
16:31	0.019
16:32	0.016
16:33	0.017
16:34	0.017
16:35	0.018
16:36	0.016
16:37	0.016
16:38	0.015
16:39	0.016
16:40	0.015
16:41	0.017
16:42	0.016
16:43	0.015
16:44	0.017
16:45	0.019
16:46	0.014
16:47	0.014
16:48	0.015
16:49	0.063
16:50	0.016

16:51	0.012
16:52	0.013
16:53	0.014
16:54	0.014
16:55	0.012
16:56	0.019
16:57	0.017
16:58	0.012
16:59	0.013
17:00	0.014
17:01	0.015
17:02	0.015
17:03	0.012
17:04	0.011
17:05	0.011
17:06	0.01
17:07	0.011
17:08	0.011
17:09	0.011
17:10	0.01
17:11	0.011
17:12	0.011
17:13	0.01
17:14	0.01
17:15	0.01
17:16	0.011
17:17	0.026
17:18	0.01
17:19	0.011
17:20	0.009
17:21	0.011
17:22	0.011
17:23	0.011
17:24	0.01
17:25	0.013
17:26	0.021
17:27	0.012
17:28	0.011
17:29	0.011
17:30	0.01
17:31	0.01
17:32	0.012
17:33	0.01
17:34	0.01
17:35	0.009
17:36	0.01
17:37	0.009

17:38	0.009
17:39	0.009
17:40	0.01
17:41	0.009
17:42	0.017
17:43	0.012
17:44	0.023
17:45	0.016
17:46	0.029
17:47	0.01
17:48	0.009
17:49	0.009
17:50	0.009
17:51	0.009
17:52	0.01
17:53	0.009
17:54	0.011
17:55	0.01
17:56	0.009
17:57	0.009
17:58	0.009
17:59	0.015
18:00	0.009
18:01	0.008
18:02	0.008
18:03	0.008
18:04	0.009
18:05	0.008
18:06	0.009
18:07	0.009
18:08	0.008
18:09	0.009
18:10	0.009
18:11	0.008
18:12	0.009
18:13	0.009
18:14	0.008
18:15	0.008
18:16	0.008
18:17	0.008
18:18	0.007
18:19	0.009
18:20	0.008
18:21	0.009
18:22	0.008
18:23	0.008
18:24	0.007

18:25	0.008
18:26	0.007
18:27	0.007
18:28	0.007
18:29	0.012
18:30	0.01
18:31	0.013
18:32	0.008
18:33	0.007
18:34	0.009
18:35	0.009
18:36	0.007
18:37	0.008
18:38	0.007
18:39	0.008
18:40	0.008
18:41	0.007
18:42	0.008
18:43	0.01
18:44	0.009
18:45	0.008
18:46	0.008
18:47	0.007
18:48	0.007
18:49	0.007
18:50	0.008
18:51	0.008
18:52	0.007
18:53	0.007
18:54	0.007
18:55	0.007
18:56	0.008
18:57	0.007
18:58	0.008
18:59	0.008
19:00	0.008
19:01	0.007
19:02	0.007
19:03	0.006
19:04	0.007
19:05	0.008
19:06	0.006
19:07	0.007
19:08	0.059























592-906020	10/7/2024 7:35 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:34 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:33 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:32 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:31 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:30 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:29 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:28 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:27 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:26 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:25 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:24 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:23 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:22 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:21 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:20 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:19 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:18 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:17 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:16 CONFIG	PID	SC23030396CB		

**DOWNWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	7/11/2024
Test Name	MANUAL_002
Test Start Time	7:04:49 AM
Test Start Date	10/7/2024
Test Length [D:H:M]	0:12:18
Test Interval [M:S]	1:00
PM10 Average [mg/m3]	0.060
PM10 Minimum [mg/m3]	0.012
PM10 Maximum [mg/m3]	0.338
PM10 TWA [mg/m3]	0.051
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	738

Elapsed Time [s]	PM10 [mg/m3]	Alarms	Errors
7:04	0.126		
7:05	0.038		
7:06	0.027		
7:07	0.024		
7:08	0.022		
7:09	0.023		
7:10	0.021		
7:11	0.021		
7:12	0.017		
7:13	0.013		
7:14	0.028		
7:15	0.018		
7:16	0.013		
7:17	0.014		
7:18	0.017		
7:19	0.013		
7:20	0.016		
7:21	0.015		
7:22	0.016		
7:23	0.022		
7:24	0.023		
7:25	0.028		
7:26	0.028		
7:27	0.03		
7:28	0.03		
7:29	0.031		

7:30	0.024
7:31	0.026
7:32	0.032
7:33	0.022
7:34	0.021
7:35	0.028
7:36	0.032
7:37	0.043
7:38	0.036
7:39	0.021
7:40	0.018
7:41	0.022
7:42	0.022
7:43	0.024
7:44	0.025
7:45	0.025
7:46	0.03
7:47	0.028
7:48	0.043
7:49	0.04
7:50	0.029
7:51	0.027
7:52	0.023
7:53	0.028
7:54	0.017
7:55	0.025
7:56	0.023
7:57	0.022
7:58	0.024
7:59	0.026
8:00	0.031
8:01	0.027
8:02	0.029
8:03	0.031
8:04	0.022
8:05	0.028
8:06	0.047
8:07	0.048
8:08	0.051
8:09	0.018
8:10	0.016
8:11	0.02
8:12	0.019
8:13	0.02
8:14	0.052
8:15	0.013
8:16	0.02

8:17	0.025
8:18	0.025
8:19	0.028
8:20	0.023
8:21	0.031
8:22	0.027
8:23	0.038
8:24	0.053
8:25	0.027
8:26	0.017
8:27	0.015
8:28	0.019
8:29	0.016
8:30	0.029
8:31	0.036
8:32	0.028
8:33	0.032
8:34	0.022
8:35	0.014
8:36	0.014
8:37	0.02
8:38	0.016
8:39	0.017
8:40	0.017
8:41	0.016
8:42	0.017
8:43	0.021
8:44	0.338
8:45	0.036
8:46	0.025
8:47	0.015
8:48	0.019
8:49	0.02
8:50	0.017
8:51	0.013
8:52	0.012
8:53	0.012
8:54	0.014
8:55	0.013
8:56	0.012
8:57	0.014
8:58	0.014
8:59	0.014
9:00	0.014
9:01	0.016
9:02	0.012
9:03	0.014

9:04	0.013
9:05	0.013
9:06	0.015
9:07	0.013
9:08	0.015
9:09	0.014
9:10	0.013
9:11	0.013
9:12	0.016
9:13	0.023
9:14	0.015
9:15	0.014
9:16	0.015
9:17	0.015
9:18	0.02
9:19	0.017
9:20	0.016
9:21	0.018
9:22	0.017
9:23	0.016
9:24	0.016
9:25	0.016
9:26	0.018
9:27	0.02
9:28	0.016
9:29	0.017
9:30	0.018
9:31	0.023
9:32	0.017
9:33	0.02
9:34	0.017
9:35	0.016
9:36	0.017
9:37	0.022
9:38	0.016
9:39	0.018
9:40	0.018
9:41	0.021
9:42	0.017
9:43	0.02
9:44	0.02
9:45	0.018
9:46	0.018
9:47	0.014
9:48	0.017
9:49	0.018
9:50	0.02

9:51	0.023
9:52	0.017
9:53	0.015
9:54	0.016
9:55	0.019
9:56	0.018
9:57	0.016
9:58	0.018
9:59	0.018
10:00	0.019
10:01	0.023
10:02	0.02
10:03	0.02
10:04	0.022
10:05	0.019
10:06	0.016
10:07	0.017
10:08	0.017
10:09	0.019
10:10	0.036
10:11	0.041
10:12	0.023
10:13	0.018
10:14	0.025
10:15	0.031
10:16	0.021
10:17	0.018
10:18	0.022
10:19	0.051
10:20	0.044
10:21	0.032
10:22	0.037
10:23	0.028
10:24	0.039
10:25	0.034
10:26	0.03
10:27	0.026
10:28	0.028
10:29	0.023
10:30	0.022
10:31	0.024
10:32	0.021
10:33	0.037
10:34	0.03
10:35	0.021
10:36	0.019
10:37	0.026

10:38	0.027
10:39	0.03
10:40	0.027
10:41	0.024
10:42	0.028
10:43	0.03
10:44	0.026
10:45	0.028
10:46	0.027
10:47	0.025
10:48	0.027
10:49	0.036
10:50	0.024
10:51	0.031
10:52	0.03
10:53	0.019
10:54	0.025
10:55	0.025
10:56	0.023
10:57	0.022
10:58	0.047
10:59	0.04
11:00	0.031
11:01	0.026
11:02	0.021
11:03	0.036
11:04	0.036
11:05	0.041
11:06	0.052
11:07	0.048
11:08	0.03
11:09	0.026
11:10	0.023
11:11	0.022
11:12	0.026
11:13	0.037
11:14	0.024
11:15	0.022
11:16	0.021
11:17	0.02
11:18	0.021
11:19	0.033
11:20	0.033
11:21	0.025
11:22	0.026
11:23	0.028
11:24	0.024

11:25	0.024
11:26	0.026
11:27	0.025
11:28	0.029
11:29	0.024
11:30	0.023
11:31	0.023
11:32	0.025
11:33	0.034
11:34	0.058
11:35	0.047
11:36	0.047
11:37	0.03
11:38	0.029
11:39	0.031
11:40	0.041
11:41	0.043
11:42	0.051
11:43	0.043
11:44	0.103
11:45	0.068
11:46	0.031
11:47	0.026
11:48	0.023
11:49	0.024
11:50	0.03
11:51	0.027
11:52	0.029
11:53	0.021
11:54	0.035
11:55	0.07
11:56	0.029
11:57	0.031
11:58	0.056
11:59	0.045
12:00	0.038
12:01	0.093
12:02	0.038
12:03	0.05
12:04	0.066
12:05	0.054
12:06	0.05
12:07	0.035
12:08	0.042
12:09	0.031
12:10	0.095
12:11	0.059

12:12	0.056
12:13	0.077
12:14	0.084
12:15	0.056
12:16	0.037
12:17	0.068
12:18	0.068
12:19	0.035
12:20	0.028
12:21	0.022
12:22	0.059
12:23	0.062
12:24	0.055
12:25	0.046
12:26	0.103
12:27	0.046
12:28	0.04
12:29	0.024
12:30	0.051
12:31	0.073
12:32	0.062
12:33	0.14
12:34	0.085
12:35	0.046
12:36	0.109
12:37	0.092
12:38	0.051
12:39	0.042
12:40	0.068
12:41	0.083
12:42	0.085
12:43	0.125
12:44	0.054
12:45	0.052
12:46	0.042
12:47	0.044
12:48	0.04
12:49	0.026
12:50	0.042
12:51	0.041
12:52	0.031
12:53	0.026
12:54	0.134
12:55	0.043
12:56	0.029
12:57	0.027
12:58	0.025

12:59	0.032
13:00	0.042
13:01	0.035
13:02	0.093
13:03	0.049
13:04	0.05
13:05	0.115
13:06	0.047
13:07	0.052
13:08	0.036
13:09	0.032
13:10	0.026
13:11	0.046
13:12	0.073
13:13	0.063
13:14	0.047
13:15	0.038
13:16	0.049
13:17	0.035
13:18	0.055
13:19	0.056
13:20	0.089
13:21	0.121
13:22	0.101
13:23	0.063
13:24	0.047
13:25	0.041
13:26	0.063
13:27	0.03
13:28	0.037
13:29	0.047
13:30	0.057
13:31	0.025
13:32	0.024
13:33	0.039
13:34	0.064
13:35	0.079
13:36	0.041
13:37	0.043
13:38	0.038
13:39	0.036
13:40	0.059
13:41	0.058
13:42	0.066
13:43	0.056
13:44	0.065
13:45	0.121

13:46	0.063
13:47	0.057
13:48	0.067
13:49	0.048
13:50	0.055
13:51	0.043
13:52	0.038
13:53	0.037
13:54	0.039
13:55	0.05
13:56	0.05
13:57	0.063
13:58	0.063
13:59	0.037
14:00	0.035
14:01	0.034
14:02	0.032
14:03	0.036
14:04	0.035
14:05	0.034
14:06	0.04
14:07	0.034
14:08	0.049
14:09	0.035
14:10	0.036
14:11	0.042
14:12	0.035
14:13	0.034
14:14	0.046
14:15	0.033
14:16	0.033
14:17	0.049
14:18	0.086
14:19	0.05
14:20	0.04
14:21	0.068
14:22	0.105
14:23	0.13
14:24	0.089
14:25	0.096
14:26	0.089
14:27	0.107
14:28	0.086
14:29	0.094
14:30	0.081
14:31	0.077
14:32	0.095

14:33	0.08
14:34	0.086
14:35	0.089
14:36	0.084
14:37	0.092
14:38	0.091
14:39	0.098
14:40	0.098
14:41	0.09
14:42	0.086
14:43	0.087
14:44	0.079
14:45	0.114
14:46	0.143
14:47	0.157
14:48	0.115
14:49	0.128
14:50	0.175
14:51	0.081
14:52	0.091
14:53	0.122
14:54	0.101
14:55	0.091
14:56	0.085
14:57	0.082
14:58	0.099
14:59	0.077
15:00	0.084
15:01	0.079
15:02	0.081
15:03	0.074
15:04	0.073
15:05	0.074
15:06	0.076
15:07	0.071
15:08	0.072
15:09	0.077
15:10	0.107
15:11	0.102
15:12	0.09
15:13	0.078
15:14	0.075
15:15	0.073
15:16	0.098
15:17	0.088
15:18	0.097
15:19	0.086

15:20	0.106
15:21	0.077
15:22	0.077
15:23	0.092
15:24	0.086
15:25	0.079
15:26	0.085
15:27	0.224
15:28	0.079
15:29	0.091
15:30	0.083
15:31	0.077
15:32	0.109
15:33	0.155
15:34	0.107
15:35	0.08
15:36	0.134
15:37	0.075
15:38	0.075
15:39	0.084
15:40	0.08
15:41	0.079
15:42	0.077
15:43	0.071
15:44	0.07
15:45	0.073
15:46	0.078
15:47	0.09
15:48	0.082
15:49	0.095
15:50	0.126
15:51	0.085
15:52	0.079
15:53	0.119
15:54	0.113
15:55	0.21
15:56	0.187
15:57	0.153
15:58	0.094
15:59	0.08
16:00	0.079
16:01	0.071
16:02	0.078
16:03	0.184
16:04	0.144
16:05	0.163
16:06	0.095

16:07	0.137
16:08	0.077
16:09	0.108
16:10	0.1
16:11	0.095
16:12	0.112
16:13	0.168
16:14	0.201
16:15	0.126
16:16	0.153
16:17	0.144
16:18	0.092
16:19	0.191
16:20	0.107
16:21	0.1
16:22	0.098
16:23	0.116
16:24	0.102
16:25	0.097
16:26	0.095
16:27	0.098
16:28	0.109
16:29	0.094
16:30	0.099
16:31	0.162
16:32	0.116
16:33	0.12
16:34	0.106
16:35	0.101
16:36	0.105
16:37	0.095
16:38	0.106
16:39	0.1
16:40	0.098
16:41	0.11
16:42	0.1
16:43	0.103
16:44	0.106
16:45	0.097
16:46	0.094
16:47	0.094
16:48	0.099
16:49	0.095
16:50	0.09
16:51	0.094
16:52	0.095
16:53	0.097

16:54	0.117
16:55	0.094
16:56	0.111
16:57	0.093
16:58	0.12
16:59	0.102
17:00	0.091
17:01	0.091
17:02	0.096
17:03	0.093
17:04	0.102
17:05	0.108
17:06	0.094
17:07	0.091
17:08	0.088
17:09	0.088
17:10	0.099
17:11	0.104
17:12	0.091
17:13	0.089
17:14	0.09
17:15	0.092
17:16	0.093
17:17	0.106
17:18	0.092
17:19	0.087
17:20	0.089
17:21	0.087
17:22	0.086
17:23	0.086
17:24	0.087
17:25	0.085
17:26	0.112
17:27	0.087
17:28	0.082
17:29	0.086
17:30	0.083
17:31	0.085
17:32	0.099
17:33	0.087
17:34	0.084
17:35	0.1
17:36	0.094
17:37	0.087
17:38	0.097
17:39	0.089
17:40	0.083

17:41	0.09
17:42	0.094
17:43	0.087
17:44	0.085
17:45	0.091
17:46	0.088
17:47	0.085
17:48	0.085
17:49	0.091
17:50	0.092
17:51	0.091
17:52	0.105
17:53	0.097
17:54	0.091
17:55	0.092
17:56	0.092
17:57	0.087
17:58	0.085
17:59	0.085
18:00	0.086
18:01	0.087
18:02	0.086
18:03	0.091
18:04	0.087
18:05	0.088
18:06	0.089
18:07	0.087
18:08	0.086
18:09	0.086
18:10	0.091
18:11	0.087
18:12	0.09
18:13	0.092
18:14	0.091
18:15	0.093
18:16	0.089
18:17	0.087
18:18	0.087
18:19	0.09
18:20	0.091
18:21	0.095
18:22	0.088
18:23	0.085
18:24	0.09
18:25	0.09
18:26	0.086
18:27	0.086

18:28	0.086
18:29	0.088
18:30	0.087
18:31	0.086
18:32	0.085
18:33	0.09
18:34	0.083
18:35	0.085
18:36	0.084
18:37	0.083
18:38	0.082
18:39	0.094
18:40	0.1
18:41	0.086
18:42	0.084
18:43	0.084
18:44	0.085
18:45	0.088
18:46	0.083
18:47	0.083
18:48	0.09
18:49	0.084
18:50	0.084
18:51	0.082
18:52	0.082
18:53	0.082
18:54	0.085
18:55	0.088
18:56	0.082
18:57	0.082
18:58	0.082
18:59	0.082
19:00	0.082
19:01	0.083
19:02	0.081
19:03	0.082
19:04	0.087
19:05	0.091
19:06	0.086
19:07	0.081
19:08	0.084
19:09	0.086
19:10	0.086
19:11	0.081
19:12	0.081
19:13	0.082
19:14	0.115

19:15	0.097
19:16	0.083
19:17	0.095
19:18	0.091
19:19	0.107
19:20	0.096
19:21	0.089























592-906376	10/7/2024 7:37 Readings	PID	SC23030159V4	Normal	0.2
592-906376	10/7/2024 7:36 Readings	PID	SC23030159V4	Normal	0.2
592-906376	10/7/2024 7:35 Readings	PID	SC23030159V4	Normal	0.2
592-906376	10/7/2024 7:34 Readings	PID	SC23030159V4	Normal	0.2
592-906376	10/7/2024 7:33 Readings	PID	SC23030159V4	Normal	0.2
592-906376	10/7/2024 7:32 Readings	PID	SC23030159V4	Normal	0.2
592-906376	10/7/2024 7:31 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:30 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:29 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:28 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:27 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:26 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:25 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:24 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:23 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:22 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:21 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:20 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:19 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:18 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:17 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:16 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:15 Readings	PID	SC23030159V4	Normal	0.1
592-906376	10/7/2024 7:14 Readings	PID	SC23030159V4	Normal	0
592-906376	10/7/2024 7:13 Readings	PID	SC23030159V4	Normal	0
592-906376	10/7/2024 7:12 Readings	PID	SC23030159V4	Normal	0
592-906376	10/7/2024 7:11 Readings	PID	SC23030159V4	Normal	0
592-906376	10/7/2024 7:10 Readings	PID	SC23030159V4	Normal	0
592-906376	10/7/2024 7:09 Readings	PID	SC23030159V4	Normal	0
592-906376	10/7/2024 7:08 Readings	PID	SC23030159V4	Normal	0
592-906376	10/7/2024 7:07 CONFIG	PID	SC23030159V4	Normal	0

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_002
Test Start Time	7:10:05 AM
Test Start Date	10/7/2024
Test Length [D:H:M]	0:11:59
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.044
Mass Minimum [mg/m3]	0.012
Mass Maximum [mg/m3]	1.55
Mass TWA [mg/m3]	0.051
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	719

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:10	0.743		
7:11	0.124		
7:12	0.03		
7:13	0.034		
7:14	0.186		
7:15	0.609		
7:16	0.077		
7:17	0.047		
7:18	0.039		
7:19	0.03		
7:20	0.035		
7:21	0.033		
7:22	0.029		
7:23	0.031		
7:24	0.032		
7:25	0.037		
7:26	0.109		
7:27	0.097		
7:28	0.792		
7:29	0.038		
7:30	0.028		
7:31	0.033		
7:32	0.03		
7:33	0.03		
7:34	0.031		
7:35	0.048		
7:36	0.227		

7:37	0.145
7:38	0.036
7:39	0.039
7:40	0.084
7:41	0.128
7:42	0.03
7:43	0.028
7:44	0.263
7:45	0.056
7:46	0.044
7:47	0.049
7:48	0.218
7:49	0.056
7:50	0.037
7:51	0.041
7:52	0.027
7:53	0.028
7:54	0.032
7:55	0.037
7:56	0.039
7:57	0.029
7:58	0.022
7:59	0.026
8:00	0.03
8:01	0.031
8:02	0.162
8:03	0.098
8:04	0.041
8:05	0.121
8:06	0.065
8:07	0.115
8:08	0.071
8:09	0.056
8:10	0.034
8:11	0.087
8:12	0.076
8:13	0.088
8:14	0.051
8:15	0.025
8:16	0.024
8:17	0.023
8:18	0.024
8:19	0.039
8:20	0.038
8:21	0.411
8:22	0.101
8:23	0.042

8:24	0.028
8:25	0.097
8:26	0.344
8:27	0.038
8:28	0.022
8:29	0.03
8:30	0.025
8:31	0.17
8:32	0.185
8:33	0.038
8:34	0.043
8:35	0.025
8:36	0.022
8:37	0.114
8:38	0.028
8:39	0.023
8:40	0.021
8:41	0.019
8:42	0.02
8:43	0.019
8:44	0.02
8:45	0.019
8:46	0.021
8:47	0.02
8:48	0.021
8:49	0.023
8:50	0.021
8:51	0.021
8:52	0.021
8:53	0.02
8:54	0.021
8:55	0.025
8:56	0.02
8:57	0.02
8:58	0.02
8:59	0.02
9:00	0.021
9:01	0.025
9:02	0.027
9:03	0.028
9:04	0.024
9:05	0.026
9:06	0.025
9:07	0.024
9:08	0.022
9:09	0.023
9:10	0.039

9:11	0.028
9:12	0.025
9:13	0.025
9:14	0.024
9:15	0.03
9:16	0.032
9:17	0.023
9:18	0.024
9:19	0.03
9:20	0.031
9:21	0.029
9:22	0.028
9:23	0.031
9:24	0.026
9:25	0.025
9:26	0.028
9:27	0.027
9:28	0.027
9:29	0.026
9:30	0.025
9:31	0.032
9:32	0.032
9:33	0.029
9:34	0.028
9:35	0.024
9:36	0.026
9:37	0.027
9:38	0.026
9:39	0.036
9:40	0.024
9:41	0.025
9:42	0.023
9:43	0.024
9:44	0.025
9:45	0.025
9:46	0.025
9:47	0.028
9:48	0.029
9:49	0.037
9:50	0.036
9:51	0.026
9:52	0.029
9:53	0.029
9:54	0.025
9:55	0.026
9:56	0.025
9:57	0.029

9:58	0.031
9:59	0.028
10:00	0.04
10:01	0.035
10:02	0.056
10:03	0.04
10:04	0.045
10:05	0.027
10:06	0.035
10:07	0.04
10:08	0.037
10:09	0.031
10:10	0.04
10:11	0.03
10:12	0.034
10:13	0.046
10:14	0.032
10:15	0.047
10:16	0.041
10:17	0.04
10:18	0.033
10:19	0.032
10:20	0.038
10:21	0.056
10:22	0.063
10:23	0.043
10:24	0.044
10:25	0.038
10:26	0.052
10:27	0.046
10:28	0.051
10:29	0.039
10:30	0.039
10:31	0.049
10:32	0.035
10:33	0.034
10:34	0.039
10:35	0.035
10:36	0.039
10:37	0.044
10:38	0.04
10:39	0.041
10:40	0.046
10:41	0.039
10:42	0.038
10:43	0.125
10:44	0.036

10:45	0.029
10:46	0.037
10:47	0.074
10:48	0.054
10:49	0.055
10:50	0.033
10:51	0.038
10:52	0.054
10:53	0.042
10:54	0.056
10:55	0.066
10:56	0.043
10:57	0.05
10:58	0.035
10:59	0.034
11:00	0.044
11:01	0.036
11:02	0.032
11:03	0.029
11:04	0.034
11:05	0.035
11:06	0.03
11:07	0.039
11:08	0.079
11:09	0.04
11:10	0.034
11:11	0.036
11:12	0.101
11:13	0.047
11:14	0.027
11:15	0.033
11:16	0.034
11:17	0.035
11:18	0.032
11:19	0.03
11:20	0.036
11:21	0.032
11:22	0.044
11:23	0.081
11:24	0.05
11:25	0.037
11:26	0.028
11:27	0.03
11:28	0.034
11:29	0.041
11:30	0.04
11:31	0.027

11:32	0.03
11:33	0.025
11:34	0.027
11:35	0.031
11:36	0.03
11:37	0.024
11:38	0.026
11:39	0.028
11:40	0.026
11:41	0.027
11:42	0.042
11:43	0.077
11:44	0.033
11:45	0.025
11:46	0.023
11:47	0.044
11:48	0.029
11:49	0.034
11:50	0.022
11:51	0.023
11:52	0.033
11:53	0.025
11:54	0.026
11:55	0.029
11:56	0.024
11:57	0.022
11:58	0.034
11:59	0.05
12:00	0.026
12:01	0.119
12:02	0.027
12:03	0.093
12:04	0.03
12:05	0.022
12:06	0.042
12:07	0.025
12:08	0.026
12:09	0.022
12:10	0.026
12:11	0.047
12:12	0.03
12:13	0.022
12:14	0.023
12:15	0.036
12:16	0.033
12:17	0.163
12:18	0.021

12:19	0.021
12:20	0.024
12:21	0.094
12:22	0.048
12:23	0.034
12:24	0.032
12:25	0.034
12:26	0.043
12:27	0.036
12:28	0.026
12:29	0.039
12:30	0.036
12:31	0.105
12:32	0.05
12:33	0.041
12:34	0.037
12:35	0.028
12:36	0.042
12:37	0.034
12:38	0.022
12:39	0.03
12:40	0.035
12:41	0.03
12:42	0.032
12:43	0.034
12:44	0.024
12:45	0.026
12:46	0.031
12:47	0.037
12:48	0.045
12:49	0.043
12:50	0.028
12:51	0.061
12:52	0.043
12:53	0.073
12:54	0.093
12:55	0.026
12:56	0.027
12:57	0.029
12:58	0.03
12:59	0.025
13:00	0.048
13:01	0.044
13:02	0.032
13:03	0.041
13:04	0.036
13:05	0.037

13:06	0.038
13:07	0.06
13:08	0.041
13:09	0.134
13:10	0.06
13:11	0.082
13:12	0.041
13:13	0.049
13:14	0.037
13:15	0.027
13:16	0.027
13:17	0.035
13:18	0.031
13:19	0.026
13:20	0.025
13:21	0.039
13:22	0.132
13:23	0.047
13:24	0.074
13:25	0.03
13:26	0.027
13:27	0.039
13:28	0.057
13:29	0.039
13:30	0.034
13:31	0.069
13:32	0.063
13:33	0.032
13:34	0.079
13:35	0.045
13:36	0.029
13:37	0.048
13:38	0.038
13:39	0.037
13:40	0.033
13:41	0.035
13:42	0.038
13:43	0.043
13:44	0.042
13:45	0.053
13:46	0.058
13:47	0.062
13:48	0.035
13:49	0.035
13:50	0.03
13:51	0.036
13:52	0.035

13:53	0.036
13:54	0.035
13:55	0.039
13:56	0.036
13:57	0.036
13:58	0.035
13:59	0.058
14:00	0.081
14:01	0.047
14:02	0.056
14:03	0.041
14:04	0.036
14:05	0.037
14:06	0.069
14:07	0.049
14:08	0.044
14:09	0.041
14:10	0.038
14:11	0.037
14:12	0.039
14:13	0.072
14:14	0.048
14:15	0.048
14:16	0.046
14:17	0.043
14:18	0.051
14:19	0.043
14:20	0.041
14:21	0.045
14:22	0.047
14:23	0.045
14:24	0.11
14:25	0.043
14:26	0.042
14:27	0.043
14:28	0.053
14:29	0.047
14:30	0.04
14:31	0.038
14:32	0.042
14:33	0.037
14:34	0.241
14:35	0.059
14:36	0.107
14:37	0.049
14:38	0.15
14:39	0.05

14:40	0.045
14:41	0.501
14:42	0.375
14:43	0.047
14:44	0.051
14:45	0.041
14:46	0.061
14:47	0.036
14:48	0.039
14:49	0.037
14:50	0.037
14:51	0.038
14:52	0.035
14:53	0.042
14:54	0.044
14:55	0.034
14:56	0.033
14:57	0.034
14:58	0.045
14:59	0.044
15:00	0.037
15:01	0.037
15:02	0.033
15:03	0.033
15:04	0.031
15:05	0.033
15:06	0.032
15:07	0.033
15:08	0.031
15:09	0.031
15:10	0.032
15:11	0.036
15:12	0.033
15:13	0.047
15:14	0.033
15:15	0.031
15:16	0.032
15:17	0.031
15:18	0.029
15:19	0.037
15:20	0.049
15:21	0.029
15:22	0.028
15:23	0.029
15:24	0.028
15:25	0.05
15:26	0.031

15:27	0.028
15:28	0.027
15:29	0.028
15:30	0.029
15:31	0.028
15:32	0.03
15:33	0.026
15:34	0.025
15:35	0.025
15:36	0.025
15:37	0.024
15:38	0.03
15:39	0.028
15:40	0.025
15:41	0.025
15:42	0.035
15:43	0.027
15:44	0.024
15:45	0.028
15:46	0.023
15:47	0.023
15:48	0.023
15:49	0.037
15:50	0.023
15:51	0.022
15:52	0.022
15:53	0.022
15:54	0.022
15:55	0.021
15:56	0.023
15:57	0.023
15:58	0.021
15:59	0.023
16:00	0.022
16:01	0.021
16:02	0.1
16:03	0.025
16:04	0.064
16:05	0.033
16:06	0.02
16:07	0.02
16:08	0.038
16:09	0.02
16:10	0.02
16:11	0.02
16:12	0.022
16:13	0.021

16:14	0.021
16:15	0.019
16:16	0.018
16:17	0.017
16:18	0.018
16:19	0.018
16:20	0.019
16:21	0.043
16:22	0.017
16:23	0.017
16:24	0.018
16:25	0.016
16:26	0.017
16:27	0.017
16:28	0.015
16:29	0.016
16:30	0.017
16:31	0.017
16:32	0.018
16:33	0.016
16:34	0.016
16:35	0.016
16:36	0.017
16:37	0.016
16:38	0.016
16:39	0.016
16:40	0.016
16:41	0.016
16:42	0.019
16:43	0.021
16:44	0.017
16:45	0.015
16:46	0.014
16:47	0.184
16:48	0.017
16:49	0.015
16:50	0.015
16:51	0.028
16:52	0.015
16:53	0.018
16:54	0.015
16:55	0.015
16:56	0.014
16:57	0.015
16:58	0.015
16:59	0.017
17:00	0.019

17:01	0.014
17:02	0.013
17:03	0.013
17:04	0.021
17:05	0.016
17:06	0.013
17:07	0.013
17:08	0.013
17:09	0.013
17:10	0.017
17:11	0.015
17:12	0.013
17:13	0.013
17:14	0.014
17:15	0.021
17:16	0.013
17:17	0.013
17:18	0.014
17:19	0.014
17:20	0.015
17:21	0.016
17:22	0.013
17:23	0.014
17:24	0.03
17:25	0.014
17:26	0.014
17:27	0.025
17:28	0.017
17:29	0.013
17:30	0.015
17:31	0.019
17:32	0.013
17:33	0.014
17:34	0.014
17:35	0.013
17:36	0.014
17:37	0.014
17:38	0.017
17:39	0.015
17:40	0.016
17:41	0.016
17:42	0.015
17:43	0.019
17:44	0.014
17:45	0.018
17:46	0.014
17:47	0.014

17:48	0.013
17:49	0.013
17:50	0.013
17:51	0.013
17:52	0.014
17:53	0.015
17:54	0.013
17:55	0.014
17:56	0.013
17:57	0.014
17:58	0.013
17:59	0.013
18:00	0.012
18:01	0.013
18:02	0.013
18:03	0.014
18:04	0.013
18:05	0.013
18:06	0.015
18:07	0.013
18:08	0.013
18:09	0.013
18:10	0.014
18:11	0.013
18:12	0.012
18:13	0.013
18:14	0.014
18:15	0.013
18:16	0.012
18:17	0.013
18:18	0.013
18:19	0.013
18:20	0.013
18:21	0.014
18:22	0.013
18:23	0.013
18:24	0.012
18:25	0.013
18:26	0.012
18:27	1.55
18:28	0.119
18:29	0.093
18:30	0.066
18:31	0.024
18:32	0.024
18:33	0.063
18:34	0.033

18:35	0.039
18:36	0.016
18:37	0.02
18:38	0.029
18:39	0.051
18:40	0.045
18:41	0.07
18:42	0.055
18:43	0.027
18:44	0.036
18:45	0.052
18:46	0.027
18:47	0.05
18:48	0.042
18:49	0.03
18:50	0.051
18:51	0.039
18:52	0.042
18:53	0.016
18:54	0.016
18:55	0.089
18:56	0.081
18:57	0.062
18:58	0.026
18:59	0.034
19:00	0.023
19:01	0.023
19:02	0.054
19:03	0.046
19:04	0.061
19:05	0.06
19:06	0.072
19:07	0.056
19:08	0.082























592-906020	10/7/2024 7:35 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:34 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:33 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:32 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:31 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:30 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:29 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:28 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:27 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:26 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:25 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:24 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:23 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:22 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:21 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:20 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:19 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:18 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:17 Readings	PID	SC23030396CB	Normal	0
592-906020	10/7/2024 7:16 CONFIG	PID	SC23030396CB		