



**DAILY STATUS REPORT**

**Prepared By:**  
Victor Barraza

WEATHER	Snow	Rain	Overcast	Partly Cloudy	Bright Sun	X	Wind
TEMP.	< 32	32-50	50-70	X	70-85	x	>85
							W/SW – 7 mph

<b>IEEG Project No:</b>	13928	<b>NYSDEC BCP Site No:</b>	C224367	<b>Date:</b> 10/12/24
<b>Project:</b>	251 Douglass Street, Brooklyn, NY			

<p><b>Consultant:</b> Impact Environmental Engineering and Geology, PLLC (IEEG)</p> <p>Time On: 06:45 Time Out: 13:30</p>	<p><b>Personnel On Site:</b> IEEG (Environmental) – Victor Barraza Broadway Construction Group – Alex Vega GES—Chris Aschmoneit. FSR- helical pile.</p> <p><b>Equipment On Site:</b> (3) MiniRAE 3000 PID, (3) DustTrak II</p>
---	--

**Scope of Work:** IEEG to deploy CAMP stations according to wind direction, FSR installing Helical Piles along Douglas St.

**Site Activities:**

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Helical piles being install on south portion of site by FSR;
- Housekeeping being done by BCG laborers on second and third floor.

**Community Air Monitoring Program (CAMP) - CAMP** action level for dust (0.1 mg/m<sup>3</sup>) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = \_0.0\_ ppm, Dust = \_0.449\_ mg/m<sup>3</sup> @ 07:04
- High Conditions (Upwind) – PID = \_0.0\_ ppm, Dust = \_0.449\_ mg/m<sup>3</sup> @ 07:04
- High Conditions (Downwind 1) – PID = \_0.1\_ ppm @7:56, Dust = \_0.571\_ mg/m<sup>3</sup> @ 11:13
- High Conditions (Downwind 2) – PID = \_0.0\_ ppm, Dust = \_0.323\_ mg/m<sup>3</sup> @ 06:58

**Notable Site Conditions:**

- None.

**Planned for the Next Day/Week:**

- Cascade to continue with ISS column installation

**PHOTO LOG**

251 DOUGLASS STREET, BROOKLYN, NY



**Photo 1-**  
Representative  
photo of FSR  
performing  
Helical pile  
installation.



**Photo 2-**  
Representative  
photo of  
equipment tires  
being washed  
before exiting  
Site over track  
pad.





**Photo 3-**  
Representative  
view of Site at  
beginning of the  
days' activities.




**Photo 4-**  
Representative  
photo of second  
floor work for  
portion of  
building along  
Butler corridor.



**SITE PLANS**

251 DOUGLASS STREET, BROOKLYN, NY







**UPWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_007
Test Start Time	7:04:35 AM
Test Start Date	10/12/2024
Test Length [D:H:M]	0:05:37
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.02
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.449
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	337

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:04:35 AM	0.449		
7:05:35 AM	0.021		
7:06:35 AM	0.016		
7:07:35 AM	0.036		
7:08:35 AM	0.132		
7:09:35 AM	0.069		
7:10:35 AM	0.015		
7:11:35 AM	0.015		
7:12:35 AM	0.019		
7:13:35 AM	0.024		
7:14:35 AM	0.015		
7:15:35 AM	0.014		
7:16:35 AM	0.014		
7:17:35 AM	0.013		
7:18:35 AM	0.01		
7:19:35 AM	0.011		
7:20:35 AM	0.013		
7:21:35 AM	0.012		
7:22:35 AM	0.013		
7:23:35 AM	0.01		
7:24:35 AM	0.016		
7:25:35 AM	0.016		
7:26:35 AM	0.011		
7:27:35 AM	0.012		
7:28:35 AM	0.012		
7:29:35 AM	0.038		
7:30:35 AM	0.014		



7:31:35 AM	0.135
7:32:35 AM	0.012
7:33:35 AM	0.01
7:34:35 AM	0.014
7:35:35 AM	0.011
7:36:35 AM	0.009
7:37:35 AM	0.012
7:38:35 AM	0.009
7:39:35 AM	0.01
7:40:35 AM	0.01
7:41:35 AM	0.01
7:42:35 AM	0.012
7:43:35 AM	0.01
7:44:35 AM	0.011
7:45:35 AM	0.011
7:46:35 AM	0.009
7:47:35 AM	0.009
7:48:35 AM	0.01
7:49:35 AM	0.008
7:50:35 AM	0.009
7:51:35 AM	0.009
7:52:35 AM	0.008
7:53:35 AM	0.01
7:54:35 AM	0.009
7:55:35 AM	0.01
7:56:35 AM	0.01
7:57:35 AM	0.009
7:58:35 AM	0.009
7:59:35 AM	0.009
8:00:35 AM	0.009
8:01:35 AM	0.009
8:02:35 AM	0.009
8:03:35 AM	0.01
8:04:35 AM	0.011
8:05:35 AM	0.012
8:06:35 AM	0.01
8:07:35 AM	0.011
8:08:35 AM	0.016
8:09:35 AM	0.011
8:10:35 AM	0.01
8:11:35 AM	0.01
8:12:35 AM	0.01
8:13:35 AM	0.01
8:14:35 AM	0.011
8:15:35 AM	0.012
8:16:35 AM	0.013
8:17:35 AM	0.01

8:18:35 AM	0.012
8:19:35 AM	0.02
8:20:35 AM	0.012
8:21:35 AM	0.01
8:22:35 AM	0.011
8:23:35 AM	0.012
8:24:35 AM	0.01
8:25:35 AM	0.01
8:26:35 AM	0.011
8:27:35 AM	0.011
8:28:35 AM	0.011
8:29:35 AM	0.011
8:30:35 AM	0.01
8:31:35 AM	0.009
8:32:35 AM	0.015
8:33:35 AM	0.012
8:34:35 AM	0.009
8:35:35 AM	0.011
8:36:35 AM	0.013
8:37:35 AM	0.01
8:38:35 AM	0.013
8:39:35 AM	0.011
8:40:35 AM	0.009
8:41:35 AM	0.009
8:42:35 AM	0.01
8:43:35 AM	0.013
8:44:35 AM	0.013
8:45:35 AM	0.011
8:46:35 AM	0.012
8:47:35 AM	0.009
8:48:35 AM	0.01
8:49:35 AM	0.011
8:50:35 AM	0.011
8:51:35 AM	0.011
8:52:35 AM	0.012
8:53:35 AM	0.032
8:54:35 AM	0.012
8:55:35 AM	0.011
8:56:35 AM	0.013
8:57:35 AM	0.011
8:58:35 AM	0.011
8:59:35 AM	0.016
9:00:35 AM	0.009
9:01:35 AM	0.011
9:02:35 AM	0.014
9:03:35 AM	0.011
9:04:35 AM	0.014

9:05:35 AM	0.015
9:06:35 AM	0.013
9:07:35 AM	0.011
9:08:35 AM	0.011
9:09:35 AM	0.012
9:10:35 AM	0.01
9:11:35 AM	0.011
9:12:35 AM	0.013
9:13:35 AM	0.011
9:14:35 AM	0.011
9:15:35 AM	0.012
9:16:35 AM	0.013
9:17:35 AM	0.012
9:18:35 AM	0.012
9:19:35 AM	0.013
9:20:35 AM	0.02
9:21:35 AM	0.013
9:22:35 AM	0.012
9:23:35 AM	0.012
9:24:35 AM	0.022
9:25:35 AM	0.013
9:26:35 AM	0.012
9:27:35 AM	0.016
9:28:35 AM	0.014
9:29:35 AM	0.015
9:30:35 AM	0.014
9:31:35 AM	0.012
9:32:35 AM	0.014
9:33:35 AM	0.021
9:34:35 AM	0.014
9:35:35 AM	0.012
9:36:35 AM	0.015
9:37:35 AM	0.012
9:38:35 AM	0.014
9:39:35 AM	0.014
9:40:35 AM	0.012
9:41:35 AM	0.012
9:42:35 AM	0.012
9:43:35 AM	0.012
9:44:35 AM	0.011
9:45:35 AM	0.014
9:46:35 AM	0.013
9:47:35 AM	0.011
9:48:35 AM	0.011
9:49:35 AM	0.011
9:50:35 AM	0.011
9:51:35 AM	0.032

9:52:35 AM	0.011
9:53:35 AM	0.012
9:54:35 AM	0.014
9:55:35 AM	0.015
9:56:35 AM	0.014
9:57:35 AM	0.014
9:58:35 AM	0.012
9:59:35 AM	0.012
10:00:35 AM	0.025
10:01:35 AM	0.013
10:02:35 AM	0.013
10:03:35 AM	0.014
10:04:35 AM	0.013
10:05:35 AM	0.015
10:06:35 AM	0.013
10:07:35 AM	0.013
10:08:35 AM	0.013
10:09:35 AM	0.015
10:10:35 AM	0.014
10:11:35 AM	0.019
10:12:35 AM	0.02
10:13:35 AM	0.034
10:14:35 AM	0.018
10:15:35 AM	0.014
10:16:35 AM	0.016
10:17:35 AM	0.018
10:18:35 AM	0.016
10:19:35 AM	0.028
10:20:35 AM	0.029
10:21:35 AM	0.021
10:22:35 AM	0.032
10:23:35 AM	0.024
10:24:35 AM	0.022
10:25:35 AM	0.024
10:26:35 AM	0.023
10:27:35 AM	0.022
10:28:35 AM	0.022
10:29:35 AM	0.033
10:30:35 AM	0.021
10:31:35 AM	0.024
10:32:35 AM	0.026
10:33:35 AM	0.074
10:34:35 AM	0.075
10:35:35 AM	0.059
10:36:35 AM	0.023
10:37:35 AM	0.021
10:38:35 AM	0.04



10:39:35 AM	0.066
10:40:35 AM	0.024
10:41:35 AM	0.034
10:42:35 AM	0.022
10:43:35 AM	0.023
10:44:35 AM	0.017
10:45:35 AM	0.016
10:46:35 AM	0.021
10:47:35 AM	0.017
10:48:35 AM	0.017
10:49:35 AM	0.026
10:50:35 AM	0.019
10:51:35 AM	0.031
10:52:35 AM	0.016
10:53:35 AM	0.016
10:54:35 AM	0.065
10:55:35 AM	0.018
10:56:35 AM	0.022
10:57:35 AM	0.018
10:58:35 AM	0.018
10:59:35 AM	0.021
11:00:35 AM	0.026
11:01:35 AM	0.019
11:02:35 AM	0.028
11:03:35 AM	0.03
11:04:35 AM	0.037
11:05:35 AM	0.035
11:06:35 AM	0.037
11:07:35 AM	0.022
11:08:35 AM	0.017
11:09:35 AM	0.025
11:10:35 AM	0.021
11:11:35 AM	0.017
11:12:35 AM	0.017
11:13:35 AM	0.02
11:14:35 AM	0.017
11:15:35 AM	0.018
11:16:35 AM	0.019
11:17:35 AM	0.02
11:18:35 AM	0.018
11:19:35 AM	0.019
11:20:35 AM	0.018
11:21:35 AM	0.026
11:22:35 AM	0.018
11:23:35 AM	0.016
11:24:35 AM	0.016
11:25:35 AM	0.018

11:26:35 AM	0.025
11:27:35 AM	0.017
11:28:35 AM	0.019
11:29:35 AM	0.023
11:30:35 AM	0.022
11:31:35 AM	0.022
11:32:35 AM	0.026
11:33:35 AM	0.02
11:34:35 AM	0.019
11:35:35 AM	0.019
11:36:35 AM	0.025
11:37:35 AM	0.019
11:38:35 AM	0.018
11:39:35 AM	0.019
11:40:35 AM	0.018
11:41:35 AM	0.017
11:42:35 AM	0.019
11:43:35 AM	0.023
11:44:35 AM	0.019
11:45:35 AM	0.023
11:46:35 AM	0.02
11:47:35 AM	0.026
11:48:35 AM	0.02
11:49:35 AM	0.02
11:50:35 AM	0.02
11:51:35 AM	0.018
11:52:35 AM	0.021
11:53:35 AM	0.018
11:54:35 AM	0.018
11:55:35 AM	0.02
11:56:35 AM	0.02
11:57:35 AM	0.025
11:58:35 AM	0.022
11:59:35 AM	0.019
12:00:35 PM	0.019
12:01:35 PM	0.019
12:02:35 PM	0.02
12:03:35 PM	0.024
12:04:35 PM	0.023
12:05:35 PM	0.023
12:06:35 PM	0.02
12:07:35 PM	0.018
12:08:35 PM	0.019
12:09:35 PM	0.019
12:10:35 PM	0.022
12:11:35 PM	0.019
12:12:35 PM	0.019

12:13:35 PM	0.02
12:14:35 PM	0.028
12:15:35 PM	0.033
12:16:35 PM	0.024
12:17:35 PM	0.03
12:18:35 PM	0.021
12:19:35 PM	0.018
12:20:35 PM	0.029
12:21:35 PM	0.019
12:22:35 PM	0.02
12:23:35 PM	0.02
12:24:35 PM	0.019
12:25:35 PM	0.019
12:26:35 PM	0.018
12:27:35 PM	0.027
12:28:35 PM	0.019
12:29:35 PM	0.022
12:30:35 PM	0.019
12:31:35 PM	0.022
12:32:35 PM	0.017
12:33:35 PM	0.018
12:34:35 PM	0.02
12:35:35 PM	0.019
12:36:35 PM	0.035
12:37:35 PM	0.022
12:38:35 PM	0.023
12:39:35 PM	0.019
12:40:35 PM	0.026















592-927198	10/12/2024 7:53 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:52 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:51 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:50 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:49 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:48 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:47 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:46 Readings	PID	SC23030235W3	Normal	0
592-927198	10/12/2024 7:45 CONFIG	PID	SC23030235W3		

**DOWNWIND CAMP READINGS**

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak DRX
Model Number	8533
Serial Number	8533181207
Firmware Version	3.1
Calibration Date	7/11/2024
Test Name	MANUAL_007
Test Start Time	7:06:46 AM
Test Start Date	10/12/2024
Test Length [D:H:M]	0:05:31
Test Interval [M:S]	1:00
PM10 Average [mg/m3]	0.027
PM10 Minimum [mg/m3]	0.009
PM10 Maximum [mg/m3]	0.571
PM10 TWA [mg/m3]	0.018
Photometric User Cal	1
Size Correction User Cal	1
Flow User Cal	0
Errors	
Number of Samples	331

Elapsed Time [s]	PM10 [mg/m3]	Alarms	Errors
7:06:46 AM	0.461		
7:07:46 AM	0.106		
7:08:46 AM	0.044		
7:09:46 AM	0.033		
7:10:46 AM	0.029		
7:11:46 AM	0.018		
7:12:46 AM	0.022		
7:13:46 AM	0.019		
7:14:46 AM	0.032		
7:15:46 AM	0.022		
7:16:46 AM	0.02		
7:17:46 AM	0.02		
7:18:46 AM	0.011		
7:19:46 AM	0.014		
7:20:46 AM	0.016		
7:21:46 AM	0.024		
7:22:46 AM	0.017		
7:23:46 AM	0.023		
7:24:46 AM	0.011		
7:25:46 AM	0.015		
7:26:46 AM	0.018		
7:27:46 AM	0.02		
7:28:46 AM	0.013		
7:29:46 AM	0.012		
7:30:46 AM	0.012		
7:31:46 AM	0.014		

7:32:46 AM	0.014
7:33:46 AM	0.014
7:34:46 AM	0.012
7:35:46 AM	0.011
7:36:46 AM	0.01
7:37:46 AM	0.01
7:38:46 AM	0.012
7:39:46 AM	0.013
7:40:46 AM	0.01
7:41:46 AM	0.018
7:42:46 AM	0.014
7:43:46 AM	0.01
7:44:46 AM	0.012
7:45:46 AM	0.017
7:46:46 AM	0.01
7:47:46 AM	0.01
7:48:46 AM	0.009
7:49:46 AM	0.01
7:50:46 AM	0.011
7:51:46 AM	0.01
7:52:46 AM	0.009
7:53:46 AM	0.013
7:54:46 AM	0.009
7:55:46 AM	0.012
7:56:46 AM	0.012
7:57:46 AM	0.012
7:58:46 AM	0.01
7:59:46 AM	0.01
8:00:46 AM	0.014
8:01:46 AM	0.01
8:02:46 AM	0.009
8:03:46 AM	0.012
8:04:46 AM	0.01
8:05:46 AM	0.011
8:06:46 AM	0.011
8:07:46 AM	0.01
8:08:46 AM	0.011
8:09:46 AM	0.01
8:10:46 AM	0.011
8:11:46 AM	0.011
8:12:46 AM	0.012
8:13:46 AM	0.012
8:14:46 AM	0.013
8:15:46 AM	0.012
8:16:46 AM	0.009
8:17:46 AM	0.012
8:18:46 AM	0.01

8:19:46 AM	0.017
8:20:46 AM	0.028
8:21:46 AM	0.019
8:22:46 AM	0.012
8:23:46 AM	0.011
8:24:46 AM	0.014
8:25:46 AM	0.014
8:26:46 AM	0.013
8:27:46 AM	0.011
8:28:46 AM	0.01
8:29:46 AM	0.017
8:30:46 AM	0.01
8:31:46 AM	0.009
8:32:46 AM	0.014
8:33:46 AM	0.031
8:34:46 AM	0.013
8:35:46 AM	0.012
8:36:46 AM	0.012
8:37:46 AM	0.011
8:38:46 AM	0.014
8:39:46 AM	0.012
8:40:46 AM	0.013
8:41:46 AM	0.012
8:42:46 AM	0.01
8:43:46 AM	0.015
8:44:46 AM	0.016
8:45:46 AM	0.014
8:46:46 AM	0.013
8:47:46 AM	0.014
8:48:46 AM	0.021
8:49:46 AM	0.016
8:50:46 AM	0.01
8:51:46 AM	0.044
8:52:46 AM	0.015
8:53:46 AM	0.032
8:54:46 AM	0.013
8:55:46 AM	0.013
8:56:46 AM	0.014
8:57:46 AM	0.029
8:58:46 AM	0.03
8:59:46 AM	0.028
9:00:46 AM	0.013
9:01:46 AM	0.011
9:02:46 AM	0.013
9:03:46 AM	0.01
9:04:46 AM	0.016
9:05:46 AM	0.013

9:06:46 AM	0.015
9:07:46 AM	0.011
9:08:46 AM	0.012
9:09:46 AM	0.012
9:10:46 AM	0.011
9:11:46 AM	0.01
9:12:46 AM	0.011
9:13:46 AM	0.012
9:14:46 AM	0.016
9:15:46 AM	0.021
9:16:46 AM	0.019
9:17:46 AM	0.015
9:18:46 AM	0.036
9:19:46 AM	0.026
9:20:46 AM	0.014
9:21:46 AM	0.015
9:22:46 AM	0.012
9:23:46 AM	0.012
9:24:46 AM	0.022
9:25:46 AM	0.017
9:26:46 AM	0.014
9:27:46 AM	0.012
9:28:46 AM	0.012
9:29:46 AM	0.048
9:30:46 AM	0.022
9:31:46 AM	0.018
9:32:46 AM	0.014
9:33:46 AM	0.013
9:34:46 AM	0.014
9:35:46 AM	0.016
9:36:46 AM	0.013
9:37:46 AM	0.014
9:38:46 AM	0.013
9:39:46 AM	0.017
9:40:46 AM	0.012
9:41:46 AM	0.012
9:42:46 AM	0.011
9:43:46 AM	0.012
9:44:46 AM	0.011
9:45:46 AM	0.011
9:46:46 AM	0.022
9:47:46 AM	0.012
9:48:46 AM	0.022
9:49:46 AM	0.014
9:50:46 AM	0.011
9:51:46 AM	0.021
9:52:46 AM	0.014

9:53:46 AM	0.013
9:54:46 AM	0.015
9:55:46 AM	0.025
9:56:46 AM	0.015
9:57:46 AM	0.012
9:58:46 AM	0.013
9:59:46 AM	0.015
10:00:46 AM	0.016
10:01:46 AM	0.013
10:02:46 AM	0.013
10:03:46 AM	0.014
10:04:46 AM	0.014
10:05:46 AM	0.012
10:06:46 AM	0.014
10:07:46 AM	0.012
10:08:46 AM	0.017
10:09:46 AM	0.015
10:10:46 AM	0.016
10:11:46 AM	0.015
10:12:46 AM	0.023
10:13:46 AM	0.035
10:14:46 AM	0.013
10:15:46 AM	0.018
10:16:46 AM	0.057
10:17:46 AM	0.028
10:18:46 AM	0.016
10:19:46 AM	0.035
10:20:46 AM	0.036
10:21:46 AM	0.03
10:22:46 AM	0.045
10:23:46 AM	0.025
10:24:46 AM	0.019
10:25:46 AM	0.025
10:26:46 AM	0.02
10:27:46 AM	0.021
10:28:46 AM	0.042
10:29:46 AM	0.096
10:30:46 AM	0.036
10:31:46 AM	0.021
10:32:46 AM	0.029
10:33:46 AM	0.049
10:34:46 AM	0.127
10:35:46 AM	0.07
10:36:46 AM	0.044
10:37:46 AM	0.033
10:38:46 AM	0.287
10:39:46 AM	0.178

10:40:46 AM	0.053
10:41:46 AM	0.036
10:42:46 AM	0.024
10:43:46 AM	0.034
10:44:46 AM	0.024
10:45:46 AM	0.02
10:46:46 AM	0.027
10:47:46 AM	0.019
10:48:46 AM	0.017
10:49:46 AM	0.06
10:50:46 AM	0.025
10:51:46 AM	0.313
10:52:46 AM	0.02
10:53:46 AM	0.023
10:54:46 AM	0.032
10:55:46 AM	0.02
10:56:46 AM	0.022
10:57:46 AM	0.024
10:58:46 AM	0.019
10:59:46 AM	0.025
11:00:46 AM	0.026
11:01:46 AM	0.032
11:02:46 AM	0.026
11:03:46 AM	0.082
11:04:46 AM	0.07
11:05:46 AM	0.046
11:06:46 AM	0.113
11:07:46 AM	0.049
11:08:46 AM	0.016
11:09:46 AM	0.047
11:10:46 AM	0.029
11:11:46 AM	0.017
11:12:46 AM	0.086
11:13:46 AM	0.571
11:14:46 AM	0.186
11:15:46 AM	0.018
11:16:46 AM	0.018
11:17:46 AM	0.02
11:18:46 AM	0.025
11:19:46 AM	0.019
11:20:46 AM	0.022
11:21:46 AM	0.028
11:22:46 AM	0.023
11:23:46 AM	0.021
11:24:46 AM	0.019
11:25:46 AM	0.026
11:26:46 AM	0.016



11:27:46 AM	0.016
11:28:46 AM	0.029
11:29:46 AM	0.023
11:30:46 AM	0.019
11:31:46 AM	0.02
11:32:46 AM	0.039
11:33:46 AM	0.021
11:34:46 AM	0.02
11:35:46 AM	0.016
11:36:46 AM	0.033
11:37:46 AM	0.149
11:38:46 AM	0.02
11:39:46 AM	0.016
11:40:46 AM	0.016
11:41:46 AM	0.016
11:42:46 AM	0.017
11:43:46 AM	0.014
11:44:46 AM	0.016
11:45:46 AM	0.018
11:46:46 AM	0.017
11:47:46 AM	0.015
11:48:46 AM	0.018
11:49:46 AM	0.017
11:50:46 AM	0.024
11:51:46 AM	0.023
11:52:46 AM	0.014
11:53:46 AM	0.017
11:54:46 AM	0.02
11:55:46 AM	0.053
11:56:46 AM	0.016
11:57:46 AM	0.021
11:58:46 AM	0.024
11:59:46 AM	0.033
12:00:46 PM	0.018
12:01:46 PM	0.016
12:02:46 PM	0.016
12:03:46 PM	0.028
12:04:46 PM	0.019
12:05:46 PM	0.018
12:06:46 PM	0.015
12:07:46 PM	0.017
12:08:46 PM	0.018
12:09:46 PM	0.015
12:10:46 PM	0.015
12:11:46 PM	0.016
12:12:46 PM	0.016
12:13:46 PM	0.055

12:14:46 PM	0.024
12:15:46 PM	0.02
12:16:46 PM	0.019
12:17:46 PM	0.014
12:18:46 PM	0.02
12:19:46 PM	0.02
12:20:46 PM	0.016
12:21:46 PM	0.016
12:22:46 PM	0.013
12:23:46 PM	0.016
12:24:46 PM	0.015
12:25:46 PM	0.013
12:26:46 PM	0.014
12:27:46 PM	0.02
12:28:46 PM	0.014
12:29:46 PM	0.019
12:30:46 PM	0.027
12:31:46 PM	0.034
12:32:46 PM	0.013
12:33:46 PM	0.011
12:34:46 PM	0.018
12:35:46 PM	0.014
12:36:46 PM	0.027











592-906376	10/12/2024 7:22 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:21 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:20 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:19 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:18 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:17 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:16 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:15 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:14 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:13 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:12 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:11 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:10 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:09 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:08 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:07 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:06 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:05 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:04 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:03 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:02 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:01 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 7:00 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 6:59 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 6:58 Readings	PID	SC23030159V4	Normal	0
592-906376	10/12/2024 6:57 CONFIG	PID	SC23030159V4	Normal	0



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_007
Test Start Time	6:58:06 AM
Test Start Date	10/12/2024
Test Length [D:H:M]	0:05:50
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.016
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	0.323
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	350

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58:06 AM	0.323		
6:59:06 AM	0.019		
7:00:06 AM	0.011		
7:01:06 AM	0.028		
7:02:06 AM	0.014		
7:03:06 AM	0.009		
7:04:06 AM	0.01		
7:05:06 AM	0.009		
7:06:06 AM	0.013		
7:07:06 AM	0.01		
7:08:06 AM	0.009		
7:09:06 AM	0.009		
7:10:06 AM	0.011		
7:11:06 AM	0.01		
7:12:06 AM	0.012		
7:13:06 AM	0.014		
7:14:06 AM	0.013		
7:15:06 AM	0.011		
7:16:06 AM	0.013		
7:17:06 AM	0.012		
7:18:06 AM	0.009		
7:19:06 AM	0.009		
7:20:06 AM	0.01		
7:21:06 AM	0.013		
7:22:06 AM	0.013		
7:23:06 AM	0.01		
7:24:06 AM	0.01		

7:25:06 AM	0.014
7:26:06 AM	0.011
7:27:06 AM	0.01
7:28:06 AM	0.009
7:29:06 AM	0.011
7:30:06 AM	0.01
7:31:06 AM	0.01
7:32:06 AM	0.01
7:33:06 AM	0.01
7:34:06 AM	0.012
7:35:06 AM	0.013
7:36:06 AM	0.011
7:37:06 AM	0.01
7:38:06 AM	0.011
7:39:06 AM	0.01
7:40:06 AM	0.011
7:41:06 AM	0.01
7:42:06 AM	0.011
7:43:06 AM	0.009
7:44:06 AM	0.009
7:45:06 AM	0.011
7:46:06 AM	0.01
7:47:06 AM	0.01
7:48:06 AM	0.009
7:49:06 AM	0.011
7:50:06 AM	0.01
7:51:06 AM	0.01
7:52:06 AM	0.01
7:53:06 AM	0.01
7:54:06 AM	0.01
7:55:06 AM	0.01
7:56:06 AM	0.01
7:57:06 AM	0.012
7:58:06 AM	0.01
7:59:06 AM	0.01
8:00:06 AM	0.01
8:01:06 AM	0.01
8:02:06 AM	0.01
8:03:06 AM	0.01
8:04:06 AM	0.01
8:05:06 AM	0.015
8:06:06 AM	0.012
8:07:06 AM	0.01
8:08:06 AM	0.013
8:09:06 AM	0.01
8:10:06 AM	0.011
8:11:06 AM	0.009

8:12:06 AM	0.009
8:13:06 AM	0.01
8:14:06 AM	0.01
8:15:06 AM	0.011
8:16:06 AM	0.01
8:17:06 AM	0.011
8:18:06 AM	0.012
8:19:06 AM	0.01
8:20:06 AM	0.011
8:21:06 AM	0.011
8:22:06 AM	0.01
8:23:06 AM	0.012
8:24:06 AM	0.013
8:25:06 AM	0.01
8:26:06 AM	0.01
8:27:06 AM	0.013
8:28:06 AM	0.01
8:29:06 AM	0.012
8:30:06 AM	0.011
8:31:06 AM	0.011
8:32:06 AM	0.013
8:33:06 AM	0.012
8:34:06 AM	0.011
8:35:06 AM	0.011
8:36:06 AM	0.012
8:37:06 AM	0.013
8:38:06 AM	0.011
8:39:06 AM	0.012
8:40:06 AM	0.011
8:41:06 AM	0.011
8:42:06 AM	0.011
8:43:06 AM	0.012
8:44:06 AM	0.012
8:45:06 AM	0.011
8:46:06 AM	0.011
8:47:06 AM	0.011
8:48:06 AM	0.01
8:49:06 AM	0.012
8:50:06 AM	0.013
8:51:06 AM	0.01
8:52:06 AM	0.01
8:53:06 AM	0.012
8:54:06 AM	0.019
8:55:06 AM	0.012
8:56:06 AM	0.014
8:57:06 AM	0.014
8:58:06 AM	0.012

8:59:06 AM	0.012
9:00:06 AM	0.012
9:01:06 AM	0.011
9:02:06 AM	0.012
9:03:06 AM	0.014
9:04:06 AM	0.011
9:05:06 AM	0.012
9:06:06 AM	0.015
9:07:06 AM	0.012
9:08:06 AM	0.011
9:09:06 AM	0.012
9:10:06 AM	0.011
9:11:06 AM	0.012
9:12:06 AM	0.011
9:13:06 AM	0.013
9:14:06 AM	0.012
9:15:06 AM	0.011
9:16:06 AM	0.012
9:17:06 AM	0.011
9:18:06 AM	0.012
9:19:06 AM	0.012
9:20:06 AM	0.013
9:21:06 AM	0.011
9:22:06 AM	0.012
9:23:06 AM	0.013
9:24:06 AM	0.014
9:25:06 AM	0.014
9:26:06 AM	0.013
9:27:06 AM	0.014
9:28:06 AM	0.014
9:29:06 AM	0.012
9:30:06 AM	0.015
9:31:06 AM	0.012
9:32:06 AM	0.012
9:33:06 AM	0.013
9:34:06 AM	0.017
9:35:06 AM	0.013
9:36:06 AM	0.015
9:37:06 AM	0.013
9:38:06 AM	0.013
9:39:06 AM	0.014
9:40:06 AM	0.013
9:41:06 AM	0.014
9:42:06 AM	0.013
9:43:06 AM	0.013
9:44:06 AM	0.013
9:45:06 AM	0.013

9:46:06 AM	0.013
9:47:06 AM	0.013
9:48:06 AM	0.013
9:49:06 AM	0.011
9:50:06 AM	0.012
9:51:06 AM	0.013
9:52:06 AM	0.013
9:53:06 AM	0.011
9:54:06 AM	0.011
9:55:06 AM	0.011
9:56:06 AM	0.013
9:57:06 AM	0.012
9:58:06 AM	0.012
9:59:06 AM	0.012
10:00:06 AM	0.017
10:01:06 AM	0.015
10:02:06 AM	0.012
10:03:06 AM	0.011
10:04:06 AM	0.011
10:05:06 AM	0.014
10:06:06 AM	0.013
10:07:06 AM	0.012
10:08:06 AM	0.013
10:09:06 AM	0.012
10:10:06 AM	0.014
10:11:06 AM	0.019
10:12:06 AM	0.017
10:13:06 AM	0.021
10:14:06 AM	0.019
10:15:06 AM	0.017
10:16:06 AM	0.015
10:17:06 AM	0.019
10:18:06 AM	0.015
10:19:06 AM	0.014
10:20:06 AM	0.021
10:21:06 AM	0.017
10:22:06 AM	0.017
10:23:06 AM	0.026
10:24:06 AM	0.026
10:25:06 AM	0.015
10:26:06 AM	0.018
10:27:06 AM	0.017
10:28:06 AM	0.018
10:29:06 AM	0.035
10:30:06 AM	0.022
10:31:06 AM	0.019
10:32:06 AM	0.015

10:33:06 AM	0.112
10:34:06 AM	0.034
10:35:06 AM	0.083
10:36:06 AM	0.045
10:37:06 AM	0.04
10:38:06 AM	0.02
10:39:06 AM	0.109
10:40:06 AM	0.043
10:41:06 AM	0.02
10:42:06 AM	0.031
10:43:06 AM	0.03
10:44:06 AM	0.02
10:45:06 AM	0.013
10:46:06 AM	0.015
10:47:06 AM	0.018
10:48:06 AM	0.014
10:49:06 AM	0.018
10:50:06 AM	0.022
10:51:06 AM	0.019
10:52:06 AM	0.024
10:53:06 AM	0.013
10:54:06 AM	0.019
10:55:06 AM	0.039
10:56:06 AM	0.017
10:57:06 AM	0.016
10:58:06 AM	0.014
10:59:06 AM	0.015
11:00:06 AM	0.017
11:01:06 AM	0.024
11:02:06 AM	0.032
11:03:06 AM	0.018
11:04:06 AM	0.048
11:05:06 AM	0.033
11:06:06 AM	0.033
11:07:06 AM	0.033
11:08:06 AM	0.015
11:09:06 AM	0.016
11:10:06 AM	0.016
11:11:06 AM	0.019
11:12:06 AM	0.011
11:13:06 AM	0.013
11:14:06 AM	0.02
11:15:06 AM	0.022
11:16:06 AM	0.012
11:17:06 AM	0.014
11:18:06 AM	0.012
11:19:06 AM	0.012

11:20:06 AM	0.018
11:21:06 AM	0.014
11:22:06 AM	0.013
11:23:06 AM	0.015
11:24:06 AM	0.011
11:25:06 AM	0.01
11:26:06 AM	0.011
11:27:06 AM	0.011
11:28:06 AM	0.01
11:29:06 AM	0.017
11:30:06 AM	0.015
11:31:06 AM	0.014
11:32:06 AM	0.027
11:33:06 AM	0.017
11:34:06 AM	0.013
11:35:06 AM	0.012
11:36:06 AM	0.027
11:37:06 AM	0.09
11:38:06 AM	0.032
11:39:06 AM	0.011
11:40:06 AM	0.021
11:41:06 AM	0.011
11:42:06 AM	0.011
11:43:06 AM	0.012
11:44:06 AM	0.012
11:45:06 AM	0.014
11:46:06 AM	0.013
11:47:06 AM	0.014
11:48:06 AM	0.014
11:49:06 AM	0.012
11:50:06 AM	0.011
11:51:06 AM	0.012
11:52:06 AM	0.016
11:53:06 AM	0.013
11:54:06 AM	0.01
11:55:06 AM	0.013
11:56:06 AM	0.011
11:57:06 AM	0.012
11:58:06 AM	0.036
11:59:06 AM	0.025
12:00:06 PM	0.014
12:01:06 PM	0.012
12:02:06 PM	0.013
12:03:06 PM	0.018
12:04:06 PM	0.018
12:05:06 PM	0.016
12:06:06 PM	0.014

12:07:06 PM	0.011
12:08:06 PM	0.024
12:09:06 PM	0.013
12:10:06 PM	0.012
12:11:06 PM	0.011
12:12:06 PM	0.011
12:13:06 PM	0.012
12:14:06 PM	0.012
12:15:06 PM	0.017
12:16:06 PM	0.018
12:17:06 PM	0.016
12:18:06 PM	0.012
12:19:06 PM	0.027
12:20:06 PM	0.065
12:21:06 PM	0.034
12:22:06 PM	0.014
12:23:06 PM	0.009
12:24:06 PM	0.011
12:25:06 PM	0.009
12:26:06 PM	0.01
12:27:06 PM	0.009
12:28:06 PM	0.011
12:29:06 PM	0.01
12:30:06 PM	0.01
12:31:06 PM	0.014
12:32:06 PM	0.011
12:33:06 PM	0.009
12:34:06 PM	0.008
12:35:06 PM	0.012
12:36:06 PM	0.013
12:37:06 PM	0.016
12:38:06 PM	0.013
12:39:06 PM	0.011
12:40:06 PM	0.01
12:41:06 PM	0.025
12:42:06 PM	0.009
12:43:06 PM	0.011
12:44:06 PM	0.013
12:45:06 PM	0.011
12:46:06 PM	0.019
12:47:06 PM	0.015













592-906020	10/12/2024 7:36 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:35 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:34 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:33 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:32 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:31 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:30 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:29 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:28 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:27 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:26 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:25 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:24 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:23 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:22 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:21 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:20 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:19 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:18 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:17 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:16 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:15 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:14 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:13 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:12 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:11 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:10 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:09 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:08 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:07 Readings	PID	SC23030396CB	Normal	0
592-906020	10/12/2024 7:06 CONFIG	PID	SC23030396CB	Normal	0