

**DAILY STATUS REPORT**

Prepared By:
Thomas Jensen

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70	X	70-85		>85		SW – 10 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 11/06/24
Project:	251 Douglass Street, Brooklyn, NY			

Consultant:

Impact Environmental Engineering and
Geology, PLLC (IEEG)

Time On: 06:40

Time Out: 19:00

Personnel On Site:

IEEG (Environmental) – Thomas Jensen

Broadway Construction Group – Shannon Dowling/Tom Caporale

Cascade – John Vollmer

WSP – Charlie Lambert

Concrete Courses

Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to continue ISS Column installation; and Concrete Courses to continue with phase II superstructure work.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Concrete Courses continued with phase 2 super structure work;
- Concrete Courses excavated along Douglass Street for a Con Edison vault and installed shoring walls;
- Cascade received one (1) delivery of slag to the silos;
- Cascade stockpiled swell material throughout the day;
- Cascade drilled **Column 455** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 16 batches;
- Cascade drilled **Column 457** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 16 batches;
- Cascade drilled **Column 458** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 16 batches;
- Cascade drilled **Column 460** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 16 batches;
- Cascade drilled **Column 462** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 16 batches;
- Cascade drilled **Column 504** with column specification below:
 - Column is 8' diameter and drilled 53' deep from Site grade;
 - The column consisted of a total of 21 batches;

- ATMOS foam was applied by IEEG throughout the day to all swell material and stockpiles throughout the day.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.051_ mg/m³ @ 06:58
- High Conditions (Upwind) – PID = _0.8_ ppm @ 14:40, Dust = _1.79_ mg/m³ @ 14:34
- High Conditions (Downwind 1) – PID = _5.5_ ppm @ 09:21, Dust = _0.365_ mg/m³ @ 18:12
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.311_ mg/m³ @ 10:59

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Cascade to continue drilling ISS columns;
- Concrete Courses to continue 1' cut throughout remaining ISS area;
- Concrete courses to continue work in con ed vault; and
- Concrete Courses to continue super structure and rebar activities.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of ISS
Drilling area
covered with
ATMOS foam.



Photo 2-
Representative
photo of
ATMOS foam
applied during
column
installation.



Photo 3-

Representative photo of slag delivery.



Photo 4-

Representative photo of stockpiles covered with ATMOS foam at the end of site activities.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY







IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com





CONCRETE CURB

CONCRETE SIDEWALK 60'-0"

PROJECT



LEGEND

- PROPERTY LINE
- 55' EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- APPROVED TO 55'
- SIX FOOT DIA. HYDRAULIC COLUMN (TYP.)
- ISS COLUMN INSTALLED TO TERMINAL DEPTH
- ISS COLUMN UNABLE TO BE INSTALLED TO TERMINAL DEPTH
- ISS COLUMN / GRID APPROVED BY DEC
- WET MIX SAMPLE COLLECTED FROM ISS COLUMN
- COMPLETED CORING LOCATION

NOTES:

- THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

251 Douglass Street
Brooklyn, New York


PROJECT NO:	13928-01
DESIGNED BY:	AB
DRAWN BY:	AB
CHECKED BY:	DP
DATE:	10/4/2024
SCALE:	N.T.S.
REVISIONS	

IMPACT ENVIRONMENTAL ENGINEERING & GEOLOGY PLLC.

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599





Columns 455, 457,
458, 460, 462 and
504 completed on
11/6/24



SCM Report





Project name	Douglass Street BCG ISS	Element name	455a
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		
Details			
Max. depth	38.714 ft.	Start time	02:44 PM
Volume/m 1	35.315 ft³	End Date	11/06/2024
		End time	03:38 PM
		Production duration	00:54:15
		Final depth time	03:28 PM
		Total suspension quantity	416.89 ft³



SCM Report





Project name	Douglass Street BCG ISS	Element name	455b
		Project number	
Start date		11/06/2024	
Drilling rig	BG36H_5717		
Details			
Max. depth	38.78 ft.	Start time	03:39 PM
Volume/m 1	19.776 ft³	End Date	11/06/2024
		End time	04:10 PM
		Production duration	00:31:02
		Final depth time	04:00 PM
		Total suspension quantity	234.56 ft³



Project name	Douglass Street BCG ISS	Element name	457a
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.714 ft.	Start time	04:18 PM
Volume/m 1	43.437 ft³	End Date	11/06/2024
		End time	05:18 PM
		Production duration	00:59:42
		Final depth time	05:08 PM
		Total suspension quantity	513.794 ft³



SCM Report





Project name	Douglass Street BCG ISS	Element name	457b
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		
Details			
Max. depth	38.812 ft.	Start time	05:18 PM
Volume/m 1	22.248 ft³	End Date	11/06/2024
		End time	05:49 PM
		Production duration	00:30:29
		Final depth time	05:39 PM
		Total suspension quantity	262.424 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	458a
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		



Details		Start time	12:54 PM
Max. depth	38.812 ft.	End Date	11/06/2024
Volume/m 1	40.259 ft³	End time	01:47 PM
		Production duration	00:53:15
		Final depth time	01:37 PM
		Total suspension quantity	478.196 ft³



SCM Report





Project name	Douglass Street BCG ISS	Element name	458b
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		
Details			
Max. depth	39.337 ft.	Start time	01:47 PM
Volume/m 1	22.955 ft³	End Date	11/06/2024
		End time	02:18 PM
		Production duration	00:30:38
		Final depth time	02:08 PM
		Total suspension quantity	276.302 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	460a
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.845 ft.	Start time	11:06 AM
Volume/m 1	37.08 ft³	End Date	11/06/2024
		End time	12:01 PM
		Production duration	00:54:55
		Final depth time	11:51 AM
		Total suspension quantity	440.021 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	460b
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.845 ft.	Start time	12:01 PM
Volume/m 1	23.308 ft³	End Date	11/06/2024
		End time	12:35 PM
		Production duration	00:34:03
		Final depth time	12:21 PM
		Total suspension quantity	274.113 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	462a
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.747 ft.	Start time	09:31 AM
Volume/m 1	32.843 ft³	End Date	11/06/2024
		End time	10:26 AM
		Production duration	00:54:34
		Final depth time	10:16 AM
		Total suspension quantity	388.85 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	462b
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.78 ft.	Start time	10:26 AM
Volume/m 1	30.371 ft³	End Date	11/06/2024
		End time	10:59 AM
		Production duration	00:33:22
		Final depth time	10:46 AM
		Total suspension quantity	359.61 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	504a
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	53.051 ft.	Start time	07:13 AM
Volume/m 1	33.902 ft³	End Date	11/06/2024
		End time	08:33 AM
		Production duration	01:20:27
		Final depth time	08:20 AM
		Total suspension quantity	550.697 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	504b
		Project number	
		Start date	11/06/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	53.018 ft.	Start time	08:34 AM
Volume/m 1	25.78 ft³	End Date	11/06/2024
		End time	09:16 AM
		Production duration	00:42:08
		Final depth time	09:02 AM
		Total suspension quantity	417.949 ft³





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_001
Test Start Time	6:57:26 AM
Test Start Date	11/6/2024
Test Length [D:H:M]	0:11:23
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.034
Mass Minimum [mg/m3]	0.011
Mass Maximum [mg/m3]	1.79
Mass TWA [mg/m3]	0.037
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	683

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:58	0.051		
6:59	0.013		
7:00	0.013		
7:01	0.012		
7:02	0.036		
7:03	0.012		
7:04	0.011		
7:05	0.027		
7:06	0.014		
7:07	0.012		
7:08	0.013		
7:09	0.017		
7:10	0.017		
7:11	0.013		
7:12	0.119		
7:13	0.026		
7:14	0.016		
7:15	0.021		
7:16	0.034		
7:17	0.022		
7:18	0.017		
7:19	0.019		
7:20	0.019		
7:21	0.016		
7:22	0.018		
7:23	0.016		
7:24	0.015		

7:25	0.014
7:26	0.013
7:27	0.014
7:28	0.012
7:29	0.016
7:30	0.014
7:31	0.013
7:32	0.013
7:33	0.019
7:34	0.027
7:35	0.017
7:36	0.017
7:37	0.013
7:38	0.013
7:39	0.014
7:40	0.014
7:41	0.015
7:42	0.019
7:43	0.024
7:44	0.014
7:45	0.034
7:46	0.024
7:47	0.017
7:48	0.015
7:49	0.014
7:50	0.014
7:51	0.014
7:52	0.012
7:53	0.012
7:54	0.012
7:55	0.013
7:56	0.013
7:57	0.012
7:58	0.014
7:59	0.013
8:00	0.013
8:01	0.013
8:02	0.012
8:03	0.012
8:04	0.016
8:05	0.019
8:06	0.013
8:07	0.013
8:08	0.014
8:09	0.014
8:10	0.014
8:11	0.014

8:12	0.013
8:13	0.015
8:14	0.016
8:15	0.014
8:16	0.014
8:17	0.012
8:18	0.012
8:19	0.012
8:20	0.013
8:21	0.013
8:22	0.014
8:23	0.012
8:24	0.016
8:25	0.014
8:26	0.012
8:27	0.012
8:28	0.014
8:29	0.016
8:30	0.015
8:31	0.017
8:32	0.016
8:33	0.013
8:34	0.013
8:35	0.015
8:36	0.015
8:37	0.015
8:38	0.014
8:39	0.017
8:40	0.014
8:41	0.014
8:42	0.016
8:43	0.015
8:44	0.015
8:45	0.014
8:46	0.014
8:47	0.014
8:48	0.015
8:49	0.014
8:50	0.014
8:51	0.015
8:52	0.013
8:53	0.014
8:54	0.02
8:55	0.015
8:56	0.013
8:57	0.014
8:58	0.014

8:59	0.014
9:00	0.014
9:01	0.015
9:02	0.013
9:03	0.014
9:04	0.013
9:05	0.013
9:06	0.012
9:07	0.012
9:08	0.012
9:09	0.012
9:10	0.013
9:11	0.012
9:12	0.013
9:13	0.014
9:14	0.013
9:15	0.013
9:16	0.022
9:17	0.015
9:18	0.013
9:19	0.013
9:20	0.014
9:21	0.016
9:22	0.016
9:23	0.014
9:24	0.018
9:25	0.014
9:26	0.015
9:27	0.017
9:28	0.014
9:29	0.015
9:30	0.014
9:31	0.014
9:32	0.013
9:33	0.014
9:34	0.015
9:35	0.015
9:36	0.017
9:37	0.014
9:38	0.016
9:39	0.018
9:40	0.014
9:41	0.016
9:42	0.015
9:43	0.019
9:44	0.019
9:45	0.015

9:46	0.014
9:47	0.015
9:48	0.016
9:49	0.019
9:50	0.016
9:51	0.016
9:52	0.015
9:53	0.017
9:54	0.018
9:55	0.02
9:56	0.018
9:57	0.019
9:58	0.018
9:59	0.017
10:00	0.017
10:01	0.017
10:02	0.017
10:03	0.016
10:04	0.016
10:05	0.018
10:06	0.019
10:07	0.022
10:08	0.02
10:09	0.015
10:10	0.031
10:11	0.019
10:12	0.02
10:13	0.018
10:14	0.019
10:15	0.017
10:16	0.016
10:17	0.015
10:18	0.016
10:19	0.016
10:20	0.017
10:21	0.017
10:22	0.016
10:23	0.022
10:24	0.018
10:25	0.019
10:26	0.021
10:27	0.02
10:28	0.018
10:29	0.02
10:30	0.021
10:31	0.022
10:32	0.021

10:33	0.019
10:34	0.019
10:35	0.018
10:36	0.019
10:37	0.027
10:38	0.032
10:39	0.024
10:40	0.02
10:41	0.021
10:42	0.021
10:43	0.021
10:44	0.022
10:45	0.021
10:46	0.024
10:47	0.028
10:48	0.022
10:49	0.02
10:50	0.019
10:51	0.021
10:52	0.02
10:53	0.023
10:54	0.025
10:55	0.023
10:56	0.021
10:57	0.022
10:58	0.023
10:59	0.022
11:00	0.024
11:01	0.021
11:02	0.019
11:03	0.042
11:04	0.023
11:05	0.022
11:06	0.025
11:07	0.03
11:08	0.024
11:09	0.024
11:10	0.022
11:11	0.026
11:12	0.025
11:13	0.023
11:14	0.026
11:15	0.025
11:16	0.031
11:17	0.023
11:18	0.027
11:19	0.027

11:20	0.026
11:21	0.034
11:22	0.032
11:23	0.03
11:24	0.028
11:25	0.026
11:26	0.028
11:27	0.028
11:28	0.025
11:29	0.031
11:30	0.052
11:31	0.032
11:32	0.034
11:33	0.034
11:34	0.033
11:35	0.029
11:36	0.032
11:37	0.032
11:38	0.027
11:39	0.027
11:40	0.026
11:41	0.027
11:42	0.027
11:43	0.028
11:44	0.028
11:45	0.024
11:46	0.026
11:47	0.03
11:48	0.108
11:49	0.039
11:50	0.029
11:51	0.026
11:52	0.024
11:53	0.024
11:54	0.029
11:55	0.025
11:56	0.025
11:57	0.03
11:58	0.026
11:59	0.026
12:00	0.035
12:01	0.026
12:02	0.027
12:03	0.03
12:04	0.028
12:05	0.023
12:06	0.023

12:07	0.037
12:08	0.026
12:09	0.024
12:10	0.022
12:11	0.023
12:12	0.042
12:13	0.027
12:14	0.025
12:15	0.025
12:16	0.022
12:17	0.022
12:18	0.026
12:19	0.029
12:20	0.036
12:21	0.03
12:22	0.026
12:23	0.025
12:24	0.026
12:25	0.026
12:26	0.026
12:27	0.028
12:28	0.028
12:29	0.031
12:30	0.034
12:31	0.026
12:32	0.026
12:33	0.027
12:34	0.03
12:35	0.036
12:36	0.04
12:37	0.037
12:38	0.031
12:39	0.032
12:40	0.033
12:41	0.054
12:42	0.041
12:43	0.035
12:44	0.031
12:45	0.032
12:46	0.028
12:47	0.028
12:48	0.027
12:49	0.031
12:50	0.031
12:51	0.033
12:52	0.034
12:53	0.034

12:54	0.037
12:55	0.049
12:56	0.038
12:57	0.045
12:58	0.041
12:59	0.046
13:00	0.032
13:01	0.028
13:02	0.036
13:03	0.043
13:04	0.032
13:05	0.061
13:06	0.042
13:07	0.04
13:08	0.197
13:09	0.058
13:10	0.033
13:11	0.04
13:12	0.051
13:13	0.035
13:14	0.03
13:15	0.041
13:16	0.029
13:17	0.03
13:18	0.032
13:19	0.027
13:20	0.026
13:21	0.031
13:22	0.037
13:23	0.045
13:24	0.068
13:25	0.04
13:26	0.031
13:27	0.037
13:28	0.033
13:29	0.031
13:30	0.04
13:31	0.028
13:32	0.039
13:33	0.03
13:34	0.029
13:35	0.06
13:36	0.039
13:37	0.086
13:38	0.126
13:39	0.039
13:40	0.049

13:41	0.036
13:42	0.042
13:43	0.046
13:44	0.03
13:45	0.058
13:46	0.039
13:47	0.14
13:48	0.039
13:49	0.031
13:50	0.055
13:51	0.063
13:52	0.034
13:53	0.032
13:54	0.046
13:55	0.034
13:56	0.037
13:57	0.047
13:58	0.054
13:59	0.044
14:00	0.061
14:01	0.05
14:02	0.061
14:03	0.049
14:04	0.067
14:05	0.045
14:06	0.043
14:07	0.051
14:08	0.03
14:09	0.029
14:10	0.029
14:11	0.039
14:12	0.036
14:13	0.037
14:14	0.03
14:15	0.042
14:16	0.049
14:17	0.06
14:18	0.049
14:19	0.03
14:20	0.04
14:21	0.033
14:22	0.031
14:23	0.031
14:24	0.032
14:25	0.042
14:26	0.028
14:27	0.027

14:28	0.056
14:29	0.039
14:30	0.035
14:31	0.03
14:32	0.037
14:33	0.033
14:34	1.79
14:35	0.86
14:36	1.75
14:37	0.356
14:38	0.049
14:39	0.069
14:40	0.037
14:41	0.037
14:42	0.028
14:43	0.035
14:44	0.027
14:45	0.031
14:46	0.035
14:47	0.037
14:48	0.028
14:49	0.029
14:50	0.305
14:51	0.054
14:52	0.028
14:53	0.028
14:54	0.041
14:55	0.036
14:56	0.028
14:57	0.03
14:58	0.032
14:59	0.031
15:00	0.028
15:01	0.027
15:02	0.034
15:03	0.039
15:04	0.027
15:05	0.032
15:06	0.032
15:07	0.028
15:08	0.027
15:09	0.026
15:10	0.028
15:11	0.029
15:12	0.027
15:13	0.027
15:14	0.026

15:15	0.026
15:16	0.044
15:17	0.05
15:18	0.036
15:19	0.04
15:20	0.031
15:21	0.026
15:22	0.026
15:23	0.029
15:24	0.028
15:25	0.027
15:26	0.025
15:27	0.03
15:28	0.039
15:29	0.028
15:30	0.029
15:31	0.03
15:32	0.035
15:33	0.025
15:34	0.024
15:35	0.025
15:36	0.317
15:37	0.105
15:38	0.043
15:39	0.052
15:40	0.042
15:41	0.028
15:42	0.033
15:43	0.028
15:44	0.023
15:45	0.033
15:46	0.023
15:47	0.023
15:48	0.022
15:49	0.024
15:50	0.024
15:51	0.025
15:52	0.025
15:53	0.024
15:54	0.023
15:55	0.022
15:56	0.022
15:57	0.023
15:58	0.021
15:59	0.022
16:00	0.021
16:01	0.021

16:02	0.021
16:03	0.02
16:04	0.021
16:05	0.022
16:06	0.028
16:07	0.025
16:08	0.021
16:09	0.021
16:10	0.028
16:11	0.026
16:12	0.024
16:13	0.02
16:14	0.019
16:15	0.02
16:16	0.022
16:17	0.019
16:18	0.038
16:19	0.024
16:20	0.073
16:21	0.047
16:22	0.024
16:23	0.02
16:24	0.02
16:25	0.019
16:26	0.021
16:27	0.026
16:28	0.022
16:29	0.081
16:30	0.026
16:31	0.022
16:32	0.019
16:33	0.02
16:34	0.019
16:35	0.019
16:36	0.022
16:37	0.022
16:38	0.019
16:39	0.019
16:40	0.019
16:41	0.019
16:42	0.019
16:43	0.021
16:44	0.046
16:45	0.035
16:46	0.029
16:47	0.019
16:48	0.019

16:49	0.07
16:50	0.097
16:51	0.022
16:52	0.019
16:53	0.019
16:54	0.021
16:55	0.019
16:56	0.019
16:57	0.019
16:58	0.019
16:59	0.022
17:00	0.02
17:01	0.02
17:02	0.023
17:03	0.021
17:04	0.021
17:05	0.021
17:06	0.022
17:07	0.026
17:08	0.021
17:09	0.023
17:10	0.02
17:11	0.022
17:12	0.022
17:13	0.021
17:14	0.021
17:15	0.02
17:16	0.02
17:17	0.02
17:18	0.019
17:19	0.02
17:20	0.021
17:21	0.021
17:22	0.02
17:23	0.02
17:24	0.019
17:25	0.02
17:26	0.034
17:27	0.022
17:28	0.02
17:29	0.019
17:30	0.019
17:31	0.019
17:32	0.019
17:33	0.022
17:34	0.02
17:35	0.023

17:36	0.023
17:37	0.02
17:38	0.021
17:39	0.023
17:40	0.023
17:41	0.023
17:42	0.029
17:43	0.03
17:44	0.048
17:45	0.033
17:46	0.034
17:47	0.021
17:48	0.021
17:49	0.021
17:50	0.021
17:51	0.03
17:52	0.027
17:53	0.025
17:54	0.027
17:55	0.024
17:56	0.046
17:57	0.034
17:58	0.021
17:59	0.026
18:00	0.022
18:01	0.023
18:02	0.022
18:03	0.022
18:04	0.022
18:05	0.024
18:06	0.023
18:07	0.022
18:08	0.023
18:09	0.024
18:10	0.024
18:11	0.035
18:12	0.045
18:13	0.024
18:14	0.025
18:15	0.026
18:16	0.073
18:17	0.062
18:18	0.043
18:19	0.044
18:20	0.069

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_001
Test Start Time	7:01:14 AM
Test Start Date	11/6/2024
Test Length [D:H:M]	0:11:22
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.028
Mass Minimum [mg/m3]	0.015
Mass Maximum [mg/m3]	0.365
Mass TWA [mg/m3]	0.026
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	682

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02	0.133		
7:03	0.02		
7:04	0.015		
7:05	0.015		
7:06	0.015		
7:07	0.016		
7:08	0.019		
7:09	0.018		
7:10	0.018		
7:11	0.046		
7:12	0.025		
7:13	0.026		
7:14	0.02		
7:15	0.022		
7:16	0.018		
7:17	0.02		
7:18	0.017		
7:19	0.018		
7:20	0.022		
7:21	0.018		
7:22	0.018		
7:23	0.027		
7:24	0.03		
7:25	0.018		
7:26	0.019		
7:27	0.023		
7:28	0.022		

7:29	0.019
7:30	0.021
7:31	0.024
7:32	0.019
7:33	0.02
7:34	0.024
7:35	0.035
7:36	0.02
7:37	0.028
7:38	0.036
7:39	0.022
7:40	0.028
7:41	0.022
7:42	0.023
7:43	0.025
7:44	0.024
7:45	0.027
7:46	0.024
7:47	0.029
7:48	0.022
7:49	0.02
7:50	0.02
7:51	0.021
7:52	0.021
7:53	0.029
7:54	0.022
7:55	0.019
7:56	0.022
7:57	0.019
7:58	0.019
7:59	0.02
8:00	0.019
8:01	0.018
8:02	0.027
8:03	0.022
8:04	0.021
8:05	0.019
8:06	0.019
8:07	0.02
8:08	0.021
8:09	0.02
8:10	0.02
8:11	0.022
8:12	0.025
8:13	0.022
8:14	0.021
8:15	0.02

8:16	0.021
8:17	0.023
8:18	0.022
8:19	0.02
8:20	0.018
8:21	0.018
8:22	0.02
8:23	0.02
8:24	0.018
8:25	0.029
8:26	0.021
8:27	0.018
8:28	0.021
8:29	0.018
8:30	0.02
8:31	0.022
8:32	0.02
8:33	0.018
8:34	0.019
8:35	0.023
8:36	0.024
8:37	0.022
8:38	0.021
8:39	0.02
8:40	0.02
8:41	0.02
8:42	0.021
8:43	0.02
8:44	0.02
8:45	0.02
8:46	0.02
8:47	0.019
8:48	0.019
8:49	0.022
8:50	0.022
8:51	0.019
8:52	0.021
8:53	0.019
8:54	0.021
8:55	0.026
8:56	0.02
8:57	0.02
8:58	0.023
8:59	0.022
9:00	0.021
9:01	0.02
9:02	0.02

9:03	0.019
9:04	0.044
9:05	0.048
9:06	0.021
9:07	0.018
9:08	0.019
9:09	0.03
9:10	0.021
9:11	0.022
9:12	0.023
9:13	0.019
9:14	0.02
9:15	0.024
9:16	0.02
9:17	0.021
9:18	0.022
9:19	0.019
9:20	0.018
9:21	0.02
9:22	0.021
9:23	0.024
9:24	0.019
9:25	0.019
9:26	0.021
9:27	0.019
9:28	0.028
9:29	0.052
9:30	0.037
9:31	0.038
9:32	0.02
9:33	0.019
9:34	0.02
9:35	0.028
9:36	0.029
9:37	0.02
9:38	0.021
9:39	0.022
9:40	0.018
9:41	0.023
9:42	0.021
9:43	0.02
9:44	0.024
9:45	0.021
9:46	0.021
9:47	0.024
9:48	0.022
9:49	0.023

9:50	0.023
9:51	0.02
9:52	0.02
9:53	0.02
9:54	0.022
9:55	0.025
9:56	0.024
9:57	0.024
9:58	0.025
9:59	0.024
10:00	0.022
10:01	0.022
10:02	0.023
10:03	0.022
10:04	0.04
10:05	0.038
10:06	0.095
10:07	0.029
10:08	0.031
10:09	0.061
10:10	0.03
10:11	0.051
10:12	0.031
10:13	0.024
10:14	0.024
10:15	0.025
10:16	0.024
10:17	0.021
10:18	0.027
10:19	0.023
10:20	0.022
10:21	0.023
10:22	0.022
10:23	0.025
10:24	0.025
10:25	0.024
10:26	0.025
10:27	0.027
10:28	0.04
10:29	0.026
10:30	0.024
10:31	0.035
10:32	0.03
10:33	0.036
10:34	0.024
10:35	0.03
10:36	0.024

10:37	0.021
10:38	0.022
10:39	0.024
10:40	0.026
10:41	0.026
10:42	0.027
10:43	0.03
10:44	0.025
10:45	0.023
10:46	0.021
10:47	0.026
10:48	0.03
10:49	0.023
10:50	0.022
10:51	0.021
10:52	0.024
10:53	0.021
10:54	0.028
10:55	0.026
10:56	0.027
10:57	0.024
10:58	0.026
10:59	0.035
11:00	0.026
11:01	0.025
11:02	0.033
11:03	0.051
11:04	0.027
11:05	0.024
11:06	0.023
11:07	0.023
11:08	0.023
11:09	0.025
11:10	0.025
11:11	0.026
11:12	0.029
11:13	0.027
11:14	0.028
11:15	0.023
11:16	0.024
11:17	0.027
11:18	0.023
11:19	0.026
11:20	0.026
11:21	0.026
11:22	0.026
11:23	0.027

11:24	0.03
11:25	0.03
11:26	0.026
11:27	0.029
11:28	0.023
11:29	0.023
11:30	0.027
11:31	0.031
11:32	0.031
11:33	0.033
11:34	0.028
11:35	0.037
11:36	0.029
11:37	0.036
11:38	0.027
11:39	0.03
11:40	0.024
11:41	0.023
11:42	0.024
11:43	0.023
11:44	0.028
11:45	0.022
11:46	0.023
11:47	0.022
11:48	0.026
11:49	0.046
11:50	0.025
11:51	0.027
11:52	0.025
11:53	0.022
11:54	0.021
11:55	0.023
11:56	0.024
11:57	0.024
11:58	0.023
11:59	0.021
12:00	0.023
12:01	0.024
12:02	0.042
12:03	0.024
12:04	0.023
12:05	0.021
12:06	0.02
12:07	0.018
12:08	0.018
12:09	0.021
12:10	0.027

12:11	0.019
12:12	0.025
12:13	0.023
12:14	0.02
12:15	0.019
12:16	0.019
12:17	0.018
12:18	0.018
12:19	0.021
12:20	0.026
12:21	0.029
12:22	0.027
12:23	0.022
12:24	0.026
12:25	0.025
12:26	0.024
12:27	0.021
12:28	0.024
12:29	0.027
12:30	0.031
12:31	0.026
12:32	0.024
12:33	0.024
12:34	0.027
12:35	0.026
12:36	0.031
12:37	0.035
12:38	0.039
12:39	0.033
12:40	0.032
12:41	0.025
12:42	0.039
12:43	0.032
12:44	0.031
12:45	0.027
12:46	0.034
12:47	0.028
12:48	0.024
12:49	0.024
12:50	0.023
12:51	0.024
12:52	0.032
12:53	0.03
12:54	0.029
12:55	0.03
12:56	0.03
12:57	0.034

12:58	0.03
12:59	0.033
13:00	0.027
13:01	0.026
13:02	0.03
13:03	0.029
13:04	0.026
13:05	0.028
13:06	0.038
13:07	0.032
13:08	0.036
13:09	0.035
13:10	0.03
13:11	0.03
13:12	0.035
13:13	0.038
13:14	0.032
13:15	0.025
13:16	0.021
13:17	0.025
13:18	0.029
13:19	0.025
13:20	0.022
13:21	0.024
13:22	0.027
13:23	0.025
13:24	0.022
13:25	0.03
13:26	0.026
13:27	0.023
13:28	0.024
13:29	0.027
13:30	0.029
13:31	0.027
13:32	0.024
13:33	0.026
13:34	0.027
13:35	0.025
13:36	0.032
13:37	0.023
13:38	0.029
13:39	0.027
13:40	0.028
13:41	0.028
13:42	0.028
13:43	0.029
13:44	0.027

13:45	0.03
13:46	0.034
13:47	0.028
13:48	0.025
13:49	0.028
13:50	0.026
13:51	0.035
13:52	0.031
13:53	0.023
13:54	0.025
13:55	0.028
13:56	0.029
13:57	0.03
13:58	0.028
13:59	0.026
14:00	0.027
14:01	0.03
14:02	0.028
14:03	0.027
14:04	0.038
14:05	0.028
14:06	0.027
14:07	0.027
14:08	0.027
14:09	0.033
14:10	0.027
14:11	0.03
14:12	0.028
14:13	0.027
14:14	0.028
14:15	0.032
14:16	0.024
14:17	0.025
14:18	0.035
14:19	0.036
14:20	0.023
14:21	0.029
14:22	0.026
14:23	0.022
14:24	0.027
14:25	0.036
14:26	0.024
14:27	0.023
14:28	0.036
14:29	0.048
14:30	0.038
14:31	0.036

14:32	0.026
14:33	0.025
14:34	0.025
14:35	0.029
14:36	0.034
14:37	0.034
14:38	0.026
14:39	0.028
14:40	0.031
14:41	0.027
14:42	0.024
14:43	0.027
14:44	0.03
14:45	0.027
14:46	0.025
14:47	0.025
14:48	0.026
14:49	0.025
14:50	0.022
14:51	0.025
14:52	0.032
14:53	0.029
14:54	0.03
14:55	0.025
14:56	0.025
14:57	0.028
14:58	0.026
14:59	0.028
15:00	0.027
15:01	0.036
15:02	0.028
15:03	0.026
15:04	0.026
15:05	0.028
15:06	0.029
15:07	0.026
15:08	0.027
15:09	0.024
15:10	0.024
15:11	0.026
15:12	0.027
15:13	0.03
15:14	0.026
15:15	0.025
15:16	0.025
15:17	0.03
15:18	0.028

15:19	0.029
15:20	0.026
15:21	0.043
15:22	0.026
15:23	0.024
15:24	0.026
15:25	0.027
15:26	0.026
15:27	0.024
15:28	0.023
15:29	0.046
15:30	0.071
15:31	0.053
15:32	0.031
15:33	0.026
15:34	0.024
15:35	0.022
15:36	0.022
15:37	0.023
15:38	0.026
15:39	0.027
15:40	0.025
15:41	0.025
15:42	0.027
15:43	0.033
15:44	0.023
15:45	0.022
15:46	0.022
15:47	0.023
15:48	0.03
15:49	0.024
15:50	0.021
15:51	0.022
15:52	0.022
15:53	0.023
15:54	0.022
15:55	0.029
15:56	0.023
15:57	0.02
15:58	0.021
15:59	0.021
16:00	0.023
16:01	0.024
16:02	0.03
16:03	0.029
16:04	0.025
16:05	0.031

16:06	0.022
16:07	0.026
16:08	0.027
16:09	0.022
16:10	0.022
16:11	0.023
16:12	0.02
16:13	0.02
16:14	0.021
16:15	0.023
16:16	0.026
16:17	0.02
16:18	0.018
16:19	0.022
16:20	0.024
16:21	0.057
16:22	0.022
16:23	0.02
16:24	0.02
16:25	0.021
16:26	0.022
16:27	0.032
16:28	0.022
16:29	0.021
16:30	0.019
16:31	0.021
16:32	0.019
16:33	0.019
16:34	0.019
16:35	0.019
16:36	0.019
16:37	0.019
16:38	0.021
16:39	0.018
16:40	0.019
16:41	0.021
16:42	0.02
16:43	0.019
16:44	0.018
16:45	0.018
16:46	0.019
16:47	0.02
16:48	0.018
16:49	0.019
16:50	0.022
16:51	0.022
16:52	0.019

16:53	0.02
16:54	0.02
16:55	0.02
16:56	0.022
16:57	0.021
16:58	0.021
16:59	0.02
17:00	0.021
17:01	0.02
17:02	0.02
17:03	0.021
17:04	0.022
17:05	0.021
17:06	0.027
17:07	0.036
17:08	0.023
17:09	0.022
17:10	0.021
17:11	0.022
17:12	0.022
17:13	0.023
17:14	0.023
17:15	0.028
17:16	0.022
17:17	0.021
17:18	0.021
17:19	0.021
17:20	0.022
17:21	0.023
17:22	0.024
17:23	0.021
17:24	0.022
17:25	0.021
17:26	0.029
17:27	0.027
17:28	0.02
17:29	0.027
17:30	0.021
17:31	0.02
17:32	0.021
17:33	0.021
17:34	0.021
17:35	0.022
17:36	0.022
17:37	0.021
17:38	0.022
17:39	0.021

17:40	0.022
17:41	0.023
17:42	0.022
17:43	0.022
17:44	0.022
17:45	0.031
17:46	0.033
17:47	0.022
17:48	0.021
17:49	0.034
17:50	0.023
17:51	0.021
17:52	0.022
17:53	0.022
17:54	0.023
17:55	0.023
17:56	0.029
17:57	0.043
17:58	0.049
17:59	0.082
18:00	0.201
18:01	0.103
18:02	0.22
18:03	0.07
18:04	0.09
18:05	0.111
18:06	0.04
18:07	0.043
18:08	0.035
18:09	0.114
18:10	0.143
18:11	0.029
18:12	0.365
18:13	0.166
18:14	0.044
18:15	0.048
18:16	0.032
18:17	0.045
18:18	0.031
18:19	0.056
18:20	0.052
18:21	0.037
18:22	0.044
18:23	0.111

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-906376	11/6/2024 7:02	CONFIG	PID	SC23030159V4		
592-906376	11/6/2024 7:03	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:04	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:05	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:06	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:07	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:08	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:09	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:10	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:11	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:12	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:13	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:14	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:15	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:16	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:17	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:18	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:19	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:20	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:21	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:22	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:23	Readings	PID	SC23030159V4	Normal	2.5
592-906376	11/6/2024 7:24	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 7:25	Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/6/2024 7:26	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:27	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:28	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:29	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:30	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:31	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 7:32	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:33	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:34	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:35	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 7:36	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:37	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:38	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:39	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:40	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:41	Readings	PID	SC23030159V4	Normal	0.4
592-906376	11/6/2024 7:42	Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 7:43	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:44	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 7:45	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 7:46	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:47	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 7:48	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:49	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 7:50	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 7:51	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 7:52	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:53	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:54	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:55	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:56	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 7:57	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 7:58	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 7:59	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 8:00	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 8:01	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 8:02	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/6/2024 8:03	Readings	PID	SC23030159V4	Normal	0
592-906376	11/6/2024 8:04	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 8:05	Readings	PID	SC23030159V4	Normal	0.1

[illegible]

592-906376	11/6/2024 9:11	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 9:12	Readings	PID	SC23030159V4	Normal	0.2
592-906376	11/6/2024 9:13	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 9:14	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:15	Readings	PID	SC23030159V4	Normal	4.3
592-906376	11/6/2024 9:16	Readings	PID	SC23030159V4	Normal	5.4
592-906376	11/6/2024 9:17	Readings	PID	SC23030159V4	Normal	0.9
592-906376	11/6/2024 9:18	Readings	PID	SC23030159V4	Normal	0.9
592-906376	11/6/2024 9:19	Readings	PID	SC23030159V4	Normal	1.4
592-906376	11/6/2024 9:20	Readings	PID	SC23030159V4	Normal	4.1
592-906376	11/6/2024 9:21	Readings	PID	SC23030159V4	Normal	5.5
592-906376	11/6/2024 9:22	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:23	Readings	PID	SC23030159V4	Normal	2.5
592-906376	11/6/2024 9:24	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:25	Readings	PID	SC23030159V4	Normal	2.1
592-906376	11/6/2024 9:26	Readings	PID	SC23030159V4	Normal	5.4
592-906376	11/6/2024 9:27	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:28	Readings	PID	SC23030159V4	Normal	1.6
592-906376	11/6/2024 9:29	Readings	PID	SC23030159V4	Normal	1.2
592-906376	11/6/2024 9:30	Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/6/2024 9:31	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 9:32	Readings	PID	SC23030159V4	Normal	1
592-906376	11/6/2024 9:33	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:34	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:35	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:36	Readings	PID	SC23030159V4	Normal	3.9
592-906376	11/6/2024 9:37	Readings	PID	SC23030159V4	Normal	3
592-906376	11/6/2024 9:38	Readings	PID	SC23030159V4	Normal	2.9
592-906376	11/6/2024 9:39	Readings	PID	SC23030159V4	Normal	2.9
592-906376	11/6/2024 9:40	Readings	PID	SC23030159V4	Normal	2.9
592-906376	11/6/2024 9:41	Readings	PID	SC23030159V4	Normal	4.9
592-906376	11/6/2024 9:42	Readings	PID	SC23030159V4	Normal	4.8
592-906376	11/6/2024 9:43	Readings	PID	SC23030159V4	Normal	1.5
592-906376	11/6/2024 9:44	Readings	PID	SC23030159V4	Normal	4.4
592-906376	11/6/2024 9:45	Readings	PID	SC23030159V4	Normal	1.2
592-906376	11/6/2024 9:46	Readings	PID	SC23030159V4	Normal	3.4
592-906376	11/6/2024 9:47	Readings	PID	SC23030159V4	Normal	2.4
592-906376	11/6/2024 9:48	Readings	PID	SC23030159V4	Normal	1.4
592-906376	11/6/2024 9:49	Readings	PID	SC23030159V4	Normal	1.6
592-906376	11/6/2024 9:50	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 9:51	Readings	PID	SC23030159V4	Normal	0.9
592-906376	11/6/2024 9:52	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 9:53	Readings	PID	SC23030159V4	Normal	0.9
592-906376	11/6/2024 9:54	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 9:55	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 9:56	Readings	PID	SC23030159V4	Normal	0.4
592-906376	11/6/2024 9:57	Readings	PID	SC23030159V4	Normal	1
592-906376	11/6/2024 9:58	Readings	PID	SC23030159V4	Normal	1.6
592-906376	11/6/2024 9:59	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:00	Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 10:01	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:02	Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 10:03	Readings	PID	SC23030159V4	Normal	1.6
592-906376	11/6/2024 10:04	Readings	PID	SC23030159V4	Normal	1
592-906376	11/6/2024 10:05	Readings	PID	SC23030159V4	Normal	2.1
592-906376	11/6/2024 10:06	Readings	PID	SC23030159V4	Normal	1.7
592-906376	11/6/2024 10:07	Readings	PID	SC23030159V4	Normal	1.7
592-906376	11/6/2024 10:08	Readings	PID	SC23030159V4	Normal	2.2
592-906376	11/6/2024 10:09	Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 10:10	Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/6/2024 10:11	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 10:12	Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/6/2024 10:13	Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 10:14	Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 10:15	Readings	PID	SC23030159V4	Normal	2.3

592-906376	11/6/2024 10:16	Readings	PID	SC23030159V4	Normal	0.9
592-906376	11/6/2024 10:17	Readings	PID	SC23030159V4	Normal	1.8
592-906376	11/6/2024 10:18	Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 10:19	Readings	PID	SC23030159V4	Normal	2.2
592-906376	11/6/2024 10:20	Readings	PID	SC23030159V4	Normal	1.7
592-906376	11/6/2024 10:21	Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 10:22	Readings	PID	SC23030159V4	Normal	2.5
592-906376	11/6/2024 10:23	Readings	PID	SC23030159V4	Normal	2.6
592-906376	11/6/2024 10:24	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 10:25	Readings	PID	SC23030159V4	Normal	1.2
592-906376	11/6/2024 10:26	Readings	PID	SC23030159V4	Normal	1.2
592-906376	11/6/2024 10:27	Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/6/2024 10:28	Readings	PID	SC23030159V4	Normal	2.4
592-906376	11/6/2024 10:29	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:30	Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 10:31	Readings	PID	SC23030159V4	Normal	0.9
592-906376	11/6/2024 10:32	Readings	PID	SC23030159V4	Normal	1.4
592-906376	11/6/2024 10:33	Readings	PID	SC23030159V4	Normal	1.2
592-906376	11/6/2024 10:34	Readings	PID	SC23030159V4	Normal	2.8
592-906376	11/6/2024 10:35	Readings	PID	SC23030159V4	Normal	4.5
592-906376	11/6/2024 10:36	Readings	PID	SC23030159V4	Normal	1.3
592-906376	11/6/2024 10:37	Readings	PID	SC23030159V4	Normal	4.5
592-906376	11/6/2024 10:38	Readings	PID	SC23030159V4	Normal	1.7
592-906376	11/6/2024 10:39	Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 10:40	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:41	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:42	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:43	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:44	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 10:45	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 10:46	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 10:47	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:48	Readings	PID	SC23030159V4	Normal	1.6
592-906376	11/6/2024 10:49	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 10:50	Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 10:51	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 10:52	Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 10:53	Readings	PID	SC23030159V4	Normal	1
592-906376	11/6/2024 10:54	Readings	PID	SC23030159V4	Normal	1
592-906376	11/6/2024 10:55	Readings	PID	SC23030159V4	Normal	2.4
592-906376	11/6/2024 10:56	Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 10:57	Readings	PID	SC23030159V4	Normal	2.1
592-906376	11/6/2024 10:58	Readings	PID	SC23030159V4	Normal	1.4
592-906376	11/6/2024 10:59	Readings	PID	SC23030159V4	Normal	0.9
592-906376	11/6/2024 11:00	Readings	PID	SC23030159V4	Normal	1.8
592-906376	11/6/2024 11:01	Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 11:02	Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 11:03	Readings	PID	SC23030159V4	Normal	2.6
592-906376	11/6/2024 11:04	Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 11:05	Readings	PID	SC23030159V4	Normal	2

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-906376	11/6/2024 17:51 Readings	PID	SC23030159V4	Normal	0.4
592-906376	11/6/2024 17:52 Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 17:53 Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 17:54 Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 17:55 Readings	PID	SC23030159V4	Normal	0.4
592-906376	11/6/2024 17:56 Readings	PID	SC23030159V4	Normal	0.4
592-906376	11/6/2024 17:57 Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 17:58 Readings	PID	SC23030159V4	Normal	0.5
592-906376	11/6/2024 17:59 Readings	PID	SC23030159V4	Normal	0.4
592-906376	11/6/2024 18:00 Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 18:01 Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 18:02 Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/6/2024 18:03 Readings	PID	SC23030159V4	Normal	0.4
592-906376	11/6/2024 18:04 Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 18:05 Readings	PID	SC23030159V4	Normal	0.7
592-906376	11/6/2024 18:06 Readings	PID	SC23030159V4	Normal	0.6
592-906376	11/6/2024 18:07 Readings	PID	SC23030159V4	Normal	0.3
592-906376	11/6/2024 18:08 Readings	PID	SC23030159V4	Normal	1
592-906376	11/6/2024 18:09 Readings	PID	SC23030159V4	Normal	3.9
592-906376	11/6/2024 18:10 Readings	PID	SC23030159V4	Normal	4.9
592-906376	11/6/2024 18:11 Readings	PID	SC23030159V4	Normal	5.5
592-906376	11/6/2024 18:12 Readings	PID	SC23030159V4	Normal	2.4
592-906376	11/6/2024 18:13 Readings	PID	SC23030159V4	Normal	1.6
592-906376	11/6/2024 18:14 Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 18:15 Readings	PID	SC23030159V4	Normal	1.5
592-906376	11/6/2024 18:16 Readings	PID	SC23030159V4	Normal	5.5
592-906376	11/6/2024 18:17 Readings	PID	SC23030159V4	Normal	5.5
592-906376	11/6/2024 18:18 Readings	PID	SC23030159V4	Normal	2.5
592-906376	11/6/2024 18:19 Readings	PID	SC23030159V4	Normal	2.5
592-906376	11/6/2024 18:20 Readings	PID	SC23030159V4	Normal	1.8
592-906376	11/6/2024 18:21 Readings	PID	SC23030159V4	Normal	1.7
592-906376	11/6/2024 18:22 Readings	PID	SC23030159V4	Normal	1.6
592-906376	11/6/2024 18:23 Readings	PID	SC23030159V4	Normal	2.5
592-906376	11/6/2024 18:24 Readings	PID	SC23030159V4	Normal	4.9
592-906376	11/6/2024 18:25 Readings	PID	SC23030159V4	Normal	1.7
592-906376	11/6/2024 18:26 Readings	PID	SC23030159V4	Normal	1.1
592-906376	11/6/2024 18:27 Readings	PID	SC23030159V4	Normal	3.1
592-906376	11/6/2024 18:28 Readings	PID	SC23030159V4	Normal	3.9
592-906376	11/6/2024 18:29 Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/6/2024 18:30 Readings	PID	SC23030159V4	Normal	2.9
592-906376	11/6/2024 18:31 Readings	PID	SC23030159V4	Normal	1.4
592-906376	11/6/2024 18:32 Readings	PID	SC23030159V4	Normal	1.4
592-906376	11/6/2024 18:33 Readings	PID	SC23030159V4	Normal	1.3
592-906376	11/6/2024 18:34 Readings	PID	SC23030159V4	Normal	2.7

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_001
Test Start Time	6:54:14 AM
Test Start Date	11/6/2024
Test Length [D:H:M]	0:11:30
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.029
Mass Minimum [mg/m3]	0.014
Mass Maximum [mg/m3]	0.311
Mass TWA [mg/m3]	0.027
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	690

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:55	0.125		
6:56	0.017		
6:57	0.015		
6:58	0.015		
6:59	0.019		
7:00	0.014		
7:01	0.014		
7:02	0.015		
7:03	0.014		
7:04	0.014		
7:05	0.028		
7:06	0.016		
7:07	0.018		
7:08	0.018		
7:09	0.019		
7:10	0.023		
7:11	0.02		
7:12	0.023		
7:13	0.023		
7:14	0.017		
7:15	0.016		
7:16	0.023		
7:17	0.022		
7:18	0.017		
7:19	0.019		
7:20	0.038		
7:21	0.015		

7:22	0.017
7:23	0.024
7:24	0.016
7:25	0.016
7:26	0.018
7:27	0.031
7:28	0.016
7:29	0.018
7:30	0.017
7:31	0.023
7:32	0.019
7:33	0.022
7:34	0.032
7:35	0.034
7:36	0.02
7:37	0.019
7:38	0.019
7:39	0.02
7:40	0.021
7:41	0.023
7:42	0.024
7:43	0.024
7:44	0.018
7:45	0.021
7:46	0.027
7:47	0.02
7:48	0.017
7:49	0.018
7:50	0.018
7:51	0.021
7:52	0.018
7:53	0.018
7:54	0.016
7:55	0.023
7:56	0.019
7:57	0.016
7:58	0.083
7:59	0.033
8:00	0.028
8:01	0.03
8:02	0.027
8:03	0.025
8:04	0.061
8:05	0.029
8:06	0.031
8:07	0.019
8:08	0.026

8:09	0.022
8:10	0.018
8:11	0.021
8:12	0.02
8:13	0.022
8:14	0.023
8:15	0.025
8:16	0.02
8:17	0.028
8:18	0.019
8:19	0.018
8:20	0.017
8:21	0.017
8:22	0.019
8:23	0.02
8:24	0.021
8:25	0.022
8:26	0.019
8:27	0.02
8:28	0.019
8:29	0.018
8:30	0.019
8:31	0.017
8:32	0.018
8:33	0.02
8:34	0.02
8:35	0.02
8:36	0.02
8:37	0.019
8:38	0.02
8:39	0.02
8:40	0.017
8:41	0.018
8:42	0.018
8:43	0.02
8:44	0.021
8:45	0.019
8:46	0.018
8:47	0.018
8:48	0.018
8:49	0.018
8:50	0.018
8:51	0.019
8:52	0.017
8:53	0.018
8:54	0.029
8:55	0.024

8:56	0.021
8:57	0.021
8:58	0.021
8:59	0.021
9:00	0.021
9:01	0.02
9:02	0.018
9:03	0.027
9:04	0.022
9:05	0.022
9:06	0.019
9:07	0.019
9:08	0.019
9:09	0.02
9:10	0.021
9:11	0.021
9:12	0.024
9:13	0.02
9:14	0.019
9:15	0.018
9:16	0.019
9:17	0.023
9:18	0.02
9:19	0.019
9:20	0.017
9:21	0.027
9:22	0.072
9:23	0.039
9:24	0.025
9:25	0.022
9:26	0.019
9:27	0.019
9:28	0.024
9:29	0.038
9:30	0.026
9:31	0.022
9:32	0.019
9:33	0.019
9:34	0.021
9:35	0.026
9:36	0.024
9:37	0.019
9:38	0.021
9:39	0.023
9:40	0.024
9:41	0.024
9:42	0.032

9:43	0.027
9:44	0.03
9:45	0.026
9:46	0.021
9:47	0.019
9:48	0.03
9:49	0.024
9:50	0.019
9:51	0.021
9:52	0.024
9:53	0.034
9:54	0.03
9:55	0.023
9:56	0.027
9:57	0.025
9:58	0.028
9:59	0.028
10:00	0.023
10:01	0.02
10:02	0.023
10:03	0.032
10:04	0.029
10:05	0.028
10:06	0.032
10:07	0.034
10:08	0.027
10:09	0.029
10:10	0.039
10:11	0.027
10:12	0.023
10:13	0.022
10:14	0.023
10:15	0.019
10:16	0.023
10:17	0.021
10:18	0.026
10:19	0.02
10:20	0.019
10:21	0.02
10:22	0.02
10:23	0.024
10:24	0.025
10:25	0.022
10:26	0.025
10:27	0.036
10:28	0.071
10:29	0.023

10:30	0.027
10:31	0.025
10:32	0.03
10:33	0.024
10:34	0.024
10:35	0.027
10:36	0.025
10:37	0.024
10:38	0.027
10:39	0.027
10:40	0.023
10:41	0.022
10:42	0.027
10:43	0.04
10:44	0.023
10:45	0.022
10:46	0.022
10:47	0.036
10:48	0.03
10:49	0.027
10:50	0.027
10:51	0.035
10:52	0.03
10:53	0.032
10:54	0.035
10:55	0.027
10:56	0.022
10:57	0.028
10:58	0.024
10:59	0.311
11:00	0.111
11:01	0.022
11:02	0.033
11:03	0.027
11:04	0.023
11:05	0.02
11:06	0.023
11:07	0.022
11:08	0.022
11:09	0.023
11:10	0.023
11:11	0.032
11:12	0.028
11:13	0.023
11:14	0.021
11:15	0.024
11:16	0.026

11:17	0.022
11:18	0.028
11:19	0.068
11:20	0.027
11:21	0.024
11:22	0.026
11:23	0.027
11:24	0.027
11:25	0.026
11:26	0.026
11:27	0.022
11:28	0.022
11:29	0.028
11:30	0.036
11:31	0.029
11:32	0.037
11:33	0.036
11:34	0.029
11:35	0.026
11:36	0.031
11:37	0.032
11:38	0.027
11:39	0.028
11:40	0.024
11:41	0.026
11:42	0.026
11:43	0.029
11:44	0.031
11:45	0.021
11:46	0.025
11:47	0.031
11:48	0.041
11:49	0.025
11:50	0.024
11:51	0.025
11:52	0.025
11:53	0.022
11:54	0.034
11:55	0.028
11:56	0.021
11:57	0.022
11:58	0.022
11:59	0.023
12:00	0.024
12:01	0.023
12:02	0.027
12:03	0.024

12:04	0.022
12:05	0.021
12:06	0.019
12:07	0.024
12:08	0.021
12:09	0.028
12:10	0.03
12:11	0.02
12:12	0.072
12:13	0.022
12:14	0.018
12:15	0.019
12:16	0.022
12:17	0.017
12:18	0.022
12:19	0.026
12:20	0.028
12:21	0.031
12:22	0.022
12:23	0.024
12:24	0.023
12:25	0.025
12:26	0.02
12:27	0.023
12:28	0.031
12:29	0.031
12:30	0.027
12:31	0.023
12:32	0.029
12:33	0.03
12:34	0.03
12:35	0.034
12:36	0.045
12:37	0.04
12:38	0.026
12:39	0.037
12:40	0.031
12:41	0.028
12:42	0.042
12:43	0.041
12:44	0.025
12:45	0.031
12:46	0.032
12:47	0.02
12:48	0.022
12:49	0.038
12:50	0.026

12:51	0.054
12:52	0.048
12:53	0.029
12:54	0.028
12:55	0.027
12:56	0.035
12:57	0.027
12:58	0.031
12:59	0.028
13:00	0.042
13:01	0.022
13:02	0.025
13:03	0.083
13:04	0.026
13:05	0.037
13:06	0.028
13:07	0.037
13:08	0.034
13:09	0.033
13:10	0.026
13:11	0.032
13:12	0.038
13:13	0.035
13:14	0.027
13:15	0.019
13:16	0.024
13:17	0.024
13:18	0.023
13:19	0.028
13:20	0.023
13:21	0.023
13:22	0.035
13:23	0.023
13:24	0.021
13:25	0.034
13:26	0.036
13:27	0.029
13:28	0.026
13:29	0.026
13:30	0.031
13:31	0.036
13:32	0.032
13:33	0.024
13:34	0.024
13:35	0.025
13:36	0.024
13:37	0.052

13:38	0.06
13:39	0.027
13:40	0.027
13:41	0.024
13:42	0.025
13:43	0.028
13:44	0.025
13:45	0.023
13:46	0.027
13:47	0.044
13:48	0.029
13:49	0.026
13:50	0.027
13:51	0.03
13:52	0.026
13:53	0.025
13:54	0.033
13:55	0.029
13:56	0.043
13:57	0.028
13:58	0.025
13:59	0.024
14:00	0.029
14:01	0.023
14:02	0.039
14:03	0.058
14:04	0.035
14:05	0.028
14:06	0.026
14:07	0.024
14:08	0.025
14:09	0.027
14:10	0.025
14:11	0.023
14:12	0.025
14:13	0.028
14:14	0.036
14:15	0.026
14:16	0.025
14:17	0.029
14:18	0.053
14:19	0.022
14:20	0.03
14:21	0.022
14:22	0.028
14:23	0.026
14:24	0.027

14:25	0.042
14:26	0.023
14:27	0.025
14:28	0.062
14:29	0.058
14:30	0.034
14:31	0.03
14:32	0.027
14:33	0.035
14:34	0.03
14:35	0.028
14:36	0.038
14:37	0.027
14:38	0.028
14:39	0.023
14:40	0.026
14:41	0.046
14:42	0.027
14:43	0.027
14:44	0.023
14:45	0.028
14:46	0.023
14:47	0.024
14:48	0.03
14:49	0.028
14:50	0.024
14:51	0.03
14:52	0.033
14:53	0.026
14:54	0.024
14:55	0.024
14:56	0.023
14:57	0.025
14:58	0.028
14:59	0.04
15:00	0.027
15:01	0.026
15:02	0.025
15:03	0.024
15:04	0.04
15:05	0.029
15:06	0.025
15:07	0.027
15:08	0.024
15:09	0.023
15:10	0.023
15:11	0.024

15:12	0.022
15:13	0.022
15:14	0.025
15:15	0.023
15:16	0.023
15:17	0.042
15:18	0.027
15:19	0.024
15:20	0.023
15:21	0.023
15:22	0.023
15:23	0.023
15:24	0.024
15:25	0.024
15:26	0.024
15:27	0.023
15:28	0.028
15:29	0.028
15:30	0.028
15:31	0.024
15:32	0.028
15:33	0.021
15:34	0.021
15:35	0.021
15:36	0.023
15:37	0.028
15:38	0.043
15:39	0.03
15:40	0.023
15:41	0.029
15:42	0.022
15:43	0.021
15:44	0.02
15:45	0.022
15:46	0.021
15:47	0.02
15:48	0.025
15:49	0.019
15:50	0.019
15:51	0.021
15:52	0.025
15:53	0.024
15:54	0.025
15:55	0.035
15:56	0.022
15:57	0.023
15:58	0.02

15:59	0.039
16:00	0.024
16:01	0.049
16:02	0.029
16:03	0.046
16:04	0.032
16:05	0.024
16:06	0.036
16:07	0.023
16:08	0.022
16:09	0.02
16:10	0.027
16:11	0.024
16:12	0.02
16:13	0.025
16:14	0.026
16:15	0.027
16:16	0.021
16:17	0.021
16:18	0.022
16:19	0.019
16:20	0.216
16:21	0.028
16:22	0.018
16:23	0.022
16:24	0.021
16:25	0.026
16:26	0.02
16:27	0.025
16:28	0.019
16:29	0.033
16:30	0.023
16:31	0.022
16:32	0.021
16:33	0.02
16:34	0.018
16:35	0.019
16:36	0.019
16:37	0.02
16:38	0.02
16:39	0.021
16:40	0.022
16:41	0.019
16:42	0.025
16:43	0.022
16:44	0.021
16:45	0.022

16:46	0.029
16:47	0.019
16:48	0.019
16:49	0.018
16:50	0.02
16:51	0.041
16:52	0.025
16:53	0.025
16:54	0.031
16:55	0.028
16:56	0.06
16:57	0.022
16:58	0.022
16:59	0.019
17:00	0.019
17:01	0.028
17:02	0.021
17:03	0.028
17:04	0.021
17:05	0.021
17:06	0.023
17:07	0.022
17:08	0.022
17:09	0.023
17:10	0.02
17:11	0.022
17:12	0.021
17:13	0.023
17:14	0.023
17:15	0.02
17:16	0.023
17:17	0.021
17:18	0.023
17:19	0.021
17:20	0.023
17:21	0.021
17:22	0.022
17:23	0.025
17:24	0.022
17:25	0.025
17:26	0.031
17:27	0.021
17:28	0.023
17:29	0.022
17:30	0.02
17:31	0.025
17:32	0.022

17:33	0.022
17:34	0.023
17:35	0.026
17:36	0.024
17:37	0.02
17:38	0.055
17:39	0.024
17:40	0.027
17:41	0.031
17:42	0.04
17:43	0.035
17:44	0.031
17:45	0.041
17:46	0.036
17:47	0.029
17:48	0.033
17:49	0.03
17:50	0.031
17:51	0.042
17:52	0.037
17:53	0.029
17:54	0.029
17:55	0.032
17:56	0.036
17:57	0.042
17:58	0.062
17:59	0.079
18:00	0.089
18:01	0.079
18:02	0.105
18:03	0.048
18:04	0.124
18:05	0.039
18:06	0.05
18:07	0.126
18:08	0.029
18:09	0.076
18:10	0.107
18:11	0.103
18:12	0.057
18:13	0.092
18:14	0.087
18:15	0.05
18:16	0.051
18:17	0.064
18:18	0.082
18:19	0.066

18:20	0.084
18:21	0.056
18:22	0.064
18:23	0.095
18:24	0.051

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]