

**DAILY STATUS REPORT**

Prepared By:
Thomas Jensen

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70	X	70-85		>85		SW – 11 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 11/11/24
Project:	251 Douglass Street, Brooklyn, NY			

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:40

Time Out: 18:15

Personnel On Site:

IEEG (Environmental) – Thomas Jensen

Broadway Construction Group – Shannon Dowling/Tom Caporale

Cascade – John Elmers

WSP – Charlie Lambert

Concrete Courses

Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to continue ISS Column installation; and Concrete Courses to continue with phase II superstructure work.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Concrete Courses continued with phase 2 super structure work;
- Concrete Courses excavated along Douglass Street for a Con Edison vault and installed shoring walls;
- Cascade received two (2) deliveries of slag to the silos;
- Eleven (11) truckloads of swell material were removed for offsite disposal to Bayshore;
- Two (2) truckloads of soil from Con ED Vault were removed for offsite disposal to Bayshore;
- Cascade drilled **Column 436** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 15 batches;
- Cascade drilled **Column 438** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 15 batches;
- Cascade drilled **Column 440** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 15 batches;
- Cascade drilled **Column 442** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 20 batches;
- ATMOS foam was applied by IEEG throughout the day to all swell material and stockpiles throughout the day.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.

- Startup Upwind Conditions – PID = _0.1_ ppm @ 7:13, Dust = _0.129_ mg/m³ @ 07:00
- High Conditions (Upwind) – PID = _3.6_ ppm @ 07:23, Dust = _1.13_ mg/m³ @ 14:51
- High Conditions (Downwind 1) – PID = _2.4_ ppm @ 07:33, Dust = _34.6_ mg/m³ @ 14:51
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.172_ mg/m³ @ 06:56

Notable Site Conditions:

- At approximately 14:50 one of the hoses, used for filling up the silos with slag, broke. Water was used to prevent dust from traveling offsite and a replacement line was put on; and
- At 10:55 a dewatering pipe from the adjacent site broke causing odors on the corner of Nevins Street and Douglass Street.

Planned for the Next Day/Week:

- Cascade to continue drilling ISS columns;
- Cascade to continue loadout of swell material;
- Concrete Courses to continue 1' cut throughout remaining ISS area;
- Concrete courses to continue work in con ed vault; and
- Concrete Courses to continue super structure and rebar activities.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of
drilling an ISS
column.



Photo 2-
Representative
photo of
ATMOS foam
applied to
swell stockpile
at the end of
the day.



Photo 3-

Representative photo of straps on the side of a truck.



Photo 4-

Representative photo of tires being washed on a truck.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY







IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com





CONCRETE CURB

CONCRETE SIDEWALK 60'-0"

PROJECT



LEGEND

- PROPERTY LINE
- 55' EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- APPROVED TO 55'
- SIX FOOT DIA. HYDRAULIC COLUMN (TYP.)
- ISS COLUMN INSTALLED TO TERMINAL DEPTH
- ISS COLUMN UNABLE TO BE INSTALLED TO TERMINAL DEPTH
- ISS COLUMN / GRID APPROVED BY DEC
- WET MIX SAMPLE COLLECTED FROM ISS COLUMN
- COMPLETED CORING LOCATION

NOTES:


- THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

251 Douglass Street
Brooklyn, New York

PROJECT NO:	13928-01
DESIGNED BY:	AB
DRAWN BY:	AB
CHECKED BY:	DP
DATE:	10/4/2024
SCALE:	N.T.S.
REVISIONS	

IMPACT ENVIRONMENTAL ENGINEERING & GEOLOGY PLLC.

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_004
Test Start Time	7:00:57 AM
Test Start Date	11/11/2024
Test Length [D:H:M]	0:10:25
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.039
Mass Minimum [mg/m3]	0.008
Mass Maximum [mg/m3]	1.13
Mass TWA [mg/m3]	0.038
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	625

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:00	0.129		
7:01	0.018		
7:02	0.011		
7:03	0.017		
7:04	0.01		
7:05	0.012		
7:06	0.021		
7:07	0.026		
7:08	0.011		
7:09	0.018		
7:10	0.015		
7:11	0.017		
7:12	0.012		
7:13	0.012		
7:14	0.012		
7:15	0.036		
7:16	0.012		
7:17	0.009		
7:18	0.011		
7:19	0.01		
7:20	0.01		
7:21	0.011		
7:22	0.018		
7:23	0.016		
7:24	0.03		
7:25	0.035		
7:26	0.021		

7:27	0.013
7:28	0.023
7:29	0.015
7:30	0.013
7:31	0.037
7:32	0.016
7:33	0.014
7:34	0.011
7:35	0.021
7:36	0.015
7:37	0.019
7:38	0.012
7:39	0.018
7:40	0.016
7:41	0.014
7:42	0.018
7:43	0.025
7:44	0.016
7:45	0.013
7:46	0.021
7:47	0.017
7:48	0.02
7:49	0.015
7:50	0.017
7:51	0.013
7:52	0.02
7:53	0.021
7:54	0.017
7:55	0.027
7:56	0.018
7:57	0.014
7:58	0.014
7:59	0.015
8:00	0.042
8:01	0.028
8:02	0.016
8:03	0.022
8:04	0.022
8:05	0.019
8:06	0.018
8:07	0.015
8:08	0.012
8:09	0.014
8:10	0.014
8:11	0.014
8:12	0.021
8:13	0.022

8:14	0.014
8:15	0.015
8:16	0.02
8:17	0.019
8:18	0.03
8:19	0.018
8:20	0.022
8:21	0.031
8:22	0.02
8:23	0.015
8:24	0.017
8:25	0.027
8:26	0.03
8:27	0.026
8:28	0.017
8:29	0.016
8:30	0.023
8:31	0.023
8:32	0.023
8:33	0.019
8:34	0.017
8:35	0.027
8:36	0.029
8:37	0.036
8:38	0.026
8:39	0.036
8:40	0.032
8:41	0.036
8:42	0.018
8:43	0.019
8:44	0.019
8:45	0.017
8:46	0.016
8:47	0.017
8:48	0.017
8:49	0.014
8:50	0.014
8:51	0.025
8:52	0.028
8:53	0.019
8:54	0.015
8:55	0.016
8:56	0.018
8:57	0.014
8:58	0.018
8:59	0.018
9:00	0.019

9:01	0.014
9:02	0.014
9:03	0.015
9:04	0.016
9:05	0.016
9:06	0.016
9:07	0.018
9:08	0.02
9:09	0.016
9:10	0.014
9:11	0.017
9:12	0.014
9:13	0.014
9:14	0.015
9:15	0.014
9:16	0.015
9:17	0.015
9:18	0.015
9:19	0.014
9:20	0.014
9:21	0.028
9:22	0.022
9:23	0.018
9:24	0.026
9:25	0.023
9:26	0.019
9:27	0.013
9:28	0.014
9:29	0.021
9:30	0.028
9:31	0.021
9:32	0.015
9:33	0.018
9:34	0.028
9:35	0.02
9:36	0.016
9:37	0.021
9:38	0.019
9:39	0.019
9:40	0.014
9:41	0.015
9:42	0.016
9:43	0.045
9:44	0.03
9:45	0.052
9:46	0.031
9:47	0.019

9:48	0.016
9:49	0.015
9:50	0.022
9:51	0.022
9:52	0.019
9:53	0.016
9:54	0.018
9:55	0.027
9:56	0.018
9:57	0.017
9:58	0.017
9:59	0.02
10:00	0.026
10:01	0.028
10:02	0.017
10:03	0.016
10:04	0.014
10:05	0.019
10:06	0.019
10:07	0.014
10:08	0.014
10:09	0.016
10:10	0.018
10:11	0.02
10:12	0.014
10:13	0.015
10:14	0.018
10:15	0.025
10:16	0.029
10:17	0.018
10:18	0.016
10:19	0.023
10:20	0.015
10:21	0.016
10:22	0.027
10:23	0.021
10:24	0.023
10:25	0.028
10:26	0.041
10:27	0.028
10:28	0.047
10:29	0.044
10:30	0.054
10:31	0.032
10:32	0.025
10:33	0.036
10:34	0.02

10:35	0.017
10:36	0.026
10:37	0.018
10:38	0.015
10:39	0.024
10:40	0.02
10:41	0.021
10:42	0.019
10:43	0.021
10:44	0.015
10:45	0.025
10:46	0.021
10:47	0.017
10:48	0.016
10:49	0.017
10:50	0.016
10:51	0.016
10:52	0.016
10:53	0.017
10:54	0.015
10:55	0.018
10:56	0.022
10:57	0.024
10:58	0.028
10:59	0.019
11:00	0.021
11:01	0.021
11:02	0.02
11:03	0.023
11:04	0.07
11:05	0.036
11:06	0.021
11:07	0.019
11:08	0.022
11:09	0.022
11:10	0.019
11:11	0.028
11:12	0.03
11:13	0.017
11:14	0.02
11:15	0.024
11:16	0.034
11:17	0.029
11:18	0.033
11:19	0.034
11:20	0.03
11:21	0.029

11:22	0.023
11:23	0.042
11:24	0.032
11:25	0.036
11:26	0.035
11:27	0.025
11:28	0.028
11:29	0.041
11:30	0.045
11:31	0.037
11:32	0.023
11:33	0.17
11:34	0.042
11:35	0.028
11:36	0.025
11:37	0.043
11:38	0.04
11:39	0.03
11:40	0.042
11:41	0.038
11:42	0.043
11:43	0.054
11:44	0.031
11:45	0.043
11:46	0.033
11:47	0.03
11:48	0.025
11:49	0.028
11:50	0.045
11:51	0.046
11:52	0.036
11:53	0.032
11:54	0.028
11:55	0.029
11:56	0.04
11:57	0.04
11:58	0.025
11:59	0.031
12:00	0.034
12:01	0.028
12:02	0.032
12:03	0.051
12:04	0.037
12:05	0.043
12:06	0.022
12:07	0.027
12:08	0.038

12:09	0.033
12:10	0.054
12:11	0.031
12:12	0.074
12:13	0.031
12:14	0.024
12:15	0.034
12:16	0.045
12:17	0.028
12:18	0.055
12:19	0.047
12:20	0.047
12:21	0.032
12:22	0.023
12:23	0.02
12:24	0.024
12:25	0.031
12:26	0.028
12:27	0.03
12:28	0.034
12:29	0.037
12:30	0.043
12:31	0.029
12:32	0.023
12:33	0.029
12:34	0.036
12:35	0.032
12:36	0.027
12:37	0.035
12:38	0.03
12:39	0.038
12:40	0.034
12:41	0.027
12:42	0.026
12:43	0.018
12:44	0.037
12:45	0.034
12:46	0.656
12:47	0.208
12:48	0.224
12:49	0.241
12:50	0.187
12:51	0.098
12:52	0.056
12:53	0.092
12:54	0.063
12:55	0.032

12:56	0.03
12:57	0.022
12:58	0.017
12:59	0.017
13:00	0.016
13:01	0.023
13:02	0.022
13:03	0.017
13:04	0.022
13:05	0.019
13:06	0.033
13:07	0.019
13:08	0.018
13:09	0.016
13:10	0.022
13:11	0.037
13:12	0.019
13:13	0.025
13:14	0.019
13:15	0.018
13:16	0.026
13:17	0.024
13:18	0.019
13:19	0.019
13:20	0.015
13:21	0.016
13:22	0.013
13:23	0.022
13:24	0.016
13:25	0.016
13:26	0.025
13:27	0.017
13:28	0.029
13:29	0.015
13:30	0.018
13:31	0.012
13:32	0.013
13:33	0.019
13:34	0.015
13:35	0.014
13:36	0.013
13:37	0.019
13:38	0.017
13:39	0.012
13:40	0.018
13:41	0.014
13:42	0.014

13:43	0.014
13:44	0.015
13:45	0.017
13:46	0.017
13:47	0.018
13:48	0.014
13:49	0.012
13:50	0.012
13:51	0.011
13:52	0.024
13:53	0.096
13:54	0.04
13:55	0.042
13:56	0.028
13:57	0.03
13:58	0.08
13:59	0.032
14:00	0.029
14:01	0.022
14:02	0.038
14:03	0.02
14:04	0.026
14:05	0.018
14:06	0.028
14:07	0.037
14:08	0.02
14:09	0.014
14:10	0.013
14:11	0.019
14:12	0.019
14:13	0.019
14:14	0.013
14:15	0.012
14:16	0.013
14:17	0.016
14:18	0.015
14:19	0.017
14:20	0.021
14:21	0.019
14:22	0.018
14:23	0.023
14:24	0.02
14:25	0.017
14:26	0.018
14:27	0.026
14:28	0.018
14:29	0.021

14:30	0.021
14:31	0.021
14:32	0.019
14:33	0.017
14:34	0.02
14:35	0.014
14:36	0.021
14:37	0.018
14:38	0.019
14:39	0.02
14:40	0.014
14:41	0.019
14:42	0.033
14:43	0.022
14:44	0.022
14:45	0.022
14:46	0.022
14:47	0.017
14:48	0.015
14:49	0.023
14:50	0.044
14:51	1.13
14:52	0.088
14:53	1.02
14:54	0.92
14:55	0.41
14:56	0.674
14:57	0.206
14:58	0.766
14:59	0.578
15:00	0.934
15:01	0.31
15:02	0.367
15:03	0.413
15:04	0.062
15:05	0.045
15:06	0.071
15:07	0.082
15:08	0.101
15:09	0.035
15:10	0.154
15:11	0.062
15:12	0.058
15:13	0.129
15:14	0.147
15:15	0.05
15:16	0.078

15:17	0.029
15:18	0.071
15:19	0.095
15:20	0.021
15:21	0.134
15:22	0.125
15:23	0.023
15:24	0.038
15:25	0.021
15:26	0.11
15:27	0.105
15:28	0.165
15:29	0.029
15:30	0.038
15:31	0.032
15:32	0.049
15:33	0.08
15:34	0.021
15:35	0.024
15:36	0.024
15:37	0.025
15:38	0.063
15:39	0.065
15:40	0.032
15:41	0.021
15:42	0.025
15:43	0.017
15:44	0.02
15:45	0.025
15:46	0.02
15:47	0.016
15:48	0.023
15:49	0.017
15:50	0.02
15:51	0.022
15:52	0.021
15:53	0.022
15:54	0.02
15:55	0.017
15:56	0.015
15:57	0.022
15:58	0.042
15:59	0.088
16:00	0.09
16:01	0.022
16:02	0.013
16:03	0.011

16:04	0.011
16:05	0.011
16:06	0.011
16:07	0.011
16:08	0.011
16:09	0.01
16:10	0.01
16:11	0.01
16:12	0.011
16:13	0.01
16:14	0.01
16:15	0.039
16:16	0.01
16:17	0.01
16:18	0.01
16:19	0.009
16:20	0.009
16:21	0.009
16:22	0.009
16:23	0.008
16:24	0.008
16:25	0.009
16:26	0.009
16:27	0.009
16:28	0.009
16:29	0.011
16:30	0.009
16:31	0.01
16:32	0.009
16:33	0.009
16:34	0.009
16:35	0.008
16:36	0.01
16:37	0.009
16:38	0.008
16:39	0.012
16:40	0.008
16:41	0.012
16:42	0.01
16:43	0.008
16:44	0.031
16:45	0.009
16:46	0.008
16:47	0.008
16:48	0.008
16:49	0.01
16:50	0.01

16:51	0.022
16:52	0.008
16:53	0.008
16:54	0.008
16:55	0.009
16:56	0.008
16:57	0.009
16:58	0.009
16:59	0.009
17:00	0.012
17:01	0.017
17:02	0.009
17:03	0.009
17:04	0.009
17:05	0.008
17:06	0.008
17:07	0.009
17:08	0.009
17:09	0.011
17:10	0.01
17:11	0.009
17:12	0.008
17:13	0.008
17:14	0.011
17:15	0.01
17:16	0.011
17:17	0.026
17:18	0.019
17:19	0.013
17:20	0.013
17:21	0.011
17:22	0.01
17:23	0.011
17:24	0.012

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-927198	11/11/2024 7:54 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:53 Readings	PID	SC23030235W3	Normal	0.5
592-927198	11/11/2024 7:52 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:51 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:50 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:49 Readings	PID	SC23030235W3	Normal	0.2
592-927198	11/11/2024 7:48 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:47 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:46 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:45 Readings	PID	SC23030235W3	Normal	0.5
592-927198	11/11/2024 7:44 Readings	PID	SC23030235W3	Normal	0.2
592-927198	11/11/2024 7:43 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:42 Readings	PID	SC23030235W3	Normal	0.1
592-927198	11/11/2024 7:41 Readings	PID	SC23030235W3	Normal	2.5
592-927198	11/11/2024 7:40 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:39 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:38 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:37 Readings	PID	SC23030235W3	Normal	0.6
592-927198	11/11/2024 7:36 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:35 Readings	PID	SC23030235W3	Normal	0.6
592-927198	11/11/2024 7:34 Readings	PID	SC23030235W3	Normal	0.6
592-927198	11/11/2024 7:33 Readings	PID	SC23030235W3	Normal	0.7
592-927198	11/11/2024 7:32 Readings	PID	SC23030235W3	Normal	1
592-927198	11/11/2024 7:31 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:30 Readings	PID	SC23030235W3	Normal	0.2
592-927198	11/11/2024 7:29 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:28 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:27 Readings	PID	SC23030235W3	Normal	0.6
592-927198	11/11/2024 7:26 Readings	PID	SC23030235W3	Normal	0.4
592-927198	11/11/2024 7:25 Readings	PID	SC23030235W3	Normal	0.5
592-927198	11/11/2024 7:24 Readings	PID	SC23030235W3	Normal	0.2
592-927198	11/11/2024 7:23 Readings	PID	SC23030235W3	Normal	3.6
592-927198	11/11/2024 7:22 Readings	PID	SC23030235W3	Normal	0.3
592-927198	11/11/2024 7:21 Readings	PID	SC23030235W3	Normal	3
592-927198	11/11/2024 7:20 Readings	PID	SC23030235W3	Normal	0.1
592-927198	11/11/2024 7:19 Readings	PID	SC23030235W3	Normal	0.1
592-927198	11/11/2024 7:18 Readings	PID	SC23030235W3	Normal	0.1
592-927198	11/11/2024 7:17 Readings	PID	SC23030235W3	Normal	0.1
592-927198	11/11/2024 7:16 Readings	PID	SC23030235W3	Normal	0.1
592-927198	11/11/2024 7:15 Readings	PID	SC23030235W3	Normal	0
592-927198	11/11/2024 7:14 Readings	PID	SC23030235W3	Normal	0.1
592-927198	11/11/2024 7:13 CONFIG	PID	SC23030235W3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_004
Test Start Time	6:59:00 AM
Test Start Date	11/11/2024
Test Length [D:H:M]	0:10:29
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.114
Mass Minimum [mg/m3]	0.011
Mass Maximum [mg/m3]	34.6
Mass TWA [mg/m3]	0.119
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	629

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:59	0.936		
7:00	0.022		
7:01	0.016		
7:02	0.017		
7:03	0.015		
7:04	0.017		
7:05	0.015		
7:06	0.019		
7:07	0.034		
7:08	0.021		
7:09	0.015		
7:10	0.023		
7:11	0.392		
7:12	0.109		
7:13	0.032		
7:14	0.018		
7:15	0.016		
7:16	0.019		
7:17	0.063		
7:18	0.056		
7:19	0.022		
7:20	0.021		
7:21	0.347		
7:22	0.362		
7:23	0.434		
7:24	0.102		
7:25	0.031		

7:26	0.059
7:27	0.069
7:28	0.027
7:29	0.019
7:30	0.022
7:31	0.025
7:32	0.02
7:33	0.029
7:34	0.03
7:35	0.023
7:36	0.018
7:37	0.022
7:38	0.016
7:39	0.019
7:40	0.02
7:41	0.018
7:42	0.028
7:43	0.034
7:44	0.029
7:45	0.024
7:46	0.025
7:47	0.021
7:48	0.029
7:49	0.022
7:50	0.041
7:51	0.036
7:52	0.021
7:53	0.036
7:54	0.036
7:55	0.025
7:56	0.021
7:57	0.018
7:58	0.017
7:59	0.019
8:00	0.018
8:01	0.017
8:02	0.033
8:03	0.033
8:04	0.024
8:05	0.021
8:06	0.032
8:07	0.043
8:08	0.023
8:09	0.049
8:10	0.026
8:11	0.019
8:12	0.025

8:13	0.044
8:14	0.043
8:15	0.135
8:16	0.028
8:17	0.115
8:18	0.035
8:19	0.054
8:20	0.046
8:21	0.032
8:22	0.026
8:23	0.022
8:24	0.054
8:25	0.286
8:26	0.031
8:27	0.043
8:28	0.034
8:29	0.04
8:30	0.064
8:31	0.06
8:32	0.037
8:33	0.033
8:34	0.044
8:35	0.059
8:36	0.049
8:37	0.031
8:38	0.077
8:39	0.066
8:40	0.059
8:41	0.033
8:42	0.078
8:43	0.052
8:44	0.028
8:45	0.034
8:46	0.022
8:47	0.028
8:48	0.035
8:49	0.023
8:50	0.029
8:51	0.022
8:52	0.08
8:53	0.092
8:54	0.067
8:55	0.033
8:56	0.023
8:57	0.033
8:58	0.021
8:59	0.024

9:00	0.03
9:01	0.084
9:02	0.027
9:03	0.018
9:04	0.027
9:05	0.022
9:06	0.05
9:07	0.03
9:08	0.019
9:09	0.017
9:10	0.028
9:11	0.034
9:12	0.029
9:13	0.044
9:14	0.027
9:15	0.118
9:16	0.033
9:17	0.061
9:18	0.054
9:19	0.062
9:20	0.022
9:21	0.025
9:22	0.049
9:23	0.044
9:24	0.081
9:25	0.032
9:26	0.026
9:27	0.032
9:28	0.057
9:29	0.124
9:30	0.026
9:31	0.028
9:32	0.023
9:33	0.022
9:34	0.023
9:35	0.028
9:36	0.022
9:37	0.057
9:38	0.038
9:39	0.039
9:40	0.027
9:41	0.025
9:42	0.022
9:43	0.199
9:44	0.339
9:45	0.057
9:46	0.032

9:47	0.039
9:48	0.025
9:49	0.02
9:50	0.017
9:51	0.027
9:52	0.035
9:53	0.034
9:54	0.026
9:55	0.024
9:56	0.03
9:57	0.027
9:58	0.022
9:59	0.032
10:00	0.022
10:01	0.029
10:02	0.045
10:03	0.025
10:04	0.022
10:05	0.023
10:06	0.029
10:07	0.067
10:08	0.04
10:09	0.021
10:10	0.017
10:11	0.018
10:12	0.024
10:13	0.041
10:14	0.021
10:15	0.025
10:16	0.127
10:17	0.04
10:18	0.078
10:19	0.021
10:20	0.03
10:21	0.034
10:22	0.064
10:23	0.041
10:24	0.057
10:25	0.033
10:26	0.027
10:27	0.024
10:28	0.03
10:29	0.028
10:30	0.036
10:31	0.077
10:32	0.031
10:33	0.027

10:34	0.022
10:35	0.035
10:36	0.036
10:37	0.044
10:38	0.035
10:39	0.029
10:40	0.052
10:41	0.033
10:42	0.028
10:43	0.031
10:44	0.044
10:45	0.074
10:46	0.057
10:47	0.053
10:48	0.039
10:49	0.039
10:50	0.051
10:51	0.038
10:52	0.049
10:53	0.041
10:54	0.061
10:55	0.024
10:56	0.02
10:57	0.022
10:58	0.033
10:59	0.048
11:00	0.042
11:01	0.02
11:02	0.036
11:03	0.044
11:04	0.034
11:05	0.037
11:06	0.028
11:07	0.04
11:08	0.035
11:09	0.028
11:10	0.074
11:11	0.051
11:12	0.037
11:13	0.032
11:14	0.049
11:15	0.052
11:16	0.026
11:17	0.031
11:18	0.026
11:19	0.029
11:20	0.084

11:21	0.033
11:22	0.032
11:23	0.025
11:24	0.059
11:25	0.068
11:26	0.035
11:27	0.038
11:28	0.051
11:29	0.073
11:30	0.05
11:31	0.027
11:32	0.066
11:33	0.037
11:34	0.061
11:35	0.052
11:36	0.055
11:37	0.04
11:38	0.072
11:39	0.038
11:40	0.025
11:41	0.03
11:42	0.03
11:43	0.093
11:44	0.052
11:45	0.06
11:46	0.029
11:47	0.05
11:48	0.033
11:49	0.021
11:50	0.025
11:51	0.027
11:52	0.053
11:53	0.032
11:54	0.022
11:55	0.016
11:56	0.02
11:57	0.031
11:58	0.027
11:59	0.021
12:00	0.03
12:01	0.02
12:02	0.016
12:03	0.018
12:04	0.024
12:05	0.032
12:06	0.085
12:07	0.056

12:08	0.058
12:09	0.03
12:10	0.03
12:11	0.029
12:12	0.073
12:13	0.026
12:14	0.029
12:15	0.032
12:16	0.027
12:17	0.035
12:18	0.042
12:19	0.02
12:20	0.025
12:21	0.02
12:22	0.015
12:23	0.019
12:24	0.025
12:25	0.024
12:26	0.025
12:27	0.021
12:28	0.023
12:29	0.025
12:30	0.018
12:31	0.025
12:32	0.022
12:33	0.017
12:34	0.036
12:35	0.029
12:36	0.033
12:37	0.046
12:38	0.027
12:39	0.063
12:40	0.051
12:41	0.028
12:42	0.029
12:43	0.041
12:44	0.069
12:45	0.032
12:46	0.021
12:47	0.042
12:48	0.047
12:49	0.067
12:50	0.02
12:51	0.024
12:52	0.032
12:53	0.032
12:54	0.029

12:55	0.045
12:56	0.029
12:57	0.056
12:58	0.047
12:59	0.031
13:00	0.02
13:01	0.026
13:02	0.048
13:03	0.048
13:04	0.033
13:05	0.026
13:06	0.031
13:07	0.044
13:08	0.022
13:09	0.027
13:10	0.034
13:11	0.09
13:12	0.05
13:13	0.028
13:14	0.03
13:15	0.033
13:16	0.073
13:17	0.028
13:18	0.026
13:19	0.028
13:20	0.044
13:21	0.066
13:22	0.037
13:23	0.021
13:24	0.024
13:25	0.052
13:26	0.026
13:27	0.026
13:28	0.053
13:29	0.157
13:30	0.137
13:31	0.036
13:32	0.031
13:33	0.035
13:34	0.026
13:35	0.026
13:36	0.029
13:37	0.032
13:38	0.05
13:39	0.021
13:40	0.021
13:41	0.03

13:42	0.03
13:43	0.076
13:44	0.025
13:45	0.063
13:46	0.103
13:47	0.094
13:48	0.032
13:49	0.019
13:50	0.014
13:51	0.029
13:52	0.038
13:53	0.063
13:54	0.043
13:55	0.036
13:56	0.034
13:57	0.047
13:58	0.041
13:59	0.022
14:00	0.015
14:01	0.026
14:02	0.058
14:03	0.041
14:04	0.029
14:05	0.014
14:06	0.017
14:07	0.021
14:08	0.043
14:09	0.031
14:10	0.019
14:11	0.024
14:12	0.043
14:13	0.032
14:14	0.046
14:15	0.386
14:16	0.028
14:17	0.044
14:18	0.034
14:19	0.023
14:20	0.016
14:21	0.021
14:22	0.036
14:23	0.024
14:24	0.023
14:25	0.035
14:26	0.083
14:27	0.026
14:28	0.031

14:29	0.038
14:30	0.048
14:31	0.022
14:32	0.02
14:33	0.033
14:34	0.068
14:35	0.025
14:36	0.038
14:37	0.018
14:38	0.042
14:39	0.092
14:40	0.034
14:41	0.061
14:42	0.025
14:43	0.054
14:44	0.051
14:45	0.025
14:46	0.171
14:47	0.113
14:48	0.039
14:49	0.045
14:50	0.024
14:51	34.6
14:52	0.812
14:53	0.107
14:54	0.103
14:55	0.084
14:56	0.108
14:57	0.067
14:58	0.079
14:59	0.073
15:00	0.141
15:01	0.095
15:02	0.113
15:03	0.055
15:04	0.263
15:05	0.257
15:06	0.129
15:07	2.57
15:08	0.271
15:09	0.105
15:10	0.199
15:11	0.144
15:12	0.112
15:13	0.089
15:14	0.298
15:15	0.025

15:16	0.123
15:17	0.062
15:18	0.18
15:19	5.18
15:20	0.234
15:21	0.035
15:22	0.051
15:23	0.03
15:24	0.022
15:25	0.066
15:26	0.086
15:27	0.223
15:28	0.026
15:29	0.022
15:30	0.027
15:31	0.051
15:32	0.06
15:33	0.029
15:34	0.032
15:35	0.044
15:36	0.028
15:37	0.02
15:38	0.025
15:39	0.074
15:40	0.034
15:41	0.032
15:42	0.036
15:43	0.029
15:44	0.032
15:45	0.019
15:46	0.023
15:47	0.019
15:48	0.033
15:49	0.016
15:50	0.02
15:51	0.03
15:52	0.039
15:53	0.033
15:54	0.022
15:55	0.08
15:56	0.113
15:57	0.02
15:58	0.016
15:59	0.024
16:00	0.051
16:01	0.028
16:02	0.061

16:03	0.05
16:04	0.017
16:05	0.016
16:06	0.014
16:07	0.018
16:08	0.016
16:09	0.013
16:10	0.017
16:11	0.016
16:12	0.036
16:13	0.032
16:14	0.016
16:15	0.014
16:16	0.016
16:17	0.017
16:18	0.022
16:19	0.032
16:20	0.018
16:21	0.019
16:22	0.018
16:23	0.015
16:24	0.02
16:25	0.021
16:26	0.015
16:27	0.018
16:28	0.055
16:29	0.03
16:30	0.015
16:31	0.016
16:32	0.014
16:33	0.013
16:34	0.013
16:35	0.015
16:36	0.016
16:37	0.012
16:38	0.012
16:39	0.015
16:40	0.013
16:41	0.013
16:42	0.014
16:43	0.015
16:44	0.013
16:45	0.017
16:46	0.012
16:47	0.015
16:48	0.015
16:49	0.017

16:50	0.013
16:51	0.015
16:52	0.02
16:53	0.013
16:54	0.011
16:55	0.018
16:56	0.015
16:57	0.017
16:58	0.019
16:59	0.023
17:00	0.035
17:01	0.102
17:02	0.021
17:03	0.019
17:04	0.015
17:05	0.014
17:06	0.015
17:07	0.018
17:08	0.059
17:09	0.08
17:10	0.04
17:11	0.026
17:12	0.019
17:13	0.032
17:14	0.179
17:15	0.033
17:16	0.017
17:17	0.024
17:18	0.055
17:19	0.069
17:20	0.044
17:21	0.021
17:22	0.057
17:23	0.068
17:24	0.018
17:25	0.018
17:26	0.015
17:27	0.013

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_004
Test Start Time	6:56:08 AM
Test Start Date	11/11/2024
Test Length [D:H:M]	0:10:33
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.024
Mass Minimum [mg/m3]	0.009
Mass Maximum [mg/m3]	0.172
Mass TWA [mg/m3]	0.025
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	633

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:56	0.172		
6:57	0.014		
6:58	0.016		
6:59	0.016		
7:00	0.016		
7:01	0.016		
7:02	0.014		
7:03	0.015		
7:04	0.016		
7:05	0.016		
7:06	0.019		
7:07	0.02		
7:08	0.013		
7:09	0.017		
7:10	0.014		
7:11	0.02		
7:12	0.028		
7:13	0.019		
7:14	0.013		
7:15	0.02		
7:16	0.016		
7:17	0.014		
7:18	0.014		
7:19	0.014		
7:20	0.044		
7:21	0.073		
7:22	0.122		

7:23	0.091
7:24	0.047
7:25	0.037
7:26	0.03
7:27	0.02
7:28	0.029
7:29	0.02
7:30	0.024
7:31	0.022
7:32	0.032
7:33	0.024
7:34	0.029
7:35	0.024
7:36	0.023
7:37	0.02
7:38	0.017
7:39	0.017
7:40	0.014
7:41	0.026
7:42	0.044
7:43	0.027
7:44	0.02
7:45	0.021
7:46	0.019
7:47	0.017
7:48	0.022
7:49	0.057
7:50	0.075
7:51	0.014
7:52	0.016
7:53	0.025
7:54	0.018
7:55	0.015
7:56	0.014
7:57	0.018
7:58	0.017
7:59	0.014
8:00	0.016
8:01	0.031
8:02	0.036
8:03	0.021
8:04	0.015
8:05	0.019
8:06	0.022
8:07	0.018
8:08	0.019
8:09	0.016

8:10	0.015
8:11	0.015
8:12	0.027
8:13	0.03
8:14	0.022
8:15	0.019
8:16	0.04
8:17	0.034
8:18	0.04
8:19	0.029
8:20	0.029
8:21	0.023
8:22	0.023
8:23	0.023
8:24	0.017
8:25	0.023
8:26	0.04
8:27	0.029
8:28	0.031
8:29	0.029
8:30	0.038
8:31	0.035
8:32	0.03
8:33	0.026
8:34	0.023
8:35	0.033
8:36	0.032
8:37	0.034
8:38	0.041
8:39	0.059
8:40	0.04
8:41	0.03
8:42	0.034
8:43	0.033
8:44	0.029
8:45	0.028
8:46	0.018
8:47	0.044
8:48	0.027
8:49	0.023
8:50	0.033
8:51	0.024
8:52	0.025
8:53	0.026
8:54	0.021
8:55	0.023
8:56	0.024

8:57	0.02
8:58	0.017
8:59	0.018
9:00	0.016
9:01	0.02
9:02	0.015
9:03	0.018
9:04	0.017
9:05	0.016
9:06	0.022
9:07	0.015
9:08	0.019
9:09	0.02
9:10	0.021
9:11	0.026
9:12	0.022
9:13	0.018
9:14	0.02
9:15	0.026
9:16	0.025
9:17	0.023
9:18	0.022
9:19	0.023
9:20	0.03
9:21	0.022
9:22	0.024
9:23	0.025
9:24	0.023
9:25	0.026
9:26	0.021
9:27	0.019
9:28	0.018
9:29	0.025
9:30	0.022
9:31	0.024
9:32	0.017
9:33	0.019
9:34	0.024
9:35	0.027
9:36	0.02
9:37	0.032
9:38	0.028
9:39	0.026
9:40	0.022
9:41	0.021
9:42	0.017
9:43	0.021

9:44	0.021
9:45	0.029
9:46	0.022
9:47	0.022
9:48	0.02
9:49	0.017
9:50	0.018
9:51	0.023
9:52	0.02
9:53	0.024
9:54	0.022
9:55	0.03
9:56	0.029
9:57	0.021
9:58	0.019
9:59	0.02
10:00	0.024
10:01	0.038
10:02	0.03
10:03	0.019
10:04	0.019
10:05	0.019
10:06	0.028
10:07	0.021
10:08	0.017
10:09	0.018
10:10	0.018
10:11	0.021
10:12	0.02
10:13	0.023
10:14	0.02
10:15	0.032
10:16	0.025
10:17	0.023
10:18	0.02
10:19	0.02
10:20	0.02
10:21	0.018
10:22	0.019
10:23	0.053
10:24	0.031
10:25	0.025
10:26	0.021
10:27	0.022
10:28	0.022
10:29	0.027
10:30	0.028

10:31	0.022
10:32	0.02
10:33	0.021
10:34	0.026
10:35	0.021
10:36	0.038
10:37	0.025
10:38	0.021
10:39	0.02
10:40	0.036
10:41	0.023
10:42	0.026
10:43	0.027
10:44	0.019
10:45	0.025
10:46	0.03
10:47	0.024
10:48	0.037
10:49	0.021
10:50	0.02
10:51	0.018
10:52	0.021
10:53	0.021
10:54	0.019
10:55	0.023
10:56	0.026
10:57	0.027
10:58	0.025
10:59	0.039
11:00	0.027
11:01	0.024
11:02	0.028
11:03	0.019
11:04	0.033
11:05	0.029
11:06	0.025
11:07	0.035
11:08	0.025
11:09	0.022
11:10	0.02
11:11	0.024
11:12	0.029
11:13	0.023
11:14	0.024
11:15	0.022
11:16	0.025
11:17	0.025

11:18	0.023
11:19	0.023
11:20	0.023
11:21	0.034
11:22	0.027
11:23	0.02
11:24	0.029
11:25	0.029
11:26	0.021
11:27	0.023
11:28	0.021
11:29	0.021
11:30	0.021
11:31	0.028
11:32	0.026
11:33	0.023
11:34	0.037
11:35	0.032
11:36	0.023
11:37	0.023
11:38	0.018
11:39	0.017
11:40	0.019
11:41	0.018
11:42	0.021
11:43	0.018
11:44	0.025
11:45	0.02
11:46	0.023
11:47	0.018
11:48	0.017
11:49	0.016
11:50	0.018
11:51	0.02
11:52	0.02
11:53	0.025
11:54	0.016
11:55	0.016
11:56	0.016
11:57	0.019
11:58	0.015
11:59	0.017
12:00	0.017
12:01	0.015
12:02	0.015
12:03	0.018
12:04	0.02

12:05	0.02
12:06	0.017
12:07	0.017
12:08	0.017
12:09	0.016
12:10	0.034
12:11	0.032
12:12	0.016
12:13	0.024
12:14	0.017
12:15	0.015
12:16	0.015
12:17	0.016
12:18	0.017
12:19	0.018
12:20	0.015
12:21	0.014
12:22	0.033
12:23	0.014
12:24	0.017
12:25	0.017
12:26	0.014
12:27	0.015
12:28	0.014
12:29	0.013
12:30	0.014
12:31	0.013
12:32	0.013
12:33	0.016
12:34	0.017
12:35	0.016
12:36	0.02
12:37	0.017
12:38	0.022
12:39	0.019
12:40	0.02
12:41	0.015
12:42	0.017
12:43	0.016
12:44	0.017
12:45	0.018
12:46	0.019
12:47	0.025
12:48	0.019
12:49	0.019
12:50	0.017
12:51	0.025

12:52	0.02
12:53	0.017
12:54	0.029
12:55	0.029
12:56	0.02
12:57	0.021
12:58	0.018
12:59	0.018
13:00	0.015
13:01	0.019
13:02	0.02
13:03	0.019
13:04	0.02
13:05	0.019
13:06	0.024
13:07	0.022
13:08	0.025
13:09	0.021
13:10	0.023
13:11	0.019
13:12	0.022
13:13	0.027
13:14	0.02
13:15	0.023
13:16	0.024
13:17	0.023
13:18	0.032
13:19	0.032
13:20	0.019
13:21	0.015
13:22	0.018
13:23	0.019
13:24	0.02
13:25	0.017
13:26	0.022
13:27	0.036
13:28	0.11
13:29	0.102
13:30	0.033
13:31	0.137
13:32	0.042
13:33	0.096
13:34	0.019
13:35	0.017
13:36	0.02
13:37	0.025
13:38	0.015

13:39	0.016
13:40	0.021
13:41	0.022
13:42	0.018
13:43	0.022
13:44	0.114
13:45	0.042
13:46	0.03
13:47	0.019
13:48	0.017
13:49	0.02
13:50	0.013
13:51	0.015
13:52	0.016
13:53	0.018
13:54	0.026
13:55	0.021
13:56	0.015
13:57	0.017
13:58	0.022
13:59	0.015
14:00	0.014
14:01	0.018
14:02	0.021
14:03	0.037
14:04	0.013
14:05	0.016
14:06	0.014
14:07	0.018
14:08	0.023
14:09	0.019
14:10	0.015
14:11	0.016
14:12	0.018
14:13	0.035
14:14	0.031
14:15	0.017
14:16	0.014
14:17	0.017
14:18	0.017
14:19	0.015
14:20	0.017
14:21	0.031
14:22	0.037
14:23	0.019
14:24	0.022
14:25	0.016

14:26	0.016
14:27	0.015
14:28	0.019
14:29	0.015
14:30	0.016
14:31	0.016
14:32	0.022
14:33	0.059
14:34	0.017
14:35	0.02
14:36	0.015
14:37	0.024
14:38	0.031
14:39	0.022
14:40	0.031
14:41	0.029
14:42	0.036
14:43	0.032
14:44	0.025
14:45	0.021
14:46	0.041
14:47	0.024
14:48	0.027
14:49	0.016
14:50	0.022
14:51	0.15
14:52	0.075
14:53	0.031
14:54	0.024
14:55	0.032
14:56	0.022
14:57	0.028
14:58	0.035
14:59	0.034
15:00	0.036
15:01	0.034
15:02	0.036
15:03	0.021
15:04	0.036
15:05	0.024
15:06	0.016
15:07	0.018
15:08	0.028
15:09	0.019
15:10	0.016
15:11	0.043
15:12	0.023

15:13	0.018
15:14	0.021
15:15	0.016
15:16	0.014
15:17	0.02
15:18	0.019
15:19	0.018
15:20	0.015
15:21	0.022
15:22	0.016
15:23	0.016
15:24	0.017
15:25	0.018
15:26	0.026
15:27	0.019
15:28	0.017
15:29	0.118
15:30	0.019
15:31	0.034
15:32	0.021
15:33	0.021
15:34	0.027
15:35	0.016
15:36	0.015
15:37	0.017
15:38	0.015
15:39	0.019
15:40	0.016
15:41	0.015
15:42	0.015
15:43	0.015
15:44	0.014
15:45	0.014
15:46	0.019
15:47	0.03
15:48	0.013
15:49	0.013
15:50	0.012
15:51	0.012
15:52	0.013
15:53	0.014
15:54	0.013
15:55	0.015
15:56	0.012
15:57	0.013
15:58	0.023
15:59	0.031

16:00	0.016
16:01	0.013
16:02	0.013
16:03	0.013
16:04	0.012
16:05	0.013
16:06	0.014
16:07	0.015
16:08	0.014
16:09	0.017
16:10	0.017
16:11	0.033
16:12	0.014
16:13	0.014
16:14	0.012
16:15	0.017
16:16	0.039
16:17	0.107
16:18	0.07
16:19	0.069
16:20	0.055
16:21	0.022
16:22	0.033
16:23	0.096
16:24	0.055
16:25	0.024
16:26	0.021
16:27	0.07
16:28	0.055
16:29	0.019
16:30	0.019
16:31	0.013
16:32	0.011
16:33	0.01
16:34	0.014
16:35	0.016
16:36	0.009
16:37	0.009
16:38	0.01
16:39	0.01
16:40	0.012
16:41	0.014
16:42	0.023
16:43	0.013
16:44	0.011
16:45	0.009
16:46	0.011

16:47	0.013
16:48	0.013
16:49	0.014
16:50	0.024
16:51	0.015
16:52	0.011
16:53	0.012
16:54	0.011
16:55	0.01
16:56	0.01
16:57	0.011
16:58	0.011
16:59	0.013
17:00	0.012
17:01	0.012
17:02	0.023
17:03	0.014
17:04	0.011
17:05	0.011
17:06	0.01
17:07	0.01
17:08	0.011
17:09	0.015
17:10	0.02
17:11	0.023
17:12	0.014
17:13	0.009
17:14	0.011
17:15	0.012
17:16	0.014
17:17	0.011
17:18	0.018
17:19	0.028
17:20	0.014
17:21	0.02
17:22	0.01
17:23	0.012
17:24	0.01
17:25	0.011
17:26	0.011
17:27	0.01
17:28	0.01

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

SCM Report

Project name	Douglass Street BCG ISS	Element name	440a
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	47.736 ft.	Start time	12:41 PM
Volume/m 1	38.493 ft³	End Date	11/11/2024
		End time	01:50 PM
		Production duration	01:09:43
		Final depth time	01:39 PM
		Total suspension quantity	561.751 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	440b
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		



Details		Start time	01:51 PM
Max. depth	38.812 ft.	End Date	11/11/2024
Volume/m 1	22.601 ft³	End time	02:24 PM
		Production duration	00:33:20
		Final depth time	02:10 PM
		Total suspension quantity	267.933 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	436a
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	39.075 ft.	Start time	08:21 AM
Volume/m 1	38.14 ft³	End Date	11/11/2024
		End time	09:17 AM
		Production duration	00:55:53
		Final depth time	09:06 AM
		Total suspension quantity	452.275 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	436b
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	39.042 ft.	Start time	09:17 AM
Volume/m 1	20.836 ft³	End Date	11/11/2024
		End time	09:47 AM
		Production duration	00:30:16
		Final depth time	09:37 AM
		Total suspension quantity	246.461 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	442a
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		



Details		Start time	02:31 PM
Max. depth	38.812 ft.	End Date	11/11/2024
Volume/m 1	40.612 ft³	End time	03:27 PM
		Production duration	00:56:35
		Final depth time	03:17 PM
		Total suspension quantity	482.046 ft³



SCM Report



Project name	Douglass Street BCG ISS	Element name	442b
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.845 ft.	Start time	03:27 PM
Volume/m 1	29.664 ft³	End Date	11/11/2024
		End time	04:03 PM
		Production duration	00:35:39
		Final depth time	03:49 PM
		Total suspension quantity	349.192 ft³



Project name	Douglass Street BCG ISS	Element name	438a
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	39.173 ft.	Start time	10:19 AM
Volume/m 1	42.024 ft³	End Date	11/11/2024
		End time	11:21 AM
		Production duration	01:01:48
		Final depth time	11:11 AM
		Total suspension quantity	502.281 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	438b
		Project number	
		Start date	11/11/2024
Drilling rig	BG36H_5717		

Details		Start time	11:21 AM
Max. depth	39.337 ft.	End Date	11/11/2024
Volume/m 1	22.248 ft³	End time	11:54 AM
		Production duration	00:32:50
		Final depth time	11:42 AM
		Total suspension quantity	266.838 ft³

