

**DAILY STATUS REPORT**

Prepared By:
Thomas Jensen

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70	X	70-85		>85		N – 10 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 11/13/24
Project:	251 Douglass Street, Brooklyn, NY			

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:40

Time Out: 18:00

Personnel On Site:

IEEG (Environmental) – Thomas Jensen

Broadway Construction Group – Shannon Dowling/Tom Caporale

Cascade – John Elmers

WSP – Charlie Lambert

Concrete Courses

Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to continue ISS Column installation; and Concrete Courses to continue with phase II superstructure work.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Concrete Courses continued with phase 2 super structure work;
- Concrete Courses continued excavating along Douglass Street for a Con Edison vault and installed shoring walls;
- Concrete Courses poured 210 yards of concrete for phase 2 super structure;
- Cascade received one (1) delivery of slag and one (1) delivery of Portland cement to the silos;
- Control point arrived on site to survey EP-26 through EP-28, EP-34 through EP-36, and tanks 3 and 4;
- Cascade drilled **Column 391** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 15 batches;
- Cascade drilled **Column 393** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 14 batches;
- Cascade drilled **Column 395** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 14 batches;
- Cascade drilled **Column 397** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 14 batches;
- ATMOS foam was applied by IEEG throughout the day to all swell material and stockpiles throughout the day.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.

- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.213_ mg/m³ @ 06:57
- High Conditions (Upwind) – PID = _3.0_ ppm @ 10:19, Dust = _0.673_ mg/m³ @ 10:44
- High Conditions (Downwind 1) – PID = _0.9_ ppm @ 09:07, Dust = _6.6_ mg/m³ @ 07:00
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _1.28_ mg/m³ @ 13:37

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Cascade to continue drilling ISS columns;
- Cascade to continue loadout of swell material;
- Concrete Courses to continue 1' cut throughout remaining ISS area;
- Concrete courses to continue work in con ed vault; and
- Concrete Courses to continue super structure and rebar activities.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of
drilling an ISS
column.



Photo 2-
Representative
photo of the
concrete pour.



Photo 3-
Representative
photo of the
concrete
washout
station.



Photo 4-
Representative
photo of clean
excavator
tracks before
excavator
bringing it on
the street.



Photo 5-

Representative photo of the swell stockpile covered with ATMOS foam at the end of the day.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY







IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com





CONCRETE CURB

CONCRETE SIDEWALK 60'-0"

X-CUT ON SIDEWALK

BLDG.
0.05'W
0.25'S

BLDG.
0.15'E

PROJECT



LEGEND

- PROPERTY LINE
- 55' EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- APPROVED TO 55'
- SIX FOOT DIA. HYDRAULIC COLUMN (TYP.)
- ISS COLUMN INSTALLED TO TERMINAL DEPTH
- ISS COLUMN UNABLE TO BE INSTALLED TO TERMINAL DEPTH
- ISS COLUMN / GRID APPROVED BY DEC
- WET MIX SAMPLE COLLECTED FROM ISS COLUMN
- COMPLETED CORING LOCATION

NOTES:

- THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

251 Douglass Street
Brooklyn, New York

PROJECT NO:	13928-01
DESIGNED BY:	AB
DRAWN BY:	AB
CHECKED BY:	DP
DATE:	10/4/2024
SCALE:	N.T.S.
REVISIONS	

IMPACT ENVIRONMENTAL ENGINEERING & GEOLOGY PLLC.

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599



Columns 391, 393,
395 and 397
Installed on
11/13/24

STREET
140'-0"

P.WALL
0.5'S

REMAINS OF OLD PARTY WALL

P.WALL
0.5'S

BLDG.
E-W ON LINE
0.1'S

PARALLEL WITH
DOUGLASS STREET
25'-0"

BLDG.
0.6'E
4.65'N

BLDG.
0.1'W

1 STORY

100'-0"
PARALLEL WITH NEVINS
STREET

#251

2 STORY
BRICK

BLDG.
0.05'W

N:-2'-0"
E:87'-0"

X-CUT ON
SIDEWALK

N:-2'-0"
E:178'-0"

X-CUT ON
SIDEWALK

MARK ON
FENCE

CONCRETE SIDEWALK 225'-0"

CONCRETE CURB

DOUGLASS 60' WIDE STREET

50' WIDE

NEVINS STREET

CONCRETE CURB

CONCRETE SIDEWALK

100'-0"
X-CUT ON
SIDEWALK



IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_006
Test Start Time	6:57:07 AM
Test Start Date	11/13/2024
Test Length [D:H:M]	0:10:53
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.025
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.673
Mass TWA [mg/m3]	0.026
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	653

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:57	0.213		
6:58	0.011		
6:59	0.008		
7:00	0.03		
7:01	0.019		
7:02	0.008		
7:03	0.01		
7:04	0.073		
7:05	0.032		
7:06	0.031		
7:07	0.021		
7:08	0.02		
7:09	0.015		
7:10	0.015		
7:11	0.032		
7:12	0.021		
7:13	0.018		
7:14	0.043		
7:15	0.207		
7:16	0.36		
7:17	0.15		
7:18	0.085		
7:19	0.03		
7:20	0.019		
7:21	0.01		
7:22	0.016		
7:23	0.02		

7:24	0.009
7:25	0.009
7:26	0.025
7:27	0.015
7:28	0.009
7:29	0.011
7:30	0.019
7:31	0.011
7:32	0.013
7:33	0.02
7:34	0.012
7:35	0.011
7:36	0.017
7:37	0.021
7:38	0.018
7:39	0.011
7:40	0.011
7:41	0.012
7:42	0.01
7:43	0.01
7:44	0.011
7:45	0.012
7:46	0.009
7:47	0.01
7:48	0.01
7:49	0.011
7:50	0.012
7:51	0.01
7:52	0.011
7:53	0.011
7:54	0.011
7:55	0.011
7:56	0.007
7:57	0.009
7:58	0.007
7:59	0.008
8:00	0.011
8:01	0.009
8:02	0.006
8:03	0.007
8:04	0.007
8:05	0.01
8:06	0.013
8:07	0.012
8:08	0.009
8:09	0.008
8:10	0.008

8:11	0.011
8:12	0.011
8:13	0.008
8:14	0.007
8:15	0.01
8:16	0.008
8:17	0.009
8:18	0.01
8:19	0.012
8:20	0.016
8:21	0.01
8:22	0.01
8:23	0.009
8:24	0.007
8:25	0.008
8:26	0.009
8:27	0.009
8:28	0.008
8:29	0.008
8:30	0.009
8:31	0.008
8:32	0.015
8:33	0.017
8:34	0.01
8:35	0.01
8:36	0.013
8:37	0.024
8:38	0.046
8:39	0.036
8:40	0.033
8:41	0.029
8:42	0.034
8:43	0.023
8:44	0.024
8:45	0.015
8:46	0.009
8:47	0.018
8:48	0.011
8:49	0.015
8:50	0.011
8:51	0.007
8:52	0.008
8:53	0.012
8:54	0.029
8:55	0.015
8:56	0.012
8:57	0.013

8:58	0.009
8:59	0.013
9:00	0.016
9:01	0.047
9:02	0.048
9:03	0.029
9:04	0.019
9:05	0.018
9:06	0.013
9:07	0.01
9:08	0.024
9:09	0.009
9:10	0.013
9:11	0.01
9:12	0.026
9:13	0.009
9:14	0.01
9:15	0.009
9:16	0.011
9:17	0.015
9:18	0.01
9:19	0.013
9:20	0.01
9:21	0.008
9:22	0.009
9:23	0.018
9:24	0.01
9:25	0.013
9:26	0.012
9:27	0.016
9:28	0.037
9:29	0.018
9:30	0.015
9:31	0.012
9:32	0.013
9:33	0.009
9:34	0.009
9:35	0.018
9:36	0.013
9:37	0.009
9:38	0.024
9:39	0.015
9:40	0.015
9:41	0.016
9:42	0.012
9:43	0.012
9:44	0.011

9:45	0.015
9:46	0.025
9:47	0.011
9:48	0.014
9:49	0.02
9:50	0.014
9:51	0.012
9:52	0.013
9:53	0.021
9:54	0.031
9:55	0.019
9:56	0.019
9:57	0.011
9:58	0.012
9:59	0.013
10:00	0.014
10:01	0.011
10:02	0.019
10:03	0.015
10:04	0.01
10:05	0.01
10:06	0.016
10:07	0.017
10:08	0.019
10:09	0.014
10:10	0.024
10:11	0.012
10:12	0.015
10:13	0.182
10:14	0.039
10:15	0.376
10:16	0.059
10:17	0.018
10:18	0.013
10:19	0.019
10:20	0.01
10:21	0.014
10:22	0.012
10:23	0.016
10:24	0.019
10:25	0.013
10:26	0.023
10:27	0.037
10:28	0.058
10:29	0.046
10:30	0.318
10:31	0.086

10:32	0.03
10:33	0.014
10:34	0.029
10:35	0.051
10:36	0.149
10:37	0.022
10:38	0.025
10:39	0.018
10:40	0.019
10:41	0.194
10:42	0.114
10:43	0.333
10:44	0.673
10:45	0.029
10:46	0.058
10:47	0.013
10:48	0.188
10:49	0.062
10:50	0.016
10:51	0.014
10:52	0.017
10:53	0.01
10:54	0.014
10:55	0.023
10:56	0.026
10:57	0.03
10:58	0.012
10:59	0.015
11:00	0.013
11:01	0.012
11:02	0.032
11:03	0.013
11:04	0.014
11:05	0.014
11:06	0.029
11:07	0.022
11:08	0.018
11:09	0.012
11:10	0.012
11:11	0.015
11:12	0.017
11:13	0.015
11:14	0.014
11:15	0.043
11:16	0.018
11:17	0.114
11:18	0.033

11:19	0.021
11:20	0.01
11:21	0.008
11:22	0.016
11:23	0.026
11:24	0.017
11:25	0.012
11:26	0.012
11:27	0.012
11:28	0.011
11:29	0.018
11:30	0.011
11:31	0.009
11:32	0.011
11:33	0.011
11:34	0.008
11:35	0.044
11:36	0.023
11:37	0.089
11:38	0.04
11:39	0.021
11:40	0.014
11:41	0.011
11:42	0.033
11:43	0.018
11:44	0.04
11:45	0.032
11:46	0.028
11:47	0.022
11:48	0.012
11:49	0.013
11:50	0.016
11:51	0.05
11:52	0.01
11:53	0.007
11:54	0.007
11:55	0.008
11:56	0.012
11:57	0.01
11:58	0.016
11:59	0.013
12:00	0.018
12:01	0.013
12:02	0.009
12:03	0.012
12:04	0.006
12:05	0.008

12:06	0.011
12:07	0.021
12:08	0.007
12:09	0.008
12:10	0.007
12:11	0.015
12:12	0.009
12:13	0.01
12:14	0.101
12:15	0.032
12:16	0.014
12:17	0.036
12:18	0.007
12:19	0.011
12:20	0.01
12:21	0.015
12:22	0.011
12:23	0.014
12:24	0.014
12:25	0.009
12:26	0.007
12:27	0.007
12:28	0.009
12:29	0.02
12:30	0.078
12:31	0.016
12:32	0.012
12:33	0.018
12:34	0.034
12:35	0.022
12:36	0.012
12:37	0.012
12:38	0.022
12:39	0.038
12:40	0.039
12:41	0.023
12:42	0.016
12:43	0.024
12:44	0.028
12:45	0.026
12:46	0.019
12:47	0.015
12:48	0.013
12:49	0.018
12:50	0.023
12:51	0.018
12:52	0.022

12:53	0.022
12:54	0.022
12:55	0.013
12:56	0.013
12:57	0.012
12:58	0.02
12:59	0.016
13:00	0.024
13:01	0.023
13:02	0.022
13:03	0.027
13:04	0.023
13:05	0.011
13:06	0.023
13:07	0.014
13:08	0.012
13:09	0.025
13:10	0.063
13:11	0.048
13:12	0.02
13:13	0.028
13:14	0.024
13:15	0.018
13:16	0.016
13:17	0.023
13:18	0.063
13:19	0.032
13:20	0.015
13:21	0.018
13:22	0.023
13:23	0.034
13:24	0.029
13:25	0.043
13:26	0.018
13:27	0.011
13:28	0.016
13:29	0.019
13:30	0.06
13:31	0.059
13:32	0.023
13:33	0.02
13:34	0.011
13:35	0.017
13:36	0.031
13:37	0.064
13:38	0.056
13:39	0.072

13:40	0.02
13:41	0.014
13:42	0.013
13:43	0.023
13:44	0.015
13:45	0.01
13:46	0.01
13:47	0.028
13:48	0.02
13:49	0.021
13:50	0.042
13:51	0.009
13:52	0.011
13:53	0.009
13:54	0.011
13:55	0.014
13:56	0.009
13:57	0.009
13:58	0.009
13:59	0.009
14:00	0.013
14:01	0.016
14:02	0.014
14:03	0.012
14:04	0.01
14:05	0.01
14:06	0.009
14:07	0.01
14:08	0.014
14:09	0.011
14:10	0.013
14:11	0.017
14:12	0.021
14:13	0.018
14:14	0.014
14:15	0.015
14:16	0.008
14:17	0.007
14:18	0.01
14:19	0.021
14:20	0.013
14:21	0.029
14:22	0.04
14:23	0.035
14:24	0.027
14:25	0.011
14:26	0.024

14:27	0.062
14:28	0.029
14:29	0.016
14:30	0.015
14:31	0.015
14:32	0.017
14:33	0.023
14:34	0.012
14:35	0.013
14:36	0.022
14:37	0.022
14:38	0.031
14:39	0.016
14:40	0.014
14:41	0.016
14:42	0.011
14:43	0.185
14:44	0.103
14:45	0.01
14:46	0.01
14:47	0.008
14:48	0.009
14:49	0.013
14:50	0.016
14:51	0.025
14:52	0.019
14:53	0.012
14:54	0.016
14:55	0.008
14:56	0.009
14:57	0.008
14:58	0.01
14:59	0.01
15:00	0.011
15:01	0.014
15:02	0.01
15:03	0.01
15:04	0.016
15:05	0.011
15:06	0.011
15:07	0.023
15:08	0.013
15:09	0.012
15:10	0.015
15:11	0.015
15:12	0.013
15:13	0.009

15:14	0.013
15:15	0.021
15:16	0.009
15:17	0.012
15:18	0.01
15:19	0.018
15:20	0.038
15:21	0.024
15:22	0.029
15:23	0.014
15:24	0.009
15:25	0.011
15:26	0.008
15:27	0.011
15:28	0.025
15:29	0.013
15:30	0.01
15:31	0.013
15:32	0.024
15:33	0.014
15:34	0.011
15:35	0.026
15:36	0.029
15:37	0.021
15:38	0.021
15:39	0.056
15:40	0.032
15:41	0.03
15:42	0.013
15:43	0.02
15:44	0.028
15:45	0.016
15:46	0.014
15:47	0.012
15:48	0.011
15:49	0.028
15:50	0.025
15:51	0.015
15:52	0.011
15:53	0.011
15:54	0.016
15:55	0.013
15:56	0.01
15:57	0.012
15:58	0.013
15:59	0.01
16:00	0.01

16:01	0.013
16:02	0.014
16:03	0.014
16:04	0.015
16:05	0.017
16:06	0.021
16:07	0.018
16:08	0.017
16:09	0.089
16:10	0.067
16:11	0.032
16:12	0.034
16:13	0.027
16:14	0.024
16:15	0.028
16:16	0.031
16:17	0.031
16:18	0.029
16:19	0.031
16:20	0.057
16:21	0.054
16:22	0.027
16:23	0.033
16:24	0.03
16:25	0.02
16:26	0.022
16:27	0.021
16:28	0.019
16:29	0.023
16:30	0.018
16:31	0.023
16:32	0.014
16:33	0.015
16:34	0.014
16:35	0.012
16:36	0.011
16:37	0.014
16:38	0.022
16:39	0.016
16:40	0.012
16:41	0.01
16:42	0.009
16:43	0.032
16:44	0.014
16:45	0.011
16:46	0.013
16:47	0.011

16:48	0.013
16:49	0.01
16:50	0.015
16:51	0.012
16:52	0.011
16:53	0.009
16:54	0.011
16:55	0.01
16:56	0.011
16:57	0.01
16:58	0.015
16:59	0.014
17:00	0.013
17:01	0.013
17:02	0.013
17:03	0.015
17:04	0.018
17:05	0.018
17:06	0.293
17:07	0.047
17:08	0.024
17:09	0.015
17:10	0.012
17:11	0.011
17:12	0.011
17:13	0.013
17:14	0.01
17:15	0.014
17:16	0.01
17:17	0.013
17:18	0.012
17:19	0.014
17:20	0.01
17:21	0.01
17:22	0.011
17:23	0.013
17:24	0.01
17:25	0.011
17:26	0.014
17:27	0.018
17:28	0.014
17:29	0.017
17:30	0.01
17:31	0.017
17:32	0.018
17:33	0.013
17:34	0.012

17:35	0.013
17:36	0.012
17:37	0.011
17:38	0.015
17:39	0.031
17:40	0.052
17:41	0.028
17:42	0.015
17:43	0.016
17:44	0.023
17:45	0.127
17:46	0.106
17:47	0.031
17:48	0.022
17:49	0.025

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-927198	11/13/2024 7:04 Readings	PID	SC23030235W3	Normal	0
592-927198	11/13/2024 7:03 Readings	PID	SC23030235W3	Normal	0
592-927198	11/13/2024 7:02 Readings	PID	SC23030235W3	Normal	0
592-927198	11/13/2024 7:01 Readings	PID	SC23030235W3	Normal	0
592-927198	11/13/2024 7:00 CONFIG	PID	SC23030235W3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_006
Test Start Time	7:00:11 AM
Test Start Date	11/13/2024
Test Length [D:H:M]	0:10:47
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.034
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	6.6
Mass TWA [mg/m3]	0.038
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	647

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:00	6.6		
7:01	0.143		
7:02	0.113		
7:03	0.066		
7:04	0.064		
7:05	0.018		
7:06	0.047		
7:07	0.021		
7:08	0.013		
7:09	0.01		
7:10	0.011		
7:11	0.008		
7:12	0.023		
7:13	0.01		
7:14	0.012		
7:15	0.021		
7:16	0.024		
7:17	0.038		
7:18	0.038		
7:19	0.023		
7:20	0.012		
7:21	0.006		
7:22	0.005		
7:23	0.02		
7:24	0.022		
7:25	0.016		
7:26	0.01		

7:27	0.017
7:28	0.032
7:29	0.019
7:30	0.029
7:31	0.016
7:32	0.009
7:33	0.215
7:34	0.016
7:35	0.018
7:36	0.052
7:37	0.02
7:38	0.018
7:39	0.013
7:40	0.011
7:41	0.009
7:42	0.028
7:43	0.032
7:44	0.041
7:45	0.028
7:46	0.013
7:47	0.011
7:48	0.009
7:49	0.013
7:50	0.014
7:51	0.015
7:52	0.02
7:53	0.01
7:54	0.01
7:55	0.011
7:56	0.013
7:57	0.021
7:58	0.01
7:59	0.049
8:00	0.013
8:01	0.012
8:02	0.026
8:03	0.009
8:04	0.021
8:05	0.024
8:06	0.024
8:07	0.023
8:08	0.013
8:09	0.007
8:10	0.008
8:11	0.02
8:12	0.011
8:13	0.01

8:14	0.007
8:15	0.01
8:16	0.007
8:17	0.006
8:18	0.01
8:19	0.006
8:20	0.007
8:21	0.009
8:22	0.005
8:23	0.006
8:24	0.006
8:25	0.005
8:26	0.014
8:27	0.006
8:28	0.007
8:29	0.008
8:30	0.012
8:31	0.011
8:32	0.008
8:33	0.007
8:34	0.006
8:35	0.009
8:36	0.011
8:37	0.012
8:38	0.012
8:39	0.009
8:40	0.009
8:41	0.009
8:42	0.008
8:43	0.011
8:44	0.012
8:45	0.01
8:46	0.005
8:47	0.006
8:48	0.004
8:49	0.005
8:50	0.005
8:51	0.006
8:52	0.004
8:53	0.006
8:54	0.026
8:55	0.028
8:56	0.01
8:57	0.011
8:58	0.006
8:59	0.008
9:00	0.006

9:01	0.005
9:02	0.009
9:03	0.015
9:04	0.005
9:05	0.006
9:06	0.006
9:07	0.006
9:08	0.006
9:09	0.005
9:10	0.005
9:11	0.008
9:12	0.009
9:13	0.007
9:14	0.005
9:15	0.006
9:16	0.009
9:17	0.006
9:18	0.006
9:19	0.005
9:20	0.022
9:21	0.006
9:22	0.007
9:23	0.01
9:24	0.007
9:25	0.008
9:26	0.008
9:27	0.018
9:28	0.023
9:29	0.024
9:30	0.009
9:31	0.01
9:32	0.007
9:33	0.009
9:34	0.009
9:35	0.013
9:36	0.008
9:37	0.007
9:38	0.009
9:39	0.011
9:40	0.015
9:41	0.026
9:42	0.012
9:43	0.02
9:44	0.009
9:45	0.008
9:46	0.008
9:47	0.01

9:48	0.012
9:49	0.011
9:50	0.009
9:51	0.01
9:52	0.01
9:53	0.02
9:54	0.008
9:55	0.007
9:56	0.007
9:57	0.012
9:58	0.01
9:59	0.01
10:00	0.009
10:01	0.012
10:02	0.008
10:03	0.008
10:04	0.01
10:05	0.014
10:06	0.013
10:07	0.009
10:08	0.007
10:09	0.006
10:10	0.009
10:11	0.01
10:12	0.008
10:13	0.006
10:14	0.007
10:15	0.006
10:16	0.008
10:17	0.011
10:18	0.014
10:19	0.012
10:20	0.021
10:21	0.013
10:22	0.008
10:23	0.016
10:24	0.011
10:25	0.01
10:26	0.009
10:27	0.01
10:28	0.011
10:29	0.01
10:30	0.01
10:31	0.02
10:32	0.007
10:33	0.017
10:34	0.01

10:35	0.01
10:36	0.008
10:37	0.012
10:38	0.01
10:39	0.011
10:40	0.027
10:41	0.024
10:42	0.018
10:43	0.016
10:44	0.018
10:45	0.023
10:46	0.015
10:47	0.011
10:48	0.008
10:49	0.018
10:50	0.009
10:51	0.011
10:52	0.011
10:53	0.009
10:54	0.008
10:55	0.01
10:56	0.015
10:57	0.015
10:58	0.009
10:59	0.009
11:00	0.012
11:01	0.008
11:02	0.009
11:03	0.007
11:04	0.008
11:05	0.008
11:06	0.008
11:07	0.007
11:08	0.011
11:09	0.013
11:10	0.016
11:11	0.016
11:12	0.014
11:13	0.011
11:14	0.011
11:15	0.012
11:16	0.011
11:17	0.01
11:18	0.01
11:19	0.01
11:20	0.009
11:21	0.01

11:22	0.011
11:23	0.009
11:24	0.011
11:25	0.011
11:26	0.022
11:27	0.013
11:28	0.013
11:29	0.012
11:30	0.011
11:31	0.014
11:32	0.023
11:33	0.014
11:34	0.01
11:35	0.015
11:36	0.017
11:37	0.018
11:38	0.015
11:39	0.015
11:40	0.013
11:41	0.018
11:42	0.014
11:43	0.017
11:44	0.013
11:45	0.012
11:46	0.013
11:47	0.013
11:48	0.01
11:49	0.011
11:50	0.011
11:51	0.031
11:52	0.009
11:53	0.009
11:54	0.008
11:55	0.008
11:56	0.008
11:57	0.01
11:58	0.013
11:59	0.011
12:00	0.01
12:01	0.011
12:02	0.01
12:03	0.008
12:04	0.008
12:05	0.009
12:06	0.011
12:07	0.01
12:08	0.009

12:09	0.009
12:10	0.009
12:11	0.012
12:12	0.009
12:13	0.012
12:14	0.01
12:15	0.009
12:16	0.008
12:17	0.008
12:18	0.011
12:19	0.016
12:20	0.025
12:21	0.01
12:22	0.009
12:23	0.01
12:24	0.01
12:25	0.009
12:26	0.009
12:27	0.01
12:28	0.014
12:29	0.028
12:30	0.025
12:31	0.012
12:32	0.011
12:33	0.02
12:34	0.018
12:35	0.038
12:36	0.023
12:37	0.016
12:38	0.019
12:39	0.032
12:40	0.012
12:41	0.021
12:42	0.05
12:43	0.07
12:44	0.046
12:45	0.028
12:46	0.029
12:47	0.055
12:48	0.07
12:49	0.056
12:50	0.029
12:51	0.023
12:52	0.015
12:53	0.024
12:54	0.025
12:55	0.016

12:56	0.013
12:57	0.011
12:58	0.043
12:59	0.037
13:00	0.047
13:01	0.091
13:02	0.072
13:03	0.025
13:04	0.025
13:05	0.044
13:06	0.076
13:07	0.093
13:08	0.081
13:09	0.031
13:10	0.03
13:11	0.02
13:12	0.068
13:13	0.061
13:14	0.053
13:15	0.031
13:16	0.042
13:17	0.026
13:18	0.02
13:19	0.018
13:20	0.014
13:21	0.048
13:22	0.066
13:23	0.029
13:24	0.046
13:25	0.076
13:26	0.094
13:27	0.016
13:28	0.274
13:29	0.873
13:30	0.647
13:31	0.319
13:32	0.519
13:33	0.149
13:34	0.04
13:35	0.027
13:36	0.038
13:37	0.096
13:38	0.102
13:39	0.328
13:40	0.048
13:41	0.033
13:42	0.036

13:43	0.026
13:44	0.029
13:45	0.018
13:46	0.02
13:47	0.024
13:48	0.03
13:49	0.017
13:50	0.016
13:51	0.009
13:52	0.009
13:53	0.01
13:54	0.013
13:55	0.013
13:56	0.016
13:57	0.015
13:58	0.01
13:59	0.012
14:00	0.011
14:01	0.011
14:02	0.018
14:03	0.014
14:04	0.013
14:05	0.011
14:06	0.012
14:07	0.011
14:08	0.012
14:09	0.016
14:10	0.028
14:11	0.031
14:12	0.067
14:13	0.023
14:14	0.016
14:15	0.02
14:16	0.014
14:17	0.012
14:18	0.011
14:19	0.037
14:20	0.03
14:21	0.048
14:22	0.013
14:23	0.013
14:24	0.011
14:25	0.01
14:26	0.014
14:27	0.016
14:28	0.014
14:29	0.029

14:30	0.01
14:31	0.011
14:32	0.008
14:33	0.009
14:34	0.01
14:35	0.016
14:36	0.021
14:37	0.026
14:38	0.044
14:39	0.024
14:40	0.016
14:41	0.017
14:42	0.013
14:43	0.012
14:44	0.008
14:45	0.012
14:46	0.01
14:47	0.011
14:48	0.012
14:49	0.019
14:50	0.017
14:51	0.023
14:52	0.022
14:53	0.017
14:54	0.011
14:55	0.008
14:56	0.009
14:57	0.011
14:58	0.013
14:59	0.01
15:00	0.012
15:01	0.009
15:02	0.01
15:03	0.016
15:04	0.03
15:05	0.012
15:06	0.011
15:07	0.027
15:08	0.011
15:09	0.014
15:10	0.016
15:11	0.018
15:12	0.009
15:13	0.008
15:14	0.009
15:15	0.009
15:16	0.01

15:17	0.022
15:18	0.012
15:19	0.011
15:20	0.01
15:21	0.012
15:22	0.015
15:23	0.009
15:24	0.007
15:25	0.01
15:26	0.008
15:27	0.013
15:28	0.017
15:29	0.007
15:30	0.009
15:31	0.009
15:32	0.02
15:33	0.026
15:34	0.018
15:35	0.011
15:36	0.016
15:37	0.011
15:38	0.013
15:39	0.011
15:40	0.056
15:41	0.033
15:42	0.021
15:43	0.013
15:44	0.009
15:45	0.049
15:46	0.016
15:47	0.013
15:48	0.013
15:49	0.018
15:50	0.037
15:51	0.009
15:52	0.011
15:53	0.016
15:54	0.016
15:55	0.039
15:56	0.038
15:57	0.043
15:58	0.091
15:59	0.066
16:00	0.034
16:01	0.024
16:02	0.022
16:03	0.013

16:04	0.017
16:05	0.02
16:06	0.021
16:07	0.021
16:08	0.026
16:09	0.032
16:10	0.028
16:11	0.045
16:12	0.042
16:13	0.033
16:14	0.032
16:15	0.031
16:16	0.033
16:17	0.033
16:18	0.032
16:19	0.038
16:20	0.031
16:21	0.074
16:22	0.128
16:23	0.04
16:24	0.043
16:25	0.033
16:26	0.037
16:27	0.07
16:28	0.064
16:29	0.077
16:30	0.097
16:31	0.058
16:32	0.018
16:33	0.017
16:34	0.015
16:35	0.012
16:36	0.011
16:37	0.011
16:38	0.01
16:39	0.021
16:40	0.012
16:41	0.008
16:42	0.008
16:43	0.011
16:44	0.01
16:45	0.01
16:46	0.047
16:47	0.032
16:48	0.016
16:49	0.01
16:50	0.011

16:51	0.015
16:52	0.01
16:53	0.009
16:54	0.014
16:55	0.011
16:56	0.012
16:57	0.019
16:58	0.022
16:59	0.013
17:00	0.019
17:01	0.016
17:02	0.012
17:03	0.013
17:04	0.014
17:05	0.011
17:06	0.013
17:07	0.016
17:08	0.019
17:09	0.014
17:10	0.014
17:11	0.013
17:12	0.015
17:13	0.015
17:14	0.013
17:15	0.017
17:16	0.013
17:17	0.013
17:18	0.012
17:19	0.012
17:20	0.015
17:21	0.012
17:22	0.013
17:23	0.012
17:24	0.016
17:25	0.013
17:26	0.01
17:27	0.017
17:28	0.012
17:29	0.012
17:30	0.01
17:31	0.014
17:32	0.01
17:33	0.014
17:34	0.012
17:35	0.012
17:36	0.016
17:37	0.015

17:38	0.016
17:39	0.028
17:40	0.019
17:41	0.017
17:42	0.018
17:43	0.016
17:44	0.019
17:45	0.02
17:46	0.081

[illegible]

[illegible]

592-906376	11/13/2024 7:02	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/13/2024 7:01	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/13/2024 7:00	Readings	PID	SC23030159V4	Normal	0
592-906376	11/13/2024 6:59	Readings	PID	SC23030159V4	Normal	0
592-906376	11/13/2024 6:58	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/13/2024 6:57	Readings	PID	SC23030159V4	Normal	0
592-906376	11/13/2024 6:56	CONFIG	PID	SC23030159V4		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_006
Test Start Time	7:02:41 AM
Test Start Date	11/13/2024
Test Length [D:H:M]	0:10:45
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.028
Mass Minimum [mg/m3]	0.003
Mass Maximum [mg/m3]	1.28
Mass TWA [mg/m3]	0.031
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	645

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02	1.16		
7:03	0.008		
7:04	0.008		
7:05	0.006		
7:06	0.007		
7:07	0.005		
7:08	0.006		
7:09	0.006		
7:10	0.005		
7:11	0.005		
7:12	0.004		
7:13	0.004		
7:14	0.004		
7:15	0.006		
7:16	0.043		
7:17	0.053		
7:18	0.023		
7:19	0.01		
7:20	0.005		
7:21	0.004		
7:22	0.008		
7:23	0.008		
7:24	0.009		
7:25	0.011		
7:26	0.017		
7:27	0.009		
7:28	0.009		

7:29	0.014
7:30	0.012
7:31	0.014
7:32	0.019
7:33	0.01
7:34	0.013
7:35	0.027
7:36	0.013
7:37	0.011
7:38	0.012
7:39	0.011
7:40	0.007
7:41	0.012
7:42	0.014
7:43	0.011
7:44	0.007
7:45	0.009
7:46	0.008
7:47	0.017
7:48	0.014
7:49	0.05
7:50	0.033
7:51	0.17
7:52	0.027
7:53	0.022
7:54	0.166
7:55	0.037
7:56	0.016
7:57	0.025
7:58	0.027
7:59	0.012
8:00	0.034
8:01	0.032
8:02	0.008
8:03	0.016
8:04	0.021
8:05	0.014
8:06	0.033
8:07	0.009
8:08	0.007
8:09	0.012
8:10	0.007
8:11	0.007
8:12	0.006
8:13	0.006
8:14	0.007
8:15	0.008

8:16	0.005
8:17	0.008
8:18	0.015
8:19	0.006
8:20	0.012
8:21	0.004
8:22	0.005
8:23	0.009
8:24	0.01
8:25	0.005
8:26	0.007
8:27	0.005
8:28	0.008
8:29	0.009
8:30	0.009
8:31	0.006
8:32	0.009
8:33	0.004
8:34	0.006
8:35	0.007
8:36	0.01
8:37	0.009
8:38	0.007
8:39	0.008
8:40	0.007
8:41	0.005
8:42	0.006
8:43	0.006
8:44	0.004
8:45	0.004
8:46	0.003
8:47	0.004
8:48	0.004
8:49	0.004
8:50	0.004
8:51	0.004
8:52	0.006
8:53	0.012
8:54	0.017
8:55	0.004
8:56	0.005
8:57	0.004
8:58	0.005
8:59	0.005
9:00	0.005
9:01	0.004
9:02	0.013

9:03	0.004
9:04	0.004
9:05	0.004
9:06	0.005
9:07	0.005
9:08	0.004
9:09	0.004
9:10	0.006
9:11	0.013
9:12	0.01
9:13	0.005
9:14	0.005
9:15	0.006
9:16	0.008
9:17	0.005
9:18	0.004
9:19	0.005
9:20	0.005
9:21	0.005
9:22	0.005
9:23	0.004
9:24	0.006
9:25	0.005
9:26	0.007
9:27	0.012
9:28	0.027
9:29	0.01
9:30	0.005
9:31	0.007
9:32	0.009
9:33	0.019
9:34	0.011
9:35	0.008
9:36	0.006
9:37	0.007
9:38	0.012
9:39	0.012
9:40	0.016
9:41	0.009
9:42	0.014
9:43	0.01
9:44	0.007
9:45	0.01
9:46	0.008
9:47	0.009
9:48	0.009
9:49	0.009

9:50	0.007
9:51	0.008
9:52	0.006
9:53	0.008
9:54	0.009
9:55	0.007
9:56	0.006
9:57	0.009
9:58	0.008
9:59	0.008
10:00	0.011
10:01	0.018
10:02	0.011
10:03	0.008
10:04	0.009
10:05	0.009
10:06	0.013
10:07	0.007
10:08	0.008
10:09	0.007
10:10	0.009
10:11	0.005
10:12	0.005
10:13	0.014
10:14	0.006
10:15	0.005
10:16	0.008
10:17	0.013
10:18	0.017
10:19	0.039
10:20	0.006
10:21	0.012
10:22	0.008
10:23	0.076
10:24	0.257
10:25	0.072
10:26	0.024
10:27	0.009
10:28	0.009
10:29	0.007
10:30	0.032
10:31	0.006
10:32	0.01
10:33	0.012
10:34	0.009
10:35	0.008
10:36	0.012

10:37	0.009
10:38	0.007
10:39	0.023
10:40	0.039
10:41	0.019
10:42	0.013
10:43	0.013
10:44	0.02
10:45	0.018
10:46	0.008
10:47	0.007
10:48	0.006
10:49	0.007
10:50	0.008
10:51	0.008
10:52	0.009
10:53	0.008
10:54	0.008
10:55	0.015
10:56	0.011
10:57	0.013
10:58	0.012
10:59	0.01
11:00	0.008
11:01	0.007
11:02	0.007
11:03	0.006
11:04	0.007
11:05	0.006
11:06	0.007
11:07	0.01
11:08	0.011
11:09	0.008
11:10	0.014
11:11	0.011
11:12	0.008
11:13	0.007
11:14	0.008
11:15	0.008
11:16	0.008
11:17	0.007
11:18	0.007
11:19	0.007
11:20	0.008
11:21	0.008
11:22	0.006
11:23	0.007

11:24	0.007
11:25	0.026
11:26	0.012
11:27	0.01
11:28	0.008
11:29	0.008
11:30	0.009
11:31	0.014
11:32	0.019
11:33	0.027
11:34	0.013
11:35	0.009
11:36	0.016
11:37	0.012
11:38	0.01
11:39	0.009
11:40	0.009
11:41	0.009
11:42	0.014
11:43	0.01
11:44	0.008
11:45	0.011
11:46	0.009
11:47	0.008
11:48	0.006
11:49	0.006
11:50	0.017
11:51	0.006
11:52	0.006
11:53	0.006
11:54	0.005
11:55	0.006
11:56	0.006
11:57	0.009
11:58	0.007
11:59	0.008
12:00	0.009
12:01	0.006
12:02	0.008
12:03	0.007
12:04	0.007
12:05	0.007
12:06	0.008
12:07	0.007
12:08	0.007
12:09	0.006
12:10	0.006

12:11	0.007
12:12	0.01
12:13	0.007
12:14	0.006
12:15	0.006
12:16	0.007
12:17	0.006
12:18	0.008
12:19	0.014
12:20	0.014
12:21	0.006
12:22	0.007
12:23	0.007
12:24	0.007
12:25	0.006
12:26	0.013
12:27	0.054
12:28	0.027
12:29	0.024
12:30	0.041
12:31	0.012
12:32	0.02
12:33	0.173
12:34	0.043
12:35	0.071
12:36	0.145
12:37	0.102
12:38	0.048
12:39	0.049
12:40	0.048
12:41	0.032
12:42	0.025
12:43	0.023
12:44	0.133
12:45	0.11
12:46	0.109
12:47	0.016
12:48	0.021
12:49	0.053
12:50	0.069
12:51	0.027
12:52	0.016
12:53	0.008
12:54	0.032
12:55	0.209
12:56	0.09
12:57	0.059

12:58	0.01
12:59	0.021
13:00	0.01
13:01	0.01
13:02	0.095
13:03	0.257
13:04	0.108
13:05	0.064
13:06	0.045
13:07	0.162
13:08	0.177
13:09	0.14
13:10	0.139
13:11	0.045
13:12	0.126
13:13	0.049
13:14	0.065
13:15	0.199
13:16	0.094
13:17	0.111
13:18	0.056
13:19	0.021
13:20	0.119
13:21	0.113
13:22	0.124
13:23	0.109
13:24	0.069
13:25	0.062
13:26	0.141
13:27	0.169
13:28	0.554
13:29	0.276
13:30	0.13
13:31	0.116
13:32	0.072
13:33	0.012
13:34	0.053
13:35	0.14
13:36	0.162
13:37	1.28
13:38	0.748
13:39	0.084
13:40	0.059
13:41	0.014
13:42	0.018
13:43	0.012
13:44	0.012

13:45	0.009
13:46	0.027
13:47	0.036
13:48	0.018
13:49	0.015
13:50	0.009
13:51	0.008
13:52	0.007
13:53	0.011
13:54	0.013
13:55	0.011
13:56	0.01
13:57	0.008
13:58	0.009
13:59	0.009
14:00	0.01
14:01	0.014
14:02	0.014
14:03	0.011
14:04	0.01
14:05	0.011
14:06	0.01
14:07	0.013
14:08	0.012
14:09	0.018
14:10	0.021
14:11	0.038
14:12	0.042
14:13	0.021
14:14	0.012
14:15	0.013
14:16	0.009
14:17	0.015
14:18	0.058
14:19	0.02
14:20	0.008
14:21	0.008
14:22	0.008
14:23	0.008
14:24	0.054
14:25	0.041
14:26	0.015
14:27	0.013
14:28	0.007
14:29	0.007
14:30	0.013
14:31	0.007

14:32	0.006
14:33	0.007
14:34	0.008
14:35	0.019
14:36	0.038
14:37	0.072
14:38	0.026
14:39	0.022
14:40	0.014
14:41	0.01
14:42	0.009
14:43	0.008
14:44	0.011
14:45	0.01
14:46	0.01
14:47	0.01
14:48	0.019
14:49	0.017
14:50	0.024
14:51	0.027
14:52	0.015
14:53	0.01
14:54	0.007
14:55	0.007
14:56	0.009
14:57	0.007
14:58	0.008
14:59	0.021
15:00	0.009
15:01	0.008
15:02	0.018
15:03	0.015
15:04	0.01
15:05	0.016
15:06	0.029
15:07	0.011
15:08	0.009
15:09	0.01
15:10	0.011
15:11	0.008
15:12	0.008
15:13	0.008
15:14	0.01
15:15	0.009
15:16	0.034
15:17	0.015
15:18	0.009

15:19	0.008
15:20	0.039
15:21	0.013
15:22	0.014
15:23	0.015
15:24	0.011
15:25	0.008
15:26	0.018
15:27	0.008
15:28	0.006
15:29	0.01
15:30	0.011
15:31	0.007
15:32	0.018
15:33	0.032
15:34	0.023
15:35	0.01
15:36	0.008
15:37	0.01
15:38	0.009
15:39	0.011
15:40	0.015
15:41	0.016
15:42	0.011
15:43	0.008
15:44	0.016
15:45	0.028
15:46	0.013
15:47	0.01
15:48	0.018
15:49	0.015
15:50	0.012
15:51	0.013
15:52	0.012
15:53	0.009
15:54	0.024
15:55	0.021
15:56	0.04
15:57	0.038
15:58	0.036
15:59	0.036
16:00	0.022
16:01	0.014
16:02	0.012
16:03	0.017
16:04	0.025
16:05	0.018

16:06	0.017
16:07	0.017
16:08	0.02
16:09	0.025
16:10	0.032
16:11	0.025
16:12	0.023
16:13	0.027
16:14	0.03
16:15	0.035
16:16	0.046
16:17	0.031
16:18	0.027
16:19	0.028
16:20	0.05
16:21	0.059
16:22	0.042
16:23	0.025
16:24	0.149
16:25	0.083
16:26	0.03
16:27	0.042
16:28	0.071
16:29	0.049
16:30	0.03
16:31	0.017
16:32	0.015
16:33	0.015
16:34	0.012
16:35	0.011
16:36	0.009
16:37	0.01
16:38	0.01
16:39	0.011
16:40	0.011
16:41	0.009
16:42	0.008
16:43	0.008
16:44	0.008
16:45	0.014
16:46	0.032
16:47	0.02
16:48	0.01
16:49	0.009
16:50	0.01
16:51	0.009
16:52	0.092

16:53	0.027
16:54	0.029
16:55	0.014
16:56	0.012
16:57	0.01
16:58	0.015
16:59	0.017
17:00	0.013
17:01	0.009
17:02	0.009
17:03	0.01
17:04	0.008
17:05	0.014
17:06	0.013
17:07	0.03
17:08	0.011
17:09	0.01
17:10	0.012
17:11	0.012
17:12	0.01
17:13	0.01
17:14	0.009
17:15	0.008
17:16	0.009
17:17	0.013
17:18	0.01
17:19	0.01
17:20	0.009
17:21	0.009
17:22	0.009
17:23	0.011
17:24	0.013
17:25	0.011
17:26	0.01
17:27	0.01
17:28	0.012
17:29	0.009
17:30	0.009
17:31	0.011
17:32	0.012
17:33	0.015
17:34	0.011
17:35	0.011
17:36	0.01
17:37	0.013
17:38	0.014
17:39	0.016

17:40	0.019
17:41	0.014
17:42	0.015
17:43	0.018
17:44	0.017
17:45	0.017
17:46	0.038

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

SCM Report





Project name	Douglass Street BCG ISS	Element name	397a
		Project number	
Start date		11/13/2024	
Drilling rig	BG36H_5717		
Details			
Max. depth	38.845 ft.	Start time	10:20 AM
Volume/m 1	28.958 ft³	End Date	11/13/2024
		End time	11:13 AM
		Production duration	00:53:15
		Final depth time	11:03 AM
		Total suspension quantity	344.212 ft³



SCM Report





Project name	Douglass Street BCG ISS	Element name	397b
		Project number	
		Start date	11/13/2024
Drilling rig	BG36H_5717		
Details			
Max. depth	38.812 ft.	Start time	11:13 AM
Volume/m 1	21.895 ft³	End Date	11/13/2024
		End time	11:47 AM
		Production duration	00:33:23
		Final depth time	11:33 AM
		Total suspension quantity	257.727 ft³



Project name	Douglass Street BCG ISS	Element name	395a
		Project number	
		Start date	11/13/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.78 ft.	Start time	11:52 AM
Volume/m 1	33.902 ft³	End Date	11/13/2024
		End time	12:43 PM
		Production duration	00:51:09
		Final depth time	12:33 PM
		Total suspension quantity	401.775 ft³



SCM Report





Project name	Douglass Street BCG ISS	Element name	395b
		Project number	
Start date		11/13/2024	
Drilling rig	BG36H_5717		
Details			
Max. depth	38.812 ft.	Start time	12:43 PM
Volume/m 1	23.661 ft³	End Date	11/13/2024
		End time	01:16 PM
		Production duration	00:33:32
		Final depth time	01:03 PM
		Total suspension quantity	278.386 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	393a
		Project number	
		Start date	11/13/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.714 ft.	Start time	01:32 PM
Volume/m 1	35.668 ft³	End Date	11/13/2024
		End time	02:24 PM
		Production duration	00:51:31
		Final depth time	02:14 PM
		Total suspension quantity	420.845 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	393b
		Project number	
		Start date	11/13/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.78 ft.	Start time	02:24 PM
Volume/m 1	22.248 ft³	End Date	11/13/2024
		End time	02:55 PM
		Production duration	00:31:22
		Final depth time	02:44 PM
		Total suspension quantity	263.942 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	391a
		Project number	
		Start date	11/13/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.714 ft.	Start time	03:38 PM
Volume/m 1	62.507 ft³	End Date	11/13/2024
		End time	05:07 PM
		Production duration	01:28:49
		Final depth time	04:57 PM
		Total suspension quantity	739.278 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	391b
		Project number	
		Start date	11/13/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.78 ft.	Start time	05:07 PM
Volume/m 1	22.601 ft³	End Date	11/13/2024
		End time	05:39 PM
		Production duration	00:32:05
		Final depth time	05:29 PM
		Total suspension quantity	265.425 ft³

