

**DAILY STATUS REPORT**

Prepared By:
Alex Keenan

WEATHER	Snow		Rain		Overcast		Partly Cloudy	X	Bright Sun	X	Wind
TEMP.	< 32		32-50	X	50-70	X	70-85		>85		NW – 8 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 11/16/24
Project:	251 Douglass Street, Brooklyn, NY			

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:15

Time Out: 12:30

Personnel On Site:

IEEG (Environmental) – Alex Keenan

Broadway Construction Group – Alex Vega/ Assistant Super: Rich Quan
Cascade – John Emers

Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to conduct augur and batch plant maintenance and consolidate swell material;

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- ATMOS foam was applied by IEEG throughout the day to all swell material and stockpiles throughout the day.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _1.0_ ppm @06:36, Dust = _0.069_ mg/m³ @ 06:29
- High Conditions (Upwind) – PID = _1.9_ ppm @ 06:37, Dust = _0.244_ mg/m³ @ 09:48
- High Conditions (Downwind 1) – PID = _5.1_ ppm @ 08:59, Dust = _0.478_ mg/m³ @ 06:34
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.232_ mg/m³ @ 06:40

Notable Site Conditions:

- An internal pump issue occurred for DW1 PID@~9:00am and was replaced with a spare PID for the remainder of the day.

Planned for the Next Day/Week:

- Cascade to continue drilling ISS columns;
- Cascade to continue loadout of swell material;
- Concrete Courses to continue 1' cut throughout remaining ISS area;
- Concrete Courses to continue work in con ed vault; and
- Concrete Courses to continue super structure and rebar activities.

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-

Representative
Photo of the
site at the
start of the
days activities.



Photo 2-

Representative
Photo of
ATMOS foam
application of
the swell
stockpile.



Photo 3-
Representative
Photo of
sprayed
stockpile.



Photo 4-
Representative
Photo of augur
maintenance.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_001
Test Start Time	6:29:48 AM
Test Start Date	11/16/2024
Test Length [D:H:M]	0:05:08
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.019
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.244
Mass TWA [mg/m3]	0.012
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	308

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:29:48 AM	0.069		
6:30:48 AM	0.023		
6:31:48 AM	0.011		
6:32:48 AM	0.013		
6:33:48 AM	0.012		
6:34:48 AM	0.017		
6:35:48 AM	0.011		
6:36:48 AM	0.009		
6:37:48 AM	0.014		
6:38:48 AM	0.018		
6:39:48 AM	0.013		
6:40:48 AM	0.01		
6:41:48 AM	0.013		
6:42:48 AM	0.012		
6:43:48 AM	0.011		
6:44:48 AM	0.021		
6:45:48 AM	0.006		
6:46:48 AM	0.011		
6:47:48 AM	0.009		
6:48:48 AM	0.01		
6:49:48 AM	0.012		
6:50:48 AM	0.01		
6:51:48 AM	0.012		
6:52:48 AM	0.013		
6:53:48 AM	0.02		
6:54:48 AM	0.014		
6:55:48 AM	0.011		

6:56:48 AM	0.011
6:57:48 AM	0.012
6:58:48 AM	0.011
6:59:48 AM	0.016
7:00:48 AM	0.012
7:01:48 AM	0.014
7:02:48 AM	0.011
7:03:48 AM	0.011
7:04:48 AM	0.013
7:05:48 AM	0.01
7:06:48 AM	0.007
7:07:48 AM	0.01
7:08:48 AM	0.018
7:09:48 AM	0.009
7:10:48 AM	0.012
7:11:48 AM	0.02
7:12:48 AM	0.028
7:13:48 AM	0.109
7:14:48 AM	0.007
7:15:48 AM	0.013
7:16:48 AM	0.013
7:17:48 AM	0.015
7:18:48 AM	0.016
7:19:48 AM	0.012
7:20:48 AM	0.013
7:21:48 AM	0.009
7:22:48 AM	0.016
7:23:48 AM	0.01
7:24:48 AM	0.007
7:25:48 AM	0.007
7:26:48 AM	0.009
7:27:48 AM	0.007
7:28:48 AM	0.007
7:29:48 AM	0.009
7:30:48 AM	0.011
7:31:48 AM	0.008
7:32:48 AM	0.012
7:33:48 AM	0.01
7:34:48 AM	0.01
7:35:48 AM	0.008
7:36:48 AM	0.009
7:37:48 AM	0.009
7:38:48 AM	0.008
7:39:48 AM	0.008
7:40:48 AM	0.01
7:41:48 AM	0.015
7:42:48 AM	0.007

7:43:48 AM	0.007
7:44:48 AM	0.011
7:45:48 AM	0.011
7:46:48 AM	0.008
7:47:48 AM	0.009
7:48:48 AM	0.007
7:49:48 AM	0.008
7:50:48 AM	0.01
7:51:48 AM	0.008
7:52:48 AM	0.011
7:53:48 AM	0.007
7:54:48 AM	0.009
7:55:48 AM	0.009
7:56:48 AM	0.006
7:57:48 AM	0.009
7:58:48 AM	0.009
7:59:48 AM	0.007
8:00:48 AM	0.013
8:01:48 AM	0.01
8:02:48 AM	0.013
8:03:48 AM	0.018
8:04:48 AM	0.019
8:05:48 AM	0.007
8:06:48 AM	0.01
8:07:48 AM	0.014
8:08:48 AM	0.016
8:09:48 AM	0.024
8:10:48 AM	0.042
8:11:48 AM	0.01
8:12:48 AM	0.027
8:13:48 AM	0.017
8:14:48 AM	0.014
8:15:48 AM	0.011
8:16:48 AM	0.019
8:17:48 AM	0.015
8:18:48 AM	0.016
8:19:48 AM	0.009
8:20:48 AM	0.031
8:21:48 AM	0.028
8:22:48 AM	0.018
8:23:48 AM	0.033
8:24:48 AM	0.013
8:25:48 AM	0.018
8:26:48 AM	0.016
8:27:48 AM	0.017
8:28:48 AM	0.013
8:29:48 AM	0.009

8:30:48 AM	0.03
8:31:48 AM	0.009
8:32:48 AM	0.007
8:33:48 AM	0.009
8:34:48 AM	0.009
8:35:48 AM	0.009
8:36:48 AM	0.01
8:37:48 AM	0.011
8:38:48 AM	0.04
8:39:48 AM	0.01
8:40:48 AM	0.012
8:41:48 AM	0.017
8:42:48 AM	0.015
8:43:48 AM	0.047
8:44:48 AM	0.02
8:45:48 AM	0.026
8:46:48 AM	0.016
8:47:48 AM	0.011
8:48:48 AM	0.01
8:49:48 AM	0.015
8:50:48 AM	0.011
8:51:48 AM	0.01
8:52:48 AM	0.007
8:53:48 AM	0.006
8:54:48 AM	0.007
8:55:48 AM	0.007
8:56:48 AM	0.01
8:57:48 AM	0.012
8:58:48 AM	0.007
8:59:48 AM	0.008
9:00:48 AM	0.007
9:01:48 AM	0.01
9:02:48 AM	0.014
9:03:48 AM	0.027
9:04:48 AM	0.022
9:05:48 AM	0.032
9:06:48 AM	0.039
9:07:48 AM	0.01
9:08:48 AM	0.01
9:09:48 AM	0.008
9:10:48 AM	0.02
9:11:48 AM	0.034
9:12:48 AM	0.012
9:13:48 AM	0.008
9:14:48 AM	0.008
9:15:48 AM	0.019
9:16:48 AM	0.016

9:17:48 AM	0.009
9:18:48 AM	0.027
9:19:48 AM	0.04
9:20:48 AM	0.014
9:21:48 AM	0.023
9:22:48 AM	0.021
9:23:48 AM	0.017
9:24:48 AM	0.019
9:25:48 AM	0.01
9:26:48 AM	0.013
9:27:48 AM	0.015
9:28:48 AM	0.012
9:29:48 AM	0.013
9:30:48 AM	0.013
9:31:48 AM	0.034
9:32:48 AM	0.019
9:33:48 AM	0.036
9:34:48 AM	0.017
9:35:48 AM	0.031
9:36:48 AM	0.018
9:37:48 AM	0.017
9:38:48 AM	0.01
9:39:48 AM	0.011
9:40:48 AM	0.011
9:41:48 AM	0.036
9:42:48 AM	0.01
9:43:48 AM	0.139
9:44:48 AM	0.244
9:45:48 AM	0.012
9:46:48 AM	0.012
9:47:48 AM	0.01
9:48:48 AM	0.007
9:49:48 AM	0.011
9:50:48 AM	0.01
9:51:48 AM	0.011
9:52:48 AM	0.012
9:53:48 AM	0.016
9:54:48 AM	0.009
9:55:48 AM	0.01
9:56:48 AM	0.013
9:57:48 AM	0.013
9:58:48 AM	0.008
9:59:48 AM	0.012
10:00:48 AM	0.015
10:01:48 AM	0.011
10:02:48 AM	0.011
10:03:48 AM	0.01

10:04:48 AM	0.011
10:05:48 AM	0.013
10:06:48 AM	0.011
10:07:48 AM	0.008
10:08:48 AM	0.012
10:09:48 AM	0.124
10:10:48 AM	0.079
10:11:48 AM	0.019
10:12:48 AM	0.01
10:13:48 AM	0.015
10:14:48 AM	0.027
10:15:48 AM	0.061
10:16:48 AM	0.059
10:17:48 AM	0.057
10:18:48 AM	0.025
10:19:48 AM	0.008
10:20:48 AM	0.028
10:21:48 AM	0.007
10:22:48 AM	0.007
10:23:48 AM	0.011
10:24:48 AM	0.01
10:25:48 AM	0.007
10:26:48 AM	0.018
10:27:48 AM	0.008
10:28:48 AM	0.016
10:29:48 AM	0.076
10:30:48 AM	0.028
10:31:48 AM	0.007
10:32:48 AM	0.103
10:33:48 AM	0.148
10:34:48 AM	0.17
10:35:48 AM	0.027
10:36:48 AM	0.023
10:37:48 AM	0.014
10:38:48 AM	0.021
10:39:48 AM	0.017
10:40:48 AM	0.019
10:41:48 AM	0.009
10:42:48 AM	0.023
10:43:48 AM	0.018
10:44:48 AM	0.009
10:45:48 AM	0.051
10:46:48 AM	0.048
10:47:48 AM	0.049
10:48:48 AM	0.014
10:49:48 AM	0.014
10:50:48 AM	0.011

10:51:48 AM	0.016
10:52:48 AM	0.01
10:53:48 AM	0.008
10:54:48 AM	0.006
10:55:48 AM	0.009
10:56:48 AM	0.01
10:57:48 AM	0.025
10:58:48 AM	0.018
10:59:48 AM	0.009
11:00:48 AM	0.009
11:01:48 AM	0.008
11:02:48 AM	0.03
11:03:48 AM	0.015
11:04:48 AM	0.018
11:05:48 AM	0.016
11:06:48 AM	0.006
11:07:48 AM	0.006
11:08:48 AM	0.032
11:09:48 AM	0.019
11:10:48 AM	0.027
11:11:48 AM	0.017
11:12:48 AM	0.01
11:13:48 AM	0.006
11:14:48 AM	0.031
11:15:48 AM	0.053
11:16:48 AM	0.017
11:17:48 AM	0.015
11:18:48 AM	0.01
11:19:48 AM	0.01
11:20:48 AM	0.013
11:21:48 AM	0.009
11:22:48 AM	0.028
11:23:48 AM	0.014
11:24:48 AM	0.017
11:25:48 AM	0.009
11:26:48 AM	0.014
11:27:48 AM	0.007
11:28:48 AM	0.014
11:29:48 AM	0.012
11:30:48 AM	0.015
11:31:48 AM	0.013
11:32:48 AM	0.011
11:33:48 AM	0.017
11:34:48 AM	0.015
11:35:48 AM	0.012
11:36:48 AM	0.017

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_001
Test Start Time	6:34:41 AM
Test Start Date	11/16/2024
Test Length [D:H:M]	0:05:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.034
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.478
Mass TWA [mg/m3]	0.021
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	300

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:34:41 AM	0.478		
6:35:41 AM	0.071		
6:36:41 AM	0.029		
6:37:41 AM	0.043		
6:38:41 AM	0.015		
6:39:41 AM	0.015		
6:40:41 AM	0.018		
6:41:41 AM	0.014		
6:42:41 AM	0.011		
6:43:41 AM	0.011		
6:44:41 AM	0.01		
6:45:41 AM	0.01		
6:46:41 AM	0.013		
6:47:41 AM	0.009		
6:48:41 AM	0.009		
6:49:41 AM	0.012		
6:50:41 AM	0.011		
6:51:41 AM	0.011		
6:52:41 AM	0.012		
6:53:41 AM	0.014		
6:54:41 AM	0.01		
6:55:41 AM	0.009		
6:56:41 AM	0.011		
6:57:41 AM	0.013		
6:58:41 AM	0.015		
6:59:41 AM	0.017		
7:00:41 AM	0.01		

7:01:41 AM	0.02
7:02:41 AM	0.024
7:03:41 AM	0.033
7:04:41 AM	0.015
7:05:41 AM	0.02
7:06:41 AM	0.025
7:07:41 AM	0.01
7:08:41 AM	0.012
7:09:41 AM	0.011
7:10:41 AM	0.017
7:11:41 AM	0.021
7:12:41 AM	0.026
7:13:41 AM	0.029
7:14:41 AM	0.031
7:15:41 AM	0.014
7:16:41 AM	0.015
7:17:41 AM	0.014
7:18:41 AM	0.019
7:19:41 AM	0.02
7:20:41 AM	0.013
7:21:41 AM	0.045
7:22:41 AM	0.019
7:23:41 AM	0.015
7:24:41 AM	0.011
7:25:41 AM	0.011
7:26:41 AM	0.012
7:27:41 AM	0.009
7:28:41 AM	0.012
7:29:41 AM	0.011
7:30:41 AM	0.05
7:31:41 AM	0.031
7:32:41 AM	0.015
7:33:41 AM	0.01
7:34:41 AM	0.009
7:35:41 AM	0.016
7:36:41 AM	0.01
7:37:41 AM	0.027
7:38:41 AM	0.045
7:39:41 AM	0.009
7:40:41 AM	0.008
7:41:41 AM	0.008
7:42:41 AM	0.011
7:43:41 AM	0.011
7:44:41 AM	0.01
7:45:41 AM	0.007
7:46:41 AM	0.008
7:47:41 AM	0.011

7:48:41 AM	0.008
7:49:41 AM	0.01
7:50:41 AM	0.021
7:51:41 AM	0.01
7:52:41 AM	0.01
7:53:41 AM	0.03
7:54:41 AM	0.024
7:55:41 AM	0.016
7:56:41 AM	0.014
7:57:41 AM	0.013
7:58:41 AM	0.009
7:59:41 AM	0.007
8:00:41 AM	0.013
8:01:41 AM	0.043
8:02:41 AM	0.027
8:03:41 AM	0.05
8:04:41 AM	0.175
8:05:41 AM	0.203
8:06:41 AM	0.282
8:07:41 AM	0.049
8:08:41 AM	0.114
8:09:41 AM	0.169
8:10:41 AM	0.077
8:11:41 AM	0.076
8:12:41 AM	0.017
8:13:41 AM	0.022
8:14:41 AM	0.045
8:15:41 AM	0.056
8:16:41 AM	0.132
8:17:41 AM	0.051
8:18:41 AM	0.058
8:19:41 AM	0.056
8:20:41 AM	0.071
8:21:41 AM	0.08
8:22:41 AM	0.012
8:23:41 AM	0.029
8:24:41 AM	0.046
8:25:41 AM	0.027
8:26:41 AM	0.117
8:27:41 AM	0.058
8:28:41 AM	0.028
8:29:41 AM	0.07
8:30:41 AM	0.013
8:31:41 AM	0.087
8:32:41 AM	0.078
8:33:41 AM	0.028
8:34:41 AM	0.012

8:35:41 AM	0.016
8:36:41 AM	0.042
8:37:41 AM	0.021
8:38:41 AM	0.011
8:39:41 AM	0.155
8:40:41 AM	0.123
8:41:41 AM	0.012
8:42:41 AM	0.009
8:43:41 AM	0.063
8:44:41 AM	0.044
8:45:41 AM	0.01
8:46:41 AM	0.017
8:47:41 AM	0.018
8:48:41 AM	0.008
8:49:41 AM	0.014
8:50:41 AM	0.012
8:51:41 AM	0.008
8:52:41 AM	0.012
8:53:41 AM	0.011
8:54:41 AM	0.013
8:55:41 AM	0.009
8:56:41 AM	0.011
8:57:41 AM	0.01
8:58:41 AM	0.016
8:59:41 AM	0.016
9:00:41 AM	0.011
9:01:41 AM	0.073
9:02:41 AM	0.055
9:03:41 AM	0.047
9:04:41 AM	0.086
9:05:41 AM	0.055
9:06:41 AM	0.015
9:07:41 AM	0.042
9:08:41 AM	0.036
9:09:41 AM	0.114
9:10:41 AM	0.013
9:11:41 AM	0.019
9:12:41 AM	0.018
9:13:41 AM	0.017
9:14:41 AM	0.057
9:15:41 AM	0.185
9:16:41 AM	0.023
9:17:41 AM	0.143
9:18:41 AM	0.011
9:19:41 AM	0.011
9:20:41 AM	0.024
9:21:41 AM	0.091

9:22:41 AM	0.01
9:23:41 AM	0.044
9:24:41 AM	0.025
9:25:41 AM	0.022
9:26:41 AM	0.018
9:27:41 AM	0.012
9:28:41 AM	0.038
9:29:41 AM	0.06
9:30:41 AM	0.056
9:31:41 AM	0.023
9:32:41 AM	0.093
9:33:41 AM	0.086
9:34:41 AM	0.044
9:35:41 AM	0.035
9:36:41 AM	0.034
9:37:41 AM	0.015
9:38:41 AM	0.016
9:39:41 AM	0.016
9:40:41 AM	0.009
9:41:41 AM	0.011
9:42:41 AM	0.009
9:43:41 AM	0.008
9:44:41 AM	0.018
9:45:41 AM	0.014
9:46:41 AM	0.016
9:47:41 AM	0.01
9:48:41 AM	0.009
9:49:41 AM	0.012
9:50:41 AM	0.012
9:51:41 AM	0.015
9:52:41 AM	0.027
9:53:41 AM	0.015
9:54:41 AM	0.01
9:55:41 AM	0.012
9:56:41 AM	0.015
9:57:41 AM	0.01
9:58:41 AM	0.012
9:59:41 AM	0.013
10:00:41 AM	0.009
10:01:41 AM	0.013
10:02:41 AM	0.017
10:03:41 AM	0.012
10:04:41 AM	0.011
10:05:41 AM	0.009
10:06:41 AM	0.013
10:07:41 AM	0.009
10:08:41 AM	0.017

10:09:41 AM	0.122
10:10:41 AM	0.106
10:11:41 AM	0.018
10:12:41 AM	0.01
10:13:41 AM	0.009
10:14:41 AM	0.009
10:15:41 AM	0.013
10:16:41 AM	0.012
10:17:41 AM	0.016
10:18:41 AM	0.013
10:19:41 AM	0.011
10:20:41 AM	0.104
10:21:41 AM	0.023
10:22:41 AM	0.015
10:23:41 AM	0.011
10:24:41 AM	0.012
10:25:41 AM	0.01
10:26:41 AM	0.013
10:27:41 AM	0.012
10:28:41 AM	0.016
10:29:41 AM	0.062
10:30:41 AM	0.023
10:31:41 AM	0.019
10:32:41 AM	0.026
10:33:41 AM	0.02
10:34:41 AM	0.017
10:35:41 AM	0.014
10:36:41 AM	0.016
10:37:41 AM	0.051
10:38:41 AM	0.062
10:39:41 AM	0.015
10:40:41 AM	0.02
10:41:41 AM	0.014
10:42:41 AM	0.022
10:43:41 AM	0.043
10:44:41 AM	0.028
10:45:41 AM	0.017
10:46:41 AM	0.053
10:47:41 AM	0.014
10:48:41 AM	0.019
10:49:41 AM	0.022
10:50:41 AM	0.056
10:51:41 AM	0.088
10:52:41 AM	0.021
10:53:41 AM	0.012
10:54:41 AM	0.028
10:55:41 AM	0.019

10:56:41 AM	0.02
10:57:41 AM	0.058
10:58:41 AM	0.017
10:59:41 AM	0.013
11:00:41 AM	0.013
11:01:41 AM	0.04
11:02:41 AM	0.058
11:03:41 AM	0.021
11:04:41 AM	0.028
11:05:41 AM	0.03
11:06:41 AM	0.04
11:07:41 AM	0.035
11:08:41 AM	0.106
11:09:41 AM	0.015
11:10:41 AM	0.039
11:11:41 AM	0.092
11:12:41 AM	0.119
11:13:41 AM	0.108
11:14:41 AM	0.055
11:15:41 AM	0.275
11:16:41 AM	0.18
11:17:41 AM	0.047
11:18:41 AM	0.016
11:19:41 AM	0.017
11:20:41 AM	0.026
11:21:41 AM	0.012
11:22:41 AM	0.014
11:23:41 AM	0.012
11:24:41 AM	0.009
11:25:41 AM	0.01
11:26:41 AM	0.01
11:27:41 AM	0.017
11:28:41 AM	0.014
11:29:41 AM	0.014
11:30:41 AM	0.015
11:31:41 AM	0.013
11:32:41 AM	0.01
11:33:41 AM	0.009

Device Serial No	Log Time	Log Type	Sensor 1 Type	Sensor 1 Serial Number	Sensor 1 Status	Sensor 1 Gas Reading
592-906376	11/16/2024 9:00	Readings	PID	SC23030159V4	Normal	0.8
592-906376	11/16/2024 8:59	Readings	PID	SC23030159V4	Normal	5.1
592-906376	11/16/2024 8:58	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:57	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:56	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:55	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:54	CONFIG	PID	SC23030159V4		
592-906376	11/16/2024 8:52	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:51	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:50	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:49	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:48	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:47	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:46	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:45	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:44	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:43	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:42	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:41	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:40	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:39	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:38	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:37	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:36	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:35	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:34	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:33	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:32	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:31	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:30	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:29	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:28	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:27	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:26	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:25	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:24	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:23	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:22	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:21	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:20	Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 8:19	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:18	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:17	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:16	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:15	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:14	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:13	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:12	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:11	Readings	PID	SC23030159V4	Normal	0.1
592-906376	11/16/2024 8:10	Readings	PID	SC23030159V4	Normal	0

[illegible]

592-906376	11/16/2024 6:50 Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 6:49 Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 6:48 Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 6:47 Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 6:46 Readings	PID	SC23030159V4	Normal	0
592-906376	11/16/2024 6:45 CONFIG	PID	SC23030159V4		

[illegible]

[illegible]

592-912800	11/16/2024 9:43 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:42 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:41 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:40 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:39 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:38 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:37 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:36 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:35 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:34 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:33 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:32 Readings	PID	SC23030117V3	Normal	0
592-912800	11/16/2024 9:31 CONFIG	PID	SC23030117V3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_001
Test Start Time	6:40:25 AM
Test Start Date	11/16/2024
Test Length [D:H:M]	0:04:59
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.013
Mass Minimum [mg/m3]	0.006
Mass Maximum [mg/m3]	0.232
Mass TWA [mg/m3]	0.008
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	299

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:40:25 AM	0.232		
6:41:25 AM	0.013		
6:42:25 AM	0.01		
6:43:25 AM	0.012		
6:44:25 AM	0.008		
6:45:25 AM	0.007		
6:46:25 AM	0.009		
6:47:25 AM	0.008		
6:48:25 AM	0.008		
6:49:25 AM	0.009		
6:50:25 AM	0.013		
6:51:25 AM	0.006		
6:52:25 AM	0.006		
6:53:25 AM	0.008		
6:54:25 AM	0.008		
6:55:25 AM	0.018		
6:56:25 AM	0.011		
6:57:25 AM	0.01		
6:58:25 AM	0.015		
6:59:25 AM	0.01		
7:00:25 AM	0.01		
7:01:25 AM	0.018		
7:02:25 AM	0.007		
7:03:25 AM	0.008		
7:04:25 AM	0.009		
7:05:25 AM	0.007		
7:06:25 AM	0.007		

7:07:25 AM	0.006
7:08:25 AM	0.007
7:09:25 AM	0.006
7:10:25 AM	0.006
7:11:25 AM	0.013
7:12:25 AM	0.008
7:13:25 AM	0.011
7:14:25 AM	0.006
7:15:25 AM	0.008
7:16:25 AM	0.011
7:17:25 AM	0.011
7:18:25 AM	0.018
7:19:25 AM	0.015
7:20:25 AM	0.009
7:21:25 AM	0.008
7:22:25 AM	0.012
7:23:25 AM	0.012
7:24:25 AM	0.009
7:25:25 AM	0.01
7:26:25 AM	0.008
7:27:25 AM	0.008
7:28:25 AM	0.008
7:29:25 AM	0.018
7:30:25 AM	0.008
7:31:25 AM	0.007
7:32:25 AM	0.008
7:33:25 AM	0.012
7:34:25 AM	0.008
7:35:25 AM	0.008
7:36:25 AM	0.008
7:37:25 AM	0.008
7:38:25 AM	0.008
7:39:25 AM	0.009
7:40:25 AM	0.01
7:41:25 AM	0.007
7:42:25 AM	0.013
7:43:25 AM	0.008
7:44:25 AM	0.008
7:45:25 AM	0.007
7:46:25 AM	0.009
7:47:25 AM	0.009
7:48:25 AM	0.007
7:49:25 AM	0.007
7:50:25 AM	0.007
7:51:25 AM	0.008
7:52:25 AM	0.009
7:53:25 AM	0.008

7:54:25 AM	0.011
7:55:25 AM	0.01
7:56:25 AM	0.01
7:57:25 AM	0.007
7:58:25 AM	0.007
7:59:25 AM	0.007
8:00:25 AM	0.008
8:01:25 AM	0.008
8:02:25 AM	0.01
8:03:25 AM	0.009
8:04:25 AM	0.009
8:05:25 AM	0.008
8:06:25 AM	0.008
8:07:25 AM	0.008
8:08:25 AM	0.006
8:09:25 AM	0.008
8:10:25 AM	0.009
8:11:25 AM	0.011
8:12:25 AM	0.008
8:13:25 AM	0.007
8:14:25 AM	0.01
8:15:25 AM	0.007
8:16:25 AM	0.01
8:17:25 AM	0.032
8:18:25 AM	0.011
8:19:25 AM	0.01
8:20:25 AM	0.009
8:21:25 AM	0.007
8:22:25 AM	0.013
8:23:25 AM	0.01
8:24:25 AM	0.02
8:25:25 AM	0.013
8:26:25 AM	0.013
8:27:25 AM	0.037
8:28:25 AM	0.009
8:29:25 AM	0.008
8:30:25 AM	0.007
8:31:25 AM	0.011
8:32:25 AM	0.01
8:33:25 AM	0.011
8:34:25 AM	0.011
8:35:25 AM	0.009
8:36:25 AM	0.01
8:37:25 AM	0.01
8:38:25 AM	0.008
8:39:25 AM	0.014
8:40:25 AM	0.015

8:41:25 AM	0.012
8:42:25 AM	0.009
8:43:25 AM	0.008
8:44:25 AM	0.008
8:45:25 AM	0.008
8:46:25 AM	0.014
8:47:25 AM	0.057
8:48:25 AM	0.014
8:49:25 AM	0.014
8:50:25 AM	0.01
8:51:25 AM	0.011
8:52:25 AM	0.009
8:53:25 AM	0.01
8:54:25 AM	0.01
8:55:25 AM	0.008
8:56:25 AM	0.014
8:57:25 AM	0.009
8:58:25 AM	0.022
8:59:25 AM	0.105
9:00:25 AM	0.012
9:01:25 AM	0.008
9:02:25 AM	0.009
9:03:25 AM	0.018
9:04:25 AM	0.025
9:05:25 AM	0.018
9:06:25 AM	0.027
9:07:25 AM	0.009
9:08:25 AM	0.008
9:09:25 AM	0.009
9:10:25 AM	0.009
9:11:25 AM	0.018
9:12:25 AM	0.032
9:13:25 AM	0.011
9:14:25 AM	0.011
9:15:25 AM	0.008
9:16:25 AM	0.008
9:17:25 AM	0.009
9:18:25 AM	0.008
9:19:25 AM	0.008
9:20:25 AM	0.01
9:21:25 AM	0.011
9:22:25 AM	0.009
9:23:25 AM	0.008
9:24:25 AM	0.009
9:25:25 AM	0.031
9:26:25 AM	0.045
9:27:25 AM	0.012

9:28:25 AM	0.009
9:29:25 AM	0.01
9:30:25 AM	0.011
9:31:25 AM	0.01
9:32:25 AM	0.012
9:33:25 AM	0.011
9:34:25 AM	0.008
9:35:25 AM	0.008
9:36:25 AM	0.008
9:37:25 AM	0.009
9:38:25 AM	0.011
9:39:25 AM	0.013
9:40:25 AM	0.012
9:41:25 AM	0.01
9:42:25 AM	0.007
9:43:25 AM	0.009
9:44:25 AM	0.015
9:45:25 AM	0.011
9:46:25 AM	0.013
9:47:25 AM	0.009
9:48:25 AM	0.008
9:49:25 AM	0.011
9:50:25 AM	0.009
9:51:25 AM	0.013
9:52:25 AM	0.015
9:53:25 AM	0.012
9:54:25 AM	0.008
9:55:25 AM	0.011
9:56:25 AM	0.01
9:57:25 AM	0.008
9:58:25 AM	0.009
9:59:25 AM	0.011
10:00:25 AM	0.007
10:01:25 AM	0.007
10:02:25 AM	0.008
10:03:25 AM	0.01
10:04:25 AM	0.007
10:05:25 AM	0.008
10:06:25 AM	0.012
10:07:25 AM	0.007
10:08:25 AM	0.012
10:09:25 AM	0.225
10:10:25 AM	0.09
10:11:25 AM	0.011
10:12:25 AM	0.011
10:13:25 AM	0.009
10:14:25 AM	0.008

10:15:25 AM	0.01
10:16:25 AM	0.013
10:17:25 AM	0.015
10:18:25 AM	0.008
10:19:25 AM	0.011
10:20:25 AM	0.027
10:21:25 AM	0.011
10:22:25 AM	0.009
10:23:25 AM	0.014
10:24:25 AM	0.01
10:25:25 AM	0.009
10:26:25 AM	0.012
10:27:25 AM	0.01
10:28:25 AM	0.019
10:29:25 AM	0.114
10:30:25 AM	0.014
10:31:25 AM	0.009
10:32:25 AM	0.031
10:33:25 AM	0.012
10:34:25 AM	0.012
10:35:25 AM	0.007
10:36:25 AM	0.009
10:37:25 AM	0.012
10:38:25 AM	0.009
10:39:25 AM	0.009
10:40:25 AM	0.008
10:41:25 AM	0.008
10:42:25 AM	0.007
10:43:25 AM	0.011
10:44:25 AM	0.009
10:45:25 AM	0.015
10:46:25 AM	0.042
10:47:25 AM	0.011
10:48:25 AM	0.009
10:49:25 AM	0.008
10:50:25 AM	0.006
10:51:25 AM	0.014
10:52:25 AM	0.008
10:53:25 AM	0.008
10:54:25 AM	0.007
10:55:25 AM	0.006
10:56:25 AM	0.006
10:57:25 AM	0.006
10:58:25 AM	0.006
10:59:25 AM	0.007
11:00:25 AM	0.006
11:01:25 AM	0.008

11:02:25 AM	0.009
11:03:25 AM	0.009
11:04:25 AM	0.011
11:05:25 AM	0.013
11:06:25 AM	0.006
11:07:25 AM	0.008
11:08:25 AM	0.008
11:09:25 AM	0.012
11:10:25 AM	0.017
11:11:25 AM	0.012
11:12:25 AM	0.008
11:13:25 AM	0.007
11:14:25 AM	0.011
11:15:25 AM	0.008
11:16:25 AM	0.006
11:17:25 AM	0.011
11:18:25 AM	0.008
11:19:25 AM	0.012
11:20:25 AM	0.017
11:21:25 AM	0.013
11:22:25 AM	0.008
11:23:25 AM	0.011
11:24:25 AM	0.008
11:25:25 AM	0.009
11:26:25 AM	0.009
11:27:25 AM	0.008
11:28:25 AM	0.009
11:29:25 AM	0.006
11:30:25 AM	0.007
11:31:25 AM	0.006
11:32:25 AM	0.011
11:33:25 AM	0.006
11:34:25 AM	0.008
11:35:25 AM	0.008
11:36:25 AM	0.007
11:37:25 AM	0.03
11:38:25 AM	0.014

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]