



DAILY STATUS REPORT

Prepared By:
Victor Barraza

WEATHER	Snow		Rain		Overcast	x	Partly Cloudy		Bright Sun		Wind
TEMP.	< 32		32-50	x	50-70	123 45	70-85		>85		WNW – 13mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 11/23/24
Project:	251 Douglass Street, Brooklyn, NY			

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 07:00

Time Out: 12:30

Personnel On Site:

IEEG (Environmental) – Victor Barraza

Broadway Construction Group – Alex Vega/ Assistant Super: Tom Caporale.

Cascade – Nick Vollrath

PRC

Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to conduct augur and batch plant maintenance; No intrusive activities were performed.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- ATMOS foam was applied by BCG laborers throughout the day to all swell material and stockpiles.
- Cascade performed housekeeping, rig and batch plant maintenance.
- PRC laborer working on housekeeping.
- Concrete Courses performed housekeeping, rebar and deck work on 5th floor.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.058_ mg/m³ @ 07:25
- High Conditions (Upwind) – PID = _0.1_ ppm @ 08:12, Dust = _0.097_ mg/m³ @ 09:23
- High Conditions (Downwind 1) – PID = _0.0_ ppm, Dust = _0.175_ mg/m³ @ 09:57
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.274_ mg/m³ @ 07:41

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Concrete Courses to continue work in con ed vault; and
- Concrete Courses to continue super structure and rebar activities.

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of batch
plant
maintenance.



Photo 2-
Representative
photo of
housekeeping
activities.



Photo 3-
Representative
Photo of augur
maintenance.



Photo 4-
Additional
Photo of
maintenance/
welding
activities.



Photo 5
Representative
Photo of
covered
stockpile.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224603
Firmware Version	3.1
Calibration Date	4/3/2024
Test Name	MANUAL_009
Test Start Time	7:25:23 AM
Test Start Date	11/23/2024
Test Length [D:H:M]	4:12:00
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.032
Mass Minimum [mg/m3]	0.007
Mass Maximum [mg/m3]	0.097
Mass TWA [mg/m3]	0.029
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	253

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:25:23 AM	0.058		
7:26:23 AM	0.014		
7:27:23 AM	0.011		
7:28:23 AM	0.012		
7:29:23 AM	0.016		
7:30:23 AM	0.019		
7:31:23 AM	0.017		
7:32:23 AM	0.014		
7:33:23 AM	0.013		
7:34:23 AM	0.013		
7:35:23 AM	0.013		
7:36:23 AM	0.013		
7:37:23 AM	0.016		
7:38:23 AM	0.013		
7:39:23 AM	0.013		
7:40:23 AM	0.012		
7:41:23 AM	0.012		
7:42:23 AM	0.011		
7:43:23 AM	0.009		
7:44:23 AM	0.012		
7:45:23 AM	0.012		
7:46:23 AM	0.011		
7:47:23 AM	0.011		
7:48:23 AM	0.013		
7:49:23 AM	0.012		
7:50:23 AM	0.011		
7:51:23 AM	0.009		

7:52:23 AM	0.009
7:53:23 AM	0.009
7:54:23 AM	0.008
7:55:23 AM	0.009
7:56:23 AM	0.009
7:57:23 AM	0.009
7:58:23 AM	0.01
7:59:23 AM	0.012
8:00:23 AM	0.011
8:01:23 AM	0.01
8:02:23 AM	0.012
8:03:23 AM	0.011
8:04:23 AM	0.012
8:05:23 AM	0.012
8:06:23 AM	0.012
8:07:23 AM	0.009
8:08:23 AM	0.012
8:09:23 AM	0.01
8:10:23 AM	0.009
8:11:23 AM	0.009
8:12:23 AM	0.009
8:13:23 AM	0.015
8:14:23 AM	0.009
8:15:23 AM	0.011
8:16:23 AM	0.009
8:17:23 AM	0.008
8:18:23 AM	0.009
8:19:23 AM	0.007
8:20:23 AM	0.007
8:21:23 AM	0.009
8:22:23 AM	0.01
8:23:23 AM	0.009
8:24:23 AM	0.009
8:25:23 AM	0.009
8:26:23 AM	0.008
8:27:23 AM	0.076
8:28:23 AM	0.081
8:29:23 AM	0.026
8:30:23 AM	0.031
8:31:23 AM	0.074
8:32:23 AM	0.031
8:33:23 AM	0.048
8:34:23 AM	0.054
8:35:23 AM	0.026
8:36:23 AM	0.037
8:37:23 AM	0.071
8:38:23 AM	0.074

8:39:23 AM	0.073
8:40:23 AM	0.017
8:41:23 AM	0.037
8:42:23 AM	0.063
8:43:23 AM	0.064
8:44:23 AM	0.052
8:45:23 AM	0.045
8:46:23 AM	0.067
8:47:23 AM	0.021
8:48:23 AM	0.014
8:49:23 AM	0.023
8:50:23 AM	0.013
8:51:23 AM	0.021
8:52:23 AM	0.024
8:53:23 AM	0.095
8:54:23 AM	0.018
8:55:23 AM	0.065
8:56:23 AM	0.026
8:57:23 AM	0.041
8:58:23 AM	0.019
8:59:23 AM	0.027
9:00:23 AM	0.048
9:01:23 AM	0.065
9:02:23 AM	0.064
9:03:23 AM	0.011
9:04:23 AM	0.045
9:05:23 AM	0.055
9:06:23 AM	0.019
9:07:23 AM	0.088
9:08:23 AM	0.036
9:09:23 AM	0.033
9:10:23 AM	0.087
9:11:23 AM	0.067
9:12:23 AM	0.013
9:13:23 AM	0.009
9:14:23 AM	0.031
9:15:23 AM	0.059
9:16:23 AM	0.054
9:17:23 AM	0.077
9:18:23 AM	0.01
9:19:23 AM	0.029
9:20:23 AM	0.013
9:21:23 AM	0.011
9:22:23 AM	0.023
9:23:23 AM	0.097
9:24:23 AM	0.051
9:25:23 AM	0.025

9:26:23 AM	0.059
9:27:23 AM	0.032
9:28:23 AM	0.022
9:29:23 AM	0.009
9:30:23 AM	0.011
9:31:23 AM	0.011
9:32:23 AM	0.01
9:33:23 AM	0.009
9:34:23 AM	0.011
9:35:23 AM	0.013
9:36:23 AM	0.024
9:37:23 AM	0.094
9:38:23 AM	0.074
9:39:23 AM	0.056
9:40:23 AM	0.091
9:41:23 AM	0.079
9:42:23 AM	0.072
9:43:23 AM	0.083
9:44:23 AM	0.023
9:45:23 AM	0.085
9:46:23 AM	0.03
9:47:23 AM	0.019
9:48:23 AM	0.053
9:49:23 AM	0.063
9:50:23 AM	0.079
9:51:23 AM	0.078
9:52:23 AM	0.092
9:53:23 AM	0.089
9:54:23 AM	0.028
9:55:23 AM	0.038
9:56:23 AM	0.067
9:57:23 AM	0.037
9:58:23 AM	0.061
9:59:23 AM	0.083
10:00:23 AM	0.093
10:01:23 AM	0.086
10:02:23 AM	0.033
10:03:23 AM	0.084
10:04:23 AM	0.026
10:05:23 AM	0.031
10:06:23 AM	0.053
10:07:23 AM	0.02
10:08:23 AM	0.01
10:09:23 AM	0.008
10:10:23 AM	0.036
10:11:23 AM	0.076
10:12:23 AM	0.021

10:13:23 AM	0.025
10:14:23 AM	0.032
10:15:23 AM	0.036
10:16:23 AM	0.061
10:17:23 AM	0.047
10:18:23 AM	0.09
10:19:23 AM	0.036
10:20:23 AM	0.044
10:21:23 AM	0.038
10:22:23 AM	0.067
10:23:23 AM	0.009
10:24:23 AM	0.051
10:25:23 AM	0.074
10:26:23 AM	0.094
10:27:23 AM	0.051
10:28:23 AM	0.053
10:29:23 AM	0.035
10:30:23 AM	0.087
10:31:23 AM	0.078
10:32:23 AM	0.012
10:33:23 AM	0.033
10:34:23 AM	0.022
10:35:23 AM	0.016
10:36:23 AM	0.085
10:37:23 AM	0.048
10:38:23 AM	0.041
10:39:23 AM	0.085
10:40:23 AM	0.091
10:41:23 AM	0.016
10:42:23 AM	0.078
10:43:23 AM	0.011
10:44:23 AM	0.012
10:45:23 AM	0.013
10:46:23 AM	0.045
10:47:23 AM	0.063
10:48:23 AM	0.023
10:49:23 AM	0.017
10:50:23 AM	0.018
10:51:23 AM	0.02
10:52:23 AM	0.012
10:53:23 AM	0.023
10:54:23 AM	0.019
10:55:23 AM	0.012
10:56:23 AM	0.013
10:57:23 AM	0.013
10:58:23 AM	0.012
10:59:23 AM	0.017

11:00:23 AM	0.013
11:01:23 AM	0.015
11:02:23 AM	0.015
11:03:23 AM	0.014
11:04:23 AM	0.012
11:05:23 AM	0.011
11:06:23 AM	0.011
11:07:23 AM	0.012
11:08:23 AM	0.012
11:09:23 AM	0.065
11:10:23 AM	0.035
11:11:23 AM	0.014
11:12:23 AM	0.019
11:13:23 AM	0.022
11:14:23 AM	0.01
11:15:23 AM	0.01
11:16:23 AM	0.011
11:17:23 AM	0.01
11:18:23 AM	0.01
11:19:23 AM	0.011
11:20:23 AM	0.01
11:21:23 AM	0.016
11:22:23 AM	0.011
11:23:23 AM	0.011
11:24:23 AM	0.01
11:25:23 AM	0.022
11:26:23 AM	0.041
11:27:23 AM	0.021
11:28:23 AM	0.011
11:29:23 AM	0.026
11:30:23 AM	0.024
11:31:23 AM	0.01
11:32:23 AM	0.009
11:33:23 AM	0.009
11:34:23 AM	0.01
11:35:23 AM	0.011
11:36:23 AM	0.01
11:37:23 AM	0.01

[illegible]

[illegible]

[illegible]

[illegible]

592-927198	11/23/2024 7:47 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:46 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:45 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:44 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:43 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:42 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:41 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:40 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:39 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:38 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:37 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:36 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:35 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:34 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:33 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:32 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:31 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:30 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:29 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:28 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:27 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:26 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:25 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:24 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:23 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:22 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:21 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:20 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:19 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:18 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:17 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:16 Readings	PID	SC23030235W3	Normal	0
592-927198	11/23/2024 7:15 CONFIG	PID	SC23030235W3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_007
Test Start Time	7:12:22 AM
Test Start Date	11/23/2024
Test Length [D:H:M]	0:04:35
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.025
Mass Minimum [mg/m3]	0.002
Mass Maximum [mg/m3]	0.175
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	275

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:12:22 AM	0.042		
7:13:22 AM	0.008		
7:14:22 AM	0.008		
7:15:22 AM	0.008		
7:16:22 AM	0.008		
7:17:22 AM	0.007		
7:18:22 AM	0.007		
7:19:22 AM	0.009		
7:20:22 AM	0.014		
7:21:22 AM	0.007		
7:22:22 AM	0.007		
7:23:22 AM	0.006		
7:24:22 AM	0.007		
7:25:22 AM	0.009		
7:26:22 AM	0.008		
7:27:22 AM	0.01		
7:28:22 AM	0.008		
7:29:22 AM	0.006		
7:30:22 AM	0.008		
7:31:22 AM	0.009		
7:32:22 AM	0.008		
7:33:22 AM	0.012		
7:34:22 AM	0.054		
7:35:22 AM	0.013		
7:36:22 AM	0.012		
7:37:22 AM	0.011		
7:38:22 AM	0.008		

7:39:22 AM	0.008
7:40:22 AM	0.01
7:41:22 AM	0.01
7:42:22 AM	0.011
7:43:22 AM	0.009
7:44:22 AM	0.01
7:45:22 AM	0.011
7:46:22 AM	0.008
7:47:22 AM	0.006
7:48:22 AM	0.016
7:49:22 AM	0.012
7:50:22 AM	0.011
7:51:22 AM	0.011
7:52:22 AM	0.01
7:53:22 AM	0.01
7:54:22 AM	0.014
7:55:22 AM	0.011
7:56:22 AM	0.009
7:57:22 AM	0.01
7:58:22 AM	0.01
7:59:22 AM	0.011
8:00:22 AM	0.011
8:01:22 AM	0.011
8:02:22 AM	0.009
8:03:22 AM	0.008
8:04:22 AM	0.028
8:05:22 AM	0.013
8:06:22 AM	0.01
8:07:22 AM	0.009
8:08:22 AM	0.01
8:09:22 AM	0.009
8:10:22 AM	0.009
8:11:22 AM	0.016
8:12:22 AM	0.019
8:13:22 AM	0.007
8:14:22 AM	0.006
8:15:22 AM	0.009
8:16:22 AM	0.008
8:17:22 AM	0.007
8:18:22 AM	0.009
8:19:22 AM	0.009
8:20:22 AM	0.008
8:21:22 AM	0.014
8:22:22 AM	0.01
8:23:22 AM	0.015
8:24:22 AM	0.01
8:25:22 AM	0.013

8:26:22 AM	0.012
8:27:22 AM	0.01
8:28:22 AM	0.011
8:29:22 AM	0.009
8:30:22 AM	0.01
8:31:22 AM	0.014
8:32:22 AM	0.011
8:33:22 AM	0.009
8:34:22 AM	0.008
8:35:22 AM	0.008
8:36:22 AM	0.007
8:37:22 AM	0.006
8:38:22 AM	0.01
8:39:22 AM	0.006
8:40:22 AM	0.007
8:41:22 AM	0.01
8:42:22 AM	0.01
8:43:22 AM	0.007
8:44:22 AM	0.004
8:45:22 AM	0.007
8:46:22 AM	0.006
8:47:22 AM	0.005
8:48:22 AM	0.006
8:49:22 AM	0.007
8:50:22 AM	0.006
8:51:22 AM	0.007
8:52:22 AM	0.009
8:53:22 AM	0.008
8:54:22 AM	0.007
8:55:22 AM	0.005
8:56:22 AM	0.007
8:57:22 AM	0.006
8:58:22 AM	0.005
8:59:22 AM	0.006
9:00:22 AM	0.007
9:01:22 AM	0.008
9:02:22 AM	0.011
9:03:22 AM	0.006
9:04:22 AM	0.005
9:05:22 AM	0.007
9:06:22 AM	0.004
9:07:22 AM	0.028
9:08:22 AM	0.004
9:09:22 AM	0.006
9:10:22 AM	0.006
9:11:22 AM	0.004
9:12:22 AM	0.005

9:13:22 AM	0.002
9:14:22 AM	0.004
9:15:22 AM	0.007
9:16:22 AM	0.005
9:17:22 AM	0.006
9:18:22 AM	0.006
9:19:22 AM	0.004
9:20:22 AM	0.028
9:21:22 AM	0.016
9:22:22 AM	0.115
9:23:22 AM	0.031
9:24:22 AM	0.072
9:25:22 AM	0.031
9:26:22 AM	0.058
9:27:22 AM	0.017
9:28:22 AM	0.028
9:29:22 AM	0.059
9:30:22 AM	0.027
9:31:22 AM	0.024
9:32:22 AM	0.093
9:33:22 AM	0.04
9:34:22 AM	0.016
9:35:22 AM	0.069
9:36:22 AM	0.069
9:37:22 AM	0.006
9:38:22 AM	0.05
9:39:22 AM	0.047
9:40:22 AM	0.014
9:41:22 AM	0.044
9:42:22 AM	0.055
9:43:22 AM	0.035
9:44:22 AM	0.005
9:45:22 AM	0.018
9:46:22 AM	0.052
9:47:22 AM	0.038
9:48:22 AM	0.077
9:49:22 AM	0.011
9:50:22 AM	0.067
9:51:22 AM	0.038
9:52:22 AM	0.044
9:53:22 AM	0.028
9:54:22 AM	0.093
9:55:22 AM	0.02
9:56:22 AM	0.088
9:57:22 AM	0.175
9:58:22 AM	0.06
9:59:22 AM	0.026

10:00:22 AM	0.036
10:01:22 AM	0.058
10:02:22 AM	0.072
10:03:22 AM	0.093
10:04:22 AM	0.04
10:05:22 AM	0.012
10:06:22 AM	0.008
10:07:22 AM	0.009
10:08:22 AM	0.054
10:09:22 AM	0.041
10:10:22 AM	0.018
10:11:22 AM	0.01
10:12:22 AM	0.016
10:13:22 AM	0.048
10:14:22 AM	0.011
10:15:22 AM	0.015
10:16:22 AM	0.063
10:17:22 AM	0.03
10:18:22 AM	0.073
10:19:22 AM	0.04
10:20:22 AM	0.03
10:21:22 AM	0.032
10:22:22 AM	0.005
10:23:22 AM	0.009
10:24:22 AM	0.007
10:25:22 AM	0.006
10:26:22 AM	0.004
10:27:22 AM	0.008
10:28:22 AM	0.009
10:29:22 AM	0.009
10:30:22 AM	0.043
10:31:22 AM	0.033
10:32:22 AM	0.058
10:33:22 AM	0.031
10:34:22 AM	0.048
10:35:22 AM	0.045
10:36:22 AM	0.007
10:37:22 AM	0.039
10:38:22 AM	0.106
10:39:22 AM	0.02
10:40:22 AM	0.028
10:41:22 AM	0.082
10:42:22 AM	0.03
10:43:22 AM	0.065
10:44:22 AM	0.084
10:45:22 AM	0.051
10:46:22 AM	0.035

10:47:22 AM	0.029
10:48:22 AM	0.07
10:49:22 AM	0.053
10:50:22 AM	0.032
10:51:22 AM	0.007
10:52:22 AM	0.075
10:53:22 AM	0.029
10:54:22 AM	0.047
10:55:22 AM	0.057
10:56:22 AM	0.029
10:57:22 AM	0.03
10:58:22 AM	0.042
10:59:22 AM	0.018
11:00:22 AM	0.023
11:01:22 AM	0.008
11:02:22 AM	0.009
11:03:22 AM	0.005
11:04:22 AM	0.079
11:05:22 AM	0.037
11:06:22 AM	0.035
11:07:22 AM	0.022
11:08:22 AM	0.041
11:09:22 AM	0.062
11:10:22 AM	0.062
11:11:22 AM	0.041
11:12:22 AM	0.066
11:13:22 AM	0.06
11:14:22 AM	0.017
11:15:22 AM	0.099
11:16:22 AM	0.016
11:17:22 AM	0.006
11:18:22 AM	0.035
11:19:22 AM	0.088
11:20:22 AM	0.034
11:21:22 AM	0.014
11:22:22 AM	0.034
11:23:22 AM	0.052
11:24:22 AM	0.018
11:25:22 AM	0.064
11:26:22 AM	0.036
11:27:22 AM	0.088
11:28:22 AM	0.065
11:29:22 AM	0.072
11:30:22 AM	0.066
11:31:22 AM	0.028
11:32:22 AM	0.033
11:33:22 AM	0.029

11:34:22 AM	0.028
11:35:22 AM	0.038
11:36:22 AM	0.011
11:37:22 AM	0.006
11:38:22 AM	0.007
11:39:22 AM	0.007
11:40:22 AM	0.006
11:41:22 AM	0.006
11:42:22 AM	0.007
11:43:22 AM	0.007
11:44:22 AM	0.005
11:45:22 AM	0.006
11:46:22 AM	0.007

[illegible]

[illegible]

[illegible]

[illegible]

592-912800	11/23/2024 7:22 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:21 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:20 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:19 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:18 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:17 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:16 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:15 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:14 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:13 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:12 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:11 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:10 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:09 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:08 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:07 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:06 Readings	PID	SC23030117V3	Normal	0
592-912800	11/23/2024 7:05 CONFIG	PID	SC23030117V3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_007
Test Start Time	7:24:49 AM
Test Start Date	11/23/2024
Test Length [D:H:M]	0:04:42
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.016
Mass Minimum [mg/m3]	0.005
Mass Maximum [mg/m3]	0.274
Mass TWA [mg/m3]	0.009
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	282

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:24:49 AM	0.089		
7:25:49 AM	0.013		
7:26:49 AM	0.011		
7:27:49 AM	0.007		
7:28:49 AM	0.01		
7:29:49 AM	0.009		
7:30:49 AM	0.009		
7:31:49 AM	0.009		
7:32:49 AM	0.008		
7:33:49 AM	0.008		
7:34:49 AM	0.007		
7:35:49 AM	0.008		
7:36:49 AM	0.008		
7:37:49 AM	0.007		
7:38:49 AM	0.008		
7:39:49 AM	0.008		
7:40:49 AM	0.085		
7:41:49 AM	0.274		
7:42:49 AM	0.036		
7:43:49 AM	0.009		
7:44:49 AM	0.009		
7:45:49 AM	0.01		
7:46:49 AM	0.009		
7:47:49 AM	0.008		
7:48:49 AM	0.009		
7:49:49 AM	0.009		
7:50:49 AM	0.008		

7:51:49 AM	0.01
7:52:49 AM	0.013
7:53:49 AM	0.012
7:54:49 AM	0.013
7:55:49 AM	0.012
7:56:49 AM	0.008
7:57:49 AM	0.008
7:58:49 AM	0.009
7:59:49 AM	0.009
8:00:49 AM	0.009
8:01:49 AM	0.009
8:02:49 AM	0.008
8:03:49 AM	0.008
8:04:49 AM	0.008
8:05:49 AM	0.014
8:06:49 AM	0.02
8:07:49 AM	0.016
8:08:49 AM	0.01
8:09:49 AM	0.012
8:10:49 AM	0.015
8:11:49 AM	0.018
8:12:49 AM	0.019
8:13:49 AM	0.013
8:14:49 AM	0.015
8:15:49 AM	0.026
8:16:49 AM	0.02
8:17:49 AM	0.017
8:18:49 AM	0.015
8:19:49 AM	0.024
8:20:49 AM	0.015
8:21:49 AM	0.018
8:22:49 AM	0.017
8:23:49 AM	0.013
8:24:49 AM	0.014
8:25:49 AM	0.016
8:26:49 AM	0.021
8:27:49 AM	0.014
8:28:49 AM	0.017
8:29:49 AM	0.021
8:30:49 AM	0.019
8:31:49 AM	0.013
8:32:49 AM	0.015
8:33:49 AM	0.015
8:34:49 AM	0.014
8:35:49 AM	0.016
8:36:49 AM	0.019
8:37:49 AM	0.012

8:38:49 AM	0.017
8:39:49 AM	0.023
8:40:49 AM	0.028
8:41:49 AM	0.02
8:42:49 AM	0.018
8:43:49 AM	0.014
8:44:49 AM	0.012
8:45:49 AM	0.015
8:46:49 AM	0.013
8:47:49 AM	0.016
8:48:49 AM	0.012
8:49:49 AM	0.012
8:50:49 AM	0.012
8:51:49 AM	0.01
8:52:49 AM	0.01
8:53:49 AM	0.013
8:54:49 AM	0.012
8:55:49 AM	0.011
8:56:49 AM	0.012
8:57:49 AM	0.01
8:58:49 AM	0.012
8:59:49 AM	0.016
9:00:49 AM	0.01
9:01:49 AM	0.01
9:02:49 AM	0.008
9:03:49 AM	0.008
9:04:49 AM	0.012
9:05:49 AM	0.021
9:06:49 AM	0.01
9:07:49 AM	0.01
9:08:49 AM	0.009
9:09:49 AM	0.011
9:10:49 AM	0.014
9:11:49 AM	0.012
9:12:49 AM	0.007
9:13:49 AM	0.009
9:14:49 AM	0.013
9:15:49 AM	0.016
9:16:49 AM	0.013
9:17:49 AM	0.01
9:18:49 AM	0.011
9:19:49 AM	0.011
9:20:49 AM	0.008
9:21:49 AM	0.011
9:22:49 AM	0.011
9:23:49 AM	0.009
9:24:49 AM	0.008

9:25:49 AM	0.008
9:26:49 AM	0.007
9:27:49 AM	0.018
9:28:49 AM	0.01
9:29:49 AM	0.011
9:30:49 AM	0.007
9:31:49 AM	0.007
9:32:49 AM	0.007
9:33:49 AM	0.009
9:34:49 AM	0.01
9:35:49 AM	0.008
9:36:49 AM	0.008
9:37:49 AM	0.011
9:38:49 AM	0.014
9:39:49 AM	0.025
9:40:49 AM	0.017
9:41:49 AM	0.012
9:42:49 AM	0.011
9:43:49 AM	0.007
9:44:49 AM	0.008
9:45:49 AM	0.014
9:46:49 AM	0.017
9:47:49 AM	0.01
9:48:49 AM	0.012
9:49:49 AM	0.018
9:50:49 AM	0.015
9:51:49 AM	0.01
9:52:49 AM	0.01
9:53:49 AM	0.012
9:54:49 AM	0.009
9:55:49 AM	0.019
9:56:49 AM	0.026
9:57:49 AM	0.026
9:58:49 AM	0.008
9:59:49 AM	0.006
10:00:49 AM	0.009
10:01:49 AM	0.006
10:02:49 AM	0.006
10:03:49 AM	0.013
10:04:49 AM	0.018
10:05:49 AM	0.011
10:06:49 AM	0.006
10:07:49 AM	0.009
10:08:49 AM	0.009
10:09:49 AM	0.006
10:10:49 AM	0.012
10:11:49 AM	0.012

10:12:49 AM	0.009
10:13:49 AM	0.009
10:14:49 AM	0.01
10:15:49 AM	0.011
10:16:49 AM	0.005
10:17:49 AM	0.006
10:18:49 AM	0.008
10:19:49 AM	0.008
10:20:49 AM	0.013
10:21:49 AM	0.007
10:22:49 AM	0.007
10:23:49 AM	0.01
10:24:49 AM	0.012
10:25:49 AM	0.009
10:26:49 AM	0.012
10:27:49 AM	0.006
10:28:49 AM	0.008
10:29:49 AM	0.01
10:30:49 AM	0.017
10:31:49 AM	0.007
10:32:49 AM	0.009
10:33:49 AM	0.066
10:34:49 AM	0.02
10:35:49 AM	0.016
10:36:49 AM	0.012
10:37:49 AM	0.008
10:38:49 AM	0.022
10:39:49 AM	0.04
10:40:49 AM	0.041
10:41:49 AM	0.01
10:42:49 AM	0.046
10:43:49 AM	0.033
10:44:49 AM	0.025
10:45:49 AM	0.033
10:46:49 AM	0.032
10:47:49 AM	0.024
10:48:49 AM	0.017
10:49:49 AM	0.017
10:50:49 AM	0.007
10:51:49 AM	0.008
10:52:49 AM	0.025
10:53:49 AM	0.018
10:54:49 AM	0.009
10:55:49 AM	0.025
10:56:49 AM	0.012
10:57:49 AM	0.008
10:58:49 AM	0.009

10:59:49 AM	0.008
11:00:49 AM	0.014
11:01:49 AM	0.025
11:02:49 AM	0.02
11:03:49 AM	0.014
11:04:49 AM	0.008
11:05:49 AM	0.013
11:06:49 AM	0.019
11:07:49 AM	0.007
11:08:49 AM	0.008
11:09:49 AM	0.052
11:10:49 AM	0.014
11:11:49 AM	0.082
11:12:49 AM	0.009
11:13:49 AM	0.027
11:14:49 AM	0.021
11:15:49 AM	0.035
11:16:49 AM	0.024
11:17:49 AM	0.011
11:18:49 AM	0.011
11:19:49 AM	0.02
11:20:49 AM	0.007
11:21:49 AM	0.03
11:22:49 AM	0.026
11:23:49 AM	0.046
11:24:49 AM	0.064
11:25:49 AM	0.049
11:26:49 AM	0.009
11:27:49 AM	0.009
11:28:49 AM	0.014
11:29:49 AM	0.041
11:30:49 AM	0.027
11:31:49 AM	0.024
11:32:49 AM	0.024
11:33:49 AM	0.012
11:34:49 AM	0.008
11:35:49 AM	0.01
11:36:49 AM	0.017
11:37:49 AM	0.012
11:38:49 AM	0.012
11:39:49 AM	0.022
11:40:49 AM	0.016
11:41:49 AM	0.011
11:42:49 AM	0.008
11:43:49 AM	0.01
11:44:49 AM	0.01
11:45:49 AM	0.011

11:46:49 AM	0.015
11:47:49 AM	0.016
11:48:49 AM	0.011
11:49:49 AM	0.01
11:50:49 AM	0.01
11:51:49 AM	0.014
11:52:49 AM	0.018
11:53:49 AM	0.011
11:54:49 AM	0.007
11:55:49 AM	0.009
11:56:49 AM	0.009
11:57:49 AM	0.009
11:58:49 AM	0.011
11:59:49 AM	0.011
12:00:49 PM	0.015
12:01:49 PM	0.008
12:02:49 PM	0.007
12:03:49 PM	0.009
12:04:49 PM	0.009
12:05:49 PM	0.018

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]