

**DAILY STATUS REPORT****Prepared By:**

Ryan Just

WEATHER	Snow		Rain		Overcast	X	Partly Cloudy	X	Bright Sun		Wind
TEMP.	< 32		32-50	X	50-70		70-85		>85		WNW – 12 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 12/02/24
Project:	251 Douglass Street, Brooklyn, NY			

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:40

Time Out: 18:15

Personnel On Site:

IEEG (Environmental) – Ryan Just

Broadway Construction Group – Shannon Dowling/Tom Caporale

Cascade – John Volmer

WSP – Charlie Lambert

Concrete Courses

Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to continue ISS Column installation; and Concrete Courses to continue with phase II superstructure work.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- IEEG collected EP-25;
- Concrete Courses continued with phase 2 super structure work;
- Concrete Courses continued chipping concrete from the Con Ed vault;
- Cascade received three (3) loads of ASTM #3 2 ½" stone to grade over the remaining ISS area;
- Cascade drilled **Column 310** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 14 batches;
- Cascade drilled **Column 311** with column specification below:
 - Column is 8' diameter and drilled 36' deep from Site grade;
 - The column consisted of a total of 14 batches;
- All stockpiles and excavations were sprayed with ATMOS foam and covered with poly sheeting at the end of Site activities.

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.095_ mg/m³ @ 07:58
- High Conditions (Upwind) – PID = _2.1_ ppm @ 07:19, Dust = _0.200_ mg/m³ @ 09:55
- High Conditions (Downwind 1) – PID = _0.5_ ppm @ 08:36, Dust = _0.334_ mg/m³ @ 15:59
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.597_ mg/m³ @ 07:34

Notable Site Conditions:

- The Upwind DustTrak experienced filter issues after startup in the morning and a backup instrument was deployed to replace it after trouble shooting did not correct the issue. Data logging began with the replacement unit began at 7:57;
- During startup procedures the ATMOS foam equipment malfunctioned due to freezing temperatures overnight, a replacement unit was received and was used for the remainder of the day. No ISS or soil related work was performed until the foam unit was operable.

Planned for the Next Day/Week:

- Cascade to continue drilling ISS columns;
- Cascade to continue loadout of swell material;
- Concrete Courses to continue super structure and rebar activities.



PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-
Representative
photo of
ATMOS foam
application
during
excavation.



Photo 2-
Representative
photo of
drilling an ISS
column.



Photo 3-

Representative photo of swell stockpile covered securely with poly sheeting and work area sprayed with ATMOS foam at the end of the day.



Photo 4-

Representative photo of excavator tracks being cleaned.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY







IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com





CONCRETE CURB

CONCRETE SIDEWALK 60'-0"

X-CUT ON SIDEWALK

BLDG.
0.05'W
0.25'S

BLDG.
0.15'E

PROJECT



LEGEND

- PROPERTY LINE
- 55' EIGHT FOOT DIA. HYDRAULIC COLUMN (TYP.)
- EIGHT FOOT DIA. INNER COLUMN (TYP.)
- APPROVED TO 55'
- SIX FOOT DIA. HYDRAULIC COLUMN (TYP.)
- ISS COLUMN INSTALLED TO TERMINAL DEPTH
- ISS COLUMN UNABLE TO BE INSTALLED TO TERMINAL DEPTH
- ISS COLUMN / GRID APPROVED BY DEC
- WET MIX SAMPLE COLLECTED FROM ISS COLUMN
- COMPLETED CORING LOCATION

NOTES:

- THE BASE MAP WAS DRAWN FROM A PLAN ENTITLED, ALTA/NPS LAND TITLE SURVEY, PREPARED BY PERFECT POINT LAND SURVEYING OF BROOKLYN, NY AND WAS RECEIVED ELECTRONICALLY ON APRIL 2023 WITH AN ORIGINAL SCALE: 1" = 20'.

251 Douglass Street
Brooklyn, New York

PROJECT NO:	13928-01
DESIGNED BY:	AB
DRAWN BY:	AB
CHECKED BY:	DP
DATE:	10/4/2024
SCALE:	N.T.S.
REVISIONS	

IMPACT ENVIRONMENTAL ENGINEERING & GEOLOGY PLLC.

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800
FAX (631) 269-1599



Completed
Columns 310 and
311 on 12/2/24

PARALLEL WITH BOND
STREET
140'-0"

P.WALL
0.5'S

REMAINS OF OLD PARTY WALL

P.WALL
0.5'S

BLDG.
E-W ON LINE
0.1'S

BLDG.
0.6'E
4.65'N

BLDG.
0.1'W

1 STORY

100'-0"
PARALLEL WITH NEVINS
STREET

#251

2 STORY
BRICK

BLDG.
0.05'W

N:-2'-0"
E:87'-0"

X-CUT ON
SIDEWALK

N:-2'-0"
E:178'-0"

X-CUT ON
SIDEWALK

MARK ON
FENCE

CONCRETE SIDEWALK 225'-0"

CONCRETE CURB

DOUGLASS STREET 60' WIDE

50' WIDE

NEVINS STREET

CONCRETE CURB

CONCRETE SIDEWALK

100'-0"
X-CUT ON
SIDEWALK



IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152010
Firmware Version	3.1
Calibration Date	7/18/2024
Test Name	MANUAL_002
Test Start Time	7:57:57 AM
Test Start Date	12/2/2024
Test Length [D:H:M]	0:03:51
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.021
Mass Minimum [mg/m3]	0.004
Mass Maximum [mg/m3]	0.2
Mass TWA [mg/m3]	0.014
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	539

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:58	0.095		
7:59	0.024		
8:00	0.024		
8:01	0.019		
8:02	0.055		
8:03	0.023		
8:04	0.022		
8:05	0.021		
8:06	0.024		
8:07	0.028		
8:08	0.033		
8:09	0.023		
8:10	0.022		
8:11	0.028		
8:12	0.02		
8:13	0.018		
8:14	0.025		
8:15	0.024		
8:16	0.022		
8:17	0.021		
8:18	0.019		
8:19	0.019		
8:20	0.098		
8:21	0.019		
8:22	0.032		
8:23	0.028		
8:24	0.023		

8:25	0.025
8:26	0.041
8:27	0.026
8:28	0.021
8:29	0.021
8:30	0.022
8:31	0.022
8:32	0.125
8:33	0.043
8:34	0.026
8:35	0.024
8:36	0.026
8:37	0.03
8:38	0.02
8:39	0.024
8:40	0.034
8:41	0.054
8:42	0.022
8:43	0.02
8:44	0.132
8:45	0.02
8:46	0.028
8:47	0.028
8:48	0.035
8:49	0.026
8:50	0.021
8:51	0.021
8:52	0.022
8:53	0.022
8:54	0.023
8:55	0.024
8:56	0.023
8:57	0.029
8:58	0.021
8:59	0.019
9:00	0.019
9:01	0.019
9:02	0.028
9:03	0.018
9:04	0.019
9:05	0.019
9:06	0.023
9:07	0.032
9:08	0.021
9:09	0.019
9:10	0.02
9:11	0.021

9:12	0.021
9:13	0.021
9:14	0.031
9:15	0.019
9:16	0.019
9:17	0.019
9:18	0.019
9:19	0.026
9:20	0.021
9:21	0.021
9:22	0.021
9:23	0.022
9:24	0.019
9:25	0.021
9:26	0.02
9:27	0.026
9:28	0.029
9:29	0.03
9:30	0.026
9:31	0.02
9:32	0.02
9:33	0.017
9:34	0.019
9:35	0.031
9:36	0.033
9:37	0.019
9:38	0.019
9:39	0.021
9:40	0.022
9:41	0.018
9:42	0.018
9:43	0.027
9:44	0.021
9:45	0.02
9:46	0.022
9:47	0.018
9:48	0.019
9:49	0.02
9:50	0.018
9:51	0.02
9:52	0.018
9:53	0.021
9:54	0.043
9:55	0.2
9:56	0.144
9:57	0.175
9:58	0.196

9:59	0.051
10:00	0.039
10:01	0.029
10:02	0.04
10:03	0.026
10:04	0.093
10:05	0.019
10:06	0.044
10:07	0.03
10:08	0.018
10:09	0.043
10:10	0.084
10:11	0.02
10:12	0.024
10:13	0.023
10:14	0.017
10:15	0.016
10:16	0.019
10:17	0.017
10:18	0.027
10:19	0.027
10:20	0.071
10:21	0.024
10:22	0.077
10:23	0.036
10:24	0.019
10:25	0.018
10:26	0.019
10:27	0.048
10:28	0.083
10:29	0.038
10:30	0.039
10:31	0.056
10:32	0.028
10:33	0.065
10:34	0.029
10:35	0.027
10:36	0.036
10:37	0.03
10:38	0.026
10:39	0.036
10:40	0.036
10:41	0.017
10:42	0.017
10:43	0.025
10:44	0.021
10:45	0.017

10:46	0.017
10:47	0.016
10:48	0.016
10:49	0.017
10:50	0.015
10:51	0.042
10:52	0.073
10:53	0.018
10:54	0.016
10:55	0.017
10:56	0.016
10:57	0.019
10:58	0.049
10:59	0.016
11:00	0.019
11:01	0.018
11:02	0.019
11:03	0.022
11:04	0.019
11:05	0.029
11:06	0.021
11:07	0.017
11:08	0.015
11:09	0.016
11:10	0.021
11:11	0.023
11:12	0.016
11:13	0.015
11:14	0.015
11:15	0.017
11:16	0.016
11:17	0.016
11:18	0.017
11:19	0.019
11:20	0.017
11:21	0.017
11:22	0.019
11:23	0.018
11:24	0.018
11:25	0.015
11:26	0.016
11:27	0.017
11:28	0.021
11:29	0.017
11:30	0.022
11:31	0.016
11:32	0.017

11:33	0.017
11:34	0.016
11:35	0.016
11:36	0.013
11:37	0.034
11:38	0.011
11:39	0.016
11:40	0.12
11:41	0.008
11:42	0.009
11:43	0.027
11:44	0.026
11:45	0.007
11:46	0.008
11:47	0.027
11:48	0.004
11:49	0.016
11:50	0.015
11:51	0.016
11:52	0.015
11:53	0.016
11:54	0.015
11:55	0.015
11:56	0.014
11:57	0.013
11:58	0.013
11:59	0.012
12:00	0.012
12:01	0.012
12:02	0.012
12:03	0.012
12:04	0.012
12:05	0.013
12:06	0.012
12:07	0.012
12:08	0.012
12:09	0.012
12:10	0.012
12:11	0.011
12:12	0.012
12:13	0.013
12:14	0.013
12:15	0.012
12:16	0.013
12:17	0.013
12:18	0.012
12:19	0.012

12:20	0.013
12:21	0.012
12:22	0.011
12:23	0.011
12:24	0.011
12:25	0.011
12:26	0.011
12:27	0.011
12:28	0.012
12:29	0.012
12:30	0.012
12:31	0.012
12:32	0.013
12:33	0.012
12:34	0.012
12:35	0.012
12:36	0.011
12:37	0.013
12:38	0.014
12:39	0.013
12:40	0.015
12:41	0.011
12:42	0.011
12:43	0.013
12:44	0.013
12:45	0.014
12:46	0.012
12:47	0.013
12:48	0.012
12:49	0.012
12:50	0.012
12:51	0.013
12:52	0.012
12:53	0.013
12:54	0.013
12:55	0.012
12:56	0.013
12:57	0.013
12:58	0.012
12:59	0.012
13:00	0.012
13:01	0.012
13:02	0.012
13:03	0.012
13:04	0.011
13:05	0.012
13:06	0.012

13:07	0.012
13:08	0.013
13:09	0.013
13:10	0.013
13:11	0.012
13:12	0.013
13:13	0.013
13:14	0.012
13:15	0.013
13:16	0.012
13:17	0.013
13:18	0.012
13:19	0.012
13:20	0.013
13:21	0.011
13:22	0.011
13:23	0.011
13:24	0.012
13:25	0.011
13:26	0.011
13:27	0.012
13:28	0.011
13:29	0.012
13:30	0.012
13:31	0.013
13:32	0.012
13:33	0.011
13:34	0.011
13:35	0.011
13:36	0.011
13:37	0.013
13:38	0.012
13:39	0.012
13:40	0.011
13:41	0.011
13:42	0.011
13:43	0.011
13:44	0.011
13:45	0.012
13:46	0.012
13:47	0.013
13:48	0.013
13:49	0.013
13:50	0.013
13:51	0.012
13:52	0.013
13:53	0.012

13:54	0.012
13:55	0.011
13:56	0.013
13:57	0.012
13:58	0.011
13:59	0.012
14:00	0.011
14:01	0.011
14:02	0.013
14:03	0.013
14:04	0.011
14:05	0.015
14:06	0.015
14:07	0.015
14:08	0.015
14:09	0.015
14:10	0.015
14:11	0.015
14:12	0.015
14:13	0.016
14:14	0.016
14:15	0.015
14:16	0.016
14:17	0.016
14:18	0.017
14:19	0.017
14:20	0.017
14:21	0.017
14:22	0.017
14:23	0.018
14:24	0.016
14:25	0.017
14:26	0.017
14:27	0.017
14:28	0.018
14:29	0.017
14:30	0.017
14:31	0.017
14:32	0.017
14:33	0.017
14:34	0.018
14:35	0.017
14:36	0.018
14:37	0.017
14:38	0.018
14:39	0.019
14:40	0.018

14:41	0.017
14:42	0.017
14:43	0.018
14:44	0.017
14:45	0.017
14:46	0.017
14:47	0.017
14:48	0.017
14:49	0.016
14:50	0.021
14:51	0.018
14:52	0.017
14:53	0.017
14:54	0.016
14:55	0.016
14:56	0.018
14:57	0.018
14:58	0.017
14:59	0.016
15:00	0.016
15:01	0.017
15:02	0.017
15:03	0.017
15:04	0.017
15:05	0.017
15:06	0.016
15:07	0.016
15:08	0.016
15:09	0.016
15:10	0.015
15:11	0.016
15:12	0.016
15:13	0.016
15:14	0.015
15:15	0.019
15:16	0.016
15:17	0.016
15:18	0.016
15:19	0.015
15:20	0.015
15:21	0.015
15:22	0.015
15:23	0.016
15:24	0.016
15:25	0.016
15:26	0.015
15:27	0.016

15:28	0.016
15:29	0.016
15:30	0.016
15:31	0.016
15:32	0.016
15:33	0.016
15:34	0.016
15:35	0.019
15:36	0.022
15:37	0.021
15:38	0.015
15:39	0.014
15:40	0.014
15:41	0.013
15:42	0.014
15:43	0.013
15:44	0.013
15:45	0.014
15:46	0.014
15:47	0.014
15:48	0.014
15:49	0.014
15:50	0.014
15:51	0.014
15:52	0.015
15:53	0.015
15:54	0.015
15:55	0.014
15:56	0.015
15:57	0.014
15:58	0.015
15:59	0.014
16:00	0.014
16:01	0.014
16:02	0.014
16:03	0.014
16:04	0.018
16:05	0.016
16:06	0.016
16:07	0.014
16:08	0.015
16:09	0.016
16:10	0.015
16:11	0.015
16:12	0.019
16:13	0.024
16:14	0.02

16:15	0.02
16:16	0.023
16:17	0.018
16:18	0.016
16:19	0.015
16:20	0.015
16:21	0.015
16:22	0.015
16:23	0.015
16:24	0.016
16:25	0.015
16:26	0.015
16:27	0.015
16:28	0.015
16:29	0.015
16:30	0.015
16:31	0.015
16:32	0.015
16:33	0.016
16:34	0.016
16:35	0.015
16:36	0.016
16:37	0.016
16:38	0.017
16:39	0.017
16:40	0.017
16:41	0.017
16:42	0.017
16:43	0.018
16:44	0.016
16:45	0.017
16:46	0.017
16:47	0.017
16:48	0.018
16:49	0.017
16:50	0.017
16:51	0.017
16:52	0.017
16:53	0.017
16:54	0.018
16:55	0.017
16:56	0.018

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-927198	12/2/2024 7:22 Readings	PID	SC23030235W3	Normal	0.2
592-927198	12/2/2024 7:21 Readings	PID	SC23030235W3	Normal	0.1
592-927198	12/2/2024 7:20 Readings	PID	SC23030235W3	Normal	1.3
592-927198	12/2/2024 7:19 Readings	PID	SC23030235W3	Normal	2.1
592-927198	12/2/2024 7:18 Readings	PID	SC23030235W3	Normal	0.7
592-927198	12/2/2024 7:17 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:16 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:15 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:14 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:13 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:12 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:11 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:10 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:09 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:08 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:07 Readings	PID	SC23030235W3	Normal	0
592-927198	12/2/2024 7:06 CONFIG	PID	SC23030235W3		

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_011
Test Start Time	7:01:27 AM
Test Start Date	12/2/2024
Test Length [D:H:M]	0:09:52
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.029
Mass Minimum [mg/m3]	0.011
Mass Maximum [mg/m3]	0.334
Mass TWA [mg/m3]	0.031
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	592

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:02	0.089		
7:03	0.031		
7:04	0.031		
7:05	0.106		
7:06	0.049		
7:07	0.164		
7:08	0.102		
7:09	0.033		
7:10	0.056		
7:11	0.078		
7:12	0.061		
7:13	0.055		
7:14	0.167		
7:15	0.041		
7:16	0.085		
7:17	0.031		
7:18	0.092		
7:19	0.059		
7:20	0.05		
7:21	0.039		
7:22	0.058		
7:23	0.031		
7:24	0.061		
7:25	0.044		
7:26	0.03		
7:27	0.027		
7:28	0.153		

7:29	0.027
7:30	0.052
7:31	0.041
7:32	0.051
7:33	0.049
7:34	0.054
7:35	0.043
7:36	0.049
7:37	0.05
7:38	0.053
7:39	0.071
7:40	0.077
7:41	0.03
7:42	0.027
7:43	0.026
7:44	0.038
7:45	0.037
7:46	0.088
7:47	0.055
7:48	0.053
7:49	0.035
7:50	0.036
7:51	0.038
7:52	0.031
7:53	0.057
7:54	0.037
7:55	0.035
7:56	0.025
7:57	0.025
7:58	0.027
7:59	0.025
8:00	0.027
8:01	0.048
8:02	0.047
8:03	0.027
8:04	0.026
8:05	0.026
8:06	0.031
8:07	0.058
8:08	0.039
8:09	0.068
8:10	0.037
8:11	0.05
8:12	0.053
8:13	0.036
8:14	0.056
8:15	0.046

8:16	0.037
8:17	0.243
8:18	0.053
8:19	0.046
8:20	0.064
8:21	0.044
8:22	0.044
8:23	0.049
8:24	0.05
8:25	0.034
8:26	0.036
8:27	0.054
8:28	0.041
8:29	0.033
8:30	0.034
8:31	0.036
8:32	0.044
8:33	0.032
8:34	0.057
8:35	0.037
8:36	0.032
8:37	0.031
8:38	0.031
8:39	0.033
8:40	0.039
8:41	0.034
8:42	0.067
8:43	0.052
8:44	0.033
8:45	0.031
8:46	0.029
8:47	0.031
8:48	0.03
8:49	0.027
8:50	0.027
8:51	0.028
8:52	0.029
8:53	0.054
8:54	0.032
8:55	0.03
8:56	0.03
8:57	0.09
8:58	0.041
8:59	0.03
9:00	0.04
9:01	0.031
9:02	0.03

9:03	0.029
9:04	0.028
9:05	0.032
9:06	0.03
9:07	0.039
9:08	0.031
9:09	0.031
9:10	0.039
9:11	0.03
9:12	0.026
9:13	0.03
9:14	0.06
9:15	0.038
9:16	0.042
9:17	0.028
9:18	0.028
9:19	0.026
9:20	0.027
9:21	0.033
9:22	0.042
9:23	0.025
9:24	0.027
9:25	0.026
9:26	0.026
9:27	0.025
9:28	0.024
9:29	0.025
9:30	0.026
9:31	0.024
9:32	0.025
9:33	0.025
9:34	0.025
9:35	0.025
9:36	0.025
9:37	0.026
9:38	0.026
9:39	0.045
9:40	0.028
9:41	0.028
9:42	0.034
9:43	0.026
9:44	0.031
9:45	0.03
9:46	0.031
9:47	0.026
9:48	0.027
9:49	0.025

9:50	0.026
9:51	0.023
9:52	0.024
9:53	0.023
9:54	0.023
9:55	0.023
9:56	0.024
9:57	0.029
9:58	0.024
9:59	0.022
10:00	0.023
10:01	0.024
10:02	0.023
10:03	0.022
10:04	0.025
10:05	0.024
10:06	0.027
10:07	0.023
10:08	0.024
10:09	0.027
10:10	0.026
10:11	0.024
10:12	0.025
10:13	0.043
10:14	0.038
10:15	0.028
10:16	0.031
10:17	0.039
10:18	0.035
10:19	0.027
10:20	0.024
10:21	0.029
10:22	0.028
10:23	0.067
10:24	0.032
10:25	0.022
10:26	0.024
10:27	0.023
10:28	0.024
10:29	0.021
10:30	0.025
10:31	0.029
10:32	0.024
10:33	0.025
10:34	0.025
10:35	0.024
10:36	0.021

10:37	0.023
10:38	0.028
10:39	0.028
10:40	0.024
10:41	0.02
10:42	0.022
10:43	0.02
10:44	0.021
10:45	0.023
10:46	0.023
10:47	0.026
10:48	0.023
10:49	0.04
10:50	0.024
10:51	0.03
10:52	0.025
10:53	0.025
10:54	0.022
10:55	0.021
10:56	0.02
10:57	0.025
10:58	0.025
10:59	0.033
11:00	0.036
11:01	0.047
11:02	0.029
11:03	0.039
11:04	0.025
11:05	0.026
11:06	0.023
11:07	0.022
11:08	0.031
11:09	0.027
11:10	0.023
11:11	0.021
11:12	0.02
11:13	0.023
11:14	0.024
11:15	0.023
11:16	0.043
11:17	0.03
11:18	0.026
11:19	0.024
11:20	0.023
11:21	0.023
11:22	0.023
11:23	0.026

11:24	0.026
11:25	0.026
11:26	0.033
11:27	0.023
11:28	0.027
11:29	0.036
11:30	0.026
11:31	0.024
11:32	0.025
11:33	0.026
11:34	0.027
11:35	0.024
11:36	0.021
11:37	0.023
11:38	0.023
11:39	0.023
11:40	0.023
11:41	0.023
11:42	0.021
11:43	0.022
11:44	0.022
11:45	0.031
11:46	0.028
11:47	0.023
11:48	0.022
11:49	0.025
11:50	0.022
11:51	0.023
11:52	0.027
11:53	0.023
11:54	0.027
11:55	0.023
11:56	0.023
11:57	0.027
11:58	0.022
11:59	0.021
12:00	0.02
12:01	0.022
12:02	0.019
12:03	0.018
12:04	0.019
12:05	0.024
12:06	0.023
12:07	0.025
12:08	0.024
12:09	0.022
12:10	0.022

12:11	0.021
12:12	0.021
12:13	0.029
12:14	0.018
12:15	0.02
12:16	0.019
12:17	0.018
12:18	0.018
12:19	0.018
12:20	0.019
12:21	0.019
12:22	0.021
12:23	0.023
12:24	0.02
12:25	0.02
12:26	0.023
12:27	0.019
12:28	0.019
12:29	0.023
12:30	0.034
12:31	0.022
12:32	0.023
12:33	0.028
12:34	0.034
12:35	0.026
12:36	0.023
12:37	0.035
12:38	0.029
12:39	0.025
12:40	0.024
12:41	0.023
12:42	0.022
12:43	0.025
12:44	0.029
12:45	0.025
12:46	0.024
12:47	0.025
12:48	0.022
12:49	0.018
12:50	0.023
12:51	0.023
12:52	0.028
12:53	0.022
12:54	0.029
12:55	0.023
12:56	0.021
12:57	0.022

12:58	0.031
12:59	0.037
13:00	0.022
13:01	0.024
13:02	0.036
13:03	0.031
13:04	0.022
13:05	0.02
13:06	0.028
13:07	0.029
13:08	0.025
13:09	0.023
13:10	0.026
13:11	0.021
13:12	0.023
13:13	0.026
13:14	0.028
13:15	0.045
13:16	0.036
13:17	0.067
13:18	0.103
13:19	0.058
13:20	0.032
13:21	0.027
13:22	0.02
13:23	0.033
13:24	0.023
13:25	0.018
13:26	0.021
13:27	0.017
13:28	0.02
13:29	0.022
13:30	0.016
13:31	0.016
13:32	0.019
13:33	0.023
13:34	0.02
13:35	0.018
13:36	0.027
13:37	0.037
13:38	0.018
13:39	0.018
13:40	0.013
13:41	0.015
13:42	0.016
13:43	0.013
13:44	0.014

13:45	0.015
13:46	0.014
13:47	0.019
13:48	0.015
13:49	0.012
13:50	0.016
13:51	0.017
13:52	0.019
13:53	0.035
13:54	0.015
13:55	0.015
13:56	0.015
13:57	0.014
13:58	0.014
13:59	0.016
14:00	0.017
14:01	0.017
14:02	0.02
14:03	0.019
14:04	0.018
14:05	0.017
14:06	0.023
14:07	0.025
14:08	0.017
14:09	0.021
14:10	0.025
14:11	0.023
14:12	0.025
14:13	0.024
14:14	0.022
14:15	0.018
14:16	0.024
14:17	0.016
14:18	0.02
14:19	0.026
14:20	0.025
14:21	0.017
14:22	0.025
14:23	0.088
14:24	0.024
14:25	0.019
14:26	0.019
14:27	0.021
14:28	0.034
14:29	0.023
14:30	0.02
14:31	0.061

14:32	0.029
14:33	0.026
14:34	0.019
14:35	0.02
14:36	0.019
14:37	0.022
14:38	0.016
14:39	0.016
14:40	0.022
14:41	0.019
14:42	0.019
14:43	0.02
14:44	0.022
14:45	0.021
14:46	0.044
14:47	0.025
14:48	0.024
14:49	0.021
14:50	0.017
14:51	0.015
14:52	0.017
14:53	0.017
14:54	0.015
14:55	0.015
14:56	0.014
14:57	0.015
14:58	0.016
14:59	0.016
15:00	0.022
15:01	0.016
15:02	0.026
15:03	0.036
15:04	0.019
15:05	0.016
15:06	0.014
15:07	0.015
15:08	0.017
15:09	0.014
15:10	0.017
15:11	0.017
15:12	0.014
15:13	0.015
15:14	0.014
15:15	0.022
15:16	0.018
15:17	0.018
15:18	0.017

15:19	0.015
15:20	0.023
15:21	0.017
15:22	0.017
15:23	0.016
15:24	0.015
15:25	0.024
15:26	0.033
15:27	0.016
15:28	0.013
15:29	0.018
15:30	0.015
15:31	0.017
15:32	0.019
15:33	0.016
15:34	0.016
15:35	0.02
15:36	0.019
15:37	0.019
15:38	0.016
15:39	0.013
15:40	0.012
15:41	0.012
15:42	0.012
15:43	0.012
15:44	0.012
15:45	0.013
15:46	0.015
15:47	0.011
15:48	0.011
15:49	0.012
15:50	0.024
15:51	0.013
15:52	0.012
15:53	0.016
15:54	0.032
15:55	0.013
15:56	0.015
15:57	0.014
15:58	0.013
15:59	0.334
16:00	0.043
16:01	0.016
16:02	0.029
16:03	0.014
16:04	0.017
16:05	0.015

16:06	0.017
16:07	0.013
16:08	0.014
16:09	0.015
16:10	0.029
16:11	0.018
16:12	0.017
16:13	0.02
16:14	0.016
16:15	0.014
16:16	0.016
16:17	0.022
16:18	0.048
16:19	0.024
16:20	0.026
16:21	0.024
16:22	0.018
16:23	0.018
16:24	0.018
16:25	0.017
16:26	0.016
16:27	0.015
16:28	0.016
16:29	0.015
16:30	0.016
16:31	0.016
16:32	0.015
16:33	0.023
16:34	0.027
16:35	0.015
16:36	0.015
16:37	0.016
16:38	0.016
16:39	0.018
16:40	0.016
16:41	0.015
16:42	0.015
16:43	0.016
16:44	0.017
16:45	0.016
16:46	0.017
16:47	0.016
16:48	0.021
16:49	0.018
16:50	0.016
16:51	0.031
16:52	0.026

16:53

0.015

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

592-912800	12/2/2024 7:30 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:29 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:28 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:27 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:26 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:25 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:24 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:23 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:22 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:21 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:20 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:19 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:18 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:17 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:16 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:15 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:14 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:13 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:12 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:11 Readings	PID	SC23030117V3	Normal	0
592-912800	12/2/2024 7:10 CONFIG	PID	SC23030117V3		

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_011
Test Start Time	7:04:08 AM
Test Start Date	12/2/2024
Test Length [D:H:M]	0:10:04
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.035
Mass Minimum [mg/m3]	0.012
Mass Maximum [mg/m3]	0.597
Mass TWA [mg/m3]	0.035
Photometric User Cal	1
Flow User Cal	0
Errors	
Number of Samples	604

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
7:05	0.036		
7:06	0.021		
7:07	0.05		
7:08	0.032		
7:09	0.031		
7:10	0.058		
7:11	0.064		
7:12	0.063		
7:13	0.046		
7:14	0.056		
7:15	0.032		
7:16	0.03		
7:17	0.102		
7:18	0.064		
7:19	0.048		
7:20	0.046		
7:21	0.041		
7:22	0.046		
7:23	0.055		
7:24	0.069		
7:25	0.085		
7:26	0.064		
7:27	0.032		
7:28	0.048		
7:29	0.089		
7:30	0.063		
7:31	0.266		

7:32	0.109
7:33	0.152
7:34	0.597
7:35	0.039
7:36	0.027
7:37	0.037
7:38	0.3
7:39	0.091
7:40	0.048
7:41	0.123
7:42	0.075
7:43	0.064
7:44	0.072
7:45	0.034
7:46	0.035
7:47	0.079
7:48	0.043
7:49	0.029
7:50	0.057
7:51	0.108
7:52	0.026
7:53	0.02
7:54	0.055
7:55	0.064
7:56	0.048
7:57	0.033
7:58	0.03
7:59	0.022
8:00	0.023
8:01	0.023
8:02	0.026
8:03	0.031
8:04	0.044
8:05	0.03
8:06	0.039
8:07	0.022
8:08	0.023
8:09	0.021
8:10	0.025
8:11	0.039
8:12	0.032
8:13	0.022
8:14	0.023
8:15	0.028
8:16	0.041
8:17	0.043
8:18	0.065

8:19	0.031
8:20	0.064
8:21	0.067
8:22	0.065
8:23	0.037
8:24	0.027
8:25	0.026
8:26	0.026
8:27	0.037
8:28	0.028
8:29	0.033
8:30	0.039
8:31	0.03
8:32	0.032
8:33	0.033
8:34	0.028
8:35	0.028
8:36	0.041
8:37	0.031
8:38	0.027
8:39	0.025
8:40	0.025
8:41	0.05
8:42	0.036
8:43	0.03
8:44	0.031
8:45	0.026
8:46	0.024
8:47	0.024
8:48	0.024
8:49	0.025
8:50	0.03
8:51	0.066
8:52	0.037
8:53	0.036
8:54	0.025
8:55	0.041
8:56	0.049
8:57	0.031
8:58	0.023
8:59	0.022
9:00	0.021
9:01	0.024
9:02	0.027
9:03	0.034
9:04	0.023
9:05	0.025

9:06	0.024
9:07	0.043
9:08	0.031
9:09	0.032
9:10	0.034
9:11	0.039
9:12	0.025
9:13	0.024
9:14	0.023
9:15	0.034
9:16	0.031
9:17	0.036
9:18	0.034
9:19	0.029
9:20	0.033
9:21	0.025
9:22	0.022
9:23	0.025
9:24	0.043
9:25	0.031
9:26	0.025
9:27	0.023
9:28	0.021
9:29	0.021
9:30	0.032
9:31	0.026
9:32	0.028
9:33	0.024
9:34	0.022
9:35	0.023
9:36	0.022
9:37	0.022
9:38	0.02
9:39	0.021
9:40	0.024
9:41	0.024
9:42	0.03
9:43	0.025
9:44	0.028
9:45	0.023
9:46	0.022
9:47	0.023
9:48	0.022
9:49	0.022
9:50	0.021
9:51	0.028
9:52	0.029

9:53	0.024
9:54	0.023
9:55	0.022
9:56	0.14
9:57	0.025
9:58	0.021
9:59	0.022
10:00	0.025
10:01	0.023
10:02	0.022
10:03	0.02
10:04	0.021
10:05	0.021
10:06	0.022
10:07	0.033
10:08	0.028
10:09	0.022
10:10	0.021
10:11	0.023
10:12	0.022
10:13	0.021
10:14	0.023
10:15	0.024
10:16	0.023
10:17	0.023
10:18	0.023
10:19	0.026
10:20	0.022
10:21	0.023
10:22	0.021
10:23	0.029
10:24	0.03
10:25	0.027
10:26	0.031
10:27	0.03
10:28	0.027
10:29	0.026
10:30	0.03
10:31	0.031
10:32	0.024
10:33	0.027
10:34	0.032
10:35	0.025
10:36	0.023
10:37	0.022
10:38	0.021
10:39	0.021

10:40	0.023
10:41	0.022
10:42	0.029
10:43	0.041
10:44	0.029
10:45	0.024
10:46	0.021
10:47	0.025
10:48	0.036
10:49	0.027
10:50	0.023
10:51	0.022
10:52	0.024
10:53	0.022
10:54	0.021
10:55	0.028
10:56	0.024
10:57	0.027
10:58	0.036
10:59	0.077
11:00	0.042
11:01	0.029
11:02	0.026
11:03	0.026
11:04	0.031
11:05	0.032
11:06	0.022
11:07	0.025
11:08	0.024
11:09	0.022
11:10	0.022
11:11	0.023
11:12	0.024
11:13	0.026
11:14	0.025
11:15	0.026
11:16	0.023
11:17	0.024
11:18	0.024
11:19	0.023
11:20	0.024
11:21	0.023
11:22	0.022
11:23	0.023
11:24	0.023
11:25	0.023
11:26	0.024

11:27	0.022
11:28	0.024
11:29	0.025
11:30	0.025
11:31	0.025
11:32	0.025
11:33	0.024
11:34	0.051
11:35	0.028
11:36	0.028
11:37	0.026
11:38	0.028
11:39	0.023
11:40	0.033
11:41	0.105
11:42	0.026
11:43	0.022
11:44	0.023
11:45	0.023
11:46	0.021
11:47	0.028
11:48	0.027
11:49	0.023
11:50	0.023
11:51	0.052
11:52	0.033
11:53	0.027
11:54	0.027
11:55	0.032
11:56	0.032
11:57	0.023
11:58	0.023
11:59	0.024
12:00	0.028
12:01	0.052
12:02	0.04
12:03	0.03
12:04	0.026
12:05	0.022
12:06	0.02
12:07	0.024
12:08	0.023
12:09	0.02
12:10	0.02
12:11	0.019
12:12	0.02
12:13	0.021

12:14	0.03
12:15	0.019
12:16	0.019
12:17	0.021
12:18	0.02
12:19	0.021
12:20	0.021
12:21	0.023
12:22	0.028
12:23	0.023
12:24	0.018
12:25	0.019
12:26	0.018
12:27	0.018
12:28	0.018
12:29	0.021
12:30	0.019
12:31	0.018
12:32	0.02
12:33	0.026
12:34	0.02
12:35	0.02
12:36	0.019
12:37	0.019
12:38	0.018
12:39	0.024
12:40	0.029
12:41	0.021
12:42	0.02
12:43	0.023
12:44	0.031
12:45	0.023
12:46	0.022
12:47	0.027
12:48	0.025
12:49	0.023
12:50	0.019
12:51	0.021
12:52	0.026
12:53	0.019
12:54	0.022
12:55	0.02
12:56	0.021
12:57	0.023
12:58	0.019
12:59	0.023
13:00	0.02

13:01	0.028
13:02	0.027
13:03	0.029
13:04	0.046
13:05	0.026
13:06	0.019
13:07	0.033
13:08	0.473
13:09	0.052
13:10	0.02
13:11	0.041
13:12	0.043
13:13	0.027
13:14	0.019
13:15	0.019
13:16	0.027
13:17	0.03
13:18	0.025
13:19	0.023
13:20	0.024
13:21	0.026
13:22	0.044
13:23	0.044
13:24	0.033
13:25	0.095
13:26	0.039
13:27	0.042
13:28	0.047
13:29	0.045
13:30	0.031
13:31	0.042
13:32	0.033
13:33	0.038
13:34	0.028
13:35	0.029
13:36	0.031
13:37	0.019
13:38	0.023
13:39	0.057
13:40	0.055
13:41	0.034
13:42	0.021
13:43	0.022
13:44	0.046
13:45	0.025
13:46	0.021
13:47	0.022

13:48	0.017
13:49	0.019
13:50	0.026
13:51	0.061
13:52	0.029
13:53	0.016
13:54	0.027
13:55	0.022
13:56	0.022
13:57	0.072
13:58	0.033
13:59	0.018
14:00	0.017
14:01	0.024
14:02	0.046
14:03	0.027
14:04	0.016
14:05	0.014
14:06	0.022
14:07	0.02
14:08	0.119
14:09	0.033
14:10	0.021
14:11	0.032
14:12	0.025
14:13	0.019
14:14	0.016
14:15	0.024
14:16	0.027
14:17	0.027
14:18	0.027
14:19	0.03
14:20	0.036
14:21	0.114
14:22	0.04
14:23	0.025
14:24	0.024
14:25	0.018
14:26	0.025
14:27	0.028
14:28	0.029
14:29	0.045
14:30	0.028
14:31	0.018
14:32	0.022
14:33	0.027
14:34	0.031

14:35	0.026
14:36	0.023
14:37	0.018
14:38	0.044
14:39	0.02
14:40	0.019
14:41	0.051
14:42	0.022
14:43	0.024
14:44	0.016
14:45	0.019
14:46	0.018
14:47	0.019
14:48	0.018
14:49	0.018
14:50	0.021
14:51	0.018
14:52	0.022
14:53	0.054
14:54	0.028
14:55	0.024
14:56	0.022
14:57	0.029
14:58	0.023
14:59	0.02
15:00	0.018
15:01	0.017
15:02	0.018
15:03	0.019
15:04	0.015
15:05	0.017
15:06	0.014
15:07	0.014
15:08	0.017
15:09	0.062
15:10	0.041
15:11	0.023
15:12	0.107
15:13	0.032
15:14	0.018
15:15	0.022
15:16	0.037
15:17	0.035
15:18	0.023
15:19	0.015
15:20	0.029
15:21	0.058

15:22	0.026
15:23	0.015
15:24	0.016
15:25	0.037
15:26	0.05
15:27	0.028
15:28	0.019
15:29	0.016
15:30	0.05
15:31	0.043
15:32	0.026
15:33	0.019
15:34	0.034
15:35	0.083
15:36	0.034
15:37	0.015
15:38	0.02
15:39	0.06
15:40	0.034
15:41	0.023
15:42	0.022
15:43	0.032
15:44	0.071
15:45	0.032
15:46	0.021
15:47	0.038
15:48	0.017
15:49	0.019
15:50	0.05
15:51	0.037
15:52	0.021
15:53	0.024
15:54	0.018
15:55	0.022
15:56	0.089
15:57	0.04
15:58	0.024
15:59	0.014
16:00	0.016
16:01	0.015
16:02	0.055
16:03	0.025
16:04	0.02
16:05	0.014
16:06	0.014
16:07	0.014
16:08	0.012

16:09	0.027
16:10	0.04
16:11	0.024
16:12	0.016
16:13	0.018
16:14	0.039
16:15	0.033
16:16	0.019
16:17	0.016
16:18	0.02
16:19	0.016
16:20	0.019
16:21	0.017
16:22	0.023
16:23	0.017
16:24	0.017
16:25	0.026
16:26	0.043
16:27	0.041
16:28	0.045
16:29	0.061
16:30	0.029
16:31	0.026
16:32	0.032
16:33	0.066
16:34	0.078
16:35	0.036
16:36	0.044
16:37	0.027
16:38	0.028
16:39	0.03
16:40	0.024
16:41	0.054
16:42	0.036
16:43	0.037
16:44	0.06
16:45	0.072
16:46	0.051
16:47	0.028
16:48	0.093
16:49	0.034
16:50	0.08
16:51	0.024
16:52	0.017
16:53	0.174
16:54	0.107
16:55	0.077

16:56	0.021
16:57	0.016
16:58	0.016
16:59	0.016
17:00	0.023
17:01	0.039
17:02	0.025
17:03	0.046
17:04	0.026
17:05	0.038
17:06	0.098
17:07	0.045
17:08	0.013

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]



[illegible]

[illegible]

592-906020	12/2/2024 7:31 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:30 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:29 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:28 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:27 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:26 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:25 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:24 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:23 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:22 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:21 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:20 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:19 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:18 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:17 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:16 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:15 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:14 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:13 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:12 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:11 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:10 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:09 Readings	PID	SC23030396CB	Normal	0
592-906020	12/2/2024 7:08 CONFIG	PID	SC23030396CB		

Project name	Douglass Street BCG ISS	Element name	310a
		Project number	
		Start date	12/02/2024
Drilling rig	BG36H_5717		



Details			
Max. depth	38.123 ft.	Start time	01:27 PM
Volume/m 1	40.259 ft³	End Date	12/02/2024
		End time	02:23 PM
		Production duration	00:55:54
		Final depth time	02:12 PM
		Total suspension quantity	468.767 ft³



SCM Report





Project name	Douglass Street BCG ISS	Element name	310b
		Project number	
		Start date	12/02/2024
Drilling rig	BG36H_5717		
Details			
Max. depth	38.156 ft.	Start time	02:23 PM
Volume/m 1	19.776 ft³	End Date	12/02/2024
		End time	02:54 PM
		Production duration	00:31:02
		Final depth time	02:44 PM
		Total suspension quantity	229.546 ft³



SCM Report

Project name	Douglass Street BCG ISS	Element name	311a
		Project number	
		Start date	12/02/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.091 ft.	Start time	03:14 PM
Volume/m 1	38.493 ft³	End Date	12/02/2024
		End time	04:04 PM
		Production duration	00:50:04
		Final depth time	03:55 PM
		Total suspension quantity	446.272 ft³



Project name	Douglass Street BCG ISS	Element name	311b
		Project number	
		Start date	12/02/2024
Drilling rig	BG36H_5717		

Details			
Max. depth	38.123 ft.	Start time	04:04 PM
Volume/m 1	21.189 ft³	End Date	12/02/2024
		End time	04:32 PM
		Production duration	00:27:18
		Final depth time	04:22 PM
		Total suspension quantity	244.66 ft³

