

**DAILY STATUS REPORT**

Prepared By:
Ryan Just

WEATHER	Snow	X	Rain		Overcast	X	Partly Cloudy		Bright Sun	X	Wind
TEMP.	< 32	X	32-50		50-70		70-85		>85		WNW – 7 mph

IEEG Project No:	13928	NYSDEC BCP Site No:	C224367	Date: 12/24/24
Project:	251 Douglass Street, Brooklyn, NY			

Consultant:

Impact Environmental Engineering and Geology, PLLC (IEEG)

Time On: 06:30

Time Out: 11:25

Personnel On Site:

IEEG (Environmental) – Ryan Just

Broadway Construction Group – Tom Caporale

Cascade – John Vollmer

Equipment On Site: (3) MiniRAE 3000 PID, (3) DustTrak II

Scope of Work: IEEG to deploy CAMP stations according to wind direction; Cascade to attempt to install ISS Columns.

Site Activities:

- IEEG deployed three (3) CAMP stations prior to the start of work activities;
- Cascade planned to drill columns 454 and 379, however no drilling was performed due to ice in the grout lines;
- Cascade placed frozen grout lines in a heated trailer to thaw out over the holiday break;
- All swell material and stockpiles remained covered with poly sheeting;

Community Air Monitoring Program (CAMP) - CAMP action level for dust (0.1 mg/m³) and VOCs (5 ppm)

- PID remained at nominal levels throughout the day
- No sustained dust exceedances were observed over a 15-min period during monitoring.
- Startup Upwind Conditions – PID = _0.0_ ppm, Dust = _0.056_ mg/m³ @ 06:46
- High Conditions (Upwind) – PID = _0.3_ ppm @ 07:37, Dust = _0.056_ mg/m³ @ 06:46
- High Conditions (Downwind 1) – PID = _0.1_ ppm @ 08:03, Dust = _0.095_ mg/m³ @ 06:56
- High Conditions (Downwind 2) – PID = _0.0_ ppm, Dust = _0.188_ mg/m³ @ 06:49

Notable Site Conditions:

- None

Planned for the Next Day/Week:

- Cascade to continue drilling ISS columns;
- Cascade to continue loadout of swell material;
- Concrete Courses to continue super structure and rebar activities.

PHOTO LOG

251 DOUGLASS STREET, BROOKLYN, NY



Photo 1-

Representative photo of swell stockpile covered with poly.



Photo 2-

Representative photo of frozen grout lines.



Photo 3-
Representative
photo of
relocating
drilling mats.



Photo 4-
Representative
photo of the
Upwind CAMP
unit.



SITE PLANS

251 DOUGLASS STREET, BROOKLYN, NY






IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com





IMPACT ENVIRONMENTAL

welcome to solid ground...

170 Keyland Court | Bohemia | NY | 11716 | 631.269.8800

www.impactenvironmental.com

UPWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530152010
Firmware Version	3.1
Calibration Date	7/18/2024
Test Name	MANUAL_001
Test Start Time	6:45:06 AM
Test Start Date	12/24/2024
Test Length [D:H:M]	0:03:52
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.038
Mass Minimum [mg/m3]	0.025
Mass Maximum [mg/m3]	0.056
Mass TWA [mg/m3]	0.019
Photometric User Cal	1
Flow User Cal	0
Errors	

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:46	0.056		
6:47	0.027		
6:48	0.026		
6:49	0.026		
6:50	0.025		
6:51	0.025		
6:52	0.025		
6:53	0.025		
6:54	0.025		
6:55	0.026		
6:56	0.026		
6:57	0.026		
6:58	0.026		
6:59	0.026		
7:00	0.026		
7:01	0.029		
7:02	0.028		
7:03	0.025		
7:04	0.025		
7:05	0.025		
7:06	0.025		
7:07	0.025		
7:08	0.025		
7:09	0.025		
7:10	0.025		

7:11	0.025
7:12	0.033
7:13	0.028
7:14	0.026
7:15	0.029
7:16	0.026
7:17	0.026
7:18	0.029
7:19	0.028
7:20	0.027
7:21	0.027
7:22	0.028
7:23	0.028
7:24	0.03
7:25	0.029
7:26	0.029
7:27	0.028
7:28	0.03
7:29	0.029
7:30	0.028
7:31	0.029
7:32	0.03
7:33	0.03
7:34	0.029
7:35	0.03
7:36	0.029
7:37	0.031
7:38	0.033
7:39	0.029
7:40	0.031
7:41	0.03
7:42	0.031
7:43	0.031
7:44	0.035
7:45	0.035
7:46	0.035
7:47	0.037
7:48	0.037
7:49	0.036
7:50	0.036
7:51	0.036
7:52	0.04
7:53	0.042
7:54	0.039

7:55	0.038
7:56	0.04
7:57	0.047
7:58	0.054
7:59	0.04
8:00	0.038
8:01	0.039
8:02	0.038
8:03	0.041
8:04	0.04
8:05	0.041
8:06	0.04
8:07	0.04
8:08	0.038
8:09	0.039
8:10	0.038
8:11	0.039
8:12	0.041
8:13	0.039
8:14	0.041
8:15	0.038
8:16	0.042
8:17	0.042
8:18	0.037
8:19	0.039
8:20	0.045
8:21	0.045
8:22	0.041
8:23	0.043
8:24	0.042
8:25	0.04
8:26	0.04
8:27	0.038
8:28	0.041
8:29	0.045
8:30	0.04
8:31	0.04
8:32	0.039
8:33	0.039
8:34	0.039
8:35	0.042
8:36	0.041
8:37	0.041
8:38	0.042

8:39	0.043
8:40	0.041
8:41	0.041
8:42	0.045
8:43	0.042
8:44	0.041
8:45	0.042
8:46	0.041
8:47	0.043
8:48	0.045
8:49	0.044
8:50	0.044
8:51	0.044
8:52	0.044
8:53	0.044
8:54	0.045
8:55	0.047
8:56	0.047
8:57	0.046
8:58	0.045
8:59	0.044
9:00	0.043
9:01	0.044
9:02	0.044
9:03	0.043
9:04	0.044
9:05	0.045
9:06	0.044
9:07	0.045
9:08	0.045
9:09	0.046
9:10	0.045
9:11	0.044
9:12	0.044
9:13	0.045
9:14	0.044
9:15	0.043
9:16	0.045
9:17	0.044
9:18	0.045
9:19	0.043
9:20	0.043
9:21	0.045
9:22	0.043

9:23	0.042
9:24	0.042
9:25	0.042
9:26	0.042
9:27	0.042
9:28	0.041
9:29	0.042
9:30	0.042
9:31	0.043
9:32	0.042
9:33	0.044
9:34	0.043
9:35	0.042
9:36	0.043
9:37	0.043
9:38	0.046
9:39	0.044
9:40	0.045
9:41	0.047
9:42	0.045
9:43	0.042
9:44	0.043
9:45	0.044
9:46	0.043
9:47	0.042
9:48	0.04
9:49	0.04
9:50	0.04
9:51	0.041
9:52	0.041
9:53	0.043
9:54	0.046
9:55	0.044
9:56	0.046
9:57	0.042
9:58	0.042
9:59	0.039
10:00	0.04
10:01	0.042
10:02	0.044
10:03	0.048
10:04	0.039
10:05	0.038
10:06	0.038

10:07	0.038
10:08	0.038
10:09	0.039
10:10	0.038
10:11	0.037
10:12	0.039
10:13	0.038
10:14	0.038
10:15	0.039
10:16	0.04
10:17	0.039
10:18	0.039
10:19	0.039
10:20	0.038
10:21	0.039
10:22	0.042
10:23	0.04
10:24	0.041
10:25	0.042
10:26	0.041
10:27	0.041
10:28	0.043
10:29	0.044
10:30	0.044
10:31	0.045
10:32	0.044
10:33	0.044
10:34	0.047
10:35	0.045
10:36	0.046
10:37	0.048

Summary

Unit Name MiniRAE 3000 +(PGM-7320)

Unit SN 592-927198

Unit Firmware Ver V2.20A

Datalog

Index	Date/Time	PID(ppm) (Min)	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)
1	12/24/2024 6:41	0	0	0	0
2	12/24/2024 6:42	0	0.1	0.1	0.1
3	12/24/2024 6:43	0.1	0.1	0.1	0.1
4	12/24/2024 6:44	0	0.1	0.1	0
5	12/24/2024 6:45	0	0	0	0
6	12/24/2024 6:46	0	0.1	0.1	0.1
7	12/24/2024 6:47	0	0.1	0.1	0.1
8	12/24/2024 6:48	0	0.1	0.1	0.1
9	12/24/2024 6:49	0	0	0.1	0
10	12/24/2024 6:50	0	0	0.1	0
11	12/24/2024 6:51	0	0	0	0
12	12/24/2024 6:52	0	0	0	0
13	12/24/2024 6:53	0	0	0	0
14	12/24/2024 6:54	0	0	0	0
15	12/24/2024 6:55	0	0	0	0
16	12/24/2024 6:56	0	0	0	0
17	12/24/2024 6:57	0	0	0	0
18	12/24/2024 6:58	0	0	0	0
19	12/24/2024 6:59	0	0	0	0
20	12/24/2024 7:00	0	0	0	0
21	12/24/2024 7:01	0	0	0	0
22	12/24/2024 7:02	0	0	0	0
23	12/24/2024 7:03	0	0	0	0
24	12/24/2024 7:04	0	0	0	0
25	12/24/2024 7:05	0	0	0	0
26	12/24/2024 7:06	0	0	0	0
27	12/24/2024 7:07	0	0	0.1	0
28	12/24/2024 7:08	0	0	0	0
29	12/24/2024 7:09	0	0	0	0
30	12/24/2024 7:10	0	0	0	0
31	12/24/2024 7:11	0	0	0	0
32	12/24/2024 7:12	0	0	0	0
33	12/24/2024 7:13	0	0	0	0
34	12/24/2024 7:14	0	0	0	0
35	12/24/2024 7:15	0	0	0	0
36	12/24/2024 7:16	0	0	0	0
37	12/24/2024 7:17	0	0	0	0
38	12/24/2024 7:18	0	0	0.1	0
39	12/24/2024 7:19	0	0	0.1	0
40	12/24/2024 7:20	0	0	0.1	0

41	12/24/2024 7:21	0	0.1	0.4	0.1
42	12/24/2024 7:22	0	0	0.1	0
43	12/24/2024 7:23	0	0.1	0.2	0.2
44	12/24/2024 7:24	0	0.1	0.4	0.1
45	12/24/2024 7:25	0	0.1	0.1	0
46	12/24/2024 7:26	0	0	0.1	0
47	12/24/2024 7:27	0	0	0.1	0
48	12/24/2024 7:28	0	0.1	0.2	0.1
49	12/24/2024 7:29	0	0.1	0.2	0.2
50	12/24/2024 7:30	0	0.1	0.2	0
51	12/24/2024 7:31	0	0	0.1	0
52	12/24/2024 7:32	0	0	0.1	0.1
53	12/24/2024 7:33	0	0	0.1	0.1
54	12/24/2024 7:34	0	0.1	0.2	0
55	12/24/2024 7:35	0	0	0.1	0
56	12/24/2024 7:36	0	0.1	0.2	0.1
57	12/24/2024 7:37	0	0.1	0.3	0.3
58	12/24/2024 7:38	0.1	0.2	0.5	0.1
59	12/24/2024 7:39	0.1	0.1	0.2	0.1
60	12/24/2024 7:40	0	0.1	0.3	0.1
61	12/24/2024 7:41	0	0.1	0.1	0.1
62	12/24/2024 7:42	0	0.1	0.1	0.1
63	12/24/2024 7:43	0.1	0.1	0.2	0.2
64	12/24/2024 7:44	0.1	0.2	0.3	0.1
65	12/24/2024 7:45	0	0.1	0.2	0.2
66	12/24/2024 7:46	0.1	0.2	0.6	0.2
67	12/24/2024 7:47	0.1	0.1	0.2	0.1
68	12/24/2024 7:48	0.1	0.1	0.2	0.1
69	12/24/2024 7:49	0	0.1	0.2	0.2
70	12/24/2024 7:50	0	0.1	0.2	0.1
71	12/24/2024 7:51	0.1	0.1	0.1	0.1
72	12/24/2024 7:52	0.1	0.1	0.1	0.1
73	12/24/2024 7:53	0.1	0.1	0.1	0.1
74	12/24/2024 7:54	0.1	0.1	0.1	0.1
75	12/24/2024 7:55	0.1	0.2	0.5	0.1
76	12/24/2024 7:56	0.1	0.1	0.1	0.1
77	12/24/2024 7:57	0.1	0.1	0.1	0.1
78	12/24/2024 7:58	0.1	0.2	0.8	0.2
79	12/24/2024 7:59	0.1	0.2	0.5	0.1
80	12/24/2024 8:00	0.1	0.1	0.1	0.1
81	12/24/2024 8:01	0.1	0.1	0.1	0.1
82	12/24/2024 8:02	0.1	0.1	0.2	0.1
83	12/24/2024 8:03	0.1	0.1	0.1	0.1
84	12/24/2024 8:04	0.1	0.1	0.1	0.1
85	12/24/2024 8:05	0	0.1	0.1	0.1
86	12/24/2024 8:06	0	0.1	0.1	0.1
87	12/24/2024 8:07	0.1	0.1	0.1	0.1

88	12/24/2024 8:08	0	0.1	0.1	0.1
89	12/24/2024 8:09	0	0.1	0.2	0.1
90	12/24/2024 8:10	0.1	0.1	0.1	0.1
91	12/24/2024 8:11	0.1	0.1	0.2	0.1
92	12/24/2024 8:12	0.1	0.1	0.1	0.1
93	12/24/2024 8:13	0.1	0.1	0.2	0.2
94	12/24/2024 8:14	0.1	0.1	0.2	0.1
95	12/24/2024 8:15	0.1	0.1	0.2	0.1
96	12/24/2024 8:16	0.1	0.1	0.2	0.2
97	12/24/2024 8:17	0.1	0.2	0.2	0.2
98	12/24/2024 8:18	0.1	0.2	0.3	0.1
99	12/24/2024 8:19	0.1	0.1	0.1	0.1
100	12/24/2024 8:20	0.1	0.1	0.1	0.1
101	12/24/2024 8:21	0.1	0.1	0.1	0.1
102	12/24/2024 8:22	0.1	0.1	0.1	0.1
103	12/24/2024 8:23	0.1	0.1	0.2	0.1
104	12/24/2024 8:24	0.1	0.1	0.1	0.1
105	12/24/2024 8:25	0.1	0.1	0.1	0.1
106	12/24/2024 8:26	0.1	0.1	0.1	0.1
107	12/24/2024 8:27	0	0.1	0.1	0.1
108	12/24/2024 8:28	0.1	0.1	0.1	0.1
109	12/24/2024 8:29	0.1	0.1	0.1	0.1
110	12/24/2024 8:30	0.1	0.1	0.1	0.1
111	12/24/2024 8:31	0.1	0.1	0.2	0.2
112	12/24/2024 8:32	0.1	0.1	0.2	0.1
113	12/24/2024 8:33	0.1	0.1	0.1	0.1
114	12/24/2024 8:34	0.1	0.1	0.1	0.1
115	12/24/2024 8:35	0.1	0.1	0.1	0.1
116	12/24/2024 8:36	0.1	0.1	0.1	0.1
117	12/24/2024 8:37	0.1	0.1	0.1	0.1
118	12/24/2024 8:38	0	0.1	0.1	0.1
119	12/24/2024 8:39	0.1	0.1	0.1	0.1
120	12/24/2024 8:40	0.1	0.1	0.1	0.1
121	12/24/2024 8:41	0.1	0.1	0.1	0.1
122	12/24/2024 8:42	0.1	0.1	0.1	0.1
123	12/24/2024 8:43	0.1	0.1	0.1	0.1
124	12/24/2024 8:44	0.1	0.1	0.1	0.1
125	12/24/2024 8:45	0.1	0.1	0.1	0.1
126	12/24/2024 8:46	0.1	0.1	0.1	0.1
127	12/24/2024 8:47	0.1	0.1	0.1	0.1
128	12/24/2024 8:48	0.1	0.2	0.3	0.3
129	12/24/2024 8:49	0.1	0.1	0.3	0.1
130	12/24/2024 8:50	0.1	0.1	0.2	0.1
131	12/24/2024 8:51	0.1	0.1	0.1	0.1
132	12/24/2024 8:52	0.1	0.1	0.1	0.1
133	12/24/2024 8:53	0.1	0.1	0.1	0.1
134	12/24/2024 8:54	0.1	0.1	0.1	0.1

135	12/24/2024 8:55	0.1	0.1	0.1	0.1
136	12/24/2024 8:56	0.1	0.1	0.1	0.1
137	12/24/2024 8:57	0.1	0.1	0.1	0.1
138	12/24/2024 8:58	0.1	0.1	0.1	0.1
139	12/24/2024 8:59	0.1	0.1	0.1	0.1
140	12/24/2024 9:00	0	0.1	0.1	0.1
141	12/24/2024 9:01	0.1	0.1	0.1	0.1
142	12/24/2024 9:02	0.1	0.1	0.1	0.1
143	12/24/2024 9:03	0.1	0.1	0.1	0.1
144	12/24/2024 9:04	0.1	0.1	0.1	0.1
145	12/24/2024 9:05	0.1	0.1	0.1	0.1
146	12/24/2024 9:06	0.1	0.1	0.1	0.1
147	12/24/2024 9:07	0.1	0.1	0.1	0.1
148	12/24/2024 9:08	0.1	0.1	0.1	0.1
149	12/24/2024 9:09	0.1	0.1	0.1	0.1
150	12/24/2024 9:10	0.1	0.1	0.2	0.1
151	12/24/2024 9:11	0.1	0.1	0.1	0.1
152	12/24/2024 9:12	0.1	0.1	0.1	0.1
153	12/24/2024 9:13	0.1	0.1	0.1	0.1
154	12/24/2024 9:14	0.1	0.1	0.1	0.1
155	12/24/2024 9:15	0.1	0.1	0.1	0.1
156	12/24/2024 9:16	0.1	0.1	0.1	0.1
157	12/24/2024 9:17	0	0.1	0.1	0.1
158	12/24/2024 9:18	0	0.1	0.1	0.1
159	12/24/2024 9:19	0.1	0.1	0.1	0.1
160	12/24/2024 9:20	0.1	0.1	0.1	0.1
161	12/24/2024 9:21	0	0.1	0.1	0
162	12/24/2024 9:22	0	0.1	0.1	0.1
163	12/24/2024 9:23	0.1	0.1	0.1	0.1
164	12/24/2024 9:24	0.1	0.1	0.1	0.1
165	12/24/2024 9:25	0.1	0.1	0.1	0.1
166	12/24/2024 9:26	0.1	0.1	0.1	0.1
167	12/24/2024 9:27	0.1	0.1	0.1	0.1
168	12/24/2024 9:28	0.1	0.1	0.1	0.1
169	12/24/2024 9:29	0.1	0.1	0.2	0.1
170	12/24/2024 9:30	0.1	0.1	0.1	0.1
171	12/24/2024 9:31	0.1	0.1	0.1	0.1
172	12/24/2024 9:32	0.1	0.1	0.1	0.1
173	12/24/2024 9:33	0.1	0.1	0.1	0.1
174	12/24/2024 9:34	0.1	0.1	0.1	0.1
175	12/24/2024 9:35	0.1	0.1	0.1	0.1
176	12/24/2024 9:36	0.1	0.1	0.1	0.1
177	12/24/2024 9:37	0.1	0.1	0.1	0.1
178	12/24/2024 9:38	0.1	0.1	0.1	0.1
179	12/24/2024 9:39	0.1	0.1	0.1	0.1
180	12/24/2024 9:40	0.1	0.1	0.1	0.1
181	12/24/2024 9:41	0.1	0.1	0.1	0.1

182	12/24/2024 9:42	0.1	0.1	0.1	0.1
183	12/24/2024 9:43	0.1	0.1	0.1	0.1
184	12/24/2024 9:44	0.1	0.1	0.1	0.1
185	12/24/2024 9:45	0.1	0.1	0.1	0.1
186	12/24/2024 9:46	0.1	0.1	0.2	0.2
187	12/24/2024 9:47	0.1	0.1	0.2	0.1
188	12/24/2024 9:48	0.1	0.1	0.1	0.1
189	12/24/2024 9:49	0.1	0.1	0.1	0.1
190	12/24/2024 9:50	0.1	0.1	0.1	0.1
191	12/24/2024 9:51	0.1	0.1	0.1	0.1
192	12/24/2024 9:52	0.1	0.1	0.1	0.1
193	12/24/2024 9:53	0.1	0.1	0.1	0.1
194	12/24/2024 9:54	0.1	0.1	0.1	0.1
195	12/24/2024 9:55	0.1	0.1	0.1	0.1
196	12/24/2024 9:56	0.1	0.1	0.1	0.1
197	12/24/2024 9:57	0.1	0.1	0.1	0.1
198	12/24/2024 9:58	0.1	0.1	0.1	0.1
199	12/24/2024 9:59	0.1	0.1	0.1	0.1
200	12/24/2024 10:00	0.1	0.1	0.1	0.1
201	12/24/2024 10:01	0.1	0.1	0.1	0.1
202	12/24/2024 10:02	0.1	0.1	0.1	0.1
203	12/24/2024 10:03	0.1	0.1	0.1	0.1
204	12/24/2024 10:04	0.1	0.1	0.1	0.1
205	12/24/2024 10:05	0.1	0.1	0.1	0.1
206	12/24/2024 10:06	0.1	0.1	0.1	0.1
207	12/24/2024 10:07	0.1	0.1	0.1	0.1
208	12/24/2024 10:08	0.1	0.1	0.2	0.1
209	12/24/2024 10:09	0.1	0.1	0.2	0.1
210	12/24/2024 10:10	0.1	0.1	0.1	0.1
211	12/24/2024 10:11	0.1	0.1	0.1	0.1
212	12/24/2024 10:12	0.1	0.1	0.1	0.1
213	12/24/2024 10:13	0.1	0.1	0.1	0.1
214	12/24/2024 10:14	0.1	0.1	0.1	0.1
215	12/24/2024 10:15	0.1	0.1	0.1	0.1
216	12/24/2024 10:16	0.1	0.1	0.1	0.1
217	12/24/2024 10:17	0.1	0.1	0.1	0.1
218	12/24/2024 10:18	0.1	0.1	0.1	0.1
219	12/24/2024 10:19	0.1	0.1	0.1	0.1
220	12/24/2024 10:20	0.1	0.1	0.1	0.1
221	12/24/2024 10:21	0.1	0.1	0.1	0.1
222	12/24/2024 10:22	0.1	0.1	0.1	0.1
223	12/24/2024 10:23	0.1	0.1	0.1	0.1
224	12/24/2024 10:24	0.1	0.1	0.1	0.1
225	12/24/2024 10:25	0.1	0.1	0.1	0.1
226	12/24/2024 10:26	0.1	0.1	0.1	0.1
227	12/24/2024 10:27	0.1	0.1	0.1	0.1
228	12/24/2024 10:28	0.1	0.1	0.1	0.1

229	12/24/2024 10:29	0.1	0.1	0.1	0.1
230	12/24/2024 10:30	0.1	0.1	0.1	0.1
231	12/24/2024 10:31	0.1	0.1	0.1	0.1
232	12/24/2024 10:32	0.1	0.1	0.1	0.1
233	12/24/2024 10:33	0.1	0.1	0.1	0.1
234	12/24/2024 10:34	0.1	0.1	0.1	0.1
235	12/24/2024 10:35	0.1	0.1	0.1	0.1
236	12/24/2024 10:36	0.1	0.1	0.1	0.1
237	12/24/2024 10:37	0.1	0.1	0.1	0.1
238	12/24/2024 10:38	0.1	0.1	0.1	0.1
239	12/24/2024 10:39	0.1	0.1	0.1	0.1
240	12/24/2024 10:40	0.1	0.1	0.1	0.1
241	12/24/2024 10:41	0.1	0.1	0.1	0.1
242	12/24/2024 10:42	0.1	0.1	0.1	0.1
243	12/24/2024 10:43	0.1	0.1	0.1	0.1
Peak		0.1	0.2	0.8	0.3
Min		0	0	0	0
Average		0.1	0.1	0.1	0.1

DOWNWIND CAMP READINGS

251 DOUGLASS STREET, BROOKLYN, NY



Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530224601
Firmware Version	3.1
Calibration Date	11/9/2022
Test Name	MANUAL_001
Test Start Time	6:39:05 AM
Test Start Date	12/24/2024
Test Length [D:H:M]	0:03:59
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.047
Mass Minimum [mg/m3]	0.029
Mass Maximum [mg/m3]	0.095
Mass TWA [mg/m3]	0.023
Photometric User Cal	1
Flow User Cal	0
Errors	

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:40	0.058		
6:41	0.038		
6:42	0.031		
6:43	0.029		
6:44	0.032		
6:45	0.031		
6:46	0.038		
6:47	0.032		
6:48	0.035		
6:49	0.041		
6:50	0.029		
6:51	0.042		
6:52	0.036		
6:53	0.038		
6:54	0.039		
6:55	0.074		
6:56	0.095		
6:57	0.06		
6:58	0.039		
6:59	0.029		
7:00	0.035		
7:01	0.03		
7:02	0.029		
7:03	0.031		
7:04	0.031		

7:05	0.07
7:06	0.05
7:07	0.079
7:08	0.042
7:09	0.034
7:10	0.032
7:11	0.042
7:12	0.034
7:13	0.033
7:14	0.036
7:15	0.032
7:16	0.031
7:17	0.044
7:18	0.031
7:19	0.03
7:20	0.034
7:21	0.035
7:22	0.035
7:23	0.035
7:24	0.036
7:25	0.037
7:26	0.036
7:27	0.059
7:28	0.037
7:29	0.038
7:30	0.043
7:31	0.043
7:32	0.036
7:33	0.039
7:34	0.042
7:35	0.034
7:36	0.036
7:37	0.036
7:38	0.038
7:39	0.037
7:40	0.04
7:41	0.043
7:42	0.048
7:43	0.048
7:44	0.049
7:45	0.05
7:46	0.043
7:47	0.042
7:48	0.047

7:49	0.051
7:50	0.056
7:51	0.052
7:52	0.055
7:53	0.048
7:54	0.051
7:55	0.047
7:56	0.045
7:57	0.05
7:58	0.047
7:59	0.058
8:00	0.046
8:01	0.046
8:02	0.056
8:03	0.061
8:04	0.045
8:05	0.044
8:06	0.049
8:07	0.046
8:08	0.048
8:09	0.044
8:10	0.051
8:11	0.048
8:12	0.048
8:13	0.051
8:14	0.046
8:15	0.047
8:16	0.059
8:17	0.054
8:18	0.052
8:19	0.051
8:20	0.048
8:21	0.049
8:22	0.046
8:23	0.046
8:24	0.051
8:25	0.049
8:26	0.047
8:27	0.045
8:28	0.052
8:29	0.049
8:30	0.051
8:31	0.053
8:32	0.052

8:33	0.053
8:34	0.051
8:35	0.052
8:36	0.052
8:37	0.049
8:38	0.048
8:39	0.052
8:40	0.05
8:41	0.049
8:42	0.055
8:43	0.051
8:44	0.051
8:45	0.053
8:46	0.052
8:47	0.056
8:48	0.051
8:49	0.052
8:50	0.053
8:51	0.054
8:52	0.052
8:53	0.051
8:54	0.052
8:55	0.049
8:56	0.05
8:57	0.05
8:58	0.05
8:59	0.051
9:00	0.049
9:01	0.051
9:02	0.051
9:03	0.054
9:04	0.051
9:05	0.05
9:06	0.058
9:07	0.051
9:08	0.051
9:09	0.05
9:10	0.05
9:11	0.049
9:12	0.051
9:13	0.05
9:14	0.05
9:15	0.049
9:16	0.049

9:17	0.05
9:18	0.049
9:19	0.047
9:20	0.047
9:21	0.047
9:22	0.054
9:23	0.054
9:24	0.052
9:25	0.049
9:26	0.052
9:27	0.054
9:28	0.055
9:29	0.051
9:30	0.049
9:31	0.05
9:32	0.048
9:33	0.052
9:34	0.053
9:35	0.055
9:36	0.056
9:37	0.057
9:38	0.052
9:39	0.048
9:40	0.049
9:41	0.05
9:42	0.055
9:43	0.051
9:44	0.047
9:45	0.046
9:46	0.048
9:47	0.05
9:48	0.046
9:49	0.047
9:50	0.049
9:51	0.059
9:52	0.055
9:53	0.056
9:54	0.051
9:55	0.052
9:56	0.049
9:57	0.046
9:58	0.05
9:59	0.051
10:00	0.043

10:01	0.044
10:02	0.044
10:03	0.043
10:04	0.042
10:05	0.045
10:06	0.044
10:07	0.042
10:08	0.043
10:09	0.044
10:10	0.044
10:11	0.044
10:12	0.045
10:13	0.044
10:14	0.044
10:15	0.044
10:16	0.043
10:17	0.045
10:18	0.046
10:19	0.046
10:20	0.046
10:21	0.046
10:22	0.046
10:23	0.046
10:24	0.049
10:25	0.049
10:26	0.049
10:27	0.049
10:28	0.048
10:29	0.05
10:30	0.052
10:31	0.049
10:32	0.052
10:33	0.052
10:34	0.05
10:35	0.049
10:36	0.047
10:37	0.051
10:38	0.057

Summary

Unit Name MiniRAE 3000(PGM-7320)

Unit SN 592-912800

Unit Firmware Ver V2.22A

Datalog

Index	Date/Time	PID(ppm) (Min)	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)
1	12/24/2024 6:40	0	0	0	0
2	12/24/2024 6:41	0	0	0	0
3	12/24/2024 6:42	0	0	0	0
4	12/24/2024 6:43	0	0	0	0
5	12/24/2024 6:44	0	0	0	0
6	12/24/2024 6:45	0	0	0	0
7	12/24/2024 6:46	0	0	0	0
8	12/24/2024 6:47	0	0	0	0
9	12/24/2024 6:48	0	0	0	0
10	12/24/2024 6:49	0	0	0	0
11	12/24/2024 6:50	0	0	0	0
12	12/24/2024 6:51	0	0	0	0
13	12/24/2024 6:52	0	0	0	0
14	12/24/2024 6:53	0	0	0	0
15	12/24/2024 6:54	0	0	0	0
16	12/24/2024 6:55	0	0	0	0
17	12/24/2024 6:56	0	0	0	0
18	12/24/2024 6:57	0	0	0	0
19	12/24/2024 6:58	0	0	0	0
20	12/24/2024 6:59	0	0	0	0
21	12/24/2024 7:00	0	0	0	0
22	12/24/2024 7:01	0	0	0	0
23	12/24/2024 7:02	0	0	0	0
24	12/24/2024 7:03	0	0	0	0
25	12/24/2024 7:04	0	0	0	0
26	12/24/2024 7:05	0	0	0	0
27	12/24/2024 7:06	0	0	0	0
28	12/24/2024 7:07	0	0	0	0
29	12/24/2024 7:08	0	0	0	0
30	12/24/2024 7:09	0	0	0	0
31	12/24/2024 7:10	0	0	0	0
32	12/24/2024 7:11	0	0	0	0
33	12/24/2024 7:12	0	0	0	0
34	12/24/2024 7:13	0	0	0	0
35	12/24/2024 7:14	0	0	0	0
36	12/24/2024 7:15	0	0	0	0
37	12/24/2024 7:16	0	0	0	0
38	12/24/2024 7:17	0	0	0	0
39	12/24/2024 7:18	0	0	0	0
40	12/24/2024 7:19	0	0	0	0

41	12/24/2024 7:20	0	0	0	0
42	12/24/2024 7:21	0	0	0	0
43	12/24/2024 7:22	0	0	0	0
44	12/24/2024 7:23	0	0	0	0
45	12/24/2024 7:24	0	0	0	0
46	12/24/2024 7:25	0	0	0	0
47	12/24/2024 7:26	0	0	0	0
48	12/24/2024 7:27	0	0	0	0
49	12/24/2024 7:28	0	0	0	0
50	12/24/2024 7:29	0	0	0	0
51	12/24/2024 7:30	0	0	0	0
52	12/24/2024 7:31	0	0	0	0
53	12/24/2024 7:32	0	0	0	0
54	12/24/2024 7:33	0	0	0	0
55	12/24/2024 7:34	0	0	0	0
56	12/24/2024 7:35	0	0	0	0
57	12/24/2024 7:36	0	0	0	0
58	12/24/2024 7:37	0	0	0	0
59	12/24/2024 7:38	0	0	0	0
60	12/24/2024 7:39	0	0	0	0
61	12/24/2024 7:40	0	0	0	0
62	12/24/2024 7:41	0	0	0	0
63	12/24/2024 7:42	0	0	0	0
64	12/24/2024 7:43	0	0	0	0
65	12/24/2024 7:44	0	0	0	0
66	12/24/2024 7:45	0	0	0	0
67	12/24/2024 7:46	0	0	0	0
68	12/24/2024 7:47	0	0	0	0
69	12/24/2024 7:48	0	0	0	0
70	12/24/2024 7:49	0	0	0	0
71	12/24/2024 7:50	0	0	0	0
72	12/24/2024 7:51	0	0	0	0
73	12/24/2024 7:52	0	0	0	0
74	12/24/2024 7:53	0	0	0	0
75	12/24/2024 7:54	0	0	0	0
76	12/24/2024 7:55	0	0	0	0
77	12/24/2024 7:56	0	0	0	0
78	12/24/2024 7:57	0	0	0	0
79	12/24/2024 7:58	0	0	0	0
80	12/24/2024 7:59	0	0	0	0
81	12/24/2024 8:00	0	0	0	0
82	12/24/2024 8:01	0	0	0	0
83	12/24/2024 8:02	0	0	0	0
84	12/24/2024 8:03	0	0	0.2	0.1
85	12/24/2024 8:04	0	0	0.1	0
86	12/24/2024 8:05	0	0	0	0
87	12/24/2024 8:06	0	0	0	0

88	12/24/2024 8:07	0	0	0	0
89	12/24/2024 8:08	0	0	0	0
90	12/24/2024 8:09	0	0	0	0
91	12/24/2024 8:10	0	0	0	0
92	12/24/2024 8:11	0	0	0	0
93	12/24/2024 8:12	0	0	0	0
94	12/24/2024 8:13	0	0	0	0
95	12/24/2024 8:14	0	0	0	0
96	12/24/2024 8:15	0	0	0	0
97	12/24/2024 8:16	0	0	0	0
98	12/24/2024 8:17	0	0	0	0
99	12/24/2024 8:18	0	0	0	0
100	12/24/2024 8:19	0	0	0	0
101	12/24/2024 8:20	0	0	0	0
102	12/24/2024 8:21	0	0	0	0
103	12/24/2024 8:22	0	0	0	0
104	12/24/2024 8:23	0	0	0	0
105	12/24/2024 8:24	0	0	0	0
106	12/24/2024 8:25	0	0	0	0
107	12/24/2024 8:26	0	0	0	0
108	12/24/2024 8:27	0	0	0	0
109	12/24/2024 8:28	0	0	0	0
110	12/24/2024 8:29	0	0	0	0
111	12/24/2024 8:30	0	0	0	0
112	12/24/2024 8:31	0	0	0	0
113	12/24/2024 8:32	0	0	0	0
114	12/24/2024 8:33	0	0	0	0
115	12/24/2024 8:34	0	0	0	0
116	12/24/2024 8:35	0	0	0	0
117	12/24/2024 8:36	0	0	0	0
118	12/24/2024 8:37	0	0	0	0
119	12/24/2024 8:38	0	0	0	0
120	12/24/2024 8:39	0	0	0	0
121	12/24/2024 8:40	0	0	0	0
122	12/24/2024 8:41	0	0	0	0
123	12/24/2024 8:42	0	0	0	0
124	12/24/2024 8:43	0	0	0	0
125	12/24/2024 8:44	0	0	0	0
126	12/24/2024 8:45	0	0	0	0
127	12/24/2024 8:46	0	0	0	0
128	12/24/2024 8:47	0	0	0	0
129	12/24/2024 8:48	0	0	0	0
130	12/24/2024 8:49	0	0	0	0
131	12/24/2024 8:50	0	0	0	0
132	12/24/2024 8:51	0	0	0	0
133	12/24/2024 8:52	0	0	0	0
134	12/24/2024 8:53	0	0	0	0

135	12/24/2024 8:54	0	0	0	0
136	12/24/2024 8:55	0	0	0	0
137	12/24/2024 8:56	0	0	0	0
138	12/24/2024 8:57	0	0	0	0
139	12/24/2024 8:58	0	0	0	0
140	12/24/2024 8:59	0	0	0	0
141	12/24/2024 9:00	0	0	0	0
142	12/24/2024 9:01	0	0	0	0
143	12/24/2024 9:02	0	0	0	0
144	12/24/2024 9:03	0	0	0	0
145	12/24/2024 9:04	0	0	0	0
146	12/24/2024 9:05	0	0	0	0
147	12/24/2024 9:06	0	0	0	0
148	12/24/2024 9:07	0	0	0	0
149	12/24/2024 9:08	0	0	0	0
150	12/24/2024 9:09	0	0	0	0
151	12/24/2024 9:10	0	0	0	0
152	12/24/2024 9:11	0	0	0	0
153	12/24/2024 9:12	0	0	0	0
154	12/24/2024 9:13	0	0	0	0
155	12/24/2024 9:14	0	0	0	0
156	12/24/2024 9:15	0	0	0	0
157	12/24/2024 9:16	0	0	0	0
158	12/24/2024 9:17	0	0	0	0
159	12/24/2024 9:18	0	0	0	0
160	12/24/2024 9:19	0	0	0	0
161	12/24/2024 9:20	0	0	0	0
162	12/24/2024 9:21	0	0	0	0
163	12/24/2024 9:22	0	0	0	0
164	12/24/2024 9:23	0	0	0	0
165	12/24/2024 9:24	0	0	0	0
166	12/24/2024 9:25	0	0	0	0
167	12/24/2024 9:26	0	0	0	0
168	12/24/2024 9:27	0	0	0	0
169	12/24/2024 9:28	0	0	0	0
170	12/24/2024 9:29	0	0	0	0
171	12/24/2024 9:30	0	0	0	0
172	12/24/2024 9:31	0	0	0	0
173	12/24/2024 9:32	0	0	0	0
174	12/24/2024 9:33	0	0	0	0
175	12/24/2024 9:34	0	0	0	0
176	12/24/2024 9:35	0	0	0	0
177	12/24/2024 9:36	0	0	0	0
178	12/24/2024 9:37	0	0	0	0
179	12/24/2024 9:38	0	0	0	0
180	12/24/2024 9:39	0	0	0	0
181	12/24/2024 9:40	0	0	0	0

182	12/24/2024 9:41	0	0	0	0
183	12/24/2024 9:42	0	0	0	0
184	12/24/2024 9:43	0	0	0	0
185	12/24/2024 9:44	0	0	0	0
186	12/24/2024 9:45	0	0	0	0
187	12/24/2024 9:46	0	0	0	0
188	12/24/2024 9:47	0	0	0	0
189	12/24/2024 9:48	0	0	0	0
190	12/24/2024 9:49	0	0	0	0
191	12/24/2024 9:50	0	0	0	0
192	12/24/2024 9:51	0	0	0	0
193	12/24/2024 9:52	0	0	0	0
194	12/24/2024 9:53	0	0	0	0
195	12/24/2024 9:54	0	0	0	0
196	12/24/2024 9:55	0	0	0	0
197	12/24/2024 9:56	0	0	0	0
198	12/24/2024 9:57	0	0	0	0
199	12/24/2024 9:58	0	0	0	0
200	12/24/2024 9:59	0	0	0	0
201	12/24/2024 10:00	0	0	0	0
202	12/24/2024 10:01	0	0	0	0
203	12/24/2024 10:02	0	0	0	0
204	12/24/2024 10:03	0	0	0	0
205	12/24/2024 10:04	0	0	0	0
206	12/24/2024 10:05	0	0	0	0
207	12/24/2024 10:06	0	0	0	0
208	12/24/2024 10:07	0	0	0	0
209	12/24/2024 10:08	0	0	0	0
210	12/24/2024 10:09	0	0	0	0
211	12/24/2024 10:10	0	0	0	0
212	12/24/2024 10:11	0	0	0	0
213	12/24/2024 10:12	0	0	0	0
214	12/24/2024 10:13	0	0	0	0
215	12/24/2024 10:14	0	0	0	0
216	12/24/2024 10:15	0	0	0	0
217	12/24/2024 10:16	0	0	0	0
218	12/24/2024 10:17	0	0	0	0
219	12/24/2024 10:18	0	0	0	0
220	12/24/2024 10:19	0	0	0	0
221	12/24/2024 10:20	0	0	0	0
222	12/24/2024 10:21	0	0	0	0
223	12/24/2024 10:22	0	0	0	0
224	12/24/2024 10:23	0	0	0	0
225	12/24/2024 10:24	0	0	0	0
226	12/24/2024 10:25	0	0	0	0
227	12/24/2024 10:26	0	0	0	0
228	12/24/2024 10:27	0	0	0	0

229	12/24/2024 10:28	0	0	0	0
230	12/24/2024 10:29	0	0	0	0
231	12/24/2024 10:30	0	0	0	0
232	12/24/2024 10:31	0	0	0	0
233	12/24/2024 10:32	0	0	0	0
234	12/24/2024 10:33	0	0	0	0
235	12/24/2024 10:34	0	0	0	0
236	12/24/2024 10:35	0	0	0	0
237	12/24/2024 10:36	0	0	0	0
238	12/24/2024 10:37	0	0	0	0
239	12/24/2024 10:38	0	0	0	0
240	12/24/2024 10:39	0	0	0	0
241	12/24/2024 10:40	0	0	0	0
242	12/24/2024 10:41	0	0	0	0
243	12/24/2024 10:42	0	0	0	0
244	12/24/2024 10:43	0	0	0	0
245	12/24/2024 10:44	0	0	0	0
246	12/24/2024 10:45	0	0	0	0
247	12/24/2024 10:46	0	0	0	0
248	12/24/2024 10:47	0	0	0	0
Peak		0	0	0.2	0.1
Min		0	0	0	0
Average		0	0	0	0

Instrument Name	DustTrak II
Model Number	8530
Serial Number	8530154916
Firmware Version	3.1
Calibration Date	8/2/2024
Test Name	MANUAL_001
Test Start Time	6:48:18 AM
Test Start Date	12/24/2024
Test Length [D:H:M]	0:03:56
Test Interval [M:S]	1:00
Mass Average [mg/m3]	0.038
Mass Minimum [mg/m3]	0.023
Mass Maximum [mg/m3]	0.188
Mass TWA [mg/m3]	0.019
Photometric User Cal	1
Flow User Cal	0
Errors	

Elapsed Time [s]	Mass [mg/m3]	Alarms	Errors
6:49	0.188		
6:50	0.03		
6:51	0.029		
6:52	0.038		
6:53	0.026		
6:54	0.032		
6:55	0.034		
6:56	0.024		
6:57	0.031		
6:58	0.029		
6:59	0.027		
7:00	0.025		
7:01	0.024		
7:02	0.023		
7:03	0.024		
7:04	0.033		
7:05	0.028		
7:06	0.029		
7:07	0.036		
7:08	0.031		
7:09	0.04		
7:10	0.048		
7:11	0.042		
7:12	0.031		
7:13	0.029		

7:14	0.031
7:15	0.028
7:16	0.03
7:17	0.049
7:18	0.034
7:19	0.039
7:20	0.036
7:21	0.037
7:22	0.036
7:23	0.033
7:24	0.034
7:25	0.038
7:26	0.038
7:27	0.04
7:28	0.036
7:29	0.047
7:30	0.039
7:31	0.035
7:32	0.033
7:33	0.039
7:34	0.03
7:35	0.029
7:36	0.034
7:37	0.029
7:38	0.029
7:39	0.03
7:40	0.035
7:41	0.034
7:42	0.036
7:43	0.04
7:44	0.041
7:45	0.036
7:46	0.087
7:47	0.044
7:48	0.037
7:49	0.038
7:50	0.037
7:51	0.035
7:52	0.033
7:53	0.034
7:54	0.038
7:55	0.037
7:56	0.036
7:57	0.04

7:58	0.038
7:59	0.04
8:00	0.038
8:01	0.034
8:02	0.038
8:03	0.037
8:04	0.036
8:05	0.036
8:06	0.039
8:07	0.039
8:08	0.034
8:09	0.037
8:10	0.034
8:11	0.039
8:12	0.039
8:13	0.036
8:14	0.036
8:15	0.04
8:16	0.04
8:17	0.038
8:18	0.037
8:19	0.038
8:20	0.04
8:21	0.036
8:22	0.035
8:23	0.037
8:24	0.039
8:25	0.039
8:26	0.037
8:27	0.037
8:28	0.037
8:29	0.035
8:30	0.038
8:31	0.041
8:32	0.038
8:33	0.037
8:34	0.042
8:35	0.04
8:36	0.038
8:37	0.039
8:38	0.039
8:39	0.038
8:40	0.039
8:41	0.041

8:42	0.04
8:43	0.04
8:44	0.042
8:45	0.041
8:46	0.04
8:47	0.04
8:48	0.041
8:49	0.041
8:50	0.041
8:51	0.042
8:52	0.042
8:53	0.041
8:54	0.039
8:55	0.04
8:56	0.04
8:57	0.04
8:58	0.04
8:59	0.04
9:00	0.04
9:01	0.041
9:02	0.042
9:03	0.041
9:04	0.042
9:05	0.049
9:06	0.041
9:07	0.04
9:08	0.043
9:09	0.043
9:10	0.041
9:11	0.041
9:12	0.042
9:13	0.041
9:14	0.045
9:15	0.039
9:16	0.039
9:17	0.042
9:18	0.038
9:19	0.037
9:20	0.037
9:21	0.038
9:22	0.037
9:23	0.036
9:24	0.037
9:25	0.037

9:26	0.039
9:27	0.038
9:28	0.038
9:29	0.039
9:30	0.037
9:31	0.037
9:32	0.039
9:33	0.039
9:34	0.039
9:35	0.041
9:36	0.041
9:37	0.041
9:38	0.038
9:39	0.038
9:40	0.039
9:41	0.038
9:42	0.037
9:43	0.036
9:44	0.035
9:45	0.036
9:46	0.036
9:47	0.036
9:48	0.035
9:49	0.04
9:50	0.042
9:51	0.041
9:52	0.04
9:53	0.037
9:54	0.035
9:55	0.035
9:56	0.035
9:57	0.037
9:58	0.04
9:59	0.036
10:00	0.034
10:01	0.034
10:02	0.036
10:03	0.032
10:04	0.036
10:05	0.033
10:06	0.033
10:07	0.034
10:08	0.034
10:09	0.033

10:10	0.036
10:11	0.036
10:12	0.035
10:13	0.035
10:14	0.036
10:15	0.036
10:16	0.036
10:17	0.037
10:18	0.036
10:19	0.037
10:20	0.038
10:21	0.049
10:22	0.038
10:23	0.039
10:24	0.04
10:25	0.04
10:26	0.039
10:27	0.044
10:28	0.041
10:29	0.045
10:30	0.043
10:31	0.045
10:32	0.047
10:33	0.042
10:34	0.039
10:35	0.039
10:36	0.041
10:37	0.043
10:38	0.045
10:39	0.047
10:40	0.045
10:41	0.043
10:42	0.04
10:43	0.039
10:44	0.044

Summary

Unit Name MiniRAE 3000(PGM-7320)

Unit SN 592-906020

Unit Firmware Ver V2.22A

Datalog

Index	Date/Time	PID(ppm) (Min)	PID(ppm) (Avg)	PID(ppm) (Max)	PID(ppm) (Real)
1	12/24/2024 6:41	0	0	0	0
2	12/24/2024 6:42	0	0	0	0
3	12/24/2024 6:43	0	0	0	0
4	12/24/2024 6:44	0	0	0	0
5	12/24/2024 6:45	0	0	0	0
6	12/24/2024 6:46	0	0	0	0
7	12/24/2024 6:47	0	0	0	0
8	12/24/2024 6:48	0	0	0	0
9	12/24/2024 6:49	0	0	0	0
10	12/24/2024 6:50	0	0	0	0
11	12/24/2024 6:51	0	0	0	0
12	12/24/2024 6:52	0	0	0	0
13	12/24/2024 6:53	0	0	0	0
14	12/24/2024 6:54	0	0	0	0
15	12/24/2024 6:55	0	0	0	0
16	12/24/2024 6:56	0	0	0	0
17	12/24/2024 6:57	0	0	0	0
18	12/24/2024 6:58	0	0	0	0
19	12/24/2024 6:59	0	0	0	0
20	12/24/2024 7:00	0	0	0	0
21	12/24/2024 7:01	0	0	0	0
22	12/24/2024 7:02	0	0	0	0
23	12/24/2024 7:03	0	0	0	0
24	12/24/2024 7:04	0	0	0	0
25	12/24/2024 7:05	0	0	0	0
26	12/24/2024 7:06	0	0	0	0
27	12/24/2024 7:07	0	0	0	0
28	12/24/2024 7:08	0	0	0	0
29	12/24/2024 7:09	0	0	0	0
30	12/24/2024 7:10	0	0	0	0
31	12/24/2024 7:11	0	0	0	0
32	12/24/2024 7:12	0	0	0	0
33	12/24/2024 7:13	0	0	0	0
34	12/24/2024 7:14	0	0	0	0
35	12/24/2024 7:15	0	0	0	0
36	12/24/2024 7:16	0	0	0	0
37	12/24/2024 7:17	0	0	0	0
38	12/24/2024 7:18	0	0	0	0
39	12/24/2024 7:19	0	0	0	0
40	12/24/2024 7:20	0	0	0	0

41	12/24/2024 7:21	0	0	0	0
42	12/24/2024 7:22	0	0	0	0
43	12/24/2024 7:23	0	0	0	0
44	12/24/2024 7:24	0	0	0	0
45	12/24/2024 7:25	0	0	0	0
46	12/24/2024 7:26	0	0	0	0
47	12/24/2024 7:27	0	0	0	0
48	12/24/2024 7:28	0	0	0	0
49	12/24/2024 7:29	0	0	0	0
50	12/24/2024 7:30	0	0	0	0
51	12/24/2024 7:31	0	0	0	0
52	12/24/2024 7:32	0	0	0	0
53	12/24/2024 7:33	0	0	0	0
54	12/24/2024 7:34	0	0	0	0
55	12/24/2024 7:35	0	0	0	0
56	12/24/2024 7:36	0	0	0	0
57	12/24/2024 7:37	0	0	0	0
58	12/24/2024 7:38	0	0	0	0
59	12/24/2024 7:39	0	0	0	0
60	12/24/2024 7:40	0	0	0	0
61	12/24/2024 7:41	0	0	0	0
62	12/24/2024 7:42	0	0	0	0
63	12/24/2024 7:43	0	0	0	0
64	12/24/2024 7:44	0	0	0	0
65	12/24/2024 7:45	0	0	0	0
66	12/24/2024 7:46	0	0	0	0
67	12/24/2024 7:47	0	0	0	0
68	12/24/2024 7:48	0	0	0	0
69	12/24/2024 7:49	0	0	0	0
70	12/24/2024 7:50	0	0	0	0
71	12/24/2024 7:51	0	0	0	0
72	12/24/2024 7:52	0	0	0	0
73	12/24/2024 7:53	0	0	0	0
74	12/24/2024 7:54	0	0	0	0
75	12/24/2024 7:55	0	0	0	0
76	12/24/2024 7:56	0	0	0	0
77	12/24/2024 7:57	0	0	0	0
78	12/24/2024 7:58	0	0	0	0
79	12/24/2024 7:59	0	0	0	0
80	12/24/2024 8:00	0	0	0	0
81	12/24/2024 8:01	0	0	0	0
82	12/24/2024 8:02	0	0	0	0
83	12/24/2024 8:03	0	0	0	0
84	12/24/2024 8:04	0	0	0	0
85	12/24/2024 8:05	0	0	0	0
86	12/24/2024 8:06	0	0	0	0
87	12/24/2024 8:07	0	0	0	0

88	12/24/2024 8:08	0	0	0	0
89	12/24/2024 8:09	0	0	0	0
90	12/24/2024 8:10	0	0	0	0
91	12/24/2024 8:11	0	0	0	0
92	12/24/2024 8:12	0	0	0	0
93	12/24/2024 8:13	0	0	0	0
94	12/24/2024 8:14	0	0	0	0
95	12/24/2024 8:15	0	0	0	0
96	12/24/2024 8:16	0	0	0	0
97	12/24/2024 8:17	0	0	0	0
98	12/24/2024 8:18	0	0	0	0
99	12/24/2024 8:19	0	0	0	0
100	12/24/2024 8:20	0	0	0	0
101	12/24/2024 8:21	0	0	0	0
102	12/24/2024 8:22	0	0	0	0
103	12/24/2024 8:23	0	0	0	0
104	12/24/2024 8:24	0	0	0	0
105	12/24/2024 8:25	0	0	0	0
106	12/24/2024 8:26	0	0	0	0
107	12/24/2024 8:27	0	0	0	0
108	12/24/2024 8:28	0	0	0	0
109	12/24/2024 8:29	0	0	0	0
110	12/24/2024 8:30	0	0	0	0
111	12/24/2024 8:31	0	0	0	0
112	12/24/2024 8:32	0	0	0	0
113	12/24/2024 8:33	0	0	0	0
114	12/24/2024 8:34	0	0	0	0
115	12/24/2024 8:35	0	0	0	0
116	12/24/2024 8:36	0	0	0	0
117	12/24/2024 8:37	0	0	0	0
118	12/24/2024 8:38	0	0	0	0
119	12/24/2024 8:39	0	0	0	0
120	12/24/2024 8:40	0	0	0	0
121	12/24/2024 8:41	0	0	0	0
122	12/24/2024 8:42	0	0	0	0
123	12/24/2024 8:43	0	0	0	0
124	12/24/2024 8:44	0	0	0	0
125	12/24/2024 8:45	0	0	0	0
126	12/24/2024 8:46	0	0	0	0
127	12/24/2024 8:47	0	0	0	0
128	12/24/2024 8:48	0	0	0	0
129	12/24/2024 8:49	0	0	0	0
130	12/24/2024 8:50	0	0	0	0
131	12/24/2024 8:51	0	0	0	0
132	12/24/2024 8:52	0	0	0	0
133	12/24/2024 8:53	0	0	0	0
134	12/24/2024 8:54	0	0	0	0

135	12/24/2024 8:55	0	0	0	0
136	12/24/2024 8:56	0	0	0	0
137	12/24/2024 8:57	0	0	0	0
138	12/24/2024 8:58	0	0	0	0
139	12/24/2024 8:59	0	0	0	0
140	12/24/2024 9:00	0	0	0	0
141	12/24/2024 9:01	0	0	0	0
142	12/24/2024 9:02	0	0	0	0
143	12/24/2024 9:03	0	0	0	0
144	12/24/2024 9:04	0	0	0	0
145	12/24/2024 9:05	0	0	0	0
146	12/24/2024 9:06	0	0	0	0
147	12/24/2024 9:07	0	0	0	0
148	12/24/2024 9:08	0	0	0	0
149	12/24/2024 9:09	0	0	0	0
150	12/24/2024 9:10	0	0	0	0
151	12/24/2024 9:11	0	0	0	0
152	12/24/2024 9:12	0	0	0	0
153	12/24/2024 9:13	0	0	0	0
154	12/24/2024 9:14	0	0	0	0
155	12/24/2024 9:15	0	0	0	0
156	12/24/2024 9:16	0	0	0	0
157	12/24/2024 9:17	0	0	0	0
158	12/24/2024 9:18	0	0	0	0
159	12/24/2024 9:19	0	0	0	0
160	12/24/2024 9:20	0	0	0	0
161	12/24/2024 9:21	0	0	0	0
162	12/24/2024 9:22	0	0	0	0
163	12/24/2024 9:23	0	0	0	0
164	12/24/2024 9:24	0	0	0	0
165	12/24/2024 9:25	0	0	0	0
166	12/24/2024 9:26	0	0	0	0
167	12/24/2024 9:27	0	0	0	0
168	12/24/2024 9:28	0	0	0	0
169	12/24/2024 9:29	0	0	0	0
170	12/24/2024 9:30	0	0	0	0
171	12/24/2024 9:31	0	0	0	0
172	12/24/2024 9:32	0	0	0	0
173	12/24/2024 9:33	0	0	0	0
174	12/24/2024 9:34	0	0	0	0
175	12/24/2024 9:35	0	0	0	0
176	12/24/2024 9:36	0	0	0	0
177	12/24/2024 9:37	0	0	0	0
178	12/24/2024 9:38	0	0	0	0
179	12/24/2024 9:39	0	0	0	0
180	12/24/2024 9:40	0	0	0	0
181	12/24/2024 9:41	0	0	0	0

182	12/24/2024 9:42	0	0	0	0
183	12/24/2024 9:43	0	0	0	0
184	12/24/2024 9:44	0	0	0	0
185	12/24/2024 9:45	0	0	0	0
186	12/24/2024 9:46	0	0	0	0
187	12/24/2024 9:47	0	0	0	0
188	12/24/2024 9:48	0	0	0	0
189	12/24/2024 9:49	0	0	0	0
190	12/24/2024 9:50	0	0	0	0
191	12/24/2024 9:51	0	0	0	0
192	12/24/2024 9:52	0	0	0	0
193	12/24/2024 9:53	0	0	0	0
194	12/24/2024 9:54	0	0	0	0
195	12/24/2024 9:55	0	0	0	0
196	12/24/2024 9:56	0	0	0	0
197	12/24/2024 9:57	0	0	0	0
198	12/24/2024 9:58	0	0	0	0
199	12/24/2024 9:59	0	0	0	0
200	12/24/2024 10:00	0	0	0	0
201	12/24/2024 10:01	0	0	0	0
202	12/24/2024 10:02	0	0	0	0
203	12/24/2024 10:03	0	0	0	0
204	12/24/2024 10:04	0	0	0	0
205	12/24/2024 10:05	0	0	0	0
206	12/24/2024 10:06	0	0	0	0
207	12/24/2024 10:07	0	0	0	0
208	12/24/2024 10:08	0	0	0	0
209	12/24/2024 10:09	0	0	0	0
210	12/24/2024 10:10	0	0	0	0
211	12/24/2024 10:11	0	0	0	0
212	12/24/2024 10:12	0	0	0	0
213	12/24/2024 10:13	0	0	0	0
214	12/24/2024 10:14	0	0	0	0
215	12/24/2024 10:15	0	0	0	0
216	12/24/2024 10:16	0	0	0	0
217	12/24/2024 10:17	0	0	0	0
218	12/24/2024 10:18	0	0	0	0
219	12/24/2024 10:19	0	0	0	0
220	12/24/2024 10:20	0	0	0	0
221	12/24/2024 10:21	0	0	0	0
222	12/24/2024 10:22	0	0	0	0
223	12/24/2024 10:23	0	0	0	0
224	12/24/2024 10:24	0	0	0	0
225	12/24/2024 10:25	0	0	0	0
226	12/24/2024 10:26	0	0	0	0
227	12/24/2024 10:27	0	0	0	0
228	12/24/2024 10:28	0	0	0	0

229	12/24/2024 10:29	0	0	0	0
230	12/24/2024 10:30	0	0	0	0
231	12/24/2024 10:31	0	0	0	0
232	12/24/2024 10:32	0	0	0	0
233	12/24/2024 10:33	0	0	0	0
234	12/24/2024 10:34	0	0	0	0
235	12/24/2024 10:35	0	0	0	0
236	12/24/2024 10:36	0	0	0	0
237	12/24/2024 10:37	0	0	0	0
238	12/24/2024 10:38	0	0	0	0
239	12/24/2024 10:39	0	0	0	0
240	12/24/2024 10:40	0	0	0	0
241	12/24/2024 10:41	0	0	0	0
242	12/24/2024 10:42	0	0	0	0
243	12/24/2024 10:43	0	0	0	0
244	12/24/2024 10:44	0	0	0	0
245	12/24/2024 10:45	0	0	0	0
246	12/24/2024 10:46	0	0	0	0
247	12/24/2024 10:47	0	0	0	0
248	12/24/2024 10:48	0	0	0	0
249	12/24/2024 10:49	0	0	0	0
250	12/24/2024 10:50	0	0	0	0
251	12/24/2024 10:51	0	0	0	0
252	12/24/2024 10:52	0	0	0	0
253	12/24/2024 10:53	0	0	0	0
254	12/24/2024 10:54	0	0	0	0
255	12/24/2024 10:55	0	0	0	0
Peak		0	0	0	0
Min		0	0	0	0
Average		0	0	0	0