



Antea USA, Inc.
500 Summit Lake Drive, Suite 150
Valhalla, New York 10595 USA
www.anteagroup.com

July 30, 2012

Mrs. Rui Jun Feng
NYSDEC Region 2
Hunters Point Plaza
47-40 21st Street – 2nd Floor
Long Island City, NY 11101-5401

Re: Ground Water Monitoring Report – Second Quarter 2012
NYSDEC Spill Number 97-13442
BP Station Number 03887
164 4th Ave.
Brooklyn, Kings County, New York

Dear Mrs. Feng:

Antea Group has prepared the enclosed Ground Water Monitoring Report on behalf of Atlantic Richfield Company (Atlantic Richfield), a BP-affiliated company. The report details ground water monitoring results from the above-referenced work site. Ground water samples were collected on May 24, 2012.

The site is on a quarterly monitoring schedule. The next sampling event is scheduled for the month of August 2012.

Should you have any questions or comments, please do not hesitate to contact me at 914.495.9937.

Sincerely,
Antea Group

A handwritten signature in blue ink, appearing to read "Christopher Meyer".
Christopher Meyer
Senior Project Manager

Encl. Ground Water Monitoring Report – Second Quarter 2012

Cc: Nicholas Onufrik - Atlantic Richfield Company

BP STATION NUMBER 03887 GROUND WATER MONITORING REPORT (Second Quarter 2012)

Prepared For: Atlantic Richfield Company
Prepared By: Antea Group
Report Date: 7/30/2012

GROUND WATER GAUGING AND SAMPLING METHODS

During this ground water monitoring event, the monitoring wells were gauged for depth to ground water and for the presence of light non-aqueous phase liquid (LNAPL). The depth to ground water and presence of LNAPL, if any, were gauged using an oil/water interface probe capable of measuring to the nearest 0.01 foot. The ground water level measurements were converted to ground water elevations using top of monitoring well casing elevations. Top of casing elevations were referenced to an arbitrary, on-site datum. Ground water elevations were corrected for the presence of LNAPL, as appropriate, using a reference value for LNAPL specific gravity of 0.75.

Prior to sampling, the volume of water contained within each monitoring well was calculated using the well diameter and water column height. Whenever possible, a volume of ground water equivalent to at least three well volumes was purged from each monitoring well using a disposable polyethylene bailer and/or a mechanical pump with dedicated polyethylene tubing. Dedicated polyethylene bailers were used to collect the ground water samples. The samples were poured from the bailers into dedicated laboratory-supplied glassware. The glassware was then placed into a cooler and maintained at a temperature of less than 4-degrees Celsius during transportation to the laboratory.

The ground water samples were forwarded with a trip blank and under chain-of-custody procedures to Eurofins Lancaster Laboratories (Lancaster) of Lancaster, Pennsylvania. Lancaster is a New York State Department of Health-certified laboratory (Certification Number 10670). The ground water samples were analyzed for benzene, toluene, ethylbenzene, xylenes (BTEX), and methyl tertiary-butyl ether (MTBE) in accordance with United States Environmental Protection Agency (USEPA) Method 8260.

GROUND WATER GAUGING AND SAMPLING RESULTS

The location of the subject site is shown on the Site Location Map, Figure 1. Data collected during well gauging activities is summarized in Table 1, while ground water elevation contours calculated using the corrected water level elevations are illustrated in Figure 2. Hydrographs depicting historical ground water elevation data for representative monitoring wells are included in Figure 3.

Ground water analytical results from the samples collected during this reporting period are summarized in Table 1 and plotted on Figure 2. The laboratory analytical report is provided as Appendix A.

Historical ground water analytical data are also provided in Table 1 for reference, and concentration trends for selected wells are depicted on Figure 3.

CONCLUSIONS AND RECOMMENDATIONS

Concentrations of BTEX and MTBE in excess of applicable TOGS WQS (Technical & Operational Guidance Series 1.1.1, Ambient Water Quality Standards and Guidance Values) were detected in ground water samples collected during this ground water monitoring event. Antea Group intends to continue ground water monitoring at the subject site.

ATTACHMENTS

| | | |
|-------------|------------|---|
| Figures: | Figure 1 | Site Location Map |
| | Figure 2 | Site Ground Water Contour/Analyte Concentration Map |
| | Figure 3 | Ground Water Elevation Trend Chart |
| Tables: | Table 1 | Ground Water Gauging and Analytical Data |
| Appendices: | Appendix A | Laboratory Analytical Results Report – May 24, 2012 |

LIMITATIONS

The recommendations contained in this report represent Antea Group's professional opinions based upon currently available information and are arrived at in accordance with currently acceptable professional standards. This report is based upon a specific scope of work requested by the client. The Contract between Antea Group and its client outlines the scope of work and only those tasks specifically authorized by that contract or outlined in this report were performed. This report is intended only for the use of Antea Group's Client and anyone else specifically listed on this report. Antea Group will not and cannot be liable for unauthorized reliance by any other party. Other than as contained in this paragraph, Antea Group makes no express or implied warranty as to the contents of this report.

Prepared by:



Mara Grislis
Staff Professional

Reviewed by:



Jonathan Curran
Project Manager

Figures



MAP BASED ON USGS 7.5 MINUTES SERIES TOPOGRAPHIC MAP

BROOKLYN, NEW YORK QUADRANGLE

DATE: 1967 REVISED 1979

FIGURE 1

SITE LOCATION MAP

BP SERVICE STATION NUMBER 3887
164 4TH AVENUE
BROOKLYN, NEW YORK

| | | |
|--------------|--------------|------------|
| PROJECT NO.: | DRAWN BY: | anteagroup |
| G02JF-RP50 | SCJ | |
| PREPARED BY: | DATE: | |
| DS | 2/21/05 | |
| FILE NAME: | REVIEWED BY: | |
| SLOC | PZM | |







Figure 3
GROUND WATER HYDROGRAPH
BP Station Number 03887
164 4th Avenue
Brooklyn, NY



Tables

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|---------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| | | NYSDEC TOGS WQS | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-1 | 06/28/2000 | 98.07 | 20.37 | NP | NP | 77.7 | | 103.0 | 289 | 287 | 1,330 | 2,009 | 1,430 |
| MW-1 | 09/10/2001 | 98.07 | 20.47 | NP | NP | 77.6 | | 129 | 254 | 253 | 989 | 1,625 | 594 |
| MW-1 | 02/27/2002 | 98.07 | 20.84 | NP | NP | 77.23 | | 76.8 | 163 | 226 | 701 | 1,167 | 296 |
| MW-1 | 08/08/2002 | 98.07 | 20.50 | NP | NP | 77.57 | | 60.6 | 89 | 123 | 444 | 717 | 229 |
| MW-1 | 12/04/2002 | 98.07 | 20.36 | NP | NP | 77.71 | | 165 | 197 | 278 | 886 | 1,526 | 554 |
| MW-1 | 03/26/2003 | 98.07 | 19.99 | NP | NP | 78.08 | | 115 | 161 | 285 | 779 | 1,340 | 624 |
| MW-1 | 05/15/2003 | 98.07 | 20.01 | NP | NP | 78.06 | | 127 | 223 | 325 | 1,050 | 1,725 | 647 |
| MW-1 | 09/04/2003 | 98.07 | 18.96 | NP | NP | 79.11 | | 76.7 | 96.2 | 138 | 403 | 714 | 309 |
| MW-1 | 12/17/2003 | 98.07 | 18.96 | NP | NP | 79.11 | | 70.0 | 127 | 185 | 542 | 924 | 114 |
| MW-1 | 02/11/2004 | 98.07 | 19.44 | NP | NP | 78.63 | | 75.5 | 115 | 250 | 716 | 1,157 | 156 |
| MW-1 | 05/18/2004 | 98.07 | 19.40 | NP | NP | 78.67 | | 52.6 | 76.8 | 197 | 540 | 866 | 70.8 |
| MW-1 | 08/18/2004 | 98.07 | 18.78 | NP | NP | 79.29 | | 64.1 | 94.2 | 229 | 787 | 1,174 | 206 |
| MW-1 | 11/23/2004 | 98.07 | 19.43 | NP | NP | 78.64 | | 85.6 | 80.1 | 215 | 481 | 862 | 166 |
| MW-1 | 02/15/2005 | 98.07 | 19.51 | NP | NP | 78.56 | | 79.3 | 80.6 | 213 | 442 | 815 | 159 |
| MW-1 | 05/12/2005 | 98.07 | 19.51 | NP | NP | 78.56 | | Gauged Only | | | | | |
| MW-1 | 05/27/2005 | 98.07 | Sampled Only | | | | | 89.3 | 80.2 | 260 | 539 | 969 | 248 |
| MW-1 | 09/07/2005 | 98.07 | 19.73 | NP | NP | 78.34 | | 80.7 | 49.0 | 156 | 265 | 551 | 254 |
| MW-1 | 11/15/2005 | 98.07 | 19.11 | NP | NP | 78.96 | | 530 | 2,850 | 297 | 801 | 4,478 | 291 |
| MW-1 | 02/15/2006 | 98.07 | 19.16 | NP | NP | 78.91 | | 658 | 3,770 | 613 | 1,910 | 6,951 | 73.0 |
| MW-1 | 06/06/2006 | 98.07 | 19.02 | NP | NP | 79.05 | | 682 | 1,990 | 712 | 2,280 | 5,664 | 49.3 |
| MW-1 | 08/28/2006 | 98.07 | 18.83 | NP | NP | 79.24 | | 703 | 1,620 | 842 | 2,490 | 5,655 | 42.9 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|-----------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-1 | 11/27/2006 | 98.07 | 19.23 | NP | NP | 78.84 | | 379 | 261 | 388 | 350 | 1,378 | 118 |
| MW-1 | 02/17/2007 | 98.07 | | No Access | | | | | | No Access | | | |
| MW-1 | 05/11/2007 | 98.07 | 19.11 | NP | NP | 78.96 | | 241 | 118 | 218 | 126 | 703 | 87.9 |
| MW-1 | 08/30/2007 | 98.07 | 18.83 | NP | NP | 79.24 | | 19.2 | 5.3 | 4.8 | 19.7 | 49.0 | 58.5 |
| MW-1 | 11/21/2007 | 98.07 | 19.58 | NP | NP | 78.49 | | 42.4 | 8.7 | 22.7 | 32.5 | 106 | 51.6 |
| MW-1 | 02/25/2008 | 98.07 | | No Access | | | | | | No Access | | | |
| MW-1 | 05/29/2008 | 98.07 | 19.71 | NP | NP | 78.36 | | 200 | 47 | 260 | 350 | 857 | 120 |
| MW-1 | 07/29/2008 | 98.07 | 19.31 | NP | NP | 78.76 | | 120 | 40 | 150 | 100 | 410 | 170 |
| MW-1 | 11/17/2008 | 98.07 | 14.53 | NP | NP | 83.54 | | 140 | 190 | 210 | 370 | 910 | 74 |
| MW-1 | 01/14/2009 | 98.07 | 19.44 | NP | NP | 78.63 | | | | Gauged Only | | | |
| MW-1 | 02/06/2009 | 98.07 | 19.50 | NP | NP | 78.57 | | 170 | 190 | 330 | 790 | 1,480 | 45 |
| MW-1 | 03/05/2009 | 98.07 | | No Access- Snow Cover | | | | | | Gauged Only | | | |
| MW-1 | 04/01/2009 | 98.07 | 19.63 | NP | NP | 78.44 | | | | Gauged Only | | | |
| MW-1 | 05/18/2009 | 98.07 | 19.52 | NP | NP | 78.55 | | 240 | 46 | 390 | 580 | 1,256 | 52 |
| MW-1 | 06/30/2009 | 99.14 | 19.14 | NP | NP | 80.00 | | | | Gauged Only | | | |
| MW-1 | 07/30/2009 | 99.14 | 18.76 | NP | NP | 80.38 | | | | Gauged Only | | | |
| MW-1 | 08/06/2009 | 99.14 | 19.24 | NP | NP | 79.90 | | 180 | 29 | 270 | 190 | 669 | 92 |
| MW-1 | 09/03/2009 | 99.14 | 19.39 | NP | NP | 79.75 | | | | Gauged Only | | | |
| MW-1 | 10/13/2009 | 99.14 | 19.54 | NP | NP | 79.60 | | | | Gauged Only | | | |
| MW-1 | 11/23/2009 | 99.14 | 19.69 | NP | NP | 79.45 | | 300 | 58 | 380 | 300 | 1,038 | 470 |
| MW-1 | 12/08/2009 | 99.14 | 19.76 | NP | NP | 79.38 | | | | Gauged Only | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|-------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-1 | 01/31/2010 | 99.14 | 19.71 | NP | NP | 79.43 | | Gauged Only | | | | | |
| MW-1 | 02/09/2010 | 99.14 | 19.80 | NP | NP | 79.34 | | 260 | 57 | 390 | 450 | 1,157 | 340 |
| MW-1 | 03/15/2010 | 99.14 | 19.06 | NP | NP | 80.08 | | 210 | 140 | 520 | 850 | 1,720 | 66 |
| MW-1 | 04/08/2010 | 99.14 | 30.41 | NP | NP | 68.73 | | Gauged Only | | | | | |
| MW-1 | 05/19/2010 | 99.14 | 19.26 | NP | NP | 79.88 | | 1.1 | 0.62 J | 0.58 J | 0.83 J | 3.13 | 7.9 |
| MW-1 | 06/02/2010 | 99.14 | 19.42 | NP | NP | 79.72 | | Gauged Only | | | | | |
| MW-1 | 07/12/2010 | 99.14 | 19.57 | NP | NP | 79.57 | | Gauged Only | | | | | |
| MW-1 | 08/18/2010 | 99.14 | 19.88 | NP | NP | 79.26 | | 140 | 56 | 120 | 110 | 426 | 680 |
| MW-1 | 11/01/2010 | 99.14 | 19.70 | NP | NP | 79.44 | | 180 | 420 | 350 | 530 | 1,480 | 70 |
| MW-1 | 02/14/2011 | 99.14 | 19.52 | NP | NP | 79.62 | | 240 | 590 | 400 | 1,000 | 2,230 | 130 |
| MW-1 | 06/17/2011 | 99.14 | 19.60 | NP | NP | 79.54 | 5.25** | 210 | 170 | 360 | 890 | 1,630 | 58 |
| MW-1 | 08/01/2011 | 99.14 | 19.83 | NP | NP | 79.31 | 5.25** | 180 | 110 | 290 | 660 | 1,240 | 61 |
| MW-1 | 11/01/2011 | 99.14 | 19.05 | NP | NP | 80.09 | 5.55 | 210 | 190 | 400 | 980 | 1,780 | 54 |
| MW-1 | 02/14/2012 | 99.14 | 19.88 | NP | NP | 79.26 | 5.00 | 180 | 100 | 350 | 730 | 1,360 | 31 |
| MW-1 | 05/24/2012 | 99.14 | 20 | NP | NP | 79.14 | 5.00 | 37 | 14 | 86 | 96 | 233 | 14 |
| MW-2 | 06/28/2000 | 97.86 | 18.13 | NP | NP | 79.73 | | 147 | 61.7 | 302 | 1,140 | 1,651 | 125 |
| MW-2 | 04/02/2001 | 97.86 | 17.85 | NP | NP | 80.01 | | 32.7 | 72.1 | 48.4 | 63.8 | 217 | 33.2 |
| MW-2 | 09/10/2001 | 97.86 | 17.99 | NP | NP | 79.87 | | 26.7 | 3.09 | 50.4 | 142 | 222 | 29.7 |
| MW-2 | 02/27/2002 | 97.86 | 18.65 | NP | NP | 79.21 | | 364 | 19.6 | 946 | 1,890 | 3,220 | 299 |
| MW-2 | 05/10/2002 | 97.86 | 19.04 | 18.63 | 0.41 | 79.13 | | Not Sampled - LNAPL (0.41 ft) | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------------------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-2 | 08/08/2002 | 97.86 | 19.39 | 18.73 | 0.66 | 78.97 | | | | | | | Not Sampled - LNAPL (0.66 ft) |
| MW-2 | 12/04/2002 | 97.86 | 18.62 | 18.20 | 0.42 | 79.56 | | | | | | | Not Sampled - LNAPL (0.42 ft) |
| MW-2 | 03/26/2003 | 97.86 | 18.60 | 18.22 | 0.38 | 79.55 | | | | | | | Not Sampled - LNAPL (0.38 ft) |
| MW-2 | 05/15/2003 | 97.86 | 18.71 | 18.25 | 0.46 | 79.50 | | | | | | | Not Sampled - LNAPL (0.46 ft) |
| MW-2 | 09/04/2003 | 97.86 | 17.48 | 17.31 | 0.17 | 80.51 | | | | | | | Not Sampled - LNAPL (0.17 ft) |
| MW-2 | 12/17/2003 | 97.86 | 17.80 | 17.79 | 0.01 | 80.07 | | 581 | 104 | 9,570 | 34,500 | 44,755 | 521 |
| MW-2 | 02/11/2004 | 97.86 | 17.98 | NP | NP | 79.88 | | 577 | 76.0 | 3,270 | 10,900 | 14,823 | 720 |
| MW-2 | 05/18/2004 | 97.86 | 17.81 | 17.74 | 0.07 | 80.10 | | | | | | | Not Sampled - LNAPL (0.07 ft) |
| MW-2 | 08/18/2004 | 97.86 | 17.02 | NP | NP | 80.84 | | 438 | 27.2 | 1,460 | 3,480 | 5,405 | 411 |
| MW-2 | 11/23/2004 | 97.86 | 17.33 | 17.31 | 0.02 | 80.55 | | | | | | | Not Sampled - LNAPL (0.02 ft) |
| MW-2 | 02/15/2005 | 97.86 | 17.11 | NP | NP | 80.75 | | 222 | 13.2 J | 2,280 | 6,370 | 8,885 | 77.8 |
| MW-2 | 05/12/2005 | 97.86 | 16.98 | NP | NP | 80.88 | | | | | | | Gauged Only |
| MW-2 | 05/27/2005 | 97.86 | | Sampled Only | | | | 146 | 4.7 | 778 | 1,810 | 2,739 | 133 |
| MW-2 | 09/07/2005 | 97.86 | 17.33 | NP | NP | 80.53 | | 254 | 7.3 | 1,120 | 2,660 | 4,041 | 213 |
| MW-2 | 11/15/2005 | 97.86 | 16.77 | NP | NP | 81.09 | | 487 | 14.5 | 1,420 | 4,130 | 6,052 | 386 |
| MW-2 | 02/15/2006 | 97.86 | 16.65 | NP | NP | 81.21 | | 607 | 34.3 | 3,470 | 8,420 | 12,531 | 658 |
| MW-2 | 06/06/2006 | 97.86 | 16.58 | NP | NP | 81.28 | | 388 | 12.2 | 1,500 | 3,710 | 5,610 | 311 |
| MW-2 | 08/28/2006 | 97.86 | 16.42 | NP | NP | 81.44 | | 305 | 13.4 | 1,520 | 3,820 | 5,658 | 308 |
| MW-2 | 11/27/2006 | 97.86 | 17.00 | 17.00 | Sheen | 80.86 | | 193 | 6.8 | 1,050 | 1,790 | 3,040 | 241 |
| MW-2 | 02/17/2007 | 97.86 | 17.52 | 17.44 | 0.08 | 80.40 | | | | | | | Not Sampled - LNAPL (0.08 ft) |
| MW-2 | 05/11/2007 | 97.86 | 16.23 | NP | NP | 81.63 | | 87.1 | 2.8 | 728 | 1,310 | 2,128 | 53.0 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|-------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-2 | 08/30/2007 | 97.86 | 16.83 | NP | NP | 81.03 | | 146 | 6.4 J | 786 | 1,320 | 2,258 | 239 |
| MW-2 | 11/21/2007 | 97.86 | 17.14 | NP | NP | 80.72 | | Not Sampled - Product Present | | | | | |
| MW-2 | 02/25/2008 | 97.86 | 17.95 | NP | NP | 79.91 | | 200 | <10 | 1,200 | 1,100 | 2,500 | 150 |
| MW-2 | 05/29/2008 | 97.86 | 17.14 | NP | NP | 80.72 | | 250 | <5.0 | 450 | 330 | 1,030 | 220 |
| MW-2 | 07/29/2008 | 97.86 | 16.95 | NP | NP | 80.91 | | 68 | <0.50 | 64 | 59 | 191 | 48 |
| MW-2 | 11/17/2008 | 97.86 | 17.39 | 17.36 | 0.03 | 80.49 | | 180 | <2.5 | 590 | 400 | 1,170 | 160 |
| MW-2 | 01/14/2009 | 97.86 | 17.16 | NP | NP | 80.70 | | Gauged Only | | | | | |
| MW-2 | 02/06/2009 | 97.86 | 17.26 | NP | NP | 80.60 | | 230 | 4.1 J | 740 | 1,600 | 2,574 | 280 |
| MW-2 | 03/05/2009 | 97.86 | 17.49 | 17.46 | 0.03 | 80.39 | | Gauged Only | | | | | |
| MW-2 | 04/01/2009 | 97.86 | 17.61 | 17.57 | 0.04 | 80.28 | | Gauged Only | | | | | |
| MW-2 | 05/18/2009 | 97.86 | 17.51 | 17.47 | 0.04 | 80.38 | | Not Sampled - LNAPL (0.04 ft) | | | | | |
| MW-2 | 06/30/2009 | 98.97 | 17.16 | NP | NP | 81.81 | | Gauged Only | | | | | |
| MW-2 | 07/30/2009 | 98.97 | 17.85 | NP | NP | 81.12 | | Gauged Only | | | | | |
| MW-2 | 08/06/2009 | 98.97 | 17.31 | NP | NP | 81.66 | | 210 | 4.8 | 750 | 960 | 1,925 | 250 |
| MW-2 | 09/03/2009 | 98.97 | 17.38 | NP | NP | 81.59 | | Gauged Only | | | | | |
| MW-2 | 10/13/2009 | 98.97 | 17.58 | 17.57 | 0.01 | 81.40 | | Gauged Only | | | | | |
| MW-2 | 11/23/2009 | 98.97 | 17.69 | NP | NP | 81.28 | | 200 | 3.8 | 610 | 600 | 1,414 | 130 |
| MW-2 | 12/08/2009 | 98.97 | 17.64 | NP | NP | 81.33 | | Gauged Only | | | | | |
| MW-2 | 01/31/2010 | 98.97 | 17.57 | NP | NP | 81.40 | | Gauged Only | | | | | |
| MW-2 | 02/09/2010 | 98.97 | 17.59 | NP | NP | 81.38 | | 140 | 3.1 | 440 | 340 | 923 | 87 |
| MW-2 | 03/15/2010 | 98.97 | 16.89 | NP | NP | 82.08 | | 130 | 2.2 | 230 | 68 | 430 | 61 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-2 | 04/08/2010 | 98.97 | 28.67 | NP | NP | 70.30 | | Gauged Only | | | | | |
| MW-2 | 05/19/2010 | 98.97 | 16.72 | NP | NP | 82.25 | | 160 | 2.6 | 520 | 350 | 1,033 | 120 |
| MW-2 | 06/02/2010 | 98.97 | 16.89 | NP | NP | 82.08 | | Gauged Only | | | | | |
| MW-2 | 07/12/2010 | 98.97 | 17.13 | NP | NP | 81.84 | | Gauged Only | | | | | |
| MW-2 | 08/18/2010 | 98.97 | 17.46 | NP | NP | 81.51 | | 120 | 2.9 J | 880 | 1,400 | 2,403 | 110 |
| MW-2 | 11/01/2010 | 98.97 | 17.45 | NP | NP | 81.52 | | 110 | 2.7 | 880 | 1,200 | 2,193 | 85 |
| MW-2 | 02/14/2011 | 98.97 | 17.32 | NP | NP | 81.65 | | 99 | 2.7 J | 400 | 480 | 982 | 74 |
| MW-2 | 06/17/2011 | 98.97 | 16.96 | NP | NP | 82.01 | 5.25** | 94 | <5.0 | 650 | 720 | 1,464 | 87 |
| MW-2 | 08/01/2011 | 98.97 | 17.38 | NP | NP | 81.59 | 5.00** | 110 | 2.3 J | 570 | 530 | 1,212 | 110 |
| MW-2 | 11/01/2011 | 98.97 | 16.26 | NP | NP | 82.71 | 5.50 | 76 | <2.5 | 580 | 460 | 1,116 | 77 |
| MW-2 | 02/14/2012 | 98.97 | 16.85 | NP | NP | 82.12 | 5.25 | 100 | 2 | 570 | 500 | 1,172 | 93 |
| MW-2 | 05/24/2012 | 98.97 | 17.29 | NP | NP | 81.68 | 5.00 | 110 | 1.4 | 350 | 250 | 711 | 62 |
| MW-3 | 06/28/2000 | 97.91 | 18.26 | NP | NP | 79.65 | | <0.5 | <0.5 | <0.5 | 52.6 | 52.6 | 7.23 |
| MW-3 | 04/02/2001 | 97.91 | 17.86 | NP | NP | 80.05 | | 8.8 | 73 | 11.40 | 47.80 | 141 | 17.2 |
| MW-3 | 09/10/2001 | 97.91 | 18.01 | NP | NP | 79.9 | | <0.5 | <0.5 | <0.5 | <0.5 | ND | 28.7 |
| MW-3 | 02/27/2002 | 97.91 | 18.65 | NP | NP | 79.26 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 05/10/2002 | 97.91 | 18.72 | NP | NP | 79.19 | | <0.5 | 0.875 | 1.08 | 7.97 | 9.93 | <10 |
| MW-3 | 08/08/2002 | 97.91 | 18.87 | NP | NP | 79.04 | | <0.5 | <0.5 | <0.5 | <0.5 | ND | <10 |
| MW-3 | 12/04/2002 | 97.91 | 18.29 | NP | NP | 79.62 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 03/26/2003 | 97.91 | 18.30 | NP | NP | 79.61 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-3 | 05/15/2003 | 97.91 | 18.34 | NP | NP | 79.57 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 09/04/2003 | 97.91 | 17.33 | NP | NP | 80.58 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 0.48 |
| MW-3 | 12/17/2003 | 97.91 | 17.81 | NP | NP | 80.10 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 02/11/2004 | 97.91 | 18.02 | NP | NP | 79.89 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 0.79 |
| MW-3 | 05/18/2004 | 97.91 | 17.77 | NP | NP | 80.14 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | ND |
| MW-3 | 08/18/2004 | 97.91 | 16.98 | NP | NP | 80.93 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 11/23/2004 | 97.91 | 17.33 | NP | NP | 80.58 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 02/15/2005 | 97.91 | 17.13 | NP | NP | 80.78 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 05/12/2005 | 97.91 | 16.92 | NP | NP | 80.99 | | Gauged Only | | | | | |
| MW-3 | 05/27/2005 | 97.91 | Sampled Only | | | | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 09/07/2005 | 97.91 | 17.31 | NP | NP | 80.60 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 11/15/2005 | 97.91 | 16.80 | NP | NP | 81.11 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 02/15/2006 | 97.91 | 16.72 | NP | NP | 81.19 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 06/06/2006 | 97.91 | 16.59 | NP | NP | 81.32 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 08/28/2006 | 97.91 | 16.46 | NP | NP | 81.45 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 11/27/2006 | 97.91 | 16.99 | NP | NP | 80.92 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 02/17/2007 | 97.91 | 17.46 | NP | NP | 80.45 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 05/11/2007 | 97.91 | 16.19 | NP | NP | 81.72 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 08/30/2007 | 97.91 | 16.37 | NP | NP | 81.54 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 11/21/2007 | 97.91 | 17.12 | NP | NP | 80.79 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-3 | 02/25/2008 | 97.91 | 16.95 | NP | NP | 80.96 | | <0.50 | <0.50 | <0.50 | 1.0 J | 1.0 | <0.50 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-3 | 05/29/2008 | 97.91 | 17.15 | NP | NP | 80.76 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 07/29/2008 | 97.91 | 16.93 | NP | NP | 80.98 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 11/17/2008 | 97.91 | 17.84 | NP | NP | 80.07 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 01/14/2009 | 97.91 | 17.22 | NP | NP | 80.69 | | Gauged Only | | | | | |
| MW-3 | 02/06/2009 | 97.91 | 17.27 | NP | NP | 80.64 | | <0.50 | 0.55 J | <0.50 | 0.82 J | 1.37 | <0.50 |
| MW-3 | 03/05/2009 | 97.91 | 17.51 | NP | NP | 80.40 | | Gauged Only | | | | | |
| MW-3 | 04/01/2009 | 97.91 | 17.63 | NP | NP | 80.28 | | Gauged Only | | | | | |
| MW-3 | 05/18/2009 | 97.91 | 17.45 | NP | NP | 80.46 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 06/30/2009 | 99.03 | 17.19 | NP | NP | 81.84 | | Gauged Only | | | | | |
| MW-3 | 07/30/2009 | 99.03 | 16.36 | NP | NP | 82.67 | | Gauged Only | | | | | |
| MW-3 | 08/06/2009 | 99.03 | 17.30 | NP | NP | 81.73 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 09/03/2009 | 99.03 | 17.40 | NP | NP | 81.63 | | Gauged Only | | | | | |
| MW-3 | 10/13/2009 | 99.03 | 17.59 | NP | NP | 81.44 | | Gauged Only | | | | | |
| MW-3 | 11/23/2009 | 99.03 | 17.66 | NP | NP | 81.37 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 12/08/2009 | 99.03 | 17.54 | NP | NP | 81.49 | | Gauged Only | | | | | |
| MW-3 | 01/31/2010 | 99.03 | 17.57 | NP | NP | 81.46 | | Gauged Only | | | | | |
| MW-3 | 02/09/2010 | 99.03 | 17.61 | NP | NP | 81.42 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 03/15/2010 | 99.03 | 16.84 | NP | NP | 82.19 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 04/08/2010 | 99.03 | 31.58 | NP | NP | 67.45 | | Gauged Only | | | | | |
| MW-3 | 05/19/2010 | 99.03 | 16.74 | NP | NP | 82.29 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 06/02/2010 | 99.03 | 16.88 | NP | NP | 82.15 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|-------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-3 | 07/12/2010 | 99.03 | 17.15 | NP | NP | 81.88 | | Gauged Only | | | | | |
| MW-3 | 08/18/2010 | 99.03 | 18.47 | NP | NP | 80.56 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 11/01/2010 | 99.03 | 17.42 | NP | NP | 81.61 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 02/14/2011 | 99.03 | 17.29 | NP | NP | 81.74 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 06/17/2011 | 99.03 | 16.89 | NP | NP | 82.14 | 7.00** | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 08/01/2011 | 99.03 | 17.30 | NP | NP | 81.73 | 7.00** | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 11/01/2011 | 99.03 | 16.15 | NP | NP | 82.88 | 7.50 | 15 | <0.50 | <0.50 | <0.50 | 15.0 | 5.7 |
| MW-3 | 02/14/2012 | 99.03 | 16.8 | NP | NP | 82.23 | 7.00 | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-3 | 05/24/2012 | 99.03 | 17.32 | NP | NP | 81.71 | 7.00 | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-4 | 04/02/2001 | 98.61 | 18.60 | NP | NP | 80.01 | | 1,190 | 7,050 | 228 | 3,330 | 11,798 | 7,030 |
| MW-4 | 09/10/2001 | 98.61 | 18.72 | NP | NP | 79.89 | | 102 | 221 | 41.4 | 218 | 582 | 1,070 |
| MW-4 | 02/27/2002 | 98.61 | 19.51 | NP | NP | 79.10 | | 1,440 | 817 | 468 | 1,860 | 4,585 | 9,320 |
| MW-4 | 05/10/2002 | 98.61 | 19.44 | NP | NP | 79.17 | | 1,530 | 8,370 | 1,240 | 6,550 | 17,690 | 5,370 |
| MW-4 | 08/08/2002 | 98.61 | 19.44 | 19.39 | 0.05 | 79.21 | | Not Sampled - LNAPL (0.05 ft) | | | | | |
| MW-4 | 12/04/2002 | 98.61 | 19.32 | 18.95 | 0.37 | 79.57 | | Not Sampled - LNAPL (0.37 ft) | | | | | |
| MW-4 | 03/26/2003 | 98.61 | 19.25 | 18.96 | 0.29 | 79.58 | | Not Sampled - LNAPL (0.29 ft) | | | | | |
| MW-4 | 05/15/2003 | 98.61 | 19.37 | 18.98 | 0.39 | 79.53 | | Not Sampled - LNAPL (0.39 ft) | | | | | |
| MW-4 | 09/04/2003 | 98.61 | 18.06 | NP | NP | 80.55 | | 81.5 | 273 | 101 | 443 | 899 | 10.3 |
| MW-4 | 12/17/2003 | 98.61 | 18.57 | NP | NP | 80.04 | | 1,660 | 13,600 | 4,750 | 24,700 | 44,710 | 212 |
| MW-4 | 02/11/2004 | 98.61 | 18.78 | NP | NP | 79.83 | | 1,300 | 2,000 | 1,050 | 4,350 | 8,700 | 127 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-4 | 05/18/2004 | 98.61 | 18.50 | NP | NP | 80.11 | | 608 | 922 | 657 | 2,610 | 4,797 | 55.0 |
| MW-4 | 08/18/2004 | 98.61 | 17.75 | NP | NP | 80.86 | | 1,390 | 4,830 | 1,850 | 8,970 | 17,040 | 142 |
| MW-4 | 11/23/2004 | 98.61 | 18.04 | NP | NP | 80.57 | | 1,330 | 3,710 | 1,660 | 6,660 | 13,360 | 158 |
| MW-4 | 02/15/2005 | 98.61 | 17.88 | NP | NP | 80.73 | | 1,260 | 4,280 | 1,880 | 8,970 | 16,390 | 131 |
| MW-4 | 05/12/2005 | 98.61 | 17.68 | NP | NP | 80.93 | | Gauged Only | | | | | |
| MW-4 | 05/27/2005 | 98.61 | Sampled Only | | | | | 430 | 2,050 | 1,010 | 4,700 | 8,190 | 39.4 |
| MW-4 | 09/07/2005 | 98.61 | 18.07 | NP | NP | 80.54 | | 387 | 1,430 | 880 | 3,150 | 5,847 | 51.0 |
| MW-4 | 11/15/2005 | 98.61 | 17.56 | NP | NP | 81.05 | | 936 | 5,660 | 1,800 | 9,520 | 17,916 | 119 |
| MW-4 | 02/15/2006 | 98.61 | 17.41 | NP | NP | 81.20 | | 1,080 | 4,210 | 1,310 | 6,250 | 12,850 | 98.3 |
| MW-4 | 06/06/2006 | 98.61 | 17.36 | NP | NP | 81.25 | | 987 | 3,760 | 1,790 | 8,670 | 15,207 | 82.0 |
| MW-4 | 08/28/2006 | 98.61 | 17.18 | NP | NP | 81.43 | | 1,610 | 4,170 | 1,680 | 6,790 | 14,250 | 121 |
| MW-4 | 11/27/2006 | 98.61 | 17.75 | NP | NP | 80.86 | | 1,040 | 1,220 | 906 | 3,200 | 6,366 | 145 |
| MW-4 | 02/17/2007 | 98.61 | 18.20 | NP | NP | 80.41 | | 1,400 | 282 | 501 | 1,460 | 3,643 | 50.4 |
| MW-4 | 05/11/2007 | 98.61 | 16.97 | NP | NP | 81.64 | | 730 | 834 | 464 | 1,360 | 3,388 | 33.6 |
| MW-4 | 08/30/2007 | 98.61 | 17.12 | NP | NP | 81.49 | | 805 | 484 | 847 | 3,000 | 5,136 | 265 |
| MW-4 | 11/21/2007 | 98.61 | 17.81 | NP | NP | 80.80 | | 1,270 | 749 | 1,390 | 5,070 | 8,479 | 450 |
| MW-4 | 02/25/2008 | 98.61 | No Access | | | | | No Access | | | | | |
| MW-4 | 05/29/2008 | 98.61 | 17.96 | NP | NP | 80.65 | | 1,100 | 66 | 390 | 1,400 | 2,956 | 53 |
| MW-4 | 07/29/2008 | 98.61 | 17.65 | NP | NP | 80.96 | | 250 | 8.9 | 80 | 110 | 449 | 14 |
| MW-4 | 11/17/2008 | 98.61 | 18.08 | NP | NP | 80.53 | | 560 | 54 | 610 | 1800 | 3,024 | 130 |
| MW-4 | 01/14/2009 | 98.61 | 17.93 | NP | NP | 80.68 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-4 | 02/06/2009 | 98.61 | 18.00 | NP | NP | 80.61 | | 740 | 160 | 1,200 | 4,800 | 6,900 | 220 |
| MW-4 | 03/05/2009 | 98.61 | 18.21 | NP | NP | 80.40 | | | | | | | Gauged Only |
| MW-4 | 04/01/2009 | 98.61 | 18.32 | NP | NP | 80.29 | | | | | | | Gauged Only |
| MW-4 | 05/18/2009 | 98.61 | 18.22 | NP | NP | 80.39 | | 1,100 | 62 | 1,100 | 4,100 | 6,362 | 230 |
| MW-4 | 06/30/2009 | 99.67 | 17.91 | NP | NP | 81.76 | | | | | | | Gauged Only |
| MW-4 | 07/30/2009 | 99.67 | 17.22 | NP | NP | 82.45 | | | | | | | Gauged Only |
| MW-4 | 08/06/2009 | 99.67 | 18.02 | NP | NP | 81.65 | | 300 | 10 | 180 | 620 | 1,110 | 78 |
| MW-4 | 09/03/2009 | 99.67 | 18.09 | NP | NP | 81.58 | | | | | | | Gauged Only |
| MW-4 | 10/13/2009 | 99.67 | 18.28 | NP | NP | 81.39 | | | | | | | Gauged Only |
| MW-4 | 11/23/2009 | 99.67 | 17.89 | NP | NP | 81.78 | | 1,400 | 100 | 1,900 | 6,400 | 9,800 | 580 |
| MW-4 | 12/08/2009 | 99.67 | 18.34 | NP | NP | 81.33 | | | | | | | Gauged Only |
| MW-4 | 01/31/2010 | 99.67 | 18.28 | NP | NP | 81.39 | | | | | | | Gauged Only |
| MW-4 | 02/09/2010 | 99.67 | 18.10 | NP | NP | 81.57 | | 450 | 22 | 420 | 1,600 | 2,492 | 100 |
| MW-4 | 03/15/2010 | 99.67 | 17.63 | NP | NP | 82.04 | | 500 | 45 | 500 | 1,600 | 2,645 | 90 |
| MW-4 | 04/08/2010 | 99.67 | 26.78 | NP | NP | 72.89 | | | | | | | Gauged Only |
| MW-4 | 05/19/2010 | 99.67 | 17.46 | NP | NP | 82.21 | | 400 | 19 | 410 | 1,100 | 1,929 | 140 |
| MW-4 | 06/02/2010 | 99.67 | 17.63 | NP | NP | 82.04 | | | | | | | Gauged Only |
| MW-4 | 07/12/2010 | 99.67 | 17.85 | NP | NP | 81.82 | | | | | | | Gauged Only |
| MW-4 | 08/18/2010 | 99.67 | 18.19 | NP | NP | 81.48 | | 720 | 450 | 1,300 | 5,400 | 7,870 | 180 |
| MW-4 | 11/01/2010 | 99.67 | 18.16 | NP | NP | 81.51 | | 670 | 490 | 1,200 | 5,100 | 7,460 | 120 |
| MW-4 | 02/14/2011 | 99.67 | 18.04 | NP | NP | 81.63 | | 760 | 360 | 810 | 3200 | 5,130 | 110 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-4 | 06/17/2011 | 99.67 | 17.68 | NP | NP | 81.99 | 4.5** | 640 | 390 | 790 | 3,100 | 4,920 | 160 |
| MW-4 | 08/01/2011 | 99.67 | 18.10 | NP | NP | 81.57 | 4.25** | 320 | 130 | 370 | 1,900 | 2,720 | 57 |
| MW-4 | 11/01/2011 | 99.67 | 17.00 | NP | NP | 82.67 | 5.00 | 410 | 140 | 660 | 2,400 | 3,610 | 100 |
| MW-4 | 02/14/2012 | 99.67 | 17.56 | NP | NP | 82.11 | 3.00 | 380 | 96 | 810 | 2,900 | 4,186 | 180 |
| MW-4 | 05/24/2012 | 99.67 | 18 | NP | NP | 81.67 | 4.50 | 540 | 18 | 510 | 1,900 | 2,968 | 72 |
| MW-5 | 04/02/2001 | 98.90 | 21.90 | NP | NP | 77.00 | | 1,380 | 277 | 351 | 410 | 2,418 | 5,040 |
| MW-5 | 09/10/2001 | 98.90 | 21.73 | NP | NP | 77.17 | | 105 | 16.8 | 22.9 | 37.3 | 182 | 4,980 |
| MW-5 | 02/27/2002 | 98.90 | 22.05 | NP | NP | 76.85 | | 2,650 | 110 | 497 | 264 | 3,521 | 46,800 |
| MW-5 | 05/10/2002 | 98.90 | 21.99 | NP | NP | 76.91 | | 1,950 | 457 | 542 | 793 | 3,742 | 17,600 |
| MW-5 | 08/08/2002 | 98.90 | 21.83 | NP | NP | 77.07 | | 1,320 | 202 | 449 | 679 | 2,650 | 8,410 |
| MW-5 | 12/04/2002 | 98.90 | 21.48 | NP | NP | 77.42 | | 2,250 | 290 | 407 | 656 | 3,603 | 26,300 |
| MW-5 | 03/26/2003 | 98.90 | 21.14 | NP | NP | 77.76 | | 3520 | 351 | 517 | 1,230 | 5,618 | 99,100 |
| MW-5 | 05/15/2003 | 98.90 | 21.30 | NP | NP | 77.60 | | 2,620 | 735 | 512 | 1,230 | 5,097 | 49,000 |
| MW-5 | 09/04/2003 | 98.90 | 20.33 | NP | NP | 78.57 | | 2,820 | 400 | 285 | 866 | 4,371 | 25,900 |
| MW-5 | 12/17/2003 | 98.90 | 11.31 | NP | NP | 87.59 | | 1,960 | 266 | 200 | 529 | 2,955 | 16,200 |
| MW-5 | 02/11/2004 | 98.90 | 20.72 | NP | NP | 78.18 | | 1,860 | 223 | 270 | 667 | 3,020 | 15,900 |
| MW-5 | 05/18/2004 | 98.90 | 20.72 | NP | NP | 78.18 | | 1,400 | 306 | 363 | 1,150 | 3,219 | 7,820 |
| MW-5 | 08/18/2004 | 98.90 | 20.15 | NP | NP | 78.75 | | 1,240 | 391 | 467 | 1,560 | 3,658 | 11,700 |
| MW-5 | 11/23/2004 | 98.90 | 20.58 | NP | NP | 78.32 | | 2,280 | 110 | 322 | 811 | 3,523 | 21,900 |
| MW-5 | 02/15/2005 | 98.90 | 20.65 | NP | NP | 78.25 | | 2,000 | 53.8 J | 122 | 313 | 2,489 | 22,500 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-5 | 05/12/2005 | 98.90 | 19.68 | NP | NP | 79.22 | | Gauged Only | | | | | |
| MW-5 | 05/27/2005 | 98.90 | | Sampled Only | | | | 1,730 | 75.7 | 109 | 262 | 2,177 | 18,200 |
| MW-5 | 09/07/2005 | 98.90 | 20.81 | NP | NP | 78.09 | | 1,380 | 47.5 | 118 | 315 | 1,861 | 13,900 |
| MW-5 | 11/15/2005 | 98.90 | 20.25 | NP | NP | 78.65 | | 2,980 | 78.6 | 148 | 290 | 3,497 | 37,500 |
| MW-5 | 02/15/2006 | 98.90 | 20.38 | NP | NP | 78.52 | | 2,700 | 73.7 | 139 | 404 | 3,317 | 9,240 |
| MW-5 | 06/06/2006 | 98.90 | 20.23 | NP | NP | 78.67 | | 2,670 | 43.3 | 75.9 | 285 | 3,074 | 2,810 |
| MW-5 | 08/28/2006 | 98.90 | 20.05 | NP | NP | 78.85 | | 2,930 | 41.9 | 75.8 | 190 | 3,238 | 1,520 |
| MW-5 | 11/27/2006 | 98.90 | 20.27 | NP | NP | 78.63 | | 3,060 | 27.5 | 51.5 | 62.3 | 3,201 | 1,690 |
| MW-5 | 02/17/2007 | 98.90 | 20.73 | NP | NP | 78.17 | | 1,710 | 60.8 | 427 | 936 | 3,134 | 5,580 |
| MW-5 | 05/11/2007 | 98.90 | 20.19 | NP | NP | 78.71 | | 3,370 | 43.3 | 89.0 | 71.2 | 3,574 | 12,500 |
| MW-5 | 08/30/2007 | 98.90 | 19.94 | NP | NP | 78.96 | | 2,110 | 35.3 J | 198 | 278 | 2,621 | 17,900 |
| MW-5 | 11/21/2007 | 98.90 | 20.59 | NP | NP | 78.31 | | 2,610 | 30.7 | 84.9 | 105 | 2,831 | 22,800 |
| MW-5 | 02/25/2008 | 98.90 | 20.47 | NP | NP | 78.43 | | 1,900 | 25 | 61 | 49 | 2,035 | 20,000 |
| MW-5 | 05/29/2008 | 98.90 | 20.75 | NP | NP | 78.15 | | 1,600 | 23 | 140 | 130 | 1,893 | 16,000 |
| MW-5 | 07/29/2008 | 98.90 | 20.45 | NP | NP | 78.45 | | 1,200 | 35 | 98 | 110 | 1,443 | 7,000 |
| MW-5 | 11/17/2008 | 98.90 | 20.24 | NP | NP | 78.66 | | 1,200 | 28 | 330 | 290 | 1,848 | 5,800 |
| MW-5 | 01/14/2009 | 98.90 | 20.51 | NP | NP | 78.39 | | Gauged Only | | | | | |
| MW-5 | 02/06/2009 | 98.90 | 20.59 | NP | NP | 78.31 | | 1,600 | 41 | 140 | 110 | 1,891 | 14,000 |
| MW-5 | 03/05/2009 | 98.90 | 20.76 | NP | NP | 78.14 | | Gauged Only | | | | | |
| MW-5 | 04/01/2009 | 98.90 | 20.77 | NP | NP | 78.13 | | Gauged Only | | | | | |
| MW-5 | 05/18/2009 | 98.90 | 20.59 | NP | NP | 78.31 | | 1,000 | 17 | 83 | 76 | 1,176 | 2,400 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|-----------------------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-5 | 06/30/2009 | 100.02 | 19.46 | NP | NP | 80.56 | | | | | | Gauged Only | |
| MW-5 | 07/30/2009 | 100.02 | 19.84 | NP | NP | 80.18 | | | | | | Gauged Only | |
| MW-5 | 08/06/2009 | 100.02 | 20.26 | NP | NP | 79.76 | | 820 | 15 | 37 | 36 | 908 | 1,600 |
| MW-5 | 09/03/2009 | 100.02 | | No Access | | | | | | | | Gauged Only | |
| MW-5 | 10/13/2009 | 100.02 | 20.52 | NP | NP | 79.50 | | | | | | Gauged Only | |
| MW-5 | 11/23/2009 | 100.02 | 20.71 | NP | NP | 79.31 | | 630 | 22 | 180 | 98 | 930 | 1,600 |
| MW-5 | 12/08/2009 | 100.02 | 20.80 | NP | NP | 79.22 | | | | | | Gauged Only | |
| MW-5 | 01/31/2010 | 100.02 | | Not Gauged - Car parked Over Well | | | | | | | | Gauged Only | |
| MW-5 | 02/09/2010 | 100.02 | 20.79 | NP | NP | 79.23 | | 460 | 21 | 150 | 79 | 710 | 1,200 |
| MW-5 | 03/15/2010 | 100.02 | 20.13 | NP | NP | 79.89 | | 510 | 16 | 44 | 24 | 594 | 2,100 |
| MW-5 | 04/08/2010 | 100.02 | 29.23 | NP | NP | 70.79 | | | | | | Gauged Only | |
| MW-5 | 05/19/2010 | 100.02 | 20.33 | NP | NP | 79.69 | | 730 | 25 | 200 | 140 | 1,095 | 6400 |
| MW-5 | 06/02/2010 | 100.02 | 20.48 | NP | NP | 79.54 | | | | | | Gauged Only | |
| MW-5 | 07/12/2010 | 100.02 | 20.67 | NP | NP | 79.35 | | | | | | Gauged Only | |
| MW-5 | 08/18/2010 | 100.02 | 20.94 | NP | NP | 79.08 | | 990 | 38 | 260 | 210 | 1,498 | 3,400 |
| MW-5 | 11/01/2010 | 100.02 | 20.74 | NP | NP | 79.28 | | 780 | 37 | 230 | 150 | 1,197 | 2,400 |
| MW-5 | 02/14/2011 | 100.02 | 20.53 | NP | NP | 79.49 | | 930 | 58 | 110 | 91 | 1,189 | 4,500 |
| MW-5 | 06/17/2011 | 100.02 | 20.61 | NP | NP | 79.41 | 4.25** | 800 | 49 | 160 | 120 | 1,129 | 1,400 |
| MW-5 | 08/01/2011 | 100.02 | 20.81 | NP | NP | 79.21 | 4.00** | 770 | 51 | 140 | 130 | 1,091 | 1,700 |
| MW-5 | 11/01/2011 | 100.02 | 20.11 | NP | NP | 79.91 | 4.50 | 840 | 37 | 65 | 77 | 1,019 | 2,000 |
| MW-5 | 02/14/2012 | 100.02 | 20.91 | NP | NP | 79.11 | 4.00 | 1,000 | 43 | 110 | 100 | 1,253 | 1400 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-5 | 05/24/2012 | 100.02 | 21.04 | NP | NP | 78.98 | 4.00 | 570 | 18 | 28 | 41 | 657 | 1,000 |
| MW-6 | 03/26/2003 | 98.69 | 20.54 | NP | NP | 78.15 | | 89.6 | 182 | 37.9 | 154 | 464 | 9,400 |
| MW-6 | 05/15/2003 | 98.69 | 20.59 | NP | NP | 78.10 | | 91.1 | 213 | 54.0 | 248 | 606 | 10,100 |
| MW-6 | 09/04/2003 | 98.69 | 19.68 | NP | NP | 79.01 | | 1,480 | 1,390 | 631 | 2,040 | 5,541 | 386,000 |
| MW-6 | 12/17/2003 | 98.69 | 19.74 | NP | NP | 78.95 | | 217 | 50.4 | 46.3J | 123 | 437 | 63,500 |
| MW-6 | 02/11/2004 | 98.69 | 20.09 | NP | NP | 78.60 | | 168 | 53.9 | 55.1 | 170 | 447 | 34,100 |
| MW-6 | 05/18/2004 | 98.69 | 20.13 | NP | NP | 78.56 | | 74.5 | 6.9 | 14.4 | 48.2 | 144 | 2,490 |
| MW-6 | 08/18/2004 | 98.69 | 19.42 | NP | NP | 79.27 | | 252 | 328 | 81.3 J | 275 | 936 | 38,500 |
| MW-6 | 11/23/2004 | 98.69 | 20.04 | NP | NP | 78.65 | | 56.7 | 4.6 J | 6.3 | 26.5 | 94.1 | 1,730 |
| MW-6 | 02/15/2005 | 98.69 | 20.12 | NP | NP | 78.57 | | 35.0 | 6.1 J | 3.2 J | 20.0 | 64.3 | 1,160 |
| MW-6 | 05/12/2005 | 98.69 | 20.08 | NP | NP | 78.61 | | Gauged Only | | | | | |
| MW-6 | 05/27/2005 | 98.69 | Sampled Only | | | | | 23.5 | 3.0 | 2.4 | 14.0 | 42.9 | 899 |
| MW-6 | 09/07/2005 | 98.69 | 20.26 | NP | NP | 78.43 | | 9.9 | 1.6 J | 7.2 | 11.8 | 30.5 | 795 |
| MW-6 | 11/15/2005 | 98.69 | 19.73 | NP | NP | 78.96 | | 303 | 60.5 J | 35.9 J | 81.1 J | 481 | 298,000 |
| MW-6 | 02/15/2006 | 98.69 | 19.79 | NP | NP | 78.90 | | 1,130 | 526 | 342 | 1,010 | 3,008 | 131,000 |
| MW-6 | 06/06/2006 | 98.69 | 19.64 | NP | NP | 79.05 | | 1,610 | 268 | 410 | 1,060 | 3,348 | 133,000 |
| MW-6 | 08/28/2006 | 98.69 | 19.45 | NP | NP | 79.24 | | 1,590 | 165 | 499 | 1,350 | 3,604 | 109,000 |
| MW-6 | 11/27/2006 | 98.69 | 19.82 | NP | NP | 78.87 | | 20.7 | 4.0 | 7.6 | 22.9 | 55.2 | 791 |
| MW-6 | 02/17/2007 | 98.69 | 20.28 | NP | NP | 78.41 | | 21.7 | 4.6 J | 9.1 | 23.4 | 58.8 | 1,120 |
| MW-6 | 05/11/2007 | 98.69 | 19.68 | NP | NP | 79.01 | | 16.1 | 2.4 | 1.5 | 8.2 | 28.2 | 108 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-6 | 08/30/2007 | 98.69 | 19.42 | NP | NP | 79.27 | | 11.6 | 5.0 | 10.4 | 15.2 | 42.2 | 1,280 |
| MW-6 | 11/21/2007 | 98.69 | 20.11 | NP | NP | 78.58 | | 7.9 | 3.9 | 5.3 | 10.6 | 27.7 | 124 |
| MW-6 | 02/25/2008 | 98.69 | 20.85 | NP | NP | 77.84 | | 24 | 5.6 | 9.0 | 23 | 61.6 | 5,000 |
| MW-6 | 05/29/2008 | 98.69 | 20.25 | NP | NP | 78.44 | | 13 | 3.6 | 8.4 | 16 | 41.0 | 210 |
| MW-6 | 07/29/2008 | 98.69 | 19.92 | NP | NP | 78.77 | | 550 | 87 | 170 | 250 | 1,057 | 72,000 |
| MW-6 | 11/17/2008 | 98.69 | 20.07 | NP | NP | 78.62 | | 31 | 6.8 | 34 | 29 | 101 | 760 |
| MW-6 | 01/14/2009 | 98.69 | 19.97 | NP | NP | 78.72 | | Gauged Only | | | | | |
| MW-6 | 02/06/2009 | 98.69 | 20.00 | NP | NP | 78.69 | | 160 | 19 J | 47 | 53 | 279 | 29,000 |
| MW-6 | 03/05/2009 | 98.69 | 20.17 | NP | NP | 78.52 | | Gauged Only | | | | | |
| MW-6 | 04/01/2009 | 98.69 | 20.21 | NP | NP | 78.48 | | Gauged Only | | | | | |
| MW-6 | 05/18/2009 | 98.69 | 20.12 | NP | NP | 78.57 | | 34 | 4.5 | 13 | 16 | 67.5 | 230 |
| MW-6 | 06/30/2009 | 99.82 | 19.74 | NP | NP | 80.08 | | Gauged Only | | | | | |
| MW-6 | 07/30/2009 | 99.82 | 19.73 | NP | NP | 80.09 | | Gauged Only | | | | | |
| MW-6 | 08/06/2009 | 99.82 | 19.82 | NP | NP | 80.00 | | 12 | 3.4 | 6.4 | 8.5 | 30.3 | 92 |
| MW-6 | 09/03/2009 | 99.82 | 20.00 | NP | NP | 79.82 | | Gauged Only | | | | | |
| MW-6 | 10/13/2009 | 99.82 | 20.12 | NP | NP | 79.70 | | Gauged Only | | | | | |
| MW-6 | 11/23/2009 | 99.82 | 20.21 | NP | NP | 79.61 | | 20 | 5.2 | 15 | 19 | 59.2 | 84 |
| MW-6 | 12/08/2009 | 99.82 | 20.31 | NP | NP | 79.51 | | Gauged Only | | | | | |
| MW-6 | 01/31/2010 | 99.82 | 20.29 | NP | NP | 79.53 | | Gauged Only | | | | | |
| MW-6 | 02/09/2010 | 99.82 | 20.32 | NP | NP | 79.50 | | 15 | 4.1 | 6 | 15 | 40.1 | 87 |
| MW-6 | 03/15/2010 | 99.82 | 19.73 | NP | NP | 80.09 | | 90 | <10 | 21 | 23 | 134 | 20,000 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-6 | 04/08/2010 | 99.82 | 24.50 | NP | NP | 75.32 | | Gauged Only | | | | | |
| MW-6 | 05/19/2010 | 99.82 | 19.88 | NP | NP | 79.94 | | 21 | 3.9 | 9 | 11 | 44.9 | 590 |
| MW-6 | 06/02/2010 | 99.82 | 19.98 | NP | NP | 79.84 | | Gauged Only | | | | | |
| MW-6 | 07/12/2010 | 99.82 | 20.19 | NP | NP | 79.63 | | Gauged Only | | | | | |
| MW-6 | 08/18/2010 | 99.82 | 20.43 | NP | NP | 79.39 | | 17 | 2.6 | 5.3 | 6.1 | 31.0 | 43 |
| MW-6 | 11/01/2010 | 99.82 | 20.25 | NP | NP | 79.57 | | 17 | 2.1 | 2.8 | 4.6 | 26.5 | 160 |
| MW-6 | 02/14/2011 | 99.82 | 20.11 | NP | NP | 79.71 | | 330 | 21 | 110 | 85 | 546 | 22,000 |
| MW-6 | 06/17/2011 | 99.82 | 20.14 | NP | NP | 79.68 | 2.25** | 10 | 1.5 | 3.8 | 3 | 18.3 | 33 |
| MW-6 | 08/01/2011 | 99.82 | 20.37 | NP | NP | 79.45 | 2.00** | 12 | 2.2 | 6 | 4.3 | 24.5 | 21 |
| MW-6 | 11/01/2011 | 99.82 | 19.60 | NP | NP | 80.22 | 2.50 | 180 | 14 | 73 | 70 | 337 | 9,000 |
| MW-6 | 02/14/2012 | 99.82 | 20.34 | NP | NP | 79.48 | 2.00 | 11 | 2.1 | 6.4 | 5.6 | 25.1 | 25 |
| MW-6 | 05/24/2012 | 99.82 | 20.46 | NP | NP | 79.36 | 2.00 | 9.6 | 2.2 | 3.2 | 3 | 18.0 | 21 |
| MW-7 | 03/26/2003 | 98.55 | 19.04 | NP | NP | 79.51 | | 192 | 8.7 | 10.8 | 29.7 | 241 | 23,300 |
| MW-7 | 05/15/2003 | 98.55 | 19.07 | NP | NP | 79.48 | | 127 | <50.0 | <50.0 | 71.7 | 199 | 38,200 |
| MW-7 | 09/04/2003 | 98.55 | 18.03 | NP | NP | 80.52 | | 383 | <100 | <100 | 184 | 567 | 18,400 |
| MW-7 | 12/17/2003 | 98.55 | 18.58 | NP | NP | 79.97 | | 68.4 | <25 | <25 | 46.5 | 115 | 27,600 |
| MW-7 | 02/11/2004 | 98.55 | 18.80 | NP | NP | 79.75 | | 64.0 | <50 | <50 | 56.3 | 120 | 12,900 |
| MW-7 | 05/18/2004 | 98.55 | 18.51 | NP | NP | 80.04 | | 89.7 | 5.7 J | 12.6 | 42.6 | 151 | 9,850 |
| MW-7 | 08/18/2004 | 98.55 | 17.76 | NP | NP | 80.79 | | 89.4 | 6.2 J | 14.8 | 32.1 | 143 | 10,500 |
| MW-7 | 11/23/2004 | 98.55 | 18.06 | NP | NP | 80.49 | | 66.6 | 5.5 | 12.7 | 27.7 | 113 | 13,500 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-7 | 02/15/2005 | 98.55 | 17.87 | NP | NP | 80.68 | | 73.5 | 6.3 J | 12.2 J | 19.0 J | 111 | 11,100 |
| MW-7 | 05/12/2005 | 98.55 | 17.69 | NP | NP | 80.86 | | | | | | Gauged Only | |
| MW-7 | 05/27/2005 | 98.55 | Sampled Only | | | | | 130 | <10.0 | 15.5 | 16.5 | 162 | 8,620 |
| MW-7 | 09/07/2005 | 98.55 | 18.05 | NP | NP | 80.50 | | 61.7 | <20.0 | 16.7 J | 20.3 | 98.7 | 9,630 |
| MW-7 | 11/15/2005 | 98.55 | 17.52 | NP | NP | 81.03 | | 88.7 | 7.1 | 17.9 | 21.0 | 135 | 13,700 |
| MW-7 | 02/15/2006 | 98.55 | 17.43 | NP | NP | 81.12 | | 42.1 | <25.0 | 11.2 J | 13.5 J | 66.8 | 9,190 |
| MW-7 | 06/06/2006 | 98.55 | 17.36 | NP | NP | 81.19 | | 38.2 | <25.0 | <25.0 | <25.0 | 38.2 | 7,450 |
| MW-7 | 08/28/2006 | 98.55 | 17.19 | NP | NP | 81.36 | | 113 | 6.5 | 15.6 | 17.3 | 152 | 8,190 |
| MW-7 | 11/27/2006 | 98.55 | 17.73 | NP | NP | 80.82 | | 6.0 | 2.9 | 2.4 | 7.5 | 18.8 | 580 |
| MW-7 | 02/17/2007 | 98.55 | 18.18 | NP | NP | 80.37 | | 4.1 J | 1.9 J | 1.5 J | 4.8 J | 12.3 | 1,120 |
| MW-7 | 05/11/2007 | 98.55 | 17.01 | NP | NP | 81.54 | | 270 | 7.6 | 22.4 | 23.4 | 323 | 1,330 |
| MW-7 | 08/30/2007 | 98.55 | 17.15 | NP | NP | 81.40 | | 174 | 7.1 | 18.3 | 22.0 | 221 | 680 |
| MW-7 | 11/21/2007 | 98.55 | 17.82 | NP | NP | 80.73 | | 100 | 5.2 | 11.9 | 15.6 | 133 | 508 |
| MW-7 | 02/25/2008 | 98.55 | 17.69 | NP | NP | 80.86 | | 33 | 4.3 | 7.4 | 13 | 57.7 | 250 |
| MW-7 | 05/29/2008 | 98.55 | 17.94 | NP | NP | 80.61 | | 34 | 4.2 | 7.7 | 13 | 58.9 | 670 |
| MW-7 | 07/29/2008 | 98.55 | 17.75 | NP | NP | 80.80 | | 80 | 5.2 | 13 | 17 | 115 | 600 |
| MW-7 | 11/17/2008 | 98.55 | 17.89 | NP | NP | 80.66 | | 1.4 J | 1.2 J | <1.0 | 2.8 | 5.4 | 720 |
| MW-7 | 01/14/2009 | 98.55 | 17.91 | NP | NP | 80.64 | | | | | | Gauged Only | |
| MW-7 | 02/06/2009 | 98.55 | 18.00 | NP | NP | 80.55 | | 28 | 4.2 | 8.7 | 13 | 53.9 | 170 |
| MW-7 | 03/05/2009 | 98.55 | 18.20 | NP | NP | 80.35 | | | | | | Gauged Only | |
| MW-7 | 04/01/2009 | 98.55 | 18.33 | NP | NP | 80.22 | | | | | | Gauged Only | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-7 | 05/18/2009 | 98.55 | 18.23 | NP | NP | 80.32 | | 80 | 4.7 | 8 | 13 | 106 | 140 |
| MW-7 | 06/30/2009 | 99.64 | 17.91 | NP | NP | 81.73 | | | | | | Gauged Only | |
| MW-7 | 07/30/2009 | 99.64 | 17.13 | NP | NP | 82.51 | | | | | | Gauged Only | |
| MW-7 | 08/06/2009 | 99.64 | 18.03 | NP | NP | 81.61 | | 120 | 4.8 | 6.9 | 14 | 146 | 140 |
| MW-7 | 09/03/2009 | 99.64 | 16.11 | NP | NP | 83.53 | | | | | | Gauged Only | |
| MW-7 | 10/13/2009 | 99.64 | 18.30 | NP | NP | 81.34 | | | | | | Gauged Only | |
| MW-7 | 11/23/2009 | 99.64 | 18.41 | NP | NP | 81.23 | | 28 | 2.4 | 1.9 | 7.1 | 39.4 | 140 |
| MW-7 | 12/08/2009 | 99.64 | 18.37 | NP | NP | 81.27 | | | | | | Gauged Only | |
| MW-7 | 01/31/2010 | 99.64 | 18.30 | NP | NP | 81.34 | | | | | | Gauged Only | |
| MW-7 | 02/09/2010 | 99.64 | 18.32 | NP | NP | 81.32 | | 26 | 2 | 1.2 | 4.4 | 33.6 | 140 |
| MW-7 | 03/15/2010 | 99.64 | 17.65 | NP | NP | 81.99 | | 200 | 3.8 | 6.2 | 9.9 | 220 | 210 |
| MW-7 | 04/08/2010 | 99.64 | 24.07 | NP | NP | 75.57 | | | | | | Gauged Only | |
| MW-7 | 05/19/2010 | 99.64 | 17.49 | NP | NP | 82.15 | | 270 | 5.6 | 13 | 16 | 305 | 96 |
| MW-7 | 06/02/2010 | 99.64 | 17.36 | NP | NP | 82.28 | | | | | | Gauged Only | |
| MW-7 | 07/12/2010 | 99.64 | 17.87 | NP | NP | 81.77 | | | | | | Gauged Only | |
| MW-7 | 08/18/2010 | 99.64 | 18.19 | NP | NP | 81.45 | | 79 | 4.8 | 7.7 | 15 | 107 | 120 |
| MW-7 | 11/01/2010 | 99.64 | 18.20 | NP | NP | 81.44 | | 96 | 5.3 | 9.7 | 15 | 126 | 77 |
| MW-7 | 02/14/2011 | 99.64 | 18.07 | NP | NP | 81.57 | | 65 | 3.9 | 7.2 | 11 | 87.1 | 73 |
| MW-7 | 06/17/2011 | 99.64 | 17.71 | NP | NP | 81.93 | 3.00** | 21 | 3.9 | 7.1 | 10 | 42.0 | 73 |
| MW-7 | 08/01/2011 | 99.64 | 18.10 | NP | NP | 81.54 | 3.00** | 22 | 3.6 | 6.1 | 9.3 | 41.0 | 93 |
| MW-7 | 11/01/2011 | 99.64 | 17.01 | NP | NP | 82.63 | 3.50 | 120 | 5.5 | 12 | 15 | 153 | 59 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-7 | 02/14/2012 | 99.64 | 17.59 | NP | NP | 82.05 | 3.00 | 47 | 5.5 | 10 | 14 | 76.5 | 64 |
| MW-7 | 05/24/2012 | 99.64 | 18.02 | NP | NP | 81.62 | 3.00 | 7.1 | 3.5 | 4.7 | 9.8 | 25.1 | 53 |
| MW-8 | 12/17/2003 | 98.76 | 16.03 | NP | NP | 82.73 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.1 |
| MW-8 | 02/11/2004 | 96.08 | 17.01 | NP | NP | 79.07 | | 0.58 J | 0.44 J | 2.6 | 11.2 | 14.8 | 10.7 |
| MW-8 | 05/18/2004 | 96.08 | 17.12 | NP | NP | 78.96 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 10.7 |
| MW-8 | 08/18/2004 | 96.08 | 16.66 | NP | NP | 79.42 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 15.6 |
| MW-8 | 11/23/2004 | 96.08 | 16.98 | NP | NP | 79.10 | | <1.0 | <1.0 | <1.0 | 0.3 J | 0.3 | 20.4 |
| MW-8 | 02/15/2005 | 96.08 | 16.90 | NP | NP | 79.18 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 20.7 |
| MW-8 | 05/12/2005 | 96.08 | 16.66 | NP | NP | 79.42 | | Gauged Only | | | | | |
| MW-8 | 05/27/2005 | 96.08 | Sampled Only | | | | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 21.6 |
| MW-8 | 09/07/2005 | 96.08 | 16.51 | NP | NP | 79.57 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 15.9 |
| MW-8 | 11/15/2005 | 96.08 | 13.35 | NP | NP | 82.73 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-8 | 02/15/2006 | 96.08 | 13.50 | NP | NP | 82.58 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 0.70 J |
| MW-8 | 06/06/2006 | 96.08 | 13.98 | NP | NP | 82.10 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-8 | 08/28/2006 | 96.08 | 14.14 | NP | NP | 81.94 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-8 | 11/27/2006 | 96.08 | 16.78 | NP | NP | 79.30 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 10.4 |
| MW-8 | 02/17/2007 | 96.08 | 17.24 | NP | NP | 78.84 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 8.1 |
| MW-8 | 05/11/2007 | 96.08 | 16.48 | NP | NP | 79.60 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 6.5 |
| MW-8 | 08/30/2007 | 96.08 | 16.31 | NP | NP | 79.77 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 5.3 |
| MW-8 | 11/21/2007 | 96.08 | 16.92 | NP | NP | 79.16 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.6 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|---------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| | | NYSDEC TOGS WQS | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-8 | 02/25/2008 | 96.08 | 16.54 | NP | NP | 79.54 | | <0.50 | <0.50 | 1.7 | 1.8 | 3.5 | 3.3 |
| MW-8 | 05/29/2008 | 96.08 | 16.91 | NP | NP | 79.17 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.5 |
| MW-8 | 07/29/2008 | 96.08 | 16.64 | NP | NP | 79.44 | | 0.65 J | <0.50 | <0.50 | <0.50 | 0.65 | 3.3 |
| MW-8 | 11/17/2008 | 96.08 | 16.36 | NP | NP | 79.72 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-8 | 01/14/2009 | 96.08 | 16.43 | NP | NP | 79.65 | | Gauged Only | | | | | |
| MW-8 | 02/06/2009 | 96.08 | 14.14 | NP | NP | 81.94 | | <0.50 | 8.4 | 2.2 | 11 | 21.6 | <0.50 |
| MW-8 | 03/05/2009 | 96.08 | 12.87 | NP | NP | 83.21 | | Gauged Only | | | | | |
| MW-8 | 04/01/2009 | 96.08 | 12.72 | NP | NP | 83.36 | | Gauged Only | | | | | |
| MW-8 | 05/18/2009 | 96.08 | 16.41 | NP | NP | 79.67 | | <0.50 | 0.51 J | 1.7 | 3 | 5.21 | 0.97 J |
| MW-8 | 06/30/2009 | 97.21 | 16.12 | NP | NP | 81.09 | | Gauged Only | | | | | |
| MW-8 | 07/30/2009 | 97.21 | 16.45 | NP | NP | 80.76 | | Gauged Only | | | | | |
| MW-8 | 08/06/2009 | 97.21 | 16.30 | NP | NP | 80.91 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.1 |
| MW-8 | 09/03/2009 | 97.21 | 16.76 | NP | NP | 80.45 | | Gauged Only | | | | | |
| MW-8 | 10/13/2009 | 97.21 | 17.06 | NP | NP | 80.15 | | Gauged Only | | | | | |
| MW-8 | 11/23/2009 | 97.21 | 16.88 | NP | NP | 80.33 | | <0.50 | <0.50 | 3.8 | 4.7 | 8.5 | 3.3 |
| MW-8 | 12/08/2009 | 97.21 | 16.83 | NP | NP | 80.38 | | Gauged Only | | | | | |
| MW-8 | 01/31/2010 | 97.21 | 17.03 | NP | NP | 80.18 | | Gauged Only | | | | | |
| MW-8 | 02/09/2010 | 97.21 | 13.62 | NP | NP | 83.59 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.5 |
| MW-8 | 03/15/2010 | 97.21 | 14.22 | NP | NP | 82.99 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.7 |
| MW-8 | 04/08/2010 | 97.21 | 20.46 | NP | NP | 76.75 | | Gauged Only | | | | | |
| MW-8 | 05/19/2010 | 97.21 | 16.40 | NP | NP | 80.81 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 7 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-8 | 06/02/2010 | 97.21 | 16.78 | NP | NP | 80.43 | | Gauged Only | | | | | |
| MW-8 | 07/12/2010 | 97.21 | 15.62 | NP | NP | 81.59 | | Gauged Only | | | | | |
| MW-8 | 08/18/2010 | 97.21 | 17.19 | NP | NP | 80.02 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 6.6 |
| MW-8 | 11/01/2010 | 97.21 | 16.91 | NP | NP | 80.30 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.8 |
| MW-8 | 02/14/2011 | 97.21 | 16.57 | NP | NP | 80.64 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.4 |
| MW-8 | 06/17/2011 | 97.21 | 16.67 | NP | NP | 80.54 | 2.00** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.5 |
| MW-8 | 08/01/2011 | 97.21 | 17.04 | NP | NP | 80.17 | 1.75** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 5 |
| MW-8 | 11/01/2011 | 97.21 | 15.11 | NP | NP | 82.10 | 2.50 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.3 |
| MW-8 | 02/14/2012 | 97.21 | 16.75 | NP | NP | 80.46 | 1.75 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.3 |
| MW-8 | 05/24/2012 | 97.21 | 16.4 | NP | NP | 80.81 | 4.00 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.4 |
| MW-9 | 12/17/2003 | 97.6 | 16.17 | NP | NP | 81.43 | | <1.0 | <1.0 | <1.0 | 0.93J | 0.93 | 7.5 |
| MW-9 | 02/11/2004 | 94.95 | 16.63 | NP | NP | 78.32 | | <1.0 | <1.0 | 0.4 J | 1.2 | 1.6 | 6.7 |
| MW-9 | 05/18/2004 | 94.95 | 16.67 | NP | NP | 78.28 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 7.8 |
| MW-9 | 08/18/2004 | 94.95 | 16.26 | NP | NP | 78.69 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 6.4 |
| MW-9 | 11/23/2004 | 94.95 | 16.59 | NP | NP | 78.36 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 7.9 |
| MW-9 | 02/15/2005 | 94.95 | 16.62 | NP | NP | 78.33 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 6.2 |
| MW-9 | 05/12/2005 | 94.95 | 16.56 | NP | NP | 78.39 | | Gauged Only | | | | | |
| MW-9 | 05/27/2005 | 94.95 | Sampled Only | | | | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 7.4 |
| MW-9 | 09/07/2005 | 94.95 | 16.65 | NP | NP | 78.30 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 7.4 |
| MW-9 | 11/15/2005 | 94.95 | 15.68 | NP | NP | 79.27 | | <1.0 | 0.50 J | 1.3 | 5.8 | 7.6 | 5.5 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-9 | 02/15/2006 | 94.95 | 15.77 | NP | NP | 79.18 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 1.7 |
| MW-9 | 06/06/2006 | 94.95 | 15.76 | NP | NP | 79.19 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 1.1 |
| MW-9 | 08/28/2006 | 94.95 | 15.50 | NP | NP | 79.45 | | <1.0 | <1.0 | 0.43 J | 1.6 | 2.03 | 1.0 |
| MW-9 | 11/27/2006 | 94.95 | 16.25 | NP | NP | 78.70 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 1.3 |
| MW-9 | 02/17/2007 | 94.95 | 16.70 | NP | NP | 78.25 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 1.3 |
| MW-9 | 05/11/2007 | 94.95 | 16.15 | NP | NP | 78.80 | | 16.2 | 2.5 | 2.5 | 9.5 | 30.7 | 315 |
| MW-9 | 08/30/2007 | 94.95 | 15.99 | NP | NP | 78.96 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.5 |
| MW-9 | 11/21/2007 | 94.95 | 16.58 | NP | NP | 78.37 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.4 |
| MW-9 | 02/25/2008 | 94.95 | 16.31 | NP | NP | 78.64 | | <0.50 | <0.50 | <0.50 | 0.70 J | 0.7 | 3.3 |
| MW-9 | 05/29/2008 | 94.95 | 16.64 | NP | NP | 78.31 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.8 |
| MW-9 | 07/29/2008 | 94.95 | 16.35 | NP | NP | 78.60 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.9 |
| MW-9 | 11/17/2008 | 94.95 | 16.50 | NP | NP | 78.45 | | 0.56 J | <0.50 | <0.50 | <0.50 | 0.56 | 2.9 |
| MW-9 | 01/14/2009 | 94.95 | 15.84 | NP | NP | 79.11 | | Gauged Only | | | | | |
| MW-9 | 02/06/2009 | 94.95 | 16.05 | NP | NP | 78.90 | | 0.54 J | <0.50 | <0.50 | <0.50 | 0.54 | 2.5 |
| MW-9 | 03/05/2009 | 94.95 | 16.19 | NP | NP | 78.76 | | Gauged Only | | | | | |
| MW-9 | 04/01/2009 | 94.95 | 16.24 | NP | NP | 78.71 | | Gauged Only | | | | | |
| MW-9 | 05/18/2009 | 94.95 | 16.52 | NP | NP | 78.43 | | 0.92 J | <0.50 | <0.50 | 0.53 J | 1.45 | 2 |
| MW-9 | 06/30/2009 | 96.00 | 16.18 | NP | NP | 79.82 | | Gauged Only | | | | | |
| MW-9 | 07/30/2009 | 96.00 | 16.13 | NP | NP | 79.87 | | Gauged Only | | | | | |
| MW-9 | 08/06/2009 | 96.00 | 16.26 | NP | NP | 79.74 | | 0.61 J | <0.50 | <0.50 | 0.76 J | 1.37 | 1.5 |
| MW-9 | 09/03/2009 | 96.00 | 16.41 | NP | NP | 79.59 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-9 | 10/13/2009 | 96.00 | 16.50 | NP | NP | 79.50 | | Gauged Only | | | | | |
| MW-9 | 11/23/2009 | 96.00 | 16.59 | NP | NP | 79.41 | | 0.52 | <0.50 | <0.50 | <0.50 | 0.52 | 1.7 |
| MW-9 | 12/08/2009 | 96.00 | 16.72 | NP | NP | 79.28 | | Gauged Only | | | | | |
| MW-9 | 01/31/2010 | 96.00 | 16.66 | NP | NP | 79.34 | | Gauged Only | | | | | |
| MW-9 | 02/09/2010 | 96.00 | 16.78 | NP | NP | 79.22 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.5 |
| MW-9 | 03/15/2010 | 96.00 | 15.87 | NP | NP | 80.13 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.6 |
| MW-9 | 04/08/2010 | 96.00 | 22.39 | NP | NP | 73.61 | | Gauged Only | | | | | |
| MW-9 | 05/19/2010 | 96.00 | 16.33 | NP | NP | 79.67 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.8 |
| MW-9 | 06/02/2010 | 96.00 | 16.46 | NP | NP | 79.54 | | Gauged Only | | | | | |
| MW-9 | 07/12/2010 | 96.00 | 16.48 | NP | NP | 79.52 | | Gauged Only | | | | | |
| MW-9 | 08/18/2010 | 96.00 | 16.84 | NP | NP | 79.16 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.6 |
| MW-9 | 11/01/2010 | 96.00 | 16.69 | NP | NP | 79.31 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.5 |
| MW-9 | 02/14/2011 | 96.00 | 16.45 | NP | NP | 79.55 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.5 |
| MW-9 | 06/17/2011 | 96.00 | 16.44 | NP | NP | 79.56 | 3.00** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.3 |
| MW-9 | 08/01/2011 | 96.00 | 16.71 | NP | NP | 79.29 | 2.75** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.3 |
| MW-9 | 11/01/2011 | 96.00 | 15.89 | NP | NP | 80.11 | 3.25 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.2 |
| MW-9 | 02/14/2012 | 96 | 16.61 | NP | NP | 79.39 | 3.00 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.2 |
| MW-9 | 05/24/2012 | 96 | 16.79 | NP | NP | 79.21 | 3.00 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.3 |
| MW-10 | 12/17/2003 | 97.2 | 16.02 | NP | NP | 81.18 | | 61.7 | 11.3 | 14.4 | 46.1 | 134 | 132 |
| MW-10 | 02/11/2004 | 94.52 | 16.39 | NP | NP | 78.13 | | 56.4 | 8.7 | 4.9 | 36.6 | 107 | 252 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-10 | 05/18/2004 | 94.52 | 16.41 | NP | NP | 78.11 | | 59.0 | 6.8 | 1.1 | 27.6 | 94.5 | 126 |
| MW-10 | 08/18/2004 | 94.52 | 15.91 | NP | NP | 78.61 | | 49.1 | 10.7 | 9.8 | 42.5 | 112 | 173 |
| MW-10 | 11/23/2004 | 94.52 | 16.28 | NP | NP | 78.24 | | 61.8 | 8.8 | 3.0 | 37.4 | 111 | 143 |
| MW-10 | 02/15/2005 | 94.52 | 16.34 | NP | NP | 78.18 | | 50.2 | 7.3 | 1.3 | 27.4 | 86.2 | 98.1 |
| MW-10 | 05/12/2005 | 94.52 | 16.37 | NP | NP | 78.15 | | Gauged Only | | | | | |
| MW-10 | 05/27/2005 | 94.52 | Sampled Only | | | | | 45.6 | 5.5 | 0.8 | 22.0 | 73.9 | 115 |
| MW-10 | 09/07/2005 | 94.52 | 16.46 | NP | NP | 78.06 | | 32.1 | 4.8 | 1.1 | 16.1 | 54.1 | 110 |
| MW-10 | 11/15/2005 | 94.52 | 15.97 | NP | NP | 78.55 | | 26.0 | 2.2 | <2.0 | 3.6 | 31.8 | 289 |
| MW-10 | 02/15/2006 | 94.52 | 16.07 | NP | NP | 78.45 | | 82.1 | 6.6 | 2.1 | 22.5 | 113 | 204 |
| MW-10 | 06/06/2006 | 94.52 | 15.91 | NP | NP | 78.61 | | 58.1 | 3.7 | 0.54 J | 17.8 | 80.1 | 127 |
| MW-10 | 08/28/2006 | 94.52 | 15.69 | NP | NP | 78.83 | | 63.3 | 3.9 | 0.93 J | 16.2 | 84.3 | 174 |
| MW-10 | 11/27/2006 | 94.52 | 15.89 | NP | NP | 78.63 | | 50.0 | 2.9 | <1.0 | 11.2 | 64.1 | 193 |
| MW-10 | 02/17/2007 | 94.52 | 16.35 | NP | NP | 78.17 | | 40.7 | 2.2 | 0.36 J | 10.1 | 53.4 | 194 |
| MW-10 | 05/11/2007 | 94.52 | 15.81 | NP | NP | 78.71 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.2 |
| MW-10 | 08/30/2007 | 94.52 | 15.63 | NP | NP | 78.89 | | 46.5 | 2.9 | 1.6 | 9.5 | 60.5 | 110 |
| MW-10 | 11/21/2007 | 94.52 | 16.26 | NP | NP | 78.26 | | 38.7 | 2.6 | 0.38 J | 10.0 | 51.7 | 132 |
| MW-10 | 02/25/2008 | 94.52 | 16.14 | NP | NP | 78.38 | | 21 | 1.6 | <0.50 | 7.2 | 29.8 | 94 |
| MW-10 | 05/29/2008 | 94.52 | 16.42 | NP | NP | 78.10 | | 18 | 1.4 | <0.50 | 6.2 | 25.6 | 92 |
| MW-10 | 07/29/2008 | 94.52 | 16.10 | NP | NP | 78.42 | | 23 | 1.8 | <0.50 | 7.4 | 32.2 | 66 |
| MW-10 | 11/17/2008 | 94.52 | 16.24 | NP | NP | 78.28 | | 20 | 2 | <0.50 | 6.7 | 28.7 | 92 |
| MW-10 | 01/14/2009 | 94.52 | 15.14 | NP | NP | 79.38 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-10 | 02/06/2009 | 94.52 | 16.24 | NP | NP | 78.28 | | 21 | 1.7 | <0.50 | 5.9 | 28.6 | 61 |
| MW-10 | 03/05/2009 | 94.52 | 16.40 | NP | NP | 78.12 | | | | Gauged Only | | | |
| MW-10 | 04/01/2009 | 94.52 | 16.43 | NP | NP | 78.09 | | | | Gauged Only | | | |
| MW-10 | 05/18/2009 | 94.52 | 16.21 | NP | NP | 78.31 | | 8 | 1.1 | <0.50 | 3.6 | 12.7 | 38 |
| MW-10 | 06/30/2009 | 95.58 | 15.88 | NP | NP | 79.70 | | | | Gauged Only | | | |
| MW-10 | 07/30/2009 | 95.58 | 16.32 | NP | NP | 79.26 | | | | Gauged Only | | | |
| MW-10 | 08/06/2009 | 95.58 | 15.92 | NP | NP | 79.66 | | 5.4 | 1.2 | <0.50 | 3.9 | 10.5 | 46 |
| MW-10 | 09/03/2009 | 95.58 | 16.10 | NP | NP | 79.48 | | | | Gauged Only | | | |
| MW-10 | 10/13/2009 | 95.58 | 16.20 | NP | NP | 79.38 | | | | Gauged Only | | | |
| MW-10 | 11/23/2009 | 95.58 | 16.33 | NP | NP | 79.25 | | 1.9 | 0.91 J | <0.50 | 2.7 | 5.51 | 75 |
| MW-10 | 12/08/2009 | 95.58 | 16.43 | NP | NP | 79.15 | | | | Gauged Only | | | |
| MW-10 | 01/31/2010 | 95.58 | 16.35 | NP | NP | 79.23 | | | | Gauged Only | | | |
| MW-10 | 02/09/2010 | 95.58 | 16.43 | NP | NP | 79.15 | | 0.87 J | 0.90 J | <0.50 | 2.5 | 4.27 | 78 |
| MW-10 | 03/15/2010 | 95.58 | 15.76 | NP | NP | 79.82 | | <10 | <10 | <10 | <10 | ND | 57 |
| MW-10 | 04/08/2010 | 95.58 | 22.86 | NP | NP | 72.72 | | | | Gauged Only | | | |
| MW-10 | 05/19/2010 | 95.58 | 15.98 | NP | NP | 79.60 | | 0.73 J | 1.3 | <0.50 | 2.4 | 4.43 | 47 |
| MW-10 | 06/02/2010 | 95.58 | 16.15 | NP | NP | 79.43 | | | | Gauged Only | | | |
| MW-10 | 07/12/2010 | 95.58 | 16.52 | NP | NP | 79.06 | | | | Gauged Only | | | |
| MW-10 | 08/18/2010 | 95.58 | 16.60 | NP | NP | 78.98 | | <0.50 | 0.63 J | <0.50 | 1.8 | 2.43 | 130 |
| MW-10 | 11/01/2010 | 95.58 | 16.36 | NP | NP | 79.22 | | 0.58 J | <0.50 | <0.50 | 1.8 | 2.38 | 140 |
| MW-10 | 02/14/2011 | 95.58 | 16.19 | NP | NP | 79.39 | | 2.7 | 0.84 J | <0.50 | 2.2 | 5.74 | 120 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-10 | 06/17/2011 | 95.58 | 16.23 | NP | NP | 79.35 | 3.25** | 15 | 5.7 | <0.50 | 5.5 | 26.2 | 150 |
| MW-10 | 08/01/2011 | 95.58 | 16.46 | NP | NP | 79.12 | 3.25** | 29 | 10 | 0.59 J | 11 | 50.6 | 260 |
| MW-10 | 11/01/2011 | 95.58 | 15.75 | NP | NP | 79.83 | 3.50 | 21 | 6.3 | 0.57 J | 8.8 | 36.7 | 180 |
| MW-10 | 02/14/2012 | 95.58 | 16.54 | NP | NP | 79.04 | 3.00 | 38 | 8.2 | 1.8 | 20 | 68.0 | 150 |
| MW-10 | 05/24/2012 | 95.58 | 16.7 | NP | NP | 78.88 | 3.00 | 26 | 4.9 | <0.50 | 13 | 43.9 | 42 |
| MW-11 | 11/23/2004 | 94.02 | 15.88 | NP | NP | 78.14 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 63.4 |
| MW-11 | 02/15/2005 | 94.02 | 15.92 | NP | NP | 78.10 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 38.0 |
| MW-11 | 05/12/2005 | 94.02 | 15.94 | NP | NP | 78.08 | | Gauged Only | | | | | |
| MW-11 | 05/27/2005 | 94.02 | Sampled Only | | | | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 29.2 |
| MW-11 | 09/07/2005 | 94.02 | 16.15 | NP | NP | 77.87 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 31.2 |
| MW-11 | 11/15/2005 | 94.02 | 15.63 | NP | NP | 78.39 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 23.9 |
| MW-11 | 02/15/2006 | 94.02 | 15.76 | NP | NP | 78.26 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 102 |
| MW-11 | 06/06/2006 | 94.02 | 15.55 | NP | NP | 78.47 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 34.4 |
| MW-11 | 08/28/2006 | 94.02 | 15.41 | NP | NP | 78.61 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 20.7 |
| MW-11 | 11/27/2006 | 94.02 | 15.49 | NP | NP | 78.53 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.6 |
| MW-11 | 02/17/2007 | 94.02 | 15.95 | NP | NP | 78.07 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 6.7 |
| MW-11 | 05/11/2007 | 94.02 | 15.38 | NP | NP | 78.64 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 6.4 |
| MW-11 | 08/30/2007 | 94.02 | 15.29 | NP | NP | 78.73 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.5 |
| MW-11 | 11/21/2007 | 94.02 | 15.86 | NP | NP | 78.16 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 11.9 |
| MW-11 | 02/25/2008 | 94.02 | Not Gauged | | | | | Not Sampled | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|----------------------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-11 | 05/29/2008 | 94.02 | 16.02 | NP | NP | 78.00 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 6.2 |
| MW-11 | 07/29/2008 | 94.02 | 15.78 | NP | NP | 78.24 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.9 |
| MW-11 | 11/17/2008 | 94.02 | 15.79 | NP | NP | 78.23 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 5.5 |
| MW-11 | 01/14/2009 | 94.02 | 14.88 | NP | NP | 79.14 | | Gauged Only | | | | | |
| MW-11 | 02/06/2009 | 94.02 | 15.84 | NP | NP | 78.18 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 17 |
| MW-11 | 03/05/2009 | 94.02 | 16.02 | NP | NP | 78.00 | | Gauged Only | | | | | |
| MW-11 | 04/01/2009 | 94.02 | 16.02 | NP | NP | 78.00 | | Gauged Only | | | | | |
| MW-11 | 05/18/2009 | 94.02 | 15.77 | NP | NP | 78.25 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 5.7 |
| MW-11 | 06/30/2009 | 95.14 | 15.41 | NP | NP | 79.73 | | Gauged Only | | | | | |
| MW-11 | 07/30/2009 | 95.14 | 15.45 | NP | NP | 79.69 | | Gauged Only | | | | | |
| MW-11 | 08/06/2009 | 95.14 | 15.45 | NP | NP | 79.69 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.5 |
| MW-11 | 09/03/2009 | 95.14 | 15.63 | NP | NP | 79.51 | | Gauged Only | | | | | |
| MW-11 | 10/13/2009 | 95.14 | 15.74 | NP | NP | 79.40 | | Gauged Only | | | | | |
| MW-11 | 11/23/2009 | 95.14 | 15.91 | NP | NP | 79.23 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3 |
| MW-11 | 12/08/2009 | 95.14 | 15.97 | NP | NP | 79.17 | | Gauged Only | | | | | |
| MW-11 | 01/31/2010 | 95.14 | 15.93 | NP | NP | 79.21 | | Gauged Only | | | | | |
| MW-11 | 02/09/2010 | 95.14 | Not Gauged - Obstruction in Well | | | | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.6 |
| MW-11 | 03/15/2010 | 95.14 | 15.25 | NP | NP | 79.89 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 0.84 J |
| MW-11 | 04/08/2010 | 95.14 | 15.89 | NP | NP | 79.25 | | Gauged Only | | | | | |
| MW-11 | 05/19/2010 | 95.14 | 15.50 | NP | NP | 79.64 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-11 | 06/02/2010 | 95.14 | 15.73 | NP | NP | 79.41 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|---|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-11 | 07/12/2010 | 95.14 | 15.85 | NP | NP | 79.29 | | Gauged Only | | | | | |
| MW-11 | 08/18/2010 | 95.14 | | Dry | | | | Not Sampled - Dry | | | | | |
| MW-11 | 11/01/2010 | 95.14 | 16.15 | NP | NP | 78.99 | | Not Sampled - Insufficient Sample Volume | | | | | |
| MW-11 | 02/14/2011 | 95.14 | 15.76 | NP | NP | 79.38 | | Not Sampled - Insufficient Sampled Volume | | | | | |
| MW-11 | 06/17/2011 | 95.14 | 15.78 | NP | NP | 79.36 | NM | Not Sampled - Insufficient Sampled Volume | | | | | |
| MW-11 | 06/17/2011 | 95.14 | 15.78 | NP | NP | 79.36 | NM | Not Sampled - Insufficient Sampled Volume | | | | | |
| MW-11 | 11/01/2011 | 95.14 | 15.36 | NP | NP | 79.78 | NM | Not Sampled - Insufficient Sampled Volume | | | | | |
| MW-11 | 05/24/2012 | 95.14 | | Well Casing Broken | | | | Not Sampled - Well Casing Broken | | | | | |
| MW-12 | 11/23/2004 | 93.53 | 15.47 | NP | NP | 78.06 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.4 |
| MW-12 | 02/15/2005 | 93.53 | 15.55 | NP | NP | 77.98 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.3 |
| MW-12 | 05/12/2005 | 93.53 | 15.51 | NP | NP | 78.02 | | Gauged Only | | | | | |
| MW-12 | 05/27/2005 | 93.53 | | Sampled Only | | | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.5 |
| MW-12 | 09/07/2005 | 93.53 | 15.67 | NP | NP | 77.86 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.5 |
| MW-12 | 11/15/2005 | 93.53 | 15.22 | NP | NP | 78.31 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.9 |
| MW-12 | 02/15/2006 | 93.53 | 15.32 | NP | NP | 78.21 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-12 | 06/06/2006 | 93.53 | 15.07 | NP | NP | 78.46 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.8 |
| MW-12 | 08/28/2006 | 93.53 | 14.97 | NP | NP | 78.56 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.2 |
| MW-12 | 11/27/2006 | 93.53 | 15.01 | NP | NP | 78.52 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.5 |
| MW-12 | 02/17/2007 | 93.53 | 15.47 | NP | NP | 78.06 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 1.3 |
| MW-12 | 05/11/2007 | 93.53 | 14.91 | NP | NP | 78.62 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-12 | 08/30/2007 | 93.53 | 14.78 | NP | NP | 78.75 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.2 |
| MW-12 | 11/21/2007 | 93.53 | 15.44 | NP | NP | 78.09 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 2.0 |
| MW-12 | 02/25/2008 | 93.53 | Not Gauged | | | | | Not Sampled | | | | | |
| MW-12 | 05/29/2008 | 93.53 | 15.57 | NP | NP | 77.96 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 07/29/2008 | 93.53 | 15.35 | NP | NP | 78.18 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4 |
| MW-12 | 11/17/2008 | 93.53 | 15.36 | NP | NP | 78.17 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.3 |
| MW-12 | 01/14/2009 | 93.53 | 15.03 | NP | NP | 78.50 | | Gauged Only | | | | | |
| MW-12 | 02/06/2009 | 93.53 | 15.55 | NP | NP | 77.98 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 0.95 J |
| MW-12 | 03/05/2009 | 93.53 | 15.66 | NP | NP | 77.87 | | Gauged Only | | | | | |
| MW-12 | 04/01/2009 | 93.53 | 15.64 | NP | NP | 77.89 | | Gauged Only | | | | | |
| MW-12 | 05/18/2009 | 93.53 | 15.28 | NP | NP | 78.25 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 06/30/2009 | 94.63 | 15.02 | NP | NP | 79.61 | | Gauged Only | | | | | |
| MW-12 | 07/30/2009 | 94.63 | 15.51 | NP | NP | 79.12 | | Gauged Only | | | | | |
| MW-12 | 08/06/2009 | 94.63 | 15.02 | NP | NP | 79.61 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.2 |
| MW-12 | 09/03/2009 | 94.63 | 15.22 | NP | NP | 79.41 | | Gauged Only | | | | | |
| MW-12 | 10/13/2009 | 94.63 | 15.30 | NP | NP | 79.33 | | Gauged Only | | | | | |
| MW-12 | 11/23/2009 | 94.63 | 15.44 | NP | NP | 79.19 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 12/08/2009 | 94.63 | 15.52 | NP | NP | 79.11 | | Gauged Only | | | | | |
| MW-12 | 01/31/2010 | 94.63 | 15.48 | NP | NP | 79.15 | | Gauged Only | | | | | |
| MW-12 | 02/09/2010 | 94.63 | 15.57 | NP | NP | 79.06 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.8 |
| MW-12 | 03/15/2010 | 94.63 | 14.83 | NP | NP | 79.80 | | <0.50 | <0.50 | <0.50 | 0.65 J | 0.65 | 0.90 J |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|-------------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-12 | 04/08/2010 | 94.63 | 22.02 | NP | NP | 72.61 | | Gauged Only | | | | | |
| MW-12 | 05/19/2010 | 94.63 | 15.07 | NP | NP | 79.56 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.2 |
| MW-12 | 06/02/2010 | 94.63 | Dry | | | | | Gauged Only | | | | | |
| MW-12 | 07/12/2010 | 94.63 | 15.37 | NP | NP | 79.26 | | Gauged Only | | | | | |
| MW-12 | 08/18/2010 | 94.63 | 15.70 | NP | NP | 78.93 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 11/01/2010 | 94.63 | 14.45 | NP | NP | 80.18 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 02/14/2011 | 94.63 | No Access-Ice Over Well | | | | | No Access-Ice Over Well | | | | | |
| MW-12 | 06/17/2011 | 94.63 | 15.36 | NP | NP | 79.27 | 0.75** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.8 |
| MW-12 | 08/01/2011 | 94.63 | 15.60 | NP | NP | 79.03 | 0.75** | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 11/01/2011 | 94.63 | 14.89 | NP | NP | 79.74 | 0.75 | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 02/14/2012 | 94.63 | 15.75 | NP | NP | 78.88 | 0.50 | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-12 | 05/24/2012 | 94.63 | 15.82 | NP | NP | 78.81 | Grab | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-13 | 02/15/2005 | 93.21 | 15.29 | NP | NP | 77.92 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 10.9 |
| MW-13 | 05/12/2005 | 93.21 | NM | NP | NP | NM | | Gauged Only | | | | | |
| MW-13 | 05/27/2005 | 93.21 | Sampled Only | | | | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 7.9 |
| MW-13 | 09/07/2005 | 93.21 | 15.45 | NP | NP | 77.76 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 6.1 |
| MW-13 | 11/15/2005 | 93.21 | 14.98 | NP | NP | 78.23 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 13.4 |
| MW-13 | 02/15/2006 | 93.21 | 15.10 | NP | NP | 78.11 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 10.6 |
| MW-13 | 06/06/2006 | 93.21 | 14.91 | NP | NP | 78.30 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 9.3 |
| MW-13 | 08/28/2006 | 93.21 | 14.76 | NP | NP | 78.45 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 8.3 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-13 | 11/27/2006 | 93.21 | 14.79 | NP | NP | 78.42 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 9.9 |
| MW-13 | 02/17/2007 | 93.21 | 15.24 | NP | NP | 77.97 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.0 |
| MW-13 | 05/11/2007 | 93.21 | 14.66 | NP | NP | 78.55 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 8.4 |
| MW-13 | 08/30/2007 | 93.21 | 14.58 | NP | NP | 78.63 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 8.8 |
| MW-13 | 11/21/2007 | 93.21 | 16.18 | NP | NP | 77.03 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 1.9 |
| MW-13 | 02/25/2008 | 93.21 | Not Gauged | | | | | Not Sampled | | | | | |
| MW-13 | 05/29/2008 | 93.21 | 15.33 | NP | NP | 77.88 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-13 | 07/29/2008 | 93.21 | 15.10 | NP | NP | 78.11 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 5 |
| MW-13 | 11/17/2008 | 93.21 | 15.17 | NP | NP | 78.04 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.5 |
| MW-13 | 01/14/2009 | 93.21 | No Access - Ice Over Well | | | | | Gauged Only | | | | | |
| MW-13 | 02/06/2009 | 93.21 | 15.27 | NP | NP | 77.94 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.2 |
| MW-13 | 03/05/2009 | 93.21 | 15.43 | NP | NP | 77.78 | | Gauged Only | | | | | |
| MW-13 | 04/01/2009 | 93.21 | 15.42 | NP | NP | 77.79 | | Gauged Only | | | | | |
| MW-13 | 05/18/2009 | 93.21 | 15.07 | NP | NP | 78.14 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.7 |
| MW-13 | 06/30/2009 | 94.33 | 14.74 | NP | NP | 79.59 | | Gauged Only | | | | | |
| MW-13 | 07/30/2009 | 94.33 | 14.71 | NP | NP | 79.62 | | Gauged Only | | | | | |
| MW-13 | 08/06/2009 | 94.33 | 14.78 | NP | NP | 79.55 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.0 |
| MW-13 | 09/03/2009 | 94.33 | 14.98 | NP | NP | 79.35 | | Gauged Only | | | | | |
| MW-13 | 10/13/2009 | 94.33 | 15.06 | NP | NP | 79.27 | | Gauged Only | | | | | |
| MW-13 | 11/23/2009 | 94.33 | 15.29 | NP | NP | 79.04 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-13 | 12/08/2009 | 94.33 | 15.29 | NP | NP | 79.04 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-13 | 01/31/2010 | 94.33 | 15.25 | NP | NP | 79.08 | | Gauged Only | | | | | |
| MW-13 | 02/09/2010 | 94.33 | 15.17 | NP | NP | 79.16 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1 |
| MW-13 | 03/15/2010 | 94.33 | 14.66 | NP | NP | 79.67 | | <0.50 | <0.50 | <0.50 | 0.54 J | 0.54 | 5.1 |
| MW-13 | 04/08/2010 | 94.33 | 20.22 | NP | NP | 74.11 | | Gauged Only | | | | | |
| MW-13 | 05/19/2010 | 94.33 | 14.85 | NP | NP | 79.48 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.5 |
| MW-13 | 06/02/2010 | 94.33 | 15.03 | NP | NP | 79.30 | | Gauged Only | | | | | |
| MW-13 | 07/12/2010 | 94.33 | 15.17 | NP | NP | 79.16 | | Gauged Only | | | | | |
| MW-13 | 08/18/2010 | 94.33 | 15.45 | NP | NP | 78.88 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-13 | 11/01/2010 | 94.33 | 15.24 | NP | NP | 79.09 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-13 | 02/14/2011 | 94.33 | 15.12 | NP | NP | 79.21 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.9 |
| MW-13 | 06/17/2011 | 94.33 | 15.11 | NP | NP | 79.22 | 0.50** | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-13 | 08/01/2011 | 94.33 | 15.39 | NP | NP | 78.94 | 0.50** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 0.83 J |
| MW-13 | 11/01/2011 | 94.33 | 14.70 | NP | NP | 79.63 | 0.50 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.3 |
| MW-13 | 02/14/2012 | 94.33 | 15.5 | NP | NP | 78.83 | 0.50 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1 |
| MW-13 | 05/24/2012 | 94.33 | 15.6 | NP | NP | 78.73 | 0.25 | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-14 | 02/15/2005 | 94.05 | 16.08 | NP | NP | 77.97 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 7.1 |
| MW-14 | 05/12/2005 | 94.05 | NM | NP | NP | NM | | Gauged Only | | | | | |
| MW-14 | 05/27/2005 | 94.05 | Sampled Only | | | | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 5.7 |
| MW-14 | 09/07/2005 | 94.05 | 16.19 | NP | NP | 77.86 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 5.0 |
| MW-14 | 11/15/2005 | 94.05 | 15.78 | NP | NP | 78.27 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 5.9 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-14 | 02/15/2006 | 94.05 | 15.88 | NP | NP | 78.17 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 6.0 |
| MW-14 | 06/06/2006 | 94.05 | 15.70 | NP | NP | 78.35 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.8 |
| MW-14 | 08/28/2006 | 94.05 | 15.56 | NP | NP | 78.49 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.8 |
| MW-14 | 11/27/2006 | 94.05 | 15.61 | NP | NP | 78.44 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 3.8 |
| MW-14 | 02/17/2007 | 94.05 | 16.08 | NP | NP | 77.97 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.6 |
| MW-14 | 05/11/2007 | 94.05 | 15.48 | NP | NP | 78.57 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.2 |
| MW-14 | 08/30/2007 | 94.05 | 15.33 | NP | NP | 78.72 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | <1.0 |
| MW-14 | 11/21/2007 | 94.05 | 15.98 | NP | NP | 78.07 | | <1.0 | <1.0 | <1.0 | <1.0 | ND | 4.1 |
| MW-14 | 02/25/2008 | 94.05 | 15.81 | NP | NP | 78.24 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.3 |
| MW-14 | 05/29/2008 | 94.05 | 16.14 | NP | NP | 77.91 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.1 |
| MW-14 | 07/29/2008 | 94.05 | 15.84 | NP | NP | 78.21 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.2 |
| MW-14 | 11/17/2008 | 94.05 | 15.96 | NP | NP | 78.09 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.2 |
| MW-14 | 01/14/2009 | 94.05 | 14.78 | NP | NP | 79.27 | | Gauged Only | | | | | |
| MW-14 | 02/06/2009 | 94.05 | 16.02 | NP | NP | 78.03 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.9 |
| MW-14 | 03/05/2009 | 94.05 | 16.23 | NP | NP | 77.82 | | Gauged Only | | | | | |
| MW-14 | 04/01/2009 | 94.05 | 16.22 | NP | NP | 77.83 | | Gauged Only | | | | | |
| MW-14 | 05/18/2009 | 94.05 | 15.86 | NP | NP | 78.19 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.6 |
| MW-14 | 06/30/2009 | 95.16 | 15.55 | NP | NP | 79.61 | | Gauged Only | | | | | |
| MW-14 | 07/30/2009 | 95.16 | 16.21 | NP | NP | 78.95 | | Gauged Only | | | | | |
| MW-14 | 08/06/2009 | 95.16 | 15.55 | NP | NP | 79.61 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-14 | 09/03/2009 | 95.16 | 15.76 | NP | NP | 79.40 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-14 | 10/13/2009 | 95.16 | 15.85 | NP | NP | 79.31 | | Gauged Only | | | | | |
| MW-14 | 11/23/2009 | 95.16 | 15.97 | NP | NP | 79.19 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.6 |
| MW-14 | 12/08/2009 | 95.16 | 16.10 | NP | NP | 79.06 | | Gauged Only | | | | | |
| MW-14 | 01/31/2010 | 95.16 | 16.04 | NP | NP | 79.12 | | Gauged Only | | | | | |
| MW-14 | 02/09/2010 | 95.16 | 16.12 | NP | NP | 79.04 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.2 |
| MW-14 | 03/15/2010 | 95.16 | 15.44 | NP | NP | 79.72 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.6 |
| MW-14 | 04/08/2010 | 95.16 | 19.62 | NP | NP | 75.54 | | Gauged Only | | | | | |
| MW-14 | 05/19/2010 | 95.16 | 15.67 | NP | NP | 79.49 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.8 |
| MW-14 | 06/02/2010 | 95.16 | 15.82 | NP | NP | 79.34 | | Gauged Only | | | | | |
| MW-14 | 07/12/2010 | 95.16 | 15.92 | NP | NP | 79.24 | | Gauged Only | | | | | |
| MW-14 | 08/18/2010 | 95.16 | 16.36 | NP | NP | 78.80 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.1 |
| MW-14 | 11/01/2010 | 95.16 | 16.01 | NP | NP | 79.15 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3 |
| MW-14 | 02/14/2011 | 95.16 | 15.91 | NP | NP | 79.25 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.8 |
| MW-14 | 06/17/2011 | 95.16 | 15.94 | NP | NP | 79.22 | 1.75** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.4 |
| MW-14 | 08/01/2011 | 95.16 | 16.13 | NP | NP | 79.03 | 1.75** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.9 |
| MW-14 | 11/01/2011 | 95.16 | 15.50 | NP | NP | 79.66 | 2.00 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 2.4 |
| MW-14 | 02/14/2012 | 95.16 | 16.29 | NP | NP | 78.87 | 1.50 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 4.9 |
| MW-14 | 05/24/2012 | 95.16 | 16.34 | NP | NP | 78.82 | 1.50 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 3.2 |
| MW-15 | 06/30/2009 | 99.08 | 17.22 | NP | NP | NM | | Gauged Only | | | | | |
| MW-15 | 07/30/2009 | 99.08 | 17.25 | NP | NP | 81.83 | | Gauged Only | | | | | |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-15 | 08/06/2009 | 99.08 | 17.37 | NP | NP | 81.71 | | 110 | 9,300 | 1,700 | 7,900 | 19,010 | <5.0 |
| MW-15 | 09/03/2009 | 99.08 | 17.46 | NP | NP | 81.62 | | | | | | Gauged Only | |
| MW-15 | 10/13/2009 | 99.08 | 17.65 | NP | NP | 81.43 | | | | | | Gauged Only | |
| MW-15 | 11/23/2009 | 99.08 | 17.76 | NP | NP | 81.32 | | 180 | 12,000 | 2,900 | 17,000 | 32,080 | <5.0 |
| MW-15 | 12/08/2009 | 99.08 | 17.68 | NP | NP | 81.40 | | | | | | Gauged Only | |
| MW-15 | 01/31/2010 | 99.08 | 17.64 | NP | NP | 81.44 | | | | | | Gauged Only | |
| MW-15 | 02/09/2010 | 99.08 | 17.68 | NP | NP | 81.40 | | 140 | 8,000 | 1,900 | 15,000 | 25,040 | <5.0 |
| MW-15 | 03/15/2010 | 99.08 | 16.94 | NP | NP | 82.14 | | 150 | 7,200 | 2,100 | 15,000 | 24,450 | <5.0 |
| MW-15 | 04/08/2010 | 99.08 | 21.11 | NP | NP | 77.97 | | | | | | Gauged Only | |
| MW-15 | 05/19/2010 | 99.08 | 16.8 | NP | NP | 82.28 | | 150 | 6,100 | 1,900 | 15,000 | 23,150 | <5.0 |
| MW-15 | 06/02/2010 | 99.08 | 16.95 | NP | NP | 82.13 | | | | | | Gauged Only | |
| MW-15 | 07/12/2010 | 99.08 | 17.20 | NP | NP | 81.88 | | | | | | Gauged Only | |
| MW-15 | 08/18/2010 | 99.08 | 17.56 | NP | NP | 81.52 | | 180 | 4,500 | 2,600 | 16,000 | 23,280 | <2.5 |
| MW-15 | 11/01/2010 | 99.08 | 17.51 | NP | NP | 81.57 | | 160 | 2,600 | 2,300 | 15,000 | 20,060 | <5.0 |
| MW-15 | 02/14/2011 | 99.08 | 17.40 | NP | NP | 81.68 | | 150 | 2,000 | 2,300 | 13,000 | 17,450 | <2.5 |
| MW-15 | 06/17/2011 | 99.08 | 17.01 | NP | NP | 82.07 | 2.00** | 150 | 2,600 | 2,400 | 14,000 | 19,150 | <5.0 |
| MW-15 | 08/01/2011 | 99.08 | 17.45 | NP | NP | 81.63 | 1.75** | 150 | 2,300 | 2,800 | 14,000 | 19,250 | 1.3 J |
| MW-15 | 11/01/2011 | 99.08 | 16.30 | NP | NP | 82.78 | 2.50 | 83 | 1,200 | 2,500 | 15,000 | 18,783 | <5.0 |
| MW-15 | 02/14/2012 | 99.08 | 16.9 | NP | NP | 82.18 | 2.00 | 98 | 380 | 2,600 | 14,000 | 17,078 | <2.5 |
| MW-15 | 05/24/2012 | 99.08 | 17.36 | NP | NP | 81.72 | 1.75 | 100 | 170 | 2,500 | 14,000 | 16,770 | <5.0 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-16 | 06/30/2009 | 100.3 | 19.92 | NP | NP | NM | | Gauged Only | | | | | |
| MW-16 | 07/30/2009 | 100.3 | 18.15 | NP | NP | 82.15 | | Gauged Only | | | | | |
| MW-16 | 08/06/2009 | 100.30 | 19.91 | NP | NP | 80.39 | | 36 | 1.4 J | 2.9 J | 3.7 J | 44.0 | 34 |
| MW-16 | 09/03/2009 | 100.30 | 19.91 | NP | NP | 80.39 | | Gauged Only | | | | | |
| MW-16 | 10/13/2009 | 100.30 | 19.96 | NP | NP | 80.34 | | Gauged Only | | | | | |
| MW-16 | 11/23/2009 | 100.30 | 20.03 | NP | NP | 80.27 | | 15 | 1 | 1.8 | 2.5 | 20.3 | 55 |
| MW-16 | 12/08/2009 | 100.30 | 20.01 | NP | NP | 80.29 | | Gauged Only | | | | | |
| MW-16 | 01/31/2010 | 100.30 | 19.99 | NP | NP | 80.31 | | Gauged Only | | | | | |
| MW-16 | 02/09/2010 | 100.30 | 20.05 | NP | NP | 80.25 | | 12 | 1.1 | 1.6 | 2.5 | 17.2 | 57 |
| MW-16 | 03/15/2010 | 100.30 | 19.86 | NP | NP | 80.44 | | 16 | 1.6 | 2.7 | 4.7 | 25.0 | 43 |
| MW-16 | 04/08/2010 | 100.30 | 22.79 | NP | NP | 77.51 | | Gauged Only | | | | | |
| MW-16 | 05/19/2010 | 100.30 | 19.83 | NP | NP | 80.47 | | 10 | 0.89 J | 1.7 | 2.4 | 15.0 | 38 |
| MW-16 | 06/02/2010 | 100.30 | 19.86 | NP | NP | 80.44 | | Gauged Only | | | | | |
| MW-16 | 07/12/2010 | 100.30 | 19.89 | NP | NP | 80.41 | | Gauged Only | | | | | |
| MW-16 | 08/18/2010 | 100.30 | 20.03 | NP | NP | 80.27 | | 7.8 | 0.94 J | 1.4 | 2.5 | 12.6 | 37 |
| MW-16 | 11/01/2010 | 100.30 | 19.97 | NP | NP | 80.33 | | 6.3 | 0.87 J | 0.92 J | 2.2 | 10.3 | 33 |
| MW-16 | 02/14/2011 | 100.30 | 19.89 | NP | NP | 80.41 | | 3.9 | 0.80 J | <0.50 | 2.1 | 6.8 | 23 |
| MW-16 | 06/17/2011 | 100.30 | 19.82 | NP | NP | 80.48 | 1.25** | 3.3 | 0.93 J | <0.50 | 2.4 | 6.63 | 15 |
| MW-16 | 08/01/2011 | 100.30 | 19.87 | NP | NP | 80.43 | 1.25** | 1.8 | 0.85 J | <0.50 | 2.5 | 5.15 | 18 |
| MW-16 | 11/01/2011 | 100.30 | 22.35 | NP | NP | 77.95 | 1.25 | 1.4 | 0.83 J | <0.50 | 2.3 | 4.53 | 13 |
| MW-16 | 02/14/2012 | 100.3 | 19.9 | NP | NP | 80.4 | 1.00 | 0.54 J | 0.92 J | <0.50 | 3.7 | 5.16 | 16 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-16 | 05/24/2012 | 100.3 | 19.97 | NP | NP | 80.33 | 1.00 | <0.50 | 0.75 | <0.50 | 2.5 | 3.25 | 11 |
| MW-17 | 06/30/2009 | 94.96 | 13.66 | NP | NP | NM | | | | | | Gauged Only | |
| MW-17 | 07/30/2009 | 94.96 | 17.57 | NP | NP | 77.39 | | | | | | Gauged Only | |
| MW-17 | 08/06/2009 | 94.96 | 15.36 | NP | NP | 79.60 | | <0.50 | <0.70 | <0.80 | <0.80 | ND | 0.82 J |
| MW-17 | 09/03/2009 | 94.96 | 15.57 | NP | NP | 79.39 | | | | | | Gauged Only | |
| MW-17 | 10/13/2009 | 94.96 | 15.66 | NP | NP | 79.30 | | | | | | Gauged Only | |
| MW-17 | 11/23/2009 | 94.96 | 15.79 | NP | NP | 79.17 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | <0.50 |
| MW-17 | 12/08/2009 | 94.96 | 15.88 | NP | NP | 79.08 | | | | | | Gauged Only | |
| MW-17 | 01/31/2010 | 94.96 | 15.83 | NP | NP | 79.13 | | | | | | Gauged Only | |
| MW-17 | 02/09/2010 | 94.96 | 15.89 | NP | NP | 79.07 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.2 |
| MW-17 | 03/15/2010 | 94.96 | 15.21 | NP | NP | 79.75 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.5 |
| MW-17 | 04/08/2010 | 94.96 | 20.98 | NP | NP | 73.98 | | | | | | Gauged Only | |
| MW-17 | 05/19/2010 | 94.96 | 15.44 | NP | NP | 79.52 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.2 |
| MW-17 | 06/02/2010 | 94.96 | 15.62 | NP | NP | 79.34 | | | | | | Gauged Only | |
| MW-17 | 07/12/2010 | 94.96 | 15.72 | NP | NP | 79.24 | | | | | | Gauged Only | |
| MW-17 | 08/18/2010 | 94.96 | 16.01 | NP | NP | 78.95 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.2 |
| MW-17 | 11/01/2010 | 94.96 | 15.78 | NP | NP | 79.18 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1 |
| MW-17 | 02/14/2011 | 94.96 | 15.68 | NP | NP | 79.28 | | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.1 |
| MW-17 | 06/17/2011 | 94.96 | 15.71 | NP | NP | 79.25 | 2.50** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 0.83 J |
| MW-17 | 08/01/2011 | 94.96 | 15.94 | NP | NP | 79.02 | 2.25** | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1 |

TABLE 1
GROUND WATER GAUGING AND ANALYTICAL DATA
BP Station Number 03887
164 4th Ave
Brooklyn, NY

| | | GROUND WATER GAUGING DATA | | | | | | GROUND WATER ANALYTICAL DATA | | | | | |
|-----------------|------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|---------------------|------------------------------|----------------|----------------------|----------------|-------------------|-------------|
| Well ID | Date | Reference Elevation (ft) | Depth to Water (ft) | Depth to LNAPL (ft) | LNAPL Thickness (ft) | Water Elevation (ft)* | Purge Volume (gals) | Benzene (µg/L) | Toluene (µg/L) | Ethyl-benzene (µg/L) | Xylenes (µg/L) | Total BTEX (µg/L) | MTBE (µg/L) |
| NYSDEC TOGS WQS | | NGV | NGV | NGV | NGV | NGV | NGV | 1 | 5 | 5 | 5 | NGV | 10 |
| MW-17 | 11/01/2011 | 94.96 | 15.30 | NP | NP | 79.66 | 2.75 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 0.95 J |
| MW-17 | 02/14/2012 | 94.96 | 16.09 | NP | NP | 78.87 | 2.25 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1.5 |
| MW-17 | 05/24/2012 | 94.96 | 16.15 | NP | NP | 78.81 | 2.25 | <0.50 | <0.50 | <0.50 | <0.50 | ND | 1 |

Gauging Notes:

TOC - Top of Casing

ft - Feet

LNAPL - Light non-aqueous phase liquid

NGV - No guidance value

NP - LNAPL not present

NM - Not measured, **-Estimated Purge Volume Amount

* - Corrected for LNAPL if present (assumes LNAPL specific gravity = 0.75)

8/19/2009 - Well network resurveyed. New reference elevations applied since Jun

Analytical Notes:

NYSDEC - New York State Department of Environmental Conservation

TOGS WQS - Technical & Operational Guidance Series 1.1.1, Ambient Water Quality Standards and Guidance Values

TOTAL BTEX - Sum of benzene, toluene, ethylebenzene and xylenes concentrations

MTBE - Methyl tertiary-butyl ether

µg/L - Micrograms per liter

NGV - No guidance value

Results in bold exceed applicable NYSDEC WQS

< - Not detected at or above indicated laboratory reporting limit

J - Estimated concentration below the instrument reporting limit

NS - Not sampled

NA - Not analyzed

ND - Not detected

Appendix A

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Atlantic Richfield (Antea-NY)
BP Corporation
501 WestLake Park Blvd.
Houston TX 77079

June 05, 2012

Project: BP 3887

Submittal Date: 05/25/2012
Group Number: 1311588
PO Number: 005P4-0002
Release Number: ONUFRAK/3887
State of Sample Origin: NY

Client Sample Description

MW-9 Water
MW-10 Water
MW-13 Water
MW-12 Water
MW-12 Matrix Spike Water
MW-12 Matrix Spike Dup Water
MW-3 Water
MW-15 Water
MW-2 Water
MW-8 Water
MW-5 Water
MW-1 Water
MW-6 Water
MW-7 Water
MW-16 Water
MW-4 Water
MW-14 Water
MW-17 Water
Trip Blank Water


Lancaster Labs (LLI)

6667143
6667144
6667145
6667146
6667147
6667148
6667149
6667150
6667151
6667152
6667153
6667154
6667155
6667156
6667157
6667158
6667159
6667160
6667161

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

COPY TO

Respectfully Submitted,



Kaitlin N. Plasterer
Specialist

(717) 556-7323

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-9 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-9

LLI Sample # WW 6667143
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 11:50 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38709

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 1.3 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121514AA | 05/31/2012 01:17 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121514AA | 05/31/2012 01:17 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-10 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-10

LLI Sample # WW 6667144
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 11:18 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38710

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 26 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 42 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | 4.9 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 13 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 21:49 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 21:49 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-13 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-13

LLI Sample # WW 6667145
 LLI Group # 1311588
 Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 11:36 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38713

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 20:21 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 20:21 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-12 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-12

LLI Sample # WW 6667146
 LLI Group # 1311588
 Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 11:28 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38712

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 20:43 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 20:43 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-12 Matrix Spike Water
BP 3887 COC: 188112
164 4th Ave - Brooklyn, NY MW-12

LLI Sample # WW 6667147
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 11:28 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38712

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 18 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | 18 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 17 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | 19 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 59 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 21:05 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 21:05 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-12 Matrix Spike Dup Water
BP 3887 COC: 188112
164 4th Ave - Brooklyn, NY MW-12

LLI Sample # WW 6667148
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 11:28 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38712

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 18 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | 18 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 17 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | 19 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 59 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 21:27 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 21:27 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

| | |
|---|--|
| Sample Description: MW-3 Water BP 3887 COC: 188112 164 4th Ave - Brooklyn, NY MW-3 | LLI Sample # WW 6667149 LLI Group # 1311588 Account # 12379 |
|---|--|

Project Name: BP 3887

Collected: 05/24/2012 12:55 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38703

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 22:11 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 22:11 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-15 Water
BP 3887 COC: 188112
164 4th Ave - Brooklyn, NY MW-15

LLI Sample # WW 6667150
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 13:08 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38715

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 100 | 5.0 | 10 | 10 |
| 10943 | Ethylbenzene | 100-41-4 | 2,500 | 50 | 100 | 100 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | < 5.0 | 5.0 | 10 | 10 |
| 10943 | Toluene | 108-88-3 | 170 | 5.0 | 10 | 10 |
| 10943 | Xylene (Total) | 1330-20-7 | 14,000 | 50 | 100 | 100 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 22:33 | Kelly E Keller | 10 |
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 22:54 | Kelly E Keller | 100 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 22:33 | Kelly E Keller | 10 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 2 | F121513AA | 05/30/2012 22:54 | Kelly E Keller | 100 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-2 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-2

LLI Sample # WW 6667151
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 13:20 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38702

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 110 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | 350 | 5.0 | 10 | 10 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 62 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | 1.4 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 250 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 23:16 | Kelly E Keller | 1 |
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121532AA | 06/01/2012 07:31 | Anita M Dale | 10 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 23:16 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 2 | F121532AA | 06/01/2012 07:31 | Anita M Dale | 10 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-8 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-8

LLI Sample # WW 6667152
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 13:33 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38708

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 2.4 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 23:37 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 23:37 | Kelly E Keller | 1 |



Lancaster
Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-5 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-5

LLI Sample # WW 6667153
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 14:40 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38705

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 570 | 2.5 | 5.0 | 5 |
| 10943 | Ethylbenzene | 100-41-4 | 28 | 2.5 | 5.0 | 5 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 1,000 | 2.5 | 5.0 | 5 |
| 10943 | Toluene | 108-88-3 | 18 | 2.5 | 5.0 | 5 |
| 10943 | Xylene (Total) | 1330-20-7 | 41 | 2.5 | 5.0 | 5 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/30/2012 23:59 | Kelly E Keller | 5 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/30/2012 23:59 | Kelly E Keller | 5 |



Lancaster
Laboratories

Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-1 Water
BP 3887 COC: 188112
164 4th Ave - Brooklyn, NY MW-1

LLI Sample # WW 6667154
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 13:48 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38701

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 37 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | 86 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 14 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | 14 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 96 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/31/2012 00:21 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/31/2012 00:21 | Kelly E Keller | 1 |

Sample Description: MW-6 Water
BP 3887 COC: 188112
164 4th Ave - Brooklyn, NY MW-6
LLI Sample # WW 6667155
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 14:18 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

501 WestLake Park Blvd.

Submitted: 05/25/2012 09:15

Reported: 06/05/2012 17:18

Houston TX 77079

38706

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|------------------------|-----------------------------|------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| GC/MS Volatiles | SW-846 8260B | | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 9.6 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | 3.2 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 21 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | 2.2 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 3.0 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|------------|----------------------|--------|--------|--------|---------------------------|----------------|--------------------|
| 10943 | UST VOCs BTEX/MTBE | 8260 | SW-846 | 8260B | 1 05/31/2012 00:43 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | | SW-846 | 5030B | 1 05/31/2012 00:43 | Kelly E Keller | 1 |

Sample Description: MW-7 Water
BP 3887 COC: 188112
164 4th Ave - Brooklyn, NY MW-7
LLI Sample # WW 6667156
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 14:10 by MG

Atlantic Richfield (Antea-NY)

Submitted: 05/25/2012 09:15

Reported: 06/05/2012 17:18

BP Corporation
501 WestLake Park Blvd.
Houston TX 77079

38707

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received | As Received | Dilution Factor |
|------------------------|-----------------------------|------------|-----------------------|-------------|--------------------------|--------------------|
| | | | | Method | Limit of Quantitation | |
| GC/MS Volatiles | SW-846 8260B | | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 7.1 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | 4.7 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 53 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | 3.5 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | 9.8 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|------------|----------------------|--------|--------|--------|------------------------------------|----------------|--------------------|
| 10943 | UST VOCs BTEX/MTBE | 8260 | SW-846 | 8260B | 1 F121513AA 05/31/2012 01:05 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | | SW-846 | 5030B | 1 F121513AA 05/31/2012 01:05 | Kelly E Keller | 1 |

Sample Description: MW-16 Water
BP 3887 COC: 188112
164 4th Ave - Brooklyn, NY MW-16

LLI Sample # WW 6667157
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 13:55 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

501 WestLake Park Blvd.

Submitted: 05/25/2012 09:15

Reported: 06/05/2012 17:18

Houston TX 77079

38716

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received | | As Received Limit of Quantitation | Dilution Factor |
|------------|-----------------------------|--------------|-----------------------|-------------|------------------|---|--------------------|
| | | | | Method | Detection Limit* | | |
| GC/MS | Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 | |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 | |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 11 | 0.50 | 1.0 | 1 | |
| 10943 | Toluene | 108-88-3 | 0.75 J | 0.50 | 1.0 | 1 | |
| 10943 | Xylene (Total) | 1330-20-7 | 2.5 | 0.50 | 1.0 | 1 | |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT | Analysis Name | Method | Trial# | Batch# | Analysis | | Analyst | Dilution Factor | |
|-------|----------------------|--------|--------|--------|---------------|-----------|------------------|-----------------|---|
| No. | | | | | Date and Time | | | | |
| 10943 | UST VOCs BTEX/MTBE | 8260 | SW-846 | 8260B | 1 | F121513AA | 05/31/2012 01:27 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | | SW-846 | 5030B | 1 | F121513AA | 05/31/2012 01:27 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-4 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-4

LLI Sample # WW 6667158
LLI Group # 1311588
Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 14:05 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38704

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | 540 | 2.5 | 5.0 | 5 |
| 10943 | Ethylbenzene | 100-41-4 | 510 | 2.5 | 5.0 | 5 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 72 | 2.5 | 5.0 | 5 |
| 10943 | Toluene | 108-88-3 | 18 | 2.5 | 5.0 | 5 |
| 10943 | Xylene (Total) | 1330-20-7 | 1,900 | 2.5 | 5.0 | 5 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/31/2012 01:48 | Kelly E Keller | 5 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/31/2012 01:48 | Kelly E Keller | 5 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

| | |
|--|--------------------------------|
| Sample Description: MW-14 Water | LLI Sample # WW 6667159 |
| BP 3887 COC: 188112 | LLI Group # 1311588 |
| 164 4th Ave - Brooklyn, NY MW-14 | Account # 12379 |

Project Name: BP 3887

Collected: 05/24/2012 12:30 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38714

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 3.2 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/31/2012 02:10 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/31/2012 02:10 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: MW-17 Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY MW-17

LLI Sample # WW 6667160
 LLI Group # 1311588
 Account # 12379

Project Name: BP 3887

Collected: 05/24/2012 12:40 by MG

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

38717

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | 1.0 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/31/2012 02:32 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/31/2012 02:32 | Kelly E Keller | 1 |

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Page 1 of 1

Sample Description: Trip Blank Water
 BP 3887 COC: 188112
 164 4th Ave - Brooklyn, NY

LLI Sample # WW 6667161
 LLI Group # 1311588
 Account # 12379

Project Name: BP 3887

Collected: 05/24/2012

Atlantic Richfield (Antea-NY)

BP Corporation

Submitted: 05/25/2012 09:15

501 WestLake Park Blvd.

Reported: 06/05/2012 17:18

Houston TX 77079

387T1

| CAT No. | Analysis Name | CAS Number | As Received Result | As Received Method Detection Limit* | As Received Limit of Quantitation | Dilution Factor |
|---------|-----------------------------|---------------------|--------------------|-------------------------------------|-----------------------------------|-----------------|
| | GC/MS Volatiles | SW-846 8260B | ug/l | ug/l | ug/l | |
| 10943 | Benzene | 71-43-2 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Ethylbenzene | 100-41-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Methyl Tertiary Butyl Ether | 1634-04-4 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Toluene | 108-88-3 | < 0.50 | 0.50 | 1.0 | 1 |
| 10943 | Xylene (Total) | 1330-20-7 | < 0.50 | 0.50 | 1.0 | 1 |

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

| CAT No. | Analysis Name | Method | Trial# | Batch# | Analysis Date and Time | Analyst | Dilution Factor |
|---------|-------------------------|--------------|--------|-----------|------------------------|----------------|-----------------|
| 10943 | UST VOCs BTEX/MTBE 8260 | SW-846 8260B | 1 | F121513AA | 05/31/2012 02:54 | Kelly E Keller | 1 |
| 01163 | GC/MS VOA Water Prep | SW-846 5030B | 1 | F121513AA | 05/31/2012 02:54 | Kelly E Keller | 1 |

Quality Control Summary

Client Name: Atlantic Richfield (Antea-NY)
Reported: 06/05/12 at 05:18 PM

Group Number: 1311588

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

| <u>Analysis Name</u> | <u>Blank Result</u> | <u>Blank MDL**</u> | <u>Blank LOQ</u> | <u>Report Units</u> | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Max |
|-----------------------------|---------------------|--------------------|------------------|-----------------------------------|----------|-----------|-----------------|-----|---------|
| Batch number: F121513AA | | | | Sample number(s): 6667144-6667161 | | | | | |
| Benzene | < 0.50 | 0.50 | 1.0 | ug/l | 85 | | 77-121 | | |
| Ethylbenzene | < 0.50 | 0.50 | 1.0 | ug/l | 88 | | 79-120 | | |
| Methyl Tertiary Butyl Ether | < 0.50 | 0.50 | 1.0 | ug/l | 79 | | 68-121 | | |
| Toluene | < 0.50 | 0.50 | 1.0 | ug/l | 88 | | 79-120 | | |
| Xylene (Total) | < 0.50 | 0.50 | 1.0 | ug/l | 95 | | 77-120 | | |
| Batch number: F121514AA | | | | Sample number(s): 6667143 | | | | | |
| Benzene | < 0.50 | 0.50 | 1.0 | ug/l | 91 | | 77-121 | | |
| Ethylbenzene | < 0.50 | 0.50 | 1.0 | ug/l | 86 | | 79-120 | | |
| Methyl Tertiary Butyl Ether | < 0.50 | 0.50 | 1.0 | ug/l | 80 | | 68-121 | | |
| Toluene | < 0.50 | 0.50 | 1.0 | ug/l | 93 | | 79-120 | | |
| Xylene (Total) | < 0.50 | 0.50 | 1.0 | ug/l | 89 | | 77-120 | | |
| Batch number: F121532AA | | | | Sample number(s): 6667151 | | | | | |
| Ethylbenzene | < 0.50 | 0.50 | 1.0 | ug/l | 90 | | 79-120 | | |

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
Background (BKG) = the sample used in conjunction with the duplicate

| <u>Analysis Name</u> | <u>MS %REC</u> | <u>MSD %REC</u> | <u>MS/MSD Limits</u> | <u>RPD</u> | <u>RPD MAX</u> | <u>BKG Conc</u> | <u>DUP Conc</u> | <u>DUP RPD</u> | <u>Dup RPD Max</u> |
|-----------------------------|----------------|-----------------|--|------------|----------------|-----------------|-----------------|----------------|--------------------|
| Batch number: F121513AA | | | Sample number(s): 6667144-6667161 UNSPK: 6667146 | | | | | | |
| Benzene | 89 | 92 | 72-134 | 3 | 30 | | | | |
| Ethylbenzene | 92 | 92 | 71-134 | 1 | 30 | | | | |
| Methyl Tertiary Butyl Ether | 83 | 86 | 72-126 | 3 | 30 | | | | |
| Toluene | 94 | 93 | 80-125 | 1 | 30 | | | | |
| Xylene (Total) | 98 | 99 | 79-125 | 1 | 30 | | | | |
| Batch number: F121514AA | | | Sample number(s): 6667143 UNSPK: P665546 | | | | | | |
| Benzene | 96 | 97 | 72-134 | 1 | 30 | | | | |
| Ethylbenzene | 91 | 93 | 71-134 | 2 | 30 | | | | |
| Methyl Tertiary Butyl Ether | 86 | 83 | 72-126 | 4 | 30 | | | | |
| Toluene | 99 | 100 | 80-125 | 1 | 30 | | | | |
| Xylene (Total) | 98 | 95 | 79-125 | 4 | 30 | | | | |
| Batch number: F121532AA | | | Sample number(s): 6667151 UNSPK: P667660 | | | | | | |
| Ethylbenzene | 89 | 92 | 71-134 | 4 | 30 | | | | |

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Atlantic Richfield (Antea-NY)
Reported: 06/05/12 at 05:18 PM

Group Number: 1311588

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: UST VOCs BTEX/MTBE 8260
Batch number: F121513AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 6667144 | 102 | 96 | 97 | 96 |
| 6667145 | 106 | 100 | 96 | 90 |
| 6667146 | 107 | 102 | 97 | 90 |
| 6667147 | 103 | 98 | 97 | 103 |
| 6667148 | 102 | 95 | 95 | 101 |
| 6667149 | 108 | 99 | 97 | 95 |
| 6667150 | 102 | 96 | 99 | 104 |
| 6667151 | 101 | 96 | 96 | 107 |
| 6667152 | 102 | 96 | 99 | 95 |
| 6667153 | 100 | 98 | 101 | 100 |
| 6667154 | 104 | 98 | 103 | 103 |
| 6667155 | 102 | 97 | 98 | 103 |
| 6667156 | 101 | 95 | 98 | 102 |
| 6667157 | 102 | 97 | 99 | 97 |
| 6667158 | 100 | 95 | 100 | 99 |
| 6667159 | 106 | 100 | 99 | 91 |
| 6667160 | 106 | 98 | 98 | 91 |
| 6667161 | 106 | 100 | 99 | 90 |
| Blank | 110 | 106 | 98 | 91 |
| LCS | 99 | 96 | 98 | 101 |
| MS | 103 | 98 | 97 | 103 |
| MSD | 102 | 95 | 95 | 101 |

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs BTEX/MTBE 8260
Batch number: F121514AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|---------|----------------------|-----------------------|------------|----------------------|
| 6667143 | 97 | 104 | 97 | 90 |
| Blank | 100 | 105 | 95 | 92 |
| LCS | 96 | 102 | 97 | 103 |
| MS | 97 | 104 | 97 | 101 |
| MSD | 97 | 103 | 97 | 101 |

Limits: 80-116 77-113 80-113 78-113

Analysis Name: UST VOCs BTEX/MTBE 8260
Batch number: F121532AA

| | Dibromofluoromethane | 1,2-Dichloroethane-d4 | Toluene-d8 | 4-Bromofluorobenzene |
|-------|----------------------|-----------------------|------------|----------------------|
| Blank | 100 | 105 | 97 | 86 |
| LCS | 95 | 101 | 96 | 98 |
| MS | 96 | 102 | 95 | 97 |
| MSD | 96 | 101 | 95 | 99 |

Limits: 80-116 77-113 80-113 78-113

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Atlantic Richfield (Antea-NY)
Reported: 06/05/12 at 05:18 PM

Group Number: 1311588

- *- Outside of specification
- **-This limit was used in the evaluation of the final result for the blank
- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Project Name: BP 3887
LLI Group #: 1311588

General Comments:

Through our technical processes and second person review of data, we have established that our data/deliverables are in compliance with the methods and project requirements unless otherwise noted or previously resolved with the client. The compliance signature is located on the cover page of the Analysis Reports.

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

Analysis Specific Comments:

No additional comments are necessary.

BP/ARC Project Name: 1604 4th Ave
BP/ARC Facility No: 03887

Req Due Date (mm/dd/yy): Standard Rush TAT: Yes No
Lab Work Order Number:

| | | | | |
|---|--|--|--------------------------------|--|
| Lab Name: <u>Lancaster Laboratories</u> | BP/ARC Facility Address: <u>1604 4th Ave.</u> | Consultant/Contractor: <u>Antea Group</u> | | |
| Lab Address: <u>2425 New Holland Pike</u> | City, State, ZIP Code: <u>Brooklyn, NY</u> | Consultant/Contractor Project No: <u>03887-A1a1-E300</u> | | |
| Lab PM: <u>Lancaster PA</u> | Lead Regulatory Agency: <u>NYSDEC</u> | Address: <u>500 Summit Lake Dr, Valhalla, NY</u> | | |
| Lab Phone: <u>(717) 656-2300</u> | California Global ID No.: | Consultant/Contractor PM: <u>Chris Meyer</u> | | |
| Lab Shipping Acnt: | Enfos Proposal No: <u>005P1-0002</u> | Phone: <u>914-495-9937</u> | | |
| Lab Bottle Order No: <u>1213R</u> | Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/> | Email EDD To: <u>manageris@soanteagroup.com</u> | | |
| Other Info: | Stage: <u>40</u> Activity: <u>80</u> | Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> | | |
| BP/ARC EBM: <u>Nicholas Onufrak</u> | Matrix | No. Containers / Preservative | Requested Analyses | Report Type & QC Level |
| EBM Phone: <u>(410) 825-8213</u> | | Total Number of Containers | | Standard <input type="checkbox"/> |
| EBM Email: <u>nicholas.onufrak@bp.com</u> | | Unpreserved | H ₂ SO ₄ | Full Data Package <input type="checkbox"/> |
| | | | HNO ₃ | |
| | | | HCl | |
| | | | Methanol | |
| | | | BTEX / MTBE | |
| | | | Via EPA 8260 | |

| Lab No. | Sample Description | Date | Time | Requested Analyses | | | | | | Comments | |
|-----------|--------------------|------|------|--------------------|----------------|-------------|----------------------------|-------------|--------------------------------|------------------|--|
| | | | | Soil / Solid | Water / Liquid | Air / Vapor | Total Number of Containers | Unpreserved | H ₂ SO ₄ | HNO ₃ | |
| MW-9 | 5/24/12 | 1150 | X | | | | 3 | | X | X | |
| MW-10 | 5/24/12 | 1118 | X | | | | 3 | | X | X | |
| MW-13 | 5/24/12 | 1316 | X | | | | 3 | | X | X | |
| MW-12 | 5/24/12 | 1128 | X | | | | 3 | | X | X | |
| MW-12 MS | 5/24/12 | 1128 | X | | | | 3 | | X | X | |
| MW-12 MSD | 5/24/12 | 1128 | X | | | | 3 | | X | X | |
| MW-3 | 5/24/12 | 1255 | X | | | | 3 | | X | X | |
| MW-15 | 5/24/12 | 1308 | X | | | | 3 | | X | X | |
| MW-2 | 5/24/12 | 1320 | X | | | | 3 | | X | X | |
| MW-8 | 5/24/12 | 1333 | X | | | | 3 | | X | X | |

| | | | | | | |
|---|---|----------------------|-------------------|--|----------------------|-------------------|
| Sampler's Name: <u>M. Grisulis</u> | Relinquished By / Affiliation: <u>Antea Group</u> | Date: <u>5-14-12</u> | Time: <u>0837</u> | Accepted By / Affiliation: <u>Maria Grisulis Group</u> | Date: <u>5/24/12</u> | Time: <u>1700</u> |
| Sampler's Company: <u>Antea Group</u> | | | | | | |
| Shipment Method: <u>FedEx</u> | Ship Date: <u>5/24/12</u> | | | | | |
| Shipment Tracking No: <u>898635891785</u> | | | | | | |

Special Instructions:

THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes No Temp Blank: Yes No Cooler Temp on Receipt: 3.8 °F/C Trip Blank: Yes No MS/MSD Sample Submitted: Yes No

12379/1311588 | 6667143-61

Laboratory Management Program LaMP Chain of Custody Record

188113

Page 2 of 2

BP/ARC Project Name: 164 4th Ave

Req Due Date (mm/dd/yy): Standard

Rush TAT: Yes No

BP/ARC Facility No: 03887

Lab Work Order Number:

| | | | | | | | | | | | | | |
|---|--|----------------|-------------|-------------------------------|-------------|--------------------------------|--|-----|----------|------------------------|-------------|---------------------|--|
| Lab Name: <u>Lancaster Laboratories</u> | BP/ARC Facility Address: <u>164 4th Ave.</u> | | | | | | Consultant/Contractor: <u>Antea Group</u> | | | | | | |
| Lab Address: | City, State, ZIP Code: <u>Brooklyn, NY</u> | | | | | | Consultant/Contractor Project No: <u>03887-EA21-EB080</u> | | | | | | |
| Lab PM: | Lead Regulatory Agency: <u>NYSDEC</u> | | | | | | Address: | | | | | | |
| Lab Phone: | California Global ID No.: | | | | | | Consultant/Contractor PM: <u>Chris Meyer</u> | | | | | | |
| Lab Shipping Acct: | Enfos Proposal No: <u>005P4-0002</u> | | | | | | Phone: <u>914-495-9937</u> | | | | | | |
| Lab Bottle Order No: | Accounting Mode: Provision <input checked="" type="checkbox"/> OOC-BU <input type="checkbox"/> OOC-RM <input type="checkbox"/> | | | | | | Email EDD To: <u>Maria.Grislis@anteagroup.com</u> | | | | | | |
| Other Info: | Stage: <u>40</u> Activity: <u>80</u> | | | | | | Invoice To: BP/ARC <input checked="" type="checkbox"/> Contractor <input type="checkbox"/> | | | | | | |
| BP/ARC EBM: <u>Nicholas Onufriak</u> | Matrix | | | No. Containers / Preservative | | | Requested Analyses | | | Report Type & QC Level | | | |
| EBM Phone: | Soil / Solid | Water / Liquid | Air / Vapor | Total Number of Containers | Unpreserved | H ₂ SO ₄ | HNO ₃ | HCl | Methanol | <u>BTX</u> | <u>MTBE</u> | <u>via EPA 8260</u> | Standard <input type="checkbox"/> |
| EBM Email: | | | | | | | | | | | | | Comments |
| Lab No. | Sample Description | Date | Time | | | | | | | | | | Note: If sample not collected, indicate "No Sample" in comments and single-strike out and initial any preprinted sample description. |
| | MW-5 | 5/24/12 | 1440 | X | | 3 | | | | X | | | ALL SAMPLES |
| | MW-1 | | 1348 | X | | 3 | | | | X | | | COLLECTED 5/24/12 |
| | MW-6 | | 1418 | X | | 3 | | | | X | | | PER M. GRISLIS |
| | MW-7 | | 1410 | X | | 3 | | | | X | | | KNP 5/25/12 |
| | MW-10 | | 1355 | X | | 3 | | | | X | | | |
| | MW-4 | | 1405 | X | | 3 | | | | X | | | |
| | MW-14 | | 12:30 | X | | 3 | | | | X | | | |
| | MW-17 | | 12:40 | X | | 3 | | | | X | | | |
| | Trip Blank | 5/24/12 | - | X | | 2 | | | | X | | | |

| | | | | | | | | | | |
|---|------------------------------------|--|---|---------|---|---------------------------|---|------|--|--|
| Sampler's Name: <u>M. Grislis</u> | Relinquished By / Affiliation | | | Date | Time | Accepted By / Affiliation | Date | Time | | |
| Sampler's Company: <u>Antea Group</u> | <u>Maria Grislis / Antea Group</u> | | | 5/24/12 | 1700 | | | | | |
| Shipment Method: <u>FedEx</u> | Ship Date: <u>5/24/12</u> | | | | | | | | | |
| Shipment Tracking No: <u>898603589785</u> | | | | | | | <u>Suzanne Lehman 5/24/0915</u> | | | |
| Special Instructions: | | | | | | | | | | |
| THIS LINE - LAB USE ONLY: Custody Seals In Place: Yes <input type="checkbox"/> No | | | Temp Blank: Yes <input type="checkbox"/> No | | Cooler Temp on Receipt: <u>3.8</u> °F/C | | Trip Blank: Yes <input type="checkbox"/> No | | MS/MSD Sample Submitted: Yes <input type="checkbox"/> No | |

Environmental Sample Administration

Receipt Documentation Log

Client/Project: DP

Date of Receipt: Slas112

Time of Receipt: 0915

Source Code: SO-1

Shipping Container Sealed: YES NO

Custody Seal Present *: YES NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

| Temperature of Shipping Containers | | | | | | | |
|------------------------------------|----------------|------------------|---------------------------------------|--|------------------|--------------------------------|----------|
| Cooler # | Thermometer ID | Temperature (°C) | Temp Bottle (TB) or Surface Temp (ST) | Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP) | Ice Present? Y/N | Loose (L) Bagged Ice (B) or NA | Comments |
| 1 | 2783 | 3.8 | TB | WI | Y | B | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |

Number of Trip Blanks received NOT listed on chain of custody: _____

Paperwork Discrepancy/Unpacking Problems:

Unpacker Signature/Emp#:

Suzette Lehman 1677

Date/Time: Slas112 12:05

Issued by Dept. 6042 Management

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

| | | | |
|-----------------|-----------------------|-----------------|----------------------------------|
| RL | Reporting Limit | BMQL | Below Minimum Quantitation Level |
| N.D. | none detected | MPN | Most Probable Number |
| TNTC | Too Numerous To Count | CP Units | cobalt-chloroplatinate units |
| IU | International Units | NTU | nephelometric turbidity units |
| umhos/cm | micromhos/cm | ng | nanogram(s) |
| C | degrees Celsius | F | degrees Fahrenheit |
| meq | milliequivalents | lb. | pound(s) |
| g | gram(s) | kg | kilogram(s) |
| µg | microgram(s) | mg | milligram(s) |
| mL | milliliter(s) | L | liter(s) |
| m³ | cubic meter(s) | µL | microliter(s) |
| | | pg/L | picogram/liter |

- < less than - The number following the sign is the limit of quantitation, the smallest amount of analyte which can be reliably determined using this specific test.
 - > greater than
- ppm** parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.
- ppb** parts per billion
- Dry weight basis** Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C – result confirmed by reanalysis.

J - estimated value – The result is \geq the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

| Organic Qualifiers | | Inorganic Qualifiers | |
|---------------------------|---|-----------------------------|---|
| A | TIC is a possible aldol-condensation product | B | Value is <CRDL, but \geq IDL |
| B | Analyte was also detected in the blank | E | Estimated due to interference |
| C | Pesticide result confirmed by GC/MS | M | Duplicate injection precision not met |
| D | Compound quantitated on a diluted sample | N | Spike sample not within control limits |
| E | Concentration exceeds the calibration range of the instrument | S | Method of standard additions (MSA) used for calculation |
| N | Presumptive evidence of a compound (TICs only) | U | Compound was not detected |
| P | Concentration difference between primary and confirmation columns $>25\%$ | W | Post digestion spike out of control limits |
| U | Compound was not detected | * | Duplicate analysis not within control limits |
| X,Y,Z | Defined in case narrative | + | Correlation coefficient for MSA <0.995 |

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.