

Table 3: Groundwater Analytical Results
808 Metropolitan Avenue, Brooklyn, NY
Remedial Investigation Report
Project No. 0204923

Sample ID:				TW-01_20220223	TW-02-20220224	DUP-GW-20220224	TW-03-20220224	TW-04-20220224	TRIP BLANK
Collection Date:				2/23/2022	2/24/2022	2/24/2022	2/24/2022	2/24/2022	2/22/2022
Lab ID:				L2209677-01	L2210051-01	L2210051-04	L2210051-02	L2210051-03	L2209677-02
Sample Type:				WATER	WATER	WATER	WATER	WATER	WATER
	NY-MCL	NY-AWQS	Units	Results	Qual	Results	Qual	Results	Qual
Semivolatile Organics by GC/MS									
1,2,4,5-Tetrachlorobenzene		5	µg/L	10	U	10	U	10	U
1,2,4-Trichlorobenzene		5	µg/L	5	U	5	U	5	U
1,2-Dichlorobenzene		3	µg/L	2	U	2	U	2	U
1,3-Dichlorobenzene		3	µg/L	2	U	2	U	2	U
1,4-Dichlorobenzene		3	µg/L	2	U	2	U	2	U
2,4,5-Trichlorophenol			µg/L	5	U	5	U	5	U
2,4,6-Trichlorophenol			µg/L	5	U	5	U	5	U
2,4-Dichlorophenol		1	µg/L	5	U	5	U	5	U
2,4-Dimethylphenol		50	µg/L	5	U	5	U	5	U
2,4-Dinitrophenol		10	µg/L	20	U	20	U	20	U
2,4-Dinitrotoluene		5	µg/L	5	U	5	U	5	U
2,6-Dinitrotoluene		5	µg/L	5	U	5	U	5	U
2-Chlorophenol			µg/L	2	U	2	U	2	U
2-Methylphenol			µg/L	5	U	5	U	5	U
2-Nitroaniline		5	µg/L	5	U	5	U	5	U
2-Nitrophenol			µg/L	10	U	10	U	10	U
3,3'-Dichlorobenzidine		5	µg/L	5	U	5	U	5	U
3-Methylphenol/4-Methylphenol			µg/L	5	U	5	U	5	U
3-Nitroaniline		5	µg/L	5	U	5	U	5	U
4,6-Dinitro-o-cresol			µg/L	10	U	10	U	10	U
4-Bromophenyl phenyl ether			µg/L	2	U	2	U	2	U
4-Chloroaniline		5	µg/L	5	U	5	U	5	U
4-Chlorophenyl phenyl ether			µg/L	2	U	2	U	2	U
4-Nitroaniline		5	µg/L	5	U	5	U	5	U
4-Nitrophenol			µg/L	10	U	10	U	10	U
Acetophenone			µg/L	5	U	5	U	5	U
Benzoic Acid			µg/L	50	U	50	U	50	U
Benzyl Alcohol			µg/L	2	U	2	U	2	U
Biphenyl			µg/L	2	U	2	U	2	U
Bis(2-chloroethoxy)methane		5	µg/L	5	U	5	U	5	U
Bis(2-chloroethyl)ether		1	µg/L	2	U	2	U	2	U
Bis(2-chloroisopropyl)ether		5	µg/L	2	U	2	U	2	U
Bis(2-ethylhexyl)phthalate		5	µg/L	3	U	3	U	3	U
Butyl benzyl phthalate		50	µg/L	5	U	5	U	5	U
Carbazole			µg/L	2	U	2	U	2	U
Dibenzofuran			µg/L	2	U	2	U	2	U
Diethyl phthalate		50	µg/L	5	U	5	U	5	U
Dimethyl phthalate		50	µg/L	5	U	5	U	5	U
Di-n-butylphthalate		50	µg/L	5	U	5	U	5	U
Di-n-octylphthalate		50	µg/L	5	U	5	U	5	U
Hexachlorocyclopentadiene		5	µg/L	20	U	20	U	20	U
Isophorone		50	µg/L	5	U	5	U	5	U
NDPA/DPA		50	µg/L	2	U	2	U	2	U
Nitrobenzene		0.4	µg/L	2	U	2	U	2	U
n-Nitrosodi-n-propylamine			µg/L	5	U	5	U	5	U
p-Chloro-m-cresol			µg/L	2	U	2	U	2	U
Phenol		1	µg/L	5	U	5	U	5	U
Semivolatile Organics by GC/MS-SIM									
2-Chloronaphthalene		10	µg/L	0.2	U	0.2	U	0.2	U
2-Methylnaphthalene			µg/L	0.26		0.03	J	0.07	J
Acenaphthene		20	µg/L	0.08	J	0.01	J	0.03	J
Acenaphthylene			µg/L	0.04	J	0.08	J	0.05	J
Anthracene		50	µg/L	0.13		0.07	J	0.13	
Benzo(a)anthracene		0.002	µg/L	0.1		0.02	J	0.1	U
Benzo(a)pyrene		0	µg/L	0.07	J	0.02	J	0.1	U
Benzo(b)fluoranthene		0.002	µg/L	0.08	J	0.02	J	0.1	U
Benzo(g,h,i)perylene			µg/L	0.04	J	0.08	J	0.1	U
Benzo(k)fluoranthene		0.002	µg/L	0.03	J	0.1	U	0.1	U
Chrysene		0.002	µg/L	0.1		0.1	U	0.1	U
Dibenzo(a,h)anthracene			µg/L	0.1	U	0.1	U	0.1	U
Fluoranthene		50	µg/L	0.25		0.09	J	0.1	U
Fluorene		50	µg/L	0.17		0.08	J	0.09	J
Hexachlorobenzene		0.04	µg/L	0.8	U	0.8	U	0.8	U
Hexachlorobutadiene		0.5	µg/L	0.5	U	0.5	U	0.5	U
Hexachloroethane		5	µg/L	0.8	U	0.8	U	0.8	U
Indeno(1,2,3-cd)pyrene		0.002	µg/L	0.04	J	0.05	J	0.1	J
Naphthalene		10	µg/L	0.23		0.1	U	0.11	
Pentachlorophenol		1	µg/L	0.8	U	0.8	U	0.8	U
Phenanthrene		50	µg/L	0.8		0.46		0.87	
Pyrene		50	µg/L	0.29		0.1	J	0.11	

Table 3: Groundwater Analytical Results
808 Metropolitan Avenue, Brooklyn, NY
Remedial Investigation Report
Project No. 0204923

Sample ID:				TW-01_20220223	TW-02-20220224	DUP-GW-20220224	TW-03-20220224	TW-04-20220224	TRIP BLANK
Collection Date:				2/23/2022	2/24/2022	2/24/2022	2/24/2022	2/24/2022	2/22/2022
Lab ID:				L2209677-01	L2210051-01	L2210051-04	L2210051-02	L2210051-03	L2209677-02
Sample Type:				WATER	WATER	WATER	WATER	WATER	WATER
	NY-MCL	NY-AWQS	Units	Results	Qual	Results	Qual	Results	Qual
Volatile Organics by GC/MS									
1,1,1,2-Tetrachloroethane		5	µg/L	2.5	U	2.5	U	2.5	U
1,1,1-Trichloroethane		5	µg/L	2.5	U	2.5	U	2.5	U
1,1,2,2-Tetrachloroethane		5	µg/L	0.5	U	0.5	U	0.5	U
1,1,2-Trichloroethane		1	µg/L	1.5	U	1.5	U	1.5	U
1,1-Dichloroethane		5	µg/L	2.5	U	2.5	U	2.5	U
1,1-Dichloroethene		5	µg/L	0.5	U	0.5	U	0.5	U
1,1-Dichloropropene		5	µg/L	2.5	U	2.5	U	2.5	U
1,2,3-Trichlorobenzene		5	µg/L	2.5	U	2.5	U	2.5	U
1,2,3-Trichloropropane		0.04	µg/L	2.5	U	2.5	U	2.5	U
1,2,4,5-Tetramethylbenzene		5	µg/L	2	U	2	U	2	U
1,2,4-Trichlorobenzene		5	µg/L	2.5	U	2.5	U	2.5	U
1,2,4-Trimethylbenzene		5	µg/L	1.9	J	2.5	U	2.5	U
1,2-Dibromo-3-chloropropane		0.04	µg/L	2.5	U	2.5	U	2.5	U
1,2-Dibromoethane		0.0006	µg/L	2	U	2	U	2	U
1,2-Dichlorobenzene		3	µg/L	2.5	U	2.5	U	2.5	U
1,2-Dichloroethane		0.6	µg/L	0.5	U	0.5	U	0.5	U
1,2-Dichloroethene, Total			µg/L	2.5	U	2.5	U	2.5	U
1,2-Dichloropropane		1	µg/L	1	U	1	U	1	U
1,3,5-Trimethylbenzene		5	µg/L	2.5	U	2.5	U	2.5	U
1,3-Dichlorobenzene		3	µg/L	2.5	U	2.5	U	2.5	U
1,3-Dichloropropane		5	µg/L	2.5	U	2.5	U	2.5	U
1,3-Dichloropropene, Total			µg/L	0.5	U	0.5	U	0.5	U
1,4-Dichlorobenzene		3	µg/L	2.5	U	2.5	U	2.5	U
1,4-Dioxane			µg/L	250	U	250	U	250	U
2,2-Dichloropropane		5	µg/L	2.5	U	2.5	U	2.5	U
2-Butanone		50	µg/L	5	U	5	U	5	U
2-Hexanone		50	µg/L	5	U	5	U	5	U
4-Methyl-2-pentanone			µg/L	5	U	5	U	5	U
Acetone		50	µg/L	5	U	5	U	1.9	J
Acrylonitrile		5	µg/L	5	U	5	U	5	U
Benzene		1	µg/L	0.5	U	0.5	U	0.5	U
Bromobenzene		5	µg/L	2.5	U	2.5	U	2.5	U
Bromochloromethane		5	µg/L	2.5	U	2.5	U	2.5	U
Bromodichloromethane		50	µg/L	0.5	U	0.5	U	0.5	U
Bromoform		50	µg/L	2	U	2	U	2	U
Bromomethane		5	µg/L	2.5	U	2.5	U	2.5	U
Carbon disulfide		60	µg/L	5	U	5	U	5	U
Carbon tetrachloride		5	µg/L	0.5	U	0.5	U	0.5	U
Chlorobenzene		5	µg/L	2.5	U	2.5	U	2.5	U
Chloroethane		5	µg/L	2.5	U	2.5	U	2.5	U
Chloroform		7	µg/L	2.5	U	2.5	U	3.9	U
Chloromethane			µg/L	2.5	U	2.5	U	2.5	U
cis-1,2-Dichloroethene		5	µg/L	2.5	U	2.5	U	2.5	U
cis-1,3-Dichloropropene		0.4	µg/L	0.5	U	0.5	U	0.5	U
Dibromochloromethane		50	µg/L	0.5	U	0.5	U	0.5	U
Dibromomethane		5	µg/L	5	U	5	U	5	U
Dichlorodifluoromethane		5	µg/L	5	U	5	U	5	U
Ethyl ether			µg/L	2.5	U	2.5	U	2.5	U
Ethylbenzene		5	µg/L	2.5	U	2.5	U	2.5	U
Hexachlorobutadiene		0.5	µg/L	2.5	U	2.5	U	2.5	U
Isopropylbenzene		5	µg/L	2.5	U	2.5	U	2.5	U
Methyl tert butyl ether		10	µg/L	2.5	U	2.5	U	2.5	U
Methylene chloride		5	µg/L	2.5	U	2.5	U	2.5	U
Naphthalene		10	µg/L	2.5	U	2.5	U	2.5	U
n-Butylbenzene		5	µg/L	2.5	U	2.5	U	2.5	U
n-Propylbenzene		5	µg/L	2.5	U	2.5	U	2.5	U
o-Chlorotoluene		5	µg/L	2.5	U	2.5	U	2.5	U
o-Xylene		5	µg/L	2.5	U	2.5	U	2.5	U
p/m-Xylene		5	µg/L	2.5	U	2.5	U	2.5	U
p-Chlorotoluene		5	µg/L	2.5	U	2.5	U	2.5	U
p-Diethylbenzene			µg/L	2	U	2	U	2	U
p-Ethyltoluene			µg/L	1.2	J	2	U	2	U
p-Isopropyltoluene		5	µg/L	2.5	U	2.5	U	2.5	U
sec-Butylbenzene		5	µg/L	2.5	U	2.5	U	2.5	U
Styrene		5	µg/L	2.5	U	2.5	U	2.5	U
tert-Butylbenzene		5	µg/L	2.5	U	2.5	U	2.5	U
Tetrachloroethene		5	µg/L	0.5	U	0.5	U	0.5	U
Toluene		5	µg/L	2.5	U	2.5	U	2.5	U
trans-1,2-Dichloroethene		5	µg/L	2.5	U	2.5	U	2.5	U
trans-1,3-Dichloropropene		0.4	µg/L	0.5	U	0.5	U	0.5	U
trans-1,4-Dichloro-2-butene		5	µg/L	2.5	U	2.5	U	2.5	U
Trichloroethene		5	µg/L	0.5	U	0.5	U	0.5	U
Trichlorofluoromethane		5	µg/L	2.5	U	2.5	U	2.5	U
Vinyl acetate			µg/L	5	U	5	U	5	U
Vinyl chloride		2	µg/L	1	U	1	U	1	U
Xylenes, Total			µg/L	2.5	U	2.5	U	2.5	U

Table 3: Groundwater Analytical Results
808 Metropolitan Avenue, Brooklyn, NY
Remedial Investigation Report
Project No. 0204923

Sample ID:				TW-01_20220223			TW-02-20220224			DUP-GW-20220224			TW-03-20220224			TW-04-20220224			TRIP BLANK		
Collection Date:				2/23/2022			2/24/2022			2/24/2022			2/24/2022			2/24/2022			2/22/2022		
Lab ID:				L2209677-01			L2210051-01			L2210051-04			L2210051-02			L2210051-03			L2209677-02		
Sample Type:				WATER			WATER			WATER			WATER			WATER			WATER		
	NY-MCL	NY-AWQS	Units	Results	Qual		Results	Qual		Results	Qual		Results	Qual		Results	Qual		Results	Qual	
Total Metals																					
Aluminum, Total			µg/L	812			73.3			31.8			3260			21800			-	-	
Antimony, Total		3	µg/L	4	U		4	U		4	U		4	U		4	U		-	-	
Arsenic, Total		25	µg/L	1.75			0.27	J		0.34	J					5.08			-	-	
Barium, Total		1000	µg/L	48.23			96.85			94.86			120.2			490.4			-	-	
Beryllium, Total		3	µg/L	1	U		0.5	U		0.5	U		0.14	J		1.32			-	-	
Cadmium, Total		5	µg/L	0.39	J		0.18	J		0.16	J		0.09	J		0.84			-	-	
Calcium, Total			µg/L	57100			146000			148000			85800			93400			-	-	
Chromium, Total		50	µg/L	6.43			1.04			0.65	J		15.31			120.6			-	-	
Cobalt, Total			µg/L	12.3			2.61			2.45			18.4			37.47			-	-	
Copper, Total		200	µg/L	3.41			1.18			0.88	J		5.1			56.27			-	-	
Iron, Total		300	µg/L	5000			294			213			12600			46600			-	-	
Lead, Total		25	µg/L	10.06			0.92	J		1	U		5.64			59.11			-	-	
Magnesium, Total		35000	µg/L	9640			24800			25200			37100			33200			-	-	
Manganese, Total		300	µg/L	2337			521.7			470			3248			4509			-	-	
Mercury, Total		0.7	µg/L	0.2	U		0.2	U		0.2	U		0.2	U		0.14	J		-	-	
Nickel, Total		100	µg/L	18.63			7.92			7.33			19.03			55.01			-	-	
Potassium, Total			µg/L	8240			11200			11400			7390			11500			-	-	
Selenium, Total		10	µg/L	11.4			13.2			12.7			5	U		5.42			-	-	
Silver, Total		50	µg/L	0.8	U		0.4	U		0.4	U		0.4	U		0.4	U		-	-	
Sodium, Total		20000	µg/L	2200			150000			156000			349000			538000			-	-	
Thallium, Total		0.5	µg/L	2	U		1	U		1	U		1	U		0.3	J		-	-	
Vanadium, Total			µg/L	10	U		5	U		5	U		10.31			63.66			-	-	
Zinc, Total		2000	µg/L	236.6			3.83	J		10	U		12.15			106.2			-	-	
Dissolved Metals																					
Aluminum, Dissolved			µg/L	27.7			4.1	J		3.84	J		6.99	J		4.28	J		-	-	
Antimony, Dissolved		3	µg/L	4	U		4	U		4	U		4	U		4	U		-	-	
Arsenic, Dissolved		25	µg/L	0.5	U		0.16	J		0.22	J		0.5	U		0.26	J		-	-	
Barium, Dissolved		1000	µg/L	33.8			95.78			94.12			97.61			219.6			-	-	
Beryllium, Dissolved		3	µg/L	0.5	U		0.5	U		0.5	U		0.5	U		0.5	U		-	-	
Cadmium, Dissolved		5	µg/L	0.41			0.15	J		0.16	J		0.08	J		0.58			-	-	
Calcium, Dissolved			µg/L	50700			145000			148000			84400			85200			-	-	
Chromium, Dissolved		50	µg/L	0.22	J		1	U		0.24	J		1	U		1	U		-	-	
Cobalt, Dissolved			µg/L	3.49			2.79			2.38			13.05			20.07			-	-	
Copper, Dissolved		200	µg/L	1			0.95	J		0.9	J		1	U		0.41	J		-	-	
Iron, Dissolved		300	µg/L	348			84.4			76.9			2400			769			-	-	
Lead, Dissolved		25	µg/L	1	U		1	U		1	U		1	U		1	U		-	-	
Magnesium, Dissolved		35000	µg/L	8500			24700			24100			36200			25600			-	-	
Manganese, Dissolved		300	µg/L	837.8			558.3			455.5			2439			3768			-	-	
Mercury, Dissolved		0.7	µg/L	0.2	U		0.2	U		0.2	U		0.2	U		0.2	U		-	-	
Nickel, Dissolved		100	µg/L	10.99			8.47			7.91			13.55			20.47			-	-	
Potassium, Dissolved			µg/L	7290			10900			11100			6770			8930			-	-	
Selenium, Dissolved		10	µg/L	10.9			13.2			12.9			5	U		5	U		-	-	
Silver, Dissolved		50	µg/L	0.4	U		0.4	U		0.4	U		0.4	U		0.4	U		-	-	
Sodium, Dissolved		20000	µg/L	17600			152000			150000			344000			573000			-	-	
Thallium, Dissolved		0.5	µg/L	1	U		1	U		1	U		1	U		1	U		-	-	
Vanadium, Dissolved			µg/L	5	U		5	U		5	U		5	U		5	U		-	-	
Zinc, Dissolved		2000	µg/L	308.8			4.44	J		4.01	J		10	U		6.33	J		-	-	
Polychlorinated Biphenyls by GC																					
Aroclor 1016			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1221			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1232			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1242			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1248			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1254			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1260			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1262			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
Aroclor 1268			0.09	µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	
PCBs, Total				µg/L	0.071	U	0.071	U		0.071	U		0.071	U		0.071	U		-	-	

Table 3: Groundwater Analytical Results
808 Metropolitan Avenue, Brooklyn, NY
Remedial Investigation Report
Project No. 0204923

Sample ID:				TW-01_20220223			TW-02-20220224			DUP-GW-20220224			TW-03-20220224			TW-04-20220224			TRIP BLANK
Collection Date:				2/23/2022			2/24/2022			2/24/2022			2/24/2022			2/24/2022			2/22/2022
Lab ID:				L2209677-01			L2210051-01			L2210051-04			L2210051-02			L2210051-03			L2209677-02
Sample Type:				WATER			WATER			WATER			WATER			WATER			WATER
	NY-MCL	NY-AWQS	Units	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual	Results	Qual
Organochlorine Pesticides by GC																			
4,4'-DDD		0.3	µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
4,4'-DDE		0.2	µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
4,4'-DDT		0.2	µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.015	J	-	-
Aldrin		0	µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
Alpha-BHC		0.01	µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
Beta-BHC		0.04	µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
cis-Chlordane			µg/L	0.014	U	0.014	U	0.143	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
Chlordane		0.05	µg/L	0.143	U	0.143	U	0.014	U	0.143	U	0.143	U	0.143	U	0.143	U	-	-
Delta-BHC		0.04	µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
Dieldrin		0.004	µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
Endosulfan I			µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
Endosulfan II			µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
Endosulfan sulfate			µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
Endrin		0	µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
Endrin aldehyde		5	µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
Endrin ketone		5	µg/L	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	0.029	U	-	-
Heptachlor		0.04	µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
Heptachlor epoxide		0.03	µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.015		0.014	U	0.014	U	-	-
Lindane		0.05	µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
Methoxychlor		35	µg/L	0.143	U	0.143	U	0.143	U	0.143	U	0.143	U	0.143	U	0.143	U	-	-
Toxaphene		0.06	µg/L	0.143	U	0.143	U	0.143	U	0.143	U	0.143	U	0.143	U	0.143	U	-	-
trans-Chlordane			µg/L	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	0.014	U	-	-
1,4 Dioxane by 8270D-SIM																			
1,4-Dioxane			µg/L	0.139	U	0.144	U	-	-	-	-	-	-	-	-	0.0779	J	-	-
Perfluorinated Alkyl Acids by Isotope Dilution																			
1H,1H,2H,2H-Perfluorodecanesulfonic Acid (8:2FTS)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
1H,1H,2H,2H-Perfluorooctanesulfonic Acid (6:2FTS)	0.1		µg/L	0.00189	U	0.0024		-	-	-	-	-	-	0.00192	U	-	-	-	-
N-Ethyl Perfluorooctanesulfonamidoacetic Acid (NtFOSAA)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
N-Methyl Perfluorooctanesulfonamidoacetic Acid (NMeFOSAA)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
Perfluorobutanesulfonic Acid (PFBS)	0.1		µg/L	0.0096		0.00817		-	-	-	-	-	-	0.00289		-	-	-	-
Perfluorobutanoic Acid (PFBA)	0.1		µg/L	0.0156		0.0149		-	-	-	-	-	-	0.0112		-	-	-	-
Perfluorodecanesulfonic Acid (PFDS)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
Perfluorodecanoic Acid (PFDA)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.000364	J	-	-	-	-
Perfluorododecanoic Acid (PFDoA)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
Perfluoroheptanesulfonic Acid (PFHpS)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
Perfluoroheptanoic Acid (PFHpA)	0.1		µg/L	0.0297		0.0364		-	-	-	-	-	-	0.00418		-	-	-	-
Perfluorohexanesulfonic Acid (PFHxS)	0.1		µg/L	0.00848		0.0629		-	-	-	-	-	-	0.00158	J	-	-	-	-
Perfluorohexanoic Acid (PFHxA)	0.1		µg/L	0.0168		0.0236		-	-	-	-	-	-	0.0147		-	-	-	-
Perfluorononanoic Acid (PFNA)	0.1		µg/L	0.000943	J	0.00194	U	-	-	-	-	-	-	0.00297		-	-	-	-
Perfluorooctanesulfonamide (FOSA)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
Perfluorooctanesulfonic Acid (PFOS)	0.01		µg/L	0.00421		0.00238		-	-	-	-	-	-	0.00833		-	-	-	-
Perfluorooctanoic Acid (PFOA)	0.01		µg/L	0.222		0.21		-	-	-	-	-	-	0.0167		-	-	-	-
Perfluoropentanoic Acid (PFPeA)	0.1		µg/L	0.0111		0.021		-	-	-	-	-	-	0.0264		-	-	-	-
Perfluorotetradecanoic Acid (PFTA)	0.1		µg/L	0.00189	U	0.000365	J	-	-	-	-	-	-	0.000322	J	-	-	-	-
Perfluorotridecanoic Acid (PFTDA)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
Perfluoroundecanoic Acid (PFUnA)	0.1		µg/L	0.00189	U	0.00194	U	-	-	-	-	-	-	0.00192	U	-	-	-	-
PFOA/PFOS, Total	0.5		µg/L	0.226		0.212		-	-	-	-	-	-	0.025		-	-	-	-

Notes:

- Yellow shaded results exceed NY-AWQS/NY-MCL.
- NY-AWQS: New York TOGS 111 Ambient Water Quality Standards criteria reflects all addendum to criteria through June 2004.
- Comparison is not performed on parameters with non-numeric criteria.
- New York State's drinking water maximum contaminant levels (MCLs)
- µg/L - micrograms per liter
- DUP-GW-20220224 is a Duplicate of TW-02-20220242

Qualifiers:

J - The analyte was detected above the Method Detection Limit (MDL), but below the RL; therefore, the result is an estimated concentration.
U - The analyte was analyzed for, but was not detected at a level greater than or equal to the reporting limit (RL); the value shown in the table is the RL.