



Long Island | 170 Keyland Court | Bohemia, NY 11716 | Tel: 631.269.8800 Fax: 631.269.1599

Manhattan | 1560 Broadway, 10th Floor, Suite 1024 | New York, NY 10036 | Tel: 212.201.7905 Fax: 212.201.7906

www.impactenvironmental.com

February 21, 2007

Mr. Joe Sun
Division of Environmental Remediation
New York State Department of Environmental Conservation-Region 2
100 Hunters Point Plaza
47-40 21st Street
Long Island City, New York 1001-5401

*Re: **Update to the Subsurface Investigation Report***
Citgo Service Station at 169 Third Avenue, Brooklyn, NY
NYSDEC Spill#: 95-06588

Dear Mr. Sun:

This letter serves as an update to the Subsurface Investigation Report prepared for the above referenced property, herein identified as the Site. The original Subsurface Investigation Report was submitted to the NYSDEC on November 28, 2006. Based on a letter dated January 5, 2007, the NYSDEC required the installation of additional groundwater monitoring wells hydraulically down-gradient of the existing wells MW-3 and MW-4 to delineate the extent of groundwater contamination emanating from the Site. The scope of this additional subsurface investigation was based upon the NYSDEC requests.

1 Subsurface Soil Sampling

On February 14, 2007, Impact Environmental installed two (2) soil probes, identified as SP-5 and SP-6, on the Site as part of this investigation. The locations of SP-5 and SP-6 can be referenced with **Plate 1**. Subsurface probes were sited using a Geoprobe hydra system. Continuous subsurface soil sampling was conducted into the groundwater interface. The soil samples were field screened using a photo ionization detector (PID) for the presence of hydrocarbons. However, the field screening failed to identify any evidence of soil contamination, accordingly, the sample from the soil-groundwater interface depth were selected for laboratory analysis. The soil probe logs are attached to this report. Soil samples were subjected to laboratory analysis via EPA Test Method 8260 for target volatile organic analytes.

2 Groundwater Monitoring Well Installation

On February 14, 2007, Impact Environmental installed two (2) additional groundwater monitoring wells, identified as MW-5 and MW-6, on the Site as part of this investigation. The monitoring wells were gauged

for the presence and thickness of free phase product and depth to water with an oil-water interface meter. No free phase product was observed in any of the wells. The results of the field measurements gauging and surveying the monitoring wells are presented in **Table 1**.

The monitoring wells were installed on the Site using a Geoprobe operating system. The wells were constructed of fifteen (15) linear feet of one (1") inch diameter slotted (0.020 inch) schedule 40 PVC screen. The screens were installed at a depth straddling the water table, from 7.5 ft below to 7.5 ft above water table. The balance of the well, approximately seven feet (7'), as the total depth of the wells are approximately twenty-two feet (22') BEG, was constructed with one (1") inch diameter schedule 40 PVC riser. The outside of the well from its base to a point one foot above the highest screen section was packed with clean filtration media (Morie sand). A two-foot bentonite seal was packed around the casing above the filtration media. Drill cutting media was placed above the bentonite seal to a point six inches below existing grade. Concrete was used to fill the remaining six inches of open well casing in conjunction with the installation of a cast iron manhole with an access cover.

3 Groundwater Sampling

The sampling procedures conformed to NYSDEC protocol. A field log protocol was conducted to record sampling data including; date, time, location, sample identification code, depth to water, total depth of the well, method of well purging, and sampling technique. The monitoring wells were purged by evacuating a minimum of three (3) static well volumes utilizing a peristaltic pump.

Field measurements were secured from each monitoring well during the development process to provide data regarding physical groundwater characteristics. The development water was field analyzed for pH, specific conductivity and temperature. Results of the field measurements were utilized to establish steady state conditions within the groundwater aquifer. Following development, one water sample was acquired from each of the monitoring wells utilizing a dedicated disposable bailer to prevent cross-contamination. All of the samples were transferred with minimal disturbance into the appropriate vessels.

4 Groundwater Elevation Survey

On February 14, 2007, a groundwater elevation survey was performed on the Site to determine groundwater flow direction. The elevation of groundwater was gauged at each monitoring well and recorded. The elevations were used to graphically define the planimetric surface of the water table. The elevations of the top of the casings were represented with respect to each other and based on a benchmark elevation or approximate elevation above mean sea level. The groundwater elevations were

based as a function of the depth to water and these elevations. The groundwater elevation survey results are represented in **Table 1** and **Plate 2**. Based on the survey results, the groundwater flow direction at the Site is in an East-Northeast direction.

5 Laboratory Sample Analysis

The laboratory analysis performed on the soil samples secured from SP-5 and SP-6 failed to detect any concentrations of target volatile organic analytes.

The laboratory analysis performed on the groundwater samples secured from monitoring wells MW-5 and MW-6 failed to detect any concentrations of target volatile organic analytes.

The laboratory analysis results for soil and groundwater samples are presented in **Table 2** and **Table 3**. The original laboratory analysis report as prepared by JMS Environmental Services, Inc. is attached.

6 Evaluation of Results

Impact Environmental has performed an additional subsurface investigation on the Site in accordance with the request by the NYSDEC, as described in a letter dated January 5, 2007. The investigation consisted of subsurface soil sampling, installation of additional monitoring wells, groundwater sampling, and groundwater elevation survey.

Based on the result of this additional subsurface investigation, it is concluded that the extent of the dissolved phase gasoline groundwater contamination has been fully delineated under the scope of this investigation. The contaminant plume has not migrated beyond MW-5 and MW-6. Accordingly, it is proposed that a Remedial Action Plan (RAP) be implemented for the NYSDEC Spill # 95-06588 to mitigate the residual contaminants in the groundwater.

IMPACT ENVIRONMENTAL

Kevin Kleaka
Project Manager

Wenqing Fang
Environmental Engineer

Attachments

CC: Joe Macchia

Table 1: Groundwater Survey Result
Brooklyn, New York

MW ID	MW Case Elevation	Rod Interception	DTW (2/14/07)	WT Elevation (2/14/07)
MW-1	20.00	4.01	13.98	6.02
MW-2	20.18	3.83	13.17	7.01
MW-3	20.20	3.81	14.83	5.37
MW-4	20.27	3.74	14.70	5.57
MW-5	20.69	3.32	15.97	4.72
MW-6	20.70	3.31	15.93	4.77

Table 2: Laboratory Analysis Result for Soil Samples
Brooklyn, New York

CAS Number	Parameter Name	SP-5	SP-6	NYSDEC TAGM #4046 Recommended Soil Cleanup Objectives
	Sample Depth	[14']	[14']	
	Unit	ug/Kg	ug/Kg	ug/Kg
105-05-5	p-Diethylbenzen	<5	<5	NA
10061-02-6	trans-1,3-Dichloropropene	<5	<5	NA
10061-01-5	cis-1,3-Dichloropropene	<5	<5	NA
76-13-1	Freon 113	<5	<5	NA
622-96-8	p-Ethyltoluene	<5	<5	NA
108-10-1	Methyl isobutyl ketone (MIBK)	<5	<5	NA
107-13-1	Acrylonitrile	<5	<5	NA
123-91-1	1,4-Dioxane	<5	<5	NA
98-06-6	Tert-Butylbenzene	<5	<5	sum<10,000
1634-04-4	Methyl-tert-butyl-ether	<5	<5	120
1330-20-7	Total Xylenes	<5	<5	1,200
591-78-6	2-Hexanone	<5	<5	NA
108-05-4	Vinyl Acetate	<5	<5	NA
78-93-3	2-Butanone (MEK)	<5	<5	300
75-15-0	Carbon disulfide	<5	<5	2,700
67-64-1	Acetone	<5	<5	200
75-01-4	Vinyl Chloride	<5	<5	200
95-63-6	1,2,4-Trimethylbenzene	<5	<5	sum<10,000
108-67-8	1,3,5-Trimethylbenzene	<5	<5	3,300
96-18-4	1,2,3-Trichloropropane	<5	<5	400
75-69-4	Trichlorofluoromethane	<5	<5	NA
79-01-6	Trichloroethene	<5	<5	700
79-00-5	1,1,2-Trichloroethane	<5	<5	NA
71-55-6	1,1,1-Trichloroethane	<5	<5	800
120-82-1	1,2,4-Trichlorobenzene	<5	<5	3,400
87-61-6	1,2,3-Trichlorobenzene	<5	<5	NA
108-88-3	Toluene	<5	<5	1,500
127-18-4	Tetrachloroethene	<5	<5	1,400
79-34-5	1,1,2,2-Tetrachloroethane	<5	<5	600
630-20-6	1,1,1,2-Tetrachloroethane	<5	<5	NA
100-42-5	Styrene	<5	<5	NA
103-65-1	n-Propylbenzene	<5	<5	3,700
75-09-2	Methylene Chloride	<5	<5	100
99-87-6	p-Isopropyltoluene	<5	<5	sum<10,000
98-82-8	Isopropylbenzene	<5	<5	2,300
87-68-3	Hexachlorobutadiene	<5	<5	NA
100-41-4	Ethylbenzene	<5	<5	5,500
563-58-6	1,1-Dichloropropene	<5	<5	NA
594-20-7	2,2-Dichloropropene	<5	<5	NA
142-28-9	1,3-Dichloropropene	<5	<5	300
78-87-5	1,2-Dichloropropene	<5	<5	NA
156-60-5	trans-1,2-Dichloroethene	<5	<5	300
156-59-2	cis-1,2-Dichloroethene	<5	<5	NA
75-35-4	1,1-Dichloroethene	<5	<5	400
107-06-2	1,2-Dichloroethane	<5	<5	100
75-34-3	1,1-Dichloroethane	<5	<5	200
75-71-8	Dichlorodifluoromethane	<5	<5	NA
106-46-7	1,4-Dichlorobenzene	<5	<5	8,500
541-73-1	1,3-Dichlorobenzene	<5	<5	1,600
95-50-1	1,2-Dichlorobenzene	<5	<5	7,900
74-95-3	Dibromoethane	<5	<5	NA
106-93-4	1,2-Dibromoethane	<5	<5	NA
96-12-8	1,2-Dibromo-3-chloropropane	<5	<5	NA
106-43-4	4-Chlorotoluene	<5	<5	NA
95-49-8	2-Chlorotoluene	<5	<5	NA
74-87-3	Chloromethane	<5	<5	NA
67-66-3	Chloroform	<5	<5	300
75-00-3	Chloroethane	<5	<5	1,900
124-48-1	Chlorodibromomethane	<5	<5	NA
108-90-7	Chlorobenzene	<5	<5	1,700
56-23-5	Carbon Tetrachloride	<5	<5	600
135-98-7	sec-Butylbenzene	<5	<5	sum < 10,000
104-51-8	n-Butylbenzene	<5	<5	sum < 10,000
74-83-9	Bromomethane	<5	<5	NA
75-25-2	Bromoform	<5	<5	NA
75-27-4	Bromodichloromethane	<5	<5	NA
74-97-5	Bromochloromethane	<5	<5	NA
108-86-1	Bromobenzene	<5	<5	NA
71-43-2	Benzene	<5	<5	60 or MDL
91-20-3	Naphthalene	<5	<5	13,000
95-93-2	1,2,4,5-tetramethylbenzene	<5	<5	NA
542-75-6	1,3-Dichloropropene(cis and trans)	<5	<5	NA

Table 3: Laboratory Analysis Result for Groundwater Samples
Brooklyn, New York

CAS Number	Parameter Name	MW-5	MW-6	NYSDEC TOGS 1.1.1. Ambient Water Quality Standards and Guidance Values
				ug/L
105-05-5	p-Diethylbenzen	<5	<5	NA
10061-02-6	trans-1,3-Dichloropropene	<5	<5	0.4
10061-01-5	cis-1,3-Dichloropropene	<5	<5	0.4
76-13-1	Freon 113	<5	<5	5
622-96-8	p-Ethyltoluene	<5	<5	NA
108-10-1	Methyl isobutyl ketone (MIBK)	<5	<5	NA
107-13-1	Acrylonitrile	<5	<5	5
123-91-1	1,4-Dioxane	<5	<5	NA
98-06-6	Tert-Butylbenzene	<5	<5	
1634-04-4	Methyl-tert-butyl-ether	<5	<5	10
1330-20-7	Total Xylenes	<5	<5	5
591-78-6	2-Hexanone	<5	<5	50
108-05-4	Vinyl Acetate	<5	<5	NA
78-93-3	2-Butanone (MEK)	<5	<5	50
75-15-0	Carbon disulfide	<5	<5	60
67-64-1	Acetone	<5	<5	50
75-01-4	Vinyl Chloride	<5	<5	2
95-63-6	1,2,4-Trimethylbenzene	<5	<5	5
108-67-8	1,3,5-Trimethylbenzene	<5	<5	5
96-18-4	1,2,3-Trichloropropane	<5	<5	0.04
75-69-4	Trichlorofluoromethane	<5	<5	5
79-01-6	Trichloroethene	<5	<5	5
79-00-5	1,1,2-Trichloroethane	<5	<5	1
71-55-6	1,1,1-Trichloroethane	<5	<5	5
120-82-1	1,2,4-Trichlorobenzene	<5	<5	5
87-61-6	1,2,3-Trichlorobenzene	<5	<5	5
108-88-3	Toluene	<5	<5	5
127-18-4	Tetrachloroethene	<5	<5	5
79-34-5	1,1,2,2-Tetrachloroethane	<5	<5	5
630-20-6	1,1,1,2-Tetrachloroethane	<5	<5	5
100-42-5	Styrene	<5	<5	5
103-65-1	n-Propylbenzene	<5	<5	5
75-09-2	Methylene Chloride	<5	<5	5
99-87-6	p-Isopropyltoluene	<5	<5	5
98-82-8	Isopropylbenzene	<5	<5	5
87-68-3	Hexachlorobutadiene	<5	<5	0.5
100-41-4	Ethylbenzene	<5	<5	5
563-58-6	1,1-Dichloropropene	<5	<5	5
594-20-7	2,2-Dichloropropane	<5	<5	5
142-28-9	1,3-Dichloropropane	<5	<5	5
78-87-5	1,2-Dichloropropane	<5	<5	1
156-60-5	trans-1,2-Dichloroethene	<5	<5	5
156-59-2	cis-1,2-Dichloroethene	<5	<5	5
75-35-4	1,1-Dichloroethene	<5	<5	5
107-06-2	1,2-Dichloroethane	<5	<5	0.6
75-34-3	1,1-Dichloroethane	<5	<5	5
75-71-8	Dichlorodifluoromethane	<5	<5	5
106-46-7	1,4-Dichlorobenzene	<5	<5	3
541-73-1	1,3-Dichlorobenzene	<5	<5	3
95-50-1	1,2-Dichlorobenzene	<5	<5	3
74-95-3	Dibromoethane	<5	<5	5
106-93-4	1,2-Dibromoethane	<5	<5	0.0006
96-12-8	1,2-Dibromo-3-chloropropane	<5	<5	0.04
106-43-4	4-Chlorotoluene	<5	<5	5
95-49-8	2-Chlorotoluene	<5	<5	5
74-87-3	Chloromethane	<5	<5	5
67-66-3	Chloroform	<5	<5	7
75-00-3	Chloroethane	<5	<5	5
124-48-1	Chlorodibromomethane	<5	<5	50
108-90-7	Chlorobenzene	<5	<5	5
56-23-5	Carbon Tetrachloride	<5	<5	5
135-98-7	sec-Butylbenzene	<5	<5	5
104-51-8	n-Butylbenzene	<5	<5	5
74-83-9	Bromomethane	<5	<5	5
75-25-2	Bromoform	<5	<5	50
75-27-4	Bromodichloromethane	<5	<5	50
74-97-5	Bromochloromethane	<5	<5	5
108-86-1	Bromobenzene	<5	<5	5
71-43-2	Benzene	<5	<5	1
91-20-3	Naphthalene	<5	<5	10
95-93-2	1,2,4,5-tetramethylbenzene	<5	<5	5
542-75-6	1,3-Dichloropropene(cis and trans)	<5	<5	NA

Soil Probe Logs


Probe Log	Impact Environmental	Sample ID: SP-5	
Site Location:	169 3rd Ave., Brooklyn, NY	Installer:	WF/JM
Job Number:	06-210	Installation Method:	Geoprobe
Client:	Asti Holding Corp.	Date Begin/End:	2/14/2007
Location Description:	Near Pump Islands	Depth to Water:	14'
Geologist:		Total Depth:	19'

Sample Depth BEG	Media Composition	PID (ppm)	Color	Comments
0' - 1'	asphalt	0.0	black	NA
1' - 7'	urban fill / medium to fine silty sand	0.0	brown	NA
7' - 11'	medium to fine silty sand	0.0	brown / black	NA
11' - 15'	medium to fine silty sand	0.0	black	NA
				water encountered at 14' BEG
15' - 17'	clayish sand w/ wood debris	0.0	dark brown	no odor
17'-19'	clayish sand w/ wood debris	0.0	black/ dark brown	no odor

Soil Probe Logs

Probe Log	Impact Environmental			Sample ID: SP-6
Site Location:	169 3rd Ave., Brooklyn, NY	Installer:	WF/JM	
Job Number:	06-210	Installation Method:	Geoprobe	
Client:	Asti Holding Corp.	Date Begin/End:	2/14/2007	
Location Description:	Near Pump Islands	Depth to Water:	15'	
Geologist:		Total Depth:	19'	

Sample Depth BEG	Media Composition	PID (ppm)	Color	Comments
0' - 1'	asphalt	0.0	black	NA
1' - 7'	urban fill / medium to fine silty sand	0.0	brown	NA
7' - 11'	medium to fine silty sand	0.0	brown / black	NA
11' - 15'	medium to fine silty sand	0.0	black	NA
				water encountered at 15' BEG
15' - 17'	clayish sand w/ wood debris	0.0	dark brown	no odor
17'-19'	clayish sand w/ wood debris	0.0	black/ dark brown	no odor



BALTIC AVENUE

EXISTING BUILDING

EXISTING BUILDING

THIRD AVENUE

EXISTING BUILDING

SP-5 MW-5

SP-6 MW-6

2 x 4,000-GAL GASOLINE USTS

SP-4 MW-4

PUMP ISLAND

SP-1 MW-1

SP-2 MW-2

SP-3 MW-3

KIOSK

PUMP ISLAND

BUTLER STREET

Legend

- ▲ Monitoring Well
- ◆ Soil Probe

TITLE: Sample Acquisition Plan

PROJECT # 06-210

PLATE # 01

Scale in Feet

10 5 0 10 20

169 Third Avenue
Brooklyn, New York

DRAWN BY:

WF

CHECKED BY:

KK

DATE:

02/21/2007

SCALE:


1" = 20'

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800 FAX (631) 269-1599

1560 BROADWAY, SUITE 1024
NEW YORK, NEW YORK 10036
TEL (212) 201-7905 FAX (212) 201-7906





BALTIC AVENUE

EXISTING BUILDING

SP-6 MW-6
SP-5 MW-5
A-8
A-8

EXISTING BUILDING

2 x 4,000-GAL GASOLINE USTS
SP-4 MW-4 SP-3 MW-3
PUMP ISLAND PUMP ISLAND
SP-1 MW-1 SP-2 MW-2

KIOSK

BUTLER STREET

THIRD AVENUE

Legend

- ▲ Monitoring Well
- Soil Probe

TITLE: Groundwater Contour

PROJECT # 06-210

PLATE # 02

169 Third Avenue
Brooklyn, New York

Scale in Feet

10 5 0 10 20

DRAWN BY:	WF
CHECKED BY:	KK
DATE:	02/21/2007
SCALE:	1" = 20'

IMPACT ENVIRONMENTAL

170 KEYLAND COURT
BOHEMIA, NEW YORK 11716
TEL (631) 269-8800 FAX (631) 269-1599

1560 BROADWAY, SUITE 1024
NEW YORK, NEW YORK 10036
TEL (212) 201-7905 FAX (212) 201-7906





Analytical Report

Impact Environmental: 06-210

170 Keyland Ct
Bohemia, NY 11716

Report Date: 2/19/2007

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052337

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: MW-5

Site: MW-5

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701462

Matrix: Water

Date Analyzed	Test Name	Result	Method
02/17/07	p-Diethylbenzene	<5 ppb	EPA 8260
02/17/07	trans-1,3-Dichloropropene	<5 ppb	EPA 8260
02/17/07	cis-1,3-Dichloropropene	<5 ppb	EPA 8260
02/17/07	Freon 113	<5 ppb	EPA 8260
02/17/07	p-Ethyltoluene	<5 ppb	EPA 8260
02/17/07	4-Methyl-2-pentanone (MIBK)	<5 ppb	EPA 8260
02/17/07	Acrylonitrile	<5 ppb	EPA 8260
02/17/07	1,4-dioxane	<5 ppb	EPA 8260
02/17/07	tert-Butylbenzene	<5 ppb	EPA 8260
02/17/07	MTBE	<5 ppb	EPA 8260
02/17/07	Xylenes, Total	<5 ppb	EPA 8260
02/17/07	2-Hexanone	<5 ppb	EPA 8260
02/17/07	Vinyl Acetate	<5 ppb	EPA 8260
02/17/07	2-Butanone (MEK)	<5 ppb	EPA 8260
02/17/07	Carbon disulfide	<5 ppb	EPA 8260
02/17/07	Acetone	<5 ppb	EPA 8260
02/17/07	Vinyl chloride	<5 ppb	EPA 8260
02/17/07	1,2,4-Trimethylbenzene	<5 ppb	EPA 8260
02/17/07	1,3,5-Trimethylbenzene	<5 ppb	EPA 8260
02/17/07	1,2,3-Trichloropropane	<5 ppb	EPA 8260
02/17/07	Trichlorofluoromethane	<5 ppb	EPA 8260
02/17/07	Trichloroethene	<5 ppb	EPA 8260
02/17/07	1,1,2-Trichloroethane	<5 ppb	EPA 8260
02/17/07	1,1,1-Trichloroethane	<5 ppb	EPA 8260
02/17/07	1,2,4-Trichlorobenzene	<5 ppb	EPA 8260
02/17/07	1,2,3-Trichlorobenzene	<5 ppb	EPA 8260
02/17/07	Toluene	<5 ppb	EPA 8260
02/17/07	Tetrachloroethene	<5 ppb	EPA 8260
02/17/07	1,1,2,2-Tetrachloroethane	<5 ppb	EPA 8260
02/17/07	1,1,1,2-tetrachloroethane	<5 ppb	EPA 8260
02/17/07	Styrene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052337

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: MW-5

Site: MW-5

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701462

Matrix: Water

Date Analyzed	Test Name	Result	Method
02/17/07	n-Propylbenzene	<5 ppb	EPA 8260
02/17/07	Methylene Chloride	<5 ppb	EPA 8260
02/17/07	p-Isopropyltoluene	<5 ppb	EPA 8260
02/17/07	Isopropylbenzene	<5 ppb	EPA 8260
02/17/07	Hexachlorobutadiene	<5 ppb	EPA 8260
02/17/07	Ethylbenzene	<5 ppb	EPA 8260
02/17/07	1,1-Dichloropropene	<5 ppb	EPA 8260
02/17/07	2,2-Dichloropropane	<5 ppb	EPA 8260
02/17/07	1,3-Dichloropropane	<5 ppb	EPA 8260
02/17/07	1,2-Dichloropropane	<5 ppb	EPA 8260
02/17/07	trans-1,2-Dichloroethene	<5 ppb	EPA 8260
02/17/07	cis-1,2-Dichloroethene	<5 ppb	EPA 8260
02/17/07	1,1-Dichloroethene	<5 ppb	EPA 8260
02/17/07	1,2-Dichloroethane	<5 ppb	EPA 8260
02/17/07	1,1-Dichloroethane	<5 ppb	EPA 8260
02/17/07	Dichlorodifluoromethane	<5 ppb	EPA 8260
02/17/07	1,4-Dichlorobenzene	<5 ppb	EPA 8260
02/17/07	1,3-Dichlorobenzene	<5 ppb	EPA 8260
02/17/07	1,2-Dichlorobenzene	<5 ppb	EPA 8260
02/17/07	Dibromoethane	<5 ppb	EPA 8260
02/17/07	1,2-Dibromoethane	<5 ppb	EPA 8260
02/17/07	1,2-Dibromo-3-Chloropropane	<5 ppb	EPA 8260
02/17/07	4-Chlorotoluene	<5 ppb	EPA 8260
02/17/07	2-Chlorotoluene	<5 ppb	EPA 8260
02/17/07	Chloromethane	<5 ppb	EPA 8260
02/17/07	Chloroform	<5 ppb	EPA 8260
02/17/07	Chloroethane	<5 ppb	EPA 8260
02/17/07	Chlorodibromomethane	<5 ppb	EPA 8260
02/17/07	Chlorobenzene	<5 ppb	EPA 8260
02/17/07	Carbon tetrachloride	<5 ppb	EPA 8260
02/17/07	sec-Butylbenzene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:

JMS ID: 052337

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**

Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:

Sample's Information:

Sample ID: MW-5

Site: MW-5

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:

Time Collected:

Time Received: 3:30:00 PM

Temperature:

Lab No.: J0701462

Matrix: Water

Date Analyzed	Test Name	Result	Method
02/17/07	n-Butylbenzene	<5 ppb	EPA 8260
02/17/07	Bromomethane	<5 ppb	EPA 8260
02/17/07	Bromoform	<5 ppb	EPA 8260
02/17/07	Bromodichloromethane	<5 ppb	EPA 8260
02/17/07	Bromochloromethane	<5 ppb	EPA 8260
02/17/07	Bromobenzene	<5 ppb	EPA 8260
02/17/07	Benzene	<5 ppb	EPA 8260
02/17/07	Naphthalene	<5 ppb	EPA 8260
02/17/07	1,2,4,5-tetramethylbenzene	<5 ppb	EPA 8260
02/17/07	1,3-Dichloropropene(cis and tran)	<5 ppb	EPA 8260

ppb = parts per billion

Signature: Michael Lapman

Michael Lapman
President

Reviewed By:

Sharon Houlahan

Sharon Houlahan, Director

State #: PH-0218 **ELAP #:** 11715

Ref Lab: ELAP#11301

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052338

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: MW-6

Site: MW-6

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701463

Matrix: Water

Date Analyzed	Test Name	Result	Method
02/17/07	p-Diethylbenzene	<5 ppb	EPA 8260
02/17/07	trans-1,3-Dichloropropene	<5 ppb	EPA 8260
02/17/07	cis-1,3-Dichloropropene	<5 ppb	EPA 8260
02/17/07	Freon 113	<5 ppb	EPA 8260
02/17/07	p-Ethyltoluene	<5 ppb	EPA 8260
02/17/07	4-Methyl-2-pentanone (MIBK)	<5 ppb	EPA 8260
02/17/07	Acrylonitrile	<5 ppb	EPA 8260
02/17/07	1,4-dioxane	<5 ppb	EPA 8260
02/17/07	tert-Butylbenzene	<5 ppb	EPA 8260
02/17/07	MTBE	<5 ppb	EPA 8260
02/17/07	Xylenes, Total	<5 ppb	EPA 8260
02/17/07	2-Hexanone	<5 ppb	EPA 8260
02/17/07	Vinyl Acetate	<5 ppb	EPA 8260
02/17/07	2-Butanone (MEK)	<5 ppb	EPA 8260
02/17/07	Carbon disulfide	<5 ppb	EPA 8260
02/17/07	Acetone	<5 ppb	EPA 8260
02/17/07	Vinyl chloride	<5 ppb	EPA 8260
02/17/07	1,2,4-Trimethylbenzene	<5 ppb	EPA 8260
02/17/07	1,3,5-Trimethylbenzene	<5 ppb	EPA 8260
02/17/07	1,2,3-Trichloropropane	<5 ppb	EPA 8260
02/17/07	Trichlorofluoromethane	<5 ppb	EPA 8260
02/17/07	Trichloroethene	<5 ppb	EPA 8260
02/17/07	1,1,2-Trichloroethane	<5 ppb	EPA 8260
02/17/07	1,1,1-Trichloroethane	<5 ppb	EPA 8260
02/17/07	1,2,4-Trichlorobenzene	<5 ppb	EPA 8260
02/17/07	1,2,3-Trichlorobenzene	<5 ppb	EPA 8260
02/17/07	Toluene	<5 ppb	EPA 8260
02/17/07	Tetrachloroethene	<5 ppb	EPA 8260
02/17/07	1,1,2,2-Tetrachloroethane	<5 ppb	EPA 8260
02/17/07	1,1,1,2-tetrachloroethane	<5 ppb	EPA 8260
02/17/07	Styrene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052338

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: MW-6

Site: MW-6

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701463

Matrix: Water

Date Analyzed	Test Name	Result	Method
02/17/07	n-Propylbenzene	<5 ppb	EPA 8260
02/17/07	Methylene Chloride	<5 ppb	EPA 8260
02/17/07	p-Isopropyltoluene	<5 ppb	EPA 8260
02/17/07	Isopropylbenzene	<5 ppb	EPA 8260
02/17/07	Hexachlorobutadiene	<5 ppb	EPA 8260
02/17/07	Ethylbenzene	<5 ppb	EPA 8260
02/17/07	1,1-Dichloropropene	<5 ppb	EPA 8260
02/17/07	2,2-Dichloropropane	<5 ppb	EPA 8260
02/17/07	1,3-Dichloropropane	<5 ppb	EPA 8260
02/17/07	1,2-Dichloropropane	<5 ppb	EPA 8260
02/17/07	trans-1,2-Dichloroethene	<5 ppb	EPA 8260
02/17/07	cis-1,2-Dichloroethene	<5 ppb	EPA 8260
02/17/07	1,1-Dichloroethene	<5 ppb	EPA 8260
02/17/07	1,2-Dichloroethane	<5 ppb	EPA 8260
02/17/07	1,1-Dichloroethane	<5 ppb	EPA 8260
02/17/07	Dichlorodifluoromethane	<5 ppb	EPA 8260
02/17/07	1,4-Dichlorobenzene	<5 ppb	EPA 8260
02/17/07	1,3-Dichlorobenzene	<5 ppb	EPA 8260
02/17/07	1,2-Dichlorobenzene	<5 ppb	EPA 8260
02/17/07	Dibromoethane	<5 ppb	EPA 8260
02/17/07	1,2-Dibromoethane	<5 ppb	EPA 8260
02/17/07	1,2-Dibromo-3-Chloropropane	<5 ppb	EPA 8260
02/17/07	4-Chlorotoluene	<5 ppb	EPA 8260
02/17/07	2-Chlorotoluene	<5 ppb	EPA 8260
02/17/07	Chloromethane	<5 ppb	EPA 8260
02/17/07	Chloroform	<5 ppb	EPA 8260
02/17/07	Chloroethane	<5 ppb	EPA 8260
02/17/07	Chlorodibromomethane	<5 ppb	EPA 8260
02/17/07	Chlorobenzene	<5 ppb	EPA 8260
02/17/07	Carbon tetrachloride	<5 ppb	EPA 8260
02/17/07	sec-Butylbenzene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:

JMS ID: 052338

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**

Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:

Sample's Information:

Sample ID: MW-6

Site: MW-6

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:

Time Collected:

Time Received: 3:30:00 PM

Temperature:

Lab No.: J0701463

Matrix: Water

Date Analyzed	Test Name	Result	Method
02/17/07	n-Butylbenzene	<5 ppb	EPA 8260
02/17/07	Bromomethane	<5 ppb	EPA 8260
02/17/07	Bromoform	<5 ppb	EPA 8260
02/17/07	Bromodichloromethane	<5 ppb	EPA 8260
02/17/07	Bromochloromethane	<5 ppb	EPA 8260
02/17/07	Bromobenzene	<5 ppb	EPA 8260
02/17/07	Benzene	<5 ppb	EPA 8260
02/17/07	Naphthalene	<5 ppb	EPA 8260
02/17/07	1,2,4,5-tetramethylbenzene	<5 ppb	EPA 8260
02/17/07	1,3-Dichloropropene(cis and tran)	<5 ppb	EPA 8260

ppb = parts per billion

Signature: Michael Lapman

Michael Lapman

President

Reviewed By:

Sharon Houlahan

Sharon Houlahan, Director

State #: PH-0218 ELAP #: 11715

Ref Lab: ELAP#11301

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052339

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: SP-5

Site: SP-5

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701464

Matrix: Soil

Date Analyzed	Test Name	Result	Method
02/16/07	p-Diethylbenzene	<5 ppb	EPA 8260
02/16/07	trans-1,3-Dichloropropene	<5 ppb	EPA 8260
02/16/07	cis-1,3-Dichloropropene	<5 ppb	EPA 8260
02/16/07	Freon 113	<5 ppb	EPA 8260
02/16/07	p-Ethyltoluene	<5 ppb	EPA 8260
02/16/07	4-Methyl-2-pentanone (MIBK)	<5 ppb	EPA 8260
02/16/07	Acrylonitrile	<5 ppb	EPA 8260
02/16/07	1,4-dioxane	<5 ppb	EPA 8260
02/16/07	tert-Butylbenzene	<5 ppb	EPA 8260
02/16/07	MTBE	<5 ppb	EPA 8260
02/16/07	Xylenes, Total	<5 ppb	EPA 8260
02/16/07	2-Hexanone	<5 ppb	EPA 8260
02/16/07	Vinyl Acetate	<5 ppb	EPA 8260
02/16/07	2-Butanone (MEK)	<5 ppb	EPA 8260
02/16/07	Carbon disulfide	<5 ppb	EPA 8260
02/16/07	Acetone	<5 ppb	EPA 8260
02/16/07	Vinyl chloride	<5 ppb	EPA 8260
02/16/07	1,2,4-Trimethylbenzene	<5 ppb	EPA 8260
02/16/07	1,3,5-Trimethylbenzene	<5 ppb	EPA 8260
02/16/07	1,2,3-Trichloropropane	<5 ppb	EPA 8260
02/16/07	Trichlorofluoromethane	<5 ppb	EPA 8260
02/16/07	Trichloroethene	<5 ppb	EPA 8260
02/16/07	1,1,2-Trichloroethane	<5 ppb	EPA 8260
02/16/07	1,1,1-Trichloroethane	<5 ppb	EPA 8260
02/16/07	1,2,4-Trichlorobenzene	<5 ppb	EPA 8260
02/16/07	1,2,3-Trichlorobenzene	<5 ppb	EPA 8260
02/16/07	Toluene	<5 ppb	EPA 8260
02/16/07	Tetrachloroethene	<5 ppb	EPA 8260
02/16/07	1,1,2,2-Tetrachloroethane	<5 ppb	EPA 8260
02/16/07	1,1,1,2-tetrachloroethane	<5 ppb	EPA 8260
02/16/07	Styrene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052339

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: SP-5

Site: SP-5

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701464

Matrix: Soil

Date Analyzed	Test Name	Result	Method
02/16/07	n-Propylbenzene	<5 ppb	EPA 8260
02/16/07	Methylene Chloride	<5 ppb	EPA 8260
02/16/07	p-Isopropyltoluene	<5 ppb	EPA 8260
02/16/07	Isopropylbenzene	<5 ppb	EPA 8260
02/16/07	Hexachlorobutadiene	<5 ppb	EPA 8260
02/16/07	Ethylbenzene	<5 ppb	EPA 8260
02/16/07	1,1-Dichloropropene	<5 ppb	EPA 8260
02/16/07	2,2-Dichloropropane	<5 ppb	EPA 8260
02/16/07	1,3-Dichloropropane	<5 ppb	EPA 8260
02/16/07	1,2-Dichloropropane	<5 ppb	EPA 8260
02/16/07	trans-1,2-Dichloroethene	<5 ppb	EPA 8260
02/16/07	cis-1,2-Dichloroethene	<5 ppb	EPA 8260
02/16/07	1,1-Dichloroethene	<5 ppb	EPA 8260
02/16/07	1,2-Dichloroethane	<5 ppb	EPA 8260
02/16/07	1,1-Dichloroethane	<5 ppb	EPA 8260
02/16/07	Dichlorodifluoromethane	<5 ppb	EPA 8260
02/16/07	1,4-Dichlorobenzene	<5 ppb	EPA 8260
02/16/07	1,3-Dichlorobenzene	<5 ppb	EPA 8260
02/16/07	1,2-Dichlorobenzene	<5 ppb	EPA 8260
02/16/07	Dibromoethane	<5 ppb	EPA 8260
02/16/07	1,2-Dibromoethane	<5 ppb	EPA 8260
02/16/07	1,2-Dibromo-3-Chloropropane	<5 ppb	EPA 8260
02/16/07	4-Chlorotoluene	<5 ppb	EPA 8260
02/16/07	2-Chlorotoluene	<5 ppb	EPA 8260
02/16/07	Chloromethane	<5 ppb	EPA 8260
02/16/07	Chloroform	<5 ppb	EPA 8260
02/16/07	Chloroethane	<5 ppb	EPA 8260
02/16/07	Chlorodibromomethane	<5 ppb	EPA 8260
02/16/07	Chlorobenzene	<5 ppb	EPA 8260
02/16/07	Carbon tetrachloride	<5 ppb	EPA 8260
02/16/07	sec-Butylbenzene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:

JMS ID: 052339

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**

Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:

Sample's Information:

Sample ID: SP-5

Site: SP-5

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:

Time Collected:

Time Received: 3:30:00 PM

Temperature:

Lab No.: J0701464

Matrix: Soil

Date Analyzed	Test Name	Result	Method
02/16/07	n-Butylbenzene	<5 ppb	EPA 8260
02/16/07	Bromomethane	<5 ppb	EPA 8260
02/16/07	Bromoform	<5 ppb	EPA 8260
02/16/07	Bromodichloromethane	<5 ppb	EPA 8260
02/16/07	Bromochloromethane	<5 ppb	EPA 8260
02/16/07	Bromobenzene	<5 ppb	EPA 8260
02/16/07	Benzene	<5 ppb	EPA 8260
02/16/07	Naphthalene	<5 ppb	EPA 8260
02/16/07	1,2,4,5-tetramethylbenzene	<5 ppb	EPA 8260
02/16/07	1,3-Dichloropropene(cis and tran)	<5 ppb	EPA 8260

ppb = parts per billion

Signature: Michael Lapman

Michael Lapman

President

Reviewed By:

Sharon Houlahan

Sharon Houlahan, Director

State #: PH-0218 ELAP #: 11715

Ref Lab: ELAP#11301

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052340

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: SP-6

Site: SP-6

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701465

Matrix: Soil

Date Analyzed	Test Name	Result	Method
02/16/07	p-Diethylbenzene	<5 ppb	EPA 8260
02/16/07	trans-1,3-Dichloropropene	<5 ppb	EPA 8260
02/16/07	cis-1,3-Dichloropropene	<5 ppb	EPA 8260
02/16/07	Freon 113	<5 ppb	EPA 8260
02/16/07	p-Ethyltoluene	<5 ppb	EPA 8260
02/16/07	4-Methyl-2-pentanone (MIBK)	<5 ppb	EPA 8260
02/16/07	Acrylonitrile	<5 ppb	EPA 8260
02/16/07	1,4-dioxane	<5 ppb	EPA 8260
02/16/07	tert-Butylbenzene	<5 ppb	EPA 8260
02/16/07	MTBE	<5 ppb	EPA 8260
02/16/07	Xylenes, Total	<5 ppb	EPA 8260
02/16/07	2-Hexanone	<5 ppb	EPA 8260
02/16/07	Vinyl Acetate	<5 ppb	EPA 8260
02/16/07	2-Butanone (MEK)	<5 ppb	EPA 8260
02/16/07	Carbon disulfide	<5 ppb	EPA 8260
02/16/07	Acetone	<5 ppb	EPA 8260
02/16/07	Vinyl chloride	<5 ppb	EPA 8260
02/16/07	1,2,4-Trimethylbenzene	<5 ppb	EPA 8260
02/16/07	1,3,5-Trimethylbenzene	<5 ppb	EPA 8260
02/16/07	1,2,3-Trichloropropane	<5 ppb	EPA 8260
02/16/07	Trichlorofluoromethane	<5 ppb	EPA 8260
02/16/07	Trichloroethene	<5 ppb	EPA 8260
02/16/07	1,1,2-Trichloroethane	<5 ppb	EPA 8260
02/16/07	1,1,1-Trichloroethane	<5 ppb	EPA 8260
02/16/07	1,2,4-Trichlorobenzene	<5 ppb	EPA 8260
02/16/07	1,2,3-Trichlorobenzene	<5 ppb	EPA 8260
02/16/07	Toluene	<5 ppb	EPA 8260
02/16/07	Tetrachloroethene	<5 ppb	EPA 8260
02/16/07	1,1,2,2-Tetrachloroethane	<5 ppb	EPA 8260
02/16/07	1,1,1,2-tetrachloroethane	<5 ppb	EPA 8260
02/16/07	Styrene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:
JMS ID: 052340

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**
Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:
Sample's Information:
Sample ID: SP-6

Site: SP-6

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:
Time Collected:
Time Received: 3:30:00 PM

Temperature:
Lab No.: J0701465

Matrix: Soil

Date Analyzed	Test Name	Result	Method
02/16/07	n-Propylbenzene	<5 ppb	EPA 8260
02/16/07	Methylene Chloride	<5 ppb	EPA 8260
02/16/07	p-Isopropyltoluene	<5 ppb	EPA 8260
02/16/07	Isopropylbenzene	<5 ppb	EPA 8260
02/16/07	Hexachlorobutadiene	<5 ppb	EPA 8260
02/16/07	Ethylbenzene	<5 ppb	EPA 8260
02/16/07	1,1-Dichloropropene	<5 ppb	EPA 8260
02/16/07	2,2-Dichloropropane	<5 ppb	EPA 8260
02/16/07	1,3-Dichloropropane	<5 ppb	EPA 8260
02/16/07	1,2-Dichloropropane	<5 ppb	EPA 8260
02/16/07	trans-1,2-Dichloroethene	<5 ppb	EPA 8260
02/16/07	cis-1,2-Dichloroethene	<5 ppb	EPA 8260
02/16/07	1,1-Dichloroethene	<5 ppb	EPA 8260
02/16/07	1,2-Dichloroethane	<5 ppb	EPA 8260
02/16/07	1,1-Dichloroethane	<5 ppb	EPA 8260
02/16/07	Dichlorodifluoromethane	<5 ppb	EPA 8260
02/16/07	1,4-Dichlorobenzene	<5 ppb	EPA 8260
02/16/07	1,3-Dichlorobenzene	<5 ppb	EPA 8260
02/16/07	1,2-Dichlorobenzene	<5 ppb	EPA 8260
02/16/07	Dibromoethane	<5 ppb	EPA 8260
02/16/07	1,2-Dibromoethane	<5 ppb	EPA 8260
02/16/07	1,2-Dibromo-3-Chloropropane	<5 ppb	EPA 8260
02/16/07	4-Chlorotoluene	<5 ppb	EPA 8260
02/16/07	2-Chlorotoluene	<5 ppb	EPA 8260
02/16/07	Chloromethane	<5 ppb	EPA 8260
02/16/07	Chloroform	<5 ppb	EPA 8260
02/16/07	Chloroethane	<5 ppb	EPA 8260
02/16/07	Chlorodibromomethane	<5 ppb	EPA 8260
02/16/07	Chlorobenzene	<5 ppb	EPA 8260
02/16/07	Carbon tetrachloride	<5 ppb	EPA 8260
02/16/07	sec-Butylbenzene	<5 ppb	EPA 8260

CONNECTICUT, NEW YORK AND NELAC CERTIFIED

 Toll Free 866-JMS-5097 | Corporate Fax 203-798-2408 | Lab Fax 203-798-2107 | www.jmsenvironmental.com

Impact Environmental: 06-210

Mailing Information:

Name: Impact Environmental
Address: 170 Keyland Ct

Collector's Information:

JMS ID: 052340

Name: Wenqing Fang

Address of site: 2655 Little Tor Rd

City: Bohemia

City: Not Specified

State: NY **Zip:** 11716

State: NY **Zip:**

Phone: (631) 269-8800 **Fax:** (631) 269-1599

Phone:

Sample's Information:

Sample ID: SP-6

Site: SP-6

Date Collected: 2/14/2007

Date Received: 2/15/2007

Preservative:

Time Collected:

Time Received: 3:30:00 PM

Temperature:

Lab No.: J0701465

Matrix: Soil

Date Analyzed	Test Name	Result	Method
02/16/07	n-Butylbenzene	<5 ppb	EPA 8260
02/16/07	Bromomethane	<5 ppb	EPA 8260
02/16/07	Bromoform	<5 ppb	EPA 8260
02/16/07	Bromodichloromethane	<5 ppb	EPA 8260
02/16/07	Bromochloromethane	<5 ppb	EPA 8260
02/16/07	Bromobenzene	<5 ppb	EPA 8260
02/16/07	Benzene	<5 ppb	EPA 8260
02/16/07	Naphthalene	<5 ppb	EPA 8260
02/16/07	1,2,4,5-tetramethylbenzene	<5 ppb	EPA 8260
02/16/07	1,3-Dichloropropene(cis and tran)	<5 ppb	EPA 8260

ppb = parts per billion

Signature: Michael Lapman

Michael Lapman

President

Reviewed By:

Sharon Houlahan

Sharon Houlahan, Director

State #: PH-0218 ELAP #: 11715

Ref Lab: ELAP#11301