

DAILY STATUS REPORT

Prepared By: Budhiono Riyanto

WEATHER	Snow		Rain		Overcast		Partly Cloudy		Bright Sun	X
TEMP.	< 32		32-50		50-70		70-85	X	>85	

NYSDEC BCP Site No:	C224392	Date:	7/14/2026
Project Name:	601-607 Union Street Site 601-607 Union Street, Brooklyn, NY		

Consultant: Vektor Consultants- Budhiono Riyanto	Personnel On-Site: KMI – Foundation/Excavation Contractor RYC Turbos – Piling Subcontractor
--	--

Work Activities Performed:

- KMI continued with concrete/asphalt demolition and excavated soil along Grids 1A through 4D.
- KMI installed two temporary buckets as water collection containers at the base of the trucking pad. The temporary buckets will be utilized until a ramp is built as excavation advances. Geotextile and plastic sheeting were then installed to ensure the collection of water at the trucking pad. ASTM #57 was then installed over the Geotextile fabric and plastic.
- KMI exported 43 truckloads (approximately 1,075 CY) of non-hazardous material from Grids WC-2A (0-4) and WC-1B (0-4) to Clean Earth of New Castle in New Castle, DE; and 19 truckloads (approximately 475 CY) of hazardous material from Grid WC-2B (0-4) to Clean Earth of North Jersey in Kearny, NJ.
- One upwind and two downwind CAMP stations were set up as described below.
- No odors or evidence of release were observed during the work.
- As part of the remedial program, to evaluate the remedy with respect to green and sustainable remediation principles, an environmental footprint analysis was completed. The environmental footprint analysis was completed using an accepted environmental footprint analysis calculator, SEFA (Spreadsheets for Environmental Footprint Analysis, USEPA). Water consumption, greenhouse gas emissions, renewable and non-renewable energy use, waste reduction, and material use were estimated, and goals for the project related to these green and sustainable remediation metrics. The following footprint was calculated at the Site. It was estimated that approximately 36,739 pounds of greenhouse gas emissions (GHG) emissions (carbon dioxide equivalents of global warming potential), 249 pounds of NOx emissions, 17 pounds of SOx emissions, 8 pounds of particulate matter (PM) emissions, and 2 pounds of hazardous air pollutants (HAPs) were emitted during the reporting period at the Site. The majority of the emitted pollutants were due to off-site scopes, including laboratory analysis.

Community Air Monitoring Program (CAMP)

Upwind and downwind CAMP stations were placed near the perimeters of the Site during intrusive work. A downwind CAMP was positioned in the southwestern portion of the Site, and a second downwind CAMP station was in the southern portion of the Site along the adjoining neighboring building. The upwind CAMP station was in the northeastern portion of the Site.

Background Levels (Initial Readings at Start of Day):

PID: 0.0 ppm Dust: 81.3 µg/m³

Highest Levels:

PID: 0.0 ppm Dust: 143.6 µg /m³

No Downwind Respirable Dust concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at a work area CAMP station.

No VOC concentrations were detected in exceedance of the New York State Department of Health Generic CAMP Response Levels at a work area CAMP station.

Problems Encountered

- None

Planned Activities for the Next Week/Month: 3,000-gallon AST removal, mobilization, C&D export and soil export sitewide, dewatering, foundation formwork

DISPOSAL QUANTITIES AND FACILITY DESTINATIONS

Facility # Name/ Location Type of Waste Solid <u>Or</u> Liquid	Clean Earth of North Jersey Kearny, NJ		Clean Earth of New Castle, New Castle, Delaware		Allocco Recycling LTD 540 Kingsland Avenue, Brooklyn, NY	
(Trucks, Cu.Yds. <u>Or</u> Gallons)	Trucks	Cu Yds	Trucks	Cu Yds	Trucks	Cu Yds
Today	19	~475	43	~1075	0	0
Total	19	~475	93	~2325	63	~1575

IMPORT QUANTITIES

Facility # Name/ Location Solid <u>Or</u> Liquid	Tilcon Mount Hope, NJ ASTM #57 ¾ Stone	
(Trucks, Cu.Yds.)	Trucks	Cu Yds
Today	0	0
Total	2	~50

SITE PLAN

SACKETT STREET




Photo Log

Photo 1:
View of excavation and trucking
activities from Grid 2B.



Photo 2:
View of the site looking southwest



Photo 3:
View of the excavation and trucking
activities along Grid 1B.



Photo 4:
View of the concrete and downwind
CAMP station.



Photo 5: View of drilling activities and the site looking northwest.



Photo 6:
View of temporary water collection buckets being installed at the base of trucking pad with geotextile fabric



Photo 7:
View of trucking pad installation with
plastic sheeting being installed over
geotextile fabric



Photo 8:
View of ASTM 57 being spread over
trucking pad



Truck Log

Load	Truck Company	Manifest #	No.	License Plate	Grid/Depth	Facility	Material Type	Volume (Est. CY)
1	JC Transport LLC.	3296495	61	AX286W	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
2	D&A Contracting LLC.	3296494	69	AX312S	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
3	JC Transport LLC.	3296493	62	AY176T	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
4	JC Transport LLC.	3296492	53	AX457D	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
5	JC Transport LLC.	3926491	51	AW463E	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
6	D&A Contracting LLC.	3296490	71	AZ512N	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
7	D&A Contracting LLC.	3296489	46	AZ221N	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
8	JC Transport LLC.	3296488	50	AW645W	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
9	JC Transport LLC.	3296487	69	AZ255J	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
10	JC Transport LLC.	3296486	60	AX287W	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
11	JC Transport LLC.	3296485	48	AW643W	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
12	JC Transport LLC.	3296484	71	AZ524P	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
13	D&A Contracting LLC.	3296483	46	AW727N	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
14	D&A Contracting LLC.	3296482	72	AX596U	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
15	JC Transport LLC.	3296481	59	AX932K	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
16	JC Transport LLC.	3296480	46	AW727N	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
17	JC Transport LLC.	3296479	72	AZ525P	WC2A (0'-4')	CE of New Castle	Non-Hazardous	~25
18	JC Transport LLC.	3296478	66	AZ252J	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
19	JC Transport LLC.	3296477	56	AZ254J	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
20	D&A Contracting LLC.	3296476	49	AX884E	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
21	JC Transport LLC.	3296475	58	AX385K	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
22	JC Transport LLC.	3296474	54	AX226E	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
23	JC Transport LLC.	3296473	56	AX228E	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
24	JC Transport LLC.	3296472	73	AZ526P	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
25	JC Transport LLC.	3296471	65	AZ251J	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
26	D&A Contracting LLC.	3296470	31	AZ233X	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
27	D&A Contracting LLC.	3296469	10	AZ783W	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
28	D&A Contracting LLC.	3296468	37	AU521N	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
29	D&A Contracting LLC.	3296467	6	AZ782W	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
30	JC Transport LLC.	3296466	61	AX286W	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25



31	JC Transport LLC.	3296465	62	AY176T	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
32	D&A Contracting LLC.	3296456	51	AX312S	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
33	JC Transport LLC.	3296457	53	AX457D	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
34	D&A Contracting LLC.	3296458	71	AX595U	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
35	D&A Contracting LLC.	3296459	46	AZ221N	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
36	JC Transport LLC.	3296460	50	AW645W	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
37	JC Transport LLC.	3296461	69	AZ255J	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
38	JC Transport LLC.	3296462	60	AW287W	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
39	JC Transport LLC.	3296463	48	AW643W	WC1B (0'-4')	CE of New Castle	Non-Hazardous	~25
40	D&A Contracting LLC.	020052217	77	AY760V	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
41	D&A Contracting LLC.	020052218	40	AU426R	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
42	D&A Contracting LLC.	020052219	50	AU330Y	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
43	D&A Contracting LLC.	020052218	50	AZ221N	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
44	D&A Contracting LLC.	020052220	41	AU427R	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
45	D&A Contracting LLC.	020052221	58	AW918X	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
46	D&A Contracting LLC.	020052222	78	AZ513N	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
47	D&A Contracting LLC.	020052223	73	AZ672W	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
48	D&A Contracting LLC.	020052224	34	AU435J	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
49	D&A Contracting LLC.	020052225	9	AS463U	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
50	D&A Contracting LLC.	020052226	77	AY760V	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
51	D&A Contracting LLC.	020052227	40	AU426R	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
52	D&A Contracting LLC.	020052228	58	AW918X	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
53	D&A Contracting LLC.	020052229	50	AU330Y	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
54	D&A Contracting LLC.	020052230	41	AU427R	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
55	D&A Contracting LLC.	020052231	73	AZ672W	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
56	D&A Contracting LLC.	020052232	34	AU435J	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
57	D&A Contracting LLC.	020052233	9	AS463U	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
58	D&A Contracting LLC.	020052234	78	AZ513N	WC2B (0'-4')	CE of North Jersey	Hazardous	~25
59	D&A Contracting LLC.	020052235	77	AY760V	WC2B (0'-4')	CE of North Jersey	Hazardous	~25

CAMP

vEKtor consultants	DAILY AIR MONITORING REPORT 601 Union Street Brooklyn, New York	07/14/2026	
		Rev. No. 0	Page 1 of 2
		Project Number:	
		Dust Action Level	150 µg/m ³
		VOC Action Level	5 ppm
555 8th Ave, Suite 2302 - New York, NY			


Weather Data Range for Work Day		Wind Direction	WSW	Relative Humidity (%)	40.0 - 75.0	Daily Rain Total (in)	0.00	Readings in the summary table and graphs below are the reported downwind concentrations.
Temperature (°F)	71.0 - 91.0	Wind Speed (MPH)	2.9 - 9.2	Barometer (inHg)	29.90 - 30.10	Avg. Dew Point Temp (°F)	65.8	

Station Location	Daily Avg. Dust Concentration ($\mu\text{g}/\text{m}^3$)	Max 15-Min Dust Concentration ($\mu\text{g}/\text{m}^3$)	Time of Max Dust Reading	Daily Avg. VOC Concentration (ppm)	Max 15-Min VOC Concentration (ppm)	Time of Max VOC Reading
Upwind	28.1	55.6	15:15	0.0	0.0	7:15
Downwind 1	41.2	143.6	14:45	0.0	0.0	7:15
Downwind 2	19.2	81.3	7:15	0.0	0.0	7:15



Air Monitoring Notes:

Weather Notes:



Tuesday, July 14, 2026						
Number of Instances Where Downwind Particulates Exceeds Upwind Particulate						0
Number of Comparable Data Points =						34
Start Time:						7:15
End Time:						15:30
PARTICULATE DATA						
Upwind		Downwind 1		Downwind 2		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ug/m ³)	Time	15-Min Avg Concentration (ug/m ³)	Time	15-Min Avg Concentration (ug/m ³)	
7:15	-0.9	7:15	31.0	7:15	81.3	-
7:30	26.1	7:30	31.4	7:30	63.1	-
7:45	2.7	7:45	38.6	7:45	41.5	-
8:00	0.7	8:00	36.8	8:00	37.7	-
8:15	3.5	8:15	31.9	8:15	42.1	-
8:30	1.5	8:30	35.7	8:30	39.3	-
8:45	2.0	8:45	33.9	8:45	54.2	-
9:00	2.1	9:00	42.2	9:00	59.1	-
9:15	2.3	9:15	34.5	9:15	40.1	-
9:30	1.0	9:30	31.3	9:30	36.8	-
9:45	2.2	9:45	48.1	9:45	45.0	-
10:00	41.1	10:00	45.2	10:00	17.8	-
10:15	46.7	10:15	44.4	10:15	3.6	-
10:30	38.2	10:30	37.4	10:30	3.0	-
10:45	40.6	10:45	36.8	10:45	4.2	-
11:00	35.2	11:00	35.0	11:00	4.3	-
11:15	36.2	11:15	39.2	11:15	3.9	-
11:30	35.8	11:30	37.6	11:30	4.3	-
11:45	38.1	11:45	38.1	11:45	5.7	-
12:00	33.9	12:00	35.9	12:00	2.6	-
12:15	37.7	12:15	32.2	12:15	2.1	-
12:30	38.7	12:30	36.5	12:30	3.0	-
12:45	42.5	12:45	37.2	12:45	3.1	-
13:00	36.9	13:00	62.2	13:00	3.7	-
13:15	37.1	13:15	37.3	13:15	4.1	-
13:30	36.2	13:30	37.2	13:30	3.1	-
13:45	40.0	13:45	40.2	13:45	6.6	-
14:00	38.8	14:00	36.5	14:00	6.4	-
14:15	38.2	14:15	40.0	14:15	10.7	-
14:30	40.2	14:30	36.4	14:30	7.6	-
14:45	49.4	14:45	143.6	14:45	4.4	-
15:00	40.4	15:00	47.2	15:00	3.4	-
15:15	55.6	15:15	38.2	15:15	2.5	-
15:30	46.0	15:30	31.3	15:30	3.1	-

Tuesday, July 14, 2026						
Number of Instances Where Downwind VOCs Exceeds Upwind VOCs + 5 =						0
Number of Comparable Data Points =						34
Start Time:						7:15
End Time:						15:30
PID DATA						
Upwind		Downwind 1		Downwind 2		Exceeds Particulate Alarm Limit
Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	Time	15-Min Avg Concentration (ppm)	
7:15	0.0	7:15	0.0	7:15	0.0	-
7:30	0.0	7:30	0.0	7:30	0.0	-
7:45	0.0	7:45	0.0	7:45	0.0	-
8:00	0.0	8:00	0.0	8:00	0.0	-
8:15	0.0	8:15	0.0	8:15	0.0	-
8:30	0.0	8:30	0.0	8:30	0.0	-
8:45	0.0	8:45	0.0	8:45	0.0	-
9:00	0.0	9:00	0.0	9:00	0.0	-
9:15	0.0	9:15	0.0	9:15	0.0	-
9:30	0.0	9:30	0.0	9:30	0.0	-
9:45	0.0	9:45	0.0	9:45	0.0	-
10:00	0.0	10:00	0.0	10:00	0.0	-
10:15	0.0	10:15	0.0	10:15	0.0	-
10:30	0.0	10:30	0.0	10:30	0.0	-
10:45	0.0	10:45	0.0	10:45	0.0	-
11:00	0.0	11:00	0.0	11:00	0.0	-
11:15	0.0	11:15	0.0	11:15	0.0	-
11:30	0.0	11:30	0.0	11:30	0.0	-
11:45	0.0	11:45	0.0	11:45	0.0	-
12:00	0.0	12:00	0.0	12:00	0.0	-
12:15	0.0	12:15	0.0	12:15	0.0	-
12:30	0.0	12:30	0.0	12:30	0.0	-
12:45	0.0	12:45	0.0	12:45	0.0	-
13:00	0.0	13:00	0.0	13:00	0.0	-
13:15	0.0	13:15	0.0	13:15	0.0	-
13:30	0.0	13:30	0.0	13:30	0.0	-
13:45	0.0	13:45	0.0	13:45	0.0	-
14:00	0.0	14:00	0.0	14:00	0.0	-
14:15	0.0	14:15	0.0	14:15	0.0	-
14:30	0.0	14:30	0.0	14:30	0.0	-
14:45	0.0	14:45	0.0	14:45	0.0	-
15:00	0.0	15:00	0.0	15:00	0.0	-
15:15	0.0	15:15	0.0	15:15	0.0	-
15:30	0.0	15:30	0.0	15:30	0.0	-

GSR EVALUATION

Remedial Oversight - Energy & Air Compiled Results

Category	Total Energy	GHG	NOx	SOx	PM	NOx + SOx + PM	HAPs
	MMbtus	lbs CO2e	lbs	lbs	lbs	lbs	lbs
On-site (Scope 1)	23	3,797	29	1	1	30	0
Grid Electricity Generation (Scope 2)	0.000	0	0	0	0	0	0
Transportation (Scope 3a)	174	28,161	211	7	4	222	0
Other Off-Site (Scope 3b)	27	4,781	10	10	3	23	2
Remedy Totals	225	36,739	249	17	8	275	2

Values that are forwarded to the "Summary" tab are indicated in orange.

Voluntary Renewable Energy Use	Unit	Quantity
On-site renewable energy generation or use	MMBtu	0
On-site biodiesel use	MMBtu	0
Biodiesel and other renewable resource use for transportation	MMBtu	0
On-site renewable energy generation or use + on-site biodiesel use + biodiesel and other renewable resource use for transportation	MMBtu	0
Voluntary purchase of renewable electricity	MWh	0
Voluntary purchase of RECs	MWh	0

(This value is the sum of the three rows above)

This worksheet is not intended for user input. Values on this worksheet are obtained from the following file:
SEFA_calculations_(121718).xlsx

Environmental Footprint Summary

Core Element	Metric		Unit of Measure	Footprint						
				Remedial Oversight	< Component 2 >	< Component 3 >	< Component 4 >	< Component 5 >	< Component 6 >	Total
Materials & Waste	M&W-1	Refined materials used on-site	Tons	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	M&W-2	% of refined materials from recycled or reused material	%							
	M&W-3	Unrefined materials used on-site	Tons	50.000	0.000	0.000	0.000	0.000	0.000	50.0
	M&W-4	% of unrefined materials from recycled or reused material	%	0.0%						0.0%
	M&W-5	On-site hazardous waste disposed of off-site	Tons	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	M&W-6	On-site non-hazardous waste disposed of off-site	Tons	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	M&W-7	Recycled or reused waste	Tons	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	M&W-8	% of total potential waste recycled or reused	%							
Water (used on-site)	W-1	Public water use	MG	0.1	0.0	0.0	0.0	0.0	0.0	0.1
	W-2	Groundwater use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-3	Surface water use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-4	Reclaimed water use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-5	Storm water use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-6	User-defined water resource #1	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-7	User-defined water resource #2	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Energy	W-8	Wastewater generated	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E-1	Total energy used (on-site and off-site)	MMBtu	224.8	0.0	0.0	0.0	0.0	0.0	224.8
	E-2	Energy voluntarily derived from renewable resources								
	E-2A	On-site renewable energy generation or use + on-site biodiesel use + biodiesel and other renewable resource use for transportation	MMBtu	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E-2B	Voluntary purchase of renewable electricity	MWh	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E-3	Voluntary purchase of RECs	MWh	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Air	E-4	On-site grid electricity use	MWh	0.000	0.000	0.000	0.000	0.000	0.000	0.0
	A-1	On-site NOx, SOx, and PM emissions	Pounds	30.2	0.0	0.0	0.0	0.0	0.0	30.2
	A-2	On-site HAP emissions	Pounds	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	A-3	Total NOx, SOx, and PM emissions	Pounds	274.9	0.0	0.0	0.0	0.0	0.0	274.9
	A-3A	Total NOx emissions	Pounds	249.5	0.0	0.0	0.0	0.0	0.0	249.5
	A-3B	Total SOx emissions	Pounds	17.2	0.0	0.0	0.0	0.0	0.0	17.2
	A-3C	Total PM emissions	Pounds	8.3	0.0	0.0	0.0	0.0	0.0	8.3
	A-4	Total HAP emissions	Pounds	1.7	0.0	0.0	0.0	0.0	0.0	1.7
Land & Ecosystems	A-5	Total greenhouse gas emissions	Tons CO2e*	18.4	0.0	0.0	0.0	0.0	0.0	18.4
	Qualitative Description									

* Total greenhouse gases emissions (in CO2e) include consideration of CO2, CH4, and N2O (Nitrous oxide) emissions.

"MMBtu" = millions of Btus

"MG" = millions of gallons

"CO2e" = carbon dioxide equivalents of global warming potential

"MWh" = megawatt hours (i.e., thousands of kilowatt-hours or millions of Watt-hours)

"Tons" = short tons (2,000 pounds)

The above metrics are consistent with EPA's Methodology for Understanding and Reducing a Project's Environmental Footprint (EPA 542-R-12-002), February 2012

Notes:

