



January 17, 2008

Mr. Andre Obligado  
New York State Dept. Of Environmental Conservation  
Div. of Environmental Remediation  
Region 2 Office  
47-40 21<sup>st</sup> Street  
Long Island City, NY 11101-5407

**Re: 215 Moore Street  
Brooklyn, NY  
Spill # 0312904**

NYS DEC REGION 2  
RECEIVED

2008 JAN 22 PM 1:10

Dear Mr. Obligado:

Enclosed, please find the third quarter sampling results for the above referenced property. Based on the information contained therein, RND Services Inc. is requesting closure of the associated spill number. As requested, a sensitive potential receptor survey will be forwarded shortly under separate cover. If you have any questions, please do not hesitate to give me a call.

Sincerely,

A handwritten signature in blue ink, appearing to read "Sharima Ryan", is written over the word "Sharima Ryan" in the typed name block below.

Sharima Ryan

cc: David Hillcoat, Cooper Tank and Welding

Ref: z//let-cov/215MooreStNYSDEC011708

Tuesday, October 16, 2007

Mr. Dave Hillcoat  
Cooper Tank & Welding Corp.  
215 Moore Street  
Brooklyn, NY 11206  
Phone: 718-497-4431  
Fax: 718-497-7567

**Re:   Cooper Tank and Welding**  
**215 Moore Street**  
**Brooklyn, NY 11206**  
**Groundwater Sampling Report – Third Quarter**  
**NYSDEC Spill # 0312904**

Dear Mr. Hillcoat:

On July 19, 2007 RND Services Inc. (RND) collected groundwater samples from four (4) previously installed 6-inch sump wells at the above referenced location. The samples were collected to satisfy the requirements of the New York State Department of Environmental Conservation (NYSDEC) as outlined in their letter included in **Attachment 1** dated January 10, 2007. The four (4) sump wells, MW-1, MW-2, MW-3 and MW-4 were installed on February 24, 2004 as the excavation from an underground storage tank removal project was being backfilled. The wells are situated on a gravel base and are slotted from 5 to 12 feet below grade and are surrounded by gravel pack. The wells are finished at grade with a manhole cover installed in the concrete floor.

On July 19, 2007 the depth to water was measured for each well using an oil/water interface probe. The depth to water measured for the wells on July 19 was as follows: MW-1 – 4.20' below grade; MW-2 – 4.23' below grade; MW-3 – 4.09' below grade; and MW-4 – 4.36' below grade. No separate phase product or petroleum odor was observed in any of the wells. The four (4) wells were purged of three well volumes using a peristaltic pump, Solinst model 410. All purged well water from this and previous sampling events were stored in DOT certified 55 gallon drums and left on site until they were picked up on July 20, 2007 by Allstate ORC of West Milford, New Jersey. The drum pick up receipt is included as **Attachment 2**. Sampling was completed using the peristaltic pump for all wells. Tubing was changed after each purging session and sampling event to ensure sample integrity. Each sample was analyzed for volatile organic compounds (VOC) using EPA Method 8260. The sample results are included in the attached **Table 1** (along with results from previous sampling events) and the well gauging data is provided in **Table 2**. The laboratory data is included as **Attachment 3**. Site location maps are included as **Figures 1 and 1A** and the well locations are shown on **Figure 2**, General Site Plan.



The results for MW-1 indicate six (6) targeted volatile organic compounds above the NYSDEC TAGM Groundwater Standards Criteria (GSC). The listed compounds are 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Ethylbenzene, Naphthalene, o-Xylenes and p- & m- Xylenes. Except for naphthalene (which increased in concentration), all compounds have remained relatively constant or exhibited a slight decrease since the initial sampling on 11/1/06.

The results for MW-2 indicated no detectable level of volatile organic compounds which was confirmed by the laboratory by reanalyzing the sample.

MW-3 indicated five (5) volatile organic compounds above the GSC. The listed compounds are 1,2,4-Trimethylebenzene, 1,3,5-Trimethylebenzene, Ethylbenzene, Naphthalene and o-Xylenes. Except for p & m-xylenes which were non-detect, all compounds showed a slight increase in concentration.

As in MW-1, MW-2 and MW-3, the results for MW-4 indicate the recurring six (6) targeted volatile organic compounds above the GSC. The results for all four sampling events have remained constant in this well.

In summation, the contaminant levels have remained relatively constant in three of the four wells for the three quarters sampled; there has been a slight increase in contaminant levels in MW-3. Based on the analytical trends observed and the absence of floating product in the wells RND will request closure of spill number 03-12904. As outlined in the NYSDEC correspondence included as **Attachment 1**, a sensitive receptor survey must also be submitted with the request for closure. This will be submitted under separate cover. If you have any questions, please do not hesitate to call.

Sincerely,



Sharima Ryan

cc: Mr. Andre Obligado

Encl. (6)



Cooper Tank

Warehouse

Offices

White Street

Area of Former Excavation  
& Location of Wells

250'

Moore Street



**RND**  
Services Inc.

10 Waldron Avenue  
Nyack, NY 10960

215 Moore Street  
Brooklyn, NY

Installation Date:

RND Project No.:

Scale:

NA

Drawing No.:

Figure 1A



**TABLE 1**  
**Groundwater Sample Results**  
**Cooper Tank**  
**215 Moore Street**

Sample Location	MW-1				MW-2				MW-3				MW-4				NYSDEC TAGM Groundwater Standards Criteria (ug/L)
Laboratory Identification	06110118-01	07040124-01	07070717-01		06110118-02	07040124-02	07070717-02		06110118-03	07040124-03	07070717-03		06040577-01	06110118-04	07040124-04	07070717-04	
Date Sampled	11/1/2006	4/3/2007	7/19/2007		11/1/2006	4/3/2007	7/19/2007**		11/1/2006	4/3/2007	7/19/2007		4/18/2006*	11/1/2006	4/3/2007	7/19/2007	
Volatile Organic Compounds (ug/L)																	
1,2,4-Trimethylebenzene	34	38	38		24	29	ND		9	25	30		39	38	36	41	5.0
1,3,5-Trimethylebenzene	10	11	10		8	12	ND		ND	5	8		12	12	12	12	5.0
Ethylbenzene	7	10	8		5	ND	ND		ND	ND	16		5	6	5	6	5.0
Naphthalene	56	53	76		72	63	ND		25	33	54		67	75	67	74	10.0
o-Xylenes	11	14	12		9	7	ND		ND	7	9		10	10	9	10	5.0
p- & m- Xylenes	21	24	23		13	12	ND		ND	12	ND		19	19	17	19	5.0

Notes:

Only those compounded detected are indicated.

Shaded areas indicate levels exceed the NYSDEC Technical and Administrative Guidance Memorandum (TAGM) No. 4046 Groundwater Standards Criteria

ND - Not Detected

ug/L - micrograms per liter

\* Results are from 4/18/06 sampling event. Only MW-4 was sampled on this day.

\*\* Results confirmed by reanalyzing sample

# Monitor and Bail Record Cooper Tank

Table 2

Date	7/19/2007	Initials	J.W.
Location	215 Moore Street Brooklyn, NY	Sample Method	Peristaltic Pump
		Analyses	VOC 8260

**RND**  
Services Inc

Location	Depth of Well (ft)	Depth to Product	Depth to Water (ft)	Begin Purge Time	End Purge Time	Volume of Water Purged	Sample Time
MW-01	8.52	Not Detected	4.20	3:10 PM	4:00 PM	≈13 gallons	4:05 PM
MW-02	8.32	Not Detected	4.23	1:40 PM	3:00 PM	≈14 gallons	3:05 PM
MW-03	8.13	Not Detected	4.09	12:25 PM	1:35 PM	≈14 gallons	1:35 PM
MW-04	8.41	Not Detected	4.36	11:00 AM	12:15 PM	≈14 gallons	12:20 PM

Notes:

**ATTACHMENT 1**  
**NYSDEC CORRESPONDENCE**



**New York State Department of Environmental Conservation**  
**Division of Environmental Remediation, Region 2**

47-40 21<sup>st</sup> Street, Long Island City, NY 11101-5407

Phone: (718) 482-6412 • FAX: (718) 482-6390

Website: [www.dec.state.ny.us](http://www.dec.state.ny.us)



Denise M. Sheehan  
Commissioner

January 10, 2007

Adrienne Cooper  
Cooper Tank and Welding  
215 Moore Street  
Brooklyn, NY 11206

Re: 215 Moore Street, Brooklyn, NY  
Spill # 0312904

Dear Ms. Cooper:

The New York State Department of Environmental Conservation (the Department) has received and reviewed the ground water sampling report dated November 28, 2006, submitted by RND Services, Inc. According to the report, ground water has been found to be contaminated with petroleum in excess of ground water standards in all 4 monitoring wells at the site. The Department requires that the 4 monitoring wells be gauged for the presence of LNAPL and sampled for VOCs according to EPA method 8260 on a quarterly basis for at least 2 more quarters. After 2 more quarters of ground water monitoring, if contaminant concentration trends remain level or are decreasing and no floating product is detected a sensitive receptor survey and petition for spill closure can be submitted.

The results of the 1<sup>st</sup> Quarter 2007 monitoring report must be submitted by March 31, 2007. If you wish to discuss this letter, please call my office at (718) 482-6412.

Sincerely,

Andre Obligado  
Engineering Geologist  
Environmental Remediation Division  
Region 2

cc: S. Ryan (RND Services)

845 348 1791

**ATTACHMENT 2**  
**DRUM PICK UP RECEIPT**

(973) 696-3122

PA/AH/0564/ CT-HW-658  
DEP # - S50015/JA-389  
EPA # - NJD 986588630



140616

All State O.R.C. Inc.  
473 Hamburg Tpke.  
West Milford, N.J. 07480

CUSTOMER'S ORDER NO.		PHONE	DATE	
NAME		7-20-01		
ADDRESS				
45 Morris St				
Brooklyn NY				
YARD TIME OUT		YARD TIME IN		
IN	OUT	DESCRIPTION	CHECK #	AMOUNT DUE
		GENERATOR #		
		MANIFEST #		
		DRIVER NAME		
		Jason Chock		
		#103		
		#104 VAC TR.		
		# 105 RACK TRUCK		
		#107		
		#108		
		#110 VACTOR		
		#111 CARRIER		
		#112 CARRIER		
		WASTE DESCRIPTION		
		GALLONS #		
		Detecol 4		
		SS- Trunk of Pige		
		water		
RECEIVED BY			TAX	
			TOTAL	

W. SAUNDERS PRINTING - 239-1386  
CEDAR GROVE, NJ 141712-BT  
CLC 4070-S

Thank You



**ATTACHMENT 3**  
**LABORATORY DATA**

# Technical Report

prepared for:

**RND Services, Inc.**  
10 Waldron Avenue  
Nyack, NY 10960  
Attention: James Wilson

Report Date: 7/27/2007  
***Re: Client Project ID: Cooper Tank***  
York Project No.: 07070717

CT License No. PH-0723

New York License No. 10854



**RND Services, Inc.**  
10 Waldron Avenue  
Nyack, NY 10960  
Attention: James Wilson

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 07/24/07. The project was identified as your project "Cooper Tank".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			MW-1		MW-2	
York Sample ID			07070717-01		07070717-02	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List	SW846-8260	ug/L	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,1-Dichloropropylene			Not detected	5.0	Not detected	5.0
1,2,3-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2,3-Trichloropropane			Not detected	5.0	Not detected	5.0
1,2,3-Trimethylbenzene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2,4-Trimethylbenzene			38	5.0	Not detected	5.0
1,2-Dibromo-3-chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0

**YORK**



Client Sample ID			MW-1		MW-2	
York Sample ID			07070717-01		07070717-02	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
1,2-Dichloroethylene (Total)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3,5-Trimethylbenzene			10	5.0	Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,3-Dichloropropane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1-Chlorohexane			Not detected	5.0	Not detected	5.0
2,2-Dichloropropane			Not detected	5.0	Not detected	5.0
2-Chlorotoluene			Not detected	5.0	Not detected	5.0
4-Chlorotoluene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromobenzene			Not detected	5.0	Not detected	5.0
Bromochloromethane			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropylene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dibromomethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			8	5.0	Not detected	5.0
Hexachlorobutadiene			Not detected	5.0	Not detected	5.0
Isopropylbenzene			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
MTBE			Not detected	5.0	Not detected	5.0
Naphthalene			76	5.0	Not detected	5.0
n-Butylbenzene			Not detected	5.0	Not detected	5.0
n-Propylbenzene			Not detected	5.0	Not detected	5.0
o-Xylene			12	5.0	Not detected	5.0
p- & m-Xylenes			23	5.0	Not detected	5.0
p-Isopropyltoluene			Not detected	5.0	Not detected	5.0
sec-Butylbenzene			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
tert-Butylbenzene			Not detected	5.0	Not detected	5.0
Tetrachloroethylene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0

**YORK**



Client Sample ID			MW-3		MW-4	
York Sample ID			07070717-03		07070717-04	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles, 8260 List	SW846-8260	ug/L	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,1-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0	Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethane			Not detected	5.0	Not detected	5.0
1,1-Dichloroethylene			Not detected	5.0	Not detected	5.0
1,1-Dichloropropylene			Not detected	5.0	Not detected	5.0
1,2,3-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2,3-Trichloropropane			Not detected	5.0	Not detected	5.0
1,2,3-Trimethylbenzene			Not detected	5.0	Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0	Not detected	5.0
1,2,4-Trimethylbenzene			30	5.0	41	5.0
1,2-Dibromo-3-chloropropane			Not detected	5.0	Not detected	5.0
1,2-Dibromoethane			Not detected	5.0	Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,2-Dichloroethane			Not detected	5.0	Not detected	5.0
1,2-Dichloroethylene (Total)			Not detected	5.0	Not detected	5.0
1,2-Dichloropropane			Not detected	5.0	Not detected	5.0
1,3,5-Trimethylbenzene			8	5.0	12	5.0
1,3-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1,3-Dichloropropane			Not detected	5.0	Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0	Not detected	5.0
1-Chlorohexane			Not detected	5.0	Not detected	5.0
2,2-Dichloropropane			Not detected	5.0	Not detected	5.0
2-Chlorotoluene			Not detected	5.0	Not detected	5.0
4-Chlorotoluene			Not detected	5.0	Not detected	5.0
Benzene			Not detected	5.0	Not detected	5.0
Bromobenzene			Not detected	5.0	Not detected	5.0
Bromochloromethane			Not detected	5.0	Not detected	5.0
Bromodichloromethane			Not detected	5.0	Not detected	5.0
Bromoform			Not detected	5.0	Not detected	5.0
Bromomethane			Not detected	5.0	Not detected	5.0
Carbon tetrachloride			Not detected	5.0	Not detected	5.0
Chlorobenzene			Not detected	5.0	Not detected	5.0
Chloroethane			Not detected	5.0	Not detected	5.0
Chloroform			Not detected	5.0	Not detected	5.0
Chloromethane			Not detected	5.0	Not detected	5.0
cis-1,3-Dichloropropylene			Not detected	5.0	Not detected	5.0
Dibromochloromethane			Not detected	5.0	Not detected	5.0
Dibromomethane			Not detected	5.0	Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0	Not detected	5.0
Ethylbenzene			16	5.0	6	5.0
Hexachlorobutadiene			Not detected	5.0	Not detected	5.0
Isopropylbenzene			Not detected	5.0	Not detected	5.0
Methylene chloride			Not detected	5.0	Not detected	5.0
MTBE			Not detected	5.0	Not detected	5.0
Naphthalene			54	5.0	74	5.0
n-Butylbenzene			Not detected	5.0	Not detected	5.0
n-Propylbenzene			Not detected	5.0	Not detected	5.0

**YORK**

Client Sample ID			MW-3		MW-4	
York Sample ID			07070717-03		07070717-04	
Matrix			WATER		WATER	
Parameter	Method	Units	Results	MDL	Results	MDL
o-Xylene			9	5.0	10	5.0
p- & m-Xylenes			Not detected	5.0	19	5.0
p-Isopropyltoluene			Not detected	5.0	Not detected	5.0
sec-Butylbenzene			Not detected	5.0	Not detected	5.0
Styrene			Not detected	5.0	Not detected	5.0
tert-Butylbenzene			Not detected	5.0	Not detected	5.0
Tetrachloroethylene			Not detected	5.0	Not detected	5.0
Toluene			Not detected	5.0	Not detected	5.0
trans-1,3-Dichloropropylene			Not detected	5.0	Not detected	5.0
Trichloroethylene			Not detected	5.0	Not detected	5.0
Trichlorofluoromethane			Not detected	5.0	Not detected	5.0
Vinyl chloride			Not detected	5.0	Not detected	5.0

**Units Key:**


For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

**Notes for York Project No. 07070717**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:

  
Robert Q. Bradley  
Managing Director

Date: 7/27/2007

**YORK**



# YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE STRATFORD, CT 06615  
(203) 325-1371 FAX (203) 357-0166

## Field Chain-of-Custody Record

Page 1 of 1

Company Name

RND Services Inc.

Report To:

James Wilson

Invoice To:

James Wilson

Project ID/No.

Cooper Tank

Samples Collected By (Signature)

James Wilson

Sample No.

Location/ID

Date Sampled

Sample Matrix

Water Soil Air OTHER

ANALYSES REQUESTED

Container Description(s)

Name (Printed)

1

MW-1

7/19/07

X

VOC EPA Method 8260

(2) 40 mL

2

MW-2

7/19/07

X

VOC EPA Method 8260

(2) 40 mL

3

MW-3

7/19/07

X

VOC EPA Method 8260

(2) 40 mL

4

MW-4

7/19/07

X

VOC EPA Method 8260

(2) 40 mL

### Chain-of-Custody Record

Bottles Relinquished from Lab by

Date/Time

Sample Relinquished by

Date/Time

Bottles Received in Field by

Date/Time

Sample Relinquished by

Date/Time

Comments/Special Instructions

Turn-Around Time

X Standard

RUSH(define)

Sample Received by

Date/Time

Sample Received in LAB by

Date/Time

Turn-Around Time

X Standard

RUSH(define)

# Technical Report

prepared for:

**RND Services, Inc.**  
**10 Waldron Avenue**  
**Nyack, NY 10960**  
**Attention: James Wilson**

Report Date: 8/7/2007  
***Re: Client Project ID: Cooper Tank***  
York Project No.: 07070717 A (Retest -02)

CT License No. PH-0723

New York License No. 10854



Report Date: 8/7/2007  
Client Project ID: Cooper Tank  
York Project No.: 07070717 A (Retest -02)

**RND Services, Inc.**  
10 Waldron Avenue  
Nyack, NY 10960  
Attention: James Wilson

## Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 07/24/07. The project was identified as your project "Cooper Tank".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

## Analysis Results

Client Sample ID			MW-2	
York Sample ID			07070717-02	
Matrix			WATER	
Parameter	Method	Units	Results	MDL
Volatiles, 8260 List	SW846-8260	ug/L	---	---
1,1,1,2-Tetrachloroethane			Not detected	5.0
1,1,1-Trichloroethane			Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0
1,1-Dichloroethane			Not detected	5.0
1,1-Dichloroethylene			Not detected	5.0
1,1-Dichloropropylene			Not detected	5.0
1,2,3-Trichlorobenzene			Not detected	5.0
1,2,3-Trichloropropane			Not detected	5.0
1,2,3-Trimethylbenzene			Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0
1,2,4-Trimethylbenzene			Not detected	5.0
1,2-Dibromo-3-chloropropane			Not detected	5.0
1,2-Dibromoethane			Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0
1,2-Dichloroethane			Not detected	5.0

**YORK**



Client Sample ID			MW-2	
York Sample ID			07070717-02	
Matrix			WATER	
Parameter	Method	Units	Results	MDL
1,2-Dichloroethylene (Total)			Not detected	5.0
1,2-Dichloropropane			Not detected	5.0
1,3,5-Trimethylbenzene			Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0
1,3-Dichloropropane			Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0
1-Chlorohexane			Not detected	5.0
2,2-Dichloropropane			Not detected	5.0
2-Chlorotoluene			Not detected	5.0
4-Chlorotoluene			Not detected	5.0
Benzene			Not detected	5.0
Bromobenzene			Not detected	5.0
Bromochloromethane			Not detected	5.0
Bromodichloromethane			Not detected	5.0
Bromoform			Not detected	5.0
Bromomethane			Not detected	5.0
Carbon tetrachloride			Not detected	5.0
Chlorobenzene			Not detected	5.0
Chloroethane			Not detected	5.0
Chloroform			Not detected	5.0
Chloromethane			Not detected	5.0
cis-1,3-Dichloropropylene			Not detected	5.0
Dibromochloromethane			Not detected	5.0
Dibromomethane			Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0
Ethylbenzene			Not detected	5.0
Hexachlorobutadiene			Not detected	5.0
Isopropylbenzene			Not detected	5.0
Methylene chloride			Not detected	5.0
MTBE			Not detected	5.0
Naphthalene			Not detected	5.0
n-Butylbenzene			Not detected	5.0
n-Propylbenzene			Not detected	5.0
o-Xylene			Not detected	5.0
p- & m-Xylenes			Not detected	5.0
p-Isopropyltoluene			Not detected	5.0
sec-Butylbenzene			Not detected	5.0
Styrene			Not detected	5.0
tert-Butylbenzene			Not detected	5.0
Tetrachloroethylene			Not detected	5.0
Toluene			Not detected	5.0
trans-1,3-Dichloropropylene			Not detected	5.0
Trichloroethylene			Not detected	5.0
Trichlorofluoromethane			Not detected	5.0
Vinyl chloride			Not detected	5.0

**Units Key:**

For Waters/Liquids: mg/L = ppm ; ug/L = ppb


For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

**YORK**

**Notes for York Project No. 07070717 A (Retest -02)**

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.


Approved By:

  
for Robert Q. Bradley  
Managing Director

Date: 7/27/2007

**YORK**



Company Name	Report To:	Invoice To:	Project ID/No.	 Samples Collected By (Signature)	James Wilson Name (Printed)
RND Services Inc.	James Wilson	James Wilson	Cooper Tank		
Sample No.	Location/ID	Date Sampled	Sample Matrix		

[illegible]

Chain-of-Custody Record			
Bottles Relinquished from Lab by	Date/Time	Sample Relinquished by	Date/Time
		S. Ryan	1/23/07
Bottles Received in Field by	Date/Time	Sample Relinquished by	Date/Time
Comments/Special Instructions		Sample Received by	Date/Time
		Sample Received in LAB by	Date/Time
		Turn-Around Time	
		<input checked="" type="checkbox"/> Standard	RUSH(define)