Greenpoint Lumber Yard

BROOKLYN, NEW YORK

Supplemental Subsurface (Phase II) Investigation Report

AKRF Project Number: 30260

Prepared for:

Park Tower Realty Corp.
499 Park Avenue
New York, New York 10022

Prepared by:

AKRF, Inc.
116 East 27th Street, 7th Floor
New York, NY 10016
646-459-3500

APRIL 2004

EXECUTIVE SUMMARY

The Greenpoint Lumber Yard Site (Project Site or Site) is an approximately 20+-acre, mostly paved parcel of waterfront property in the Greenpoint neighborhood of Brooklyn, New York. The Project Site consists of Tax Block 2472, Lots 2, 32, and 100; Tax Block 2494, Lot 1; Tax Block 2502, Lot 1; Tax Block 2510, Lot 1; and Tax Block 2520, Lot 57.

AKRF, Inc. has performed three environmental studies on the Greenpoint Lumber Yard site since 2001, including a Phase I Environmental Site Assessment dated July 2001, a Phase II Subsurface Investigation dated October 2001 and a Supplemental Subsurface (Phase II) Investigation dated September 2003. The studies were conducted consistent with applicable requirements of the American Society for Testing and Materials (ASTM). The Phase I Environmental Site Assessment assessed the project site's 100-year industrial history, including use as a lumber yard and an on-site extract and chemical company. The Phase I noted that current site uses included auto parking and auto and machine repair and it identified several potential underground storage tanks on the property. To determine whether these environmental conditions had affected soil and groundwater conditions on the Greenpoint Lumber Yard site, two subsurface investigations were performed.

A total of 61 soil samples and 16 groundwater samples were collected and analyzed during the 2001 Phase II Site Investigation (19 soil and 5 groundwater) and the 2003 Supplemental Subsurface (Phase II) Investigation (42 soil and 11 groundwater samples). No widespread contamination from former site uses was detected during these studies. Site conditions were found to be generally consistent with background conditions on other urban waterfront sites containing historic urban fill.

There were only limited areas in which soil or groundwater exceeded applicable guidance or standards, all of which can be mitigated through well-established methods. Of the 61 soil samples collected, concentrations of polychlorinated biphenyls (PCBs), pesticides and/or total semivolatile organic compounds (SVOCs), particularly polynuclear aromatic hydrocarbons (PAHs), above the New York State Department of Environmental Conservation's (NYS DEC's) Technical and Administrative Guidance Manual (TAGM) 4046 Recommended Soil Cleanup Objectives (RSCOs) were detected in two soil sample locations located in the central portion of the site, between Freeman and Dupont Streets. No areas of concern were detected in the southern or northern portions of the site. At one of these locations, PCBs and pesticides were detected in a surface soil sample; however, PCBs and pesticides were not detected in soil samples collected from a deeper interval in this boring, indicating that contamination in this boring is vertically limited. At the second location, evidence of cresote, a product commonly used in wood preservation, was detected in a subsurface soil sample. Of the 61 soil samples analyzed on the Greenpoint Lumber Yard Site, this is the only location where contamination likely resulting from former site usage as a lumber yard was detected at concentrations exceeding the TAGM. Individual SVOCs and metals were detected in most soil samples at concentrations above TAGM RSCOs, but within ranges typical of urban fill material.

VOCs and SVOCs were detected in four groundwater monitoring wells at concentrations exceeding NYS DEC groundwater standards, which are intended to apply to potable water supplies only. One well, situated in the southeast portion of the site near a former gasoline pump and associated underground storage tank(s), is located in an upgradient location with respect to groundwater on the site; contamination detected in this well is likely related to a petroleum leak from the nearby former pump and tank(s). Two of the other three wells in which contamination was detected were also located in upgradient locations with respect to groundwater on the project site; it is likely that contamination in these two wells is from off-site sources. Contamination detected in the fourth well, located in the northwest portion of the site and downgradient with respect to groundwater, could be from on- or off-site sources. Based on this data, groundwater remediation is not anticipated. The types and concentrations of contaminants detected in

groundwater above NYS DEC's Class GA Standards are not indicative of contamination from former on-site uses and are not unusual for urban areas. Although remediation is not anticipated, groundwater monitoring may be required by the State in areas where spills have been reported to assure the removal of the source has led to stabilization or improvement of the limited groundwater contamination.

In accordance with NYS DEC reporting requirements, in 2001 a spill was reported to this agency for petroleum contamination in the vicinity of the boring and well located near a former gasoline pump and associated underground storage tank(s). Remediation of the spill must be coordinated with NYS DEC's spills group in accordance with petroleum-contaminated soil guidance policies provided in the agency's Division of Environmental Remediation's DRAFT DER-10, Technical Guidance for Site Investigation and Remediation (December 2002) and TAGM 4046. Following tank removal, spill remediation will likely include excavation and off-site disposal of petroleum-contaminated soil and the collection and analysis of endpoint samples and may include groundwater monitoring. The execution of an Administrative Order on Consent or Stipulation may be required by the State for the spill remediation. When NYS DEC is satisfied with the remediation, a No Further Action letter will be issued and the spill listing will be effectively closed. Based on the results of the two subsurface investigations, no other New York State regulatory agency involvement would be required.

New York City has proposed rezoning an area along the Brooklyn Waterfront that includes the Greenpoint Lumber Yard site. The rezoning action requires review under the City Environmental Quality Review (CEQR) process. It is anticipated that because of its industrial waterfront history, the individual lots that comprise the site will receive E-designations as part of the rezoning. E-designations require that, prior to redevelopment, further investigation and remediation, if required, be performed on the subject lot with approval from the New York City Department of Environmental Protection (NYC DEP). New York City Department of Buildings (NYC DOB) permits will be withheld until NYC DEP is satisfied with proposed remedial activities, if required, and certificates of occupancy will be withheld until NYC DEP is satisfied with the remediation.

On sites like the Greenpoint Lumber Yard site, where a Phase I and Phase II have already been performed, the final reports for these studies can be submitted to NYC DEP for review and approval. It is likely that NYC DEP will require further investigation to confirm the findings of the two subsurface investigations. It is anticipated that remediation, which would likely consist of tank and hot spot removal and capping, could take place during general excavation for the proposed project. NYC DEP will likely require the removal of the two hotspots identified by the subsurface investigations and the underground storage tanks (USTs) suspected in the Phase I ESA. Reports documenting these activities would be prepared and submitted to both the NYC DEP and the NYS DEC Spills Group. These remedial actions could satisfy DEP, but it is possible that capping of the entire Greenpoint Lumber Yard site with either paved surfaces and/or building foundations or two feet of imported clean fill material in landscaped areas would be required to eliminate the exposure pathways of ingestion and/or inhalation of contaminants in fill material that may remain in the ground after the project is complete.

Construction for the proposed project will be performed under the provisions of a Construction Health and Safety Plan, which will be required by NYC DEP. The Construction Health and Safety Plan (CHASP) will be tailored specifically to the proposed development on the Greenpoint Lumber Yard site and will establish practices and procedures to protect the health of construction personnel and others during implementation of work involving potential or known contamination on the site.

During general excavation for the site, it is anticipated that most soil on the site could be disposed of as construction and demolition debris. Areas of contamination may require disposal as petroleum-contaminated or non-hazardous contaminated material. Based on sampling results from the two subsurface investigations, none of the soil tested to date would require disposal as a hazardous waste.

TABLE OF CONTENTS

EXECUTIVE SUMMARY i
1.0 INTRODUCTION 1
2.0 PROJECT SITE DESCRIPTION 1
3.0 PREVIOUS STUDIES 1
3.1 PHASE I ENVIRONMENTAL SITE ASSESSMENT (JULY 2, 2001) 1
3.2 PHASE II SITE INVESTIGATION (OCTOBER 2, 2001) 2
4.0 SOIL BORINGS AND GROUNDWATER MONITORING WELLS 2
4.1 SAMPLE LOCATION RATIONALE 2
4.2 SOIL SAMPLING METHODOLOGY 3
4.3 GROUNDWATER SAMPLING METHODOLOGY 4
4.4 QA/QC 5
4.4.1 Decontamination 5
4.4.2 Chain of Custody 5
4.4.3 Laboratory Testing 6
5.0 SAMPLE ANALYSIS AND RESULTS 7
5.1 FIELD CONDITIONS 7
5.2 SOIL 8
5.2.1 Volatile Organic Compounds 8
5.2.2 Semivolatile Organic Compounds 8
5.2.3 Polychlorinated Biphenyls 9
5.2.4 Pesticides 9
5.2.5 Target Analyte List Metals 10
5.3 GROUNDWATER 10
5.3.1 Volatile Organic Compounds 10
5.3.2 Semivolatile Organic Compounds 11
5.3.3 Pesticides 11
5.3.4 Polychlorinated Biphenyls 11
5.3.5 Target Analyte List Metals 11
6.0 GROUNDWATER ELEVATIONS 12
7.0 CONCLUSIONS 12
7.1 SOIL 12
7.2 GROUNDWATER 13
7.3 SURVEY 13
7.4 SUMMARY 13
8.0 RECOMMENDATIONS 14
8.1 REGULATORY AGENCY INVOLVEMENT 14
8.1.1 State 14
8.1.2 City 15
8.2 REMEDIATION 15

FIGURES

Figure 1 Project Site Location
Figure 2 Boring and Well Locations and Elevations
Figure 3 Groundwater Table Elevations

TABLE OF CONTENTS CONTINUED

TABLES

2003 Supplemental Subsurface (Phase II) Investigation

Table 1 Laboratory Data: Volatile Organic Compounds in Soil Samples
Table 2 Laboratory Data: Semivolatile Organic Compounds in Soil Samples
Table 3 Laboratory Data: Polychlorinated Biphenyls in Soil Samples
Table 4 Laboratory Data: Pesticides in Soil Samples
Table 5 Laboratory Data: Target Analyte List Metals in Soil Samples
Table 6 Laboratory Data: Volatile Organic Compounds in Groundwater Samples
Table 7 Laboratory Data: Semivolatile Organic Compounds in Groundwater Samples
Table 8 Laboratory Data: Polychlorinated Biphenyls in Groundwater Samples
Table 9 Laboratory Data: Pesticides in Groundwater Samples
Table 10 Laboratory Data: Target Analyte List Metals in Groundwater Samples

2001 Phase II Site Investigation

Table 11 Laboratory Data: Volatile Organic Compounds in Soil Samples
Table 12 Laboratory Data: Semivolatile Organic Compounds in Soil Samples
Table 13 Laboratory Data: Polychlorinated Biphenyls in Soil Samples
Table 14 Laboratory Data: Pesticides in Soil Samples
Table 15 Laboratory Data: Target Analyte List Metals in Soil Samples
Table 16 Laboratory Data: Volatile Organic Compounds in Groundwater Samples
Table 17 Laboratory Data: Semivolatile Organic Compounds in Groundwater Samples
Table 18 Laboratory Data: Total Metals in Groundwater Samples
Table 19 Laboratory Data: Dissolved Metals in Groundwater Samples

APPENDICES

Appendix A Boring and Well Installation Logs
Appendix B Well Development and Sampling Logs
Appendix C 2003 Category A Laboratory Data Deliverables

1.0 INTRODUCTION

This report presents the findings of a Supplemental Subsurface (Phase II) Investigation performed on the Greenpoint Lumber Yard Site in Brooklyn, New York in July 2003. The investigation included the advancement and sampling of 21 soil borings to groundwater and the completion, development and sampling of 11 groundwater monitoring wells. Supplementing the findings of the Subsurface (Phase II) Investigation performed on the Site by AKRF, Inc. in October 2001, the purpose of this investigation was to further characterize soil and groundwater conditions on the Greenpoint Lumber Yard Site. The Sample Analysis and Results and Conclusions sections of this report summarize data from both investigations.

2.0 PROJECT SITE DESCRIPTION

The Greenpoint Lumber Yard Site (Project Site or Site) is an approximately 20+-acre, mostly paved parcel of waterfront property in the Greenpoint neighborhood of Brooklyn, New York. The Project Site consists of Tax Block 2472, Lots 2, 32, and 100; Tax Block 2494, Lot 1; Tax Block 2502, Lot 1; Tax Block 2510, Lot 1; and Tax Block 2520, Lot 57. The subject blocks are generally bounded to the north by Newtown Creek; to the east by portions of Commercial, Franklin and West Streets; to the south by Huron Street; and to the west by the East River. Please see Figure 1 for Project Site Location.

The Project Site currently contains the following structures: a two-story brick and concrete office, a small brick guard shed and a large corrugated metal garage near the intersection of Green and West Streets; and a second brick guard shack, which has been converted for auto repair, at the intersection of Dupont and Franklin Streets. The remainder of the property consists of open areas that are used primarily for contractors' materials storage.

The surface topography on the Project Site generally slopes downward to the north, toward Newtown Creek and to the west, toward the East River. Based on reports compiled by the U.S. Geological Survey, the surface elevation of the Site is approximately five to fifteen feet (National Geodetic Vertical Datum of 1929), depending on the area of the Site. Groundwater is located approximately six to fifteen feet below the surface of the Site. Groundwater predominantly flows in a westerly direction towards the East River and in a northerly direction towards Newtown Creek.

3.0 PREVIOUS STUDIES

A Phase I Environmental Site Assessment was performed on the Greenpoint Lumber Yard Site in July 10, 2001 and a Phase II Subsurface Investigation was performed in October 2001. Both studies were performed by AKRF, Inc. The findings of these investigations are summarized below.

3.1 PHASE I ENVIRONMENTAL SITE ASSESSMENT (JULY 2, 2001)

A Phase I Environmental Site Assessment was performed by AKRF, Inc. in July 2001 on the Project Site. An Addendum to the Phase I Environmental Site Assessment was issued by AKRF, Inc. on July 17, 2001. The Phase I Assessment met the requirements of the American Society for Testing and Materials (ASTM), as established by ASTM Standard E 1527-00, and included a site inspection, a review of historical fire insurance (Sanborn) maps and a review of federal, state and local regulatory databases. The Phase I identified the Site to have had over a 100-year history primarily as a lumber yard. Other historical non-lumber-related uses included:

- New York Dye - Wood Extract and Chemical Company ca. 1887 through ca. 1905 (Tax Block 2520, Lot 57 and Tax Block 2510);
- New York Quebracho Extract Company ca. 1916 (Tax Block 2520, Lot 57 and Tax Block 2510);

- A.K. Meserole & Company, a mason material and coal storage yard) ca. 1916 (Tax Block 2502);
- C. Winant's Spar Company ca. 1916 (Tax Block 2502);
- Export Auto Case Company ca. 1916 (Tax Block 2502);
- O'Rouke Engineering and Construction Company ca. 1905 (Tax Block 2472, Lot 100);
- New York State Barge Canal Terminal and Alberene Stone Company Tub Storage ca. 1916 (Tax Block 2472, Lot 100);
- Greenpoint Coal Docks, Inc. ca. 1942 through ca. 1951 (Tax Block 2472, Lot 100).

Potential environmental concerns identified for the property included potential former Site usage for pressure-treating lumber, an on-Site former extract and chemical company, current auto parking and auto and machine repair, and several potential underground storage tanks. Lumber yards often used creosote (a coal tar derivative, which contains elevated levels of polycyclic aromatic hydrocarbons [PAHs] and phenols) as a wood preservative. Substances used by the chemical and extract companies could have impacted subsurface soil and/or groundwater with any number of contaminants. Additionally, aboveground and potential underground storage tanks were noted in the Phase I report and portions of the property are currently used for auto repair. In the areas of known or potential tanks, subsurface petroleum and/or PCB contamination could be present. Solvent contamination could be present in areas used for auto repair. The Phase I Environmental Site Assessment Report recommended that a subsurface (Phase II) investigation be performed on the Site.

3.2 PHASE II SITE INVESTIGATION (OCTOBER 2, 2001)

A Subsurface (Phase II) Investigation, consisting of the advancement and sampling of ten soil borings and the sampling of groundwater at five of the locations, was performed in August 2001 and was summarized in a report dated October 2, 2001. The Phase II Report identified petroleum contamination in soil and groundwater in the vicinity of an active gasoline pump on Block 2520 and low levels of PAHs (a subset of semi-volatile organic compounds [SVOCs]) and heavy metals in soil and groundwater throughout the Site. The levels of PAHs and heavy metals that were detected are typical of those found in fill material in urban areas and appear likely to be related to coal ash. The results of this investigation are discussed in more detail in the Sample Analysis and Results and Conclusions sections of this report.

4.0 SOIL BORINGS AND GROUNDWATER MONITORING WELLS

As part of the Supplemental Subsurface (Phase II) Investigation, twenty-one soil boring were advanced to groundwater and sampled on the Greenpoint Lumber Yard Site on June 25 and 26, 2003. Eleven permanent groundwater monitoring wells were completed and developed on June 30 and July 1 and 2, 2003. The eleven groundwater monitoring wells and one additional well that was discovered on Block 2472 were sampled on July 14 and 15, 2003. AKRF's field crew consisted of Mimi Sotiriou and Julie Foley. Aquifer Drilling and Testing advanced the soil borings and installed the permanent groundwater monitoring wells.

4.1 SAMPLE LOCATION RATIONALE

The twenty-one boring and well locations, along with the ten boring and well locations from the October 2001 Phase II Site Investigation, were selected to evenly characterize soil and groundwater across the Site. Certain borings and wells, however, were biased towards the location of the former chemical and extract companies, known and potential storage tanks, and

areas where lumber storage and possible treatment occurred. Please see the chart below for Sample Location Rationale. Certain monitoring well locations were selected in both upgradient and downgradient locations to determine whether there was any impact on groundwater from on- or off-Site contaminants. Please see Figure 2 for the Boring and Monitoring Well locations.

SAMPLE LOCATION RATIONALE

BLOCK/LOT	HISTORICAL TENANT	CURRENT USE	POTENTIAL CURRENT OR FORMER TANKS	SAMPLE LOCATIONS
Block 2520, Lot 57	New York Dye – Wood Extract and Chemical Company, lumber yard	Auto parking, auto repair, contractors' materials storage	Gasoline, fuel oil, hydraulic oil and motor oil	B6, MW1 and MW6,
Block 2510	New York Dye – Wood Extract and Chemical Company, lumber yard	Contractors' materials storage, auto parking		B1, B2, B7, MW7 and MW8
Block 2502	A.K. Meserole & Company (a mason materials and coal storage yard), Export Auto Case Company, C. Winant's Spar Company, lumber yard	Contractors' materials storage, auto parking	Fuel oil	B3, B8, B9, B10, B11, MW2 and MW9
Block 2494	Lumber yard	Auto repair, auto parking, auto auction	Storage tank (unknown contents)	MW4 and MW11
Block 2472, Lot 32	Lumber Yard	Contractors' materials storage, auto parking		B4, B12, B13 MW3, MW10, MW12, MW12A
Block 2472, Lot 100	O'Rouke Engineering and Construction Company, NYS Barge Canal Terminal, Alberene Stone Company Tub Storage, Greenpoint Coal Docks, lumber yard	Contractors' materials storage, auto parking	Fuel oil	B5, B14, B15, MW5, MW11, MW13A, MW14, MW15, MW15A, MW16

4.2 SOIL SAMPLING METHODOLOGY

At each of the 21 sampling locations, a Geoprobe rig was used to drive a sampling probe into the soil. Soil samples were collected by driving the probe with a five-foot teflon liner into the soil at five-foot intervals until groundwater was reached. Soil was screened for organic vapors in the teflon liner at one foot intervals using a photoionization detector (PID). Soil samples were classified using a modified Burmister Classification System by AKRF field personnel. Please see Appendix A for Boring Logs.

Two soil samples were collected from each boring location based on field observations. If no field contamination (staining, odors or PID readings above background) was apparent, a sample from the two-foot interval immediately beneath the original ground surface (excluding any overlying asphalt or concrete) and a sample from the groundwater interface were collected. If evidence of contamination was noted in any interval, one or both of the samples were collected from the interval(s) exhibiting contamination. Soil samples were transferred from the Teflon liner to sample jars using dedicated and disposable sterile plastic sampling spoons.

The soil samples were containerized in accordance with EPA analytical protocols. Each sample was labeled, sealed, and placed in a chilled cooler for shipment to American Analytical Laboratories, Inc. in Farmingdale, New York, a NYSDOH-ELAP laboratory (No. 11418). Soil samples were analyzed for volatile organic compounds (VOCs) (EPA Method 8260), semivolatile

organic compounds (SVOCs) (EPA Methods 8270), polychlorinated biphenyls (PCBs) (EPA Method 8081), pesticides (EPA Method 8082) and target analyte list (TAL) metals (EPA Method 6010). If not enough sample material was available to analyze for all parameters, sample analysis was selected based on field observation. Category A Deliverables were requested for this data set.

Refusal was encountered at two locations (B7 R1 and B7 R2) near B7 and at one location (MW9 R1) near MW9. B7 was successfully completed to groundwater on the third attempt and MW9 was also successfully completed on the second attempt. One sample was collected from B7 R2 (5.5-6.0) and was analyzed for full span parameters. A second sample was collected from B7 (9.5-10.0). Only enough sample material was recovered from this interval to analyze this sample for volatile organic compounds.

After groundwater was encountered in the 21 boring locations, the borings were backfilled with soil cuttings and plugged with asphalt. Any cuttings that were not replaced into the borings were drummed for off-Site disposal.

4.3 GROUNDWATER SAMPLING METHODOLOGY

Groundwater monitoring wells were completed at 11 of the boring locations using the hollow-stem auger rig. The monitoring wells were advanced using a 4¼-inch hollow-stem augers and consisted of two-inch internal diameter PVC casing. A ten-foot slotted PVC screen was installed in the approximate top six feet of groundwater. A sand filter pack was placed in the annular space around the screen and extended to approximately two feet above the screen. The annular space around the well casing was sealed with bentonite for an interval of approximately two feet. A grout, consisting of a cement and bentonite mixture or an anti-shrink mixture, extended from the bentonite seal to a level of approximately two feet below ground level. The remaining annular space was sealed with a concrete cap and well apron (expanding cement). A locking well cap and a flush-mounted well cover was installed upon completion of the well. Drill cuttings were drummed for off-Site disposal. Please see Appendix A for Well Construction Logs.

Groundwater monitoring wells were successfully completed at 9 of the 11 boring locations. Refusal was encountered during well installation two times at approximately 4 and 10 feet below grade in the vicinity of boring MW12. Due to spatial confines (the adjacent park and the bulkhead), the location of the corresponding well (MW12A) was relocated approximately 100 feet south of the boring MW12. The well was successfully completed at this location. AKRF personnel could not install a monitoring well in the location of boring MW15 because the location was covered with unmovable objects. Therefore, the well location was moved approximately 10 feet south of the boring location and the well was labeled MW15A.

The wells were developed on the day they were drilled or on the day after they were drilled by pumping. The wells were pumped using a submersible whale pump and dedicated Teflon tubing for each well. Turbidity was measured using a nephelometer and temperature, conductivity, dissolved oxygen and oxygen/reduction potential were measured using the Quanta G water quality meter. The pH probe on the Quanta G was broken and no pH readings were collected during well development. Water quality parameter readings were recorded approximately every five minutes during development. The wells were developed until the water quality parameters stabilized within 10%, or until the turbidity reading was less than 50 Nephelometric Turbidity Units (NTU) or less. If the water quality parameters did not stabilize and the turbidity reading was not less than 50 NTU, but at least three well volumes were evacuated from the well and it ran dry four times, then the well was considered developed. Development water was drummed for off-Site disposal. Please see Appendix B for Well Development Logs.

All wells except for MW13 were developed successfully. The plug in the bottom of the PVC well screen in MW13 was not secured and fell out between well installation and development. Soil filled the interior of the well screen to a depth of approximately 7 feet below grade. MW13 well was over-drilled, reconstructed and developed successfully. The new well was called MW13A.

In accordance with EPA protocol, the wells were not sampled for at least seven days after development. Prior to sampling, an electronic interface meter was used to measure water levels. Well purging and sample collection was accomplished using low flow techniques. The wells were purged using a Geotech Geopump 2 at a purge rate no greater than 3.8 liters per minute. A Solinist groundwater level meter with an alarm was placed approximately 2 inches below the groundwater table to ensure no drawdown occurred during well purging. Turbidity was measured using a nephelometer and temperature, conductivity, dissolved oxygen and oxygen/reduction potential were measured using the Quanta G water quality meter. During this stage, pH readings were collected using an Oakton pHTestr sampling probe. Water quality parameter readings were recorded approximately every five minutes during well purging.

Wells were purged until sample parameters stabilized within 10%, until the turbidity reading was 10 NTU or less, or until at least five well volumes were purged. Purge water was drummed for disposal. All eleven wells, plus an additional well that was discovered on Block 2472, were successfully purged.

Groundwater samples were collected using the Geotech Geopump 2 at a sample rate no greater than 500 milliliters/minute. The Solinist groundwater level meter was used to ensure that drawdown did not occur during sampling. The groundwater samples were containerized in accordance with EPA analytical protocols. Each sample was labeled, sealed, and placed in a chilled cooler for shipment to the laboratory. Groundwater samples were analyzed for VOCs (EPA Method 8260), SVOCs (EPA Method 8270), PCBs (EPA Method 8081), pesticides (EPA Method 8082) and TAL metals (both filtered and unfiltered samples). Sufficient sample material was collected from all wells, including the found well, to analyze for all parameters. Please see Appendix B for Well Sampling Logs.

4.4 QA/QC

4.4.1 Decontamination

Sampling equipment was dedicated or disposed of after use to avoid contamination and cross-contamination of samples.

4.4.2 Chain of Custody

To ensure the integrity of samples taken, a strict chain-of-custody record was maintained on each sample. This began during sampling with the entry in the sampler's field log of the sampling details:

a) Date and time of sampling;

b) Sample location (as specific as possible);

c) The unique sample number;

d) Sample description;

e) Weather conditions (if applicable); and

f) Any additional comments.

The chain-of-custody form was kept as a record of the sample's progress from the field to the laboratory where it was analyzed. The form included:

a) The sample number;

b) The sampler's name;

c) Date of sampling;

d) Location where the sample was taken;

e) Signatures of people involved in the chain of possession; and

f) Inclusive dates of possession of each person in the chain.

The chain-of-custody form accompanied the samples throughout the trip to the laboratory.

Included in the chain-of-custody record was a request to the laboratory for sample receipt and analysis information, including:

a) Name of person receiving the sample;

b) Laboratory sample number;

c) Date of sample receipt;

d) Sample allocation; and

e) Analyses to be performed.

Upon arrival of samples at the laboratory, the sample custodian entered pertinent information for each sample in the laboratory's sample log book. The chain-of-custody is kept on file at the laboratory.

4.4.3 Laboratory Testing

American Analytical, Inc. performed all analytical work for the Supplemental Subsurface (Phase II) Investigation. American Analytical, Inc.'s office in Farmingdale, New York is ELAP-certified (NYS DOH Certificate No. 11418) by the New York State Department of Health (NYSDOH). The laboratory operates a Quality Assurance/Quality Control (QA/QC) program that consisted of proper laboratory practices (including the required chain-of-custody), an internal quality control program, and external quality control audits by New York State. Category A deliverables were produced for soil and groundwater sampling results for this project.

A trip blank and field blank were included in each batch of twenty samples collected. A total of three trip blanks and three field blanks were included with the soil samples. One trip blank and one field blank were included with the groundwater samples. Trip blanks were analyzed for TCL VOCs to check for contamination during transport and sampling procedures. The field blanks that accompanied soil and groundwater samples to the laboratory were analyzed for VOCs, SVOCs, PCBs, pesticides and TAL metals to check for contamination arising from sample collection. No duplicate or blind duplicate samples were collected.

Because it falls right on the border between volatile and semivolatile organic compounds, naphthalene was included in the parameter lists analyzed by EPA Methods 8260 and 8270, respectively.

5.0 SAMPLE ANALYSIS AND RESULTS

This Sample Analysis and Results section presents data collected during both the October 2001 Phase II Site Investigation and the 2003 Supplemental Subsurface (Phase II) Investigation. A total of 19 soil samples were collected from 10 borings (B1 through B5 and MW1 through MW5) and a total of 5 groundwater samples were collected from 5 temporary well points (MW1 through MW5) during the 2001 Phase II Site Investigation. A total of 42 soil samples were collected from 21 boring locations (B6 through B15 and MW6 through MW16) and a total of 11 groundwater samples were collected from 11 permanent groundwater monitoring wells (MW6 through MW16) during the 2003 Supplemental Subsurface (Phase II) Investigation.

The analytical data from the Supplemental Subsurface (Phase II) Investigation is summarized in Tables 1 through 10 in the Tables section of this report. The analytical data from the October 2001 Phase II Investigation in summarized in Tables 11 through 19 in the Tables Section of this report. Complete Category A deliverables for the Supplemental Subsurface (Phase II) Investigation are included in Appendix C. Laboratory deliverables for the October 2001 Investigation are included in Appendix B of the Phase II Site Investigation Report.

Soil samples are designated by the boring location and depth below grade. For example, MW13 (5'-7') is from boring location MW13 at a depth between 5 feet and 7 feet below grade. Soil analysis data was evaluated relative to the Recommended Soil Clean-up Objective (RSCO) values in the NYSDEC Division of Hazardous Waste Remediation document Technical Administrative Guidance Memorandum (TAGM) 4046, issued in 1994. Metals analysis in soil was additionally compared to the Eastern United States background range for metals listed in TAGM 4046 and to the U.S. EPA Soil Screen Levels (risk-based levels) for ingestion. Groundwater data was evaluated relative to the Class GA Standards and Guidelines Values contained in NYSDEC Technical and Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Handling, Guidance Values and Groundwater Effluent Limitations. GA Standards are intended for potable water supplies, but are applied to all groundwater in the State. Groundwater is not used as a potable source in Brooklyn.

5.1 FIELD CONDITIONS

At each of the 31 total boring locations (10 borings during the 2001 Investigation and 21 borings during the 2003 Investigation), borings were advanced to between 3 feet and 20 feet below grade. Groundwater was encountered between approximately 5.25 feet and 15.0 feet below grade. The overburden was generally characterized by fill composed of brown to black coarse to fine sand with varying amounts of gravel and silt. Wood fragments, coal, ash, slag and brick were noted in many borings. Much of the overburden across the Site was dark gray to black in color. Sample analytical results did not indicate widespread chemical contamination across the Site; thus, the dark soil color is more likely attributable to high coal content than to chemical staining. Significant PID readings (above 10 parts per million [ppm]) were noted in B1 (1'-2') at 58.8 ppm; B13 (0.5'-1') at 47 ppm; MW1 at 1,888 ppm; MW2 (5'-7') at 14.7 ppm; and MW7 (10'-11') at 73.1 ppm. Organic-, petroleum- and solvent-like odors were noted in several borings. Please see boring logs for a complete delineation of PID readings and odors noted in borings. Logs from the October 2001 investigation are included in Appendix A of the Phase II Site Investigation Report. Logs from the Supplemental Subsurface (Phase II) Investigation are included in Appendix A of this report.

Borings and wells from the October 2001 Investigation were analyzed for VOCs, SVOCs and TAL Metals. Only 4 of the 19 soil samples [B2 (0'-1'), B5 (2'-4'), MW3 (0'-2') and MW5 (0'-2')] from that investigation were analyzed for PCBs and pesticides. During the Supplemental Subsurface (Phase II) Site Investigation, enough sample material was recovered from all boring

intervals to analyze for all parameters (VOCs, SVOCs, PCBs, pesticides, and TAL metals), except for B7 (9.5-10.0). Only enough sample material was recovered to analyze this sample for volatile organic compounds.

A slight sheen was noted in purge water from MW6 and MW7. An organic odor was noted in purge water from MW12 and MW14. A slight petroleum-like odor was noted in purge water from MW13. Red rust flakes were noted in purge water from the Found Well. During the Supplemental Subsurface (Phase II) Site Investigation, sufficient groundwater volume was recovered at each location to analyze for all parameters (VOCs, SVOCs, PCBs, pesticides, and TAL metals [filtered and unfiltered]).

5.2 SOIL

A total of 61 soil samples were collected during the October 2001 Phase II Site Investigation (19 samples) and the 2003 Supplemental Subsurface (Phase II) Investigation (42 samples). Two soil samples were collected from each boring location based on field observations, except for B2, where only one sample was collected. If no field contamination (staining, odors or PID readings above background) was observed, a sample from the two-foot interval immediately beneath the original ground surface (excluding any overlying asphalt or concrete) and a sample from the groundwater interface were collected. If evidence of contamination was noted in any interval, one or both of the samples was collected from the interval(s) exhibiting contamination. The following subsections discuss the results of both subsurface investigations.

5.2.1 Volatile Organic Compounds

A summary of laboratory analysis of VOCs in soil samples is included in Table 1 for the Supplemental Subsurface (Phase II) Investigation and Table 11 for the October 2001 Phase II Site Investigation. Benzene, chloroform, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, 4-isopropyltoluene, napthtalene, o-xylene, p-diethylbenzene, p-ethyltoluene, trichloroethene and acetone were detected in soil samples. None of the detected concentrations of volatile organic compounds were detected above the TAGM 4046 RSCO, except for acetone in two soil samples: B1(1'-2') [detected at a concentration of 290 ppb] and MW1 (5'-6') [detected at a concentration of 780 ppb]. The RSCO for acetone is 50 ppb. Acetone, which is a common field and laboratory artifact, was not detected in the field or method blanks.

5.2.2 Semivolatile Organic Compounds

A summary of laboratory analysis of SVOCs in soil samples is included in Table 2 for the Supplemental Subsurface (Phase II) Investigation and Table 12 for the October 2001 Phase II Site Investigation. Several polycyclic aromatic hydrocarbons (PAHs) were detected at concentrations above their respective TAGM 4046 RSCOs in most soil samples, including benzo(a)anthracene, benzo(a)pyrene, chrysene and dibenzo(a,h)anthracene. The detected PAHs listed above are considered carcinogenic and, therefore, have very low TAGM RSCOs, which are almost always exceeded in urban fill material containing coal, coal ash, asphalt and combustion byproducts deposited from the air.

Other carcinogenic PAHs with slightly higher TAGM RSCOs were detected above their respective RSCOs in some soil samples, including benzo(b)fluoranthene, benzo(k)fluoranthene, and ideno(1,2,3-c,d)pyrene. The detected levels of these PAHs are often associated with coal and coal ash.

The detected concentrations of total SVOCs were below 500 ppm, the TAGM RSCO, in all soil samples analyzed, except for B10 (5'-7'), where the total detected concentration was 4,691 ppm. Total detected concentrations of SVOCs were above 400 ppm in two other sample locations: B11 (1'-3') and MW4 (0'-2'). The total detected concentrations in these two samples were 419 ppm and 472 ppm, respectively. A total concentration of SVOCs above 200 ppm was detected in one soil sample: B8 (8'-10') with a total concentration of 235 ppm. A total concentration above 100 ppm was detected in three soil samples: MW7 (6.5-7.5) with a total concentration of 114 ppm; MW3 (5'-7') with a total concentration of 176 ppm; and MW5 (4'-6') with a total concentration of 111 ppm. Total concentrations of SVOCs were detected below 100 ppm in the remainder of other soil samples.

In the soil samples B10 (5'-7'), B11 (1'-3') and MW4 (0'-2'), in addition to the more prevalent TAGM SVOC exceedances discussed above, lighter PAHs, such as naphthalene and 2-methylnaphthalene were detected. Lighter PAHs are often found in used oil and/or coal tar and coal tar derivatives, such as creosote, which was historically and is currently used as a lumber preservative.

3+4-methylphenol, 2,4-dimethylphenol were also detected in B10 (5'-7'). These compounds, phenols, are commonly detected in coal tar and/or coal tar derivatives, but not in waste oil. Additionally, PID readings of up to 1.2 ppm above background and a slight petroleum-like odor were described in the soil boring log for the interval B10 (5'-7). No wood fragments were described in the logs for B10. Because of the very elevated concentrations of SVOCs and the presence of phenols and naphthalene, the SVOC detected in B10 (5'-7') are more likely attributable to coal tar derivatives than to petroleum.

PID readings of up to 3.5 ppm and a slight petroleum-like odor were noted in soil boring logs for B11 (1'-3'). PID readings of up to 3.0 ppm were noted in MW4 (0'-2'). Because no phenols were detected in these samples, the SVOCs detected in B11 (1'-3') and MW4 (0'-2') are more likely attributed to waste oil than to coal tar derivatives.

5.2.3 Polychlorinated Biphenyls

A summary of laboratory analysis of PCBs in soil samples is included in Table 3 for the Supplemental Subsurface (Phase II) Investigation and Table 13 for the October 2001 Phase II Site Investigation. PCBs were detected at total concentrations ranging from 40 ppb to 1,280 ppb in several soil samples. The detected total concentration of 1,280 ppb in B12 (0.5'-2') slightly exceeds the TAGM RSCO of 1,000 ppb total for surface samples. No other soil samples exceeded the TAGM RSCO for PCBs.

5.2.4 Pesticides

A summary of laboratory analysis of pesticides in soil samples is included in Table 4 for the Supplemental Subsurface (Phase II) Investigation and Table 14 for the October 2001 Phase II Site Investigation. 4,4'-DDD; 4,4'-DDE; 4,4'-DDT and endrin were detected above their respective TAGM RSCOs in soil sample B12 (0.5'-2'). No other pesticides were detected above their TAGM RSCOs in any other soil samples.

5.2.5 Target Analyte List Metals

A summary of laboratory analysis of target analyte list metals in soil samples is included in Table 5 for the Supplemental Subsurface (Phase II) Investigation and Table 15 for the October 2001 Phase II Site Investigation. Eleven metals (arsenic, barium, beryllium, cadmium, chromium, cobalt, copper, iron, mercury, nickel and zinc) were detected above TAGM 4046 RSCOs in soil samples. TAGM RSCOs for metals are based on background concentrations in naturally occurring, native soil. All of the detected metals that exceeded RSCOs also exceeded the upper limit of their respective Eastern U.S. and New York State Background ranges. Neither the TAGM RSCOs nor the Eastern U.S. or New York State Background ranges are risk-based cleanup levels. When compared with US EPA Generic Soil Screening Levels (SSLs, health-based levels), the detected levels of metals in soil, with the exception of arsenic, beryllium, cadmium and lead, are below levels that would be expected to pose a hazard to human health even if routine exposure were to occur.

The RSCOs also allow for the use of site background as alternative criteria. Although no site background concentrations were established for the Site, the similarity of metals concentrations among the soil samples suggests that the soils may represent Site background and do not suggest any contaminated area of the Site. Further, no single sample contained concentrations of metals orders of magnitude above RSCOs.

Although there is not an RSCO for lead, the average background levels in metropolitan and suburban areas or near highways typically range from 200 to 500 ppm. The detected concentration of lead in soil samples B8 (0.5'-2'), B11 (1'-3), B12 (0.5'-2'), B14(2'-3.5') and MW11 (0.5'-2') exceeded the upper limit of the average background level in metropolitan areas. The highest concentration of lead detected in these samples was 2,040 in sample B8 (0.5'-2').

5.3 GROUNDWATER

A total of 16 groundwater samples were collected during the 2001 Phase II Site Investigation (5 samples) and the 2003 Supplemental Subsurface (Phase II) Investigation (11 samples). During the Supplemental Subsurface (Phase II) Investigation, samples were collected from approximately the upper foot of the static water column in each well using low-flow sampling techniques. Well Development and Sampling Logs for the Supplemental Subsurface (Phase II) Investigation are included in Appendix C. The following subsections discuss the results of both subsurface investigations.

5.3.1 Volatile Organic Compounds

A summary of laboratory analysis of VOCs in groundwater samples is included in Table 6 for the Supplemental Subsurface (Phase II) Investigation and Table 16 for the October 2001 Phase II Site Investigation. In MW7, 4-Isopropyltoluene and benzene were detected at concentrations of 7.2 ppb and 2 ppb, respectively, above the Class GA Standards of 5 ppb and 0.7 ppb, respectively. In MW13A, 4-isopropyltoluene, benzene, 1,2,4-trimethylbenzene, ethylbenzene, M+P xylene, naphthalene, o-xylene, styrene, and toluene were detected at concentrations above their respective Class GA Standards. These detected compounds in MW7 and MW13A are common gasoline constituents.

In MW11, tetrachloroethylene was detected at a concentration of 5.6 ppb, above the Class GA Standard of 5.0 ppb. This compound is a common solvent used in dry cleaning.

Isopropylbenzene, m+p xylene, methyl tert-butyl ether (MTBE), n-propylbenzene, o-xylene, p-diethylbenzene and toluene were detected below Class GA Standards in various groundwater samples. No other volatile organic compounds were detected in any other groundwater samples, in the trip blank or in the field blank.

5.3.2 Semivolatile Organic Compounds

A summary of laboratory analysis of SVOCs in groundwater samples is included in Table 7 for the Supplemental Subsurface (Phase II) Investigation and Table 17 for the October 2001 Phase II Site Investigation. In MW7, Phenol was detected at a concentration of 7.4 ppb, above the Class GA Groundwater Standard of 1 ppb. In MW1 and MW13A, naphthalene was detected at concentration of 18 ppb and 630 ppb, respectively, above the Class GA Groundwater Guidance Value (no Standard exists) of 10 ppb.

Benzoic acid, carbazole, dibenzofuran, fluorine, naphthalene, phenanthrene, 2-methylnaphthalene, acenaphthene, acenaphthylene and anthracene were detected at concentrations ranging from 5.6 ppb to 68 ppb in various groundwater samples. None of the detected levels of these compounds exceeded the Class GA Groundwater Standard.

No other SVOCs were detected in any other groundwater sample, in the trip blank or in the field blank.

5.3.3 Pesticides

A summary of laboratory analysis of pesticides in soil samples is included in Table 8 for the Supplemental Subsurface (Phase II) Investigation. No groundwater samples from the October 2001 Phase II Site Investigation were analyzed for pesticides. No pesticides were detected in any groundwater samples.

5.3.4 Polychlorinated Biphenyls

A summary of laboratory analysis of PCBs in soil samples is included in Table 9 for the Supplemental Subsurface (Phase II) Investigation. No groundwater samples from the October 2001 Phase II Site Investigation were analyzed for PCBs. No PCBs were detected in any groundwater samples.

5.3.5 Target Analyte List Metals

A summary of laboratory analysis of target analyte list metals in groundwater samples (both filtered and unfiltered) is included in Table 10 for the Supplemental Subsurface (Phase II) Investigation and Tables 18 and 19 for the October 2001 Phase II Site Investigation. The temporary groundwater well points were not purged prior to sampling during the October 2001 Phase II Site Investigation. Therefore, laboratory filtered sample results are likely more characteristic of true groundwater conditions in these wells. Antimony, iron, manganese, magnesium and sodium were detected in concentrations above the Class GA Groundwater Standards in most filtered and unfiltered water samples. These five elements are earth minerals commonly found in groundwater.

Additionally, thallium was detected at a concentration of 0.0190 ppm in MW7, above the Class GA Guidance Value (no Standard exists) of 0.004 ppm. No other metals were detected above the Class GA Groundwater Standards in any of the groundwater samples.

6.0 GROUNDWATER ELEVATIONS

A survey was performed as part of the Supplemental Subsurface (Phase II) Investigation to determine the geographic locations and elevations of the 10 boring locations, the 3 refusal locations, the 11 groundwater monitoring wells, and the found well. The survey was conducted by Lockwood, Kessler & Bartlett, Inc., a licensed surveyor in the state of New York (License No. 049496), on July 12 and 28, 2003. The well locations and elevations were measured at the top of the well cover (top of manhole) and at the top of the well casing (top of casing). Figure 2 shows the surveyed locations and elevations of the wells.

The depth to water from the top of the manhole was measured and recorded to calculate the elevation of the groundwater table for each well. Figure 3 shows groundwater table elevations for each well (calculated from top of manhole). The elevations shown on the table and figure are relative to the Brooklyn Borough Datum (BBD), which is 1.177 feet above mean sea level (National Geodetic Vertical Datum 1929). The water table elevations varied from el. -0.18 BBD in MW6 to el. 2.6 BBD in MW11. An assessment was performed of the relative groundwater table elevations on the Greenpoint Lumber Yard Site to determine the groundwater flow direction. Groundwater predominantly flows in a westerly direction towards the East River and in a northerly direction towards Newtown Creek.

7.0 CONCLUSIONS

A total of 61 soil samples and 16 groundwater samples were collected during the 2001 Phase II Site Investigation (19 soil and 5 groundwater) and the 2003 Supplemental Subsurface (Phase II) Investigation (42 soil and 11 groundwater samples). The following conclusions can be made:

7.1 SOIL

No widespread contamination of soil was detected by these investigations on the Greenpoint Lumber Yard site. Other than exceedances of the TAGM RSCOs for individual SVOCs and metals with ranges typical of urban fill material, concentrations of contaminants were detected above their TAGM RSCOs in only two soil samples:

- B10 (5'-7') – A total SVOC concentration of 4,691 ppm was detected in B10 (5'-7'). Due to the presence of lighter PAHs and phenols in this sample, the detected concentrations and compounds are typical of contamination by coal tar derivatives.
- B12 (0.5'-2') - PCBs were detected in B12 (0.5'-2') at a concentration of 1,280 ppb, above the TAGM RSCO of 1,000 ppm for surface samples. Four pesticides (4,4'-DDD; 4,4'-DDE; 4,4'-DDT and endrin) were detected in the same sample above their respective TAGM RSCOs.

Concentrations of total SVOCs were detected at levels approaching the TAGM RSCO of 500 ppm in two other borings: 419 ppm in B11 (1'-3') and 472 ppm in MW4(0'-2'). Due to the presence of lighter PAHs in these samples, the detected concentrations and compounds are typical of waste oil contamination. Evidence of waste oil contamination was not detected in soil collected from deeper intervals in these samples or in groundwater collected from MW4, indicating that the petroleum contamination is likely vertically limited in both borings.

Metals were detected in concentrations typical of urban fill material in soil samples. Lead was detected above the upper limit of the average background level in metropolitan areas of 500 ppm in four soil samples: B8 (0.5'-2'), B11 (1'-3), B12 (0.5'-2'), B14 (2'-3.5') and MW11 (0.5'-2'). The highest concentration of lead detected in these samples was 2,040 in sample B8 (0.5'-2'). Because no identified current or historical source of lead was identified in the Phase I Environmental Site Assessment, it is possible that these elevated lead values are attributable to

normal distribution in fill material, rather than to lead contamination. No volatile organic compounds were detected above TAGM RSCOs in any soil samples.

7.2 GROUNDWATER

No widespread contamination of groundwater was detected by these investigations, however, four localized areas of concern were identified:

- MW1 – One SVOC, naphthalene, was detected at a concentration of 18 ppb in MW1, above the Class GA Standard of 10 ppb. MW1 is located near a former gasoline pump and in an upgradient location on the Site. It is likely that the presence of naphthalene in the groundwater is due to leaking gasoline tanks associated with the pump.
- MW7 – Two VOCs, 4-Isopropyltoluene and benzene, were detected at concentrations of 7.2 ppb and 2 ppb, respectively, above the Class GA Standards of 5 ppb and 0.7 ppb, respectively. These detected compounds are common gasoline constituents. Additionally, one SVOC, phenol, was detected at a concentration of 7.4 ppb, above the Class GA Groundwater Standard of 1 ppb. MW7 is located in an upgradient location on the Site. It is possible that the presence of gasoline and or phenols in MW7 is due to off-Site sources.
- MW11 – One VOC, tetrachloroethylene, was detected at a concentration of 5.6 ppb, slightly above the Class GA Standard of 5.0 ppb. This compound is a common solvent used as a degreaser in auto-related businesses. The small one-story brick structure located directly east of boring location MW11 was formerly used for auto repair. MW11 is located in an upgradient location. Because of the upgradient location of MW11 and because of its proximity to an auto repair facility, this solvent contamination could have originated on- or off-Site.
- MW13A – Nine VOCs, 4-isopropyltoluene, benzene, 1,2,4-trimethylbenzene, ethylbenzene, M+P xylene, naphthalene, o-xylene, styrene, and toluene, were detected at concentrations above their respective Class GA Standards in MW13. These detected compounds are common gasoline constituents. Naphthalene was detected by EPA Method 8260 at a concentration of 700 ppb and by EPA Method 8260 at a concentration of 630 ppb. Both detected concentrations exceed the Class GA Groundwater Guidance Value (no Standard exists) of 10 ppb. MW13 is located in a downgradient location on the Site. The presence of gasoline contamination in MW13 may have resulted from on- or off-Site sources.

The concentrations of metals detected in groundwater samples are typical of those found in groundwater in urban areas and are not of concern. No pesticides or PCBs were detected in any of the groundwater samples.

7.3 SURVEY

The water table elevations varied from el. -0.18 BBD in MW6 to el. 2.60 BBD in MW11. Groundwater predominantly flows in a westerly direction towards the East River and in a northerly direction towards Newtown Creek.

7.4 SUMMARY

There was no widespread soil or groundwater contamination detected on the Greenpoint Lumber Yard site, based on the collection and analysis of 61 soil samples and 16 groundwater samples. Site conditions were found to be generally consistent with background conditions in urban waterfront areas reflecting the use of historic urban fill, including Queens West in Long Island City, Route 9A in Manhattan and west of Kent Avenue in Brooklyn. Two geographically isolated

areas of concern for soil contamination and four geographically isolated areas of concern for groundwater contamination were identified by these investigations. Groundwater flows predominantly in a westerly direction towards the East River and in a northerly direction towards Newtown Creek.

8.0 RECOMMENDATIONS

The extensive investigation undertaken for the site was based on the 100-year industrial history on the Greenpoint Lumber Yard Site. The investigatory program revealed only limited soil and groundwater contamination during two rounds of soil and groundwater sampling, which included the collection and analysis of 61 soil samples and 16 groundwater samples. Well-established procedures exist to address the areas of concern that were detected during subsurface testing. These areas of concern can be addressed prior to and/or during construction activities.

8.1 REGULATORY AGENCY INVOLVEMENT

Due to an active spill listing and a proposed rezoning of the site, it is anticipated that both State and City agencies will be involved with future development of the Greenpoint Lumber Yard Site.

8.1.1 State

In accordance with legal reporting requirements, a spill was reported to the New York State Department of Environmental Conservation (NYSDEC) for petroleum contamination in the vicinity of sampling location MW-1 in 2001. MW-1 is located near a former gasoline pump and associated underground storage tank(s). Soil sampling analytical results from the October 2001 subsurface investigation indicated elevated levels of semivolatile organic compounds above TAGM RSCOs for several compounds often associated with petroleum.

New York State provides petroleum-contaminated soil guidance policies in the Division of Environmental Remediation's DRAFT DER-10, Technical Guidance for Site Investigation and Remediation (December 2002) and in the TAGM 4046. Upon completion of remedial activities, which will likely constitute the excavation and proper off-site disposal of petroleum-contaminated soil from the vicinity of MW-1 and the collection and analysis of endpoint samples, a Spill Closure Report should be prepared and submitted to the NYS DEC Spill Coordinator for the active listing. It is possible that NYS DEC could require groundwater monitoring in the vicinity of the spill. When the spill has been remediated to the satisfaction of the State, a No Further Action letter for the spill will be issued and the spill listing will be effectively closed. In accordance with DER-10, the execution of an Administrative Order on Consent or Stipulation may be required by the State for the spill remediation. If additional areas of contamination are encountered during tank removal and/or general excavation activities, additional spills would need to be reported to New York State. Individual spill listings would be linked together and one Spill Closure Report could be submitted to the NYS DEC for the spill listings. Based on the results of the two subsurface investigations, no other New York State regulatory agency involvement would be required.

In addition to the remediation action discussed in Section 8.2, additional remedial actions, such as groundwater monitoring in locations of USTs and/or spills, vapor barriers beneath buildings, deed restrictions, etc., may be required by New York State through the Oil Spill Program.

8.1.2 City

New York City has proposed rezoning an area along the Brooklyn Waterfront that includes the Greenpoint Lumber Yard site. The rezoning action requires review under the City Environmental Quality Review (CEQR) process. It is anticipated that potential contaminated materials issues will be recognized for the Greenpoint Lumber Yard site and the individual lots that comprise the site will receive E-designations as a result of the rezoning. In accordance with Chapter 24 of Title 15 of the Rules of the City of New York, an E-designation requires that, prior to redevelopment, the property owner perform a Phase I Environmental Site Assessment (ESA), and/or a subsurface (Phase II) investigation (if recommended by the conclusions of the Phase I ESA), and/or remediation (if recommended by the conclusions of the Phase II investigation) with approval from and to the satisfaction of New York City Department of Environmental Protection (NYC DEP) before Building Permits and/or Certificates of Occupancy can be obtained from the New York City Department of Buildings.

Both the Phase I and Phase II, if required, must be completed and the Remedial Action Work Plan, if required, must be approved by NYC DEP before the New York City Department of Buildings will issue a Building Permit. Remediation may occur prior to or during general excavation. A Construction Health and Safety Plan must be submitted to NYC DEP and approved for implementation during general excavation activities, whether or not remedial activities have been completed.

After completion of the requirements of the Remediation Action Work Plan, a Closure Report must be submitted to NYC DEP. This report would contain any characterization sampling results for soil disposed of off-site; acceptance letters from disposal facilities; manifests for disposal of contaminated soil, if any; as-built site drawings showing final depth of excavation and vapor barrier specifications, if any; and documentation that any remedial activities performed during general excavation were completed in accordance with the NYC DEP-approved Remedial Action Work Plan. The report must also be certified by a licensed Professional Engineer. Once NYC DEP is satisfied that the investigation and/or remediation are complete, a Notice of Satisfaction will be issued, allowing the property owner to obtain a Certificate of Occupancy. If remedial activities, such as ongoing monitoring of groundwater or capping of a site, continue beyond completion of the project, then NYC DEP may require a Restrictive Declaration.

It has been our experience on sites similar to the Greenpoint Lumber Yard site, where a Phase I and Phase II have already been performed, that the final reports for these studies can be submitted to NYC DEP for review and approval. It is likely that NYC DEP will require further investigation to confirm the findings of the two subsurface investigations. Based on the results of the Phase II investigations, it is anticipated that remediation, as described in Section 8.2, could take place during site preparation work for the proposed project.

8.2 REMEDIATION

Based on our experience with City-approved remediations, we anticipate the following measures would be required by NYC DEP for the Greenpoint Lumber Yard Site:

- **Soil Hotspots and Underground Storage Tank Removal.** NYC DEP will likely require the removal of the two hotspots identified in the two subsurface investigations and the underground storage tank (UST) located near MW-1 and other USTs noted in the Phase I

ESA. Tank contents and affected soil that is removed from the hotspot and UST locations would require appropriate off-site disposal and a licensed facility. Confirmatory endpoint samples would be collected from the sidewalls and base of the excavations. Disposal manifests and endpoint sampling results would be submitted to NYC DEP in a Remedial Action Report, if remedial activities occur prior to construction, or in a Closure Report, if remedial activities occur during general excavation. These reports would also be submitted to the State Spills Group.

- **Capping.** It is possible that NYC DEP would require capping of the entire Greenpoint Lumber Yard site with either paved surfaces and/or building foundations or two feet of imported clean fill material in landscaped areas to eliminate the exposure pathways of ingestion and/or inhalation of contaminants that may remain in the ground after the project is complete.


NYC DEP will also require a Construction Health and Safety Plan (see Section 8.1.2) prior to commencement of construction for the proposed project. The Construction Health and Safety Plan (CHASP) will be tailored specifically to the proposed development on the Greenpoint Lumber Yard site and will establish practices and procedures to protect the health of construction personnel and others during implementation of work involving potential or known contamination on the site. It will include contingencies for the identification and mitigation of USTs, drums or areas of contamination. The CHASP will be in conformance with the various Occupational Safety and Health Administration (OSHA) standards and NYC DEP requirements.


During general excavation, all soil removed from the site must be managed and disposed of in accordance with applicable federal, state and local regulations. Based on sampling results from the two subsurface investigations, none of the soil tested to date is a hazardous waste. Areas of contamination may require disposal as petroleum-contaminated or non-hazardous contaminated material. Most of the soil on the site, however, will likely be disposed of as construction and demolition debris.

Based on our experience, groundwater remediation is not anticipated. The Class GA exceedances that were detected in four of the groundwater sampling locations during the two subsurface investigations were very slight. The types and levels of detected contaminants are not indicative of contamination from former on-site uses as a chemical factory or lumber yard and are not unusual for urban areas. As such, contamination in three of the four wells (MW-7, MW-11 and MW-13) may result from off-site sources. The contamination in MW-1, located near a former gasoline pump and associated underground storage tank(s), is indicative of gasoline and it likely a result of leaks from the proximate pump and tank system. Although remediation is not anticipated, groundwater monitoring may be required by the State in areas where spills have been reported to assure that the removal of the source has led to the improvement or stabilization of the limited groundwater contamination.

Additional remedial actions, such as groundwater monitoring in locations of USTs and/or spills, vapor barriers beneath buildings, deed restrictions, etc., may be required by New York Site through the Oil Spill Program and/or the Brownfields Program.

FIGURES





QUADRANGLE

SCALE IN FEET

0’ 1000’ 2000’ 4000’

SCALE: 1”=2000’

N

SOURCE:

USGS TOPOGRAPHIC MAP - BROOKLYN, N.Y.
QUADRANGLE - DATED 1967, PHOTOREVISED 1979

GREENPOINT LUMBER YARD
Brooklyn, New York

PROJECT SITE LOCATION

AKRF, Inc.

Environmental Consultants
117 East 29 Street, New York, N.Y. 10016

DATE
9.15-03

PROJECT NO..
30260

FIGURE NO.
1

2001 AKRF, Inc. Environmental Consultants C:\MSPUB\30260-0001\F1.pub

Legend:

- PROJECT SITE BOUNDARY
- BUILDING LINE
- 2472 — LOT NUMBER
- 2003 MONITORING WELL
- 2003 BORING
- 2001 MONITORING WELL
- 2001 BORING
- T/O/M and T/O/C — TOP OF MANHOLE AND TOP OF CASING

SCALE IN FEET
0' 1000' 2000' 4000'
SCALE: 1"=2000'

N W E S

EAST RIVER
NEWTOWN CREEK

BULKHEAD END
BULKHEAD LINE
U.S. PIERHEAD LINE (1947)
U.S. PIERHEAD LINE (1957)
WATERFRONT YARD AND PROPOSED SETBACK LINE. (LIMIT OF PROPOSED STREETS)

EXISTING PIER

MW5
MW16 T/O/M EL.7.71 T/O/C EL.7.16
MW13A T/O/M EL.7.57 T/O/C EL.7.3
MW12 EL.5.92
MW12A T/O/M EL.6.55 T/O/C EL.5.68
FOUND WELL T/O/M EL.5.79 T/O/C EL.5.72
MW14 T/O/M EL.11.10 T/O/C EL.10.83
MW15A T/O/M EL.11.98 T/O/C EL.11.71
MW15 EL.12.40
MW10 T/O/M EL.7.52 T/O/C EL.7.10
MW11 T/O/M EL.15.10 T/O/C EL.14.92
MW4
MW3
MW2
MW1
MW6 T/O/M EL.5.92 T/O/C EL.5.48
MW8 T/O/M EL.7.27 T/O/C EL.6.55
MW9 T/O/M EL.10.39 T/O/C EL.10.02
MW9R1 T/O/M EL.10.47
MW7 T/O/M EL.10.49 T/O/C EL.10.19

B15 EL.11.11
B14 EL.9.14
B5
B4
B13 EL.5.80
B12 EL.8.76
B3
B10 EL.9.31
B9 EL.6.83
B8 EL.8.69
B11R1 EL.11.19
B11 EL.11.17
B2
B7 EL.10.79
B7R1 EL.10.53
B7R2 EL.10.50
B6 EL.8.25

2472
2494
2502
2510
2520

MTA SITE (±124,000 SF)
PARK
PARK (±22,200 SF)
TANK LAND
3-STORY BRICK
METAL FRAME BLDG
METAL FRAME BLDG
METAL BLDG.
BRICK BLDG.

CLAY STREET
COMMERCIAL STREET
DU PONT STREET
EAGLE STREET
WEST STREET
FRANKLIN STREET
FREEMAN STREET
GREEN STREET

© 2003 AKRF, Inc. Environmental Consultants C:\AKRF-DATA\30260-0006\F2_Boring and Monitoring Locations and Elevations.DWG

AKRF, Inc.
Environmental Consultants
440 Park Avenue South New York, N.Y. 10016

GREENPOINT LUMBER YARD
Brooklyn, New York

BORING AND MONITORING LOCATIONS AND ELEVATIONS

DATE 09.03.03
SCALE 1"=2000'
PROJECT No. 30260
FIGURE No. 2

Legend:

- PROJECT SITE BOUNDARY
- BUILDING LINE
- 2472 — LOT NUMBER
- 2003 MONITORING WELL
- T/O/M — TOP OF MANHOLE

SCALE IN FEET
0' 1000' 2000' 4000'
SCALE: 1"=2000'

N W E S

EAST RIVER
NEWTOWN CREEK

BULKHEAD END
BULKHEAD LINE
WATERFRONT YARD AND PROPOSED SETBACK LINE. (LIMIT OF PROPOSED STREETS)
U.S. PIERHEAD LINE (1947)
U.S. PIERHEAD LINE (1957)
EXISTING PIER

MW16 T/O/M GW EL.1.9
MW13A T/O/M GW EL.0.97
MW15A T/O/M GW EL.2.33
FOUND WELL T/O/M GW EL.0.54
MW12A T/O/M GW EL.0.95
MW14 T/O/M GW EL. 1.7
MW10 T/O/M GW EL.1.12
MW11 T/O/M GW EL.2.6
MW9 T/O/M GW EL.1.44
MW8 T/O/M GW EL. 0.42
MW7 T/O/M GW EL. 2.19
MW6 T/O/M GW EL.-0.18

2472
2494
2502
2510
2520

MTA SITE (±124,000 SF)
PARK
PARK (±22,200 SF)
TANK LAND
3-STORY BRICK
METAL FRAME BLDG
METAL FRAME BLDG
METAL BLDG.
BRICK BLDG.

CLAY STREET
COMMERCIAL STREET
DU PONT STREET
EAGLE STREET
WEST STREET
FRANKLIN STREET
FREEMAN STREET
GREEN STREET

© 2003 AKRF, Inc. Environmental Consultants Q:\AKRF-DATA\30260-0006\F2_Boring and Monitoring Locations and Elevations.DWG

AKRF, Inc.
Environmental Consultants
440 Park Avenue South New York, N.Y. 10016

GREENPOINT LUMBER YARD
Brooklyn, New York

GROUNDWATER TABLE ELEVATIONS

DATE 09.03.03
SCALE 1"=2000'
PROJECT No. 30260
FIGURE No. 3

TABLES

Table 17: Semivolatile Organic Compounds in Groundwater Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	NYS DEC Class GA Ambient Water Qual. Standards ug/L	MW1 Groundwater ug/L Dilution 5		MW2 Groundwater ug/L Dilution 5		MW3 Groundwater ug/L Dilution 5		MW4 Groundwater ug/L Dilution 5		MW5 Groundwater ug/L Dilution 5	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Pyridine	110-86-1	**50	U	5	U	5	U	5	U	5	U	5
N-Nitrosodimethylamine	62-75-9	*	U	5	U	5	U	5	U	5	U	5
Aniline	62-53-3	5	U	5	U	5	U	5	U	5	U	5
Bis(2-chloroethyl)ether	111-44-4	1	U	5	U	5	U	5	U	5	U	5
Phenol	108-95-1	1	U	5	U	5	U	5	U	5	U	5
2-Chlorophenol	95-57-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	5	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	5	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	4.7	U	5	U	5	U	5	U	5	U	5
Benzyl Alcohol	100-51-6	*	U	5	U	5	U	5	U	5	U	5
Bis(2-chloroisopropyl)ether	108-60-1	*	U	5	U	5	U	5	U	5	U	5
2-Methylphenol	95-48-7	*	U	5	U	5	U	5	U	5	U	5
Hexachloroethane	67-72-1	*	U	5	U	5	U	5	U	5	U	5
N-Nitrosodi-n-propylamine	621-64-7	*	U	5	U	5	U	5	U	5	U	5
3+4-Methylphenol	108-39-4 / 106-44-5	*	U	5	U	5	U	5	U	5	U	5
Nitrobenzene	98-95-3	5	U	5	U	5	U	5	U	5	U	5
Isophorone	78-59-1	50*	U	5	U	5	U	5	U	5	U	5
2- Nitrophenol	88-75-5	*	U	5	U	5	U	5	U	5	U	5
2,4-Dimethylphenol	105-67-9	*	U	5	U	5	U	5	U	5	U	5
Benzoic Acid	65-85-0	*	U	5	U	5	U	5	U	5	U	5
Bis(2-chloroethoxy)methane	111-91-1	*	U	5	U	5	U	5	U	5	U	5
2,4-Dichlorophenol	102-83-2	1	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	5	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	**10	18	5	U	5	U	5	U	5	U	5
4-Chloroaniline	106-47-8	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	5	U	5	U	5	U	5	U	5	U	5
4-Chloro-3-methylphenol	59-50-7	*	U	5	U	5	U	5	U	5	U	5
2-Methylnaphthalene	91-57-6	*	U	5	U	5	U	5	U	5	U	5
Hexachlorocyclopentadiene	77-47-4	5	U	5	U	5	U	5	U	5	U	5
2,4,5-Trichlorophenol	95-95-4	*	U	5	U	5	U	5	U	5	U	5
2,4,6-Trichlorophenol	88-06-2	*	U	5	U	5	U	5	U	5	U	5
2-Chloronaphthalene	91-58-7	**10	U	5	U	5	U	5	U	5	U	5
2-Nitroaniline	88-74-4	*	U	5	U	5	U	5	U	5	U	5
Acenaphthylene	208-96-8	*	U	5	U	5	U	5	U	5	U	5
Dimethyl Phthalate	131-11-3	*50	U	5	U	5	U	5	U	5	U	5

Table 17: Semivolatile Organic Compounds in Groundwater Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	NYS DEC Class GA Ambient Water Qual. Standards ug/L	MW1 Groundwater ug/L Dilution 5		MW2 Groundwater ug/L Dilution 5		MW3 Groundwater ug/L Dilution 5		MW4 Groundwater ug/L Dilution 5		MW5 Groundwater ug/L Dilution 5	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
2,6-Dinitrotoluene	606-20-2	5	U	5	U	5	U	5	U	5	U	5
Acenaphthene	83-32-9	**20	U	5	U	5	U	5	U	5	U	5
3-Nitroaniline	99-09-2	*	U	5	U	5	U	5	U	5	U	5
2,4-Dinitrophenol	51-28-5	*	U	5	U	5	U	5	U	5	U	5
Dibenzofuran	132-64-9	*	U	5	U	5	U	5	U	5	U	5
2,4-Dinitrotoluene	121-14-2	*	U	5	U	5	U	5	U	5	U	5
4-Nitrophenol	100-02-7	*	U	5	U	5	U	5	U	5	U	5
Fluorene	86-73-7	**50	U	5	U	5	U	5	U	5	U	5
4-Chlorophenyl phenyl ether	7005-72-3	*	U	5	U	5	U	5	U	5	U	5
Azobenzene	103-33-3	*	U	5	U	5	U	5	U	5	U	5
Diethyl Phthalate	84-66-2	**50	U	5	U	5	U	5	U	5	U	5
4-Nitroaniline	100-01-6	*	U	5	U	5	U	5	U	5	U	5
4,6-Dinitro-2-methylphenol	534-52-1	*	U	5	U	5	U	5	U	5	U	5
N-Nitrosodiphenylamine	86-30-6	**50	U	5	U	5	U	5	U	5	U	5
4-Bromophenyl phenyl ether	101-55-3	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobenzene	118-74-1	0.35	U	5	U	5	U	5	U	5	U	5
Pentachlorophenol	87-86-5	1	U	5	U	5	U	5	U	5	U	5
Phenanthrene	85-01-8	**50	U	5	U	5	U	5	U	5	U	5
Anthracene	120-12-7	**50	U	5	U	5	U	5	U	5	U	5
Carbazole	86-74-8	*	U	5	U	5	U	5	U	5	U	5
Di-n-butyl Phthalate	84-74-2	50	U	5	U	5	U	5	U	5	U	5
Fluoranthene	206-44-0	**50	U	5	U	5	U	5	U	5	U	5
Benzidine	92-87-5	5	U	5	U	5	U	5	U	5	U	5
Pyrene	129-00-0	**50	U	5	U	5	U	5	U	5	U	5
Butyl benzyl Phthalate	85-68-7	**50	U	5	U	5	U	5	U	5	U	5
3,3´-Dichlorobenzidine	91-94-1	*	U	5	U	5	U	5	U	5	U	5
Benzo(a)anthracene	56-55-3	**0.002	U	5	U	5	U	5	U	5	U	5
Chrysene	218-01-9	**0.002	U	5	U	5	U	5	U	5	U	5
Bis(2-ethylhexyl)Phthalate	117-81-7	50	U	5	U	5	U	5	U	5	U	5
Di-n-octyl Phthalate	117-84-0	**50	U	5	U	5	U	5	U	5	U	5
Benzo(b)fluoranthene	205-99-2	**0.002	U	5	U	5	U	5	U	5	U	5
Benzo(k)fluoranthene	207-08-9	**0.002	U	5	U	5	U	5	U	5	U	5
Benzo(a)pyrene	50-32-8	*	U	5	U	5	U	5	U	5	U	5
Indeno(1,2,3-c,d)pyrene	193-39-5	**0.002	U	5	U	5	U	5	U	5	U	5
Dibenzo(a,h)anthracene	53-70-3	*	U	5	U	5	U	5	U	5	U	5
Benzo(g,h,i)perylene	191-24-2	*	U	5	U	5	U	5	U	5	U	5

*** Not Applicable.**
**** No Standard Exists. Value is a Guidance Value.**

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B1 [1'-2'] Soil ug/kg Dilution 1		B1 [4'-5'] Soil ug/kg Dilution 1		B2 [0'-1'] Soil ug/kg Dilution 1		B3 [1'-3'] Soil ug/kg Dilution 2		B3 [8'-10'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Pyridine	110-86-1	*	U	40	U	40	U	40	U	80	U	80
N-Nitrosodimethylamine	62-75-9	*	U	40	U	40	U	40	U	80	U	80
Aniline	62-53-3	1,000	U	40	U	40	U	40	U	80	U	80
Bis(2-chloroethyl)ether	111-44-4	*	U	40	U	40	U	40	U	80	U	80
Phenol	108-95-1	30 or MDL	U	40	U	40	U	40	U	80	U	80
2-Chlorophenol	95-57-8	800	U	40	U	40	U	40	U	80	U	80
1,3-Dichlorobenzene	541-73-1	1,600	U	40	U	40	U	40	U	80	U	80
1,4-Dichlorobenzene	106-46-7	8,500	U	40	U	40	U	40	U	80	U	80
1,2-Dichlorobenzene	95-50-1	7,900	U	40	U	40	U	40	U	80	U	80
Benzyl Alcohol	100-51-6	*	U	40	U	40	U	40	U	80	U	80
Bis(2-chloroisopropyl)ether	108-60-1	*	U	40	U	40	U	40	U	80	U	80
2-Methylphenol	95-48-7	100 or MDL	U	40	U	40	U	40	U	80	U	80
Hexachloroethane	67-72-1	*	U	40	U	40	U	40	U	80	U	80
N-Nitrosodi-n-propylamine	621-64-7	*	U	40	U	40	U	40	U	80	U	80
3+4-Methylphenol	108-39-4 / 106-44-5	*	U	40	U	40	U	40	U	80	U	80
Nitrobenzene	98-95-3	200 or MDL	U	40	U	40	U	40	U	80	U	80
Isophorone	78-59-1	4,400	U	40	U	40	U	40	U	80	U	80
2- Nitrophenol	88-75-5	330 or MDL	U	40	U	40	U	40	U	80	U	80
2,4-Dimethylphenol	105-67-9	*	U	40	U	40	U	40	U	80	U	80
Benzoic Acid	65-85-0	2,700	280	40	U	70	U	70	U	140	U	140
Bis(2-chloroethoxy)methane	111-91-1	*	U	40	U	40	U	40	U	80	U	80
2,4-Dichlorophenol	102-83-2	400	U	40	U	40	U	40	U	80	U	80
1,2,4-Trichlorobenzene	120-82-1	3,400	U	40	U	40	U	40	U	80	U	80
Naphthalene	91-20-3	13,000	110	40	U	40	U	40	460	--	87	--
4-Chloroaniline	106-47-8	220 or MDL	U	40	U	40	U	40	U	80	U	80
Hexachlorobutadiene	87-68-3	*	U	40	U	40	U	40	U	80	U	80
4-Chloro-3-methylphenol	59-50-7	240 or MDL	U	40	U	40	U	40	U	80	U	80
2-Methylnaphthalene	91-57-6	36,400	130	40	95	--	100	NA	1,200	--	U	80
Hexachlorocyclopentadiene	77-47-4	*	U	40	U	40	U	40	U	80	U	80
2,4,5-Trichlorophenol	95-95-4	*	U	40	U	40	U	40	U	80	U	80
2,4,6-Trichlorophenol	88-06-2	1,000	U	40	U	40	U	40	U	80	U	80
2-Chloronaphthalene	91-58-7	*	U	40	U	40	U	40	U	80	U	80
2-Nitroaniline	88-74-4	430 or MDL	U	40	U	40	U	40	U	80	U	80
Acenaphthylene	208-96-8	41,000	U	40	U	40	150	NA	120	--	U	80
Dimethyl Phthalate	131-11-3	2,000	U	40	U	40	U	40	U	80	U	80
2,6-Dinitrotoluene	606-20-2	1,000	U	40	U	40	U	40	U	80	U	80

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B1 [1'-2'] Soil ug/kg Dilution 1		B1 [4'-5'] Soil ug/kg Dilution 1		B2 [0'-1'] Soil ug/kg Dilution 1		B3 [1'-3'] Soil ug/kg Dilution 2		B3 [8'-10'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Acenaphthene	83-32-9	50,000	U	40	U	40	240	NA	80	--	170	--
3-Nitroaniline	99-09-2	0.5 or MDL	U	40	U	40	U	40	U	80	U	80
2,4-Dinitrophenol	51-28-5	200 or MDL	U	70	U	70	U	70	U	140	U	140
Dibenzofuran	132-64-9	6,200	U	40	U	40	U	40	170	--	95	--
2,4-Dinitrotoluene	121-14-2	1,000	U	40	U	40	U	40	U	80	U	80
4-Nitrophenol	100-02-7	100 or MDL	U	50	U	50	U	50	U	100	U	100
Fluorene	86-73-7	50,000	U	40	U	40	320	NA	280	--	140	--
4-Chlorophenyl phenyl ether	7005-72-3	*	U	40	U	40	U	40	U	80	U	80
Azobenzene	103-33-3	*	U	40	U	40	U	40	U	80	U	80
Diethyl Phthalate	84-66-2	7,100	U	40	U	40	U	40	U	80	U	80
4-Nitroaniline	100-01-6	*	U	50	U	50	U	50	U	100	U	100
4,6-Dinitro-2-methylphenol	534-52-1	*	U	40	U	40	U	40	U	80	U	80
N-Nitrosodiphenylamine	86-30-6	*	U	40	U	40	U	40	U	80	U	80
4-Bromophenyl phenyl ether	101-55-3	*	U	40	U	40	U	40	U	80	U	80
Hexachlorobenzene	118-74-1	410	U	40	U	40	U	40	U	80	U	80
Pentachlorophenol	87-86-5	1,000 or MDL	U	60	U	60	U	60	U	120	U	120
Phenanthrene	85-01-8	50,000	170	--	160	--	3,900	--	1,400	--	1,500	--
Anthracene	120-12-7	50,000	45	--	U	40	980	--	260	--	380	--
Carbazole	86-74-8	*	U	40	U	40	210	--	90	--	110	--
Di-n-butyl Phthalate	84-74-2	8,100	U	40	U	40	U	40	110	--	U	80
Fluoranthene	206-44-0	50,000	230	--	150	--	5,600	--	1,100	--	2,100	--
Benzidine	92-87-5	*	U	40	U	40	U	40	U	80	U	80
Pyrene	129-00-0	50,000	290	--	220	--	7,800	--	990	--	2,100	--
Butyl benzyl Phthalate	85-68-7	50,000	U	40	U	40	U	40	U	80	U	80
3,3´-Dichlorobenzidine	91-94-1	n/a	U	40	U	40	U	40	U	80	U	80
Benzo(a)anthracene	56-55-3	224 or MDL	140	--	110	--	4,000	--	570	--	970	--
Chrysene	218-01-9	400	160	--	140	--	4,400	--	740	--	1,000	--
Bis(2-ethylhexyl)Phthalate	117-81-7	50,000	730	--	840	--	440	--	110	--	460	--
Di-n-octyl Phthalate	117-84-0	50,000	U	40	U	40	U	40	U	80	U	80
Benzo(b)fluoranthene	205-99-2	1,100	270	--	260	--	6,000	--	520	--	940	--
Benzo(k)fluoranthene	207-08-9	1,100	280	--	270	--	6,400	--	360	--	670	--
Benzo(a)pyrene	50-32-8	61 or MDL	170	--	150	--	3,800	--	500	--	950	--
Indeno(1,2,3-c,d)pyrene	193-39-5	3,200	U	40	96	--	540	--	310	--	550	--
Dibenzo(a,h)anthracene	53-70-3	14 or MDL	U	40	U	40	1,100	--	110	--	150	--
Benzo(g,h,i)perylene	191-24-2	50,000	170	--	100	--	2,800	--	340	--	620	--
TOTAL SVOCs			3,175		2,591		48,780		9,820		12,992	

*** Not Applicable.**
**** No Standard Exists. Value is a Guidance Value.**
NA Not Analyzed

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B4 [2'-4'] Soil ug/kg Dilution 1		B4 [6'-8'] Soil ug/kg Dilution 5		B5 [2'-4'] Soil ug/kg Dilution 2		B5 [5'-7'] Soil ug/kg Dilution 10, 500		MW1 [5'-6'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Pyridine	110-86-1	*	U	40	U	40	U	40	U	40	U	40
N-Nitrosodimethylamine	62-75-9	*	U	40	U	40	U	40	U	40	U	40
Aniline	62-53-3	1,000	U	40	U	40	U	40	U	40	U	40
Bis(2-chloroethyl)ether	111-44-4	*	U	40	U	40	U	40	U	40	U	40
Phenol	108-95-1	30 or MDL	U	40	U	40	U	40	U	40	U	40
2-Chlorophenol	95-57-8	800	U	40	U	40	U	40	U	40	U	40
1,3-Dichlorobenzene	541-73-1	1,600	U	40	U	40	U	40	U	40	U	40
1,4-Dichlorobenzene	106-46-7	8,500	U	40	U	40	U	40	U	40	U	40
1,2-Dichlorobenzene	95-50-1	7,900	U	40	U	40	U	40	U	40	U	40
Benzyl Alcohol	100-51-6	*	U	40	U	40	U	40	U	40	U	40
Bis(2-chloroisopropyl)ether	108-60-1	*	U	40	U	40	U	40	U	40	U	40
2-Methylphenol	95-48-7	100 or MDL	U	40	U	40	U	40	U	40	U	40
Hexachloroethane	67-72-1	*	U	40	U	40	U	40	U	40	U	40
N-Nitrosodi-n-propylamine	621-64-7	*	U	40	U	40	U	40	U	40	U	40
3+4-Methylphenol	108-39-4 / 106-44-5	*	U	40	U	40	U	40	U	40	U	40
Nitrobenzene	98-95-3	200 or MDL	U	40	U	40	U	40	U	40	U	40
Isophorone	78-59-1	4,400	U	40	U	40	U	40	U	40	U	40
2- Nitrophenol	88-75-5	330 or MDL	U	40	U	40	U	40	U	40	U	40
2,4-Dimethylphenol	105-67-9	*	U	40	U	40	U	40	U	40	U	40
Benzoic Acid	65-85-0	2,700	U	70	U	70	U	70	200	70	230	70
Bis(2-chloroethoxy)methane	111-91-1	*	U	40	U	40	U	40	U	40	U	40
2,4-Dichlorophenol	102-83-2	400	U	40	U	40	U	40	U	40	U	40
1,2,4-Trichlorobenzene	120-82-1	3,400	U	40	U	40	U	40	U	40	U	40
Naphthalene	91-20-3	13,000	U	40	U	40	U	40	U	40	U	40
4-Chloroaniline	106-47-8	220 or MDL	U	40	U	40	U	40	U	40	U	40
Hexachlorobutadiene	87-68-3	*	U	40	U	40	U	40	U	40	U	40
4-Chloro-3-methylphenol	59-50-7	240 or MDL	U	40	U	40	U	40	U	40	U	40
2-Methylnaphthalene	91-57-6	36,400	U	40	U	40	U	40	28	40	U	40
Hexachlorocyclopentadiene	77-47-4	*	U	40	U	40	U	40	U	40	U	40
2,4,5-Trichlorophenol	95-95-4	*	U	40	U	40	U	40	U	40	U	40
2,4,6-Trichlorophenol	88-06-2	1,000	U	40	U	40	U	40	U	40	U	40
2-Chloronaphthalene	91-58-7	*	U	40	U	40	U	40	U	40	U	40
2-Nitroaniline	88-74-4	430 or MDL	U	40	U	40	U	40	U	40	U	40
Acenaphthylene	208-96-8	41,000	U	40	U	40	U	40	U	40	U	40
Dimethyl Phthalate	131-11-3	2,000	U	40	U	40	U	40	U	40	U	40
2,6-Dinitrotoluene	606-20-2	1,000	U	40	U	40	U	40	U	40	U	40

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B4 [2'-4'] Soil ug/kg Dilution 1		B4 [6'-8'] Soil ug/kg Dilution 5		B5 [2'-4'] Soil ug/kg Dilution 2		B5 [5'-7'] Soil ug/kg Dilution 10, 500		MW1 [5'-6'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Acenaphthene	83-32-9	50,000	U	40	U	40	U	40	53	40	U	40
3-Nitroaniline	99-09-2	0.5 or MDL	U	40	U	40	U	40	U	40	U	40
2,4-Dinitrophenol	51-28-5	200 or MDL	U	70	U	70	U	70	U	70	U	70
Dibenzofuran	132-64-9	6,200	U	40	U	40	U	40	47	40	U	40
2,4-Dinitrotoluene	121-14-2	1,000	U	40	U	40	U	40	U	40	U	40
4-Nitrophenol	100-02-7	100 or MDL	U	50	U	50	U	50	U	50	U	50
Fluorene	86-73-7	50,000	U	40	U	40	U	40	61	40	U	40
4-Chlorophenyl phenyl ether	7005-72-3	*	U	40	U	40	U	40	U	40	U	40
Azobenzene	103-33-3	*	U	40	U	40	U	40	U	40	U	40
Diethyl Phthalate	84-66-2	7,100	U	40	U	40	U	40	U	40	U	40
4-Nitroaniline	100-01-6	*	U	50	U	50	U	50	U	50	U	50
4,6-Dinitro-2-methylphenol	534-52-1	*	U	40	U	40	U	40	U	40	U	40
N-Nitrosodiphenylamine	86-30-6	*	U	40	U	40	U	40	U	40	U	40
4-Bromophenyl phenyl ether	101-55-3	*	U	40	U	40	U	40	U	40	U	40
Hexachlorobenzene	118-74-1	410	U	40	U	40	U	40	U	40	U	40
Pentachlorophenol	87-86-5	1,000 or MDL	U	60	U	60	U	60	U	60	U	60
Phenanthrene	85-01-8	50,000	640	--	U	40	120	40	570	40	U	40
Anthracene	120-12-7	50,000	130	40	U	40	U	40	130	40	U	40
Carbazole	86-74-8	*	U	40	U	40	U	40	60	40	U	40
Di-n-butyl Phthalate	84-74-2	8,100	U	40	U	40	U	40	U	40	U	40
Fluoranthene	206-44-0	50,000	1,500	--	U	40	150	40	490	40	U	40
Benzidine	92-87-5	*	U	40	U	40	U	40	U	40	U	40
Pyrene	129-00-0	50,000	2,700	--	U	40	200	40	460	40	U	40
Butyl benzyl Phthalate	85-68-7	50,000	U	40	U	40	U	40	U	40	U	40
3,3´-Dichlorobenzidine	91-94-1	n/a	U	40	U	40	U	40	U	40	U	40
Benzo(a)anthracene	56-55-3	224 or MDL	1,200	--	U	40	87	40	220	40	U	40
Chrysene	218-01-9	400	1,400	--	U	--	110	--	220	--	U	40
Bis(2-ethylhexyl)Phthalate	117-81-7	50,000	U	40	220	--	2,400	--	2,500	--	2,200	--
Di-n-octyl Phthalate	117-84-0	50,000	U	40	U	40	U	40	U	40	U	40
Benzo(b)fluoranthene	205-99-2	1,100	1,800	--	U	40	120	40	300	40	U	40
Benzo(k)fluoranthene	207-08-9	1,100	1,900	--	U	40	130	40	310	40	U	40
Benzo(a)pyrene	50-32-8	61 or MDL	1,300	--	U	40	92	40	220	40	U	40
Indeno(1,2,3-c,d)pyrene	193-39-5	3,200	1,100	--	U	40	69	40	150	40	U	40
Dibenzo(a,h)anthracene	53-70-3	14 or MDL	100	40	U	40	U	40	220	40	U	40
Benzo(g,h,i)perylene	191-24-2	50,000	1,200	--	U	40	94	40	170	40	U	40
TOTAL SVOCs			14,970		220		3,572		6,409		2,430	

*** Not Applicable.**
**** No Standard Exists. Value is a Guidance Value.**
NA Not Analyzed

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW1 [8'-9'] Soil ug/kg Dilution 8,80		MW2 [5'-7'] Soil ug/kg Dilution 1		MW2[9'-11'] Soil ug/kg Dilution 1		MW3 [0'-2'] Soil ug/kg Dilution 1		MW3 [5'-7'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Pyridine	110-86-1	*	U	40	U	40	U	40	U	80	U	320
N-Nitrosodimethylamine	62-75-9	*	U	40	U	40	U	40	U	80	U	320
Aniline	62-53-3	1,000	U	40	U	40	U	40	U	80	U	320
Bis(2-chloroethyl)ether	111-44-4	*	U	40	U	40	U	40	U	80	U	320
Phenol	108-95-1	30 or MDL	U	40	U	40	U	40	U	80	U	320
2-Chlorophenol	95-57-8	800	U	40	U	40	U	40	U	80	U	320
1,3-Dichlorobenzene	541-73-1	1,600	U	40	U	40	U	40	U	80	U	320
1,4-Dichlorobenzene	106-46-7	8,500	U	40	U	40	U	40	U	80	U	320
1,2-Dichlorobenzene	95-50-1	7,900	U	40	U	40	U	40	U	80	U	320
Benzyl Alcohol	100-51-6	*	U	40	U	40	U	40	U	80	U	320
Bis(2-chloroisopropyl)ether	108-60-1	*	U	40	U	40	U	40	U	80	U	320
2-Methylphenol	95-48-7	100 or MDL	U	40	220	40	U	40	U	80	U	320
Hexachloroethane	67-72-1	*	U	40	U	40	U	40	U	80	U	320
N-Nitrosodi-n-propylamine	621-64-7	*	U	40	U	40	U	40	U	80	U	320
3+4-Methylphenol	108-39-4 / 106-44-5	*	U	40	U	40	U	40	U	80	U	320
Nitrobenzene	98-95-3	200 or MDL	U	40	U	40	U	40	U	80	U	320
Isophorone	78-59-1	4,400	U	40	U	40	U	40	U	80	U	320
2- Nitrophenol	88-75-5	330 or MDL	U	40	U	40	U	40	U	80	U	320
2,4-Dimethylphenol	105-67-9	*	U	40	U	40	U	40	U	80	U	320
Benzoic Acid	65-85-0	2,700	U	70	U	70	U	70	190	140	U	320
Bis(2-chloroethoxy)methane	111-91-1	*	U	40	U	40	U	40	U	80	U	320
2,4-Dichlorophenol	102-83-2	400	U	40	U	40	U	40	U	80	U	320
1,2,4-Trichlorobenzene	120-82-1	3,400	U	40	U	40	U	40	U	80	U	320
Naphthalene	91-20-3	13,000	110	40	U	40	74	40	U	80	3,800	--
4-Chloroaniline	106-47-8	220 or MDL	U	40	U	40	U	40	U	80	U	320
Hexachlorobutadiene	87-68-3	*	U	40	U	40	U	40	U	80	U	320
4-Chloro-3-methylphenol	59-50-7	240 or MDL	U	40	U	40	U	40	U	80	U	320
2-Methylnaphthalene	91-57-6	36,400	88	40	590	40	56	40	U	80	1,500	--
Hexachlorocyclopentadiene	77-47-4	*	U	40	U	40	U	40	U	80	U	320
2,4,5-Trichlorophenol	95-95-4	*	U	40	U	40	U	40	U	80	U	320
2,4,6-Trichlorophenol	88-06-2	1,000	U	40	U	40	U	40	U	80	U	320
2-Chloronaphthalene	91-58-7	*	U	40	U	40	U	40	U	80	U	320
2-Nitroaniline	88-74-4	430 or MDL	U	40	U	40	U	40	U	80	U	320
Acenaphthylene	208-96-8	41,000	U	40	170	40	68	40	170	80	620	--
Dimethyl Phthalate	131-11-3	2,000	U	40	U	40	U	40	U	80	U	320
2,6-Dinitrotoluene	606-20-2	1,000	U	40	U	40	U	40	U	80	U	320

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW1 [8'-9'] Soil ug/kg Dilution 8,80		MW2 [5'-7'] Soil ug/kg Dilution 1		MW2[9'-11'] Soil ug/kg Dilution 1		MW3 [0'-2'] Soil ug/kg Dilution 1		MW3 [5'-7'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Acenaphthene	83-32-9	50,000	100	40	270	40	140	40	200	--	3,800	--
3-Nitroaniline	99-09-2	0.5 or MDL	U	40	U	40	U	40	U	80	U	320
2,4-Dinitrophenol	51-28-5	200 or MDL	U	70	U	70	U	70	U	140	U	560
Dibenzofuran	132-64-9	6,200	46	40	210	40	98	40	98	--	2,300	--
2,4-Dinitrotoluene	121-14-2	1,000	U	40	U	40	U	40	U	80	U	320
4-Nitrophenol	100-02-7	100 or MDL	U	50	U	50	U	50	U	100	U	400
Fluorene	86-73-7	50,000	100	40	500	40	190	40	250	--	4,500	--
4-Chlorophenyl phenyl ether	7005-72-3	*	U	40	U	40	U	40	U	80	U	320
Azobenzene	103-33-3	*	U	40	U	40	U	40	U	80	U	320
Diethyl Phthalate	84-66-2	7,100	U	40	U	40	U	40	U	80	U	320
4-Nitroaniline	100-01-6	*	U	50	U	50	U	50	U	100	U	400
4,6-Dinitro-2-methylphenol	534-52-1	*	U	40	U	40	U	40	U	80	U	320
N-Nitrosodiphenylamine	86-30-6	*	U	40	U	40	U	40	U	80	U	320
4-Bromophenyl phenyl ether	101-55-3	*	U	40	U	40	U	40	U	80	U	320
Hexachlorobenzene	118-74-1	410	U	40	U	40	U	40	U	80	U	320
Pentachlorophenol	87-86-5	1,000 or MDL	U	60	U	60	U	60	U	60	U	480
Phenanthrene	85-01-8	50,000	800	40	3,200	40	1,200	40	2,800	--	31,000	--
Anthracene	120-12-7	50,000	190	40	750	40	370	40	670	--	7,600	--
Carbazole	86-74-8	*	91	40	U	40	110	40	300	--	3,300	--
Di-n-butyl Phthalate	84-74-2	8,100	U	40	U	40	U	40	<80	80	U	320
Fluoranthene	206-44-0	50,000	690	40	4,900	40	1,300	40	4,400	--	30,000	--
Benzidine	92-87-5	*	U	40	U	40	U	40	U	80	U	320
Pyrene	129-00-0	50,000	780	40	4,500	40	1,200	40	3,900	--	24,000	--
Butyl benzyl Phthalate	85-68-7	50,000	U	40	U	40	U	40	U	80	U	320
3,3´-Dichlorobenzidine	91-94-1	n/a	U	40	U	40	U	40	U	80	U	320
Benzo(a)anthracene	56-55-3	224 or MDL	360	40	2,100	40	910	40	2,000	--	12,000	--
Chrysene	218-01-9	400	380	40	2,800	40	940	40	2,200	--	11,000	--
Bis(2-ethylhexyl)Phthalate	117-81-7	50,000	1,600	--	910	--	660	--	100	--	660	--
Di-n-octyl Phthalate	117-84-0	50,000	U	40	U	40	U	40	U	80	U	320
Benzo(b)fluoranthene	205-99-2	1,100	510	40	3,200	40	1,400	40	2,500	--	13,000	--
Benzo(k)fluoranthene	207-08-9	1,100	540	40	3,400	40	1,500	40	880	--	4,500	--
Benzo(a)pyrene	50-32-8	61 or MDL	310	40	1,800	40	840	40	2,000	--	10,000	--
Indeno(1,2,3-c,d)pyrene	193-39-5	3,200	240	40	1,100	40	83	40	1,200	--	5,600	--
Dibenzo(a,h)anthracene	53-70-3	14 or MDL	86	40	520	40	190	40	340	--	1,700	--
Benzo(g,h,i)perylene	191-24-2	50,000	230	40	1,300	40	440	40	1,300	--	5,200	--
TOTAL SVOCs			7,251		32,440		11,769		25,498		176,080	

*** Not Applicable.**
**** No Standard Exists. Value is a Guidance Value.**
NA Not Analyzed

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW4 [0'-2'] Soil ug/kg Dilution 1		MW4 [13'-15'] Soil ug/kg Dilution 1		MW5 [0'-2'] Soil ug/kg Dilution 1		MW5 [4'-6'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Pyridine	110-86-1	*	U	1600	U	80	U	320	U	320
N-Nitrosodimethylamine	62-75-9	*	U	1600	U	80	U	320	U	320
Aniline	62-53-3	1,000	U	1600	U	80	U	320	U	320
Bis(2-chloroethyl)ether	111-44-4	*	U	1600	U	80	U	320	U	320
Phenol	108-95-1	30 or MDL	U	1600	U	80	U	320	U	320
2-Chlorophenol	95-57-8	800	U	1600	U	80	U	320	U	320
1,3-Dichlorobenzene	541-73-1	1,600	U	1600	U	80	U	320	U	320
1,4-Dichlorobenzene	106-46-7	8,500	U	1600	U	80	U	320	U	320
1,2-Dichlorobenzene	95-50-1	7,900	U	1600	U	80	U	320	U	320
Benzyl Alcohol	100-51-6	*	U	1600	U	80	U	320	U	320
Bis(2-chloroisopropyl)ether	108-60-1	*	U	1600	U	80	U	320	U	320
2-Methylphenol	95-48-7	100 or MDL	U	1600	U	80	U	320	U	320
Hexachloroethane	67-72-1	*	U	1600	U	80	U	320	U	320
N-Nitrosodi-n-propylamine	621-64-7	*	U	1600	U	80	U	320	U	320
3+4-Methylphenol	108-39-4 / 106-44-5	*	U	1600	U	80	U	320	U	320
Nitrobenzene	98-95-3	200 or MDL	U	1600	U	80	U	320	U	320
Isophorone	78-59-1	4,400	U	1600	U	80	U	320	U	320
2- Nitrophenol	88-75-5	330 or MDL	U	1600	U	80	U	320	U	320
2,4-Dimethylphenol	105-67-9	*	U	1600	U	80	U	320	U	320
Benzoic Acid	65-85-0	2,700	U	2800	170	140	U	560	U	560
Bis(2-chloroethoxy)methane	111-91-1	*	U	1600	U	80	U	320	U	320
2,4-Dichlorophenol	102-83-2	400	U	1600	U	80	U	320	U	320
1,2,4-Trichlorobenzene	120-82-1	3,400	U	1600	U	80	U	320	U	320
Naphthalene	91-20-3	13,000	2,000	--	150	80	U	320	U	320
4-Chloroaniline	106-47-8	220 or MDL	U	1600	U	80	U	320	U	320
Hexachlorobutadiene	87-68-3	*	U	1600	U	80	U	320	U	320
4-Chloro-3-methylphenol	59-50-7	240 or MDL	U	1600	U	80	U	320	U	320
2-Methylnaphthalene	91-57-6	36,400	1,600	--	120	80	U	320	U	320
Hexachlorocyclopentadiene	77-47-4	*	U	1600	U	80	U	320	U	320
2,4,5-Trichlorophenol	95-95-4	*	U	1600	U	80	U	320	U	320
2,4,6-Trichlorophenol	88-06-2	1,000	U	1600	U	80	U	320	U	320
2-Chloronaphthalene	91-58-7	*	U	1600	U	80	U	320	U	320
2-Nitroaniline	88-74-4	430 or MDL	U	1600	U	80	U	320	U	320
Acenaphthylene	208-96-8	41,000	U	1600	120	80	U	320	U	320
Dimethyl Phthalate	131-11-3	2,000	U	1600	U	80	U	320	U	320
2,6-Dinitrotoluene	606-20-2	1,000	U	1600	U	80	U	320	U	320

Table 12: Semivolatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8270

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW4 [0'-2'] Soil ug/kg Dilution 1		MW4 [13'-15'] Soil ug/kg Dilution 1		MW5 [0'-2'] Soil ug/kg Dilution 1		MW5 [4'-6'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Acenaphthene	83-32-9	50,000	6,100	--	360	--	460	--	1,200	--
3-Nitroaniline	99-09-2	0.5 or MDL	U	1600	U	80	U	320	U	320
2,4-Dinitrophenol	51-28-5	200 or MDL	U	2800	U	140	U	560	U	560
Dibenzofuran	132-64-9	6,200	2,800	--	220	--	U	320	640	320
2,4-Dinitrotoluene	121-14-2	1,000	U	1600	U	80	U	320	U	320
4-Nitrophenol	100-02-7	100 or MDL	U	--	U	100	U	400	U	400
Fluorene	86-73-7	50,000	5,300	--	380	--	450	--	1,200	--
4-Chlorophenyl phenyl ether	7005-72-3	*	U	1600	U	80	U	320	U	320
Azobenzene	103-33-3	*	U	1600	U	80	U	320	U	320
Diethyl Phthalate	84-66-2	7,100	U	1600	U	80	U	320	U	320
4-Nitroaniline	100-01-6	*	U	2000	U	100	U	400	U	400
4,6-Dinitro-2-methylphenol	534-52-1	*	U	1600	U	80	U	320	U	320
N-Nitrosodiphenylamine	86-30-6	*	U	1600	U	80	U	320	U	320
4-Bromophenyl phenyl ether	101-55-3	*	U	1600	U	80	U	320	U	320
Hexachlorobenzene	118-74-1	410	U	1600	U	80	U	320	U	320
Pentachlorophenol	87-86-5	1,000 or MDL	U	2400	U	120	U	480	U	480
Phenanthrene	85-01-8	50,000	79,000	--	6,100	--	7,300	--	15,000	--
Anthracene	120-12-7	50,000	9,200	--	830	--	1,400	--	3,300	--
Carbazole	86-74-8	*	6,200	--	590	--	540	--	1000	--
Di-n-butyl Phthalate	84-74-2	8,100	U	1600	U	80	U	320	U	320
Fluoranthene	206-44-0	50,000	86,000	--	7,100	--	11,000	--	20,000	--
Benzidine	92-87-5	*	U	1600	U	80	U	320	U	320
Pyrene	129-00-0	50,000	76,000	--	5,900	--	10,000	--	18,000	--
Butyl benzyl Phthalate	85-68-7	50,000	U	1600	U	80	U	320	U	320
3,3´-Dichlorobenzidine	91-94-1	n/a	U	1600	U	80	U	320	U	320
Benzo(a)anthracene	56-55-3	224 or MDL	30,000	--	2,600	--	5,400	--	9,200	--
Chrysene	218-01-9	400	38,000	--	3,200	--	5,300	--	9,000	--
Bis(2-ethylhexyl)Phthalate	117-81-7	50,000	U	1600	U	80	350	--	430	--
Di-n-octyl Phthalate	117-84-0	50,000	U	1600	U	80	U	320	U	320
Benzo(b)fluoranthene	205-99-2	1,100	40,000	--	3,400	--	4,700	--	10,000	--
Benzo(k)fluoranthene	207-08-9	1,100	14,000	--	1,400	--	4,100	--	3,400	--
Benzo(a)pyrene	50-32-8	61 or MDL	31,000	--	2,600	--	5,000	--	8,200	--
Indeno(1,2,3-c,d)pyrene	193-39-5	3,200	20,000	--	1,900	--	3,200	--	4,900	--
Dibenzo(a,h)anthracene	53-70-3	14 or MDL	5,500	--	490	--	820	--	1,400	--
Benzo(g,h,i)perylene	191-24-2	50,000	22,000	--	2,000	--	3,400	--	5,000	--
TOTAL SVOCs			474,700		39,630		63,420		111,870	

*** Not Applicable.**
**** No Standard Exists. Value is a Guidance Value.**
NA Not Analyzed

Table 10: TAL Metals in Groundwater Samples
Laboratory Method: EPA Method 6010/7470

PARAMETER	CAS No.	Class GA Ambient Water Qual. Standards mg/L	MW6 Groundwater mg/L Dilution		MW6 (Dissolved) Groundwater mg/L Dilution		MW7 Groundwater mg/L Dilution		MW7 (Dissolved) Groundwater mg/L Dilution		MW8 Groundwater mg/L Dilution	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Aluminum, Al	7429-90-5	*	0.104	0.0200	0.0562	0.0200	1.68	0.0200	1.69	0.0200	0.334	0.0200
Antimony, Sb	7440-36-0	**.003	0.0836	0.0250	U	0.0250	0.0548	0.0250	U	0.0250	0.0443	0.0250
Arsenic, As	7440-38-2	0.025	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Barium, Ba	7440-39-3	1	0.218	0.0200	0.146	0.0200	0.132	0.0200	0.14	0.0200	0.486	0.0200
Beryllium, Be	7440-41-7	**0.003	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cadmium, Cd	7440-43-9	0.01	U	0.0100	U	0.0100	U	0.0100	U	0.0100	U	0.0100
Calcium, Ca	7440-70-2	*	146	0.0200	160	0.0200	39.2	0.0200	41.9	0.0200	168	0.0200
Chromium, Cr	7440-47-3	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cobalt, Co	7440-48-4	*	0.013	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Copper, Cu	7440-50-8	0.2	0.015	0.0200	U	0.0200	0.019	0.0200	0.0052	0.0200	0.010	0.0200
Iron, Fe	7439-89-6	0.3	29.2	0.0200	0.843	0.0200	0.497	0.0200	0.157	0.0200	0.106	0.0200
Lead, Pb	7439-92-1	0.025	U	0.0150	U	0.0150	0.0197	0.0150	0.0091	0.0150	U	0.0150
Magnesium, Mg	7439-95-4	**35	7.07	0.0200	7.73	0.0200	0.166	0.0200	0.0633	0.0200	495	0.0200
Manganese, Mn	7439-96-5	0.3	0.558	0.0200	0.537	0.0200	0.0082	0.0200	U	0.0200	0.018	0.0200
Mercury, Hg	7439-97-6	0.002	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200
Nickel, Ni	7440-02-0	*	0.0054	0.0200	U	0.0200	0.0058	0.0200	0.0048	0.0200	U	0.0200
Potassium, K	9/7/7440	*	15.5	0.0700	18.1	0.0700	100	0.0700	114	0.0700	349	0.0700
Selenium, Se	7782-49-2	0.01	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Silver, Ag	7440-22-4	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Sodium, Na	7440-23-5	20	21.7	0.0300	17.1	0.0300	110	0.0300	116	0.0300	509	0.0300
Thallium, Tl	7440-28-0	**.004	U	0.0150	U	0.0150	0.0190	0.0150	U	0.0150	U	0.0150
Vanadium, V	7440-62-2	*	U	0.0200	U	0.0200	0.0083	0.0200	0.0081	0.0200	U	0.0200
Zinc, Zn	7440-66-6	0.3	0.0516	0.020	0.0071	0.0200	0.0392	0.0200	0.0062	0.0200	0.0520	0.0200

SB Site Background.
*** Not Applicable**
**** No Standard Exists. Value is a Guidance Value.**

Table 10: TAL Metals in Groundwater Samples
Laboratory Method: EPA Method 6010/7470

PARAMETER	CAS No.	Class GA Ambient Water Qual. Standards mg/L	MW8 (Dissolved) Groundwater mg/L Dilution		MW9 Groundwater mg/L Dilution		MW9 (Dissolved) Groundwater mg/L Dilution		MW10 Groundwater mg/L Dilution		MW10 (Dissolved) Groundwater mg/L Dilution	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Aluminum, Al	7429-90-5	*	0.0575	0.0200	0.582	0.0200	0.0727	0.0200	0.204	0.0200	0.0417	0.0200
Antimony, Sb	7440-36-0	**.003	U	0.0250	0.0272	0.0250	U	0.0250	0.018	0.0250	U	0.0250
Arsenic, As	7440-38-2	0.025	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Barium, Ba	7440-39-3	1	0.468	0.0200	0.23	0.0200	0.235	0.0200	0.13	0.0200	0.112	0.0200
Beryllium, Be	7440-41-7	**0.003	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cadmium, Cd	7440-43-9	0.01	U	0.0100	U	0.0100	U	0.0100	U	0.0100	U	0.0100
Calcium, Ca	7440-70-2	*	167	0.0200	223	0.0200	252	0.0200	266	0.0200	304	0.0200
Chromium, Cr	7440-47-3	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cobalt, Co	7440-48-4	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Copper, Cu	7440-50-8	0.2	U	0.0200	0.015	0.0200	U	0.0200	0.013	0.0200	U	0.0200
Iron, Fe	7439-89-6	0.3	0.0448	0.0200	3.83	0.0200	0.695	0.0200	6.98	0.0200	0.399	0.0200
Lead, Pb	7439-92-1	0.025	U	0.0150	0.0173	0.0150	U	0.0150	0.010	0.0150	U	0.0150
Magnesium, Mg	7439-95-4	**35	505	0.0200	38.7	0.0200	42.2	0.0200	52.2	0.0200	58.1	0.0200
Manganese, Mn	7439-96-5	0.3	0.018	0.0200	0.848	0.0200	0.939	0.0200	6.12	0.0200	6.80	0.0200
Mercury, Hg	7439-97-6	0.002	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200
Nickel, Ni	7440-02-0	*	U	0.0200	0.0045	0.0200	U	0.0200	U	0.0200	U	0.0200
Potassium, K	9/7/7440	*	368	0.0700	38.8	0.0700	45.8	0.0700	42.1	0.0700	51.0	0.0700
Selenium, Se	7782-49-2	0.01	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Silver, Ag	7440-22-4	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Sodium, Na	7440-23-5	20	517	0.0300	101	0.0300	102	0.0300	109	0.0300	112	0.0300
Thallium, Tl	7440-28-0	**.004	U	0.0150	U	0.0150	U	0.0150	U	0.0150	U	0.0150
Vanadium, V	7440-62-2	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Zinc, Zn	7440-66-6	0.3	0.0270	0.0200	0.146	0.0200	0.101	0.0200	0.0829	0.0200	0.0051	0.0200

SB Site Background.
*** Not Applicable**
**** No Standard Exists. Value is a Guidance Value.**

Table 10: TAL Metals in Groundwater Samples
Laboratory Method: EPA Method 6010/7470

PARAMETER	CAS No.	Class GA Ambient Water Qual. Standards mg/L	MW11 Groundwater mg/L Dilution		MW11 (Dissolved) Groundwater mg/L Dilution		MW12 Groundwater mg/L Dilution		MW12 (Dissolved) Groundwater mg/L Dilution		MW13 Groundwater mg/L Dilution	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Aluminum, Al	7429-90-5	*	0.110	0.0200	0.0665	0.0200	0.211	0.0200	0.0417	0.0200	0.164	0.0200
Antimony, Sb	7440-36-0	**.003	U	0.0250	U	0.0250	U	0.0250	U	0.0250	0.022	0.0250
Arsenic, As	7440-38-2	0.025	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Barium, Ba	7440-39-3	1	0.496	0.0200	0.0499	0.0200	0.277	0.0200	0.24	0.0200	0.0681	0.0200
Beryllium, Be	7440-41-7	**0.003	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cadmium, Cd	7440-43-9	0.01	U	0.0100	U	0.0100	U	0.0100	U	0.0100	U	0.0100
Calcium, Ca	7440-70-2	*	113	0.0200	123	0.0200	113	0.0200	127	0.0200	345	0.0200
Chromium, Cr	7440-47-3	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cobalt, Co	7440-48-4	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Copper, Cu	7440-50-8	0.2	0.0098	0.0200	U	0.0200	0.012	0.0200	U	0.0200	0.011	0.0200
Iron, Fe	7439-89-6	0.3	0.153	0.0200	0.0584	0.0200	9.42	0.0200	0.395	0.0200	3.05	0.0200
Lead, Pb	7439-92-1	0.025	U	0.0150	U	0.0150	0.0236	0.0150	U	0.0150	U	0.0150
Magnesium, Mg	7439-95-4	**35	33.8	0.0200	36.7	0.0200	27.8	0.0200	31.2	0.0200	27.0	0.0200
Manganese, Mn	7439-96-5	0.3	0.184	0.0200	0.194	0.0200	1.93	0.0200	2.10	0.0200	0.752	0.0200
Mercury, Hg	7439-97-6	0.002	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200
Nickel, Ni	7440-02-0	*	0.0054	0.0200	0.0046	0.0200	U	0.0200	30.3	0.0200	0.0064	0.0200
Potassium, K	9/7/7440	*	7.10	0.0700	8.25	0.0700	24.3	0.0700	U	0.0700	22.1	0.0700
Selenium, Se	7782-49-2	0.01	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Silver, Ag	7440-22-4	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Sodium, Na	7440-23-5	20	34.0	0.0300	32.1	0.0300	83.4	0.0300	88.7	0.0300	57.1	0.0300
Thallium, Tl	7440-28-0	**.004	U	0.0150	U	0.0150	U	0.0150	U	0.0150	U	0.0150
Vanadium, V	7440-62-2	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Zinc, Zn	7440-66-6	0.3	0.0414	0.0200	0.018	0.0200	0.0538	0.0200	0.0056	0.0200	0.0292	0.0200

SB Site Background.
*** Not Applicable**
**** No Standard Exists. Value is a Guidance Value.**

Table 10: TAL Metals in Groundwater Samples
Laboratory Method: EPA Method 6010/7470

PARAMETER	CAS No.	Class GA Ambient Water Qual. Standards mg/L	MW13 (Dissolved) Groundwater mg/L Dilution		MW14 Groundwater mg/L Dilution		MW14 (Dissolved) Groundwater mg/L Dilution		MW15 Groundwater mg/L Dilution		MW15 (Dissolved) Groundwater mg/L Dilution	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Aluminum, Al	7429-90-5	*	0.0573	0.0200	0.253	0.0200	0.0339	0.0200	0.253	0.0200	0.0403	0.0200
Antimony, Sb	7440-36-0	**.003	U	0.0250	0.024	0.0250	U	0.0250	U	0.0250	U	0.0250
Arsenic, As	7440-38-2	0.025	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Barium, Ba	7440-39-3	1	0.0656	0.0200	0.214	0.0200	0.171	0.0200	0.137	0.0200	0.142	0.0200
Beryllium, Be	7440-41-7	**0.003	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cadmium, Cd	7440-43-9	0.01	U	0.0100	U	0.0100	U	0.0100	U	0.0100	U	0.0100
Calcium, Ca	7440-70-2	*	381	0.0200	92.8	0.0200	101	0.0200	115	0.0200	130	0.0200
Chromium, Cr	7440-47-3	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Cobalt, Co	7440-48-4	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Copper, Cu	7440-50-8	0.2	U	0.0200	0.0091	0.0200	U	0.0200	0.0064	0.0200	U	0.0200
Iron, Fe	7439-89-6	0.3	0.332	0.0200	19.3	0.0200	1.55	0.0200	3.6	0.0200	1.09	0.0200
Lead, Pb	7439-92-1	0.025	U	0.0150	0.010	0.0150	U	0.0150	0.0093	0.0150	U	0.0150
Magnesium, Mg	7439-95-4	**35	29.4	0.0200	14.3	0.0200	12.3	0.0200	25.3	0.0200	28.7	0.0200
Manganese, Mn	7439-96-5	0.3	0.814	0.0200	2.69	0.0200	2.76	0.0200	0.838	0.0200	0.924	0.0200
Mercury, Hg	7439-97-6	0.002	U	0.200	U	0.200	U	0.200	U	0.200	U	0.200
Nickel, Ni	7440-02-0	*	U	0.0200	0.0048	0.0200	U	0.0200	0.0091	0.0200	U	0.0200
Potassium, K	9/7/7440	*	24.9	0.0700	13.9	0.0700	14.1	0.0700	6.20	0.0700	7.43	0.0700
Selenium, Se	7782-49-2	0.01	U	0.0250	U	0.0250	U	0.0250	U	0.0250	U	0.0250
Silver, Ag	7440-22-4	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Sodium, Na	7440-23-5	20	55.4	0.0300	75.9	0.0300	56.1	0.0300	29.9	0.0300	28.7	0.0300
Thallium, Tl	7440-28-0	**.004	U	0.0150	U	0.0150	U	0.0150	U	0.0150	U	0.0150
Vanadium, V	7440-62-2	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	U	0.0200
Zinc, Zn	7440-66-6	0.3	0.014	0.0200	0.0422	0.0200	0.012	0.0200	0.0393	0.0200	0.014	0.0200

SB Site Background.
*** Not Applicable**
**** No Standard Exists. Value is a Guidance Value.**

Table 10: TAL Metals in Groundwater Samples
Laboratory Method: EPA Method 6010/7470

PARAMETER	CAS No.	Class GA Ambient Water Qual. Standards mg/L	MW16 Groundwater mg/L Dilution		MW16 (Dissolved) Groundwater mg/L Dilution		FOUND WELL Groundwater mg/L Dilution		FOUND WELL(Dissolved) Groundwater mg/L Dilution		TRIP BLANK Groundwater mg/L Dilution	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Aluminum, Al	7429-90-5	*	0.139	0.0200	0.0377	0.0200	U	0.0200	0.0421	0.0200	NA	NA
Antimony, Sb	7440-36-0	**.003	U	0.0250	U	0.0250	0.0947	0.0250	U	0.0250	NA	NA
Arsenic, As	7440-38-2	0.025	U	0.0250	U	0.0250	U	0.0250	U	0.0250	NA	NA
Barium, Ba	7440-39-3	1	0.162	0.0200	0.143	0.0200	0.142	0.0200	0.141	0.0200	NA	NA
Beryllium, Be	7440-41-7	**0.003	U	0.0200	U	0.0200	U	0.0200	U	0.0200	NA	NA
Cadmium, Cd	7440-43-9	0.01	U	0.0100	U	0.0100	U	0.0100	U	0.0100	NA	NA
Calcium, Ca	7440-70-2	*	158	0.0200	176	0.0200	101	0.0200	110	0.0200	NA	NA
Chromium, Cr	7440-47-3	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	NA	NA
Cobalt, Co	7440-48-4	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	NA	NA
Copper, Cu	7440-50-8	0.2	U	0.0200	U	0.0200	0.0076	0.0200	U	0.0200	NA	NA
Iron, Fe	7439-89-6	0.3	12.2	0.0200	0.404	0.0200	3.15	0.0200	0.565	0.0200	NA	NA
Lead, Pb	7439-92-1	0.025	U	0.0150	U	0.0150	U	0.0150	U	0.0150	NA	NA
Magnesium, Mg	7439-95-4	**35	54.2	0.0200	60.7	0.0200	34.1	0.0200	37.5	0.0200	NA	NA
Manganese, Mn	7439-96-5	0.3	0.494	0.0200	0.476	0.0200	0.806	0.0200	0.851	0.0200	NA	NA
Mercury, Hg	7439-97-6	0.002	U	0.200	U	0.200	U	0.200	U	0.200	NA	NA
Nickel, Ni	7440-02-0	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	NA	NA
Potassium, K	9/7/7440	*	23.4	0.0700	28.2	0.0700	17	0.0700	20.5	0.0700	NA	NA
Selenium, Se	7782-49-2	0.01	U	0.0250	U	0.0250	U	0.0250	U	0.0250	NA	NA
Silver, Ag	7440-22-4	0.05	U	0.0200	U	0.0200	U	0.0200	U	0.0200	NA	NA
Sodium, Na	7440-23-5	20	77.9	0.0300	80.2	0.0300	89.3	0.0300	95.6	0.0300	NA	NA
Thallium, Tl	7440-28-0	**.004	U	0.0150	U	0.0150	U	0.0150	U	0.0150	NA	NA
Vanadium, V	7440-62-2	*	U	0.0200	U	0.0200	U	0.0200	U	0.0200	NA	NA
Zinc, Zn	7440-66-6	0.3	0.0336	0.0200	0.0049	0.0200	0.0339	0.0200	0.019	0.0200	NA	NA

SB Site Background.
*** Not Applicable**
**** No Standard Exists. Value is a Guidance Value.**

Table 10: TAL Metals in Groundwater Samples
Laboratory Method: EPA Method 6010/7470

PARAMETER	CAS No.	Class GA Ambient Water Qual. Standards mg/L	TRIP BLANK (Dissolved) Groundwater mg/L Dilution		FIELD BLANK Groundwater mg/L Dilution		FIELD BLANK (Dissolved) Groundwater mg/L Dilution	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Aluminum, Al	7429-90-5	*	NA	NA	U	0.0200	NA	NA
Antimony, Sb	7440-36-0	**.003	NA	NA	0.018	0.0250	NA	NA
Arsenic, As	7440-38-2	0.025	NA	NA	U	0.0250	NA	NA
Barium, Ba	7440-39-3	1	NA	NA	U	0.0200	NA	NA
Beryllium, Be	7440-41-7	**0.003	NA	NA	U	0.0200	NA	NA
Cadmium, Cd	7440-43-9	0.01	NA	NA	U	0.0100	NA	NA
Calcium, Ca	7440-70-2	*	NA	NA	0.128	0.0200	NA	NA
Chromium, Cr	7440-47-3	0.05	NA	NA	U	0.0200	NA	NA
Cobalt, Co	7440-48-4	*	NA	NA	U	0.0200	NA	NA
Copper, Cu	7440-50-8	0.2	NA	NA	U	0.0200	NA	NA
Iron, Fe	7439-89-6	0.3	NA	NA	U	0.0200	NA	NA
Lead, Pb	7439-92-1	0.025	NA	NA	U	0.0150	NA	NA
Magnesium, Mg	7439-95-4	**35	NA	NA	U	0.0200	NA	NA
Manganese, Mn	7439-96-5	0.3	NA	NA	U	0.0200	NA	NA
Mercury, Hg	7439-97-6	0.002	NA	NA	U	0.200	NA	NA
Nickel, Ni	7440-02-0	*	NA	NA	U	0.0200	NA	NA
Potassium, K	9/7/7440	*	NA	NA	0.026	0.0700	NA	NA
Selenium, Se	7782-49-2	0.01	NA	NA	U	0.0250	NA	NA
Silver, Ag	7440-22-4	0.05	NA	NA	U	0.0200	NA	NA
Sodium, Na	7440-23-5	20	NA	NA	0.479	0.0300	NA	NA
Thallium, Tl	7440-28-0	**.004	NA	NA	U	0.0150	NA	NA
Vanadium, V	7440-62-2	*	NA	NA	U	0.0200	NA	NA
Zinc, Zn	7440-66-6	0.3	NA	NA	U	0.0200	NA	NA

SB Site Background.
*** Not Applicable**
**** No Standard Exists. Value is a Guidance Value.**

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B6 [0.5'-2'] Soil ug/kg Dilution 1		B6 [6'-7'] Soil ug/kg Dilution 1		B7 [9.5'-10.0'] Soil ug/kg Dilution 1		B7R2 [5.5'-6.0'] Soil ug/kg Dilution 1		B8 [0.5-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	U	5	U	5	U	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	U	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B6 [0.5'-2'] Soil ug/kg Dilution 1		B6 [6'-7'] Soil ug/kg Dilution 1		B7 [9.5'-10.0'] Soil ug/kg Dilution 1		B7R2 [5.5'-6.0'] Soil ug/kg Dilution 1		B8 [0.5-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	U	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	U	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	U	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	U	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			ND		ND		ND		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B8 [8'-10'] Soil ug/kg Dilution 1		B9 [14"-25 "] Soil ug/kg Dilution 1		B9 [5'-6'] Soil ug/kg Dilution 1		B10 [5'-7'] Soil ug/kg Dilution 1		B10 [9'-10'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	U	5	U	5	U	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	2	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B8 [8'-10'] Soil ug/kg Dilution 1		B9 [14"-25 "] Soil ug/kg Dilution 1		B9 [5'-6'] Soil ug/kg Dilution 1		B10 [5'-7'] Soil ug/kg Dilution 1		B10 [9'-10'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	6.2	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	U	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	U	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	U	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			6.2		2		ND		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B11 [1'-3'] Soil ug/kg Dilution 1		B11 [7'-9'] Soil ug/kg Dilution 1		B12 [0.5-2'] Soil ug/kg Dilution 1		B12 [5'-7'] Soil ug/kg Dilution 1		B13 [0.5'-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	3	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U		U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	4	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	10	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	U	5	U	5	U	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	U	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B11 [1'-3'] Soil ug/kg Dilution 1		B11 [7'-9'] Soil ug/kg Dilution 1		B12 [0.5-2'] Soil ug/kg Dilution 1		B12 [5'-7'] Soil ug/kg Dilution 1		B13 [0.5'-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	U	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	110	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	3	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	11	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	6.8	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	U	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			147.8		ND		ND		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B13 [5'-7'] Soil ug/kg Dilution 1		B14 [2'-3.5'] Soil ug/kg Dilution 1		B14 [6'-8'] Soil ug/kg Dilution 1		B15 [8.0'-9.0'] Soil ug/kg Dilution 1		B15 [0.5'-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	U	5	U	5	44	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	U	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	B13 [5'-7'] Soil ug/kg Dilution 1		B14 [2'-3.5'] Soil ug/kg Dilution 1		B14 [6'-8'] Soil ug/kg Dilution 1		B15 [8.0'-9.0'] Soil ug/kg Dilution 1		B15 [0.5'-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	U	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	U	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	U	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	3	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			ND		3		ND		44		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW6 [0.5'-2'] Soil ug/kg Dilution 1		MW6 [6'-7'] Soil ug/kg Dilution 1		MW7 [10'-11'] Soil ug/kg Dilution 1		MW7 [6.5-7.5'] Soil ug/kg Dilution 1		MW8 [2'-4'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	U	5	64	5	U	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	U	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW6 [0.5'-2'] Soil ug/kg Dilution 1		MW6 [6'-7'] Soil ug/kg Dilution 1		MW7 [10'-11'] Soil ug/kg Dilution 1		MW7 [6.5-7.5'] Soil ug/kg Dilution 1		MW8 [2'-4'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	U	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	U	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	U	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	U	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			ND		ND		64		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW8 [5'-6.5'] Soil ug/kg Dilution 1		MW9 [1.5'-3.5'] Soil ug/kg Dilution 1		MW9 [5'-6'] Soil ug/kg Dilution 1		MW10 [0.5'-2'] Soil ug/kg Dilution 1		MW10 [5'-7'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	U	5	U	5	U	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	U	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW8 [5'-6.5'] Soil ug/kg Dilution 1		MW9 [1.5'-3.5'] Soil ug/kg Dilution 1		MW9 [5'-6'] Soil ug/kg Dilution 1		MW10 [0.5'-2'] Soil ug/kg Dilution 1		MW10 [5'-7'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	U	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	U	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	U	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	U	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			ND		ND		ND		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW11 [0.5'-2'] Soil ug/kg Dilution 1		MW11 [7'-9'] Soil ug/kg Dilution 1		MW-12 [0.5'-2'] Soil ug/kg Dilution 1		MW12 [4.5'-5.5'] Soil ug/kg Dilution 1		MW13 [0.5'-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	U	5	U	5	U	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	U	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW11 [0.5'-2'] Soil ug/kg Dilution 1		MW11 [7'-9'] Soil ug/kg Dilution 1		MW-12 [0.5'-2'] Soil ug/kg Dilution 1		MW12 [4.5'-5.5'] Soil ug/kg Dilution 1		MW13 [0.5'-2'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	U	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	U	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	U	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	U	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			ND		ND		ND		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW13 [5'-7'] Soil ug/kg Dilution 1		MW14 [3'-4'] Soil ug/kg Dilution 1		MW14 [6'-8'] Soil ug/kg Dilution 1		MW15 [0.5'-2'] Soil ug/kg Dilution 1		MW15 [6'-8'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	5	U	5	U	5
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	5	U	5	U	5
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	5	U	5	U	5
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	5	U	5	U	5
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	5	U	5	U	5
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	5	U	5	U	5
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	5	U	5	U	5
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	5	U	5	U	5
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	5	U	5	U	5
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	5	U	5	U	5
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	5	U	5	U	5
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	5	U	5	U	5
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	5	U	5	U	5
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	5	U	5	U	5
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	5	U	5	U	5
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	5	U	5	U	5
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	5	U	5	U	5
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	5	U	5	U	5
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	5	U	5	U	5
2-Butanone	78-93-3	300	U	5	U	5	U	5	U	5	U	5
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	5	U	5	U	5
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	5	U	5	U	5
2-Hexanone	591-78-6	*	U	5	U	5	U	5	U	5	U	5
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	5	U	5	U	5
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	5	U	5	U	5
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	5	U	5	U	5
Acetone	67-64-1	200	U	5	49	5	U	5	U	5	U	5
Acrolein	107-02-8	*	U	25	U	25	U	25	U	25	U	25
Acrylonitrile	107-13-1	*	U	5	U	5	U	5	U	5	U	5
Benzene	71-43-2	60	U	5	U	5	U	5	U	5	U	5
Bromobenzene	108-86-1	*	U	5	U	5	U	5	U	5	U	5
Bromochloromethane	74-97-5	*	U	5	U	5	U	5	U	5	U	5
Bromodichloromethane	75-27-4	*	U	5	U	5	U	5	U	5	U	5
Bromoform	75-25-2	*	U	5	U	5	U	5	U	5	U	5
Bromomethane	74-83-9	*	U	5	U	5	U	5	U	5	U	5
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	5	U	5	U	5

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW13 [5'-7'] Soil ug/kg Dilution 1		MW14 [3'-4'] Soil ug/kg Dilution 1		MW14 [6'-8'] Soil ug/kg Dilution 1		MW15 [0.5'-2'] Soil ug/kg Dilution 1		MW15 [6'-8'] Soil ug/kg Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	5	U	5	U	5
Chlorobenzene	108-90-7	1700	U	5	U	5	U	5	U	5	U	5
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	5	U	5	U	5
Chloroethane	75-00-3	1900	U	5	U	5	U	5	U	5	U	5
Chloroform	67-66-3	300	U	5	U	5	U	5	U	5	U	5
Chloromethane	74-87-3	*	U	5	U	5	U	5	U	5	U	5
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	5	U	5	U	5
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	5	U	5	U	5
Dibromochloromethane	124-48-1	*	U	5	U	5	U	5	U	5	U	5
Dibromomethane	74-95-3	*	U	5	U	5	U	5	U	5	U	5
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	5	U	5	U	5
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	5	U	5	U	5
Ethanol	64-17-5	*	U	5	U	5	U	5	U	5	U	5
Ethyl acetate	141-78-6	*	U	5	U	5	U	5	U	5	U	5
Ethylbenzene	100-41-4	5500	U	5	U	5	U	5	U	5	U	5
Freon-114	76-14-2	*	U	5	U	5	U	5	U	5	U	5
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	5	U	5	U	5
Isopropyl acetate	108-21-4	*	U	5	U	5	U	5	U	5	U	5
Isopropylbenzene	98-82-8	*	U	5	U	5	U	5	U	5	U	5
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	10	U	10	U	10
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	5	U	5	U	5
Methylene Chloride	75-09-2	100	U	5	U	5	U	5	U	5	U	5
Naphthalene	91-20-3	*	U	5	U	5	U	5	U	5	U	5
n-Butyl acetate	123-86-4	*	U	5	U	5	U	5	U	5	U	5
n-Butylbenzene	104-51-8	*	U	5	U	5	U	5	U	5	U	5
n-Propyl acetate	109-60-4	*	U	5	U	5	U	5	U	5	U	5
n-Propylbenzene	103-65-1	*	U	5	U	5	U	5	U	5	U	5
o-Xylene	95-47-6	1200	U	5	U	5	U	5	U	5	U	5
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	5	U	5	U	5
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	5	U	5	U	5
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	5	U	5	U	5
Styrene	100-42-5	*	U	5	U	5	U	5	U	5	U	5
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	5	U	5	U	5
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	5	U	5	U	5
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	5	U	5	U	5
Toluene	108-88-3	1500	U	5	U	5	U	5	U	5	U	5
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	5	U	5	U	5
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	5	U	5	U	5
Trichloroethene	79-01-6	700	U	5	U	5	U	5	U	5	U	5
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Acetate	108-05-4	*	U	5	U	5	U	5	U	5	U	5
Vinyl Chloride	75-01-4	200	U	5	U	5	U	5	U	5	U	5
TOTAL VOCs			ND		49		ND		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW16 [0.5'-2'] Soil ug/kg Dilution 1		MW16 [8.5'-9.5'] Soil ug/kg Dilution 1		Trip Blank #1 Groundwater ug/L Dilution 1		Field Blank #1 Groundwater ug/L Dilution 1		Field Blank #2 Groundwater ug/L Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	5	U	5	U	1	U	1	U	1
1,1,1-Trichloroethane	71-55-6	800	U	5	U	5	U	1	U	1	U	1
1,1,2,2-Tetrachloroethane	79-34-5	600	U	5	U	5	U	1	U	1	U	1
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	5	U	5	U	1	U	1	U	1
1,1,2-Trichloroethane	79-00-5	*	U	5	U	5	U	1	U	1	U	1
1,1-Dichloroethane	75-34-3	200	U	5	U	5	U	1	U	1	U	1
1,1-Dichloroethene	75-35-4	400	U	5	U	5	U	1	U	1	U	1
1,1-Dichloropropene	563-58-6	*	U	5	U	5	U	1	U	1	U	1
1,2,3-Trichlorobenzene	87-61-6	*	U	5	U	5	U	1	U	1	U	1
1,2,3-Trichloropropane	96-18-4	400	U	5	U	5	U	1	U	1	U	1
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	5	U	5	U	1	U	1	U	1
1,2,4-Trichlorobenzene	120-82-1	3400	U	5	U	5	U	1	U	1	U	1
1,2,4-Trimethylbenzene	95-63-6	*	U	5	U	5	U	1	U	1	U	1
1,2-Dibromo-3-chloropropane	96-12-8	*	U	5	U	5	U	1	U	1	U	1
1,2-Dibromoethane	106-93-4	*	U	5	U	5	U	1	U	1	U	1
1,2-Dichlorobenzene	95-50-1	7900	U	5	U	5	U	1	U	1	U	1
1,2-Dichloroethane	107-06-2	100	U	5	U	5	U	1	U	1	U	1
1,2-Dichloropropane	78-87-5	*	U	5	U	5	U	1	U	1	U	1
1,3,5-Trimethylbenzene	108-67-8	*	U	5	U	5	U	1	U	1	U	1
1,3-Dichlorobenzene	541-73-1	1600	U	5	U	5	U	1	U	1	U	1
1,3-Dichloropropane	142-28-9	300	U	5	U	5	U	1	U	1	U	1
1,4-Dichlorobenzene	106-46-7	8500	U	5	U	5	U	1	U	1	U	1
2,2-Dichloropropane	594-20-7	*	U	5	U	5	U	1	U	1	U	1
2-Butanone	78-93-3	300	U	5	U	5	U	1	U	1	U	1
2-Chloroethyl vinyl ether	110-75-8	*	U	5	U	5	U	1	U	1	U	1
2-Chlorotoluene	95-49-8	*	U	5	U	5	U	1	U	1	U	1
2-Hexanone	591-78-6	*	U	5	U	5	U	1	U	1	U	1
4-Chlorotoluene	106-43-4	*	U	5	U	5	U	1	U	1	U	1
4-Isopropyltoluene	99-87-6	*	U	5	U	5	U	1	U	1	U	1
4-Methyl-2-Pentanone	108-10-1	1000	U	5	U	5	U	1	U	1	U	1
Acetone	67-64-1	200	U	5	55	5	U	1	U	1	U	1
Acrolein	107-02-8	*	U	25	U	25	U	1	U	1	U	1
Acrylonitrile	107-13-1	*	U	5	U	5	U	1	U	1	U	1
Benzene	71-43-2	60	U	5	U	5	U	1	U	1	U	1
Bromobenzene	108-86-1	*	U	5	U	5	U	1	U	1	U	1
Bromochloromethane	74-97-5	*	U	5	U	5	U	1	U	1	U	1
Bromodichloromethane	75-27-4	*	U	5	U	5	U	1	U	1	U	1
Bromoform	75-25-2	*	U	5	U	5	U	1	U	1	U	1
Bromomethane	74-83-9	*	U	5	U	5	U	1	U	1	U	1
Carbon Disulfide	75-15-0	2700	U	5	U	5	U	1	U	1	U	1

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	MW16 [0.5'-2'] Soil ug/kg Dilution 1		MW16 [8.5'-9.5'] Soil ug/kg Dilution 1		Trip Blank #1 Groundwater ug/L Dilution 1		Field Blank #1 Groundwater ug/L Dilution 1		Field Blank #2 Groundwater ug/L Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	5	U	5	U	1	U	1	U	1
Chlorobenzene	108-90-7	1700	U	5	U	5	U	1	U	1	U	1
Chlorodifluoromethane	75-45-6	*	U	5	U	5	U	1	U	1	U	1
Chloroethane	75-00-3	1900	U	5	U	5	U	1	U	1	U	1
Chloroform	67-66-3	300	U	5	U	5	U	1	U	1	U	1
Chloromethane	74-87-3	*	U	5	U	5	U	1	U	1	U	1
cis-1,2-Dichloroethene	156-59-2	*	U	5	U	5	U	1	U	1	U	1
cis-1,3-Dichloropropene	10061-01-5	*	U	5	U	5	U	1	U	1	U	1
Dibromochloromethane	124-48-1	*	U	5	U	5	U	1	U	1	U	1
Dibromomethane	74-95-3	*	U	5	U	5	U	1	U	1	U	1
Dichlorodifluoromethane	75-71-8	*	U	5	U	5	U	1	U	1	U	1
Diisopropyl ehter	108-20-3	*	U	5	U	5	U	1	U	1	U	1
Ethanol	64-17-5	*	U	5	U	5	U	1	U	1	U	1
Ethyl acetate	141-78-6	*	U	5	U	5	U	1	U	1	U	1
Ethylbenzene	100-41-4	5500	U	5	U	5	U	1	U	1	U	1
Freon-114	76-14-2	*	U	5	U	5	U	1	U	1	U	1
Hexachlorobutadiene	87-68-3	*	U	5	U	5	U	1	U	1	U	1
Isopropyl acetate	108-21-4	*	U	5	U	5	U	1	U	1	U	1
Isopropylbenzene	98-82-8	*	U	5	U	5	U	1	U	1	U	1
m+p Xylene	108-38-3/106-42-3	1200	U	10	U	10	U	2	U	2	U	2
Methyl tert-butyl ether	1634-04-4	*	U	5	U	5	U	1	U	1	U	1
Methylene Chloride	75-09-2	100	U	5	U	5	U	1	U	1	U	1
Naphthalene	91-20-3	*	U	5	U	5	U	1	U	1	U	1
n-Butyl acetate	123-86-4	*	U	5	U	5	U	1	U	1	U	1
n-Butylbenzene	104-51-8	*	U	5	U	5	U	1	U	1	U	1
n-Propyl acetate	109-60-4	*	U	5	U	5	U	1	U	1	U	1
n-Propylbenzene	103-65-1	*	U	5	U	5	U	1	U	1	U	1
o-Xylene	95-47-6	1200	U	5	U	5	U	1	U	1	U	1
p-Diethylbenzene	105-05-5	*	U	5	U	5	U	1	U	1	U	1
p-Ethyltoluene	622-96-8	*	U	5	U	5	U	1	U	1	U	1
sec-Butylbenzene	135-98-8	*	U	5	U	5	U	1	U	1	U	1
Styrene	100-42-5	*	U	5	U	5	U	1	U	1	U	1
t-Butyl alcohol	75-65-0	*	U	5	U	5	U	1	U	1	U	1
tert-Butylbenzene	98-06-6	*	U	5	U	5	U	1	U	1	U	1
Tetrachloroethene	127-18-4	1400	U	5	U	5	U	1	U	1	U	1
Toluene	108-88-3	1500	U	5	U	5	U	1	U	1	U	1
trans-1,2-Dichloroethene	156-60-5	300	U	5	U	5	U	1	U	1	U	1
trans-1,3-Dichloropropene	10061-02-6	*	U	5	U	5	U	1	U	1	U	1
Trichloroethene	79-01-6	700	U	5	U	5	U	1	U	1	U	1
Trichlorofluoromethane	75-69-4	*	U	5	U	5	U	1	U	1	U	1
Vinyl Acetate	108-05-4	*	U	5	U	5	U	1	U	1	U	1
Vinyl Chloride	75-01-4	200	U	5	U	5	U	1	U	1	U	1
TOTAL VOCs			ND		55		ND		ND		ND	

*** Not Applicable.**
ND Not Detected

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	Field Blank #3 Groundwater ug/L Dilution 1		Trip Blank #2 Groundwater ug/L Dilution 1		Trip Blank #3 Groundwater ug/L Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
1,1,1,2-Tetrachloroethane	630-20-6	*	U	1	U	1	U	1
1,1,1-Trichloroethane	71-55-6	800	U	1	U	1	U	1
1,1,2,2-Tetrachloroethane	79-34-5	600	U	1	U	1	U	1
1,1,2-Trichloro-1,2,2-trifluoroethane	76-13-1	*	U	1	U	1	U	1
1,1,2-Trichloroethane	79-00-5	*	U	1	U	1	U	1
1,1-Dichloroethane	75-34-3	200	U	1	U	1	U	1
1,1-Dichloroethene	75-35-4	400	U	1	U	1	U	1
1,1-Dichloropropene	563-58-6	*	U	1	U	1	U	1
1,2,3-Trichlorobenzene	87-61-6	*	U	1	U	1	U	1
1,2,3-Trichloropropane	96-18-4	400	U	1	U	1	U	1
1,2,4,5-Tetramethylbenzene	95-93-2	*	U	1	U	1	U	1
1,2,4-Trichlorobenzene	120-82-1	3400	U	1	U	1	U	1
1,2,4-Trimethylbenzene	95-63-6	*	U	1	U	1	U	1
1,2-Dibromo-3-chloropropane	96-12-8	*	U	1	U	1	U	1
1,2-Dibromoethane	106-93-4	*	U	1	U	1	U	1
1,2-Dichlorobenzene	95-50-1	7900	U	1	U	1	U	1
1,2-Dichloroethane	107-06-2	100	U	1	U	1	U	1
1,2-Dichloropropane	78-87-5	*	U	1	U	1	U	1
1,3,5-Trimethylbenzene	108-67-8	*	U	1	U	1	U	1
1,3-Dichlorobenzene	541-73-1	1600	U	1	U	1	U	1
1,3-Dichloropropane	142-28-9	300	U	1	U	1	U	1
1,4-Dichlorobenzene	106-46-7	8500	U	1	U	1	U	1
2,2-Dichloropropane	594-20-7	*	U	1	U	1	U	1
2-Butanone	78-93-3	300	U	1	U	1	U	1
2-Chloroethyl vinyl ether	110-75-8	*	U	1	U	1	U	1
2-Chlorotoluene	95-49-8	*	U	1	U	1	U	1
2-Hexanone	591-78-6	*	U	1	U	1	U	1
4-Chlorotoluene	106-43-4	*	U	1	U	1	U	1
4-Isopropyltoluene	99-87-6	*	U	1	U	1	U	1
4-Methyl-2-Pentanone	108-10-1	1000	U	1	U	1	U	1
Acetone	67-64-1	200	U	1	U	1	U	1
Acrolein	107-02-8	*	U	1	U	1	U	1
Acrylonitrile	107-13-1	*	U	1	U	1	U	1
Benzene	71-43-2	60	U	1	U	1	U	1
Bromobenzene	108-86-1	*	U	1	U	1	U	1
Bromochloromethane	74-97-5	*	U	1	U	1	U	1
Bromodichloromethane	75-27-4	*	U	1	U	1	U	1
Bromoform	75-25-2	*	U	1	U	1	U	1
Bromomethane	74-83-9	*	U	1	U	1	U	1
Carbon Disulfide	75-15-0	2700	U	1	U	1	U	1

Table 1: Volatile Organic Compounds in Soil Samples
Laboratory Method: EPA Method 8260

PARAMETER	CAS No.	TAGM 4046 Rec. Soil Cleanup Obj. ug/kg	Field Blank #3 Groundwater ug/L Dilution 1		Trip Blank #2 Groundwater ug/L Dilution 1		Trip Blank #3 Groundwater ug/L Dilution 1	
			Concentration	Detection Limit	Concentration	Detection Limit	Concentration	Detection Limit
Carbon Tetrachloride	56-23-5	600	U	1	U	1	U	1
Chlorobenzene	108-90-7	1700	U	1	U	1	U	1
Chlorodifluoromethane	75-45-6	*	U	1	U	1	U	1
Chloroethane	75-00-3	1900	U	1	U	1	U	1
Chloroform	67-66-3	300	U	1	U	1	U	1
Chloromethane	74-87-3	*	U	1	U	1	U	1
cis-1,2-Dichloroethene	156-59-2	*	U	1	U	1	U	1
cis-1,3-Dichloropropene	10061-01-5	*	U	1	U	1	U	1
Dibromochloromethane	124-48-1	*	U	1	U	1	U	1
Dibromomethane	74-95-3	*	U	1	U	1	U	1
Dichlorodifluoromethane	75-71-8	*	U	1	U	1	U	1
Diisopropyl ehter	108-20-3	*	U	1	U	1	U	1
Ethanol	64-17-5	*	U	1	U	1	U	1
Ethyl acetate	141-78-6	*	U	1	U	1	U	1
Ethylbenzene	100-41-4	5500	U	1	U	1	U	1
Freon-114	76-14-2	*	U	1	U	1	U	1
Hexachlorobutadiene	87-68-3	*	U	1	U	1	U	1
Isopropyl acetate	108-21-4	*	U	1	U	1	U	1
Isopropylbenzene	98-82-8	*	U	1	U	1	U	1
m+p Xylene	108-38-3/106-42-3	1200	U	2	U	2	U	2
Methyl tert-butyl ether	1634-04-4	*	U	1	U	1	U	1
Methylene Chloride	75-09-2	100	U	1	U	1	U	1
Naphthalene	91-20-3	*	U	1	U	1	U	1
n-Butyl acetate	123-86-4	*	U	1	U	1	U	1
n-Butylbenzene	104-51-8	*	U	1	U	1	U	1
n-Propyl acetate	109-60-4	*	U	1	U	1	U	1
n-Propylbenzene	103-65-1	*	U	1	U	1	U	1
o-Xylene	95-47-6	1200	U	1	U	1	U	1
p-Diethylbenzene	105-05-5	*	U	1	U	1	U	1
p-Ethyltoluene	622-96-8	*	U	1	U	1	U	1
sec-Butylbenzene	135-98-8	*	U	1	U	1	U	1
Styrene	100-42-5	*	U	1	U	1	U	1
t-Butyl alcohol	75-65-0	*	U	1	U	1	U	1
tert-Butylbenzene	98-06-6	*	U	1	U	1	U	1
Tetrachloroethene	127-18-4	1400	U	1	U	1	U	1
Toluene	108-88-3	1500	U	1	U	1	U	1
trans-1,2-Dichloroethene	156-60-5	300	U	1	U	1	U	1
trans-1,3-Dichloropropene	10061-02-6	*	U	1	U	1	U	1
Trichloroethene	79-01-6	700	U	1	U	1	U	1
Trichlorofluoromethane	75-69-4	*	U	1	U	1	U	1
Vinyl Acetate	108-05-4	*	U	1	U	1	U	1
Vinyl Chloride	75-01-4	200	U	1	U	1	U	1
TOTAL VOCs			ND		ND		ND	

*** Not Applicable.**
ND Not Detected

APPENDIX A
SOIL BORING AND WELL INSTALLATION LOGS

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B6

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 08:45	**Time: 09:05**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	32		0-6": ASPHALT.	ND	None	Dry	B6(0.5'-2')
			6"-20": Dark brown/black SAND, little Silt. [FILL]				
2			20"-26": Brown/black fine to medium SAND, some Silt. [FILL]	ND	None	Dry	
			26"-29": Grey/brown SILT, trace Sand, trace Gravel, trace Clay [FILL]				
3			29"-31": Grey/brown SAND and SILT, trace Clay, trace Wood [FILL]	ND	None	Dry	
			31"-32": Grey/green ROCK fragments [FILL]				
4				ND	None	Dry	
5				ND	None	Dry	
6	30		0-6": Grey/brown SAND and SILT, trace Clay, trace Wood. [FILL]	ND	None	Dry	B6(6'-7')
			6-7.5": Grey/green ROCK fragments.				
7			7.5-30": Grey/brown medium to fine SAND, trace Silt.	ND	None	Moist	
8				ND	None	Wet	
9				ND	None	Wet	
10			End of Boring at 10'.	ND	None	Wet	
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B6(0.5'-2') and B6(6'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of Boring at 10'.

Groundwater apparent at 7'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B7-R1

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 14:25	**Time: 14:40**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	**Surface Condition:** Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	36"		0-6": ASPHALT.	ND	None	Dry	
			6"-30" Red BRICK [Fill]				
2				ND	None	Dry	
3				ND	None	Dry	
4				ND	None	Dry	
5				ND	None	Dry	
6	12"		0"-11" Red BRICK [Fill]	ND	Strong Solvent-like odor	Dry	
			11"-23" BRICK and CONCRETE with black Sand banding [Fill]				
7			23"-24" CONCRETE [Fill]				
			7' Refusal				
8							
9							
10							
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

No samples collected for laboratory analysis.

End of Boring at 7' due to Refusal.

Fill may be part of historic structure.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B7-R2

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 14:40	**Time: 15:20**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	36"		0-6": ASPHALT	ND	None	Dry	
			6"-30" Red BRICK [Fill]				
2				ND	None	Dry	
3				ND	None	Dry	
4				ND	None	Dry	
5				ND	None	Dry	
6	30"		0-3" BRICK [Fill]	ND	Mild Organic Odor	Dry	B7-R2(5.5'-6.0')
			6"-9" Black/red SAND, trace Silt, trace rock and brick Gravel, trace Wood fragments [Fill]	ND	None	Dry	
7			9"-30" White CONCRETE [Fill]	ND	None	Dry	
8				ND	None	Dry	
9				ND	None	Dry	
10							
11	12"		0-6" BRICK [Slough]			Wet*	
			6"-12 CONCRETE [Fill]				
12			End Boring at 10.5' [Refusal]				
13							
14							
15							

Notes: **ND - Not Detected**

Sample B7-R2(5.5'-6') was analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

Refusal at 10.5'

*Driller thinks moisture may not be groundwater, but may be liquified soil.

Fill may be part of historic structure.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B-7

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 09:00	**Time: 09:20**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	36"		0-18": ASPHALT and pulverized CONCRETE	ND	None	Dry	
			18"-36" BRICK [Fill]				
2				ND	None	Dry	
3				ND	None	Dry	
4				ND	None	Dry	
5				ND	None	Dry	
6	36"		0-12" BRICK [Fill]	3.4	Slight Creosote-like odor	Dry	B-7(9.5-10)
			12"-15" Brown and black WOOD [Fill]				
7			15"-24" BRICK [Fill]	2.4	None	Moist	
			24"-33" Weathered CONCRETE [Fill]			Dry	
8				0.1	None	Moist	
			33"-36" Dark grey SAND and GRAVEL [Fill]				
9				ND	None	Dry	
10				ND	None	Dry	
11	48"		0-6" Red BRICK (Slough) [Fill]	ND	None	Wet	
			6"-18 GRAVEL (Slag), some coarse Sand (Slag Fragments) [Fill]				
12			18"-24" Dark grey SAND and SILT [Fill]	ND	None	Wet	
			24"-25" BRICK [Fill]				
13			25"-48" Light brown and grey fine SAND and SILT				
14							
15			End of Boring at 15'				

Notes: **ND - Not Detected**

Sample B7(9.5'-10') was analyzed for TCL VOCs (Method 8260). Not enough sample material was available to sample for additional parameters.

End of boring at 15'
Groundwater apparent at 10'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B-8

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 10:33	**Time: 10:50**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt and Concrete	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
			0-3": ASPHALT.	ND	None	Dry	
1			3"-6" Pulverized CONCRETE				
			6"-9" Black coarse to medium SAND (Coal) [Fill]	ND	None	Dry	
2			9"-21" Brown/grey SAND and SILT , trace Gravel (Brick and Coal) [Fill]				
	48"		21"-32" Black SAND, trace Gravel (Rock), trace Silt [Fill]	ND	None	Dry	B-8(0.5-2)
3			32"-40" White ROCK (1/2 inch slices) [Fill]				
			40"-48" Black SAND, little Silt, little Gravel (Slag and Coal) [Fill]	ND	None	Dry	
4							
				ND	None	Dry	
5							
			0-6" Black SAND, little Gravel (Rock, Silt, Slag, Metal, Red Brick), trace Silt [Fill]	ND	None	Moist	
6			6"-9" White ROCK [Fill]				
			9"-13" Brown and black SAND and GRAVEL (Slag, Wood, Coal], trace Silt) [Fill]	ND	None	Wet	
7			13"-24" Brown medium to fine SAND, little Silt				
	24"			ND	None	Wet	B-8(8-10)
8							
				ND	None	Wet	
9							
				ND	None	Wet	
10			End of Boring at 10'.				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B-8(0.5'-2') and B-8(8'-10') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.

Groundwater apparent at 10'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B-9

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 10:05	**Time: 10:30**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-8": ASPHALT.	ND	None	Dry	B-9(14'-2.5')
			8"-14" Red BRICK				
			14"-48" Black SAND, some Gravel (Slag, Coal, Red Brick) little Silt [Fill]	1.4	None	Dry	
2			48"-54" Orange-brown fine SAND, trace Silt [Fill]				
			54"-60" Black SAND, some Gravel (Slag, Coal, Red Brick) little Silt [Fill]	0.2	None	Dry	
3							
				ND	None	Dry	
4							
				ND	None	Dry	
5							
6	42"		0-12" Black SAND, some Gravel (Slag, Red Brick, Coal-some Coal pieces white on outside, black on inside) little Silt [Fill]	ND	None	Dry	B-9(5'-6')
			12"-18" Orange/Grey SAND, trace Silt [Fill]	ND	None	Moist	
7			18"-30" Dark red and black fine to medium SAND, some Silt, little Coal and Wood fragments [Fill]	ND	None	Wet	
8			30"-42" Brown and black SAND and GRAVEL (Slag), trace Silt [Fill]				
				ND	None	Wet	
9							
				ND	None	Wet	
10			End of Boring at 10'.				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B6(0.5'-2') and B6(6'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.

Groundwater apparent at 7'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B10

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 07:20	**Time: 08:00**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-3" ASPHALT	0.6	None	Dry	B10(5-7)
			3"-6" Pulverized CONCRETE [Fill]				
2			6"-18" Black-brown SAND, some rock Gravel, trace Silt [Fill]	0.3	None	Dry	
			18"-42" Black SAND and SILT, little Gravel (Coal, Rock, Slag, Metal pieces, red Brick) [Fill]	ND	None	Dry	
3			42"-48" ASPHALT [Fill]				
			48"-60" Black SAND and SILT, little Gravel (Coal, Rock, Slag, Red Brick) [Fill]	0.2	None	Dry	
4							
				0.3	None	Dry	
5							
6	48"		0-6" Black SAND and SILT, little Gravel (Coal, Rock, Slag, red Brick) [Fill]	1.2	Slight petroleum-like odor	Dry	B10(9-10)
			6"-12" Brown SAND and GRAVEL (Coal and Slag) some Silt [Fill]				
7			12"-24" Light brown SILT, some fine Sand [Fill]	0.3	None	Dry	
			24"-48" GRAVEL (Slag and Coal), some coarse Sand (Slag) [Fill]	0.3	None	Dry	
8							
				ND	None	Dry	
9							
				ND	None	Moist	
10							
11	54"		0-18" GRAVEL (Coal, Slag) some coarse Sand, trace Silt [Fill]	ND	None	Wet	
				ND	Organic-like odor	Wet	
12			18-54" Grey-brown SILT and fine SAND, trace rock Gravel, trace Wood fragments [Fill]				
13							
14							
15			End of Boring at 15'				

Notes: **ND - Not Detected**

Samples B6(0.5'-2') and B6(6'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 15'.

Groundwater apparent at 11'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B11

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 10:55	**Time: 11:05**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-12" CONCRETE and ASPHALT	0.3	None	Dry	B11(1-3)
			12"-60" Black SAND, little Gravel (Rock, Slag, Concrete) [Fill]	0.4	Slight petroleum-like odor	Dry	
2							
3				3.5	None	Dry	
4				0.2	None	Dry	
5				0.3	None	Dry	
6	42"		0-12" Black/Grey SAND and GRAVEL (Slag), trace Silt [Fill]	0.5	None	Dry	B11(7-9)
			12"-24" Light brown medium to fine SAND and SILT, trace Clay, trace Gravel (Brick) [Fill]				
			23"-30" Black SILT, trace Clay, trace coarse SAND (Coal), trace Wood pieces [Fill]	ND	None	Dry	
7			30"-42" Brown fine SAND, trace Silt				
				ND	None	Dry	
8							
				ND	Slight Organic-like odor	Moist	
9							
				ND	None	Wet	
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B11(1'-3') and B11(7'-9') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

Groundwater apparent at 9'

End of Boring at 10'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B11-R1

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 10:40	**Time: 10:50**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-12" ASPHALT and CONCRETE	0.7	None	Dry	
			12"-30" Black SAND and GRAVEL (Slag, Coal, Wood), trace Silt [Fill]				
2			30"-36" Red BRICK [Fill]	0.5	None	Dry	
			36"-39" Grey SILT and fine SAND [Fill]				
3			39"-60" Black SAND, some Gravel (Slag, Rock), trace Silt [Fill]	0.5	None	Dry	
4				1	None	Dry	
5				0.3	None	Dry	
6	48"		0-12" Black SAND, some Gravel (Slag, Rock, Coal) [Fill]	ND	None	Dry	
			12"-18" Brown medium to fine SAND, little Silt, trace rock Gravel [Fill]				
7			18"-24" Grey SILT, trace fine Sand [Fill]	ND	None	Dry	
			24"-30" Black SAND and SILT, trace Gravel (Slag) [Fill]				
8			30"-42" Grey-brown fine Micaceous SAND	ND	None	Dry	
			42"-48" Pulverized pink and green quartz-rich ROCK				
9			Refusal at 9'	ND	None	Dry	
10				ND	None	Dry	
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

No samples collected for laboratory analysis.

End of Boring at 9' due to refusal.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B12

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 11:35	**Time: 11:50**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	38"		0-2" ASPHALT	ND	None	Dry	B12(0.5-2)
			2"-20" Black SAND, some Gravel (red Brick, Rock, Slag) [Fill]				
2			20"-38" Medium to fine light brown micaceous SAND, trace Silt	ND	None	Dry	
3				ND	None	Moist	
4							
5							
6	36"		0-36" Light brown medium to fine SAND, trace Silt	ND	None	Moist	B12(5-7)
7				ND	None	Moist	
8				ND	None	Wet	
9							
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B12(0.5'-2') and B12(5'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 7'9".

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B13

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 12:45	**Time: 13:05**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	**Surface Condition:** Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	54"		0-2" ASPHALT	47	None	Dry	B13(0.5'-2')
			2"-24" Brown and black SAND and SILT, little Gravel (Rock, Red Brick, Coal, Wood) [Fill]	3.6	None	Dry	
2			24"-54" White ROCK fragments [Fill]	1	None	Dry	
3				0.5			
4							
5							
6	30"		0-2" Grey-brown SAND, trace Silt, trace Gravel (Rock, Brick) [Fill]	ND	None	Dry	B13(5'-7')
			2"-20" Dark grey SAND, little Silt, little Gravel (Slag, Rock, Wood) [Fill]				
7			20"-30" [Fill]	ND	None	Wet	
8				ND	None	Wet	
9							
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B13(0.5'-2') and B13(5'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 8.5'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B14

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 13:25	**Time: 13:35**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	48		0-6" ASPHALT and CONCRETE	ND	None	Dry	B14(2'-3.5')
			6"-24" CONCRETE, BRICK, and ASPHALT [Fill]				
2			24"-42" Grey-brown SAND, some Gravel, trace Silt (Slag, Coal) [Fill]	ND	None	Dry	
			42"-46" Orange/brown WOOD [Fill]				
3			46" -48" Black fine to medium SAND and GRAVEL (Woodchips and Slag) [Fill]	0.3	None	Dry	
4				0.3	None	Dry	
5							
6	60"		0-6" SLOUGH [Fill]	ND	None	Dry	B14(6'-8')
			6"-59" Brown grey fine SAND and SILT [Fill]				
7			59"-60" Black fine to medium SAND, some Gravel (Slag) [Fill]	ND	None	Moist	
8				ND	None	Moist	
						Wet	
9							
						Wet	
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B14(2'-3.5') and B14(6'-8') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 8'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. B15

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 14:15	**Time: 14:35**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-2" ASPHALT	0.2	None	Dry	B15(0.5'-2')
			2"-14" Grey-brown SAND, some Gravel (Rock, Slag), trace Silt [Fill]				
			14"-26" Black SAND (Coal-like), little Silt, little Gravel [Coal] [Fill]	ND	None	Dry	
2			26"-38" BRICK [Fill]				
			38"-50" Black SAND and GRAVEL (Brick, Rock, Slag, Coal), trace Silt [Fill]	ND	None	Dry	
3			50"-60" Green-brown SAND, little Silt, trace Gravel (Rock) [Fill]				
				7	None	Dry	
4							
				1.3			
5							
6	60"		0-12" Grey-black fine to medium SAND and SILT, trace Gravel (Brick) [Fill]	ND	None	Dry	B15(8'-9')
			12"-15" BRICK [Fill]				
			15"-36" Black SAND and GRAVEL (Slag) [Fill]	ND	None	Moist	
7			36"-48" Grey brown fine SAND, trace Silt, trace rock Gravel [Fill]				
			48"-60" Dark grey medium to fine SAND and SILT, some Gravel (Coal and Slag) [Fill]	ND	None	Moist	
8							
						Wet	
9							
						Wet	
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples B15(0.5'-2') and B15(8'-9') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 8'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW6

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 09:10	**Time: 09:25**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: 2" Asphalt, 4" Concrete	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	30"		0-2" ASPHALT	ND	None	Dry	MW6(0.5'-2')
			2"-6" Weathered CONCRETE				
2			6"-30" Brown/black SAND, some Silt, trace Gravel (Coal fragments, Slag) [Fill]	ND	None	Dry	
3				ND	None	Moist	
4							
5							
6	42"		0-6" Dark brown SAND, some Silt, trace Gravel (Coal fragments, yellow Brick, Rock) [Fill]	ND	None	Moist	MW6(6'-7')
			6"-12" Black SAND, trace Silt, trace Gravel (Coal, red Brick, Rock) [Fill]	ND	None	Moist	
7			12"-18" Grey SAND, trace Silt, trace Gravel [Coal]				
			18"-21" White CONCRETE [Fill]	ND	None	Moist	
8			21"-42" Grey-brown SAND (mostly medium), trace Silt			Wet	
9							
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW6(0.5'-2') and MW6(6'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 6.5'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW7

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 09:45	**Time:10:10**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: 6" Asphalt and Concrete	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	42"		0-6" ASPHALT and pulverized CONCRETE	ND	None	Dry	
			6"-42" BRICK and CONCRETE [Fill]	ND	None	Dry	
2				ND	None	Dry	
3							
4							
5							
6	42"		0-6" BRICK [Fill]	ND	None	Moist	MW7(6.5'-7.5')
			6"-12" Brown fine to medium SAND, trace Silt, trace Gravel (Rock) [Fill]				
7			12"-18" BRICK [Fill]	ND	None	Moist	
			18"-24" Light gray SAND, little Gravel [Fill]				
8			24"-26" GRAVEL (Slag and Rock), some fine to medium Sand, little Wood (wet) [Fill]	4.2	None	Moist	
			26"-30" Brown medium to coarse SAND and BRICK (wet)				
9			30"-40" Weathered CONCRETE (dry) [Fill]			Wet	
10			40"-42" Black fine to medium SAND, some Gravel (Wood, Rock) [Fill]				
11	48"		0-30" Grey brown medium to coarse SAND, some Gravel (Wood, Rock, Slag), little Silt [Fill]	73.1	None	Moist	MW7(10'-11')
				12.2			
12			30"-48" Light brown SAND and GRAVEL (Rock, red Brick) [Fill]		None	Moist	
				2.3			
13					None	Wet	
				1.8			
14					None	Wet	
				ND			
15			End of Boring at 15'	ND	None	Wet	

Notes: **ND - Not Detected**

Samples MW7(6.5'-7.5') and MW7(10'-11') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 15'.

12'-13.5'; very wet, slight sheen on water.

Groundwater apparent at 13'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW8

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 09:35	**Time:10:00**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
			0-3" ASPHALT	ND	None	Dry	
1			3"-6" Dark brown SAND (mostly coarse), trace Silt, trace Gravel, trace Wood fragments [Fill]	ND	None	Dry	
2			6"-12" Weathered CONCRETE [Fill]	ND	None	Dry	MW8(2'-4')
3	54"		12"-54" Black SAND and GRAVEL (Slag, Coal fragments, Wood), trace Silt [Fill]	ND	None	Dry	
4				ND	None	Dry	
5							
			0-18" Black/brown SAND, some Gravel (Slag, Coal fragments, Wood, red Brick), little Silt [Fill]	ND	None	Dry	
6			18"-24" Brown SILT, trace Sand, trace Gravel (Coal) [Fill]	ND	None	Moist	
7			24"-36" Orange-brown SAND, little Silt, little Gravel (Rock) [Fill]	ND	None	Wet	
8	36"			ND	None	Wet	MW8(5'-6.5')
9				ND	None	Wet	
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW8(2'-4') and MW8(5'-6.5') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 6.5'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW9-R1

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 08:15	**Time:08:25**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	**Surface Condition:** Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-6" ASPHALT and pulverized CONCRETE	0.3	None	Dry	
			6"-12" Red BRICK [Fill]				
			12"24" Black SAND, trace Silt, little Gravel (Slag), Metal piece [Fill]	ND	None	Dry	
2			24"-60" CONCRETE [Fill]				
				3.3	None	Dry	
3							
				ND	None	Dry	
4			End of boring at 4' due to Refusal*				
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

No samples collected for laboratory analysis.
End of boring at 4' due to refusal.
*5' Recovery for 4' Core.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW9

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 08:30	**Time:08:45**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt and Dirt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	36"		0-18" ASPHALT and pulverized CONCRETE	ND	None	Dry	MW9(1.5'-3.5')
			18"-19" BRICK [Fill]				
2			19"-36" Black SAND and SILT, some Gravel (Slag, Coal, Brick, Rock) [Fill]	ND	None	Dry	
3				ND	None	Dry	
4				ND	None	Dry	
5				ND	None	Dry	
6	36"		0-6" Black SAND and SILT, some Gravel (Slag, Coal, Brick, Rock) [Fill]	ND	None	Moist	MW9(5'-6')
			6"-12" Light brown and black SILT and fine SAND [Fill]				
7			12"-24" GRAVEL and SAND (Slag) [Fill]	ND	None	Wet	
			24"-30" Light brown Fine to medium SAND, trace Gravel.				
8			30"-36" Grey SILT and fine to medium SAND, trace Clay, Wood fragments throughout	ND	None	Wet	
9				ND	None	Moist	
10				ND	None	Wet	
11	30"		0-6" WOOD fragments and SAND (Slough)	ND	None	Wet	
			6"-24" Brown SILT, trace Sand, trace rock Gravel				
12			24"-30" Grey-brown medium SAND	ND	None	Wet	
13				ND	None	Wet	
14				ND	None	Wet	
15			End of Boring at 15'				

Notes: **ND - Not Detected**

Samples MW9(1.5'-3.5') and MW9(5'-6') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 15'.

Groundwater apparent at 7'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW10

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 11:15	**Time:11:25**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: 4" Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	48"		0-4" ASPHALT	ND	None	Dry	MW10(0.5'-2')
			4"-36" SAND and GRAVEL (Slag, Coal, Rock, red Brick), trace Wood fragments [Fill]				
2			36"-48" Light brown SAND and SILT, trace Gravel (Rock, Slag) [Fill]	ND	None	Dry	
3				ND	None	Moist	
4				ND	None	Moist	
5							
6	42"		0-21" Black and brown SAND, some Silt, trace Gravel (Slag, Rock, Wood) [Fill]	ND	None	Moist	MW10(5'-7')
			21"-42" Fine to medium grey brown SAND and SILT				
7				ND	None	Wet	
8				ND	None	Wet	
9						Wet	
10			End of Boring at 10'				
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW10(0.5'-2') and MW10(5'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 7'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW11

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 12:25	**Time:12:45**
Date: 06-26-03	**Date: 06-26-03**

Page 1 of 2

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	42"		0-6" ASPHALT	ND	None	Dry	MW11(0.5'-2')
			6"-24" Black GRAVEL and SAND (red Brick, Slag), trace Silt [Fill]				
2			24"-30" CONCRETE [Fill]	ND	None	Dry	
			30"-42" Orange-brown fine SAND and SILT				
3				ND	None	Dry	
4				ND	None	Dry	
5				ND	None	Moist	
6	36"		0-6" Black GRAVEL and SAND (Slough)	ND	None	Moist	MW11(7'-9')
			6"-30" Orange-brown medium to fine SAND, trace Silt				
7			30"-36" Orange-brown SILT and CLAY, trace fine Sand	ND	None	Moist	
8				ND	None	Moist	
9				ND	None	Moist	
10							
11	60"		0-12" Black GRAVEL and SAND (Slough)	ND	None	Moist	
			12"-60" Light orange-brown CLAY, some Silt, trace fine Sand in lenses				
12				ND	None	Moist	
13				ND	None	Moist	
14				ND	None	Moist	
15				ND	None	Moist	

Notes: **ND - Not Detected**

Samples MW11(0.5'-2') and MW11(7'-9') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 20'.

Moist soil apparent at approximately 4'. Wet soil was not encountered possibly due to high clay content of soil.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW11

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 12:25	**Time:12:45**
Date: 06-26-03	**Date: 06-26-03**
Page 2 of 2	

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition:	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
16	60"		0-18" (Slough)	ND	None		
			18"-60" Orange-brown CLAY, some Silt				
17				ND	None		
18				ND	None		
19				ND	None		
20			End of Boring at 20'	ND	None		
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Notes: **ND - Not Detected**

Samples MW11(0.5'-2') and MW11(7'-9') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 20'.

Moist soil apparent at approximately 4'. Wet soil was not encountered possibly due to high clay content of soil.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW12

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 13:30	**Time:13:45**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	**Surface Condition:** 2" Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	36"		0-2" ASPHALT	ND	None	Dry	MW12(0.5'-2')
			2"-36" Light brown medium to fine SAND, trace Silt, trace Gravel (Brick, Rock) [Fill]				
2				ND	None	Dry	
3				ND	None	Dry	
4				ND	None	Dry	
5				ND	None	Dry	
6	18"		0-12" Light brown SAND, trace Silt, trace rock Gravel [Fill]	ND	None	Moist	MW12(4.5'-5.5')
			12"-18" Black medium to fine SAND, trace Silt, trace rock Gravel			Wet	
7				ND	None	Wet	
8				ND	None	Wet	
9				ND	None	Wet	
10			End of Boring at 10'	ND	None	Wet	
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW-12(0.5'-2') and MW-12(4.5'-5.5') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.
Groundwater apparent at 6'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW13

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 14:00	**Time:14:15**
Date: 06-25-03	**Date: 06-25-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	36"		0-6" ASPHALT	ND			MW13(0.5'-2')
			6"-12" Medium to coarse black SAND, trace Silt, trace Gravel (Brick, Rock, Slag) [Fill]				
2			12"-18" BRICK [Fill]	ND			
			18"-24" Slag GRAVELand grey coarse SAND [Fill]				
3			24"-27" BRICK [Fill]	ND			
			27"-30" Grey Slag GRAVEL and coarse SAND [Fill]				
4			30"-36" Black SAND, little Silt, trace Gravel (Rock and Coal) [Fill]	ND			
5				ND			
6	36"		0-30" Orange-brown SAND, little Gravel (Rock fragments, Brick, Slag) [Fill]	ND			MW13(5'-7')
			30"-36" Dark grey SAND and GRAVEL (Slag, Rock, Wood, Coal), trace Silt [Fill]				
7				ND			
8				ND			
9				ND			
10			End of Boring at 10'	ND			
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW13(0.5'-2') and MW13(5'-7') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boting at 10'.

Odor and moisture were not recorded for MW13.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW14

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling	
Start	**Finish**
Time: 13:00	**Time:13:15**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-30" ASPHALT, BRICK, CONCRETE [Fill]	0.4	None	Dry	MW14(3'-4')
			30"-33" Dark grey SAND, trace Silt, trace Gravel [Fill]				
2			33"-60" Orange-brown fine SAND and SILT [Fill]	0.4	None	Dry	
3				0.4	None	Dry	
4				1.1	None	Dry	
5				0.9	None	Moist	
6	48"		0-24" Light brown fine SAND and SILT, trace Gravel (Brick fragments) [Fill]	ND	None	Moist	MW14(6'-8')
			24"-28" BRICK [Fill]				
7			24"-34" GRAVEL and black SAND (Slag fragments) [Fill]	0.8	None	Moist	
8			34"-48" Grey-brown medium to fine quartz SAND	0.6	None	Wet	
9				ND	None	Wet	
10			End of Boring at 10'	ND	None	Wet	
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW14(3'-4') and MW14(6'-8') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring 10'.

Groundwater apparent at 7'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW15

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 14:45	**Time:15:00**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
1	60"		0-6" ASPHALT and CONCRETE	6.5	None	Dry	MW15(0.5'-2')
			6"-24" Gray-black SAND, some Gravel (red Brick, Slag, Rock, Concrete) [Fill]				
2			24"-32" Light brown fine to medium SAND, some Silt, some Gravel (red Brick, Wood, Coal, Slag) [Fill]	6.2	None	Dry	
3			32"-60" Grey-brown fine to medium SAND, trace Silt, some Gravel (red Brick, Wood, Coal, Slag) [Fill]	1.9	None	Dry	
4				0.7	None	Dry	
5				0.6	None	Dry	
6	36"		0-6" SLOUGH [Fill]	1.2	None	Dry	MW15(6'-8')
			6"-15" Red BRICK [Fill]				
7			15"-27" Grey-brown SAND, trace Silt, trace Gravel (Slag, Rock) [Fill]	0.3	None	Moist	
8			27"-36" Coarse to medium SAND and GRAVEL (Slag), trace Silt [Fill]	0.2	None	Wet	
9				ND	None	Wet	
10			End of Boring at 10'	ND	None	Wet	
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW15(0.5'-2') and MW15(6'-8') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.

Groundwater apparent at 7'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Brooklyn, NY

AKRF Project Number : 30260-0006

Boring No. MW16

Drilling Method:	Geoprobe Rig
Sampling Method:	5-foot Teflon Sampling Sleaves
Driller :	Aquifer Drilling & Testing, Inc.
Weather:	90F, Sunny
Sampler:	AKRF/Mimi Sotiriou and Julie Foley

Drilling

Start	**Finish**
Time: 13:50	**Time:14:05**
Date: 06-26-03	**Date: 06-26-03**

Depth (feet)	Recovery (Inches)	Soil Type	Surface Condition: Asphalt	PID Reading (ppm)	Odor	Moisture	Samples Collected for Lab Analysis
			0-6" ASPHALT and CONCRETE	ND	None	Dry	
1			6"-24" Black SAND, some Silt, some Gravel (red Brick, Slag, Rock, Coal) [Fill]	ND	None	Dry	
2			24"-33" Grey-brown fine to medium SAND and GRAVEL (Slag, Rock, red Brick) [Fill]	ND	None	Dry	MW-16(0.5'-2')
3	42"		33"-37" Black COAL, coarse Sand, trace Silt [Fill]	ND	None	Dry	
4			37"-42" BRICK [Fill]	ND	None	Dry	
5							
			0-12" Grey-brown SAND and GRAVEL (red Brick, Rock, Slag) [Fill]	1.2	None	Dry	
6			12"-18" Red BRICK [Fill]				
7			18"-60" Fine to medium black SAND (Coal-like), some Silt [Fill]	0.3	None	Dry	
8	60"			0.2	None	Moist	MW-16(8.5'-9.5')
9				ND	None	Moist	
10			End of Boring at 10'	ND	None	Wet	
11							
12							
13							
14							
15							

Notes: **ND - Not Detected**

Samples MW16(0.5'-2') and MW16(8.5'-9.5') were analyzed for TCL VOCs (Method 8260), TCL SVOCs (Method 8270), PCBs (Method 8081), Pesticides (Method 8082) and TAL Metals (6000/7000 Series Method).

End of boring at 10'.

Groundwater at approximately 9.5'.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Greenpoint, Brooklyn


AKRF Project Number : 30260

Well No. MW-6

Sheet 1 of 1


Drilling Method:	Truck-mounted, Hollow Stem Auger
Sampling Method:	No sampling conducted
Driller :	ADT
Weather:	85F, Clear
Logged by:	MSS

Drilling	
Start	**Finish**
Time: 08:05	**Time:** 09:15
Date: 06-30-03	**Date:** 06-30-03
TOC Elevation:	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.**	**0-6" Asphalt Parking Lot**
2		**Cement-bentonite grout from 0' - 1'.**	**6"-13' Black/brown SAND, trace Silt, trace Gravel (rock, slag).**
3		**Bentonite seal 1' - 2'.**	
4		**Number 1 grade sand pack 2' - 13'.**	
5		**2" PVC well riser 0 - 3'.**	
6		**2" PVC 20-slot well screen 3' - 13'.**	
7			
8			
9			
10			
11			
12			
13		**Bottom of well 13'.**	
14			
15			
16			
17			
18			
19			
20			


Notes:
Groundwater apparent at 6.8'.
Soil samples were not collected during well installation.

AKRF, Inc.	Greenpoint Lumber Yard, Greenpoint, Brooklyn AKRF Project Number : 30260		Well No. MW-7 Sheet 1 of 1	
Environmental Consultants 116 East 27th Street, 7th Fl. New York, NY 10016	**Drilling Method:**	Truck-mounted, Hollow Stem Auger	**Drilling**	
	Sampling Method:	No sampling conducted	**Start**	**Finish**
	Driller :	ADT	**Time:** 10:45	**Time:** 11:30
	Weather:	90F, Clear	**Date:** 07-2-03	**Date:** 07-2-03
	Logged by:	SDR	**TOC Elevation:**	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		Flush mounted curb box with locking well cap. Cement-bentonite grout from 0' - 1'. Bentonite seal 1' - 2'. Number 1 grade sand pack 2' - 14'. 2" PVC well riser 0 - 4'. 2" PVC 20-slot well screen 4' - 14'. Bottom of well 14'.	0-6" Asphalt Parking Lot 6"-14' Brown/Red SAND and BRICK, trace Silt, mild organic-like odor
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			


Notes:
No depth to groundwater readings were collected for MW-7.
Soil samples were not collected during well installation.

AKRF, Inc.	Greenpoint Lumber Yard, Greenpoint, Brooklyn AKRF Project Number : 30260		Well No. MW-8 Sheet 1 of 1	
Environmental Consultants 116 East 27th Street, 7th Fl. New York, NY 10016	**Drilling Method:**	Truck-mounted, Hollow Stem Auger	**Drilling**	
	Sampling Method:	No sampling conducted	**Start**	**Finish**
	Driller :	ADT	**Time:** 09:35	**Time:** 10:20
	Weather:	85F, Clear	**Date:** 06-30-03	**Date:** 06-30-03
	Logged by:	MSS	**TOC Elevation:**	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.** **Cement-bentonite grout from 0' - 1'.** **Bentonite seal 1' - 2'.** **Number 1 grade sand pack 2' - 13'.** **2" PVC well riser 0 - 3'.** **2" PVC 20-slot well screen 3' - 13'.** **Bottom of well 13'.**	**0-6" Asphalt Parking Lot** **6"-13' Black SAND, trace Silt, trace Gravel**
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			

Notes:
Groundwater apparent at 6.5'.
Soil samples were not collected during well installation.

AKRF, Inc.	Greenpoint Lumber Yard, Greenpoint, Brooklyn AKRF Project Number : 30260		Well No. MW-9 Sheet 1 of 1	
Environmental Consultants 116 East 27th Street, 7th Fl. New York, NY 10016	**Drilling Method:**	Truck-mounted, Hollow Stem Auger	**Drilling**	
	Sampling Method:	No sampling conducted	**Start**	**Finish**
	Driller :	ADT	**Time:** 11:35	**Time:** 12:20
	Weather:	85F, Clear	**Date:** 07-1-03	**Date:** 07-1-03
	Logged by:	MSS	**TOC Elevation:**	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.** **Cement-bentonite grout from 0' - 1'.** **Bentonite seal 1' - 2'.** **Number 1 grade sand pack 2' - 13'.** **2" PVC well riser 0 - 3'.** **2" PVC 20-slot well screen 3' - 13'.** **Bottom of well 13'.**	**0-6" Dirt and Asphalt Parking Lot** **6"-13' No description was recorded**
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			

Notes:
Groundwater apparent at 9.4'.
Soil samples were not collected during well installation.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Greenpoint, Brooklyn


AKRF Project Number : 30260

Well No. MW-10

Sheet 1 of 1


Drilling Method:	Truck-mounted, Hollow Stem Auger
Sampling Method:	No sampling conducted
Driller :	ADT
Weather:	85F, PC
Logged by:	MSS

Drilling	
Start	**Finish**
Time: 10:45	**Time:** 11:30
Date: 06-30-03	**Date:** 06-30-03
TOC Elevation:	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.**	**0-6" Asphalt Parking Lot**
2		**Cement-bentonite grout from 0' - 1'.**	**6"-14' Black/Brown SAND, little Gravel, wet light brown SILT, some sand, trace Clay**
3		**Bentonite seal 1' - 2'.**	
4		**Number 1 grade sand pack 2' - 14'.**	
5		**2" PVC well riser 0 - 4'.**	
6		**2" PVC 20-slot well screen 4' - 14'.**	
7			
8			
9			
10			
11			
12			
13			
14		**Bottom of well 14'.**	
15			
16			
17			
18			
19			
20			


Notes:
Groundwater apparent at 7'.
Soil samples were not collected during well installation.

AKRF, Inc.	Greenpoint Lumber Yard, Greenpoint, Brooklyn AKRF Project Number : 30260		Well No. MW-11 Sheet 1 of 1	
Environmental Consultants 116 East 27th Street, 7th Fl. New York, NY 10016	**Drilling Method:**	Truck-mounted, Hollow Stem Auger	**Drilling**	
	Sampling Method:	No sampling conducted	**Start**	**Finish**
	Driller :	ADT	**Time:** 07:20	**Time:** 08:15
	Weather:	85F, Sunny	**Date:** 07-2-03	**Date:** 07-2-03
	Logged by:	MSS	**TOC Elevation:**	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		Flush mounted curb box with locking well cap. Cement-bentonite grout from 0' - 1'. Bentonite seal 1' - 3'. Number 1 grade sand pack 3' - 15'. 2" PVC well riser 0 - 4'. 2" PVC 20-slot well screen 5' - 15'. Bottom of well 15'.	0-6" Asphalt Parking Lot 6"-15' Black/Brown SAND, trace Gravel, trace Silt, trace Clay, light brown wet CLAY and SILT.
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			

Notes:
No depth to groundwater measurments were collected during well installation. The depth to groundwater reading of approximately 12' below grade was collected during well development.
Soil samples were not collected during well installation.

AKRF, Inc.	Greenpoint Lumber Yard, Greenpoint, Brooklyn AKRF Project Number : 30260		Well No. MW-12A Sheet 1 of 1	
Environmental Consultants 116 East 27th Street, 7th Fl. New York, NY 10016	**Drilling Method:**	Truck-mounted, Hollow Stem Auger	**Drilling**	
	Sampling Method:	No sampling conducted	**Start**	**Finish**
	Driller :	ADT	**Time:** 14:00	**Time:** 15:15
	Weather:	85F, Sunny	**Date:** 06-30-03	**Date:** 06-30-03
	Logged by:	MSS	**TOC Elevation:**	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.** **Cement-bentonite grout from 0' - 1'.** **Bentonite seal 1' - 3'.** **Number 1 grade sand pack 3' - 15'.** **2" PVC well riser 0 - 4'.** **2" PVC 20-slot well screen 5' - 15'.** **Bottom of well 15'.**	**0-6" Asphalt Parking Lot** **6"-15' Dark brown SILT and SAND, trace Gravel, wet, no odor, no NAPL**
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			

Notes:
Groundwater apparent at 8'
Soil samples were not collected during well installation.
MW-12A is located approximately 100' south of boring B12. This relocation is due to the refusal we encountered when trying to install MW-12 near B12.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Greenpoint, Brooklyn


AKRF Project Number : 30260

Well No. MW-13

Sheet 1 of 1

Drilling Method:	Truck-mounted, Hollow Stem Auger
Sampling Method:	No sampling conducted
Driller :	ADT
Weather:	80F, Overcast
Logged by:	JEF

Drilling	
Start	**Finish**
Time: 13:30	**Time:** 14:00
Date: 06-30-03	**Date:** 06-30-03
TOC Elevation:	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.**	**0-6" Asphalt Parking Lot**
2		**Cement-bentonite grout from 0' - 1'.**	**6"-15' Brown and dark grey stained SAND and SILT, trace rock Gravel, wet, moderate petroleum-like odor, sleight sheen on water.**
3		**Bentonite seal 1' - 3'.**	
4		**Number 1 grade sand pack 3' - 15'.**	
5		**2" PVC well riser 0 - 4'.**	
6		**2" PVC 20-slot well screen 5' - 15'.**	
7			
8			
9			
10			
11			
12			
13			
14			
15		**Bottom of well 15'.**	
16			
17			
18			
19			
20			

Notes:

Groundwater apparent at 6.2'

Sample of soil collected for waste characterization

The bottom plug of the 2" PVC well screen came out and MW13 filled with sand to -2' below grade. MW13 was overdrilled and MW13A was constructed in its place.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Greenpoint, Brooklyn


AKRF Project Number : 30260

Well No. MW-13A

Sheet 1 of 1

Drilling Method:	Truck-mounted, Hollow Stem Auger
Sampling Method:	No sampling conducted
Driller :	ADT
Weather:	85, Sunny
Logged by:	MSS

Drilling	
Start	**Finish**
Time: 09:55	**Time:** 11:12
Date: 07-1-03	**Date:** 07-1-03
TOC Elevation:	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.** **Cement-bentonite grout from 0' - 1'.** **Bentonite seal to surface** **Number 1 grade sand pack 1' - 12'.** **2" PVC well riser 0 - 4'.** **2" PVC 20-slot well screen 2' - 12'.** **Bottom of well at 12'**	**0-6" Asphalt Parking Lot** **6"-12' No description was recorded**
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			

Notes:

Groundwater apparent at 5'.

Soil samples were not collected during well installation.

The bottom plug of the 2" PVC well screen came out and MW13 filled with sand to 2' below grade. MW13 was overdrilled and MW13A was constructed in its place.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Greenpoint, Brooklyn


AKRF Project Number : 30260

Well No. MW-14

Sheet 1 of 1


Drilling Method:	Truck-mounted, Hollow Stem Auger
Sampling Method:	No sampling conducted
Driller :	ADT
Weather:	85F, Sunny
Logged by:	MSS

Drilling	
Start	**Finish**
Time: 13:45	**Time:** 14:25
Date: 07-1-03	**Date:** 07-1-03
TOC Elevation:	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.**	**0-6" Asphalt Parking Lot**
2		**Cement-bentonite grout from 0' - 1'.**	**6"-14' No description was recorded**
3		**Bentonite seal 1' - 2'.**	
4		**Number 1 grade sand pack 2' - 14'.**	
5		**2" PVC well riser 0 - 4'.**	
6		**2" PVC 20-slot well screen 4' - 14'.**	
7			
8			
9			
10			
11			
12			
13			
14		**Bottom of well 14'.**	
15			
16			
17			
18			
19			
20			

Notes:
Groundwater apparent at 8.5'
Soil samples were not collected during well installation.

AKRF, Inc.	Greenpoint Lumber Yard, Greenpoint, Brooklyn AKRF Project Number : 30260		Well No. MW-15 Sheet 1 of 1	
Environmental Consultants 116 East 27th Street, 7th Fl. New York, NY 10016	**Drilling Method:**	Truck-mounted, Hollow Stem Auger	**Drilling**	
	Sampling Method:	No sampling conducted	**Start**	**Finish**
	Driller :	ADT	**Time:** 09:45	**Time:** 10:25
	Weather:	90F, Sunny	**Date:** 07-2-03	**Date:** 07-2-03
	Logged by:	SDR	**TOC Elevation:**	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.** **Cement-bentonite grout from 0' - 1'.** **Bentonite seal 1' - 2'.** **Number 1 grade sand pack 2' - 14'.** **2" PVC well riser 0 - 4'.** **2" PVC 20-slot well screen 4' - 14'.** **Bottom of well 14'.**	**0-6" Dirt, Gravel, and Asphalt Parking Lot** **6"-14' Brown SAND, some Rock, Gravel, trace Silt, moist.**
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			

Notes:
Groundwater apparent at 8'.
Soil samples were not collected during well installation.

AKRF, Inc.

Environmental Consultants

116 East 27th Street, 7th Fl. New York, NY 10016

Greenpoint Lumber Yard, Greenpoint, Brooklyn


AKRF Project Number : 30260

Well No. MW-16

Sheet 1 of 1

Drilling Method:	Truck-mounted, Hollow Stem Auger
Sampling Method:	No sampling conducted
Driller :	ADT
Weather:	87F, Sunny
Logged by:	SDR

Drilling	
Start	**Finish**
Time: 08:34	**Time:** 09:33
Date: 07-2-03	**Date:** 07-2-03
TOC Elevation:	

Depth (feet)	Well Construction	Construction Description	Description of Cuttings
1		**Flush mounted curb box with locking well cap.**	**0-6" Dirt and Asphalt Parking Lot**
2		**Cement-bentonite grout from 0' - 1'.**	**6"-13' Black/brown SAND, some Gravel, trace Silt, wet towards bottom.**
3		**Bentonite seal 1' - 2'.**	
4		**Number 1 grade sand pack 2' - 13'.**	
5		**2" PVC well riser 0 - 3'.**	
6		**2" PVC 20-slot well screen 3' - 13'.**	
7			
8			
9			
10			
11			
12			
13		**Bottom of well 13'.**	
14			
15			
16			
17			
18			
19			
20			

Notes:
Groundwater apparent at 9'.
Soil samples were not collected during well installation.

APPENDIX B
WELL DEVELOPMENT AND SAMPLING LOGS

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260	**Client:**	Park Tower Realty	**Well No:**	**MW-6**
Project Location:	Greenpoint Lumber Yard	**Sampled By:**	SDR		
Date:	07/01/03	**Time:**	07:27		
Total Depth:	13 ft.	**Well Diameter:**	2 in.		
Depth to Water:	6.6 ft.	**Well Volume*:**	1.0432 gal.		
Water Column (WC):	6.4 ft.	****PID at surface:**	1.5 ppm		

Time	Pump Rate	Turbidity (NTU)	Temperature (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
07:30 WELL RAN DRY								Well was purged for 3 minutes before it ran dry; not enough time to collect readings
07:35	1.5L/16s	>1000	15.35	0.959	1.03/9.7	***	73	
07:38 WELL RAN DRY								
07:45	1.5L/16s	900	16.34	0.968	1.07/10.1	***	68	
07:47 WELL RAN DRY								
07:55	1.5L/16s	450	16.01	0.967	1.37/12.1	***	62	
07:57 WELL RAN DRY								

07:57 MW-6 considered developed. Well ran dry 4 times and approximately 7 well volume purged.

Total Volume Purged:

Approximately 7 gallons

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260		**Client:**	Park Tower Realty	**Well No:** MW-7
Project Location:	Greenpoint Lumber Yard		**Sampled By:**	MSS, SDR, JEF	
Date:	07-02-03		**Time:**	13:05:00 AM	
Total Depth:	13.9 ft.	(TOM)	**Well Diameter:**	2 in.	
Depth to Water:	8.1 ft.	(TOM)	**Well Volume*:**	0.945 gal.	
Water Column (WC):	5.8 ft.		****PID at surface:**	13.8 ppm	

Time	Pump Rate	Turbidity (NTU)	Temperature (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
13:10	6L/min	>1000	14.36	3.65	0.83	***		
13:15	**MW-7 RAN DRY**							Well was purged for 3 minutes - not enough time to collect readings
13:20	**MW-7 RAN DRY**							Well was purged for 30 seconds - not enough time to collect readings
13:25	**MW-7 RAN DRY**							Well was purged for 30 seconds - not enough time to collect readings
13:30	**MW-7 RAN DRY**							Well was purged for 7 seconds - not enough time to collect readings
13:35	**MW-7 RAN DRY**							Well was purged for 13 seconds - not enough time to collect readings

13:35 MW-7 considered developed.

Approximately 5 gallons (five well volumes) purged.

Well ran dry four times.

Turbidity at 290 NTU.

Water was clear by the end of development.

Total Volume Purged:

Approximately 5 gallons

Notes: *= 0.163 * WC for 2" wells **Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260	**Client:**	Park Tower Realty	**Well No:**	**MW-8**
Project Location:	Greenpoint Lumber Yard	**Sampled By:**	SDR		
Date:	07/01/03	**Time:**	07:27		
Total Depth:	13.45 ft.	**Well Diameter:**	2 in.		
Depth to Water:	8.4 ft.	**Well Volume*:**	0.82315 gal.		
Water Column (WC):	5.05 ft.	****PID at surface:**	ND		

Time	Pump Rate	Turbidity (NTU)	Temperature (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
08:27	1.5L/16s	>1000	16.99	32.2	3.14/34.2	***	106	
08:28 WELL RAN DRY								
08:34	1.5L/16s	>1000	21.98	30.3	3.90/42.8	***	107	
08:35 WELL RAN DRY								
08:40	1.5L/16s	>1000	27.60	31	4.48/49.5	***	98	
08:40 WELL RAN DRY								Well was purged for approximately 15 seconds before it ran dry; not enough time to collect readings.
08:47	1.5L/16s	>1000	26.70	31	4.71/53.2	7.33	92	
08:47 WELL RAN DRY								Well was purged for approximately 30 seconds before it ran dry; not enough time to collect readings.

08:47 MW-8 considered developed. Well ran dry 4 times. Approximately 4 well volumes purged.

Total Volume Purged:

Approximately 3.5 gallons

Notes:

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260	**Client:**	Park Tower Realty	**Well No:**	**MW-9**
Project Location:	Greenpoint Lumber Yard	**Sampled By:**	JEF		
Date:	07/02/03	**Time:**	07:30		
Total Depth:	13.45 ft.	**Well Diameter:**	2 in.		
Depth to Water:	8.4 ft.	**Well Volume*:**	0.82315 gal.		
Water Column (WC):	5.05 ft.	**PID at surface:**	ND		

Time	Pump Rate	Turbidity (NTU)	Temperature (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
08:15	1.5L/15s	>1000	14.27	2.01	4.85/35.8	***	23	Well ran dry after 1 minute of pumping
08:16 WELL RAN DRY								
08:30	1.5L/16s	>1000	15.17	2.42	6.35/54.2	***	27	Well ran dry after 30 seconds of pumping
08:30 WELL RAN DRY								
08:40	1.5L/16s	>1000	15.36	2.51	3.75/33.1	***	27	
08:40 WELL RAN DRY								Well ran dry after 30 seconds of pumping
08:50	****	****	****	****	****	***	****	

WELL RAN DRY TOO QUICKLY TO GET ANY READINGS

8:50 MW-9 considered developed. Well ran dry 4 times.

Total Volume Purged:

Volume not recorded.

Notes:

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken

****No data gathered

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260		**Client:**	Park Tower Realty	**Well No:** MW-10
Project Location:	Greenpoint Lumber Yard		**Sampled By:**	JEF	
Date:	07/01/03		**Time:**	11:00	
Total Depth:	14.35 ft. (TOM)	13.8 ft. (TOC)	**Well Diameter:**	2 in.	
Depth to Water:	6.48 ft. (TOM)	6.0 ft. (TOC)	**Well Volume*:**	1.27 gal.	
Water Column (WC):	5.05 ft.		****PID at surface:**	ND	

Time	Pump Rate	Turbidity (NTU)	Temperature (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
11:05	1.5L/15s	50	16.96	2.54	5.11/41.8	***	18	
11:10	1.5L/15s	50	14.8	2.63	4.85/18.5	***	30	
11:11 WELL RAN DRY								
11:17	1.5L/15s	220	14.56	2.6	2.62/2.21	***	19	
11:17 WELL RAN DRY								Well ran dry in approximately 30 seconds
11:22	1.5L/15s	140	15.07	2.57	3.44/34.1	***	30	
11:22 WELL RAN DRY								Well ran dry in approximately 30 seconds
11:27	1.5L/16s	290	15.79	2.59	3.30/35.7	7.33	20	
11:27 WELL RAN DRY								Well ran dry in approximately 45 seconds

11:27 MW-10 considered developed. Well ran dry 4 times. Approximately 3 well volumes purged.

Total Volume Purged:

Approximately 4 gallons

Notes:

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken

TOC=Top of Casing

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260	**Client:**	Park Tower Realty	**Well No:**	**MW-11**
Project Location:	Greenpoint Lumber Yard	**Sampled By:**	MSS/JEF		
Date:	07/02/03	**Time:**	10:00		
Total Depth:	15 ft. (TOC)	**Well Diameter:**	2 in.		
Depth to Water:	12.5 ft. (TOC)	**Well Volume*:**	0.4075 gal.		
Water Column (WC):	2.5 ft.	****PID at surface:**	0.7 ppm		

Time	Pump Rate	Turbidity (NTU)	Temperature (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
10:00	1.5L/15s	>1000	17.29	1.01	4.26/****	***	****	
10:02 WELL RAN DRY								
10:07	1.5L/15s	>1000	17.17	1.02	2.93/****	***	****	
10:08 WELL RAN DRY								
10:13	1.5L/15s	>1000	17.06	1.025	3.15/****	***	****	
10:14 WELL RAN DRY								
10:19	1.5L/15s	>1000	17.2	1.023	3.05/****	***	****	
10:20 WELL RAN DRY								

10:20 MW-11 considered developed. Well ran dry 4 times. Approximately 4 well volumes purged.

Total Volume Purged:

Approximately 4 gallons

Notes: *= 0.163 * WC for 2" wells **Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken ****No data gathered

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260		**Client:**	Park Tower Realty	**Well No:** MW-12A
Project Location:	Greenpoint Lumber Yard		**Sampled By:**	SDR	
Date:	07/01/03		**Time:**	09:38	
Total Depth:	13.5 ft. (TOC)	13.75 ft. (TOM)	**Well Diameter:**	2 in.	
Depth to Water:	5.1 ft. (TOC)	5.4 ft. (TOM)	**Well Volume*:**	1.3692 gal.	
Water Column (WC):	8.4 ft.		****PID at surface:**	1.4 ppm	

Time	Pump Rate	Turbidity (NTU)	Temperature (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
09:52	1.5L/15s	>1000	15.99	1.59	4.06/33.1	***	17	
09:57	1.5L/15s	>1000	16.02	1.59	1.90/19.3		9	
09:57 WELL RAN DRY								
10:08 WELL RAN DRY								
10:01	1.5L/25s	>1000	16.12	1.59	1.56/14.4	***	24	Black sediment
10:05	1.5L/25s	>1000	15.89	1.56	2.37/23.8	***	18	
10:10	1.5L/25s	950	15.83	1.57	2.54/25.9	***	18	Flow has decreased
10:14 WELL RAN DRY								
10:15	1.5L/25s	100	15.87	1.56	11.67/17.2	***	14	
10:21	1.5L/30s	160	15.78	1.57	2.62/26.7	***	15	
10:25	1.5L/30s	160	15.77	1.57	2.90/29.2	***	17	
10:29	1.5L/30s	150	15.79	1.58	2.89/28.8	***	16	

10:29 MW-12A considered developed. Well parameters stabilized. Approximately 14 well volumes purged.

Total Volume Purged:

Approximately 20 gallons

Notes:

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken

TOM=Top of Manhole

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260		**Client:**	Park Tower Realty	**Well No:** MW-13
Project Location:	Greenpoint Lumber Yard		**Sampled By:**	JEF	
Date:	07/01/03		**Time:**	11:45	
Total Depth:	12.45 ft. (TOC)	12.0 ft. (TOM)	**Well Diameter:**	2 in.	
Depth to Water:	6.08 ft. (TOC)	6.5 ft. (TOM)	**Well Volume*:**	.978 gal.	
Water Column (WC):	6 ft		****PID at surface:**	ND	

Time	Pump Rate	Turbidity (NTU)	Temperature (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
11:47	1.5L/15s	>1000	18.86	2.31	2.19/20.3	***	13	
11:53	1.5L/15s	210	16.8	2.16	3.53/36.1	***	-31	
11:56	1.5L/15s	110	16.72	2.14	3.69/38.2	***	-33	
12:00	1.5L/15s	80	16.69	2.13	3.47/36.0	***	-36	
12:05	1.5L/15s	45	16.55	2.12	3.32/34.4	***	-37	
12:10	1.5L/15s	50	16.54	2.11	3.60/*	***	****	

10:29 MW-13 considered developed. Well parameters stabilized. Approximately 20 well volumes purged.

Total Volume Purged:

Approximately 20 gallons

Notes:

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken

****No data gathered

TOM= Top of Manhole

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260	**Client:**	Park Tower Realty	**Well No:** MW-14
Project Location:	Greenpoint Lumber Yard	**Sampled By:**	MSS, JEF	
Date:	07/01/03	**Time:**	10:45	
Total Depth:	14.00 ft. (TOM)	**Well Diameter:**	2 in.	
Depth to Water:	8.80 ft. (TOM)	**Well Volume*:**	.685 gal.	
Water Column (WC):	4.2 ft.	**PID at surface:**	2.0 ppm	

Time	Pump Rate	Turbidity (NTU)	Temperature (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
10:48	6L/min	>1000	15.19	1.001	3.12/*	***	****	
10:51	6L/min	850	14.72	0.978	0.80/*	***	****	
10:53	6L/min	400	14.71	0.962	0.71/*	***	****	
10:55	6L/min	95	14.68	0.953	0.63/*	***	****	
10:57	6L/min	45	14.66	0.944	0.52/*	***	****	
10:59	6L/min	31	14.66	0.941	0.46/*	***	****	

10:59 MW-14 considered developed. Well parameters stabilized. Approximately 8 well volumes purged.

Total Volume Purged:

Approximately 6 gallons

Notes:

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken ****No data gathered

TOM= Top of Manhole

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260	**Client:**	Park Tower Realty	**Well No:**	**MW-15A**
Project Location:	Greenpoint Lumber Yard	**Sampled By:**	MSS, SDR		
Date:	07/02/03	**Time:**	12:20		
Total Depth:	14.3 ft.	**Well Diameter:**	2 in.		
Depth to Water:	9.5 ft. TOM	**Well Volume*:**	0.7824 gal.		
Water Column (WC):	4.8 ft.	****PID at surface:**	1.2 ppm		

Time	Pump Rate	Turbidity (NTU)	Temperature (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
12:28	6L/min	>1000	17.20	1.015	1.83/*	***	****	Cloudy
12:32	6L/min	350	15.25	0.971	0.30/*	***	****	Clear
12:37	6L/min	260	14.95	0.962	0.21/*	***	****	Clear
12:44	6L/min	60	14.45	0.952	0.12/1.2	***	30	
12:50	6L/min	15	14.51	0.949	0.12/1.1	***	30	
12:53	6L/min	45	14.47	0.947	.11/1.1	***	30	
12:58	6L/min	45	14.5	0.947	.11/1.1	***	30	

12:58 MW-15A considered developed. Well parameters stabilized. Approximately 17 well volumes purged.

Total Volume Purged:

Approximately 13.26 gallons

Notes: *= 0.163 * WC for 2" wells **Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken ****No data gathered TOM= Top of Manhole

AKRF, Inc.

Environmental Consultants

Well Development Log

Job No:	30260	**Client:**	Park Tower Realty	**Well No:**	**MW-16**
Project Location:	Greenpoint Lumber Yard	**Sampled By:**	MSS, JEF		
Date:	07/02/03	**Time:**	11:30		
Total Depth:	13.5 ft.	**Well Diameter:**	2 in.		
Depth to Water:	6.65 ft. TOM	**Well Volume*:**	1.133 gal.		
Water Column (WC):	6.95 ft.	****PID at surface:**	0.6 ppm		

Time	Pump Rate	Turbidity (NTU)	Temperature (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Comments
11:45	6L/min	>1000	16.87	1.189	1.91/*	***	****	Cloudy
11:50	6L/min	160	16.39	1.52	0.43/*	***	****	Clear
11:55	6L/min	70	16.37	1.52	0.33/*	***	****	Clear
12:00	6L/min	75	16.35	1.52	0.25/*	***	****	
12:02	**WE SURGED THE WELL**							
12:10	6L/min	75	16.32	1.52	0.18/*	***	****	
12:12	6L/min	35	16.31	1.52	0.20/*	***	****	

12:15 MW-16 considered developed. Turbidity < 50ppm. Approximately 4.5 well volumes purged.

Total Volume Purged:

Approximately 5 gallons

Notes:

*= 0.163 * WC for 2" wells

**Photoionization Detector

***pH meter on Quanta G Water Quality Testing Instrument was broken ****No data gathered

TOM= Top of Manhole

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW6**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS, JEF**	
Date:	**07-14-03**		**Time:**	**07:15**	
PID at surface:	**0.2 ppm**				
Total Depth:	**12.76' TOC**	**13.21' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**5.63' TOC**	**6.10' TOM**	**Well Volume*:**	**1.162 gal.**	
Water Column (WC):	**7.13'**			**x3=3.486 gal.**	
Depth to top of screen:	**3'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**13'**		**Geotech Geopump 2**		
Pump intake:	**10'**				

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
07:43	5.83'	1L/3min	18.40	1	2.06	6.9	23	80	Clear
07:48	5.83'	1L/3min	17.56	0.994	0.73	6.9	19	50	Slight sheen
07:53	5.83'	1L/3min	17.19	0.999	0.59	6.8	23	50	
07:58	5.83'	1L/3min	17.34	0.995	0.5	6.9	17	39	
08:03	5.83'	1L/3min	17.32	1	0.45	7	15	31	No odor
08:08	5.83'	1L/3min	17.30	1.006	0.41	6.9	11	18	
08:13	5.83'	1L/3min	17.23	1.007	0.39	6.9	8	7.8	
08:18	5.83'	1L/3min	17.29	1.006	0.39	6.9	6	4.9	
08:23	5.83'	1L/3min	19.27	1.003	0.38	6.9	7	4.9	

Purging Criteria: **Parameters stabilized within 10% or Turbidity < 10 NTU or 3 well volumes purged.**

Comments: **Approximately 3.5 gallons purged over 40 minutes. All parameters stabilized except for turbidity and ORP.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 **of:** 1

Job No:	**30260**	**Client:** **Park Tower Realty**	**Well No:** **MW7**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**	**Sampled By:** **MSS, JEF**	
Date:	**07-14-03**	**Time:**	
PID at surface:	**0.8 ppm**		
Total Depth:	**13.7' TOC** **14.4' TOM**	**Well Diameter:** **2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**8' TOC** **6.4' TOM**	**Well Volume*:** **0.9291 gal.**	
Water Column (WC):	**5.7'**	**x3=2.79 gal.**	
Depth to top of screen:	**4'**	**Purging Device (pump type):**	
Depth to bottom of screen:	**14'**	**Geotech Geopump 2**	
Pump intake:			

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
10:15	8.2'	500mL/min	17.07	4.13	2.64	12.2	-80	45	Clear
10:20	8.2'	500mL/min	17.04	3.61	0.31	12.1	-80	50	Slight sheen
10:25	8.2'	500mL/min	17.19	2.17	0.27	12	-89	34	
10:30	8.2'	500mL/min	17.15	2.02	0.22	11.9	-110	26	
10:35	8.2'	500mL/min	17.10	2.02	0.17	11.9	-118	19	
10:40	8.2'	500mL/min	17.09	1.99	0.17	11.9	-126	32	
10:45	8.2'	500mL/min	17.11	1.97	0.17	11.8	-130	26	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 3 gallons purged. All parameters stabilized within 10%. Turbidity = 26 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW8**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS, JEF**	
Date:	**07-14-03**		**Time:**	**08:55**	
PID at surface:	**ND**				
Total Depth:	**12.60' TOC**	**13.35' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**6.1' TOC**	**6.85' TOM**	**Well Volume*:**	**1.06 gal**	
Water Column (WC):	**6.5'**			**x3=3.18gal.**	
Depth to top of screen:	**3'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**13'**		**Geotech Geopump 2**		
Pump intake:	**10'**				

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
08:57	6.7'	500mL/min	20.15	35.5	5	7.2	104	38	Clear
09:02	6.7'	500mL/min	20.61	35.3	6.75	7.2	127	5.5	No sheen
09:07	6.7'	500mL/min	20.60	35.3	6.77	7.2	127	1.1	No odor
09:12	6.7'	500mL/min	20.59	35.3	6.59	7.2	127	0.85	
09:17	6.7'	500mL/min	20.61	35.3	6.4	7.2	126	0.8	
09:22	6.7'	500mL/min	20.60	35.3	6.42	7.2	126	0.55	
09:27	6.7'	500mL/min	20.60	35.3	6.23	7.2	125	0.6	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 3.5 gallons purged (30 minutes purging). All parameters stabilized within 10%. Turbidity < 1 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW9**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**SDR/MSS**	
Date:	**07-14-03**		**Time:**	**14:35**	
PID at surface:	**ND**				
Total Depth:	**12.85' TOC**	**13.15' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**8.65' TOC**	**8.95 TOM**	**Well Volume*:**	**.6846 gal**	
Water Column (WC):	**4.2'**			**x3=2.05gal.**	
Depth to top of screen:	**3'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**13'**		**Geotech Geopump 2**		
Pump intake:					

Time	Depth to Water (Ft.)	Purge Rate	Temp (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
14:40	8.85'	500mL/min	16.05	1.9	1.2	7	-13	40	
14:45	8.85'	500mL/min	17.37	1.84	1.09	6.9	-10	17	
14:50	8.85'	500mL/min	16.74	1.75	1.26	6.9	-4	5.4	
14:55	8.85'	500mL/min	18.05	1.8	1.18	6.9	-3	4.2	
15:00	8.85'	500mL/min	17.37	1.82	1.15	6.9	-4	6.2	
15:05	8.85'	500mL/min	17.33	1.93	0.88	6.9	-6	6	
15:10	8.85'	500mL/min	17.51	1.94	0.83	6.9	-6	5.5	
15:15	8.85'	500mL/min	17.88	1.92	0.85	6.9	-5	5.5	
15:20	8.85'	500mL/min	17.57	1.9	0.87	6.9	-6	5.3	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 2 gallons purged. All parameters stabilized within 10%. Turbidity = 5.3 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No: MW10**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS/JEF/SDR**	
Date:	**07-14-03**		**Time:**	**15:30**	
PID at surface:	**0.2 ppm**				
Total Depth:	**13.95' TOC**	**14.4' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**5.95' TOC**	**6.4' TOM**	**Well Volume*:**	**1.304 gal**	
Water Column (WC):	**8'**			**x3=3.914 gal.**	
Depth to top of screen:	**4'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**14'**		**Geotech Geopump 2**		
Pump intake:	**6.2'**				

Time	Depth to Water (Ft.)	Purge Rate	Temp (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
15:45	6.2'	500mL/min	20.80	2.53	1.79	7.4	-12	16	
15:50	6.2'	500mL/min	20.50	2.55	1.01	7.4	-14	21	
15:55	6.2'	500mL/min	20.49	2.55	0.41	7.4	-22	20	
16:00	6.2'	500mL/min	18.92	2.55	0.26	7.4	-27	30	
16:05	6.2'	500mL/min	19.54	2.53	0.21	7.4	-29	27	
16:10	6.2'	500mL/min	19.99	2.53	0.23	7.4	-32	23	
16:15	6.2'	500mL/min	20.50	2.56	0.21	7.4	-35	23	
16:20	6.2'	500mL/min	20.40	2.55	0.2	7.4	-37	20	
16:25	6.2'	500mL/min	20.00	2.57	0.19	7.4	-38	18	
16:30	6.2'	500mL/min	19.84	2.56	0.19	7.4	-39	18	
16:35	6.2'	500mL/min	19.87	2.56	0.19	7.4	-40	18	
16:40	6.2'	500mL/min	19.83	2.57	0.19	7.4	-40	18	
16:45	6.2'	500mL/min	19.84	2.56	0.19	7.4	-40	18	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 3 gallons purged (<3 well volumes). Pump rate was very low due to very low recharge. All parameters stabilized within 10% for last 4 readings over 20 minutes. Turbidity = 18 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW11**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS/JEF/SDR**	
Date:	**07-14-03**		**Time:**	**10:00**	
PID at surface:	**NOT WORKING**				
Total Depth:	**14.85' TOC**	**15.05' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**12.2' TOC**	**12.5' TOM**	**Well Volume*:**	**0.432 gal**	
Water Column (WC):	**2.65'**			**x3=1.30 gal.**	
Depth to top of screen:	**5'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**15'**		**Geotech Geopump 2**		
Pump intake:	**14"**				

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
10:03	12.4'	250mL/min	17.10	1.02	1.22	6.9	73	172	
10:08	12.4'	250mL/min	18.80	1.018	1.48	6.9	90	160	
10:13	12.4'	250mL/min	18.17	1.014	0.98	6.6	90	160	
10:18	12.4'	250mL/min	18.00	1.013	0.73	6.6	89	50	
10:23	12.4'	250mL/min	17.82	1.015	0.65	6.6	88	15	
10:28	12.4'	250mL/min	17.54	1.017	0.62	6.6	87	7.5	
10:33	12.4'	250mL/min	17.56	1.02	0.62	6.6	85	3.1	
10:38	12.4'	250mL/min	17.84	1.02	0.61	6.6	85	2.2	
10:43	12.4'	250mL/min	17.76	1.031	0.65	6.6	86	1.8	
10:48	12.4'	250mL/min	18.00	1.021	0.63	6.6	84	1.6	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 1.5 gallons purged. All parameters stabilized within 10%. Turbidity = 1.6 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 **of:** 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW12A**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS/JEF**	
Date:	**07-14-03**		**Time:**	**11:30**	
PID at surface:	**0.9 ppm**				
Total Depth:	**13.6' TOC**	**13.8' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**5.4' TOC**	**5.6' TOM**	**Well Volume*:**	**1.33 gal**	
Water Column (WC):	**8.20'**			**x3=4 gal.**	
Depth to top of screen:	**5'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**15'**		**Geotech Geopump 2**		
Pump intake:					

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
11:35	5.6'	500mL/min	19.42	1.383	1.16	7.6	-55	160	Moderate organic-like odor
11:40	5.6'	500mL/min	19.19	1.381	0.42	7.3	-37	220	
11:45	5.6'	500mL/min	18.63	1.415	0.3	7.2	-28	80	
11:50	5.6'	500mL/min	18.49	1.419	0.25	7.2	-26	45	
11:55	5.6'	500mL/min	18.40	1.422	0.21	7.1	-27	25	
12:00	5.6'	500mL/min	18.46	1.427	0.19	7.1	-28	14	
12:05	5.6'	500mL/min	18.36	1.429	0.18	7.2	-29	9.7	
12:10	5.6'	500mL/min	18.41	1.429	0.19	7.1	-30	9	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 4 gallons purged. All parameters stabilized within 10%. Turbidity = 9 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No: MW13A**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS/JEF**	
Date:	**07-14-03**		**Time:**	**13:31**	
PID at surface:	**3.9 ppm**				
Total Depth:	**12.1' TOC**	**12.38' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**6.32' TOC**	**6.6' TOM**	**Well Volume*:**	**0.957 gal**	
Water Column (WC):	**5.78'**			**x3=2.87 gal.**	
Depth to top of screen:	**2'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**12'**		**Geotech Geopump 2**		
Pump intake:	**9'**				

Time	Depth to Water (Ft.)	Purge Rate	Temp (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
13:36	6.5'	500mL/min	18.47	2.85	2.39	7.3	-24	29	Slight petroleum-like odor
13:41	6.5'	500mL/min	18.17	2.7	0.8	7.1	-15	19	
13:46	6.5'	500mL/min	18.65	2.52	0.68	7.1	-1	7.7	Clear
13:51	6.5'	500mL/min	18.68	2.44	0.62	7.1	-7	2.3	
13:56	6.5'	500mL/min	18.77	2.34	0.55	7.1	-26	1.1	
14:01	6.5'	500mL/min	18.57	2.28	0.4	7.1	-39	0.45	
14:06	6.5'	500mL/min	18.53	2.24	0.98	7.1	-48	0.35	
14:11	6.5'	500mL/min	18.48	2.22	0.51	7.1	-48	0.9	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 3 gallons purged. All parameters stabilized within 10%. Turbidity <1 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW14**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**JEF/MSS**	
Date:	**07-15-03**		**Time:**	**13:30**	
PID at surface:	**4.1 ppm**				
Total Depth:	**13.84' TOC**	**14.47' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**8.77' TOC**	**9.4' TOM**	**Well Volume*:**	**0.826 gal**	
Water Column (WC):	**5.07**			**x3=2.48gal.**	
Depth to top of screen:	**4'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**14'**		**Geotech Geopump 2**		
Pump intake:					

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
08:45	8.9'	500mL/min	17.51	0.983	1.95	6.6	-14	45	
08:50	8.9'	500mL/min	16.39	0.953	0.49	6.8	2	16	Moderate organic-like odor, clear
08:55	8.9'	500mL/min	16.48	0.957	0.41	6.8	5	11	
09:00	8.9'	500mL/min	16.58	0.96	0.36	6.8	5	10	
09:05	8.9'	500mL/min	16.57	0.956	0.34	6.8	6	7.2	
09:10	8.9'	500mL/min	16.82	0.96	0.32	6.8	6	6.2	
09:15	8.9'	500mL/min	16.75	0.955	0.35	6.8	6	6.3	
09:20	8.9'	500mL/min	15.90	0.948	0.24	6.8	7	4.4	
09:25	8.9'	500mL/min	15.90	0.95	0.3	6.8	7	3.2	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 3 gallons purged. All parameters stabilized within 10%. Turbidity = 3.2 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW15A**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**JEF/MSS**	
Date:	**07-15-03**		**Time:**	**13:30**	
PID at surface:	**ND**				
Total Depth:	**13.8' TOC**	**14.1' TOM**	**Well Diameter:**		*= 0.163 * WC for 2" wells
Depth to Water:	**9.38' TOC**	**9.65' TOM**	**Well Volume*:**		
Water Column (WC):	**4.42'**				
Depth to top of screen:	**4'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**14'**		**Geotech Geopump 2**		
Pump intake:					

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
13:35	9.5'	500mL/min	16.01	0.89	1.48	6.9	11	>1000	
13:40	9.5'	500mL/min	16.02	0.953	0.58	6.9	16	280	
13:45	9.5'	500mL/min	15.99	0.958	0.39	6.9	20	29	
13:50	9.5'	500mL/min	16.02	0.962	0.35	6.9	22	10	
13:55	9.5'	500mL/min	16.00	0.963	0.33	6.9	24	4.8	
14:00	9.5'	500mL/min	15.98	0.967	0.3	6.9	25	3.4	
14:05	9.5'	500mL/min	15.93	0.965	0.29	6.9	25	2.7	
14:10	9.5'	500mL/min	15.89	0.964	0.29	6.2	24	3.4	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 3 gallons purged. All parameters stabilized within 10%. Turbidity = 3.4 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **MW16**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS/SDR/JEF**	
Date:	**07-15-03**		**Time:**	**11:38**	
PID at surface:	**ND**				
Total Depth:	**13.00' TOC**	**13.54' TOM**	**Well Diameter:**	**2"**	*= 0.163 * WC for 2" wells
Depth to Water:	**5.28' TOC**	**5.81' TOM**	**Well Volume*:**	**1.26 gal**	
Water Column (WC):	**7.72'**			**x3=3.78 gal.**	
Depth to top of screen:	**3'**		**Purging Device (pump type):**		
Depth to bottom of screen:	**13'**		**Geotech Geopump 2**		
Pump intake:	**7"**				

Time	Depth to Water (Ft.)	Purge Rate	Temp (^oC)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
11:46	5.4'	500mL/min	18.88	1.77	0.47	7.1	-1	17	
11:51	5.4'	500mL/min	18.69	1.79	0.29	7.1	-3	11	
11:56	5.4'	500mL/min	18.65	1.79	0.24	7.1	-4	5	
12:01	5.4'	500mL/min	18.69	1.78	0.2	7.1	-6	2.7	
12:06	5.4'	500mL/min	18.70	1.78	0.19	7.1	-7	1.7	
12:11	5.4'	500mL/min	18.69	1.78	0.19	7.1	-8	1.2	
12:16	5.4'	500mL/min	18.73	1.78	0.17	7.1	-9	1.1	
12:21	5.4'	500mL/min	18.72	1.78	0.17	7.1	-10	1.2	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 4 gallons purged. All parameters stabilized within 10%. Turbidity = 1.2 NTU.**

AKRF, Inc.

Environmental Consultants

Well Sampling Log

Sheet: 1 of: 1

Job No:	**30260**		**Client:**	**Park Tower Realty**	**Well No:** **FOUND WELL**
Project Location:	**Greenpoint Lumber Yard, Brooklyn, NY**		**Sampled By:**	**MSS/JEF**	
Date:	**07-14-03**		**Time:**	**14:35**	
PID at surface:	**ND**				
Total Depth:	**18.83' TOC**	**18.88' TOM**	**Well Diameter:**	**1"**	*= 0.041 * WC for 1" wells
Depth to Water:	**5.2' TOC**	**5.25' TOM**	**Well Volume*:**	**0.56 gal**	
Water Column (WC):	**13.63"**			**x3=1.68 gal.**	
Depth to top of screen:	**UNKNOWN**		**Purging Device (pump type):**		
Depth to bottom of screen:	**UNKNOWN**		**Geotech Geopump 2**		
Pump intake:	**10'**				

Time	Depth to Water (Ft.)	Purge Rate	Temp (^{o}C)	Conductivity (mS/cm)	DO (mg/L)	pH	ORP (mV)	Tubidity (NTU)	Comments
14:45	5.4'	500mL/min	17.15	1.41	0.38	7.4	-8	70	Red flakes - maybe rust floating in water column
14:50	5.4'	500mL/min	16.60	1.413	0.81	7.4	-8	7.5	
14:55	5.4'	500mL/min	16.62	1.403	0.32	7.4	-9	4.7	
15:00	5.4'	500mL/min	16.59	1.397	0.28	7.4	-9	4.3	
15:05	5.4'	500mL/min	16.53	1.398	0.24	7.4	-9	4.6	
15:10	5.4'	500mL/min	16.58	1.398	0.24	7.4	-11	4.4	

Purging Criteria: **Parameters stabilized within 10% <u>or</u> Turbidity < 10 NTU <u>or</u> 3 well volumes purged.**

Comments: **Approximately 2.5 gallons purged. All parameters stabilized within 10%. Turbidity = 4.4 NTU.**

APPENDIX C
CATEGORY A LABORATORY DELIVERABLES

AMERICAN
ANALYTICAL
LABORATORIES, INC.

NYSDOH	ELAP	11418
AIHA	PAT, LPAT	102391
CTDOH	PH-0205	

ASP CATEGORY A
WORKORDER 0306116
AKRF, INC.
GREENPOINT LUMBER YARD
BROOKLYN, N.Y.

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX: (631) 454-8027

COVER PAGE

July 28, 2003

Mimi Sotiriou
AKRF, Inc
116 East 27th Street
7th Floor
New York, NY 10016

TEL: (646) 459-3528
FAX (212) 726-0942

RE: Greenpoint Lumber Yard Brooklyn, NY

Order No.: 0306116

Dear Mimi Sotiriou:

American Analytical Laboratories, Inc. received 20 samples on 6/27/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Lori Beyer
Lab Director

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT: AKRF, Inc
Project: Greenpoint Lumber Yard Brooklyn, NY
Lab Order: 0306116

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0306116-01A	B12 (0.5-2')		6/25/2003	6/27/2003
0306116-01B	B12 (0.5-2')		6/25/2003	6/27/2003
0306116-02A	B12 (5'-7')		6/25/2003	6/27/2003
0306116-02B	B12 (5'-7')		6/25/2003	6/27/2003
0306116-03A	B13 (0.5'-2')		6/25/2003	6/27/2003
0306116-03B	B13 (0.5'-2')		6/25/2003	6/27/2003
0306116-04A	B13 (5'-7')		6/25/2003	6/27/2003
0306116-04B	B13 (5'-7')		6/25/2003	6/27/2003
0306116-05A	MW-12 (0.5'-2')		6/25/2003	6/27/2003
0306116-05B	MW-12 (0.5'-2')		6/25/2003	6/27/2003
0306116-06A	MW12 (4.5'-5.5')		6/25/2003	6/27/2003
0306116-06B	MW12 (4.5'-5.5')		6/25/2003	6/27/2003
0306116-07A	MW13 (0.5'-2')		6/25/2003	6/27/2003
0306116-07B	MW13 (0.5'-2')		6/25/2003	6/27/2003
0306116-08A	MW13 (5'-7')		6/25/2003	6/27/2003
0306116-08B	MW13 (5'-7')		6/25/2003	6/27/2003
0306116-09A	B7R2 (5.5'-6.0')		6/25/2003	6/27/2003
0306116-09B	B7R2 (5.5'-6.0')		6/25/2003	6/27/2003
0306116-10A	B6 (0.5'-2')		6/25/2003	6/27/2003
0306116-10B	B6 (0.5'-2')		6/25/2003	6/27/2003
0306116-11A	B6 (6'-7')		6/25/2003	6/27/2003
0306116-11B	B6 (6'-7')		6/25/2003	6/27/2003
0306116-12A	MW6 (0.5-2')		6/25/2003	6/27/2003
0306116-12B	MW6 (0.5-2')		6/25/2003	6/27/2003
0306116-13A	MW6 (6'-7')		6/25/2003	6/27/2003
0306116-13B	MW6 (6'-7')		6/25/2003	6/27/2003
0306116-14A	MW8 (2'-4')		6/25/2003	6/27/2003
0306116-14B	MW8 (2'-4')		6/25/2003	6/27/2003
0306116-15A	MW8 (5'-6.5')		6/25/2003	6/27/2003
0306116-15B	MW8 (5'-6.5')		6/25/2003	6/27/2003
0306116-16A	B9 (14"-2.5')		6/25/2003	6/27/2003
0306116-16B	B9 (14"-2.5')		6/25/2003	6/27/2003
0306116-17A	B9 (5'-6')		6/25/2003	6/27/2003
0306116-17B	B9 (5'-6')		6/25/2003	6/27/2003
0306116-18A	B8 (0.5-2")		6/25/2003	6/27/2003
0306116-18B	B8 (0.5-2")		6/25/2003	6/27/2003
0306116-19A	B8 (8-10')		6/25/2003	6/27/2003
0306116-19B	B8 (8-10')		6/25/2003	6/27/2003

CLIENT:	AKRF, Inc
Project:	Greenpoint Lumber Yard Brooklyn, NY
Lab Order:	0306116

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0306116-20A	MW10 (0.5-2')		6/25/2003	6/27/2003
0306116-20B	MW10 (0.5-2')		6/25/2003	6/27/2003

SDG NARRATIVE

SDG Narrative

AAL Work Order: : 0306116
Sample Matrix : Soil
Project : Greenpoint

INTRODUCTION
This narrative covers the analysis of twenty (20) soils in accordance with protocols based on SW846 Methods 8260, 8270, 8081, 8082, 6010 and 7470.

HOLDING TIMES
The analytical holding time for these analyses was met.

CALIBRATIONS
Initial Calibration: All required minimum RRFs and maximum %RSD requirements have been met in accordance with the method.

Continuing Calibration: All required minimum RRFs and maximum %D requirements have been met in accordance with the method.

TUNE PERFORMANCE
All Tune (BFB) specifications met QC requirements.

METHOD BLANKS
The method blanks associated with these samples did not contain any target compounds at or above QC.

MATRIX SPIKE/MATRIX SPIKE DUPLICATE/DUPLICATES
MS/MSD/Dup analysis was performed as required. Results are submitted as an appendix to this report. Spike recoveries and RPD fell within established ranges except where noted on the summary sheets. No laboratory action is required for MS/MSD outliers.

INTERNAL STANDARDS
All area responses and retention times fell within acceptable ranges.

SURROGATES (SYSTEM MONITORING COMPOUNDS)
Surrogate recoveries are summarized in the appendix to this report.

SAMPLE COMMENTS
Samples were analyzed as per the required protocols.

Semivolatile Analysis:
Semivolatile analysis of samples B12 (0.5-2'), MW-12 (0.5-2'), B9 (5'-6'), MW10 (0.5-2') were analyzed at 1:2 dilutions. Samples MW13 (0.5'-2'), MW6 (0.5'02'), B9 (14"-2.5'), B8 (8-10') were analyzed at 1:5 dilutions. B8 (8-10') was reanalyzed at a 1:50 dilution based upon target analyte concentrations.

MW13 (5'-7') was initially analyzed undiluted. Based upon target analyte concentrations the sample was reanalyzed at a 1:10 dilution

Sample B7R2 (5.5'-6.0') was analyzed at a 1:3 dilution.

Pesticide Analysis:
All samples were initially analyzed undiluted. Secondary dilutions were performed where the target concentrations exceeded the instruments linear calibration range.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory manager or his designee, as verified by the following signature." This statement shall be directly followed by signature of the Laboratory Manager or his designee with a typed line below it containing the signer's name and title, and the date of the signature.

Lori Beyer
LABORATORY DIRECTOR

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET
FARMINGDALE, NEW YORK 11735
TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFERS

For reporting results, the following "Results Qualifers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.

NYSDEC DATA PACKAGE SUMMARY FORMS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

CUSTOMER SAMPLE CODE	LABORATORY SAMPLE CODE	ANALYTICAL REQUIREMENTS					
		*VOA GC/MS METHOD #	*BNA GC/MS METHOD #	*VOA GC METHOD #	*PEST PCBs METHOD #	*METALS	*OTHER
0306116-01	B12(0.5-2')	8260	8270		8081/8082	6010/7470	
0306116-02	B12(5'-7')						
0306116-03	B13(0.5'-2')						
0306116-04	B13(5'-7')						
0306116-05	MW12(0.5-2')						
0306116-06	MW12(4.5-5.5)						
0306116-07	MW13(0.5-2')						
0306116-08	MW13(5-7)						
0306116-09	B7R2(5.5-6.0)						
0306116-10	B6(0.5-2')						
0306116-11	B6(6'-7')						
0306116-12	MW6(0.5-2')						
0306116-13	MW6(6'-7')						
0306116-14	MW8(2'-4')						
0306116-15	MW8(5'-6.5')						
0306116-16	B9(14"-2.5')						
0306116-17	B9(5'-6')						
0306116-18	B8(0.5-2')						
0306116-19	B8(8'-10')						
0306116-20	MW10(0.5-2')						

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306116-01	SOIL	6/25/03	06/27/03	07/02/03	07/03/03
0306116-02					07/01/03
0306116-03					07/01/03
0306116-04					07/01/03
0306116-05					
0306116-06					
0306116-07					07/03/03
0306116-08					07/03/03, 07/07/03
0306116-09					07/02/03
0306116-10					07/01/03, 07/03/03
0306116-11					07/01/03
0306116-12					07/03/03
0306116-13					07/07/03
0306116-14					07/02/03
0306116-15					07/02/03
0306116-16					07/03/03
0306116-17					07/07/03
0306116-18					07/03/03
0306116-19					07/03/03, 07/07/03
0306116-20					07/03/03

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
VOLATILE (VOA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306116-01	SOIL	06/25/03	06/27/03	NA	06/30/03
0306116-02					
0306116-03					
0306116-04					
0306116-05					
0306116-06					
0306116-07					07/01/03
0306116-08					
0306116-09					
0306116-10					
0306116-11					
0306116-12					
0306116-13					
0306116-14					
0306116-15					

0306116-16
0306116-17
0306116-18
0306116-19
0306116-20

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
PESTICIDE / PCB
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306116-01	SOIL	06/25/03	06/27/03	07/01/03	07/03/03 07/08/03
0306116-02	↓	↓	↓	↓	↓
0306116-03					07/03/03
0306116-04					↓
0306116-05					07/04/03
0306116-06					↓
0306116-07					07/09/03
0306116-08					07/04/03
0306116-09					↓
0306116-10					
0306116-11					
0306116-12					
0306116-13					
0306116-14					07/08/03
0306116-15					07/04/03
0306116-16					07/04/03
0306116-17					07/09/03
0306116-18					07/08/03
0306116-19					07/04/03
0306116-20					07/08/03, 07/09/03

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	ANALYTICAL PROTOCOL	EXTRACTION METHOD	AUXILLARY CLEAN UP	DIL / CONC. FACTOR
0306116-01	SOIL	SW846 3580/8270	3550 (SONC)	NA	2
0306116-02					1
0306116-03					1
0306116-04					1
0306116-05					2
0306116-06					1
0306116-07					5
0306116-08					1,10
0306116-09					3
0306116-10					1,5
0306116-11					1
0306116-12					5
0306116-13					1
0306116-14					1
0306116-15					1
0306116-16					5
0306116-17					2
0306116-18					1
0306116-19					5,50
0306116-20					2

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
INORGANIC ANALYSES

LABORATORY SAMPLE ID	MATRIX	METALS REQUESTED	DATE RECEIVED AT LAB	DATE ANALYZED
0306116-01	SOIL	TAL (23)	6/27/03	07/02/03, 07/03/03
0306116-02				
0306116-03				
0306116-04				
0306116-05				
0306116-06				
0306116-07				
0306116-08				
0306116-09				
0306116-10				
0306116-11				
0306116-12				
0306116-13				
0306116-14				
0306116-15				

0306116-16
0306116-17
0306116-18
0306116-19
0306116-20

CHAIN OF CUSTODY FORMS

Sheet 1 of 2

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027 • email: lbeyer@american-analytical.com

NYSDOH ELAP 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: AKRF, Inc. Mimi Sotiriou
CONTACT: 646-459-3528 917-612-7877
PROJECT LOCATION: 30260-0006 Greenpoint Lumber Yard, Brooklyn
SAMPLER (SIGNATURE): M Sotiriou DATE: 6/25/03 TIME:
SAMPLER NAME (PRINT): Mimi Sotiriou
SAMPLE(S) SEALED: YES / NO
CORRECT CONTAINER(S): YES / NO

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	ANALYSIS REQUIRED: VOC 8260	SVOC 8270	PCB 8082	Pest 8081	TAL Metal	FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]
0306116-01A,B	S			B12 [redacted] (0.5-2')	X	X	X	X	X	
0306116-02A,B				B12 (5'-7')						
0306116-03A,B				B13 [redacted] (0.5'-2')						
0306116-04A,B				B13 (5'-7')						
0306116-05A,B				MW-12 (0.5'-2')						
0306116-06A,B				MW12 (4.5-5.5')						
0306116-07A,B				MW13 (0.5-2')						
0306116-08A,B				MW13 (5-7')						
				[redacted]						
				[redacted]						
0306116-09A,B	✓			B7R2 (5.5-6.0)	✓	✓	✓	✓	✓	

COOLER TEMPERATURE:

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /

COMMENTS / INSTRUCTIONS

RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME
M Sotiriou	6/27/03 12:00			6/27-03 2:00 pm	Christy Dana
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

Sheet 2 of 5

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027 • email: lbeyer@american-analytical.com

NYSDOH	ELAP	11418
CTDOH	PH-0205	
NJDEP	NY050	
PADEP	68-573	

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: AKRF, Inc. — CONTACT: 917-612-7877
Mimi Sotiriou — 646-459-3528

SAMPLER (SIGNATURE): M Sotiriou — DATE: 6/25/03 — TIME: 1600
SAMPLER NAME (PRINT): M. Sotiriou

SAMPLE(S) SEALED: YES / NO
CORRECT CONTAINER(S): YES / NO

PROJECT LOCATION: 30260-0006
Greenpoint Lumber Yard Brooklyn, NY

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	8260 VOC	SVOC 8270	PCB 8082	Pest 8081	TAL Metals	FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]
0306116-10A,B	S			B6 (0.5'-2')	X	X	X	X	X	
0306116-11A,11B				B6 (6'-7')						
0306116-12A,12B				MW6 (0.5'-2')						
0306116-13A,B				MW6 (6'-7')						
0306116-14A,B				MW8 (2'-4')						
0306116-15A,B				MW8 (5'-6.5')						
0306116-16A,B				B9 (14"-2.5')						
0306116-17A,B				B9 (5'-6')						
0306116-18A,18B				B8 ~~(5"-2')~~ (0.5-2')						
0306116-19A,19B				B8 (8'-10')						
0306116-20A,20B				MW10 (0.5-2')						
				MW10 (5'-7')						

COOLER TEMPERATURE:

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BU_K MATERIAL
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ -BY / /

COMMENTS / INSTRUCTIONS

RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME
M Sotiriou	6/27/03 1200	M. Sotiriou	Chris Dunn	6-27-03 2:Pm	Christopher Dunn
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

E-O E / C RY-L/ PINK- PLE ODI 3OLI :OD- NT

GC/MS VOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
2-Butanone	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
2-Hexanone	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Acetone	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Acrolein	U	25		µg/Kg	1	6/30/2003 7:33:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Benzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Bromobenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Bromoform	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Bromomethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Chloroethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Chloroform	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Chloromethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Dibromomethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Ethanol	U	25		µg/Kg	1	6/30/2003 7:33:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Freon-114	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
m,p-Xylene	U	10		µg/Kg	1	6/30/2003 7:33:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Methylene chloride	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Naphthalene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
o-Xylene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Styrene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Toluene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Trichloroethene	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	6/30/2003 7:33:00 PM

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- * - Value exceeds Maximum Contaminant Level
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
2-Butanone	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
2-Hexanone	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Acetone	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Acrolein	U	25		µg/Kg	1	6/30/2003 9:26:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Benzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Bromobenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Bromoform	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Bromomethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Chloroethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Chloroform	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Chloromethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Dibromomethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Ethanol	U	25		µg/Kg	1	6/30/2003 9:26:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Freon-114	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
m,p-Xylene	U	10		µg/Kg	1	6/30/2003 9:26:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Methylene chloride	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Naphthalene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
o-Xylene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Styrene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Toluene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Trichloroethene	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	6/30/2003 9:26:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
2-Butanone	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
2-Hexanone	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Acetone	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Acrolein	U	25		µg/Kg	1	6/30/2003 10:04:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Benzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Bromobenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Bromoform	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Bromomethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Chloroethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Chloroform	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Chloromethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Dibromomethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Ethanol	U	25		µg/Kg	1	6/30/2003 10:04:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Freon-114	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
m,p-Xylene	U	10		µg/Kg	1	6/30/2003 10:04:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Methylene chloride	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Naphthalene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
o-Xylene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Styrene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Toluene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Trichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	6/30/2003 10:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
2-Butanone	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
2-Hexanone	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Acetone	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Acrolein	U	25		µg/Kg	1	6/30/2003 10:42:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Benzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Bromobenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Bromoform	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Bromomethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Chloroethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Chloroform	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Chloromethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Dibromomethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Ethanol	U	25		µg/Kg	1	6/30/2003 10:42:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Freon-114	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
m,p-Xylene	U	10		µg/Kg	1	6/30/2003 10:42:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Methylene chloride	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Naphthalene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
o-Xylene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Styrene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Toluene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Trichloroethene	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	6/30/2003 10:42:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
2-Butanone	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
2-Hexanone	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Acetone	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Acrolein	U	25		µg/Kg	1	6/30/2003 11:20:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Benzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Bromobenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Bromoform	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Bromomethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Chloroethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Chloroform	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Chloromethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Dibromomethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Ethanol	U	25		µg/Kg	1	6/30/2003 11:20:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Freon-114	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
m,p-Xylene	U	10		µg/Kg	1	6/30/2003 11:20:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Methylene chloride	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Naphthalene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
o-Xylene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Styrene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Toluene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Trichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	6/30/2003 11:20:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
2-Butanone	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
2-Hexanone	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Acetone	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Acrolein	U	25		µg/Kg	1	6/30/2003 11:58:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Benzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Bromobenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Bromoform	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Bromomethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Chloroethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Chloroform	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Chloromethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Dibromomethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Ethanol	U	25		µg/Kg	1	6/30/2003 11:58:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Freon-114	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
m,p-Xylene	U	10		µg/Kg	1	6/30/2003 11:58:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Methylene chloride	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Naphthalene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
o-Xylene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Styrene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Toluene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Trichloroethene	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	6/30/2003 11:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 12:36:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 12:36:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 12:36:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 12:36:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 1:14:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 1:14:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 1:14:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 1:14:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 1:52:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 1:52:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 1:52:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 1:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 2:30:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 2:30:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 2:30:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 2:30:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 3:08:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 3:08:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 3:08:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 3:08:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 3:46:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 3:46:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 3:46:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 3:46:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 6:55:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 6:55:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 6:55:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 6:55:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 7:33:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 7:33:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 7:33:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 7:33:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 8:11:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 8:11:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 8:11:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 8:11:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 8:49:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Benzene	2	5.0	J	µg/Kg	1	7/1/2003 8:49:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 8:49:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 8:49:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 8:49:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 9:27:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 9:27:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 9:27:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 9:27:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10.05:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 10:05:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 10:05:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 10:05:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 10:05:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 10:43:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Chloroform	6.2	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 10:43:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 10:43:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 10:43:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Acetone	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Acrolein	U	25		µg/Kg	1	7/1/2003 11:21:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Benzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Ethanol	U	25		µg/Kg	1	7/1/2003 11:21:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 11:21:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Styrene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Toluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 11:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC/MS SEMIVOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2-Methylnaphthalene	290	80		µg/Kg	2	7/3/2003 4:01:00 PM
2-Methylphenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
3,3´-Dichlorobenzidine	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Acenaphthene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Acenaphthylene	130	80		µg/Kg	2	7/3/2003 4:01:00 PM
Aniline	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Anthracene	230	80		µg/Kg	2	7/3/2003 4:01:00 PM
Azobenzene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzidine	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzo(a)anthracene	1000	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzo(a)pyrene	1000	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzo(b)fluoranthene	1300	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzo(g,h,i)perylene	860	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzo(k)fluoranthene	520	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzoic acid	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Bis(2-ethylhexyl)phthalate	370	80		µg/Kg	2	7/3/2003 4:01:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Carbazole	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Chrysene	1200	80		µg/Kg	2	7/3/2003 4:01:00 PM
Dibenzo(a,h)anthracene	210	80		µg/Kg	2	7/3/2003 4:01:00 PM
Dibenzofuran	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Fluoranthene	1700	80		µg/Kg	2	7/3/2003 4:01:00 PM
Fluorene	110	80		µg/Kg	2	7/3/2003 4:01:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Indeno(1,2,3-c,d)pyrene	800	80		µg/Kg	2	7/3/2003 4:01:00 PM
Isophorone	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Naphthalene	170	80		µg/Kg	2	7/3/2003 4:01:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Phenanthrene	1000	80		µg/Kg	2	7/3/2003 4:01:00 PM
Phenol	U	80		µg/Kg	2	7/3/2003 4:01:00 PM
Pyrene	1800	80		µg/Kg	2	7/3/2003 4:01:00 PM
Pyridine	U	80		µg/Kg	2	7/3/2003 4:01:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Acenaphthene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Aniline	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Anthracene	63	40		µg/Kg	1	7/1/2003 5:52:00 PM
Azobenzene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzidine	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzo(a)anthracene	150	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzo(a)pyrene	110	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzo(b)fluoranthene	130	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzo(g,h,i)perylene	70	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzo(k)fluoranthene	57	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzoic acid	150	40		µg/Kg	1	7/1/2003 5:52:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Carbazole	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Chrysene	160	40		µg/Kg	1	7/1/2003 5:52:00 PM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Fluoranthene	330	40		µg/Kg	1	7/1/2003 5:52:00 PM
Fluorene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Indeno(1,2,3-c,d)pyrene	71	40		µg/Kg	1	7/1/2003 5:52:00 PM
Isophorone	55	40		µg/Kg	1	7/1/2003 5:52:00 PM
Naphthalene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Phenanthrene	250	40		µg/Kg	1	7/1/2003 5:52:00 PM
Phenol	U	40		µg/Kg	1	7/1/2003 5:52:00 PM
Pyrene	320	40		µg/Kg	1	7/1/2003 5:52:00 PM
Pyridine	U	40		µg/Kg	1	7/1/2003 5:52:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Acenaphthene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Aniline	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Anthracene	46	40		µg/Kg	1	7/1/2003 7:33:00 PM
Azobenzene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzidine	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzo(a)anthracene	540	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzo(a)pyrene	890	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzo(b)fluoranthene	1500	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzo(g,h,i)perylene	1000	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzo(k)fluoranthene	410	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzoic acid	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Bis(2-ethylhexyl)phthalate	72	40		µg/Kg	1	7/1/2003 7:33:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Carbazole	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Chrysene	760	40		µg/Kg	1	7/1/2003 7:33:00 PM
Dibenzo(a,h)anthracene	240	40		µg/Kg	1	7/1/2003 7:33:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Fluoranthene	540	40		µg/Kg	1	7/1/2003 7:33:00 PM
Fluorene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Indeno(1,2,3-c,d)pyrene	920	40		µg/Kg	1	7/1/2003 7:33:00 PM
Isophorone	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Naphthalene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Phenanthrene	250	40		µg/Kg	1	7/1/2003 7:33:00 PM
Phenol	U	40		µg/Kg	1	7/1/2003 7:33:00 PM
Pyrene	580	40		µg/Kg	1	7/1/2003 7:33:00 PM
Pyridine	U	40		µg/Kg	1	7/1/2003 7:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Acenaphthene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Aniline	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Anthracene	67	40		µg/Kg	1	7/1/2003 6:42:00 PM
Azobenzene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzidine	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzo(a)anthracene	230	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzo(a)pyrene	220	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzo(b)fluoranthene	240	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzo(g,h,i)perylene	130	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzo(k)fluoranthene	100	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzoic acid	99	40		µg/Kg	1	7/1/2003 6:42:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Carbazole	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Chrysene	240	40		µg/Kg	1	7/1/2003 6:42:00 PM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Fluoranthene	440	40		µg/Kg	1	7/1/2003 6:42:00 PM
Fluorene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Indeno(1,2,3-c,d)pyrene	140	40		µg/Kg	1	7/1/2003 6:42:00 PM
Isophorone	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Naphthalene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Phenanthrene	330	40		µg/Kg	1	7/1/2003 6:42:00 PM
Phenol	U	40		µg/Kg	1	7/1/2003 6:42:00 PM
Pyrene	410	40		µg/Kg	1	7/1/2003 6:42:00 PM
Pyridine	U	40		µg/Kg	1	7/1/2003 6:42:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2-Methylnaphthalene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2-Methylphenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Acenaphthene	70	80	J	µg/Kg	2	7/1/2003 9:16:00 PM
Acenaphthylene	60	80	J	µg/Kg	2	7/1/2003 9:16:00 PM
Aniline	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Anthracene	300	80		µg/Kg	2	7/1/2003 9:16:00 PM
Azobenzene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzidine	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzo(a)anthracene	570	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzo(a)pyrene	520	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzo(b)fluoranthene	570	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzo(g,h,i)perylene	330	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzo(k)fluoranthene	230	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzoic acid	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Bis(2-ethylhexyl)phthalate	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Carbazole	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Chrysene	540	80		µg/Kg	2	7/1/2003 9:16:00 PM
Dibenzo(a,h)anthracene	80	80	J	µg/Kg	2	7/1/2003 9:16:00 PM
Dibenzofuran	60	80	J	µg/Kg	2	7/1/2003 9:16:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Fluoranthene	1400	80		µg/Kg	2	7/1/2003 9:16:00 PM
Fluorene	110	80		µg/Kg	2	7/1/2003 9:16:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Indeno(1,2,3-c,d)pyrene	350	80		µg/Kg	2	7/1/2003 9:16:00 PM
Isophorone	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Naphthalene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Phenanthrene	1100	80		µg/Kg	2	7/1/2003 9:16:00 PM
Phenol	U	80		µg/Kg	2	7/1/2003 9:16:00 PM
Pyrene	1100	80		µg/Kg	2	7/1/2003 9:16:00 PM
Pyridine	U	80		µg/Kg	2	7/1/2003 9:16:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Acenaphthene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Aniline	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Anthracene	55	40		µg/Kg	1	7/1/2003 10:03:00 PM
Azobenzene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzidine	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzo(a)anthracene	150	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzo(a)pyrene	170	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzo(b)fluoranthene	210	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzo(g,h,i)perylene	110	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzo(k)fluoranthene	62	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzoic acid	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Carbazole	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Chrysene	160	40		µg/Kg	1	7/1/2003 10:03:00 PM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Fluoranthene	310	40		µg/Kg	1	7/1/2003 10:03:00 PM
Fluorene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Indeno(1,2,3-c,d)pyrene	120	40		µg/Kg	1	7/1/2003 10:03:00 PM
Isophorone	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Naphthalene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Phenanthrene	220	40		µg/Kg	1	7/1/2003 10:03:00 PM
Phenol	U	40		µg/Kg	1	7/1/2003 10:03:00 PM
Pyrene	310	40		µg/Kg	1	7/1/2003 10:03:00 PM
Pyridine	U	40		µg/Kg	1	7/1/2003 10:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
1,2-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
1,3-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
1,4-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2,4,5-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2,4,6-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2,4-Dichlorophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2,4-Dimethylphenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2,4-Dinitrophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2,4-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2,6-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2-Chloronaphthalene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2-Chlorophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2-Methylnaphthalene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2-Methylphenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2-Nitroaniline	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
2-Nitrophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
3,3'-Dichlorobenzidine	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
3+4-Methylphenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
3-Nitroaniline	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
4,6-Dinitro-2-methylphenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
4-Bromophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
4-Chloro-3-methylphenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
4-Chloroaniline	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
4-Chlorophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
4-Nitroaniline	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
4-Nitrophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Acenaphthene	220	200		µg/Kg	5	7/3/2003 4:39:00 PM
Acenaphthylene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Aniline	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Anthracene	350	200		µg/Kg	5	7/3/2003 4:39:00 PM
Azobenzene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzidine	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzo(a)anthracene	810	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzo(a)pyrene	820	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzo(b)fluoranthene	1100	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzo(g,h,i)perylene	570	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzo(k)fluoranthene	250	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzoic acid	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Benzyl alcohol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Bis(2-chloroethyl)ether	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Bis(2-chloroisopropyl)ether	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Bis(2-ethylhexyl)phthalate	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Butyl benzyl phthalate	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Carbazole	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Chrysene	920	200		µg/Kg	5	7/3/2003 4:39:00 PM
Dibenzo(a,h)anthracene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Dibenzofuran	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Diethyl phthalate	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Dimethyl phthalate	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Di-n-butyl phthalate	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Di-n-octyl phthalate	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Fluoranthene	1800	200		µg/Kg	5	7/3/2003 4:39:00 PM
Fluorene	280	200		µg/Kg	5	7/3/2003 4:39:00 PM
Hexachlorobenzene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Hexachlorobutadiene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Hexachlorocyclopentadiene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Hexachloroethane	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Indeno(1,2,3-c,d)pyrene	590	200		µg/Kg	5	7/3/2003 4:39:00 PM
Isophorone	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Naphthalene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Nitrobenzene	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
N-Nitrosodimethylamine	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
N-Nitrosodi-n-propylamine	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
N-Nitrosodiphenylamine	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Pentachlorophenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Phenanthrene	1800	200		µg/Kg	5	7/3/2003 4:39:00 PM
Phenol	U	200		µg/Kg	5	7/3/2003 4:39:00 PM
Pyrene	1700	200		µg/Kg	5	7/3/2003 4:39:00 PM
Pyridine	U	200		µg/Kg	5	7/3/2003 4:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2-Methylnaphthalene	64	40		µg/Kg	1	7/3/2003 3:23:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Acenaphthene	530	40		µg/Kg	1	7/3/2003 3:23:00 PM
Acenaphthylene	120	40		µg/Kg	1	7/3/2003 3:23:00 PM
Aniline	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Anthracene	1600	40		µg/Kg	1	7/3/2003 3:23:00 PM
Azobenzene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Benzidine	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Benzo(a)anthracene	4100	400		µg/Kg	10	7/7/2003 12:57:00 PM
Benzo(a)pyrene	3600	400		µg/Kg	10	7/7/2003 12:57:00 PM
Benzo(b)fluoranthene	4300	400		µg/Kg	10	7/7/2003 12:57:00 PM
Benzo(g,h,i)perylene	2000	40		µg/Kg	1	7/3/2003 3:23:00 PM
Benzo(k)fluoranthene	1700	40		µg/Kg	1	7/3/2003 3:23:00 PM
Benzoic acid	120	40		µg/Kg	1	7/3/2003 3:23:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Bis(2-ethylhexyl)phthalate	43	40		µg/Kg	1	7/3/2003 3:23:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Carbazole	480	40		µg/Kg	1	7/3/2003 3:23:00 PM
Chrysene	4000	400		µg/Kg	10	7/7/2003 12:57:00 PM
Dibenzo(a,h)anthracene	580	40		µg/Kg	1	7/3/2003 3:23:00 PM
Dibenzofuran	400	40		µg/Kg	1	7/3/2003 3:23:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Fluoranthene	8400	400		µg/Kg	10	7/7/2003 12:57:00 PM
Fluorene	630	40		µg/Kg	1	7/3/2003 3:23:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Indeno(1,2,3-c,d)pyrene	2200	40		µg/Kg	1	7/3/2003 3:23:00 PM
Isophorone	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Naphthalene	110	40		µg/Kg	1	7/3/2003 3:23:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Phenanthrene	4800	400		µg/Kg	10	7/7/2003 12:57:00 PM
Phenol	U	40		µg/Kg	1	7/3/2003 3:23:00 PM
Pyrene	7100	400		µg/Kg	10	7/7/2003 12:57:00 PM
Pyridine	U	40		µg/Kg	1	7/3/2003 3:23:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
1,2-Dichlorobenzene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
1,3-Dichlorobenzene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
1,4-Dichlorobenzene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2,4,5-Trichlorophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2,4,6-Trichlorophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2,4-Dichlorophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2,4-Dimethylphenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2,4-Dinitrophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2,4-Dinitrotoluene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2,6-Dinitrotoluene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2-Chloronaphthalene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2-Chlorophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2-Methylnaphthalene	230	120		µg/Kg	3	7/2/2003 4:21:00 PM
2-Methylphenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2-Nitroaniline	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
2-Nitrophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
3,3´-Dichlorobenzidine	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
3+4-Methylphenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
3-Nitroaniline	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
4,6-Dinitro-2-methylphenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
4-Bromophenyl phenyl ether	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
4-Chloro-3-methylphenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
4-Chloroaniline	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
4-Chlorophenyl phenyl ether	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
4-Nitroaniline	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
4-Nitrophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Acenaphthene	330	120		µg/Kg	3	7/2/2003 4:21:00 PM
Acenaphthylene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Aniline	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Anthracene	870	120		µg/Kg	3	7/2/2003 4:21:00 PM
Azobenzene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzidine	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzo(a)anthracene	1500	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzo(a)pyrene	1300	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzo(b)fluoranthene	1500	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzo(g,h,i)perylene	660	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzo(k)fluoranthene	540	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzoic acid	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Benzyl alcohol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Bis(2-chloroethyl)ether	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Bis(2-chloroisopropyl)ether	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Bis(2-ethylhexyl)phthalate	260	120		µg/Kg	3	7/2/2003 4:21:00 PM
Butyl benzyl phthalate	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Carbazole	400	120		µg/Kg	3	7/2/2003 4:21:00 PM
Chrysene	1500	120		µg/Kg	3	7/2/2003 4:21:00 PM
Dibenzo(a,h)anthracene	260	120		µg/Kg	3	7/2/2003 4:21:00 PM
Dibenzofuran	410	120		µg/Kg	3	7/2/2003 4:21:00 PM
Diethyl phthalate	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Dimethyl phthalate	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Di-n-butyl phthalate	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Di-n-octyl phthalate	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Fluoranthene	3200	120		µg/Kg	3	7/2/2003 4:21:00 PM
Fluorene	630	120		µg/Kg	3	7/2/2003 4:21:00 PM
Hexachlorobenzene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Hexachlorobutadiene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Hexachlorocyclopentadiene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Hexachloroethane	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Indeno(1,2,3-c,d)pyrene	710	120		µg/Kg	3	7/2/2003 4:21:00 PM
Isophorone	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Naphthalene	570	120		µg/Kg	3	7/2/2003 4:21:00 PM
Nitrobenzene	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
N-Nitrosodimethylamine	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
N-Nitrosodi-n-propylamine	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
N-Nitrosodiphenylamine	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Pentachlorophenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Phenanthrene	4000	120		µg/Kg	3	7/2/2003 4:21:00 PM
Phenol	U	120		µg/Kg	3	7/2/2003 4:21:00 PM
Pyrene	2900	120		µg/Kg	3	7/2/2003 4:21:00 PM
Pyridine	U	120		µg/Kg	3	7/2/2003 4:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2-Methylnaphthalene	170	40		µg/Kg	1	7/1/2003 10:50:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
3,3´-Dichlorobenzidine	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
3+4-Methylphenol	55	40		µg/Kg	1	7/1/2003 10:50:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Acenaphthene	320	40		µg/Kg	1	7/1/2003 10:50:00 PM
Acenaphthylene	110	40		µg/Kg	1	7/1/2003 10:50:00 PM
Aniline	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Anthracene	670	40		µg/Kg	1	7/1/2003 10:50:00 PM
Azobenzene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzidine	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzo(a)anthracene	1300	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzo(a)pyrene	1000	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzo(b)fluoranthene	1300	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzo(g,h,i)perylene	550	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzo(k)fluoranthene	410	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzoic acid	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Bis(2-ethylhexyl)phthalate	81	40		µg/Kg	1	7/1/2003 10:50:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Carbazole	290	40		µg/Kg	1	7/1/2003 10:50:00 PM
Chrysene	1300	40		µg/Kg	1	7/1/2003 10:50:00 PM
Dibenzo(a,h)anthracene	180	40		µg/Kg	1	7/1/2003 10:50:00 PM
Dibenzofuran	270	40		µg/Kg	1	7/1/2003 10:50:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Fluoranthene	3100	200		µg/Kg	5	7/3/2003 2:44:00 PM
Fluorene	350	40		µg/Kg	1	7/1/2003 10:50:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Indeno(1,2,3-c,d)pyrene	610	40		µg/Kg	1	7/1/2003 10:50:00 PM
Isophorone	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Naphthalene	300	40		µg/Kg	1	7/1/2003 10:50:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Phenanthrene	3200	200		µg/Kg	5	7/3/2003 2:44:00 PM
Phenol	U	40		µg/Kg	1	7/1/2003 10:50:00 PM
Pyrene	2400	40		µg/Kg	1	7/1/2003 10:50:00 PM
Pyridine	U	40		µg/Kg	1	7/1/2003 10:50:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Acenaphthene	200	40		µg/Kg	1	7/1/2003 11:35:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Aniline	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Anthracene	380	40		µg/Kg	1	7/1/2003 11:35:00 PM
Azobenzene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzidine	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzo(a)anthracene	730	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzo(a)pyrene	610	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzo(b)fluoranthene	720	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzo(g,h,i)perylene	290	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzo(k)fluoranthene	210	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzoic acid	140	40		µg/Kg	1	7/1/2003 11:35:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Carbazole	130	40		µg/Kg	1	7/1/2003 11:35:00 PM
Chrysene	720	40		µg/Kg	1	7/1/2003 11:35:00 PM
Dibenzo(a,h)anthracene	99	40		µg/Kg	1	7/1/2003 11:35:00 PM
Dibenzofuran	84	40		µg/Kg	1	7/1/2003 11:35:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Fluoranthene	1500	40		µg/Kg	1	7/1/2003 11:35:00 PM
Fluorene	180	40		µg/Kg	1	7/1/2003 11:35:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Indeno(1,2,3-c,d)pyrene	340	40		µg/Kg	1	7/1/2003 11:35:00 PM
Isophorone	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Naphthalene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Phenanthrene	1400	40		µg/Kg	1	7/1/2003 11:35:00 PM
Phenol	U	40		µg/Kg	1	7/1/2003 11:35:00 PM
Pyrene	1300	40		µg/Kg	1	7/1/2003 11:35:00 PM
Pyridine	U	40		µg/Kg	1	7/1/2003 11:35:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
1,2-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
1,3-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
1,4-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2,4,5-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2,4,6-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2,4-Dichlorophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2,4-Dimethylphenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2,4-Dinitrophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2,4-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2,6-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2-Chloronaphthalene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2-Chlorophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2-Methylnaphthalene	240	200		µg/Kg	5	7/3/2003 6:55:00 PM
2-Methylphenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2-Nitroaniline	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
2-Nitrophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
3,3'-Dichlorobenzidine	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
3+4-Methylphenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
3-Nitroaniline	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
4,6-Dinitro-2-methylphenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
4-Bromophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
4-Chloro-3-methylphenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
4-Chloroaniline	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
4-Chlorophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
4-Nitroaniline	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
4-Nitrophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Acenaphthene	1400	200		µg/Kg	5	7/3/2003 6:55:00 PM
Acenaphthylene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Aniline	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Anthracene	1600	200		µg/Kg	5	7/3/2003 6:55:00 PM
Azobenzene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzidine	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzo(a)anthracene	4900	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzo(a)pyrene	4000	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzo(b)fluoranthene	4800	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzo(g,h,i)perylene	2500	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzo(k)fluoranthene	1800	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzoic acid	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Benzyl alcohol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Bis(2-chloroethyl)ether	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Bis(2-chloroisopropyl)ether	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Bis(2-ethylhexyl)phthalate	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Butyl benzyl phthalate	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Carbazole	620	200		µg/Kg	5	7/3/2003 6:55:00 PM
Chrysene	4800	200		µg/Kg	5	7/3/2003 6:55:00 PM
Dibenzo(a,h)anthracene	600	200		µg/Kg	5	7/3/2003 6:55:00 PM
Dibenzofuran	530	200		µg/Kg	5	7/3/2003 6:55:00 PM
Diethyl phthalate	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Dimethyl phthalate	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Di-n-butyl phthalate	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Di-n-octyl phthalate	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Fluoranthene	11000	200		µg/Kg	5	7/3/2003 6:55:00 PM
Fluorene	910	200		µg/Kg	5	7/3/2003 6:55:00 PM
Hexachlorobenzene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Hexachlorobutadiene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Hexachlorocyclopentadiene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Hexachloroethane	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Indeno(1,2,3-c,d)pyrene	2500	200		µg/Kg	5	7/3/2003 6:55:00 PM
Isophorone	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Naphthalene	320	200		µg/Kg	5	7/3/2003 6:55:00 PM
Nitrobenzene	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
N-Nitrosodimethylamine	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
N-Nitrosodi-n-propylamine	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
N-Nitrosodiphenylamine	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Pentachlorophenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Phenanthrene	11000	200		µg/Kg	5	7/3/2003 6:55:00 PM
Phenol	U	200		µg/Kg	5	7/3/2003 6:55:00 PM
Pyrene	10000	200		µg/Kg	5	7/3/2003 6:55:00 PM
Pyridine	U	200		µg/Kg	5	7/3/2003 6:55:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2-Methylnaphthalene	82	40		µg/Kg	1	7/7/2003 1:38:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
3,3´-Dichlorobenzidine	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Acenaphthene	420	40		µg/Kg	1	7/7/2003 1:38:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Aniline	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Anthracene	790	40		µg/Kg	1	7/7/2003 1:38:00 PM
Azobenzene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzidine	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzo(a)anthracene	970	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzo(a)pyrene	730	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzo(b)fluoranthene	860	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzo(g,h,i)perylene	360	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzo(k)fluoranthene	260	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzoic acid	150	40		µg/Kg	1	7/7/2003 1:38:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Carbazole	310	40		µg/Kg	1	7/7/2003 1:38:00 PM
Chrysene	870	40		µg/Kg	1	7/7/2003 1:38:00 PM
Dibenzo(a,h)anthracene	110	40		µg/Kg	1	7/7/2003 1:38:00 PM
Dibenzofuran	220	40		µg/Kg	1	7/7/2003 1:38:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Fluoranthene	2100	40		µg/Kg	1	7/7/2003 1:38:00 PM
Fluorene	420	40		µg/Kg	1	7/7/2003 1:38:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Indeno(1,2,3-c,d)pyrene	380	40		µg/Kg	1	7/7/2003 1:38:00 PM
Isophorone	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Naphthalene	73	40		µg/Kg	1	7/7/2003 1:38:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Phenanthrene	2600	40		µg/Kg	1	7/7/2003 1:38:00 PM
Phenol	U	40		µg/Kg	1	7/7/2003 1:38:00 PM
Pyrene	1900	40		µg/Kg	1	7/7/2003 1:38:00 PM
Pyridine	U	40		µg/Kg	1	7/7/2003 1:38:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2-Chloronaphthalene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2-Chlorophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2-Methylnaphthalene	340	40		µg/Kg	1	7/2/2003 12:21:00 AM
2-Methylphenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2-Nitroaniline	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
2-Nitrophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
3+4-Methylphenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
3-Nitroaniline	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
4-Chloroaniline	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
4-Nitroaniline	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
4-Nitrophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Acenaphthene	58	40		µg/Kg	1	7/2/2003 12:21:00 AM
Acenaphthylene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Aniline	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Anthracene	110	40		µg/Kg	1	7/2/2003 12:21:00 AM
Azobenzene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzidine	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzo(a)anthracene	340	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzo(a)pyrene	280	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzo(b)fluoranthene	400	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzo(g,h,i)perylene	240	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzo(k)fluoranthene	130	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzoic acid	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Benzyl alcohol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Bis(2-ethylhexyl)phthalate	90	40		µg/Kg	1	7/2/2003 12:21:00 AM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Carbazole	67	40		µg/Kg	1	7/2/2003 12:21:00 AM
Chrysene	430	40		µg/Kg	1	7/2/2003 12:21:00 AM
Dibenzo(a,h)anthracene	67	40		µg/Kg	1	7/2/2003 12:21:00 AM
Dibenzofuran	65	40		µg/Kg	1	7/2/2003 12:21:00 AM
Diethyl phthalate	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Dimethyl phthalate	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Fluoranthene	720	40		µg/Kg	1	7/2/2003 12:21:00 AM
Fluorene	130	40		µg/Kg	1	7/2/2003 12:21:00 AM
Hexachlorobenzene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Hexachlorobutadiene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Hexachloroethane	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Indeno(1,2,3-c,d)pyrene	220	40		µg/Kg	1	7/2/2003 12:21:00 AM
Isophorone	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Naphthalene	230	40		µg/Kg	1	7/2/2003 12:21:00 AM
Nitrobenzene	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Pentachlorophenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Phenanthrene	810	40		µg/Kg	1	7/2/2003 12:21:00 AM
Phenol	U	40		µg/Kg	1	7/2/2003 12:21:00 AM
Pyrene	630	40		µg/Kg	1	7/2/2003 12:21:00 AM
Pyridine	U	40		µg/Kg	1	7/2/2003 12:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Acenaphthene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Aniline	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Anthracene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Azobenzene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzidine	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzo(a)anthracene	94	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzo(a)pyrene	88	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzo(b)fluoranthene	110	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzo(g,h,i)perylene	50	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzo(k)fluoranthene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzoic acid	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Carbazole	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Chrysene	97	40		µg/Kg	1	7/2/2003 8:14:00 PM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Fluoranthene	170	40		µg/Kg	1	7/2/2003 8:14:00 PM
Fluorene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Indeno(1,2,3-c,d)pyrene	55	40		µg/Kg	1	7/2/2003 8:14:00 PM
Isophorone	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Naphthalene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Phenanthrene	110	40		µg/Kg	1	7/2/2003 8:14:00 PM
Phenol	U	40		µg/Kg	1	7/2/2003 8:14:00 PM
Pyrene	150	40		µg/Kg	1	7/2/2003 8:14:00 PM
Pyridine	U	40		µg/Kg	1	7/2/2003 8:14:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
1,2-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
1,3-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
1,4-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2,4,5-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2,4,6-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2,4-Dichlorophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2,4-Dimethylphenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2,4-Dinitrophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2,4-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2,6-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2-Chloronaphthalene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2-Chlorophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2-Methylnaphthalene	300	200		µg/Kg	5	7/3/2003 7:39:00 PM
2-Methylphenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2-Nitroaniline	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
2-Nitrophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
3,3'-Dichlorobenzidine	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
3+4-Methylphenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
3-Nitroaniline	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
4,6-Dinitro-2-methylphenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
4-Bromophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
4-Chloro-3-methylphenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
4-Chloroaniline	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
4-Chlorophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
4-Nitroaniline	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
4-Nitrophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Acenaphthene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Acenaphthylene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Aniline	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Anthracene	330	200		µg/Kg	5	7/3/2003 7:39:00 PM
Azobenzene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzidine	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzo(a)anthracene	920	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzo(a)pyrene	980	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzo(b)fluoranthene	1300	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzo(g,h,i)perylene	1300	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzo(k)fluoranthene	370	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzoic acid	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Benzyl alcohol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Bis(2-chloroethyl)ether	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Bis(2-chloroisopropyl)ether	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Bis(2-ethylhexyl)phthalate	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Butyl benzyl phthalate	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Carbazole	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Chrysene	1200	200		µg/Kg	5	7/3/2003 7:39:00 PM
Dibenzo(a,h)anthracene	250	200		µg/Kg	5	7/3/2003 7:39:00 PM
Dibenzofuran	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Diethyl phthalate	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Dimethyl phthalate	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Di-n-butyl phthalate	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Di-n-octyl phthalate	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Fluoranthene	1800	200		µg/Kg	5	7/3/2003 7:39:00 PM
Fluorene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Hexachlorobenzene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Hexachlorobutadiene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Hexachlorocyclopentadiene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Hexachloroethane	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Indeno(1,2,3-c,d)pyrene	810	200		µg/Kg	5	7/3/2003 7:39:00 PM
Isophorone	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Naphthalene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Nitrobenzene	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
N-Nitrosodimethylamine	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
N-Nitrosodi-n-propylamine	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
N-Nitrosodiphenylamine	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Pentachlorophenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Phenanthrene	1600	200		µg/Kg	5	7/3/2003 7:39:00 PM
Phenol	U	200		µg/Kg	5	7/3/2003 7:39:00 PM
Pyrene	2000	200		µg/Kg	5	7/3/2003 7:39:00 PM
Pyridine	U	200		µg/Kg	5	7/3/2003 7:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2-Methylnaphthalene	440	80		µg/Kg	2	7/7/2003 2:19:00 PM
2-Methylphenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Acenaphthene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Acenaphthylene	180	80		µg/Kg	2	7/7/2003 2:19:00 PM
Aniline	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Anthracene	360	80		µg/Kg	2	7/7/2003 2:19:00 PM
Azobenzene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzidine	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzo(a)anthracene	1700	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzo(a)pyrene	1700	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzo(b)fluoranthene	2300	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzo(g,h,i)perylene	1300	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzo(k)fluoranthene	640	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzoic acid	330	80		µg/Kg	2	7/7/2003 2:19:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Bis(2-ethylhexyl)phthalate	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Carbazole	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Chrysene	1900	80		µg/Kg	2	7/7/2003 2:19:00 PM
Dibenzo(a,h)anthracene	360	80		µg/Kg	2	7/7/2003 2:19:00 PM
Dibenzofuran	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Fluoranthene	2900	80		µg/Kg	2	7/7/2003 2:19:00 PM
Fluorene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Indeno(1,2,3-c,d)pyrene	1300	80		µg/Kg	2	7/7/2003 2:19:00 PM
Isophorone	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Naphthalene	220	80		µg/Kg	2	7/7/2003 2:19:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Phenanthrene	1700	80		µg/Kg	2	7/7/2003 2:19:00 PM
Phenol	U	80		µg/Kg	2	7/7/2003 2:19:00 PM
Pyrene	2800	80		µg/Kg	2	7/7/2003 2:19:00 PM
Pyridine	U	80		µg/Kg	2	7/7/2003 2:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2-Methylnaphthalene	100	40		µg/Kg	1	7/3/2003 5:29:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
3,3´-Dichlorobenzidine	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Acenaphthene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Acenaphthylene	53	40		µg/Kg	1	7/3/2003 5:29:00 PM
Aniline	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Anthracene	91	40		µg/Kg	1	7/3/2003 5:29:00 PM
Azobenzene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzidine	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzo(a)anthracene	470	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzo(a)pyrene	480	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzo(b)fluoranthene	660	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzo(g,h,i)perylene	540	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzo(k)fluoranthene	200	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzoic acid	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Bis(2-ethylhexyl)phthalate	130	40		µg/Kg	1	7/3/2003 5:29:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Carbazole	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Chrysene	570	40		µg/Kg	1	7/3/2003 5:29:00 PM
Dibenzo(a,h)anthracene	110	40		µg/Kg	1	7/3/2003 5:29:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Di-n-butyl phthalate	54	40		µg/Kg	1	7/3/2003 5:29:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Fluoranthene	710	40		µg/Kg	1	7/3/2003 5:29:00 PM
Fluorene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Indeno(1,2,3-c,d)pyrene	450	40		µg/Kg	1	7/3/2003 5:29:00 PM
Isophorone	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Naphthalene	56	40		µg/Kg	1	7/3/2003 5:29:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Phenanthrene	440	40		µg/Kg	1	7/3/2003 5:29:00 PM
Phenol	U	40		µg/Kg	1	7/3/2003 5:29:00 PM
Pyrene	800	40		µg/Kg	1	7/3/2003 5:29:00 PM
Pyridine	U	40		µg/Kg	1	7/3/2003 5:29:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
1,2-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
1,3-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
1,4-Dichlorobenzene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2,4,5-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2,4,6-Trichlorophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2,4-Dichlorophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2,4-Dimethylphenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2,4-Dinitrophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2,4-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2,6-Dinitrotoluene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2-Chloronaphthalene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2-Chlorophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2-Methylnaphthalene	470	200		µg/Kg	5	7/3/2003 8:25:00 PM
2-Methylphenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2-Nitroaniline	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
2-Nitrophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
3,3'-Dichlorobenzidine	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
3+4-Methylphenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
3-Nitroaniline	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
4,6-Dinitro-2-methylphenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
4-Bromophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
4-Chloro-3-methylphenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
4-Chloroaniline	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
4-Chlorophenyl phenyl ether	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
4-Nitroaniline	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
4-Nitrophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Acenaphthene	3600	200		µg/Kg	5	7/3/2003 8:25:00 PM
Acenaphthylene	870	200		µg/Kg	5	7/3/2003 8:25:00 PM
Aniline	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Anthracene	7500	200		µg/Kg	5	7/3/2003 8:25:00 PM
Azobenzene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Benzidine	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Benzo(a)anthracene	18000	2000		µg/Kg	50	7/7/2003 4:31:00 PM
Benzo(a)pyrene	12000	200		µg/Kg	5	7/3/2003 8:25:00 PM
Benzo(b)fluoranthene	18000	2000		µg/Kg	50	7/7/2003 4:31:00 PM
Benzo(g,h,i)perylene	6700	200		µg/Kg	5	7/3/2003 8:25:00 PM
Benzo(k)fluoranthene	4400	200		µg/Kg	5	7/3/2003 8:25:00 PM
Benzoic acid	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Benzyl alcohol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Bis(2-chloroethyl)ether	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Bis(2-chloroisopropyl)ether	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Bis(2-ethylhexyl)phthalate	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Butyl benzyl phthalate	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Carbazole	2200	200		µg/Kg	5	7/3/2003 8:25:00 PM
Chrysene	19000	2000		µg/Kg	50	7/7/2003 4:31:00 PM
Dibenzo(a,h)anthracene	2000	200		µg/Kg	5	7/3/2003 8:25:00 PM
Dibenzofuran	1900	200		µg/Kg	5	7/3/2003 8:25:00 PM
Diethyl phthalate	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Dimethyl phthalate	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Di-n-butyl phthalate	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Di-n-octyl phthalate	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Fluoranthene	49000	2000		µg/Kg	50	7/7/2003 4:31:00 PM
Fluorene	3500	200		µg/Kg	5	7/3/2003 8:25:00 PM
Hexachlorobenzene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Hexachlorobutadiene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Hexachlorocyclopentadiene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Hexachloroethane	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Indeno(1,2,3-c,d)pyrene	7300	200		µg/Kg	5	7/3/2003 8:25:00 PM
Isophorone	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Naphthalene	590	200		µg/Kg	5	7/3/2003 8:25:00 PM
Nitrobenzene	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
N-Nitrosodimethylamine	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
N-Nitrosodi-n-propylamine	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
N-Nitrosodiphenylamine	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Pentachlorophenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Phenanthrene	49000	2000		µg/Kg	50	7/7/2003 4:31:00 PM
Phenol	U	200		µg/Kg	5	7/3/2003 8:25:00 PM
Pyrene	40000	2000		µg/Kg	50	7/7/2003 4:31:00 PM
Pyridine	U	200		µg/Kg	5	7/3/2003 8:25:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
1,4-Dichlorobenzene	170	80		µg/Kg	2	7/3/2003 6:11:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2-Methylnaphthalene	220	80		µg/Kg	2	7/3/2003 6:11:00 PM
2-Methylphenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Acenaphthene	310	80		µg/Kg	2	7/3/2003 6:11:00 PM
Acenaphthylene	110	80		µg/Kg	2	7/3/2003 6:11:00 PM
Aniline	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Anthracene	740	80		µg/Kg	2	7/3/2003 6:11:00 PM
Azobenzene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzidine	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzo(a)anthracene	1400	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzo(a)pyrene	1300	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzo(b)fluoranthene	1500	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzo(g,h,i)perylene	980	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzo(k)fluoranthene	610	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzoic acid	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Bis(2-ethylhexyl)phthalate	460	80		µg/Kg	2	7/3/2003 6:11:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Carbazole	240	80		µg/Kg	2	7/3/2003 6:11:00 PM
Chrysene	1400	80		µg/Kg	2	7/3/2003 6:11:00 PM
Dibenzo(a,h)anthracene	230	80		µg/Kg	2	7/3/2003 6:11:00 PM
Dibenzofuran	240	80		µg/Kg	2	7/3/2003 6:11:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Di-n-butyl phthalate	80	80		µg/Kg	2	7/3/2003 6:11:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Fluoranthene	3500	80		µg/Kg	2	7/3/2003 6:11:00 PM
Fluorene	300	80		µg/Kg	2	7/3/2003 6:11:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Indeno(1,2,3-c,d)pyrene	900	80		µg/Kg	2	7/3/2003 6:11:00 PM
Isophorone	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Naphthalene	270	80		µg/Kg	2	7/3/2003 6:11:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Phenanthrene	2600	80		µg/Kg	2	7/3/2003 6:11:00 PM
Phenol	U	80		µg/Kg	2	7/3/2003 6:11:00 PM
Pyrene	2900	80		µg/Kg	2	7/3/2003 6:11:00 PM
Pyridine	U	80		µg/Kg	2	7/3/2003 6:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC PESTICIDE/PCB DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	18000	50		µg/Kg	10	7/8/2003 5:39:00 PM
4,4'-DDE	2600	50		µg/Kg	10	7/8/2003 5:39:00 PM
4,4'-DDT	2500	50		µg/Kg	10	7/8/2003 5:39:00 PM
Aldrin	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Chlordane	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
DBCP	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Endrin	270	50		µg/Kg	10	7/8/2003 5:39:00 PM
Endrin aldehyde	21	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Isodrin	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/3/2003 9:10:00 PM
Toxaphene	U	300		µg/Kg	1	7/3/2003 9:10:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	1100	50		µg/Kg	10	7/8/2003 6:22:00 PM
4,4'-DDE	130	50		µg/Kg	10	7/8/2003 6:22:00 PM
4,4'-DDT	150	50		µg/Kg	10	7/8/2003 6:22:00 PM
Aldrin	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Chlordane	33	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
DBCP	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Endrin	24	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Endrin aldehyde	8.6	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Isodrin	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/3/2003 9:53:00 PM
Toxaphene	U	300		µg/Kg	1	7/3/2003 9:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
4,4'-DDT	4	5.0	J	µg/Kg	1	7/3/2003 10:36:00 PM
Aldrin	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Chlordane	11	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
DBCP	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Endrin	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Isodrin	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/3/2003 10:36:00 PM
Toxaphene	U	300		µg/Kg	1	7/3/2003 10:36:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Aldrin	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Chlordane	7.5	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
DBCP	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Endrin	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Isodrin	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/3/2003 11:41:00 PM
Toxaphene	U	300		µg/Kg	1	7/3/2003 11:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 12:24:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 12:24:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4´-DDD	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
4,4´-DDE	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
4,4´-DDT	4	5.0	J	µg/Kg	1	7/4/2003 1:07:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 1:07:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 1:07:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Aldrin	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Chlordane	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
DBCP	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Endrin	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Isodrin	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/9/2003 4:17:00 PM
Toxaphene	U	300		µg/Kg	1	7/9/2003 4:17:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	10	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Heptachlor	4	5.0	J	µg/Kg	1	7/4/2003 2:12:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 2:12:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 2:12:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 2:55:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 2:55:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 3:38:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 3:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 4:43:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 4:43:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Chlordane	42	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 5:26:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 5:26:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 7:57:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 7:57:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	6.2	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
4,4'-DDT	3	5.0	J	µg/Kg	1	7/8/2003 5:34:00 AM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Chlordane	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
DBCP	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Endrin	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 5:34:00 AM
Toxaphene	U	300		µg/Kg	1	7/8/2003 5:34:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Heptachlor	12	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 8:40:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 8:40:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4´-DDD	10	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
4,4´-DDE	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
4,4´-DDT	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 9:22:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 9:22:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	7.7	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
4,4'-DDT	9.3	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Aldrin	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Chlordane	9.6	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
DBCP	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Endrin	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Isodrin	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/9/2003 5:00:00 PM
Toxaphene	U	300		µg/Kg	1	7/9/2003 5:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4´-DDD	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
4,4´-DDE	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
4,4´-DDT	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Chlordane	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
DBCP	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Endrin	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 7:00:00 AM
Toxaphene	U	300		µg/Kg	1	7/8/2003 7:00:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	27	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
4,4'-DDE	11	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
4,4'-DDT	17	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Chlordane	23	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 10:28:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 10:28:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	900	50		µg/Kg	10	7/9/2003 7:31:00 PM
4,4'-DDE	240	50		µg/Kg	10	7/9/2003 7:31:00 PM
4,4'-DDT	98	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Chlordane	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
DBCP	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Endrin	10	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 7:43:00 AM
Toxaphene	U	300		µg/Kg	1	7/8/2003 7:43:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/8/2003 9:37:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/8/2003 9:37:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/8/2003 9:37:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/8/2003 9:37:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/8/2003 9:37:00 PM
Aroclor 1254	430	80		µg/Kg	1	7/8/2003 9:37:00 PM
Aroclor 1260	850	80		µg/Kg	1	7/8/2003 9:37:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 5:14:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 5:14:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 5:14:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 5:14:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 5:14:00 PM
Aroclor 1254	160	80		µg/Kg	1	7/7/2003 5:14:00 PM
Aroclor 1260	300	80		µg/Kg	1	7/7/2003 5:14:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/8/2003 10:20:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/8/2003 10:20:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/8/2003 10:20:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/8/2003 10:20:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/8/2003 10:20:00 PM
Aroclor 1254	110	80		µg/Kg	1	7/8/2003 10:20:00 PM
Aroclor 1260	120	80		µg/Kg	1	7/8/2003 10:20:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 5:57:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 5:57:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 5:57:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 5:57:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 5:57:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/7/2003 5:57:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/7/2003 5:57:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 6:40:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 6:40:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 6:40:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 6:40:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 6:40:00 PM
Aroclor 1254	110	80		µg/Kg	1	7/7/2003 6:40:00 PM
Aroclor 1260	40	80	J	µg/Kg	1	7/7/2003 6:40:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 7:45:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 7:45:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 7:45:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 7:45:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 7:45:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/7/2003 7:45:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/7/2003 7:45:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/8/2003 11:03:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/8/2003 11:03:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/8/2003 11:03:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/8/2003 11:03:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/8/2003 11:03:00 PM
Aroclor 1254	80	80	J	µg/Kg	1	7/8/2003 11:03:00 PM
Aroclor 1260	60	80	J	µg/Kg	1	7/8/2003 11:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 8:28:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 8:28:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 8:28:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 8:28:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 8:28:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/7/2003 8:28:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/7/2003 8:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 12:08:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 12:08:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 12:08:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 12:08:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 12:08:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/9/2003 12:08:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/9/2003 12:08:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 9:11:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 9:11:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 9:11:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 9:11:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 9:11:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/7/2003 9:11:00 PM
Aroclor 1260	60	80	J	µg/Kg	1	7/7/2003 9:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 10:17:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 10:17:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 10:17:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 10:17:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 10:17:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/7/2003 10:17:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/7/2003 10:17:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 12:51:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 12:51:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 12:51:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 12:51:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 12:51:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/9/2003 12:51:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/9/2003 12:51:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 11:00:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 11:00:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 11:00:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 11:00:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 11:00:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/7/2003 11:00:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/7/2003 11:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/7/2003 11:43:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/7/2003 11:43:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/7/2003 11:43:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/7/2003 11:43:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/7/2003 11:43:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/7/2003 11:43:00 PM
Aroclor 1260	40	80	J	µg/Kg	1	7/7/2003 11:43:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 1:34:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 1:34:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 1:34:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 1:34:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 1:34:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/9/2003 1:34:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/9/2003 1:34:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 2:40:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 2:40:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 2:40:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 2:40:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 2:40:00 AM
Aroclor 1254	130	80		µg/Kg	1	7/9/2003 2:40:00 AM
Aroclor 1260	100	80		µg/Kg	1	7/9/2003 2:40:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 4:06:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 4:06:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 4:06:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 4:06:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 4:06:00 AM
Aroclor 1254	120	80		µg/Kg	1	7/9/2003 4:06:00 AM
Aroclor 1260	80	80	J	µg/Kg	1	7/9/2003 4:06:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 4:49:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 4:49:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 4:49:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 4:49:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 4:49:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/9/2003 4:49:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/9/2003 4:49:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 5:54:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 5:54:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 5:54:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 5:54:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 5:54:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/9/2003 5:54:00 AM
Aroclor 1260	60	80	J	µg/Kg	1	7/9/2003 5:54:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 6:38:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 6:38:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 6:38:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 6:38:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 6:38:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/9/2003 6:38:00 AM
Aroclor 1260	40	80	J	µg/Kg	1	7/9/2003 6:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

INORGANIC DATA

RESULTS - INORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.090	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2700	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Antimony	1.60	0.477		mg/Kg	1	7/3/2003 10:04:21 AM
Arsenic	9.29	0.477		mg/Kg	1	7/3/2003 10:04:21 AM
Barium	125	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Beryllium	U	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Cadmium	1.56	0.191		mg/Kg	1	7/3/2003 10:04:21 AM
Calcium	14500	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Chromium	12.1	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Cobalt	6.95	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Copper	100	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Iron	5800	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Lead	635	0.286		mg/Kg	1	7/3/2003 10:04:21 AM
Magnesium	451	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Manganese	198	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Nickel	12.7	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Potassium	686	1.34		mg/Kg	1	7/3/2003 10:04:21 AM
Selenium	0.34	0.477	J	mg/Kg	1	7/3/2003 10:04:21 AM
Silver	U	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Sodium	337	0.573		mg/Kg	1	7/3/2003 10:04:21 AM
Thallium	0.914	0.286		mg/Kg	1	7/3/2003 10:04:21 AM
Vanadium	15.6	0.382		mg/Kg	1	7/3/2003 10:04:21 AM
Zinc	238	0.382		mg/Kg	1	7/3/2003 10:04:21 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B12 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3730	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Antimony	U	0.445		mg/Kg	1	7/3/2003 10:07:36 AM
Arsenic	3.57	0.445		mg/Kg	1	7/3/2003 10:07:36 AM
Barium	34.9	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Beryllium	U	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Cadmium	0.288	0.178		mg/Kg	1	7/3/2003 10:07:36 AM
Calcium	1050	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Chromium	9.48	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Cobalt	8.52	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Copper	13.8	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Iron	5720	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Lead	35.2	0.267		mg/Kg	1	7/3/2003 10:07:36 AM
Magnesium	414	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Manganese	235	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Nickel	9.80	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Potassium	752	1.25		mg/Kg	1	7/3/2003 10:07:36 AM
Selenium	U	0.445		mg/Kg	1	7/3/2003 10:07:36 AM
Silver	U	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Sodium	108	0.534		mg/Kg	1	7/3/2003 10:07:36 AM
Thallium	1.25	0.267		mg/Kg	1	7/3/2003 10:07:36 AM
Vanadium	10.4	0.356		mg/Kg	1	7/3/2003 10:07:36 AM
Zinc	50.5	0.356		mg/Kg	1	7/3/2003 10:07:36 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3930	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Antimony	U	0.460		mg/Kg	1	7/3/2003 10:10:15 AM
Arsenic	4.48	0.460		mg/Kg	1	7/3/2003 10:10:15 AM
Barium	73.4	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Beryllium	U	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Cadmium	0.091	0.184	J	mg/Kg	1	7/3/2003 10:10:15 AM
Calcium	17300	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Chromium	12.7	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Cobalt	6.47	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Copper	32.1	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Iron	5380	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Lead	153	0.276		mg/Kg	1	7/3/2003 10:10:15 AM
Magnesium	431	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Manganese	97.6	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Nickel	8.27	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Potassium	834	1.29		mg/Kg	1	7/3/2003 10:10:15 AM
Selenium	U	0.460		mg/Kg	1	7/3/2003 10:10:15 AM
Silver	U	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Sodium	266	0.551		mg/Kg	1	7/3/2003 10:10:15 AM
Thallium	1.51	0.276		mg/Kg	1	7/3/2003 10:10:15 AM
Vanadium	13.3	0.368		mg/Kg	1	7/3/2003 10:10:15 AM
Zinc	120	0.368		mg/Kg	1	7/3/2003 10:10:15 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.633	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3180	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Antimony	0.623	0.490		mg/Kg	1	7/3/2003 10:12:46 AM
Arsenic	11.6	0.490		mg/Kg	1	7/3/2003 10:12:46 AM
Barium	46.4	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Beryllium	U	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Cadmium	U	0.196		mg/Kg	1	7/3/2003 10:12:46 AM
Calcium	4930	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Chromium	6.99	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Cobalt	6.45	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Copper	19.7	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Iron	6360	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Lead	187	0.294		mg/Kg	1	7/3/2003 10:12:46 AM
Magnesium	434	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Manganese	57.1	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Nickel	14.3	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Potassium	966	1.37		mg/Kg	1	7/3/2003 10:12:46 AM
Selenium	0.32	0.490	J	mg/Kg	1	7/3/2003 10:12:46 AM
Silver	0.474	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Sodium	291	0.588		mg/Kg	1	7/3/2003 10:12:46 AM
Thallium	0.697	0.294		mg/Kg	1	7/3/2003 10:12:46 AM
Vanadium	11.0	0.392		mg/Kg	1	7/3/2003 10:12:46 AM
Zinc	25.5	0.392		mg/Kg	1	7/3/2003 10:12:46 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW-12 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.052	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	4190	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Antimony	U	0.424		mg/Kg	1	7/3/2003 10:15:50 AM
Arsenic	2.37	0.424		mg/Kg	1	7/3/2003 10:15:50 AM
Barium	34.6	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Beryllium	U	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Cadmium	0.196	0.169		mg/Kg	1	7/3/2003 10:15:50 AM
Calcium	3470	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Chromium	11.6	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Cobalt	8.50	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Copper	67.7	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Iron	5490	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Lead	35.3	0.254		mg/Kg	1	7/3/2003 10:15:50 AM
Magnesium	412	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Manganese	210	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Nickel	15.5	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Potassium	1010	1.19		mg/Kg	1	7/3/2003 10:15:50 AM
Selenium	U	0.424		mg/Kg	1	7/3/2003 10:15:50 AM
Silver	U	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Sodium	135	0.508		mg/Kg	1	7/3/2003 10:15:50 AM
Thallium	1.46	0.254		mg/Kg	1	7/3/2003 10:15:50 AM
Vanadium	17.1	0.339		mg/Kg	1	7/3/2003 10:15:50 AM
Zinc	75.1	0.339		mg/Kg	1	7/3/2003 10:15:50 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12 (4.5'-5.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-06B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3300	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Antimony	U	0.458		mg/Kg	1	7/3/2003 10:18:44 AM
Arsenic	1.79	0.458		mg/Kg	1	7/3/2003 10:18:44 AM
Barium	37.4	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Beryllium	U	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Cadmium	U	0.183		mg/Kg	1	7/3/2003 10:18:44 AM
Calcium	2110	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Chromium	11.6	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Cobalt	6.76	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Copper	16.5	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Iron	4580	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Lead	27.2	0.275		mg/Kg	1	7/3/2003 10:18:44 AM
Magnesium	445	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Manganese	174	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Nickel	23.3	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Potassium	1020	1.28		mg/Kg	1	7/3/2003 10:18:44 AM
Selenium	U	0.458		mg/Kg	1	7/3/2003 10:18:44 AM
Silver	0.26	0.366	J	mg/Kg	1	7/3/2003 10:18:44 AM
Sodium	143	0.549		mg/Kg	1	7/3/2003 10:18:44 AM
Thallium	1.83	0.275		mg/Kg	1	7/3/2003 10:18:44 AM
Vanadium	14.0	0.366		mg/Kg	1	7/3/2003 10:18:44 AM
Zinc	39.9	0.366		mg/Kg	1	7/3/2003 10:18:44 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.100	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	4050	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Antimony	U	0.446		mg/Kg	1	7/3/2003 10:21:31 AM
Arsenic	3.62	0.446		mg/Kg	1	7/3/2003 10:21:31 AM
Barium	62.1	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Beryllium	U	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Cadmium	0.10	0.179	J	mg/Kg	1	7/3/2003 10:21:31 AM
Calcium	19100	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Chromium	9.48	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Cobalt	7.46	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Copper	32.2	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Iron	4940	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Lead	92.0	0.268		mg/Kg	1	7/3/2003 10:21:31 AM
Magnesium	421	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Manganese	191	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Nickel	8.14	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Potassium	1070	1.25		mg/Kg	1	7/3/2003 10:21:31 AM
Selenium	0.496	0.446		mg/Kg	1	7/3/2003 10:21:31 AM
Silver	U	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Sodium	129	0.536		mg/Kg	1	7/3/2003 10:21:31 AM
Thallium	1.84	0.268		mg/Kg	1	7/3/2003 10:21:31 AM
Vanadium	16.8	0.357		mg/Kg	1	7/3/2003 10:21:31 AM
Zinc	117	0.357		mg/Kg	1	7/3/2003 10:21:31 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13 (5'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.156	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	4650	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Antimony	U	0.439		mg/Kg	1	7/3/2003 10:24:23 AM
Arsenic	3.62	0.439		mg/Kg	1	7/3/2003 10:24:23 AM
Barium	87.2	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Beryllium	U	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Cadmium	0.17	0.175	J	mg/Kg	1	7/3/2003 10:24:23 AM
Calcium	4270	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Chromium	12.5	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Cobalt	8.26	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Copper	28.6	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Iron	5780	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Lead	73.8	0.263		mg/Kg	1	7/3/2003 10:24:23 AM
Magnesium	406	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Manganese	217	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Nickel	10.6	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Potassium	1110	1.23		mg/Kg	1	7/3/2003 10:24:23 AM
Selenium	U	0.439		mg/Kg	1	7/3/2003 10:24:23 AM
Silver	U	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Sodium	165	0.526		mg/Kg	1	7/3/2003 10:24:23 AM
Thallium	2.15	0.263		mg/Kg	1	7/3/2003 10:24:23 AM
Vanadium	17.1	0.351		mg/Kg	1	7/3/2003 10:24:23 AM
Zinc	112	0.351		mg/Kg	1	7/3/2003 10:24:23 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7R2 (5.5'-6.0')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3670	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Antimony	2.63	0.473		mg/Kg	1	7/3/2003 10:36:56 AM
Arsenic	2.55	0.473		mg/Kg	1	7/3/2003 10:36:56 AM
Barium	28.4	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Beryllium	U	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Cadmium	U	0.189		mg/Kg	1	7/3/2003 10:36:56 AM
Calcium	21300	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Chromium	4.02	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Cobalt	4.51	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Copper	18.8	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Iron	4840	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Lead	58.5	0.284		mg/Kg	1	7/3/2003 10:36:56 AM
Magnesium	448	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Manganese	98.5	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Nickel	3.46	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Potassium	1240	1.33		mg/Kg	1	7/3/2003 10:36:56 AM
Selenium	0.46	0.473	J	mg/Kg	1	7/3/2003 10:36:56 AM
Silver	U	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Sodium	650	0.568		mg/Kg	1	7/3/2003 10:36:56 AM
Thallium	1.25	0.284		mg/Kg	1	7/3/2003 10:36:56 AM
Vanadium	6.38	0.379		mg/Kg	1	7/3/2003 10:36:56 AM
Zinc	32.1	0.379		mg/Kg	1	7/3/2003 10:36:56 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (0.5'-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2300	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Antimony	U	0.450		mg/Kg	1	7/3/2003 10:39:32 AM
Arsenic	5.10	0.450		mg/Kg	1	7/3/2003 10:39:32 AM
Barium	317	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Beryllium	U	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Cadmium	0.294	0.180		mg/Kg	1	7/3/2003 10:39:32 AM
Calcium	27400	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Chromium	8.44	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Cobalt	4.76	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Copper	150	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Iron	4320	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Lead	163	0.270		mg/Kg	1	7/3/2003 10:39:32 AM
Magnesium	327	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Manganese	87.3	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Nickel	4.94	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Potassium	565	1.26		mg/Kg	1	7/3/2003 10:39:32 AM
Selenium	0.549	0.450		mg/Kg	1	7/3/2003 10:39:32 AM
Silver	U	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Sodium	354	0.540		mg/Kg	1	7/3/2003 10:39:32 AM
Thallium	2.07	0.270		mg/Kg	1	7/3/2003 10:39:32 AM
Vanadium	9.10	0.360		mg/Kg	1	7/3/2003 10:39:32 AM
Zinc	84.5	0.360		mg/Kg	1	7/3/2003 10:39:32 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	4530	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Antimony	U	0.450		mg/Kg	1	7/3/2003 10:42:02 AM
Arsenic	1.93	0.450		mg/Kg	1	7/3/2003 10:42:02 AM
Barium	31.6	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Beryllium	U	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Cadmium	U	0.180		mg/Kg	1	7/3/2003 10:42:02 AM
Calcium	1970	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Chromium	11.4	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Cobalt	13.8	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Copper	12.0	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Iron	6880	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Lead	16.9	0.270		mg/Kg	1	7/3/2003 10:42:02 AM
Magnesium	367	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Manganese	383	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Nickel	8.36	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Potassium	817	1.26		mg/Kg	1	7/3/2003 10:42:02 AM
Selenium	U	0.450		mg/Kg	1	7/3/2003 10:42:02 AM
Silver	U	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Sodium	165	0.540		mg/Kg	1	7/3/2003 10:42:02 AM
Thallium	1.66	0.270		mg/Kg	1	7/3/2003 10:42:02 AM
Vanadium	17.7	0.360		mg/Kg	1	7/3/2003 10:42:02 AM
Zinc	34.3	0.360		mg/Kg	1	7/3/2003 10:42:02 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3590	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Antimony	U	0.483		mg/Kg	1	7/3/2003 10:44:32 AM
Arsenic	5.08	0.483		mg/Kg	1	7/3/2003 10:44:32 AM
Barium	70.2	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Beryllium	U	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Cadmium	U	0.193		mg/Kg	1	7/3/2003 10:44:32 AM
Calcium	17400	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Chromium	157	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Cobalt	7.69	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Copper	57.1	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Iron	6040	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Lead	69.6	0.290		mg/Kg	1	7/3/2003 10:44:32 AM
Magnesium	423	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Manganese	149	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Nickel	26.1	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Potassium	690	1.35		mg/Kg	1	7/3/2003 10:44:32 AM
Selenium	U	0.483		mg/Kg	1	7/3/2003 10:44:32 AM
Silver	U	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Sodium	249	0.579		mg/Kg	1	7/3/2003 10:44:32 AM
Thallium	0.847	0.290		mg/Kg	1	7/3/2003 10:44:32 AM
Vanadium	20.8	0.386		mg/Kg	1	7/3/2003 10:44:32 AM
Zinc	41.7	0.386		mg/Kg	1	7/3/2003 10:44:32 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6 (6'-7')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	1860	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Antimony	U	0.479		mg/Kg	1	7/3/2003 10:47:09 AM
Arsenic	1.53	0.479		mg/Kg	1	7/3/2003 10:47:09 AM
Barium	30.0	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Beryllium	U	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Cadmium	U	0.192		mg/Kg	1	7/3/2003 10:47:09 AM
Calcium	716	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Chromium	5.17	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Cobalt	5.12	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Copper	20.5	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Iron	4120	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Lead	83.2	0.287		mg/Kg	1	7/3/2003 10:47:09 AM
Magnesium	361	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Manganese	53.2	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Nickel	6.23	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Potassium	521	1.34		mg/Kg	1	7/3/2003 10:47:09 AM
Selenium	U	0.479		mg/Kg	1	7/3/2003 10:47:09 AM
Silver	U	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Sodium	93.6	0.575		mg/Kg	1	7/3/2003 10:47:09 AM
Thallium	0.963	0.287		mg/Kg	1	7/3/2003 10:47:09 AM
Vanadium	8.20	0.383		mg/Kg	1	7/3/2003 10:47:09 AM
Zinc	42.9	0.383		mg/Kg	1	7/3/2003 10:47:09 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (2'-4')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	1450	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Antimony	U	0.455		mg/Kg	1	7/3/2003 10:50:49 AM
Arsenic	17.1	0.455		mg/Kg	1	7/3/2003 10:50:49 AM
Barium	66.6	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Beryllium	U	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Cadmium	0.765	0.182		mg/Kg	1	7/3/2003 10:50:49 AM
Calcium	2670	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Chromium	22.8	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Cobalt	14.5	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Copper	80.5	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Iron	7520	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Lead	113	0.273		mg/Kg	1	7/3/2003 10:50:49 AM
Magnesium	322	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Manganese	183	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Nickel	27.5	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Potassium	915	1.27		mg/Kg	1	7/3/2003 10:50:49 AM
Selenium	0.29	0.455	J	mg/Kg	1	7/3/2003 10:50:49 AM
Silver	U	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Sodium	152	0.545		mg/Kg	1	7/3/2003 10:50:49 AM
Thallium	0.279	0.273		mg/Kg	1	7/3/2003 10:50:49 AM
Vanadium	8.96	0.364		mg/Kg	1	7/3/2003 10:50:49 AM
Zinc	99.2	0.364		mg/Kg	1	7/3/2003 10:50:49 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8 (5'-6.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.063	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	5800	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Antimony	U	0.455		mg/Kg	1	7/3/2003 10:53:23 AM
Arsenic	3.22	0.455		mg/Kg	1	7/3/2003 10:53:23 AM
Barium	59.1	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Beryllium	U	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Cadmium	U	0.182		mg/Kg	1	7/3/2003 10:53:23 AM
Calcium	11000	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Chromium	10.7	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Cobalt	7.33	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Copper	30.8	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Iron	4720	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Lead	58.8	0.273		mg/Kg	1	7/3/2003 10:53:23 AM
Magnesium	425	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Manganese	69.9	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Nickel	9.40	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Potassium	1130	1.27		mg/Kg	1	7/3/2003 10:53:23 AM
Selenium	0.32	0.455	J	mg/Kg	1	7/3/2003 10:53:23 AM
Silver	U	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Sodium	1210	0.545		mg/Kg	1	7/3/2003 10:53:23 AM
Thallium	1.51	0.273		mg/Kg	1	7/3/2003 10:53:23 AM
Vanadium	15.9	0.364		mg/Kg	1	7/3/2003 10:53:23 AM
Zinc	35.2	0.364		mg/Kg	1	7/3/2003 10:53:23 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (14"-2.5')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2250	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Antimony	2.00	0.484		mg/Kg	1	7/3/2003 10:55:55 AM
Arsenic	27.3	0.484		mg/Kg	1	7/3/2003 10:55:55 AM
Barium	167	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Beryllium	U	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Cadmium	8.14	0.194		mg/Kg	1	7/3/2003 10:55:55 AM
Calcium	2480	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Chromium	177	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Cobalt	17.8	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Copper	413	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Iron	8330	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Lead	433	0.291		mg/Kg	1	7/3/2003 10:55:55 AM
Magnesium	351	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Manganese	218	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Nickel	261	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Potassium	658	1.36		mg/Kg	1	7/3/2003 10:55:55 AM
Selenium	U	0.484		mg/Kg	1	7/3/2003 10:55:55 AM
Silver	U	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Sodium	216	0.581		mg/Kg	1	7/3/2003 10:55:55 AM
Thallium	U	0.291		mg/Kg	1	7/3/2003 10:55:55 AM
Vanadium	37.2	0.388		mg/Kg	1	7/3/2003 10:55:55 AM
Zinc	406	0.388		mg/Kg	1	7/3/2003 10:55:55 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B9 (5'-6')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2360	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Antimony	U	0.472		mg/Kg	1	7/3/2003 10:58:22 AM
Arsenic	13.7	0.472		mg/Kg	1	7/3/2003 10:58:22 AM
Barium	126	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Beryllium	U	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Cadmium	3.63	0.189		mg/Kg	1	7/3/2003 10:58:22 AM
Calcium	3950	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Chromium	16.2	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Cobalt	11.5	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Copper	127	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Iron	6900	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Lead	248	0.283		mg/Kg	1	7/3/2003 10:58:22 AM
Magnesium	393	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Manganese	142	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Nickel	32.8	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Potassium	782	1.32		mg/Kg	1	7/3/2003 10:58:22 AM
Selenium	0.667	0.472		mg/Kg	1	7/3/2003 10:58:22 AM
Silver	U	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Sodium	737	0.566		mg/Kg	1	7/3/2003 10:58:22 AM
Thallium	U	0.283		mg/Kg	1	7/3/2003 10:58:22 AM
Vanadium	11.8	0.377		mg/Kg	1	7/3/2003 10:58:22 AM
Zinc	273	0.377		mg/Kg	1	7/3/2003 10:58:22 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (0.5-2")
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	6670	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Antimony	0.552	0.450		mg/Kg	1	7/3/2003 11:00:53 AM
Arsenic	10.6	0.450		mg/Kg	1	7/3/2003 11:00:53 AM
Barium	456	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Beryllium	U	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Cadmium	U	0.180		mg/Kg	1	7/3/2003 11:00:53 AM
Calcium	11400	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Chromium	149	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Cobalt	711	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Copper	1470	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Iron	7580	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Lead	2040	0.270		mg/Kg	1	7/3/2003 11:00:53 AM
Magnesium	362	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Manganese	535	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Nickel	45.3	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Potassium	1770	1.26		mg/Kg	1	7/3/2003 11:00:53 AM
Selenium	U	0.450		mg/Kg	1	7/3/2003 11:00:53 AM
Silver	0.657	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Sodium	1020	0.540		mg/Kg	1	7/3/2003 11:00:53 AM
Thallium	U	0.270		mg/Kg	1	7/3/2003 11:00:53 AM
Vanadium	34.6	0.360		mg/Kg	1	7/3/2003 11:00:53 AM
Zinc	1260	0.360		mg/Kg	1	7/3/2003 11:00:53 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B8 (8-10')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.218	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3170	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Antimony	U	0.490		mg/Kg	1	7/3/2003 11:10:30 AM
Arsenic	7.46	0.490		mg/Kg	1	7/3/2003 11:10:30 AM
Barium	127	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Beryllium	U	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Cadmium	1.01	0.196		mg/Kg	1	7/3/2003 11:10:30 AM
Calcium	4750	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Chromium	28.2	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Cobalt	118	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Copper	387	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Iron	7410	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Lead	472	0.294		mg/Kg	1	7/3/2003 11:10:30 AM
Magnesium	413	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Manganese	219	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Nickel	14.0	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Potassium	762	1.37		mg/Kg	1	7/3/2003 11:10:30 AM
Selenium	0.637	0.490		mg/Kg	1	7/3/2003 11:10:30 AM
Silver	U	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Sodium	381	0.588		mg/Kg	1	7/3/2003 11:10:30 AM
Thallium	0.403	0.294		mg/Kg	1	7/3/2003 11:10:30 AM
Vanadium	13.9	0.392		mg/Kg	1	7/3/2003 11:10:30 AM
Zinc	1280	0.392		mg/Kg	1	7/3/2003 11:10:30 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (0.5-2')
Lab Order:	0306116	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306116-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/2/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2510	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Antimony	U	0.498		mg/Kg	1	7/3/2003 11:14:17 AM
Arsenic	4.94	0.498		mg/Kg	1	7/3/2003 11:14:17 AM
Barium	25.8	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Beryllium	U	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Cadmium	0.550	0.199		mg/Kg	1	7/3/2003 11:14:17 AM
Calcium	22000	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Chromium	10.7	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Cobalt	5.15	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Copper	27.0	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Iron	4260	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Lead	259	0.299		mg/Kg	1	7/3/2003 11:14:17 AM
Magnesium	437	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Manganese	106	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Nickel	8.64	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Potassium	835	1.39		mg/Kg	1	7/3/2003 11:14:17 AM
Selenium	0.47	0.498	J	mg/Kg	1	7/3/2003 11:14:17 AM
Silver	0.34	0.398	J	mg/Kg	1	7/3/2003 11:14:17 AM
Sodium	251	0.598		mg/Kg	1	7/3/2003 11:14:17 AM
Thallium	1.02	0.299		mg/Kg	1	7/3/2003 11:14:17 AM
Vanadium	19.3	0.398		mg/Kg	1	7/3/2003 11:14:17 AM
Zinc	163	0.398		mg/Kg	1	7/3/2003 11:14:17 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Appendix

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: **PSB070103**	SampType: **MBLK**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/1/2003**	Run ID: **SYSTEM QU_030703A**
Client ID: **ZZZZZ**	Batch ID: **1427**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/3/2003**	SeqNo: **25230**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: **PSB070203**	SampType: **MBLK**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/2/2003**	Run ID: **SYSTEM QU_030703A**
Client ID: **ZZZZZ**	Batch ID: **1431**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/8/2003**	SeqNo: **25252**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: **PSB070203** SampType: **MBLK** TestCode: **8081_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM QU_030703A**
Client ID: **ZZZZZ** Batch ID: **1431** TestNo: **SW8081B** **(SW3550)** Analysis Date: **7/8/2003** SeqNo: **25252**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: **PSB070203** SampType: **MBLK** TestCode: **8081_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ** Batch ID: **1431** TestNo: **SW8081B** **(SW3550)** Analysis Date: **7/8/2003** SeqNo: **25645**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: PSB070203	SampType: MBLK	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25645

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: MSB070103	SampType: LCS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030703A
Client ID: ZZZZZ	Batch ID: 1427	TestNo: SW8081B	(SW3550)	Analysis Date: 7/4/2003	SeqNo: 25247

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	12.19	5.0	16.65	0	73.2	69	130	0	0		
Aldrin	4.123	5.0	6.66	0	61.9	66	128	0	0		JS

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: MSB070103	SampType: LCS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030703A
Client ID: ZZZZZ	Batch ID: 1427	TestNo: SW8081B	(SW3550)	Analysis Date: 7/4/2003	SeqNo: 25247

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dieldrin	11.99	5.0	16.65	0	72	67	126	0	0		
Endrin	13.4	5.0	16.65	0	80.5	72	124	0	0		
gamma-BHC	4.279	5.0	6.66	0	64.2	68	122	0	0		JS
Heptachlor	5.41	5.0	6.66	0	81.2	64	130	0	0		

Sample ID: MSB070203	SampType: LCS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25657

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	17.74	5.0	16.65	0	107	69	130	0	0		
Aldrin	6.054	5.0	6.66	0	90.9	66	128	0	0		
Dieldrin	16.9	5.0	16.65	0	102	67	126	0	0		
Endrin	18.47	5.0	16.65	0	111	72	124	0	0		
gamma-BHC	6.487	5.0	6.66	0	97.4	68	122	0	0		
Heptachlor	7.817	5.0	6.66	0	117	64	130	0	0		

Sample ID: 0306116-02BMS	SampType: MS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030703A
Client ID: B12 (5'-7')	Batch ID: 1427	TestNo: SW8081B	(SW3550)	Analysis Date: 7/4/2003	SeqNo: 25248

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aldrin	5.517	5.0	6.66	0	82.8	66	128	0	0		
Dieldrin	14.87	5.0	16.65	0	89.3	67	126	0	0		
Endrin	22.38	5.0	16.65	23.63	-7.53	72	124	0	0		S
gamma-BHC	4.868	5.0	6.66	0	73.1	68	122	0	0		J
Heptachlor	7.066	5.0	6.66	0	106	64	130	0	0		

Sample ID: 0306116-02BMS	SampType: MS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030703A
Client ID: B12 (5'-7')	Batch ID: 1427	TestNo: SW8081B	(SW3550)	Analysis Date: 7/9/2003	SeqNo: 25337

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	192.2	50	16.65	145.7	279	69	130	0	0		S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: 0306117-03BMS	SampType: MS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25658

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	15.03	5.0	16.65	0	90.3	69	130	0	0		
Aldrin	6.163	5.0	6.66	0	92.5	66	128	0	0		
Dieldrin	14.33	5.0	16.65	0	86	67	126	0	0		
Endrin	15.28	5.0	16.65	0	91.8	72	124	0	0		
gamma-BHC	5.214	5.0	6.66	0	78.3	68	122	0	0		
Heptachlor	6.094	5.0	6.66	0	91.5	64	130	0	0		

Sample ID: 0306116-02BMSD	SampType: MSD	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030703A
Client ID: B12 (5'-7')	Batch ID: 1427	TestNo: SW8081B	(SW3550)	Analysis Date: 7/4/2003	SeqNo: 25249

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	44.63	5.0	16.65	132	-524	69	130	162.9	114	20	SR
Aldrin	6.016	5.0	6.66	0	90.3	66	128	5.517	8.65	20	
Dieldrin	15.17	5.0	16.65	0	91.1	67	126	14.87	2.01	20	
Endrin	20.25	5.0	16.65	23.63	-20.3	72	124	22.38	9.96	20	S
gamma-BHC	5.747	5.0	6.66	0	86.3	68	122	4.868	16.6	20	
Heptachlor	7.281	5.0	6.66	0	109	64	130	7.066	3.00	20	

Sample ID: 0306117-03BMSD	SampType: MSD	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25659

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	17.21	5.0	16.65	0	103	69	130	15.03	13.5	20	
Aldrin	6.247	5.0	6.66	0	93.8	66	128	6.163	1.35	20	
Dieldrin	15.47	5.0	16.65	0	92.9	67	126	14.33	7.67	20	
Endrin	18.49	5.0	16.65	0	111	72	124	15.28	19.0	20	
gamma-BHC	5.696	5.0	6.66	0	85.5	68	122	5.214	8.84	20	
Heptachlor	6.866	5.0	6.66	0	103	64	130	6.094	11.9	20	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: **PSB070103** SampType: **MBLK** TestCode: **8082_Soil** Units: **µg/Kg** Prep Date: **7/1/2003** Run ID: **SYSTEM QU_030707B**
Client ID: **ZZZZZ** Batch ID: **1426** TestNo: **SW8082A** **(SW3550)** Analysis Date: **7/7/2003** SeqNo: **25405**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: **PSB070203** SampType: **MBLK** TestCode: **8082_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM QU_030707B**
Client ID: **ZZZZZ** Batch ID: **1429** TestNo: **SW8082A** **(SW3550)** Analysis Date: **7/9/2003** SeqNo: **25422**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: **PSB070203** SampType: **MBLK** TestCode: **8082_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM QU_030707C**
Client ID: **ZZZZZ** Batch ID: **1429** TestNo: **SW8082A** **(SW3550)** Analysis Date: **7/9/2003** SeqNo: **25722**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: MSB070103	SampType: LCS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030707B
Client ID: ZZZZZ	Batch ID: 1426	TestNo: SW8082A	(SW3550)	Analysis Date: 7/9/2003	SeqNo: 25431

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	169	80	166.5	0	101	59	122	0	0		
Aroclor 1260	176.5	80	166.5	0	106	57	121	0	0		

Sample ID: MSB070203	SampType: LCS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030707C
Client ID: ZZZZZ	Batch ID: 1429	TestNo: SW8082A	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25743

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	147.2	80	166.5	0	88.4	59	122	0	0		
Aroclor 1260	162.1	80	166.5	0	97.4	57	121	0	0		

Sample ID: 0306116-04BMS	SampType: MS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030707B
Client ID: B13 (5'-7')	Batch ID: 1426	TestNo: SW8082A	(SW3550)	Analysis Date: 7/9/2003	SeqNo: 25432

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	255.1	80	166.5	0	153	59	122	0	0		S
Aroclor 1260	249.8	80	166.5	0	150	57	121	0	0		S

Sample ID: 0306117-01BMS	SampType: MS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030707C
Client ID: ZZZZZ	Batch ID: 1429	TestNo: SW8082A	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25744

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	189.1	80	166.5	0	114	59	122	0	0		
Aroclor 1260	193.5	80	166.5	0	116	57	121	0	0		

Sample ID: 0306116-04BMSD	SampType: MSD	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM QU_030707B
Client ID: B13 (5'-7')	Batch ID: 1426	TestNo: SW8082A	(SW3550)	Analysis Date: 7/9/2003	SeqNo: 25433

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	239	80	166.5	0	144	59	122	255.1	6.54	20	S
Aroclor 1260	231.6	80	166.5	0	139	57	121	249.8	7.57	20	S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: **0306117-01BMSD**	SampType: **MSD**	TestCode: **8082_Soil**	Units: **µg/Kg**	Prep Date: **7/2/2003**	Run ID: **SYSTEM QU_030707C**
Client ID: **ZZZZZ**	Batch ID: **1429**	TestNo: **SW8082A**	**(SW3550)**	Analysis Date: **7/12/2003**	SeqNo: **25745**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	291.3	80	166.5	0	175	59	122	189.1	42.6	20	SR
Aroclor 1260	315.2	80	166.5	0	189	57	121	193.5	47.9	20	SR

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070103	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1425	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/1/2003	SeqNo: 25202

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070103	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1425	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/1/2003	SeqNo: 25202

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070103	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1425	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/1/2003	SeqNo: 25202

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25216

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25216

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25216

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25537

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25537

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25537

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25537

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: LCS070103	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1425	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25212

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	489	40	666	0	73.4	53	123	0	0		
1,4-Dichlorobenzene	502.8	40	666	0	75.5	41.5	114	0	0		
2,4-Dinitrotoluene	400.8	40	666	0	60.2	48	85.2	0	0		
2-Chlorophenol	499.6	40	666	0	75	52	113	0	0		
4-Chloro-3-methylphenol	524.6	40	666	0	78.8	50.3	111	0	0		
4-Nitrophenol	423.9	40	666	0	63.6	41.6	108	0	0		
Acenaphthene	475.5	40	666	0	71.4	43.6	113	0	0		
N-Nitrosodi-n-propylamine	476.3	40	666	0	71.5	42	120	0	0		
Pentachlorophenol	411.6	40	666	0	61.8	38.6	109	0	0		
Phenol	514.2	40	666	0	77.2	44.8	113	0	0		
Pyrene	604.3	40	666	0	90.7	46.2	104	0	0		

Sample ID: LCS070203	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25533

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	541.2	40	666	0	81.3	53	123	0	0		
1,4-Dichlorobenzene	513.2	40	666	0	77.1	41.5	114	0	0		
2,4-Dinitrotoluene	420.5	40	666	0	63.1	48	85.2	0	0		
2-Chlorophenol	534.2	40	666	0	80.2	52	113	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: LCS070203	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25533

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chloro-3-methylphenol	538.8	40	666	0	80.9	50.3	111	0	0		
4-Nitrophenol	462.2	40	666	0	69.4	41.6	108	0	0		
Acenaphthene	497	40	666	0	74.6	43.6	113	0	0		
N-Nitrosodi-n-propylamine	521.8	40	666	0	78.4	42	120	0	0		
Pentachlorophenol	445.3	40	666	0	66.9	38.6	109	0	0		
Phenol	511.9	40	666	0	76.9	44.8	113	0	0		
Pyrene	629.8	40	666	0	94.6	46.2	104	0	0		

Sample ID: 0306116-04B MS	SampType: MS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/1/2003	Run ID: SYSTEM T_030701B
Client ID: B13 (5'-7')	Batch ID: 1425	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25213

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	507.9	40	666	0	76.3	53	123	0	0		
1,4-Dichlorobenzene	470.1	40	666	0	70.6	41.5	114	0	0		
2,4-Dinitrotoluene	421.1	40	666	0	63.2	48	85.2	0	0		
2-Chlorophenol	504.4	40	666	0	75.7	52	113	0	0		
4-Chloro-3-methylphenol	557.9	40	666	0	83.8	50.3	111	0	0		
4-Nitrophenol	471.7	40	666	0	70.8	41.6	108	0	0		
Acenaphthene	491.2	40	666	0	73.8	43.6	113	0	0		
N-Nitrosodi-n-propylamine	491.1	40	666	0	73.7	42	120	0	0		
Pentachlorophenol	494.8	40	666	0	74.3	38.6	109	0	0		
Phenol	497.9	40	666	0	74.8	44.8	113	0	0		
Pyrene	808	40	666	0	121	46.2	104	0	0		S

Sample ID: 0306117-03B MS	SampType: MS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25534

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	422.8	40	666	0	63.5	53	123	0	0		
1,4-Dichlorobenzene	390.4	40	666	0	58.6	41.5	114	0	0		
2,4-Dinitrotoluene	448.2	40	666	0	67.3	48	85.2	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: **0306117-03B MS** SampType: **MS** TestCode: **8270_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM T_030702A**
Client ID: **ZZZZZ** Batch ID: **1428** TestNo: **SW8270D** **(SW3550A)** Analysis Date: **7/2/2003** SeqNo: **25534**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chlorophenol	424.9	40	666	0	63.8	52	113	0	0		
4-Chloro-3-methylphenol	573.7	40	666	0	86.1	50.3	111	0	0		
4-Nitrophenol	500.5	40	666	0	75.1	41.6	108	0	0		
Acenaphthene	493.8	40	666	0	74.2	43.6	113	0	0		
N-Nitrosodi-n-propylamine	413.7	40	666	0	62.1	42	120	0	0		
Pentachlorophenol	537.7	40	666	0	80.7	38.6	109	0	0		
Phenol	426.9	40	666	0	64.1	44.8	113	0	0		
Pyrene	665.6	40	666	0	99.9	46.2	104	0	0		

Sample ID: **0306116-04B MSD** SampType: **MSD** TestCode: **8270_Soil** Units: **µg/Kg** Prep Date: **7/1/2003** Run ID: **SYSTEM T_030701B**
Client ID: **B13 (5'-7')** Batch ID: **1425** TestNo: **SW8270D** **(SW3550A)** Analysis Date: **7/2/2003** SeqNo: **25214**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	493.8	40	666	0	74.1	53	123	0	0		
1,4-Dichlorobenzene	419.2	40	666	0	62.9	41.5	114	0	0		
2,4-Dinitrotoluene	411.7	40	666	0	61.8	48	85.2	0	0		
2-Chlorophenol	482.3	40	666	0	72.4	52	113	0	0		
4-Chloro-3-methylphenol	557.7	40	666	0	83.7	50.3	111	0	0		
4-Nitrophenol	504.1	40	666	0	75.7	41.6	108	0	0		
Acenaphthene	514.4	40	666	0	77.2	43.6	113	0	0		
N-Nitrosodi-n-propylamine	469.3	40	666	0	70.5	42	120	0	0		
Pentachlorophenol	502.9	40	666	0	75.5	38.6	109	0	0		
Phenol	464.5	40	666	0	69.7	44.8	113	0	0		
Pyrene	766.8	40	666	0	115	46.2	104	0	0		S

Sample ID: **0306117-03B MSD** SampType: **MSD** TestCode: **8270_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM T_030702A**
Client ID: **ZZZZZ** Batch ID: **1428** TestNo: **SW8270D** **(SW3550A)** Analysis Date: **7/2/2003** SeqNo: **25535**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	478.3	40	666	0	71.8	53	123	0	0		
1,4-Dichlorobenzene	462	40	666	0	69.4	41.5	114	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: **0306117-03B MSD**	SampType: **MSD**	TestCode: **8270_Soil**	Units: **µg/Kg**	Prep Date: **7/2/2003**	Run ID: **SYSTEM T_030702A**
Client ID: **ZZZZZ**	Batch ID: **1428**	TestNo: **SW8270D**	**(SW3550A)**	Analysis Date: **7/2/2003**	SeqNo: **25535**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2,4-Dinitrotoluene	406.6	40	666	0	61.1	48	85.2	0	0		
2-Chlorophenol	462.4	40	666	0	69.4	52	113	0	0		
4-Chloro-3-methylphenol	526.8	40	666	0	79.1	50.3	111	0	0		
4-Nitrophenol	462.1	40	666	0	69.4	41.6	108	0	0		
Acenaphthene	476.8	40	666	0	71.6	43.6	113	0	0		
N-Nitrosodi-n-propylamine	448.1	40	666	0	67.3	42	120	0	0		
Pentachlorophenol	507	40	666	0	76.1	38.6	109	0	0		
Phenol	473.6	40	666	0	71.1	44.8	113	0	0		
Pyrene	610.7	40	666	0	91.7	46.2	104	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK063003** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **6/30/2003** SeqNo: **25061**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK063003**	SampType: **MBLK**	TestCode: **Full8260_Soil**	Units: **µg/Kg**	Prep Date:	Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ**	Batch ID: **R3162**	TestNo: **SW8260B**		Analysis Date: **6/30/2003**	SeqNo: **25061**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK063003** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **6/30/2003** SeqNo: **25061**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									

Sample ID: **VBLK070103** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25077**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25077**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25077**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	U	5.0									
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25077**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									

Sample ID: **LCS063003** SampType: **LCS** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **ZZZZZ** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **6/30/2003** SeqNo: **25062**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	44.21	5.0	50	0	88.4	67.3	124	0	0		
Benzene	53.98	5.0	50	0	108	65.1	126	0	0		
Chlorobenzene	50.04	5.0	50	0	100	63.7	127	0	0		
Toluene	42.8	5.0	50	0	85.6	68.7	124	0	0		
Trichloroethene	42.21	5.0	50	0	84.4	63.4	123	0	0		

Sample ID: **0306116-01AMS** SampType: **MS** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030630A**
Client ID: **B12 (0.5-2')** Batch ID: **R3162** TestNo: **SW8260B** Analysis Date: **6/30/2003** SeqNo: **25064**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	16.8	5.0	50	0	33.6	67.3	124	0	0		S
Benzene	26.06	5.0	50	0	52.1	65.1	126	0	0		S

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: 0306116-01AMS	SampType: MS	TestCode: Full8260_Soil	Units: µg/Kg	Prep Date:	Run ID: SYSTEM Y_030630A
Client ID: B12 (0.5-2')	Batch ID: R3162	TestNo: SW8260B		Analysis Date: 6/30/2003	SeqNo: 25064

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	11.2	5.0	50	0	22.4	63.7	127	0	0		S
Toluene	17.99	5.0	50	0	36	68.7	124	0	0		S
Trichloroethene	13.58	5.0	50	0	27.2	63.4	123	0	0		S

Sample ID: 0306116-01AMSD	SampType: MSD	TestCode: Full8260_Soil	Units: µg/Kg	Prep Date:	Run ID: SYSTEM Y_030630A
Client ID: B12 (0.5-2')	Batch ID: R3162	TestNo: SW8260B		Analysis Date: 6/30/2003	SeqNo: 25065

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	16.02	5.0	50	0	32	67.3	124	16.8	4.75	20	S
Benzene	22.28	5.0	50	0	44.6	65.1	126	26.06	15.6	20	S
Chlorobenzene	7.36	5.0	50	0	14.7	63.7	127	11.2	41.4	20	SR
Toluene	14.18	5.0	50	0	28.4	68.7	124	17.99	23.7	20	SR
Trichloroethene	10.27	5.0	50	0	20.5	63.4	123	13.58	27.8	20	SR

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: **MB063003A** SampType: **MBLK** TestCode: **ICP_TAL_S** Units: **mg/Kg** Prep Date: Run ID: **ICP A_030703A**
Client ID: **ZZZZZ** Batch ID: **1433** TestNo: **SW6010B** **(SW3050A)** Analysis Date: **7/3/2003** SeqNo: **24826**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	U	0.0200									
Antimony	U	0.0250									
Arsenic	U	0.0250									
Barium	U	0.0200									
Beryllium	U	0.0200									
Cadmium	U	0.0100									
Calcium	U	0.0200									
Chromium	U	0.0200									
Cobalt	U	0.0200									
Copper	U	0.0200									
Iron	U	0.0200									
Lead	U	0.0150									
Magnesium	U	0.0200									
Manganese	U	0.0200									
Nickel	U	0.0200									
Potassium	U	0.0700									
Selenium	U	0.0250									
Silver	U	0.0200									
Sodium	U	0.0300									
Thallium	U	0.0150									
Vanadium	U	0.0200									
Zinc	U	0.0200									

Sample ID: **LCS 1** SampType: **LCS** TestCode: **ICP_TAL_S** Units: **mg/Kg** Prep Date: Run ID: **ICP A_030703A**
Client ID: **ZZZZZ** Batch ID: **1433** TestNo: **SW6010B** **(SW3050A)** Analysis Date: **7/3/2003** SeqNo: **24827**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	1.978	0.0200	2	0	98.9	75	125	0	0		
Antimony	1.98	0.0250	2	0	99	67	111	0	0		
Arsenic	1.975	0.0250	2	0	98.7	67.6	123	0	0		
Barium	1.973	0.0200	2	0	98.7	65.1	120	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: **LCS 1** SampType: **LCS** TestCode: **ICP_TAL_S** Units: **mg/Kg** Prep Date: Run ID: **ICP A_030703A**
Client ID: **ZZZZZ** Batch ID: **1433** TestNo: **SW6010B** **(SW3050A)** Analysis Date: **7/3/2003** SeqNo: **24827**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Beryllium	2.008	0.0200	2	0	100	60.8	118	0	0		
Cadmium	1.985	0.0100	2	0	99.2	62.9	114	0	0		
Calcium	2.006	0.0200	2	0	100	75	125	0	0		
Chromium	1.985	0.0200	2	0	99.3	64.8	120	0	0		
Cobalt	1.993	0.0200	2	0	99.7	75	125	0	0		
Copper	1.981	0.0200	2	0	99	61.4	118	0	0		
Iron	1.946	0.0200	2	0	97.3	75	125	0	0		
Lead	1.928	0.0150	2	0	96.4	60.6	119	0	0		
Magnesium	2.002	0.0200	2	0	100	75	125	0	0		
Manganese	2.008	0.0200	2	0	100	61	111	0	0		
Nickel	1.999	0.0200	2	0	100	66.5	126	0	0		
Potassium	20.12	0.0700	20	0	101	75	125	0	0		
Selenium	1.975	0.0250	2	0	98.7	60.5	115	0	0		
Silver	1.983	0.0200	2	0	99.1	72.4	106	0	0		
Sodium	2.006	0.0300	2	0	100	75	125	0	0		
Thallium	1.999	0.0150	2	0	99.9	62	116	0	0		
Vanadium	1.996	0.0200	2	0	99.8	75	125	0	0		
Zinc	1.985	0.0200	2	0	99.3	61	112	0	0		

Sample ID: **0306116-20B MS** SampType: **MS** TestCode: **ICP_TAL_S** Units: **mg/Kg** Prep Date: Run ID: **ICP A_030703A**
Client ID: **MW10 (0.5-2')** Batch ID: **1433** TestNo: **SW6010B** **(SW3050A)** Analysis Date: **7/3/2003** SeqNo: **24852**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	2448	0.398	19.92	2509	-307	75	125	0	0		S
Antimony	14.05	0.498	19.92	0	70.5	67	111	0	0		
Arsenic	23.51	0.498	19.92	4.937	93.2	67.6	123	0	0		
Barium	41.85	0.398	19.92	25.78	80.7	65.1	120	0	0		
Beryllium	16.7	0.398	19.92	0	83.8	60.8	118	0	0		
Cadmium	17.81	0.199	19.92	0.5503	86.6	62.9	114	0	0		
Calcium	21450	0.398	19.92	21960	-2570	75	125	0	0		S
Chromium	27.07	0.398	19.92	10.74	82	64.8	120	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: 0306116-20B MS	SampType: MS	TestCode: ICP_TAL_S	Units: mg/Kg	Prep Date:	Run ID: ICP A_030703A
Client ID: MW10 (0.5-2')	Batch ID: 1433	TestNo: SW6010B	(SW3050A)	Analysis Date: 7/3/2003	SeqNo: 24852

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cobalt	20.37	0.398	19.92	5.152	76.4	75	125	0	0		
Copper	43.45	0.398	19.92	26.97	82.7	61.4	118	0	0		
Iron	4172	0.398	19.92	4260	-441	75	125	0	0		S
Lead	266.8	0.299	19.92	259.1	38.7	60.6	119	0	0		S
Magnesium	439.7	0.398	19.92	436.5	16	75	125	0	0		S
Manganese	118.1	0.398	19.92	105.7	62	61	111	0	0		
Nickel	23.74	0.398	19.92	8.637	75.8	66.5	126	0	0		
Potassium	1082	1.39	199.2	835.2	124	75	125	0	0		
Selenium	17.46	0.498	19.92	0.4651	85.3	60.5	115	0	0		
Silver	19.73	0.398	19.92	0.3427	97.3	72.4	106	0	0		
Sodium	263.1	0.598	19.92	251	61.1	75	125	0	0		S
Thallium	18.71	0.299	19.92	1.022	88.8	62	116	0	0		
Vanadium	35.3	0.398	19.92	19.3	80.3	75	125	0	0		
Zinc	173.1	0.398	19.92	163	50.5	61	112	0	0		S

Sample ID: 0306116-20B MSD	SampType: MSD	TestCode: ICP_TAL_S	Units: mg/Kg	Prep Date:	Run ID: ICP A_030703A
Client ID: MW10 (0.5-2')	Batch ID: 1433	TestNo: SW6010B	(SW3050A)	Analysis Date: 7/3/2003	SeqNo: 24853

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	2468	0.398	19.92	2509	-204	75	125	2448	0.832	0	S
Antimony	14.28	0.498	19.92	0	71.7	67	111	14.05	1.65	20	
Arsenic	22.88	0.498	19.92	4.937	90.1	67.6	123	23.51	2.72	20	
Barium	42.45	0.398	19.92	25.78	83.7	65.1	120	41.85	1.41	20	
Beryllium	16.88	0.398	19.92	0	84.8	60.8	118	16.7	1.13	20	
Cadmium	17.87	0.199	19.92	0.5503	87	62.9	114	17.81	0.368	20	
Calcium	21540	0.398	19.92	21960	-2110	75	125	21450	0.432	0	S
Chromium	26.69	0.398	19.92	10.74	80.1	64.8	120	27.07	1.41	20	
Cobalt	20.63	0.398	19.92	5.152	77.7	75	125	20.37	1.27	20	
Copper	43.72	0.398	19.92	26.97	84	61.4	118	43.45	0.608	20	
Iron	4201	0.398	19.92	4260	-293	75	125	4172	0.704	0	S
Lead	268.1	0.299	19.92	259.1	45.2	60.6	119	266.8	0.491	20	S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: **0306116-20B MSD** SampType: **MSD** TestCode: **ICP_TAL_S** Units: **mg/Kg** Prep Date: Run ID: **ICP A_030703A**
Client ID: **MW10 (0.5-2')** Batch ID: **1433** TestNo: **SW6010B (SW3050A)** Analysis Date: **7/3/2003** SeqNo: **24853**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Magnesium	437.7	0.398	19.92	436.5	5.86	75	125	439.7	0.462	0	S
Manganese	118.7	0.398	19.92	105.7	65.3	61	111	118.1	0.551	20	
Nickel	23.79	0.398	19.92	8.637	76.1	66.5	126	23.74	0.231	20	
Potassium	1097	1.39	199.2	835.2	131	75	125	1082	1.38	0	S
Selenium	17.58	0.498	19.92	0.4651	85.9	60.5	115	17.46	0.659	20	
Silver	19.9	0.398	19.92	0.3427	98.2	72.4	106	19.73	0.842	20	
Sodium	266.1	0.598	19.92	251	75.9	75	125	263.1	1.11	0	
Thallium	18.54	0.299	19.92	1.022	88	62	116	18.71	0.908	20	
Vanadium	35.42	0.398	19.92	19.3	80.9	75	125	35.3	0.355	20	
Zinc	173.2	0.398	19.92	163	51.2	61	112	173.1	0.0740	20	S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8081B **Matrix:** S

QC SUMMARY REPORT SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306116-01B	205 *	95.7						
0306116-02B	143	112						
0306116-02BMS	131	107						
0306116-02BMSD	135	100						
0306116-03B	83.3	87.0						
0306116-04B	101	80.9						
0306116-05B	116	119						
0306116-06B	115	102						
0306116-07B	117	89.1						
0306116-08B	87.3	92.3						
0306116-09B	69.4	90.0						
0306116-10B	75.2	74.3						
0306116-11B	69.0	57.9 *						
0306116-12B	71.2	96.9						
0306116-13B	57.3 *	49.7 *						
0306116-14B	93.4	82.2						
0306116-15B	86.4	82.5						
0306116-16B	77.3	87.2						
0306116-17B	62.2	67.1						
0306116-18B	89.3	99.4						
0306116-19B	80.6	65.0						
0306116-20B	137	130						
0306117-03BMS	98.4	75.7						
0306117-03BMSD	102	82.7						
MSB070103	77.4	59.1 *						
MSB070203	112	99.2						
PSB070103	129	98.6						

Acronym	Surrogate	QC Limits
CL10BZ2	= DCB	61.4-149
XYL2456CLM	= TCX	63.9-130

*** Surrogate recovery outside acceptance limits**

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8081B **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
PSB070203	95.6	81.0						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	61.4-149
XYL2456CLM	=	TCX	63.9-130

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8082A **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306116-01B	133 *	71.5						
0306116-02B	130 *	119						
0306116-03B	143 *	127						
0306116-04B	70.4	89.2						
0306116-04BMS	137 *	127						
0306116-04BMSD	127 *	116						
0306116-05B	104	93.3						
0306116-06B	109	102						
0306116-07B	117	105						
0306116-08B	64.7	61.7						
0306116-09B	119	166 *						
0306116-10B	91.2	93.8						
0306116-11B	81.5	75.6						
0306116-12B	86.0	86.1						
0306116-13B	61.7	58.7						
0306116-14B	99.2	82.4						
0306116-15B	74.9	70.3						
0306116-16B	101	87.4						
0306116-17B	103	102						
0306116-18B	83.4	71.6						
0306116-19B	117	100						
0306116-20B	84.8	76.2						
0306117-01BMS	84.6	84.7						
0306117-01BMSD	93.0	71.7						
MSB070103	28.4 *	90.1						
MSB070203	67.4	78.7						
PSB070103	94.1	66.5						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	43.3-125
XYL2456CLM	=	TCX	31.2-128

*** Surrogate recovery outside acceptance limits**

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8082A **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
PSB070203	69.6	60.2						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	43.3-125
XYL2456CLM	=	TCX	31.2-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8260B **Matrix:** S

QC SUMMARY REPORT SURROGATE RECOVERIES

Sample ID	BR4FBZ	BZMED8	DBFM					
0306116-01A	103	100	95.7					
0306116-01AMS	106	102	97.5					
0306116-01AMSD	103	101	98.3					
0306116-02A	101	100	95.7					
0306116-03A	117	100	100					
0306116-04A	104	96.6	94.2					
0306116-05A	107	94.6	92.3					
0306116-06A	112	95.8	91.4					
0306116-07A	110	91.4	96.4					
0306116-08A	115	90.6	86.8					
0306116-09A	113	89.3	85.6					
0306116-10A	107	87.6	91.7					
0306116-11A	106	85.0	93.7					
0306116-12A	117	85.4	88.9					
0306116-13A	98.8	94.7	100					
0306116-14A	97.0	95.6	106					
0306116-15A	99.8	95.1	104					
0306116-16A	98.9	93.8	107					
0306116-17A	73.2	90.2	104					
0306116-18A	96.4	94.9	104					
0306116-19A	99.7	97.0	111					
0306116-20A	100	94.0	108					
LCS063003	114	104	105					
VBLK063003	112	100	94.4					
VBLK070103	100	97.3	107					

Acronym		Surrogate	QC Limits
BR4FBZ	=	4-Bromofluorobenzene	65.8-125
BZMED8	=	Toluene-d8	70.3-125
DBFM	=	Dibromofluoromethane	83.7-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8270D **Matrix:** S

QC SUMMARY REPORT SURROGATE RECOVERIES

Sample ID	NO2BZD5	PH246BR	PH2F	PHEN2F	PHEND14	PHENOLD6		
0306116-01B	93.6	94.1	95.9	95.4	100	83.7		
0306116-02B	84.0	87.8	87.6	91.7	97.2	79.8		
0306116-03B	79.7	62.9	73.9	90.0	91.8	73.7		
0306116-04B	80.1	92.2	78.8	77.6	104	78.8		
0306116-04B	81.4	91.2	78.5	82.4	95.2	75.3		
0306116-04B	84.6	95.8	89.2	92.9	97.2	77.8		
0306116-04B MS	80.1	92.2	78.8	77.6	104	78.8		
0306116-04B MSD	81.4	91.2	78.5	82.4	95.2	75.3		
0306116-05B	87.0	91.5	88.9	96.6	99.2	80.2		
0306116-06B	81.0	96.2	78.6	92.5	102	76.0		
0306116-07B	127 *	102	95.0	96.0	101	84.5		
0306116-08B	87.5	118	81.2	97.3	108	77.9		
0306116-09B	91.8	77.2	94.4	87.6	111	92.2		
0306116-10B	83.6	90.2	90.1	90.5	96.5	85.8		
0306116-11B	35.3	44.2	36.0	40.6	43.5	36.9		
0306116-12B	79.0	106	85.0	88.5	95.0	71.3		
0306116-13B	74.1	110	83.3	86.5	93.8	74.4		
0306116-14B	79.6	104	77.4	92.6	97.6	72.3		
0306116-15B	64.1	80.0	60.4	75.3	90.7	60.2		
0306116-16B	110	98.0	86.8	102	108	83.8		
0306116-17B	78.0	90.8	81.9	85.6	89.8	74.8		
0306116-18B	85.7	105	79.8	100	103	87.5		
0306116-19B	81.5	107	82.0	88.0	114	80.5		
0306116-20B	84.4	97.3	85.7	87.4	93.6	77.2		
0306117-03B MS	72.5	81.2	77.2	78.4	101	69.6		
0306117-03B MSD	75.4	83.4	77.0	79.6	91.6	79.2		
LCS070103	82.4	84.2	91.5	84.2	104	88.8		

Acronym		Surrogate	QC Limits
NO2BZD5	=	Nitrobenzene-d5	29.6-124.5
PH246BR	=	2,4,6-Tribromophenol	27.9-127.1
PH2F	=	2-Fluorophenol	32.3-123.3
PHEN2F	=	2-Fluorobiphenyl	31.5-113.1
PHEND14	=	4-Terphenyl-d14	29.8-129.9
PHENOLD6	=	Phenol-d6	27.1-126.2

*** Surrogate recovery outside acceptance limits**

CLIENT: AKRF, Inc
Work Order: 0306116
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8270D **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	NO2BZD5	PH246BR	PH2F	PHEN2F	PHEND14	PHENOLD6		
LCS070203	88.1	82.7	99.2	86.6	109	89.2		
SSB070103	81.7	81.4	83.6	88.8	98.1	76.0		
SSB070203	92.4	80.6	91.8	93.6	98.3	93.9		

Acronym		Surrogate	QC Limits
NO2BZD5	=	Nitrobenzene-d5	29.6-124.5
PH246BR	=	2,4,6-Tribromophenol	27.9-127.1
PH2F	=	2-Fluorophenol	32.3-123.3
PHEN2F	=	2-Fluorobiphenyl	31.5-113.1
PHEND14	=	4-Terphenyl-d14	29.8-129.9
PHENOLD6	=	Phenol-d6	27.1-126.2

*** Surrogate recovery outside acceptance limits**

AMERICAN ANALYTICAL LABORATORIES, INC.

NYSDOH	ELAP	11418
AIHA	PAT, LPAT	102391
CTDOH	PH-0205	

ASP CATEGORY A
WORKORDER 0306117
AKRF, INC.
GREENPOINT LUMBER YARD
BROOKLYN, N.Y.

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX: (631) 454-8027

ASP CATEGORY A

COVER PAGE

July 28, 2003

Mimi Sotiriou
AKRF, Inc
116 East 27th Street
7th Floor
New York, NY 10016

TEL: (646) 459-3528
FAX (212) 726-0942

RE: Greenpoint Lumber Yard Brooklyn, NY

Order No.: 0306117

Dear Mimi Sotiriou:

American Analytical Laboratories, Inc. received 20 samples on 6/27/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Lori Beyer

Lori Beyer
Lab Director

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT: AKRF, Inc
Project: Greenpoint Lumber Yard Brooklyn, NY
Lab Order: 0306117

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0306117-01A	MW10 (5'-7')		6/25/2003	6/27/2003
0306117-01B	MW10 (5'-7')		6/25/2003	6/27/2003
0306117-02A	B10 (5'-7')		6/26/2003	6/27/2003
0306117-02B	B10 (5'-7')		6/26/2003	6/27/2003
0306117-03A	B10 (9'-10')		6/26/2003	6/27/2003
0306117-03B	B10 (9'-10')		6/26/2003	6/27/2003
0306117-04A	MW9 (1.5-3.5')		6/26/2003	6/27/2003
0306117-04B	MW9 (1.5-3.5')		6/26/2003	6/27/2003
0306117-05A	MW9 (5'-6')		6/26/2003	6/27/2003
0306117-05B	MW9 (5'-6')		6/26/2003	6/27/2003
0306117-06A	B7 (9.5'-10.0')		6/26/2003	6/27/2003
0306117-07A	MW7 (10'-11')		6/26/2003	6/27/2003
0306117-07B	MW7 (10'-11')		6/26/2003	6/27/2003
0306117-08A	MW7 (6.5-7.5)		6/26/2003	6/27/2003
0306117-08B	MW7 (6.5-7.5)		6/26/2003	6/27/2003
0306117-09A	B11 (1-3)		6/26/2003	6/27/2003
0306117-09B	B11 (1-3)		6/26/2003	6/27/2003
0306117-10A	B11 (7-9)		6/26/2003	6/27/2003
0306117-10B	B11 (7-9)		6/26/2003	6/27/2003
0306117-11A	MW11 (0.5'-2')		6/26/2003	6/27/2003
0306117-11B	MW11 (0.5'-2')		6/26/2003	6/27/2003
0306117-12A	MW11 (7'-9')		6/26/2003	6/27/2003
0306117-12B	MW11 (7'-9')		6/26/2003	6/27/2003
0306117-13A	MW14 (3'-4')		6/26/2003	6/27/2003
0306117-13B	MW14 (3'-4')		6/26/2003	6/27/2003
0306117-14A	MW14 (6'-8')		6/26/2003	6/27/2003
0306117-14B	MW14 (6'-8')		6/26/2003	6/27/2003
0306117-15A	B14 (2'-3.5')		6/26/2003	6/27/2003
0306117-15B	B14 (2'-3.5')		6/26/2003	6/27/2003
0306117-16A	B14 (6'-8')		6/26/2003	6/27/2003
0306117-16B	B14 (6'-8')		6/26/2003	6/27/2003
0306117-17A	B15 (8.0'-9.0')		6/26/2003	6/27/2003
0306117-17B	B15 (8.0'-9.0')		6/26/2003	6/27/2003
0306117-18A	B15 (0.5'-2')		6/26/2003	6/27/2003
0306117-18B	B15 (0.5'-2')		6/26/2003	6/27/2003
0306117-19A	MW15 (0.5'-2')		6/26/2003	6/27/2003
0306117-19B	MW15 (0.5'-2')		6/26/2003	6/27/2003
0306117-20A	MW15 (6'-8')		6/26/2003	6/27/2003

CLIENT:	AKRF, Inc
Project:	Greenpoint Lumber Yard Brooklyn, NY
Lab Order:	0306117

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0306117-20B	MW15 (6'-8')		6/26/2003	6/27/2003

SDG NARRATIVE

SDG Narrative

AAL Work Order:	: 0306117
Sample Matrix	: Soil
Project	: Greenpoint

INTRODUCTION
This narrative covers the analysis of twenty (20) soils in accordance with protocols based on SW846 Methods 8260, 8270, 8081, 8082, 6010 and 7470.

HOLDING TIMES
The analytical holding time for these analyses was met.

CALIBRATIONS
Initial Calibration: All required minimum RRFs and maximum %RSD requirements have been met in accordance with the method.

Continuing Calibration: All required minimum RRFs and maximum %D requirements have been met in accordance with the method.

TUNE PERFORMANCE
All Tune (BFB) specifications met QC requirements.

METHOD BLANKS
The method blanks associated with these samples did not contain any target compounds at or above QC.

MATRIX SPIKE/MATRIX SPIKE DUPLICATE/DUPLICATES
MS/MSD/Dup analysis was performed as required. Results are submitted as an appendix to this report. Spike recoveries and RPD fell within established ranges except where noted on the summary sheets. No laboratory action is required for MS/MSD outliers.

INTERNAL STANDARDS
All area responses and retention times fell within acceptable ranges.

SURROGATES (SYSTEM MONITORING COMPOUNDS)
Surrogate recoveries are summarized in the appendix to this report.

SAMPLE COMMENTS
Samples were analyzed as per the required protocols.

Semivolatile Analysis:
Semivolatile analysis of sample B10 (5'-7') was analyzed at a 1:10 dilution. A secondary diluted reanalysis was perform (1:50) in order to obtain several PAH concentrations within the upper half of the instruments linear calibration range. Results have been hybridized on the Form I.

Sample MW9 (1.5-3.5') was initially analyzed undiluted. A diluted reanalysis (1:5) was performed as a result of Fluoranthene concentrations. Samples MW7 (6.5-7.5) and MW9 (5'-6') were analyzed at 1:2 dilutions. MW7 (6.5-7.5) was reanalyzed at a 1:20 dilution based upon target analyte PAH concentrations. B11 (1-3) was analyzed at a 1:8 dilution. A secondary reanalysis was performed at a 1:80.

MW11 (0.5'-2') and MW15 (0.5'-2') were initially analyzed at 1:2 dilutions. Based upon target analyte concentrations the sample extracts were reanalyzed at 1:10 dilutions.

All samples were analyzed undiluted for VOCs, Pesticides, PCBs and Metals.
I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory manager or his designee, as verified by the following signature." This statement shall be directly followed by signature of the Laboratory Manager or his designee with a typed line below it containing the signer's name and title, and the date of the signature.

Lori Beyer
LABORATORY DIRECTOR

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735 • (631) 454-6100 • FAX: (631) 454-8027

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET
FARMINGDALE, NEW YORK 11735
TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFERS

For reporting results, the following "Results Qualifers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.

NYSDEC DATA PACKAGE SUMMARY FORMS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

CUSTOMER SAMPLE CODE	LABORATORY SAMPLE CODE	ANALYTICAL REQUIREMENTS					
		*VOA GC/MS METHOD #	*BNA GC/MS METHOD #	*VOA GC METHOD #	*PEST PCBs METHOD #	*METALS	*OTHER
MW10(5'-7')	0306117-01	8260	8270	NA	8081/ 8082	6010/ 7470	NA
B10(5'-7')	0306117-02						
B10(9'-10')	0306117-03						
MW9(1.5'-3.5')	0306117-04						
MW9(5'-6')	0306117-05						
B7(9.5-10.0)	0306117-06						
MW7(10-11)	0306117-07						
MW7(6.5-7.5)	0306117-08						
B11(1-3)	0306117-09						
B11(7-9)	0306117-10						
MW11(0.5-2')	0306117-11						
MW11(7'-9')	0306117-12						
MW14(3'-4')	0306117-13						
MW14(6'-8')	0306117-14						
B14(2'-3.5')	0306117-15						
B14(6'-8')	0306117-16						

B15 (8.0'-9.0') 0306117-17
B15 (0.9'-2') 0306117-18
MW15 (0.5-2') 0306117-19
MW15 (6'-8') 0306117-20

NA = Not Applicable

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306117-01	SOIL	06/25/03	06/27/03	07/01/03	07/03/03
0306117-02		06/26/03			07/03/03, 07/08/03
0306117-03					07/02/03
0306117-04					07/07/03
0306117-05					07/07/03
0306117-06					07/07/03
0306117-07					07/03/03
0306117-08					07/03/03, 07/07/03
0306117-09					07/03/03, 07/08/03
0306117-10					07/03/03
0306117-11					07/03/03, 07/07/03
0306117-12					07/03/03
0306117-13					07/08/03
0306117-14					07/10/03
0306117-15					07/10/03
0306117-16					07/09/03
0306117-17					07/09/03
0306117-18					07/10/03
0306117-19					07/10/03, 07/11/03
0306117-20					07/11/03

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
VOLATILE (VOA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306117-01	SOIL	06/25/03	06/27/03	NA	07/02/03
0306117-02		06/26/03			07/01/03
0306117-03					
0306117-04					
0306117-05					
0306117-06					
0306117-07					07/02/03
0306117-08					07/01/03
0306117-09					07/01/03
0306117-10					
0306117-11					
0306117-12					
0306117-13					
0306117-14					07/02/03
0306117-15					

0306117-16
0306117-17
0306117-18
0306117-19
0306117-20

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
PESTICIDE / PCB
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306117-01	SOIL	06/25/03	06/27/03	07/01/03	07/04/03
0306117-02	"	06/26/03	"	"	"
0306117-03	"	"	"	"	07/09/03
0306117-04	"	"	"	"	07/04/03
0306117-05	"	"	"	"	"
0306117-06	"	"	"	"	07/08/03
0306117-07	"	"	"	"	07/04/03
0306117-08	"	"	"	"	07/08/03
0306117-09	"	"	"	"	07/08/03
0306117-10	"	"	"	"	"
0306117-11	"	"	"	"	"
0306117-12	"	"	"	"	"
0306117-13	"	"	"	"	07/09/03
0306117-14	"	"	"	"	"
0306117-15	"	"	"	"	07/10/03
0306117-16					
0306117-17					
0306117-18					
0306117-19					
0306117-20					

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	ANALYTICAL PROTOCOL	EXTRACTION METHOD	AUXILLARY CLEAN UP	DIL / CONC. FACTOR
0306117-01	SOIL	SW846 8270	SONC SW846 3550	NA	1
0306117-02	"	"	"	"	10,500
0306117-03	"	"	"	"	1
0306117-04	"	"	"	"	1,5
0306117-05	"	"	"	"	2
0306117-06	"	"	"	"	1
0306117-07	"	"	"	"	1
0306117-08	"	"	"	"	2,20
0306117-09	"	"	"	"	8,80
0306117-10	"	"	"	"	1
0306117-11	"	"	"	"	2,10
0306117-12	"	"	"	"	1
0306117-13	"	"	"	"	1
0306117-14	"	"	"	"	1
0306117-15	"	"	"	"	1
0306117-16					1
0306117-17					1
0306117-18					1
0306117-19					2,10
0306117-20					2,10

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
INORGANIC ANALYSES

LABORATORY SAMPLE ID	MATRIX	METALS REQUESTED	DATE RECEIVED AT LAB	DATE ANALYZED
0306117-01	SOIL	TAL (23)	6/27/03	7/3/03
0306117-02				
0306117-03				
0306117-04				
0306117-05				
0306117-06				
0306117-07				
0306117-08				
0306117-09				
0306117-10				
0306117-11				
0306117-12				
0306117-13				
0306117-14				
0306117-15				
0306117-16				
0306117-17				
0306117-18				
0306117-19				
0306117-20				

CHAIN OF CUSTODY FORMS

Sheet 2 of 5

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027 • email: lbeyer@american-analytical.com

NYSDOH	ELAP	11418
CTDOH	PH-0205	
NJDEP	NY050	
PADEP	68-573	

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: AKRF, Inc. — Mimi Sotiriou
CONTACT: 917-612-7877 — 646-459-3528

SAMPLER (SIGNATURE): M Sotiriou
DATE: 6/25/03
TIME: 1600
SAMPLER NAME (PRINT): M. Sotiriou
SAMPLE(S) SEALED: (YES) NO
CORRECT CONTAINER(S): (YES) NO[1,2]

PROJECT LOCATION: 30260-0006
Greenpoint Lumber Yard Brooklyn, NY

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	8260 VOC	SVOC 8270	PCB 8081	Rest 8082	TAL Metals	FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]
0306116-10A,B	S			B6 (0.5'-2')	X	X	X	X	X	
0306116-11A,11B				B6 (6'-7')						
0306116-12A,12B				MW6 (0.5'-2')						
0306116-13A,B				MW6 (6'-7')						
0306116-14A,B				MW8 (2'-4')						
0306116-15A,B				MW8 (5'-6.5')						
0306116-16A,B				B9 (14"-2.5')						
0306116-17A,B				B9 (5'-6')						
0306116-18A,18B				B8 ~~(5'-7')~~ (0.5-2')						
0306116-19A,19B				B8 (8'-10')						
0306116-20A,20B				MW10 (0.5-2')						
0306117-01A,B	↓			MW10 (5'-7')						

COOLER TEMPERATURE:

COMMENTS / INSTRUCTIONS

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /

RELINQUISHED BY (SIGNATURE): M Sotiriou	DATE: ~~6/27/03~~ 6/25/03 TIME: 1200	PRINTED NAME: M. Sotiriou	RECEIVED BY LAB (SIGNATURE): Chris Dunn	DATE: 6-27-03 TIME: 9 pm	PRINTED NAME: Christopher Dunn
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027 • email: lbeyer@american-analytical.com

NYSDOH 11418
CTDOH PH-0205
NJDEP NY050
PADEP 68-573

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: AKRF, Inc. Mimi Sotiriou

CONTACT: 917-612-7877 646-459-3528

SAMPLER (SIGNATURE): M Sotiriou DATE: 6/26/03 TIME: 1600

SAMPLER NAME (PRINT): M. Sotiriou

SAMPLE(S) SEALED: YES / NO

CORRECT CONTAINER(S): YES / NO

PROJECT LOCATION:

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	VOC 8260	SVOC 8270	PCB 8081	Pest 8082	TAL Metals	FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]
0306117-02A,B	S			B10 (5'-7')	X	X	X	X	X	
0306117-03A,B				B10 (9'-10')	X	X	X	X	X	
0306117-04A,B				MW9 (1.5'-3.5')	X	X	X	X	X	
0306117-05A,B				MW9 (5'-6')	X	X	X	X	X	
0306117-06A,B				B7 (9.5-10.0)	✓					
0306117-07A,B				~~MW7 (9-10)~~ (10-11)	X	X	X	X	X	
0306117-08A,B				MW7 (6.5-7.5)	↓	↓	↓	↓	↓	
0306117-09A,B				B11 (1-3)						
0306117-10A,B				B11 (7-9)						
0306117-11A,B				MW11 (0.5-2')						
0306117-12A,B	✓			MW11 (7'-9')	✓	✓	✓	✓	✓	

COOLER TEMPERATURE:

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /

COMMENTS / INSTRUCTIONS

RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME
M Sotiriou	6/26/03 17:00	M. Sotiriou	Chris Dunn	6-27-03 2:20	Chrisopher Dunn
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

Draft 4 of 5

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027 • email: lbeyer@american-analytical.com

NYSDOH	ELAP	11418
CTDOH	PH-0205	
NJDEP	NY050	
PADEP	68-573	

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: AKRF, Inc. — Mimi Sotiriou
CONTACT: 917-492-7877 — 646-459-3528
PROJECT LOCATION: Greenpoint Lumber Yard, Brooklyn — 30260-0006
SAMPLER (SIGNATURE): MSotiriou — DATE: 6/26/03 — TIME: 1600
SAMPLER NAME (PRINT): Mimi Sotiriou
SAMPLE(S) SEALED: YES / NO
CORRECT CONTAINER(S): YES / NO

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	VOC 8260	SVOC 8270	PCB 8081	Pest 8082	TAL Metals	FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]
0306117-13A,B	S			MW14 (3'-4')	X	X	X	X	X	
0306117-14A,B				MW14 (6'-8')						
0306117-15A,B				B14 (2'-3.5')						
0306117-16A,B				B14 (6'-8')						
0306117-17A,B				B15 ~~MW16~~ (8.0'-9.0')						
0306117-18A,B				B15 ~~MW16~~ (0.5'-2')						
0306117-19A,B				MW15 (0.5'-2')						
0306117-20A,B				MW15 (6'-8')						
				~~FIELD BLANK~~						
				~~FIELD BLANK~~						
				~~FIELD BLANK~~						

COOLER TEMPERATURE:

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /

COMMENTS / INSTRUCTIONS

RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME
MSotiriou	6/27/03 12:00	M Sotiriou		6-27-03 2:15	Christopher Dunn
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

E-O E / C RY-L PINK PLE TODI SOL OD- NT

GC/MS VOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Acetone	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Acrolein	U	25		µg/Kg	1	7/2/2003 3:15:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Benzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Ethanol	U	25		µg/Kg	1	7/2/2003 3:15:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 3:15:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Styrene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Toluene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 3:15:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 1:53:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 1:53:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 1:53:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 1:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 2:30:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 2:30:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 2:30:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 2:30:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 3:08:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 3:08:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 3:08:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 3:08:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 3:46:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 3:46:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 3:46:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 3:46:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7 (9.5'-10.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 4:24:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7 (9.5'-10.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 4:24:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 4:24:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B7 (9.5'-10.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-06A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 4:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Acetone	25	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Acetone	64	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 7:34:00 PM
Acrolein	U	25		µg/Kg	1	7/2/2003 5:10:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Benzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Ethanol	U	25		µg/Kg	1	7/2/2003 5:10:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 7:34:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 5:10:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 7:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Styrene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Toluene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 7:34:00 PM
Vinyl chlorlde	U	5.0		µg/Kg	1	7/2/2003 5:10:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 8:12:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 8:12:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 8:12:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 8:12:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2,4-Trimethylbenzene	3	5.0	J	µg/Kg	1	7/1/2003 8:51:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,3,5-Trimethylbenzene	4	5.0	J	µg/Kg	1	7/1/2003 8:51:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
4-Isopropyltoluene	10	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 8:51:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 8:51:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
m,p-Xylene	1	10	J	µg/Kg	1	7/1/2003 8:51:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Naphthalene	110	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
o-Xylene	3	5.0	J	µg/Kg	1	7/1/2003 8:51:00 PM
p-Diethylbenzene	11	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
p-Ethyltoluene	6.8	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 8:51:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 9:28:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 9:28:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 9:28:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 9:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 10:06:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 10:06:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 10:06:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 10:06:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Acetone	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 10:44:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 10:44:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 10:44:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 10:44:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
2-Butanone	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
2-Hexanone	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Acetone	49	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Acrolein	U	25		µg/Kg	1	7/1/2003 11:21:00 PM
Acrylonitrile	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Benzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Bromobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Bromochloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Bromodichloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Bromoform	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Bromomethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Carbon disulfide	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Chlorobenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Chloroethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Chloroform	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Chloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Dibromochloromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Dibromomethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Diisopropyl ether	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Ethanol	U	25		µg/Kg	1	7/1/2003 11:21:00 PM
Ethyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Ethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Freon-114	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Isopropyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Isopropylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
m,p-Xylene	U	10		µg/Kg	1	7/1/2003 11:21:00 PM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Methylene chloride	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Naphthalene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
n-Butyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
n-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
n-Propyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
n-Propylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
o-Xylene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Styrene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Tetrachloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Toluene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Trichloroethene	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM
Vinyl chloride	U	5.0		µg/Kg	1	7/1/2003 11:21:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003
2-Butanone	U	5.0		µg/Kg	1	7/2/2003
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003
Acetone	U	5.0		µg/Kg	1	7/2/2003
Acrolein	U	25		µg/Kg	1	7/2/2003
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003
Benzene	U	5.0		µg/Kg	1	7/2/2003
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003
Bromoform	U	5.0		µg/Kg	1	7/2/2003
Bromomethane	U	5.0		µg/Kg	1	7/2/2003
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003
Chloroethane	U	5.0		µg/Kg	1	7/2/2003
Chloroform	U	5.0		µg/Kg	1	7/2/2003
Chloromethane	U	5.0		µg/Kg	1	7/2/2003
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003
Ethanol	U	25		µg/Kg	1	7/2/2003
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003
Freon-114	U	5.0		µg/Kg	1	7/2/2003
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003
m,p-Xylene	U	10		µg/Kg	1	7/2/2003
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003
Naphthalene	U	5.0		µg/Kg	1	7/2/2003
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003
o-Xylene	U	5.0		µg/Kg	1	7/2/2003
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003
Styrene	U	5.0		µg/Kg	1	7/2/2003
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003
Toluene	U	5.0		µg/Kg	1	7/2/2003
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Acetone	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 12:38:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 12:38:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 12:38:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Trichloroethene	3	5.0	J	µg/Kg	1	7/2/2003 12:38:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 12:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Acetone	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 1:16:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 1:16:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 1:16:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 1:16:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Acetone	44	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 1:54:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 1:54:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 1:54:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 1:54:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Acetone	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 2:32:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 2:32:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 2:32:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 2:32:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Acetone	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 3:10:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 3:10:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 3:10:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 3.10:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 3:10:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Acetone	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 3:48:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 3:48:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 3:48:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 3:48:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC/MS SEMIVOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2-Chloronaphthalene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2-Chlorophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2-Methylnaphthalene	58	40		µg/Kg	1	7/3/2003 3:13:00 AM
2-Methylphenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2-Nitroaniline	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
2-Nitrophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
3+4-Methylphenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
3-Nitroaniline	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
4-Chloroaniline	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
4-Nitroaniline	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
4-Nitrophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Acenaphthene	180	40		µg/Kg	1	7/3/2003 3:13:00 AM
Acenaphthylene	45	40		µg/Kg	1	7/3/2003 3:13:00 AM
Aniline	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Anthracene	450	40		µg/Kg	1	7/3/2003 3:13:00 AM
Azobenzene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzidine	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzo(a)anthracene	1000	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzo(a)pyrene	990	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzo(b)fluoranthene	1100	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzo(g,h,i)perylene	690	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzo(k)fluoranthene	480	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzoic acid	110	40		µg/Kg	1	7/3/2003 3:13:00 AM
Benzyl alcohol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Bis(2-ethylhexyl)phthalate	55	40		µg/Kg	1	7/3/2003 3:13:00 AM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Carbazole	180	40		µg/Kg	1	7/3/2003 3:13:00 AM
Chrysene	1100	40		µg/Kg	1	7/3/2003 3:13:00 AM
Dibenzo(a,h)anthracene	150	40		µg/Kg	1	7/3/2003 3:13:00 AM
Dibenzofuran	120	40		µg/Kg	1	7/3/2003 3:13:00 AM
Diethyl phthalate	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Dimethyl phthalate	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Fluoranthene	2700	40		µg/Kg	1	7/3/2003 3:13:00 AM
Fluorene	190	40		µg/Kg	1	7/3/2003 3:13:00 AM
Hexachlorobenzene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Hexachlorobutadiene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Hexachloroethane	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Indeno(1,2,3-c,d)pyrene	690	40		µg/Kg	1	7/3/2003 3:13:00 AM
Isophorone	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Naphthalene	79	40		µg/Kg	1	7/3/2003 3:13:00 AM
Nitrobenzene	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Pentachlorophenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Phenanthrene	2400	40		µg/Kg	1	7/3/2003 3:13:00 AM
Phenol	U	40		µg/Kg	1	7/3/2003 3:13:00 AM
Pyrene	2500	40		µg/Kg	1	7/3/2003 3:13:00 AM
Pyridine	U	40		µg/Kg	1	7/3/2003 3:13:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
1,2-Dichlorobenzene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
1,3-Dichlorobenzene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
1,4-Dichlorobenzene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2,4,5-Trichlorophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2,4,6-Trichlorophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2,4-Dichlorophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2,4-Dimethylphenol	690	400		µg/Kg	10	7/3/2003 11:34:00 PM
2,4-Dinitrophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2,4-Dinitrotoluene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2,6-Dinitrotoluene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2-Chloronaphthalene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2-Chlorophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2-Methylnaphthalene	56000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
2-Methylphenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2-Nitroaniline	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
2-Nitrophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
3,3'-Dichlorobenzidine	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
3+4-Methylphenol	1100	400		µg/Kg	10	7/3/2003 11:34:00 PM
3-Nitroaniline	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
4,6-Dinitro-2-methylphenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
4-Bromophenyl phenyl ether	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
4-Chloro-3-methylphenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
4-Chloroaniline	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
4-Chlorophenyl phenyl ether	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
4-Nitroanlline	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
4-Nitrophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Acenaphthene	94000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Acenaphthylene	42000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Aniline	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Anthracene	240000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Azobenzene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Benzidine	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Benzo(a)anthracene	290000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Benzo(a)pyrene	240000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Benzo(b)fluoranthene	280000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Benzo(g,h,i)perylene	130000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Benzo(k)fluoranthene	82000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Benzoic acid	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Benzyl alcohol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Bis(2-chloroethyl)ether	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Bis(2-chloroisopropyl)ether	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Bis(2-ethylhexyl)phthalate	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Butyl benzyl phthalate	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Carbazole	64000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Chrysene	270000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Dibenzo(a,h)anthracene	31000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Dibenzofuran	100000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Diethyl phthalate	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Dimethyl phthalate	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Di-n-butyl phthalate	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Di-n-octyl phthalate	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Fluoranthene	760000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Fluorene	150000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Hexachlorobenzene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Hexachlorobutadiene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Hexachlorocyclopentadiene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Hexachloroethane	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Indeno(1,2,3-c,d)pyrene	140000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Isophorone	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Naphthalene	100000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Nitrobenzene	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
N-Nitrosodimethylamine	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
N-Nitrosodi-n-propylamine	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
N-Nitrosodiphenylamine	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Pentachlorophenol	U	400		µg/Kg	10	7/3/2003 11:34:00 PM
Phenanthrene	930000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Phenol	570	400		µg/Kg	10	7/3/2003 11:34:00 PM
Pyrene	690000	20000		µg/Kg	500	7/8/2003 6:27:00 PM
Pyridine	U	400		µg/Kg	10	7/3/2003 11:34:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Acenaphthene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Aniline	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Anthracene	47	40		µg/Kg	1	7/2/2003 11:54:00 PM
Azobenzene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzidine	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzo(a)anthracene	60	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzo(a)pyrene	49	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzo(b)fluoranthene	60	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzo(g,h,i)perylene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzo(k)fluoranthene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzoic acid	95	40		µg/Kg	1	7/2/2003 11:54:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Carbazole	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Chrysene	64	40		µg/Kg	1	7/2/2003 11:54:00 PM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Fluoranthene	160	40		µg/Kg	1	7/2/2003 11:54:00 PM
Fluorene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Indeno(1,2,3-c,d)pyrene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Isophorone	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Naphthalene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Phenanthrene	180	40		µg/Kg	1	7/2/2003 11:54:00 PM
Phenol	U	40		µg/Kg	1	7/2/2003 11:54:00 PM
Pyrene	150	40		µg/Kg	1	7/2/2003 11:54:00 PM
Pyridine	U	40		µg/Kg	1	7/2/2003 11:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2-Methylnaphthalene	100	40		µg/Kg	1	7/7/2003 3:41:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
3+4-Methylphenol	54	40		µg/Kg	1	7/7/2003 3:41:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Acenaphthene	180	40		µg/Kg	1	7/7/2003 3:41:00 PM
Acenaphthylene	89	40		µg/Kg	1	7/7/2003 3:41:00 PM
Aniline	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Anthracene	580	40		µg/Kg	1	7/7/2003 3:41:00 PM
Azobenzene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzidine	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzo(a)anthracene	1300	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzo(a)pyrene	1100	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzo(b)fluoranthene	1400	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzo(g,h,i)perylene	740	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzo(k)fluoranthene	520	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzoic acid	110	40		µg/Kg	1	7/7/2003 3:41:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Bis(2-ethylhexyl)phthalate	91	40		µg/Kg	1	7/7/2003 3:41:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Carbazole	170	40		µg/Kg	1	7/7/2003 3:41:00 PM
Chrysene	1300	40		µg/Kg	1	7/7/2003 3:41:00 PM
Dibenzo(a,h)anthracene	190	40		µg/Kg	1	7/7/2003 3:41:00 PM
Dibenzofuran	130	40		µg/Kg	1	7/7/2003 3:41:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Fluoranthene	3100	200		µg/Kg	5	7/8/2003 4:34:00 PM
Fluorene	230	40		µg/Kg	1	7/7/2003 3:41:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Indeno(1,2,3-c,d)pyrene	770	40		µg/Kg	1	7/7/2003 3:41:00 PM
Isophorone	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Naphthalene	150	40		µg/Kg	1	7/7/2003 3:41:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Phenanthrene	2300	40		µg/Kg	1	7/7/2003 3:41:00 PM
Phenol	U	40		µg/Kg	1	7/7/2003 3:41:00 PM
Pyrene	2600	40		µg/Kg	1	7/7/2003 3:41:00 PM
Pyridine	U	40		µg/Kg	1	7/7/2003 3:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2-Methylnaphthalene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2-Methylphenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Acenaphthene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Acenaphthylene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Aniline	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Anthracene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Azobenzene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzidine	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzo(a)anthracene	360	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzo(a)pyrene	400	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzo(b)fluoranthene	520	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzo(g,h,i)perylene	300	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzo(k)fluoranthene	150	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzoic acid	98	80		µg/Kg	2	7/7/2003 3:00:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Bis(2-chloroIsopropyl)ether	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Bis(2-ethylhexyl)phthalate	84	80		µg/Kg	2	7/7/2003 3:00:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Carbazole	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Chrysene	450	80		µg/Kg	2	7/7/2003 3:00:00 PM
Dibenzo(a,h)anthracene	82	80		µg/Kg	2	7/7/2003 3:00:00 PM
Dibenzofuran	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Fluoranthene	650	80		µg/Kg	2	7/7/2003 3:00:00 PM
Fluorene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Indeno(1,2,3-c,d)pyrene	280	80		µg/Kg	2	7/7/2003 3:00:00 PM
Isophorone	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Naphthalene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Phenanthrene	350	80		µg/Kg	2	7/7/2003 3:00:00 PM
Phenol	U	80		µg/Kg	2	7/7/2003 3:00:00 PM
Pyrene	640	80		µg/Kg	2	7/7/2003 3:00:00 PM
Pyridine	U	80		µg/Kg	2	7/7/2003 3:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2-Chloronaphthalene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2-Chlorophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2-Methylnaphthalene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2-Methylphenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2-Nitroaniline	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
2-Nitrophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
3,3´-Dichlorobenzidine	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
3+4-Methylphenol	62	40		µg/Kg	1	7/3/2003 1:35:00 AM
3-Nitroaniline	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
4-Chloroaniline	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
4-Nitroaniline	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
4-Nitrophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Acenaphthene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Acenaphthylene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Aniline	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Anthracene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Azobenzene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzidine	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzo(a)anthracene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzo(a)pyrene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzo(b)fluoranthene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzo(g,h,i)perylene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzo(k)fluoranthene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzoic acid	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Benzyl alcohol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Carbazole	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Chrysene	47	40		µg/Kg	1	7/3/2003 1:35:00 AM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Dibenzofuran	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Diethyl phthalate	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Dimethyl phthalate	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Fluoranthene	72	40		µg/Kg	1	7/3/2003 1:35:00 AM
Fluorene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Hexachlorobenzene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Hexachlorobutadiene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Hexachloroethane	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Indeno(1,2,3-c,d)pyrene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Isophorone	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Naphthalene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Nitrobenzene	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Pentachlorophenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Phenanthrene	59	40		µg/Kg	1	7/3/2003 1:35:00 AM
Phenol	U	40		µg/Kg	1	7/3/2003 1:35:00 AM
Pyrene	68	40		µg/Kg	1	7/3/2003 1:35:00 AM
Pyridine	U	40		µg/Kg	1	7/3/2003 1:35:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2-Methylnaphthalene	680	80		µg/Kg	2	7/3/2003 9:18:00 PM
2-Methylphenol	87	80		µg/Kg	2	7/3/2003 9:18:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
3,3´-Dichlorobenzidine	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Acenaphthene	1400	80		µg/Kg	2	7/3/2003 9:18:00 PM
Acenaphthylene	480	80		µg/Kg	2	7/3/2003 9:18:00 PM
Aniline	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Anthracene	3800	80		µg/Kg	2	7/3/2003 9:18:00 PM
Azobenzene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Benzidine	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Benzo(a)anthracene	8400	800		µg/Kg	20	7/7/2003 5:13:00 PM
Benzo(a)pyrene	7400	800		µg/Kg	20	7/7/2003 5:13:00 PM
Benzo(b)fluoranthene	8600	800		µg/Kg	20	7/7/2003 5:13:00 PM
Benzo(g,h,i)perylene	3900	80		µg/Kg	2	7/3/2003 9:18:00 PM
Benzo(k)fluoranthene	2500	80		µg/Kg	2	7/3/2003 9:18:00 PM
Benzoic acid	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Bis(2-ethylhexyl)phthalate	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Carbazole	1700	80		µg/Kg	2	7/3/2003 9:18:00 PM
Carbazole	1900	800		µg/Kg	20	7/7/2003 5:13:00 PM
Chrysene	8100	800		µg/Kg	20	7/7/2003 5:13:00 PM
Dibenzo(a,h)anthracene	1000	80		µg/Kg	2	7/3/2003 9:18:00 PM
Dibenzofuran	1500	80		µg/Kg	2	7/3/2003 9:18:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Fluoranthene	20000	800		µg/Kg	20	7/7/2003 5:13:00 PM
Fluorene	1800	80		µg/Kg	2	7/3/2003 9:18:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Indeno(1,2,3-c,d)pyrene	4100	80		µg/Kg	2	7/3/2003 9:18:00 PM
Isophorone	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Naphthalene	1400	80		µg/Kg	2	7/3/2003 9:18:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Phenanthrene	19000	800		µg/Kg	20	7/7/2003 5:13:00 PM
Phenol	U	80		µg/Kg	2	7/3/2003 9:18:00 PM
Pyrene	17000	800		µg/Kg	20	7/7/2003 5:13:00 PM
Pyridine	U	80		µg/Kg	2	7/3/2003 9:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
1,2-Dichlorobenzene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
1,3-Dichlorobenzene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
1,4-Dichlorobenzene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2,4,5-Trichlorophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2,4,6-Trichlorophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2,4-Dichlorophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2,4-Dimethylphenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2,4-Dinitrophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2,4-Dinitrotoluene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2,6-Dinitrotoluene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2-Chloronaphthalene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2-Chlorophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2-Methylnaphthalene	1500	320		µg/Kg	8	7/3/2003 10:49:00 PM
2-Methylphenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2-Nitroaniline	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
2-Nitrophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
3,3´-Dichlorobenzidine	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
3+4-Methylphenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
3-Nitroaniline	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
4,6-Dinitro-2-methylphenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
4-Bromophenyl phenyl ether	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
4-Chloro-3-methylphenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
4-Chloroaniline	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
4-Chlorophenyl phenyl ether	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
4-Nitroaniline	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
4-Nitrophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Acenaphthene	4000	320		µg/Kg	8	7/3/2003 10:49:00 PM
Acenaphthylene	580	320		µg/Kg	8	7/3/2003 10:49:00 PM
Aniline	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Anthracene	13000	320		µg/Kg	8	7/3/2003 10:49:00 PM
Azobenzene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Benzidine	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Benzo(a)anthracene	36000	3200		µg/Kg	80	7/8/2003 5:35:00 PM
Benzo(a)pyrene	32000	3200		µg/Kg	80	7/8/2003 5:35:00 PM
Benzo(b)fluoranthene	39000	3200		µg/Kg	80	7/8/2003 5:35:00 PM
Benzo(g,h,i)perylene	17000	320		µg/Kg	8	7/3/2003 10:49:00 PM
Benzo(k)fluoranthene	11000	320		µg/Kg	8	7/3/2003 10:49:00 PM
Benzoic acid	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Benzyl alcohol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Bis(2-chloroethyl)ether	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Bis(2-chloroisopropyl)ether	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Bis(2-ethylhexyl)phthalate	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Butyl benzyl phthalate	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Carbazole	4900	320		µg/Kg	8	7/3/2003 10:49:00 PM
Chrysene	37000	3200		µg/Kg	80	7/8/2003 5:35:00 PM
Dibenzo(a,h)anthracene	5500	320		µg/Kg	8	7/3/2003 10:49:00 PM
Dibenzofuran	4200	320		µg/Kg	8	7/3/2003 10:49:00 PM
Diethyl phthalate	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Dimethyl phthalate	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Di-n-butyl phthalate	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Di-n-octyl phthalate	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Fluoranthene	69000	3200		µg/Kg	80	7/8/2003 5:35:00 PM
Fluorene	5500	320		µg/Kg	8	7/3/2003 10:49:00 PM
Hexachlorobenzene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Hexachlorobutadiene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Hexachlorocyclopentadiene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Hexachloroethane	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Indeno(1,2,3-c,d)pyrene	19000	320		µg/Kg	8	7/3/2003 10:49:00 PM
Isophorone	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Naphthalene	3600	320		µg/Kg	8	7/3/2003 10:49:00 PM
Nitrobenzene	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
N-Nitrosodimethylamine	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
N-Nitrosodi-n-propylamine	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
N-Nitrosodiphenylamine	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Pentachlorophenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Phenanthrene	52000	3200		µg/Kg	80	7/8/2003 5:35:00 PM
Phenol	U	320		µg/Kg	8	7/3/2003 10:49:00 PM
Pyrene	65000	3200		µg/Kg	80	7/8/2003 5:35:00 PM
Pyridine	U	320		µg/Kg	8	7/3/2003 10:49:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2-Methylnaphthalene	41	40		µg/Kg	1	7/3/2003 2:05:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Acenaphthene	110	40		µg/Kg	1	7/3/2003 2:05:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Aniline	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Anthracene	310	40		µg/Kg	1	7/3/2003 2:05:00 PM
Azobenzene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzidine	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzo(a)anthracene	640	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzo(a)pyrene	590	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzo(b)fluoranthene	670	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzo(g,h,i)perylene	330	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzo(k)fluoranthene	270	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzoic acid	240	40		µg/Kg	1	7/3/2003 2:05:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Carbazole	120	40		µg/Kg	1	7/3/2003 2:05:00 PM
Chrysene	670	40		µg/Kg	1	7/3/2003 2:05:00 PM
Dibenzo(a,h)anthracene	100	40		µg/Kg	1	7/3/2003 2:05:00 PM
Dibenzofuran	94	40		µg/Kg	1	7/3/2003 2:05:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Fluoranthene	1200	40		µg/Kg	1	7/3/2003 2:05:00 PM
Fluorene	140	40		µg/Kg	1	7/3/2003 2:05:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Indeno(1,2,3-c,d)pyrene	340	40		µg/Kg	1	7/3/2003 2:05:00 PM
Isophorone	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Naphthalene	83	40		µg/Kg	1	7/3/2003 2:05:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Phenanthrene	1200	40		µg/Kg	1	7/3/2003 2:05:00 PM
Phenol	U	40		µg/Kg	1	7/3/2003 2:05:00 PM
Pyrene	1100	40		µg/Kg	1	7/3/2003 2:05:00 PM
Pyridine	U	40		µg/Kg	1	7/3/2003 2:05:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2-Methylnaphthalene	120	80		µg/Kg	2	7/3/2003 10:04:00 PM
2-Methylphenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Acenaphthene	450	80		µg/Kg	2	7/3/2003 10:04:00 PM
Acenaphthylene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Aniline	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Anthracene	1100	80		µg/Kg	2	7/3/2003 10:04:00 PM
Azobenzene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzidine	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzo(a)anthracene	2200	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzo(a)pyrene	1900	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzo(b)fluoranthene	2300	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzo(g,h,i)perylene	1300	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzo(k)fluoranthene	850	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzoic acid	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Bis(2-ethylhexyl)phthalate	130	80		µg/Kg	2	7/3/2003 10:04:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Carbazole	470	80		µg/Kg	2	7/3/2003 10:04:00 PM
Chrysene	2400	80		µg/Kg	2	7/3/2003 10:04:00 PM
Dibenzo(a,h)anthracene	320	80		µg/Kg	2	7/3/2003 10:04:00 PM
Dibenzofuran	240	80		µg/Kg	2	7/3/2003 10:04:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Fluoranthene	6400	400		µg/Kg	10	7/7/2003 5:56:00 PM
Fluorene	430	80		µg/Kg	2	7/3/2003 10:04:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Indeno(1,2,3-c,d)pyrene	1300	80		µg/Kg	2	7/3/2003 10:04:00 PM
Isophorone	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Naphthalene	100	80		µg/Kg	2	7/3/2003 10:04:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Phenanthrene	6600	400		µg/Kg	10	7/7/2003 5:56:00 PM
Phenol	U	80		µg/Kg	2	7/3/2003 10:04:00 PM
Pyrene	5100	80		µg/Kg	2	7/3/2003 10:04:00 PM
Pyridine	U	80		µg/Kg	2	7/3/2003 10:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2-Chloronaphthalene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2-Chlorophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2-Methylnaphthalene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2-Methylphenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2-Nitroaniline	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
2-Nitrophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
3,3´-Dichlorobenzidine	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
3+4-Methylphenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
3-Nitroaniline	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
4-Chloroaniline	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
4-Nitroaniline	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
4-Nitrophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Acenaphthene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Acenaphthylene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Aniline	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Anthracene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Azobenzene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzidine	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzo(a)anthracene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzo(a)pyrene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzo(b)fluoranthene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzo(g,h,i)perylene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzo(k)fluoranthene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzoic acid	120	40		µg/Kg	1	7/3/2003 2:25:00 AM
Benzyl alcohol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Carbazole	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Chrysene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Dibenzofuran	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Diethyl phthalate	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Dimethyl phthalate	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Fluoranthene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Fluorene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Hexachlorobenzene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Hexachlorobutadiene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Hexachloroethane	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Indeno(1,2,3-c,d)pyrene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Isophorone	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Naphthalene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Nitrobenzene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Pentachlorophenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Phenanthrene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Phenol	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Pyrene	U	40		µg/Kg	1	7/3/2003 2:25:00 AM
Pyridine	U	40		µg/Kg	1	7/3/2003 2:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Acenaphthene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Aniline	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Anthracene	89	40		µg/Kg	1	7/8/2003 8:54:00 PM
Azobenzene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzidine	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzo(a)anthracene	370	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzo(a)pyrene	340	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzo(b)fluoranthene	420	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzo(g,h,i)perylene	190	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzo(k)fluoranthene	140	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzoic acid	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Carbazole	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Chrysene	470	40		µg/Kg	1	7/8/2003 8:54:00 PM
Dibenzo(a,h)anthracene	50	40		µg/Kg	1	7/8/2003 8:54:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Fluoranthene	890	40		µg/Kg	1	7/8/2003 8:54:00 PM
Fluorene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Indeno(1,2,3-c,d)pyrene	200	40		µg/Kg	1	7/8/2003 8:54:00 PM
Isophorone	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Naphthalene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Phenanthrene	500	40		µg/Kg	1	7/8/2003 8:54:00 PM
Phenol	U	40		µg/Kg	1	7/8/2003 8:54:00 PM
Pyrene	820	40		µg/Kg	1	7/8/2003 8:54:00 PM
Pyridine	U	40		µg/Kg	1	7/8/2003 8:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
3+4-Methylphenol	42	40		µg/Kg	1	7/10/2003 9:12:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Acenaphthene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Aniline	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Anthracene	46	40		µg/Kg	1	7/10/2003 9:12:00 PM
Azobenzene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzidine	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzo(a)anthracene	310	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzo(a)pyrene	310	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzo(b)fluoranthene	430	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzo(g,h,i)perylene	200	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzo(k)fluoranthene	130	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzoic acid	160	40		µg/Kg	1	7/10/2003 9:12:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Carbazole	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Chrysene	410	40		µg/Kg	1	7/10/2003 9:12:00 PM
Dibenzo(a,h)anthracene	56	40		µg/Kg	1	7/10/2003 9:12:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Fluoranthene	710	40		µg/Kg	1	7/10/2003 9:12:00 PM
Fluorene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Indeno(1,2,3-c,d)pyrene	210	40		µg/Kg	1	7/10/2003 9:12:00 PM
Isophorone	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Naphthalene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Phenanthrene	340	40		µg/Kg	1	7/10/2003 9:12:00 PM
Phenol	U	40		µg/Kg	1	7/10/2003 9:12:00 PM
Pyrene	770	40		µg/Kg	1	7/10/2003 9:12:00 PM
Pyridine	U	40		µg/Kg	1	7/10/2003 9:12:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
1,4-Dichlorobenzene	55	40		µg/Kg	1	7/10/2003 9:58:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Acenaphthene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Aniline	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Anthracene	56	40		µg/Kg	1	7/10/2003 9:58:00 PM
Azobenzene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzidine	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzo(a)anthracene	240	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzo(a)pyrene	250	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzo(b)fluoranthene	320	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzo(g,h,i)perylene	220	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzo(k)fluoranthene	100	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzoic acid	84	40		µg/Kg	1	7/10/2003 9:58:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Carbazole	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Chrysene	260	40		µg/Kg	1	7/10/2003 9:58:00 PM
Dibenzo(a,h)anthracene	55	40		µg/Kg	1	7/10/2003 9:58:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Fluoranthene	400	40		µg/Kg	1	7/10/2003 9:58:00 PM
Fluorene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Indeno(1,2,3-c,d)pyrene	190	40		µg/Kg	1	7/10/2003 9:58:00 PM
Isophorone	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Naphthalene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Phenanthrene	180	40		µg/Kg	1	7/10/2003 9:58:00 PM
Phenol	U	40		µg/Kg	1	7/10/2003 9:58:00 PM
Pyrene	410	40		µg/Kg	1	7/10/2003 9:58:00 PM
Pyridine	U	40		µg/Kg	1	7/10/2003 9:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2-Chloronaphthalene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2-Chlorophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2-Methylnaphthalene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2-Methylphenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2-Nitroaniline	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
2-Nitrophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
3+4-Methylphenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
3-Nitroaniline	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
4-Chloroaniline	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
4-Nitroaniline	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
4-Nitrophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Acenaphthene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Acenaphthylene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Aniline	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Anthracene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Azobenzene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzidine	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzo(a)anthracene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzo(a)pyrene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzo(b)fluoranthene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzo(g,h,i)perylene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzo(k)fluoranthene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzoic acid	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Benzyl alcohol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Carbazole	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Chrysene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Dibenzofuran	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Diethyl phthalate	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Dimethyl phthalate	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Fluoranthene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Fluorene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Hexachlorobenzene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Hexachlorobutadiene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Hexachloroethane	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Indeno(1,2,3-c,d)pyrene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Isophorone	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Naphthalene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Nitrobenzene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Pentachlorophenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Phenanthrene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Phenol	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Pyrene	U	40		µg/Kg	1	7/9/2003 9:46:00 AM
Pyridine	U	40		µg/Kg	1	7/9/2003 9:46:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2-Chloronaphthalene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2-Chlorophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2-Methylnaphthalene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2-Methylphenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2-Nitroaniline	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
2-Nitrophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
3+4-Methylphenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
3-Nitroaniline	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
4-Chloroaniline	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
4-Nitroaniline	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
4-Nitrophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Acenaphthene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Acenaphthylene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Aniline	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Anthracene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Azobenzene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzidine	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzo(a)anthracene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzo(a)pyrene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzo(b)fluoranthene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzo(g,h,i)perylene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzo(k)fluoranthene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzoic acid	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Benzyl alcohol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Bis(2-ethylhexyl)phthalate	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Carbazole	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Chrysene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Dibenzo(a,h)anthracene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Dibenzofuran	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Diethyl phthalate	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Dimethyl phthalate	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Fluoranthene	59	40		µg/Kg	1	7/9/2003 10:26:00 AM
Fluorene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Hexachlorobenzene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Hexachlorobutadiene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Hexachloroethane	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Indeno(1,2,3-c,d)pyrene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Isophorone	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Naphthalene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Nitrobenzene	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Pentachlorophenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Phenanthrene	47	40		µg/Kg	1	7/9/2003 10:26:00 AM
Phenol	U	40		µg/Kg	1	7/9/2003 10:26:00 AM
Pyrene	60	40		µg/Kg	1	7/9/2003 10:26:00 AM
Pyridine	U	40		µg/Kg	1	7/9/2003 10:26:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
1,2-Dichlorobenzene	69	40		µg/Kg	1	7/10/2003 10:46:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2-Methylnaphthalene	250	40		µg/Kg	1	7/10/2003 10:46:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
3,3'-Dichlorobenzidine	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Acenaphthene	43	40		µg/Kg	1	7/10/2003 10:46:00 PM
Acenaphthylene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Aniline	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Anthracene	110	40		µg/Kg	1	7/10/2003 10:46:00 PM
Azobenzene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzidine	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzo(a)anthracene	460	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzo(a)pyrene	410	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzo(b)fluoranthene	590	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzo(g,h,i)perylene	440	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzo(k)fluoranthene	240	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzoic acid	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Bis(2-ethylhexyl)phthalate	690	40		µg/Kg	1	7/10/2003 10:46:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Carbazole	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Chrysene	540	40		µg/Kg	1	7/10/2003 10:46:00 PM
Dibenzo(a,h)anthracene	70	40		µg/Kg	1	7/10/2003 10:46:00 PM
Dibenzofuran	40	40		µg/Kg	1	7/10/2003 10:46:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Fluoranthene	730	40		µg/Kg	1	7/10/2003 10:46:00 PM
Fluorene	62	40		µg/Kg	1	7/10/2003 10:46:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Indeno(1,2,3-c,d)pyrene	330	40		µg/Kg	1	7/10/2003 10:46:00 PM
Isophorone	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Naphthalene	160	40		µg/Kg	1	7/10/2003 10:46:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Phenanthrene	510	40		µg/Kg	1	7/10/2003 10:46:00 PM
Phenol	U	40		µg/Kg	1	7/10/2003 10:46:00 PM
Pyrene	800	40		µg/Kg	1	7/10/2003 10:46:00 PM
Pyridine	U	40		µg/Kg	1	7/10/2003 10:46:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2-Chloronaphthalene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2-Chlorophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2-Methylnaphthalene	220	80		µg/Kg	2	7/10/2003 11:33:00 PM
2-Methylphenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2-Nitroaniline	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
2-Nitrophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
3+4-Methylphenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
3-Nitroaniline	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
4-Chloroaniline	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
4-Nitroaniline	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
4-Nitrophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Acenaphthene	550	80		µg/Kg	2	7/10/2003 11:33:00 PM
Acenaphthylene	200	80		µg/Kg	2	7/10/2003 11:33:00 PM
Aniline	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Anthracene	1400	80		µg/Kg	2	7/10/2003 11:33:00 PM
Azobenzene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzidine	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzo(a)anthracene	2700	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzo(a)pyrene	2200	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzo(b)fluoranthene	2800	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzo(g,h,i)perylene	1300	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzo(k)fluoranthene	720	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzoic acid	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Benzyl alcohol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Bis(2-ethylhexyl)phthalate	1100	80		µg/Kg	2	7/10/2003 11:33:00 PM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Carbazole	180	80		µg/Kg	2	7/10/2003 11:33:00 PM
Chrysene	2700	80		µg/Kg	2	7/10/2003 11:33:00 PM
Dibenzo(a,h)anthracene	370	80		µg/Kg	2	7/10/2003 11:33:00 PM
Dibenzofuran	300	80		µg/Kg	2	7/10/2003 11:33:00 PM
Diethyl phthalate	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Dimethyl phthalate	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Fluoranthene	5300	400		µg/Kg	10	7/11/2003 3:12:00 PM
Fluorene	460	80		µg/Kg	2	7/10/2003 11:33:00 PM
Hexachlorobenzene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Hexachlorobutadiene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Hexachloroethane	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Indeno(1,2,3-c,d)pyrene	1300	80		µg/Kg	2	7/10/2003 11:33:00 PM
Isophorone	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Naphthalene	200	80		µg/Kg	2	7/10/2003 11:33:00 PM
Nitrobenzene	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Pentachlorophenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Phenanthrene	2700	80		µg/Kg	2	7/10/2003 11:33:00 PM
Phenol	U	80		µg/Kg	2	7/10/2003 11:33:00 PM
Pyrene	5600	400		µg/Kg	10	7/11/2003 3:12:00 PM
Pyridine	U	80		µg/Kg	2	7/10/2003 11:33:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2-Chloronaphthalene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2-Chlorophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2-Methylnaphthalene	95	80		µg/Kg	2	7/11/2003 12:21:00 AM
2-Methylphenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2-Nitroaniline	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
2-Nitrophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
3+4-Methylphenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
3-Nitroaniline	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
4-Chloroaniline	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
4-Nitroaniline	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
4-Nitrophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Acenaphthene	570	80		µg/Kg	2	7/11/2003 12:21:00 AM
Acenaphthylene	300	80		µg/Kg	2	7/11/2003 12:21:00 AM
Aniline	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Anthracene	1600	80		µg/Kg	2	7/11/2003 12:21:00 AM
Azobenzene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzidine	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzo(a)anthracene	4600	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzo(a)pyrene	3800	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzo(b)fluoranthene	4200	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzo(g,h,i)perylene	2200	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzo(k)fluoranthene	1800	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzoic acid	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Benzyl alcohol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Bis(2-ethylhexyl)phthalate	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Carbazole	330	80		µg/Kg	2	7/11/2003 12:21:00 AM
Chrysene	4700	80		µg/Kg	2	7/11/2003 12:21:00 AM
Dibenzo(a,h)anthracene	620	80		µg/Kg	2	7/11/2003 12:21:00 AM
Dibenzofuran	290	80		µg/Kg	2	7/11/2003 12:21:00 AM
Diethyl phthalate	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Dimethyl phthalate	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Fluoranthene	8500	400		µg/Kg	10	7/11/2003 3:52:00 PM
Fluorene	460	80		µg/Kg	2	7/11/2003 12:21:00 AM
Hexachlorobenzene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Hexachlorobutadiene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Hexachloroethane	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Indeno(1,2,3-c,d)pyrene	2200	80		µg/Kg	2	7/11/2003 12:21:00 AM
Isophorone	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Naphthalene	190	80		µg/Kg	2	7/11/2003 12:21:00 AM
Nitrobenzene	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Pentachlorophenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Phenanthrene	4700	80		µg/Kg	2	7/11/2003 12:21:00 AM
Phenol	U	80		µg/Kg	2	7/11/2003 12:21:00 AM
Pyrene	8400	400		µg/Kg	10	7/11/2003 3:52:00 PM
Pyridine	U	80		µg/Kg	2	7/11/2003 12:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC PESTICIDE/PCB DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Chlordane	7.5	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 11:10:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 11:10:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	25	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
4,4'-DDE	27	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
4,4'-DDT	32	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Chlordane	67	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
DBCP	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Endrin	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 11:53:00 AM
Toxaphene	U	300		µg/Kg	1	7/4/2003 11:53:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Aldrin	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Chlordane	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
DBCP	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Endrin	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Isodrin	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/9/2003 8:59:00 PM
Toxaphene	U	300		µg/Kg	1	7/9/2003 8:59:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
DBCP	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Endrin	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 12:58:00 PM
Toxaphene	U	300		µg/Kg	1	7/4/2003 12:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
DBCP	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Endrin	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 1:41:00 PM
Toxaphene	U	300		µg/Kg	1	7/4/2003 1:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
beta-BHC	5	5.0	J	µg/Kg	1	7/8/2003 8:48:00 AM
Chlordane	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
DBCP	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Endrin	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 8:48:00 AM
Toxaphene	U	300		µg/Kg	1	7/8/2003 8:48:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Aldrin	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Chlordane	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
DBCP	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Endrin	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Heptachlor	8.0	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Isodrin	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/4/2003 2:24:00 PM
Toxaphene	U	300		µg/Kg	1	7/4/2003 2:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
B - Analyte detected in the associated Method Blank
* - Value exceeds Maximum Contaminant Level
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	150	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
4,4'-DDE	140	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
4,4'-DDT	29	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Chlordane	160	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
DBCP	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Endrin	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 9:31:00 AM
Toxaphene	U	300		µg/Kg	1	7/8/2003 9:31:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Chlordane	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
DBCP	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Endrin	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 10:13:00 AM
Toxaphene	U	300		µg/Kg	1	7/8/2003 10:13:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
4,4'-DDE	13	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
4,4'-DDT	19	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Chlordane	16	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
DBCP	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Endrin	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 10:56:00 AM
Toxaphene	U	300		µg/Kg	1	7/8/2003 10:56:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Aldrin	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Chlordane	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
DBCP	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Endrin	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Isodrin	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/8/2003 12:16:00 PM
Toxaphene	U	300		µg/Kg	1	7/8/2003 12:16:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Aldrin	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Chlordane	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
DBCP	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Endrin	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Isodrin	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/9/2003 10:25:00 PM
Toxaphene	U	300		µg/Kg	1	7/9/2003 10:25:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Aldrin	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Chlordane	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
DBCP	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Endrin	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Isodrin	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/9/2003 11:30:00 PM
Toxaphene	U	300		µg/Kg	1	7/9/2003 11:30:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Chlordane	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
DBCP	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Endrin	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 12:13:00 AM
Toxaphene	U	300		µg/Kg	1	7/10/2003 12:13:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Chlordane	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
DBCP	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Endrin	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 12:56:00 AM
Toxaphene	U	300		µg/Kg	1	7/10/2003 12:56:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Chlordane	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
DBCP	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Endrin	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 3:27:00 AM
Toxaphene	U	300		µg/Kg	1	7/10/2003 3:27:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Chlordane	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
DBCP	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Endrin	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 4:10:00 AM
Toxaphene	U	300		µg/Kg	1	7/10/2003 4:10:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	24	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
4,4'-DDE	17	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Chlordane	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
DBCP	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Endrin	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 4:53:00 AM
Toxaphene	U	300		µg/Kg	1	7/10/2003 4:53:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
4,4'-DDE	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
4,4'-DDT	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Chlordane	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
DBCP	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Endrin	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 5:58:00 AM
Toxaphene	U	300		µg/Kg	1	7/10/2003 5:58:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 10:35:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 10:35:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 10:35:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 10:35:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 10:35:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/9/2003 10:35:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/9/2003 10:35:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/9/2003 11:17:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/9/2003 11:17:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/9/2003 11:17:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/9/2003 11:17:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/9/2003 11:17:00 AM
Aroclor 1254	150	80		µg/Kg	1	7/9/2003 11:17:00 AM
Aroclor 1260	160	80		µg/Kg	1	7/9/2003 11:17:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 4:57:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 4:57:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 4:57:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 4:57:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 4:57:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 4:57:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 4:57:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 5:40:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 5:40:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 5:40:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 5:40:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 5:40:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 5:40:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 5:40:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 6:23:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 6:23:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 6:23:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 6:23:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 6:23:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 6:23:00 AM
Aroclor 1260	40	80	J	µg/Kg	1	7/11/2003 6:23:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 7:28:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 7:28:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 7:28:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 7:28:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 7:28:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 7:28:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 7:28:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 8:11:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 8:11:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 8:11:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 8:11:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 8:11:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 8:11:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 8:11:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 8:54:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 8:54:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 8:54:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 8:54:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 8:54:00 AM
Aroclor 1254	480	80		µg/Kg	1	7/11/2003 8:54:00 AM
Aroclor 1260	160	80		µg/Kg	1	7/11/2003 8:54:00 AM

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- * - Value exceeds Maximum Contaminant Level
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 10:38:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 10:38:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 10:38:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 10:38:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 10:38:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 10:38:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 10:38:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 11:21:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 11:21:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 11:21:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 11:21:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 11:21:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 11:21:00 AM
Aroclor 1260	50	80	J	µg/Kg	1	7/11/2003 11:21:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 12:04:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 12:04:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 12:04:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 12:04:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 12:04:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 12:04:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 12:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 4:14:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 4:14:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 4:14:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 4:14:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 4:14:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 4:14:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 4:14:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 4:56:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 4:56:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 4:56:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 4:56:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 4:56:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 4:56:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 4:56:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 5:39:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 5:39:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 5:39:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 5:39:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 5:39:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 5:39:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 5:39:00 PM

Qualifiers:

- ND - Not Detected at the Reporting Limit
- J - Analyte detected below quantitation limits
- B - Analyte detected in the associated Method Blank
- * - Value exceeds Maximum Contaminant Level
- S - Spike Recovery outside accepted recovery limits
- R - RPD outside accepted recovery limits
- E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 6:45:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 6:45:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 6:45:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 6:45:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 6:45:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 6:45:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 6:45:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 7:28:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 7:28:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 7:28:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 7:28:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 7:28:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 7:28:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 7:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 8:11:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 8:11:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 8:11:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 8:11:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 8:11:00 PM
Aroclor 1254	60	80	J	µg/Kg	1	7/11/2003 8:11:00 PM
Aroclor 1260	50	80	J	µg/Kg	1	7/11/2003 8:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 9:17:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 9:17:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 9:17:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 9:17:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 9:17:00 PM
Aroclor 1254	50	80	J	µg/Kg	1	7/11/2003 9:17:00 PM
Aroclor 1260	50	80	J	µg/Kg	1	7/11/2003 9:17:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/11/2003 10:00:00 PM
Aroclor 1221	U	80		µg/Kg	1	7/11/2003 10:00:00 PM
Aroclor 1232	U	80		µg/Kg	1	7/11/2003 10:00:00 PM
Aroclor 1242	U	80		µg/Kg	1	7/11/2003 10:00:00 PM
Aroclor 1248	U	80		µg/Kg	1	7/11/2003 10:00:00 PM
Aroclor 1254	U	80		µg/Kg	1	7/11/2003 10:00:00 PM
Aroclor 1260	U	80		µg/Kg	1	7/11/2003 10:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

INORGANIC DATA

RESULTS - INORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/25/2003
Lab ID:	0306117-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.094	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	5330	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Antimony	U	0.436		mg/Kg	1	7/3/2003 11:33:18 AM
Arsenic	5.14	0.436		mg/Kg	1	7/3/2003 11:33:18 AM
Barium	57.1	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Beryllium	U	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Cadmium	0.433	0.174		mg/Kg	1	7/3/2003 11:33:18 AM
Calcium	3540	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Chromium	10.3	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Cobalt	8.85	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Copper	36.6	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Iron	5490	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Lead	46.8	0.261		mg/Kg	1	7/3/2003 11:33:18 AM
Magnesium	380	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Manganese	219	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Nickel	11.3	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Potassium	761	1.22		mg/Kg	1	7/3/2003 11:33:18 AM
Selenium	U	0.436		mg/Kg	1	7/3/2003 11:33:18 AM
Silver	U	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Sodium	240	0.523		mg/Kg	1	7/3/2003 11:33:18 AM
Thallium	1.05	0.261		mg/Kg	1	7/3/2003 11:33:18 AM
Vanadium	14.1	0.348		mg/Kg	1	7/3/2003 11:33:18 AM
Zinc	98.1	0.348		mg/Kg	1	7/3/2003 11:33:18 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (5'-7')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.276	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2890	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Antimony	U	0.445		mg/Kg	1	7/3/2003 11:39:01 AM
Arsenic	9.33	0.445		mg/Kg	1	7/3/2003 11:39:01 AM
Barium	141	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Beryllium	U	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Cadmium	4.06	0.178		mg/Kg	1	7/3/2003 11:39:01 AM
Calcium	18100	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Chromium	21.3	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Cobalt	13.9	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Copper	86.8	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Iron	6350	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Lead	246	0.267		mg/Kg	1	7/3/2003 11:39:01 AM
Magnesium	412	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Manganese	189	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Nickel	19.1	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Potassium	1110	1.25		mg/Kg	1	7/3/2003 11:39:01 AM
Selenium	0.43	0.445	J	mg/Kg	1	7/3/2003 11:39:01 AM
Silver	0.26	0.356	J	mg/Kg	1	7/3/2003 11:39:01 AM
Sodium	359	0.534		mg/Kg	1	7/3/2003 11:39:01 AM
Thallium	0.869	0.267		mg/Kg	1	7/3/2003 11:39:01 AM
Vanadium	14.3	0.356		mg/Kg	1	7/3/2003 11:39:01 AM
Zinc	288	0.356		mg/Kg	1	7/3/2003 11:39:01 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B10 (9'-10')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-03B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	4230	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Antimony	U	0.456		mg/Kg	1	7/3/2003 11:42:13 AM
Arsenic	3.18	0.456		mg/Kg	1	7/3/2003 11:42:13 AM
Barium	39.5	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Beryllium	U	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Cadmium	U	0.182		mg/Kg	1	7/3/2003 11:42:13 AM
Calcium	5820	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Chromium	5.01	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Cobalt	6.16	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Copper	22.5	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Iron	3730	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Lead	3.12	0.274		mg/Kg	1	7/3/2003 11:42:13 AM
Magnesium	233	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Manganese	37.5	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Nickel	9.59	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Potassium	423	1.28		mg/Kg	1	7/3/2003 11:42:13 AM
Selenium	U	0.456		mg/Kg	1	7/3/2003 11:42:13 AM
Silver	U	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Sodium	402	0.547		mg/Kg	1	7/3/2003 11:42:13 AM
Thallium	0.994	0.274		mg/Kg	1	7/3/2003 11:42:13 AM
Vanadium	11.8	0.365		mg/Kg	1	7/3/2003 11:42:13 AM
Zinc	8.20	0.365		mg/Kg	1	7/3/2003 11:42:13 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (1.5-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-04B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	5430	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Antimony	U	0.490		mg/Kg	1	7/3/2003 11:44:37 AM
Arsenic	22.2	0.490		mg/Kg	1	7/3/2003 11:44:37 AM
Barium	162	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Beryllium	U	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Cadmium	2.33	0.196		mg/Kg	1	7/3/2003 11:44:37 AM
Calcium	6350	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Chromium	16.0	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Cobalt	12.3	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Copper	178	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Iron	6910	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Lead	161	0.294		mg/Kg	1	7/3/2003 11:44:37 AM
Magnesium	349	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Manganese	149	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Nickel	15.5	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Potassium	855	1.37		mg/Kg	1	7/3/2003 11:44:37 AM
Selenium	0.545	0.490		mg/Kg	1	7/3/2003 11:44:37 AM
Silver	U	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Sodium	341	0.588		mg/Kg	1	7/3/2003 11:44:37 AM
Thallium	1.71	0.294		mg/Kg	1	7/3/2003 11:44:37 AM
Vanadium	18.8	0.392		mg/Kg	1	7/3/2003 11:44:37 AM
Zinc	379	0.392		mg/Kg	1	7/3/2003 11:44:37 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9 (5'-6')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-05B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	0.31	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM
Antimony	U	0.458		mg/Kg	1	7/3/2003 11:53:08 AM
Arsenic	U	0.458		mg/Kg	1	7/3/2003 11:53:08 AM
Barium	0.407	0.366		mg/Kg	1	7/3/2003 11:53:08 AM
Beryllium	0.384	0.366		mg/Kg	1	7/3/2003 11:53:08 AM
Cadmium	0.344	0.183		mg/Kg	1	7/3/2003 11:53:08 AM
Calcium	0.421	0.366		mg/Kg	1	7/3/2003 11:53:08 AM
Chromium	0.31	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM
Cobalt	0.29	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM
Copper	0.33	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM
Iron	0.790	0.366		mg/Kg	1	7/3/2003 11:53:08 AM
Lead	U	0.275		mg/Kg	1	7/3/2003 11:53:08 AM
Magnesium	0.424	0.366		mg/Kg	1	7/3/2003 11:53:08 AM
Manganese	0.373	0.366		mg/Kg	1	7/3/2003 11:53:08 AM
Nickel	0.28	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM
Potassium	4.16	1.28		mg/Kg	1	7/3/2003 11:53:08 AM
Selenium	U	0.458		mg/Kg	1	7/3/2003 11:53:08 AM
Silver	0.36	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM
Sodium	0.18	0.549	J	mg/Kg	1	7/3/2003 11:53:08 AM
Thallium	0.522	0.275		mg/Kg	1	7/3/2003 11:53:08 AM
Vanadium	0.36	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM
Zinc	0.34	0.366	J	mg/Kg	1	7/3/2003 11:53:08 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (10'-11')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-07B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3660	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Antimony	U	0.421		mg/Kg	1	7/3/2003 11:55:49 AM
Arsenic	3.25	0.421		mg/Kg	1	7/3/2003 11:55:49 AM
Barium	70.9	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Beryllium	U	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Cadmium	U	0.168		mg/Kg	1	7/3/2003 11:55:49 AM
Calcium	19300	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Chromium	5.68	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Cobalt	5.61	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Copper	205	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Iron	3550	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Lead	22.4	0.253		mg/Kg	1	7/3/2003 11:55:49 AM
Magnesium	357	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Manganese	61.9	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Nickel	5.25	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Potassium	1180	1.18		mg/Kg	1	7/3/2003 11:55:49 AM
Selenium	U	0.421		mg/Kg	1	7/3/2003 11:55:49 AM
Silver	U	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Sodium	727	0.505		mg/Kg	1	7/3/2003 11:55:49 AM
Thallium	1.75	0.253		mg/Kg	1	7/3/2003 11:55:49 AM
Vanadium	9.89	0.337		mg/Kg	1	7/3/2003 11:55:49 AM
Zinc	24.7	0.337		mg/Kg	1	7/3/2003 11:55:49 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7 (6.5-7.5)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-08B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2060	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Antimony	U	0.443		mg/Kg	1	7/3/2003 11:58:32 AM
Arsenic	4.56	0.443		mg/Kg	1	7/3/2003 11:58:32 AM
Barium	42.9	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Beryllium	U	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Cadmium	0.199	0.177		mg/Kg	1	7/3/2003 11:58:32 AM
Calcium	20400	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Chromium	4.83	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Cobalt	7.64	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Copper	26.6	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Iron	5060	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Lead	220	0.266		mg/Kg	1	7/3/2003 11:58:32 AM
Magnesium	400	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Manganese	203	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Nickel	6.58	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Potassium	1090	1.24		mg/Kg	1	7/3/2003 11:58:32 AM
Selenium	1.04	0.443		mg/Kg	1	7/3/2003 11:58:32 AM
Silver	U	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Sodium	257	0.532		mg/Kg	1	7/3/2003 11:58:32 AM
Thallium	1.35	0.266		mg/Kg	1	7/3/2003 11:58:32 AM
Vanadium	12.5	0.355		mg/Kg	1	7/3/2003 11:58:32 AM
Zinc	59.9	0.355		mg/Kg	1	7/3/2003 11:58:32 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (1-3)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-09B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2840	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Antimony	3.67	0.440		mg/Kg	1	7/3/2003 12:00:56 PM
Arsenic	6.63	0.440		mg/Kg	1	7/3/2003 12:00:56 PM
Barium	153	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Beryllium	U	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Cadmium	3.46	0.176		mg/Kg	1	7/3/2003 12:00:56 PM
Calcium	6840	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Chromium	12.1	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Cobalt	8.77	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Copper	186	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Iron	5340	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Lead	969	0.264		mg/Kg	1	7/3/2003 12:00:56 PM
Magnesium	389	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Manganese	150	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Nickel	15.4	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Potassium	765	1.23		mg/Kg	1	7/3/2003 12:00:56 PM
Selenium	U	0.440		mg/Kg	1	7/3/2003 12:00:56 PM
Silver	0.26	0.352	J	mg/Kg	1	7/3/2003 12:00:56 PM
Sodium	234	0.528		mg/Kg	1	7/3/2003 12:00:56 PM
Thallium	0.870	0.264		mg/Kg	1	7/3/2003 12:00:56 PM
Vanadium	16.6	0.352		mg/Kg	1	7/3/2003 12:00:56 PM
Zinc	297	0.352		mg/Kg	1	7/3/2003 12:00:56 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B11 (7-9)
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-10B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.067	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	4020	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Antimony	U	0.421		mg/Kg	1	7/3/2003 12:03:46 PM
Arsenic	2.36	0.421		mg/Kg	1	7/3/2003 12:03:46 PM
Barium	40.2	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Beryllium	U	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Cadmium	1.72	0.168		mg/Kg	1	7/3/2003 12:03:46 PM
Calcium	1750	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Chromium	6.56	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Cobalt	7.76	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Copper	19.9	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Iron	4390	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Lead	45.1	0.253		mg/Kg	1	7/3/2003 12:03:46 PM
Magnesium	384	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Manganese	125	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Nickel	10.9	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Potassium	652	1.18		mg/Kg	1	7/3/2003 12:03:46 PM
Selenium	U	0.421		mg/Kg	1	7/3/2003 12:03:46 PM
Silver	U	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Sodium	163	0.505		mg/Kg	1	7/3/2003 12:03:46 PM
Thallium	0.817	0.253		mg/Kg	1	7/3/2003 12:03:46 PM
Vanadium	11.6	0.337		mg/Kg	1	7/3/2003 12:03:46 PM
Zinc	269	0.337		mg/Kg	1	7/3/2003 12:03:46 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-11B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.092	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	1930	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Antimony	6.12	0.436		mg/Kg	1	7/3/2003 12:06:09 PM
Arsenic	9.54	0.436		mg/Kg	1	7/3/2003 12:06:09 PM
Barium	97.4	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Beryllium	U	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Cadmium	0.476	0.174		mg/Kg	1	7/3/2003 12:06:09 PM
Calcium	6470	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Chromium	9.01	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Cobalt	14.4	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Copper	280	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Iron	6050	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Lead	1350	0.261		mg/Kg	1	7/3/2003 12:06:09 PM
Magnesium	285	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Manganese	198	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Nickel	13.4	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Potassium	651	1.22		mg/Kg	1	7/3/2003 12:06:09 PM
Selenium	U	0.436		mg/Kg	1	7/3/2003 12:06:09 PM
Silver	0.358	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Sodium	226	0.523		mg/Kg	1	7/3/2003 12:06:09 PM
Thallium	0.529	0.261		mg/Kg	1	7/3/2003 12:06:09 PM
Vanadium	11.7	0.348		mg/Kg	1	7/3/2003 12:06:09 PM
Zinc	315	0.348		mg/Kg	1	7/3/2003 12:06:09 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11 (7'-9')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-12B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	4560	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Antimony	U	0.463		mg/Kg	1	7/3/2003 12:08:45 PM
Arsenic	3.41	0.463		mg/Kg	1	7/3/2003 12:08:45 PM
Barium	14.8	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Beryllium	U	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Cadmium	U	0.185		mg/Kg	1	7/3/2003 12:08:45 PM
Calcium	2640	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Chromium	7.00	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Cobalt	8.01	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Copper	11.9	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Iron	5420	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Lead	8.70	0.278		mg/Kg	1	7/3/2003 12:08:45 PM
Magnesium	417	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Manganese	209	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Nickel	7.17	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Potassium	743	1.30		mg/Kg	1	7/3/2003 12:08:45 PM
Selenium	U	0.463		mg/Kg	1	7/3/2003 12:08:45 PM
Silver	U	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Sodium	130	0.556		mg/Kg	1	7/3/2003 12:08:45 PM
Thallium	1.75	0.278		mg/Kg	1	7/3/2003 12:08:45 PM
Vanadium	13.1	0.370		mg/Kg	1	7/3/2003 12:08:45 PM
Zinc	30.4	0.370		mg/Kg	1	7/3/2003 12:08:45 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (3'-4')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-13B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.056	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	6160	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Antimony	U	0.443		mg/Kg	1	7/3/2003 12:11:16 PM
Arsenic	3.90	0.443		mg/Kg	1	7/3/2003 12:11:16 PM
Barium	33.8	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Beryllium	U	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Cadmium	U	0.177		mg/Kg	1	7/3/2003 12:11:16 PM
Calcium	674	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Chromium	10.2	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Cobalt	13.4	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Copper	12.6	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Iron	6270	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Lead	21.7	0.266		mg/Kg	1	7/3/2003 12:11:16 PM
Magnesium	425	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Manganese	181	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Nickel	13.8	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Potassium	975	1.24		mg/Kg	1	7/3/2003 12:11:16 PM
Selenium	U	0.443		mg/Kg	1	7/3/2003 12:11:16 PM
Silver	U	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Sodium	134	0.532		mg/Kg	1	7/3/2003 12:11:16 PM
Thallium	1.67	0.266		mg/Kg	1	7/3/2003 12:11:16 PM
Vanadium	16.2	0.355		mg/Kg	1	7/3/2003 12:11:16 PM
Zinc	62.0	0.355		mg/Kg	1	7/3/2003 12:11:16 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-14B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.068	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	5360	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Antimony	U	0.436		mg/Kg	1	7/3/2003 12:13:57 PM
Arsenic	3.63	0.436		mg/Kg	1	7/3/2003 12:13:57 PM
Barium	23.5	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Beryllium	U	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Cadmium	U	0.174		mg/Kg	1	7/3/2003 12:13:57 PM
Calcium	914	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Chromium	8.81	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Cobalt	9.13	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Copper	9.57	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Iron	5780	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Lead	14.8	0.261		mg/Kg	1	7/3/2003 12:13:57 PM
Magnesium	405	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Manganese	238	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Nickel	9.25	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Potassium	563	1.22		mg/Kg	1	7/3/2003 12:13:57 PM
Selenium	U	0.436		mg/Kg	1	7/3/2003 12:13:57 PM
Silver	U	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Sodium	117	0.523		mg/Kg	1	7/3/2003 12:13:57 PM
Thallium	1.59	0.261		mg/Kg	1	7/3/2003 12:13:57 PM
Vanadium	14.1	0.348		mg/Kg	1	7/3/2003 12:13:57 PM
Zinc	31.7	0.348		mg/Kg	1	7/3/2003 12:13:57 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (2'-3.5')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-15B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.422	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2810	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Antimony	U	0.470		mg/Kg	1	7/3/2003 12:16:18 PM
Arsenic	3.89	0.470		mg/Kg	1	7/3/2003 12:16:18 PM
Barium	518	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Beryllium	U	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Cadmium	1.66	0.188		mg/Kg	1	7/3/2003 12:16:18 PM
Calcium	23300	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Chromium	20.2	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Cobalt	8.48	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Copper	71.7	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Iron	6050	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Lead	1870	0.282		mg/Kg	1	7/3/2003 12:16:18 PM
Magnesium	377	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Manganese	145	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Nickel	5.71	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Potassium	1100	1.32		mg/Kg	1	7/3/2003 12:16:18 PM
Selenium	U	0.470		mg/Kg	1	7/3/2003 12:16:18 PM
Silver	0.456	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Sodium	250	0.564		mg/Kg	1	7/3/2003 12:16:18 PM
Thallium	1.66	0.282		mg/Kg	1	7/3/2003 12:16:18 PM
Vanadium	10.3	0.376		mg/Kg	1	7/3/2003 12:16:18 PM
Zinc	586	0.376		mg/Kg	1	7/3/2003 12:16:18 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B14 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-16B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	6140	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Antimony	U	0.468		mg/Kg	1	7/3/2003 12:28:52 PM
Arsenic	2.91	0.468		mg/Kg	1	7/3/2003 12:28:52 PM
Barium	28.0	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Beryllium	U	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Cadmium	0.505	0.187		mg/Kg	1	7/3/2003 12:28:52 PM
Calcium	785	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Chromium	10.2	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Cobalt	10.5	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Copper	18.7	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Iron	6080	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Lead	14.1	0.281		mg/Kg	1	7/3/2003 12:28:52 PM
Magnesium	436	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Manganese	100	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Nickel	17.0	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Potassium	792	1.31		mg/Kg	1	7/3/2003 12:28:52 PM
Selenium	U	0.468		mg/Kg	1	7/3/2003 12:28:52 PM
Silver	U	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Sodium	146	0.562		mg/Kg	1	7/3/2003 12:28:52 PM
Thallium	1.29	0.281		mg/Kg	1	7/3/2003 12:28:52 PM
Vanadium	14.0	0.375		mg/Kg	1	7/3/2003 12:28:52 PM
Zinc	99.1	0.375		mg/Kg	1	7/3/2003 12:28:52 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (8.0'-9.0')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-17B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	3950	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Antimony	U	0.475		mg/Kg	1	7/3/2003 12:31:45 PM
Arsenic	2.94	0.475		mg/Kg	1	7/3/2003 12:31:45 PM
Barium	17.2	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Beryllium	U	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Cadmium	U	0.190		mg/Kg	1	7/3/2003 12:31:45 PM
Calcium	588	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Chromium	6.77	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Cobalt	7.84	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Copper	13.8	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Iron	5750	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Lead	8.13	0.285		mg/Kg	1	7/3/2003 12:31:45 PM
Magnesium	417	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Manganese	183	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Nickel	9.51	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Potassium	484	1.33		mg/Kg	1	7/3/2003 12:31:45 PM
Selenium	U	0.475		mg/Kg	1	7/3/2003 12:31:45 PM
Silver	U	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Sodium	139	0.570		mg/Kg	1	7/3/2003 12:31:45 PM
Thallium	0.924	0.285		mg/Kg	1	7/3/2003 12:31:45 PM
Vanadium	10.4	0.380		mg/Kg	1	7/3/2003 12:31:45 PM
Zinc	29.9	0.380		mg/Kg	1	7/3/2003 12:31:45 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	B15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-18B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	6730	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Antimony	U	0.479		mg/Kg	1	7/3/2003 12:34:35 PM
Arsenic	10.5	0.479		mg/Kg	1	7/3/2003 12:34:35 PM
Barium	218	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Beryllium	4.02	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Cadmium	U	0.192		mg/Kg	1	7/3/2003 12:34:35 PM
Calcium	13200	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Chromium	68.3	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Cobalt	54.7	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Copper	598	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Iron	7940	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Lead	397	0.287		mg/Kg	1	7/3/2003 12:34:35 PM
Magnesium	416	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Manganese	246	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Nickel	72.6	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Potassium	1400	1.34		mg/Kg	1	7/3/2003 12:34:35 PM
Selenium	U	0.479		mg/Kg	1	7/3/2003 12:34:35 PM
Silver	U	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Sodium	546	0.575		mg/Kg	1	7/3/2003 12:34:35 PM
Thallium	U	0.287		mg/Kg	1	7/3/2003 12:34:35 PM
Vanadium	21.3	0.383		mg/Kg	1	7/3/2003 12:34:35 PM
Zinc	1230	0.383		mg/Kg	1	7/3/2003 12:34:35 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (0.5'-2')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-19B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2670	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Antimony	U	0.451		mg/Kg	1	7/3/2003 12:37:29 PM
Arsenic	6.54	0.451		mg/Kg	1	7/3/2003 12:37:29 PM
Barium	111	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Beryllium	U	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Cadmium	0.198	0.181		mg/Kg	1	7/3/2003 12:37:29 PM
Calcium	23400	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Chromium	6.32	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Cobalt	6.70	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Copper	39.1	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Iron	5330	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Lead	178	0.271		mg/Kg	1	7/3/2003 12:37:29 PM
Magnesium	408	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Manganese	139	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Nickel	6.64	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Potassium	943	1.26		mg/Kg	1	7/3/2003 12:37:29 PM
Selenium	U	0.451		mg/Kg	1	7/3/2003 12:37:29 PM
Silver	U	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Sodium	347	0.542		mg/Kg	1	7/3/2003 12:37:29 PM
Thallium	1.77	0.271		mg/Kg	1	7/3/2003 12:37:29 PM
Vanadium	10.3	0.361		mg/Kg	1	7/3/2003 12:37:29 PM
Zinc	121	0.361		mg/Kg	1	7/3/2003 12:37:29 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15 (6'-8')
Lab Order:	0306117	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306117-20B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.846	0.0500		mg/Kg	1	7/3/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	2620	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Antimony	U	0.460		mg/Kg	1	7/3/2003 12:40:26 PM
Arsenic	8.55	0.460		mg/Kg	1	7/3/2003 12:40:26 PM
Barium	46.2	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Beryllium	U	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Cadmium	0.12	0.184	J	mg/Kg	1	7/3/2003 12:40:26 PM
Calcium	2340	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Chromium	6.86	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Cobalt	10.7	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Copper	28.6	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Iron	6290	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Lead	178	0.276		mg/Kg	1	7/3/2003 12:40:26 PM
Magnesium	415	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Manganese	147	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Nickel	14.4	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Potassium	534	1.29		mg/Kg	1	7/3/2003 12:40:26 PM
Selenium	U	0.460		mg/Kg	1	7/3/2003 12:40:26 PM
Silver	U	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Sodium	202	0.551		mg/Kg	1	7/3/2003 12:40:26 PM
Thallium	1.17	0.276		mg/Kg	1	7/3/2003 12:40:26 PM
Vanadium	10.7	0.368		mg/Kg	1	7/3/2003 12:40:26 PM
Zinc	71.6	0.368		mg/Kg	1	7/3/2003 12:40:26 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Appendix

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: **PSB070203** SampType: **MBLK** TestCode: **8081_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM QU_030703A**
Client ID: **ZZZZZ** Batch ID: **1431** TestNo: **SW8081B** **(SW3550)** Analysis Date: **7/8/2003** SeqNo: **25252**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: **PSB070303** SampType: **MBLK** TestCode: **8081_Soil** Units: **µg/Kg** Prep Date: **7/3/2003** Run ID: **SYSTEM QU_030709E**
Client ID: **ZZZZZ** Batch ID: **1446** TestNo: **SW8081B** **(SW3550)** Analysis Date: **7/9/2003** SeqNo: **25527**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: PSB070303	SampType: MBLK	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030709E
Client ID: ZZZZZ	Batch ID: 1446	TestNo: SW8081B	(SW3550)	Analysis Date: 7/9/2003	SeqNo: 25527

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: PSB070203	SampType: MBLK	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25645

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: **PSB070203**	SampType: **MBLK**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/2/2003**	Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ**	Batch ID: **1431**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/8/2003**	SeqNo: **25645**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: **PSB070303**	SampType: **MBLK**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ**	Batch ID: **1446**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/9/2003**	SeqNo: **25660**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									
4,4´-DDE	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: PSB070303	SampType: MBLK	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1446	TestNo: SW8081B	(SW3550)	Analysis Date: 7/9/2003	SeqNo: 25660

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: MSB070203	SampType: LCS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25657

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	17.74	5.0	16.65	0	107	69	130	0	0		
Aldrin	6.054	5.0	6.66	0	90.9	66	128	0	0		
Dieldrin	16.9	5.0	16.65	0	102	67	126	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: MSB070203	SampType: LCS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25657

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Endrin	18.47	5.0	16.65	0	111	72	124	0	0		
gamma-BHC	6.487	5.0	6.66	0	97.4	68	122	0	0		
Heptachlor	7.817	5.0	6.66	0	117	64	130	0	0		

Sample ID: MSB070303	SampType: LCS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030703B
Client ID: ZZZZZ	Batch ID: 1446	TestNo: SW8081B	(SW3550)	Analysis Date: 7/10/2003	SeqNo: 25671

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	21.42	5.0	16.65	0	129	69	130	0	0		
Aldrin	6.377	5.0	6.66	0	95.8	66	128	0	0		
Dieldrin	21.88	5.0	16.65	0	131	67	126	0	0		S
Endrin	26.44	5.0	16.65	0	159	72	124	0	0		S
gamma-BHC	6.707	5.0	6.66	0	101	68	122	0	0		
Heptachlor	6.757	5.0	6.66	0	101	64	130	0	0		

Sample ID: 0306117-03BMS	SampType: MS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: B10 (9'-10')	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25658

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	15.03	5.0	16.65	0	90.3	69	130	0	0		
Aldrin	6.163	5.0	6.66	0	92.5	66	128	0	0		
Dieldrin	14.33	5.0	16.65	0	86	67	126	0	0		
Endrin	15.28	5.0	16.65	0	91.8	72	124	0	0		
gamma-BHC	5.214	5.0	6.66	0	78.3	68	122	0	0		
Heptachlor	6.094	5.0	6.66	0	91.5	64	130	0	0		

Sample ID: 0306117-16BMS	SampType: MS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030703B
Client ID: B14 (6'-8')	Batch ID: 1446	TestNo: SW8081B	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25672

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	14.93	5.0	16.65	0	89.7	69	130	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: 0306117-16BMS	SampType: MS	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030703B
Client ID: B14 (6'-8')	Batch ID: 1446	TestNo: SW8081B	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25672

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aldrin	5.565	5.0	6.66	0	83.6	66	128	0	0		
Dieldrin	14.93	5.0	16.65	0	89.7	67	126	0	0		
Endrin	17.82	5.0	16.65	0	107	72	124	0	0		
gamma-BHC	5.166	5.0	6.66	0	77.6	68	122	0	0		
Heptachlor	6.34	5.0	6.66	0	95.2	64	130	0	0		

Sample ID: 0306117-03BMSD	SampType: MSD	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030703B
Client ID: B10 (9'-10')	Batch ID: 1431	TestNo: SW8081B	(SW3550)	Analysis Date: 7/8/2003	SeqNo: 25659

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	17.21	5.0	16.65	0	103	69	130	15.03	13.5	20	
Aldrin	6.247	5.0	6.66	0	93.8	66	128	6.163	1.35	20	
Dieldrin	15.47	5.0	16.65	0	92.9	67	126	14.33	7.67	20	
Endrin	18.49	5.0	16.65	0	111	72	124	15.28	19.0	20	
gamma-BHC	5.696	5.0	6.66	0	85.5	68	122	5.214	8.84	20	
Heptachlor	6.866	5.0	6.66	0	103	64	130	6.094	11.9	20	

Sample ID: 0306117-16BMSD	SampType: MSD	TestCode: 8081_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030703B
Client ID: B14 (6'-8')	Batch ID: 1446	TestNo: SW8081B	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25673

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	19.66	5.0	16.65	0	118	69	130	14.93	27.3	20	R
Aldrin	6.82	5.0	6.66	0	102	66	128	5.565	20.3	20	R
Dieldrin	19.76	5.0	16.65	0	119	67	126	14.93	27.9	20	R
Endrin	23.73	5.0	16.65	0	143	72	124	17.82	28.4	20	SR
gamma-BHC	6.284	5.0	6.66	0	94.4	68	122	5.166	19.5	20	
Heptachlor	7.451	5.0	6.66	0	112	64	130	6.34	16.1	20	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: **PSB070303** SampType: **MBLK** TestCode: **8082_Soil** Units: **µg/Kg** Prep Date: **7/3/2003** Run ID: **SYSTEM QU_030707A**
Client ID: **ZZZZZ** Batch ID: **1445** TestNo: **SW8082A** **(SW3550)** Analysis Date: **7/8/2003** SeqNo: **25043**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: **PSB070203** SampType: **MBLK** TestCode: **8082_Soil** Units: **µg/Kg** Prep Date: **7/2/2003** Run ID: **SYSTEM QU_030707B**
Client ID: **ZZZZZ** Batch ID: **1429** TestNo: **SW8082A** **(SW3550)** Analysis Date: **7/9/2003** SeqNo: **25422**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: **PSB070303** SampType: **MBLK** TestCode: **8082_Soil** Units: **µg/Kg** Prep Date: **7/3/2003** Run ID: **SYSTEM QU_030709F**
Client ID: **ZZZZZ** Batch ID: **1445** TestNo: **SW8082A** **(SW3550)** Analysis Date: **7/11/2003** SeqNo: **25530**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: PSB070203	SampType: MBLK	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030707C
Client ID: ZZZZZ	Batch ID: 1429	TestNo: SW8082A	(SW3550)	Analysis Date: 7/9/2003	SeqNo: 25722

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: PSB070303	SampType: MBLK	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030707C
Client ID: ZZZZZ	Batch ID: 1445	TestNo: SW8082A	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25746

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: MSB070203	SampType: LCS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030707C
Client ID: ZZZZZ	Batch ID: 1429	TestNo: SW8082A	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25743

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	147.2	80	166.5	0	88.4	59	122	0	0		
Aroclor 1260	162.1	80	166.5	0	97.4	57	121	0	0		

Sample ID: MSB070303	SampType: LCS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030707C
Client ID: ZZZZZ	Batch ID: 1445	TestNo: SW8082A	(SW3550)	Analysis Date: 7/12/2003	SeqNo: 25755

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: MSB070303	SampType: LCS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030707C
Client ID: ZZZZZ	Batch ID: 1445	TestNo: SW8082A	(SW3550)	Analysis Date: 7/12/2003	SeqNo: 25755

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	131.4	80	166.5	0	78.9	59	122	0	0		
Aroclor 1260	141.4	80	166.5	0	84.9	57	121	0	0		

Sample ID: 0306117-01BMS	SampType: MS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030707C
Client ID: MW10 (5'-7')	Batch ID: 1429	TestNo: SW8082A	(SW3550)	Analysis Date: 7/11/2003	SeqNo: 25744

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	189.1	80	166.5	0	114	59	122	0	0		
Aroclor 1260	193.5	80	166.5	0	116	57	121	0	0		

Sample ID: 0306117-17BMS	SampType: MS	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030707C
Client ID: B15 (8.0'-9.0')	Batch ID: 1445	TestNo: SW8082A	(SW3550)	Analysis Date: 7/12/2003	SeqNo: 25756

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	228.2	80	166.5	0	137	59	122	0	0		S
Aroclor 1260	254.3	80	166.5	0	153	57	121	0	0		S

Sample ID: 0306117-01BMSD	SampType: MSD	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM QU_030707C
Client ID: MW10 (5'-7')	Batch ID: 1429	TestNo: SW8082A	(SW3550)	Analysis Date: 7/12/2003	SeqNo: 25745

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	291.3	80	166.5	0	175	59	122	189.1	42.6	20	SR
Aroclor 1260	315.2	80	166.5	0	189	57	121	193.5	47.9	20	SR

Sample ID: 0306117-17BMSD	SampType: MSD	TestCode: 8082_Soil	Units: µg/Kg	Prep Date: 7/3/2003	Run ID: SYSTEM QU_030707C
Client ID: B15 (8.0'-9.0')	Batch ID: 1445	TestNo: SW8082A	(SW3550)	Analysis Date: 7/12/2003	SeqNo: 25757

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	367.2	80	166.5	0	221	59	122	228.2	46.7	20	SR
Aroclor 1260	401.1	80	166.5	0	241	57	121	254.3	44.8	20	SR

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25216

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25216

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030701B
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25216

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: SSB070803 A	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/8/2003	SeqNo: 25397

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803 A	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/8/2003	SeqNo: 25397

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803 A	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/8/2003	SeqNo: 25397

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25537

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: **SSB070203**	SampType: **MBLK**	TestCode: **8270_Soil**	Units: **µg/Kg**	Prep Date: **7/2/2003**	Run ID: **SYSTEM T_030702A**
Client ID: **ZZZZZ**	Batch ID: **1428**	TestNo: **SW8270D**	**(SW3550A)**	Analysis Date: **7/3/2003**	SeqNo: **25537**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25537

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070203	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/3/2003	SeqNo: 25537

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: SSB070803B	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/9/2003	SeqNo: 25556

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803B	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/9/2003	SeqNo: 25556

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803B	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/9/2003	SeqNo: 25556

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: LCS070203	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25533

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	541.2	40	666	0	81.3	53	123	0	0		
1,4-Dichlorobenzene	513.2	40	666	0	77.1	41.5	114	0	0		
2,4-Dinitrotoluene	420.5	40	666	0	63.1	48	85.2	0	0		
2-Chlorophenol	534.2	40	666	0	80.2	52	113	0	0		
4-Chloro-3-methylphenol	538.8	40	666	0	80.9	50.3	111	0	0		
4-Nitrophenol	462.2	40	666	0	69.4	41.6	108	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit; S - Spike Recovery outside accepted recovery limits; B - Analyte detected in the associated Method Blank
J - Analyte detected below quantitation limits; R - RPD outside accepted recovery limits

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: LCS070203	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25533

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	497	40	666	0	74.6	43.6	113	0	0		
N-Nitrosodi-n-propylamine	521.8	40	666	0	78.4	42	120	0	0		
Pentachlorophenol	445.3	40	666	0	66.9	38.6	109	0	0		
Phenol	511.9	40	666	0	76.9	44.8	113	0	0		
Pyrene	629.8	40	666	0	94.6	46.2	104	0	0		

Sample ID: LCS070803	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/10/2003	SeqNo: 25557

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	452.7	40	666	0	68	53	123	0	0		
1,4-Dichlorobenzene	445.3	40	666	0	66.9	41.5	114	0	0		
2,4-Dinitrotoluene	328.4	40	666	0	49.3	48	85.2	0	0		
2-Chlorophenol	449.8	40	666	0	67.5	52	113	0	0		
4-Chloro-3-methylphenol	440.4	40	666	0	66.1	50.3	111	0	0		
4-Nitrophenol	379.2	40	666	0	56.9	41.6	108	0	0		
Acenaphthene	455.6	40	666	0	68.4	43.6	113	0	0		
N-Nitrosodi-n-propylamine	443.4	40	666	0	66.6	42	120	0	0		
Pentachlorophenol	404.1	40	666	0	60.7	38.6	109	0	0		
Phenol	462.4	40	666	0	69.4	44.8	113	0	0		
Pyrene	510.9	40	666	0	76.7	46.2	104	0	0		

Sample ID: 0306117-03B MS	SampType: MS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: B10 (9'-10')	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25534

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	422.8	40	666	0	63.5	53	123	0	0		
1,4-Dichlorobenzene	390.4	40	666	0	58.6	41.5	114	0	0		
2,4-Dinitrotoluene	448.2	40	666	0	67.3	48	85.2	0	0		
2-Chlorophenol	424.9	40	666	0	63.8	52	113	0	0		
4-Chloro-3-methylphenol	573.7	40	666	0	86.1	50.3	111	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: 0306117-03B MS	SampType: MS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: B10 (9'-10')	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25534

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Nitrophenol	500.5	40	666	0	75.1	41.6	108	0	0		
Acenaphthene	493.8	40	666	0	74.2	43.6	113	0	0		
N-Nitrosodi-n-propylamine	413.7	40	666	0	62.1	42	120	0	0		
Pentachlorophenol	537.7	40	666	0	80.7	38.6	109	0	0		
Phenol	426.9	40	666	0	64.1	44.8	113	0	0		
Pyrene	665.6	40	666	0	99.9	46.2	104	0	0		

Sample ID: 0306117-17B MS	SampType: MS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: B15 (8.0'-9.0')	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/10/2003	SeqNo: 25558

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	473.8	40	666	0	71.1	53	123	0	0		
1,4-Dichlorobenzene	414.4	40	666	0	62.2	41.5	114	0	0		
2,4-Dinitrotoluene	387.7	40	666	0	58.2	48	85.2	0	0		
2-Chlorophenol	423.4	40	666	0	63.6	52	113	0	0		
4-Chloro-3-methylphenol	478.8	40	666	0	71.9	50.3	111	0	0		
4-Nitrophenol	411.7	40	666	0	61.8	41.6	108	0	0		
Acenaphthene	441.2	40	666	0	66.2	43.6	113	0	0		
N-Nitrosodi-n-propylamine	421.5	40	666	0	63.3	42	120	0	0		
Pentachlorophenol	461.6	40	666	0	69.3	38.6	109	0	0		
Phenol	454.2	40	666	0	68.2	44.8	113	0	0		
Pyrene	688.5	40	666	0	103	46.2	104	0	0		

Sample ID: 0306117-03B MSD	SampType: MSD	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: B10 (9'-10')	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25535

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	478.3	40	666	0	71.8	53	123	0	0		
1,4-Dichlorobenzene	462	40	666	0	69.4	41.5	114	0	0		
2,4-Dinitrotoluene	406.6	40	666	0	61.1	48	85.2	0	0		
2-Chlorophenol	462.4	40	666	0	69.4	52	113	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: 0306117-03B MSD	SampType: MSD	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/2/2003	Run ID: SYSTEM T_030702A
Client ID: B10 (9'-10')	Batch ID: 1428	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/2/2003	SeqNo: 25535

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4-Chloro-3-methylphenol	526.8	40	666	0	79.1	50.3	111	0	0		
4-Nitrophenol	462.1	40	666	0	69.4	41.6	108	0	0		
Acenaphthene	476.8	40	666	0	71.6	43.6	113	0	0		
N-Nitrosodi-n-propylamine	448.1	40	666	0	67.3	42	120	0	0		
Pentachlorophenol	507	40	666	0	76.1	38.6	109	0	0		
Phenol	473.6	40	666	0	71.1	44.8	113	0	0		
Pyrene	610.7	40	666	0	91.7	46.2	104	0	0		

Sample ID: 0306117-17B MSD	SampType: MSD	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: B15 (8.0'-9.0')	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/10/2003	SeqNo: 25559

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	411.1	40	666	0	61.7	53	123	0	0		
1,4-Dichlorobenzene	409.2	40	666	0	61.4	41.5	114	0	0		
2,4-Dinitrotoluene	406.4	40	666	0	61	48	85.2	0	0		
2-Chlorophenol	493.4	40	666	0	74.1	52	113	0	0		
4-Chloro-3-methylphenol	499.3	40	666	0	75	50.3	111	0	0		
4-Nitrophenol	417	40	666	0	62.6	41.6	108	0	0		
Acenaphthene	461.5	40	666	0	69.3	43.6	113	0	0		
N-Nitrosodi-n-propylamine	485.3	40	666	0	72.9	42	120	0	0		
Pentachlorophenol	458.7	40	666	0	68.9	38.6	109	0	0		
Phenol	443.8	40	666	0	66.6	44.8	113	0	0		
Pyrene	698.9	40	666	0	105	46.2	104	0	0		S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070203**	SampType: **MBLK**	TestCode: **Full8260_Soil**	Units: **µg/Kg**	Prep Date:	Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ**	Batch ID: **R3163**	TestNo: **SW8260B**		Analysis Date: **7/2/2003**	SeqNo: **24768**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070203** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ** Batch ID: **R3163** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24768**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070203** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ** Batch ID: **R3163** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24768**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									

Sample ID: **VBLK070103** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ** Batch ID: **R3163** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25036**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ** Batch ID: **R3163** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25036**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103**	SampType: **MBLK**	TestCode: **Full8260_Soil**	Units: **µg/Kg**	Prep Date:	Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ**	Batch ID: **R3163**	TestNo: **SW8260B**		Analysis Date: **7/1/2003**	SeqNo: **25036**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	U	5.0									
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: VBLK070103	SampType: MBLK	TestCode: Full8260_Soil	Units: µg/Kg	Prep Date:	Run ID: SYSTEM Y_030701A
Client ID: ZZZZZ	Batch ID: R3163	TestNo: SW8260B		Analysis Date: 7/1/2003	SeqNo: 25036

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									

Sample ID: VBLK070103B	SampType: MBLK	TestCode: Full8260_Soil	Units: µg/Kg	Prep Date:	Run ID: SYSTEM Y_030701A
Client ID: ZZZZZ	Batch ID: R3163	TestNo: SW8260B		Analysis Date: 7/1/2003	SeqNo: 25046

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103B** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ** Batch ID: **R3163** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25046**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103B** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ** Batch ID: **R3163** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **25046**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	U	5.0									
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103B**	SampType: **MBLK**	TestCode: **Full8260_Soil**	Units: **µg/Kg**	Prep Date:	Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ**	Batch ID: **R3163**	TestNo: **SW8260B**		Analysis Date: **7/1/2003**	SeqNo: **25046**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									

Sample ID: **LSC070203**	SampType: **LCS**	TestCode: **Full8260_Soil**	Units: **µg/Kg**	Prep Date:	Run ID: **SYSTEM Y_030701A**
Client ID: **ZZZZZ**	Batch ID: **R3163**	TestNo: **SW8260B**		Analysis Date: **7/2/2003**	SeqNo: **24769**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	53.97	5.0	50	0	108	67.3	124	0	0		
Benzene	54.72	5.0	50	0	109	65.1	126	0	0		
Chlorobenzene	55.92	5.0	50	0	112	63.7	127	0	0		
Toluene	53.57	5.0	50	0	107	68.7	124	0	0		
Trichloroethene	56.66	5.0	50	0	113	63.4	123	0	0		

Sample ID: **0306117-01AMS**	SampType: **MS**	TestCode: **Full8260_Soil**	Units: **µg/Kg**	Prep Date:	Run ID: **SYSTEM Y_030701A**
Client ID: **MW10 (5'-7')**	Batch ID: **R3163**	TestNo: **SW8260B**		Analysis Date: **7/2/2003**	SeqNo: **24772**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	23.6	5.0	50	0	47.2	67.3	124	0	0		S
Benzene	24.56	5.0	50	0	49.1	65.1	126	0	0		S
Chlorobenzene	16.89	5.0	50	0	33.8	63.7	127	0	0		S
Toluene	20.65	5.0	50	0	41.3	68.7	124	0	0		S
Trichloroethene	19.44	5.0	50	0	38.9	63.4	123	0	0		S

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **0306117-01AMSD** SampType: **MSD** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701A**
Client ID: **MW10 (5'-7')** Batch ID: **R3163** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24773**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	24.18	5.0	50	0	48.4	67.3	124	23.6	2.43	20	S
Benzene	26.11	5.0	50	0	52.2	65.1	126	24.56	6.12	20	S
Chlorobenzene	16.01	5.0	50	0	32	63.7	127	16.89	5.35	20	S
Toluene	21.5	5.0	50	0	43	68.7	124	20.65	4.03	20	S
Trichloroethene	19.58	5.0	50	0	39.2	63.4	123	19.44	0.718	20	S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: **MB070203B** SampType: **MBLK** TestCode: **ICP_TAL_S** Units: **mg/Kg** Prep Date: Run ID: **ICP A_030703A**
Client ID: **ZZZZZ** Batch ID: **1434** TestNo: **SW6010B** **(SW3050A)** Analysis Date: **7/3/2003** SeqNo: **24854**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	U	0.0200									
Antimony	U	0.0250									
Arsenic	U	0.0250									
Barium	U	0.0200									
Beryllium	U	0.0200									
Cadmium	U	0.0100									
Calcium	U	0.0200									
Chromium	U	0.0200									
Cobalt	U	0.0200									
Copper	U	0.0200									
Iron	U	0.0200									
Lead	U	0.0150									
Magnesium	U	0.0200									
Manganese	U	0.0200									
Nickel	U	0.0200									
Potassium	U	0.0700									
Selenium	U	0.0250									
Silver	U	0.0200									
Sodium	U	0.0300									
Thallium	U	0.0150									
Vanadium	U	0.0200									
Zinc	U	0.0200									

Sample ID: **LCS2** SampType: **LCS** TestCode: **ICP_TAL_S** Units: **mg/Kg** Prep Date: Run ID: **ICP A_030703A**
Client ID: **ZZZZZ** Batch ID: **1434** TestNo: **SW6010B** **(SW3050A)** Analysis Date: **7/3/2003** SeqNo: **24855**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	1.994	0.0200	2	0	99.7	75	125	0	0		
Antimony	1.989	0.0250	2	0	99.5	67	111	0	0		
Arsenic	2.134	0.0250	2	0	107	67.6	123	0	0		
Barium	1.992	0.0200	2	0	99.6	65.1	120	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: LCS2	SampType: LCS	TestCode: ICP_TAL_S	Units: mg/Kg	Prep Date:	Run ID: ICP A_030703A
Client ID: ZZZZZ	Batch ID: 1434	TestNo: SW6010B	(SW3050A)	Analysis Date: 7/3/2003	SeqNo: 24855

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Beryllium	2.011	0.0200	2	0	101	60.8	118	0	0		
Cadmium	1.97	0.0100	2	0	98.5	62.9	114	0	0		
Calcium	2.03	0.0200	2	0	101	75	125	0	0		
Chromium	2.01	0.0200	2	0	101	64.8	120	0	0		
Cobalt	1.998	0.0200	2	0	99.9	75	125	0	0		
Copper	1.983	0.0200	2	0	99.1	61.4	118	0	0		
Iron	1.938	0.0200	2	0	96.9	75	125	0	0		
Lead	1.929	0.0150	2	0	96.4	60.6	119	0	0		
Magnesium	2.011	0.0200	2	0	101	75	125	0	0		
Manganese	2.02	0.0200	2	0	101	61	111	0	0		
Nickel	2.024	0.0200	2	0	101	66.5	126	0	0		
Potassium	20.17	0.0700	20	0	101	75	125	0	0		
Selenium	2.033	0.0250	2	0	102	60.5	115	0	0		
Silver	2.014	0.0200	2	0	101	72.4	106	0	0		
Sodium	2	0.0300	2	0	100	75	125	0	0		
Thallium	2.034	0.0150	2	0	102	62	116	0	0		
Vanadium	2.009	0.0200	2	0	100	75	125	0	0		
Zinc	2.004	0.0200	2	0	100	61	112	0	0		

Sample ID: 0306117-20B MS	SampType: MS	TestCode: ICP_TAL_S	Units: mg/Kg	Prep Date:	Run ID: ICP A_030703A
Client ID: MW15 (6'-8')	Batch ID: 1434	TestNo: SW6010B	(SW3050A)	Analysis Date: 7/3/2003	SeqNo: 24879

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	2596	0.368	18.38	2621	-138	75	125	0	0		S
Antimony	13.54	0.460	18.38	0	73.7	67	111	0	0		
Arsenic	26.74	0.460	18.38	8.553	98.9	67.6	123	0	0		
Barium	61.7	0.368	18.38	46.16	84.5	65.1	120	0	0		
Beryllium	14.1	0.368	18.38	0	76.7	60.8	118	0	0		
Cadmium	16.08	0.184	18.38	0.1171	86.8	62.9	114	0	0		
Calcium	2284	0.368	18.38	2340	-302	75	125	0	0		S
Chromium	22.8	0.368	18.38	6.863	86.7	64.8	120	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: 0306117-20B MS	SampType: MS	TestCode: ICP_TAL_S	Units: mg/Kg	Prep Date:	Run ID: ICP A_030703A
Client ID: MW15 (6'-8')	Batch ID: 1434	TestNo: SW6010B	(SW3050A)	Analysis Date: 7/3/2003	SeqNo: 24879

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cobalt	25.95	0.368	18.38	10.74	82.8	75	125	0	0		
Copper	45.35	0.368	18.38	28.57	91.3	61.4	118	0	0		
Iron	6214	0.368	18.38	6294	-436	75	125	0	0		S
Lead	188.8	0.276	18.38	177.6	60.9	60.6	119	0	0		
Magnesium	415.3	0.368	18.38	414.6	3.96	75	125	0	0		S
Manganese	157.7	0.368	18.38	146.7	59.9	61	111	0	0		S
Nickel	29.45	0.368	18.38	14.37	82.1	66.5	126	0	0		
Potassium	716	1.29	183.8	534.2	98.9	75	125	0	0		
Selenium	14.44	0.460	18.38	0	78.6	60.5	115	0	0		
Silver	17.33	0.368	18.38	0	94.3	72.4	106	0	0		
Sodium	217.3	0.551	18.38	201.7	84.8	75	125	0	0		
Thallium	15.56	0.276	18.38	1.172	78.3	62	116	0	0		
Vanadium	27.27	0.368	18.38	10.7	90.1	75	125	0	0		
Zinc	85.38	0.368	18.38	71.57	75.1	61	112	0	0		

Sample ID: 0306117-20B MSD	SampType: MSD	TestCode: ICP_TAL_S	Units: mg/Kg	Prep Date:	Run ID: ICP A_030703A
Client ID: MW15 (6'-8')	Batch ID: 1434	TestNo: SW6010B	(SW3050A)	Analysis Date: 7/3/2003	SeqNo: 24880

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	2599	0.368	18.38	2621	-122	75	125	2596	0.114	0	S
Antimony	13.78	0.460	18.38	0	75	67	111	13.54	1.76	20	
Arsenic	26.48	0.460	18.38	8.553	97.5	67.6	123	26.74	0.976	20	
Barium	61.89	0.368	18.38	46.16	85.6	65.1	120	61.7	0.319	20	
Beryllium	13.93	0.368	18.38	0	75.8	60.8	118	14.1	1.22	20	
Cadmium	16.2	0.184	18.38	0.1171	87.5	62.9	114	16.08	0.760	20	
Calcium	2290	0.368	18.38	2340	-271	75	125	2284	0.245	0	S
Chromium	23.07	0.368	18.38	6.863	88.1	64.8	120	22.8	1.14	20	
Cobalt	25.17	0.368	18.38	10.74	78.5	75	125	25.95	3.05	20	
Copper	45.41	0.368	18.38	28.57	91.6	61.4	118	45.35	0.135	20	
Iron	6161	0.368	18.38	6294	-724	75	125	6214	0.857	0	S
Lead	188.4	0.276	18.38	177.6	58.8	60.6	119	188.8	0.202	20	S

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_S

Sample ID: **0306117-20B MSD**	SampType: **MSD**	TestCode: **ICP_TAL_S**	Units: **mg/Kg**	Prep Date:	Run ID: **ICP A_030703A**
Client ID: **MW15 (6'-8')**	Batch ID: **1434**	TestNo: **SW6010B**	**(SW3050A)**	Analysis Date: **7/3/2003**	SeqNo: **24880**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Magnesium	414.1	0.368	18.38	414.6	-2.82	75	125	415.3	0.301	0	S
Manganese	157.8	0.368	18.38	146.7	60.4	61	111	157.7	0.0561	20	S
Nickel	29.61	0.368	18.38	14.37	82.9	66.5	126	29.45	0.534	20	
Potassium	715.7	1.29	183.8	534.2	98.7	75	125	716	0.0319	0	
Selenium	14.94	0.460	18.38	0	81.3	60.5	115	14.44	3.35	20	
Silver	17.44	0.368	18.38	0	94.9	72.4	106	17.33	0.599	20	
Sodium	217.4	0.551	18.38	201.7	85.6	75	125	217.3	0.0695	0	
Thallium	15.55	0.276	18.38	1.172	78.2	62	116	15.56	0.0471	20	
Vanadium	27.22	0.368	18.38	10.7	89.9	75	125	27.27	0.169	20	
Zinc	85.36	0.368	18.38	71.57	75	61	112	85.38	0.0186	20	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn
Test No: SW8081B **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306117-01B	68.0	50.9 *						
0306117-02B	57.8 *	70.1						
0306117-03B	105	102						
0306117-03BMS	98.4	75.7						
0306117-03BMSD	102	82.7						
0306117-04B	76.0	73.5						
0306117-05B	96.7	85.4						
0306117-07B	77.9	69.2						
0306117-08B	66.9	69.9						
0306117-09B	84.1	89.3						
0306117-10B	81.8	78.1						
0306117-11B	72.0	74.9						
0306117-12B	99.0	74.3						
0306117-13B	81.5	70.3						
0306117-14B	104	89.5						
0306117-15B	63.4	65.3						
0306117-16B	46.9 *	94.4						
0306117-16BMS	102	71.4						
0306117-16BMSD	126	85.4						
0306117-17B	82.1	65.6						
0306117-18B	55.6 *	65.7						
0306117-19B	87.6	99.3						
0306117-20B	88.7	81.1						
MSB070203	112	99.2						
MSB070303	141	114						
PSB070203	95.6	81.0						
PSB070303	116	106						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	61.4-149
XYL2456CLM	=	TCX	63.9-130

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn
Test No: SW8082A **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306117-01B	48.8	60.3						
0306117-01BMS	84.6	84.7						
0306117-01BMSD	93.0	71.7						
0306117-02B	70.9	65.3						
0306117-03B	56.6	78.5						
0306117-04B	43.8	69.6						
0306117-05B	133	121						
0306117-07B	125	112						
0306117-08B	116	97.4						
0306117-09B	68.6	57.4						
0306117-10B	87.6	76.4						
0306117-11B	83.3	71.0						
0306117-12B	52.5	65.2						
0306117-13B	54.0	61.4						
0306117-14B	75.6	73.3						
0306117-15B	25.3 *	57.2						
0306117-16B	65.5	89.1						
0306117-17B	101	87.4						
0306117-17BMS	123	109						
0306117-17BMSD	112	97.8						
0306117-18B	68.4	60.6						
0306117-19B	76.8	70.1						
0306117-20B	62.3	61.9						
MSB070203	67.4	78.7						
MSB070303	77.7	68.6						
PSB070203	69.6	60.2						
PSB070303	65.5	55.2						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	34.2-138
XYL2456CLM	=	TCX	31.2-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn
Test No: SW8260B **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	BR4FBZ	BZMED8	DBFM					
0306117-01A	118	86.3	89.1					
0306117-01AMS	120	86.9	88.5					
0306117-01AMSD	119	87.7	89.8					
0306117-02A	90.8	95.1	110					
0306117-03A	97.9	100	104					
0306117-04A	93.0	96.0	110					
0306117-05A	97.3	95.3	112					
0306117-06A	95.6	96.4	96.2					
0306117-07A	108	85.7	21.6 *					
0306117-08A	102	98.8	95.2					
0306117-09A	101	94.0	95.3					
0306117-10A	97.0	98.2	94.2					
0306117-11A	97.0	97.9	98.2					
0306117-12A	98.5	98.8	99.5					
0306117-13A	99.2	97.9	98.6					
0306117-14A	96.7	97.0	99.5					
0306117-15A	98.3	96.1	97.0					
0306117-16A	97.3	97.0	95.8					
0306117-17A	97.5	99.5	98.3					
0306117-18A	94.3	98.5	96.6					
0306117-19A	98.5	97.6	97.1					
0306117-20A	96.0	101	98.7					
LSC070203	99.9	97.9	104					
VBLK070103	100	97.3	107					
VBLK070103B	95.9	98.0	94.7					
VBLK070203	98.5	99.7	102					

Acronym		Surrogate	QC Limits
BR4FBZ	=	4-Bromofluorobenzene	65.8-125
BZMED8	=	Toluene-d8	70.3-125
DBFM	=	Dibromofluoromethane	83.7-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn
Test No: SW8270D **Matrix:** S

QC SUMMARY REPORT SURROGATE RECOVERIES

Sample ID	NO2BZD5	PH246BR	PH2F	PHEN2F	PHEND14	PHENOLD6		
0306117-01B	77.1	101	73.2	90.1	99.1	74.8		
0306117-02B	94.0	104	76.5	98.0	100	71.0		
0306117-03B	72.5	81.2	77.2	78.4	101	69.6		
0306117-03B	75.4	83.4	77.0	79.6	91.6	79.2		
0306117-03B	79.9	86.1	92.2	76.7	97.4	78.2		
0306117-03B MS	72.5	81.2	77.2	78.4	101	69.6		
0306117-03B MSD	75.4	83.4	77.0	79.6	91.6	79.2		
0306117-04B	80.0	115	78.0	91.3	95.0	75.4		
0306117-05B	67.2	69.5	64.6	73.8	83.0	54.6		
0306117-07B	73.5	84.7	70.0	90.4	94.1	70.4		
0306117-08B	66.8	118	69.1	84.6	96.8	71.0		
0306117-09B	105	89.2	74.4	86.4	86.4	66.4		
0306117-10B	80.8	104	82.2	89.4	98.9	75.7		
0306117-11B	62.2	107	52.4	81.8	89.0	61.5		
0306117-12B	82.7	89.2	89.8	84.2	97.7	72.6		
0306117-13B	83.3	85.8	78.0	82.5	95.3	62.3		
0306117-14B	73.8	100	70.8	83.0	102	75.2		
0306117-15B	89.7	103	85.6	93.6	105	85.4		
0306117-16B	48.0	79.0	65.5	67.7	101	52.8		
0306117-17B	82.4	77.6	74.4	75.5	101	77.1		
0306117-17B	69.6	90.0	78.0	75.7	98.4	69.8		
0306117-17B	86.7	87.2	84.5	85.2	100	61.4		
0306117-17B MS	82.4	77.6	74.4	75.5	101	77.1		
0306117-17B MSD	69.6	90.0	78.0	75.7	98.4	69.8		
0306117-18B	85.6	92.9	71.6	84.9	95.6	76.0		
0306117-19B	91.6	95.7	71.2	89.8	105	75.2		
0306117-20B	75.0	95.3	79.2	84.6	97.0	73.1		

Acronym		Surrogate	QC Limits
NO2BZD5	=	Nitrobenzene-d5	29.6-124.5
PH246BR	=	2,4,6-Tribromophenol	27.9-127.1
PH2F	=	2-Fluorophenol	32.3-123.3
PHEN2F	=	2-Fluorobiphenyl	31.5-113.1
PHEND14	=	4-Terphenyl-d14	29.8-129.9
PHENOLD6	=	Phenol-d6	27.1-126.2

*** Surrogate recovery outside acceptance limits**

CLIENT: AKRF, Inc
Work Order: 0306117
Project: Greenpoint Lumber Yard Brooklyn
Test No: SW8270D **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	NO2BZD5	PH246BR	PH2F	PHEN2F	PHEND14	PHENOLD6		
LCS070203	88.1	82.7	99.2	86.6	109	89.2		
LCS070803	80.3	79.4	74.2	76.6	81.5	77.2		
SSB070203	92.4	80.6	91.8	93.6	98.3	93.9		
SSB070803 A	75.1	89.0	69.5	78.1	107	52.6		
SSB070803B	86.2	74.2	80.0	85.5	101	54.4		

Acronym		Surrogate	QC Limits
NO2BZD5	=	Nitrobenzene-d5	29.6-124.5
PH246BR	=	2,4,6-Tribromophenol	27.9-127.1
PH2F	=	2-Fluorophenol	32.3-123.3
PHEN2F	=	2-Fluorobiphenyl	31.5-113.1
PHEND14	=	4-Terphenyl-d14	29.8-129.9
PHENOLD6	=	Phenol-d6	27.1-126.2

*** Surrogate recovery outside acceptance limits**

AMERICAN ANALYTICAL LABORATORIES, INC.

NYSDOH ELAP 11418
AIHA PAT, LPAT 102391
CTDOH PH-0205

ASP CATEGORY A
WORKORDER 0306118
AKRF, INC.
GREENPOINT LUMBER YARD
BROOKLYN, N.Y.

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX: (631) 454-8027

ASP CATEGORY A

COVER PAGE

July 28, 2003

Mimi Sotiriou
AKRF, Inc
116 East 27th Street
7th Floor
New York, NY 10016

TEL: (646) 459-3528
FAX (212) 726-0942

RE: Greenpoint Lumber Yard Brooklyn, NY

Order No.: 0306118

Dear Mimi Sotiriou:

American Analytical Laboratories, Inc. received 8 samples on 6/27/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Lori Beyer

Lab Director

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT: AKRF, Inc
Project: Greenpoint Lumber Yard Brooklyn, NY
Lab Order: 0306118

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0306118-01A	MW16 (0.5-2')		6/26/2003	6/27/2003
0306118-01B	MW16 (0.5-2')		6/26/2003	6/27/2003
0306118-02A	MW16 (8.5-9.5)		6/26/2003	6/27/2003
0306118-02B	MW16 (8.5-9.5)		6/26/2003	6/27/2003
0306118-03A	Trip Blank #1		6/26/2003	6/27/2003
0306118-04A	Field Blank #1		6/26/2003	6/27/2003
0306118-04B	Field Blank #1		6/26/2003	6/27/2003
0306118-05A	Field Blank #2		6/26/2003	6/27/2003
0306118-05B	Field Blank #2		6/26/2003	6/27/2003
0306118-06A	Field Blank #3		6/26/2003	6/27/2003
0306118-06B	Field Blank #3		6/26/2003	6/27/2003
0306118-07A	Trip Blank #2		6/26/2003	6/27/2003
0306118-08A	Trip Blank #3		6/26/2003	6/27/2003

SDG NARRATIVE

SDG Narrative

AAL Work Order:	: 0306118
Sample Matrix	: Soil
Project	: Greenpoint

INTRODUCTION
This narrative covers the analysis of two (2) soils and the associated quality control samples (Field Blanks and Trip Blanks) in accordance with protocols based on SW846 Methods 8260, 8270, 8081, 8082, 6010 and 7470.

HOLDING TIMES
The analytical holding time for these analyses was met.

CALIBRATIONS
Initial Calibration: All required minimum RRFs and maximum %RSD requirements have been met in accordance with the method.

Continuing Calibration: All required minimum RRFs and maximum %D requirements have been met in accordance with the method.

TUNE PERFORMANCE
All Tune (BFB) specifications met QC requirements.

METHOD BLANKS
The method blanks associated with these samples did not contain any target compounds at or above QC.

MATRIX SPIKE/MATRIX SPIKE DUPLICATE/DUPLICATES
MS/MSD/Dup analysis was performed as required. Results are submitted as an appendix to this report. Spike recoveries and RPD fell within established ranges except where noted on the summary sheets. No laboratory action is required for MS/MSD outliers.

INTERNAL STANDARDS
All area responses and retention times fell within acceptable ranges.

SURROGATES (SYSTEM MONITORING COMPOUNDS)
Surrogate recoveries are summarized in the appendix to this report.

SAMPLE COMMENTS
Samples were analyzed as per the required protocols.

Semivolatile Analysis:
Semivolatile analysis of sample MW16 (8.5-9.5) was analyzed at a 1:2 dilution.

All samples were analyzed undiluted for VOCs, Pesticides, PCBs and Metals.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory manager or his designee, as verified by the following signature." This statement shall be directly followed by signature of the Laboratory Manager or his designee with a typed line below it containing the signer's name and title, and the date of the signature.

Lori Beyer
LABORATORY DIRECTOR

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET
FARMINGDALE, NEW YORK 11735
TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFERS

For reporting results, the following "Results Qualifers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.

NYSDEC DATA PACKAGE SUMMARY FORMS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

CUSTOMER SAMPLE CODE	LABORATORY SAMPLE CODE	ANALYTICAL REQUIREMENTS					
		*VOA GC/MS METHOD #	*BNA GC/MS METHOD #	*VOA GC METHOD #	*PEST PCBs METHOD #	*METALS	*OTHER
MW16(0.5-2)	0306118-01	8260	8270	NA	8081/8082	6010/7470	NA
MW16(8.5-9.5)	0306118-02	↓	↓	↓	↓	↓	
Trip Blank 1	0306118-03		—	—	—	—	
Field Blank 1	0306118-04		8270	NA	8081/8082	6010/7470	
Field Blank 2	0306118-05		↓	↓	↓	↓	
Field Blank 3	0306118-06		↓	↓	↓	↓	
Trip Blank 2	0306118-07		—	—	—	—	
Trip Blank 3	0306118-08	↓	—	—	—	—	↓

NA = not applicable

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306118-01	SOIL	06/26/03	06/27/03	6/30/03	7/9/03
0306118-02	SOIL	↓	↓	↓	↓
0306118-03	AQUEOUS				—
0306118-04	↓				6/30/03
0306118-05					6/30/03
0306118-06					6/30/03
0306118-07					—
0306118-08	↓	↓	↓	↓	—

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
VOLATILE (VOA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306118-01	SOIL	06/26/03	06/27/03	NA	07/02/03
0306118-02	↓				
0306118-03	AQUEOUS				
0306118-04					
0306118-05					
0306118-06					
0306118-07					
0306118-08	↓	↓	↓	↓	↓

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
PESTICIDE / PCB
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0306118-01	SOIL	6/26/03	6/27/03	6/30/03	7/10/03
0306118-02	↓	↓	↓	↓	↓
0306118-03	AQUEOUS	↓	↓	↓	7/1/03
0306118-04	↓	↓	↓	↓	↓
0306118-05	↓	↓	↓	↓	↓
0306118-06	↓	↓	↓	↓	↓
0306118-07	↓	↓	↓	↓	↓
0306118-08	↓	↓	↓	↓	↓

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	ANALYTICAL PROTOCOL	EXTRACTION METHOD	AUXILLARY CLEAN UP	DIL / CONC. FACTOR
0306118-01	SOIL	SW846 8270	SONC (3550)	NA	1
0306118-02	↓	↓	↓	↓	2
0306118-03	AQUEOUS	—	—	—	—
0306118-04	↓	SW846 8270	SEPF (3510)	NA	1
0306118-05	↓	↓	↓	↓	1
0306118-06	↓	↓	↓	↓	1
0306118-07	↓	—	—	—	1
0306118-08	↓	—	—	—	—

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
INORGANIC ANALYSES

LABORATORY SAMPLE ID	MATRIX	METALS REQUESTED	DATE RECEIVED AT LAB	DATE ANALYZED
0306118-01	SOIL	TAL (23)	6/27/03	07/07/03
0306118-02	↓	↓	↓	
0306118-03	AQUEOUS			
0306118-04				
0306118-05				
0306118-06				
0306118-07				
0306118-08	↓	↓	↓	

CHAIN OF CUSTODY FORMS

Sheet 5 of 5

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027 • email: lbeyer@american-analytical.com

SDC	ELA
CTDOH	PH-0205
NJDEP	NY050
PADEP	68-573

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: AKRF, Inc. (917)612-7877
CONTACT: Mimi Sotiriou (646)459-3528
SAMPLER (SIGNATURE): MSotiriou DATE: 6/26/03 TIME: 1600
SAMPLER NAME (PRINT): Mimi Sotiriou
SAMPLE(S) SEALED: YES / NO
CORRECT CONTAINER(S): YES / NO
PROJECT LOCATION: Greenpoint Lumber Yard, Brooklyn. 30260-0006

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	VOC 8260	SVOC 8270	PCB 8081	Pest 8082	TAL Metals	FOR METHANOL PRESERVED SAMPLES [VOLATILE VIAL #]
0306118-01AB	S			MW16 (0.5'-2')	X	X	X	X	X	
0306118-02A,B	S			MW16 (8.5-9.5)	X	X	X	X	X	
0306118-03A	L			Trip Blank #1	X					
0306118-04A,B	L			Field Blank #1	X	X	X	X	X	
0306118-05A,B	L			Field Blank #2	X	X	X	X	X	
0306118-06AB	L			Field Blank #3	X	X	X	X	X	
0306118-07A	L			Trip Blank #2	X					
0306118-08A	L			Trip Blank #3	X					

COOLER TEMPERATURE:

COMMENTS / INSTRUCTIONS

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A-AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /

RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME
MSotiriou	6/27/03 12:00	M. Sotiriou		6-27-03 2: Pm	Christopher Dunn
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

GC/MS VOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Acetone	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 4:25:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 4:25:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 4:25:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 4:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,1,1-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,1,2,2-Tetrachloroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,1,2-Trichloroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,1-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,1-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,1-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2,3-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2,3-Trichloropropane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2,4,5-Tetramethylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2,4-Trichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2,4-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2-Dibromo-3-chloropropane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2-Dibromoethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2-Dichloroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,3,5-Trimethylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,3-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,3-dichloropropane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
1,4-Dichlorobenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
2,2-Dichloropropane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
2-Butanone	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
2-Chloroethyl vinyl ether	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
2-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
2-Hexanone	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
4-Chlorotoluene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
4-Isopropyltoluene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
4-Methyl-2-pentanone	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Acetone	55	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Acrolein	U	25		µg/Kg	1	7/2/2003 8:52:00 AM
Acrylonitrile	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Benzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Bromobenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Bromochloromethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Bromodichloromethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Bromoform	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Bromomethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Carbon disulfide	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Chlorobenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Chlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Chloroethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Chloroform	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Chloromethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
cis-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
cis-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Dibromochloromethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Dibromomethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Dichlorodifluoromethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Diisopropyl ether	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Ethanol	U	25		µg/Kg	1	7/2/2003 8:52:00 AM
Ethyl acetate	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Ethylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Freon-114	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Hexachlorobutadiene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Isopropyl acetate	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Isopropylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
m,p-Xylene	U	10		µg/Kg	1	7/2/2003 8:52:00 AM
Methyl tert-butyl ether	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Methylene chloride	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Naphthalene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
n-Butyl acetate	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
n-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
n-Propyl acetate	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
n-Propylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
o-Xylene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
p-Diethylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
p-Ethyltoluene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
sec-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Styrene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
t-Butyl alcohol	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
tert-Butylbenzene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Tetrachloroethene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Toluene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
trans-1,2-Dichloroethene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
trans-1,3-Dichloropropene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Trichloroethene	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Trichlorofluoromethane	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02A	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM
Vinyl chloride	U	5.0		µg/Kg	1	7/2/2003 8:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-03A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
2-Butanone	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
2-Hexanone	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Acetone	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Acrolein	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Benzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Bromobenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Bromoform	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Bromomethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/2/2003 11:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-03A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Chloroethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Chloroform	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Chloromethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Dibromomethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Ethanol	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Freon-114	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/2/2003 11:25:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Methylene chloride	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Naphthalene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
o-Xylene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Styrene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Toluene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Trichloroethene	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/2/2003 11:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-03A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/2/2003 11:25:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/2/2003 11:25:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
2-Butanone	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
2-Hexanone	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Acetone	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Acrolein	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Benzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Bromobenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Bromoform	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Bromomethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/2/2003 12:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Chloroethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Chloroform	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Chloromethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Dibromomethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Ethanol	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Freon-114	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/2/2003 12:03:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Methylene chloride	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Naphthalene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
o-Xylene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Styrene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Toluene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Trichloroethene	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/2/2003 12:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/2/2003 12:03:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/2/2003 12:03:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
2-Butanone	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
2-Hexanone	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Acetone	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Acrolein	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Benzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Bromobenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Bromoform	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Bromomethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/2/2003 12:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Chloroethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Chloroform	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Chloromethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Dibromomethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Ethanol	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Freon-114	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/2/2003 12:41:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Methylene chloride	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Naphthalene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
o-Xylene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Styrene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Toluene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Trichloroethene	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/2/2003 12:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/2/2003 12:41:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/2/2003 12:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
2-Butanone	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
2-Hexanone	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Acetone	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Acrolein	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Benzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Bromobenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Bromoform	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Bromomethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/2/2003 1:20:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Chloroethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Chloroform	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Chloromethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Dibromomethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Ethanol	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Freon-114	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/2/2003 1:20:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Methylene chloride	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Naphthalene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
o-Xylene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Styrene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Toluene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Trichloroethene	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/2/2003 1:20:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/2/2003 1:20:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/2/2003 1:20:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-07A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
2-Butanone	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
2-Hexanone	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Acetone	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Acrolein	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Benzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Bromobenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Bromoform	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Bromomethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/2/2003 1:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-07A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Chloroethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Chloroform	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Chloromethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Dibromomethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Ethanol	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Freon-114	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/2/2003 1:58:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Methylene chloride	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Naphthalene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
o-Xylene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Styrene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Toluene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Trichloroethene	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/2/2003 1:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-07A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/2/2003 1:58:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/2/2003 1:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-08A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
2-Butanone	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
2-Hexanone	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Acetone	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Acrolein	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Benzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Bromobenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Bromoform	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Bromomethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/2/2003 2:37:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-08A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Chloroethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Chloroform	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Chloromethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Dibromomethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Ethanol	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Freon-114	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/2/2003 2:37:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Methylene chloride	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Naphthalene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
o-Xylene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Styrene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Toluene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Trichloroethene	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/2/2003 2:37:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Trip Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-08A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/2/2003 2:37:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/2/2003 2:37:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC/MS SEMIVOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
1,2-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
1,3-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
1,4-Dichlorobenzene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2,4,5-Trichlorophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2,4,6-Trichlorophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2,4-Dichlorophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2,4-Dimethylphenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2,4-Dinitrophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2,4-Dinitrotoluene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2,6-Dinitrotoluene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2-Chloronaphthalene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2-Chlorophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2-Methylnaphthalene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2-Methylphenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2-Nitroaniline	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
2-Nitrophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
3,3´-Dichlorobenzidine	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
3+4-Methylphenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
3-Nitroaniline	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
4,6-Dinitro-2-methylphenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
4-Bromophenyl phenyl ether	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
4-Chloro-3-methylphenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
4-Chloroaniline	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
4-Chlorophenyl phenyl ether	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
4-Nitroaniline	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
4-Nitrophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Acenaphthene	93	40		µg/Kg	1	7/9/2003 12:24:00 PM
Acenaphthylene	55	40		µg/Kg	1	7/9/2003 12:24:00 PM
Aniline	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Anthracene	260	40		µg/Kg	1	7/9/2003 12:24:00 PM
Azobenzene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzidine	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzo(a)anthracene	1300	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzo(a)pyrene	1600	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzo(b)fluoranthene	2200	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzo(g,h,i)perylene	1400	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzo(k)fluoranthene	640	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzoic acid	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Benzyl alcohol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Bis(2-chloroethyl)ether	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Bis(2-chloroisopropyl)ether	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Bis(2-ethylhexyl)phthalate	110	40		µg/Kg	1	7/9/2003 12:24:00 PM
Butyl benzyl phthalate	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Carbazole	91	40		µg/Kg	1	7/9/2003 12:24:00 PM
Chrysene	1500	40		µg/Kg	1	7/9/2003 12:24:00 PM
Dibenzo(a,h)anthracene	330	40		µg/Kg	1	7/9/2003 12:24:00 PM
Dibenzofuran	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Diethyl phthalate	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Dimethyl phthalate	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Di-n-butyl phthalate	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Di-n-octyl phthalate	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Fluoranthene	2000	40		µg/Kg	1	7/9/2003 12:24:00 PM
Fluorene	70	40		µg/Kg	1	7/9/2003 12:24:00 PM
Hexachlorobenzene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Hexachlorobutadiene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Hexachlorocyclopentadiene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Hexachloroethane	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Indeno(1,2,3-c,d)pyrene	1300	40		µg/Kg	1	7/9/2003 12:24:00 PM
Isophorone	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Naphthalene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Nitrobenzene	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
N-Nitrosodimethylamine	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
N-Nitrosodi-n-propylamine	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
N-Nitrosodiphenylamine	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Pentachlorophenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Phenanthrene	1200	40		µg/Kg	1	7/9/2003 12:24:00 PM
Phenol	U	40		µg/Kg	1	7/9/2003 12:24:00 PM
Pyrene	2100	40		µg/Kg	1	7/9/2003 12:24:00 PM
Pyridine	U	40		µg/Kg	1	7/9/2003 12:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
1,2-Dichlorobenzene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
1,3-Dichlorobenzene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
1,4-Dichlorobenzene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2,4,5-Trichlorophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2,4,6-Trichlorophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2,4-Dichlorophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2,4-Dimethylphenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2,4-Dinitrophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2,4-Dinitrotoluene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2,6-Dinitrotoluene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2-Chloronaphthalene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2-Chlorophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2-Methylnaphthalene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2-Methylphenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2-Nitroaniline	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
2-Nitrophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
3,3'-Dichlorobenzidine	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
3+4-Methylphenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
3-Nitroanlline	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
4,6-Dinitro-2-methylphenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
4-Bromophenyl phenyl ether	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
4-Chloro-3-methylphenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
4-Chloroaniline	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
4-Chlorophenyl phenyl ether	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
4-Nitroaniline	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
4-Nitrophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Acenaphthene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Acenaphthylene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Anlline	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Anthracene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Azobenzene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzidine	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzo(a)anthracene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzo(a)pyrene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzo(b)fluoranthene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzo(g,h,i)perylene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzo(k)fluoranthene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzoic acid	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Benzyl alcohol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3550A)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Bis(2-chloroethyl)ether	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Bis(2-chloroisopropyl)ether	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Bis(2-ethylhexyl)phthalate	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Butyl benzyl phthalate	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Carbazole	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Chrysene	82	80		µg/Kg	2	7/9/2003 11:45:00 AM
Dibenzo(a,h)anthracene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Dibenzofuran	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Diethyl phthalate	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Dimethyl phthalate	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Di-n-butyl phthalate	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Di-n-octyl phthalate	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Fluoranthene	200	80		µg/Kg	2	7/9/2003 11:45:00 AM
Fluorene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Hexachlorobenzene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Hexachlorobutadiene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Hexachlorocyclopentadiene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Hexachloroethane	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Indeno(1,2,3-c,d)pyrene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Isophorone	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Naphthalene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Nitrobenzene	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
N-Nitrosodimethylamine	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
N-Nitrosodi-n-propylamine	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
N-Nitrosodiphenylamine	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Pentachlorophenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Phenanthrene	170	80		µg/Kg	2	7/9/2003 11:45:00 AM
Phenol	U	80		µg/Kg	2	7/9/2003 11:45:00 AM
Pyrene	200	80		µg/Kg	2	7/9/2003 11:45:00 AM
Pyridine	U	80		µg/Kg	2	7/9/2003 11:45:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2-Chlorophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2-Methylphenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2-Nitroaniline	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
2-Nitrophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
3-Nitroaniline	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
4-Chloroaniline	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
4-Nitroaniline	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
4-Nitrophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Acenaphthene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Acenaphthylene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Aniline	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Anthracene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Azobenzene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzidine	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzoic acid	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Benzyl alcohol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Carbazole	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Chrysene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Dibenzofuran	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Diethyl phthalate	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Fluoranthene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Fluorene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Hexachloroethane	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Isophorone	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Naphthalene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Nitrobenzene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Pentachlorophenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Phenanthrene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Phenol	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Pyrene	U	5.0		µg/L	1	6/30/2003 8:07:00 PM
Pyridine	U	5.0		µg/L	1	6/30/2003 8:07:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2-Chlorophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2-Methylphenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2-Nitroaniline	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
2-Nitrophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
3,3´-Dichlorobenzidine	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
3-Nitroaniline	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
4-Chloroaniline	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
4-Nitroaniline	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
4-Nitrophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Acenaphthene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Acenaphthylene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Aniline	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Anthracene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Azobenzene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzidine	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzoic acid	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Benzyl alcohol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Carbazole	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Chrysene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Dibenzofuran	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Diethyl phthalate	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Fluoranthene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Fluorene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Hexachloroethane	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Isophorone	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Naphthalene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Nitrobenzene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Pentachlorophenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Phenanthrene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Phenol	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Pyrene	U	5.0		µg/L	1	6/30/2003 8:56:00 PM
Pyridine	U	5.0		µg/L	1	6/30/2003 8:56:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2-Chlorophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2-Methylphenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2-Nitroaniline	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
2-Nitrophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
3,3´-Dichlorobenzidine	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
3-Nitroaniline	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
4-Chloroaniline	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
4-Nitroaniline	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
4-Nitrophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Acenaphthene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Acenaphthylene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Aniline	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Anthracene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Azobenzene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzidine	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzoic acid	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Benzyl alcohol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Carbazole	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Chrysene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Dibenzofuran	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Diethyl phthalate	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Fluoranthene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Fluorene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Hexachloroethane	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Isophorone	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Naphthalene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Nitrobenzene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Pentachlorophenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Phenanthrene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Phenol	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Pyrene	U	5.0		µg/L	1	6/30/2003 9:44:00 PM
Pyridine	U	5.0		µg/L	1	6/30/2003 9:44:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC PESTICIDE/PCB DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
4,4'-DDE	14	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
4,4'-DDT	6.4	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Chlordane	7.9	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
DBCP	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Endrin	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 9:45:00 PM
Toxaphene	U	300		µg/Kg	1	7/10/2003 9:45:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3550)**		Analyst: **KB**
4,4'-DDD	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
4,4'-DDE	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
4,4'-DDT	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Aldrin	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
alpha-BHC	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
beta-BHC	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Chlordane	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Chlorobenzilate	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
DBCP	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
delta-BHC	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Dieldrin	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Endosulfan I	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Endosulfan II	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Endosulfan sulfate	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Endrin	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Endrin aldehyde	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Endrin ketone	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
gamma-BHC	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Heptachlor	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Heptachlor epoxide	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Hexachlorobenzene	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Isodrin	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Methoxychlor	U	5.0		µg/Kg	1	7/10/2003 10:28:00 PM
Toxaphene	U	300		µg/Kg	1	7/10/2003 10:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Aldrin	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
alpha-BHC	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
beta-BHC	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Chlordane	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
DBCP	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
delta-BHC	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Dieldrin	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Endosulfan I	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Endosulfan II	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Endrin	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Endrin ketone	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
gamma-BHC	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Heptachlor	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Isodrin	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Methoxychlor	U	0.10		µg/L	1	7/1/2003 4:59:00 PM
Toxaphene	U	1.0		µg/L	1	7/1/2003 4:59:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Aldrin	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
alpha-BHC	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
beta-BHC	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Chlordane	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
DBCP	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
delta-BHC	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Dieldrin	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Endosulfan I	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Endosulfan II	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Endrin	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Endrin ketone	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
gamma-BHC	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Heptachlor	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Isodrin	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Methoxychlor	U	0.10		µg/L	1	7/1/2003 5:42:00 PM
Toxaphene	U	1.0		µg/L	1	7/1/2003 5:42:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Aldrin	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
alpha-BHC	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
beta-BHC	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Chlordane	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
DBCP	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
delta-BHC	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Dieldrin	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Endosulfan I	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Endosulfan II	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Endrin	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Endrin ketone	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
gamma-BHC	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Heptachlor	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Isodrin	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Methoxychlor	U	0.10		µg/L	1	7/1/2003 6:25:00 PM
Toxaphene	U	1.0		µg/L	1	7/1/2003 6:25:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/12/2003 4:52:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/12/2003 4:52:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/12/2003 4:52:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/12/2003 4:52:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/12/2003 4:52:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/12/2003 4:52:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/12/2003 4:52:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3550)**		Analyst: **KB**
Aroclor 1016	U	80		µg/Kg	1	7/12/2003 5:35:00 AM
Aroclor 1221	U	80		µg/Kg	1	7/12/2003 5:35:00 AM
Aroclor 1232	U	80		µg/Kg	1	7/12/2003 5:35:00 AM
Aroclor 1242	U	80		µg/Kg	1	7/12/2003 5:35:00 AM
Aroclor 1248	U	80		µg/Kg	1	7/12/2003 5:35:00 AM
Aroclor 1254	U	80		µg/Kg	1	7/12/2003 5:35:00 AM
Aroclor 1260	U	80		µg/Kg	1	7/12/2003 5:35:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/1/2003 4:13:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/1/2003 4:13:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/1/2003 4:13:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/1/2003 4:13:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/1/2003 4:13:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/1/2003 4:13:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/1/2003 4:13:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/1/2003 5:00:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/1/2003 5:00:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/1/2003 5:00:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/1/2003 5:00:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/1/2003 5:00:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/1/2003 5:00:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/1/2003 5:00:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/1/2003 5:47:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/1/2003 5:47:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/1/2003 5:47:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/1/2003 5:47:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/1/2003 5:47:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/1/2003 5:47:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/1/2003 5:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

INORGANIC DATA

RESULTS - INORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (0.5-2')
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-01B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	0.131	0.0500		mg/Kg	1	7/7/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	5390	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Antimony	U	0.477		mg/Kg	1	7/7/2003 3:33:24 PM
Arsenic	6.60	0.477		mg/Kg	1	7/7/2003 3:33:24 PM
Barium	136	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Beryllium	1.84	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Cadmium	0.13	0.191	J	mg/Kg	1	7/7/2003 3:33:24 PM
Calcium	6850	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Chromium	49.3	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Cobalt	34.2	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Copper	351	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Iron	7660	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Lead	255	0.286		mg/Kg	1	7/7/2003 3:33:24 PM
Magnesium	381	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Manganese	176	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Nickel	45.6	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Potassium	903	1.34		mg/Kg	1	7/7/2003 3:33:24 PM
Selenium	U	0.477		mg/Kg	1	7/7/2003 3:33:24 PM
Silver	U	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Sodium	498	0.573		mg/Kg	1	7/7/2003 3:33:24 PM
Thallium	0.750	0.286		mg/Kg	1	7/7/2003 3:33:24 PM
Vanadium	18.6	0.382		mg/Kg	1	7/7/2003 3:33:24 PM
Zinc	1100	0.382		mg/Kg	1	7/7/2003 3:33:24 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16 (8.5-9.5)
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-02B	**Matrix:**	SOIL

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7471		**SW7471B**				Analyst: **JP**
Mercury	U	0.0500		mg/Kg	1	7/7/2003
TARGET ANALYTE LIST		**SW6010B**		**(SW3050A)**		Analyst: **JP**
Aluminum	1450	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Antimony	U	0.463		mg/Kg	1	7/7/2003 3:35:35 PM
Arsenic	2.08	0.463		mg/Kg	1	7/7/2003 3:35:35 PM
Barium	18.7	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Beryllium	U	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Cadmium	U	0.185		mg/Kg	1	7/7/2003 3:35:35 PM
Calcium	2020	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Chromium	2.36	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Cobalt	13.0	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Copper	87.1	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Iron	6660	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Lead	25.4	0.278		mg/Kg	1	7/7/2003 3:35:35 PM
Magnesium	221	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Manganese	310	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Nickel	7.59	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Potassium	166	1.30		mg/Kg	1	7/7/2003 3:35:35 PM
Selenium	U	0.463		mg/Kg	1	7/7/2003 3:35:35 PM
Silver	U	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Sodium	179	0.556		mg/Kg	1	7/7/2003 3:35:35 PM
Thallium	U	0.278		mg/Kg	1	7/7/2003 3:35:35 PM
Vanadium	6.74	0.370		mg/Kg	1	7/7/2003 3:35:35 PM
Zinc	29.2	0.370		mg/Kg	1	7/7/2003 3:35:35 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #1
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/7/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Antimony	U	0.0250		mg/L	1	7/7/2003 2:29:21 PM
Arsenic	U	0.0250		mg/L	1	7/7/2003 2:29:21 PM
Barium	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Beryllium	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Cadmium	U	0.0100		mg/L	1	7/7/2003 2:29:21 PM
Calcium	0.158	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Chromium	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Cobalt	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Copper	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Iron	0.0069	0.0200	J	mg/L	1	7/7/2003 2:29:21 PM
Lead	U	0.0150		mg/L	1	7/7/2003 2:29:21 PM
Magnesium	0.0246	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Manganese	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Nickel	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Potassium	U	0.0700		mg/L	1	7/7/2003 2:29:21 PM
Selenium	U	0.0250		mg/L	1	7/7/2003 2:29:21 PM
Silver	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Sodium	0.022	0.0300	J	mg/L	1	7/7/2003 2:29:21 PM
Thallium	U	0.0150		mg/L	1	7/7/2003 2:29:21 PM
Vanadium	U	0.0200		mg/L	1	7/7/2003 2:29:21 PM
Zinc	0.0200	0.0200		mg/L	1	7/7/2003 2:29:21 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #2
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/7/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Antimony	U	0.0250		mg/L	1	7/7/2003 2:37:13 PM
Arsenic	U	0.0250		mg/L	1	7/7/2003 2:37:13 PM
Barium	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Beryllium	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Cadmium	U	0.0100		mg/L	1	7/7/2003 2:37:13 PM
Calcium	0.145	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Chromium	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Cobalt	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Copper	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Iron	0.0065	0.0200	J	mg/L	1	7/7/2003 2:37:13 PM
Lead	U	0.0150		mg/L	1	7/7/2003 2:37:13 PM
Magnesium	0.0280	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Manganese	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Nickel	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Potassium	U	0.0700		mg/L	1	7/7/2003 2:37:13 PM
Selenium	U	0.0250		mg/L	1	7/7/2003 2:37:13 PM
Silver	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Sodium	0.011	0.0300	J	mg/L	1	7/7/2003 2:37:13 PM
Thallium	U	0.0150		mg/L	1	7/7/2003 2:37:13 PM
Vanadium	U	0.0200		mg/L	1	7/7/2003 2:37:13 PM
Zinc	0.0221	0.0200		mg/L	1	7/7/2003 2:37:13 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	Field Blank #3
Lab Order:	0306118	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	6/26/2003
Lab ID:	0306118-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/7/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Antimony	U	0.0250		mg/L	1	7/7/2003 2:39:35 PM
Arsenic	U	0.0250		mg/L	1	7/7/2003 2:39:35 PM
Barium	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Beryllium	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Cadmium	U	0.0100		mg/L	1	7/7/2003 2:39:35 PM
Calcium	0.0942	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Chromium	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Cobalt	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Copper	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Iron	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Lead	U	0.0150		mg/L	1	7/7/2003 2:39:35 PM
Magnesium	0.0088	0.0200	J	mg/L	1	7/7/2003 2:39:35 PM
Manganese	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Nickel	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Potassium	U	0.0700		mg/L	1	7/7/2003 2:39:35 PM
Selenium	U	0.0250		mg/L	1	7/7/2003 2:39:35 PM
Silver	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Sodium	0.011	0.0300	J	mg/L	1	7/7/2003 2:39:35 PM
Thallium	U	0.0150		mg/L	1	7/7/2003 2:39:35 PM
Vanadium	U	0.0200		mg/L	1	7/7/2003 2:39:35 PM
Zinc	0.0223	0.0200		mg/L	1	7/7/2003 2:39:35 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Appendix

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: **PSB070303**	SampType: **MBLK**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030709E**
Client ID: **ZZZZZ**	Batch ID: **1446**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/9/2003**	SeqNo: **25527**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: **PSB070303**	SampType: **MBLK**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ**	Batch ID: **1446**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/9/2003**	SeqNo: **25660**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: **PSB070303**	SampType: **MBLK**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ**	Batch ID: **1446**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/9/2003**	SeqNo: **25660**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	5.0									
4,4´-DDE	U	5.0									
4,4´-DDT	U	5.0									
Aldrin	U	5.0									
alpha-BHC	U	5.0									
beta-BHC	U	5.0									
Chlordane	U	5.0									
Chlorobenzilate	U	5.0									
DBCP	U	5.0									
delta-BHC	U	5.0									
Dieldrin	U	5.0									
Endosulfan I	U	5.0									
Endosulfan II	U	5.0									
Endosulfan sulfate	U	5.0									
Endrin	U	5.0									
Endrin aldehyde	U	5.0									
Endrin ketone	U	5.0									
gamma-BHC	U	5.0									
Heptachlor	U	5.0									
Heptachlor epoxide	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Isodrin	U	5.0									
Methoxychlor	U	5.0									
Toxaphene	U	300									

Sample ID: **MSB070303**	SampType: **LCS**	TestCode: **8081_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ**	Batch ID: **1446**	TestNo: **SW8081B**	**(SW3550)**	Analysis Date: **7/10/2003**	SeqNo: **25671**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	21.42	5.0	16.65	0	129	69	130	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_Soil

Sample ID: **MSB070303** SampType: **LCS** TestCode: **8081_Soil** Units: **µg/Kg** Prep Date: **7/3/2003** Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ** Batch ID: **1446** TestNo: **SW8081B** **(SW3550)** Analysis Date: **7/10/2003** SeqNo: **25671**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aldrin	6.377	5.0	6.66	0	95.8	66	128	0	0		
Dieldrin	21.88	5.0	16.65	0	131	67	126	0	0		S
Endrin	26.44	5.0	16.65	0	159	72	124	0	0		S
gamma-BHC	6.707	5.0	6.66	0	101	68	122	0	0		
Heptachlor	6.757	5.0	6.66	0	101	64	130	0	0		

Sample ID: **0306117-16BMS** SampType: **MS** TestCode: **8081_Soil** Units: **µg/Kg** Prep Date: **7/3/2003** Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ** Batch ID: **1446** TestNo: **SW8081B** **(SW3550)** Analysis Date: **7/11/2003** SeqNo: **25672**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	14.93	5.0	16.65	0	89.7	69	130	0	0		
Aldrin	5.565	5.0	6.66	0	83.6	66	128	0	0		
Dieldrin	14.93	5.0	16.65	0	89.7	67	126	0	0		
Endrin	17.82	5.0	16.65	0	107	72	124	0	0		
gamma-BHC	5.166	5.0	6.66	0	77.6	68	122	0	0		
Heptachlor	6.34	5.0	6.66	0	95.2	64	130	0	0		

Sample ID: **0306117-16BMSD** SampType: **MSD** TestCode: **8081_Soil** Units: **µg/Kg** Prep Date: **7/3/2003** Run ID: **SYSTEM QU_030703B**
Client ID: **ZZZZZ** Batch ID: **1446** TestNo: **SW8081B** **(SW3550)** Analysis Date: **7/11/2003** SeqNo: **25673**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	19.66	5.0	16.65	0	118	69	130	14.93	27.3	20	R
Aldrin	6.82	5.0	6.66	0	102	66	128	5.565	20.3	20	R
Dieldrin	19.76	5.0	16.65	0	119	67	126	14.93	27.9	20	R
Endrin	23.73	5.0	16.65	0	143	72	124	17.82	28.4	20	SR
gamma-BHC	6.284	5.0	6.66	0	94.4	68	122	5.166	19.5	20	
Heptachlor	7.451	5.0	6.66	0	112	64	130	6.34	16.1	20	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_W

Sample ID: **PWB063003** SampType: **MBLK** TestCode: **8081_W** Units: **µg/L** Prep Date: **6/30/2003** Run ID: **SYSTEM QU_030630A**
Client ID: **ZZZZZ** Batch ID: **1423** TestNo: **SW8081B** **(SW3510B)** Analysis Date: **7/1/2003** SeqNo: **24725**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	0.10									
4,4´-DDE	U	0.10									
4,4´-DDT	U	0.10									
Aldrin	U	0.10									
alpha-BHC	U	0.10									
beta-BHC	U	0.10									
Chlordane	U	0.10									
Chlorobenzilate	U	0.10									
DBCP	U	0.10									
delta-BHC	U	0.10									
Dieldrin	U	0.10									
Endosulfan I	U	0.10									
Endosulfan II	U	0.10									
Endosulfan sulfate	U	0.10									
Endrin	U	0.10									
Endrin aldehyde	U	0.10									
Endrin ketone	U	0.10									
gamma-BHC	U	0.10									
Heptachlor	U	0.10									
Heptachlor epoxide	U	0.10									
Hexachlorobenzene	U	0.10									
Hexachlorocyclopentadiene	U	0.10									
Isodrin	U	0.10									
Methoxychlor	U	0.10									
Toxaphene	U	1.0									

Sample ID: **PWB063003** SampType: **MBLK** TestCode: **8081_W** Units: **µg/L** Prep Date: **6/30/2003** Run ID: **SYSTEM QU_030701A**
Client ID: **ZZZZZ** Batch ID: **1423** TestNo: **SW8081B** **(SW3510B)** Analysis Date: **7/1/2003** SeqNo: **25086**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	0.10									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_W

Sample ID: **PWB063003** SampType: **MBLK** TestCode: **8081_W** Units: **µg/L** Prep Date: **6/30/2003** Run ID: **SYSTEM QU_030701A**
Client ID: **ZZZZZ** Batch ID: **1423** TestNo: **SW8081B** **(SW3510B)** Analysis Date: **7/1/2003** SeqNo: **25086**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDE	U	0.10									
4,4´-DDT	U	0.10									
Aldrin	U	0.10									
alpha-BHC	U	0.10									
beta-BHC	U	0.10									
Chlordane	U	0.10									
Chlorobenzilate	U	0.10									
DBCP	U	0.10									
delta-BHC	U	0.10									
Dieldrin	U	0.10									
Endosulfan I	U	0.10									
Endosulfan II	U	0.10									
Endosulfan sulfate	U	0.10									
Endrin	U	0.10									
Endrin aldehyde	U	0.10									
Endrin ketone	U	0.10									
gamma-BHC	U	0.10									
Heptachlor	U	0.10									
Heptachlor epoxide	U	0.10									
Hexachlorobenzene	U	0.10									
Hexachlorocyclopentadiene	U	0.10									
Isodrin	U	0.10									
Methoxychlor	U	0.10									
Toxaphene	U	1.0									

Sample ID: **MSB063003** SampType: **LCS** TestCode: **8081_W** Units: **µg/L** Prep Date: **6/30/2003** Run ID: **SYSTEM QU_030701A**
Client ID: **ZZZZZ** Batch ID: **1423** TestNo: **SW8081B** **(SW3510B)** Analysis Date: **7/1/2003** SeqNo: **25090**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	0.574	0.10	0.5	0	115	69	130	0	0		
Aldrin	0.144	0.10	0.2	0	72	66	128	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_W

Sample ID: MSB063003	SampType: LCS	TestCode: 8081_W	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM QU_030701A
Client ID: ZZZZZ	Batch ID: 1423	TestNo: SW8081B	(SW3510B)	Analysis Date: 7/1/2003	SeqNo: 25090

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dieldrin	0.542	0.10	0.5	0	108	67	126	0	0		
Endrin	0.595	0.10	0.5	0	119	72	124	0	0		
gamma-BHC	0.247	0.10	0.2	0	124	68	122	0	0		S
Heptachlor	0.247	0.10	0.2	0	124	64	130	0	0		

Sample ID: MSBDUP063003	SampType: LCS	TestCode: 8081_W	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM QU_030701A
Client ID: ZZZZZ	Batch ID: 1423	TestNo: SW8081B	(SW3510B)	Analysis Date: 7/1/2003	SeqNo: 25091

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	0.591	0.10	0.5	0	118	69	130	0	0		
Aldrin	0.158	0.10	0.2	0	79	66	128	0	0		
Dieldrin	0.542	0.10	0.5	0	108	67	126	0	0		
Endrin	0.6	0.10	0.5	0	120	72	124	0	0		
gamma-BHC	0.242	0.10	0.2	0	121	68	122	0	0		
Heptachlor	0.247	0.10	0.2	0	124	64	130	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: **PSB070303**	SampType: **MBLK**	TestCode: **8082_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030707A**
Client ID: **ZZZZZ**	Batch ID: **1445**	TestNo: **SW8082A**	**(SW3550)**	Analysis Date: **7/8/2003**	SeqNo: **25043**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: **PSB070303**	SampType: **MBLK**	TestCode: **8082_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030709F**
Client ID: **ZZZZZ**	Batch ID: **1445**	TestNo: **SW8082A**	**(SW3550)**	Analysis Date: **7/11/2003**	SeqNo: **25530**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Sample ID: **PSB070303**	SampType: **MBLK**	TestCode: **8082_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030707C**
Client ID: **ZZZZZ**	Batch ID: **1445**	TestNo: **SW8082A**	**(SW3550)**	Analysis Date: **7/11/2003**	SeqNo: **25746**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_Soil

Sample ID: **MSB070303**	SampType: **LCS**	TestCode: **8082_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030707C**
Client ID: **ZZZZZ**	Batch ID: **1445**	TestNo: **SW8082A**	**(SW3550)**	Analysis Date: **7/12/2003**	SeqNo: **25755**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	131.4	80	166.5	0	78.9	59	122	0	0		
Aroclor 1260	141.4	80	166.5	0	84.9	57	121	0	0		

Sample ID: **0306117-17BMS**	SampType: **MS**	TestCode: **8082_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030707C**
Client ID: **ZZZZZ**	Batch ID: **1445**	TestNo: **SW8082A**	**(SW3550)**	Analysis Date: **7/12/2003**	SeqNo: **25756**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	228.2	80	166.5	0	137	59	122	0	0		S
Aroclor 1260	254.3	80	166.5	0	153	57	121	0	0		S

Sample ID: **0306117-17BMSD**	SampType: **MSD**	TestCode: **8082_Soil**	Units: **µg/Kg**	Prep Date: **7/3/2003**	Run ID: **SYSTEM QU_030707C**
Client ID: **ZZZZZ**	Batch ID: **1445**	TestNo: **SW8082A**	**(SW3550)**	Analysis Date: **7/12/2003**	SeqNo: **25757**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	367.2	80	166.5	0	221	59	122	228.2	46.7	20	SR
Aroclor 1260	401.1	80	166.5	0	241	57	121	254.3	44.8	20	SR

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_W

Sample ID: PWB063003	SampType: MBLK	TestCode: 8082_W	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM XY_030630A
Client ID: ZZZZZ	Batch ID: 1422	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/1/2003	SeqNo: 24645

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	1.0									
Aroclor 1221	U	1.0									
Aroclor 1232	U	1.0									
Aroclor 1242	U	1.0									
Aroclor 1248	U	1.0									
Aroclor 1254	U	1.0									
Aroclor 1260	U	1.0									

Sample ID: PWB063003	SampType: MBLK	TestCode: 8082_W	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM XY_030701A
Client ID: ZZZZZ	Batch ID: 1422	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/1/2003	SeqNo: 25092

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	1.0									
Aroclor 1221	U	1.0									
Aroclor 1232	U	1.0									
Aroclor 1242	U	1.0									
Aroclor 1248	U	1.0									
Aroclor 1254	U	1.0									
Aroclor 1260	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803 A	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/8/2003	SeqNo: 25397

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: **SSB070803 A** SampType: **MBLK** TestCode: **8270_Soil** Units: **µg/Kg** Prep Date: **7/8/2003** Run ID: **SYSTEM T_030630C**
Client ID: **ZZZZZ** Batch ID: **1447** TestNo: **SW8270D** **(SW3550A)** Analysis Date: **7/8/2003** SeqNo: **25397**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803 A	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/8/2003	SeqNo: 25397

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: SSB070803B	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/9/2003	SeqNo: 25556

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	40	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	40	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	40	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	40	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	40	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	40	0	0	0	0	0	0	0		
2-Chlorophenol	U	40	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	40	0	0	0	0	0	0	0		
2-Methylphenol	U	40	0	0	0	0	0	0	0		
2-Nitroaniline	U	40	0	0	0	0	0	0	0		
2-Nitrophenol	U	40	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803B	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/9/2003	SeqNo: 25556

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
3,3´-Dichlorobenzidine	U	40	0	0	0	0	0	0	0		
3+4-Methylphenol	U	40	0	0	0	0	0	0	0		
3-Nitroaniline	U	40	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	40	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	40	0	0	0	0	0	0	0		
4-Chloroaniline	U	40	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	40	0	0	0	0	0	0	0		
4-Nitroaniline	U	40	0	0	0	0	0	0	0		
4-Nitrophenol	U	40	0	0	0	0	0	0	0		
Acenaphthene	U	40	0	0	0	0	0	0	0		
Acenaphthylene	U	40	0	0	0	0	0	0	0		
Aniline	U	40	0	0	0	0	0	0	0		
Anthracene	U	40	0	0	0	0	0	0	0		
Azobenzene	U	40	0	0	0	0	0	0	0		
Benzidine	U	40	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	40	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	40	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	40	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	40	0	0	0	0	0	0	0		
Benzoic acid	U	40	0	0	0	0	0	0	0		
Benzyl alcohol	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	40	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	40	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	40	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	40	0	0	0	0	0	0	0		
Carbazole	U	40	0	0	0	0	0	0	0		
Chrysene	U	40	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	40	0	0	0	0	0	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: SSB070803B	SampType: MBLK	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/9/2003	SeqNo: 25556

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibenzofuran	U	40	0	0	0	0	0	0	0		
Diethyl phthalate	U	40	0	0	0	0	0	0	0		
Dimethyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	40	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	40	0	0	0	0	0	0	0		
Fluoranthene	U	40	0	0	0	0	0	0	0		
Fluorene	U	40	0	0	0	0	0	0	0		
Hexachlorobenzene	U	40	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	40	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	40	0	0	0	0	0	0	0		
Hexachloroethane	U	40	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	40	0	0	0	0	0	0	0		
Isophorone	U	40	0	0	0	0	0	0	0		
Naphthalene	U	40	0	0	0	0	0	0	0		
Nitrobenzene	U	40	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	40	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	40	0	0	0	0	0	0	0		
Pentachlorophenol	U	40	0	0	0	0	0	0	0		
Phenanthrene	U	40	0	0	0	0	0	0	0		
Phenol	U	40	0	0	0	0	0	0	0		
Pyrene	U	40	0	0	0	0	0	0	0		
Pyridine	U	40	0	0	0	0	0	0	0		

Sample ID: LCS070803	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/10/2003	SeqNo: 25557

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	452.7	40	666	0	68	53	123	0	0		
1,4-Dichlorobenzene	445.3	40	666	0	66.9	41.5	114	0	0		
2,4-Dinitrotoluene	328.4	40	666	0	49.3	48	85.2	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: LCS070803	SampType: LCS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/10/2003	SeqNo: 25557

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chlorophenol	449.8	40	666	0	67.5	52	113	0	0		
4-Chloro-3-methylphenol	440.4	40	666	0	66.1	50.3	111	0	0		
4-Nitrophenol	379.2	40	666	0	56.9	41.6	108	0	0		
Acenaphthene	455.6	40	666	0	68.4	43.6	113	0	0		
N-Nitrosodi-n-propylamine	443.4	40	666	0	66.6	42	120	0	0		
Pentachlorophenol	404.1	40	666	0	60.7	38.6	109	0	0		
Phenol	462.4	40	666	0	69.4	44.8	113	0	0		
Pyrene	510.9	40	666	0	76.7	46.2	104	0	0		

Sample ID: 0306117-17B MS	SampType: MS	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/10/2003	SeqNo: 25558

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	473.8	40	666	0	71.1	53	123	0	0		
1,4-Dichlorobenzene	414.4	40	666	0	62.2	41.5	114	0	0		
2,4-Dinitrotoluene	387.7	40	666	0	58.2	48	85.2	0	0		
2-Chlorophenol	423.4	40	666	0	63.6	52	113	0	0		
4-Chloro-3-methylphenol	478.8	40	666	0	71.9	50.3	111	0	0		
4-Nitrophenol	411.7	40	666	0	61.8	41.6	108	0	0		
Acenaphthene	441.2	40	666	0	66.2	43.6	113	0	0		
N-Nitrosodi-n-propylamine	421.5	40	666	0	63.3	42	120	0	0		
Pentachlorophenol	461.6	40	666	0	69.3	38.6	109	0	0		
Phenol	454.2	40	666	0	68.2	44.8	113	0	0		
Pyrene	688.5	40	666	0	103	46.2	104	0	0		

Sample ID: 0306117-17B MSD	SampType: MSD	TestCode: 8270_Soil	Units: µg/Kg	Prep Date: 7/8/2003	Run ID: SYSTEM T_030702A
Client ID: ZZZZZ	Batch ID: 1447	TestNo: SW8270D	(SW3550A)	Analysis Date: 7/10/2003	SeqNo: 25559

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	411.1	40	666	0	61.7	53	123	0	0		
1,4-Dichlorobenzene	409.2	40	666	0	61.4	41.5	114	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_Soil

Sample ID: **0306117-17B MSD**	SampType: **MSD**	TestCode: **8270_Soil**	Units: **µg/Kg**	Prep Date: **7/8/2003**	Run ID: **SYSTEM T_030702A**	
Client ID: **ZZZZZ**	Batch ID: **1447**	TestNo: **SW8270D**	**(SW3550A)**	Analysis Date: **7/10/2003**	SeqNo: **25559**	

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2,4-Dinitrotoluene	406.4	40	666	0	61	48	85.2	0	0		
2-Chlorophenol	493.4	40	666	0	74.1	52	113	0	0		
4-Chloro-3-methylphenol	499.3	40	666	0	75	50.3	111	0	0		
4-Nitrophenol	417	40	666	0	62.6	41.6	108	0	0		
Acenaphthene	461.5	40	666	0	69.3	43.6	113	0	0		
N-Nitrosodi-n-propylamine	485.3	40	666	0	72.9	42	120	0	0		
Pentachlorophenol	458.7	40	666	0	68.9	38.6	109	0	0		
Phenol	443.8	40	666	0	66.6	44.8	113	0	0		
Pyrene	698.9	40	666	0	105	46.2	104	0	0		S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB063003	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM T_030630A
Client ID: ZZZZZ	Batch ID: 1419	TestNo: SW8270D	(SW3510)	Analysis Date: 6/30/2003	SeqNo: 24728

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	5.0	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	5.0	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	5.0	0	0	0	0	0	0	0		
2-Chlorophenol	U	5.0	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	5.0	0	0	0	0	0	0	0		
2-Methylphenol	U	5.0	0	0	0	0	0	0	0		
2-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
2-Nitrophenol	U	5.0	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	5.0	0	0	0	0	0	0	0		
3+4-Methylphenol	U	5.0	0	0	0	0	0	0	0		
3-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	5.0	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	5.0	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	5.0	0	0	0	0	0	0	0		
4-Chloroaniline	U	5.0	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	5.0	0	0	0	0	0	0	0		
4-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
4-Nitrophenol	U	5.0	0	0	0	0	0	0	0		
Acenaphthene	U	5.0	0	0	0	0	0	0	0		
Acenaphthylene	U	5.0	0	0	0	0	0	0	0		
Aniline	U	5.0	0	0	0	0	0	0	0		
Anthracene	U	5.0	0	0	0	0	0	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB063003	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM T_030630A
Client ID: ZZZZZ	Batch ID: 1419	TestNo: SW8270D	(SW3510)	Analysis Date: 6/30/2003	SeqNo: 24728

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Azobenzene	U	5.0	0	0	0	0	0	0	0		
Benzidine	U	5.0	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	5.0	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	5.0	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	5.0	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	5.0	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	5.0	0	0	0	0	0	0	0		
Benzoic acid	U	5.0	0	0	0	0	0	0	0		
Benzyl alcohol	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	5.0	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	5.0	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	5.0	0	0	0	0	0	0	0		
Carbazole	U	5.0	0	0	0	0	0	0	0		
Chrysene	U	5.0	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	5.0	0	0	0	0	0	0	0		
Dibenzofuran	U	5.0	0	0	0	0	0	0	0		
Diethyl phthalate	U	5.0	0	0	0	0	0	0	0		
Dimethyl phthalate	U	5.0	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	5.0	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	5.0	0	0	0	0	0	0	0		
Fluoranthene	U	5.0	0	0	0	0	0	0	0		
Fluorene	U	5.0	0	0	0	0	0	0	0		
Hexachlorobenzene	U	5.0	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	5.0	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	5.0	0	0	0	0	0	0	0		
Hexachloroethane	U	5.0	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	5.0	0	0	0	0	0	0	0		
Isophorone	U	5.0	0	0	0	0	0	0	0		
Naphthalene	U	5.0	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB063003	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM T_030630A
Client ID: ZZZZZ	Batch ID: 1419	TestNo: SW8270D	(SW3510)	Analysis Date: 6/30/2003	SeqNo: 24728

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrobenzene	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	5.0	0	0	0	0	0	0	0		
Pentachlorophenol	U	5.0	0	0	0	0	0	0	0		
Phenanthrene	U	5.0	0	0	0	0	0	0	0		
Phenol	U	5.0	0	0	0	0	0	0	0		
Pyrene	U	5.0	0	0	0	0	0	0	0		
Pyridine	U	5.0	0	0	0	0	0	0	0		

Sample ID: SWB063003	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1419	TestNo: SW8270D	(SW3510)	Analysis Date: 6/30/2003	SeqNo: 25121

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,4,5-Trichlorophenol	U	5.0									
2,4,6-Trichlorophenol	U	5.0									
2,4-Dichlorophenol	U	5.0									
2,4-Dimethylphenol	U	5.0									
2,4-Dinitrophenol	U	5.0									
2,4-Dinitrotoluene	U	5.0									
2,6-Dinitrotoluene	U	5.0									
2-Chloronaphthalene	U	5.0									
2-Chlorophenol	U	5.0									
2-Methylnaphthalene	U	5.0									
2-Methylphenol	U	5.0									
2-Nitroaniline	U	5.0									
2-Nitrophenol	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB063003	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1419	TestNo: SW8270D	(SW3510)	Analysis Date: 6/30/2003	SeqNo: 25121

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
3,3´-Dichlorobenzidine	U	5.0									
3+4-Methylphenol	U	5.0									
3-Nitroaniline	U	5.0									
4,6-Dinitro-2-methylphenol	U	5.0									
4-Bromophenyl phenyl ether	U	5.0									
4-Chloro-3-methylphenol	U	5.0									
4-Chloroaniline	U	5.0									
4-Chlorophenyl phenyl ether	U	5.0									
4-Nitroaniline	U	5.0									
4-Nitrophenol	U	5.0									
Acenaphthene	U	5.0									
Acenaphthylene	U	5.0									
Aniline	U	5.0									
Anthracene	U	5.0									
Azobenzene	U	5.0									
Benzidine	U	5.0									
Benzo(a)anthracene	U	5.0									
Benzo(a)pyrene	U	5.0									
Benzo(b)fluoranthene	U	5.0									
Benzo(g,h,i)perylene	U	5.0									
Benzo(k)fluoranthene	U	5.0									
Benzoic acid	U	5.0									
Benzyl alcohol	U	5.0									
Bis(2-chloroethoxy)methane	U	5.0									
Bis(2-chloroethyl)ether	U	5.0									
Bis(2-chloroisopropyl)ether	U	5.0									
Bis(2-ethylhexyl)phthalate	U	5.0									
Butyl benzyl phthalate	U	5.0									
Carbazole	U	5.0									
Chrysene	U	5.0									
Dibenzo(a,h)anthracene	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: **SWB063003** SampType: **MBLK** TestCode: **8270_w** Units: **µg/L** Prep Date: **6/30/2003** Run ID: **SYSTEM T_030630C**
Client ID: **ZZZZZ** Batch ID: **1419** TestNo: **SW8270D** **(SW3510)** Analysis Date: **6/30/2003** SeqNo: **25121**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibenzofuran	U	5.0									
Diethyl phthalate	U	5.0									
Dimethyl phthalate	U	5.0									
Di-n-butyl phthalate	U	5.0									
Di-n-octyl phthalate	U	5.0									
Fluoranthene	U	5.0									
Fluorene	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorobutadiene	U	5.0									
Hexachlorocyclopentadiene	U	5.0									
Hexachloroethane	U	5.0									
Indeno(1,2,3-c,d)pyrene	U	5.0									
Isophorone	U	5.0									
Naphthalene	U	5.0									
Nitrobenzene	U	5.0									
N-Nitrosodimethylamine	U	5.0									
N-Nitrosodi-n-propylamine	U	5.0									
N-Nitrosodiphenylamine	U	5.0									
Pentachlorophenol	U	5.0									
Phenanthrene	U	5.0									
Phenol	U	5.0									
Pyrene	U	5.0									
Pyridine	U	5.0									

Sample ID: **LCS063003** SampType: **LCS** TestCode: **8270_w** Units: **µg/L** Prep Date: **6/30/2003** Run ID: **SYSTEM T_030630C**
Client ID: **ZZZZZ** Batch ID: **1419** TestNo: **SW8270D** **(SW3510)** Analysis Date: **6/30/2003** SeqNo: **25122**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	14.74	5.0	20	0	73.7	53	123	0	0		
1,4-Dichlorobenzene	13.64	5.0	20	0	68.2	38	136	0	0		
2,4-Dinitrotoluene	11.29	5.0	20	0	56.4	40	119	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: LCS063003	SampType: LCS	TestCode: 8270_w	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1419	TestNo: SW8270D	(SW3510)	Analysis Date: 6/30/2003	SeqNo: 25122

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chlorophenol	14.04	5.0	20	0	70.2	46	128	0	0		
4-Chloro-3-methylphenol	15.77	5.0	20	0	78.8	30.8	107	0	0		
4-Nitrophenol	5.65	5.0	20	0	28.2	5	107	0	0		
Acenaphthene	15.11	5.0	20	0	75.6	52	125	0	0		
N-Nitrosodi-n-propylamine	14.48	5.0	20	0	72.4	35	142	0	0		
Pentachlorophenol	9.82	5.0	20	0	49.1	18	126	0	0		
Phenol	7.18	5.0	20	0	35.9	5	110	0	0		
Pyrene	16.99	5.0	20	0	85	42	134	0	0		

Sample ID: LCSD063003	SampType: LCS	TestCode: 8270_w	Units: µg/L	Prep Date: 6/30/2003	Run ID: SYSTEM T_030630C
Client ID: ZZZZZ	Batch ID: 1419	TestNo: SW8270D	(SW3510)	Analysis Date: 6/30/2003	SeqNo: 25123

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	14.76	5.0	20	0	73.8	53	123	0	0		
1,4-Dichlorobenzene	13.33	5.0	20	0	66.7	38	136	0	0		
2,4-Dinitrotoluene	10.54	5.0	20	0	52.7	40	119	0	0		
2-Chlorophenol	14.73	5.0	20	0	73.6	46	128	0	0		
4-Chloro-3-methylphenol	14.67	5.0	20	0	73.4	30.8	107	0	0		
4-Nitrophenol	4.62	5.0	20	0	23.1	5	107	0	0		J
Acenaphthene	15.02	5.0	20	0	75.1	52	125	0	0		
N-Nitrosodi-n-propylamine	13.75	5.0	20	0	68.8	35	142	0	0		
Pentachlorophenol	8.89	5.0	20	0	44.4	18	126	0	0		
Phenol	7.03	5.0	20	0	35.2	5	110	0	0		
Pyrene	17.61	5.0	20	0	88	42	134	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103B** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **24774**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103B**	SampType: **MBLK**	TestCode: **Full8260_Soil**	Units: **µg/Kg**	Prep Date:	Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ**	Batch ID: **R3171**	TestNo: **SW8260B**		Analysis Date: **7/1/2003**	SeqNo: **24774**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070103B** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/1/2003** SeqNo: **24774**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									

Sample ID: **VBLK070203** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24779**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070203** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24779**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **VBLK070203** SampType: **MBLK** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24779**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	U	5.0									
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: VBLK070203	SampType: MBLK	TestCode: Full8260_Soil	Units: µg/Kg	Prep Date:	Run ID: SYSTEM Y_030701B
Client ID: ZZZZZ	Batch ID: R3171	TestNo: SW8260B		Analysis Date: 7/2/2003	SeqNo: 24779

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									

Sample ID: LCS070103B	SampType: LCS	TestCode: Full8260_Soil	Units: µg/Kg	Prep Date:	Run ID: SYSTEM Y_030701B
Client ID: ZZZZZ	Batch ID: R3171	TestNo: SW8260B		Analysis Date: 7/1/2003	SeqNo: 24775

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	48.58	5.0	50	0	97.2	67.3	124	0	0		
Benzene	50.21	5.0	50	0	100	65.1	126	0	0		
Chlorobenzene	56.46	5.0	50	0	113	63.7	127	0	0		
Toluene	50.99	5.0	50	0	102	68.7	124	0	0		
Trichloroethene	51.1	5.0	50	0	102	63.4	123	0	0		

Sample ID: 0306118-01AMS	SampType: MS	TestCode: Full8260_Soil	Units: µg/Kg	Prep Date:	Run ID: SYSTEM Y_030701B
Client ID: MW16 (0.5-2')	Batch ID: R3171	TestNo: SW8260B		Analysis Date: 7/2/2003	SeqNo: 24777

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	31.35	5.0	50	0	62.7	67.3	124	0	0		S
Benzene	27.38	5.0	50	0	54.8	65.1	126	0	0		S

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_Soil

Sample ID: **0306118-01AMS** SampType: **MS** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **MW16 (0.5-2')** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24777**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chlorobenzene	13.38	5.0	50	0	26.8	63.7	127	0	0		S
Toluene	21.39	5.0	50	0	42.8	68.7	124	0	0		S
Trichloroethene	21.94	5.0	50	0	43.9	63.4	123	0	0		S

Sample ID: **0306118-01AMSD** SampType: **MSD** TestCode: **Full8260_Soil** Units: **µg/Kg** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **MW16 (0.5-2')** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24778**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	33.2	5.0	50	0	66.4	67.3	124	31.35	5.73	20	S
Benzene	29.18	5.0	50	0	58.4	65.1	126	27.38	6.36	20	S
Chlorobenzene	15.34	5.0	50	0	30.7	63.7	127	13.38	13.6	20	S
Toluene	23.91	5.0	50	0	47.8	68.7	124	21.39	11.1	20	S
Trichloroethene	26.03	5.0	50	0	52.1	63.4	123	21.94	17.1	20	S

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK070203W** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24781**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4,5-Tetramethylbenzene	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK070203W**	SampType: **MBLK**	TestCode: **Full8260_W**	Units: **µg/L**	Prep Date:	Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ**	Batch ID: **R3171**	TestNo: **SW8260B**		Analysis Date: **7/2/2003**	SeqNo: **24781**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acrolein	U	1.0									
Acrylonitrile	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chlorodifluoromethane	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Diisopropyl ether	U	1.0									
Ethanol	U	1.0									
Ethyl acetate	U	1.0									
Ethylbenzene	U	1.0									
Freon-114	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropyl acetate	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK070203W** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030701B**
Client ID: **ZZZZZ** Batch ID: **R3171** TestNo: **SW8260B** Analysis Date: **7/2/2003** SeqNo: **24781**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Naphthalene	U	1.0									
n-Butyl acetate	U	1.0									
n-Butylbenzene	U	1.0									
n-Propyl acetate	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
p-Diethylbenzene	U	1.0									
p-Ethyltoluene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
t-Butyl alcohol	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8081B **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306117-16BMS	102	71.4						
0306117-16BMSD	126	85.4						
0306118-01B	121	87.5						
0306118-02B	96.2	94.2						
MSB070303	141	114						
PSB070303	121	111						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	61.4-149
XYL2456CLM	=	TCX	63.9-130

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8081B **Matrix:** W

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306118-04B	78.0	55.6						
0306118-05B	96.0	81.8						
0306118-06B	105	84.2						
MSB063003	113	63.4						
MSBDUP063003	109	64.5						
PWB063003	98.8	60.8						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	53.4-139
XYL2456CLM	=	TCX	55.3-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8082A **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306117-17BMS	123	109						
0306117-17BMSD	112	97.8						
0306118-01B	71.8	61.3						
0306118-02B	57.4	60.5						
MSB070303	77.7	68.6						
PSB070303	65.5	55.2						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	34.2-138
XYL2456CLM	=	TCX	31.2-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8082A **Matrix:** W

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0306118-04B	65.6	52.4						
0306118-05B	74.8	68.5						
0306118-06B	90.1	75.0						
PWB063003	78.7	55.1						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	52-142
XYL2456CLM	=	TCX	52-143

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8260B **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	BR4FBZ	BZMED8	DBFM					
0306118-01A	95.3	97.8	96.3					
0306118-01AMS	95.8	98.1	98.6					
0306118-01AMSD	96.2	96.9	98.2					
0306118-02A	97.1	97.8	99.8					
LCS070103B	122	87.0	89.6					
VBLK070103B	95.9	98.0	94.7					
VBLK070203	98.5	99.7	102					

Acronym		Surrogate	QC Limits
BR4FBZ	=	4-Bromofluorobenzene	65.8-125
BZMED8	=	Toluene-d8	70.3-125
DBFM	=	Dibromofluoromethane	83.7-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8260B **Matrix:** W

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	BR4FBZ	BZMED8	DBFM					
0306118-03A	95.2	99.7	101					
0306118-04A	119	86.8	88.1					
0306118-05A	117	85.6	91.2					
0306118-06A	115	84.6	85.6					
0306118-07A	120	85.8	88.3					
0306118-08A	119	86.7	92.4					
VBLK070203W	98.5	99.7	102					

Acronym		Surrogate	QC Limits
BR4FBZ	=	4-Bromofluorobenzene	69.2-122
BZMED8	=	Toluene-d8	75-122
DBFM	=	Dibromofluoromethane	85-121

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8270D **Matrix:** S

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	NO2BZD5	PH246BR	PH2F	PHEN2F	PHEND14	PHENOLD6		
0306117-17B MS	82.4	77.6	74.4	75.5	101	77.1		
0306117-17B MSD	69.6	90.0	78.0	75.7	98.4	69.8		
0306118-01B	85.3	78.2	66.4	78.2	86.9	62.9		
0306118-02B	93.2	92.9	66.9	73.2	86.0	82.0		
LCS070803	80.3	79.4	74.2	76.6	81.5	77.2		
SSB070803 A	75.1	89.0	69.5	78.1	107	52.6		
SSB070803B	86.2	74.2	80.0	85.5	101	54.4		

Acronym		Surrogate	QC Limits
NO2BZD5	=	Nitrobenzene-d5	29.6-124.5
PH246BR	=	2,4,6-Tribromophenol	27.9-127.1
PH2F	=	2-Fluorophenol	32.3-123.3
PHEN2F	=	2-Fluorobiphenyl	31.5-113.1
PHEND14	=	4-Terphenyl-d14	29.8-129.9
PHENOLD6	=	Phenol-d6	27.1-126.2

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 30-Jul-03

CLIENT: AKRF, Inc
Work Order: 0306118
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8270D **Matrix:** W

QC SUMMARY REPORT SURROGATE RECOVERIES

Sample ID	NO2BZD5	PH246BR	PH2F	PHEN2F	PHEND14	PHENOLD6		
0306118-04B	77.2	75.7	54.1	79.1	81.8	32.1		
0306118-05B	74.3	86.9	57.5	83.1	88.9	34.2		
0306118-06B	58.0	66.6	47.8	68.8	82.6	26.2		
LCS063003	84.4	85.9	59.9	87.6	93.6	37.8		
LCSD063003	80.1	85.6	57.7	82.3	96.4	35.1		
SWB063003	74.8	75.6	56.2	80.0	91.3	33.7		

Acronym		Surrogate	QC Limits
NO2BZD5	=	Nitrobenzene-d5	35.8-128
PH246BR	=	2,4,6-Tribromophenol	17.2-124.3
PH2F	=	2-Fluorophenol	26-112.5
PHEN2F	=	2-Fluorobiphenyl	37.9-119.5
PHEND14	=	4-Terphenyl-d14	33.2-135.5
PHENOLD6	=	Phenol-d6	11.1-103.6

*** Surrogate recovery outside acceptance limits**

2003 Groundwater Data

AMERICAN
ANALYTICAL
LABORATORIES, INC.

NYSDOH ELAP 11418
AIHA PAT, LPAT 102391
CTDOH PH-0205

ASP CATEGORY A
WORKORDER 0307061
AKRF, INC.
GREENPOINT LUMBER YARD
BROOKLYN, N.Y.

56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX: (631) 454-8027

COVER PAGE

July 28, 2003

Mimi Sotiriou
AKRF, Inc
116 East 27th Street
7th Floor
New York, NY 10016

TEL: (646) 459-3528
FAX (212) 726-0942

RE: Greenpoint Lumber Yard Brooklyn, NY

Order No.: 0307061

Dear Mimi Sotiriou:

American Analytical Laboratories, Inc. received 14 samples on 7/16/2003 for the analyses presented in the following report.

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Lori Beyer

Lori Beyer
Lab Director

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT: AKRF, Inc
Project: Greenpoint Lumber Yard Brooklyn, NY
Lab Order: 0307061

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0307061-01A	MW6		7/16/2003	7/16/2003
0307061-01B	MW6		7/16/2003	7/16/2003
0307061-01C	MW6		7/16/2003	7/16/2003
0307061-01D	MW6		7/16/2003	7/16/2003
0307061-02A	MW7		7/16/2003	7/16/2003
0307061-02B	MW7		7/16/2003	7/16/2003
0307061-02C	MW7		7/16/2003	7/16/2003
0307061-02D	MW7		7/16/2003	7/16/2003
0307061-03A	MW8		7/16/2003	7/16/2003
0307061-03B	MW8		7/16/2003	7/16/2003
0307061-03C	MW8		7/16/2003	7/16/2003
0307061-03D	MW8		7/16/2003	7/16/2003
0307061-04A	MW9		7/16/2003	7/16/2003
0307061-04B	MW9		7/16/2003	7/16/2003
0307061-04C	MW9		7/16/2003	7/16/2003
0307061-04D	MW9		7/16/2003	7/16/2003
0307061-05A	MW10		7/16/2003	7/16/2003
0307061-05B	MW10		7/16/2003	7/16/2003
0307061-05C	MW10		7/16/2003	7/16/2003
0307061-05D	MW10		7/16/2003	7/16/2003
0307061-06A	MW11		7/16/2003	7/16/2003
0307061-06B	MW11		7/16/2003	7/16/2003
0307061-06C	MW11		7/16/2003	7/16/2003
0307061-06D	MW11		7/16/2003	7/16/2003
0307061-07A	MW12		7/16/2003	7/16/2003
0307061-07B	MW12		7/16/2003	7/16/2003
0307061-07C	MW12		7/16/2003	7/16/2003
0307061-07D	MW12		7/16/2003	7/16/2003
0307061-08A	MW13		7/16/2003	7/16/2003
0307061-08B	MW13		7/16/2003	7/16/2003
0307061-08C	MW13		7/16/2003	7/16/2003
0307061-08D	MW13		7/16/2003	7/16/2003
0307061-09A	MW14		7/16/2003	7/16/2003
0307061-09B	MW14		7/16/2003	7/16/2003
0307061-09C	MW14		7/16/2003	7/16/2003
0307061-09D	MW14		7/16/2003	7/16/2003
0307061-10A	MW15		7/16/2003	7/16/2003
0307061-10B	MW15		7/16/2003	7/16/2003

CLIENT:	AKRF, Inc
Project:	Greenpoint Lumber Yard Brooklyn, NY
Lab Order:	0307061

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Tag Number	Collection Date	Date Received
0307061-10C	MW15		7/16/2003	7/16/2003
0307061-10D	MW15		7/16/2003	7/16/2003
0307061-11A	MW16		7/16/2003	7/16/2003
0307061-11B	MW16		7/16/2003	7/16/2003
0307061-11C	MW16		7/16/2003	7/16/2003
0307061-11D	MW16		7/16/2003	7/16/2003
0307061-12A	FOUND WELL		7/16/2003	7/16/2003
0307061-12B	FOUND WELL		7/16/2003	7/16/2003
0307061-12C	FOUND WELL		7/16/2003	7/16/2003
0307061-12D	FOUND WELL		7/16/2003	7/16/2003
0307061-13A	TRIP BLANK		7/16/2003	7/16/2003
0307061-14A	FIELD BLANK		7/16/2003	7/16/2003
0307061-14B	FIELD BLANK		7/16/2003	7/16/2003
0307061-14C	FIELD BLANK		7/16/2003	7/16/2003

SDG NARRATIVE

SDG Narrative

AAL Work Order: : 0307061
Sample Matrix : Groundwater
Project : Greenpoint

INTRODUCTION
This narrative covers the analysis of twelve (12) groundwater and the associated quality control samples (Field Blank and Trip Blank) in accordance with protocols based on SW846 Methods 8260, 8270, 8081, 8082, 6010 and 7470.

HOLDING TIMES
The analytical holding time for these analyses was met.

CALIBRATIONS
Initial Calibration: All required minimum RRFs and maximum %RSD requirements have been met in accordance with the method.

Continuing Calibration: All required minimum RRFs and maximum %D requirements have been met in accordance with the method.

TUNE PERFORMANCE
All Tune (BFB) specifications met QC requirements.

METHOD BLANKS
The method blanks associated with these samples did not contain any target compounds at or above QC limits with the exception of the volatile method blank analyzed on 7/19/03 [applicable to samples MW9, MW10, MW11, MW12, MW13, MW14, MW15, MW16 Found Well, Field Blank and the Trip Blank] which was determined to contain toluene within acceptable levels. Toluene was detected in sample MW13 and has been qualified, "B," as required. The level detected in MW13 (12 ppb) is consistent with lab contamination levels and therefore cannot be attributed to sample matrix constituents.

MATRIX SPIKE/MATRIX SPIKE DUPLICATE/DUPLICATES
MS/MSD/Dup analysis was performed as required. Results are submitted as an appendix to this report.
Spike recoveries and RPD fell within established ranges except where noted on the summary sheets. No laboratory action is required for MS/MSD outliers.

INTERNAL STANDARDS
All area responses and retention times fell within acceptable ranges.

SURROGATES (SYSTEM MONITORING COMPOUNDS)
Surrogate recoveries are summarized in the appendix to this reort.

SAMPLE COMMENTS
Samples were analyzed as per the required protocols.

Volatile and Semivolatile analysis of MW13 was initially analyzed undiluted. As a result of Napthalene concentrations exceeding the instruments linear calibration range for both analyses, a secondary (1:10) dilution was performed as required. Results have been hybridized on the Form I's.

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory manager or his designee, as verified by the following signature." This statement shall be directly followed by signature of the Laboratory Manager or his designee with a typed line below it containing the signer's name and title, and the date of the signature.

Lori Beyer 07/29/03
LABORATORY DIRECTOR

AMERICAN ANALYTICAL LABORATORIES, INC.
56 TOLEDO STREET
FARMINGDALE, NEW YORK 11735
TELEPHONE: (631) 454-6100 FAX: (631) 454-8027

DATA REPORTING QUALIFERS

For reporting results, the following "Results Qualifers" are used:

Value	If the result is greater than or equal to the detection limit, report the value
U	Indicates the compound was analyzed for but was not detected. Report the minimum detection limit for the sample with the U, i.e. "10U". This is not necessarily the instrument detection limit attainable for this particular sample based on any concentration or dilution that may have been required.
J	Indicates an estimated value. The flag is used: (1) When estimating a concentration for a tentatively identified compound (library search hits, where a 1:1 response is assumed.) (2) When the mass spectral data indicated the identification, however the result was less than the specified detection limit greater than zero. If the detection limit was 10ug/L and a concentration of 3ug/L was calculated report as 3J. This flag is used when similar situations arise on any organic parameter i.e. Pesticide, PCBs and others.
B	Indicates the analyte was found in the blank as well as the sample report "10B".
E	Indicates the analytes concentration exceeds the calibrated range of the instrument for that specific analysis.
D	This flag identifies all compounds identified in an analysis at a secondary dilution factor.
P	This flag is used for Pesticide / PCB target analyte when there is >25% difference for detected concentrations between the two GC Columns. The higher of the two values is reported on Form I and flagged with a "P".
N	This flag indicates presumptive evidence of a compound. This is only used for tentatively identified compounds (TICs), where the identification is based on a mass spectral library search. It applies to all TIC results. For generic characterization of a TIC, such as chlorinated hydrocarbon, the flag is not used.

NYSDEC DATA PACKAGE SUMMARY FORMS

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE IDENTIFICATION AND ANALYTICAL REQUIREMENT SUMMARY

CUSTOMER SAMPLE CODE	LABORATORY SAMPLE CODE	ANALYTICAL REQUIREMENTS					
		*VOA GC/MS METHOD #	*BNA GC/MS METHOD #	*VOA GC METHOD #	*PEST PCBs METHOD #	*METALS (TAL)	*OTHER
MW6	0307061-01	8260	8270	NA	8081/8082	6010/7470	
MW7	0307061-02						
MW8	0307061-03						
MW9	0307061-04						
MW10	0307061-05						
MW11	0307061-06						
MW12	0307061-07						
MW13	0307061-08						
MW14	0307061-09						
MW15	0307061-10						
MW16	0307061-11						
Found Well	0307061-12						
Trip Blank	0307061-13		—	—	—	—	
Field Blank	0307061-14		8270	NA	8081/8082	6010/7470	

NA = Not Applicable

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
VOLATILE (VOA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0307061-01	AQUEOUS	7/16/03	7/16/03	NA	7/18/03
0307061-02					7/18/03
0307061-03					7/18/03
0307061-04					7/19/03
0307061-05					7/19/03
0307061-06					7/19/03
0307061-07					7/19/03
0307061-08					7/19/03
0307061-09					7/19/03
0307061-10					7/19/03
0307061-11					7/19/03
0307061-12					7/19/03
0307061-14					7/19/03
0307061-13					7/19/03

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0307061-01	AQUEOUS	07/16/03	07/16/03	07/17/03	07/17/03
0307061-02	↓	↓	↓	↓	07/18/03
0307061-03	↓	↓	↓	↓	↓
0307061-04	↓	↓	↓	↓	↓
0307061-05	↓	↓	↓	↓	↓
0307061-06	↓	↓	↓	↓	↓
0307061-07	↓	↓	↓	↓	↓
0307061-08	↓	↓	↓	↓	07/18/03, 07/22/03
0307061-09	↓	↓	↓	↓	07/18/03
0307061-10	↓	↓	↓	↓	07/19/03
0307061-11	↓	↓	↓	↓	07/21/03
0307061-12	↓	↓	↓	↓	↓
0307061-14	↓	↓	↓	↓	↓

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
SEMIVOLATILE (BNA)
ANALYSES

LABORATORY SAMPLE ID	MATRIX	ANALYTICAL PROTOCOL	EXTRACTION METHOD	AUXILLARY CLEAN UP	DIL / CONC. FACTOR
0307061-01	AQUEOUS	3510/8270	3570 Sepf	NA	1
0307061-02	↓	↓	↓	↓	1
0307061-03					1
0307061-04					1
0307061-05					1
0307061-06					1
0307061-07					1
0307061-08					1, 10
0307061-09					1
0307061-10					1
0307061-11					1
0307061-12					1
0307061-14	↓	↓	↓	↓	1

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
PESTICIDE / PCB
ANALYSES

LABORATORY SAMPLE ID	MATRIX	DATE COLLECTED	DATE RECEIVED AT LAB	DATE EXTRACTED	DATE ANALYZED
0307061-01	AQUEOUS	07/16/03	07/16/03	07/17/03	07/18/03
0307061-02					
0307061-03					
0307061-04					
0307061-05					
0307061-06					07/21/03
0307061-07					
0307061-08					
0307061-09					
0307061-10					
0307061-11					
0307061-12					
0307061-14					

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

SAMPLE PREPARATION AND ANALYSIS SUMMARY
INORGANIC ANALYSES

LABORATORY SAMPLE ID	MATRIX	METALS REQUESTED	DATE RECEIVED AT LAB	DATE ANALYZED
0307061-01	AQUEOUS	TAC (23)	07/16/03	7/18/03, 7/23/03
0307061-02				
0307061-03				
0307061-04				
0307061-05				
0307061-06				
0307061-07				
0307061-08				
0307061-09				
0307061-10				
0307061-11				
0307061-12				
0307061-14				

CHAIN OF CUSTODY FORMS

AMERICAN ANALYTICAL LABORATORIES
56 TOLEDO STREET • FARMINGDALE, NEW YORK 11735
(631) 454-6100 • FAX (631) 454-8027 • email: AAL20000@aol.com

Attn: Lori Beyer

NYSDOH ELAP 11418
AIHA PAT, LPAT 102391
CTDOH PH-0205

CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: Mimi Sotiriou, AKRF, Inc.
CONTACT: 646-459-3528, 917-612-7877

SAMPLER (SIGNATURE): MSotiriou DATE 7/17/03 TIME 10AM
SAMPLER NAME (PRINT): MSotiriou
SAMPLE(S) SEALED: YES / NO
CORRECT CONTAINER(S): YES / NO

PROJECT LOCATION: Greenpoint Lumber Yard - Brooklyn, NY 30260-0006

LABORATORY ID #	MATRIX	TYPE	PRES.	SAMPLE # - LOCATION	8260	8270	8082	TAL Metals Filtered	TAL Metals Unfiltered
0307061-01AB	L	C		MW6	X	X	X	X	X	X
-02AB		C		MW 7						
-03AB		C		MW 8						
-04AB		C		MW 9						
-05AB		C		MW 10						
-06AB		C		MW 11						
-07AB		C		MW 12						
-08AB		C		MW 13						
-09AB		C		MW 14						
-10AB		C		MW 15						
-11AB		C		MW 16						
-12AB		C		FOUND WELL	✓	✓	✓	✓	✓	✓
-13A				TRIP BLANK						
-14AB		C		FIELD BLANK	✓	X	X	X		X

P.O.# 30260-0006

MATRIX S=SOIL; L=LIQUID; SL=SLUDGE; A=AIR; W=WIPE; P=PAINT CHIPS; B=BULK MATERIAL
TYPE G=GRAB; C=COMPOSITE, SS=SPLIT SPOON

TURNAROUND REQUIRED: NORMAL ☒ STAT ☐ BY / /

COMMENTS / INSTRUCTIONS: 2nd Chain - Ignore 1st Chain

RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME
MSotiriou	7/16/03 2PM	MSotiriou	Lori Bz	7/16/03 2:45 PM	LORI Beyer
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

07/17/2003 10:36 FAX 12127260942 AKRF, INC. 001

GC/MS VOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2,4-Trimethylbenzene	3.7	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,3,5-Trimethylbenzene	2.6	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
2-Butanone	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
2-Hexanone	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Acetone	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Acrolein	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Benzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Bromobenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Bromoform	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Bromomethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/18/2003 7:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Chloroethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Chloroform	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Chloromethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Dibromomethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Ethanol	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Freon-114	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
m,p-Xylene	4.2	2.0		µg/L	1	7/18/2003 7:28:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Methylene chloride	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Naphthalene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
o-Xylene	1.6	1.0		µg/L	1	7/18/2003 7:28:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Styrene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Toluene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Trichloroethene	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/18/2003 7:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/18/2003 7:28:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/18/2003 7:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2,4-Trimethylbenzene	1.6	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
2-Butanone	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
2-Hexanone	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
4-Isopropyltoluene	7.2	1.0		µg/L	1	7/18/2003 9:24:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Acetone	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Acrolein	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Benzene	2.0	1.0		µg/L	1	7/18/2003 9:24:00 PM
Bromobenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Bromoform	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Bromomethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/18/2003 9:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Chloroethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Chloroform	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Chloromethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Dibromomethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Ethanol	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Freon-114	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/18/2003 9:24:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Methylene chloride	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Naphthalene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
o-Xylene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Styrene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Toluene	2.2	1.0		µg/L	1	7/18/2003 9:24:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Trichloroethene	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/18/2003 9:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/18/2003 9:24:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/18/2003 9:24:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,1-Dichloroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,1-Dichloroethene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,1-Dichloropropene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2-Dibromoethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2-Dichloroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,2-Dichloropropane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,3-dichloropropane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
2,2-Dichloropropane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
2-Butanone	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
2-Chlorotoluene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
2-Hexanone	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
4-Chlorotoluene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
4-Isopropyltoluene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Acetone	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Acrolein	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Acrylonitrile	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Benzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Bromobenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Bromochloromethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Bromodichloromethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Bromoform	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Bromomethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Carbon disulfide	U	1.0		µg/L	1	7/18/2003 10:02:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Chlorobenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Chlorodifluoromethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Chloroethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Chloroform	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Chloromethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Dibromochloromethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Dibromomethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Diisopropyl ether	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Ethanol	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Ethyl acetate	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Ethylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Freon-114	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Hexachlorobutadiene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Isopropyl acetate	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Isopropylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
m,p-Xylene	U	2.0		µg/L	1	7/18/2003 10:02:00 PM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Methylene chloride	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Naphthalene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
n-Butyl acetate	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
n-Butylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
n-Propyl acetate	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
n-Propylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
o-Xylene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
p-Diethylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
p-Ethyltoluene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
sec-Butylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Styrene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
t-Butyl alcohol	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
tert-Butylbenzene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Tetrachloroethene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Toluene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Trichloroethene	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Trichlorofluoromethane	U	1.0		µg/L	1	7/18/2003 10:02:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/18/2003 10:02:00 PM
Vinyl chloride	U	1.0		µg/L	1	7/18/2003 10:02:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 1:50:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 1:50:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 1:50:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 1:50:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 1:50:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 2:28:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 2:28:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 2:28:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 2:28:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 2:28:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 3:07:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 3:07:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Tetrachloroethene	5.6	1.0		µg/L	1	7/19/2003 3:07:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 3:07:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 3:07:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 3:07:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 3:45:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 3:45:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 3:45:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 3:45:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 3:45:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2,4-Trimethylbenzene	15	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,3,5-Trimethylbenzene	10	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
4-Isopropyltoluene	8.8	1.0		µg/L	1	7/19/2003 4:22:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Benzene	1.4	1.0		µg/L	1	7/19/2003 4:22:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Carbon disulfide	2.4	1.0		µg/L	1	7/19/2003 4:22:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Ethylbenzene	9.7	1.0		µg/L	1	7/19/2003 4:22:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Isopropylbenzene	1.2	1.0		µg/L	1	7/19/2003 4:22:00 AM
m,p-Xylene	33	2.0		µg/L	1	7/19/2003 4:22:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Naphthalene	700	10		µg/L	10	7/22/2003 3:32:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
n-Propylbenzene	4.5	1.0		µg/L	1	7/19/2003 4:22:00 AM
o-Xylene	16	1.0		µg/L	1	7/19/2003 4:22:00 AM
p-Diethylbenzene	3.7	1.0		µg/L	1	7/19/2003 4:22:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Styrene	6.1	1.0		µg/L	1	7/19/2003 4:22:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Toluene	12	1.0	B	µg/L	1	7/19/2003 4:22:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 4:22:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 4:22:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 4:22:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 5:01:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 5:01:00 AM
Methyl tert-butyl ether	8.0	1.0		µg/L	1	7/19/2003 5:01:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 5:01:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 5:01:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 5:01:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 5:39:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 5:39:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 5:39:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 5:39:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 5:39:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 6:17:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 6:17:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 6:17:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 6:17:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 6:17:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 6:55:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 6:55:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 6:55:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 6:55:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 6:55:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	TRIP BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-13A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 7:33:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	TRIP BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-13A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 7:33:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 7:33:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	TRIP BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-13A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 7:33:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 7:33:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
1,1,1,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,1,1-Trichloroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,1,2,2-Tetrachloroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,1,2-Trichloroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,1-Dichloroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,1-Dichloroethene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,1-Dichloropropene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2,3-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2,3-Trichloropropane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2,4,5-Tetramethylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2,4-Trichlorobenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2,4-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2-Dibromo-3-chloropropane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2-Dibromoethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2-Dichloroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,3,5-Trimethylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,3-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,3-dichloropropane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
1,4-Dichlorobenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
2,2-Dichloropropane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
2-Butanone	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
2-Chloroethyl vinyl ether	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
2-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
2-Hexanone	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
4-Chlorotoluene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
4-Isopropyltoluene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
4-Methyl-2-pentanone	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Acetone	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Acrolein	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Acrylonitrile	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Benzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Bromobenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Bromochloromethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Bromodichloromethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Bromoform	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Bromomethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Carbon disulfide	U	1.0		µg/L	1	7/19/2003 8:11:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Carbon tetrachloride	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Chlorobenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Chlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Chloroethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Chloroform	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Chloromethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
cis-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
cis-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Dibromochloromethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Dibromomethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Dichlorodifluoromethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Diisopropyl ether	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Ethanol	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Ethyl acetate	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Ethylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Freon-114	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Hexachlorobutadiene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Isopropyl acetate	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Isopropylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
m,p-Xylene	U	2.0		µg/L	1	7/19/2003 8:11:00 AM
Methyl tert-butyl ether	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Methylene chloride	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Naphthalene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
n-Butyl acetate	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
n-Butylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
n-Propyl acetate	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
n-Propylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
o-Xylene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
p-Diethylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
p-Ethyltoluene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
sec-Butylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Styrene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
t-Butyl alcohol	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
tert-Butylbenzene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Tetrachloroethene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Toluene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
trans-1,2-Dichloroethene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
trans-1,3-Dichloropropene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Trichloroethene	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Trichlorofluoromethane	U	1.0		µg/L	1	7/19/2003 8:11:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14A	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILES SW-846 METHOD 8260		**SW8260B**				Analyst: **LDS**
Vinyl acetate	U	1.0		µg/L	1	7/19/2003 8:11:00 AM
Vinyl chloride	U	1.0		µg/L	1	7/19/2003 8:11:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC/MS SEMIVOLATILE DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
3,3´-Dichlorobenzidine	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Acenaphthene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Aniline	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Anthracene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Azobenzene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzidine	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzoic acid	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Carbazole	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Chrysene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Fluoranthene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Fluorene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Isophorone	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Naphthalene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Phenanthrene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Phenol	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Pyrene	U	5.0		µg/L	1	7/17/2003 11:52:00 PM
Pyridine	U	5.0		µg/L	1	7/17/2003 11:52:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
3,3´-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
3+4-Methylphenol	6.1	5.0		µg/L	1	7/18/2003 2:41:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Acenaphthene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Anthracene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzoic acid	29	5.0		µg/L	1	7/18/2003 2:41:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Carbazole	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Fluorene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Naphthalene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Phenanthrene	7.1	5.0		µg/L	1	7/18/2003 2:41:00 PM
Phenol	7.4	5.0		µg/L	1	7/18/2003 2:41:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 2:41:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 2:41:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Acenaphthene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Anthracene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzoic acid	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Carbazole	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Fluorene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Naphthalene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Phenanthrene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Phenol	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 3:19:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 3:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Acenaphthene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Anthracene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzoic acid	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Carbazole	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Fluorene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Naphthalene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Phenanthrene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Phenol	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 3:58:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 3:58:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Acenaphthene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Anthracene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzoic acid	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Carbazole	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Fluorene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Naphthalene	8.6	5.0		µg/L	1	7/18/2003 4:37:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Phenanthrene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Phenol	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 4:37:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 4:37:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Acenaphthene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Anthracene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzoic acid	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Carbazole	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Fluorene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Naphthalene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Phenanthrene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Phenol	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 5:56:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 5:56:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Acenaphthene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Anthracene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzoic acid	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Carbazole	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Fluorene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Naphthalene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Phenanthrene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Phenol	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 6:47:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 6:47:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2-Methylnaphthalene	68	5.0		µg/L	1	7/18/2003 7:49:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
3,3´-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Acenaphthene	18	5.0		µg/L	1	7/18/2003 7:49:00 PM
Acenaphthylene	18	5.0		µg/L	1	7/18/2003 7:49:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Anthracene	5.6	5.0		µg/L	1	7/18/2003 7:49:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzoic acid	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Carbazole	10	5.0		µg/L	1	7/18/2003 7:49:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Dibenzofuran	6.5	5.0		µg/L	1	7/18/2003 7:49:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Fluorene	18	5.0		µg/L	1	7/18/2003 7:49:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Naphthalene	630	50		µg/L	10	7/22/2003 1:35:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Phenanthrene	39	5.0		µg/L	1	7/18/2003 7:49:00 PM
Phenol	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 7:49:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 7:49:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Acenaphthene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Aniline	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Anthracene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Azobenzene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzidine	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzoic acid	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Carbazole	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Chrysene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Fluoranthene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Fluorene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Isophorone	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Naphthalene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Phenanthrene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Phenol	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Pyrene	U	5.0		µg/L	1	7/18/2003 11:04:00 PM
Pyridine	U	5.0		µg/L	1	7/18/2003 11:04:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2-Chloronaphthalene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2-Chlorophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2-Methylnaphthalene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2-Methylphenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2-Nitroaniline	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
2-Nitrophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
3+4-Methylphenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
3-Nitroaniline	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
4-Chloroaniline	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
4-Nitroaniline	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
4-Nitrophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Acenaphthene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Acenaphthylene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Aniline	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Anthracene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Azobenzene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzidine	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzo(a)anthracene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzo(a)pyrene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzoic acid	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Benzyl alcohol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Carbazole	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Chrysene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Dibenzofuran	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Diethyl phthalate	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Dimethyl phthalate	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Fluoranthene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Fluorene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Hexachlorobenzene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Hexachlorobutadiene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Hexachloroethane	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Isophorone	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Naphthalene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Nitrobenzene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Pentachlorophenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Phenanthrene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Phenol	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Pyrene	U	5.0		µg/L	1	7/19/2003 12:04:00 AM
Pyridine	U	5.0		µg/L	1	7/19/2003 12:04:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Acenaphthene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Aniline	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Anthracene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Azobenzene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzidine	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzoic acid	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Carbazole	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Chrysene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Fluoranthene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Fluorene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Isophorone	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Naphthalene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Phenanthrene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Phenol	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Pyrene	U	5.0		µg/L	1	7/21/2003 3:22:00 PM
Pyridine	U	5.0		µg/L	1	7/21/2003 3:22:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Acenaphthene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Aniline	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Anthracene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Azobenzene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzidine	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzoic acid	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Carbazole	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Chrysene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Fluoranthene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Fluorene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Isophorone	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Naphthalene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Phenanthrene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Phenol	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Pyrene	U	5.0		µg/L	1	7/21/2003 4:01:00 PM
Pyridine	U	5.0		µg/L	1	7/21/2003 4:01:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
1,2,4-Trichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
1,2-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
1,3-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
1,4-Dichlorobenzene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2,4,5-Trichlorophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2,4,6-Trichlorophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2,4-Dichlorophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2,4-Dimethylphenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2,4-Dinitrophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2,4-Dinitrotoluene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2,6-Dinitrotoluene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2-Chloronaphthalene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2-Chlorophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2-Methylnaphthalene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2-Methylphenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2-Nitroaniline	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
2-Nitrophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
3,3'-Dichlorobenzidine	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
3+4-Methylphenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
3-Nitroaniline	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
4,6-Dinitro-2-methylphenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
4-Bromophenyl phenyl ether	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
4-Chloro-3-methylphenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
4-Chloroaniline	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
4-Chlorophenyl phenyl ether	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
4-Nitroaniline	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
4-Nitrophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Acenaphthene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Acenaphthylene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Aniline	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Anthracene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Azobenzene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzidine	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzo(a)anthracene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzo(a)pyrene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzo(b)fluoranthene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzo(g,h,i)perylene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzo(k)fluoranthene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzoic acid	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Benzyl alcohol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
SEMIVOLATILES SW-846 8270		**SW8270D**		**(SW3510)**		Analyst: **RN**
Bis(2-chloroethoxy)methane	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Bis(2-chloroethyl)ether	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Bis(2-chloroisopropyl)ether	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Bis(2-ethylhexyl)phthalate	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Butyl benzyl phthalate	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Carbazole	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Chrysene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Dibenzo(a,h)anthracene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Dibenzofuran	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Diethyl phthalate	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Dimethyl phthalate	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Di-n-butyl phthalate	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Di-n-octyl phthalate	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Fluoranthene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Fluorene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Hexachlorobenzene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Hexachlorobutadiene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Hexachlorocyclopentadiene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Hexachloroethane	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Indeno(1,2,3-c,d)pyrene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Isophorone	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Naphthalene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Nitrobenzene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
N-Nitrosodimethylamine	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
N-Nitrosodi-n-propylamine	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
N-Nitrosodiphenylamine	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Pentachlorophenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Phenanthrene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Phenol	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Pyrene	U	5.0		µg/L	1	7/21/2003 4:39:00 PM
Pyridine	U	5.0		µg/L	1	7/21/2003 4:39:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

GC PESTICIDE/PCB DATA

RESULTS – ORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4´-DDD	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
4,4´-DDE	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
4,4´-DDT	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Aldrin	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
alpha-BHC	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
beta-BHC	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Chlordane	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
DBCP	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
delta-BHC	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Dieldrin	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Endosulfan I	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Endosulfan II	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Endrin	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Endrin ketone	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
gamma-BHC	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Heptachlor	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Isodrin	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Methoxychlor	U	0.10		µg/L	1	7/18/2003 5:26:00 PM
Toxaphene	U	1.0		µg/L	1	7/18/2003 5:26:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Aldrin	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
alpha-BHC	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
beta-BHC	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Chlordane	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
DBCP	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
delta-BHC	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Dieldrin	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Endosulfan I	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Endosulfan II	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Endrin	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Endrin ketone	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
gamma-BHC	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Heptachlor	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Isodrin	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Methoxychlor	U	0.10		µg/L	1	7/18/2003 6:09:00 PM
Toxaphene	U	1.0		µg/L	1	7/18/2003 6:09:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4´-DDD	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
4,4´-DDE	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
4,4´-DDT	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Aldrin	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
alpha-BHC	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
beta-BHC	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Chlordane	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
DBCP	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
delta-BHC	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Dieldrin	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Endosulfan I	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Endosulfan II	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Endrin	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Endrin ketone	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
gamma-BHC	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Heptachlor	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Isodrin	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Methoxychlor	U	0.10		µg/L	1	7/18/2003 6:52:00 PM
Toxaphene	U	1.0		µg/L	1	7/18/2003 6:52:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Aldrin	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
alpha-BHC	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
beta-BHC	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Chlordane	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
DBCP	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
delta-BHC	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Dieldrin	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Endosulfan I	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Endosulfan II	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Endrin	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Endrin ketone	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
gamma-BHC	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Heptachlor	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Isodrin	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Methoxychlor	U	0.10		µg/L	1	7/18/2003 7:35:00 PM
Toxaphene	U	1.0		µg/L	1	7/18/2003 7:35:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4´-DDD	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
4,4´-DDE	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
4,4´-DDT	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Aldrin	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
alpha-BHC	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
beta-BHC	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Chlordane	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
DBCP	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
delta-BHC	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Dieldrin	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Endosulfan I	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Endosulfan II	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Endrin	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Endrin ketone	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
gamma-BHC	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Heptachlor	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Isodrin	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Methoxychlor	U	0.10		µg/L	1	7/18/2003 8:18:00 PM
Toxaphene	U	1.0		µg/L	1	7/18/2003 8:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Hexachlorobenzene	0.08	0.10	J	µg/L	1	7/21/2003 6:53:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 6:53:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 6:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4´-DDD	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
4,4´-DDE	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
4,4´-DDT	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 7:36:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 7:36:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 8:19:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 8:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4´-DDD	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
4,4´-DDE	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
4,4´-DDT	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 9:02:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 9:02:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 9:45:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 9:45:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 10:28:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 10:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 11:11:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 11:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PESTICIDES SW-846 8081		**SW8081B**		**(SW3510B)**		Analyst: **KB**
4,4'-DDD	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
4,4'-DDE	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
4,4'-DDT	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Aldrin	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
alpha-BHC	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
beta-BHC	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Chlordane	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Chlorobenzilate	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
DBCP	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
delta-BHC	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Dieldrin	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Endosulfan I	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Endosulfan II	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Endosulfan sulfate	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Endrin	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Endrin aldehyde	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Endrin ketone	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
gamma-BHC	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Heptachlor	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Heptachlor epoxide	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Hexachlorobenzene	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Hexachlorocyclopentadiene	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Isodrin	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Methoxychlor	U	0.10		µg/L	1	7/21/2003 11:54:00 PM
Toxaphene	U	1.0		µg/L	1	7/21/2003 11:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/18/2003 5:26:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/18/2003 5:26:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/18/2003 5:26:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/18/2003 5:26:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/18/2003 5:26:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/18/2003 5:26:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/18/2003 5:26:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/18/2003 6:09:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/18/2003 6:09:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/18/2003 6:09:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/18/2003 6:09:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/18/2003 6:09:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/18/2003 6:09:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/18/2003 6:09:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/18/2003 6:52:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/18/2003 6:52:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/18/2003 6:52:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/18/2003 6:52:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/18/2003 6:52:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/18/2003 6:52:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/18/2003 6:52:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/18/2003 7:35:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/18/2003 7:35:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/18/2003 7:35:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/18/2003 7:35:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/18/2003 7:35:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/18/2003 7:35:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/18/2003 7:35:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/18/2003 8:18:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/18/2003 8:18:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/18/2003 8:18:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/18/2003 8:18:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/18/2003 8:18:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/18/2003 8:18:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/18/2003 8:18:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 6:53:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 6:53:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 6:53:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 6:53:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 6:53:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 6:53:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 6:53:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 7:36:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 7:36:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 7:36:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 7:36:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 7:36:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 7:36:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 7:36:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 8:19:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 8:19:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 8:19:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 8:19:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 8:19:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 8:19:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 8:19:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 9:02:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 9:02:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 9:02:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 9:02:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 9:02:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 9:02:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 9:02:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 9:45:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 9:45:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 9:45:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 9:45:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 9:45:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 9:45:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 9:45:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 10:28:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 10:28:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 10:28:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 10:28:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 10:28:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 10:28:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 10:28:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 11:11:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 11:11:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 11:11:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 11:11:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 11:11:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 11:11:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 11:11:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14B	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
PCB'S AS AROCLORS SW-846 8082		**SW8082A**		**(SW3510B)**		Analyst: **KB**
Aroclor 1016	U	1.0		µg/L	1	7/21/2003 11:54:00 PM
Aroclor 1221	U	1.0		µg/L	1	7/21/2003 11:54:00 PM
Aroclor 1232	U	1.0		µg/L	1	7/21/2003 11:54:00 PM
Aroclor 1242	U	1.0		µg/L	1	7/21/2003 11:54:00 PM
Aroclor 1248	U	1.0		µg/L	1	7/21/2003 11:54:00 PM
Aroclor 1254	U	1.0		µg/L	1	7/21/2003 11:54:00 PM
Aroclor 1260	U	1.0		µg/L	1	7/21/2003 11:54:00 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

INORGANIC DATA

RESULTS - INORGANIC ANALYSIS DATA SHEET

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.104	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Antimony	0.0836	0.0250		mg/L	1	7/18/2003 10:22:43 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:22:43 AM
Barium	0.218	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:22:43 AM
Calcium	146	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Cobalt	0.013	0.0200	J	mg/L	1	7/18/2003 10:22:43 AM
Copper	0.015	0.0200	J	mg/L	1	7/18/2003 10:22:43 AM
Iron	29.2	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Lead	U	0.0150		mg/L	1	7/18/2003 10:22:43 AM
Magnesium	7.07	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Manganese	0.558	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Nickel	0.0054	0.0200	J	mg/L	1	7/18/2003 10:22:43 AM
Potassium	15.5	0.0700		mg/L	1	7/18/2003 10:22:43 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:22:43 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Sodium	21.7	0.0300		mg/L	1	7/18/2003 10:22:43 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:22:43 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:22:43 AM
Zinc	0.0516	0.0200		mg/L	1	7/18/2003 10:22:43 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW6
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-01D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0562	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 10:20:15 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:20:15 AM
Barium	0.146	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:20:15 AM
Calcium	160	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Copper	U	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Iron	0.843	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Lead	U	0.0150		mg/L	1	7/18/2003 10:20:15 AM
Magnesium	7.73	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Manganese	0.537	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Potassium	18.1	0.0700		mg/L	1	7/18/2003 10:20:15 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:20:15 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Sodium	17.1	0.0300		mg/L	1	7/18/2003 10:20:15 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:20:15 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:20:15 AM
Zinc	0.0071	0.0200	J	mg/L	1	7/18/2003 10:20:15 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	1.68	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Antimony	0.0548	0.0250		mg/L	1	7/18/2003 10:28:23 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:28:23 AM
Barium	0.132	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:28:23 AM
Calcium	39.2	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Copper	0.019	0.0200	J	mg/L	1	7/18/2003 10:28:23 AM
Iron	0.497	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Lead	0.0197	0.0150		mg/L	1	7/18/2003 10:28:23 AM
Magnesium	0.166	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Manganese	0.0082	0.0200	J	mg/L	1	7/18/2003 10:28:23 AM
Nickel	0.0058	0.0200	J	mg/L	1	7/18/2003 10:28:23 AM
Potassium	100	0.0700		mg/L	1	7/18/2003 10:28:23 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:28:23 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:28:23 AM
Sodium	110	0.0300		mg/L	1	7/18/2003 10:28:23 AM
Thallium	0.0190	0.0150		mg/L	1	7/18/2003 10:28:23 AM
Vanadium	0.0083	0.0200	J	mg/L	1	7/18/2003 10:28:23 AM
Zinc	0.0392	0.0200		mg/L	1	7/18/2003 10:28:23 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW7
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-02D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	1.69	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 10:26:08 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:26:08 AM
Barium	0.140	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:26:08 AM
Calcium	41.9	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Copper	0.0052	0.0200	J	mg/L	1	7/18/2003 10:26:08 AM
Iron	0.157	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Lead	0.0091	0.0150	J	mg/L	1	7/18/2003 10:26:08 AM
Magnesium	0.0633	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Manganese	U	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Nickel	0.0048	0.0200	J	mg/L	1	7/18/2003 10:26:08 AM
Potassium	114	0.0700		mg/L	1	7/18/2003 10:26:08 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:26:08 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:26:08 AM
Sodium	116	0.0300		mg/L	1	7/18/2003 10:26:08 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:26:08 AM
Vanadium	0.0081	0.0200	J	mg/L	1	7/18/2003 10:26:08 AM
Zinc	0.0062	0.0200	J	mg/L	1	7/18/2003 10:26:08 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.334	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Antimony	0.0443	0.0250		mg/L	1	7/18/2003 10:33:41 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:33:41 AM
Barium	0.486	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:33:41 AM
Calcium	168	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Copper	0.010	0.0200	J	mg/L	1	7/18/2003 10:33:41 AM
Iron	0.106	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Lead	U	0.0150		mg/L	1	7/18/2003 10:33:41 AM
Magnesium	495	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Manganese	0.018	0.0200	J	mg/L	1	7/18/2003 10:33:41 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Potassium	349	0.0700		mg/L	1	7/18/2003 10:33:41 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:33:41 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Sodium	509	0.0300		mg/L	1	7/18/2003 10:33:41 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:33:41 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:33:41 AM
Zinc	0.0520	0.0200		mg/L	1	7/18/2003 10:33:41 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW8
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-03D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0575	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 10:31:20 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:31:20 AM
Barium	0.468	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:31:20 AM
Calcium	167	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Copper	U	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Iron	0.0448	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Lead	U	0.0150		mg/L	1	7/18/2003 10:31:20 AM
Magnesium	505	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Manganese	0.018	0.0200	J	mg/L	1	7/18/2003 10:31:20 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Potassium	368	0.0700		mg/L	1	7/18/2003 10:31:20 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:31:20 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Sodium	517	0.0300		mg/L	1	7/18/2003 10:31:20 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:31:20 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:31:20 AM
Zinc	0.0270	0.0200		mg/L	1	7/18/2003 10:31:20 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.582	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Antimony	0.0272	0.0250		mg/L	1	7/18/2003 10:50:46 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:50:46 AM
Barium	0.230	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:50:46 AM
Calcium	223	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Copper	0.015	0.0200	J	mg/L	1	7/18/2003 10:50:46 AM
Iron	3.83	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Lead	0.0173	0.0150		mg/L	1	7/18/2003 10:50:46 AM
Magnesium	38.7	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Manganese	0.848	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Nickel	0.0045	0.0200	J	mg/L	1	7/18/2003 10:50:46 AM
Potassium	38.8	0.0700		mg/L	1	7/18/2003 10:50:46 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:50:46 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Sodium	101	0.0300		mg/L	1	7/18/2003 10:50:46 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:50:46 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:50:46 AM
Zinc	0.146	0.0200		mg/L	1	7/18/2003 10:50:46 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW9
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-04D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0727	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 10:47:48 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:47:48 AM
Barium	0.235	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:47:48 AM
Calcium	252	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Copper	U	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Iron	0.695	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Lead	U	0.0150		mg/L	1	7/18/2003 10:47:48 AM
Magnesium	42.2	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Manganese	0.939	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Potassium	45.8	0.0700		mg/L	1	7/18/2003 10:47:48 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:47:48 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Sodium	102	0.0300		mg/L	1	7/18/2003 10:47:48 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:47:48 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:47:48 AM
Zinc	0.101	0.0200		mg/L	1	7/18/2003 10:47:48 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.204	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Antimony	0.018	0.0250	J	mg/L	1	7/18/2003 10:56:05 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:56:05 AM
Barium	0.130	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:56:05 AM
Calcium	266	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Copper	0.013	0.0200	J	mg/L	1	7/18/2003 10:56:05 AM
Iron	6.98	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Lead	0.010	0.0150	J	mg/L	1	7/18/2003 10:56:05 AM
Magnesium	52.2	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Manganese	6.12	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Potassium	42.1	0.0700		mg/L	1	7/18/2003 10:56:05 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:56:05 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Sodium	109	0.0300		mg/L	1	7/18/2003 10:56:05 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:56:05 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:56:05 AM
Zinc	0.0829	0.0200		mg/L	1	7/18/2003 10:56:05 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW10
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-05D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0417	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 10:53:44 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:53:44 AM
Barium	0.112	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:53:44 AM
Calcium	304	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Copper	U	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Iron	0.399	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Lead	U	0.0150		mg/L	1	7/18/2003 10:53:44 AM
Magnesium	58.1	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Manganese	6.80	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Potassium	51.0	0.0700		mg/L	1	7/18/2003 10:53:44 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:53:44 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Sodium	112	0.0300		mg/L	1	7/18/2003 10:53:44 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:53:44 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:53:44 AM
Zinc	0.0051	0.0200	J	mg/L	1	7/18/2003 10:53:44 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.110	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:00:41 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:00:41 AM
Barium	0.0496	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:00:41 AM
Calcium	113	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Copper	0.0098	0.0200	J	mg/L	1	7/18/2003 11:00:41 AM
Iron	0.153	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:00:41 AM
Magnesium	33.8	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Manganese	0.184	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Nickel	0.0054	0.0200	J	mg/L	1	7/18/2003 11:00:41 AM
Potassium	7.10	0.0700		mg/L	1	7/18/2003 11:00:41 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:00:41 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Sodium	34.0	0.0300		mg/L	1	7/18/2003 11:00:41 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:00:41 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:00:41 AM
Zinc	0.0414	0.0200		mg/L	1	7/18/2003 11:00:41 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW11
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-06D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0665	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 10:58:22 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 10:58:22 AM
Barium	0.0499	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 10:58:22 AM
Calcium	123	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Copper	U	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Iron	0.0584	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Lead	U	0.0150		mg/L	1	7/18/2003 10:58:22 AM
Magnesium	36.7	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Manganese	0.194	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Nickel	0.0046	0.0200	J	mg/L	1	7/18/2003 10:58:22 AM
Potassium	8.25	0.0700		mg/L	1	7/18/2003 10:58:22 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 10:58:22 AM
Silver	U	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Sodium	32.1	0.0300		mg/L	1	7/18/2003 10:58:22 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 10:58:22 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 10:58:22 AM
Zinc	0.018	0.0200	J	mg/L	1	7/18/2003 10:58:22 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.211	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:05:27 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:05:27 AM
Barium	0.277	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:05:27 AM
Calcium	113	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Copper	0.012	0.0200	J	mg/L	1	7/18/2003 11:05:27 AM
Iron	9.42	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Lead	0.0236	0.0150		mg/L	1	7/18/2003 11:05:27 AM
Magnesium	27.8	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Manganese	1.93	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Potassium	24.3	0.0700		mg/L	1	7/18/2003 11:05:27 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:05:27 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Sodium	83.4	0.0300		mg/L	1	7/18/2003 11:05:27 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:05:27 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:05:27 AM
Zinc	0.0538	0.0200		mg/L	1	7/18/2003 11:05:27 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW12
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-07D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0417	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:03:03 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:03:03 AM
Barium	0.240	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:03:03 AM
Calcium	127	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Copper	U	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Iron	0.395	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:03:03 AM
Magnesium	31.2	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Manganese	2.10	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Potassium	30.3	0.0700		mg/L	1	7/18/2003 11:03:03 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:03:03 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Sodium	88.7	0.0300		mg/L	1	7/18/2003 11:03:03 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:03:03 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:03:03 AM
Zinc	0.0056	0.0200	J	mg/L	1	7/18/2003 11:03:03 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.164	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Antimony	0.022	0.0250	J	mg/L	1	7/18/2003 11:10:10 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:10:10 AM
Barium	0.0681	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:10:10 AM
Calcium	345	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Copper	0.011	0.0200	J	mg/L	1	7/18/2003 11:10:10 AM
Iron	3.05	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:10:10 AM
Magnesium	27.0	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Manganese	0.752	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Nickel	0.0064	0.0200	J	mg/L	1	7/18/2003 11:10:10 AM
Potassium	22.1	0.0700		mg/L	1	7/18/2003 11:10:10 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:10:10 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Sodium	57.1	0.0300		mg/L	1	7/18/2003 11:10:10 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:10:10 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:10:10 AM
Zinc	0.0292	0.0200		mg/L	1	7/18/2003 11:10:10 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW13
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-08D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0573	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:07:52 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:07:52 AM
Barium	0.0656	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:07:52 AM
Calcium	381	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Copper	U	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Iron	0.332	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:07:52 AM
Magnesium	29.4	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Manganese	0.814	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Potassium	24.9	0.0700		mg/L	1	7/18/2003 11:07:52 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:07:52 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Sodium	55.4	0.0300		mg/L	1	7/18/2003 11:07:52 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:07:52 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:07:52 AM
Zinc	0.014	0.0200	J	mg/L	1	7/18/2003 11:07:52 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.253	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Antimony	0.024	0.0250	J	mg/L	1	7/18/2003 11:21:49 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:21:49 AM
Barium	0.214	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:21:49 AM
Calcium	92.8	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Copper	0.0091	0.0200	J	mg/L	1	7/18/2003 11:21:49 AM
Iron	19.3	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Lead	0.010	0.0150	J	mg/L	1	7/18/2003 11:21:49 AM
Magnesium	14.3	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Manganese	2.69	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Nickel	0.0048	0.0200	J	mg/L	1	7/18/2003 11:21:49 AM
Potassium	13.9	0.0700		mg/L	1	7/18/2003 11:21:49 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:21:49 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Sodium	75.9	0.0300		mg/L	1	7/18/2003 11:21:49 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:21:49 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:21:49 AM
Zinc	0.0422	0.0200		mg/L	1	7/18/2003 11:21:49 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW14
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-09D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0339	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:19:18 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:19:18 AM
Barium	0.171	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:19:18 AM
Calcium	101	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Copper	U	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Iron	1.55	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:19:18 AM
Magnesium	12.3	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Manganese	2.76	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Potassium	14.1	0.0700		mg/L	1	7/18/2003 11:19:18 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:19:18 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Sodium	56.1	0.0300		mg/L	1	7/18/2003 11:19:18 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:19:18 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:19:18 AM
Zinc	0.012	0.0200	J	mg/L	1	7/18/2003 11:19:18 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.253	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:26:28 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:26:28 AM
Barium	0.137	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:26:28 AM
Calcium	115	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Copper	0.0064	0.0200	J	mg/L	1	7/18/2003 11:26:28 AM
Iron	3.60	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Lead	0.0093	0.0150	J	mg/L	1	7/18/2003 11:26:28 AM
Magnesium	25.3	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Manganese	0.838	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Nickel	0.0091	0.0200	J	mg/L	1	7/18/2003 11:26:28 AM
Potassium	6.20	0.0700		mg/L	1	7/18/2003 11:26:28 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:26:28 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Sodium	29.9	0.0300		mg/L	1	7/18/2003 11:26:28 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:26:28 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:26:28 AM
Zinc	0.0393	0.0200		mg/L	1	7/18/2003 11:26:28 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW15
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-10D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0403	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:24:09 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:24:09 AM
Barium	0.142	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:24:09 AM
Calcium	130	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Copper	U	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Iron	1.09	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:24:09 AM
Magnesium	28.7	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Manganese	0.924	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Potassium	7.43	0.0700		mg/L	1	7/18/2003 11:24:09 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:24:09 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Sodium	28.7	0.0300		mg/L	1	7/18/2003 11:24:09 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:24:09 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:24:09 AM
Zinc	0.014	0.0200	J	mg/L	1	7/18/2003 11:24:09 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.139	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:34:08 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:34:08 AM
Barium	0.162	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:34:08 AM
Calcium	158	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Copper	U	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Iron	12.2	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:34:08 AM
Magnesium	54.2	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Manganese	0.494	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Potassium	23.4	0.0700		mg/L	1	7/18/2003 11:34:08 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:34:08 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Sodium	77.9	0.0300		mg/L	1	7/18/2003 11:34:08 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:34:08 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:34:08 AM
Zinc	0.0336	0.0200		mg/L	1	7/18/2003 11:34:08 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	MW16
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-11D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0377	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:29:01 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:29:01 AM
Barium	0.143	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:29:01 AM
Calcium	176	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Copper	U	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Iron	0.404	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:29:01 AM
Magnesium	60.7	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Manganese	0.476	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Potassium	28.2	0.0700		mg/L	1	7/18/2003 11:29:01 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:29:01 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Sodium	80.2	0.0300		mg/L	1	7/18/2003 11:29:01 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:29:01 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:29:01 AM
Zinc	0.0049	0.0200	J	mg/L	1	7/18/2003 11:29:01 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**		**(SW3010A)**		Analyst: **JP**
Aluminum	0.0947	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:39:00 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:39:00 AM
Barium	0.142	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:39:00 AM
Calcium	101	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Copper	0.0076	0.0200	J	mg/L	1	7/18/2003 11:39:00 AM
Iron	3.15	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:39:00 AM
Magnesium	34.1	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Manganese	0.806	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Potassium	17.0	0.0700		mg/L	1	7/18/2003 11:39:00 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:39:00 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Sodium	89.3	0.0300		mg/L	1	7/18/2003 11:39:00 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:39:00 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:39:00 AM
Zinc	0.0339	0.0200		mg/L	1	7/18/2003 11:39:00 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FOUND WELL
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-12D	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY - DISSOLVED		**SW7470A**		**(SW3005A)**		Analyst: **JP**
Mercury	U	0.00200		mg/L	1	7/23/2003
TARGET ANALYTE LIST METALS-DISSOLVED		**SW6010B**		**(SW3005A)**		Analyst: **JP**
Aluminum	0.0421	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Antimony	U	0.0250		mg/L	1	7/18/2003 11:36:41 AM
Arsenic	U	0.0250		mg/L	1	7/18/2003 11:36:41 AM
Barium	0.141	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Beryllium	U	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Cadmium	U	0.0100		mg/L	1	7/18/2003 11:36:41 AM
Calcium	110	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Chromium	U	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Cobalt	U	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Copper	U	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Iron	0.565	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Lead	U	0.0150		mg/L	1	7/18/2003 11:36:41 AM
Magnesium	37.5	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Manganese	0.851	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Nickel	U	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Potassium	20.5	0.0700		mg/L	1	7/18/2003 11:36:41 AM
Selenium	U	0.0250		mg/L	1	7/18/2003 11:36:41 AM
Silver	U	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Sodium	95.6	0.0300		mg/L	1	7/18/2003 11:36:41 AM
Thallium	U	0.0150		mg/L	1	7/18/2003 11:36:41 AM
Vanadium	U	0.0200		mg/L	1	7/18/2003 11:36:41 AM
Zinc	0.019	0.0200	J	mg/L	1	7/18/2003 11:36:41 AM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

American Analytical Laboratories, Inc.

Date: *28-Jul-03*

CLIENT:	AKRF, Inc	**Client Sample ID:**	FIELD BLANK
Lab Order:	0307061	**Tag Number:**	
Project:	Greenpoint Lumber Yard Brooklyn, NY	**Collection Date:**	7/16/2003
Lab ID:	0307061-14C	**Matrix:**	LIQUID

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
MERCURY SW-846 7470		**SW7470A**				Analyst: **JP**
Mercury	U	0.200		µg/L	1	7/23/2003
TARGET ANALYTE LIST METALS		**SW6010B**				Analyst: **JP**
Aluminum	0.018	0.0200	J	mg/L	1	7/23/2003 2:46:26 PM
Antimony	U	0.0250		mg/L	1	7/23/2003 2:46:26 PM
Arsenic	U	0.0250		mg/L	1	7/23/2003 2:46:26 PM
Barium	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Beryllium	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Cadmium	U	0.0100		mg/L	1	7/23/2003 2:46:26 PM
Calcium	0.128	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Chromium	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Cobalt	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Copper	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Iron	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Lead	U	0.0150		mg/L	1	7/23/2003 2:46:26 PM
Magnesium	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Manganese	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Nickel	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Potassium	0.026	0.0700	J	mg/L	1	7/23/2003 2:46:26 PM
Selenium	U	0.0250		mg/L	1	7/23/2003 2:46:26 PM
Silver	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Sodium	0.479	0.0300		mg/L	1	7/23/2003 2:46:26 PM
Thallium	U	0.0150		mg/L	1	7/23/2003 2:46:26 PM
Vanadium	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM
Zinc	U	0.0200		mg/L	1	7/23/2003 2:46:26 PM

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

B - Analyte detected in the associated Method Blank

* - Value exceeds Maximum Contaminant Level

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

E - Value above quantitation range

Appendix

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8081B **Matrix:** W

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0307061-01B	78.1	59.4						
0307061-02B	70.9	51.2 *						
0307061-03B	78.9	55.4						
0307061-04B	67.6	56.7						
0307061-05B	71.1	57.8						
0307061-06B	79.5	105						
0307061-07B	72.9	62.5						
0307061-08B	76.7	77.4						
0307061-09B	70.6	72.7						
0307061-09BMS	83.0	57.8						
0307061-09BMSD	80.2	56.1						
0307061-10B	87.1	50.4 *						
0307061-11B	130	112						
0307061-12B	94.5	81.7						
0307061-14B	119	85.3						
MSB071803	92.9	53.5 *						
PWB071703	67.8	59.1						
PWB071803	101	75.1						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	53.4-139
XYL2456CLM	=	TCX	55.3-128

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8082A **Matrix:** W

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	CL10BZ2	XYL2456CLM						
0307061-01B	62.2	50.2 *						
0307061-02B	56.2	41.1 *						
0307061-03B	70.4	52.5						
0307061-04B	54.7	46.5 *						
0307061-05B	63.8	49.8 *						
0307061-06B	62.4	81.4						
0307061-07B	63.6	54.0						
0307061-07BMS	54.8	27.2 *						
0307061-07BMSD	64.7	40.3 *						
0307061-08B	62.8	63.8						
0307061-09B	55.8	56.5						
0307061-10B	66.9	39.2 *						
0307061-11B	93.1	79.2						
0307061-12B	76.1	65.2						
0307061-14B	96.6	68.4						
MSB071803	68.5	40.3 *						
PWB071703	53.0	50.4 *						
PWB071803	78.4	57.4						

Acronym		Surrogate	QC Limits
CL10BZ2	=	DCB	52-142
XYL2456CLM	=	TCX	52-143

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8260B **Matrix:** W

QC SUMMARY REPORT
SURROGATE RECOVERIES

Sample ID	BR4FBZ	BZMED8	DBFM					
0307061-01A	83.1	111	115					
0307061-01A MS	83.5	116	118					
0307061-01A MSD	83.5	114	120					
0307061-02A	79.8	114	116					
0307061-03A	80.9	114	118					
0307061-04A	82.3	109	118					
0307061-05A	79.2	110	118					
0307061-06A	80.8	110	112					
0307061-07A	82.4	113	96.0					
0307061-08A	76.8	112	106					
0307061-09A	81.9	114	121					
0307061-10A	80.4	117	120					
0307061-11A	77.9	112	124 *					
0307061-12A	79.4	111	112					
0307061-13A	78.1	112	102					
0307061-14A	77.0	112	111					
LCS071703	84.5	114	93.3					
VBLK071703	80.4	108	94.5					
VBLK071803B	80.4	112	119					
VBLK072103	82.4	110	109					

Acronym		Surrogate	QC Limits
BR4FBZ	=	4-Bromofluorobenzene	69.2-122
BZMED8	=	Toluene-d8	75-122
DBFM	=	Dibromofluoromethane	85-121

*** Surrogate recovery outside acceptance limits**

American Analytical Laboratories, Inc.

Date: 29-Jul-03

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn,
Test No: SW8270D **Matrix:** W

QC SUMMARY REPORT SURROGATE RECOVERIES

Sample ID	NO2BZD5	PH246BR	PH2F	PHEN2F	PHEND14	PHENOLD6		
0307061-01B	77.6	81.1	56.6	73.1	86.7	31.7		
0307061-02B	102	92.8	41.8	74.7	89.0	33.6		
0307061-03B	62.5	76.4	47.8	61.4	79.9	27.5		
0307061-04B	55.8	83.8	44.2	65.8	89.0	29.2		
0307061-05B	66.5	83.6	47.9	72.1	95.6	31.8		
0307061-06B	63.8	83.4	42.5	66.6	82.9	28.2		
0307061-07B	76.4	91.4	55.6	76.9	94.0	33.2		
0307061-08B	70.6	91.6	48.2	74.1	90.9	30.5		
0307061-09B	84.0	91.2	62.2	80.3	90.7	37.2		
0307061-10B	82.2	81.8	60.4	78.0	88.9	36.2		
0307061-11B	74.7	97.5	50.7	77.5	83.7	32.0		
0307061-12B	73.4	93.0	56.5	74.3	87.2	34.1		
0307061-14B	66.8	76.7	46.6	66.2	89.7	28.4		
LCS071703	72.1	63.5	53.2	72.3	82.6	34.0		
LCSD071703	73.0	83.8	56.8	73.4	88.0	31.1		
SWB071703	72.9	72.5	53.5	69.1	80.7	30.4		
SWB071803	74.9	73.2	51.3	76.7	88.0	30.4		

Acronym		Surrogate	QC Limits
NO2BZD5	=	Nitrobenzene-d5	35.8-128
PH246BR	=	2,4,6-Tribromophenol	17.2-124.3
PH2F	=	2-Fluorophenol	26-112.5
PHEN2F	=	2-Fluorobiphenyl	37.9-119.5
PHEND14	=	4-Terphenyl-d14	33.2-135.5
PHENOLD6	=	Phenol-d6	11.1-103.6

*** Surrogate recovery outside acceptance limits**

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_W

Sample ID: **PWB071703** SampType: **MBLK** TestCode: **8081_W** Units: **µg/L** Prep Date: **7/17/2003** Run ID: **SYSTEM QU_030718C**
Client ID: **ZZZZZ** Batch ID: **1492** TestNo: **SW8081B** **(SW3510B)** Analysis Date: **7/18/2003** SeqNo: **26703**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	0.10									
4,4´-DDE	U	0.10									
4,4´-DDT	U	0.10									
Aldrin	U	0.10									
alpha-BHC	U	0.10									
beta-BHC	U	0.10									
Chlordane	U	0.10									
Chlorobenzilate	U	0.10									
DBCP	U	0.10									
delta-BHC	U	0.10									
Dieldrin	U	0.10									
Endosulfan I	U	0.10									
Endosulfan II	U	0.10									
Endosulfan sulfate	U	0.10									
Endrin	U	0.10									
Endrin aldehyde	U	0.10									
Endrin ketone	U	0.10									
gamma-BHC	U	0.10									
Heptachlor	U	0.10									
Heptachlor epoxide	U	0.10									
Hexachlorobenzene	U	0.10									
Hexachlorocyclopentadiene	U	0.10									
Isodrin	U	0.10									
Methoxychlor	U	0.10									
Toxaphene	U	1.0									

Sample ID: **PWB071803** SampType: **MBLK** TestCode: **8081_W** Units: **µg/L** Prep Date: **7/18/2003** Run ID: **SYSTEM QU_030718C**
Client ID: **ZZZZZ** Batch ID: **1507** TestNo: **SW8081B** **(SW3510B)** Analysis Date: **7/21/2003** SeqNo: **26709**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_W

Sample ID: **PWB071803**	SampType: **MBLK**	TestCode: **8081_W**	Units: **µg/L**	Prep Date: **7/18/2003**	Run ID: **SYSTEM QU_030718C**
Client ID: **ZZZZZ**	Batch ID: **1507**	TestNo: **SW8081B**	**(SW3510B)**	Analysis Date: **7/21/2003**	SeqNo: **26709**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDD	U	0.10									
4,4´-DDE	U	0.10									
4,4´-DDT	U	0.10									
Aldrin	U	0.10									
alpha-BHC	U	0.10									
beta-BHC	U	0.10									
Chlordane	U	0.10									
Chlorobenzilate	U	0.10									
DBCP	U	0.10									
delta-BHC	U	0.10									
Dieldrin	U	0.10									
Endosulfan I	U	0.10									
Endosulfan II	U	0.10									
Endosulfan sulfate	U	0.10									
Endrin	U	0.10									
Endrin aldehyde	U	0.10									
Endrin ketone	U	0.10									
gamma-BHC	U	0.10									
Heptachlor	U	0.10									
Heptachlor epoxide	U	0.10									
Hexachlorobenzene	U	0.10									
Hexachlorocyclopentadiene	U	0.10									
Isodrin	U	0.10									
Methoxychlor	U	0.10									
Toxaphene	U	1.0									

Sample ID: **MSB071803**	SampType: **LCS**	TestCode: **8081_W**	Units: **µg/L**	Prep Date: **7/18/2003**	Run ID: **SYSTEM QU_030718C**
Client ID: **ZZZZZ**	Batch ID: **1507**	TestNo: **SW8081B**	**(SW3510B)**	Analysis Date: **7/22/2003**	SeqNo: **26718**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	0.487	0.10	0.5	0	97.4	69	130	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_W

Sample ID: MSB071803	SampType: LCS	TestCode: 8081_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718C
Client ID: ZZZZZ	Batch ID: 1507	TestNo: SW8081B	(SW3510B)	Analysis Date: 7/22/2003	SeqNo: 26718

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aldrin	0.105	0.10	0.2	0	52.5	66	128	0	0		S
Dieldrin	0.469	0.10	0.5	0	93.8	67	126	0	0		
Endrin	0.502	0.10	0.5	0	100	72	124	0	0		
gamma-BHC	0.183	0.10	0.2	0	91.5	68	122	0	0		
Heptachlor	0.156	0.10	0.2	0	78	64	130	0	0		

Sample ID: 0307061-09BMS	SampType: MS	TestCode: 8081_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718C
Client ID: MW14	Batch ID: 1507	TestNo: SW8081B	(SW3510B)	Analysis Date: 7/22/2003	SeqNo: 26719

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	0.454	0.10	0.5	0	90.8	69	130	0	0		
Aldrin	0.093	0.10	0.2	0	46.5	66	128	0	0		JS
Dieldrin	0.428	0.10	0.5	0	85.6	67	126	0	0		
Endrin	0.545	0.10	0.5	0	109	72	124	0	0		
gamma-BHC	0.169	0.10	0.2	0	84.5	68	122	0	0		
Heptachlor	0.148	0.10	0.2	0	74	64	130	0	0		

Sample ID: 0307061-09BMSD	SampType: MSD	TestCode: 8081_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718C
Client ID: MW14	Batch ID: 1507	TestNo: SW8081B	(SW3510B)	Analysis Date: 7/22/2003	SeqNo: 26720

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4´-DDT	0.488	0.10	0.5	0	97.6	69	130	0.454	7.22	20	
Aldrin	0.097	0.10	0.2	0	48.5	66	128	0.093	0	20	JS
Dieldrin	0.46	0.10	0.5	0	92	67	126	0.428	7.21	20	
Endrin	0.573	0.10	0.5	0	115	72	124	0.545	5.01	20	
gamma-BHC	0.191	0.10	0.2	0	95.5	68	122	0.169	12.2	20	
Heptachlor	0.158	0.10	0.2	0	79	64	130	0.148	6.54	20	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_W

Sample ID: PWB071703	SampType: MBLK	TestCode: 8082_W	Units: µg/L	Prep Date: 7/17/2003	Run ID: SYSTEM QU_030718B
Client ID: ZZZZZ	Batch ID: 1491	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/18/2003	SeqNo: 26568

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	1.0									
Aroclor 1221	U	1.0									
Aroclor 1232	U	1.0									
Aroclor 1242	U	1.0									
Aroclor 1248	U	1.0									
Aroclor 1254	U	1.0									
Aroclor 1260	U	1.0									

Sample ID: PWB071803	SampType: MBLK	TestCode: 8082_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718B
Client ID: ZZZZZ	Batch ID: 1506	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/21/2003	SeqNo: 26574

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	U	1.0									
Aroclor 1221	U	1.0									
Aroclor 1232	U	1.0									
Aroclor 1242	U	1.0									
Aroclor 1248	U	1.0									
Aroclor 1254	U	1.0									
Aroclor 1260	U	1.0									

Sample ID: MSB071803	SampType: LCS	TestCode: 8082_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718B
Client ID: ZZZZZ	Batch ID: 1506	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/22/2003	SeqNo: 26587

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	4.267	1.0	5	0	85.3	59	122	0	0		
Aroclor 1260	3.835	1.0	5	0	76.7	57	121	0	0		

Sample ID: 0307061-07BMS	SampType: MS	TestCode: 8082_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718B
Client ID: MW12	Batch ID: 1506	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/22/2003	SeqNo: 26588

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8082_W

Sample ID: 0307061-07BMS	SampType: MS	TestCode: 8082_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718B
Client ID: MW12	Batch ID: 1506	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/22/2003	SeqNo: 26588

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	4.227	1.0	5	0	84.5	59	122	0	0		
Aroclor 1260	4.118	1.0	5	0	82.4	57	121	0	0		

Sample ID: 0307061-07BMSD	SampType: MSD	TestCode: 8082_W	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM QU_030718B
Client ID: MW12	Batch ID: 1506	TestNo: SW8082A	(SW3510B)	Analysis Date: 7/22/2003	SeqNo: 26589

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aroclor 1016	4.17	1.0	5	0	83.4	59	122	4.227	1.36	20	
Aroclor 1260	4.108	1.0	5	0	82.2	57	121	4.118	0.243	20	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB071703	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 7/17/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1493	TestNo: SW8270D	(SW3510)	Analysis Date: 7/17/2003	SeqNo: 26213

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	5.0	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	5.0	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	5.0	0	0	0	0	0	0	0		
2-Chlorophenol	U	5.0	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	5.0	0	0	0	0	0	0	0		
2-Methylphenol	U	5.0	0	0	0	0	0	0	0		
2-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
2-Nitrophenol	U	5.0	0	0	0	0	0	0	0		
3,3´-Dichlorobenzidine	U	5.0	0	0	0	0	0	0	0		
3+4-Methylphenol	U	5.0	0	0	0	0	0	0	0		
3-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	5.0	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	5.0	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	5.0	0	0	0	0	0	0	0		
4-Chloroaniline	U	5.0	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	5.0	0	0	0	0	0	0	0		
4-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
4-Nitrophenol	U	5.0	0	0	0	0	0	0	0		
Acenaphthene	U	5.0	0	0	0	0	0	0	0		
Acenaphthylene	U	5.0	0	0	0	0	0	0	0		
Aniline	U	5.0	0	0	0	0	0	0	0		
Anthracene	U	5.0	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB071703	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 7/17/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1493	TestNo: SW8270D	(SW3510)	Analysis Date: 7/17/2003	SeqNo: 26213

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Azobenzene	U	5.0	0	0	0	0	0	0	0		
Benzidine	U	5.0	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	5.0	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	5.0	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	5.0	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	5.0	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	5.0	0	0	0	0	0	0	0		
Benzoic acid	U	5.0	0	0	0	0	0	0	0		
Benzyl alcohol	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	5.0	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	5.0	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	5.0	0	0	0	0	0	0	0		
Carbazole	U	5.0	0	0	0	0	0	0	0		
Chrysene	U	5.0	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	5.0	0	0	0	0	0	0	0		
Dibenzofuran	U	5.0	0	0	0	0	0	0	0		
Diethyl phthalate	U	5.0	0	0	0	0	0	0	0		
Dimethyl phthalate	U	5.0	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	5.0	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	5.0	0	0	0	0	0	0	0		
Fluoranthene	U	5.0	0	0	0	0	0	0	0		
Fluorene	U	5.0	0	0	0	0	0	0	0		
Hexachlorobenzene	U	5.0	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	5.0	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	5.0	0	0	0	0	0	0	0		
Hexachloroethane	U	5.0	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	5.0	0	0	0	0	0	0	0		
Isophorone	U	5.0	0	0	0	0	0	0	0		
Naphthalene	U	5.0	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB071703	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 7/17/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1493	TestNo: SW8270D	(SW3510)	Analysis Date: 7/17/2003	SeqNo: 26213

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrobenzene	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	5.0	0	0	0	0	0	0	0		
Pentachlorophenol	U	5.0	0	0	0	0	0	0	0		
Phenanthrene	U	5.0	0	0	0	0	0	0	0		
Phenol	U	5.0	0	0	0	0	0	0	0		
Pyrene	U	5.0	0	0	0	0	0	0	0		
Pyridine	U	5.0	0	0	0	0	0	0	0		

Sample ID: SWB071803	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1509	TestNo: SW8270D	(SW3510)	Analysis Date: 7/18/2003	SeqNo: 26221

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,2-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,3-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
1,4-Dichlorobenzene	U	5.0	0	0	0	0	0	0	0		
2,4,5-Trichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4,6-Trichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dichlorophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dimethylphenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dinitrophenol	U	5.0	0	0	0	0	0	0	0		
2,4-Dinitrotoluene	U	5.0	0	0	0	0	0	0	0		
2,6-Dinitrotoluene	U	5.0	0	0	0	0	0	0	0		
2-Chloronaphthalene	U	5.0	0	0	0	0	0	0	0		
2-Chlorophenol	U	5.0	0	0	0	0	0	0	0		
2-Methylnaphthalene	U	5.0	0	0	0	0	0	0	0		
2-Methylphenol	U	5.0	0	0	0	0	0	0	0		
2-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
2-Nitrophenol	U	5.0	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB071803	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1509	TestNo: SW8270D	(SW3510)	Analysis Date: 7/18/2003	SeqNo: 26221

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
3,3´-Dichlorobenzidine	U	5.0	0	0	0	0	0	0	0		
3+4-Methylphenol	U	5.0	0	0	0	0	0	0	0		
3-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
4,6-Dinitro-2-methylphenol	U	5.0	0	0	0	0	0	0	0		
4-Bromophenyl phenyl ether	U	5.0	0	0	0	0	0	0	0		
4-Chloro-3-methylphenol	U	5.0	0	0	0	0	0	0	0		
4-Chloroaniline	U	5.0	0	0	0	0	0	0	0		
4-Chlorophenyl phenyl ether	U	5.0	0	0	0	0	0	0	0		
4-Nitroaniline	U	5.0	0	0	0	0	0	0	0		
4-Nitrophenol	U	5.0	0	0	0	0	0	0	0		
Acenaphthene	U	5.0	0	0	0	0	0	0	0		
Acenaphthylene	U	5.0	0	0	0	0	0	0	0		
Aniline	U	5.0	0	0	0	0	0	0	0		
Anthracene	U	5.0	0	0	0	0	0	0	0		
Azobenzene	U	5.0	0	0	0	0	0	0	0		
Benzidine	U	5.0	0	0	0	0	0	0	0		
Benzo(a)anthracene	U	5.0	0	0	0	0	0	0	0		
Benzo(a)pyrene	U	5.0	0	0	0	0	0	0	0		
Benzo(b)fluoranthene	U	5.0	0	0	0	0	0	0	0		
Benzo(g,h,i)perylene	U	5.0	0	0	0	0	0	0	0		
Benzo(k)fluoranthene	U	5.0	0	0	0	0	0	0	0		
Benzoic acid	U	5.0	0	0	0	0	0	0	0		
Benzyl alcohol	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroethoxy)methane	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroethyl)ether	U	5.0	0	0	0	0	0	0	0		
Bis(2-chloroisopropyl)ether	U	5.0	0	0	0	0	0	0	0		
Bis(2-ethylhexyl)phthalate	U	5.0	0	0	0	0	0	0	0		
Butyl benzyl phthalate	U	5.0	0	0	0	0	0	0	0		
Carbazole	U	5.0	0	0	0	0	0	0	0		
Chrysene	U	5.0	0	0	0	0	0	0	0		
Dibenzo(a,h)anthracene	U	5.0	0	0	0	0	0	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: SWB071803	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 7/18/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1509	TestNo: SW8270D	(SW3510)	Analysis Date: 7/18/2003	SeqNo: 26221

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Dibenzofuran	U	5.0	0	0	0	0	0	0	0		
Diethyl phthalate	U	5.0	0	0	0	0	0	0	0		
Dimethyl phthalate	U	5.0	0	0	0	0	0	0	0		
Di-n-butyl phthalate	U	5.0	0	0	0	0	0	0	0		
Di-n-octyl phthalate	U	5.0	0	0	0	0	0	0	0		
Fluoranthene	U	5.0	0	0	0	0	0	0	0		
Fluorene	U	5.0	0	0	0	0	0	0	0		
Hexachlorobenzene	U	5.0	0	0	0	0	0	0	0		
Hexachlorobutadiene	U	5.0	0	0	0	0	0	0	0		
Hexachlorocyclopentadiene	U	5.0	0	0	0	0	0	0	0		
Hexachloroethane	U	5.0	0	0	0	0	0	0	0		
Indeno(1,2,3-c,d)pyrene	U	5.0	0	0	0	0	0	0	0		
Isophorone	U	5.0	0	0	0	0	0	0	0		
Naphthalene	U	5.0	0	0	0	0	0	0	0		
Nitrobenzene	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodimethylamine	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodi-n-propylamine	U	5.0	0	0	0	0	0	0	0		
N-Nitrosodiphenylamine	U	5.0	0	0	0	0	0	0	0		
Pentachlorophenol	U	5.0	0	0	0	0	0	0	0		
Phenanthrene	U	5.0	0	0	0	0	0	0	0		
Phenol	U	5.0	0	0	0	0	0	0	0		
Pyrene	U	5.0	0	0	0	0	0	0	0		
Pyridine	U	5.0	0	0	0	0	0	0	0		

Sample ID: LCS071703	SampType: LCS	TestCode: 8270_w	Units: µg/L	Prep Date: 7/17/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1493	TestNo: SW8270D	(SW3510)	Analysis Date: 7/17/2003	SeqNo: 26214

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	12.67	5.0	20	0	63.4	53	123	0	0		
1,4-Dichlorobenzene	12.8	5.0	20	0	64	38	136	0	0		
2,4-Dinitrotoluene	9.31	5.0	20	0	46.6	40	119	0	0		

Qualifiers: ND - Not Detected at the Reporting Limit; J - Analyte detected below quantitation limits; S - Spike Recovery outside accepted recovery limits; R - RPD outside accepted recovery limits; B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8270_w

Sample ID: LCS071703	SampType: LCS	TestCode: 8270_w	Units: µg/L	Prep Date: 7/17/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1493	TestNo: SW8270D	(SW3510)	Analysis Date: 7/17/2003	SeqNo: 26214

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Chlorophenol	14.4	5.0	20	0	72	46	128	0	0		
4-Chloro-3-methylphenol	13.86	5.0	20	0	69.3	30.8	107	0	0		
4-Nitrophenol	4.2	5.0	20	0	21	5	107	0	0		J
Acenaphthene	13.22	5.0	20	0	66.1	52	125	0	0		
N-Nitrosodi-n-propylamine	14.76	5.0	20	0	73.8	35	142	0	0		
Pentachlorophenol	6.85	5.0	20	0	34.3	18	126	0	0		
Phenol	6.45	5.0	20	0	32.2	5	110	0	0		
Pyrene	16.95	5.0	20	0	84.8	42	134	0	0		

Sample ID: LCSD071703	SampType: LCSD	TestCode: 8270_w	Units: µg/L	Prep Date: 7/17/2003	Run ID: SYSTEM T_030717C
Client ID: ZZZZZ	Batch ID: 1493	TestNo: SW8270D	(SW3510)	Analysis Date: 7/17/2003	SeqNo: 26215

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	12.72	5.0	20	0	63.6	53	123	0	0		
1,4-Dichlorobenzene	11.3	5.0	20	0	56.5	38	136	0	0		
2,4-Dinitrotoluene	9.2	5.0	20	0	46	40	119	0	0		
2-Chlorophenol	12.99	5.0	20	0	65	46	128	0	0		
4-Chloro-3-methylphenol	14.44	5.0	20	0	72.2	30.8	107	0	0		
4-Nitrophenol	4.22	5.0	20	0	21.1	5	107	0	0		J
Acenaphthene	13.19	5.0	20	0	66	52	125	0	0		
N-Nitrosodi-n-propylamine	13.37	5.0	20	0	66.8	35	142	0	0		
Pentachlorophenol	4.54	5.0	20	0	22.7	18	126	0	0		J
Phenol	6.63	5.0	20	0	33.2	5	110	0	0		
Pyrene	17.33	5.0	20	0	86.7	42	134	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK071703** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/18/2003** SeqNo: **26098**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4,5-Tetramethylbenzene	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK071703** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/18/2003** SeqNo: **26098**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acrolein	U	1.0									
Acrylonitrile	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chlorodifluoromethane	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Diisopropyl ether	U	1.0									
Ethanol	U	1.0									
Ethyl acetate	U	1.0									
Ethylbenzene	U	1.0									
Freon-114	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropyl acetate	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK071703** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/18/2003** SeqNo: **26098**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Naphthalene	U	1.0									
n-Butyl acetate	U	1.0									
n-Butylbenzene	U	1.0									
n-Propyl acetate	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
p-Diethylbenzene	U	1.0									
p-Ethyltoluene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
t-Butyl alcohol	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									

Sample ID: **VBLK071803B** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/19/2003** SeqNo: **26105**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK071803B** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/19/2003** SeqNo: **26105**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4,5-Tetramethylbenzene	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Acrolein	U	1.0									
Acrylonitrile	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK071803B**	SampType: **MBLK**	TestCode: **Full8260_W**	Units: **µg/L**	Prep Date:	Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ**	Batch ID: **R3303**	TestNo: **SW8260B**		Analysis Date: **7/19/2003**	SeqNo: **26105**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chlorodifluoromethane	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Diisopropyl ether	U	1.0									
Ethanol	U	1.0									
Ethyl acetate	U	1.0									
Ethylbenzene	U	1.0									
Freon-114	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropyl acetate	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butyl acetate	U	1.0									
n-Butylbenzene	U	1.0									
n-Propyl acetate	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK071803B** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/19/2003** SeqNo: **26105**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
p-Diethylbenzene	U	1.0									
p-Ethyltoluene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
t-Butyl alcohol	U	1.0									
tert-Butylbenzene	U	1.0									
Tetrachloroethene	U	1.0									
Toluene	19.46	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									

Sample ID: **VBLK072103** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/21/2003** SeqNo: **26117**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4,5-Tetramethylbenzene	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK072103** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/21/2003** SeqNo: **26117**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	1.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									
1,2-Dichloroethane	U	1.0									
1,2-Dichloropropane	U	1.0									
1,3,5-Trimethylbenzene	U	1.0									
1,3-Dichlorobenzene	U	1.0									
1,3-dichloropropane	U	1.0									
1,4-Dichlorobenzene	U	1.0									
2,2-Dichloropropane	U	1.0									
2-Butanone	U	1.0									
2-Chloroethyl vinyl ether	U	1.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	1.0									
Acetone	U	1.0									
Acrolein	U	1.0									
Acrylonitrile	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chlorodifluoromethane	U	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK072103**	SampType: **MBLK**	TestCode: **Full8260_W**	Units: **µg/L**	Prep Date:	Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ**	Batch ID: **R3303**	TestNo: **SW8260B**		Analysis Date: **7/21/2003**	SeqNo: **26117**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Diisopropyl ether	U	1.0									
Ethanol	U	1.0									
Ethyl acetate	U	1.0									
Ethylbenzene	U	1.0									
Freon-114	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropyl acetate	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	U	1.0									
Naphthalene	U	1.0									
n-Butyl acetate	U	1.0									
n-Butylbenzene	U	1.0									
n-Propyl acetate	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
p-Diethylbenzene	U	1.0									
p-Ethyltoluene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
t-Butyl alcohol	U	1.0									
tert-Butylbenzene	U	1.0									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **VBLK072103** SampType: **MBLK** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/21/2003** SeqNo: **26117**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrachloroethene	U	1.0									
Toluene	29.16	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									

Sample ID: **LCS071703** SampType: **LCS** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **ZZZZZ** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/18/2003** SeqNo: **26099**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	56	1.0	50	0	112	64.1	129	0	0		
Benzene	58.88	1.0	50	0	118	60.3	135	0	0		
Chlorobenzene	51.5	1.0	50	0	103	75.1	136	0	0		
Toluene	54.54	1.0	50	29.16	50.8	69	129	0	0		S
Trichloroethene	51.35	1.0	50	0	103	65.6	131	0	0		

Sample ID: **0307061-01A MS** SampType: **MS** TestCode: **Full8260_W** Units: **µg/L** Prep Date: Run ID: **SYSTEM Y_030718A**
Client ID: **MW6** Batch ID: **R3303** TestNo: **SW8260B** Analysis Date: **7/18/2003** SeqNo: **26101**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	50.54	1.0	50	0	101	64.1	129	0	0		
Benzene	57.04	1.0	50	0	114	60.3	135	0	0		
Chlorobenzene	52.69	1.0	50	0	105	75.1	136	0	0		
Toluene	53.96	1.0	50	0	108	69	129	0	0		
Trichloroethene	51.84	1.0	50	0	104	65.6	131	0	0		

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: **0307061-01A MSD**	SampType: **MSD**	TestCode: **Full8260_W**	Units: **µg/L**	Prep Date:	Run ID: **SYSTEM Y_030718A**
Client ID: **MW6**	Batch ID: **R3303**	TestNo: **SW8260B**		Analysis Date: **7/18/2003**	SeqNo: **26102**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	47.85	1.0	50	0	95.7	64.1	129	50.54	5.47	20	
Benzene	55.09	1.0	50	0	110	60.3	135	57.04	3.48	20	
Chlorobenzene	51.16	1.0	50	0	102	75.1	136	52.69	2.95	20	
Toluene	51.79	1.0	50	0	104	69	129	53.96	4.10	20	
Trichloroethene	49.61	1.0	50	0	99.2	65.6	131	51.84	4.40	20	

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank

CLIENT: AKRF, Inc
Work Order: 0307061
Project: Greenpoint Lumber Yard Brooklyn, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_W

Sample ID: **MB072303C**	SampType: **MBLK**	TestCode: **ICP_TAL_W**	Units: **mg/L**	Prep Date:	Run ID: **ICP A_030723B**
Client ID: **ZZZZZ**	Batch ID: **R3336**	TestNo: **SW6010B**		Analysis Date: **7/23/2003**	SeqNo: **26470**

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	U	0.0200									
Antimony	U	0.0250									
Arsenic	U	0.0250									
Barium	U	0.0200									
Beryllium	U	0.0200									
Cadmium	U	0.0100									
Calcium	U	0.0200									
Chromium	U	0.0200									
Cobalt	U	0.0200									
Copper	U	0.0200									
Iron	U	0.0200									
Lead	U	0.0150									
Magnesium	U	0.0200									
Manganese	U	0.0200									
Nickel	U	0.0200									
Potassium	U	0.0700									
Selenium	U	0.0250									
Silver	U	0.0200									
Sodium	U	0.0300									
Thallium	U	0.0150									
Vanadium	U	0.0200									
Zinc	U	0.0200									

Qualifiers:
ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits
S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits
B - Analyte detected in the associated Method Blank