HALEY ALDRICH

www.haleyaldrich.com

REMEDIAL INVESTIGATION WORK PLAN
2916 ATLANTIC AVENUE REDEVELOPMENT
2916 ATLANTIC AVENUE
NYSDEC BCP SITE PENDING
BROOKLYN, NEW YORK


by
H & A of New York Engineering and Geology, LLP
New York, New York

for
2916 Atlantic Ave LLC
Brooklyn, New York

File No. 0213315
June 2025

Certification

I, Mari C. Conlon, certify that I am currently a Qualified Environmental Professional as defined in 6 NYCRR Part 375 and that this Remedial Investigation Work Plan was prepared in accordance with the applicable statutes and regulations and in substantial conformance with the Division of Environmental Remediation Technical Guidance for Site Investigation and Remediation (DER-10).



June 25, 2025

Mari C. Conlon, P.G. *Date*

Table of Contents

Certification ii

List of Tables iv
List of Figures iv
List of Appendices v
List of Acronyms and Abbreviations vi

1. Introduction 1

1.1 PURPOSE 1

2. Background 3

2.1 CURRENT LAND USE 3
2.2 SITE HISTORY 3
2.3 SURROUNDING LAND USE 3
2.4 SURROUNDING LAND USE HISTORY 3
2.5 PREVIOUS INVESTIGATIONS 3

3. Remedial Investigation 7

3.1 SELECTIVE DEMOLITION 7
3.2 UTILITY MARKOUT 7
3.3 SOIL SAMPLING 7
3.4 GROUNDWATER SAMPLING 8
3.5 INVESTIGATION DERIVED WASTE 10
3.6 SOIL VAPOR SAMPLING 10
3.7 PROPOSED SAMPLING RATIONALE 10

4. Green and Sustainable Remediation and Climate Resiliency 11

4.1 BEST PRACTICES AND TECHNIQUES 11
4.2 REPORTING 12
4.3 CLIMATE RESILIENCY EVALUATION 12
4.4 ENVIRONMENTAL FOOTPRINT ANALYSIS 12

5. Quality Assurance and Quality Control 13

6. Data Use 14

6.1 DATA SUBMITTAL 14
6.2 DATA VALIDATION 14

7. Project Organization 15

Table of Contents

8. Health and Safety 16

8.1 HEALTH AND SAFETY PLAN 16
8.2 COMMUNITY AIR MONITORING PLAN 16
8.3 QUALITATIVE HUMAN HEALTH EXPOSURE ASSESSMENT 16

9. Reporting 17

9.1 DAILY REPORTING 17
9.2 REMEDIAL INVESTIGATION REPORT 17

10. Schedule 18

References 19

List of Tables

Table No.	Title
1	Sampling and Analysis Plan

List of Figures

Figure No.	Title
1	Project Locus
2	Proposed Sample Location Map
3	Surrounding Sensitive Receptor Map
4	Summary of Historical Soil Analytical Data
5	Summary of Historical Groundwater Analytical Data
6	Summary of Historical Soil Vapor Analytical Data

List of Appendices

Appendix	Title
A	Previous Reports
B	Field Sampling Plan
C	2025 GPR Findings Report
D	Quality Assurance Project Plan
E	NYSDEC Emerging Contaminant Field Sampling Guidance
F	Climate Screening Checklist
G	Green Sustainable Remediation Documentation
H	Health and Safety Plan
I	NYSDOH CAMP Guidance Document

List of Acronyms and Abbreviations

Acronym/Abbrev.	Definition
µg/L	micrograms per liter
µg/m^3	micrograms per cubic meter
A	
Alpha Analytical	Alpha Analytical-Pace of Westborough, Massachusetts
Applicant	2916 Atlantic Ave LLC
ASP	Analytical Services Protocol
AWQS	Ambient Water Quality Standards
B	
BCA	Brownfield Cleanup Agreement
BCP	Brownfield Cleanup Program
bgs	below ground surface
BTEX	benzene, toluene, ethylbenzene, and xylenes
C	
CAMP	Community Air Monitoring Plan
CEQR	City Environmental Quality Review
CVOC	chlorinated volatile organic compound
D	
DUSR	Data Usability Summary Report
E	
EDD	Electronic Data Deliverable
ELAP	Environmental Laboratory Approval Program
EPA	U.S. Environmental Protection Agency
ESA	Environmental Site Assessment
ESI	Environmental Site Investigation
F	
ft	feet/foot
FSP	Field Sampling Plan
G	
GPR	ground-penetrating radar
H	
Haley & Aldrich of New York	H & A of New York Engineering and Geology, LLP
HASP	Health and Safety Plan
HVAC	heating, ventilation, and air conditioning

Acronym/Abbrev.	Definition
L	
L/min	liters per minute
LSDF	low-sulfur diesel fuel
M	
mg/kg	milligrams per kilogram
MGP	manufactured gas plant
N	
NTU	nephelometric turbidity unit
NYCOER	New York City Office of Environmental Remediation
NYCRR	New York Codes, Rules and Regulations
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
NYSDOT	New York State Department of Transportation
O	
OSHA	Occupational Safety and Health Administration
P	
PAH	polycyclic aromatic hydrocarbon
PCB	polychlorinated biphenyl
PCE	tetrachloroethylene
PGWSCO	Protection of Groundwater Soil Cleanup Objective
PID	photoionization detector
PFAS	per- and polyfluoroalkyl substances
ppm	part per million
Q	
QA/QC	Quality Assurance/Quality Control
QAO	Quality Assurance Office
QAPP	Quality Assurance Project Plan
QEP	Qualified Environmental Professional
QHHEA	Qualitative Human Health Exposure Assessment
R	
RAWP	Remedial Action Work Plan
REC	Recognized Environmental Condition
RI	Remedial Investigation
RIR	Remedial Investigation Report
RIWP	Remedial Investigation Work Plan
RRSCO	Restricted Residential Soil Cleanup Objective

Acronym/Abbrev.	Definition
S	
Site	2916 Atlantic Avenue in Brooklyn, New York
SVOC	semi-volatile organic compound
T	
TAL	Target Analyte List
TCE	trichloroethylene
TCL	Target Compound List
U	
UST	underground storage tank
UUSCO	Unrestricted Use Soil Cleanup Objective
V	
VOC	volatile organic compound

1. Introduction

On behalf of the Applicant, 2916 Atlantic Ave LLC, H & A of New York Engineering and Geology, LLP (Haley & Aldrich of New York) has prepared this *Remedial Investigation Work Plan (*RIWP*)* for the 2916 Atlantic Avenue Redevelopment, located at 2916 Atlantic Avenue (see Figure 1) in Brooklyn, New York (Site). This RIWP was prepared in accordance with the regulations and guidance applicable to the Brownfield Cleanup Program (BCP).

The Site is located in the East New York neighborhood of Brooklyn and is identified as Block 3967 and Lot 15 on the New York City tax map. The Site is approximately 6,455 square feet and is bound to the north by Atlantic Avenue, followed by a four-story educational use building occupied by "P.S. 089 Cypress Hills Community School"; to the east by a two-story residential building and a one-story auto repair shop; to the south by a partially vacant two-story industrial use building, partially occupied by the "Iglesia Restauracion Rehoboth" church, and a four-story residential building; and to the west by a four-story warehouse building. The Site is currently improved with an active one-story auto repair facility.

According to the New York City Planning Commission Zoning Map 17c, the Site is currently located within a residential (R8A) zoning district with a commercial (C2-4) overlay, within the Ocean Hill and East New York Special Enhanced Commercial District (EC-5). The proposed use is consistent with existing zoning for the property. The Site is located in an urban area surrounded by commercial and industrial properties served by municipal water.

The subject property has been assigned an environmental E-Designation (E-366) for hazardous materials, noise (window wall attenuation and alternative means of ventilation), and air quality (heating, ventilation, and air conditioning [HVAC] exhaust stack limitations and limited to natural gas) as determined during the East New York Rezoning completed by the New York City Department of City Planning in April 2016 (City Environmental Quality Review [CEQR] No. 15DCP102K). A Site location map is provided as Figure 1, and the parcel boundary of the Site and adjacent parcels are shown on the Sample Location Map on Figure 2.

2916 Atlantic Ave LLC does not have approved redevelopment plans at this time; however, they are currently planning to develop a residential building with an affordable housing component.

1.1 PURPOSE

The objective of the Remedial Investigation (RI) is to characterize the nature and extent of environmental impacts at the Site and to provide sufficient information to evaluate remedial alternatives, as required. A Limited Phase II Environmental Site Investigation (ESI) was performed at the Site in May 2025 to investigate the anticipated contaminants of concern identified based on former uses of the Site. While the Limited Phase II ESI sampling event provided preliminary Site characterization data, it did not fully determine the nature and extent of contamination at the Site.

The Site characterization did not comprehensively delineate the extent of contamination at the Site; therefore, additional targeted soil, groundwater, and soil vapor sampling are proposed. The RI will be

implemented upon approval of this RIWP. Results of the additional sample analyses will be used to confirm the results of the previous Site characterization activities, delineate any on-Site source(s), and determine a course for remedial action. In addition, a qualitative exposure assessment will be conducted and will consider the nature of populations currently exposed or that have the potential to be exposed to Site-related contaminants both on and off the Site, along with describing the reasonably anticipated future land use of the Site and affected off-Site areas.

2. Background

2.1 CURRENT LAND USE

The Site is currently improved with an active one-story auto repair facility occupied by "AAMCO Transmissions & Total Car Care."

2.2 SITE HISTORY

Based on a Phase I Environmental Site Assessment (ESA) completed by Haley & Aldrich of New York for the Site in May 2025, the Site consisted of four undeveloped lots in 1887, identified as 2916-2924 Atlantic Avenue. By 1928, the lots were combined and improved with several one-story automotive garages arranged around a central courtyard, with two partial basements located in the northeastern and northwestern portions of the Site, respectively. A Certificate of Occupancy dated March 4, 1935, described the Site as improved with a one-story store and motor vehicle repair shop with four individual garages and one 550-gallon tank. The 1951 Sanborn Fire Insurance Map depicts the Site improved with the current one-story building, operated as an auto repair shop. The Site has remained relatively unchanged through the present and is currently an active auto repair shop occupied by "AAMCO Transmissions & Total Car Care."

The proposed BCP Site is currently owned by Argab Properties LLC. 2916 Atlantic Ave LLC, a New York State Domestic Limited Liability Company, plans to purchase and develop the Site for residential and commercial purposes, consistent with current zoning.

2.3 SURROUNDING LAND USE

The Site is located along Atlantic Avenue between Butler Street and Baltic Street in an urban area identified as the East New York neighborhood in the Borough of Brooklyn. There is one sensitive receptor that is within a 500-foot (ft) radius of the Site. The following sensitive receptors can be found below and are shown in Figure 3:

1) P.S. 089 Cypress Hills, 265 Warwick Street, Brooklyn, New York, 11207, listed as a community school.

2.4 SURROUNDING LAND USE HISTORY

The area surrounding the Site has been used primarily for manufacturing, commercial, residential, and auto-related uses from the late 1800s through the present day.

2.5 PREVIOUS INVESTIGATIONS

To date, the following investigations have been performed at the Site:

1. May 2025 ASTM Phase I ESA Report, prepared by Haley & Aldrich of New York

2. May 2025 Limited Phase II ESI Summary, prepared by Haley & Aldrich of New York

Copies of the full reports are included in Appendix A, and summaries of the environmental findings are provided below.

May 2025 Phase I ESA
Prepared by Haley & Aldrich of New York

A Phase I ESA was performed by Haley & Aldrich of New York in May 2025 for the purpose of identifying Recognized Environmental Conditions (RECs) in connection with the Site. As identified in the Phase I ESA, the Site was identified as four undeveloped lots by 1887 and later combined and improved with several one-story automotive garages and remains an active auto repair shop currently.

The Phase I identified the following RECs at the Site:

REC #1: Former and Current Uses of the Subject Property for Automotive-Related Purposes

The subject property has been used for automotive-related purposes, including auto body repair and towing operations, since at least the late 1920s, and continues to operate as an automotive maintenance and repair facility. A Certificate of Occupancy dated March 4, 1935, indicates one 550-gallon tank present on the subject property. Auto-related facilities commonly utilize hazardous materials, including petroleum products and chlorinated solvents. Furthermore, the Site has received an E-Designation for hazardous materials from the New York City Office of Environmental Remediation (NYCOER). The historical and current uses of the subject property, combined with the historical and current presence of underground storage tanks (USTs), is considered a REC, as potential or undocumented releases of petroleum products, solvents, and/or other hazardous materials may have adversely affected groundwater, soil, and/or soil vapor at the subject property.

REC #2: Historical and Current Uses of Surrounding Properties

Properties surrounding the subject property were historically utilized for several commercial, industrial, and manufacturing operations, including a shirt and handkerchief factory, auto repair shops, a chemical company, and a plumbing shop, for various durations from the early 1900s through the present. The property to the north and presumably upgradient of the subject property operated as the Long Island Rail Road from the 1880s through the 1950s. Several other manufacturing operators were also present at properties to the north, including Novocol Chemical Corporation, printing and packing operators, and clothing manufacturers, observed from the late 1920s through the present. Additionally, the property located at 2940 Atlantic Avenue, approximately 200 ft east and cross-gradient of the subject property, is currently enrolled in the BCP and State Superfund program as the K – Union Station Holder site for documented volatile organic compound (VOC) and semi-volatile organic compound (SVOC) impacts in soil and groundwater and has an open spill case (Spill No. 9806522). This site formerly operated as a manufactured gas plant (MGP) distribution facility between approximately 1887 and 1950 and is currently operated as a Con Edison service center. Historical and current uses of surrounding properties are considered a REC, as potential or undocumented releases at these adjacent and upgradient

properties may have adversely impacted the soil, groundwater, and/or soil vapor, which may have potentially migrated onto the subject property.

***May* 2025 Limited Phase II ESI Report**
Prepared by Haley & Aldrich of New York

Haley & Aldrich of New York completed a limited sampling event at the Site to investigate soil, soil vapor, and groundwater quality beneath the Site. Fill material, generally consisting of dark brown medium sand, with silt, gravel, and brick, was observed from below the 6-inch concrete slab to approximately 4 to 6 ft below ground surface (bgs). The fill layer was underlain by a potential native layer consisting of brown, fine to medium sand with varying amounts of silt, gravel, and stone up to the terminus depth in each soil boring. Soil samples were collected continuously, characterized, and screened for visual and olfactory evidence of contamination such as staining and odors. Instrumental screening for the presence of organic vapors was performed using a photoionization detector (PID). No apparent subsurface impacts were observed, including odors and staining, and PID readings of non-detect at 0.0 parts per million (ppm) were observed in each soil boring. Groundwater was encountered at a depth of approximately 28 ft bgs. A summary of analytical results is included below, and exceedances of applicable criteria detected during the Limited Phase II ESI are summarized on Figures 4 through 6.

Soil

One VOC, acetone, was detected above the Unrestricted Use Soil Cleanup Objective (UUSCO) in three soil samples. Acetone was also detected above the Protection of Groundwater Soil Cleanup Objective (PGWSCO), an applicable standard in soil, as acetone was detected above applicable groundwater standards during this investigation, further detailed below. Acetone was detected in B-02_1-3, B-05_2-4, and B-07_0-2 at a maximum concentration of 0.58 milligrams per kilogram (mg/kg) in B-05_2-4.

Nine SVOCs, specifically polycyclic aromatic hydrocarbons (PAHs), were detected at concentrations in soil samples above the UUSCOs and/or Restricted Residential Soil Cleanup Objectives (RRSCOs) in multiple soil samples collected. Seven SVOCs were detected above UUSCOs and/or RRSCOs in three of the eight soil samples collected, all at maximum concentrations in B-08_4-6, from the fill material in borings B-01_1-3, B-04_3-5, B-08_4-6, and B-08_4-6 up to 6 ft bgs: benzo(a)anthracene (maximum concentration of 62 mg/kg in B-08_4-6), benzo(a)pyrene (maximum concentration of 91 mg/kg in B-08_4-6), benzo(b)fluoranthene (maximum concentration of 100 mg/kg in B-08_4-6), benzo(k)fluoranthene (maximum concentration of 19 mg/kg in B-08_4-6), chrysene (maximum concentration of 63 mg/kg in B-08_4-6), dibenzo(a,h)anthracene (maximum concentration of 10 mg/kg in B-08_4-6), and indeno(1,2,3-cd)pyrene (maximum concentration 44 mg/kg in B-08_4-6). Two SVOCs, fluoranthene and pyrene, were detected above the UUSCOs and RRSCOs in one soil sample, B-08_4-6, each at a maximum concentration of 120 mg/kg. No other SVOCs were detected above applicable standards in the soil samples collected.

Four metals were detected at concentrations above UUSCOs and/or RRSCOs in multiple soil samples collected. Mercury was detected above the UUSCO and/or RRSCO in two soil samples, B-01_1-3 and

B-05_2-4, at a maximum concentration of 1.08 mg/kg in B-05_2-4. Lead was detected above the UUSCO in three soil samples, B-01_1-3, B-05_2-4, and B-08_4-6, at a maximum concentration of 399 mg/kg in B-08_4-6. Copper was detected above the UUSCO in one soil sample, B-02_1-3, at a maximum concentration of 110 mg/kg. Zinc was detected above the UUSCO in one soil sample, B-08_4-6, at a maximum concentration of 110 mg/kg. No other metals were detected above applicable standards in the soil samples collected.

Groundwater

Groundwater analytical results were compared to Title 6 of the New York Codes, Rules and Regulations (6 NYCRR) Part 703.5 New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series 1.1.1 Ambient Water Quality Standards and Guidance Values for Class GA Water (AWQS).

One VOC, acetone, was detected above the AWQS in one of the two groundwater samples collected, maximum concentration of 180 micrograms per liter (µg/L) in TWP-01.

Soil Vapor

Total VOC concentrations in soil vapor samples ranged from 1817.98 micrograms per cubic meter (µg/m^3) in SP-01 to a maximum concentration of 2855.25 µg/m^3 in SP-02. Total benzene, toluene, ethylbenzene, and xylenes (BTEX) concentrations ranged from 279.8 µg/m^3 in SP-02 to a maximum concentration of 414.9 µg/m^3 in SP-01. Total chlorinated volatile organic compound (CVOC) concentrations ranged from 14.09 µg/m^3 in SP-01 to a maximum concentration of 120.79 µg/m^3 in SP-02. Specific petroleum-related VOCs were detected above laboratory reporting limits in both soil vapor samples collected: benzene (maximum concentration of 17.2 µg/m^3 in SP-02), ethylbenzene (maximum concentration of 21.3 µg/m^3 in SP-01), toluene (maximum concentration of 297 µg/m^3 in SP-01), m,p-xylenes (maximum concentration of 66.9 µg/m^3 in SP-01), and o-xylene (maximum concentration of 19.2 µg/m^3 in SP-01).

Specific CVOCs were detected above laboratory reporting limits in both soil vapor samples collected: tetrachloroethylene (PCE; maximum concentration of 11.9 µg/m^3 in SP-02) and trichloroethylene (TCE; maximum concentration of 106 µg/m^3 in SP-02). The CVOC cis-1,2-dichloroethene was detected above laboratory reporting limits in one soil vapor sample, SP-02, at a concentration of 2.89 µg/m^3. 2-butanone (methyl ethyl ketone), acetone, chloroform, and ethanol were detected above laboratory reporting limits in both soil vapor samples, at maximum concentrations of 141 µg/m^3 in SP-02, 1,550 µg/m^3 in SP-02, 513 µg/m^3 in SP-01, and 347 µg/m^3 in SP-02, respectively. The emerging contaminant 1,4-dioxane was detected in one soil vapor sample, SP-02, at a concentration of 10.1 µg/m^3.

3. Remedial Investigation

This section describes the field activities to be conducted during the RI and provides the sampling scope, objectives, methods, anticipated number of samples, and sample locations. A summary of the sampling and analysis plan is provided in Table 1 and Figure 2. The following activities will be conducted to fill data gaps and determine the nature and extent of contamination at the Site.

3.1 SELECTIVE DEMOLITION

The existing structures prohibit the implementation of a comprehensive RI due to the configuration of the interior structural walls and low clearance under the fueling canopy and interior layout of the existing structures on the Site. Limited building demolition of above-grade features will facilitate investigation and the implementation of a Site-wide ground-penetrating radar (GPR) scan. Prior to the commencement of building demolition, 2916 Atlantic Ave LLC will obtain the required permits to perform the work.

3.2 UTILITY MARKOUT

A GPR scan will be performed following building demolition and prior to the commencement of any ground-intrusive activities. The GPR scan will potentially identify any underground structures, including, but not limited to, utilities and USTs, in preparation for the proposed sampling work. It is noted that borings may be adjusted based on the results of the GPR scan, and any adjustments to the locations presented below will be communicated to the NYSDEC. Field personnel will mobilize to the Site to mark-out (with flagging or paint) the proposed soil sample locations. Prior to mobilization, 811-Dig Safe New York will be contacted to mark public underground utilities. If necessary, the adjacent property owners and/or private vendors will be contacted for assistance with marking out utilities. Once the utilities are marked, field equipment and personnel will be mobilized to the Site.

3.3 SOIL SAMPLING

To further characterize subsurface soil conditions, additional on-Site soil samples will be collected to meet NYSDEC Division of Environmental Remediation (DER)-10 requirements for RIs. The sampling and analysis plan is summarized in Table 1. Proposed soil boring locations are displayed on Figure 2.

As part of this RI, a total of eight soil borings will be advanced to either 15 ft bgs or deeper if necessary to achieve vertical delineation, using a sonic drill rig and/or a track-mounted direct-push drill rig (Geoprobe®) operated by a licensed operator. Soil samples will be collected from dedicated liners using stainless-steel macro-cores, casings, or sampling spoons.

Soils will be logged continuously by a geologist or engineer using the Modified Burmister Soil Classification System. The presence of staining, odors, and PID response will be noted. Samples will be collected using laboratory-provided clean bottle ware. VOC grab samples will be collected using terra cores or encores. Sampling methods are described in the Field Sampling Plan (FSP) provided as Appendix B. A Quality Assurance Project Plan (QAPP) is provided as Appendix D. Laboratory data will be reported in Analytical Services Protocol (ASP) Category B deliverable format.

Soil samples representative of Site conditions will be collected at 10 locations widely distributed across the Site, as shown in Figure 2. Up to four grab samples will be collected from each soil boring. One surface sample will be collected from the top 0 to 0.5 ft immediately beneath the impervious Site cover (i.e., surface soils). A second sample will be collected from the 2 ft above the transition from urban fill to observed native material (estimated at 5 to 7 ft bgs, but subject to changes based on field observation). A third sample will be collected from the intermediate depth (estimated at 13 to 15 ft bgs). A fourth sample will be collected at 2 ft above groundwater interface (estimated at 26 to 28 ft bgs) at permanent well installation locations. The number of samples collected during the RI may vary based on field conditions.

Soil samples will be analyzed for:

- Target Compound List (TCL) VOCs using EPA Method 8260B;
- TCL SVOCs using EPA Method 8270C;
- Total Analyte List (TAL) metals using EPA Method 6010;
- TCL pesticides using EPA Method 8081B;
- Polychlorinated biphenyls (PCBs) using EPA Method 8082;
- Per- and polyfluoroalkyl substances (PFAS) by EPA Method 1633;
- 1,4-dioxane by EPA Method 8270 SIM;
- Mercury using EPA Method 7471B;
- Cyanide using EPA Methods 9010C/9012B; and,
- Hexavalent chromium using EPA Method 7196A.

Soil analytical results will be compared to NYSDEC 6 NYCRR Part 375 Unrestricted UUSCOs, RRSCOs, and, when applicable, PGWSCOs[1].

Samples to be analyzed for PFAS will be collected and analyzed in accordance with the NYSDEC-issued April 2023 “Sampling, Analysis, and Assessment of PFAS Under NYSDEC’s Part 375 Remedial Programs.” As needed, additional samples may be collected to satisfy waste characterization analytical needs for facilities located in neighboring states.

3.4 GROUNDWATER SAMPLING

The purpose of the groundwater sampling is to obtain current groundwater data and analyze for additional parameters (i.e., PFAS and 1,4-dioxane) to meet NYSDEC DER-10 requirements for RIs. Groundwater flow is presumed to flow to the south-southeast.

[1] PGWSCOs will be used for comparison to soil analytical results in the event a specific compound is identified in groundwater above the applicable AWQS.

Six 2-inch permanent monitoring wells will be installed to approximately 31 to 33 ft bgs to at least 5 ft below the groundwater interface. Monitoring wells will have a 2-inch annular space and be installed using either #0 or #00 certified clean sand fill. Wells will be screened with 10 ft of slotted screen set to straddle the groundwater interface, assumed to be encountered between approximately 26 to 28 ft bgs. The groundwater interface depth will be evaluated during initial work on the implementation of this RI to establish the proper range of well screening in the field. Observations will be communicated with NYSDEC daily in field reports, further detailed in Section 9.1

Monitoring wells will be developed by surging a pump in the well several times to pull fine-grained material from the well. Development will be completed when the water turbidity is 50 nephelometric turbidity units (NTUs) or less, or 10 well volumes are removed, if possible. Groundwater sampling will occur at a minimum of one week after monitoring well development. The well casings will be surveyed by a New York State-licensed surveyor and gauged during a round of synoptic groundwater depth readings to facilitate the preparation of a groundwater contour map and to determine the direction of groundwater flow.

The sampling and analysis plan is summarized in Table 1. Proposed monitoring well locations are provided on Figure 2. Proposed locations will be dependent on field observation and will be communicated with NYSDEC in daily reporting.

The proposed six monitoring wells will be sampled and analyzed for:

- TCL VOCs using EPA Method 8260B;
- TCL SVOCs using EPA Method 8270C;
- Total metals using EPA Methods 6010/7471;
- Dissolved metals using EPA Methods 6010/7471;
- TCL pesticides using EPA Method 8081B;
- PCBs using EPA Method 8082
- PFAS using EPA Method 1633; and
- 1,4-dioxane using EPA Method 8260B.
- Mercury using EPA Method 7470A;
- Cyanide using EPA Method 335.4; and
- Hexavalent chromium using EPA Method 7199.

Samples to be analyzed for PFAS will be collected and analyzed in accordance with the NYSDEC-issued April 2023 “Sampling, Analysis and Assessment of PFAS.” Groundwater wells will be sampled using low-flow sampling methods as described in the FSP. Following the low-flow purge, samples will be collected from monitoring wells for analysis of the analytes mentioned above.

The FSP presented in Appendix B details field procedures and protocols that will be followed during field activities. The QAPP presented in Appendix D details the analytical methods and procedures that

will be used to analyze samples collected during field activities. Monitoring wells will be sampled for PFAS analysis following the purge and sampling method detailed in the NYSDEC guidance documents (see Appendix E).

3.5 INVESTIGATION DERIVED WASTE

Following sample collection, boreholes that are not converted to monitoring wells will be backfilled with soil cuttings that do not exhibit gross contamination and an upper bentonite plug. Boreholes will be restored to grade with the surrounding area. Soil cuttings identified as grossly contaminated will be separated and placed into a sealed and labeled New York State Department of Transportation (NYSDOT) approved 55-gallon drum pending characterization and off-Site disposal. Groundwater purged from the monitoring wells during development and samples collected will be placed into an NYSDOT-approved 55-gallon drum pending off-Site disposal.

3.6 SOIL VAPOR SAMPLING

Samples will be collected in accordance with the New York State Department of Health (NYSDOH) Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York (NYSDOH, October 2006). Five temporary soil vapor points will be installed at 1 to 2 ft above the groundwater interface, anticipated to be encountered between 26 to 28 ft bgs. The vapor implants will be installed with a direct-push drilling rig (e.g., Geoprobe®) to advance a stainless-steel probe to the desired sample depth. Sampling will occur for the duration of two hours.

Soil vapor samples will be collected in appropriately sized Summa® canisters that have been certified clean by the laboratory, and samples will be analyzed for VOCs by using EPA Method TO-15. Flow rates for both purging and sampling will not exceed 0.2 liters per minute (L/min). Sampling methods are described in the FSP provided in Appendix B.

3.7 PROPOSED SAMPLING RATIONALE

Haley & Aldrich of New York has proposed the sample plan described herein and as shown in Figure 2, in consideration of the observations reported during the May 2025 Phase I ESA and the findings and data generated from the May 2025 Phase II ESI.

During the previous investigations conducted at the Site, eight soil borings, two temporary groundwater monitoring wells, and two soil vapor probes were installed at the Site. However, the sample map from the previous investigations shows data gaps. Data gaps include the lack of analytical data for potentially high-risk areas that may have been impacted during historical Site operations. In order to properly characterize the Site and identify potential source areas, all phases of media will be comprehensively investigated as part of this RI, and data gaps will be evaluated.

The Proposed Sample Location Map (included as Figure 2) is designed to generate sufficient data to identify the source of contamination and classify subsurface conditions throughout the Site as a whole.

4. Green and Sustainable Remediation and Climate Resiliency

The work completed as part of this work plan will comply with all NYSDEC guidance documents, including DER-31: Green Remediation (NYSDEC, 2011). To ensure compliance with DER-31, the work will be completed using the best practices and techniques described below. Specific reporting methods relative to DER-31 are further described below.

4.1 BEST PRACTICES AND TECHNIQUES

DER-31 provides examples of best practices and techniques that could be applied during all phases of remediation (Attachment 1 of the DER-31 policy). In addition, the techniques identified below will be implemented at sites unless a site-specific evaluation demonstrates impracticability or favors an alternative green approach:

Practice/Technique	Potential Benefits[1]	Applicable to this Work Plan
Use renewable energy where possible or purchase Renewable Energy Credits	Reduce/supplement purchased energy use	
Use of remediation technologies with an intermittent energy supply (i.e., energy use during peak energy generation only)	Reduce energy use	X
Incorporate green building design	Reduce future use impacts	
Reuse existing buildings and infrastructure to reduce waste	Reduce waste and material use	
Reuse and recycle construction and demolition debris and other materials (i.e., grind waste wood and other organics for on-site use)	Reduce waste and material use	
Design cover systems to be usable (i.e., habitat or recreation)	Reduce construction impacts of future development	
Reduce vehicle idling	Reduce air emissions and fuel use	X
Use of Low-Sulfur Diesel Fuel (LSDF) or alternate fuels (i.e., biodiesel or E85) when possible	Reduce air emissions	
Sequence work to minimize double-handling of materials	Reduce construction impacts	X
Use energy-efficient systems and office equipment in the job trailer	Reduce energy use	X

[1]*Potential benefits listed are not comprehensive and will vary depending upon the site and implementation of the practice or technique.*

In order to comply with the requirements of DER-31, the following actions will be taken:

1. All vehicles and fuel-consuming equipment on the Site will be shut off if not in use for more than three minutes;

2. Work will be sequenced, to the extent practicable, to allow the direct loading of waste containers for off-Site disposal;
3. Work will be sequenced, to the extent practicable, to limit unnecessary mobilizations to and throughout the Site; and
4. To the extent practicable, energy-efficient systems and office equipment will be utilized.

4.2 REPORTING

All green and sustainable practices and techniques employed will be discussed in the forthcoming Remedial Investigation Report (RIR).

4.3 CLIMATE RESILIENCY EVALUATION

The Site is not located within a 100-year flood zone. The development plan is still under design but will incorporate consideration for resiliency to climate change, including the design of a cover system that will mimic, rather than alter, the current setting in the vicinity of the Site and will provide pathways for surface runoff and resiliency against future flooding events. A Climate Screening Checklist is provided in Appendix F.

4.4 ENVIRONMENTAL FOOTPRINT ANALYSIS

While the remedy plan is still under development and is dependent on findings from implementing this investigation, a preliminary analysis has been performed using SiteWise™ for the investigation and baseline conceptual remedy. The conceptual remedy components included in this analysis are a 15-ft excavation, groundwater monitoring and granular activated carbon treatment, and installation of a composite cover as an engineering control. Further refinements to the remedy, including additional engineering controls, will be incorporated into the alternatives analysis as part of a forthcoming Remedial Action Work Plan (RAWP). Results of the preliminary analysis, available in Appendix G, indicate the majority of greenhouse gas emissions, potentially exceeding 2,000 metric tons, to be the product of consumables and transportation associated with the conceptual remedy.

5. Quality Assurance and Quality Control

Quality Assurance/Quality Control (QA/QC) procedures will be used to provide performance information with regard to the accuracy, precision, sensitivity, representation, completeness, and comparability associated with the sampling and analysis for this investigation. Field QA/QC procedures will be used (1) to document that samples are representative of actual conditions at the Site and (2) to identify possible cross-contamination from field activities or sample transit. Laboratory QA/QC procedures and analyses will be used to demonstrate whether analytical results have been biased either by interfering compounds in the sample matrix or by laboratory techniques that may have introduced systematic or random errors to the analytical process.

QA/QC procedures are defined in the QAPP included in Appendix D.

6. Data Use

6.1 DATA SUBMITTAL

Analytical data will be supplied in ASP Category B Data Packages. If more stringent than those suggested by the EPA, the laboratory's in-house QA/QC limits will be utilized. Validated data will be submitted to the NYSDEC EQuIS database in an Electronic Data Deliverable (EDD) package.

6.2 DATA VALIDATION

Data packages will be sent to a qualified data validation specialist to evaluate the accuracy and precision of the analytical results. A Data Usability Summary Report (DUSR) will be created to confirm the compliance of methods with the protocols described in the NYSDEC ASP. DUSRs will summarize and confirm the usability of the data for project-related decisions. Data validation will be completed in accordance with the DUSR guidelines from the NYSDEC DER. DUSRs will be included with the submittal of an RIR, further discussed in Section 8. Additional details on the DUSRs are provided in the QAPP in Appendix D.

7. Project Organization

A project team for the Site has been created based on qualifications and experience with personnel suited for successfully completing the project.

The NYSDEC-designated Case Manager, **PENDING**, will be responsible for overseeing the successful completion of the project work and adherence to the work plan on behalf of NYSDEC.

The NYSDOH-designated Case Manager, **PENDING**, will be responsible for overseeing the successful completion of the project work and adherence to the work plan on behalf of NYSDOH.

Mari Cate Conlon will be the Qualified Environmental Professional (QEP) and Principal in Charge for this work. In this role, Ms. Colon will be responsible for the overall completion of each task as per requirements outlined in this work plan and in accordance with the DER-10 guidance.

Zhan Shu, Ph.D., P.E., will be the Project Manager for this work. In this role, Zhan Shu will manage the day-to-day tasks, including coordination and supervision of field engineers and scientists, adherence to the work plan, and oversight of the project schedule. As the Project Manager, Ms. Shu will also be responsible for communications with the NYSDEC Case Manager regarding project status, schedule, issues, and updates for project work.

Nicole Mooney will be the Assistant Project Manager for this work and will also act as the Quality Assurance Officer (QAO). The QAO will assure the application and effectiveness of the QAPP by the analytical laboratory and the project staff, provide input to the field team as to corrective actions that may be required as a result of the above-mentioned evaluations, and prepare and/or review data validation and audit reports.

Siara Greco will be the field geologist responsible for implementing the field effort for this work. Responsibilities will include implementing the work plan activities and directing the subcontractors to ensure the successful completion of all field activities.

The drilling subcontractor will be Lakewood Environmental. Lakewood Environmental will provide a Geoprobe® operator to implement the scope of work in this RIWP.

The analytical laboratory will be Alpha Analytical-Pace (Alpha Analytical) of Westborough, Massachusetts, a New York Environmental Laboratory Approval Program (ELAP)-certified laboratory. Alpha Analytical will be responsible for analyzing samples as per the analyses and methods identified in Section 2.

8. Health and Safety

8.1 HEALTH AND SAFETY PLAN

A Site-specific Health and Safety Plan (HASP) has been prepared in accordance with NYSDEC and NYSDOH guidelines and is provided as Appendix H of this work plan. The HASP includes a description of health and safety protocols to be followed by Haley & Aldrich of New York field staff during implementation of the remedy, including monitoring within the work area, along with response actions should impacts be observed. The HASP has been developed in accordance with the Occupational Safety and Health Administration (OSHA) 40 CFR Part 1910.120 regulatory requirements for use by Haley & Aldrich of New York field staff who will work at the Site during planned activities. Contractors or other personnel who perform work at the Site are required to develop their own HASP and procedures of comparable or higher content for their respective personnel in accordance with relevant OSHA regulatory requirements for work at hazardous waste sites, as well as the general industry as applicable, based on the nature of work being performed.

8.2 COMMUNITY AIR MONITORING PLAN

The proposed investigation work will be completed primarily indoors at the Site. Where intrusive drilling operations are planned, community air monitoring will be implemented to protect downwind receptors. A Haley & Aldrich of New York representative will continually monitor the breathing air in the vicinity of the immediate work area using a PID to measure total VOCs in the air at concentrations as low as 1 ppm. The air in the work zone will also be monitored for visible dust generation.

If VOC measurements above 5 ppm are sustained for 15 minutes or visible dust generation is observed, the intrusive work will be temporarily halted, and a more rigorous monitoring of VOCs and dust using recordable meters will be implemented in accordance with the NYSDOH Generic Community Air Monitoring Plan (CAMP). CAMP data will be provided to NYSDEC in the daily reports, further detailed in Section 8. The NYSDOH CAMP guidance document is included as Appendix I

8.3 QUALITATIVE HUMAN HEALTH EXPOSURE ASSESSMENT

A comprehensive Qualitative Human Health Exposure Assessment (QHHEA; on Site and off Site) will be performed following the collection of all RI data. The exposure assessment will be performed in accordance with Section 3.3(c)4 of DER-10 and the NYSDOH guidance for performing a QHHEA (DER-10; Appendix 3B). The results of the QHHEA will be provided in the RIR. According to Section 3.10 of DER-10 and the Fish and Wildlife Resources Impact Analysis Decision Key in DER-10 Appendix 3C, a Fish and Wildlife Exposure Assessment will be performed (if needed) based on the results of the RI.

9. Reporting

9.1 DAILY REPORTING

Daily reports will be submitted to NYSDEC and NYSDOH summarizing the Site activities completed during the RI. Daily reports will include a Site figure, a description of Site activities, a photo log, and CAMP data. Daily reports will be submitted the following day after Site work is completed.

9.2 REMEDIAL INVESTIGATION REPORT

Following the completion of the work, a summary of the RI will be provided to NYSDEC in an RIR to support the implementation of the proposed remedial action. The report will include:

- Summary of the RI activities;
- Figure showing sampling locations;
- Tables summarizing laboratory analytical results;
- Laboratory analytical data reports;
- Field sampling data sheets;
- Community air monitoring data;
- Findings regarding the nature and extent of contamination at the Site;
- Qualitative exposure assessment of any contamination from an on-Site source that has migrated off the Site; and
- Conclusions and recommendations.

The RIR may be combined with the RAWP as an RIR/RAWP. The RIR/RAWP will include all data collected during the RI and adhere to the technical requirements of DER-10.

10. Schedule

The Site owner plans to implement this RIWP promptly upon execution of a Brownfield Cleanup Agreement (BCA) and after approval of the RIWP. The below anticipated schedule highlights BCP milestones anticipated for the Site.

Anticipated RI Schedule	
BCP Application, RIWP, and 30-Day Public Comment Period (Concurrent with BCP Application)	June 2025 to September 2025
Executed BCA	September 2025
NYSDEC Approval of RIWP	October 2025
RI Implementation	November 2025
RIR/RAWP Submittal and 45-Day Public Comment Period	December 2025 to January 2026
NYSDEC Approval of RIR/RAWP	March 2026

References

1. H & A of New York Engineering and Geology, LLP, March 2025. ASTM Phase I Environmental Site Assessment 2916 Alantc Avenue. 2916 Atlantic Avenue, Brooklyn, New York. Prepared for Blue Sky Builders.

2. H & A of New York Engineering and Geology, LLP, April 2025. Limited Phase II Environmental Site Investigation Report 2916 Atlantic Avenue. 2916 Atlantic Avenue, Brooklyn, New York. Prepared for Blue Sky Builders.

3. New York State Department of Environmental Conservation, December 2006. Part 375 of Title 6 of the New York Compilation of Codes, Rules, and Regulations.

4. New York State Department of Environmental Conservation, May 2010. Program Policy DER-10, "Technical Guidance for Site Investigation and Remediation," New York State Department of Environmental Conservation.

5. New York State Department of Environmental Conservation, January 2011. DER-31: Green Remediation.

6. New York State Department of Environmental Conservation, April 2023. Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS)

7. New York State Department of Health, October 2006. Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York.

8. New York State Division of Water, June 1998. Technical and Operational Guidance Series (TOGS) (1.1.1).

9. United States Environmental Protection Agency, September 2017. Low Flow Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells, EQASOP-GW 001.

TABLE

TABLE 1
SAMPLING AND ANALYSIS PLAN
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

Boring Number	Sample Depth	Units	Sample Rationale	Target Compound List VOCs (8260D/5035)	Target Compound List SVOCs (8270E)/(8270)	Total Analyte List Metals (6020D)/(6010)	PCBs (8082A)	Pesticides (8081B)	PFAS (1633)	1,4-Dioxane (8270)/(8270E-SIM)	Dissolved Target Analyte List Metals (6020)	VOCs (TO-15)
SOIL												
SB-01	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
	26-28'	bgs	2 ft above groundwater interface	X	X	X	X	X	X	X		
SB-02	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
	26-28'	bgs	2 ft above groundwater interface	X	X	X	X	X	X	X		
SB-03	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
	26-28'	bgs	2 ft above groundwater interface	X	X	X	X	X	X	X		
SB-04	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
	26-28'	bgs	2 ft above groundwater interface	X	X	X	X	X	X	X		
SB-05	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
	26-28'	bgs	Bottom 2 ft of observed fill layer	X	X	X	X	X	X	X		
SB-06	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
	26-28'	bgs	2 ft above groundwater interface	X	X	X	X	X	X	X		
SB-07	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
SB-08	0-0.5'	bgs	0-6 inch interval immediately below slab	X	X	X	X	X	X	X		
	5-7'	bgs	Urban fill	X	X	X	X	X	X	X		
	13-15'	bgs	Intermediate depth	X	X	X	X	X	X	X		
GROUNDWATER												
MW-01	Straddle water table			X	X	X	X	X	X	X	X	
MW-02	Straddle water table			X	X	X	X	X	X	X	X	
MW-03	Straddle water table			X	X	X	X	X	X	X	X	
MW-04	Straddle water table			X	X	X	X	X	X	X	X	
MW-05	Straddle water table			X	X	X	X	X	X	X	X	
MW-06	Straddle water table			X	X	X	X	X	X	X	X	
SOIL VAPOR												
SVMP-01	24-26'	bgs	2 ft above groundwater interface									X
SVMP-02	24-26'	bgs	2 ft above groundwater interface									X
SVMP-03	24-26'	bgs	2 ft above groundwater interface									X
SVMP-04	24-26'	bgs	2 ft above groundwater interface									X
SVMP-05	24-26'	bgs	2 ft above groundwater interface									X


Notes:
VOCs - Volatile Organic Compounds
SVOCs - Semi-volatile Organic Compounds
PCBs - Polychlorinated biphenyls
PFAS - Per- and Polyfluoroalkyl Substances
Samples to be collected in the 5 to 7 ft bgs range will be determined in the field and collected at base of fill layer as determined by visual logging
bgs - below grade surface
Sample depths may be adjusted based on visual, olfactory, and PID field screening

MS/MSD - 1 for every 20 samples
Trip Blanks - 1 per cooler per day of samples to be analyzed for VOCs
Field Blanks - 1 for every 20 samples
Duplicates - 1 for every 20 samples

Soil QA/QC Samples:
(2) Duplicates
(2) MS/MSD
(2) Field Blanks
(1) Trip Blank per day

Groundwater QA/QC Samples:
(1) Duplicate
(1) MS/MSD
(1) Field Blank
(1) Trip Blank per day

FIGURES







HALEY ALDRICH

2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

PROJECT LOCUS

MAP SOURCE: USGS
SITE COORDINATES: 40°40'38"N, 73°53'11"W

APPROXIMATE SCALE: 1 IN = 2000 FT
APRIL 2025

FIGURE 1

GIS: \\haleyaldrich.com\share\CF\Projects\021331\5\GIS\213315_000_2916_ATLANTIC_AVE.aprx - khensen - 4/3/2025 1:57 PM



LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL BORING LOCATIONS
- SOIL BORING/ PERMANENT GROUNDWATER MONITORING WELL LOCATIONS
- SOIL VAPOR POINT
- APPROXIMATE LOCATION OF ABOVEGROUND STORAGE TANKS OBSERVED DURING APRIL 2025 SITE VISIT

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025

N

0 20 40
SCALE IN FEET

HALEY ALDRICH


2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SAMPLE LOCATION MAP

APRIL 2025

FIGURE 2

GIS FILE PATH: \\haleyaldrich.com\share\CP\Projects\02\133\15\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM



LEGEND

SENSITIVE RECEPTOR

- SCHOOL (K-12)
- 500-FT RADIUS
- SITE BOUNDARY
- PARCEL BOUNDARY

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 11 OCTOBER 2024

N

0 120 240

SCALE IN FEET

HALEY ALDRICH


2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SURROUNDING SENSITIVE RECEPTORS MAP

MAY 2025

FIGURE 3

GIS FILE PATH: \\haleyaldrich\share\CF\Projects\0213315\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 5/16/2025 7:03 AM



B-04	B-04_3-5 04/09/2025 L2521630-04 3 - 5 (ft)
Semi-Volatile Organic Compounds (mg/kg)	
Benzo(a)anthracene	37
Benzo(a)pyrene	36
Benzo(b)fluoranthene	40
Benzo(k)fluoranthene	16
Chrysene	32
Dibenz(a,h)anthracene	4.8
Indeno(1,2,3-cd)pyrene	19

B-01	B-01_1-3 04/09/2025 L2521630-01 1 - 3 (ft)
Semi-Volatile Organic Compounds (mg/kg)	
Benzo(a)anthracene	8.5
Benzo(a)pyrene	8.4
Benzo(b)fluoranthene	9
Benzo(k)fluoranthene	3
Chrysene	9.1
Dibenz(a,h)anthracene	1.2
Indeno(1,2,3-cd)pyrene	4.7
Total Metals (mg/kg)	
Lead	98.6
Mercury	0.265

B-05	B-05_2-4 04/09/2025 L2521630-05 2 - 4 (ft)
Volatile Organic Compounds (mg/kg)	
Acetone	0.58
Total Metals (mg/kg)	
Lead	68.5
Mercury	1.08

B-07	B-07_0-2 04/09/2025 L2521630-07 0 - 2 (ft)
Volatile Organic Compounds (mg/kg)	
Acetone	0.13

B-02	B-02_1-3 04/09/2025 L2521630-02 1 - 3 (ft)
Volatile Organic Compounds (mg/kg)	
Acetone	0.09
Total Metals (mg/kg)	
Copper	110

B-08	B-08_4-6 04/09/2025 L2521630-08 4 - 6 (ft)
Semi-Volatile Organic Compounds (mg/kg)	
Benzo(a)anthracene	62
Benzo(a)pyrene	91
Benzo(b)fluoranthene	100
Benzo(k)fluoranthene	19
Chrysene	63
Dibenz(a,h)anthracene	10
Fluoranthene	120
Indeno(1,2,3-cd)pyrene	44
Pyrene	120
Total Metals (mg/kg)	
Lead	399
Zinc	110

LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL BORING
- SOIL BORING/TEMPORARY MONITORING WELL

	NY-RESR	NY-UNRES
Volatile Organic Compounds (mg/kg)		
Acetone	100	0.05
Semi-Volatile Organic Compounds (mg/kg)		
Benzo(a)anthracene	1	1
Benzo(a)pyrene	1	1
Benzo(b)fluoranthene	1	1
Benzo(k)fluoranthene	3.9	0.8
Chrysene	3.9	1
Dibenz(a,h)anthracene	0.33	0.33
Fluoranthene	100	100
Indeno(1,2,3-cd)pyrene	0.5	0.5
Pyrene	100	100
Total Metals (mg/kg)		
Copper	270	50
Lead	400	63
Mercury	0.81	0.18
Zinc	10000	109

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.

2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION

3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025

4. SOIL SAMPLE ANALYTICAL RESULTS ARE COMPARED TO THE NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYSDEC) TITLE 6 OF THE OFFICIAL COMPILATION OF NEW YORK CODES, RULES, AND REGULATIONS (NYCRR) PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES (SCOS), RESTRICTED-RESIDENTIAL SCOS, AND 40 CFR 261 SUBPART C AND TABLE 1 OF 40 CFR 261.24.

5. NY-RESR = NYSDEC PART 375 RESTRICTED-RESIDENTIAL USE SCOs

6. NY-UNRES = NYSDEC PART 375 UNRESTRICTED USE SCOs

7. EXCEEDANCES OF THE NY-UNRES SCOS ARE SHADED GRAY

8. EXCEEDANCES OF THE NY-UNRES AND NY-RESRR ARE SHADED YELLOW

9. RESULTS ARE DISPLAYED IN MILLIGRAMS PER KILOGRAM (mg/kg)

N

0 20 40

SCALE IN FEET

HALEY ALDRICH


2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SOIL ANALYTICAL RESULTS EXCEEDANCES MAP

APRIL 2025

FIGURE 4

GIS FILE PATH: \\haleyaldrich.com\share\CP\Projects\021315\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM



LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL BORING/TEMPORARY MONITORING WELL

	NY-AWQS
Volatile Organic Compounds (ug/L)	
Acetone	50

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025
4. GROUNDWATER SAMPLE ANALYTICAL RESULTS ARE COMPARED TO THE NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYSDEC) TECHNICAL AND OPERATIONAL GUIDANCE SERIES (TOGS) 1.1.1 AMBIENT WATER QUALITY STANDARDS (AWQS).
5. NY-AWQS = NYSDEC AWQS
6. EXCEEDANCES OF THE NYSDEC AWQS ARE SHADED YELLOW.
7. RESULTS ARE DISPLAYED IN MICROGRAMS PER LITER (µg/L).

N

0 20 40
SCALE IN FEET

HALEY ALDRICH

2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

GROUNDWATER ANALYTICAL RESULTS EXCEEDANCE MAP

APRIL 2025

FIGURE 5

GIS FILE PATH: \\haleyaldrich.com\share\CF\Projects\021315\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM



SP-01	04/09/2025 L2521777-01
Volatile Organic Compounds (ug/m³)	
1,2,4-Trimethylbenzene	9.34
1,3-Butadiene	2.43
2,2,4-Trimethylpentane	19.8
2-Butanone (Methyl Ethyl Ketone)	12.5
4-Ethyltoluene (1-Ethyl-4-Methylbenzene)	2.6
Acetone	668
Benzene	10.5
Bromodichloromethane	6.7
Carbon disulfide	1.68
Chloroform (Trichloromethane)	513
Cyclohexane	4.13
Dichlorodifluoromethane (CFC-12)	2.52
Ethanol	80.6
Ethylbenzene	21.3
Hexane	10.5
Isopropyl Alcohol (2-Propanol)	29.3
m,p-Xylenes	66.9
N-Heptane	8.57
o-Xylene	19.2
Tetrachloroethene	10.3
Tetrahydrofuran	3.92
Toluene	297
Trichloroethene	3.79
Trichlorofluoromethane (CFC-11)	13.4
SUM of Volatile Organic Compounds	1817.98
SUM of BTEX	414.9
SUM of CVOCs	14.09

SP-02	04/09/2025 L2521777-02
Volatile Organic Compounds (ug/m³)	
1,2,4-Trimethylbenzene	5.11
1,3-Butadiene	6.61
1,4-Dioxane	10.1
2,2,4-Trimethylpentane	57
2-Butanone (Methyl Ethyl Ketone)	141
2-Hexanone (Methyl Butyl Ketone)	8.52
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	13.7
Acetone	1550
Benzene	17.2
Bromodichloromethane	3.46
Carbon disulfide	15
Chloroform (Trichloromethane)	147
Chloromethane (Methyl Chloride)	0.985
cis-1,2-Dichloroethene	2.89
Cyclohexane	7.33
Dichlorodifluoromethane (CFC-12)	3.09
Ethanol	347
Ethylbenzene	15.3
Hexane	45.1
Isopropyl Alcohol (2-Propanol)	62.9
m,p-Xylenes	45.6
Methyl Tert Butyl Ether (MTBE)	3.75
N-Heptane	16.5
o-Xylene	12.7
Tert-Butyl Alcohol (tert-Butanol)	10.5
Tetrachloroethene	11.9
Toluene	189
Trichloroethene	106
SUM of Volatile Organic Compounds	2855.25
SUM of BTEX	279.8
SUM of CVOCs	120.79

LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL VAPOR POINT

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025
4. ALL DETECTED ANALYTES SHOWN ON FIGURE.
5. SOIL VAPOR ANALYSIS - VOLATILE ORGANIC COMPOUNDS (VOCS).
6. RESULTS ARE DISPLAYED IN MICROGRAMS PER CUBIC METER ($\mu g/m^3$).
7. TOTAL DETECTED CONCENTRATIONS OF BENZENE, TOLUENE, ETHYLBENZENE AND XYLENES (BTEX).
8. TOTAL CVOCS CONCENTRATIONS OF CARBON TETRACHLORIDE, 1,1-DICHLOROETHENE, CIS-1,2-DICHLOROETHENE, TRICHLOROETHENE, METHYLENE CHLORIDE, TETRACHLOROETHENE, 1,1,1-TRICHLOROETHANE AND VINYL CHLORIDE.
9. TOTAL VOCS IS THE SUM OF ALL DETECTED CONCENTRATIONS.

N

0 20 40
SCALE IN FEET

HALEY ALDRICH

2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SOIL VAPOR ANALYTICAL RESULTS MAP

APRIL 2025

FIGURE 6

GIS FILE PATH: \\haleyaldrich.com\share\CFLProjects\0213315\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM

APPENDIX A
Previous Reports

HALEY ALDRICH

www.haleyaldrich.com

REPORT ON

ASTM PHASE I ENVIRONMENTAL SITE ASSESSMENT
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK



by
H & A of New York Engineering and Geology, LLP
New York, New York

for
Blue Sky Builders
Brooklyn, New York

File No. 0213315
May 2025

H & A OF NEW YORK ENGINEERING
AND GEOLOGY, LLP
213 W. 35th St
7th Floor
New York, NY 10001
646.277.5685

May 15, 2025
File No. 0213315

Blue Sky Builders
670 Myrtle Avenue, #6367
Brooklyn, New York 11205

Attention: Shachne Rabi

Subject: ASTM Phase I Environmental Site Assessment
2916 Atlantic Avenue
Brooklyn, New York

Ladies and Gentlemen:

The enclosed report presents the results of a Phase I Environmental Site Assessment (Phase I) conducted at the above-referenced property, located at 2916 Atlantic Avenue, in Brooklyn, New York (herein referred to as the "subject property"). This work was performed by H & A of New York Engineering and Geology, LLP (Haley & Aldrich of New York), in accordance with our proposal to Blue Sky Builders dated March 27, 2025, as authorized on March 28, 2025 ("Agreement"). This Phase I was conducted in conformance with the scope and limitations of the ASTM International (ASTM) E1527-21 Standard Practice for Environmental Site Assessments.[1]

The objective of a Phase I is to assess whether known and/or suspect recognized environmental conditions (RECs), controlled RECs (CRECs), or historical RECs (HRECs) are associated with the subject property, as defined in the ASTM E1527-21 Standard.

[1] The ASTM Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process (ASTM E1527-21 Standard) as referenced in Code of Federal Regulations Title 40 Part 312 (the All Appropriate Inquiries Rule).

Thank you for the opportunity to perform these services for you. Please do not hesitate to contact us if you have any questions or comments.

Sincerely yours,
H & A OF NEW YORK ENGINEERING AND GEOLOGY, LLP

Nicole A. Mooney	Zhan Shu, Ph.D., P.E. (NJ)	Mari Cate Conlon, P.G.
Project Geologist	Senior Project Manager	Senior Associate

Enclosures

https://haleyaldrich.sharepoint.com/sites/BlueskyBuilders/Shared Documents/0213315.2916 Atlantic Ave/Deliverables/1. ASTM Phase I ESA/1. Text/2025-0515-HANY-2916 Atlantic Avenue-Phase I ESA_F.docx

Executive Summary

H & A of New York Engineering and Geology, LLP (Haley & Aldrich of New York) has performed a Phase I Environmental Site Assessment (Phase I) of the property located at 2916 Atlantic Avenue in Brooklyn, New York (herein referred to as the "subject property"). The scope of work is described and conditioned by our proposal dated March 27, 2025. This Phase I was performed for Blue Sky Builders, which seeks to purchase the property. This Phase I was performed in conformance with the scope and limitations of the ASTM International (ASTM) E1527-21 Standard and All Appropriate Inquiries (AAI) Rule.

SUBJECT PROPERTY DESCRIPTION

The subject property, identified as Block 3967, Lot 15 on the New York City tax map, is approximately 0.15 acres (6,455 square feet) in size and is located in the East New York neighborhood of Brooklyn, New York. The subject property is currently improved with an active one-story auto repair facility and is located in a residential (R8A) zoning area with a commercial (C2-4) overlay, within the Ocean Hill and East New York Special Enhanced Commercial District (EC-5), and is surrounded by multi-story commercial, residential, and industrial use properties. The subject property is bounded to the north by Atlantic Avenue, followed by a four-story educational use building occupied by "P.S. 089 Cypress Hills Community School"; to the east by a two-story residential building and a one-story auto repair shop; to the south by a partially vacant two-story industrial use building (former LS Sunpower Electrical Supplies), partially occupied by the "Iglesia Restauracion Rehoboth" church, and a four-story residential building; and to the west by a four-story warehouse building. The subject property location is shown on Figure 1 and the subject property layout is shown on Figure 2.

The subject property has been assigned an environmental E-Designation (E-366) for hazardous materials, noise (window wall attenuation and alternative means of ventilation), and air quality (heating, ventilation, and air conditioning [HVAC] exhaust stack limitations and limited to natural gas) as determined during the East New York Rezoning completed by the City in April 2016 (City Environmental Quality Review [CEQR] No. 15DCP102K).

OBJECTIVE

The objective of a Phase I is to assess whether recognized environmental conditions (RECs), controlled RECs (CRECs), or historical RECs (HRECs) are associated with the subject property. Our conclusions are intended to help the user evaluate the business environmental risk associated with the subject property. Our opinion regarding a REC's potential impact on the subject property is based on the scope of our work, the information obtained during the course of our work, the conditions prevailing at the time our work was performed, the applicable regulatory requirements in effect at the time our work was performed, our experience evaluating similar sites, and on our understanding of the client's intention to purchase and redevelop the property.

SIGNIFICANT DATA GAPS

Our ability to identify and evaluate RECs at the subject property is conditioned upon significant data gaps identified as part of this Phase I. The ASTM E1527-21 Standard defines a significant data gap as a data gap that affects the ability of the Environmental Professional to identify a REC.

No significant data gaps were identified during the performance of this Phase I. Thus, it is our opinion that sufficient information was obtained to identify subject property conditions indicative of releases or threatened releases of hazardous substances and petroleum hydrocarbons. Our opinion is limited by the conditions prevailing at the time our work is performed and the applicable regulatory requirements in effect.

RECOGNIZED ENVIRONMENTAL CONDITIONS

The ASTM E1527-21 Standard defines a REC as: (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment.

The following RECs listed below were identified in connection with the subject property.

REC #1: Former and Current Uses of the Subject Property for Automotive-Related Purposes

The subject property has been used for automotive-related purposes, including auto body repair and towing operations, since at least the late 1920s and continues to operate as an automotive maintenance and repair facility. A Certificate of Occupancy dated March 4, 1935, indicates one 550-gallon tank present on the subject property. Auto-related facilities commonly utilize hazardous materials, including petroleum products and chlorinated solvents. Furthermore, the site has received an E-Designation for hazardous materials from the New York City Office of Environmental Remediation (NYCOER). The historical and current uses of the subject property, combined with the historical and current presence of underground storage tanks (USTs), is considered a REC, as potential or undocumented releases of petroleum products, solvents, and/or other hazardous materials may have adversely affected groundwater, soil, and/or soil vapor at the subject property.

REC #2: Historical and Current Uses of Surrounding Properties

Properties surrounding the subject property were historically utilized for several commercial, industrial, and manufacturing operations, including a shirt and handkerchief factory, auto repair shops, a chemical company, and a plumbing shop, for various durations from the early 1900s through the present. The property to the north and presumably upgradient of the subject property operated as the Long Island Rail Road from the 1880s through the 1950s, Novocol Chemical Corporation, and various manufacturing operators from the late 1920s through the present. Additionally, the property located at 2940 Atlantic Avenue, approximately 200 feet east and cross-gradient of the subject property, is currently enrolled in the Brownfield Cleanup Program (BCP) and State Superfund program as the K – Union Station Holder site for documented volatile organic compound (VOC) and semi-volatile organic compound (SVOC) impacts in soil and groundwater and has an open spill case (Spill No. 9806522). This site formerly operated as a manufactured gas plant (MGP) distribution facility between approximately 1887 and 1950 and is currently operated as a Con Edison service center. Historical and current uses of surrounding properties are considered a REC, as potential or undocumented releases at these adjacent and upgradient properties may have adversely impacted the soil, groundwater, and/or soil vapor, which may have potentially migrated onto the subject property.

CONTROLLED RECOGNIZED ENVIRONMENTAL CONDITIONS

The ASTM E1527-21 Standard defines a CREC as a REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls.

CRECs were not identified in connection with the subject property

HISTORICAL RECOGNIZED ENVIRONMENTAL CONDITIONS

The ASTM E1527-21 Standard defines an HREC as a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls. An HREC is not a REC.

HRECs were not identified in connection with the subject property.

DE MINIMIS CONDITIONS

The ASTM E1527-21 Standard defines a *de minimis* condition as a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. The ASTM E1527-21 Standard notes that conditions determined to be *de minimis* are not RECs.

The following *de minimis* condition was identified in connection with the subject property:

De Minimis Condition #1: Subject Property Housekeeping Practices

Vehicle maintenance and repair products and chemicals were observed inside the active auto repair garage located on the subject property. Products used for vehicle repair, such as motor oil, and products used for maintaining vehicle exteriors were typically stored in containers on tables, shelves, or on the ground with no secondary containment. Minor staining was observed in multiple areas of the property, including near the hydraulic lifts on the southern portion of the subject property and along the western wall. Staining on the floors appears to be related to cleaning materials and automotive repair services. Poor housekeeping was observed throughout the building, and hazardous materials appeared not to be stored in containment in certain areas of the subject property building. Containers showing evidence of previous uncontained discharge, such as visual splatters, smears, and discoloration on external areas of the containers, were observed on the concrete floor. Several areas were noted to contain unlabeled containers/drums of products and oils not placed in secondary containment. In addition, two rectangular aboveground storage tanks were observed, which were unlabeled and unregistered with New York State Petroleum Bulk Storage (PBS).

OTHER FINDINGS

The ASTM does not define the term “other finding”; however, Haley & Aldrich of New York utilizes the category to indicate conditions of potential risk that are not clearly defined in the ASTM

Standard. While not considered RECs, Haley & Aldrich of New York identified the following other finding:

Other Finding #1: Urban Fill

The overburden at the subject property is classified as Urban Land, which refers to soils that have been altered by human activities, thus making them unidentifiable. Typically, these soils have been mixed with other materials, such as brick and concrete (urban fill), and characteristics can only be determined by an on-site investigation.

SUMMARY AND RECOMMENDATIONS

In summary, we identified two RECs, one *De minimis* Condition, and one Other Finding during this Phase I.

The remainder of this report contains additional information regarding the Phase I, the resulting findings summarized above, and limitations affecting this report.

Continued Viability of Environmental Site Assessment

In accordance with the ASTM E1527-21 Standard, the following components of the Phase I Report must be conducted or updated within 180 days prior to the date of acquisition or prior to the date of the transaction:

1. Interviews with owners, operators, and occupants. Completed on: April 2, 2025
2. Searches for recorded environmental cleanup liens (a user responsibility). Completed on: March 31, 2025
3. Reviews of federal, tribal, state, and local government records. Completed on: March 31, 2025
4. Visual inspections of the subject property and of adjoining properties. Completed on: April 2, 2025
5. The declaration by the Environmental Professional responsible for the assessment or update (refer to Section 9). Completed on May 15, 2025.

Table of Contents

		Page
Executive Summary		**i**
Continued Viability of Environmental Site Assessment		**v**
List of Figures		**viii**
List of Appendices		**viii**
1.	**Introduction**	**1**
1.1	OBJECTIVE	1
1.2	SCOPE OF SERVICES	1
1.3	NON-SCOPE CONSIDERATIONS	1
1.4	LIMITING CONDITIONS/DEVIATIONS	2
1.5	USER RESPONSIBILITIES	2
2.	**Site Description**	**3**
2.1	SITE OWNERSHIP, LOCATION, AND VICINITY DESCRIPTION	3
2.2	PHYSICAL SETTING	4
3.	**Previous Reports**	**6**
4.	**Subject Property History**	**7**
4.1	SUBJECT PROPERTY	7
4.2	ADJOINING PROPERTIES	8
5.	**Environmental Records Review**	**11**
5.1	ENVIRONMENTAL DATABASE RECORDS SEARCH	11
5.2	ADDITIONAL ENVIRONMENTAL RECORDS OR FILE REVIEW	12
5.3	DETAILED DESCRIPTION OF RELEVANT INFORMATION	13
5.3.1	Subject Property	13
5.3.2	Nearby Sites	13
5.4	VAPOR MIGRATION	17
5.5	ENVIRONMENTAL LIENS AND ACTIVITY/USE LIMITATIONS	18
6.	**Subject Property Reconnaissance and Key Personnel Interview(s)**	**19**
6.1	CURRENT USE OF THE SUBJECT PROPERTY	19
6.2	GENERAL DESCRIPTION OF STRUCTURES	19
6.3	USE, STORAGE, AND DISPOSAL OF PETROLEUM PRODUCTS AND HAZARDOUS MATERIALS	20
6.4	OTHER SUBJECT PROPERTY OBSERVATIONS	21
6.5	ADJOINING PROPERTY OBSERVATIONS	22
6.6	USER RESPONSIBILITIES	22

7. Findings and Opinions 24

7.1 SIGNIFICANT DATA GAPS 24
7.2 RECOGNIZED ENVIRONMENTAL CONDITIONS 24
7.3 CONTROLLED RECOGNIZED ENVIRONMENTAL CONDITIONS 25
7.4 HISTORICAL RECOGNIZED ENVIRONMENTAL CONDITIONS 25
7.5 DE MINIMIS CONDITIONS 25
7.6 OTHER FINDINGS 26

8. Conclusions 27

9. Environmental Professional Certification 28

10. Credentials 29

11. Glossary and Other Descriptions 30

11.1 GLOSSARY 30
11.2 DESCRIPTIONS OF DATABASES SEARCHED 31

12. References 33

List of Figures

Figure No.	Title
1	Project Locus
2	Site Plan

List of Appendices

Appendix	Title
A	Phase I Environmental Site Assessment Limitations
B	Historical Research Documentation
C	Regulatory Records Documentation
D	Subject Property Photographs

1. Introduction

This report presents the results of an ASTM International (ASTM) Phase I Environmental Site Assessment (Phase I) conducted at 2916 Atlantic Avenue located in Brooklyn, New York (herein referred to as the "subject property"). The approximately 0.15-acre (6,455-square-foot [sq ft]) subject property is currently improved with an active one-story auto repair shop and is shown on the Project Locus, Figure 1. This Phase I was conducted in consideration of Blue Sky Builders' intention to purchase and redevelop the property.

1.1 OBJECTIVE

The objective of a Phase I is to assess whether recognized environmental conditions (RECs), controlled RECs (CRECs), or historical RECs (HRECs) are associated with the subject property by evaluating site history, interviews, existing observable conditions, current site use, and current and former uses of adjoining properties, as well as potential releases at surrounding properties that may impact the subject property. Our conclusions are intended to help the user evaluate the business environmental risk associated with the subject property.

The ASTM E1527-21 Standard defines a REC as: (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment. The definitions of RECs, CRECs, and HRECs are included in the Glossary section of this report.

1.2 SCOPE OF SERVICES

This Phase I was performed by H & A of New York Engineering and Geology, LLP, (Haley & Aldrich of New York) in conformance with the scope and limitations of the ASTM E1527-21 Standard and All Appropriate Inquiries (AAI) Rule and in accordance with our proposal dated March 27, 2025, as authorized on March 28, 2025 ("Agreement"). The Phase I limitations are attached hereto as Appendix A.

As part of this Phase I, Haley & Aldrich of New York conducted visual observations of site conditions and of abutting property use, and interviewed a key site manager and applicable tenant representatives (subject property reconnaissance); reviewed federal, state, tribal, and local environmental database information, federal and state environmental files, previous reports (if identified and provided), and site historical use records; and formulated conclusions regarding the potential presence and impact of RECs.

1.3 NON-SCOPE CONSIDERATIONS

The ASTM E1527-21 Standard includes the following list of "additional issues" that are non-scope considerations outside of the scope of the ASTM Phase I practice: asbestos-containing materials, biological agents, cultural and historic resources, ecological resources, endangered species, health and safety, indoor air quality related to release of hazardous substances or petroleum products into the environment, industrial hygiene, lead-based paint unrelated to releases into the environment, lead in drinking water, mold or microbial growth conditions, polychlorinated biphenyl (PCB)-containing

materials, naturally-occurring radon, regulatory compliance, substances not defined as hazardous substances (emerging compounds), and wetlands. These items were not included in this Phase I of the subject property.

The assessment of the presence of PCBs is limited to those potential sources specified in the ASTM E1527-21 Standard as "electrical or hydraulic equipment known or likely to contain PCBs…to the extent visually and or physically observed or identified from the interview or records review."

Note that PCBs may be present in miscellaneous building materials, such as caulking, sealants, insulation and sound-dampening materials, paint, gaskets, roofing and siding materials, waterproofing compounds, enamel coatings, and other chemical products manufactured prior to 1979. Evaluating the subject property building for potential PCB-containing building materials and possible PCB-containing materials other than "electrical or hydraulic equipment known or likely to contain PCBs" was outside the scope of this Phase I.

1.4 LIMITING CONDITIONS/DEVIATIONS

Haley & Aldrich of New York completed this Phase I in substantial conformance with the ASTM E1527-21 Standard. In our opinion, no additions were made to, or deviations or deletions made from, the ASTM work scope in completing this Phase I.

1.5 USER RESPONSIBILITIES

The completion of this Phase I is only one component of the process required to satisfy the AAI Rule. In addition, the user must adhere to a set of user responsibilities as defined by the ASTM E1527-21 Standard and the AAI Rule. User responsibilities are discussed in Section 6.6 of this report. A user seeking protection from Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) liability as an innocent landowner, bona fide prospective purchaser, or contiguous property owner must complete all components of the AAI process in addition to meeting ongoing obligations. AAI components, CERCLA liability relief, and ongoing obligations are discussed in the AAI Rule and in Appendix X1 of the ASTM E1527-21 Standard.

2. Site Description

A description of the subject property is detailed in the sections below. Refer to Figure 1 for a project locus and Figure 2 for a site plan showing relevant subject property features and adjacent properties.

2.1 SITE OWNERSHIP, LOCATION, AND VICINITY DESCRIPTION

Site Description		
Owner	Argab Properties LLC 163-03 99th Street Howard Beach, New York 11414	
Occupant/Operator	AAMCO Transmissions & Total Car Care 2916 Atlantic Avenue Brooklyn, New York 11207	
Current Subject Property Use	Auto Repair Shop	
Size	6,455 sq ft	
Building Square Footage	6,455 sq ft	
U.S. Geological Survey (USGS) 7.5-Minute Topographic Map	Brooklyn, 2019	
Site County	Kings County	
Zoning	R8A/C2-4/EC-5	
Parcel Information	Block 3967, Lot 15	
Utilities	Water:	City of New York
	Sewerage:	New York City Department of Environmental Protection (NYCDEP)
	Electricity:	Consolidated Edison (Con Edison)
	Gas/Oil/LPG:	National Grid
Heating/Cooling System	Heating: Three gas-powered overhead heating units are located in the northeastern, southeastern, and southwestern portions of the building, respectively. Cooling: One electric window unit is located in the lofted office space in the northeastern portion of the building.	

Site Vicinity Description		
General Area Description	The area surrounding the subject property consists of residential, commercial, and industrial-use properties.	
Adjoining Property Description	North:	Atlantic Avenue followed by a four-story educational use building, occupied by "P.S. 089 Cypress Hills Community School."
	East:	A two-story residential building and a one-story auto repair shop.
	South:	A partially vacant two-story industrial use building, partially occupied by the "Iglesia Restauracion Rehoboth" church, and a four-story residential building.
	West:	A four-story warehouse building.

2.2 PHYSICAL SETTING

Subsurface explorations and/or hydrogeologic investigations were not performed for this Phase I. Subject property geology and hydrology were evaluated on the basis of readily available public information or references, and/or based upon our experience and understanding of subsurface conditions in the vicinity of the subject property. It is unknown to what extent localized variations in groundwater depth and flow occur on the subject property.

Physical Setting		Source
Topography Summary	The subject property is generally flat and slopes gradually to the east-northeast.	1, 3
Subject Property Elevation (El.)	Approximate El. 36 feet (ft) above sea level.	1, 2
Overburden Soils	Soil is described as Urban Land, which refers to soils that have been altered by human activities, thus making them unidentifiable. Typically, these soils have been mixed with other materials, such as brick and concrete (urban fill), and characteristics can only be determined through a subsurface investigation.	2
Bedrock Formation	Bedrock beneath the subject property is identified as the Monmouth Group, Matawan Group, and Magothy Formation, which consist of silty clay, glauconitic sandy clay, sand, and gravel.	4
Depth to Bedrock	Approximately 460 ft below ground surface (bgs).	4
Depth to Groundwater	Approximately 30 ft bgs.	2
Surface Water Flow Direction	Surface water appears to flow toward the east-northeast based on observed surface topography.	1, 3
Regional Groundwater Flow Direction	Regional groundwater flow appears to flow to the south-southeast.	3

Physical Setting		Source
Nearest Surface Water Body	The Ridgewood Reservoir is located approximately 0.73 miles north of the subject property, and Hendrix Creek is located approximately 1.6 miles south of the subject property.	2, 3

***Sources**:*

1. *Haley & Aldrich of New York project site visit on April 2, 2025*
2. *EDR Radius Map report with Geocheck - Inquiry Number 07942990.2r, March 31, 2025*
3. *USGS Topographic Map, Brooklyn, New York 2019*
4. *USGS NYC Bedrock and Groundwater Mapper https://ny.water.usgs.gov/maps/nycbedrock/ (accessed April 3, 2025)*

Environmentally Sensitive Areas		Source
Floodplain	No	1, 2
Mapped Wetlands	No	1, 3

***Sources**:*

1. *EDR Radius Map report with Geocheck - Inquiry Number 07942990.2r, March 31, 2025*
2. *Federal Emergency Management Agency (FEMA) Flood Map Service Center https://msc.fema.gov/portal/home (accessed April 1, 2025)*
3. *National Wetlands Inventory Mapper https://www.fws.gov/wetlands/data/mapper.html (accessed April 1, 2025)*

3. Previous Reports

Previously prepared reports for the subject property were not identified or provided as part of this assessment.

4. Subject Property History

Haley & Aldrich of New York assessed past usage of the subject property and adjoining properties through a review of:

- Sanborn Fire Insurance Maps dated 1887, 1908, 1928, 1951, 1965, 1968, 1977, 1979, 1980, 1982, 1987, 1988, 1989, 1991, 1993, 1994, 1995, 2001, 2002, 2003, 2004, 2005, 2006, and 2007;
- Topographic Maps dated 1897, 1898, 1900, 1947, 1956, 1957, 1966, 1967, 1979, 1994, 1995, 2013, 2016, and 2019;
- Aerial Photographs dated 1924, 1951, 1954, 1961, 1966, 1976, 1980, 1984, 1994, 2006, 2011, 2015, and 2019;
- City Directories dated 1928, 1934, 1940, 1945, 1949, 1960, 1965, 1970, 1973, 1976, 1980, 1985, 1992, 1995, 1997, 2000, 2005, 2010, 2014, 2017, and 2020;
- Municipal records;
- Certificates of Occupancy; and,
- Environmental Liens and Activity and Use Limitation (AUL) Search.

Copies of information obtained from historical references reviewed are included in Appendix B. Unless otherwise noted below, per the ASTM Standard, sources were reviewed dating back to 1940 or first developed use, whichever is earlier, and at five-year intervals if the use of the property has changed within the time period.

4.1 SUBJECT PROPERTY

According to Sanborn Fire Insurance Maps, aerial photographs, and City Directories, the subject property consisted of four undeveloped lots by 1887, identified as 2916-2924 Atlantic Avenue. By 1928, the lots were combined and improved with several one-story automotive garages arranged around a central courtyard, with two partial basements located in the northeastern and northwestern portions of the subject property, respectively. A Certificate of Occupancy dated March 4, 1935, described the subject property as improved with a one-story store and motor vehicle repair shop with four individual garages and one 550-gallon tank. The 1951 Sanborn Fire Insurance Map depicts the subject property improved with the current one-story building, operated as an auto repair shop. The subject property has remained relatively unchanged through the present and is currently an active auto repair shop occupied by “AAMCO Transmissions & Total Car Care.”

The table below provides a detailed summary of pertinent information from the historical sources reviewed.

Dates	Description of Subject Property	Sources
1887 to 1951	The 1887 Sanborn Fire Insurance Map depicts the subject property as several undeveloped lots. The 1908 Sanborn Fire Insurance Map depicts the subject property as 2916-2924 Atlantic Avenue. By 1928, the lots were combined and improved with several one-story automotive garages arranged around a central courtyard, with two partial basements depicted in the northeastern and northwestern portions of the subject property, respectively. A Certificate of Occupancy dated March 4, 1935, described the subject property as improved with a one-story store and motor vehicle repair shop with four individual garages and one 550-gallon tank.	Sanborn Fire Insurance Maps, Aerial Photographs, Certificates of Occupancy
1951 to Present	The 1951 Sanborn Fire Insurance Map depicts the subject property improved with the current one-story building, operated as an auto repair shop. A Certificate of Occupancy dated September 16, 1977, described the subject property as improved with a one-story building with a boiler room in a cellar located on the ground floor and accessory spraying, associated with motor vehicle repair operations, limited to two gallons sprayed per day and not more than 20 gallons stored. The subject property has remained relatively unchanged through the present and is currently an active auto repair shop occupied by "AAMCO Transmissions & Total Car Care." Additionally, the 2017 and 2020 City Directories list "Martin Auto Care Inc." at the subject property, and the 2020 City Directory lists "Chris & Son Towing Inc."	Sanborn Fire Insurance Maps, Aerial Photographs, City Directories, Certificates of Occupancy

4.2 ADJOINING PROPERTIES

The table below provides a summary of pertinent information from the historical sources reviewed regarding adjacent properties:

Dates	Description of Adjacent Properties	Sources
1887 to 1928	North: In the late 1880s, the Long Island Rail Road (LIRR) was depicted on Atlantic Avenue, followed by four undeveloped lots. The 1908 Sanborn Fire Insurance Map depicts an LIRR train platform with a structure labeled "depot" on Atlantic Avenue, followed by two three-story storefronts and a one-story building labeled as sign storage. South: In the late 1880s, several lots were improved with various one to two-story dwellings, and a stable was present. By 1908, the stable was depicted as a shed, and multiple lots were combined; a new two-story building with shirt factory operations on the first floor and apron and handkerchief factory operations on the second floor was constructed along Ashford Street. East: In the late 1880s, a dwelling along Atlantic Avenue and two vacant, undeveloped lots were present. By 1908, a one-story plumbing shop was constructed on one of the vacant lots, and the dwelling was converted to a storefront. West: In the late 1880s, the property was an undeveloped lot.	Sanborn Fire Insurance Maps, Aerial Photograph

Dates	Description of Adjacent Properties	Sources
1928 to 1951	North: By 1928, two of the lots were combined and improved with several one-story auto garages with all tile partitions, an auto repair shop, and a one-story storefront; the other two lots were improved with a three-story building operated as "Novocol Chemical Co." The 1928 through 1985 City Directories list "Dental Items of Interest Publishing Co." South: By 1928, the shed was razed, and factory operations were no longer depicted. The lots were recombined into two lots and developed with two connected two-story loft buildings. The dwellings were still present; however, one of the lots was split and combined with the west-adjacent property. East: By 1928, the plumbing shop was depicted as an auto garage, and a small one-story addition was constructed on the storefront building. The 1928 and 1934 City Directories list a flooring company. West: By 1928, the lot was combined with a portion of the south-adjacent lot and improved with a four- to five-story loft building with a vault depicted to the south, an elevator in the southwestern portion of the building, and a water tank and bristle washing depicted on the roof. The 1928 through 1949 City Directories list several commercial and manufacturing operations for various durations, including "Nobis Victor Sons Brushes," "Sand Company Inc.," "Harry Women's Clothing Manufacturer," "Pollack & Fromberg Dress Contr.," "S & S Press Co.," "Kornberg J Children's Dresses," "Margo Sportwear Co.," "Plastic Molded Arts Inc.," "Atlantic Fabric Products Inc.," and various clothing manufacturers and operators.	Sanborn Fire Insurance Maps, Aerial Photograph
1951 to Present	North: The 1951 Sanborn Fire Insurance Map no longer depicts the LIRR platform, auto garages, storefront, or auto repair shop. A three-story building, indicated as being built in 1941 with the third floor added in 1951, was constructed across Atlantic Avenue and connected to the north- and east-adjacent buildings. The buildings were occupied by "Novocol Chemical Manufacturing Co." and operations depicted included manufacturing, offices, storage, packing, and printing. The property remains largely unchanged. The 1960 through 1985 City Directories list "Buffalo Dental Manufacturing Company Inc." The 1980 City Directory lists "Abbey Materials Corp" and the 1992 through 2000 City Directories list "Berk Tool & Vacuum Co." The 2010 City Directory lists "Five Star Electric." South: By 1951, the south-adjacent dwelling was razed. The property remains largely unchanged. East: By 1951, storage was depicted at the auto garage, and the storefront was converted back into a dwelling. By 1965, auto-related operations were no longer depicted, and the east-adjacent property along Ashford Street was used for storage. The property remains largely unchanged. The 2014 through 2020 City Directories list "Cesar Auto Repair" at 218 Ashford Street.	Sanborn Fire Insurance Maps City Directories, Aerial Photographs

Dates	Description of Adjacent Properties	Sources
	West: The property remains largely unchanged. The 1960 through 2020 City Directories list various sportswear, electronic equipment, and electric supply companies, and a lamp company.	

5. Environmental Records Review

5.1 ENVIRONMENTAL DATABASE RECORDS SEARCH

Haley & Aldrich of New York used an electronic database service[2] to complete the environmental records review. The database search was used to identify properties that may be listed in the referenced agency records, located within the ASTM-specified approximate minimum search distances as shown in the table below. A description of each database searched is provided in Section 11.2 of this report. The complete environmental database report is provided in Appendix C. Pertinent information obtained from the database is summarized in Section 5.3.

Database Searched	Approximate Minimum Search Distance	Subject Property Listed?	Number of Sites within Search Distance[1]
1. NPL Sites	1 mile	No	0
2. Delisted NPL Sites	0.5 miles	No	0
3. CERCLIS/SEMs[2] Sites	0.5 miles	No	0
4. CERCLIS-NFRAP/SEMs[2] Sites	0.5 miles	No	0
5. Federal ERNS	Site only	No	Not Applicable
6. RCRA non-CORRACTS TSD Facilities	0.5 miles	No	0
7. RCRA CORRACTS TSD Facilities	1 mile	No	0
8. RCRA Generators	Site & Adjoining	No	0
9. Federal Institutional/Engineering Controls	Site Only	No	Not Applicable
10. State/Tribal Equivalent NPL Sites	1 mile	No	0
11. Lists of state and tribal hazardous waste facilities[2]	0.5 miles	No	1
12. State/Tribal Registered Storage Tanks	Site & Adjoining	No	1
13. State/Tribal Landfills and Solid Waste Disposal Sites	0.5 miles	No	3
14. State/Tribal Leaking Storage Tanks	0.5 miles	No	43
15. State/Tribal Institutional Controls/Engineering Controls	Site Only	No	Not Applicable
16. State/Tribal Voluntary Cleanup Sites	0.5 miles	No	20
17. State/Tribal Brownfield Sites	0.5 miles	No	5
18. Orphan Site List[3]	Site & Adjoining	No	0

Notes:

1. *Some sites may be included in multiple databases.*
2. *Formerly the CERCLIS database.*
3. *Haley & Aldrich of New York also searched the Orphan Site List provided in the database report for the subject property and sites adjoining the subject property. Orphan sites are those that, due to incorrect or incomplete addresses, could not be mapped.*
4. *If applicable, other relevant databases, not specifically required by ASTM, were included in the database review.*

[2] Examples of electronic database services are EDR/Lightbox and ERIS.

5.2 ADDITIONAL ENVIRONMENTAL RECORDS OR FILE REVIEW

To supplement the environmental record search, we contacted the following state and local government agencies and searched applicable online databases. If copies of the documents reviewed were obtained, pertinent material is included in Appendix C. Relevant information obtained is included in the appropriate sections of the report and/or discussed in Section 5.3. Adjacent properties were also included in requests for additional information if a significant incident or release was identified. Those adjacent properties reviewed for this assessment include:

Agency	Request Sent or Files Searched		Files Exist and are Available for Review	Files Reviewed
	Subject Property	Adjoining Properties		
New York State Department of Environmental Conservation (NYSDEC)[2]	Yes	Yes	No	Yes (Online)
New York City Department of Finance City Registry[3]	Yes	No	Yes	Yes (Online)
New York City Department of Buildings (NYCDOB)[4]	Yes	No	Yes	Yes (Online)
New York State Department of Health (NYSDOH)[5]	Yes	No	No	N/A
Fire Department of New York (FDNY)[6]	Yes	No	No	N/A
NYCDEP[7]	Yes	No	Yes	Yes

***Notes**:*

1. *To date, a response has been received from the Freedom of Information Act (FOIA) requests from the NYSDEC and NYSDOH. No other responses have been received from FOIA requests noted above. Based on the information obtained through our interviews with key site personnel and our review of other records, it does not appear that responses to the FOIA requests should affect our conclusions regarding RECs on the subject property. However, when a response is received, it will be forwarded to Blue Sky Builders and, if it affects our conclusions regarding the subject property, Blue Sky Builders will be informed.*
2. *The NYSDEC maintains information regarding spills, petroleum bulk storage (PBS), including underground storage tanks (USTs) and aboveground storage tanks (ASTs), and investigations/remediations overseen by New York State regulatory programs. Records were reviewed in the online database.*
3. *The New York City Department of Finance City Register maintains information regarding property transactions, including deeds, leases, and mortgage documents. Records were reviewed in the online database.*
4. *The NYCDOB maintains information regarding violations, complaints, Certificates of Occupancy, elevator records, asbestos assessment, and permits. Records were reviewed in the online database, which included Certificates of Occupancy records for the subject property.*
5. *The NYSDOH maintains information regarding environmental concerns for public health. A response from the NYSDOH did not include any records related to the subject property.*
6. *The FDNY maintains information regarding USTs and emergencies/fire episodes. A response has not yet been received from the FDNY.*
7. *The NYCDEP maintains information regarding wastewater discharge and boilers. Records were reviewed in the online database.*

5.3 DETAILED DESCRIPTION OF RELEVANT INFORMATION

5.3.1 Subject Property

Listing	Description	Potential Impact
NYC LAND USE E DESIGNATION	The subject property has been assigned an environmental E-Designation (E-366) for hazardous materials, noise (window wall attenuation and alternative means of ventilation), and air quality (heating, ventilation, and air conditioning [HVAC] exhaust stack limitations and limited to natural gas) as determined during the East New York Rezoning completed by the City in April 2016 (City Environmental Quality Review [CEQR] No. 15DCP102K).	While an E-Designation for hazardous materials represents the requirement for the property to undergo investigation and, if warranted, remediation through a regulatory program, the database listing itself is not considered a REC.

Haley & Aldrich of New York submitted a FOIA request to the NYCDEP regarding hazardous materials storage at the subject property. In response, NYCDEP provided a Right-to-Know report listing chemicals reported by the current facility operator, Trancare Inc. dba AAMCO Transmissions. According to the report, the facility stores or utilizes the following chemicals at the subject property: transmission fluid, cleaning solvents, transmission waste fluid, engine oil, waste engine oil, and antifreeze. Each chemical was reported under a maximum daily amount code of "1," which corresponds to a relatively low quantity threshold under NYCDEP reporting guidelines. No violations or enforcement actions were noted in the response. The reported chemical inventory is consistent with typical automotive repair operations and aligns with visual observations made during the site reconnaissance.

5.3.2 Nearby Sites

Several sites were listed in the database report within the applicable search radii or identified in regulatory records reviews. Due to their location with respect to the subject property (on the opposite side of a hydrogeologic barrier, distance from the site, location of the site relative to inferred groundwater flow, subsurface utilities and building levels, etc.), or their status (closed-out release, etc.), several of the sites are not likely to adversely affect the subject property and are not discussed herein. Only those sites adjacent to the subject property and sites with the potential to have impacted the subject property are discussed below. The complete database report and relevant records review information are included in Appendix C.

Property Name & Location	Database/ Record Identified	Description	Potential Impact to Subject Property
2912 Atlantic Ave Realty Corp 2912 Atlantic Avenue (0.003 miles west, west-adjacent)	UST NYC Land Use E Designation UST Finder	This property is listed in the PBS database under PBS ID 2-081558 for one 3,000-gallon capacity UST formerly containing #2 fuel oil for on-site consumption. The UST was installed on December 1, 1966, and closed and removed on August 1, 1993. This property has been assigned an environmental E-Designation (E-366) for hazardous materials, noise, and air quality as determined during the East New York	Since this property is located hydraulically cross-gradient to the subject property, there are no leaks associated with the tank listing, and the tank has been closed and removed, it is not anticipated to adversely

Property Name & Location	Database/ Record Identified	Description	Potential Impact to Subject Property
		Rezoning completed by the City in April 2016 (CEQR No. 15DCP102K).	affect the subject property.
Gibraltar Transmission/M M P G Tune Inc 2914 Atlantic Avenue (0 miles west, west-adjacent)	RCRA NonGen/NLR FINDS ECHO EDR Hist Auto	This property is listed in the Resource Conservation and Recovery Act (RCRA) database as a Non-Generator (NonGen)/No Longer Regulated (NLR) facility under U.S. Environmental Protection Agency (USEPA) ID NYD982279317 for the former generation of hazardous waste (D000, D001) as a Large Quantity Generator (LQG) by the operator "Gibraltar Transmission" in 1987. No violations are associated with this listing. This property is also listed in the FINDS and ECHO databases for its listing in the RCRA NonGen/NLR database. This property is listed in the EDR Historic Auto database for use as an auto repair shop by various operators between at least 1980 and 1997.	Auto repair shops utilize hazardous materials, including petroleum products and chlorinated solvents, during operations. Due to the nature of historical uses at the property and the location west-adjacent and cross-gradient to the subject property, impacted soil vapor and/or groundwater may have migrated and may be present at the subject property.
Bayside Fuel Oil/Dial a Mattress Atlantic Ave Lot 42, Tax Block 3951 2887 Atlantic Avenue (0.041 miles northwest)	NYC Land Use E Designation AST EDR Hist Auto	This property is listed in the NYC Land Use database for warehouse and self-storage operations. This property has been assigned an environmental E-Designation (E-366) for hazardous materials, noise, and air quality as determined during the East New York Rezoning completed by the City in April 2016 (CEQR No. 15DCP102K). This property is listed in the PBS database under PBS ID 2-110671 for one 3,000-gallon capacity AST formerly containing #2 fuel oil for on-site consumption. The AST was closed and removed on February 12, 2004. This property is listed in the EDR Historic Auto database for operation as a gasoline service station by "Dial A Mattress Atlantic Ave" between at least 2002 and 2007.	This property is located upgradient to the subject property. However, since there are no leaks associated with the AST, there are no violations associated with the historical auto repair operations, and due to the distance from the subject property, these listings are not anticipated to adversely affect the subject property.
Trancare Inc 2900 Atlantic Avenue (0.027 miles west)	NYC Land Use E Designation EDR Hist Auto	This property is listed in the NYC Land Use database for auto body/collision or auto repair operations.	This property is located cross-gradient to the subject property. Since there are no violations associated with the

Property Name & Location	Database/ Record Identified	Description	Potential Impact to Subject Property
		This property has been assigned an environmental E-Designation (E-366) for hazardous materials, noise, and air quality as determined during the East New York Rezoning completed by the City in April 2016 (CEQR No. 15DCP102K). This property is listed in the EDR Historic Auto database for use as an auto repair shop by various operators between at least 1980 and 2014.	historical auto repair operations and due to the distance from the subject property, these listings are not anticipated to adversely affect the subject property.
K – Union Station Holder/Citizens Branch Atlantic Avenue, Ashford Street, Liberty Avenue (0.037 miles east)	Brownfields MGP EDR MGP SHWS	This property is listed in the Manufactured Gas Plant (MGP) and SHWS database under site code 224054 for registry as a Class A (non-registry site) site in the State Superfund Program. The K - Union Station Holder Site is currently an active Con Edison Service Center and formerly operated as an MGP. The first two gas holders (north and center) were constructed in approximately 1887. The center gas holder was dismantled in 1906, and the north gas holder was dismantled in 1908. The southern holder was constructed in 1908, operated until approximately 1928, and was dismantled around 1950. The property was used as a distribution facility. Con Edison removed two USTs in 1998, and, as a result of impacts identified in soil and groundwater, spill number 9806522 was assigned to the property and remains open. Soil and groundwater samples collected during previous investigations were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, PCBs, and pesticides. The primary contaminants of concern identified for the site are VOCs and SVOCs. Total benzene, toluene, ethylbenzene, and xylene (BTEX) concentrations ranged from non-detect to 414 parts per million (ppm) in soil. In addition, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene were detected at elevated concentrations, with total VOC concentrations detected up to 2,092 ppm in soil. SVOCs, specifically polycyclic aromatic hydrocarbons (PAHs),	Due to the historical MGP operations, documented subsurface contamination, and ongoing remediation under an open spill case, the K - Union Station Holder Site is considered a REC with the potential to adversely impact the subject property via subsurface migration.

Property Name & Location	Database/ Record Identified	Description	Potential Impact to Subject Property
		were detected at concentrations ranging from non-detect to 928 ppm in soil. Total VOC concentrations in groundwater were detected at a maximum concentration of 1,879 parts per billion (ppb), primarily downgradient of the holders. Total PAH concentrations ranged from non-detect to 601 ppb. In 2019, several monitoring wells were sampled for per- and polyfluoroalkyl substances (PFAS) and 1,4-dioxane. Perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) were reported at concentrations of up to 99.5 and 38 parts per trillion (ppt), respectively. No soil vapor sampling was reported. This property is identified as a Brownfields Site (Site ID No. C224054).	
Atlantic Ave. Service Center/Con Edison – Cleveland Service Center/Cleveland Substation/ Cleveland St Yard 2950 Atlantic Avenue (0.046 miles east)	NY Spills Manifest E Manifest RCRA LQG FINDS ECHO AST UST UST Finder	This property had 11 spills reported between 1996 and 2020. Materials released included various quantities of hydraulic oil, motor oil, antifreeze, dielectric fluid, and gasoline to the ground. These spill cases have all been closed by NYSDEC. Spill No. 9806522 was reported on August 26, 1998, when, during the removal of two 2,000-gallon gasoline USTs and one 275-gallon hydraulic oil tank, impacted soil and gasoline odors were observed. Soil was excavated, and passive product recovery was implemented in a monitoring well via sorbent sock. Site characterization activities were implemented under an NYSDEC-approved work plan, during which potential MGP-related impacts were observed. Groundwater monitoring was implemented through at least 2022, with injections completed in 2021 and a second round scheduled in 2022. The spill case remains open. This property is listed in the NY Manifest database under USEPA ID NYD982273831 for the disposal of hazardous waste (mercury and/or ignitable waste) between 1992 and 1997.	Due to the distance from the subject property and the location cross-gradient, these listings are not anticipated to adversely affect the subject property.

Property Name & Location	Database/ Record Identified	Description	Potential Impact to Subject Property
		This property is listed in the RCRA database as an LQG and the NY Manifest database under USEPA ID NYD982272841 for the generation of hazardous waste, including unidentified waste, ignitable waste, corrosive, waste, cadmium, lead, mercury, selenium, benzene, tetrachloroethylene (PCE), and spent halogenated solvents by the operator "Consolidated Edison Company of NY, Inc." This property is also listed as a historic SQG in 2006 and 2007, and a historic LQG in 1996, 1997, 1998, 2004, 2006, and 2010. A violation is listed from 2009 related to TSD IS-Preparedness and Prevention. No other violations are associated with this listing. This property is also listed in the FINDS and ECHO databases for its listing in the RCRA LQG database. This property is listed in the PBS database under PBS ID 2-452718 for one 275-gallon and one 550-gallon capacity AST, which were installed in December 1986 and December 1982, respectively, and closed and removed in April 2012 and October 1996, respectively. This property is also listed for two 2,000-gallon capacity USTs that were installed in December 1981 and closed and removed in August 1998.	

5.4 VAPOR MIGRATION

The ASTM E1527-21 Standard states that "for the purposes of this practice, 'migrate' and 'migration' refer to the movement of hazardous substances or petroleum products in any form, including, for example, solid and liquid at the surface or subsurface, and vapor in the subsurface." Thus, this section specifies whether or not we perceive a risk of vapor migration to the subject property.

To assess a vapor migration risk, Haley & Aldrich of New York conducted a detailed review and analysis of the site-specific environmental database report and/or other reasonably ascertainable records to assess whether:

1. Off-site properties have documented chlorinated volatile organic compound (CVOC) contamination located, specifically, at the edge of the contamination plume, within 100 ft of the subject property boundary; or

2. Off-site properties have a documented volatile petroleum hydrocarbon (VPH) contamination plume within 30 ft of the subject property boundary.

Based on our records review, we have identified and assessed the following potential sources for vapor migration.

Adjacent properties in the surrounding area were historically used for industrial and manufacturing purposes. Frequently, industrial and manufacturing facilities use hazardous chemicals, such as lubricants and/or cleaning agents, and petroleum constituents as well as chlorinated solvents for equipment maintenance. If disposed of improperly, the aforementioned hazardous chemicals related to current and/or historical operations at nearby properties have the potential to impact soil and groundwater beneath the surface. If present in groundwater, VOCs, typical of products used in auto-related and manufacturing facilities, could volatilize into soil vapor. Reported or undocumented releases at these adjacent and upgradient properties may have adversely impacted subsurface vapor conditions at the subject property.

5.5 ENVIRONMENTAL LIENS AND ACTIVITY/USE LIMITATIONS

An Environmental Lien Search Report was conducted by EDR, and no environmental liens were found associated with the subject property. A deed between Mario Papa (Grantor) and Argab Properties LLC (Grantee) dated January 24, 2007, and recorded on February 26, 2007, was identified in this search.

6. Subject Property Reconnaissance and Key Personnel Interview(s)

A site visit to observe subject property conditions was conducted by Omar Colon and Andrea Lee of Haley & Aldrich of New York on April 2, 2025. Access to the subject property was provided by Hector Ortiz, Manager of AAMCO Transmissions & Total Car Care.

Haley & Aldrich of New York personnel observed accessible interior areas of the subject property building(s), including common areas and mechanical spaces. Haley & Aldrich of New York also observed the exterior portions of the subject property, including the property boundaries, and observed adjoining property conditions from the subject property boundaries and/or public thoroughfares. No weather-related conditions or other conditions that would limit our ability to observe the subject property or adjoining properties occurred during our site visit.

An interview with Hector Ortiz, the manager of AAMCO Transmissions & Total Car Care and the key site manager, was performed in conjunction with the site visit. Per the ASTM Standard, past owners, operators, and occupants of the subject property who are likely to have material information regarding the potential for contamination at the subject property shall be contacted to the extent that they can be identified and that the information likely to be obtained is not duplicative of information already obtained from other sources. Haley & Aldrich of New York was not provided with contact information to interview past owners and/or operators at the subject property. Based upon historical data collected from other sources, this potential data gap is not expected to adversely impact the results of this assessment.

The findings of the site visit and interview are discussed below. Subject property photographs are included in Appendix D.

ASTM E1527-21 Standard, Section 10.8, requires that, prior to the site visit, the current subject property owner or key site manager and user, if different from the current owner or key site manager, be asked if there are any helpful documents that can be made available for review. Documents were not provided.

6.1 CURRENT USE OF THE SUBJECT PROPERTY

The one-story building is currently occupied by "AAMCO Transmissions & Total Car Care," an auto repair shop. AAMCO Transmissions & Total Car Care's operations include office spaces, a chemical storage room, and a vehicle maintenance and repair area.

6.2 GENERAL DESCRIPTION OF STRUCTURES

The subject property is approximately 6,455 sq ft and is improved with a one-story commercial garage building encompassing the subject property footprint. The structure includes a separate office space located in the northwestern portion of the subject property; a large garage bay outfitted with nine hydraulic vehicle lifts located in the southern portion of the subject property; a chemical storage room and restrooms located in the northeastern portion of the subject property within the garage; and, an office space, a partially lofted office area, and storage space located in the northwestern portion of the subject property within the garage. Access to the building is provided by three doors and a sliding garage door located on the northern side of the building along Atlantic Avenue.

6.3 USE, STORAGE, AND DISPOSAL OF PETROLEUM PRODUCTS AND HAZARDOUS MATERIALS

Petroleum products and/or hazardous materials were observed or reported to be used, stored, and/or disposed of at the subject property as described below.

The following bulk storage tanks were observed or reported to be associated with the subject property during the site visit:

Tank #	AST/ UST	Contents/ Capacity	Location[1]	Use	Closure Status
Unknown	AST	Empty / 240 gallons	Chemical room	Unused	Unknown
Unknown	AST	Used Engine Oil / Estimated 200 gallons	Chemical room	In use	N/A

Notes:
1. *Approximate tank locations are shown on Figure 2.*

Other petroleum/hazardous materials observed at the subject property included:

Petroleum Product or Hazardous Substances	Quantity Stored & Container	Storage Location	Use	Disposal	Observations/ Evidence of release
Synthetic Motor Oil	Six 55-gallon drums	Five in chemical room, one in work area (currently in use, unlabeled)	Auto maintenance	Unknown	Improper storage - no secondary containment and one improperly labeled. Staining observed on concrete floor throughout the auto repair garage.
Synthetic Motor Oil	Approximately 14 5-quart containers	Three in chemical room, 11 in work area	Auto maintenance	Unknown	Improper storage - several open containers.
Synthetic Motor Oil	Nine 1-quart containers	Three in chemical room, six in work area	Auto maintenance	Unknown	Improper storage - several open containers.
GP Lubricants Commercial Oil	One 55-gallon drum	One in chemical room	Auto maintenance	Unknown	Improper storage - no secondary containment.
National 134a Refrigerant	Two 30-pound cylinders	Two in chemical room	Auto maintenance	Unknown	No
Windshield Wiper Fluid (unlabeled)	Three 1-gallon containers	Three in work area	Auto maintenance	Unknown	Improper storage - several open containers.
Antifreeze/ Coolant	Three 1-gallon containers, 1 5-liter container	One in chemical room, three in work area	Auto maintenance	Unknown	No

Petroleum Product or Hazardous Substances	Quantity Stored & Container	Storage Location	Use	Disposal	Observations/ Evidence of release
Brake Fluid (DOT 3 and DOT 4)	Four 12-fluid-ounce containers	Four in work area	Auto maintenance	Unknown	No
Bead Sealer	One 32-ounce can	One in work area	Auto maintenance	Unknown	No
Power Steering Fluid	One 32-ounce container	One in work area	Auto maintenance	Unknown	No
Lithium Grease	One 16-ounce tub	One in work area	Auto maintenance	Unknown	No
Valvoline Automatic Transmission Fluid	One 1-quart container	One in work area	Auto maintenance	Unknown	No
WD-40	Approximately five 11-ounce cans	Five in chemical room and work area	Auto maintenance	Unknown	No

6.4 OTHER SUBJECT PROPERTY OBSERVATIONS

The table below summarizes items that were observed and/or reported at the subject property during the site visit other than those items related to use, storage, and/or disposal of petroleum or hazardous materials (described in Section 6.3 above). If items were observed or reported, they are further described either in the table or below.

Description	Observed or Reported at Time of Site Visit	Observations/Comments
Potable Water Supply	Yes	Potable water is provided by the NYCDEP.
Nearest Drinking Water Source	N/A[1]	
Sewage Disposal System	Yes	NYCDEP Municipal System.
Septic System	No	
Unidentified Storage Containers	Yes	Two unlabeled 55-gallon drums were observed.
Wastewater Discharge	No	
Stormwater Discharge	No	
Odors	Yes	Petroleum-like odors from automotive repair activities in the garage.
PCBs Associated with Electrical or Hydraulic Equipment	Yes	Nine hydraulic lifts are present; however, no evidence of leaks or PCB-containing fluids was observed.
Elevators (Traction or Hydraulic)	No	
Vehicle Maintenance Lifts	Yes	Nine hydraulic lifts were observed in the garage area. No staining was observed.
Emergency Generators	No	
Sprinkler System Pumps	No	

Description	Observed or Reported at Time of Site Visit	Observations/Comments
Heating System	Yes	Heating is supplied by a natural gas-powered heater; a natural gas meter is mounted on the north interior wall.
Cooling System	Yes	Air conditioning unit was observed in the lofted office area.
Stains or Corrosion on Floors, Walls, or Ceilings	Yes	Staining was observed on the garage floor.
Floor Drains	Yes	Three floor drains were identified in the central garage.
Sumps	No	
Catch Basins	No	
Pits, Ponds, Lagoons, and Pools of Liquid	No	
Stained Soil or Pavement	No	Staining on the garage floor.
Stressed Vegetation	N/A	
Solid Waste and Evidence of Waste Filling	No	
Dry Wells	No	
Monitoring Wells	No	
Water Supply Wells	No	
Irrigation Wells	No	
Injection Wells	No	
Abandoned Wells	No	

Notes:

1. *N/A items are those that were not observed or reported and/or not anticipated to be present given the nature of the subject property (e.g., building features not present on an undeveloped property).*

6.5 ADJOINING PROPERTY OBSERVATIONS

The subject property is bounded to the north by Atlantic Avenue, followed by a four-story educational use building occupied by "P.S. 089 Cypress Hills Community School"; to the east by a two-story residential building and a one-story auto repair shop; to the south by a partially vacant two-story industrial use building (Former BLS Sunpower Electrical Supplies), partially occupied by the "Iglesia Restauracion Rehoboth" church, and a four-story residential building; and to the west by a four-story warehouse building.

6.6 USER RESPONSIBILITIES

The AAI Rule requires that the user of the report consider the following:

- Whether the user has specialized knowledge about previous ownership or uses of the subject property that may be material to identifying RECs;
- Whether the user has determined that the subject property's title contains environmental liens or other information related to the environmental condition of the property, including engineering and institutional controls and AULs, as defined by ASTM;
- Whether the user is aware of commonly known or reasonably ascertainable information about the subject property, including whether or not the presence of contamination is likely on the subject property and to what degree it can be detected; and

- Whether the user has prior knowledge that the price of the subject property has been reduced for environmentally related reasons.

While such information is not required to be provided by the Environmental Professional(s), the information can assist the Environmental Professional in identifying RECs. The AAI Final Rule (Code of Federal Regulations Title 40 [40 CFR] Part 312) requires that these tasks be performed by or on behalf of a party seeking to qualify for one of the Landowner Liability Protections (LLPs) to CERCLA liability.

Haley & Aldrich of New York provided the user with a user responsibilities questionnaire; however, a completed questionnaire was not received. The absence of such information is not considered significant to our conclusions.

7. Findings and Opinions

7.1 SIGNIFICANT DATA GAPS

Our ability to identify and evaluate RECs at the subject property is conditioned upon significant data gaps identified as part of this Phase I. The ASTM E1527-21 Standard defines a significant data gap as a data gap that affects the ability of the Environmental Professional to identify a REC.

No significant data gaps were identified during the performance of this Phase I. Thus, it is our opinion that sufficient information was obtained to identify subject property conditions indicative of releases or threatened releases of hazardous substances and petroleum hydrocarbons. Our opinion is limited by the conditions prevailing at the time our work is performed and the applicable regulatory requirements in effect.

7.2 RECOGNIZED ENVIRONMENTAL CONDITIONS

The ASTM E1527-21 Standard defines a REC as: (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment.

Our opinion regarding a REC's potential impact on the subject property is based on the scope of our work, the information obtained during the course of our work, the conditions prevailing at the time our work was performed, the applicable regulatory requirements in effect at the time our work was performed, our experience evaluating similar sites, and on our understanding of the client's intended use for the subject property.

The following RECs were identified in connection with the subject property.

REC #1: Former and Current Uses of the Subject Property for Automotive-Related Purposes

The subject property has been used for automotive-related purposes, including auto body repair and towing operations, since at least the late 1920s and continues to operate as an automotive maintenance and repair facility. A Certificate of Occupancy dated March 4, 1935, indicates one 550-gallon tank present on the subject property. Auto-related facilities commonly utilize hazardous materials, including petroleum products and chlorinated solvents. Furthermore, the site has received an E-Designation for hazardous materials from the New York City Office of Environmental Remediation (NYCOER). The historical and current uses of the subject property, combined with the historical and current presence of USTs, is considered a REC, as potential or undocumented releases of petroleum products, solvents, and/or other hazardous materials may have adversely affected groundwater, soil, and/or soil vapor at the subject property.

REC #2: Historical and Current Uses of Surrounding Properties

Properties surrounding the subject property were historically utilized for several commercial, industrial, and manufacturing operations, including a shirt and handkerchief factory, auto repair shops, a chemical

company, and a plumbing shop, for various durations from the early 1900s through the present. The property to the north and presumably upgradient of the subject property operated as the LIRR from the 1880s through the 1950s, Novocol Chemical Corporation, and various manufacturing operators from the late 1920s through the present. Additionally, the property located at 2940 Atlantic Avenue, approximately 200 ft east and cross-gradient of the subject property, is currently enrolled in the BCP and State Superfund program as the K – Union Station Holder Site for documented VOC and SVOC impacts in soil and groundwater and has an open spill case (Spill No. 9806522). This site formerly operated as an MGP distribution facility between approximately 1887 and 1950 and is currently operated as a Con Edison service center. Historical and current uses of surrounding properties are considered a REC, as potential or undocumented releases at these adjacent and upgradient properties may have adversely impacted the soil, groundwater, and/or soil vapor, which may have potentially migrated onto the subject property.

7.3 CONTROLLED RECOGNIZED ENVIRONMENTAL CONDITIONS

The ASTM E1527-21 Standard defines a CREC as a REC resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls.

CRECs were not identified in connection with the subject property.

7.4 HISTORICAL RECOGNIZED ENVIRONMENTAL CONDITIONS

The ASTM E1527-21 Standard defines an HREC as "a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls. An HREC is not a REC.

HRECs were not identified in connection with the subject property.

7.5 DE MINIMIS CONDITIONS

The ASTM E1527-21 Standard defines a *de minimis* condition as a condition related to a release that generally does not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies. The ASTM E1527-21 Standard notes that conditions determined to be *de minimis* are not RECs.

The following *de minimis* condition was identified in connection with the subject property.

De Minimis Condition #1: Subject Property Housekeeping Practices

Vehicle maintenance and repair products and chemicals were observed inside the active auto repair garage located on the subject property. Products used for vehicle repair, such as motor oil, and products used for maintaining vehicle exteriors were typically stored in containers on tables, shelves, or on the ground with no secondary containment. Minor staining was observed in multiple areas of the property, including near the hydraulic lifts on the southern portion of the subject property and along the

western wall. Staining on the floors appears to be related to cleaning materials and automotive repair services. Poor housekeeping was observed throughout the building, and hazardous materials appeared not to be stored in containment in certain areas of the subject property building. Containers showing evidence of previous uncontained discharge, such as visual splatters, smears, and discoloration on external areas of the containers, were observed on the concrete floor. Several areas were noted to contain unlabeled containers/drums of products and oils not placed in secondary containment. In addition, two rectangular ASTs were observed, which were unlabeled and unregistered with New York State PBS.

7.6 OTHER FINDINGS

The ASTM does not define the term "other finding"; however, Haley & Aldrich of New York utilizes the category to indicate conditions of potential risk that are not clearly defined in the ASTM Standard. While not considered RECs, Haley & Aldrich of New York identified the following other finding:

Other Finding #1: Urban Fill

The overburden at the subject property is classified as Urban Land, which refers to soils that have been altered by human activities, thus making them unidentifiable. Typically, these soils have been mixed with other materials, such as brick and concrete (urban fill), and characteristics can only be determined by an on-site investigation.

8. Conclusions

We have performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of the ASTM Practice E1527 of 2916 Atlantic Avenue, Brooklyn, New York, the subject property. Any exceptions to or deletions from this practice are described in Section 1.4 of this report.

This assessment has revealed two RECs, one *De minimis* Condition, and one Other Finding in connection with the subject property:


- REC #1: Former and Current Uses of the Subject Property for Automotive-Related Purposes
- REC #2: Historical and Current Uses of Surrounding Properties
- *De Minimis* Condition #1: Subject Property Housekeeping Practices
- Other Finding #1: Urban Fill

9. Environmental Professional Certification

The undersigned declares the following:

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in §312.10 of 40 CFR Part 312; and

I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.



Zhan Shu, Ph.D., P.E. (NJ)
Senior Project Manger

10. Credentials

This Phase I report was prepared by Rachel Freeman under the direct supervision of Zhan Shu, Ph.D., P.E., who served as the Environmental Professional(s) for this project. Qualification information for the project personnel is provided below.

Rachel Freeman is a Staff Engineer at Haley & Aldrich of New York with over four years of experience conducting environmental investigations, including Phase I and Phase II Environmental Site Assessments.

Nicole Mooney is a Project Geologist at Haley & Aldrich of New York with over four years of experience in soil and groundwater investigation and conducting environmental investigations, including Phase I Environmental Site Assessments.

Zhan Shu is a Senior Project Manager at Haley & Aldrich of New York and a licensed Professional Engineer in the state of New Jersey with more than 12 years of experience in environmental investigation and remediation, including Phase I Environmental Site Assessments

Mari Cate Conlon, P.G., is a Senior Associate at Haley & Aldrich of New York and a licensed Professional Geologist in the state of New York with more than 11 years of experience conducting Phase I and Phase II Environmental Site Assessments.

11. Glossary and Other Descriptions

11.1 GLOSSARY

All Appropriate Inquiry (AAI) — that inquiry constituting "all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice" as defined in CERCLA, 42 U.S.C. §9601(35)(B), that will qualify a party to a commercial real estate transaction for one of threshold criteria for satisfying the LLPs to CERCLA liability (42 U.S.C. §9601(35)(A) & (B), §9607(b)(3), §9607(q); and §9607(r)), assuming compliance with other elements of the defense.

Business Environmental Risk — a risk which can have a material environmental or environmentally-driven impact on the business associated with the current or planned use of a parcel of commercial real estate, not necessarily limited to those environmental issues required to be investigated in this practice. Consideration of business environmental risk issues may involve addressing one or more non-scope considerations.

Controlled Recognized Environmental Condition (CREC) — a recognized environmental condition resulting from a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority or authorities with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls.

Significant Data Gap — a data gap that affects the ability of the Environmental Professional to identify a recognized environmental condition.

De Minimis Conditions — a condition related to a release that generally does not present those conditions which "do not present a threat to human health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies." The ASTM E1527-21 Standard notes that conditions determined to be *de minimis* are not recognized environmental conditions.

Environmental Professional — a person meeting the education, training, and experience requirements as set forth in 40 CFR §312.10(b).

Historical Recognized Environmental Condition (HREC) — a previous release of hazardous substances or petroleum products affecting the subject property that has been addressed to the satisfaction of the applicable regulatory authority or authorities and meeting unrestricted use criteria established by the applicable regulatory authority or authorities without subjecting the subject property to any controls. A historical recognized environmental condition is not a recognized environmental condition.

Key Site Manager — the person identified by the owner or operator of a subject property as having good knowledge of the uses and physical characteristics of the subject property.

Material Threat — an obvious threat which is likely to lead to a release and that, in the opinion of the Environmental Professional, would likely result in impact to public health or the environment.

Orphan Site — (not ASTM E1527-21 definition) — sites that could not be mapped due to poor or inadequate address information.

Recognized Environmental Condition (REC) — (1) the presence of hazardous substances or petroleum products in, on, or at the subject property due to a release to the environment; (2) the likely presence of hazardous substances or petroleum products in, on, or at the subject property due to a release or likely release to the environment; or (3) the presence of hazardous substances or petroleum products in, on, or at the subject property under conditions that pose a material threat of a future release to the environment. *De minimis* conditions are not RECs.

11.2 DESCRIPTIONS OF DATABASES SEARCHED

Numerous regulatory databases were searched during this Phase I. Each database reviewed is described in the database report presented in Appendix C. Those databases required by the E1527-21 Standard are identified below.

1. **NPL Sites:** The National Priorities List (NPL) is a list of contaminated sites that are considered the highest priority for cleanup by the U.S. Environmental Protection Agency (USEPA).
2. **Delisted NPL Sites:** The Delisted NPL is a list of formal NPL sites formerly considered the highest priority for cleanup by the USEPA that met the criteria of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP) for deletion from the NPL because a no further response was appropriate.
3. **CERCLIS Sites:** The Comprehensive Environmental Response, Compensation, and Liability Act Information System (CERCLIS) list identifies sites which are suspected to have contamination and require additional investigation to assess whether they should be considered for inclusion on the NPL.
4. **CERCLIS-NFRAP Sites:** CERCLIS-NFRAP status indicates that a site was once on the CERCLIS List but has No Further Response Actions Planned (NFRAP). Sites on the CERCLIS-NFRAP List were removed from the CERCLIS List in February 1995 because, after an initial investigation was performed, no contamination was found, contamination was removed quickly, or the contamination was not significant enough to warrant NPL status.
5. **Federal ERNS:** The Federal Emergency Response Notification System (ERNS) list tracks information on reported releases of oil and hazardous materials.
6. **RCRA non-CORRACTS TSD facilities:** The Resource Conservation and Recovery Act (RCRA) non-CORRACTS TSD Facilities List tracks facilities which treat, store, or dispose of hazardous waste and are not associated with corrective action activity.
7. **RCRA CORRACTS TSD facilities:** The RCRA CORRACTS TSD Facilities list catalogues facilities that treat, store, or dispose of hazardous waste and have been associated with corrective action activity.
8. **RCRA Generators:** The RCRA Generator list is maintained by the USEPA to track facilities that generate hazardous waste.
9. **Federal Institutional Controls/Engineering Controls:** The Federal Institutional Control list and Engineering Control list are maintained by the USEPA. Some Institutional Control and Engineering Control information may not be made publicly available and therefore will not be included on this registry.

10. **State and Tribal Equivalent NPL/CERCLIS Sites:** The ASTM E1527-21 Standard requires searching "State and Tribal Equivalent NPL Sites." In New York, the equivalent NPL is the Inactive Hazardous Waste Disposal Sites, which is maintained by the NYSDEC.
11. **State and Tribal Registered Storage Tanks:** The NYSDEC maintains a list of ASTs and USTs registered with the NYSDEC PBS Program.
12. **State and Tribal Landfills and Solid Waste Disposal Sites:** NYSDEC maintains a list of regulated waste disposal sites.
13. **State and Tribal Leaking Storage Tanks:** NYSDEC maintains a list of Leaking Storage Tanks (LUST/LAST). The LUST/LAST lists are a listing of release sites that have an Underground or Aboveground Storage Tank listed as the source.
14. **State and Tribal Institutional Controls/Engineering Controls:** NYSDEC maintains a list of sites with Institutional or Engineering controls in place.
15. **State and Tribal Voluntary Cleanup Sites:** NYSDEC maintains a list of Voluntary Cleanup sites.
16. **State and Tribal Brownfield Sites:** NYSDEC maintains a list of Brownfield sites which includes properties where redevelopment or reuse may be compromised by the presence or presumed presence of hazardous materials or petroleum.

12. References

1. Aerial Photographs dated 1924, 1951, 1954, 1961, 1966, 1976, 1980, 1984, 1994, 2006, 2011, 2015, and 2019.

2. City Directories dated 1928, 1934, 1940, 1945, 1949, 1960, 1965, 1970, 1973, 1976, 1980, 1985, 1992, 1995, 1997, 2000, 2005, 2010, 2014, 2017, and 2020.

3. Haley & Aldrich of New York, site visit conducted by Omar Colon and Andrea Lee on April 2, 2025.

4. Hector Ortiz of AAMCO Transmissions & Total Car Care, interview with Haley & Aldrich of New York, April 2, 2025.

5. EDR Inquiry No. 7942990, Database Report, dated March 31, 2025.


6. NYCDEP, review of files by Haley & Aldrich of New York, April 3, 2025.

7. Sanborn Fire Insurance Maps dated 1887, 1908, 1928, 1951, 1965, 1968, 1977, 1979, 1980, 1982, 1987, 1988, 1989, 1991, 1993, 1994, 1995, 2001, 2002, 2003, 2004, 2005, 2006, and 2007.

8. Topographic Map, Brooklyn, United States Geological Survey 7.5-minute series, March 31, 2025.

9. Topographic Maps dated 1897, 1898, 1900, 1947, 1956, 1957, 1966, 1967, 1979, 1994, 1995, 2013, 2016, and 2019.

FIGURES



GIS: \\haleyaldrich.com\share\CF\Projects\021331\5\GIS\213315_000_2916_ATLANTIC_AVE.aprx - khensen - 4/3/2025 1:57 PM

HALEY ALDRICH


2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

PROJECT LOCUS

MAP SOURCE: USGS
SITE COORDINATES: 40°40'38"N, 73°53'11"W

APPROXIMATE SCALE: 1 IN = 2000 FT
APRIL 2025

FIGURE 1



LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- APPROXIMATE LOCATION OF ABOVEGROUND STORAGE TANKS OBSERVED DURING APRIL 2025 SITE VISIT

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025

N

0 60 120

SCALE IN FEET

HALEY ALDRICH

2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SITE PLAN

APRIL 2025

FIGURE 2

GIS FILE PATH: \\haleyaldrich.com\share\CFI\Projects\0213315\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 4/3/2025 1:41 PM

APPENDIX A
Limitations

APPENDIX A

Haley & Aldrich of New York Limitations

Environmental site assessment (Phase I Environmental Site Assessment) reports prepared by Haley & Aldrich of New York are for the sole and exclusive use of its Client. Haley & Aldrich of New York represents that the Phase I Environmental Site Assessment was prepared in accordance with the ASTM International (ASTM) Standard E1527-21 entitled "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process" (ASTM E1527-21). The findings, opinions, conclusions, and information contained in the ASTM E1527-21 Phase I Environmental Site Assessment are limited to, and solely based upon, information reasonably ascertainable by Haley & Aldrich of New York at the time the ASTM E1527-21 Phase I Environmental Site Assessment was completed.

All users of this E1527-21 Phase I Environmental Site Assessment are bound to the terms and conditions and limitations contained in the accompanying Proposal, Terms and Conditions, and Limitations for this ASTM E1527-21 Phase I Environmental Site Assessment. The findings, opinions, conclusions, and information contained in this report are based solely on the Scope of Services provided pursuant to the Proposal and its attachments and the information reasonably ascertainable by Haley & Aldrich of New York at the time the ASTM E1527-21 Phase I Environmental Site Assessment was completed. Haley & Aldrich of New York has not performed any additional observations, investigations, studies, or other testing not specified in the Scope of Services. Haley & Aldrich of New York shall not be liable for the existence of any condition the discovery of which would have required the performance of services not authorized under the Scope of Services.

This ASTM E1527-21 Phase I Environmental Site Assessment is prepared for the exclusive use of Haley & Aldrich of New York's client in connection with the subject property for the purpose of assessing the potential or existing environmental contamination liabilities associated with the subject property. There are no intended beneficiaries other than Haley & Aldrich of New York's client. Haley & Aldrich of New York shall owe no duty whatsoever to any other person or entity by issuing the ASTM E1527-21 Phase I Environmental Site Assessment. Use of this ASTM E1527-21 Phase I Environmental Site Assessment by any person or entity, including by Haley & Aldrich of New York's client, for a purpose other than for the purpose of assessing the potential or existing environmental contamination liabilities associated with the subject property is expressly prohibited unless such person or entity obtains written authorization from Haley & Aldrich of New York indicating that the ASTM E1527-21 Phase I Environmental Site Assessment is adequate for such other use. Use of this ASTM E1527-21 Phase I Environmental Site Assessment by any person or entity for such other purpose without written authorization by Haley & Aldrich of New York shall be at such person's or entity's sole risk and shall be without legal exposure or liability to Haley & Aldrich of New York.

Haley & Aldrich of New York may authorize third-party reliance on the ASTM E1527-21 Phase I Environmental Site Assessment by providing reliance letters to third party(ies) provided that the third party(ies) agree: (1) to use the ASTM E1527-21 Phase I Environmental Site Assessment only for the purpose of assessing the potential or existing environmental contamination liabilities associated with real property; (2) to be bound by the terms and conditions and limitations contained in the ASTM E1527-21 Phase I Environmental Site Assessment report and the proposal and its Attachments, Terms and Conditions, and Limitations; (3) to accept the form and substance of Haley & Aldrich of New York's reliance letter; and (4) to deliver to Haley & Aldrich of New York a signed copy of a reliance letter by an authorized representative of the relying party, within thirty (30) days after said reliance letter is

provided to the relying party, signifying the relying party's acceptance of the aforementioned conditions. Upon Haley & Aldrich of New York's receipt of the signed reliance letter by the relying party(ies), the relying party(ies) will be authorized to rely on Haley & Aldrich of New York's ASTM E1527-21 Phase I Environmental Site Assessment for the limited purpose of identifying potential or existing environmental contamination liabilities associated with the subject property. The relying party(ies) agree(s) to bind each of its respective successors and assigns to the aforementioned Terms and Conditions.

This ASTM E1527-21 Phase I Environmental Site Assessment reflects subject property conditions observed and described by records available to Haley & Aldrich of New York as of the date of ASTM E1527-21 Phase I Environmental Site Assessment preparation. The passage of time may result in significant changes in subject property conditions, technology, or economic conditions, which could alter the findings and/or recommendations of the ASTM E1527-21 Phase I Environmental Site Assessment. Accordingly, Haley & Aldrich of New York's client and any other party to whom the ASTM E1527-21 Phase I Environmental Site Assessment is provided recognize and agree that Haley & Aldrich of New York shall bear no liability for deviations from observed conditions or available records after the time of ASTM E1527-21 Phase I Environmental Site Assessment preparation. Haley & Aldrich of New York makes no express or implied representation that the information contained in the E1527-21 Phase I Environmental Site Assessment has continued viability after 180 days of the ASTM E1527-21 Phase I Environmental Site Assessment's completion date, and any use or reliance on the ASTM E1527-21 Phase I Environmental Site Assessment after 180 days of the ASTM E1527-21 Phase I Environmental Site Assessment's completion date by Haley & Aldrich of New York's client or any other authorized person or entity will be at that party's sole risk and without liability to Haley & Aldrich of New York .

Notwithstanding anything contained herein, Haley & Aldrich of New York shall not be liable for any claim or damage arising from environmental contamination liabilities that occurred on the subject property after the effective date of the ASTM E1527-21 Phase I Environmental Site Assessment. Likewise, Haley & Aldrich of New York shall not be liable for any existing or future property owner's failure to satisfy any continuing obligation for CERCLA liability protection or under the Federal Environmental Protection Agency's All Appropriate Inquiries rule.

APPENDIX B
Historical Research Documentation

2916 Atlantic Avenue

2916 Atlantic Avenue

Brooklyn, NY 11207

Inquiry Number: 7942990.3

March 31, 2025

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

03/31/25

Site Name:

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207
EDR Inquiry # 7942990.3

Client Name:

Haley & Aldrich, Inc.
299 Cherry Hill Road
Parsippany, NJ 07054
Contact: Rachel Freeman

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Haley & Aldrich, Inc. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 5871-4A3E-A6D5

PO # 0213315-000-001-01

Project 2916 Atlantic Avenue

Maps Provided:

2007	1994	1979
2006	1993	1977
2005	1991	1968
2004	1989	1965
2003	1988	1951
2002	1987	1928
2001	1982	1908
1995	1980	1887

Sanborn® Library search results

Certification #: 5871-4A3E-A6D5

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Haley & Aldrich, Inc. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.


Copyright 2025 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

2007 Source Sheets


Volume 8, Sheet 13
2007



Volume 8, Sheet 11
2007


Volume 8, Sheet 3
2007


2006 Source Sheets


Volume 8, Sheet 11
2006


Volume 8, Sheet 3
2006


Volume 8, Sheet 13
2006

2005 Source Sheets


Volume 8, Sheet 13
2005



Volume 8, Sheet 11
2005


Volume 8, Sheet 3
2005

2004 Source Sheets


Volume 8, Sheet 3
2004



Volume 8, Sheet 11
2004


Volume 8, Sheet 13
2004

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

2003 Source Sheets



Volume 8, Sheet 13
2003


Volume 8, Sheet 11
2003


Volume 8, Sheet 3
2003

2002 Source Sheets



Volume 8, Sheet 3
2002


Volume 8, Sheet 13
2002


Volume 8, Sheet 11
2002

2001 Source Sheets



Volume 8, Sheet 11
2001


Volume 8, Sheet 13
2001


Volume 8, Sheet 3
2001

1995 Source Sheets


Volume 8, Sheet 3
1995


Volume 8, Sheet 13
1995


Volume 8, Sheet 11
1995

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1994 Source Sheets



Volume 8, Sheet 11
1994


Volume 8, Sheet 13
1994


Volume 8, Sheet 3
1994

1993 Source Sheets



Volume 8, Sheet 3
1993


Volume 8, Sheet 13
1993


Volume 8, Sheet 11
1993


1991 Source Sheets



Volume 8, Sheet 3
1991



Volume 8, Sheet 13
1991


Volume 8, Sheet 11
1991

1989 Source Sheets


Volume 8, Sheet 11
1989



Volume 8, Sheet 13
1989


Volume 8, Sheet 3
1989


Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.


1988 Source Sheets



Volume 8, Sheet 3
1988



Volume 8, Sheet 13
1988




Volume 8, Sheet 11
1988


1987 Source Sheets



Volume 8, Sheet 11
1987




Volume 8, Sheet 13
1987



Volume 8, Sheet 3
1987


1982 Source Sheets



Volume 8, Sheet 3
1982




Volume 8, Sheet 11
1982



Volume 8, Sheet 13
1982

1980 Source Sheets



Volume 8, Sheet 13
1980



Volume 8, Sheet 11
1980




Volume 8, Sheet 3
1980


Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.


1979 Source Sheets



Volume 8, Sheet 3
1979




Volume 8, Sheet 11
1979



Volume 8, Sheet 13
1979


1977 Source Sheets



Volume 8, Sheet 13
1977




Volume 8, Sheet 11
1977




Volume 8, Sheet 3
1977


1968 Source Sheets



Volume 8, Sheet 3
1968




Volume 8, Sheet 11
1968




Volume 8, Sheet 13
1968


1965 Source Sheets



Volume 8, Sheet 13
1965



Volume 8, Sheet 11
1965



Volume 8, Sheet 3
1965

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.


1951 Source Sheets



Volume 8, Sheet 3
1951




Volume 8, Sheet 11
1951



Volume 8, Sheet 13
1951


1928 Source Sheets



Volume 8, Sheet 13
1928



Volume 8, Sheet 11
1928




Volume 8, Sheet 3
1928


1908 Source Sheets



Volume 8, Sheet 12
1908



Volume 8, Sheet 29
1908



Volume 8, Sheet 15
1908

1887 Source Sheets



Volume 8, Sheet 211
1887



Volume 8, Sheet 211
1887



Volume 8, Sheet 207
1887



Volume 8, Sheet 207
1887



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 2007

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 3
Volume 8, Sheet 11
Volume 8, Sheet 13

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 2006

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 13
Volume 8, Sheet 3
Volume 8, Sheet 11

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 2005

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 3
Volume 8, Sheet 11
Volume 8, Sheet 13

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 2004

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 13
Volume 8, Sheet 11
Volume 8, Sheet 3

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 2003

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 3
Volume 8, Sheet 11
Volume 8, Sheet 13

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 2002

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 11
Volume 8, Sheet 13
Volume 8, Sheet 3

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 2001

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 3
Volume 8, Sheet 13
Volume 8, Sheet 11

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1995

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 11
Volume 8, Sheet 13
Volume 8, Sheet 3

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1994

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 3
Volume 8, Sheet 13
Volume 8, Sheet 11

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1993

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 11
Volume 8, Sheet 13
Volume 8, Sheet 3

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1991

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 11
Volume 8, Sheet 13
Volume 8, Sheet 3

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1989

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 8, Sheet 3
Volume 8, Sheet 13
Volume 8, Sheet 11

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1988

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 11
Volume 8, Sheet 13
Volume 8, Sheet 3

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1987

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 3
Volume 8, Sheet 13
Volume 8, Sheet 11

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1982

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 13
Volume 8, Sheet 11
Volume 8, Sheet 3

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1980

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 8, Sheet 3
Volume 8, Sheet 11
Volume 8, Sheet 13

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1979

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 13
Volume 8, Sheet 11
Volume 8, Sheet 3

0 Feet 150 300 600

N

Certified Sanborn® Map

1977




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name:	2916 Atlantic Avenue
Address:	2916 Atlantic Avenue
City, ST, ZIP:	Brooklyn, NY 11207
Client:	Haley & Aldrich, Inc.
EDR Inquiry:	7942990.3
Order Date:	03/31/2025
Certification #	5871-4A3E-A6D5
Copyright	1977

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 3
Volume 8, Sheet 11
Volume 8, Sheet 13

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1968

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 13
Volume 8, Sheet 11
Volume 8, Sheet 3

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1965

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 3
Volume 8, Sheet 11
Volume 8, Sheet 13

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1951

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 13
Volume 8, Sheet 11
Volume 8, Sheet 3

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1928

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600





Volume 8, Sheet 3
Volume 8, Sheet 11
Volume 8, Sheet 13

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1908

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600





Volume 8, Sheet 15
Volume 8, Sheet 29
Volume 8, Sheet 12

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #5871-4A3E-A6D5

Site Name: 2916 Atlantic Avenue
Address: 2916 Atlantic Avenue
City, ST, ZIP: Brooklyn, NY 11207
Client: Haley & Aldrich, Inc.
EDR Inquiry: 7942990.3
Order Date: 03/31/2025
Certification #: 5871-4A3E-A6D5
Copyright: 1887

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 8, Sheet 207
Volume 8, Sheet 207
Volume 8, Sheet 211
Volume 8, Sheet 211

0 Feet 150 300 600

N

2916 Atlantic Avenue

2916 Atlantic Avenue

Brooklyn, NY 11207

Inquiry Number: 7942990.11

March 31, 2025

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

03/31/25

Site Name:

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207
EDR Inquiry # 7942990.11

Client Name:

Haley & Aldrich, Inc.
299 Cherry Hill Road
Parsippany, NJ 07054
Contact: Rachel Freeman

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	*Scale*	*Details*	*Source*
2019	1"=500'	Flight Year: 2019	USDA/NAIP
2015	1"=500'	Flight Year: 2015	USDA/NAIP
2011	1"=500'	Flight Year: 2011	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1994	1"=500'	Acquisition Date: April 04, 1994	USGS/DOQQ
1984	1"=500'	Flight Date: March 26, 1984	USDA
1980	1"=500'	Flight Date: July 25, 1980	NOAA
1976	1"=500'	Flight Date: October 29, 1976	USGS
1966	1"=500'	Flight Date: February 23, 1966	USGS
1961	1"=500'	Flight Date: November 22, 1961	EDR Proprietary Aerial Viewpoint
1954	1"=500'	Flight Date: February 18, 1954	USGS
1951	1"=500'	Flight Date: April 20, 1951	EDR Proprietary Aerial Viewpoint
1924	1"=500'	Flight Date: July 01, 1924	FAIR

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.


Disclaimer - Copyright and Trademark Notice


This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.


Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.


Copyright 2025 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 7942990.11
YEAR: 2019
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 2015
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 2011
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 2006
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1994
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1984
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1980
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1976
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1966
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1961
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1954
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1951
= 500'
N
EDR


INQUIRY #: 7942990.11
YEAR: 1924
= 500'
N
EDR
924

2916 Atlantic Avenue

2916 Atlantic Avenue

Brooklyn, NY 11207

Inquiry Number: 7942990.4

March 31, 2025

EDR Historical Topo Map Report

with QuadMatch™

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topo Map Report

03/31/25

Site Name:

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207
EDR Inquiry # 7942990.4

Client Name:

Haley & Aldrich, Inc.
299 Cherry Hill Road
Parsippany, NJ 07054
Contact: Rachel Freeman

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Haley & Aldrich, Inc. were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topo Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the late 1800s.

Search Results:

P.O.# 0213315-000-001-01
Project: 2916 Atlantic Avenue

Coordinates:

Latitude:	40.677161 40° 40' 38" North
Longitude:	-73.886455 -73° 53' 11" West
UTM Zone:	Zone 18 North
UTM X Meters:	594107.20
UTM Y Meters:	4503515.98
Elevation:	36.00' above sea level

Maps Provided:

2019
2016
2013
1994, 1995
1979
1966, 1967
1956, 1957
1947
1900
1898
1897

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2025 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

2019 Source Sheets



Brooklyn
2019
7.5-minute, 24000



Jamaica
2019
7.5-minute, 24000

2016 Source Sheets



Brooklyn
2016
7.5-minute, 24000



Jamaica
2016
7.5-minute, 24000

2013 Source Sheets



Brooklyn
2013
7.5-minute, 24000



Jamaica
2013
7.5-minute, 24000

1994, 1995 Source Sheets



Jamaica
1994
7.5-minute, 24000




Brooklyn
1995
7.5-minute, 24000
Aerial Photo Revised 1977

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1979 Source Sheets



Jamaica
1979
7.5-minute, 24000
Aerial Photo Revised 1977



Brooklyn
1979
7.5-minute, 24000
Aerial Photo Revised 1977

1966, 1967 Source Sheets



Jamaica
1966
7.5-minute, 24000
Aerial Photo Revised 1953



Brooklyn
1967
7.5-minute, 24000
Aerial Photo Revised 1966

1956, 1957 Source Sheets



Brooklyn
1956
7.5-minute, 24000



Jamaica
1957
7.5-minute, 24000
Aerial Photo Revised 1957

1947 Source Sheets



Brooklyn
1947
7.5-minute, 24000
Aerial Photo Revised 1940



Jamaica
1947
7.5-minute, 24000
Aerial Photo Revised 1941

Topo Sheet Key

This EDR Topo Map Report is based upon the following USGS topographic map sheets.

1900 Source Sheets



Brooklyn
1900
15-minute, 62500

1898 Source Sheets



Brooklyn
1898
15-minute, 62500


1897 Source Sheets



Brooklyn
1897
15-minute, 62500


Historical Topo Map

2019



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5




TP, Brooklyn, 2019, 7.5-minute
E, Jamaica, 2019, 7.5-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N

Historical Topo Map

2016



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Brooklyn, 2016, 7.5-minute
E, Jamaica, 2016, 7.5-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N




This report includes information from the following map sheet(s).



TP, Brooklyn, 2013, 7.5-minute
E, Jamaica, 2013, 7.5-minute


SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5




TP, Brooklyn, 1995, 7.5-minute
E, Jamaica, 1994, 7.5-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N


Historical Topo Map

1979



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5



TP, Brooklyn, 1979, 7.5-minute
E, Jamaica, 1979, 7.5-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Brooklyn, 1967, 7.5-minute
E, Jamaica, 1966, 7.5-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Brooklyn, 1956, 7.5-minute
E, Jamaica, 1957, 7.5-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE


TP, Brooklyn, 1947, 7.5-minute
E, Jamaica, 1947, 7.5-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N

Historical Topo Map

1900



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Brooklyn, 1900, 15-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N



This report includes information from the following map sheet(s).


0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Brooklyn, 1898, 15-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N



This report includes information from the following map sheet(s).

0 Miles 0.25 0.5 1 1.5

NW N NE
W E
SW S SE

TP, Brooklyn, 1897, 15-minute

SITE NAME: 2916 Atlantic Avenue
ADDRESS: 2916 Atlantic Avenue
Brooklyn, NY 11207
CLIENT: Haley & Aldrich, Inc.

N

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207

Inquiry Number: 7965774.1
April 22, 2025

The EDR-City Directory Abstract

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at approximately five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1928 through current. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 401 feet of the target property.

Summary information obtained is provided in the text of this report.

RECORD SOURCES

The EDR City Directory Report accesses a variety of business directory sources, including Haines, InfoUSA, Polk, Cole, Bresser, and Stewart. Listings marked as EDR Digital Archive access Cole and InfoUSA records. The various directory sources enhance and complement each other to provide a more thorough and accurate report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

Year	Source	TP	Adjoining	Text Abstract	Source Image
2020	EDR Digital Archive	X	X	X	-
2017	Cole Information	X	X	X	-
2014	Cole Information	-	X	X	-
2010	Cole Information	-	X	X	-
2005	Cole Information	-	X	X	-
	Hill-Donnelly Corporation	-	X	X	-
2000	Cole Information	-	X	X	-
1997	NYNEX	-	X	X	-
1995	Cole Information	-	X	X	-
1992	Cole Information	-	X	X	-
	NYNEX Informantion Resource Co.	-	X	X	-
1985	NYNEX Information Resources Company	-	X	X	-
1980	New York Telephone	-	X	X	-
1976	New York Telephone	-	X	X	-
1973	New York Telephone	-	X	X	-
1970	New York Telephone	-	X	X	-

EXECUTIVE SUMMARY

Year	Source	TP	Adjoining	Text Abstract	Source Image
1965	New York Telephone	-	X	X	-
1960	New York Telephone	-	X	X	-
	New York Telephone Company	-	X	X	-
1949	New York Telephone Company	-	X	X	-
1945	New York Telephone	-	X	X	-
1940	New York Telephone	-	X	X	-
1934	R. L. Polk & Co.	-	X	X	-
1928	New York Telephone	-	X	X	-

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

Address	*Type*	*Findings*
2918 Atlantic Avenue	Client Entered	
2924 Atlantic Avenue	Client Entered	
2920 Atlantic Avenue	Client Entered	
2922 Atlantic Avenue	Client Entered	

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

2916 Atlantic Avenue
Brooklyn, NY 11207

FINDINGS DETAIL

Target Property research detail.

ATLANTIC AVE

2916 ATLANTIC AVE

Year	*Uses*	*Source*
2020	CHRIS & SON TOWING INC	EDR Digital Archive
	MARTIN AUTO CARE INC	EDR Digital Archive
2017	MARTIN AUTO CARE INC	Cole Information

Atlantic Avenue

2918 Atlantic Avenue

Year	*Uses*	*Source*

2920 Atlantic Avenue

Year	*Uses*	*Source*

2922 Atlantic Avenue

Year	*Uses*	*Source*

2924 Atlantic Avenue

Year	*Uses*	*Source*

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

252 WARWICK

4 252 WARWICK

Year	Uses	Source
1997	Especially	NYNEX

ASHFOID st

180 ASHFOID st

Year	Uses	Source
1973	Eli C	New York Telephone

ASHFORD

178 ASHFORD

Year	Uses	Source
1934	MENECHINO MARY OPR R	R. L. Polk & Co.
	MENECHINO RALPH E H	R. L. Polk & Co.

179 ASHFORD

Year	Uses	Source
1985	ORTEGA E	NYNEX Information Resources Company
1960	FASANO PASQUALE	New York Telephone
	Fasano Pasquale	New York Telephone Company
1949	Freund Chas	New York Telephone Company
1928	FUESSLEIN E A R	New York Telephone

180 ASHFORD

Year	Uses	Source
1992	BULLOCK JAS	NYNEX Informantion Resource Co.
1985	BULLOCK JAS	NYNEX Information Resources Company
1976	BULLOCK JAS	New York Telephone
	ELI C	New York Telephone

FINDINGS

Year	Uses	Source
1960	MILLER GEO E	New York Telephone
	Miller Geo E	New York Telephone Company
1934	MEYER MARY H	R. L. Polk & Co.
1928	MEYER MARY MRS R	New York Telephone

182 ASHFORD

Year	Uses	Source
1976	MENDOZA ISAAC	New York Telephone
1960	MARTIN CHAS	New York Telephone
	RITCHIE ROBT	New York Telephone
	Martin Chas	New York Telephone Company
	Ritchie Robt	New York Telephone Company
1934	SCHLAUCH ANTHONY G H	R. L. Polk & Co.
	SCHUELLEIN BARBARA H	R. L. Polk & Co.
	SCHUELLEIN FRANK R	R. L. Polk & Co.

183 ASHFORD

Year	Uses	Source
1992	JAMWANT RAMESH	NYNEX Informantion Resource Co.
1985	AMAYA MARIA	NYNEX Information Resources Company
	OYARZABAL M	NYNEX Information Resources Company
1960	FRANCESE SAL	New York Telephone
	STANATIAS CHAS	New York Telephone
	Francese Sal	New York Telephone Company
	Stanatias Chas	New York Telephone Company
1949	Deasy J T	New York Telephone Company
1945	Deasy J T	New York Telephone
1940	Deasy J T	New York Telephone
1934	DEASY JAS T COMPOSITOR R	R. L. Polk & Co.
	DEASY MARGT STEN R	R. L. Polk & Co.
	DIETZ ALICE ICE OPR R	R. L. Polk & Co.
	HALL GEO LATHERER H	R. L. Polk & Co.
	HORN ALICE E TEL OPR R	R. L. Polk & Co.
1928	DEASY ED J R	New York Telephone

FINDINGS

184 ASHFORD

Year	Uses	Source
1980	MANNING E	New York Telephone

185 ASHFORD

Year	Uses	Source
1992	CASTRO C	NYNEX Informantion Resource Co.
	NATAL R	NYNEX Informantion Resource Co.
	VAZQUEZ CARMEN	NYNEX Informantion Resource Co.
1985	CASTRO C	NYNEX Information Resources Company
	MANTILLA JOSE	NYNEX Information Resources Company
1976	LIBERTO NATALENA	New York Telephone
1960	CURRAN RAYMOND J	New York Telephone
	HEMMINGER JOHN	New York Telephone
	Curran Raymond J	New York Telephone Company
	Hemminger John	New York Telephone Company
1949	Curran Raymond J	New York Telephone Company
	Hemminger John	New York Telephone Company
1945	Roesch Geo M	New York Telephone
1940	Donovan Helen J	New York Telephone
	Fleming Dorothy M	New York Telephone
1934	DONOVAN JULIA MRS H	R. L. Polk & Co.
1928	DONOVAN DOROTHY M R	New York Telephone

186 ASHFORD

Year	Uses	Source
1985	ZAPATA OLGA	NYNEX Information Resources Company
1960	CHANDLER ROBT L	New York Telephone
	LOEW DAVID	New York Telephone
	SCHULMAN ABRAHAM H	New York Telephone
	Chandler Robt L	New York Telephone Company
	Loew David	New York Telephone Company
	Schulman Abraham H	New York Telephone Company
1949	Chandler Robt L	New York Telephone Company
	Loew David	New York Telephone Company

FINDINGS

Year	Uses	Source
1945	Chandler Robt L	New York Telephone
	Loew David	New York Telephone
1940	Loew David	New York Telephone
1934	GOLDSTEIN JOS C H	R. L. Polk & Co.
	LOEW DAVID CLOTHING FTR H	R. L. Polk & Co.
	OTTO ELLA WAITRESS R	R. L. Polk & Co.
	OTTO JOHN LAB H	R. L. Polk & Co.
	OTTO WALTER CLK R	R. L. Polk & Co.
1928	SILVERMAN HERMAN R	New York Telephone

187 ASHFORD

Year	Uses	Source
1992	MEJIA FELIPE	NYNEX Informantion Resource Co.
	ROSARIO FRANCISCO	NYNEX Informantion Resource Co.
	ROSARIO FRANKIE A	NYNEX Informantion Resource Co.
1980	LOMBARDI RITA	New York Telephone
1976	LOMBARDI CATELLO V	New York Telephone
	LOMBARDI RITA	New York Telephone
	LOMBARDI E	New York Telephone
1960	LOMBARDI CATELLO V	New York Telephone
	LOMBARDI RALPH	New York Telephone
	Lombardi Catello V	New York Telephone Company
	Lombardi Ralph	New York Telephone Company
1934	MCCLELLAND HENRY S PNTR DEPT P&S H	R. L. Polk & Co.
	WALZ H	R. L. Polk & Co.
	WEIS FRANK MSNGR R	R. L. Polk & Co.

188 ASHFORD

Year	Uses	Source
1992	MORAN PEDRO	NYNEX Informantion Resource Co.
1985	AGOLIA MILLIE MRS	NYNEX Information Resources Company
1980	AGOLIA MILLIE MRS	New York Telephone
1976	AGOLIA MILLIE MRS	New York Telephone
1960	AGOLIA MILLIE MRS	New York Telephone

FINDINGS

Year	Uses	Source
1960	BUTTA ANTHONY	New York Telephone
	Agolia Millie Mrs	New York Telephone Company
	Butta Anthony	New York Telephone Company
1949	Agoglia Anthony	New York Telephone Company
1934	GAGLIANO DOMINICK BARBERS	R. L. Polk & Co.
	GEREMICA ADOLF H	R. L. Polk & Co.
1928	AIELLO IDA MRS R	New York Telephone

189 ASHFORD

Year	Uses	Source
1992	RICHARDSON FRANK	NYNEX Informantion Resource Co.
1985	RICHARDSON FRANK	NYNEX Information Resources Company
1976	IANNETTA BARTOLOMEO	New York Telephone
1960	MESSINA JOHN L	New York Telephone
	Messina John L	New York Telephone Company
1940	Grey Bette Miss	New York Telephone
1934	MARCINE FRANK H	R. L. Polk & Co.
	MARSALONE FRANCIS R	R. L. Polk & Co.
	MARSALO R	R. L. Polk & Co.
	SNYDER AUG CARP H	R. L. Polk & Co.

191 ASHFORD

Year	Uses	Source
1992	SINGH TOTARUM J	NYNEX Informantion Resource Co.
1985	RANIERI MICHL J	NYNEX Information Resources Company
	RANIERI M	NYNEX Information Resources Company
1960	GRIFFIN FRED	New York Telephone
	Griffin Fred	New York Telephone Company
1934	FLORIO ARCHANGELA H	R. L. Polk & Co.
	FLORIO JOS GARAGE R	R. L. Polk & Co.
	FLORIO NICHOLAS R	R. L. Polk & Co.
	FLORIO VINCENT R	R. L. Polk & Co.
	LECCESE ANGELO CTR R	R. L. Polk & Co.
	LECCESE JOS R	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	LECCESE PIETRO ICE DLR H	R. L. Polk & Co.
	LECCESE THOS R	R. L. Polk & Co.
1928	FLORIO JOS R	New York Telephone

192 ASHFORD

Year	Uses	Source
1976	LIPETRI BEN	New York Telephone
	LIPETRI JAMES	New York Telephone
1960	LI PETRI BEN	New York Telephone
	Li Petri Ben	New York Telephone Company
1949	Li Petri Ben	New York Telephone Company
1945	Pforr Arthur	New York Telephone
1940	Pforr Arthur	New York Telephone
1934	AHRENS JOHANNA H	R. L. Polk & Co.
	EDZARD ALVINA R	R. L. Polk & Co.
	PFORR ARTH R SLSMGR H	R. L. Polk & Co.
	VANIDERSTINE JOS R MACH H	R. L. Polk & Co.
1928	PFORR ARTHUR R	New York Telephone

193 ASHFORD

Year	Uses	Source
1934	COHEN ADA MRS R	R. L. Polk & Co.
	COHEN JOS CHAUF R	R. L. Polk & Co.

194 ASHFORD

Year	Uses	Source
1992	JUSINO CHARLES	NYNEX Informantion Resource Co.
1985	JUSINO CHARLES	NYNEX Information Resources Company
	MELENDEZ M	NYNEX Information Resources Company
1976	BUTTA ANTHONY	New York Telephone
	TIMPONE N G	New York Telephone
1960	SPENGLER HENRY	New York Telephone
	Spengler Henry	New York Telephone Company
1934	BAIERLEIN JOHN J GILDER H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	BAIERLEIN MARIE E TYPIST R	R. L. Polk & Co.
	BAIERLEIN THERESA R	R. L. Polk & Co.
	BOEHLY JOS EXTERMINATOR H	R. L. Polk & Co.
1928	BAIERLEIN JOHN R	New York Telephone

195 ASHFORD

Year	Uses	Source
1980	THOMAS ODESSA	New York Telephone

198 ASHFORD

Year	Uses	Source
1934	JONES WM LAB H	R. L. Polk & Co.

200 ASHFORD

Year	Uses	Source
1976	SOMRO EXPRT & TRADG CORP	New York Telephone

220 ASHFORD

Year	Uses	Source
1992	APPLE SWEEPS LTD	NYNEX Informantion Resource Co.
	ASHFORD DESIGNS LTD	NYNEX Informantion Resource Co.
	LEONARD ROBERT INC	NYNEX Informantion Resource Co.
1985	LEONARD ROBERT INC	NYNEX Information Resources Company
1960	FULTON NOVELTY CO	New York Telephone
	Fulton Novelty Co	New York Telephone Company
1949	Fulton Novelty Co	New York Telephone Company
1945	Fulton Novelty Co	New York Telephone
1934	NAHLAN C TREAS JOHN ENNIS INC	R. L. Polk & Co.
	SALA ANGELINA MRS DRSMKR H DO	R. L. Polk & Co.
	INC	R. L. Polk & Co.
	SHEPHEARD T H PRES JOHN ENNIS INC	R. L. Polk & Co.
1928	ENNIS JOHN SHOE MFR	New York Telephone
	REISS & REISNER DRESSES	New York Telephone

FINDINGS

228 ASHFORD

Year	*Uses*	*Source*
1976	EMPIRE CAN CORP	New York Telephone
1960	EMPIRE CAN CORP	New York Telephone
	Empire Can Corp	New York Telephone Company
1949	Empire Can Corp	New York Telephone Company
1945	Empire Can Corp	New York Telephone
1940	Empire State Dairy Equip Co	New York Telephone

232 ASHFORD

Year	*Uses*	*Source*
1997	UGLIANO M	NYNEX
1992	UGLIANO M	NYNEX Informantion Resource Co.
	GIAMUNDO M	NYNEX Informantion Resource Co.
1985	UGLIANO M	NYNEX Information Resources Company
	GIAMUNDO M	NYNEX Information Resources Company
1976	UGLIANO M	New York Telephone
1960	GIAMUNDO FRANCO	New York Telephone
	UGLIANO M	New York Telephone
	Giamundo Franco	New York Telephone Company
	Ugliano M	New York Telephone Company
1934	MAZZALONGA FRANCIS BKPR N & M DRESS CO R	R. L. Polk & Co.
	MAZZALONGA LOUIS FLOOR BOY R	R. L. Polk & Co.
	MAZZALONGA NICHOLAS H	R. L. Polk & Co.
	PUCCIO ANGELO LAB H	R. L. Polk & Co.

236 ASHFORD

Year	*Uses*	*Source*
1992	PEREYRA FELICIA	NYNEX Informantion Resource Co.
1985	PERNICE ANTHONY	NYNEX Information Resources Company
1976	LALIBERTE MARIE L MRS	New York Telephone
	PERNICE ANTHONY	New York Telephone
1960	PERNICE ANTHONY J	New York Telephone
	Pernice Anthony J	New York Telephone Company

FINDINGS

Year	Uses	Source
1934	BILELLO R	R. L. Polk & Co.
	LUCIANO LAB H	R. L. Polk & Co.
	SABELIN ALBERT UNDERWEAR CTR H	R. L. Polk & Co.

238 ASHFORD

Year	Uses	Source
1960	MAFFETTONE IGNATIUS	New York Telephone
	Maffettone Ignatius	New York Telephone Company
1934	ELMEIGER MARGT SLIPPER OPR H	R. L. Polk & Co.
	WALSH THOS F AUTO MECH H	R. L. Polk & Co.

242 ASHFORD

Year	Uses	Source
1934	BOEHME HENRY COND H	R. L. Polk & Co.
	SCHNEIDER BARBARA H	R. L. Polk & Co.
	SCHNEIDER R	R. L. Polk & Co.

243 ASHFORD

Year	Uses	Source
1934	E B MOTOR REPAIR CO	R. L. Polk & Co.

244 ASHFORD

Year	Uses	Source
1976	KLANN M	New York Telephone
1934	COPPOLA JOS MACH OPR R	R. L. Polk & Co.

246 ASHFORD

Year	Uses	Source
1980	BERRY C	New York Telephone

248 ASHFORD

Year	Uses	Source
1934	ELLIS AMY H	R. L. Polk & Co.
	ELLIS ROSE DRESS OPR R	R. L. Polk & Co.
	MANNIG PHILIP PLSTR H	R. L. Polk & Co.

FINDINGS

182A ASHFORD

Year	*Uses*	*Source*
1985	MENDOZA ISSAC & MARTA	NYNEX Information Resources Company
1980	MENDOZA ISAAC & MARTA	New York Telephone

ASHFORD AVE

186 ASHFORD AVE

Year	*Uses*	*Source*
1985	REDDEN MARVIN	NYNEX Information Resources Company

ASHFORD @

220 ASHFORD @

Year	*Uses*	*Source*
1992	LEONARD ROBERT INC BROOKLYN	NYNEX Informantion Resource Co.

ASHFORD 1ST FL

179 ASHFORD 1ST FL

Year	*Uses*	*Source*
1934	ISING EMIL IRONWKR H	R. L. Polk & Co.

ASHFORD 277 397

180 ASHFORD 277 397

Year	*Uses*	*Source*
1997	BULLOCK Jas	NYNEX

ASHFORD 2ND FL 30

220 ASHFORD 2ND FL 30

Year	*Uses*	*Source*
1934	ENNIS JOHN INC (NY CAP $50 000) T H SHOPHEARD PRES H ETSCH JR V-PRES L SCHU	R. L. Polk & Co.

FINDINGS

ASHFORD 827 316

180 ASHFORD 827 316

Year	Uses	Source
1997	BULLOCK Kevin	NYNEX

ASHFORD ST

178 ASHFORD ST

Year	Uses	Source
2005	H Kelly DLAO	Hill-Donnelly Corporation

179 ASHFORD ST

Year	Uses	Source
2020	CAROLINA LOPEZ	EDR Digital Archive
	CANDIDA DISLA	EDR Digital Archive
	RAFAEL MORAN	EDR Digital Archive
	HERBERT LONG	EDR Digital Archive
2017	LARRY EDMONDS	Cole Information
	SAGRADA LOPEZ	Cole Information
	RAFAEL MORAN	Cole Information
2014	KATRINA PERRY	Cole Information
	SAGRADA LOPEZ	Cole Information
	RAFAEL MORAN	Cole Information
	HERBERT LONG	Cole Information
	ESCARLET DIAZ	Cole Information
2010	KATRINA PERRY	Cole Information
	RAFAEL MORAN	Cole Information
	SAGRADA LOPEZ	Cole Information
	HERBERT LONG	Cole Information
2005	H Polanco Dignaeda	Hill-Donnelly Corporation
	ELPIDIO POLANCO	Cole Information
	P PAULINO	Cole Information
	MARIA CABELLO	Cole Information
2000	RAMON LOURDES	Cole Information

FINDINGS

Year	Uses	Source
2000	RAMON LOURDES	Cole Information
	A DUVERGE	Cole Information
1997	LEONARDO Ramon	NYNEX
1992	VELASQUEZ, N	Cole Information

ASHFORD St

179 ASHFORD St

Year	Uses	Source
1965	Fasano Pasquale	New York Telephone

ASHFORD ST

180 ASHFORD ST

Year	Uses	Source
2020	KEVIN BULLOCK	EDR Digital Archive
	TAUSHA BULLOCK	EDR Digital Archive
	LILI BULLOCK	EDR Digital Archive
	BABETTE SCHWARTZ	EDR Digital Archive
	ALI MURPHY	EDR Digital Archive
2017	DANIEL SUSANA	Cole Information
	JOHN BULLOCK	Cole Information
	WANDA GARCIA	Cole Information
	BABETTE SCHWARTZ	Cole Information
2014	JOHN BULLOCK	Cole Information
2010	JAMES BULLOCK	Cole Information
2005	H Bullock James	Hill-Donnelly Corporation
	Bullock L	Hill-Donnelly Corporation
	JAMES BULLOCK	Cole Information
2000	JAMES BULLOCK	Cole Information
	K BULLOCK	Cole Information
	L BULLOCK	Cole Information
	JAMES BULLOCK	Cole Information
1992	BULLOCK, KEVIN	Cole Information
	BULLOCK, JAS	Cole Information

Year	Uses	Source
1973	Bullock Jas	New York Telephone

ASHFORD st

180 ASHFORD st

Year	Uses	Source
1970	Carroll Catherine	New York Telephone

ASHFORD St

180 ASHFORD St

Year	Uses	Source
1965	Miller Geo E	New York Telephone

ASHFORD ST

182 ASHFORD ST

Year	Uses	Source
2020	CECILIA BENITEZ	EDR Digital Archive
	HARRYCHARAN BHUMADA	EDR Digital Archive
	JASMIN MARTINEZ	EDR Digital Archive
2014	YOUNIS MUSSE	Cole Information
2010	LOUS SMALLS	Cole Information
2005	Kandaai Biswattle	Hill-Donnelly Corporation
	Rampersad Ramchan	Hill-Donnelly Corporation
	Seenath Douram	Hill-Donnelly Corporation
	DOURAM SEENATH	Cole Information
1997	BROWN Marvin	NYNEX
	GRANT Eunice	NYNEX

ASHFORD st

182 ASHFORD st

Year	Uses	Source
1970	Ritchie Robt	New York Telephone

FINDINGS

ASHFORD St

182 ASHFORD St

Year	Uses	Source
1965	Martin Chas	New York Telephone
	Ritchie Robt	New York Telephone

ASHFORD ST

183 ASHFORD ST

Year	Uses	Source
2020	MARISOL VERAS	EDR Digital Archive
	FABIO ULERIO	EDR Digital Archive
	JESUS PAGAN	EDR Digital Archive
	JOSEPH IRIZARRY	EDR Digital Archive
	GLORIA FOUNTAIN	EDR Digital Archive
	MARITZA PILAR	EDR Digital Archive
2017	RANDOLPH RAMIREZ	Cole Information
2014	RANDOLPH RAMIREZ	Cole Information
	DANIEL GONZALEZ	Cole Information
2010	DANIEL GONZALEZ	Cole Information
	ELIOT RIVERA	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	SHAW AURA	Cole Information
	HAIMNAUTH KALIPERSAUD	Cole Information
2000	RAMESH JAMWANT	Cole Information
	RAMESH JAMWANT	Cole Information
1997	JAMWANT Ramesh	NYNEX
1992	JAMWANT, RAMESH	Cole Information
	KALIPERSAUD, H	Cole Information

ASHFORD St

183 ASHFORD St

Year	Uses	Source
1965	Dragich M	New York Telephone

FINDINGS

ASHFORD ST

185 ASHFORD ST

Year	Uses	Source
2020	ABIGAIL LOPEZ	EDR Digital Archive
	JOSE VAZQUEZ	EDR Digital Archive
	CARMEN CASTRO	EDR Digital Archive
	JOSHUA CASTRO	EDR Digital Archive
	NEYSHA VAZQUEZ	EDR Digital Archive
	RICHARD NATAL	EDR Digital Archive
	YUMARI VAZQUEZ	EDR Digital Archive
	MARLENE DIAZ	EDR Digital Archive
	ELEANA GONZALEZ	EDR Digital Archive
	JENARO OTERO	EDR Digital Archive
2017	JONATHAN GONZALEZ	Cole Information
	ROBERT CASTRO	Cole Information
2014	ROBERT CASTRO	Cole Information
	JENARO OTERO	Cole Information
2010	ROBERT CASTRO	Cole Information
2005	HNatal R	Hill-Donnelly Corporation
	CARMEN CASTRO	Cole Information
	RICHARD NATAL	Cole Information
2000	CARMEN CASTRO	Cole Information
	RICHARD NATAL	Cole Information
	CARMEN CASTRO	Cole Information
	RICHARD NATAL	Cole Information
1997	NATAL Richard	NYNEX
1992	NATAL, R	Cole Information
	VAZQUEZ, CARMEN	Cole Information
	CASTRO, C	Cole Information
1973	Liberto Natalena	New York Telephone

FINDINGS

ASHFORD st

185 ASHFORD st

Year	Uses	Source
1970	Pitlak Wm T	New York Telephone

ASHFORD St

185 ASHFORD St

Year	Uses	Source
1965	Curran Raymond J	New York Telephone
	Pitlak Wm T	New York Telephone

ASHFORD ST

186 ASHFORD ST

Year	Uses	Source
2020	INGRID GUILLERMO	EDR Digital Archive
	TERESA GUILLERMO	EDR Digital Archive
	JOSE GUILLERMO	EDR Digital Archive
	ALEX CUMBA	EDR Digital Archive
	ZOILA VARGAS	EDR Digital Archive
	TERESA GUIERLLMO	EDR Digital Archive
	ERNESTO MARQUEZ	EDR Digital Archive
	ISAURA LAJARA	EDR Digital Archive
	JUANA GUILLERMO	EDR Digital Archive
	IGNACIO ALCANTARA	EDR Digital Archive
2017	JOSE GUILLERMO	Cole Information
	ZOILA VARGAS	Cole Information
2014	I JUANA	Cole Information
	ALEX CUMBA	Cole Information
	BENIGNO GUILLERMO	Cole Information
	ZOILA VARGAS	Cole Information
2010	I JUANA	Cole Information
	JOSE GUILLERMO	Cole Information
2005	H Gulllermo Jose	Hill-Donnelly Corporation

FINDINGS

Year	Uses	Source
2005	LEO TEJAD	Cole Information
	TERESA GUILLERMO	Cole Information
	ANA RODRIGUEZ	Cole Information
	I JUANA	Cole Information
2000	E GERMOSEN	Cole Information
	E GERMOSEN	Cole Information
1997	BAZAN Feanado	NYNEX

ASHFORD st

186 ASHFORD st

Year	Uses	Source
1973	Russo Anthony S	New York Telephone

ASHFORD ST

186 ASHFORD ST

Year	Uses	Source
1973	Coppola Lew is	New York Telephone

ASHFORD st

186 ASHFORD st

Year	Uses	Source
1970	Coppola Carol Ann	New York Telephone
	Russo Anthony S	New York Telephone

ASHFORD St

186 ASHFORD St

Year	Uses	Source
1965	Coppola Louis	New York Telephone
	Russo Anthony S	New York Telephone

FINDINGS

ASHFORD ST

187 ASHFORD ST

Year	Uses	Source
2020	ANNE RAMRAJ	EDR Digital Archive
	ARLETTE SUKHDEO	EDR Digital Archive
	RAMESH SUKHDEO	EDR Digital Archive
	PATRICIA KOMAR	EDR Digital Archive
	DEVENDRA KOMAR	EDR Digital Archive
	MARK KOMAR	EDR Digital Archive
	CHRISTIE SUKHDEO	EDR Digital Archive
2017	RAMESH SUKHDEO	Cole Information
	DEVENDRA KOMAR	Cole Information
2014	CALVIN HARRICHAND	Cole Information
	RAMESH SUKHDEO	Cole Information
	DEVENDRA KOMAR	Cole Information
2010	RAMESH SUKHDEO	Cole Information
	DEVENDRA KOMAR	Cole Information
2005	H Komar Devendra	Hill-Donnelly Corporation
	Sukhdeo Ramesh	Hill-Donnelly Corporation
	DEVENDRA KOMAR	Cole Information
2000	EMILY ROSARIO	Cole Information
	EMILY ROSARIO	Cole Information
	E MUNOZ	Cole Information
1992	ROSARIO, F	Cole Information
	ROSARIO, FRANKIE A	Cole Information

ASHFORD st

187 ASHFORD st

Year	Uses	Source
1973	Lombardi Catello V	New York Telephone
	Lombardi Rita	New York Telephone
1970	Lombardi Catello V	New York Telephone
	Lombardi Rita	New York Telephone

FINDINGS

ASHFORD St

187 ASHFORD St

Year	Uses	Source
1965	Lombardi Catello V	New York Telephone
	Lombardi Ralph	New York Telephone
	Lombardi Rita	New York Telephone

ASHFORD ST

188 ASHFORD ST

Year	Uses	Source
2020	PEDRO MORAN	EDR Digital Archive
	ANA MORAN	EDR Digital Archive
	GISELA SOSA	EDR Digital Archive
2017	PEDRO MORAN	Cole Information
	YANERIS GARCIA	Cole Information
	DOMINGO MORENO	Cole Information
2014	MARICELA CRUZ	Cole Information
	PEDRO MORAN	Cole Information
	GISELA SOSA	Cole Information
2010	MARICELA CRUZ	Cole Information
	PEDRO MORAN	Cole Information
2005	H Moran A C A	Hill-Donnelly Corporation
	EUNICE TAVERAS	Cole Information
	PEDRO MORAN	Cole Information
	CRISTOBAL PAULINO	Cole Information
2000	PEDRO MORAN	Cole Information
	PEDRO MORAN	Cole Information
1997	ESTEVEZ Digna	NYNEX
	MORAN Pedro	NYNEX
1992	MORAN, PEDRO	Cole Information

FINDINGS

ASHFORD st

188 ASHFORD st

Year	Uses	Source
1973	Agolia Millie Mrs	New York Telephone

ASHFORD St

188 ASHFORD St

Year	Uses	Source
1965	Agolia Millie Mrs	New York Telephone

ASHFORD ST

189 ASHFORD ST

Year	Uses	Source
2020	ANTHONY HARRY	EDR Digital Archive
	FARAH HUSAIN	EDR Digital Archive
	JAMELL FOSTER	EDR Digital Archive
	SEETA LACHHMAN	EDR Digital Archive
	DIANE PLAYER	EDR Digital Archive
	REZA HUSAIN	EDR Digital Archive
	OMA KOMAR	EDR Digital Archive
	MELISSA BRYANT	EDR Digital Archive
	SHAMAHAUD HUSAIN	EDR Digital Archive
2017	HUSAIN REZA	Cole Information
	ANTHONY HARRY	Cole Information
2014	DIANE PLAYER	Cole Information
	REZA HUSAIN	Cole Information
	BUDHIA GOPAL	Cole Information
2010	DHANWANTIE LACHHMAN	Cole Information
	SHAMAHAUD HUSAIN	Cole Information
2005	Gopal Budhla	Hill-Donnelly Corporation
	Husain Shamahaud M	Hill-Donnelly Corporation
	POONIE GOPAL	Cole Information
	OMA KOMAR	Cole Information

FINDINGS

Year	Uses	Source
2000	MICHAEL HURDLE	Cole Information
	FRANK RICHARDSON	Cole Information
	MICHAEL HURDLE	Cole Information
	FRANK RICHARDSON	Cole Information
1997	RICHARDSON frank	NYNEX
1992	RICHARDSON, FRANK	Cole Information

ASHFORD st

189 ASHFORD st

Year	Uses	Source
1973	Bradley Frank	New York Telephone
	Iannetta Bartolomeo	New York Telephone
1970	Bradley Frank	New York Telephone
	Iannello Bartolomeo	New York Telephone

ASHFORD St

189 ASHFORD St

Year	Uses	Source
1965	Bradley Frank L	New York Telephone
	Iannetta Bartolomeo	New York Telephone

ASHFORD ST

191 ASHFORD ST

Year	Uses	Source
2020	MICHELLE CHILLIOUS	EDR Digital Archive
	TAMMI CHILLIOUS	EDR Digital Archive
	TIFFANY CHILLIOUS	EDR Digital Archive
	OVEDA CHILLIOUS	EDR Digital Archive
	YANERIS ESPINAL	EDR Digital Archive
	THOMAS GARCIA	EDR Digital Archive
2017	CURTIS CHILLIOUS	Cole Information
	ARELIS ESPINAL	Cole Information
2014	CURTIS CHILLIOUS	Cole Information

FINDINGS

Year	Uses	Source
2014	ARELIS ESPINAL	Cole Information
2010	JULIO MORAN	Cole Information
	CURTIS CHILLIOUS	Cole Information
	YANERIS ESPINAL	Cole Information
2005	Singh S D	Hill-Donnelly Corporation
	HTotaram S	Hill-Donnelly Corporation
	TOTARUM SINGH	Cole Information
	OVEDA CHILLIOUS	Cole Information
	R DEVI	Cole Information
2000	ANJANIE MELENDEZ	Cole Information
	TOTARUM J SINGH	Cole Information
	OCCUPANT UNKNOWN	Cole Information
1997	ALMONTE M	NYNEX
	DHANRAJ Ronie	NYNEX
	SINGH Totarum J	NYNEX
1992	JONES, STEVE	Cole Information
	SINGH, TOTARUM J	Cole Information

ASHFORD st

191 ASHFORD st

Year	Uses	Source
1973	Merin Edw V	New York Telephone
	Ranieri Michl J	New York Telephone
1970	Merin Edw V	New York Telephone
	Ranieri Michl J	New York Telephone

ASHFORD St

191 ASHFORD St

Year	Uses	Source
1965	Merin Edw V	New York Telephone
	Ranieri Michl J	New York Telephone

FINDINGS

ASHFORD ST

192 ASHFORD ST

Year	Uses	Source
2020	EFRAIN PARDO	EDR Digital Archive
	SUSANA ANTIGUA	EDR Digital Archive
	ATALY ANTIGUA	EDR Digital Archive
	LUIS ANTIGUA	EDR Digital Archive
	YNES ANTIGUA	EDR Digital Archive
2017	LUIS ANTIGUA	Cole Information
2014	ARELIS JAVIER	Cole Information
	JAVIER ARELIS	Cole Information
	LUIS ANTIGUA	Cole Information
2010	ARELIS JAVIER	Cole Information
	LUIS ANTIGUA	Cole Information
2005	Antigua Luis	Hill-Donnelly Corporation
	V PALACIOS	Cole Information
	FRANCIS ANTGIGUA	Cole Information
	GLORIA LUKE	Cole Information
	WANDA ALVARADO	Cole Information
	LUIS ANTIGUA	Cole Information
2000	RAY CHARLES	Cole Information
	FERNANDO LUKE	Cole Information
	F LUKE	Cole Information
	RAY CHARLES	Cole Information

ASHFORD st

192 ASHFORD st

Year	Uses	Source
1973	Lipetri Ben	New York Telephone
1970	Lipetri Ben	New York Telephone

FINDINGS

ASHFORD St

192 ASHFORD St

Year	Uses	Source
1965	Li Petri Ben	New York Telephone

ASHFORD ST

194 ASHFORD ST

Year	Uses	Source
2020	JANICE BAIRD	EDR Digital Archive
	KATRO ZONE	EDR Digital Archive
	CLIFTON BAIRD	EDR Digital Archive
	SIMONE BAIRD	EDR Digital Archive
2017	CLIFTON BAIRD	Cole Information
2014	JANICE BAIRD	Cole Information
2010	CLIFTON BAIRD	Cole Information
2005	HBalrd JS	Hill-Donnelly Corporation
	ENGEDI ENTERPRISES INC	Cole Information
	CLIFTON BAIRD	Cole Information
	KEROZONE ROACHE	Cole Information
1992	JUSINO, CHARLES	Cole Information

ASHFORD st

194 ASHFORD st

Year	Uses	Source
1973	Butta Anthony	New York Telephone
1970	Bentz Theo	New York Telephone
	Butta Anthony	New York Telephone
	Galvano Sam	New York Telephone

ASHFORD St

194 ASHFORD St

Year	Uses	Source
1965	Bentz Theo	New York Telephone

Year	Uses	Source
1965	Butta Anthony	New York Telephone
	DAngelo Maryann	New York Telephone

ASHFORD st

200 ASHFORD st

Year	Uses	Source
1973	Somro Exprt & Tradg Corp	New York Telephone
1970	Somro Exprt & Tradg Corp	New York Telephone

ASHFORD St

200 ASHFORD St

Year	Uses	Source
1965	Somro Exprt & Tradg Corp	New York Telephone

ASHFORD ST

218 ASHFORD ST

Year	Uses	Source
2020	CESAR AUTO REPAIR	EDR Digital Archive
2017	CESAR AUTO REPAIR	Cole Information
2014	CESAR AUTOMOBILE REPAIR	Cole Information

220 ASHFORD ST

Year	Uses	Source
2020	IGLESIA PENTECOSTAL REHOBOTH	EDR Digital Archive
	KEVIN MIRANDA	EDR Digital Archive
2017	IGLESIA PENTECOSTAL REHOBOTH	Cole Information
	R & D ENVIRONMENTAL CORP	Cole Information
	SUN POWER SUPPLY	Cole Information
2014	R & D ENVIRONMENTAL CORP	Cole Information
2010	LUSHEBA CONTRACTING	Cole Information
2005	Lu Sheba Contracting	Hill-Donnelly Corporation
	LU SHEBA CONTRACTING	Cole Information
	ASHFORD DESIGN LTD	Cole Information

FINDINGS

Year	Uses	Source
2000	ASHFORD DSGNS LTD	Cole Information
	LEONARD ROBERT INC	Cole Information
	LU-SHEBA CONTRNG	Cole Information
	ASHFORD DESIGNS LIMITED	Cole Information
	LU SHEBA CONTRACTING	Cole Information
	LEONARD ROBERT INCORPORATED	Cole Information
	LU SHEBA CONTRACTING CORPORATION	Cole Information
1997	Ashford Designs Ltd	NYNEX
	Leonard Robert Inc	NYNEX
	Leonard Robert Inc	NYNEX
1995	ASHFORD DESIGNS LTD	Cole Information
	LU-SHEBA CONTRACTING	Cole Information
	LU-SHEBA CONTRACTING CORP	Cole Information
	LEONARD ROBERT INC	Cole Information
1992	ASHFORD DESIGNS LTD	Cole Information
	LEONARD ROBERT INC	Cole Information

ASHFORD st

220 ASHFORD st

Year	Uses	Source
1970	Fulton Novelty Inc	New York Telephone

ASHFORD St

220 ASHFORD St

Year	Uses	Source
1965	Fulton Novelty Inc	New York Telephone

ASHFORD ST

220 ASHFORD ST

Year	Uses	Source
1940	Ennis John shoe mfr	New York Telephone

FINDINGS

ASHFORD st

228 ASHFORD st

Year	Uses	Source
1973	Empire Can Corp	New York Telephone
1970	Empire Can Corp	New York Telephone

ASHFORD St

228 ASHFORD St

Year	Uses	Source
1965	Empire Can Corp	New York Telephone

ASHFORD ST

232 ASHFORD ST

Year	Uses	Source
2020	DAAWUUD NADIR	EDR Digital Archive
	MARIA GIAMUNDO	EDR Digital Archive
2014	SAL GIAMUNDO	Cole Information
2010	MARIA GIAMUNDO	Cole Information
2005	h Glamundo M	Hill-Donnelly Corporation
2000	APARTMENTS	Cole Information
	2 N GIAMUNDO	Cole Information
	M UGLIANO	Cole Information
	M GIAMUNDO	Cole Information
	M UGLIANO	Cole Information
1997	GIAMUNDO M	NYNEX
1992	GIAMUNDO, M	Cole Information
	UGLIANO, M	Cole Information

ASHFORD st

232 ASHFORD st

Year	Uses	Source
1973	Ugliano M	New York Telephone
1970	Ugliano M	New York Telephone

FINDINGS

ASHFORD St

232 ASHFORD St

Year	Uses	Source
1965	Ugliano M	New York Telephone

ASHFORD ST

236 ASHFORD ST

Year	Uses	Source
2014	JOSE CARDONA	Cole Information
	RUBIN GONZALEZ	Cole Information
	LATISHA MACON	Cole Information
	JOSE RODRIGUEZ	Cole Information
	STEVEN PABON	Cole Information
2010	CARDONA RODRIGUEZ	Cole Information
	MILDRED PERDOMO	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	ANGEL ECHEVARRIA	Cole Information
	MILDRED PERDOMO	Cole Information
	RODIA CASADO	Cole Information
2000	R R GARCIA	Cole Information
	ANGELIC ROSAS	Cole Information
	V CAMPBELL	Cole Information
	ANGELIC ROSAS	Cole Information

ASHFORD st

236 ASHFORD st

Year	Uses	Source
1973	Pernice Anthony J	New York Telephone

ASHFORD ST

236 ASHFORD ST

Year	Uses	Source
1973	Pernice Vincent T	New York Telephone

FINDINGS

ASHFORD st

236 ASHFORD st

Year	Uses	Source
1970	Pernice Anthony J	New York Telephone

ASHFORD ST

236 ASHFORD ST

Year	Uses	Source
1970	Pernice Andrew M	New York Telephone

ASHFORD St

236 ASHFORD St

Year	Uses	Source
1965	Pernice Anthony J	New York Telephone

ASHFORD ST

242 ASHFORD ST

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information

244 ASHFORD ST

Year	Uses	Source
2020	ANDREA NARINE	EDR Digital Archive
	DROCHAND DHANRAJ	EDR Digital Archive
	RISHMATTIE BRIGLALL	EDR Digital Archive
2017	DEEPAK LADKANI	Cole Information
	STEVE DUKHARAN	Cole Information
2014	BRIGLALL COMTON	Cole Information
	COMTON BRIGLALL	Cole Information
	DEEPAK LADKANI	Cole Information
2010	COMTON BRIGLALL	Cole Information
	B JACOB	Cole Information
2005	n Briglall Comrton	Hill-Donnelly Corporation

FINDINGS

Year	Uses	Source
2005	Briglall Comton	Hill-Donnelly Corporation
	Briglall Comton	Hill-Donnelly Corporation
	Dhanraj Deochand vv	Hill-Donnelly Corporation
	Jacob B	Hill-Donnelly Corporation
	COMTON BRIGLALL	Cole Information
	DEOCHAND DHANRAJ	Cole Information
2000	COMTON BRIGLALL	Cole Information
	COMTON BRIGLALL	Cole Information
	RAJPATTIE BRIGLALL	Cole Information
	OCCUPANT UNKNOWN	Cole Information
1973	Klann M	New York Telephone
1970	Klann M	New York Telephone

9511 ASHFORD ST

Year	Uses	Source
2005	H Francis M Y AO s	Hill-Donnelly Corporation

ASHFRD AVE

188 ASHFRD AVE

Year	Uses	Source
1970	Agolia Millie Mrs	New York Telephone

ASHFRD M

180 ASHFRD M

Year	Uses	Source
1960	CAUCHI THOS M	New York Telephone
	Cauchi Thos M	New York Telephone Company

ASHOFRD

187 ASHOFRD

Year	Uses	Source
1934	WEISS FRANK R	R. L. Polk & Co.

FINDINGS

ATIANTIC AV 40

2923 ATIANTIC AV 40

Year	*Uses*	*Source*
1934	NOVO COL CHEMICAL MFG CO INC (NY) MONDEL NEVIN PRES LOUIS J NEVIN V-PRES E	R. L. Polk & Co.

ATLANTIC

2885 ATLANTIC

Year	*Uses*	*Source*
1934	PUCHKOFF PINCUS	R. L. Polk & Co.

2890 ATLANTIC

Year	*Uses*	*Source*
1960	METZNER JOHN V	New York Telephone

2935 ATLANTIC

Year	*Uses*	*Source*
1960	RANTERI M GROCRY	New York Telephone

ATLANTIC A

2904 ATLANTIC A

Year	*Uses*	*Source*
1934	LA ROCCO ANTHONY HLPR R	R. L. Polk & Co.

ATLANTIC AV 1ST FL

2897 ATLANTIC AV 1ST FL

Year	*Uses*	*Source*
1934	STAR SUSPEERDER & GARTER CO INC JOS TAYLOR PRES MAX SEC EMANUEL TAYLOR TRE	R. L. Polk & Co.

ATLANTIC AV 2ND FL

2897 ATLANTIC AV 2ND FL

Year	*Uses*	*Source*
1934	DAVIS KNITTING MILLS SWEATERS	R. L. Polk & Co.

FINDINGS

ATLANTIC AV 3RD FL

2897 ATLANTIC AV 3RD FL

Year	*Uses*	*Source*
1934	ATLANTA KNITTING MILLIS KNITTING GDS	R. L. Polk & Co.

ATLANTIC AV 70

2941 ATLANTIC AV 70

Year	*Uses*	*Source*
1934	BERGER B CO (TN: BENJ BERGER) CLO MFRS WOMEN S	R. L. Polk & Co.

ATLANTIC AV H DO

2904 ATLANTIC AV H DO

Year	*Uses*	*Source*
1934	BERMAN BENJ STATIONEERY	R. L. Polk & Co.

ATLANTIC AVE

2879 ATLANTIC AVE

Year	*Uses*	*Source*
1940	Acme Truck Renters	New York Telephone
	Bklyn NY Outdoor Advtg Co	New York Telephone
	Interboro Moving Co	New York Telephone
	Mc Bride Jos Advtg Co	New York Telephone
	Mc Bride Jos A signs & movng	New York Telephone
	Mc Bride Truck Rentng Co	New York Telephone
1934	BENNETT GEO WATCHMN H	R. L. Polk & Co.
	DUNN MARY MRS H	R. L. Polk & Co.
	MANNONI MARY R	R. L. Polk & Co.
	RIPP JOHN A WTCHMN H	R. L. Polk & Co.
	SCABOR MARY LAB H	R. L. Polk & Co.
	SCHARTINA JOSEPHINE R	R. L. Polk & Co.

FINDINGS

2880 ATLANTIC AVE

Year	Uses	Source
2020	SPEEDWAY	EDR Digital Archive
2017	LOCKSMITH	Cole Information
2005	Merit Gasoline Stations	Hill-Donnelly Corporation
	MERIT GAS STATIONS	Cole Information
2000	MERIT GAS STATIONS	Cole Information
	MERIT GASOLINE STATIONS	Cole Information
1997	Merit Gasoline Stations	NYNEX
1995	MERIT GASOLINE STATIONS	Cole Information
1992	MERIT GASOLINE STATIONS	NYNEX Informantion Resource Co.
	MERIT GASOLINE STATIONS	Cole Information
1985	MERIT GASOLINE STATIONS	NYNEX Information Resources Company
1970	Saveway Jerom Inc	New York Telephone
1965	Safe Way Jerome svca stas	New York Telephone

2883 ATLANTIC AVE

Year	Uses	Source
2020	TITAN MULTISERVICES	EDR Digital Archive
2017	TITAN MULTISERVICES	Cole Information
1973	Made Rite Concrete Contractors	New York Telephone
	Made Rite Custom Kitchen	New York Telephone
1970	Made Rite Custom Kitchen	New York Telephone

2885 ATLANTIC AVE

Year	Uses	Source
2020	X LIVE CORP	EDR Digital Archive
	BROOKLYN SHAKES CORP	EDR Digital Archive
	WALTER FLORES	EDR Digital Archive
	JOSE ANTIGUA	EDR Digital Archive
2017	WALTER FLORES	Cole Information
	ANTIGUA DELI GROCERY	Cole Information
	X LIVE CORP	Cole Information
2014	WALTER FLORES	Cole Information
	ANTIGUA DELI GROCERY	Cole Information

FINDINGS

Year	Uses	Source
2010	OCCUPANT UNKNOWN	Cole Information
	TRANSATLANTIC REFRIGERATION	Cole Information
2005	New Family Grocery Inc	Hill-Donnelly Corporation
	Transatlantic Refrigeration	Hill-Donnelly Corporation
	OCCUPANT UNKNOWN	Cole Information
2000	TRNSTLNTC REFRIG	Cole Information
	OCCUPANT UNKNOWN	Cole Information
	TRANSATLANTIC REFRIGERATION	Cole Information
1997	Transatlantic Refrigeration	NYNEX
1995	TRANSATLANTIC REFRIGERATION	Cole Information
1992	TRANSATLANTIC REFRIGERATION	NYNEX Informantion Resource Co.
	TRANSATLANTIC REFRIGERATION	Cole Information
1985	GUTIERREZ GROCERY	NYNEX Information Resources Company
	TRANSATLANTIC REFRIGERATION	NYNEX Information Resources Company
1980	ATLANTIC REGRIGERATION	New York Telephone
1973	Charles of Fifth Av Inc	New York Telephone
	Millott Chas Inc	New York Telephone
	Natl Brands Sales Co wholeslrs	New York Telephone
	Van Dyne Advtng	New York Telephone
1970	Natl Brands Sales Co wholslrs	New York Telephone
	Van Dyne Advtng	New York Telephone
1965	House of Wood	New York Telephone
	Kitchen Fashns Inc	New York Telephone
1960	HOUSE OF WOOD	New York Telephone
	HOUSE OF WOOD	New York Telephone
	HOUSE OF WOOD	New York Telephone
	KITCHEN FASHNS INC	New York Telephone
	House of Wood	New York Telephone Company
	House of Wood	New York Telephone Company
	House of Wood	New York Telephone Company
	KITCHEN FASHNS INC	New York Telephone Company
1949	Capillis Inc mfg chemsts	New York Telephone Company

FINDINGS

Year	Uses	Source
1945	Capillis Inc mfg chemists	New York Telephone
1934	PUCHKOFF ABR	R. L. Polk & Co.
	PUCHKOFF P & SON PAPER AND BAGE	R. L. Polk & Co.

2886 ATLANTIC AVE

Year	Uses	Source
1960	PETTIT BRICK CORP	New York Telephone
	Pettit Brick Corp	New York Telephone Company

2887 ATLANTIC AVE

Year	Uses	Source
2020	CUBESMART SELF STORAGE	EDR Digital Archive
2017	CUBESMART	Cole Information
	CUBESMART SELF STORAGE	Cole Information
2014	CUBESMART	Cole Information
2010	STORAGE DELUXE	Cole Information
	1 866 BED 4 YOU	Cole Information
2005	Ovni Inc	Hill-Donnelly Corporation
	Storage Deluxe	Hill-Donnelly Corporation
	STORAGE DELUXE	Cole Information
	KINGS FASHION INC	Cole Information
	JAYEFF CONSTRUCTION	Cole Information
2000	MEDIR MFG CORP	Cole Information
	MTLLC NOVIT YARNS	Cole Information
	MILGRAM TRUST RL	Cole Information
	MONTES ON OCA CRP	Cole Information
	OVNI INC	Cole Information
	P P S DISTRIBUTORS	Cole Information
	PUPA FASHION CORP	Cole Information
	PUPA FASHION CORPORATION	Cole Information
	MILGRAM TRUST REAL ESTATE	Cole Information
	MONTESDE OCA WORKERS COOPER ATIVE GARMENT PRODUCTION CORPORA	Cole Information
	METALLIC NOVELTY YARNS INCORPORATED	Cole Information

FINDINGS

Year	*Uses*	*Source*
2000	MEDIR MANUFACTURING CORP	Cole Information
	OVNI INCORPORATED	Cole Information
	P P S DISTRIBUTORS	Cole Information
	MONTESDE OCA WORKERS COOPERATIVE GARMENT PRODUCTION CORP	Cole Information
1997	China Seas Inc	NYNEX
	Johanna Fashion Inc	NYNEX
	Lorel Sportsw ear Inc	NYNEX
	Medina Marta	NYNEX
	Metallic Novelty Yarns Inc	NYNEX
	Milgram Trust rl est	NYNEX
	Mr Lucky Botannica	NYNEX
	Mister Falafel	NYNEX
	P P S Distributors	NYNEX
1995	MR LUCKY BOTANNICA	Cole Information
	DAISY'S EMBRODIERIES INC	Cole Information
	LOREL SPORTSWEAR INC	Cole Information
	DOMINICAN SPORTSWEAR CORP	Cole Information
	ANBECK SPORTSWEAR INC	Cole Information
	MILGRAM TRUST, RL EST	Cole Information
	CLEAN CUT CUTTING INC	Cole Information
	UNIQUE EMBROIDERIES	Cole Information
	LAMA PLEATINGS INC	Cole Information
	MARQUISE COLLECTION INC	Cole Information
	METALLIC NOVELTY YARNS INC	Cole Information
1992	ANBECK SPORTSWEAR INC	NYNEX Informantion Resource Co.
	CLEAN CUT CUTTING INC	NYNEX Informantion Resource Co.
	DOMINICAN SPORTSWEAR CORP	NYNEX Informantion Resource Co.
	GAERS GRAPHIC ARTS EQUIPT REPR SPECIALISTS	NYNEX Informantion Resource Co.
	HR PRODS	NYNEX Informantion Resource Co.
	JOSU CUTTING INC	NYNEX Informantion Resource Co.
	MARQUISE COLLECTION INC	NYNEX Informantion Resource Co.

FINDINGS

Year	*Uses*	*Source*
1992	METALLIC NOVELTY YARNS INC	NYNEX Informantion Resource Co.
	MILGRAM TRUST RL EST	NYNEX Informantion Resource Co.
	PEARLS CUTTING ROOM	NYNEX Informantion Resource Co.
	UNIQUE EMBROIDERIES	NYNEX Informantion Resource Co.
	DAISY'S EMBRODIERIES INC	Cole Information
	GAERS GRAPHIC ARTS EQUIPT REPR SPECIALISTS	Cole Information
	DOMINICAN SPORTSWEAR CORP	Cole Information
	ANBECK SPORTSWEAR INC	Cole Information
	MILGRAM TRUST, RL EST	Cole Information
	CLEAN CUT CUTTING INC	Cole Information
	JOSU CUTTING INC	Cole Information
	UNIQUE EMBROIDERIES	Cole Information
	MARQUISE COLLECTION INC	Cole Information
	PEARL'S CUTTING ROOM	Cole Information
	METALLIC NOVELTY YARNS INC	Cole Information
1985	AMERICAN TOYS & NOVELTIES INC	NYNEX Information Resources Company
	DOMINICAN SPORTSWEAR CORP	NYNEX Information Resources Company
	DOMINICAN SPORTSWEAR INC	NYNEX Information Resources Company
	JAMES KNITTING MILLS INC	NYNEX Information Resources Company
	JAMES KNITTING MILLS INC	NYNEX Information Resources Company
	MERCURY KNITTING MILLS INC	NYNEX Information Resources Company
	METALLIC NOVELTY YARNS INC	NYNEX Information Resources Company
1980	MARKS MARTIN M	New York Telephone
	MARVEL UNDRGRMNT CO INC	New York Telephone
1976	JAMES KNITTING MILLS INC	New York Telephone
	JAMES KNITTING MILLS INC	New York Telephone
	KING MANAGMNT	New York Telephone
	MAJESTIC UPHLSTRY CO	New York Telephone
	RUD SHAW MFG CORP	New York Telephone
	TARRA HALL INC	New York Telephone
1973	American Sportswear Inc	New York Telephone
	Amer Sportswr Inc	New York Telephone

FINDINGS

Year	Uses	Source
1973	Arnold Lloyd b	New York Telephone
	James Knitting Mills Inc	New York Telephone
	James Knitting Mills Inc	New York Telephone
	Majestic Uphlstry Co	New York Telephone
	Rud Shaw Mfg Corp	New York Telephone
	Safina Paul J Co Inc	New York Telephone
	Tarr Quentin	New York Telephone
	Terra Hall Inc	New York Telephone
1970	Amer Mach Screw Corp	New York Telephone
	Amer Sportsw r Inc	New York Telephone
	Amer Sportsw r Inc	New York Telephone
	Arnold Lloyd b	New York Telephone
	Atlantic Mach Screw Corp	New York Telephone
	Atlantic W & W Corp	New York Telephone
	James Knitting Mills Inc	New York Telephone
	Majestic Uphlstry Co	New York Telephone
	Princess Furn Mfg Co Inc	New York Telephone
	Rud Shaw Mfg Corp	New York Telephone
	Safina Paul J Co Inc	New York Telephone
	Tarr Hall Inc	New York Telephone
1965	Amer Mach Screw Corp	New York Telephone
	Amer Sportsw r Inc	New York Telephone
	Amer Sportsw r Inc	New York Telephone
	Arnold Liyod b	New York Telephone
	Atlantic Mach Screw Corp	New York Telephone
	Dolly Originals Inc	New York Telephone
	Hoffman R Inc clthg	New York Telephone
	Hoffman R Inc mfr childrns coats	New York Telephone
	James Knitting Mills Inc	New York Telephone
	Rud Shaw Mfg Corp	New York Telephone
1960	AMER SCREW MACH PRODS CO	New York Telephone
	AMER SPORTSWR INC	New York Telephone

FINDINGS

Year	Uses	Source
1960	AMER SPORTSWR INC	New York Telephone
	ARNOLD LLOYD B	New York Telephone
	ATLANTIC MACH SCREW CO	New York Telephone
	ATLANTIC W & W CORP	New York Telephone
	BKLYN AUTO FABRICS C0 INC	New York Telephone
	CHARLAN INDSTRIES	New York Telephone
	EFFO MFG CO INC UNDRWR	New York Telephone
	HOFFMAN R INC	New York Telephone
	HOFFMAN R INC MFR CHILDRNS COATS	New York Telephone
	JAMES KNITTING MILLS INC	New York Telephone
	RUD-SHAW MFG CORP	New York Telephone
	TREON MFG CORP	New York Telephone
	Amer Screw Mach Prods Co	New York Telephone Company
	Amer Sportswr Inc	New York Telephone Company
	Amer Sportswr Inc	New York Telephone Company
	Arnold Lloyd b	New York Telephone Company
	Atlantic Mach Screw Co	New York Telephone Company
	ATLANTIC W & W CORP	New York Telephone Company
	Charlan Indstries	New York Telephone Company
	Effo Mfg Co Inc undrw r	New York Telephone Company
	Hoffman R Inc	New York Telephone Company
	Hoffman R Inc mfr childrns coats	New York Telephone Company
	James Knitting Mills Inc	New York Telephone Company
	Rud Shaw Mfg Corp	New York Telephone Company
	Treon Mfg Corp	New York Telephone Company
1949	Amer Screw Mach Prods Co	New York Telephone Company
	Atlantic Mach Screw Co	New York Telephone Company
	De Santis Stano coats	New York Telephone Company
	Hoboken Coat Co	New York Telephone Company
	I G Rudow & Sons Inc	New York Telephone Company
	King Sportw ear Co	New York Telephone Company
	King Sportw ear Co Inc	New York Telephone Company

FINDINGS

Year	Uses	Source
1949	L & K Coat Contg Co	New York Telephone Company
	Lozowsky & Karanik coat contrs	New York Telephone Company
	Rovito Coat Co Inc	New York Telephone Company
	Skyway Enterprises Inc	New York Telephone Company
1945	Amer Screw Mach Prods Co	New York Telephone
	Atlantic Mach Screw Co	New York Telephone
	Bertward Clothes	New York Telephone
	De Santis Stano	New York Telephone
	Effo Mfg Co Inc aprons	New York Telephone
	Hoboken Coat Co	New York Telephone
	L & K Coat Contg Co	New York Telephone
	Lozowsky & Karanik coat contrs	New York Telephone
	Pine Crest Mills Co	New York Telephone
	Rovito Coat Co	New York Telephone
	Rudy Clothes	New York Telephone
	Weintraub Besj Womns drses	New York Telephone
	Willow Paper Box Co Inc	New York Telephone
1940	Amer Screw Mach Prods Co	New York Telephone
	Atlantic Mach Screw Co	New York Telephone
	BW Sportwr Mfg Co	New York Telephone
	De Santis Stano coats	New York Telephone
	Effo Mfg Co Inc aprons	New York Telephone
	Gem Table Pad Co	New York Telephone
	Green Table Pad Corp	New York Telephone
	Hoboken Coat Co	New York Telephone
	L & K Coat Contg Co	New York Telephone
	Lozowsky & Karanik coat contrs	New York Telephone
	Modern Table Pad Co	New York Telephone
	Pine Crest Mills Co	New York Telephone
	Rovito Coat Co	New York Telephone
	Snap Lock Table Pad Co	New York Telephone

FINDINGS

2888 ATLANTIC AVE

Year	Uses	Source
1960	CRAWFORD CLARA F MRS	New York Telephone
	JEROME TAVERN	New York Telephone
	Crawford Clara F Mrs	New York Telephone Company
	Jerome Tavern	New York Telephone Company
1940	Jerome Tavern	New York Telephone
1934	DILLMAN MICHL J FIR BKN UNION GAS CO H	R. L. Polk & Co.
	RAGLUS GUS RESTR	R. L. Polk & Co.
	ANTHONY TAILOR H	R. L. Polk & Co.
	ZELINSKI ANTHONY CARP R	R. L. Polk & Co.

2890 ATLANTIC AVE

Year	Uses	Source
2020	SHARDEI GOMEZ	EDR Digital Archive
	MOHAMED BADAWY	EDR Digital Archive
2017	MOHAMED BADAWY	Cole Information
	ALFURSAN	Cole Information
2014	MOHAMED BADAWY	Cole Information
	MAKEH WALLY	Cole Information
	ALFURSAN INTERNATIONAL INCORPORATED	Cole Information
	ALFURSAN	Cole Information
2010	MOHAMED BADAWY	Cole Information
	ALTAZ KHAN	Cole Information
	MAKEH WALLY	Cole Information
2005	h Rembert Tarane	Hill-Donnelly Corporation
	DOROTHY REMBERT	Cole Information
2000	JOSE G DELE SUS	Cole Information
	SYLVIA PAULINO	Cole Information
1997	BARBOR William	NYNEX
	CEDANO Felipe	NYNEX
	CHEESEBOROUGH J	NYNEX
	PAULINO Sylvia	NYNEX

FINDINGS

Year	Uses	Source
1992	CHEESEBOROUGH J	NYNEX Informantion Resource Co.
	EPIPHANY CHAPEL CHURCH OF GOD IN CHRIST	NYNEX Informantion Resource Co.
	PAULINO SYLVIA	NYNEX Informantion Resource Co.
	ACOSTA, ANGEL	Cole Information
	CHEESEBOROUGH, J	Cole Information
	REYES, JAVIER	Cole Information
	PAULINO, SYLVIA	Cole Information
1985	MARTINEZ FUNERAL HOME	NYNEX Information Resources Company
	METZNER JOHN V	NYNEX Information Resources Company
1976	METZNER JOHN JR	New York Telephone
	METZNER JOHN INC UNDERTAKER	New York Telephone
	METZNER JOHN V	New York Telephone
1973	Metzner John Jr	New York Telephone
	METZNER JOHN INC undertaker	New York Telephone
	Metzner John V	New York Telephone
1970	METZNER JOHN INC undertaker	New York Telephone
	Metzner John V	New York Telephone
1960	METZNER JOHN undrtk	New York Telephone Company
1949	Metzler John undrtk	New York Telephone Company
	Metzler John V	New York Telephone Company
1945	Metzner John undrtk	New York Telephone
	Metzner John V	New York Telephone
1940	Metzner John undrtk	New York Telephone
	Metzner John V	New York Telephone
1934	METZNER JOHN UNDTKR H DO	R. L. Polk & Co.
1928	BAUER B MRS R	New York Telephone
	CICIO LORENZA R	New York Telephone
	LONGO LEO R	New York Telephone

2891 ATLANTIC AVE

Year	Uses	Source
1934	ROITHMAYR CHAS WAITER H	R. L. Polk & Co.

FINDINGS

2892 ATLANTIC AVE

Year	Uses	Source
2014	OCCUPANT UNKNOWN	Cole Information
2010	OCCUPANT UNKNOWN	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	OCCUPANT UNKNOWN	Cole Information
1976	GENNUSA MARIO	New York Telephone
1973	Gennusa Mario	New York Telephone
1970	Gennusa Mario	New York Telephone
1965	Gennusa Mario	New York Telephone
1960	GENNUSA MARIO RI EST & LNS	New York Telephone
	Gennusa Mario ri est & lns	New York Telephone Company
1949	Gennusa Mario rl est & ins	New York Telephone Company
	Hoehner & Gennusa rl est & lns	New York Telephone Company
1945	Gennusa Mario rl est & ins	New York Telephone
	Hoehner & Gennusa rl est & ins	New York Telephone
1940	Gennusa Mario rl est & ins	New York Telephone
	Hoehner & Gennusa rl est & ins	New York Telephone
1934	GENNUSA ANTHONY R	R. L. Polk & Co.
	GENNUSA ANTONIA STEN R	R. L. Polk & Co.
	GENNUSA LEONARD CLK R	R. L. Polk & Co.
	GENNUSA MARIO R	R. L. Polk & Co.
	GENNUSA ROCCO LAB R	R. L. Polk & Co.
	HOCHNER & GENNUSA REAL EST	R. L. Polk & Co.
1928	GENNUSA MARIO RL EST & INS	New York Telephone
	HOEHNER & GENNUSA RL EST & INS	New York Telephone
	SCHNEIDER HENRY S GENL INS	New York Telephone

2894 ATLANTIC AVE

Year	Uses	Source
2017	ATLANTIC LUBE INC	Cole Information
2014	ATLANTIC LUBE INCORPORATED	Cole Information
2010	ATLANTIC LUBE INC	Cole Information
2005	Atlantic Lube Inc	Hill-Donnelly Corporation

FINDINGS

Year	*Uses*	*Source*
2000	TONYS AUTO SALES	Cole Information
	TONYS AUTO SALES	Cole Information
1997	Tonys Auto Sales	NYNEX
1995	TONY'S AUTO SALES	Cole Information
1992	TONY S AUTO SALES	NYNEX Informantion Resource Co.
	TONY'S AUTO SALES	Cole Information
1985	TONY S AUTO SALES	NYNEX Information Resources Company
1980	HARLEY S COLLISION	New York Telephone
	SCHMIDT JOS	New York Telephone
1976	NAGYS AUTO COLLISION INC	New York Telephone
	SCHMIDT JOS	New York Telephone
1973	Schmidt Jos	New York Telephone
	Spinelli John	New York Telephone
	Spinelli Mike b	New York Telephone
1970	Schmidt Jos	New York Telephone
	Spinelli John	New York Telephone
	Spinelli Mike b	New York Telephone
1965	B & S Auto Spring Svce	New York Telephone
	Spinelli John	New York Telephone
	Spinelli Mike b	New York Telephone
1960	B & S AUTO SPRING SVCE	New York Telephone
	FASANO NICHOLAS	New York Telephone
	SPINELLI JOHN	New York Telephone
	SPINELLI MIKE B	New York Telephone
	B & S AUTO SPRING SVCE	New York Telephone Company
	Fasano Nicholas	New York Telephone Company
	Spinelli John	New York Telephone Company
	Spinelli Mike b	New York Telephone Company
1949	B & S Auto Spring Svce	New York Telephone Company
	Spinelli John	New York Telephone Company
	Spinelli Mike b	New York Telephone Company
1945	B & S Auto Spring Svce	New York Telephone

FINDINGS

Year	Uses	Source
1945	Spinelli John	New York Telephone
	Spinelli Mike b	New York Telephone
1934	DONNELLY BROS INC WM J DONNELLY PRES VINCENT P DONELLY V-PRESMAIN OFFICE	R. L. Polk & Co.
	WEISS BENJ GAS MECH H	R. L. Polk & Co.

2895 ATLANTIC AVE

Year	Uses	Source
1928	SHOPOFF HERMAN GLASS	New York Telephone

2896 ATLANTIC AVE

Year	Uses	Source
1976	AMMENDOLA JOS	New York Telephone
	BEDKA JOS	New York Telephone
1973	Bedka Jos	New York Telephone
	Segretto Susan	New York Telephone
1970	Ammendola Jos	New York Telephone
	Segretto John	New York Telephone
1965	Ammendola Jos	New York Telephone
	Bedka Jos	New York Telephone
	Fair Andrew J	New York Telephone
	Segretto John	New York Telephone
1960	AMMENDOLA JOS	New York Telephone
	BEDKA JOS	New York Telephone
	MARIGLIANO JOS V	New York Telephone
	MARIGLIANO MARY B MRS	New York Telephone
	SEGRETTO JOHN	New York Telephone
	Ammendola Jos	New York Telephone Company
	Bedka Jos	New York Telephone Company
	Marigliano Jos V	New York Telephone Company
	Marigliano Mary B Mrs	New York Telephone Company
	Segretto John	New York Telephone Company
1949	Downs Wm C	New York Telephone Company
1934	AMMENDOLA SAML LAB H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	BASLER ANDREW GILDER H	R. L. Polk & Co.
	BASLER FREDK BKPR R	R. L. Polk & Co.
	LANGER CAROLINE R	R. L. Polk & Co.
	LANGER EMMA FORELDY H	R. L. Polk & Co.
	LORCH JOHN SHIP CLK H	R. L. Polk & Co.
	MARIGLIANO JOS STMFTR H	R. L. Polk & Co.
	MILLER GEO WAITER H	R. L. Polk & Co.

2897 ATLANTIC AVE

Year	Uses	Source
1934	GOLD DAY KNITTING MILLS INC SWEATERS	R. L. Polk & Co.
	MYRA JOY PRODUCTS KNITTING GDS	R. L. Polk & Co.
	NOVICK MAX SEC STAR SUSPENDER & GARTER CO INC	R. L. Polk & Co.
	SORRENTINO TESSIE EMP STAR SUSPENDER & GARTER CO	R. L. Polk & Co.
1928	ATLANTA KNITTING MILLS	New York Telephone
	HARVARD SUSPENDER & GARTER CO	New York Telephone
	MORRIS BROS & SONS INC SUSPNDR MFRS	New York Telephone

2898 ATLANTIC AVE

Year	Uses	Source
1934	FINNIGAN JOHN FRUIT PDLR R	R. L. Polk & Co.
	FINNIGAN MAMIE H	R. L. Polk & Co.
	GESSNER JOHN GRAVE DIGGER H	R. L. Polk & Co.

2900 ATLANTIC AVE

Year	Uses	Source
2020	AAMCO TRANSMISSIONS	EDR Digital Archive
2017	AAMCO TRANSMISSIONS	Cole Information
	LOCKSMITH 24 HR EMERGENCY	Cole Information
2014	AAMCO TRANSMISSIONS	Cole Information
	AAMCO TRANSMISSIONS & TOTAL CAR CARE	Cole Information
2010	AAMCO TRANSMISSIONS	Cole Information

FINDINGS

Year	Uses	Source
2005	Aamco Transmissions I	Hill-Donnelly Corporation
	AAMCO TRANSMISSIONS	Cole Information
	ATLANTIC LUBE INC	Cole Information
2000	AAMCO TRANS	Cole Information
	AAMCO TRANSMISSIONS	Cole Information
1997	Tire Mart Inc	NYNEX
	Tropical Diesel	NYNEX
1995	TROPICAL DIESEL	Cole Information
1992	TROPICAL DIESEL REPRS	NYNEX Informantion Resource Co.
	TROPICAL DIESEL REPAIRS BROOKLYN	NYNEX Informantion Resource Co.
	TROPICAL DIESEL REPRS	Cole Information
	TROPICAL DIESEL REPAIRS	Cole Information
1985	AAMCO AUTOMATIC TRANSMISSIONS	NYNEX Information Resources Company
	AAMCO AUTOMATIC TRANSMISSIONS	NYNEX Information Resources Company
1980	AAMCO AUTOMATIC TRANSMISSIONS	New York Telephone
	AAMCO AUTOMATIC TRANSMISSIONS	New York Telephone
	AAMCO TRANSMISSIONS	New York Telephone
1976	AA M CO TRANSMISSIONS	New York Telephone
	DOMINICK VITUCCI AUTO SALES	New York Telephone
	TONY S AUTO SALES	New York Telephone
1973	Tonys Auto Sales	New York Telephone
1934	RANDALL ALBERT FRGIDAIRE ELECTN R	R. L. Polk & Co.
	RANDALL ALPHEUS H	R. L. Polk & Co.

2901 ATLANTIC AVE

Year	Uses	Source
1945	Becker M & J Inc hats caps	New York Telephone
1940	Becker M & J Inc hats caps	New York Telephone
1934	NIEKE GEO CLK R	R. L. Polk & Co.

2902 ATLANTIC AVE

Year	Uses	Source
1965	Stagecoach Diner	New York Telephone
1934	WARWICK DINER	R. L. Polk & Co.

FINDINGS

2904 ATLANTIC AVE

Year	*Uses*	*Source*
2020	CASTILLO SEAFOOD	EDR Digital Archive
	PAULINE HOYTE	EDR Digital Archive
	HEATHER TERRY	EDR Digital Archive
	KENNETH COOKE	EDR Digital Archive
	ANA PENA	EDR Digital Archive
	BRENDA CARTAGENA	EDR Digital Archive
	SONIA ROLON	EDR Digital Archive
	EUGENE BAKER	EDR Digital Archive
	MANUEL ALSARO	EDR Digital Archive
	KEVIN DIAZ	EDR Digital Archive
	YAHAIRA BAEZ	EDR Digital Archive
	LEIAH NORMAN	EDR Digital Archive
	JUAN BRITO	EDR Digital Archive
	AIDA ARROYO	EDR Digital Archive
	GLADYS MATEO	EDR Digital Archive
2017	CASTILLO SEAFOOD	Cole Information
	MONA LISA BEAUTY	Cole Information
	JASMINE GUTIERREZ	Cole Information
	ARISTIDES BARRIOS	Cole Information
	BRENDA CARTAGENA	Cole Information
	JUAN GONZALEZ	Cole Information
	MARTIN TERRY	Cole Information
	MANUEL ALSARO	Cole Information
	JAVIER ESTEVEZ	Cole Information
	GLADYS MATEO	Cole Information
	ROBERT BADGER	Cole Information
2014	CASTILLO SEAFOOD	Cole Information
	JASMINE GUTIERREZ	Cole Information
	BRENDA CARTAGENA	Cole Information
	EUGENE BAKER	Cole Information
	MANUEL ALSARO	Cole Information

FINDINGS

Year	Uses	Source
2014	ROSA VEGA	Cole Information
	JUAN GONZALEZ	Cole Information
	NILSA VALENTIN	Cole Information
	JAVIER ESTEVEZ	Cole Information
	JUAN BRITO	Cole Information
2010	CASTILLO SEAFOOD	Cole Information
	MAGLOIRY GUEVARA	Cole Information
	ROSA VEGA	Cole Information
	NILSA VALENTIN	Cole Information
	YAHAIRA BAEZ	Cole Information
	JAVIER ESTEVEZ	Cole Information
2005	Cartagena Brenda	Hill-Donnelly Corporation
	Castillo Sea Food	Hill-Donnelly Corporation
	Estevez Javier	Hill-Donnelly Corporation
	Macedo Janeth	Hill-Donnelly Corporation
	Martinez Casta	Hill-Donnelly Corporation
	CASTILLO SEAFOOD	Cole Information
	MARICELLA RAMIREZ	Cole Information
	LUIS VILLARREAL	Cole Information
	E CORDERO	Cole Information
	MAGLOIRY GUEVARA	Cole Information
	ELIZABETH REYES	Cole Information
	BRENDA CARTAGENA	Cole Information
	JAVIER ESTEVEZ	Cole Information
	GLADYS MATEO	Cole Information
2000	R COLON	Cole Information
	BAYARDO DELADILLO	Cole Information
	PATERA EPPS	Cole Information
	JASMINE GUTIERREZ	Cole Information
	ASHLEY MENDOZA	Cole Information
	FELIX ORTIZ	Cole Information
	KATHORIA SPARKMAN	Cole Information

FINDINGS

Year	Uses	Source
2000	YOU & ME GRON STORE	Cole Information
	YOU & ME GROCERY STORE	Cole Information
	BAYARDO DELADILLO	Cole Information
	JASMINE GUTIERREZ	Cole Information
	R COLON	Cole Information
	SEVERA HIDALGO	Cole Information
	K SPARKMAN	Cole Information
	CARLA RAMOS	Cole Information
	ASHLEY MENDOZA	Cole Information
	LORENA DELGADILLO	Cole Information
	T EPPS	Cole Information
	FELIX ORTIZ	Cole Information
1997	AYALA Deborah	NYNEX
	CASTILLO Hipolito	NYNEX
	HENRIQUEZ Maritza	NYNEX
1992	CABRERA TOMAS	NYNEX Informantion Resource Co.
	DE LA ROSA MARLTZA	NYNEX Informantion Resource Co.
	REYES MANUEL	NYNEX Informantion Resource Co.
	SANTANA MILDRED	NYNEX Informantion Resource Co.
	VELEZ NELSON	NYNEX Informantion Resource Co.
	CASTILLO, JORGE A	Cole Information
	DE LA ROSA, MARITZA	Cole Information
1985	CHAVEZ HIRCANIA	NYNEX Information Resources Company
	LAUSELL ADELAIDE	NYNEX Information Resources Company
	MALONEY E	NYNEX Information Resources Company
	SANTANA J	NYNEX Information Resources Company
	ZINNANTI NATALE	NYNEX Information Resources Company
1976	PADILLA CARMEN	New York Telephone
	ROS MANUEL	New York Telephone
1973	Warw ick Pinzeria	New York Telephone
1970	DOrnellas Amy A	New York Telephone
	Hart Harry	New York Telephone

FINDINGS

Year	Uses	Source
1970	Vam Check Cashing Corp	New York Telephone
1965	DOrnellas Amy A	New York Telephone
	Easparro Pauline Mrs	New York Telephone
	Vam Check Cashing Corp	New York Telephone
1960	ARCARAS MUSIC SHOP	New York Telephone
	CHARLES PERRY SCHL FOR DRUMMERS	New York Telephone
	D ORNELLAS AMY A	New York Telephone
	EASPARRO PAULINE MRS	New York Telephone
	JOE S MUSIC SHOP	New York Telephone
	MERIN EDW V	New York Telephone
	PULLIZA ROBT	New York Telephone
	Arcaras Music Shop	New York Telephone Company
	Charles Perry Schl For Drummers	New York Telephone Company
	DOrnellas Amy A	New York Telephone Company
	Easparro Pauline Mrs	New York Telephone Company
	Joes Music Shop	New York Telephone Company
	Merin Edw V	New York Telephone Company
	Pulliza Robt	New York Telephone Company
1949	Berman Benj statnry	New York Telephone Company
	Joes Music Shop	New York Telephone Company
1945	Berman Benj statny	New York Telephone
1940	Berman Benj statny	New York Telephone
1934	BARRETT ROBT BKPR H	R. L. Polk & Co.
	CAPPELLO IRENE WAITRESS H	R. L. Polk & Co.
	CAPPELLO WM ICEMN R	R. L. Polk & Co.
	EIENKEL ETHEL MRS H	R. L. Polk & Co.
	FEELY ARNOLD R CHAUF H	R. L. Polk & Co.
	FRAENY ELLA MRS R	R. L. Polk & Co.
	FUCHS HENRY LAB H	R. L. Polk & Co.
	JOCHIM HENRY ROOFER H	R. L. Polk & Co.
	KENNEDY SARAH MATRON R	R. L. Polk & Co.
	KENNY ALBERT MARGT PNTR H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	LA ROCCA	R. L. Polk & Co.
	LESTER ERNEST SIGN PNTR H	R. L. Polk & Co.
	MAEBE JOHN ELECTN H	R. L. Polk & Co.
	NIEKE WM P SLSMN H	R. L. Polk & Co.
	OATES CATH R	R. L. Polk & Co.
	RUST LEONARD J MECH H	R. L. Polk & Co.
	VANMATER JOHN YDMN H	R. L. Polk & Co.

2905 ATLANTIC AVE

Year	Uses	Source
1934	GALBRAITH CHRISTOPHER TRUCK DRIVER H	R. L. Polk & Co.

2906 ATLANTIC AVE

Year	Uses	Source
1945	Warw ick Diner	New York Telephone
1940	Warw ick Diner	New York Telephone
1934	RAFFA PETER PLSTR H	R. L. Polk & Co.
1928	WARWICK DINER	New York Telephone

2909 ATLANTIC AVE

Year	Uses	Source
1934	ZION KNITTING MILLS KNIT GDS	R. L. Polk & Co.

2911 ATLANTIC AVE

Year	Uses	Source
2010	FIVE STAR ELECTRIC	Cole Information
2000	BERK TOOL & VCM CO	Cole Information
	BERK TOOL & VACUUM COMPANY	Cole Information
1997	Berk Tool & Vacuuin Co	NYNEX
1995	BERK TOOL & VACUUM CO	Cole Information
1992	BERK TOOL & VACUUM CO	NYNEX Informantion Resource Co.
	BERK TOOL & VACUUM CO	Cole Information
1980	ABBEY MATERIALS CORP	New York Telephone

FINDINGS

2912 ATLANTIC AVE

Year	*Uses*	*Source*
2020	ATLAS ELECTRIC SUPPLY	EDR Digital Archive
2017	ATLAS ELECTRIC SUPPLY	Cole Information
2014	ATLAS ELECTRIC SUPPLY	Cole Information
2010	ATLAS ELECTRIC SUPPLY	Cole Information
2005	Atlas Electric Supply	Hill-Donnelly Corporation
	ATLAS ELECTRIC SUPPLY	Cole Information
2000	ATLAS ELEC SUPPLY	Cole Information
	ATLAS TILE SUPPLY	Cole Information
	ATLAS ELECTRIC SUPPLY	Cole Information
	ATLAS TILE SUPPLY	Cole Information
1997	Atlas Electric Supply	NYNEX
1995	ATLAS ELECTRIC SUPPLY	Cole Information
1985	FERMIN RICARDO	NYNEX Information Resources Company
1976	A & J SPORTSWR	New York Telephone
	JO MAR SPORTSWR CO	New York Telephone
	METROPOLITAN LAMP CO	New York Telephone
1973	Jo Mar Sportswr Co	New York Telephone
	Kornberg Fred b	New York Telephone
	Metropolitan Lamp Co	New York Telephone
	Screen Star Sportswr Co	New York Telephone
1970	Electronic Equip Co Inc main ofc	New York Telephone
	Electronic Mutual Assocs Inc	New York Telephone
	Electronics Mutual Assocs Inc	New York Telephone
	Jo Mar Sportswr Co	New York Telephone
	Kornberg Fred b	New York Telephone
1965	Electronic Equip Co Inc main ofc	New York Telephone
	Electronic Mutual Assocs Inc	New York Telephone
	Electronics Mutual Assocs Inc	New York Telephone
	Jo Mar Sportswr Co	New York Telephone
	Kornberg Fred b	New York Telephone
1960	ELECTRONIC EQUIP CO INC MAIN OFC	New York Telephone

FINDINGS

Year	Uses	Source
1960	JO-MAR SPORTSWR CO	New York Telephone
	KORNBERG FRED B	New York Telephone
	Electronic Equip Co Inc main ofc	New York Telephone Company
	Jo Mar Sportswr Co	New York Telephone Company
	Kornberg Fred b	New York Telephone Company
1949	Koeppel Ira drses	New York Telephone Company
	Kornberg J b	New York Telephone Company
1945	Atlantic Fabric Prods Inc	New York Telephone
	Goldberg Murray Inc	New York Telephone
	Koeppel Ira drses	New York Telephone
	Margo Sportwr Co	New York Telephone
1940	Kornberg J childrns drses	New York Telephone
	Margo Sportwr Co	New York Telephone
	Modern Children Dresses	New York Telephone
	Plastic Molded Arts Inc	New York Telephone
	Weiner Israel clothing	New York Telephone
1934	HARRY WOMEN S CLOTHING MFR	R. L. Polk & Co.
	POLLACK & FROMBERG DRESS CONTR	R. L. Polk & Co.
	S & S PRESS CO	R. L. Polk & Co.
	SCHNEIDER BENJ	R. L. Polk & Co.
	SCHNEITMAN RUBIN	R. L. Polk & Co.
1928	NOBIS VICTOR SONS BRUSHES	New York Telephone
	SAND CO INC	New York Telephone

2914 ATLANTIC AVE

Year	Uses	Source
2014	CAKE MAN RAVEN	Cole Information
2010	CAKE MAN RAVEN	Cole Information
2005	Papa Food Distributer Corp	Hill-Donnelly Corporation
	PAPA FOOD DISTRIBUTE CORP	Cole Information
1992	GIBRALTAR TRANSMISSIONS	NYNEX Informantion Resource Co.
	GIBRALTAR TRANSMISSIONS BROOKLYN	NYNEX Informantion Resource Co.
1985	GREAT BEAR AUTO CENTER	NYNEX Information Resources Company

FINDINGS

Year	Uses	Source
1976	GREAT BEAR AUTO CENTERS	New York Telephone
1973	ATLANTIC HERCHENRODER	New York Telephone
	Atlantic Herchenroder	New York Telephone
	HERCHEN RODER AUTO	New York Telephone
1970	Herchenroder Bros Inc auto svce	New York Telephone
1965	HERCHENRODER BROS INC auto svce	New York Telephone
1960	HERCHEROBDER BROS AUTO PARTS	New York Telephone
	HERCHENRODER BROS AUTO REPRS	New York Telephone
	HERCHEROBDER BROS auto parts	New York Telephone Company
	Herchenroder Bros auto reprs	New York Telephone Company
1949	Herchenroder Bros auto parts	New York Telephone Company
	Herchenroder Bros auto reprs	New York Telephone Company
1945	Herchenroder Bros auto reprs	New York Telephone
1940	Herchenroder Bros auto reprs	New York Telephone

2915 ATLANTIC AVE

Year	Uses	Source
1940	Teets Auto Co	New York Telephone
1934	OVERFIELD AUTO CO INC ALBERT R JUERGENS PRES WM HERMANN SEC ALBERT S HERRM	R. L. Polk & Co.
1928	OVERFIELD AUTO CO	New York Telephone

2923 ATLANTIC AVE

Year	Uses	Source
1985	BUFFALO DENTL MFG CO INC	NYNEX Information Resources Company
	BURKWOOD CHEMCL CO INC	NYNEX Information Resources Company
	DENTAL ITEMS OF INTEREST PUBLSHG CO INC	NYNEX Information Resources Company
	INTEGRAL SYSTEMS INC	NYNEX Information Resources Company
	LACLEDE RESEARCH LABS	NYNEX Information Resources Company
	MILFORD INDSTRIES	NYNEX Information Resources Company
	NEVIN MARSHALL I MD	NYNEX Information Resources Company
	NOVOCOL CHEMCL MFG CO INC	NYNEX Information Resources Company
1980	NOVOCOL CHEMCL MFG COLNC	New York Telephone

FINDINGS

Year	Uses	Source
1976	BUFFALO DENTL MFG COINC	New York Telephone
	DENTAL ITEMS OF INTEREST PUBLSHG CO INC	New York Telephone
	INTEGRAL SYSTEMS INC	New York Telephone
	MILFORD INDSTRIES	New York Telephone
	NEVIN MARSHALL I MD	New York Telephone
	NOVOCOL CHEMCL MFG CO INC	New York Telephone
1973	Buffalo Dentl Mfg Co Inc	New York Telephone
	Dental Items Of Interest Pubishg Co Inc	New York Telephone
	Integral Systems Inc	New York Telephone
	Milford Indstries	New York Telephone
	Novocol Chemcl Mfg Co Inc	New York Telephone
1970	Buffalo Dentl Mfg Co Inc	New York Telephone
	Dental Items of Interest Pubishg Colnc	New York Telephone
	Integral Systems Inc	New York Telephone
	Milford Indstries	New York Telephone
	Nevin Marshall I MD	New York Telephone
	Novocol Chemcl Mfg Co Inc	New York Telephone
1965	Buffalo Dental MEg Co Inc	New York Telephone
	Dental Items of Interest Publishing Co Inc	New York Telephone
	Nevin Marshall I MD	New York Telephone
	Novocol Chemical MFg Co Inc	New York Telephone
1960	BUFFALO DENTAL MFG CO INC	New York Telephone
	DENTAL ITEMS OF INTEREST PUBLISHING CO INC	New York Telephone
	NEVIN MARSHALL I MD	New York Telephone
	NOVOCOL CHEMICAL MFG CO INC	New York Telephone
	Buffalo Dental Mfg Co Inc	New York Telephone Company
	Dental Items of Interest Publishing Co Inc	New York Telephone Company
	Nevin Marshall I MD	New York Telephone Company
	Novocol Chemical Mfg Co Inc	New York Telephone Company
1949	Dental Items of Interest Publishing Co Inc	New York Telephone Company
	Nevin Mendel DDS ofc	New York Telephone Company

FINDINGS

Year	Uses	Source
1945	Dental Items of Interest Publishing Co Inc	New York Telephone
	Nevin Mendel DDS ofc	New York Telephone
	Novocol Chemical Mfg Co Inc	New York Telephone
1940	Dental Items of Interest Publishing Co Inc	New York Telephone
	Novocol Chemical Mfg Co Inc	New York Telephone
1934	MODERN DENTISTRY INC MURRY CEHEN PRES SAML D GOLDBERG V-PRES MENDEL NEVIN	R. L. Polk & Co.
	NEW PRODUCTS CO DRUGS MFR	R. L. Polk & Co.
	NEVIN LOUIS J V-PRES NOVACOL CHEM MFG CO INC	R. L. Polk & Co.
1928	DENTAL ITEMS OF INTEREST PUBSHG CO	New York Telephone

2926 ATLANTIC AVE

Year	Uses	Source
2020	JORGE QUINTANA	EDR Digital Archive
	DONNA RIVERA	EDR Digital Archive
	HECTOR OQUENDO	EDR Digital Archive
	NIASIA RIVERA	EDR Digital Archive
2017	CYNTHIA CRUZ	Cole Information
	CHARISSE BUIC	Cole Information
2014	RANDY ALBRIGHT	Cole Information
	THERESA WILLIAMS	Cole Information
	PATRICIA MOREL	Cole Information
	CHARISSE BUIC	Cole Information
2010	RANDY ALBRIGHT	Cole Information
	TERRANCE WISE	Cole Information
	MARVIN WILLIAMS	Cole Information
	MARILYN JACKSON	Cole Information
	PATRICIA MOREL	Cole Information
	GERARDO HIDALGO	Cole Information
2005	Albright Randy	Hill-Donnelly Corporation
	Williams Vee	Hill-Donnelly Corporation
	CYNTHIA CRUZ	Cole Information

Year	Uses	Source
2005	RAYMOND ROJAS	Cole Information
	RASHID KING	Cole Information
	VICTOR APONTE	Cole Information
	EDWIN MEDINA	Cole Information
	GERARDO HIDALGO	Cole Information
2000	PLINIO NAVARRETE	Cole Information
	PLINIO NAVARRETE	Cole Information
1997	NAVARRETE Primitiva	NYNEX
1992	NAVARRETE, PLINIO	Cole Information
1976	SANDERMEIER C	New York Telephone
1965	Williams Jos	New York Telephone
1960	GUAGLIANO MICHL	New York Telephone
	Guagliano Michl	New York Telephone Company
1934	NELSON NELS P INC NELS P NELSON PRES FLOORS	R. L. Polk & Co.
1928	NELSON NELS P PARQUT FLRNG	New York Telephone

2928 ATLANTIC AVE

Year	Uses	Source
2020	RICOCHIM I	EDR Digital Archive
	NARCISO RODRIGUEZ	EDR Digital Archive
	AMANDA RODRIGUEZ	EDR Digital Archive
	ELIZABETH CLAVELL	EDR Digital Archive
	ALICIA COLON	EDR Digital Archive
2017	RICOCHIM I	Cole Information
	FISH & WINGS	Cole Information
2014	FISH & WINGS	Cole Information
2010	FISH & WINGS	Cole Information
2005	Garcias Travel & Multi Svc	Hill-Donnelly Corporation
	Lucy Communications Corp	Hill-Donnelly Corporation
	h Reyes Teofilo	Hill-Donnelly Corporation
2000	TEOFILO REYES	Cole Information
	GRRR ENV DE VRS	Cole Information
	LUCY CMMNCTNS CRP	Cole Information

FINDINGS

Year	Uses	Source
2000	LUCY COMMUNICATIONS CORP	Cole Information
	GUERRERO ENVIO DEVALORES INCORPORATED	Cole Information
	TEOFILO REYES	Cole Information
1997	Guerrero Envio De Valores Inc	NYNEX
	Vinicio Envio De Valores Pena	NYNEX
1995	VINICIO ENVIO DE VALORES PENA	Cole Information
1992	HIDALGO G	NYNEX Informantion Resource Co.
1976	COLON TETDORO	New York Telephone
1973	Ann & Kays Lunchnet	New York Telephone
1970	Ann & Kays Lunchnet	New York Telephone
1965	Fattys Lunchnet	New York Telephone
1960	FATTYS LUNCHNET	New York Telephone
	Fattys Lunchnet	New York Telephone Company
1949	Kirsciunas John	New York Telephone Company
1940	Scott John M	New York Telephone
1934	SCOTT JOHN M PLMBR H DO	R. L. Polk & Co.

2929 ATLANTIC AVE

Year	Uses	Source
2020	RICHIES GYM	EDR Digital Archive
2017	JOSEPH BRINTOUCH	Cole Information
	PRESTIGE FURNITURE	Cole Information
	RICHIES GYM	Cole Information
	ATLANTIC SAFETY	Cole Information
2014	JOSEPH BRINTOUCH	Cole Information
	ATLANTIC SAFETY	Cole Information
	PRESTIGE FURNITURE	Cole Information
	RICHIES GYM	Cole Information
2010	JOSEPH BRINTOUCH	Cole Information
	M J SPICES INC	Cole Information
	NEW MILLENNIUM FURN WRHSE INC	Cole Information
	RICHIES GYM	Cole Information
2005	Brintouch Joseph	Hill-Donnelly Corporation

FINDINGS

Year	Uses	Source
2005	MJ Spices Inc	Hill-Donnelly Corporation
	New Millennium Furn Wrhse Inc	Hill-Donnelly Corporation
	Richies Gym	Hill-Donnelly Corporation
	OCCUPANT UNKNOWN	Cole Information
	NEW MILLENIUM FURNITURE WAREHO	Cole Information
2000	BRINTOUCH JOSEPH	Cole Information
	SPICE UNLIMITED	Cole Information
	SPICE UNLIMITED	Cole Information
	BRINTOUCH JOSEPH	Cole Information
1985	MODERN OIL SUPPLY CO INC	NYNEX Information Resources Company
1976	ATLANTIC WIPING CLOTH CO	New York Telephone
	NY WIPING PRODS	New York Telephone
	ROTHENBERG MORRIS & SON INC	New York Telephone
	ROTHENBERG MORRIS & SON INC MILITARY GOODS	New York Telephone
1973	Atlantic Wiping Cloth Co	New York Telephone
	NY Wiping Prods	New York Telephone
	Rothenberg Morris & Son Inc	New York Telephone
	Rothenberg Morris & Son Inc military goods	New York Telephone
1970	NY Wiping Prods	New York Telephone
	Rothenberg Morris & Son exptrs	New York Telephone
1965	Atlantic Wiping Cloth Co	New York Telephone
	New York Wiping Prods	New York Telephone
	Rothenberg Morris & Son exptrs	New York Telephone
1960	POLLACK TIRE INC	New York Telephone
	Pollack Tire Inc	New York Telephone Company

2930 ATLANTIC AVE

Year	Uses	Source
2020	WESTERN UNION AGENT LOCATION	EDR Digital Archive
	VAM CHECK CASHING CORP	EDR Digital Archive
2017	VAM CHECK CASHING CORP	Cole Information
2014	VAM CHECK CASHING CORPORATION	Cole Information
2010	VAM CHECK CASHING CORP	Cole Information

FINDINGS

Year	*Uses*	*Source*
2005	Morales Annette	Hill-Donnelly Corporation
	Vam Check Cashing Corp	Hill-Donnelly Corporation
	Western Union	Hill-Donnelly Corporation
	VAM CHECK CASHING CORP	Cole Information
2000	DIANA NIEVES	Cole Information
	VAM CHK CSHNA CRP	Cole Information
	VAM CHECK CASHING CORPORATION	Cole Information
1997	Vam Check Cash Corp	NYNEX
	WESTERN UNION To Pick Up Or Send Money Transfers	NYNEX
1995	WESTERN UNION-TO PICK UP OR SEND MONEY TRANS-VAM CHECK CASH CORP	Cole Information
	VAM CHECK CASHING CORP	Cole Information
1992	WESTERN UNION-	NYNEX Informantion Resource Co.
	WESTERN UNION-CONSUMER SERVICES-TO PICK-UP OR SEND MONEY TRANS-VAM CHECK CASH CORP	Cole Information
	VAM CHECK CASHING CORP	Cole Information
1985	NAVARO V	NYNEX Information Resources Company
	VAM CHECK CASHING CORP	NYNEX Information Resources Company
1980	VAM CHECK CASHING CORP	New York Telephone
1976	VAM CHECK CASHING CORP	New York Telephone
	VILLANI VINCENZO	New York Telephone
1973	Vam Check Cashing Corp	New York Telephone
	Villani Vincenzo	New York Telephone
1970	Atiantic Auto Driving Schi	New York Telephone
1965	Atlantic Auto Driving Schl	New York Telephone
1960	ATLANTIC AUTO DRIVING SCHL	New York Telephone
	SCHROEDER CHAS W	New York Telephone
	Atlantic Auto Driving Schl	New York Telephone Company
	Schroeder Chas W	New York Telephone Company
1949	Quist Josephine Mrs	New York Telephone Company
	Schroeder Chas W	New York Telephone Company
	Soviero Jos M lw yr	New York Telephone Company

FINDINGS

Year	Uses	Source
1945	Quist A M & Son vac clnr svce	New York Telephone
1940	Quist A M	New York Telephone
1934	M & SON CONTR	R. L. Polk & Co.
1928	QUIST A M & SON ELECTRIC CONTRS	New York Telephone

2932 ATLANTIC AVE

Year	Uses	Source
2020	CHRIST CHOSEN CHURCH OF GOD	EDR Digital Archive
2017	CHRIST CHOSEN CHURCH OF GOD	Cole Information
2014	CHRIST CHOSEN CHURCH OF GOD	Cole Information
2010	ALL AMERICAN PLUMBING & HTG	Cole Information
2005	Prototype Specialties	Hill-Donnelly Corporation
2000	PROTOTYPE SPCLTS	Cole Information
	PROTOTYPE SPECIALTIES	Cole Information
1997	Prototype Specialies	NYNEX
	ORTIZ Miguel	NYNEX
1995	PROTOTYPE SPECIALTIES	Cole Information
1992	PROTOTYPE SPECIALITIES	NYNEX Informantion Resource Co.
	PROTOTYPE SPECIALTIES	Cole Information
1985	PROTOTYPE SPECIALTIES	NYNEX Information Resources Company
1960	MONROE SIGN CO INC	New York Telephone
	Monroe Sign Co Inc	New York Telephone Company

2933 ATLANTIC AVE

Year	Uses	Source
1949	Ashford Garage	New York Telephone Company
1945	Ashford Garage	New York Telephone
1940	Ashford Garage	New York Telephone
1934	ASHFORD GARAGE INC JULIUS KRAIMN PRES HARRY SEGEE SECTREA	R. L. Polk & Co.
1928	ASHFORD GARAGE	New York Telephone

2935 ATLANTIC AVE

Year	Uses	Source
2020	ELIDA PERALTA	EDR Digital Archive

FINDINGS

Year	Uses	Source
2020	MIGDALIA TIRADO	EDR Digital Archive
	MEGAN DAVILA	EDR Digital Archive
	MARTHA MEDINA	EDR Digital Archive
2017	TICIA CRUZ	Cole Information
	JOSE MARGARIGO	Cole Information
	JENNIFER CASTRO	Cole Information
	ENRIQUE MEDINA	Cole Information
2014	TICIA CRUZ	Cole Information
	MIGDALIA TIRADO	Cole Information
	SIRALUZ PERALTA	Cole Information
	ENRIQUE MEDINA	Cole Information
2010	ELLEN RANIERI	Cole Information
	MARTHA MEDINA	Cole Information
2005	h Medina Martha	Hill-Donnelly Corporation
	DERYS CUETO	Cole Information
	MARTHA MEDINA	Cole Information
2000	APARTMENTS	Cole Information
	3F SHU S LI	Cole Information
	MARTHA MEDINA	Cole Information
	MARTHA MEDINA	Cole Information
	SHU LI	Cole Information
1997	El Nuevo Cary Restaurant	NYNEX
	LI Shu Shun	NYNEX
	MEDINA Martha	NYNEX
1995	CARY RESTAURANT	Cole Information
1992	ENRIQUEZ KEVIN	NYNEX Informantion Resource Co.
	JENAO ALVIADS	NYNEX Informantion Resource Co.
	MEDINA ENRIQUE	NYNEX Informantion Resource Co.
	RANIERI M GROCER	NYNEX Informantion Resource Co.
	VESUVIUS CATERERS	NYNEX Informantion Resource Co.
	JENAO, ALVIADS	Cole Information
	ENRIQUEZ, KEVIN	Cole Information

FINDINGS

Year	Uses	Source
1992	MEDINA, ENRIQUE	Cole Information
	CARY RESTAURANT	Cole Information
	RANIERI M, GROCER	Cole Information
1985	BELMONTE MICHAEL	NYNEX Information Resources Company
	RANIERI M GROCER	NYNEX Information Resources Company
	VESUVIUS MKT GROCERY	NYNEX Information Resources Company
1980	NOTO ROSA MRS	New York Telephone
1976	COLETTA ROSARIA	New York Telephone
	GRONDA ANGEL	New York Telephone
	MACCHLAVELLI MARY	New York Telephone
	NOTO ROSE MRS	New York Telephone
	RANIERI M GROCER	New York Telephone
	VESUVIUS MKT GROCERY	New York Telephone
1973	Forgione Jennie Mrs	New York Telephone
	Greco Anthony	New York Telephone
	Macchiavelli Mary	New York Telephone
	Ranieri M grocry	New York Telephone
1970	Coletto Frank	New York Telephone
	Forgione Jennie Mrs	New York Telephone
	Greco Anthony	New York Telephone
	Ranieri M grocry	New York Telephone
	Vesuvius Mkt grocry	New York Telephone
1965	Coletto Frank	New York Telephone
	Forgione Jennie Mrs	New York Telephone
	Ranieri M grocry	New York Telephone
	Smith Kathleen A	New York Telephone
	Steffens How ard W	New York Telephone
	Vesuvius Mkt grocry	New York Telephone
1960	COLETTO FRANK	New York Telephone
	DE MARCO RALPH	New York Telephone
	MANGIAPANELLO NICHOLAS	New York Telephone
	STEFFENS HOWARD W	New York Telephone

FINDINGS

Year	Uses	Source
1960	VESUVLUS MKT GROCRY	New York Telephone
	Coletto Frank	New York Telephone Company
	De Marco Ralph	New York Telephone Company
	Mangiapanello Nicholas	New York Telephone Company
	Steffens How ard W	New York Telephone Company
	Vesuvlus Mkt grocry	New York Telephone Company
1949	Rabasca Anthony	New York Telephone Company
	Ranieri M grocry	New York Telephone Company
1945	Ranieri Frank	New York Telephone
1940	Barnes Raw don M lunch	New York Telephone
1934	JULIAN NICHOLAS BARBER H	R. L. Polk & Co.
	LAPIETRA NICHOLAS RESTR H	R. L. Polk & Co.
	OROPALLO BRIDGET CLK R	R. L. Polk & Co.

2936 ATLANTIC AVE

Year	Uses	Source
1934	RISUCCI MICHL KPR FRIENDS SCH ATLETIC FIELD H	R. L. Polk & Co.

2937 ATLANTIC AVE

Year	Uses	Source
2020	ALBERTO PERALTA	EDR Digital Archive
	LUZ MALDONADO	EDR Digital Archive
2005	Continental Restaurant	Hill-Donnelly Corporation
	JOHN ORTEGA	Cole Information
2000	CONTINENTAL RSTRNT	Cole Information
	CONTINENTAL RESTAURANT	Cole Information
1997	Linar Floor Covering	NYNEX
1985	CHARLIES BAR & RESTRNT	NYNEX Information Resources Company
1976	CHARLIES BAR & RESTRNT	New York Telephone
1973	Charlies Bar & Restrnt	New York Telephone
1970	Annunziata L	New York Telephone
	Charlies Bar & Restrnt	New York Telephone
1965	Charlies Bar & Restrnt	New York Telephone

FINDINGS

Year	Uses	Source
1960	CHARLIES BAR & RESTRNT	New York Telephone
	COPPOLA LOUIS	New York Telephone
	Charlies Bar & Restrnt	New York Telephone Company
	Coppola Louis	New York Telephone Company
1949	Charlies Bar & Restrnt	New York Telephone Company
1945	Catapano Rose M restrnt	New York Telephone
1940	Iovino C restrnt	New York Telephone
	Inzetta Anna	New York Telephone
1934	CRANDALL WM MTRMN H	R. L. Polk & Co.
	SEBASTIAN CELIA PRSR H	R. L. Polk & Co.
	SEBASTIAN CHRISTIAN DRIVER R	R. L. Polk & Co.

2939 ATLANTIC AVE

Year	Uses	Source
2020	TIFFANY MITCHELL	EDR Digital Archive
	GRETCHEU BOKILLA	EDR Digital Archive
	NELSON RIVERA	EDR Digital Archive
	JESSICA BATISTA	EDR Digital Archive
	RAHEEM TROWER	EDR Digital Archive
	NIKKIYA BETHEA	EDR Digital Archive
	JEKELA LEE	EDR Digital Archive
	JUDITH GARCIA	EDR Digital Archive
	JANET SEABRON	EDR Digital Archive
	VERONICA DOMINGUEZ	EDR Digital Archive
	FRANCISCO CRESPO	EDR Digital Archive
2017	NELSON RIVERA	Cole Information
	NIKKIYA BETHEA	Cole Information
	JUDITH GARCIA	Cole Information
	THERESA DECKER	Cole Information
2014	NIKKIYA BETHEA	Cole Information
	GERALD ESANNASON	Cole Information
	JANET SEABRON	Cole Information
	THERESA DECKER	Cole Information

FINDINGS

Year	Uses	Source
2010	JEANETTE LOPEZ	Cole Information
	SIMONE CUMMINGS	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	FRANCISCO CRESPO	Cole Information
	GUILLERMO BAEZ	Cole Information
	NARINEDATT SINGH	Cole Information
2000	GUILLERMO BAEZ	Cole Information
	I BISSONDYAL	Cole Information
	ANA MARRERO	Cole Information
	G BAEZ	Cole Information
	ANA MARRERO	Cole Information
1997	INDARDEO Bharatt	NYNEX
	INDERDEO Kowsilla	NYNEX
	LUKE S	NYNEX
1992	BIRKENFELDS MARY	NYNEX Informantion Resource Co.
	SAHADEO SATYA	NYNEX Informantion Resource Co.
	SINGH THAKURDYAL	NYNEX Informantion Resource Co.
	SINGH, THAKURDYAL	Cole Information
1985	BIRKENFELDS MARY	NYNEX Information Resources Company
	IOVINO CHAS	NYNEX Information Resources Company
1976	ANNUNZIATA RALPH	New York Telephone
	BIRKENFELDS MARY	New York Telephone
	CATAPANO JOS	New York Telephone
	IOVINO CHAS	New York Telephone
1973	Birkenfelds Mary	New York Telephone
	Iovino Chas	New York Telephone
1970	Birkenfelds Mary	New York Telephone
	Catapano Jos	New York Telephone
	Iovino Chas	New York Telephone
1965	Birkenfelds Mary	New York Telephone
	Catapano Jos	New York Telephone
	Iovino Chas	New York Telephone

FINDINGS

Year	Uses	Source
1960	BIRKENFELDS MARY	New York Telephone
	CATAPANO JOS	New York Telephone
	Birkenfelds Mary	New York Telephone Company
	Catapano Jos	New York Telephone Company

2941 ATLANTIC AVE

Year	Uses	Source
2020	SAFEGUARD SELF STORAGE	EDR Digital Archive
	JOSE LUNA	EDR Digital Archive
2017	SAFEGUARD SELF STORAGE	Cole Information
2014	SAFEGUARD SELF STORAGE	Cole Information
2010	SAFEGUARD SELF STORAGE	Cole Information
2005	Safeguard Self Storage	Hill-Donnelly Corporation
	SAFEGUARD SELF STORAGE	Cole Information
	MASTERPIECE CO INC	Cole Information
2000	A & M MFG LAMPS	Cole Information
	D SPORTSWEAR	Cole Information
	LOURDES & LOURDES	Cole Information
	MANDARIANA GMT INC	Cole Information
	MASTERPIECE CO INC	Cole Information
	SAINT MCHL SPRTWR	Cole Information
	TAVAREZ FASHION	Cole Information
	LOURDES & LOURDES FASHION	Cole Information
	MADARIANA GARMENT INCORPORATED	Cole Information
	MASTERPIECE COMPANY INCORPORATED	Cole Information
	MANDARIANA GARMENT INCORPORATED	Cole Information
	A & M MANUFACTURING LAMPS	Cole Information
	SAINT MICHAEL SPORTWEAR CORPORATION	Cole Information
	TAVAREZ FASHION	Cole Information
	D SPORTSWEAR	Cole Information
1997	A & M Mfg Lamps	NYNEX
	Bama Sewing Corp	NYNEX
	C T Sportswear	NYNEX

FINDINGS

Year	*Uses*	*Source*
1997	Estrella Velkis	NYNEX
	Jinette Fashions	NYNEX
	JINNETTE FASHION	NYNEX
	Parisi Industries Inc	NYNEX
	Peralta Rafael	NYNEX
	Rafael Osoria Genette Fashions	NYNEX
	Rafael Osoria Gevette Fashions	NYNEX
	San Miguel Sportsw ear Corp	NYNEX
	T M R Sportsw ear	NYNEX
	T M R Sportsw ear	NYNEX
1995	T M R SPORTSWEAR	Cole Information
	A & M MFG LAMPS	Cole Information
	SAN MIGUEL SPORTSWEAR CORP	Cole Information
	PARISI INDUSTRIES INC	Cole Information
	CT SPORTSWEAR	Cole Information
	C T SPORTSWEAR	Cole Information
	CUESTA FASHION INC	Cole Information
	BAMA SEWING CORP	Cole Information
1992	A & M MFG LAMPS	NYNEX Informantion Resource Co.
	B R MFG CORP	NYNEX Informantion Resource Co.
	C T SPORTSWEAR	NYNEX Informantion Resource Co.
	IDEAL COMPANY	NYNEX Informantion Resource Co.
	L & G FASHIONS	NYNEX Informantion Resource Co.
	PARISI INDUSTRIES INC	NYNEX Informantion Resource Co.
	RIC ROB SPORTSWEAR INC	NYNEX Informantion Resource Co.
	T M R SPORTSWEAR	NYNEX Informantion Resource Co.
	A & M MFG LAMPS	Cole Information
	T M R SPORTSWEAR	Cole Information
	RIC ROB SPORTSWEAR INC	Cole Information
	L & G FASHIONS	Cole Information
	PARISI INDUSTRIES INC	Cole Information
	C T SPORTSWEAR	Cole Information

FINDINGS

Year	Uses	Source
1992	STONEY ENTERPRISES INC	Cole Information
	JESTER IMPORTS	Cole Information
	R F SPORTSWEAR	Cole Information
1985	A & M MFG LAMPS	NYNEX Information Resources Company
	GREGORY SEWING CONTRACTOR	NYNEX Information Resources Company
	JOE S FASHION CORP	NYNEX Information Resources Company
	MARABERT REALTY CORP	NYNEX Information Resources Company
	MIGUELS SPORTSWEAR	NYNEX Information Resources Company
	NATIONAL FASHIONS SPORTSWEAR INC	NYNEX Information Resources Company
	PARISI INDUSTRIES INC	NYNEX Information Resources Company
	REGAL SPORTSWEAR INC	NYNEX Information Resources Company
	REGAL SPORTSWEAR INC	NYNEX Information Resources Company
	S & D SPORTSWEAR	NYNEX Information Resources Company
	Y M FASHIONS CORP	NYNEX Information Resources Company
1980	S&D TOGS	New York Telephone
	SD TOGS INC	New York Telephone
	TABERA ISRAEL	New York Telephone
1976	FOUR M MFG	New York Telephone
	MARABERT REALTY CORP	New York Telephone
	OAKLAND FUR DYEING CO INC	New York Telephone
	S & S CHILDRENS APPARL INC	New York Telephone
1973	Marabert Realty Corp	New York Telephone
	Marabert Realty Corp	New York Telephone
	Oakland Fur Dyeing Co Inc	New York Telephone
	S & S Childrens Apparl Inc	New York Telephone
1970	Atlantic Thread Co Inc	New York Telephone
	Furno Sportsw r Inc	New York Telephone
	Marabert Realty Corp	New York Telephone
	Marabert Realty Corp	New York Telephone
	Oakland Fur Dyeing Co Inc	New York Telephone
	RDK Knitting Mills Inc	New York Telephone
	S & S Childrens Apparl Inc	New York Telephone

FINDINGS

Year	Uses	Source
1965	Eastern Thread Mills	New York Telephone
	Key Garmnts Inc	New York Telephone
	Marabert Realty Corp	New York Telephone
	Marabert Realty Corp	New York Telephone
	Oakland Fur Dyeing Co Inc	New York Telephone
	RDK Knitting Mills Inc	New York Telephone
	S & S Childrens Apparl Inc	New York Telephone
	Seal Rite Plastics Corp	New York Telephone
1960	ABC RUBBR SPECIALTIES CO INC	New York Telephone
	LIDO DRESS CO	New York Telephone
	LION J B CORP	New York Telephone
	MARABERT REALTY CORP	New York Telephone
	OAKLAND FUR DYEING CO INC	New York Telephone
	R D K KNITTING MILLS INC	New York Telephone
	S & S APPAREL CHILDRNS WR	New York Telephone
	ABC Rubbr Specialties Co Inc	New York Telephone Company
	Lido Dress Co	New York Telephone Company
	Lion J B Corp	New York Telephone Company
	Marabert Realty Corp	New York Telephone Company
	OAKES PONTIAC CO Sales & Show rm	New York Telephone Company
	Oakland Fur Dyeing Co Inc	New York Telephone Company
	R D K Knitting Mills Inc	New York Telephone Company
	S & S Apparel childrns w r	New York Telephone Company
1949	ABC Rubber Specialties Co	New York Telephone Company
	Alice Blouse Co	New York Telephone Company
	DG & M Eastern Sportw ear Inc	New York Telephone Company
	Gelband Morris dress mfr	New York Telephone Company
	Jenath Knitw r Co	New York Telephone Company
	Jesse Sportw ear Co	New York Telephone Company
	Morris Grmnt Co	New York Telephone Company
	Oakland Fur Dyeing Co Inc	New York Telephone Company
	PC Grmnt Co	New York Telephone Company

FINDINGS

Year	*Uses*	*Source*
1945	DG & M Eastern Sportw ear Inc	New York Telephone
	Daskal & Goldglantz sportsw r	New York Telephone
	Gelband Morris dress mfr	New York Telephone
	Jenath Knitw r Co	New York Telephone
	Morris Grmnt Co	New York Telephone
	Oakland Fur Dyeing Co Inc	New York Telephone
	P C Grmnt Co	New York Telephone
1940	ABC Rubber Specialties Co Inc	New York Telephone
	Ameli Garment Co	New York Telephone
	Brow n Dress Co	New York Telephone
	D&G Sportsw r	New York Telephone
	Daskal & Goldglantz sportw r	New York Telephone
	Gelband Morris dress mfr	New York Telephone
	Jesne Sportw ear Co	New York Telephone
	Koeppel Ira drses	New York Telephone
	Morris Grmnt Co	New York Telephone
	Oakland Fur Dyeing Co Inc	New York Telephone
	PC Grmnt Co	New York Telephone
	WWW Holding Corp	New York Telephone
	Williams J D Inc fur drses & Adyers	New York Telephone
1934	BIG THREE DRESS CO INC JOS P ROSEN PRES PHILIP EPSTEIN SEC-TREAS DRESS CONT	R. L. Polk & Co.
	EPSTEIN PHILIP SEC-TREAS BIG THREC DRESS CO INC	R. L. Polk & Co.
	IRENE DRESS & SPORTWEAR CO DRESS MFRS	R. L. Polk & Co.
	DRESS MFRS	R. L. Polk & Co.
	P C GARMENT CO	R. L. Polk & Co.
	ROSEN JOS PREA BIG THREE DRESS CO INC	R. L. Polk & Co.
	UNITED LEATHER GOODS CO LEATHER GDS	R. L. Polk & Co.
1928	BERGER B CO WSTR DRSES	New York Telephone
	KAPLAN MAX KNIT GDS	New York Telephone

Year	Uses	Source
1928	KOEPPEL IRA WAISTS & DRSES	New York Telephone
	SITZMAN HARRY HSE DRESSES	New York Telephone
	WILLIAMS J D INC FUR DRSES & DYERS	New York Telephone

2950 ATLANTIC AVE

Year	Uses	Source
1960	BKLYN UNION GAS CO THE EMERGNCIES DAY OR NIGHT	New York Telephone
	BKLYN UNION GAS CO THE Emergncies Day or Night	New York Telephone Company
1949	Sales & display rooms bill payments	New York Telephone Company
	BKLYN UNION GAS CO	New York Telephone Company
1945	Blake Laundry Inc	New York Telephone
	Garage	New York Telephone
	Bklyn	New York Telephone
	Sales & display	New York Telephone
1940	Atlantic & Cleveland Garage	New York Telephone
	Bklyn Union Gas Co Bill Payments Appliance Sales & Display Rooms	New York Telephone
	Marks Garage	New York Telephone
1934	ATLANTIC & CLEVELAND GARAGE	R. L. Polk & Co.
1928	BKLYN UNION GAS CO	New York Telephone
	MARKS MEYER GARAGE	New York Telephone

ATLANTIV AVE

2941 ATLANTIV AVE

Year	Uses	Source
1934	WILLIAMS J D INC SAML R WILLIAMS PRES ALBERT D WILLIAMS SEC CLARENCE W WHI	R. L. Polk & Co.

ATLNTC

2890 ATLNTC

Year	Uses	Source
1960	Metzner John V	New York Telephone Company

FINDINGS

2935 ATLNTC

Year	Uses	Source
1960	Ranteri M grocry	New York Telephone Company

ATLNTC AC

2941 ATLNTC AC

Year	Uses	Source
1945	Jesse Sportwear Co	New York Telephone

ATLNTC AV A

2941 ATLNTC AV A

Year	Uses	Source
1960	LIDO DRESS CO	New York Telephone
	Lido Dress Co	New York Telephone Company

ATLNTC st

2939 ATLNTC st

Year	Uses	Source
1973	Annunziata Ralph	New York Telephone

CLEVELAND

302 CLEVELAND

Year	Uses	Source
1934	ORGIEIEWIEZ WALTER SHOE OPR H	R. L. Polk & Co.

JEREME

189 JEREME

Year	Uses	Source
1928	SPITZER JULIUS BLDR	New York Telephone

191 JEREME

Year	Uses	Source
1928	GLICKMAN WM V LWYR	New York Telephone
	KIEND ADOLPH C LWYR	New York Telephone

FINDINGS

JEROME

171 JEROME

Year	Uses	Source
1976	GREEN WILLIAM	New York Telephone
1960	DEVLIN EUGENE J	New York Telephone
	WITTENBERG B MRS	New York Telephone
1934	LAZAR ISIDORE MLUR R	R. L. Polk & Co.
	MONTAIBANO ANTHONY R	R. L. Polk & Co.
	MONTAIBANO FRANCES STEN R	R. L. Polk & Co.
	MONTAIBANO MICHL V INS AGT R	R. L. Polk & Co.
	MONTAIBANO VICTORIA STEN R	R. L. Polk & Co.
	WITTENBERG WM S MACH	R. L. Polk & Co.
	WITTENBERG WM S JR PRINTER R	R. L. Polk & Co.
1928	MONTALBANO F MISS R	New York Telephone
	WITTENBERG WM R	New York Telephone

173 JEROME

Year	Uses	Source
1992	MARTINEZ MIGUEL	NYNEX Informantion Resource Co.
	VALENTIN ALICIA	NYNEX Informantion Resource Co.
1985	BODRE M	NYNEX Information Resources Company
	RIQUELME V	NYNEX Information Resources Company
1976	CRONEN VERONICA P	New York Telephone
1960	BAUER BENJ	New York Telephone
	BOHN AUGUST F	New York Telephone
1934	HERMAN LILY MRS H	R. L. Polk & Co.
	WANSER ELIZ R	R. L. Polk & Co.
1928	HERRMANN L R	New York Telephone

175 JEROME

Year	Uses	Source
1980	VARGAS EPLFANIO	New York Telephone
1976	MONDESI ANGEL	New York Telephone
	VARGAS EPIFANIO	New York Telephone

FINDINGS

Year	Uses	Source
1934	BERENTZ ANNA H	R. L. Polk & Co.
	BERENTZ CHAS WTCHMKR R	R. L. Polk & Co.
	BERENTZ GEO MACH R	R. L. Polk & Co.
	SCHNEIDER H ELEV MECH H	R. L. Polk & Co.

176 JEROME

Year	Uses	Source
1928	HOUSE GEO T R	New York Telephone

177 JEROME

Year	Uses	Source
1992	PRIDHOMME MARY	NYNEX Informantion Resource Co.
1985	PIERRE L	NYNEX Information Resources Company
	PRIDHOMME MARY	NYNEX Information Resources Company
1976	BERLUCHE ENOCH	New York Telephone
	KERSAINT JOSEPH	New York Telephone
	PHILLIPPE CLAIRE PIERRE	New York Telephone
1960	RVVENTAS ANTHONY	New York Telephone
1934	BECK AGNES M STEN R	R. L. Polk & Co.
	BECK JOS R	R. L. Polk & Co.
	BECK MARY R R	R. L. Polk & Co.
	BECK SOPHIE M STEN R	R. L. Polk & Co.
	RACHEL H	R. L. Polk & Co.
	WM POLICE R	R. L. Polk & Co.
1928	ISAACS JOS R	New York Telephone

178 JEROME

Year	Uses	Source
1992	MARTINEZ S	NYNEX Informantion Resource Co.
	MONTALVO E	NYNEX Informantion Resource Co.
1985	MARTINEZ S	NYNEX Information Resources Company
1980	MARTINEZ S	New York Telephone
1976	VALENTINE E	New York Telephone
	VALENTINE SYLVESTER	New York Telephone

Year	Uses	Source
1934	RUPPERT MICHL COOPER H	R. L. Polk & Co.

179 JEROME

Year	Uses	Source
1960	VALENTINE HELEN E MRS	New York Telephone
1934	KRUPNICK IRVING CTR R	R. L. Polk & Co.

180 JEROME

Year	Uses	Source
1985	GONZALES MARY	NYNEX Information Resources Company
1960	BUCK MILDRED MRS	New York Telephone
	KAATZE HELEN	New York Telephone
1934	BELTLE ANNA R	R. L. Polk & Co.
	HOCK CONRAD IRONWKR H	R. L. Polk & Co.
	KAATZE WM CHAUF H	R. L. Polk & Co.
1928	HOCK C R	New York Telephone
	WM JR R	New York Telephone

181 JEROME

Year	Uses	Source
1934	GROBEN CHRISTINA BKPR R	R. L. Polk & Co.
	GROBEN JACOB H	R. L. Polk & Co.
	ROMMEL BARNEY CHAUF H	R. L. Polk & Co.

183 JEROME

Year	Uses	Source
1992	JEAN BAPTISTE MARIE	NYNEX Informantion Resource Co.
1976	TERMINE VINCENZO	New York Telephone
1960	ALIPERTI LEZIERI	New York Telephone
	BABCOCK JOHN F	New York Telephone
1934	HOOPER AARON CHAUF H	R. L. Polk & Co.
1928	BRADY HENRY J R	New York Telephone
	WHEELER EGBERT L JR R	New York Telephone

FINDINGS

184 JEROME

Year	*Uses*	*Source*
1992	BRYANT MARSHALL	NYNEX Informantion Resource Co.
	HOLLAND TAMMY	NYNEX Informantion Resource Co.
	WALKER DWIGHT	NYNEX Informantion Resource Co.
1985	WALKER YVONNE	NYNEX Information Resources Company
1980	WALKER YVONNE	New York Telephone
	YANCEY B	New York Telephone
1976	KAELIN LOUIS	New York Telephone
1960	YONKUS JOHN S	New York Telephone
1934	KAELIN LOUIS MARBLE WKR H	R. L. Polk & Co.

185 JEROME

Year	*Uses*	*Source*
1992	CASTILLO SILBERTE	NYNEX Informantion Resource Co.
	HAREWOOD DIANA	NYNEX Informantion Resource Co.
	NARIAN D	NYNEX Informantion Resource Co.
1976	GONZALEZ RODOLFO	New York Telephone
1960	BARISH RICHD P MRS	New York Telephone
	NUNZIATA ALFRED	New York Telephone
1934	BRADY KATH M NURSE MRS S P GOLDERGS REG FOR NURSES R	R. L. Polk & Co.
	KLEIN FREDK CHAUF H	R. L. Polk & Co.
	LITWIN MICHL FORRIER R	R. L. Polk & Co.
1928	ZOELLER HENRY R	New York Telephone

186 JEROME

Year	*Uses*	*Source*
1992	DEMPSTER GLORIA	NYNEX Informantion Resource Co.
1934	REISS HARRY HLPR R	R. L. Polk & Co.
1928	DESTASE AL TLR	New York Telephone

187 JEROME

Year	*Uses*	*Source*
1960	BOCCIO EMMANUELA	New York Telephone
	GROSSO MICHL	New York Telephone

FINDINGS

Year	Uses	Source
1934	BAKER ELIZ A R	R. L. Polk & Co.
	BETTS FREDK M STK CLK H	R. L. Polk & Co.
	THOMAS FRANK T CARRIER PO H	R. L. Polk & Co.
	UNIVERSAL UPDERGARMENT CO	R. L. Polk & Co.
1928	UNIVERSAL UNDERGARMENT CO	New York Telephone

188 JEROME

Year	Uses	Source
1976	WEIGAND ANN MRS	New York Telephone
1960	BURMESTER MARY	New York Telephone
	SCHAEFER GUS	New York Telephone
1934	BRITT LOUISA H	R. L. Polk & Co.
	JOHN METALWKR H	R. L. Polk & Co.
	HOBEIN PAULINA H	R. L. Polk & Co.
	LEFKOWITZ LUIS SLSMN R	R. L. Polk & Co.
	MCBRIDE JOS R	R. L. Polk & Co.
	MCBRIDE MARY H	R. L. Polk & Co.
	MEISTER JOS MACH H	R. L. Polk & Co.
	MILLER ADA H	R. L. Polk & Co.
	WATSON ANNIE MRS H	R. L. Polk & Co.
	WATSON PEARL M R	R. L. Polk & Co.

190 JEROME

Year	Uses	Source
1992	FARRELL GERTRUDE	NYNEX Informantion Resource Co.
	FAULK ANNETTE	NYNEX Informantion Resource Co.
	HENRIQUEZ TOMASINA	NYNEX Informantion Resource Co.
	HERNANDEZ MARTA	NYNEX Informantion Resource Co.
	ZAPATA DIGNA	NYNEX Informantion Resource Co.
1976	CORDELLA ROSALIA	New York Telephone
	MC CORMICK JEAN	New York Telephone
	PARDIO V	New York Telephone
	PASQUIS ANDRE	New York Telephone
	REKAR HELEN MRS	New York Telephone

FINDINGS

Year	Uses	Source
1976	VILLALOBOS MARIA	New York Telephone
1960	CASTELLANO LARRY	New York Telephone
	CORDELLA JOHN	New York Telephone
	CRAWFORD ARLENE	New York Telephone
	FOCHTMAN MARGARET	New York Telephone
	LA ROSA LEONARD	New York Telephone
	REKAR HELEN MRS	New York Telephone
1934	HOFFMAN GEO SHIP CLK H	R. L. Polk & Co.
	KING PHILIP R	R. L. Polk & Co.
	MAY CORA CLK R	R. L. Polk & Co.
	MAY HARRY ELECTN R	R. L. Polk & Co.
	MAY HENRY H	R. L. Polk & Co.
	MUNSON JOHN CLK H	R. L. Polk & Co.
	SLATTERY JAS AGT H	R. L. Polk & Co.
	SLATTERY JAS REFRIGERATION OPR H	R. L. Polk & Co.
1928	ANDERSON WM M R	New York Telephone
	BRAUN AUGUST JR R	New York Telephone
	MAY P R	New York Telephone

206 JEROME

Year	Uses	Source
1928	GROSS F R	New York Telephone

209 JEROME

Year	Uses	Source
1934	CARLSON EDW CLK R	R. L. Polk & Co.
	FLEBBE MARY MAID H	R. L. Polk & Co.
	HUMMEL WM (THERESA) SHOPMN H	R. L. Polk & Co.
	KEHRSS CATH OPR DRESSES H	R. L. Polk & Co.
	RYAN JAS CHAUF H	R. L. Polk & Co.
	RYAN JAS JR CHAUF R	R. L. Polk & Co.

FINDINGS

212 JEROME

Year	Uses	Source
1934	WELLS EMMA H	R. L. Polk & Co.

218 JEROME

Year	Uses	Source
1976	ESPOSITO VINCENT	New York Telephone
	FISCHL MICHL	New York Telephone
1960	FISCHL DIANE M	New York Telephone
	FISCHL MICHL	New York Telephone
1934	FISCHI MICHL FURN H	R. L. Polk & Co.
	KECLIN LOUIS H	R. L. Polk & Co.

220 JEROME

Year	Uses	Source
1992	OLEARY GRACE	NYNEX Informantion Resource Co.
1960	PICONE JAS	New York Telephone
	VISONE ANNA MRS	New York Telephone
1934	BUDION AUG H	R. L. Polk & Co.
	BUDION FREDK R	R. L. Polk & Co.
	BUDION LOUIS R	R. L. Polk & Co.
	BUDION MATTHEW R	R. L. Polk & Co.

222 JEROME

Year	Uses	Source
1992	GREEN ELOUISE B	NYNEX Informantion Resource Co.
1985	FREEMAN E	NYNEX Information Resources Company
	GREEN ELOUISE B	NYNEX Information Resources Company
1976	MARIGLIANO MARY B MRS	New York Telephone
1960	WIESENFARTH CHNS A	New York Telephone
1934	KOECHLER JOS CASH R	R. L. Polk & Co.
	KOECHLER ROSE STEN R	R. L. Polk & Co.
	KOECHLER SOPHIE MRS H	R. L. Polk & Co.
1928	ROSE MISS R	New York Telephone

FINDINGS

224 JEROME

Year	Uses	Source
1985	OTT GEORGE J	NYNEX Information Resources Company
1980	OTT GEORGE J	New York Telephone
1976	OTT GEORGE J	New York Telephone
1960	OTT EDW K UNDRTKR	New York Telephone
1934	OTT SYLVESTER CLK R	R. L. Polk & Co.
1928	OTT EDW K UNDRTKR	New York Telephone

225 JEROME

Year	Uses	Source
2017	CAPUCHIN FRIARS	Cole Information
1992	CAPUCHIN FRIARS VOCATION OFC	NYNEX Informantion Resource Co.
	ST MICHAELS CHURCH	NYNEX Informantion Resource Co.
1985	CAPUCHIN FRIARS VOCATION OFC	NYNEX Information Resources Company
	ST MICHAELS CHURCH	NYNEX Information Resources Company
1980	ST MICHAELS CHURCH	New York Telephone
1976	ST MICHAEL S BUSINESS OFC	New York Telephone
	ST MICHAEL S CHURCH	New York Telephone
1960	ST MICHAEL S CHURCH	New York Telephone
1934	BRADY LEO REV ASST RECTOR ST MICHAELS RC CHURCH CLERGYMAN	R. L. Polk & Co.
	BUTLER COLUMBAN REV PASTOR ST MICHAEL S RC CH	R. L. Polk & Co.
	COY LOUIS REV ASST RECTOR ST MICHACLS R C CH R	R. L. Polk & Co.
	FLEISHMAN JAS ASST PASTOR ST MICHAEL S C H	R. L. Polk & Co.
	NIEDHAMMER MATHEW REV ASST RECTOR ST MICHAELS RC CHURCH CLERGYMN	R. L. Polk & Co.
	REINHART CONRAD REV ASST RECTOR STMICHAEL S R C CHURCH R	R. L. Polk & Co.
	STMICHAELS ROMAN CATHOLIC CHURCH REV COLUMBAN BUTLER RECTOR	R. L. Polk & Co.

226 JEROME

Year	Uses	Source
1992	SISTERS OF ST DOMINIC	NYNEX Informantion Resource Co.

Year	Uses	Source
1985	SISTERS OF ST DOMINIC	NYNEX Information Resources Company
1976	DELVALLE JOSE	New York Telephone
1960	CORDARO SALVATORE T	New York Telephone
	GENENTZ WALTER F	New York Telephone
1934	FLIEGER ANNA OPR R	R. L. Polk & Co.
	RONAN HENRY ELEC FIXTURE OPR H	R. L. Polk & Co.
	RONAN ROSE TYPIST R	R. L. Polk & Co.
1928	RONAN GEO J R	New York Telephone

228 JEROME

Year	Uses	Source
1992	MC CANN F	NYNEX Informantion Resource Co.
	O LEARY L M	NYNEX Informantion Resource Co.
1985	MCCANN F	NYNEX Information Resources Company
	O LEARY L M	NYNEX Information Resources Company
1976	BROWN THOS	New York Telephone
	O LEARY L M	New York Telephone
1960	O LEARY CATHLEEN V	New York Telephone
	PFEUFFER L J	New York Telephone
1934	HERBST EMIL MOVING VANS	R. L. Polk & Co.
	SIDES GEO CLK H	R. L. Polk & Co.

JEROME AVE

171 JEROME AVE

Year	Uses	Source
2000	ROBERT KIRKLAND	Cole Information
	S MUNGIN	Cole Information

175 JEROME AVE

Year	Uses	Source
2000	A ALMONTE	Cole Information
	ROSANGEL GONZAFEZ	Cole Information

FINDINGS

177 JEROME AVE

Year	Uses	Source
2000	JERMAIN VICTOR	Cole Information

178 JEROME AVE

Year	Uses	Source
2000	EDUARDO MONTALVO	Cole Information

180 JEROME AVE

Year	Uses	Source
2000	DIANA ESPALZA	Cole Information
1973	Ramer L	New York Telephone
1945	Branches Shcep Hard Bay	New York Telephone

183 JEROME AVE

Year	Uses	Source
2000	JEAN GEUNE	Cole Information

188 JEROME AVE

Year	Uses	Source
2000	GLADYS ROMAN	Cole Information
1928	BERKOWITZ BENJ R	New York Telephone

190 JEROME AVE

Year	Uses	Source
2000	Y CONCEPCION	Cole Information
	RUSSELL FARRELL	Cole Information
	MARIA GARCIA	Cole Information
	BEVERLY LYDE	Cole Information
1973	Cordella Rosalia	New York Telephone
1934	MISHKEN ABR INS BROKER R413	R. L. Polk & Co.
	PIZZA VINCENT SHOE REPR H	R. L. Polk & Co.

220 JEROME AVE

Year	Uses	Source
2000	ALBERTO DEL LA	Cole Information

FINDINGS

224 JEROME AVE

Year	Uses	Source
2000	A CRUZ-GENMANIA	Cole Information

225 JEROME AVE

Year	Uses	Source
2000	CAPUCHIN FRIARS	Cole Information

228 JEROME AVE

Year	Uses	Source
2000	STEPHANIE PHILIS	Cole Information
	CARLOS A SILVA	Cole Information

JEROME H

224 JEROME H

Year	Uses	Source
1934	OTT EDW K FUNERAL DIR DO	R. L. Polk & Co.

JEROME M

190 JEROME M

Year	Uses	Source
1980	PARDIO V	New York Telephone

JEROME R

225 JEROME R

Year	Uses	Source
1934	ASST RECTOR ST MICHAELS RC CHURCH DO	R. L. Polk & Co.
	REISER FIDELIS REV ASST RECTOR STMICHAEL S RC CH DO	R. L. Polk & Co.

JEROME ST

171 JEROME ST

Year	Uses	Source
2020	LEILA THOMPSON	EDR Digital Archive

FINDINGS

Year	Uses	Source
2020	JAMIE VERNON	EDR Digital Archive
	CLIFFORD SUCHIT	EDR Digital Archive
	KEITH TURNER	EDR Digital Archive
	MARLON EDWARDS	EDR Digital Archive
	WAYNE WALDROW	EDR Digital Archive
2017	WAYNE WALDROW	Cole Information
	ROBERT KIRKLAND	Cole Information
	SHARELL ROGERS	Cole Information
2014	JERRY JONES	Cole Information
2010	SHARELL ROGERS	Cole Information
2005	Rogers Sharell	Hill-Donnelly Corporation
	ANGIE PRATT	Cole Information
	JERRY JONES	Cole Information
	ROBERT KIRKLAND	Cole Information
2000	S MUNGIN	Cole Information
	ROBERT KIRKLAND	Cole Information
1970	Lucenko Alexander	New York Telephone
1965	Devlin Eugene J	New York Telephone
	Wittenberg B Mrs	New York Telephone
1960	Devlin Eugene J	New York Telephone Company
	Wittenberg B Mrs	New York Telephone Company
1940	Wittenberg B Mrs	New York Telephone

173 JEROME ST

Year	Uses	Source
2020	MONTGOMERY STEEPLE	EDR Digital Archive
	COHN DAVID	EDR Digital Archive
2017	MONTGOMERY STEEPLE	Cole Information
	COHN DAVID	Cole Information
	ISABELLA MOORE	Cole Information
	EBONY ALLEN	Cole Information
	JULIAN STERLING	Cole Information
2014	MONTGOMERY STEEPLE	Cole Information

FINDINGS

Year	Uses	Source
2014	COHN DAVID	Cole Information
	KEISHA GRANT	Cole Information
	EBONY ALLEN	Cole Information
	KIMANI SALLEY	Cole Information
	JULIAN STERLING	Cole Information
	DAVID COHN	Cole Information
2010	COHN DAVID	Cole Information
	KEISHA GRANT	Cole Information
	KIMANI SALLEY	Cole Information
	LARRY BRAY	Cole Information
	ALBERTO MORALES	Cole Information
	DAVID CLARKE	Cole Information
2005	Allwood Brett	Hill-Donnelly Corporation
	Bray Larry	Hill-Donnelly Corporation
	Grant K v	Hill-Donnelly Corporation
	FRANCIS ANDRENE	Cole Information
	REYNALDO SALGADO	Cole Information
	BRUNSON NATHANIEL	Cole Information
	KESTON SMALLS	Cole Information
	KEISHA GRANT	Cole Information
	SEAN DACEY	Cole Information
	CLEO DANIELS	Cole Information
	RACHEIM SHOBEY	Cole Information
	NICOLE GADSON	Cole Information
	KIMANI SALLEY	Cole Information
	CLAIR MORRIN	Cole Information
	NOEL MCKNEE	Cole Information
	THERESA YOUNG	Cole Information
2000	MARINO DIPRE	Cole Information
1992	DIAZ, A	Cole Information
	MARTINEZ, MIGUEL	Cole Information
1973	Spencer S	New York Telephone

FINDINGS

Year	Uses	Source
1970	Bohn J M	New York Telephone
1965	Bauer Benj	New York Telephone
	Bohn Julia M	New York Telephone
1960	Bauer Benj	New York Telephone Company
	Bohn August F	New York Telephone Company

175 JEROME ST

Year	Uses	Source
2020	JUAN RIVERA	EDR Digital Archive
	XIOMARA RIVERA	EDR Digital Archive
	SOCRATES PEREZ	EDR Digital Archive
	FELIX HERRERA	EDR Digital Archive
	JORGE RAMIREZ	EDR Digital Archive
	VICTOR LOPEZ	EDR Digital Archive
	MARIA TEJABA	EDR Digital Archive
	MARIA LOPEZ	EDR Digital Archive
	RUBEN MARTE	EDR Digital Archive
2017	DIANA LOPEZ	Cole Information
	XIOMARA RIVERA	Cole Information
	ADALGISA GARCIA	Cole Information
	WILSON GARCIA	Cole Information
	RUBEN MARTE	Cole Information
2014	MAGALY RIVERA	Cole Information
	ANDREA HERRERA	Cole Information
	MIRELLA GARCIA	Cole Information
	MARIA LOPEZ	Cole Information
2010	ROSIE GONZALES	Cole Information
	ANDREA HERRERA	Cole Information
	MARIA TEJADA	Cole Information
	RUBEN MARTE	Cole Information
	MARIA LOPEZ	Cole Information
2005	Gonzales Rosle	Hill-Donnelly Corporation
	DIANA LOPEZ	Cole Information

FINDINGS

Year	Uses	Source
2000	OCCUPANT UNKNOWN	Cole Information
1992	NUNEZ, BAUDILIA	Cole Information
1973	Kennedy Mary C Mrs	New York Telephone
1970	Kenndy Jas P	New York Telephone
1965	Kenndy Jas P	New York Telephone
	Kennedy Mary C Mrs	New York Telephone

177 JEROME ST

Year	Uses	Source
2020	PRIMITIUA NAVARRETE	EDR Digital Archive
	MARCUS TELESFORD	EDR Digital Archive
	KEVIN NAVARRETE	EDR Digital Archive
	GERARD PRUDHOMME	EDR Digital Archive
	MARIE PRIDHOMME	EDR Digital Archive
2017	GERARD PRUDHOMME	Cole Information
2014	MARY PRIDHOMME	Cole Information
	GERARD PRUDHOMME	Cole Information
	IVAN NAVARRETE	Cole Information
2010	LIDIA GUZMAN	Cole Information
	CARLOS GUEVARA	Cole Information
	PLINIO NAVARRETE	Cole Information
2005	Navarrete Plinio	Hill-Donnelly Corporation
	JERMAIN VICTOR	Cole Information
	MARY PRIDHOMME	Cole Information
	P GAURYS	Cole Information
	PAUL HENRICLES	Cole Information
	PLINIO NAVARRETE	Cole Information
	A OSORIO	Cole Information
2000	MARY PRIDHOMME	Cole Information
	JERMAIN VICTOR	Cole Information
1997	REMY Emilia	NYNEX
	VICTOR R	NYNEX
1992	PRIDHOMME, MARY	Cole Information

FINDINGS

Year	Uses	Source
1992	KERSAINT, KARINE	Cole Information
	REMY, EMILIA	Cole Information
1973	Santino Anthony	New York Telephone
1970	Santino Anthony	New York Telephone
1965	Gaurys Bertha	New York Telephone
	Reventas Anthony	New York Telephone
1960	Rvventas Anthony	New York Telephone Company
	Reventas Algirdas A	New York Telephone Company
1949	Spanier Seymour R	New York Telephone Company
1945	Spanier Seymour R	New York Telephone
1940	Spanier Seymour R	New York Telephone

178 JEROME ST

Year	Uses	Source
2020	MORRIS HUNTER	EDR Digital Archive
	ANNETTE CASTILLO	EDR Digital Archive
	FRANCISC FABRE	EDR Digital Archive
	CHAO MENG	EDR Digital Archive
2017	CHANTAL RUSSELL	Cole Information
	CHAO MENG	Cole Information
2014	ESTRELLA GRAY	Cole Information
	CHANTAL RUSSELL	Cole Information
	MENG CHEN	Cole Information
	CHAO MENG	Cole Information
2010	D KING	Cole Information
	CHAO MENG	Cole Information
2005	King Simone	Hill-Donnelly Corporation
	D KING	Cole Information
	HELEN MOORE	Cole Information
	BRENDA COLON	Cole Information
	MORRIS HUNTERJR	Cole Information
	MENG CHEN	Cole Information
	CHAO MENG	Cole Information

FINDINGS

Year	Uses	Source
2000	EDUARDO MONTALVO	Cole Information
1997	MARTINEZ S	NYNEX
1992	MARTINEZ, S	Cole Information
	MONTALVO, E	Cole Information
1973	Beekman Mary R	New York Telephone
	Cronen Veronica P	New York Telephone
	Valentine Helen E Mrs	New York Telephone
1970	Cronen Veronica P	New York Telephone
	Valentine Helen E Mrs	New York Telephone
1965	Cronen Veronica P	New York Telephone
	Valentine Helen E Mrs	New York Telephone

179 JEROME ST

Year	Uses	Source
1960	Valentine Helen E Mrs	New York Telephone Company

180 JEROME ST

Year	Uses	Source
2020	MACIERAKOWSKA OLENA	EDR Digital Archive
	MACIERAKOWSKI KONRAD	EDR Digital Archive
	SANTO MERCED	EDR Digital Archive
	JASON HENRY	EDR Digital Archive
	MARITHA SYLVESTER	EDR Digital Archive
2017	KRZYSZTOF MACIERAKOWSKI	Cole Information
	SANTO MERCED	Cole Information
	MARITHA SYLVESTER	Cole Information
2014	BERTIN LOUIS	Cole Information
	LOUIS BERTIN	Cole Information
	ANTONINE DOSNOYERS	Cole Information
	JASON HENRY	Cole Information
2010	BERTIN LOUIS	Cole Information
	MACANTHONY DESNOYERS	Cole Information
	RICARDO JEROME	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation

FINDINGS

Year	Uses	Source
2005	BERTIN LOUIS	Cole Information
	SANTO MERCED	Cole Information
2000	DIANA ESPALZA	Cole Information
1997	BLADES A Antoinette	NYNEX
	BRATHWAITE Jespin	NYNEX
1992	NURSE, CYNTHIA	Cole Information
	CHAMBERS, ANDREA	Cole Information
1973	Kaatze Helen	New York Telephone
	Stleger Wm C	New York Telephone
1970	Kaatze Helen	New York Telephone
	Stieger Wm C	New York Telephone
1965	Buck Mildred Mrs	New York Telephone
	Kaatze Helen	New York Telephone
1960	Buck Mildred Mrs	New York Telephone Company
	Kaatze Helen	New York Telephone Company
1949	Kaatze Helen	New York Telephone Company
1945	Kaatze Helen	New York Telephone

183 JEROME ST

Year	Uses	Source
2020	JEAN GEUNE	EDR Digital Archive
	CARMEL STLAURENT	EDR Digital Archive
	MARIO JEUNE	EDR Digital Archive
	ANNE STLAURENT	EDR Digital Archive
	MARIE JEANBAPTISTE	EDR Digital Archive
	BRITTANY ALICEA	EDR Digital Archive
2017	CARMEL JEAN	Cole Information
	SANDRA RIVERA	Cole Information
	MARIO JEUNE	Cole Information
2014	CARMEL JEAN	Cole Information
	SANDRA RIVERA	Cole Information
	MARIO JEUNE	Cole Information
	RENEE VOLCY	Cole Information

FINDINGS

Year	Uses	Source
2014	JEAN GENUNE	Cole Information
2010	JEAN GEUNE	Cole Information
	SANDRA RIVERA	Cole Information
	STANLEY BAPTISTE	Cole Information
	MARIO JEUNE	Cole Information
	MARIE ANNE	Cole Information
	RENEE VOLCY	Cole Information
	PIERROT JEAN	Cole Information
2005	h Geune Jean	Hill-Donnelly Corporation
	Rivera Sandra	Hill-Donnelly Corporation
	JEAN GEUNE	Cole Information
	MARIE ANNE	Cole Information
	PIERROT JEAN-BAPTISTE	Cole Information
2000	JEAN GEUNE	Cole Information
	MARIE JEANBAPTISTE	Cole Information
1997	PRESMY Penal	NYNEX
1992	JEAN BAPTISTE, MARIE	Cole Information
1973	Termine Vincenzo	New York Telephone
1970	Napolitano Aniello	New York Telephone
	Termine Vincenzo	New York Telephone
1965	Aliperti Leziere contr	New York Telephone
	Termine Vincenzo	New York Telephone
1960	Aliperti Lezieri	New York Telephone Company
	Babcock John F	New York Telephone Company
1949	Horsting Philip J	New York Telephone Company
	Largotta Jean	New York Telephone Company
1945	Horsting Philip J	New York Telephone

184 JEROME ST

Year	Uses	Source
2020	RAYSHMOUTIE HANOOMAN	EDR Digital Archive
	MAHADEO HANOOMAN	EDR Digital Archive
	RAJIV HANOOMAN	EDR Digital Archive

FINDINGS

Year	Uses	Source
2020	SHEILA JONES	EDR Digital Archive
2017	RAYSHMOUTIE HANOOMAN	Cole Information
	JACKIE MCGUIRE	Cole Information
	CURT WALKER	Cole Information
2014	RAYSHMOUTIE HANOOMAN	Cole Information
	JENNY LAWRENCE	Cole Information
2010	RAYSHMOUTIE HANOOMAN	Cole Information
	JENNY LAWRENCE	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	DAVID DOWNER	Cole Information
	JOHN WASHINGTON	Cole Information
	TIRAS GOODWIN	Cole Information
	CURT WALKER	Cole Information
	SHEILA JONES	Cole Information
2000	DAVID DOWNER	Cole Information
	DWIGHT WALKER	Cole Information
1997	WALKER Dwight	NYNEX
1992	BRYANT, MARSHALL	Cole Information
	WALKER, DWIGHT	Cole Information
	MYRIE, RICARDO	Cole Information
1973	Kaelin Louis	New York Telephone
	Meyer John	New York Telephone
1970	Kaelin Louis	New York Telephone
	Meyer John	New York Telephone
1965	Kaelin Louis	New York Telephone
	Yonkus John S	New York Telephone
1960	Yonkus John S	New York Telephone Company
1949	Kaelin Louis	New York Telephone Company

185 JEROME ST

Year	Uses	Source
2020	MARLON VELETTE	EDR Digital Archive
	ANDRY RAMIREZ	EDR Digital Archive

Year	Uses	Source
2020	SHAHEED SHAHABHADEEN	EDR Digital Archive
2017	ALEJANDRO PENA	Cole Information
	MARLON VELETTE	Cole Information
	KEITH PINHEIRO	Cole Information
2014	MARLON VELETTE	Cole Information
2010	MARRLON VELETTE	Cole Information
2005	Richardson M	Hill-Donnelly Corporation
	HARJUNE HULASIYA	Cole Information
2000	OCCUPANT UNKNOWN	Cole Information
1992	CASTILLO, SILBERTE	Cole Information
1970	Gernia Carmello	New York Telephone
1965	Brown Bruce G	New York Telephone
1960	Barish Richd P Mrs	New York Telephone Company
	Nunziata Alfred	New York Telephone Company

186 JEROME ST

Year	Uses	Source
2020	KEVIN GAMBLE	EDR Digital Archive
	RAYSHMOUTIE HANOOMAN	EDR Digital Archive
	MAHADEO HANOOMAN	EDR Digital Archive
2017	KEVIN GAMBLE	Cole Information
	ROSEMARY CORNELIUS	Cole Information
	RAYSHMOUTIE HANOOMAN	Cole Information
2014	ROSEMARY CORNELIUS	Cole Information
	HANOOMAN MAHADEO	Cole Information
2010	MAHADEO HANOOMAN	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	PAMELA ODLE	Cole Information
2000	PAMELA ODLE	Cole Information
1992	DEMPSTER, GLORIA	Cole Information

187 JEROME ST

Year	Uses	Source
1973	Palagye V	New York Telephone

FINDINGS

Year	Uses	Source
1970	Palagye V	New York Telephone
1965	Boccio Alfonso S	New York Telephone
	Boccio Emmanuela	New York Telephone
1960	Boccio Emmanuela	New York Telephone Company
	Grosso Michl	New York Telephone Company

188 JEROME ST

Year	Uses	Source
2020	MARISELA RODRIGUEZ	EDR Digital Archive
	CHENAISIA SMITH	EDR Digital Archive
	DANIEL GOMEZ	EDR Digital Archive
	SHAMAYAH VERNON	EDR Digital Archive
	ANAIS RODRIGUEZ	EDR Digital Archive
	ESTHER VERNON	EDR Digital Archive
	CHELSEA BERRY	EDR Digital Archive
	LAWRENCE MILLER	EDR Digital Archive
	FAITH HARDY	EDR Digital Archive
	BRANDI BAXTER	EDR Digital Archive
	THERESE VERNON	EDR Digital Archive
2017	MARINA ESPINAL	Cole Information
	ANGELA RODRIGUEZ	Cole Information
	CHELSEA BERRY	Cole Information
2014	MARISELA RODRIGUEZ	Cole Information
	MARINA ESPINAL	Cole Information
	ESTHER VERNON	Cole Information
	FAITH HARDY	Cole Information
	LAWRENCE MILLER	Cole Information
	MARY TAYLOR	Cole Information
2010	ESTHER VERNON	Cole Information
	M ESPINAL	Cole Information
	MARY TAYLOR	Cole Information
2005	Cobbs Alice	Hill-Donnelly Corporation
	h Taylor Mary	Hill-Donnelly Corporation

FINDINGS

Year	Uses	Source
2005	Vernon Esther	Hill-Donnelly Corporation
	ALICE COBBS	Cole Information
	EMMANUEL LOPEZ	Cole Information
	ESTHER VERNON	Cole Information
	LAWRENCE MILLER	Cole Information
	MARY TAYLOR	Cole Information
	SYLVIA TREZEVANT	Cole Information
2000	GLADYS ROMAN	Cole Information
1973	Barker Ethelbert	New York Telephone
	Weigand Ann Mrs	New York Telephone
1970	Martinez Sonia Mrs	New York Telephone
	Napoletane Stefanina	New York Telephone
	Weigand Ann Mrs	New York Telephone
1965	Burmester Mary	New York Telephone
	Garfield Howard	New York Telephone
	Schaefer Gus	New York Telephone
1960	Burmester Mary	New York Telephone Company
	Schaefer Gus	New York Telephone Company
1949	Garfield Howard	New York Telephone Company

190 JEROME ST

Year	Uses	Source
2020	JASMINE ALLEN	EDR Digital Archive
	WANDA SANCHEZ	EDR Digital Archive
	CHRISTOPHER ALLEN	EDR Digital Archive
	MECOLE WILLIAMS	EDR Digital Archive
	EDWIN MONTES	EDR Digital Archive
	MARCELLA ALLEN	EDR Digital Archive
	MAHALIA ALLEN	EDR Digital Archive
	SHAKANDA RAY	EDR Digital Archive
	GINCETH VASQUEZ	EDR Digital Archive
	EBONY HAZEL	EDR Digital Archive
	MARIELA KINGWEBB	EDR Digital Archive

FINDINGS

Year	Uses	Source
2020	NANCY ALLEN	EDR Digital Archive
	VERNAL SANCHEZ	EDR Digital Archive
	IMANI ALLEN	EDR Digital Archive
	TANYA DUNLAP	EDR Digital Archive
	IDSAMALLY ROSAS	EDR Digital Archive
	ANDRES SANCHEZ	EDR Digital Archive
	ANDREA ROMERO	EDR Digital Archive
	EDWARD NIXON	EDR Digital Archive
	NORMAN CLARKE	EDR Digital Archive
	JUSTIN SMITH	EDR Digital Archive
	WILMARIE MORALES	EDR Digital Archive
	ELIJAS ANTHONY	EDR Digital Archive
	MICHELLE CLARKE	EDR Digital Archive
	JAZMIN SANCHEZ	EDR Digital Archive
	NAQUAN MAXWELL	EDR Digital Archive
	IMAYA GIBBS	EDR Digital Archive
	MARIE SHARPE	EDR Digital Archive
	STACEY GIBBS	EDR Digital Archive
	CARL FRANK	EDR Digital Archive
	RAMONA CHARLES	EDR Digital Archive
	SHEENA FRANKLIN	EDR Digital Archive
2017	EDWIN CACHOLA	Cole Information
	TREAVA GRANTHAM	Cole Information
	MECOLE WILLIAMS	Cole Information
	VERNAL SANCHEZ	Cole Information
	IVORY GIBBS	Cole Information
	IDSAMALLY ROSAS	Cole Information
	NORMAN CLARKE	Cole Information
	ISAIAH ALLEN	Cole Information
	SHONDA DAVIS	Cole Information
2014	CLITARASONDRIA TWOLIP	Cole Information
	MELISSA QUINONES	Cole Information

FINDINGS

Year	Uses	Source
2014	RICHARD DERRICK	Cole Information
	IDSAMALLY ROSAS	Cole Information
	EDWARD NIXON	Cole Information
	NAKEISHA BELGRAVE	Cole Information
	ANITA GARNETT	Cole Information
	HARLINE JEANTY	Cole Information
	FREDA HINES	Cole Information
	DONNA HOLLAND	Cole Information
	CARL FRANK	Cole Information
2010	EDWIN CACHOLA	Cole Information
	LIZMARIE MOLINA	Cole Information
	TONYA BROWN	Cole Information
	LIZET TORRES	Cole Information
	FLORENCE STEELE	Cole Information
	DONNA HOLLAND	Cole Information
	HARLINE JEANTY	Cole Information
2005	Brown Tonya	Hill-Donnelly Corporation
	Jacobowitz Mendel	Hill-Donnelly Corporation
	Morales Wilmarie y o	Hill-Donnelly Corporation
	JAHAYAR ROBLES	Cole Information
	KELBIN JOHNSON	Cole Information
	JOANNE SMITH	Cole Information
	EDWIN MONTES	Cole Information
	IRAYLIZ MOLINA	Cole Information
	DANIEL SIERRA	Cole Information
	MARTA MEDINA	Cole Information
	AUDREY CURRY	Cole Information
	TONYA BROWN	Cole Information
	BERNARD BURGESS	Cole Information
2000	MARIA GARCIA	Cole Information
	RUSSELL FARRELL	Cole Information
	BEVERLY LYDE	Cole Information

FINDINGS

Year	Uses	Source
1997	CONCEPCION Yairelys	NYNEX
	GARNETT Kelly	NYNEX
	HARRIS M	NYNEX
	MCLEAN Nicole	NYNEX
	PINEIRO Francheska	NYNEX
	RIVERA Mildred	NYNEX
	SABALIER Maria	NYNEX
1992	HERNANDEZ, MARTA	Cole Information
	FAULK, ANNETTE	Cole Information
	HENRIQUEZ, TOMASINA	Cole Information
	TAYLOR, ALLEN	Cole Information
1973	Coakley Lillian	New York Telephone
	Pardio V	New York Telephone
	Pasquis Andre	New York Telephone
	Rekar Helen Mrs	New York Telephone
	Rolden David	New York Telephone
	Santos Mario	New York Telephone
1970	Basile Teresa	New York Telephone
	Coakley Lillian	New York Telephone
	Cordella Rosalia	New York Telephone
	Mantia Mary	New York Telephone
	Medina Luis	New York Telephone
	Pasquis Andre	New York Telephone
	Rekar Helen Mrs	New York Telephone
1965	Ayala Angel A	New York Telephone
	Classi Mario	New York Telephone
	Cordella Rosalia	New York Telephone
	Mansito Rolando	New York Telephone
	Mantia Mary	New York Telephone
	Rekar Helen Mrs	New York Telephone
	Tojeira Jos	New York Telephone
	Tri Boro Elec Motor Co	New York Telephone

FINDINGS

Year	Uses	Source
1960	Castellano Larry	New York Telephone Company
	Cordella John	New York Telephone Company
	Crawford Arlene	New York Telephone Company
	Fochtman Margaret	New York Telephone Company
	La Rosa Leonard	New York Telephone Company
	Rekar Helen Mrs	New York Telephone Company
1949	Cornell Jas H	New York Telephone Company
	Romanelli Dominick lunchnet	New York Telephone Company
	Taromina Rose Mrs	New York Telephone Company
1945	Sardo Giuseppi statnry	New York Telephone

201 JEROME ST

Year	Uses	Source
1970	Bolte Louis	New York Telephone
1965	Bolte Louis	New York Telephone

202 JEROME ST

Year	Uses	Source
2010	GRIGORIY SHPIGELMAN	Cole Information

218 JEROME ST

Year	Uses	Source
2020	EFRAIN RODRIGUEZ	EDR Digital Archive
	LUZ CARDONA	EDR Digital Archive
	MARILOU CARDONA	EDR Digital Archive
	ANTONIA CARDONA	EDR Digital Archive
	ISRAEL CARDONA	EDR Digital Archive
	ISABEL HERNANDEZ	EDR Digital Archive
	LYDIA CARDONE	EDR Digital Archive
2017	LUZ CARDONA	Cole Information
	ISRAEL CARDONA	Cole Information
2014	C SOLANO	Cole Information
	ISRAEL CARDONA	Cole Information
2010	ANTONIA CARDONA	Cole Information

Year	Uses	Source
2005	Na CL	Hill-Donnelly Corporation
	ANTONIA CARDONA	Cole Information
1992	HERNANDEZ, ISABEL	Cole Information
1973	Esposito Vincent	New York Telephone
	Fischl Michl	New York Telephone
1970	Fischl Michl	New York Telephone
1965	Ebert Geo	New York Telephone
	Fischl Michl	New York Telephone
1960	Fischl Diane M	New York Telephone Company
	Fischl Michl	New York Telephone Company
1949	Fischl Michl b	New York Telephone Company

220 JEROME ST

Year	Uses	Source
2020	DIANA ESTEVEZ	EDR Digital Archive
	AUTUMN LEARY	EDR Digital Archive
2017	DIANA ESTEVEZ	Cole Information
	JENNIFER GORIS	Cole Information
2014	JAMES OLEARY	Cole Information
2010	JOSEPH OLEARY	Cole Information
2005	Guzman Juaqin	Hill-Donnelly Corporation
	H Oleary Melissa	Hill-Donnelly Corporation
	JOSEPH OLEARY	Cole Information
2000	ALBERTO DELLA	Cole Information
1997	OLEARY Graca	NYNEX
1992	OLEARY, GRACE	Cole Information
1965	Visone Anna Mrs	New York Telephone
1960	Picone Jas	New York Telephone Company
	Visone Anna Mrs	New York Telephone Company

222 JEROME ST

Year	Uses	Source
2020	ISRAEL ACEVEDO	EDR Digital Archive
	FATEMA BEGUM	EDR Digital Archive

FINDINGS

Year	Uses	Source
2020	MOHAMMAD JAMAL	EDR Digital Archive
	LORI NULTY	EDR Digital Archive
2017	JOSE NUNEZ	Cole Information
2014	ELOUISE GREEN	Cole Information
2010	JAMIE NUNEZ	Cole Information
	KENIA CRUZ	Cole Information
	JAMES JENKINS	Cole Information
2005	h Green Elouise B	Hill-Donnelly Corporation
	H Nunez	Hill-Donnelly Corporation
	ELOUISE GREEN	Cole Information
2000	ELOUISE GREEN	Cole Information
1997	GREEN Elouise B	NYNEX
1992	GREEN, ELOUISE B	Cole Information
1973	Marigliano Mary B Mrs	New York Telephone
1970	Marigliano Mary B Mrs	New York Telephone
1965	Marigliano Mary B Mrs	New York Telephone
1960	Wiesenfarth Chns A	New York Telephone Company
1945	Koechler Rose Miss	New York Telephone
	Wiesenfarth Chas A	New York Telephone
1940	Koechler Rose Miss	New York Telephone
	Wiesenfarth Chan A	New York Telephone

224 JEROME ST

Year	Uses	Source
2020	JOSE NUNEZ	EDR Digital Archive
	ERNI PEREZ	EDR Digital Archive
	STEPHANIE CRUZ	EDR Digital Archive
	JONATHAN NUNEZ	EDR Digital Archive
	MERCEDES NUNEZ	EDR Digital Archive
2017	RICARDO OGANDO	Cole Information
2014	STEVEN NEUNESZ	Cole Information
	RICARDO OGANDO	Cole Information
	REINALDO NUNEZ	Cole Information

FINDINGS

Year	Uses	Source
2010	JOSE NUNEZ	Cole Information
	CYNTHIA RAMOS	Cole Information
2005	Ogando Ricardo	Hill-Donnelly Corporation
	ALTAGRACIA CRUZ-GENMANIA	Cole Information
2000	A CRUZ-GENMANIA	Cole Information
1973	Ott George J	New York Telephone
1970	Ott Edw K undrtkr	New York Telephone
1965	Ott Edw K undrtkr	New York Telephone
1960	Ott Edw K undrtkr	New York Telephone Company
1949	Ott Edw K undrtkr	New York Telephone Company
1945	Ott Edw K undrtkr	New York Telephone
1940	Ott Edw K undrtkr	New York Telephone

225 JEROME ST

Year	Uses	Source
2020	ST MICHAEL-ST MALACHY	EDR Digital Archive
2014	CAPUCHIN FRIARS	Cole Information
2010	CAPUCHIN FRIARS	Cole Information
2005	Capuchin Friars o	Hill-Donnelly Corporation
	St Michaels Church	Hill-Donnelly Corporation
	CAPUCHIN FRIARS	Cole Information
2000	MARK JOVIC	Cole Information
1997	Capuchin Friars	NYNEX
1995	ST MICHAEL'S CHURCH	Cole Information
1992	CAPUCHIN FRIARS VOCATION OFC	Cole Information
	ST MICHAEL'S CHURCH	Cole Information
1973	St Michaels Church	New York Telephone
1970	St Michaels Church	New York Telephone
1965	St Michaels Church	New York Telephone
1960	St Michaels Church	New York Telephone Company
	ST JOHNS UNIVERSITY Bklyn Cntr	New York Telephone Company
1949	Saint Michaels Church	New York Telephone Company
	Saint Michaels Recreation Bldg Fund Campaign	New York Telephone Company

FINDINGS

Year	Uses	Source
1945	St Michaels Church	New York Telephone
1940	Capuchin Fathers	New York Telephone

226 JEROME ST

Year	Uses	Source
2017	MARLAINE ROACH	Cole Information
2014	PABLO RUANI	Cole Information
2010	S CHURCH	Cole Information
2005	St Michaels Church	Hill-Donnelly Corporation
	S CHURCH	Cole Information
1997	DEJESUS Jose	NYNEX
1992	SISTERS OF ST DOMINIC	Cole Information
1970	Brown Thos	New York Telephone
	Perillo Nellie	New York Telephone
1965	Perillo Nellie	New York Telephone
1960	Cordaro Salvatore T	New York Telephone Company
	Genentz Walter F	New York Telephone Company

228 JEROME ST

Year	Uses	Source
2020	BRENDA SANCHEZ	EDR Digital Archive
	BARZOLA ABSALON	EDR Digital Archive
	JOSE NUNEZ	EDR Digital Archive
	TEMISTOCLES DIAZ	EDR Digital Archive
	TABITHA GOMEZ	EDR Digital Archive
2017	JUAN LOPEZ	Cole Information
	TEMISTOCLES DIAZ	Cole Information
	YERITZA LUNA	Cole Information
	MILAGROS ACEVEDO	Cole Information
2014	TEMISTOCLES DIAZ	Cole Information
	YERITZA LUNA	Cole Information
	DORIS SANTIAGO	Cole Information
	JUAN RAMIREZ	Cole Information
2010	EVA VANTERPOOL	Cole Information

FINDINGS

Year	Uses	Source
2005	Nash Katherine	Hill-Donnelly Corporation
	HPhilis AA AAV	Hill-Donnelly Corporation
	KATHERINE NASH	Cole Information
	CARLOS SILVA	Cole Information
	ALFONSO PHILIS	Cole Information
	EVA VANTERPOOL	Cole Information
2000	CARLOS SILVA	Cole Information
	S PHILIS	Cole Information
1992	MCCANN, F	Cole Information
	O'LEARY, L M	Cole Information
1973	Brown Thos	New York Telephone
	OLeary L M	New York Telephone
1970	OLeary Cathleen V	New York Telephone
	Pfeuffer Patricia	New York Telephone
1965	OLeary Cathleen V	New York Telephone
	Pfeuffer L J	New York Telephone
1960	OLeary Cathleen V	New York Telephone Company
	Pfeuffer L J	New York Telephone Company
1949	Pfeuffer Jos J	New York Telephone Company

JEROME ST STE 1

190 JEROME ST STE 1

Year	Uses	Source
2020	DAWN DAVIS	EDR Digital Archive
	RUSSELL DAVIS	EDR Digital Archive

JERONME st

225 JERONME st

Year	Uses	Source
1973	Raber Roger Father	New York Telephone

FINDINGS

JERPOME ST

177 JERPOME ST

Year	*Uses*	*Source*
2000	MARY PRIDHOMME	Cole Information

184 JERPOME ST

Year	*Uses*	*Source*
2000	DAVID DOWNER	Cole Information
	DWIGHT WALKER	Cole Information

186 JERPOME ST

Year	*Uses*	*Source*
2000	PAMELA ODLE	Cole Information

222 JERPOME ST

Year	*Uses*	*Source*
2000	ELOUISE B GREEN	Cole Information

225 JERPOME ST

Year	*Uses*	*Source*
2000	CAPUCHIN FRIARS	Cole Information

WARWCK

232 WARWCK

Year	*Uses*	*Source*
1960	La Rosa Paula	New York Telephone Company

250 WARWCK

Year	*Uses*	*Source*
1949	Johnston Elston	New York Telephone Company
1945	Johnston Elston	New York Telephone
1940	Johnston Elston	New York Telephone

251 WARWCK

Year	*Uses*	*Source*
1945	Cahill Julia Mrs	New York Telephone

Year	Uses	Source
1940	Cahill Julia Mrs	New York Telephone

WARWICK

230 WARWICK

Year	Uses	Source
1992	BISHOP CLARETHA	NYNEX Informantion Resource Co.
	TOWNSEND BARBARA	NYNEX Informantion Resource Co.
1985	BISHOP CLARETHA	NYNEX Information Resources Company
	PALMER M	NYNEX Information Resources Company
1976	MUSSO STEPHEN JR	New York Telephone
	MUSSO STEPHEN J	New York Telephone
1960	DIMINO CHAS S TRUKNG	New York Telephone
	DIMINO S TRUCKG	New York Telephone
	Dimino Chas S trukng	New York Telephone Company
	Diminos Truckg	New York Telephone Company
1949	Herron John Patk	New York Telephone Company
1934	LUENGENO GUSTAVE F H	R. L. Polk & Co.
	LUENGENO RICHD R	R. L. Polk & Co.
	SANBORN LORA R	R. L. Polk & Co.

231 WARWICK

Year	Uses	Source
1992	MOORE CATHERINE	NYNEX Informantion Resource Co.
	THOMAS RUTH & LASCELLES	NYNEX Informantion Resource Co.
1985	GARRETT DORA	NYNEX Information Resources Company
	MOORE CATHERINE	NYNEX Information Resources Company
1976	ABUSO LOUIS	New York Telephone
	SIMONETTI D C	New York Telephone
1960	SCHMITT PETER	New York Telephone
	SIMONETTI DOROTHY	New York Telephone
	Schmitt Peter	New York Telephone Company
	Simonetti Dorothy	New York Telephone Company
1949	Boccio Anthony J	New York Telephone Company

Year	Uses	Source
1949	Massa Dominic	New York Telephone Company
1934	FRANZ EMMA NURSE H DO	R. L. Polk & Co.
	NEIR EMMA H	R. L. Polk & Co.

232 WARWICK

Year	Uses	Source
1976	LAROSA PAULA	New York Telephone
	RIVITUSO SAL	New York Telephone
1960	LA ROSA PAULA	New York Telephone
1949	La Rosa Paula	New York Telephone Company
1934	RIDDIE ADA L MRS R	R. L. Polk & Co.
	SWEENEY WM F INS BROKER R	R. L. Polk & Co.
	WUSTROW MAX F PHARM H	R. L. Polk & Co.

233 WARWICK

Year	Uses	Source
1985	CIRCHARO JOHN	NYNEX Information Resources Company
1976	PIOMBINE DOMINICK	New York Telephone
1960	FULLER CECELIA A	New York Telephone
	LICATA JOS A	New York Telephone
	Fuller Cecelia A	New York Telephone Company
	Licata Jos A	New York Telephone Company
1949	Gogou Thos	New York Telephone Company
	Shaughnessy Alice Miss	New York Telephone Company
1945	Gogou Thos	New York Telephone
	Shaughnessy Alice Miss	New York Telephone
1934	GOGON THOS (ELSIE) STA ENG H	R. L. Polk & Co.
	PANCOE H	R. L. Polk & Co.

234 WARWICK

Year	Uses	Source
1985	JOHNSON LEON	NYNEX Information Resources Company
1976	MANCUSO LUIGI	New York Telephone
	PROVENZANO GAETANO	New York Telephone

FINDINGS

Year	Uses	Source
1960	KENNY DONALD R	New York Telephone
	Kenny Donald R	New York Telephone Company
1945	Schworm Evelyn Miss	New York Telephone
1934	WALLET FRANK L MAITER H	R. L. Polk & Co.

236 WARWICK

Year	Uses	Source
1992	MASARACCHIA PAUL	NYNEX Informantion Resource Co.
1985	MASARACCHIA PAUL	NYNEX Information Resources Company
1976	COLLOTTA FRANCES	New York Telephone
	MASARACCHIA PAUL	New York Telephone
1960	MARRA ALFRED A	New York Telephone
	RUSSI MICHI	New York Telephone
	Marra Alfred A	New York Telephone Company
	Russi Michi	New York Telephone Company
1949	Russi Michl	New York Telephone Company
1945	Russi Michl	New York Telephone
1934	HESCH ALBERT PRINTER H	R. L. Polk & Co.
	HESCH HERBERT CLK R	R. L. Polk & Co.
	HILLENBRAND WM CARP H	R. L. Polk & Co.
	STEINHEUSER HENRY G PNTR H	R. L. Polk & Co.

237 WARWICK

Year	Uses	Source
1976	LEON CARMEN	New York Telephone
	PUGLIESE BEENNY B	New York Telephone
	PUGLIESE PAUL	New York Telephone
1960	D AMBROSIO ANGELO	New York Telephone
	PUGLIESE BENNY B	New York Telephone
	DAmbrosio Angelo	New York Telephone Company
	Pugliese Benny B	New York Telephone Company
1949	Matise Anthony S	New York Telephone Company
1945	Pugliese Paolo	New York Telephone
1934	MARSALONE H	R. L. Polk & Co.

Year	Uses	Source
1934	PUGLIESE PAUL BARBER H	R. L. Polk & Co.

239 WARWICK

Year	Uses	Source
1992	CITY FIRE EXTINGUISHER CORP	NYNEX Information Resource Co.
	NAIPAUL ROOPNARINE	NYNEX Information Resource Co.
	NAIPAUL SANDRA	NYNEX Information Resource Co.
1980	SIERRA HESTOR	New York Telephone
1976	ALAMO MONSERRATE	New York Telephone
	ARROYO SHARON	New York Telephone
1960	MURPHY J A	New York Telephone
	Murphy J A	New York Telephone Company
1949	Murphy J A	New York Telephone Company
	Perrott Wm H	New York Telephone Company
1945	Murphy J A	New York Telephone
1940	Murphy J A	New York Telephone
1934	MURPHY ARTH J BKPR R	R. L. Polk & Co.
	MURPHY ELIZ A H	R. L. Polk & Co.
	MURPHY JOHANNA A STEN R	R. L. Polk & Co.
	MURPHY THOS A R	R. L. Polk & Co.
	MURPHY WM P R	R. L. Polk & Co.

242 WARWICK

Year	Uses	Source
1992	MC GLASHIN VERONICA	NYNEX Information Resource Co.
	WHITE BEMADETTE	NYNEX Information Resource Co.
	WHITE P	NYNEX Information Resource Co.
1976	BRADY MICHL J	New York Telephone
1960	BRADY JAS E	New York Telephone
	BRADY NORA T	New York Telephone
	KENNEDY MARY C MRS	New York Telephone
	Brady Jas E	New York Telephone Company
	Brady Nora T	New York Telephone Company
	Kennedy Mary C Mrs	New York Telephone Company

FINDINGS

Year	Uses	Source
1934	CANNON JOHN J PLMBR H	R. L. Polk & Co.
	CANNON JOS J R	R. L. Polk & Co.

243 WARWICK

Year	Uses	Source
1976	SOSA L	New York Telephone
1960	HIRSCH WM J	New York Telephone
	Hirsch Wm J	New York Telephone Company
1949	Carroll Nora Mrs	New York Telephone Company
	Hirsch Muriel	New York Telephone Company
1945	Hirsch Muriel	New York Telephone
1934	D ANGELO THEO MEAT CTR H	R. L. Polk & Co.

244 WARWICK

Year	Uses	Source
1992	SHIVCHARRAN KISSOONDAI	NYNEX Informantion Resource Co.
1976	MURPHY JOHN T	New York Telephone
1960	BRADY CAROL	New York Telephone
	WELZ MARY	New York Telephone
	Brady Carol	New York Telephone Company
	Welz Mary	New York Telephone Company
1934	BALL EMMA A H	R. L. Polk & Co.
	WELZ MARY R	R. L. Polk & Co.

245 WARWICK

Year	Uses	Source
1992	COLEMAN W	NYNEX Informantion Resource Co.
	SAHADEO JAGAI	NYNEX Informantion Resource Co.
1934	BANCHBACH HENRY W LAB R	R. L. Polk & Co.
	BANCHBACH JULIA H	R. L. Polk & Co.
	EVERTS ULYSSES D SLSMN H	R. L. Polk & Co.
	INGLUABY WM MACH H	R. L. Polk & Co.

248 WARWICK

Year	Uses	Source
1976	DOWNES ANNA MRS	New York Telephone
1960	DOWNES ANNA MRS	New York Telephone
	Downes Anna Mrs	New York Telephone Company
1949	Downes Anna Mrs	New York Telephone Company
1945	Downes Anna Mrs	New York Telephone
1940	Downes Anna Mrs	New York Telephone
1934	DOWNES THOS F INSPR H	R. L. Polk & Co.
	DOWNS ANNA MRS R	R. L. Polk & Co.
	DOWNS THOS F BUS INSPR H	R. L. Polk & Co.
	LEE VINCENT F H	R. L. Polk & Co.

249 WARWICK

Year	Uses	Source
1992	BRIGLALL LENOX	NYNEX Informantion Resource Co.
1985	ELLIS LESTER	NYNEX Information Resources Company
1976	SCHWARTZ HERMAN	New York Telephone
1960	SCHWARTZ HERMAN	New York Telephone
	Schwartz Herman	New York Telephone Company
1949	Schwartz Herman	New York Telephone Company
1945	Schwartz Herman	New York Telephone
1940	Schwartz Herman	New York Telephone
1934	HERZNG JOHN DRIVER H	R. L. Polk & Co.
	SCHWARTZ HERMAN CLK R	R. L. Polk & Co.

250 WARWICK

Year	Uses	Source
1992	AHMED MOHIUDDIN	NYNEX Informantion Resource Co.
	ARJUNE ROOKMIN	NYNEX Informantion Resource Co.
	BASSIT BICKRAM	NYNEX Informantion Resource Co.
1976	EAGLESTON CATHERINE MRS	New York Telephone
1960	EAGLESTON CATHERINE MRS	New York Telephone
	Eagleston Catherine Mrs	New York Telephone Company
1934	JOHNSTON ELSTON E SLSMN H	R. L. Polk & Co.

Year	Uses	Source
1934	JOHNSTON ELSTON E STUDENT R	R. L. Polk & Co.
	JOHNSTON EVELYN PHYS TRAINING INSTRUCTOR R	R. L. Polk & Co.
	JOHNSTON LILLIAN STEN R	R. L. Polk & Co.

251 WARWICK

Year	Uses	Source
1976	ROBERTS A	New York Telephone
1960	DI PAOLO JENNIE	New York Telephone
	KORDICH ANTHONY	New York Telephone
	Di Paolo Jennie	New York Telephone Company
	Kordich Anthony	New York Telephone Company
1949	Di Paolo Louis	New York Telephone Company
1934	AHEARN ALF H STEN H	R. L. Polk & Co.
	AHERN H ALF CONFIDENTIAL SEC BD WATER SUPPLY H	R. L. Polk & Co.
	CAHILL JULIA R	R. L. Polk & Co.
	SATHER JOHN R CASH H	R. L. Polk & Co.

252 WARWICK

Year	Uses	Source
1992	PIERRE RAYMOND	NYNEX Informantion Resource Co.
1976	CANNON M F	New York Telephone
1934	CLAYTON EMMA L H	R. L. Polk & Co.
	CLAYTON JOSEPHINE R	R. L. Polk & Co.
	DISBROW ANNIE E R	R. L. Polk & Co.

254 WARWICK

Year	Uses	Source
1934	MENT CO (RTN ARCHIE AND MICHL UNDERWEAR	R. L. Polk & Co.

255 WARWICK

Year	Uses	Source
1976	BURKWOOD CHEMCL CO INC	New York Telephone
1960	BURKWOOD CHEMCL CO INC	New York Telephone

FINDINGS

Year	Uses	Source
1960	MILFORD GLASS WKS	New York Telephone
	Burkwood Chemcl Co Inc	New York Telephone Company
	Milford Glass Wks	New York Telephone Company
1934	KAATZE D W CO INC BENJ MOSKOWITZ PRES-TREAS OLGA MOSKOWITZ V-PRES-SEC CHIL	R. L. Polk & Co.
	LITTLE BO PEEP MFG CO INFANTS WEAR	R. L. Polk & Co.

283 WARWICK

Year	Uses	Source
1992	GOMEZ ROSA	NYNEX Informantion Resource Co.
1976	SEGARRA MIKE	New York Telephone
	SOTO BETSAIDA	New York Telephone
1960	D AGOSTINO CARMELA	New York Telephone
	ESPOSITO VINCENT	New York Telephone
	DAgostino Carmela	New York Telephone Company
	Esposito Vincent	New York Telephone Company
1934	DAGOSTINO MILDRED MACH OPR R	R. L. Polk & Co.
	DAGOSTINO VINCENZO REAL EST H	R. L. Polk & Co.
	R	R. L. Polk & Co.
	MILDRED R	R. L. Polk & Co.

284 WARWICK

Year	Uses	Source
1992	ROBERT F KENNEDY INCENTIVE PROGRAM	NYNEX Informantion Resource Co.
1985	ROBERT F KENNEDY INCENTIVE PROGRAM	NYNEX Information Resources Company

285 WARWICK

Year	Uses	Source
1992	LAGUERRE IDA	NYNEX Informantion Resource Co.
1985	RODRIGUEZ LUCY	NYNEX Information Resources Company
1976	FERNANDEZ VICTOR	New York Telephone
1960	PERILLO NELLIE	New York Telephone
1949	Perillo Nellie	New York Telephone Company
1934	RUDOLPH CHAUF H	R. L. Polk & Co.

Year	Uses	Source
1934	MONACO PASQUALE SORIER H	R. L. Polk & Co.

287 WARWICK

Year	Uses	Source
1992	ALDORONDO ARTURO	NYNEX Informantion Resource Co.
1985	BOYCE GRACE	NYNEX Information Resources Company
1976	BOYCE GRACE	New York Telephone
1960	BOYCE GRACE	New York Telephone
	BROWN CATHERINE E	New York Telephone
	WILLIAMS OPHELIA	New York Telephone
	Boyce Grace	New York Telephone Company
	Brown Catherine E	New York Telephone Company
	Williams Ophelia	New York Telephone Company
1934	DEPRIMA ANGELINA DRESS OPR R	R. L. Polk & Co.
	DEPRIMA F HLPR R	R. L. Polk & Co.
	DEPRIMA JACOB LAB H	R. L. Polk & Co.
	DEPRIMA SALVATORE MACH R	R. L. Polk & Co.

288 WARWICK

Year	Uses	Source
2017	CITY OF NEW YORK	Cole Information

289 WARWICK

Year	Uses	Source
1985	GENAO JUAN	NYNEX Information Resources Company
	PERALTA ANTIONTO	NYNEX Information Resources Company
	PEREZ DIDGENES	NYNEX Information Resources Company
1976	GARCIA A E	New York Telephone
	OYARZABAL MYRNA	New York Telephone
	SIMON JEANNE	New York Telephone
1960	KAPPERIER MARIE J	New York Telephone
	Kapperimier Marie J	New York Telephone Company
1949	Monte Michl J	New York Telephone Company
1934	GREFIG LOUIS SPLICER H	R. L. Polk & Co.

FINDINGS

Year	Uses	Source
1934	SCHOENACHER JOS H	R. L. Polk & Co.
	SCHOENACHER MARY STEN R	R. L. Polk & Co.
	STRICKROTH HELEN CLK R	R. L. Polk & Co.
	STRICKROTH JOHN SLSMN H	R. L. Polk & Co.

293 WARWICK

Year	Uses	Source
1960	BARONE JOHN	New York Telephone
	SPINELLO SALVATORE	New York Telephone
	Barone John	New York Telephone Company
	Spinello Salvatore	New York Telephone Company
1949	Englese Jos	New York Telephone Company
1934	AMBROSIO CIRO BARBER H	R. L. Polk & Co.
	BARONE JOHN MACH OPR H	R. L. Polk & Co.
	CARUSO JOS BARBER H	R. L. Polk & Co.
	DAMIAN JOHN A SLA ENG H	R. L. Polk & Co.
	DONATO DOMINICK LAB H	R. L. Polk & Co.
	PAONI CARRIE H	R. L. Polk & Co.
	VENEZINO JOS WINDOW CLNR H	R. L. Polk & Co.

295 WARWICK

Year	Uses	Source
1934	BROWN GEO SIGN PNTR H	R. L. Polk & Co.
	PETTIT JOHN S H	R. L. Polk & Co.

297 WARWICK

Year	Uses	Source
1934	BEAL CATH MRS H	R. L. Polk & Co.
	ERCKE CHAS ST CLNR R	R. L. Polk & Co.
	ERCKE MARIAN H	R. L. Polk & Co.
	FOSTER CATH MRS H	R. L. Polk & Co.
	HARRON EDNA CLK R	R. L. Polk & Co.
	HARRON MARGT H	R. L. Polk & Co.
	KOCH GEO LOADER R	R. L. Polk & Co.

Year	Uses	Source
1934	SULLIVAN JOHN F PLMBR H	R. L. Polk & Co.

301 WARWICK

Year	Uses	Source
1934	BURKE ARTH E AUTO MECH H	R. L. Polk & Co.
	DENNINGER JOHN SHOE OPR H	R. L. Polk & Co.
	DENNINGER MICHL LAB R	R. L. Polk & Co.
	DENNINGER THOS SHOE OPR R	R. L. Polk & Co.
	MITCHELL THOS (MARGT) CHAUF H	R. L. Polk & Co.

303 WARWICK

Year	Uses	Source
1934	LENSKY JACOB CARP H	R. L. Polk & Co.
	LENSKY JESSE STUDENT R	R. L. Polk & Co.
	ROMMEY CECELIA R	R. L. Polk & Co.
	ROMMEY CHAS SHIP CLK H	R. L. Polk & Co.
	SMITH EDW PNTR H	R. L. Polk & Co.

WARWICK AVE

233 WARWICK AVE

Year	Uses	Source
1928	PURE OIL CO	New York Telephone
	PURE OIL CO	New York Telephone
	PURE OIL CO	New York Telephone

WARWICK @

239 WARWICK @

Year	Uses	Source
1992	CITY FIRE EXTINGUISHER CORP BROOKLYN	NYNEX Informantion Resource Co.

FINDINGS

WARWICK 2356931

239 WARWICK 2356931

Year	Uses	Source
1997	HAMILTON Narcenis	NYNEX

WARWICK 2771245

243 WARWICK 2771245

Year	Uses	Source
1997	SAHADEO Jagal	NYNEX

WARWICK 327 285

249 WARWICK 327 285

Year	Uses	Source
1997	BRIGALL L	NYNEX

WARWICK 3RD FL

231 WARWICK 3RD FL

Year	Uses	Source
1934	IRIS UNDERGARMENT CO UNDERWEAR	R. L. Polk & Co.

WARWICK AVE

242 WARWICK AVE

Year	Uses	Source
1934	PEARLSALL GEO E	R. L. Polk & Co.

WARWICK ST

230 WARWICK ST

Year	Uses	Source
2020	MICHAEL PALMER	EDR Digital Archive
	CLARETHA BISHOP	EDR Digital Archive
	SHEILA BISHOP	EDR Digital Archive
2017	DRIFT DEVELOPMENT INC	Cole Information
	H CLARETHA	Cole Information

FINDINGS

Year	Uses	Source
2017	TYRONE BISHOP	Cole Information
2014	ARES AIRE	Cole Information
	H CLARETHA	Cole Information
	LATONA BACCHUS	Cole Information
2010	JOANN FEVOLA	Cole Information
	MICHAEL PALMER	Cole Information
	TERRENCE BISHOP	Cole Information
2005	H Bishop Claretha	Hill-Donnelly Corporation
	CLARETHA BISHOP	Cole Information
2000	CLARETHA BISHOP	Cole Information
	M PUMA	Cole Information
	M PUMA	Cole Information
	C BISHOP	Cole Information
1997	BISHOP Claretha	NYNEX
1992	TOWNSEND, BARBARA	Cole Information
	BISHOP, CLARETHA	Cole Information

WARWICK st

230 WARWICK st

Year	Uses	Source
1973	Diminos Truckg	New York Telephone

WARWICK ST

230 WARWICK ST

Year	Uses	Source
1973	MUSSO STEPHEN J	New York Telephone

WARWICK st

230 WARWICK st

Year	Uses	Source
1970	Dimins Truckg	New York Telephone

FINDINGS

WARWICK ST

230 WARWICK ST

Year	Uses	Source
1970	Musso Stephen J	New York Telephone

WARWICK St

230 WARWICK St

Year	Uses	Source
1965	Dimino Chas S truknq	New York Telephone
	Diminos Truckg	New York Telephone

WARWICK ST

231 WARWICK ST

Year	Uses	Source
2020	AIDA LOPEZ	EDR Digital Archive
	AIDA PEREIRA	EDR Digital Archive
	CARLOS ABREU	EDR Digital Archive
	KEVIN ROBERTS	EDR Digital Archive
	LUIS PEREIRA	EDR Digital Archive
	ELIZABETH LOPEZ	EDR Digital Archive
	PETER MOORE	EDR Digital Archive
2017	LUIS PEREIRA	Cole Information
2014	LUIS PEREIRA	Cole Information
	PETER MOORE	Cole Information
	JUSTIN ROBERTS	Cole Information
2010	LASCELL THOMAS	Cole Information
	ELIZABETH LOPEZ	Cole Information
	JUSTIN ROBERTS	Cole Information
2005	h Gonzalez A	Hill-Donnelly Corporation
	H Lopez E	Hill-Donnelly Corporation
	Pereira C	Hill-Donnelly Corporation
	ANGELA GONZALEZ	Cole Information
	ELIZABETH LOPEZ	Cole Information

FINDINGS

Year	Uses	Source
2005	LUIS PEREZA	Cole Information
2000	JACLYN AYALA	Cole Information
	CATHERINE MOORE	Cole Information
	CHRIST MOORE	Cole Information
1997	MOORE Catherine	NYNEX
	THOMAS Ruth & Laselles	NYNEX
1992	THOMAS, RUTH & LASCELLES	Cole Information
	MOORE, CATHERINE	Cole Information

WARWICK st

231 WARWICK st

Year	Uses	Source
1973	Abuso Louis	New York Telephone

WARWICK ST

231 WARWICK ST

Year	Uses	Source
1973	Simonetti D C	New York Telephone

WARWICK st

231 WARWICK st

Year	Uses	Source
1970	Abuso Leuis	New York Telephone
	Simonetti D	New York Telephone

WARWICK St

231 WARWICK St

Year	Uses	Source
1965	Abuse Louis	New York Telephone
	Simonetti D	New York Telephone

FINDINGS

WARWICK ST

232 WARWICK ST

Year	Uses	Source
2020	MICHELLE GRIMES	EDR Digital Archive
	KARIL THOMAS-KERR	EDR Digital Archive
	JUWANDI BARNEY	EDR Digital Archive
	VINCENT LANE	EDR Digital Archive
2017	DELEON BARNEY	Cole Information
2014	DELEON BARNEY	Cole Information
	MICHELLE GRIMES	Cole Information
	THOMAS KARIL	Cole Information
2010	IFALADE BARNEY	Cole Information
2005	h Barney Juw andi	Hill-Donnelly Corporation
	Lew is Karil	Hill-Donnelly Corporation
	KERR THOMAS	Cole Information
	JUWANDI BARNEY	Cole Information
	KARIL LEWIS	Cole Information
2000	L HAMBERRY	Cole Information
	L HAMBERRY	Cole Information
1997	BASLEY Rhoda	NYNEX
1992	CRUZ, CYNTHIA	Cole Information
	ROBINSON, L	Cole Information
	FLETCHER, INEZ	Cole Information
1973	La Rosa Paula	New York Telephone
	Rivituso Sal	New York Telephone

WARWICK st

232 WARWICK st

Year	Uses	Source
1970	La Rosa Paula	New York Telephone

FINDINGS

WARWICK ST

232 WARWICK ST

Year	Uses	Source
1970	Rivituso Sal	New York Telephone

WARWICK St

232 WARWICK St

Year	Uses	Source
1965	La Rosa Paula	New York Telephone

WARWICK ST

233 WARWICK ST

Year	Uses	Source
2020	TADILA RHANDOR	EDR Digital Archive
2014	MARYAM RHANDOR	Cole Information
	P LIRIANO	Cole Information
	OSIRIS PENA	Cole Information
2010	RICKEY DURSO	Cole Information
2005	h Durso Vincent V	Hill-Donnelly Corporation
	RICKEY DURSO	Cole Information
2000	OCCUPANT UNKNOWN	Cole Information

WARWICK st

233 WARWICK st

Year	Uses	Source
1973	Licata Jos A	New York Telephone
	Piombino Dominick	New York Telephone
1970	Licata Jos A	New York Telephone
	Piombino Dominick	New York Telephone

FINDINGS

WARWICK St

233 WARWICK St

Year	Uses	Source
1965	Licata Jos A	New York Telephone
	Piombino Dominick	New York Telephone

WARWICK ST

234 WARWICK ST

Year	Uses	Source
2020	VICTOR RAMOS	EDR Digital Archive
	JACQUELINE JOHNSON	EDR Digital Archive
	CYNTHIA BREWER	EDR Digital Archive
	ALFRED NICHOLSON	EDR Digital Archive
	ADOLPH JOHNSON	EDR Digital Archive
	REGGIE JONES	EDR Digital Archive
	LAKISHA CAMPBELL	EDR Digital Archive
	ALICIA NICHOLSON	EDR Digital Archive
	DOREEN JOHNS	EDR Digital Archive
2017	JACQUELINE JOHNSON	Cole Information
	ALFRED NICHOLSON	Cole Information
	LAKISH CAMPBELL	Cole Information
	LAUREN MATHURIN	Cole Information
2014	SOPHIA JOHNSON	Cole Information
	ALFRED NICHOLSON	Cole Information
2010	ALFRED NICHOLSON	Cole Information
	IAN JOHNSON	Cole Information
	ADOLPH JOHNSON	Cole Information
	EDWARD TOTTEN	Cole Information
	LAKISH CAMPBELL	Cole Information
2005	Campbell Lakisha	Hill-Donnelly Corporation
	H Johnson Adolph	Hill-Donnelly Corporation
	Johnson Ian	Hill-Donnelly Corporation
	Totten Edward	Hill-Donnelly Corporation

Year	Uses	Source
2005	ALFRED NICHOLSON	Cole Information
	SOPHIA JOHNSON	Cole Information
	ADOLPH JOHNSON	Cole Information
	JERRY JACKSON	Cole Information
	THE RIGHT WAY & CO	Cole Information
	THE RIGHT WAY CO	Cole Information
2000	ADOLPH JOHNSON	Cole Information
	ADOLPH JOHNSON	Cole Information
1973	Di Pasquale Nick	New York Telephone
	Mancuso Luigi	New York Telephone

WARWICK St

234 WARWICK St

Year	Uses	Source
1965	Mc Farland Barbara Mrs	New York Telephone

WARWICK ST

236 WARWICK ST

Year	Uses	Source
2020	PEDRO CACERES	EDR Digital Archive
	LUZ CACERNES	EDR Digital Archive
	LUISA GONZALEZ	EDR Digital Archive
	LORETTA SHEVAK	EDR Digital Archive
	DORIS GONZALEZ	EDR Digital Archive
	JOSE CORREA	EDR Digital Archive
	LIZA CACERES	EDR Digital Archive
2017	LUZ CACERNES	Cole Information
	LORETTA SHEVAK	Cole Information
	MARIELA BRANTH	Cole Information
	JOSE CORREA	Cole Information
	DORIS GONZALEZ	Cole Information
	LIZA CACERES	Cole Information
2014	LUZ CACERNES	Cole Information

FINDINGS

Year	Uses	Source
2014	LORETTA SHEVAK	Cole Information
	DORIS GONZALEZ	Cole Information
2010	PEDRO CACERES	Cole Information
	LUZ CACERNES	Cole Information
	LORETTA SHEVAK	Cole Information
	LOUIS GONZALEZ	Cole Information
	RICKY MARAJ	Cole Information
2005	H Caceres Pedro	Hill-Donnelly Corporation
	Gonzalez D	Hill-Donnelly Corporation
	h Shevak Loretta	Hill-Donnelly Corporation
	LORETTA SHEVAK	Cole Information
	JEAN BROWN	Cole Information
	RUTH CACERES	Cole Information
2000	PEDRO CACERES	Cole Information
	PEDRO CACERES	Cole Information
1997	CACERES Pedro	NYNEX
	HERNANDEZ Wendy J	NYNEX
	TORRES Marilyn	NYNEX
1992	MASARACCHIA, PAUL	Cole Information

WARWICK st

236 WARWICK st

Year	Uses	Source
1973	Masaracchia Paul	New York Telephone

WARWICK ST

236 WARWICK ST

Year	Uses	Source
1973	Collotta Frances	New York Telephone

FINDINGS

WARWICK st

236 WARWICK st

Year	Uses	Source
1970	Masaracchia Paul	New York Telephone

WARWICK St

236 WARWICK St

Year	Uses	Source
1965	Yamcek Peter	New York Telephone

WARWICK ST

237 WARWICK ST

Year	Uses	Source
2020	REINALDO CASIANO	EDR Digital Archive
	KATRINA WILLIAMS	EDR Digital Archive
	MANUEL ALMEIDA-BATALLAS	EDR Digital Archive
2017	TASHIA MCCOY	Cole Information
2014	PADILLA MAYLE	Cole Information
	ORLANDO PADILLA	Cole Information
	ROSETTA WILLIAMSBROWN	Cole Information
2010	ORLANDO PADILLA	Cole Information
	ROSETTA WILLIAMS	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	PADILLA MAYLE	Cole Information
	ROSETTA WILLIAMS	Cole Information
2000	OCCUPANT UNKNOWN	Cole Information
1997	COLON Albert	NYNEX

WARWICK st

237 WARWICK st

Year	Uses	Source
1973	Boyce Grace	New York Telephone
	Pugliese Benny B	New York Telephone

FINDINGS

WARWICK ST

237 WARWICK ST

Year	Uses	Source
1973	Pugliese Paul	New York Telephone

WARWICK st

237 WARWICK st

Year	Uses	Source
1970	Pugliese Benny B	New York Telephone

WARWICK St

237 WARWICK St

Year	Uses	Source
1965	Pugliese Benny B	New York Telephone

WARWICK ST

239 WARWICK ST

Year	Uses	Source
2020	ADESH HARRICHARAN	EDR Digital Archive
	MIGUEL MARCANO	EDR Digital Archive
	BHUMADAYE HARRYCHARAN	EDR Digital Archive
	MARVA REEFER	EDR Digital Archive
	KRYSTAL LASALLE	EDR Digital Archive
	ALFRED NICHOLSON	EDR Digital Archive
2017	KIZZY DILLARD	Cole Information
	HARRYCHARAN BHUMADA	Cole Information
	MARVA REEFER	Cole Information
	LIGHT MANAGEMENT PROPERTIES INC	Cole Information
	ESSEX CORP	Cole Information
2014	NARCENIA HAMILTON	Cole Information
	KIZZY DILLARD	Cole Information
	BHUMADAYE HARRYCHAN	Cole Information
	HARRYCHARAN BHUMADA	Cole Information

FINDINGS

Year	Uses	Source
2014	KRYSTAL LASALLE	Cole Information
	LANDELL CROMARTIE	Cole Information
	ESSEX CORPORATION	Cole Information
	LIGHT MANAGEMENT PROPERTIES INC	Cole Information
2010	ELIZABETH RIVERA	Cole Information
	EVA SIMMONS	Cole Information
	GEORGE RANKARAN	Cole Information
	RAJENDRA DASS	Cole Information
	LANDELL CROMARTIE	Cole Information
	HOMADATH SEGULAM	Cole Information
	207 ESSEX CORP	Cole Information
2005	HCromartie K	Hill-Donnelly Corporation
	Dass Rajendra	Hill-Donnelly Corporation
	Rivera Elizabeth	Hill-Donnelly Corporation
	R HERNANDEZ	Cole Information
	ELIZABETH RIVERA	Cole Information
	JAMES SYLVINCE	Cole Information
	LANDELL CROMARTIE	Cole Information
	SHIVA HARRICHARAN LLC	Cole Information
2000	K CROMARTIE	Cole Information
	K CROMARTIE	Cole Information
1992	NAIPAUL, SANDRA	Cole Information
	NAIPAUL, ROOPNARINE	Cole Information
1973	Consuelo Marta	New York Telephone

WARWICK st

239 WARWICK st

Year	Uses	Source
1970	Murphy J A	New York Telephone

FINDINGS

WARWICK St

239 WARWICK St

Year	Uses	Source
1965	Murphy J A	New York Telephone

WARWICK ST

242 WARWICK ST

Year	Uses	Source
2020	SHAKUMTALA NOORHASSAN	EDR Digital Archive
2017	BELGICA BAQUERIZO	Cole Information
	SHAKUMTALA NOORHASSAN	Cole Information
	PRISCA RANDRIAMIARISOA	Cole Information
	BRAULIO COBOS	Cole Information
2014	SHAKUMTALA NOORHASSAN	Cole Information
	DEMYEMID PEREZ	Cole Information
2010	WILLIAM MITCHELL	Cole Information
	SHAKUMTALA NOORHASSAN	Cole Information
	JAMES SYLVINCE	Cole Information
	MARY FALCONE	Cole Information
2005	Bascom Barbara	Hill-Donnelly Corporation
	Denson Robert	Hill-Donnelly Corporation
	Khan Ameena	Hill-Donnelly Corporation
	h Mitchell William	Hill-Donnelly Corporation
	WILLIAM MITCHELL	Cole Information
	HOMADATH SEGULAM	Cole Information
	DONVILLE MCGLASHIN	Cole Information
	LILIAN MORALES	Cole Information
2000	BERNADETTE WHITE	Cole Information
	BERNADE WHITE	Cole Information
1997	MC GLASHIN Veronica	NYNEX
	MCGLASHIN Veronica	NYNEX
	WHITE Burnadette	NYNEX
1992	WHITE, BERNADETTE	Cole Information

Year	Uses	Source
1992	MC GLASHIN, VERONICA	Cole Information
	ENNIS, L	Cole Information

WARWICK st

242 WARWICK st

Year	Uses	Source
1970	Brady Jas E	New York Telephone
	Brady Michl J	New York Telephone

WARWICK St

242 WARWICK St

Year	Uses	Source
1965	Brady Jas E	New York Telephone
	Brady Michl J	New York Telephone

WARWICK ST

243 WARWICK ST

Year	Uses	Source
2020	VANESSA MONTALVO	EDR Digital Archive
	MAYRA MONTALVO	EDR Digital Archive
	ADAM MONTALVO	EDR Digital Archive
	RAMONITA MONTALVO	EDR Digital Archive
2017	ADAM MONTALVO	Cole Information
2014	GISELLE ALMONTE	Cole Information
	ADAM MONTALVO	Cole Information
2010	GISELLE ALMONTE	Cole Information
	ADAM MONTALVO	Cole Information
2005	h Almonte Giselle	Hill-Donnelly Corporation
	K Montalvo CA	Hill-Donnelly Corporation
	MARIA CRUZ	Cole Information
	CARLOS MONTALVO	Cole Information
	GISELLE ALMONTE	Cole Information
2000	CARLOS MONTALVO	Cole Information

Year	Uses	Source
2000	CARLOS MONTALVO	Cole Information
1997	GONZALEZ Doris	NYNEX

WARWICK st

243 WARWICK st

Year	Uses	Source
1970	Hirsch Wm J	New York Telephone

WARWICK St

243 WARWICK St

Year	Uses	Source
1965	Hirsch Wm J	New York Telephone

WARWICK ST

244 WARWICK ST

Year	Uses	Source
2020	LORENZO COULTHURST	EDR Digital Archive
	LABRON KRIGGER	EDR Digital Archive
	MICHEAL CUMMINGS	EDR Digital Archive
	MARLYN MASON	EDR Digital Archive
	TESHAW MASON	EDR Digital Archive
2017	LORENZO COULTHURST	Cole Information
	MARYLN WILLIAMS	Cole Information
	MARLYN MASON	Cole Information
2014	LORENZO COULTHURST	Cole Information
	SHANDA DUREN	Cole Information
	MARLYN MASON	Cole Information
	MASON MARLYN	Cole Information
2010	ERIC MASON	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	LAURIEL JOHNSON	Cole Information
2000	MABLE STEVENS	Cole Information
	MABLE STEVENS	Cole Information

Year	Uses	Source
2000	K GUILFORD	Cole Information
1997	PETTWAY L	NYNEX
1992	SIMMS, JOSET	Cole Information
1973	Murphy John T	New York Telephone

WARWICK st

244 WARWICK st

Year	Uses	Source
1970	Brady Thos J	New York Telephone
	Grieve Danl	New York Telephone

WARWICK St

244 WARWICK St

Year	Uses	Source
1965	Brady Thos J	New York Telephone
	Grieve Danl	New York Telephone

WARWICK ST

244 WARWICK ST

Year	Uses	Source
1949	Ball E A Miss	New York Telephone Company
1945	Ball E A Miss	New York Telephone
1940	Ball E A Miss	New York Telephone

245 WARWICK ST

Year	Uses	Source
2020	NATASHA BLANC	EDR Digital Archive
	JOEL NELSON	EDR Digital Archive
	NICOLE NELSON	EDR Digital Archive
	DANIEL WILSON	EDR Digital Archive
	NATASHA NELSON	EDR Digital Archive
	MERLIN NELSON	EDR Digital Archive
2017	JOEL NELSON	Cole Information

FINDINGS

Year	Uses	Source
2017	MACSON BLANC	Cole Information
	DANIEL WILSON	Cole Information
	NELSON NICOLE	Cole Information
2014	JOEL NELSON	Cole Information
	SHARON WILSON	Cole Information
	CHERYL PHILBERT	Cole Information
	MACSON BLANC	Cole Information
	CELIA ALVAREZ	Cole Information
	NELSON NICOLE	Cole Information
2010	KIM TOMPKINS	Cole Information
	CHERYL PHILBERT	Cole Information
	VANESSA HERPAUL	Cole Information
2005	Tompkins Kim	Hill-Donnelly Corporation
	KIM TOMPKINS	Cole Information
2000	C A GODINEAUX JR	Cole Information
	CRAIG GODINEAUX	Cole Information
1997	ALLEN Celeste	NYNEX
1992	SAHADEO, JAGAI	Cole Information
	RAMHARACK, HEMRAJ	Cole Information
1973	Morreale Salvatore P	New York Telephone
1965	Camm Emily Mrs	New York Telephone
1949	Camm Emily Mrs	New York Telephone Company
1945	Camm Emily Mrs	New York Telephone
1940	Camm Emily Mrs	New York Telephone
	Everts May Hyde	New York Telephone

248 WARWICK ST

Year	Uses	Source
2020	YAISA JIMENEZ	EDR Digital Archive
	MANUEL MEDINA	EDR Digital Archive
	ALEX ESTEBAN	EDR Digital Archive
	LOURDES BATLLE	EDR Digital Archive
	EVELYN CASTILLO	EDR Digital Archive

Year	Uses	Source
2020	SERAFIN LEONARDO	EDR Digital Archive
	SUSANA MEDINA	EDR Digital Archive
	MANUEL SUSANA	EDR Digital Archive
2017	EVARISTO OVALLE	Cole Information
	MANUEL SUSANA	Cole Information
2014	EVARISTO OVALLE	Cole Information
	MANUEL SUSANA	Cole Information
2010	MANUEL MEDINA	Cole Information
	RAMON LEONARDO	Cole Information
2005	h Weaver Nadine	Hill-Donnelly Corporation
	ARACELIS DUVERGE	Cole Information
	TOMASINA VALDEZ	Cole Information
	MANUEL MEDINA	Cole Information
	NADINE WEAVER	Cole Information
2000	SUSANA MEDINA	Cole Information
	SUSANA MEDINA	Cole Information
1997	SCOTT B	NYNEX

WARWICK st

248 WARWICK st

Year	Uses	Source
1973	Downes Anna Mrs	New York Telephone
1970	Downes Anna Mrs	New York Telephone

WARWICK St

248 WARWICK St

Year	Uses	Source
1965	Downes Anna Mrs	New York Telephone

WARWICK ST

249 WARWICK ST

Year	Uses	Source
2020	PATRICIA DUSSARUTH	EDR Digital Archive

FINDINGS

Year	Uses	Source
2020	ABBY GILBERT	EDR Digital Archive
	RAMDULARY SURAJBALI	EDR Digital Archive
	CLAUDE A-SHACK	EDR Digital Archive
	LENOX BRIGLALL	EDR Digital Archive
2017	SANKARANAND DUSSORUTH	Cole Information
	MANTRI SURUJBALLIE	Cole Information
	SAVITRA SREKISSOON	Cole Information
	LENOX BRIGLALL	Cole Information
2014	ADMIR SAMIN	Cole Information
	SAVITRI SRIKISSOON	Cole Information
	CURT CHEONG-A-SHACK	Cole Information
	MANTRI SURUJBALLIE	Cole Information
	SAVITRA SREKISSOON	Cole Information
	LENOX BRIGLALL	Cole Information
	PARMANAND LALLBACHAN	Cole Information
	S EKISSOON	Cole Information
2010	IMAMDALI KHAL	Cole Information
	PARMANAND LALLBACHAN	Cole Information
2005	h Briglall L	Hill-Donnelly Corporation
	Khal Imamdali v O I	Hill-Donnelly Corporation
	h Lallbachan Parmanand	Hill-Donnelly Corporation
	CLAUDE CHEONG	Cole Information
	LENOX BRIGLALL	Cole Information
	PARMANAND LALLBACHAN	Cole Information
2000	L BRIGLALL	Cole Information
	A S CHEONG	Cole Information
	C CHEONG-A-SHACK	Cole Information
	CLAUDE CHEONG-A-SHACK	Cole Information
	LENOX BRIGLALL	Cole Information
1997	CHEONG Claude	NYNEX

WARWICK st

249 WARWICK st

Year	Uses	Source
1973	Schwartz Herman	New York Telephone
1970	Schwartz Herman	New York Telephone

WARWICK St

249 WARWICK St

Year	Uses	Source
1965	Schwartz Herman	New York Telephone

WARWICK ST

250 WARWICK ST

Year	Uses	Source
2020	KHEMRAJ RAMBARAN	EDR Digital Archive
	INDIRA BISNUTH	EDR Digital Archive
	ROOPNARAYAN RAMNARINE	EDR Digital Archive
	RAMSUMAHAI SONATIE	EDR Digital Archive
	INDIRA BISMAUTH	EDR Digital Archive
	DALE MANGALL	EDR Digital Archive
	GOVIND BALLADIN	EDR Digital Archive
	SOMATIE BISNAUTH	EDR Digital Archive
	PRAIMWATIE BISNAUTH	EDR Digital Archive
	SUKHRANIE BISNAUTH	EDR Digital Archive
	MEENA MICHAEL	EDR Digital Archive
2017	DALE MANGALL	Cole Information
	GOVIND BALLADIN	Cole Information
	VISHNU RAMNARINE	Cole Information
	PRAIMWATIE BISNAUTH	Cole Information
2014	DALE MANGALL	Cole Information
	ROOPNARAYAN RAMNARINE	Cole Information
	GOVIND BALLADIN	Cole Information
	PRAIMWATIE BISNAUTH	Cole Information

FINDINGS

Year	Uses	Source
2010	WENDELL MICHAEL	Cole Information
	INDIRA BISNAUTH	Cole Information
	VISHNU RAMNARINE	Cole Information
	WARWICK COMPUTER REPAIRS	Cole Information
2005	h Balladin Govind	Hill-Donnelly Corporation
	H Bisnauth Indira	Hill-Donnelly Corporation
	Bisnauth Somatie	Hill-Donnelly Corporation
	Michael Meena & Wendell	Hill-Donnelly Corporation
	Warw ick Computer Repairs	Hill-Donnelly Corporation
	KHEMRAJ RAMBARAN	Cole Information
	M MICHAEL	Cole Information
	BISNAUTH SUKHRANI	Cole Information
	GOVIND BALLADIN	Cole Information
	SPENCER PROPERTIES	Cole Information
	WARWICK COMPUTER REPAIRS	Cole Information
	RAYAN S CONSTRUCTION INC	Cole Information
2000	GOVIND BALLADIN	Cole Information
	SUKHRANI BISNAUTH	Cole Information
	GOVIND BALLADIN	Cole Information
1997	BASSIT Sucelia	NYNEX
	CHEONG Maurice	NYNEX
	MELENDEZ Osw aldo	NYNEX
1992	RAMNAUTH, MAHASRIE	Cole Information
	BASSIT, BICKRAM	Cole Information
	AKBAR, ZAMEENE	Cole Information

WARWICK st

250 WARWICK st

Year	Uses	Source
1973	Eagleston Catherine Mrs	New York Telephone
1970	Eagleston Catherine Mrs	New York Telephone

WARWICK ST

250 WARWICK ST

Year	Uses	Source
1970	Primm Robt	New York Telephone

WARWICK St

250 WARWICK St

Year	Uses	Source
1965	Cook Rose	New York Telephone
	Eagleston Catherine Mrs	New York Telephone

WARWICK ST

251 WARWICK ST

Year	Uses	Source
1973	Dadd Aixa	New York Telephone

WARWICK st

251 WARWICK st

Year	Uses	Source
1970	Possini Rosanne	New York Telephone
	Wiskotzil Robt	New York Telephone

WARWICK St

251 WARWICK St

Year	Uses	Source
1965	Kordich Anthony	New York Telephone

WARWICK ST

252 WARWICK ST

Year	Uses	Source
2020	LIZ SYLVINCE	EDR Digital Archive
	JEANNETTE SYLVINCE	EDR Digital Archive
	JAMES SYLVINCE	EDR Digital Archive

FINDINGS

Year	Uses	Source
2017	JIMMY SYLVINCE	Cole Information
2014	JIMMY SYLVINCE	Cole Information
2010	PIERRE SYLVINCE	Cole Information
2005	HSylvince P L	Hill-Donnelly Corporation
	PIERRE SYLVINCE	Cole Information
1997	ERNEST Joseph Ednes	NYNEX
	SYLVINCE Elizabeth	NYNEX
1992	PIERRE, RAYMOND	Cole Information

WARWICK st

252 WARWICK st

Year	Uses	Source
1970	Cannon M F mtl ceilgs	New York Telephone

255 WARWICK st

Year	Uses	Source
1973	Burkw ood Chemcl Co Inc	New York Telephone
1970	Burkw ood Chemcl Co Inc	New York Telephone
	Milford Glass Wks	New York Telephone

WARWICK St

255 WARWICK St

Year	Uses	Source
1965	Burkw ood Chemcl Co Inc	New York Telephone
	Milford Glass Wks	New York Telephone

WARWICK ST

255 WARWICK ST

Year	Uses	Source
1949	Atlantic Mfg Corpn	New York Telephone Company
1945	Atlantic Mfg Corpn	New York Telephone
1940	Atlantic Mfg Corpn	New York Telephone

FINDINGS

265 WARWICK ST

Year	Uses	Source
2020	PUBLIC SCHOOL 89	EDR Digital Archive
	CYPRESS HILL COMMUNITY SCHOOL	EDR Digital Archive
2017	PS 89	Cole Information
	CITY OF NEW YORK	Cole Information
	K814	Cole Information
	CYPRESS HILL COMMUNITY SCHOOL	Cole Information
2014	PS EIGHTY NINE	Cole Information
	CITY OF NEW YORK	Cole Information
	CYPRESS HILL COMMUNITY SCHOOL	Cole Information

282 WARWICK ST

Year	Uses	Source
2020	CAPUCHIN FRIARS	EDR Digital Archive
	SCOTT LEET	EDR Digital Archive
2017	SCOTT LEET	Cole Information

283 WARWICK ST

Year	Uses	Source
2020	EMILIO SOTO	EDR Digital Archive
	MARIA JARABA	EDR Digital Archive
	NICOLE SHAYLA	EDR Digital Archive
	LOURDES MEJIA	EDR Digital Archive
	ALFREDO TAVERAS	EDR Digital Archive
	JORGE BURGOS	EDR Digital Archive
	MARY MIMMONS	EDR Digital Archive
2017	GLORIA RIVERA	Cole Information
	MARY MIMMONS	Cole Information
2014	GLORIA RIVERA	Cole Information
	LOURDES MEJIA	Cole Information
2010	FELIPE MORILLO	Cole Information
	RAMONA RIVERA	Cole Information
	LOURDES MEJIA	Cole Information
	NORMA DIAZ	Cole Information

Year	Uses	Source
2010	SANTA CABRERA	Cole Information
2005	Cabrera Iralda	Hill-Donnelly Corporation
	Diaz Norma Estella	Hill-Donnelly Corporation
	HTaveras A	Hill-Donnelly Corporation
	PABLO ALMONTE	Cole Information
	GLADYS AVALO	Cole Information
	CARMEN ARTILES	Cole Information
	ELVIA RODRIGUEZ	Cole Information
	MARIA LEONARDO	Cole Information
2000	GLADYS AVALO	Cole Information
	NAKIA CHARBONIER	Cole Information
	ALFREDO TAVERAS	Cole Information
	GLADYS AVALO	Cole Information
	ALFREDO TAVERAS	Cole Information
	NAKIA CHARBONIER	Cole Information
1997	TAVERAS Alfredo	NYNEX
1992	GOMEZ, ROSA	Cole Information

WARWICK st

283 WARWICK st

Year	Uses	Source
1970	Esposito Vincent	New York Telephone

WARWICK St

283 WARWICK St

Year	Uses	Source
1965	DAgostino Carmela	New York Telephone
	Esposito Vincent	New York Telephone

WARWICK ST

284 WARWICK ST

Year	Uses	Source
2020	ST MICHACHURCH	EDR Digital Archive

FINDINGS

Year	Uses	Source
2017	ST MICHAELS CHURCH	Cole Information
2014	ST MICHAELS CHURCH	Cole Information
2010	ST MICHAELS CHURCH	Cole Information
2005	No Current Listing	Hill-Donnelly Corporation
	SAINT MICHAEL CHURCH	Cole Information
2000	ST MICHAELS CHURCH	Cole Information
	ST MICHAELS CHURCH	Cole Information
1997	Saint Michaels Church	NYNEX
1995	ROBERT F KENNEDY INCENTIVE PROGRAM	Cole Information
1992	ROBERT F KENNEDY INCENTIVE PROGRAM	Cole Information

285 WARWICK ST

Year	Uses	Source
2020	SYLVIA BURGOS	EDR Digital Archive
	MOYRA PEREZ	EDR Digital Archive
	SARA LAGUERRE	EDR Digital Archive
	JORGE BURGOS	EDR Digital Archive
	FELICIANO LAGUERRE	EDR Digital Archive
	ANGEL LAGUERRE	EDR Digital Archive
	AIDA LAGUERRE	EDR Digital Archive
2017	FELICIANO LAGUERE	Cole Information
	JORGE BURGOS	Cole Information
	ANGEL LAGUERRE	Cole Information
2014	JORGE BURGOS	Cole Information
	ANGEL LAGUERRE	Cole Information
2010	FERMIN BURGOS	Cole Information
	ANO LAGUERRE	Cole Information
2005	Feliciano Eric	Hill-Donnelly Corporation
	ANO LAGUERRE	Cole Information
2000	IDA LAGUERRE	Cole Information
1997	LAGUERRE Ida	NYNEX
1992	LAGUERRE, IDA	Cole Information
1973	Fernandez Victor	New York Telephone

Year	Uses	Source
1970	Fernandez Victor	New York Telephone

WARWICK St

285 WARWICK St

Year	Uses	Source
1965	Spadora Jas C	New York Telephone

WARWICK ST

287 WARWICK ST

Year	Uses	Source
2020	JESSICA IGLESIAS-ORTEGA	EDR Digital Archive
	DAVID GONZALEZ	EDR Digital Archive
	SINARA CALIS	EDR Digital Archive
2017	CHRISTOPHER ORTEGA	Cole Information
	ALOTA DOLLARS ENT	Cole Information
2014	MARIE ETHEART	Cole Information
	SABRINA SEGARRA	Cole Information
2010	HERBERT HARRIS	Cole Information
	CARL TWITTY	Cole Information
	LAURA HERNANDEZ	Cole Information
	SABRINA SEGARRA	Cole Information
2005	H Henera A D	Hill-Donnelly Corporation
	ANNE GAY	Cole Information
	MICHAEL RIVERA	Cole Information
	SEAN BECK	Cole Information
	MICHAEL LEWIS	Cole Information
	LAURA HERNANDEZ	Cole Information
	E PAGAN	Cole Information
2000	BIANCA DACHOUTE	Cole Information
	DAVID DACHOUTE	Cole Information
	OCCUPANT UNKNOWN	Cole Information
1997	POLLARD Cecel	NYNEX
1992	ALDORONDO, ARTURO	Cole Information

FINDINGS

WARWICK st

287 WARWICK st

Year	Uses	Source
1970	Boyce Grace	New York Telephone

WARWICK ST

287 WARWICK ST

Year	Uses	Source
1970	Gonzalez Carmen	New York Telephone

WARWICK St

287 WARWICK St

Year	Uses	Source
1965	Boyce Grace	New York Telephone

WARWICK ST

288 WARWICK ST

Year	Uses	Source
2014	CITY OF NEW YORK	Cole Information
2010	PUBLIC SCHOOL 65	Cole Information
2005	Public School	Hill-Donnelly Corporation
	PS 65 ANNEX	Cole Information
2000	NY CITY EDUCATION	Cole Information
	NEW YORK CITY OF EDUCATION	Cole Information
1995	NYC EDUCATION COMMUNITY SCHOOL BOARDS SCHOOLS-ELEMENTARY PS 65 ANNEXX	Cole Information
1992	NYC EDUCATION-COMMUNITY SCHOOL BOARDS-SCHOOLS-ELEMENTARY-PS 65 ANNEX	Cole Information

289 WARWICK ST

Year	Uses	Source
2020	SAUL SHAULI	EDR Digital Archive
	ALFREDO TAVERAS	EDR Digital Archive

FINDINGS

Year	Uses	Source
2020	ZULEIKA CRUZ	EDR Digital Archive
2017	DINORACH MATISTA	Cole Information
	ZULEIKA CRUZ	Cole Information
2014	PAMELA TAVERAS	Cole Information
	ANGEL RODRIGUEZ	Cole Information
	CARMEN ALFARO	Cole Information
	ZULEIKA CRUZ	Cole Information
2010	BRENDA LIBRAN	Cole Information
	CARMEN ALFARO	Cole Information
	HUGO ORELLANA	Cole Information
2005	h Colon Rosa I 0v	Hill-Donnelly Corporation
	Gonzalez Shaun	Hill-Donnelly Corporation
	Orellana Hugo	Hill-Donnelly Corporation
	ROSA COLON	Cole Information
	ALFREDO TAVERAS	Cole Information
	CALVIN TUCKER	Cole Information
	IRIS CANALES	Cole Information
	JESSENIA APONTE	Cole Information
	HUGO ORELLANA	Cole Information
	JENNIFER SALAS	Cole Information
2000	OLGA CRUZ	Cole Information
	JOSHUA FIGUEROA	Cole Information
	OLGA CRUZ	Cole Information
	CARMEN SIERRA	Cole Information
	JOSHUA FIGUEROA	Cole Information
1997	CRUZ Olga	NYNEX

WARWICK st

289 WARWICK st

Year	Uses	Source
1973	Kappelmeier Marie J	New York Telephone

FINDINGS

WARWICK ST

289 WARWICK ST

Year	*Uses*	*Source*
1973	Dornellas Amy	New York Telephone

WARWICK st

289 WARWICK st

Year	*Uses*	*Source*
1970	Kappelmeler John C	New York Telephone
	Kappelmeler Marle J	New York Telephone
	Sessa Lucy	New York Telephone

WARWICK St

289 WARWICK St

Year	*Uses*	*Source*
1965	Kappelmeier John C	New York Telephone
	Kappelmeier Marle J	New York Telephone

WARWICK ST

295 WARWICK ST

Year	*Uses*	*Source*
2000	IDA LAGUERRE	Cole Information

FINDINGS

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched	Address Not Identified in Research Source
171 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940
171 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
171 JEROME ST	1997, 1995, 1992, 1985, 1980, 1976, 1973, 1949, 1945, 1934, 1928
173 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940
173 JEROME ST	1997, 1995, 1985, 1980, 1976, 1949, 1945, 1940, 1934, 1928
175 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
175 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
175 JEROME ST	1997, 1995, 1985, 1980, 1976, 1960, 1949, 1945, 1940, 1934, 1928
176 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934
177 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940
177 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
177 JEROME ST	1995, 1985, 1980, 1976, 1934, 1928
177 JERPOME ST	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
178 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
178 ASHFORD ST	2020, 2017, 2014, 2010, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
178 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
178 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
178 JEROME ST	1995, 1985, 1980, 1976, 1960, 1949, 1945, 1940, 1934, 1928
179 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1980, 1976, 1973, 1970, 1965, 1945, 1940, 1934
179 ASHFORD 1ST FL	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
179 ASHFORD ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
179 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
179 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1928
179 JEROME ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
180 ASHFOID st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
180 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940
180 ASHFORD 277 397	2020, 2017, 2014, 2010, 2005, 2000, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
180 ASHFORD 827 316	2020, 2017, 2014, 2010, 2005, 2000, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
180 ASHFORD ST	1997, 1995, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
180 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
180 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
180 ASHFRD M	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
180 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940
180 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1940, 1934, 1928
180 JEROME ST	1995, 1985, 1980, 1976, 1940, 1934, 1928
181 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
182 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
182 ASHFORD ST	2017, 2000, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
182 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
182 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
182AASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
183 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1976, 1973, 1970, 1965
183 ASHFORD ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
183 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
183 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940

FINDINGS

Address Researched	Address Not Identified in Research Source
183 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
183 JEROME ST	1995, 1985, 1980, 1976, 1940, 1934, 1928
184 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
184 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1973, 1970, 1965, 1949, 1945, 1940, 1928
184 JEROME ST	1995, 1985, 1980, 1976, 1945, 1940, 1934, 1928
184 JERPOME ST	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
185 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965
185 ASHFORD ST	1995, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
185 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
185 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
185 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940
185 JEROME ST	1997, 1995, 1985, 1980, 1976, 1973, 1949, 1945, 1940, 1934, 1928
186 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1980, 1976, 1973, 1970, 1965
186 ASHFORD AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
186 ASHFORD ST	1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
186 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
186 ASHFORD ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
186 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
186 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
186 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940
186 JEROME ST	1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
186 JERPOME ST	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
187 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1973, 1970, 1965, 1949, 1945, 1940, 1928
187 ASHFORD ST	1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
187 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
187 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
187 ASHOFRD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
187 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940
187 JEROME ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1949, 1945, 1940, 1934, 1928
188 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1973, 1970, 1965, 1945, 1940
188 ASHFORD ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
188 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
188 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
188 ASHFRD AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
188 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
188 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934
188 JEROME ST	1997, 1995, 1992, 1985, 1980, 1976, 1945, 1940, 1934, 1928
189 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1928
189 ASHFORD ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
189 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
189 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
189 JEREME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934
190 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940
190 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1928
190 JEROME M	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
190 JEROME ST	1995, 1985, 1980, 1976, 1940, 1934, 1928
190 JEROME ST STE 1	2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
191 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940

FINDINGS

Address Researched	Address Not Identified in Research Source
191 ASHFORD ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
191 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
191 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
191 JEREME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934
192 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965
192 ASHFORD ST	1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
192 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
192 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
193 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
194 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940
194 ASHFORD ST	2000, 1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
194 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
194 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
195 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
198 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
200 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
200 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
200 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
201 JEROME ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1960, 1949, 1945, 1940, 1934, 1928
202 JEROME ST	2020, 2017, 2014, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
206 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934
209 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
212 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
218 ASHFORD ST	2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
218 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
218 JEROME ST	2000, 1997, 1995, 1985, 1980, 1976, 1945, 1940, 1934, 1928
220 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1976, 1973, 1970, 1965, 1940
220 ASHFORD @	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
220 ASHFORD 2ND FL 30	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
220 ASHFORD ST	1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
220 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
220 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
220 ASHFORD ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1934, 1928
220 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1928
220 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
220 JEROME ST	1995, 1985, 1980, 1976, 1973, 1970, 1949, 1945, 1940, 1934, 1928
222 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940
222 JEROME ST	1995, 1985, 1980, 1976, 1949, 1934, 1928
222 JERPOME ST	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
224 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1973, 1970, 1965, 1949, 1945, 1940
224 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
224 JEROME H	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
224 JEROME ST	1997, 1995, 1992, 1985, 1980, 1976, 1934, 1928
225 JEROME	2020, 2014, 2010, 2005, 2000, 1997, 1995, 1973, 1970, 1965, 1949, 1945, 1940, 1928
225 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
225 JEROME R	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
225 JEROME ST	2017, 1985, 1980, 1976, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
225 JERONME st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
225 JERPOME ST	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
226 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940
226 JEROME ST	2020, 2000, 1995, 1985, 1980, 1976, 1973, 1949, 1945, 1940, 1934, 1928
228 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1934, 1928
228 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
228 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
228 JEROME	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
228 JEROME AVE	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
228 JEROME ST	1997, 1995, 1985, 1980, 1976, 1945, 1940, 1934, 1928
230 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1945, 1940, 1928
230 WARWICK ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
230 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
230 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
230 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
230 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
230 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
231 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1945, 1940, 1928
231 WARWICK 3RD FL	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
231 WARWICK ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
231 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
231 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
231 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
231 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
232 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
232 ASHFORD ST	2017, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
232 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
232 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
232 WARWCK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
232 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1945, 1940, 1928
232 WARWICK ST	1995, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
232 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
232 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
232 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
233 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1980, 1973, 1970, 1965, 1940, 1928
233 WARWICK AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934
233 WARWICK ST	2017, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
233 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
233 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
234 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1980, 1973, 1970, 1965, 1949, 1940, 1928
234 WARWICK ST	1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
234 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
236 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
236 ASHFORD ST	2020, 2017, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 ASHFORD ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 ASHFORD st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
236 ASHFORD ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 ASHFORD St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
236 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1940, 1928
236 WARWICK ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
236 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
237 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1940, 1928
237 WARWICK ST	1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
237 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
237 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
237 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
237 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
238 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1928
239 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1973, 1970, 1965, 1928
239 WARWICK @	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
239 WARWICK 2356931	2020, 2017, 2014, 2010, 2005, 2000, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
239 WARWICK ST	1997, 1995, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
239 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
239 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
242 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
242 ASHFORD ST	2020, 2017, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
242 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
242 WARWICK AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
242 WARWICK ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
242 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
242 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
243 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
243 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1940, 1928
243 WARWICK 2771245	2020, 2017, 2014, 2010, 2005, 2000, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
243 WARWICK ST	1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
243 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
243 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
244 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
244 ASHFORD ST	1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
244 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
244 WARWICK ST	1995, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
244 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
244 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
244 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1934, 1928
245 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
245 WARWICK ST	1995, 1985, 1980, 1976, 1970, 1960, 1934, 1928
246 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
248 ASHFORD	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
248 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1928
248 WARWICK ST	1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
248 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
248 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
249 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1928
249 WARWICK 327 285	2020, 2017, 2014, 2010, 2005, 2000, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
249 WARWICK ST	1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
249 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
249 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
250 WARWCK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1934, 1928
250 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
250 WARWICK ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
250 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
250 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
250 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
251 WARWCK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1934, 1928
251 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1945, 1940, 1928
251 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
251 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
251 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
252 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
252 WARWICK ST	2000, 1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
252 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
254 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
255 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
255 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
255 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
255 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1934, 1928
265 WARWICK ST	2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
282 WARWICK ST	2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
283 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1985, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
283 WARWICK ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
283 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
283 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
284 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
284 WARWICK ST	1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
285 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1945, 1940, 1928
285 WARWICK ST	1995, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928
285 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
287 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1980, 1973, 1970, 1965, 1949, 1945, 1940, 1928
287 WARWICK ST	1995, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
287 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
287 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
287 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
2879 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1928
288 WARWICK	2020, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
288 WARWICK ST	2020, 2017, 1997, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
2880 ATLANTIC AVE	2014, 2010, 1980, 1976, 1973, 1960, 1949, 1945, 1940, 1934, 1928
2883 ATLANTIC AVE	2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1965, 1960, 1949, 1945, 1940, 1934, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
2885 ATLANTIC	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2885 ATLANTIC AVE	1976, 1940, 1928
2886 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
2887 ATLANTIC AVE	1934, 1928
2888 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1928
289 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1980, 1973, 1970, 1965, 1945, 1940, 1928
289 WARWICK ST	1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
289 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
289 WARWICK ST	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
289 WARWICK st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1965, 1960, 1949, 1945, 1940, 1934, 1928
289 WARWICK St	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1934, 1928
2890 ATLANTIC	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
2890 ATLANTIC AVE	1995, 1980, 1965
2890 ATLNTC	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
2891 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2892 ATLANTIC AVE	2020, 2017, 2000, 1997, 1995, 1992, 1985, 1980
2894 ATLANTIC AVE	2020, 1940, 1928
2895 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934
2896 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1945, 1940, 1928
2897 ATLANTIC AV 1ST FL	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2897 ATLANTIC AV 2ND FL	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2897 ATLANTIC AV 3RD FL	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2897 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940
2898 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
2900 ATLANTIC AVE	1970, 1965, 1960, 1949, 1945, 1940, 1928
2901 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1928
2902 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1960, 1949, 1945, 1940, 1928
2904 ATLANTIC A	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2904 ATLANTIC AV H DO	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2904 ATLANTIC AVE	1995, 1980, 1928
2905 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2906 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949
2909 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2911 ATLANTIC AVE	2020, 2017, 2014, 2005, 1985, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
2912 ATLANTIC AVE	1992, 1980
2914 ATLANTIC AVE	2020, 2017, 2000, 1997, 1995, 1980, 1934, 1928
2915 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945
2923 ATIANTIC AV 40	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2923 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992
2926 ATLANTIC AVE	1995, 1985, 1980, 1973, 1970, 1949, 1945, 1940
2928 ATLANTIC AVE	1985, 1980, 1945, 1928
2929 ATLANTIC AVE	1997, 1995, 1992, 1980, 1949, 1945, 1940, 1934, 1928
293 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1945, 1940, 1928
2930 ATLANTIC AVE	
2932 ATLANTIC AVE	1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
2933 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960
2935 ATLANTIC	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
2935 ATLANTIC AVE	1928
2935 ATLNTC	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
2936 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928

FINDINGS

Address Researched	Address Not Identified in Research Source
2937 ATLANTIC AVE	2017, 2014, 2010, 1995, 1992, 1980, 1928
2939 ATLANTIC AVE	1995, 1980, 1949, 1945, 1940, 1934, 1928
2939 ATLNTC st	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
2941 ATLANTIC AV 70	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2941 ATLANTIC AVE	
2941 ATLANTIV AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
2941 ATLNTC AC	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1940, 1934, 1928
2941 ATLNTC AV A	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1949, 1945, 1940, 1934, 1928
295 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
295 WARWICK ST	2020, 2017, 2014, 2010, 2005, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
2950 ATLANTIC AVE	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965
297 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
301 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
302 CLEVELAND	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
303 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1928
4 252 WARWICK	2020, 2017, 2014, 2010, 2005, 2000, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928
9511 ASHFORD ST	2020, 2017, 2014, 2010, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched	Address Not Identified in Research Source
2916 Atlantic Avenue	2014, 2010, 2005, 2000, 1997, 1995, 1992, 1985, 1980, 1976, 1973, 1970, 1965, 1960, 1949, 1945, 1940, 1934, 1928

APPENDIX C
Regulatory Records Documentation

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207

Inquiry Number: 07942990.2r
March 31, 2025

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	996
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2025 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

COORDINATES

Latitude (North):	40.6771610 - 40° 40' 37.77''
Longitude (West):	73.8864550 - 73° 53' 11.23''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	594109.7
UTM Y (Meters):	4503304.5
Elevation:	36 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	14115940 BROOKLYN, NY
Version Date:	2019
East Map:	14105978 JAMAICA, NY
Version Date:	2019

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20190830, 20190809
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	LOT 15,TAXBLOCK 3967	2916 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE		TP
A2	GIBRALTAR TRANSMISSI	2914 ATLANTIC AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1 ft.
A3	M M P G TUNE INC	2914 ATLANTIC AVE	EDR Hist Auto	Higher	1 ft.
A4	LOT 19,TAXBLOCK 3967	2926 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	5, 0.001,
A5	2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	NY UST	Higher	14, 0.003, WSW
A6	LOT 13,TAXBLOCK 3967	2912 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	14, 0.003, WSW
A7	2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	UST FINDER	Higher	14, 0.003, WSW
A8	LOT 20,TAXBLOCK 3967	2928 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	24, 0.005, NE
A9	LOT 24,TAXBLOCK 3967	218 ASHFORD STREET	NY E DESIGNATION, NY NYC LAND USE	Lower	27, 0.005, ESE
A10	LOT 21,TAXBLOCK 3967	2930 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	42, 0.008, ENE
A11	CON EDISON	220 ASHFORD ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	56, 0.011, SE
A12	LOT 25,TAXBLOCK 3967	220 ASHFORD STREET	NY E DESIGNATION, NY NYC LAND USE	Lower	56, 0.011, SE
A13	CON EDISON	220 ASHFORD ST	NJ MANIFEST	Lower	56, 0.011, SE
A14	LOT 22,TAXBLOCK 3967	2932 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	61, 0.012, ENE
A15	CON EDISON	ATLANTIC AVE & WARWI	RCRA NonGen / NLR, FINDS, ECHO	Higher	86, 0.016, NW
A16	LOT 16,TAXBLOCK 3966	2900 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	145, 0.027, WSW
A17	TRANCARE INC	2900 ATLANTIC AVE	EDR Hist Auto	Higher	145, 0.027, WSW
A18	LOT 42,TAXBLOCK 3952	2929 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	161, 0.030, NNE
A19	LOT 15,TAXBLOCK 3966	2896 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	195, 0.037, WSW
A20	K - UNION STATION HO	ATLANTIC AVE, ASHFOR	NY SHWS, NY BROWNFIELDS, NY MGP	Lower	196, 0.037, East
A21	UNION STATION (CITIZ	ATLANTIC AVE., ASHFO	EDR MGP	Lower	210, 0.040, East
B22	LOT 42,TAXBLOCK 3951	2887 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	216, 0.041, WNW
B23	BAYSIDE FUEL OIL	2887 ATLANTIC AVE	NY AST	Higher	216, 0.041, WNW
B24	DIAL A MATTRESS ATLA	2887 ATLANTIC AVE ST	EDR Hist Auto	Higher	216, 0.041, WNW
A25	LOT 14,TAXBLOCK 3966	2894 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	220, 0.042, WSW
A26	ATLANTIC LUBE INC	2894 ATLANTIC AVENUE	NY AST	Higher	220, 0.042, WSW
A27	CON EDISON - COMPANY	F/O 2894 ATLANTIC AV	E MANIFEST	Higher	220, 0.042, WSW
C28	CON ED CLEVELAND ST	2950 ATALNTIC AVE	NY Spills	Lower	244, 0.046, ENE
C29	MOTOR OIL LEAK FROM	2950 ATLANTIC AVE. C	NY Spills	Lower	244, 0.046, ENE
C30	CLEVELAND SUBSTATION	2950 ATLANTIC AVE	NY Spills	Lower	244, 0.046, ENE
C31	ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	NY AST	Lower	244, 0.046, ENE
C32	CONSOLIDATED EDISON	2950 ATLANTIC AVE	NY Spills, NY MANIFEST	Lower	244, 0.046, ENE
C33	CON EDISON - CLEVELA	2950 ATLANTIC AVE	RCRA-LQG, FINDS, ECHO, E MANIFEST, NY MANIFEST	Lower	244, 0.046, ENE
C34	ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	NY UST	Lower	244, 0.046, ENE
C35	ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	UST FINDER	Lower	244, 0.046, ENE
B36	LOT 13,TAXBLOCK 3966	ATLANTIC AVENUE	NY E DESIGNATION	Higher	245, 0.046, West
C37	CLEVELAND ST YARD	CLEVELAND ST	NY Spills	Lower	253, 0.048, ENE
B38	LOT 12,TAXBLOCK 3966	2890 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	271, 0.051, WSW
D39	ST MICHAEL ROMAN CAT	219-237 JEROME STREE	NY UST	Higher	274, 0.052, SW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
D40	ST MICHAEL ROMAN CAT	219-237 JEROME STREE	NY AST	Higher	274, 0.052, SW
D41	ST MICHAEL ROMAN CAT	219-237 JEROME STREE	UST FINDER	Higher	274, 0.052, SW
D42	ST. MICHAELS RCC	225 JEROME STREET	NY AST	Higher	297, 0.056, SW
E43	CON EDISON	186 ASHFORD ST	NY MANIFEST	Lower	318, 0.060, North
C44	ATLANTIC AVE SERVICE	ALANTIC AVE/CLEVELAN	NY Spills	Lower	321, 0.061, NE
C45	MANHOLE #1874	ATLANTIC/CLEVELAND	NY Spills	Lower	330, 0.062, ENE
C46	ROADSIDE	CLEVELAND ST BET ATL	NY Spills	Lower	341, 0.065, ESE
C47	LOT 45,TAXBLOCK 3953	2941 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	349, 0.066, NE
C48	VESTPRO	2941 ATLANTIC AVENUE	NY AST	Lower	349, 0.066, NE
D49	ST. MICHAEL SCHOOL	237 JEROME STREET	UST FINDER	Higher	361, 0.068, SSW
D50	ST. MICHAEL SCHOOL	237 JEROME STREET	NY UST	Higher	361, 0.068, SSW
B51	MERIT GASOLINE STATI	2880 ATLANTIC AVE AV	EDR Hist Auto	Higher	375, 0.071, WSW
B52	HESS#32518	2880 ATLANTIC AVENUE	RCRA-VSQG, NY LTANKS, NY UST, NY Spills, US AIRS,...	Higher	375, 0.071, WSW
B53	SPEEDWAY # 7823	2880 ATLANTIC AVENUE	UST FINDER	Higher	375, 0.071, WSW
D54	I/F/O	222 JEROME ST	NY Spills	Higher	388, 0.073, WSW
E55	JAGARNATH HOME	176 ASHFORD STREET	NY Spills, NY NYC LAND USE	Lower	392, 0.074, North
C56	COMMERICAL BUILDING	2958 ATLANTIC AVE	NY Spills	Lower	395, 0.075, ENE
C57	2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	NY AST	Lower	395, 0.075, ENE
C58	2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	UST FINDER	Lower	395, 0.075, ENE
C59	2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	NY UST	Lower	395, 0.075, ENE
F60	MANHOLE #5294	LIBERTY AVE/WARWICK	NY Spills	Higher	406, 0.077, South
F61	NYNEX	ASHFORD ST & LIBERTY	NY MANIFEST	Lower	410, 0.078, SSE
F62	NYNEX	ASHFORD ST & LIBERTY	NY MANIFEST	Lower	410, 0.078, SSE
F63	CON EDISON MANHOLE 4	ASHFORD ST & LIBERTY	RCRA NonGen / NLR, NY MANIFEST	Lower	410, 0.078, SSE
D64	LOT 11,TAXBLOCK 3965	2864 ATLANTIC AVENUE	NY BROWNFIELDS, NY E DESIGNATION, NY NYC LAND USE	Higher	431, 0.082, WSW
D65	2864 ATLANTIC REALTY	2864 ATLANTIC AVE	RCRA NonGen / NLR, E MANIFEST	Higher	431, 0.082, WSW
C66	LOT 45,TAXBLOCK 3954	2961 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	438, 0.083, NE
B67	CONSOLIDATED EDISON	F/O2873 ATLANTIC AVE	E MANIFEST	Higher	452, 0.086, West
B68	CON EDISON/ ATTN: QU	2873 ATLANTIC AVE	E MANIFEST	Higher	452, 0.086, West
F69	CON EDISON - QUEENS	646 LIBERTY AVE	E MANIFEST	Higher	465, 0.088, SSE
F70	LOT 15,TAXBLOCK 3983	646 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	465, 0.088, SSE
F71	LOT 13,TAXBLOCK 3983	640 LIBERTY AVENUE	NY E DESIGNATION	Higher	466, 0.088, SSE
F72	LOT 17,TAXBLOCK 3982	626 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	483, 0.091, South
F73	LOT 18,TAXBLOCK 3982	630 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	490, 0.093, South
D74	CON EDISON - BROOKLY	OPP 259 BARBEY ST	E MANIFEST	Higher	496, 0.094, WSW
D75	LOT 7,TAXBLOCK 3965	267 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	503, 0.095, WSW
F76	MANHOLE # 5293	LIBERTY AVE/JEROME S	NY Spills	Higher	507, 0.096, SSW
C77	CON EDISON - COMPANY	2972 ATLANTIC AVE	E MANIFEST	Lower	509, 0.096, ENE
D78	LOT 6,TAXBLOCK 3965	269 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	510, 0.097, WSW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
G79	LOT 32,TAXBLOCK 3965	599 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	517, 0.098, SW
D80	LOT 4,TAXBLOCK 3965	273 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	526, 0.100, SW
F81	LOT 13,TAXBLOCK 3982	614 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	530, 0.100, SSW
H82	LOT 55,TAXBLOCK 3954	281 CLEVELAND STREET	NY E DESIGNATION, NY NYC LAND USE	Lower	532, 0.101, NE
D83	LOT 3,TAXBLOCK 3965	277 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	535, 0.101, SW
H84	2969 ATLANTIC AVE	2969 ATLANTIC AVENUE	NY UST	Lower	536, 0.102, NE
H85	RIVEIRA MOTEL	2969 ATLANTIC AVENUE	NY LTANKS	Lower	536, 0.102, NE
H86	2969 ATLANTIC AVE	2969 ATLANTIC AVENUE	UST FINDER	Lower	536, 0.102, NE
G87	LOT 33,TAXBLOCK 3965	597 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	537, 0.102, SW
F88	LOT 11,TAXBLOCK 3982	608 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	546, 0.103, SSW
I89	LOT 15,TAXBLOCK 3984	670 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	556, 0.105, SE
I90	JL AUTO REPAIR	670 LIBERTY AVE	EDR Hist Auto	Lower	556, 0.105, SE
I91	670 LIBERTY AVE REPA	670 LIBERTY AVENUE	NY AST	Lower	556, 0.105, SE
J92	CON EDISON	218 WARWICK STR	E MANIFEST	Lower	562, 0.106, NNW
F93	282 ASHFORD ST.	282 ASHFORD ST	NY Spills	Higher	570, 0.108, SSE
H94	CON EDISON - COMPANY	2976 ATLANTIC AVE	E MANIFEST	Lower	572, 0.108, ENE
F95	DRUM IN BACKYARD	338 WARWICK ST	NY Spills, NY LEAD, NY NYC LAND USE	Higher	582, 0.110, South
G96	LOT 1,TAXBLOCK 3965	583 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	589, 0.112, SW
I97	CONSOLIDATED EDISON	374 CLEVELAND ST	E MANIFEST	Lower	604, 0.114, SE
K98	LOT 23,TAXBLOCK 3964	BARBEY STREET	NY E DESIGNATION	Higher	613, 0.116, WSW
J99	CON EDISON SERVICE B	2896 FULTON ST	RCRA NonGen / NLR, E MANIFEST	Higher	625, 0.118, NNW
J100	CON EDISON	2896 FULTON ST	NY MANIFEST	Higher	625, 0.118, NNW
I101	CON ED COMPANY OF NY	680 LIBERTY AVE	E MANIFEST	Lower	626, 0.119, SE
J102	CON EDISON/QUEENS EN	2922 FULTON ST.	E MANIFEST	Lower	636, 0.120, North
I103	LOT 15,TAXBLOCK 3985	682 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	643, 0.122, SE
K104	LOT 24,TAXBLOCK 3964	274 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	649, 0.123, WSW
G105	LOT 25,TAXBLOCK 3964	276 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	656, 0.124, WSW
H106	CON EDISON	ATLANTIC AVE & ELTON	RCRA NonGen / NLR, FINDS, ECHO	Lower	658, 0.125, ENE
I107	LOT 16,TAXBLOCK 3985	684 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	660, 0.125, SE
L108	CON EDISON/QUEENS EN	2932 FULTON ST.	E MANIFEST	Lower	679, 0.129, North
K109	2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	NY AST	Higher	684, 0.130, WSW
K110	2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	NY UST	Higher	684, 0.130, WSW
K111	2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	UST FINDER	Higher	684, 0.130, WSW
K112	EMPIRE STATE DAIRY L	2840 ATLANTIC AVE	RCRA NonGen / NLR, E MANIFEST	Higher	684, 0.130, WSW
K113	CON EDISON - MANHOLE	2840 ATLANTIC AVE	NY Spills, NY MANIFEST	Higher	684, 0.130, WSW
K114	2840 ATLANTIC AVENUE	2840 ATLANTIC AVENUE	NY ENG CONTROLS, NY INST CONTROL, NY BROWNFIELDS	Higher	684, 0.130, WSW
G115	DEVELOPMENT PROPERTY	584-600 LIBERTY AVEN	NY UST	Higher	693, 0.131, SW
G116	DEVELOPMENT PROPERTY	584-600 LIBERTY AVEN	UST FINDER	Higher	693, 0.131, SW
M117	CON EDISON/ ATTN: BR	2874 FULTON STREET	E MANIFEST	Higher	713, 0.135, NW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
L118		2942 FULTON STREET	NY LTANKS, NY NYC LAND USE	Lower	713, 0.135, North
M119	CON EDISON	2870 FULTON ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	724, 0.137, NW
M120	CON EDISON	2870 FULTON ST	NJ MANIFEST	Higher	724, 0.137, NW
M121	CON EDISON	2870 FULTON ST	NY MANIFEST	Higher	724, 0.137, NW
G122	CONSOLIDATED EDISON	571 LIBERTY AVE	E MANIFEST	Higher	736, 0.139, SW
M123	208 BARBEY ST	208 BARBEY ST	NY LTANKS	Higher	738, 0.140, WNW
L124	CLEVELAND M CLEANERS	2948 FULTON ST	RCRA NonGen / NLR, ICIS, US AIRS, FINDS, ECHO, NY...	Lower	742, 0.141, North
M125	2862 FULTON STREET	2862 FULTON STREET	NY NYC OER	Higher	743, 0.141, NW
N126	CON EDISON - BROOKLY	282 JEROME ST	E MANIFEST	Higher	766, 0.145, SSW
N127	CONSOLIDATED EDISON	282 JEROME ST	E MANIFEST	Higher	766, 0.145, SSW
O128	I.S. 302 - BROOKLYN	350 LINWOOD STREET	NY AST	Lower	784, 0.148, East
O129	IS 302K	350 LINWOOD STREET	RCRA-LQG, E MANIFEST, NY MANIFEST	Lower	784, 0.148, East
M130	CON EDISON	2869 FULTON ST	NY MANIFEST	Higher	801, 0.152, NW
P131	CON EDISON	FRONT OF 681 GLENMOR	NY MANIFEST	Higher	821, 0.155, SSE
N132	KINGS RIDERS MOTOR S	635 GLENMORE AVENUE	NY AST	Higher	846, 0.160, South
Q133	315 LINWOOD STREET	315 LINWOOD	NY VCP, NY NYC OER	Lower	853, 0.162, ENE
Q134	B&B URBAN LLC - 315	315 LINWOOD STREET	RCRA-LQG, E MANIFEST	Lower	853, 0.162, ENE
Q135	B&B URBAN LLC - 315	315 LINWOOD STREET	NY MANIFEST	Lower	853, 0.162, ENE
R136	MTA NYCT - CLEVELAND	CLEVELAND & FULTON S	RCRA-SQG, NY MANIFEST	Lower	874, 0.166, NNE
O137	CON EDISON	LINWOOD ST & LIBERTY	NY MANIFEST	Lower	884, 0.167, ESE
O138	CON EDISON	LIBERTY AVE & LINWOO	RCRA NonGen / NLR	Lower	884, 0.167, ESE
O139	CON EDISON	LIBERTY AVE & LINWOO	NJ MANIFEST	Lower	884, 0.167, ESE
O140	CON EDISON	LINWOOD ST & LIBERTY	RCRA NonGen / NLR	Lower	884, 0.167, ESE
S141	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENK	RCRA NonGen / NLR	Higher	909, 0.172, SW
S142	CON EDISON	LIBERTY AVE & SCHENC	NY MANIFEST	Higher	909, 0.172, SW
S143	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENC	RCRA NonGen / NLR	Higher	909, 0.172, SW
S144	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENC	RCRA NonGen / NLR	Higher	909, 0.172, SW
S145	CON EDISON MANHOLE 0	LIBERTY AVE & SCHENC	RCRA NonGen / NLR, NY MANIFEST	Higher	909, 0.172, SW
S146	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENC	RCRA NonGen / NLR	Higher	909, 0.172, SW
M147		2849 FULTON STREET	NY LTANKS, NY NYC LAND USE	Higher	909, 0.172, NW
N148	CON ED - MH 67372	GLENMORE & JEROME AV	RCRA NonGen / NLR, NY MANIFEST	Higher	914, 0.173, South
S149	CONSOLIDATED EDISON	210 SCHENCK AVE	E MANIFEST	Higher	915, 0.173, WSW
T150	P.S. 290 - BROOKLYN	135 SCHENCK AVENUE	NY AST	Higher	927, 0.176, WNW
T151	PS 290 (SCHOOL)	135 SCHENCK AVE	NY LTANKS, NY LEAD	Higher	927, 0.176, WNW
T152	NYC DEPT OF EDUCATIO	135 SCHENCK AVE	RCRA-SQG	Higher	927, 0.176, WNW
R153	CON EDISON/ ATTN: BR	2974 FULTON ST	E MANIFEST	Higher	929, 0.176, NNE
U154	2827 ATLANTIC AVENUE	2827 ATLANTIC AVENUE	US BROWNFIELDS, FINDS	Higher	931, 0.176, West
155	CON EDISON - BROOKLY	628 GLENMORE AVE	E MANIFEST	Higher	946, 0.179, South
T156	CONSOLIDATED EDISON	OPP 2843 FULTON ST	E MANIFEST	Higher	948, 0.180, WNW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
M157	CON EDISON - BARBEY	163 BARBEY STREET	PA MANIFEST	Higher	948, 0.180, NW
M158	CON EDISON SERVICE B	163 BARBEY ST	RCRA NonGen / NLR, FINDS	Higher	948, 0.180, NW
M159	CON EDISON	163 BARBEY ST	NY MANIFEST	Higher	948, 0.180, NW
V160	CON EDISON SERVICE B	112 JEROME ST FRONT	RCRA NonGen / NLR, FINDS	Higher	949, 0.180, NW
V161	CON EDISON	112 JEROME ST FRONT	NY MANIFEST	Higher	949, 0.180, NW
W162	398 LINWOOD ST	398 LINWOOD ST	NY LTANKS	Lower	950, 0.180, ESE
W163	CON EDISON	720 LIBERTY AVE	E MANIFEST	Lower	954, 0.181, ESE
O164	CON EDISON/ ATTN: QU	729 LIBERTY AVE	E MANIFEST	Lower	960, 0.182, ESE
O165	CON EDISON	729 LIBERTY AVE	E MANIFEST	Lower	960, 0.182, ESE
T166	CORNER OF W. 1ST ST	AND SCHENCK ST	NY LTANKS	Higher	985, 0.187, WNW
U167	ATLANTIC & HENDRIX	2820 ATLANTIC AVENUE	NY UST	Higher	993, 0.188, WSW
U168	ATLANTIC & HENDRIX	2820 ATLANTIC AVENUE	UST FINDER	Higher	993, 0.188, WSW
U169	GASETERIA	2820 ATLANTIC AVENUE	UST FINDER RELEASE	Higher	993, 0.188, WSW
U170	SPILL NUMBER 9312952	2820 ATLANTIC AVENUE	UST FINDER RELEASE	Higher	993, 0.188, WSW
U171	GASETERIA	2820 ATLANTIC AVENUE	NY LTANKS	Higher	993, 0.188, WSW
R172	MTA-NYCTA FULTON ST	2963-2965 FULTON ST	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Higher	998, 0.189, NNE
U173	CON EDISON/ ATTN: QU	2817 ATLANTIC AVE	E MANIFEST	Higher	1004, 0.190, West
U174	2817 ATLANTIC AVENUE	2817 ATLANTIC AVENUE	US BROWNFIELDS, FINDS	Higher	1004, 0.190, West
U175	KINGS HENDRIX C-STOR	2816 ATLANTIC AVENUE	UST FINDER	Higher	1017, 0.193, WSW
U176	KINGS HENDRIX C-STOR	2816 ATLANTIC AVENUE	NY UST, NY AST	Higher	1017, 0.193, WSW
U177	CON EDISON - BROOKLY	2815 ATLANTIC AVE	E MANIFEST	Higher	1023, 0.194, West
U178	2815 ATLANTIC HOLDIN	2815 ATLANTIC AVENUE	NY UST	Higher	1023, 0.194, West
X179	CON EDISON	737 LIBERTY AVE	E MANIFEST	Lower	1033, 0.196, East
W180	CON EDISON	728 LIBERTY AVE FRON	NY MANIFEST	Lower	1037, 0.196, ESE
W181	CON EDISON	728 LIBERTY AVE FRON	RCRA NonGen / NLR, FINDS	Lower	1037, 0.196, ESE
S182	CONSOLIDATED EDISON	548 LIBERTY AVE	E MANIFEST	Higher	1050, 0.199, SW
S183	CON EDISON	263 HENDRIX ST	NY MANIFEST	Higher	1058, 0.200, WSW
S184	CON EDISON	263 HENDRIX ST	NJ MANIFEST	Higher	1058, 0.200, WSW
S185	CON EDISON	263 HENDRIX ST	RCRA NonGen / NLR	Higher	1058, 0.200, WSW
U186	207 HENDRIX ST./ST.	207 HENDRIX ST.	NY LTANKS	Higher	1059, 0.201, West
P187	CON EDISON	422 CLEVELAND ST	NY MANIFEST	Lower	1063, 0.201, SSE
P188	CON EDISON SERVICE B	422 CLEVELAND ST FRO	RCRA NonGen / NLR	Lower	1063, 0.201, SSE
U189	CON EDISON	ATLANTIC AVE & HENDR	RCRA NonGen / NLR, FINDS, ECHO	Higher	1064, 0.202, West
U190	CON EDISON	236 HENDRIX AVE	NY MANIFEST	Higher	1087, 0.206, WSW
Y191	CON EDISON - QUEENS	216 ARLINGTON AVE	E MANIFEST	Lower	1090, 0.206, North
U192	CLOSED-LACKOF RECENT	220 HENDRICKS STREET	NY LTANKS	Higher	1094, 0.207, West
Z193	CON EDISON SERVICE B	192 ARLINGTON AVE FR	RCRA NonGen / NLR, FINDS	Higher	1100, 0.208, NNW
Z194	CON EDISON	192 ARLINGTON AVE FR	NY MANIFEST	Higher	1100, 0.208, NNW
AA195	CON EDISON SERVICE B	3027 ATLANTIC AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1101, 0.209, ENE

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Y196	CON EDISON - QUEENS	196 ARLINGTON AVE	E MANIFEST	Higher	1102, 0.209, NNW
X197	CON EDISON	LIBERTY AVE & ESSEX	RCRA NonGen / NLR	Lower	1114, 0.211, ESE
X198	CON EDISON	LIBERTY AVE & ESSEX	NY MANIFEST	Lower	1114, 0.211, ESE
X199	CON EDISON	LIBERTY AVE & ESSEX	RCRA NonGen / NLR, NY MANIFEST	Lower	1114, 0.211, ESE
Z200	180 ARLINGTON AVENUE	180 ARLINGTON AVENUE	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	1123, 0.213, NNW
Z201	CON EDISON SERVICE B	180 ARLINGTON AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1123, 0.213, NNW
Z202	CON EDISON	180 ARLINGTON AVE FR	NY MANIFEST	Higher	1123, 0.213, NNW
Z203	CON EDISON/ ATTN: QU	180 ARLINGTON AVE	E MANIFEST	Higher	1123, 0.213, NNW
Z204	CON EDISON SERVICE B	180 ARLINGTON AVE FR	RCRA NonGen / NLR	Higher	1123, 0.213, NNW
X205	CON EDISON	320 ESSEX ST	NJ MANIFEST	Lower	1124, 0.213, ESE
X206	CON ED	320 ESSEX ST	NY MANIFEST	Lower	1124, 0.213, ESE
X207	CON EDISON	320 ESSEX ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1124, 0.213, ESE
X208	J. BORAH CO.	291 ESSEX STREET	NY AST	Lower	1127, 0.213, East
T209	CON EDISON - COMPANY	2823 FULTON ST	E MANIFEST	Higher	1128, 0.214, WNW
U210	ST MALACHY'S SCHOOL	220 HENDRIX ST	NY UST	Higher	1131, 0.214, West
U211	ST MALACHY'S SCHOOL	220 HENDRIX ST	UST FINDER	Higher	1131, 0.214, West
T212	CON EDISON	2814 FULTON ST	NJ MANIFEST	Higher	1139, 0.216, WNW
T213	NAYA SUPER DRY CLEAN	2814 FULTON ST	NY DRYCLEANERS, NY MANIFEST	Higher	1139, 0.216, WNW
T214	CON ED	2814 FULTON ST	NY MANIFEST	Higher	1139, 0.216, WNW
T215	CON EDISON	2814 FULTON ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1139, 0.216, WNW
W216	CON EDISON	330 ESSEX ST	NY MANIFEST	Lower	1140, 0.216, ESE
T217	CON ED	2821 FULTON ST	NY MANIFEST	Higher	1144, 0.217, WNW
T218	CON EDISON	2821 FULTON ST	RCRA NonGen / NLR	Higher	1144, 0.217, WNW
T219	CON EDISON	2821 FULTON ST	NJ MANIFEST	Higher	1144, 0.217, WNW
AB220	CON EDISON SERVICE B	2983 FULTON ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1147, 0.217, NNE
S221	GREATER REFUGE MINIS	291 HENDRIX STREET	NY AST	Higher	1159, 0.220, SW
222	CON EDISON	734 GLENMORE AVE	NY MANIFEST	Lower	1162, 0.220, SE
V223	CON EDISON	164 ARLINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1166, 0.221, NNW
V224	CON EDISON	164 ARLINGTON AVE	NJ MANIFEST	Higher	1166, 0.221, NNW
225	249 LINWOOD ST/BKLYN	249 LINWOOD STREET	NY LTANKS	Higher	1171, 0.222, NE
Y226	CONSOLIDATED EDISON	ARLINGTON AVE & ASHF	E MANIFEST	Higher	1173, 0.222, North
AB227	CONSOLIDATED EDISON	134 ELTON ST	E MANIFEST	Higher	1175, 0.223, NNE
228	ARLGINTON ESTATES LL	248 ARLINGTON AVE	NY AST	Higher	1181, 0.224, NNE
V229	CON EDISON	160 ARLINGTON AVE	NJ MANIFEST	Higher	1182, 0.224, NNW
V230	CON EDISON - ARLINGT	160 ARLINGTON AVE	PA MANIFEST	Higher	1182, 0.224, NNW
V231	CON ED	160 ARLINGTON AVE	NY MANIFEST	Higher	1182, 0.224, NNW
V232	CON EDISON	160 ARLINGTON AVE	RCRA NonGen / NLR	Higher	1182, 0.224, NNW
AC233	CON EDISON - MH 6736	GLENMORE AND SCHNECK	RCRA NonGen / NLR, NY MANIFEST	Higher	1185, 0.224, SSW
AC234	CON EDISON MANHOLE:	GLENMORE AVE & SCHEN	RCRA NonGen / NLR, NY MANIFEST	Higher	1185, 0.224, SSW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AD235		140 BARBEY STREET	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	1196, 0.227, NW
Z236	187 ARLINGTON AVE/BK	187 ARLINGTON AVENUE	NY LTANKS	Higher	1204, 0.228, NNW
AE237	CON EDISON - BROOKLY	332 JEROME ST	E MANIFEST	Lower	1209, 0.229, South
Y238	ARLINGTON BRANCH	203 ARLINGTON AVE	NY AST	Higher	1214, 0.230, North
AF239	168 HENDRIX ST	168 HENDRIX STREET	NY AST	Higher	1215, 0.230, WNW
AF240	HPD	168 HENDRIX ST	NY LTANKS	Higher	1215, 0.230, WNW
X241	CON EDISON - COMPANY	750 LIBERTY AVE	E MANIFEST	Lower	1231, 0.233, ESE
242	LOT 30,TAXBLOCK 3998	2337 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC OER	Lower	1248, 0.236, South
Y243	CON EDISON	231 ARLINGTON AVE	NY MANIFEST	Higher	1263, 0.239, North
Y244	CON EDISON	231 ARLINGTON AVE	RCRA NonGen / NLR	Higher	1263, 0.239, North
Y245	CON EDISON	231 ARLINGTON AVE	NJ MANIFEST	Higher	1263, 0.239, North
AD246	CON EDISON SERVICE B	153 ARLINTON	RCRA NonGen / NLR, FINDS	Higher	1264, 0.239, NNW
AA247	LOT 53,TAXBLOCK 3957	3051 ATLANTIC AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1268, 0.240, ENE
AE248	CON EDISON	23-35 PITKIN AVE MH5	NY MANIFEST	Lower	1270, 0.241, South
AG249	CON EDISON	OPP 761 GLENMORE AVE	NY MANIFEST	Lower	1270, 0.241, ESE
AD250	CON EDISON SERVICE B	140 ARLINGTON AVE FR	RCRA NonGen / NLR, NY MANIFEST	Higher	1272, 0.241, NW
AD251	CON EDISON SERVICE B	140 ARLINGTON AVE FR	RCRA NonGen / NLR, NY MANIFEST	Higher	1272, 0.241, NW
AH252	CON EDISON/ ATTN: QU	2377 PITKIN AVE	E MANIFEST	Lower	1278, 0.242, SSE
AI253	ST RITAS YOUTH CENTE	260 SHEPHERD AVENUE	UST FINDER	Lower	1282, 0.243, ENE
AI254	ST RITAS YOUTH CENTE	260 SHEPHERD AVENUE	NY UST	Lower	1282, 0.243, ENE
AI255	ST RITA'S SCHOOL	260 SHEPHERD AVENUE	UST FINDER	Lower	1282, 0.243, ENE
AJ256	185 VAN SICLEN AVE./	185 VAN SICLEN AVE	NY LTANKS	Higher	1298, 0.246, WSW
AE257	CON EDISON	F/O 2325 PITKIN AV	NY MANIFEST	Lower	1306, 0.247, South
AK258	ST RITA'S R.C.CHURCH	275 SHEPHERD AVENUE	UST FINDER	Lower	1317, 0.249, East
AK259	ST RITA'S R.C. CHURC	275 SHEPHERD AVENUE	NY UST	Lower	1317, 0.249, East
AJ260	203-207 VAN SICLEN A	203-207 VAN SICLEN A	NY BROWNFIELDS	Higher	1341, 0.254, WSW
AF261	LOT 55,TAXBLOCK 3933	2795 FULTON STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	1384, 0.262, WNW
AG262	FORMER GARONE BROS A	352-362 SHEPHERD AVE	NY BROWNFIELDS	Lower	1413, 0.268, ESE
AG263	777 GLENMORE AVENUE	777 GLENMORE AVENUE	NY VCP, NY NYC OER	Lower	1451, 0.275, ESE
AH264	LOT 19,TAXBLOCK 4017	2400 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC OER	Lower	1454, 0.275, SSE
AK265	CARBUSTERS AUTO RECY	60 BERRIMAN STREET	NY SWF/LF, NY Spills	Lower	1495, 0.283, East
266	LOT 18,TAXBLOCK 3946	2776 FULTON STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	1514, 0.287, West
267	LOT 1,TAXBLOCK 3989	355 SHEPHERD AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1541, 0.292, ESE
268	2437 PITKIN AVENUE	2437 PITKIN AVENUE	NY VCP, NY NYC OER	Lower	1550, 0.294, SE
269	790 LIBERTY AVE	790 LIBERTY AVE	NY NYC OER	Lower	1568, 0.297, East
270	385 ESSEX STREET	385 ESSEX STREET	NY LTANKS, NY NYC LAND USE	Lower	1571, 0.298, SE
AL271	31 BERRIMAN ST.- TTF	31 BERRIMAN ST	NY LTANKS	Higher	1575, 0.298, ENE
AK272	3100 ATLANTIC LLC	55 BERRIMAN STREET	NY LTANKS, NY UST	Lower	1578, 0.299, East
AM273	CLASS A CARS	477 LIBERTY AVE	NY SWF/LF	Higher	1685, 0.319, WSW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AL274	TANK TEST FAILURES T	3100 ATLANTIC AVENUE	NY LTANKS, NY NYC LAND USE	Higher	1685, 0.319, East
275	CON EDISON - SERVICE	3104 ATLANTIC AVE	NY LTANKS, NY MANIFEST	Higher	1714, 0.325, ENE
276	70 ELCON ST/BKLYN	70 ELCON STREET	NY LTANKS	Higher	1720, 0.326, North
277	81 ARLINGTON AVE	81 ARLINGTON AVE	NY LTANKS	Higher	1733, 0.328, NW
AM278	RESI: COHEN	155 BRADFORD ST	NY LTANKS, NY Spills	Higher	1774, 0.336, WSW
AM279		165 BRADFORD STREET	NY LTANKS, NY AST, NY Spills, NY NYC LAND USE	Higher	1783, 0.338, WSW
AN280	62 ATKINS AVE - TTF	62 ATKINS AVE	NY LTANKS	Higher	1803, 0.341, East
281	SERVICE BOX 21287	280 JAMAICA AVENUE	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	1817, 0.344, NW
AM282	ENGINE CO. 332/LADD.	165 BRADFORD STREET	NY LTANKS	Higher	1831, 0.347, WSW
AO283	35 ATKINS AVE - TTF	35 ATKINS AVE	NY LTANKS	Higher	1836, 0.348, ENE
AN284	61 ATKINS AVENUE	61 ATKINS AVENUE	NY LTANKS, NY UST	Higher	1845, 0.349, East
285	LOT 15,TAXBLOCK 3690	2738 ATLANTIC AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	1874, 0.355, WSW
AP286	PITKIN BERRIMAN SITE	2501 PITKIN AVENUE	US BROWNFIELDS	Lower	1922, 0.364, ESE
AP287	LOT 28,TAXBLOCK 4005	2501 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1922, 0.364, ESE
288	LOT 13,TAXBLOCK 4006	820 GLENMORE AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1933, 0.366, ESE
289	CON EDISON	418 JAMAICA AVE	NY LTANKS, NY Spills, NY MANIFEST, NY NYC LAND USE	Higher	1999, 0.379, North
AN290	64 MONTAUK AVENUE	64 MONTAUK AVENUE	NY LTANKS, NY UST	Higher	2060, 0.390, East
AO291	TTF	36 MONTAUK AVE	NY LTANKS	Higher	2061, 0.390, ENE
AQ292		2718 FULTON STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	2101, 0.398, West
293	240 SUNNYSIDE AVENUE	240 SUNNYSIDE AVENUE	NY LTANKS, NY NYC LAND USE	Higher	2137, 0.405, NNW
294		110 WYONA STREET	NY LTANKS, NY Spills, NY LEAD, NY NYC LAND USE	Higher	2164, 0.410, West
295	FIORENTINO PLAZA -NY	2181 PITKIN AVE	NY LTANKS	Higher	2238, 0.424, SW
296	SOLCO PLUMBING SUPPL	413 LIBERTY AVENUE	NY SWF/LF, NY NYC LAND USE	Higher	2243, 0.425, WSW
297	2700 ATLANTIC AVENUE	2700 ATLANTIC AVENUE	NY VCP, NY NYC OER	Higher	2260, 0.428, WSW
AQ298	2701-2715 FULTON STR	2701-2715 FULTON STR	NY VCP, NY NYC OER	Higher	2308, 0.437, West
AR299	25 MILFORD STREET	25 MILFORD STREET	NY VCP, NY NYC OER	Higher	2392, 0.453, ENE
AR300	LOT 25,TAXBLOCK 4153	29 MILFORD STREET	NY E DESIGNATION, NY NYC OER, NY NYC LAND USE	Higher	2406, 0.456, ENE
AR301	LOT 28,TAXBLOCK 4153	23 MILFORD STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	2410, 0.456, ENE
302	SPILL NUMBER 9712720	258 HIGHLAND BLVD	NY LTANKS, NY Spills	Higher	2426, 0.459, NW
AR303	3294 ATLANTIC AVENUE	3192 ATLANTIC AVENUE	NY VCP, NY NYC OER	Higher	2444, 0.463, ENE
304	PRIVATE RESIDENCE	229 NORWOOD AVE	NY LTANKS	Higher	2462, 0.466, ENE
305		63 SUNNYSIDE AVENUE	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	2467, 0.467, WNW
306	PRIVATE RESIDENCE	172 MILLFORD ST	NY LTANKS	Lower	2504, 0.474, ESE
307	508 JAMAICA AVENUE	508 JAMAICA AVE	NY LTANKS	Higher	2515, 0.476, NNE
308	ANNA CORP REALITY	78 HIGHLAND PLACE	NY LTANKS, NY Spills, NY LEAD, NY NYC LAND USE	Higher	2546, 0.482, NNE
309	157 NEW JERSEY AVENU	157 NEW JERSEY AVENU	NY VCP, NY NYC OER	Higher	2558, 0.484, West
310	2667 FULTON STREET	2667 FULTON STREET	NY VCP, NY NYC OER	Higher	2602, 0.493, West
311	3200 ATLANTIC AVENUE	3200 ATLANTIC AVENUE	NY BROWNFIELDS, NY Spills, NY NYC OER	Higher	2713, 0.514, ENE
312	LOT 13,TAXBLOCK 4228	2602 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	3007, 0.570, ESE

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
313	LOT 35,TAXBLOCK 3703	184 PENNSYLVANIA AVE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	3062, 0.580, WSW
314	EXXON DIV OF CFI #70	225 PENNSYLVANIA AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST, NY...	Higher	3072, 0.582, SW
315	50 PENN LLC	2618 FULTON ST	NY VCP, NY Spills, NY MANIFEST, NY NYC OER	Higher	3126, 0.592, West
316	1199 SUTTER AVENUE	1199 SUTTER AVENUE	NY SHWS, NY BROWNFIELDS, NY Spills, NY NYC LAND...	Lower	3923, 0.743, ESE
317	447 EUCLID AVENUE	447 EUCLID AVENUE	NY VCP, NY NYC OER	Lower	3969, 0.752, East
AS318	LOT 3,TAXBLOCK 4092	876 LIVONIA AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	4044, 0.766, South
AS319	691-715 NEW LOTS AVE	691-715 NEW LOTS AVE	NY NYC OER	Lower	4107, 0.778, South
320	BELMONT STATION	BELMONT, WILLIAMS, A	EDR MGP	Higher	4325, 0.819, SW
321	2440 FULTON STREET	2440 FULTON STREET	NY VCP, NY NYC OER	Higher	4441, 0.841, West
322	673 LIVONIA AVENUE	673 LIVONIA AVENUE	NY SHWS, NY NYC LAND USE	Lower	4524, 0.857, SSW
323	81-111 JUNIUS STREET	81 JUNIUS STREET	NY VCP, NY NYC OER	Higher	4966, 0.941, WSW
AT324	LOT 46,TAXBLOCK 1437	2435 PACIFIC STREET	NY BROWNFIELDS, NY E DESIGNATION, NY NYC LAND USE	Higher	5156, 0.977, West
AT325	2396 ATLANTIC AVENUE	2396 ATLANTIC AVENUE	NY NYC OER	Higher	5255, 0.995, West

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 9 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
LOT 15,TAXBLOCK 3967 2916 ATLANTIC AVENUE BROOKLYN, NY 11207	NY E DESIGNATION NY NYC LAND USE	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL ---------- National Priority List
Proposed NPL ---------- Proposed National Priority List Sites
NPL LIENS ---------- Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL ---------- National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY ---------- Federal Facility Site Information listing
SEMS ---------- Superfund Enterprise Management System

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE ---------- Superfund Enterprise Management System Archive

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS ---------- Corrective Action Report

Lists of Federal RCRA TSD facilities

RCRA-TSDF ---------- RCRA - Treatment, Storage and Disposal

Federal institutional controls / engineering controls registries

LUCIS ---------- Land Use Control Information System

US ENG CONTROLS Engineering Controls Sites List
US INST CONTROLS Institutional Controls Sites List

Federal ERNS list

ERNS Emergency Response Notification System

Lists of state and tribal leaking storage tanks

INDIAN LUST Leaking Underground Storage Tanks on Indian Land
NY HIST LTANKS Listing of Leaking Storage Tanks

Lists of state and tribal registered storage tanks

FEMA UST Underground Storage Tank Listing
NY CBS UST Chemical Bulk Storage Database
NY MOSF UST Major Oil Storage Facilities Database
NY CBS Chemical Bulk Storage Site Listing
NY MOSF Major Oil Storage Facility Site Listing
NY CBS AST Chemical Bulk Storage Database
NY MOSF AST Major Oil Storage Facilities Database
INDIAN UST Underground Storage Tanks on Indian Land
NY TANKS Storage Tank Faciliy Listing

State and tribal institutional control / engineering control registries

NY RES DECL Restrictive Declarations Listing

Lists of state and tribal voluntary cleanup sites

INDIAN VCP Voluntary Cleanup Priority Listing

Lists of state and tribal brownfield sites

NY ERP Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

NY SWRCY Registered Recycling Facility List
NY SWTIRE Registered Waste Tire Storage & Facility List
INDIAN ODI Report on the Status of Open Dumps on Indian Lands
DEBRIS REGION 9 Torres Martinez Reservation Illegal Dump Site Locations
ODI Open Dump Inventory
IHS OPEN DUMPS Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL Delisted National Clandestine Laboratory Register
NY DEL SHWS Delisted Registry Sites
US CDL National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

NY HIST UST Historical Petroleum Bulk Storage Database

NY HIST AST ---- Historical Petroleum Bulk Storage Database

Local Land Records

NY LIENS ---- Spill Liens Information
LIENS 2 ---- CERCLA Lien Information

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System
NY Hist Spills ---- SPILLS Database
NY SPILLS 90 ---- SPILLS 90 data from FirstSearch
NY SPILLS 80 ---- SPILLS 80 data from FirstSearch

Other Ascertainable Records

FUDS ---- Formerly Used Defense Sites
DOD ---- Department of Defense Sites
SCRD DRYCLEANERS ---- State Coalition for Remediation of Drycleaners Listing
US FIN ASSUR ---- Financial Assurance Information
EPA WATCH LIST ---- EPA WATCH LIST
2020 COR ACTION ---- 2020 Corrective Action Program List
TSCA ---- Toxic Substances Control Act
TRIS ---- Toxic Chemical Release Inventory System
SSTS ---- Section 7 Tracking Systems
ROD ---- Records Of Decision
RMP ---- Risk Management Plans
RAATS ---- RCRA Administrative Action Tracking System
PRP ---- Potentially Responsible Parties
PADS ---- PCB Activity Database System
FTTS ---- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS ---- Material Licensing Tracking System
COAL ASH DOE ---- Steam-Electric Plant Operation Data
COAL ASH EPA ---- Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER ---- PCB Transformer Registration Database
RADINFO ---- Radiation Information Database
HIST FTTS ---- FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS ---- Incident and Accident Data
CONSENT ---- Superfund (CERCLA) Consent Decrees
INDIAN RESERV ---- Indian Reservations
FUSRAP ---- Formerly Utilized Sites Remedial Action Program
UMTRA ---- Uranium Mill Tailings Sites
LEAD SMELTERS ---- Lead Smelter Sites
US MINES ---- Mines Master Index File
ABANDONED MINES ---- Abandoned Mines
MINES MRDS ---- Mineral Resources Data System
DOCKET HWC ---- Hazardous Waste Compliance Docket Listing
UXO ---- Unexploded Ordnance Sites
FUELS PROGRAM ---- EPA Fuels Program Registered Listing
PFAS NPL ---- Superfund Sites with PFAS Detections Information
PFAS FEDERAL SITES ---- Federal Sites PFAS Information
PFAS TRIS ---- List of PFAS Added to the TRI
PFAS TSCA ---- PFAS Manufacture and Imports Information
PFAS RCRA MANIFEST ---- PFAS Transfers Identified In the RCRA Database Listing

EXECUTIVE SUMMARY

PFAS ATSDR PFAS Contamination Site Location Listing
PFAS WQP Ambient Environmental Sampling for PFAS
PFAS NPDES Clean Water Act Discharge Monitoring Information
PFAS PROJECT NORTHEASTERN UNIVERSITY PFAS PROJECT
PFAS ECHO Facilities in Industries that May Be Handling PFAS Listing
PFAS ECHO FIRE TRAIN Facilities in Industries that May Be Handling PFAS Listing
PFAS PT 139 AIRPORT All Certified Part 139 Airports PFAS Information Listing
AQUEOUS FOAM NRC Aqueous Foam Related Incidents Listing
BIOSOLIDS ICIS-NPDES Biosolids Facility Data
NY PFAS PFAS Contamination Site Location Listing
NY AIRS Air Emissions Data
NY COAL ASH Coal Ash Disposal Site Listing
NY Financial Assurance Financial Assurance Information Listing
NY HSWDS Hazardous Substance Waste Disposal Site Inventory
NY SPDES State Pollutant Discharge Elimination System
NY VAPOR REOPENED Vapor Intrusion Legacy Site List
NY UIC Underground Injection Control Wells
NY COOLING TOWERS Registered Cooling Towers
NY ILI New York State Inactive Landfill Initiative

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Cleaner EDR Exclusive Historical Cleaners

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS Recovered Government Archive State Hazardous Waste Facilities List
NY RGA LF Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal RCRA generators

EXECUTIVE SUMMARY

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 02/17/2025 has revealed that there are 3 RCRA-LQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - CLEVELA EPA ID:: NYD982272841	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C33***	***82***
IS 302K EPA ID:: NYR000176511	***350 LINWOOD STREET***	***E 1/8 - 1/4 (0.148 mi.)***	***O129***	***421***
B&B URBAN LLC - 315 EPA ID:: NYR000237008	***315 LINWOOD STREET***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q134***	***441***

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/17/2025 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NYC DEPT OF EDUCATIO EPA ID:: NYR000214064	135 SCHENCK AVE	WNW 1/8 - 1/4 (0.176 mi.)	T152	501

Lower Elevation	Address	Direction / Distance	Map ID	Page
MTA NYCT - CLEVELAND EPA ID:: NYR000130930	***CLEVELAND & FULTON S***	***NNE 1/8 - 1/4 (0.166 mi.)***	***R136***	***453***

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 02/17/2025 has revealed that there is 1 RCRA-VSQG site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518 EPA ID:: NYD982185670	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***127***

EXECUTIVE SUMMARY

Lists of state- and tribal hazardous waste facilities

NY SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the NY SHWS list, as provided by EDR, and dated 11/04/2024 has revealed that there are 3 NY SHWS sites within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
K - UNION STATION HO Site Code: 378991	***ATLANTIC AVE, ASHFOR***	***E 0 - 1/8 (0.037 mi.)***	***A20***	***46***
1199 SUTTER AVENUE Site Code: 434283	***1199 SUTTER AVENUE***	***ESE 1/2 - 1 (0.743 mi.)***	***316***	***971***
673 LIVONIA AVENUE Site Code: 631213	***673 LIVONIA AVENUE***	***SSW 1/2 - 1 (0.857 mi.)***	***322***	***985***

Lists of state and tribal landfills and solid waste disposal facilities

NY SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the NY SWF/LF list, as provided by EDR, and dated 12/11/2024 has revealed that there are 3 NY SWF/LF sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CLASS A CARS	477 LIBERTY AVE	WSW 1/4 - 1/2 (0.319 mi.)	AM273	813
SOLCO PLUMBING SUPPL	***413 LIBERTY AVENUE***	***WSW 1/4 - 1/2 (0.425 mi.)***	***296***	***897***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CARBUSTERS AUTO RECY	***60 BERRIMAN STREET***	***E 1/4 - 1/2 (0.283 mi.)***	***AK265***	***795***

Lists of state and tribal leaking storage tanks

NY LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the NY LTANKS list, as provided by EDR, and dated 11/03/2024 has revealed that there are 43 NY LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518 Spill Number/Closed Date: 9200248 / 1994-08-03	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***127***

Site ID: 147618
Spill Date: 1992-04-07

208 BARBEY ST — 208 BARBEY ST — WNW 1/8 - 1/4 (0.140 mi.) — M123 — 400
Spill Number/Closed Date: 9512002 / 1995-12-26
Site ID: 124613
Spill Date: 1995-12-22

Not reported — ***2849 FULTON STREET*** — ***NW 1/8 - 1/4 (0.172 mi.)*** — ***M147*** — ***481***
Spill Number/Closed Date: 0608616 / 2015-04-02
Site ID: 372626
Spill Date: 2006-10-26

PS 290 (SCHOOL) — ***135 SCHENCK AVE*** — ***WNW 1/8 - 1/4 (0.176 mi.)*** — ***T151*** — ***495***
Spill Number/Closed Date: 0610197 / 2007-02-26
Site ID: 374588
Spill Date: 2006-12-07

CORNER OF W. 1ST ST — AND SCHENCK ST — WNW 1/8 - 1/4 (0.187 mi.) — T166 — 529
Spill Number/Closed Date: 9906643 / 2000-03-07
Site ID: 120569
Spill Date: 1999-09-03

GASETERIA — 2820 ATLANTIC AVENUE — WSW 1/8 - 1/4 (0.188 mi.) — U171 — 539
Spill Number/Closed Date: 9312952 / 2003-01-27
Spill Number/Closed Date: 9403819 / 2006-02-14
Site ID: 229957
Site ID: 229958
Spill Date: 1993-08-17
Spill Date: 1994-06-17

207 HENDRIX ST./ST. — 207 HENDRIX ST. — W 1/8 - 1/4 (0.201 mi.) — U186 — 603
Spill Number/Closed Date: 8705786 / 1993-02-25
Site ID: 148832
Spill Date: 1987-10-08

CLOSED-LACKOF RECENT — 220 HENDRICKS STREET — W 1/8 - 1/4 (0.207 mi.) — U192 — 616
Spill Number/Closed Date: 9305054 / 2003-03-06
Site ID: 71180
Spill Date: 1993-07-22

180 ARLINGTON AVENUE — ***180 ARLINGTON AVENUE*** — ***NNW 1/8 - 1/4 (0.213 mi.)*** — ***Z200*** — ***633***
Spill Number/Closed Date: 9413591 / 1995-01-12
Site ID: 65678
Spill Date: 1995-01-12

249 LINWOOD ST/BKLYN — 249 LINWOOD STREET — NE 1/8 - 1/4 (0.222 mi.) — 225 — 709
Spill Number/Closed Date: 9000036 / 1995-06-07
Site ID: 93305
Spill Date: 1990-04-02

Not reported — ***140 BARBEY STREET*** — ***NW 1/8 - 1/4 (0.227 mi.)*** — ***AD235*** — ***731***
Spill Number/Closed Date: 9012255 / 1991-02-25
Site ID: 254610
Spill Date: 1991-02-25

187 ARLINGTON AVE/BK — 187 ARLINGTON AVENUE — NNW 1/8 - 1/4 (0.228 mi.) — Z236 — 735
Spill Number/Closed Date: 9009774 / 1990-12-08
Site ID: 106791
Spill Date: 1990-12-08

HPD — 168 HENDRIX ST — WNW 1/8 - 1/4 (0.230 mi.) — AF240 — 742
Spill Number/Closed Date: 0102090 / 2004-03-01

Site ID: 227113
Spill Date: 2001-05-24

185 VAN SICLEN AVE./ 185 VAN SICLEN AVE WSW 1/8 - 1/4 (0.246 mi.) AJ256 776
Spill Number/Closed Date: 8704880 / 1993-11-05
Site ID: 163326
Spill Date: 1987-09-11

31 BERRIMAN ST.- TTF 31 BERRIMAN ST ENE 1/4 - 1/2 (0.298 mi.) AL271 808
Spill Number/Closed Date: 0407617 / 2017-02-21
Site ID: 332136
Spill Date: 2004-10-08

TANK TEST FAILURES T ***3100 ATLANTIC AVENUE*** ***E 1/4 - 1/2 (0.319 mi.)*** ***AL274*** ***814***
Spill Number/Closed Date: 1509573 / 2023-04-06
Site ID: 520207
Spill Date: 2015-12-21

CON EDISON - SERVICE ***3104 ATLANTIC AVE*** ***ENE 1/4 - 1/2 (0.325 mi.)*** ***275*** ***818***
Spill Number/Closed Date: 0407616 / 2006-01-23
Site ID: 332135
Spill Date: 2004-10-08

70 ELCON ST/BKLYN 70 ELCON STREET N 1/4 - 1/2 (0.326 mi.) 276 820
Spill Number/Closed Date: 8910317 / 1992-12-08
Site ID: 68948
Spill Date: 1990-01-27

81 ARLINGTON AVE 81 ARLINGTON AVE NW 1/4 - 1/2 (0.328 mi.) 277 821
Spill Number/Closed Date: 9212315 / 1993-01-29
Site ID: 161891
Spill Date: 1993-01-29

RESI: COHEN ***155 BRADFORD ST*** ***WSW 1/4 - 1/2 (0.336 mi.)*** ***AM278*** ***822***
Spill Number/Closed Date: 9610511 / 1996-11-21
Site ID: 92092
Spill Date: 1996-11-21

Not reported ***165 BRADFORD STREET*** ***WSW 1/4 - 1/2 (0.338 mi.)*** ***AM279*** ***824***
Spill Number/Closed Date: 9501313 / 1995-05-30
Site ID: 301664
Spill Date: 1995-05-01

62 ATKINS AVE - TTF 62 ATKINS AVE E 1/4 - 1/2 (0.341 mi.) AN280 831
Spill Number/Closed Date: 0407614 / 2006-01-23
Site ID: 332133
Spill Date: 2004-10-08

SERVICE BOX 21287 ***280 JAMAICA AVENUE*** ***NW 1/4 - 1/2 (0.344 mi.)*** ***281*** ***833***
Spill Number/Closed Date: 9312222 / 1994-01-17
Site ID: 87204
Spill Date: 1994-01-17

ENGINE CO. 332/LADD. 165 BRADFORD STREET WSW 1/4 - 1/2 (0.347 mi.) AM282 836
Spill Number/Closed Date: 9501336 / 1999-09-08
Spill Number/Closed Date: 9709284 / 1999-09-08
Site ID: 95093
Site ID: 95094
Spill Date: 1995-05-01
Spill Date: 1997-11-10

35 ATKINS AVE - TTF 35 ATKINS AVE ENE 1/4 - 1/2 (0.348 mi.) AO283 839
Spill Number/Closed Date: 0407615 / 2006-01-23

Site ID: 332134
Spill Date: 2004-10-08

61 ATKINS AVENUE	***61 ATKINS AVENUE***	***E 1/4 - 1/2 (0.349 mi.)***	***AN284***	***840***
Spill Number/Closed Date: 0407729 / 2010-04-30				
Site ID: 332262				
Spill Date: 2004-10-12				
CON EDISON	***418 JAMAICA AVE***	***N 1/4 - 1/2 (0.379 mi.)***	***289***	***871***
Spill Number/Closed Date: 9500032 / 1995-05-01				
Site ID: 181142				
Spill Date: 1995-04-03				
64 MONTAUK AVENUE	***64 MONTAUK AVENUE***	***E 1/4 - 1/2 (0.390 mi.)***	***AN290***	***876***
Spill Number/Closed Date: 0407730 / 2010-04-30				
Site ID: 332263				
Spill Date: 2004-10-12				
TTF	36 MONTAUK AVE	ENE 1/4 - 1/2 (0.390 mi.)	AO291	880
Spill Number/Closed Date: 0408110 / 2005-12-30				
Spill Number/Closed Date: 0407731 / 2005-08-18				
Site ID: 332748				
Site ID: 332264				
Spill Date: 2004-10-22				
Spill Date: 2004-10-12				
240 SUNNYSIDE AVENUE	***240 SUNNYSIDE AVENUE***	***NNW 1/4 - 1/2 (0.405 mi.)***	***293***	***885***
Spill Number/Closed Date: 9502743 / 1995-06-16				
Site ID: 139529				
Spill Date: 1995-06-04				
Not reported	***110 WYONA STREET***	***W 1/4 - 1/2 (0.410 mi.)***	***294***	***888***
Spill Number/Closed Date: 0411597 / 2005-01-31				
Site ID: 336825				
Spill Date: 2005-01-28				
FIORENTINO PLAZA -NY	2181 PITKIN AVE	SW 1/4 - 1/2 (0.424 mi.)	295	894
Spill Number/Closed Date: 0209000 / 2014-08-25				
Spill Number/Closed Date: 9706130 / 2005-12-23				
Site ID: 130782				
Site ID: 128034				
Spill Date: 2002-12-02				
Spill Date: 1997-08-20				
SPILL NUMBER 9712720	***258 HIGHLAND BLVD***	***NW 1/4 - 1/2 (0.459 mi.)***	***302***	***907***
Spill Number/Closed Date: 9712728 / 1998-02-13				
Site ID: 207323				
Spill Date: 1998-02-13				
PRIVATE RESIDENCE	229 NORWOOD AVE	ENE 1/4 - 1/2 (0.466 mi.)	304	910
Spill Number/Closed Date: 0500041 / 2005-11-21				
Site ID: 342916				
Spill Date: 2005-04-01				
Not reported	***63 SUNNYSIDE AVENUE***	***WNW 1/4 - 1/2 (0.467 mi.)***	***305***	***911***
Spill Number/Closed Date: 9515454 / 1996-03-01				
Site ID: 288953				
Spill Date: 1996-03-01				
508 JAMAICA AVENUE	508 JAMAICA AVE	NNE 1/4 - 1/2 (0.476 mi.)	307	918
Spill Number/Closed Date: 9412416 / 1994-12-16				
Site ID: 84898				

Spill Date: 1994-12-16

ANNA CORP REALITY ***78 HIGHLAND PLACE*** ***NNE 1/4 - 1/2 (0.482 mi.)*** ***308*** ***919***
Spill Number/Closed Date: 0212208 / 2009-06-02
Site ID: 315891
Spill Date: 2003-03-12

Lower Elevation	Address	Direction / Distance	Map ID	Page
RIVEIRA MOTEL	2969 ATLANTIC AVENUE	NE 0 - 1/8 (0.102 mi.)	H85	264
Spill Number/Closed Date: 0305319 / 2006-03-14 Site ID: 226027 Spill Date: 2003-08-19				
Not reported	***2942 FULTON STREET***	***N 1/8 - 1/4 (0.135 mi.)***	***L118***	***389***
Spill Number/Closed Date: 9411155 / 1994-11-21 Spill Number/Closed Date: 9411203 / 1994-11-22 Site ID: 256827 Site ID: 190755 Spill Date: 1994-11-21				
398 LINWOOD ST	398 LINWOOD ST	ESE 1/8 - 1/4 (0.180 mi.)	W162	522
Spill Number/Closed Date: 9412321 / 2003-02-13 Site ID: 153913 Spill Date: 1994-12-14				
385 ESSEX STREET	***385 ESSEX STREET***	***SE 1/4 - 1/2 (0.298 mi.)***	***270***	***805***
Spill Number/Closed Date: 9708809 / 1998-06-17 Site ID: 245641 Spill Date: 1997-10-22				
3100 ATLANTIC LLC	***55 BERRIMAN STREET***	***E 1/4 - 1/2 (0.299 mi.)***	***AK272***	***810***
Spill Number/Closed Date: 0407618 / 2007-06-22 Site ID: 332137 Spill Date: 2004-10-08				
PRIVATE RESIDENCE	172 MILLFORD ST	ESE 1/4 - 1/2 (0.474 mi.)	306	916
Spill Number/Closed Date: 0312000 / 2004-03-04 Site ID: 257620 Spill Date: 2004-01-26				

Lists of state and tribal registered storage tanks

NY UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY UST list, as provided by EDR, has revealed that there are 15 NY UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	WSW 0 - 1/8 (0.003 mi.)	A5	17
Database: UST, Date of Government Version: 12/12/2024				
ST MICHAEL ROMAN CAT	219-237 JEROME STREE	SW 0 - 1/8 (0.052 mi.)	D39	107
Database: UST, Date of Government Version: 12/12/2024				
ST. MICHAEL SCHOOL	237 JEROME STREET	SSW 0 - 1/8 (0.068 mi.)	D50	124
Database: UST, Date of Government Version: 12/12/2024				

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***127***
Database: UST, Date of Government Version: 12/12/2024				
2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.130 mi.)	K110	315
Database: UST, Date of Government Version: 12/12/2024				
DEVELOPMENT PROPERTY	584-600 LIBERTY AVEN	SW 1/8 - 1/4 (0.131 mi.)	G115	377
Database: UST, Date of Government Version: 12/12/2024				
ATLANTIC & HENDRIX	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U167	530
Database: UST, Date of Government Version: 12/12/2024				
KINGS HENDRIX C-STOR	***2816 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.193 mi.)***	***U176***	***572***
Database: UST, Date of Government Version: 12/12/2024				
2815 ATLANTIC HOLDIN	2815 ATLANTIC AVENUE	W 1/8 - 1/4 (0.194 mi.)	U178	587
Database: UST, Date of Government Version: 12/12/2024				
ST MALACHY'S SCHOOL	220 HENDRIX ST	W 1/8 - 1/4 (0.214 mi.)	U210	655
Database: UST, Date of Government Version: 12/12/2024				

Lower Elevation	Address	Direction / Distance	Map ID	Page
ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	ENE 0 - 1/8 (0.046 mi.)	C34	101
Database: UST, Date of Government Version: 12/12/2024				
2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	ENE 0 - 1/8 (0.075 mi.)	C59	202
Database: UST, Date of Government Version: 12/12/2024				
2969 ATLANTIC AVE	2969 ATLANTIC AVENUE	NE 0 - 1/8 (0.102 mi.)	H84	262
Database: UST, Date of Government Version: 12/12/2024				
ST RITAS YOUTH CENTE	260 SHEPHERD AVENUE	ENE 1/8 - 1/4 (0.243 mi.)	AI254	770
Database: UST, Date of Government Version: 12/12/2024				
ST RITA'S R.C. CHURC	275 SHEPHERD AVENUE	E 1/8 - 1/4 (0.249 mi.)	AK259	780
Database: UST, Date of Government Version: 12/12/2024				

NY AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the NY AST list, as provided by EDR, has revealed that there are 18 NY AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BAYSIDE FUEL OIL	2887 ATLANTIC AVE	WNW 0 - 1/8 (0.041 mi.)	B23	52
Database: AST, Date of Government Version: 12/12/2024 Facility Id: 2-110671				
ATLANTIC LUBE INC	2894 ATLANTIC AVENUE	WSW 0 - 1/8 (0.042 mi.)	A26	57
Database: AST, Date of Government Version: 12/12/2024 Facility Id: 2-610284				
ST MICHAEL ROMAN CAT	219-237 JEROME STREE	SW 0 - 1/8 (0.052 mi.)	D40	109
Database: AST, Date of Government Version: 12/12/2024 Facility Id: 2-213837				
ST. MICHAELS RCC	225 JEROME STREET	SW 0 - 1/8 (0.056 mi.)	D42	112
Database: AST, Date of Government Version: 12/12/2024				

Facility Id: 2-608678

2840 ATLANTIC AVE RE | 2840 ATLANTIC AVENUE | WSW 1/8 - 1/4 (0.130 mi.) | K109 | 313
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-064742

KINGS RIDERS MOTOR S | 635 GLENMORE AVENUE | S 1/8 - 1/4 (0.160 mi.) | N132 | 438
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-609685

P.S. 290 - BROOKLYN | 135 SCHENCK AVENUE | WNW 1/8 - 1/4 (0.176 mi.) | T150 | 493
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-356581

KINGS HENDRIX C-STOR | 2816 ATLANTIC AVENUE | WSW 1/8 - 1/4 (0.193 mi.) | U176 | 572
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-602236

GREATER REFUGE MINIS | 291 HENDRIX STREET | SW 1/8 - 1/4 (0.220 mi.) | S221 | 702
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-608619

ARLGINTON ESTATES LL | 248 ARLINGTON AVE | NNE 1/8 - 1/4 (0.224 mi.) | 228 | 714
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-287512

ARLINGTON BRANCH | 203 ARLINGTON AVE | N 1/8 - 1/4 (0.230 mi.) | Y238 | 738
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-345326

168 HENDRIX ST | 168 HENDRIX STREET | WNW 1/8 - 1/4 (0.230 mi.) | AF239 | 740
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-601140

Lower Elevation	Address	Direction / Distance	Map ID	Page

ATLANTIC AVE. SERVIC | 2950 ATLANTIC AVENUE | ENE 0 - 1/8 (0.046 mi.) | C31 | 66
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-452718

VESTPRO | 2941 ATLANTIC AVENUE | NE 0 - 1/8 (0.066 mi.) | C48 | 121
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-305227

2958 ATLANTIC AVENUE | 2958 ATLANTIC AVENUE | ENE 0 - 1/8 (0.075 mi.) | C57 | 199
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-610301

670 LIBERTY AVE REPA | 670 LIBERTY AVENUE | SE 0 - 1/8 (0.105 mi.) | I91 | 273
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-610204

I.S. 302 - BROOKLYN | 350 LINWOOD STREET | E 1/8 - 1/4 (0.148 mi.) | O128 | 418
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-354589

J. BORAH CO. | 291 ESSEX STREET | E 1/8 - 1/4 (0.213 mi.) | X208 | 651
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-608411

EXECUTIVE SUMMARY

State and tribal institutional control / engineering control registries

NY ENG CONTROLS: Environmental Remediation sites that have engineering controls in place.

A review of the NY ENG CONTROLS list, as provided by EDR, and dated 11/04/2024 has revealed that there is 1 NY ENG CONTROLS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2840 ATLANTIC AVENUE	***2840 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K114***	***330***
Site Code: 544636				

Environmental Remediation sites that have institutional controls in place.

A review of the NY INST CONTROL list, as provided by EDR, and dated 11/04/2024 has revealed that there is 1 NY INST CONTROL site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2840 ATLANTIC AVENUE	***2840 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K114***	***330***
Site Code: 544636				

Lists of state and tribal voluntary cleanup sites

NY VCP: Voluntary Cleanup Agreements. The voluntary remedial program uses private monies to get contaminated sites remediated to levels allowing for the sites' productive use. The program covers virtually any kind of site and contamination.

A review of the NY VCP list, as provided by EDR, has revealed that there are 20 NY VCP sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 55,TAXBLOCK 3933	***2795 FULTON STREET***	***WNW 1/4 - 1/2 (0.262 mi.)***	***AF261***	***784***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 18,TAXBLOCK 3946	***2776 FULTON STREET***	***W 1/4 - 1/2 (0.287 mi.)***	***266***	***798***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 15,TAXBLOCK 3690	***2738 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.355 mi.)***	***285***	***844***
Database: VCP NYC, Date of Government Version: 12/02/2024				
Not reported	***2718 FULTON STREET***	***W 1/4 - 1/2 (0.398 mi.)***	***AQ292***	***882***
Database: VCP NYC, Date of Government Version: 12/02/2024				
2700 ATLANTIC AVENUE	***2700 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.428 mi.)***	***297***	***899***
Database: VCP NYC, Date of Government Version: 12/02/2024				
2701-2715 FULTON STR	***2701-2715 FULTON STR***	***W 1/4 - 1/2 (0.437 mi.)***	***AQ298***	***900***
Database: VCP NYC, Date of Government Version: 12/02/2024				
25 MILFORD STREET	***25 MILFORD STREET***	***ENE 1/4 - 1/2 (0.453 mi.)***	***AR299***	***901***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 28,TAXBLOCK 4153	***23 MILFORD STREET***	***ENE 1/4 - 1/2 (0.456 mi.)***	***AR301***	***904***
Database: VCP NYC, Date of Government Version: 12/02/2024				
3294 ATLANTIC AVENUE	***3192 ATLANTIC AVENUE***	***ENE 1/4 - 1/2 (0.463 mi.)***	***AR303***	***909***
Database: VCP NYC, Date of Government Version: 12/02/2024				

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
157 NEW JERSEY AVENU	***157 NEW JERSEY AVENU***	***W 1/4 - 1/2 (0.484 mi.)***	***309***	***941***
Database: VCP NYC, Date of Government Version: 12/02/2024				
2667 FULTON STREET	***2667 FULTON STREET***	***W 1/4 - 1/2 (0.493 mi.)***	***310***	***942***
Database: VCP NYC, Date of Government Version: 12/02/2024				

Lower Elevation	Address	Direction / Distance	Map ID	Page
315 LINWOOD STREET	***315 LINWOOD***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q133***	***440***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 30,TAXBLOCK 3998	***2337 PITKIN AVENUE***	***S 1/8 - 1/4 (0.236 mi.)***	***242***	***745***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 53,TAXBLOCK 3957	***3051 ATLANTIC AVENUE***	***ENE 1/8 - 1/4 (0.240 mi.)***	***AA247***	***755***
Database: VCP NYC, Date of Government Version: 12/02/2024				
777 GLENMORE AVENUE	***777 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.275 mi.)***	***AG263***	***793***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 19,TAXBLOCK 4017	***2400 PITKIN AVENUE***	***SSE 1/4 - 1/2 (0.275 mi.)***	***AH264***	***794***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 1,TAXBLOCK 3989	***355 SHEPHERD AVENUE***	***ESE 1/4 - 1/2 (0.292 mi.)***	***267***	***801***
Database: VCP NYC, Date of Government Version: 12/02/2024				
2437 PITKIN AVENUE	***2437 PITKIN AVENUE***	***SE 1/4 - 1/2 (0.294 mi.)***	***268***	***804***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 28,TAXBLOCK 4005	***2501 PITKIN AVENUE***	***ESE 1/4 - 1/2 (0.364 mi.)***	***AP287***	***865***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 13,TAXBLOCK 4006	***820 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.366 mi.)***	***288***	***868***
Database: VCP NYC, Date of Government Version: 12/02/2024				

Lists of state and tribal brownfield sites

NY BROWNFIELDS: Brownfields Site List

A review of the NY BROWNFIELDS list, as provided by EDR, and dated 11/04/2024 has revealed that there are 5 NY BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 11,TAXBLOCK 3965	***2864 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.082 mi.)***	***D64***	***213***
Site Code: 629738				
2840 ATLANTIC AVENUE	***2840 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K114***	***330***
Site Code: 544636				
203-207 VAN SICLEN A	203-207 VAN SICLEN A	WSW 1/4 - 1/2 (0.254 mi.)	AJ260	782
Site Code: 577646				

Lower Elevation	Address	Direction / Distance	Map ID	Page
K - UNION STATION HO	***ATLANTIC AVE, ASHFOR***	***E 0 - 1/8 (0.037 mi.)***	***A20***	***46***
Site Code: 57390				
FORMER GARONE BROS A	352-362 SHEPHERD AVE	ESE 1/4 - 1/2 (0.268 mi.)	AG262	787

EXECUTIVE SUMMARY

Site Code: 625573

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: The EPA's listing of Brownfields properties from the Cleanups in My Community program, which provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

A review of the US BROWNFIELDS list, as provided by EDR, and dated 09/09/2024 has revealed that there are 3 US BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2827 ATLANTIC AVENUE	***2827 ATLANTIC AVENUE***	***W 1/8 - 1/4 (0.176 mi.)***	***U154***	***505***
2817 ATLANTIC AVENUE	***2817 ATLANTIC AVENUE***	***W 1/8 - 1/4 (0.190 mi.)***	***U174***	***563***

Lower Elevation	Address	Direction / Distance	Map ID	Page
PITKIN BERRIMAN SITE Cleanup Completion Date: 04/19/0018	2501 PITKIN AVENUE	ESE 1/4 - 1/2 (0.364 mi.)	AP286	846

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 11/03/2024 has revealed that there are 16 NY Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518 Spill Number/Closed Date: 9830002 / 2023-12-31 Spill Number/Closed Date: 1006577 / 2010-10-20 Site ID: 65126 Site ID: 439937 Spill Date: 1998-08-06 Spill Date: 2010-09-16	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***127***
I/F/O Spill Number/Closed Date: 0202912 / 2002-08-02 Site ID: 300814 Spill Date: 2002-06-19	222 JEROME ST	WSW 0 - 1/8 (0.073 mi.)	D54	193
MANHOLE #5294 Spill Number/Closed Date: 0311120 / 2005-06-30 Site ID: 266089 Spill Date: 2003-12-30	LIBERTY AVE/WARWICK	S 0 - 1/8 (0.077 mi.)	F60	204
MANHOLE # 5293	LIBERTY AVE/JEROME S	SSW 0 - 1/8 (0.096 mi.)	F76	246

Spill Number/Closed Date: 0311630 / 2004-05-27
Site ID: 319267
Spill Date: 2004-01-14

282 ASHFORD ST. | 282 ASHFORD ST | SSE 0 - 1/8 (0.108 mi.) | F93 | 279
Spill Number/Closed Date: 9813215 / 1999-01-28
Spill Number/Closed Date: 9311714 / 1994-01-02
Site ID: 96821
Site ID: 283165
Spill Date: 1999-01-27
Spill Date: 1994-01-02

DRUM IN BACKYARD | ***338 WARWICK ST*** | ***S 0 - 1/8 (0.110 mi.)*** | ***F95*** | ***282***
Spill Number/Closed Date: 0812768 / 2009-04-13
Site ID: 410405
Spill Date: 2009-02-24

Lower Elevation	Address	Direction / Distance	Map ID	Page

CON ED CLEVELAND ST | 2950 ATALNTIC AVE | ENE 0 - 1/8 (0.046 mi.) | C28 | 61
Spill Number/Closed Date: 1709810 / 2018-04-26
Site ID: 566274
Spill Date: 2018-01-26

MOTOR OIL LEAK FROM | 2950 ATLANTIC AVE. C | ENE 0 - 1/8 (0.046 mi.) | C29 | 62
Spill Number/Closed Date: 0801455 / 2008-05-19
Site ID: 397377
Spill Date: 2008-05-07

CLEVELAND SUBSTATION | 2950 ATLANTIC AVE | ENE 0 - 1/8 (0.046 mi.) | C30 | 64
Spill Number/Closed Date: 1910071 / 2020-03-17
Spill Number/Closed Date: 1308234 / 2014-09-25
Site ID: 600695
Site ID: 488956
Spill Date: 2020-01-24
Spill Date: 2013-11-13

CONSOLIDATED EDISON | ***2950 ATLANTIC AVE*** | ***ENE 0 - 1/8 (0.046 mi.)*** | ***C32*** | ***67***
Spill Number/Closed Date: 9806522 / Not Reported
Spill Number/Closed Date: 0610593 / 2007-02-16
Spill Number/Closed Date: 1101622 / 2011-10-28
Spill Number/Closed Date: 0405593 / 2004-10-28
Spill Number/Closed Date: 9514626 / 1998-03-30
**Additional key fields are available in the Map Findings section*
Site ID: 81585
Site ID: 375059
Site ID: 449086
Site ID: 81582
Site ID: 81583
**Additional key fields are available in the Map Findings section*
Spill Date: 1998-08-26
Spill Date: 2006-12-18
Spill Date: 2011-05-13
Spill Date: 2004-08-22
Spill Date: 1996-02-15
**Additional key fields are available in the Map Findings section*

CLEVELAND ST YARD | CLEVELAND ST | ENE 0 - 1/8 (0.048 mi.) | C37 | 104
Spill Number/Closed Date: 9602782 / 1996-08-22

Site ID: 211551 Spill Date: 1996-05-28				
ATLANTIC AVE SERVICE Spill Number/Closed Date: 9608853 / 2006-03-16 Site ID: 255003 Spill Date: 1996-10-16	ALANTIC AVE/CLEVELAN	NE 0 - 1/8 (0.061 mi.)	C44	116
MANHOLE #1874 Spill Number/Closed Date: 0007359 / 2016-12-08 Site ID: 103873 Spill Date: 2000-09-22	ATLANTIC/CLEVELAND	ENE 0 - 1/8 (0.062 mi.)	C45	117
ROADSIDE Spill Number/Closed Date: 0906008 / 2009-08-24 Site ID: 418303 Spill Date: 2009-08-23	CLEVELAND ST BET ATL	ESE 0 - 1/8 (0.065 mi.)	C46	118
JAGARNATH HOME Spill Number/Closed Date: 0510472 / 2005-12-06 Site ID: 356457 Spill Date: 2005-12-06	***176 ASHFORD STREET***	***N 0 - 1/8 (0.074 mi.)***	***E55***	***194***
COMMERICAL BUILDING Spill Number/Closed Date: 1101321 / 2011-06-22 Site ID: 448770 Spill Date: 2011-05-05	2958 ATLANTIC AVE	ENE 0 - 1/8 (0.075 mi.)	C56	197

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 02/17/2025 has revealed that there are 43 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GIBRALTAR TRANSMISSI EPA ID:: NYD982279317	***2914 ATLANTIC AVE***	***0 - 1/8 (0.000 mi.)***	***A2***	***11***
CON EDISON EPA ID:: NYP004766192	***ATLANTIC AVE & WARWI***	***NW 0 - 1/8 (0.016 mi.)***	***A15***	***36***
2864 ATLANTIC REALTY EPA ID:: NYR000260265	***2864 ATLANTIC AVE***	***WSW 0 - 1/8 (0.082 mi.)***	***D65***	***220***
CON EDISON SERVICE B EPA ID:: NYP004578829	***2896 FULTON ST***	***NNW 0 - 1/8 (0.118 mi.)***	***J99***	***292***
EMPIRE STATE DAIRY L EPA ID:: NYR000253294	***2840 ATLANTIC AVE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K112***	***319***
CON EDISON EPA ID:: NYP004819714	***2870 FULTON ST***	***NW 1/8 - 1/4 (0.137 mi.)***	***M119***	***393***
CON EDISON MANHOLE 5	LIBERTY AVE & SCHENK	SW 1/8 - 1/4 (0.172 mi.)	S141	465

EPA ID:: NYP004147468				
CON EDISON MANHOLE 5 EPA ID:: NYP004148912	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S143	469
CON EDISON MANHOLE 5 EPA ID:: NYP004143442	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S144	471
CON EDISON MANHOLE 0 EPA ID:: NYP004225850	***LIBERTY AVE & SCHENC***	***SW 1/8 - 1/4 (0.172 mi.)***	***S145***	***473***
CON EDISON MANHOLE 5 EPA ID:: NYP004146668	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S146	478
CON ED - MH 67372 EPA ID:: NYP004006052	***GLENMORE & JEROME AV***	***S 1/8 - 1/4 (0.173 mi.)***	***N148***	***484***
CON EDISON SERVICE B EPA ID:: NYP004524781	***163 BARBEY ST***	***NW 1/8 - 1/4 (0.180 mi.)***	***M158***	***514***
CON EDISON SERVICE B EPA ID:: NYP004550398	***112 JEROME ST FRONT***	***NW 1/8 - 1/4 (0.180 mi.)***	***V160***	***518***
MTA-NYCTA FULTON ST EPA ID:: NYR000131375	***2963-2965 FULTON ST***	***NNE 1/8 - 1/4 (0.189 mi.)***	***R172***	***541***
CON EDISON EPA ID:: NYP004779799	263 HENDRIX ST	WSW 1/8 - 1/4 (0.200 mi.)	S185	601
CON EDISON EPA ID:: NYP004761383	***ATLANTIC AVE & HENDR***	***W 1/8 - 1/4 (0.202 mi.)***	***U189***	***610***
CON EDISON SERVICE B EPA ID:: NYP004548723	***192 ARLINGTON AVE FR***	***NNW 1/8 - 1/4 (0.208 mi.)***	***Z193***	***617***
CON EDISON SERVICE B EPA ID:: NYP004429114	***180 ARLINGTON AVE***	***NNW 1/8 - 1/4 (0.213 mi.)***	***Z201***	***637***
CON EDISON SERVICE B EPA ID:: NYP004548699	180 ARLINGTON AVE FR	NNW 1/8 - 1/4 (0.213 mi.)	Z204	644
CON EDISON EPA ID:: NYP004820300	***2814 FULTON ST***	***WNW 1/8 - 1/4 (0.216 mi.)***	***T215***	***690***
CON EDISON EPA ID:: NYP004881138	2821 FULTON ST	WNW 1/8 - 1/4 (0.217 mi.)	T218	695
CON EDISON SERVICE B EPA ID:: NYP004429213	***2983 FULTON ST***	***NNE 1/8 - 1/4 (0.217 mi.)***	***AB220***	***699***
CON EDISON EPA ID:: NYP004816797	***164 ARLINGTON AVE***	***NNW 1/8 - 1/4 (0.221 mi.)***	***V223***	***706***
CON EDISON EPA ID:: NYP004816789	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V232	721
CON EDISON - MH 6736 EPA ID:: NYP004112074	***GLENMORE AND SCHNECK***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC233***	***723***
CON EDISON MANHOLE: EPA ID:: NYP004446209	***GLENMORE AVE & SCHEN***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC234***	***728***
CON EDISON EPA ID:: NYP004815508	231 ARLINGTON AVE	N 1/8 - 1/4 (0.239 mi.)	Y244	749
CON EDISON SERVICE B EPA ID:: NYP004577508	***153 ARLINTON***	***NNW 1/8 - 1/4 (0.239 mi.)***	***AD246***	***753***
CON EDISON SERVICE B	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD250***	***761***

EPA ID:: NYP004414322				
CON EDISON SERVICE B EPA ID:: NYP004414090	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD251***	***764***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA ID:: NYP004840514	***220 ASHFORD ST***	***SE 0 - 1/8 (0.011 mi.)***	***A11***	***28***
CON EDISON MANHOLE 4 EPA ID:: NYP004234662	***ASHFORD ST & LIBERTY***	***SSE 0 - 1/8 (0.078 mi.)***	***F63***	***210***
CON EDISON EPA ID:: NYP004769485	***ATLANTIC AVE & ELTON***	***ENE 0 - 1/8 (0.125 mi.)***	***H106***	***307***
CLEVELAND M CLEANERS EPA ID:: NYD987009719	***2948 FULTON ST***	***N 1/8 - 1/4 (0.141 mi.)***	***L124***	***401***
CON EDISON EPA ID:: NYP004884298	LIBERTY AVE & LINWOO	ESE 1/8 - 1/4 (0.167 mi.)	O138	460
CON EDISON EPA ID:: NYP004539094	LINWOOD ST & LIBERTY	ESE 1/8 - 1/4 (0.167 mi.)	O140	463
CON EDISON EPA ID:: NYP004539110	***728 LIBERTY AVE FRON***	***ESE 1/8 - 1/4 (0.196 mi.)***	***W181***	***592***
CON EDISON SERVICE B EPA ID:: NYP004533527	422 CLEVELAND ST FRO	SSE 1/8 - 1/4 (0.201 mi.)	P188	608
CON EDISON SERVICE B EPA ID:: NYP004439006	***3027 ATLANTIC AVE***	***ENE 1/8 - 1/4 (0.209 mi.)***	***AA195***	***621***
CON EDISON EPA ID:: NYP004539136	LIBERTY AVE & ESSEX	ESE 1/8 - 1/4 (0.211 mi.)	X197	626
CON EDISON EPA ID:: NYP004161295	***LIBERTY AVE & ESSEX***	***ESE 1/8 - 1/4 (0.211 mi.)***	***X199***	***630***
CON EDISON EPA ID:: NYP004824732	***320 ESSEX ST***	***ESE 1/8 - 1/4 (0.213 mi.)***	***X207***	***648***

UST FINDER RELEASE: US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 2 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GASETERIA	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U169	537
SPILL NUMBER 9312952	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U170	538

EXECUTIVE SUMMARY

UST FINDER: EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories . UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 15 UST FINDER sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	WSW 0 - 1/8 (0.003 mi.)	A7	21
ST MICHAEL ROMAN CAT	219-237 JEROME STREE	SW 0 - 1/8 (0.052 mi.)	D41	111
ST. MICHAEL SCHOOL	237 JEROME STREET	SSW 0 - 1/8 (0.068 mi.)	D49	123
SPEEDWAY # 7823	2880 ATLANTIC AVENUE	WSW 0 - 1/8 (0.071 mi.)	B53	185
2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.130 mi.)	K111	318
DEVELOPMENT PROPERTY	584-600 LIBERTY AVEN	SW 1/8 - 1/4 (0.131 mi.)	G116	385
ATLANTIC & HENDRIX	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U168	535
KINGS HENDRIX C-STOR	2816 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.193 mi.)	U175	568
ST MALACHY'S SCHOOL	220 HENDRIX ST	W 1/8 - 1/4 (0.214 mi.)	U211	657

Lower Elevation	Address	Direction / Distance	Map ID	Page
ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	ENE 0 - 1/8 (0.046 mi.)	C35	102
2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	ENE 0 - 1/8 (0.075 mi.)	C58	201
2969 ATLANTIC AVE	2969 ATLANTIC AVENUE	NE 0 - 1/8 (0.102 mi.)	H86	266
ST RITAS YOUTH CENTE	260 SHEPHERD AVENUE	ENE 1/8 - 1/4 (0.243 mi.)	AI253	769
ST RITA'S SCHOOL	260 SHEPHERD AVENUE	ENE 1/8 - 1/4 (0.243 mi.)	AI255	775
ST RITA'S R.C.CHURCH	275 SHEPHERD AVENUE	E 1/8 - 1/4 (0.249 mi.)	AK258	779

E MANIFEST: EPA established a national system for tracking hazardous waste shipments electronically. This system, known as ?e-Manifest,? will modernize the nation?s cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

A review of the E MANIFEST list, as provided by EDR, and dated 02/17/2025 has revealed that there are 42 E MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - COMPANY	F/O 2894 ATLANTIC AV	WSW 0 - 1/8 (0.042 mi.)	A27	59
2864 ATLANTIC REALTY	***2864 ATLANTIC AVE***	***WSW 0 - 1/8 (0.082 mi.)***	***D65***	***220***
CONSOLIDATED EDISON	F/O2873 ATLANTIC AVE	W 0 - 1/8 (0.086 mi.)	B67	230
CON EDISON/ ATTN: QU	2873 ATLANTIC AVE	W 0 - 1/8 (0.086 mi.)	B68	232
CON EDISON - QUEENS	646 LIBERTY AVE	SSE 0 - 1/8 (0.088 mi.)	F69	233
CON EDISON - BROOKLY	OPP 259 BARBEY ST	WSW 0 - 1/8 (0.094 mi.)	D74	242
CON EDISON SERVICE B	***2896 FULTON ST***	***NNW 0 - 1/8 (0.118 mi.)***	***J99***	***292***
EMPIRE STATE DAIRY L	***2840 ATLANTIC AVE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K112***	***319***
CON EDISON/ ATTN: BR	2874 FULTON STREET	NW 1/8 - 1/4 (0.135 mi.)	M117	387
CONSOLIDATED EDISON	571 LIBERTY AVE	SW 1/8 - 1/4 (0.139 mi.)	G122	398
CON EDISON - BROOKLY	282 JEROME ST	SSW 1/8 - 1/4 (0.145 mi.)	N126	414
CONSOLIDATED EDISON	282 JEROME ST	SSW 1/8 - 1/4 (0.145 mi.)	N127	416
CONSOLIDATED EDISON	210 SCHENCK AVE	WSW 1/8 - 1/4 (0.173 mi.)	S149	491
CON EDISON/ ATTN: BR	2974 FULTON ST	NNE 1/8 - 1/4 (0.176 mi.)	R153	504
CON EDISON - BROOKLY	628 GLENMORE AVE	S 1/8 - 1/4 (0.179 mi.)	155	510
CONSOLIDATED EDISON	OPP 2843 FULTON ST	WNW 1/8 - 1/4 (0.180 mi.)	T156	512
CON EDISON/ ATTN: QU	2817 ATLANTIC AVE	W 1/8 - 1/4 (0.190 mi.)	U173	562
CON EDISON - BROOKLY	2815 ATLANTIC AVE	W 1/8 - 1/4 (0.194 mi.)	U177	585

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CONSOLIDATED EDISON	548 LIBERTY AVE	SW 1/8 - 1/4 (0.199 mi.)	S182	595
CON EDISON - QUEENS	196 ARLINGTON AVE	NNW 1/8 - 1/4 (0.209 mi.)	Y196	625
CON EDISON/ ATTN: QU	180 ARLINGTON AVE	NNW 1/8 - 1/4 (0.213 mi.)	Z203	642
CON EDISON - COMPANY	2823 FULTON ST	WNW 1/8 - 1/4 (0.214 mi.)	T209	653
CONSOLIDATED EDISON	ARLINGTON AVE & ASHF	N 1/8 - 1/4 (0.222 mi.)	Y226	710
CONSOLIDATED EDISON	134 ELTON ST	NNE 1/8 - 1/4 (0.223 mi.)	AB227	712

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - CLEVELA	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C33***	***82***
CON EDISON - COMPANY	2972 ATLANTIC AVE	ENE 0 - 1/8 (0.096 mi.)	C77	248
CON EDISON	218 WARWICK STR	NNW 0 - 1/8 (0.106 mi.)	J92	277
CON EDISON - COMPANY	2976 ATLANTIC AVE	ENE 0 - 1/8 (0.108 mi.)	H94	281
CONSOLIDATED EDISON	374 CLEVELAND ST	SE 0 - 1/8 (0.114 mi.)	I97	289
CON ED COMPANY OF NY	680 LIBERTY AVE	SE 0 - 1/8 (0.119 mi.)	I101	297
CON EDISON/QUEENS EN	2922 FULTON ST.	N 0 - 1/8 (0.120 mi.)	J102	299
CON EDISON/QUEENS EN	2932 FULTON ST.	N 1/8 - 1/4 (0.129 mi.)	L108	311
IS 302K	***350 LINWOOD STREET***	***E 1/8 - 1/4 (0.148 mi.)***	***O129***	***421***
B&B URBAN LLC - 315	***315 LINWOOD STREET***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q134***	***441***
CON EDISON	720 LIBERTY AVE	ESE 1/8 - 1/4 (0.181 mi.)	W163	523
CON EDISON/ ATTN: QU	729 LIBERTY AVE	ESE 1/8 - 1/4 (0.182 mi.)	O164	525
CON EDISON	729 LIBERTY AVE	ESE 1/8 - 1/4 (0.182 mi.)	O165	527
CON EDISON	737 LIBERTY AVE	E 1/8 - 1/4 (0.196 mi.)	X179	589
CON EDISON - QUEENS	216 ARLINGTON AVE	N 1/8 - 1/4 (0.206 mi.)	Y191	614
CON EDISON - BROOKLY	332 JEROME ST	S 1/8 - 1/4 (0.229 mi.)	AE237	736
CON EDISON - COMPANY	750 LIBERTY AVE	ESE 1/8 - 1/4 (0.233 mi.)	X241	744
CON EDISON/ ATTN: QU	2377 PITKIN AVE	SSE 1/8 - 1/4 (0.242 mi.)	AH252	767

NY DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the NY DRYCLEANERS list, as provided by EDR, and dated 11/27/2024 has revealed that there are 2 NY DRYCLEANERS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NAYA SUPER DRY CLEAN Facility Id: 2-6105-00672	***2814 FULTON ST***	***WNW 1/8 - 1/4 (0.216 mi.)***	***T213***	***659***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CLEVELAND M CLEANERS Facility Id: 2-6105-00580	***2948 FULTON ST***	***N 1/8 - 1/4 (0.141 mi.)***	***L124***	***401***

NY E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the NY E DESIGNATION list, as provided by EDR, and dated 10/07/2024 has revealed that there are 37 NY E DESIGNATION sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 13,TAXBLOCK 3967	***2912 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.003 mi.)***	***A6***	***19***
LOT 16,TAXBLOCK 3966	***2900 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.027 mi.)***	***A16***	***39***
LOT 15,TAXBLOCK 3966	***2896 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.037 mi.)***	***A19***	***44***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 42,TAXBLOCK 3951	***2887 ATLANTIC AVENUE***	***WNW 0 - 1/8 (0.041 mi.)***	***B22***	***50***
LOT 14,TAXBLOCK 3966	***2894 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.042 mi.)***	***A25***	***55***
LOT 13,TAXBLOCK 3966	ATLANTIC AVENUE	W 0 - 1/8 (0.046 mi.)	B36	103
LOT 12,TAXBLOCK 3966	***2890 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.051 mi.)***	***B38***	***105***
LOT 11,TAXBLOCK 3965	***2864 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.082 mi.)***	***D64***	***213***
LOT 15,TAXBLOCK 3983	***646 LIBERTY AVENUE***	***SSE 0 - 1/8 (0.088 mi.)***	***F70***	***235***
LOT 13,TAXBLOCK 3983	640 LIBERTY AVENUE	SSE 0 - 1/8 (0.088 mi.)	F71	237
LOT 17,TAXBLOCK 3982	***626 LIBERTY AVENUE***	***S 0 - 1/8 (0.091 mi.)***	***F72***	***238***
LOT 18,TAXBLOCK 3982	***630 LIBERTY AVENUE***	***S 0 - 1/8 (0.093 mi.)***	***F73***	***240***
LOT 7,TAXBLOCK 3965	***267 BARBEY STREET***	***WSW 0 - 1/8 (0.095 mi.)***	***D75***	***244***
LOT 6,TAXBLOCK 3965	***269 BARBEY STREET***	***WSW 0 - 1/8 (0.097 mi.)***	***D78***	***249***
LOT 32,TAXBLOCK 3965	***599 LIBERTY AVENUE***	***SW 0 - 1/8 (0.098 mi.)***	***G79***	***252***
LOT 4,TAXBLOCK 3965	***273 BARBEY STREET***	***SW 0 - 1/8 (0.100 mi.)***	***D80***	***254***
LOT 13,TAXBLOCK 3982	***614 LIBERTY AVENUE***	***SSW 0 - 1/8 (0.100 mi.)***	***F81***	***256***
LOT 3,TAXBLOCK 3965	***277 BARBEY STREET***	***SW 0 - 1/8 (0.101 mi.)***	***D83***	***260***
LOT 33,TAXBLOCK 3965	***597 LIBERTY AVENUE***	***SW 0 - 1/8 (0.102 mi.)***	***G87***	***267***
LOT 11,TAXBLOCK 3982	***608 LIBERTY AVENUE***	***SSW 0 - 1/8 (0.103 mi.)***	***F88***	***269***
LOT 1,TAXBLOCK 3965	***583 LIBERTY AVENUE***	***SW 0 - 1/8 (0.112 mi.)***	***G96***	***287***
LOT 23,TAXBLOCK 3964	BARBEY STREET	WSW 0 - 1/8 (0.116 mi.)	K98	291
LOT 24,TAXBLOCK 3964	***274 BARBEY STREET***	***WSW 0 - 1/8 (0.123 mi.)***	***K104***	***302***
LOT 25,TAXBLOCK 3964	***276 BARBEY STREET***	***WSW 0 - 1/8 (0.124 mi.)***	***G105***	***305***

Lower Elevation	Address	Direction / Distance	Map ID	Page
LOT 19,TAXBLOCK 3967	***2926 ATLANTIC AVENUE***	***0 - 1/8 (0.001 mi.)***	***A4***	***15***
LOT 20,TAXBLOCK 3967	***2928 ATLANTIC AVENUE***	***NE 0 - 1/8 (0.005 mi.)***	***A8***	***22***
LOT 24,TAXBLOCK 3967	***218 ASHFORD STREET***	***ESE 0 - 1/8 (0.005 mi.)***	***A9***	***24***
LOT 21,TAXBLOCK 3967	***2930 ATLANTIC AVENUE***	***ENE 0 - 1/8 (0.008 mi.)***	***A10***	***26***
LOT 25,TAXBLOCK 3967	***220 ASHFORD STREET***	***SE 0 - 1/8 (0.011 mi.)***	***A12***	***31***
LOT 22,TAXBLOCK 3967	***2932 ATLANTIC AVENUE***	***ENE 0 - 1/8 (0.012 mi.)***	***A14***	***34***
LOT 42,TAXBLOCK 3952	***2929 ATLANTIC AVENUE***	***NNE 0 - 1/8 (0.030 mi.)***	***A18***	***42***
LOT 45,TAXBLOCK 3953	***2941 ATLANTIC AVENUE***	***NE 0 - 1/8 (0.066 mi.)***	***C47***	***119***
LOT 45,TAXBLOCK 3954	***2961 ATLANTIC AVENUE***	***NE 0 - 1/8 (0.083 mi.)***	***C66***	***228***
LOT 55,TAXBLOCK 3954	***281 CLEVELAND STREET***	***NE 0 - 1/8 (0.101 mi.)***	***H82***	***258***
LOT 15,TAXBLOCK 3984	***670 LIBERTY AVENUE***	***SE 0 - 1/8 (0.105 mi.)***	***I89***	***271***
LOT 15,TAXBLOCK 3985	***682 LIBERTY AVENUE***	***SE 0 - 1/8 (0.122 mi.)***	***I103***	***300***
LOT 16,TAXBLOCK 3985	***684 LIBERTY AVENUE***	***SE 0 - 1/8 (0.125 mi.)***	***I107***	***309***

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 12/31/2019 has revealed that there are 48 NY MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518 EPA ID: NYD982185670	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***127***
CON EDISON EPA ID: NYP004578829	2896 FULTON ST	NNW 0 - 1/8 (0.118 mi.)	J100	296
CON EDISON - MANHOLE EPA ID: NYR000253294	***2840 ATLANTIC AVE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K113***	***326***

EPA ID: NYP004942817				
CON EDISON EPA ID: NYP004819714	2870 FULTON ST	NW 1/8 - 1/4 (0.137 mi.)	M121	397
CON EDISON EPA ID: NYP004628277	2869 FULTON ST	NW 1/8 - 1/4 (0.152 mi.)	M130	435
CON EDISON EPA ID: NYP004614160	FRONT OF 681 GLENMOR	SSE 1/8 - 1/4 (0.155 mi.)	P131	436
CON EDISON EPA ID: NYP004614004	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S142	467
CON EDISON MANHOLE 0 EPA ID: NYP004148912 EPA ID: NYP004225850	***LIBERTY AVE & SCHENC***	***SW 1/8 - 1/4 (0.172 mi.)***	***S145***	***473***
CON ED - MH 67372 EPA ID: NYP004006052	***GLENMORE & JEROME AV***	***S 1/8 - 1/4 (0.173 mi.)***	***N148***	***484***
CON EDISON EPA ID: NYP004524781	163 BARBEY ST	NW 1/8 - 1/4 (0.180 mi.)	M159	517
CON EDISON EPA ID: NYP004550398	112 JEROME ST FRONT	NW 1/8 - 1/4 (0.180 mi.)	V161	521
MTA-NYCTA FULTON ST EPA ID: NYR000131375	***2963-2965 FULTON ST***	***NNE 1/8 - 1/4 (0.189 mi.)***	***R172***	***541***
CON EDISON EPA ID: NYP004779799 EPA ID: NYP004788451	263 HENDRIX ST	WSW 1/8 - 1/4 (0.200 mi.)	S183	597
CON EDISON EPA ID: NYP004799060	236 HENDRIX AVE	WSW 1/8 - 1/4 (0.206 mi.)	U190	613
CON EDISON EPA ID: NYP004548723	192 ARLINGTON AVE FR	NNW 1/8 - 1/4 (0.208 mi.)	Z194	620
CON EDISON SERVICE B EPA ID: NYP004429114	***180 ARLINGTON AVE***	***NNW 1/8 - 1/4 (0.213 mi.)***	***Z201***	***637***
CON EDISON EPA ID: NYP004548699	180 ARLINGTON AVE FR	NNW 1/8 - 1/4 (0.213 mi.)	Z202	640
NAYA SUPER DRY CLEAN EPA ID: NYD980778666	***2814 FULTON ST***	***WNW 1/8 - 1/4 (0.216 mi.)***	***T213***	***659***
CON ED EPA ID: NYP004820300	2814 FULTON ST	WNW 1/8 - 1/4 (0.216 mi.)	T214	689
CON ED EPA ID: NYP004881138	2821 FULTON ST	WNW 1/8 - 1/4 (0.217 mi.)	T217	694
CON EDISON SERVICE B EPA ID: NYP004429213	***2983 FULTON ST***	***NNE 1/8 - 1/4 (0.217 mi.)***	***AB220***	***699***
CON ED EPA ID: NYP004721734 EPA ID: NYP004816789	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V231	718
CON EDISON - MH 6736 EPA ID: NYP004112074	***GLENMORE AND SCHNECK***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC233***	***723***
CON EDISON MANHOLE: EPA ID: NYP004446209	***GLENMORE AVE & SCHEN***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC234***	***728***
CON EDISON	231 ARLINGTON AVE	N 1/8 - 1/4 (0.239 mi.)	Y243	747

EPA ID: NYP004850161
EPA ID: NYP004815508

CON EDISON SERVICE B EPA ID: NYP004414322	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD250***	***761***
CON EDISON SERVICE B EPA ID: NYP004414090	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD251***	***764***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CONSOLIDATED EDISON EPA ID: NYD982273831	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C32***	***67***
CON EDISON - CLEVELA EPA ID: NYD982272841	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C33***	***82***
CON EDISON EPA ID: NYP004607649	186 ASHFORD ST	N 0 - 1/8 (0.060 mi.)	E43	114
NYNEX EPA ID: NYP000923375	ASHFORD ST & LIBERTY	SSE 0 - 1/8 (0.078 mi.)	F61	207
NYNEX EPA ID: NYP000932749	ASHFORD ST & LIBERTY	SSE 0 - 1/8 (0.078 mi.)	F62	208
CON EDISON MANHOLE 4 EPA ID: NYP004234662	***ASHFORD ST & LIBERTY***	***SSE 0 - 1/8 (0.078 mi.)***	***F63***	***210***
IS 302K EPA ID: NYR000176511	***350 LINWOOD STREET***	***E 1/8 - 1/4 (0.148 mi.)***	***O129***	***421***
B&B URBAN LLC - 315 EPA ID: NYR000237008	315 LINWOOD STREET	ENE 1/8 - 1/4 (0.162 mi.)	Q135	452
MTA NYCT - CLEVELAND EPA ID: NYR000130930	***CLEVELAND & FULTON S***	***NNE 1/8 - 1/4 (0.166 mi.)***	***R136***	***453***
CON EDISON EPA ID: NYP004539094	LINWOOD ST & LIBERTY	ESE 1/8 - 1/4 (0.167 mi.)	O137	458
CON EDISON EPA ID: NYP004539110	728 LIBERTY AVE FRON	ESE 1/8 - 1/4 (0.196 mi.)	W180	591
CON EDISON EPA ID: NYP004696233 EPA ID: NYP004533527 EPA ID: NYP004708707	422 CLEVELAND ST	SSE 1/8 - 1/4 (0.201 mi.)	P187	604
CON EDISON SERVICE B EPA ID: NYP004439006	***3027 ATLANTIC AVE***	***ENE 1/8 - 1/4 (0.209 mi.)***	***AA195***	***621***
CON EDISON EPA ID: NYP004539136	LIBERTY AVE & ESSEX	ESE 1/8 - 1/4 (0.211 mi.)	X198	629
CON EDISON EPA ID: NYP004161295	***LIBERTY AVE & ESSEX***	***ESE 1/8 - 1/4 (0.211 mi.)***	***X199***	***630***
CON ED EPA ID: NYP004824732	320 ESSEX ST	ESE 1/8 - 1/4 (0.213 mi.)	X206	647
CON EDISON EPA ID: NYP004598520	330 ESSEX ST	ESE 1/8 - 1/4 (0.216 mi.)	W216	693
CON EDISON EPA ID: NYP004598587	734 GLENMORE AVE	SE 1/8 - 1/4 (0.220 mi.)	222	704
CON EDISON	23-35 PITKIN AVE MH5	S 1/8 - 1/4 (0.241 mi.)	AE248	758

EPA ID: NYP004559878				
CON EDISON EPA ID: NYP004598546	OPP 761 GLENMORE AVE	ESE 1/8 - 1/4 (0.241 mi.)	AG249	759
CON EDISON EPA ID: NYP004682936	F/O 2325 PITKIN AV	S 1/8 - 1/4 (0.247 mi.)	AE257	777

PA MANIFEST: Hazardous waste manifest information.

A review of the PA MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there are 2 PA MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - BARBEY Generator EPA Id: NYP005031349	163 BARBEY STREET	NW 1/8 - 1/4 (0.180 mi.)	M157	514
CON EDISON - ARLINGT Generator EPA Id: NYP004721734	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V230	717

NJ MANIFEST: Hazardous waste manifest information.

A review of the NJ MANIFEST list, as provided by EDR, and dated 12/31/2018 has revealed that there are 11 NJ MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA Id: NYP004819714	2870 FULTON ST	NW 1/8 - 1/4 (0.137 mi.)	M120	395
MTA-NYCTA FULTON ST EPA Id: NYR000131375	***2963-2965 FULTON ST***	***NNE 1/8 - 1/4 (0.189 mi.)***	***R172***	***541***
CON EDISON EPA Id: NYP004779799	263 HENDRIX ST	WSW 1/8 - 1/4 (0.200 mi.)	S184	599
CON EDISON EPA Id: NYP004820300	2814 FULTON ST	WNW 1/8 - 1/4 (0.216 mi.)	T212	658
CON EDISON EPA Id: NYP004881138	2821 FULTON ST	WNW 1/8 - 1/4 (0.217 mi.)	T219	697
CON EDISON EPA Id: NYP004816797	164 ARLINGTON AVE	NNW 1/8 - 1/4 (0.221 mi.)	V224	708
CON EDISON EPA Id: NYP004816789	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V229	716
CON EDISON EPA Id: NYP004815508	231 ARLINGTON AVE	N 1/8 - 1/4 (0.239 mi.)	Y245	751

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA Id: NYP004840514	220 ASHFORD ST	SE 0 - 1/8 (0.011 mi.)	A13	33
CON EDISON EPA Id: NYP004884298	LIBERTY AVE & LINWOO	ESE 1/8 - 1/4 (0.167 mi.)	O139	462
CON EDISON	320 ESSEX ST	ESE 1/8 - 1/4 (0.213 mi.)	X205	646

EXECUTIVE SUMMARY

EPA Id: NYP004824732

NY MGP: From the late 1800's to the mid 1900's, hundreds of manufactured gas plants across New York State supplied homes and industry with fuel for heating, cooking, and lighting. Today, the New York State DEC is overseeing the investigation and cleanup of contamination left behind from these plants.

A review of the NY MGP list, as provided by EDR, and dated 12/02/2024 has revealed that there is 1 NY MGP site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
K - UNION STATION HO	***ATLANTIC AVE, ASHFOR***	***E 0 - 1/8 (0.037 mi.)***	***A20***	***46***

NY NYC OER: Properties remediated under OER's oversight, both in the E-Designation program and the NYC Voluntary Cleanup Program. Includes sites completed and in progress.

A review of the NY NYC OER list, as provided by EDR, and dated 12/02/2024 has revealed that there are 36 NY NYC OER sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 11,TAXBLOCK 3965	***2864 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.082 mi.)***	***D64***	***213***
2862 FULTON STREET	2862 FULTON STREET	NW 1/8 - 1/4 (0.141 mi.)	M125	414
LOT 55,TAXBLOCK 3933	***2795 FULTON STREET***	***WNW 1/4 - 1/2 (0.262 mi.)***	***AF261***	***784***
LOT 18,TAXBLOCK 3946	***2776 FULTON STREET***	***W 1/4 - 1/2 (0.287 mi.)***	***266***	***798***
LOT 15,TAXBLOCK 3690	***2738 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.355 mi.)***	***285***	***844***
Not reported	***2718 FULTON STREET***	***W 1/4 - 1/2 (0.398 mi.)***	***AQ292***	***882***
2700 ATLANTIC AVENUE	***2700 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.428 mi.)***	***297***	***899***
2701-2715 FULTON STR	***2701-2715 FULTON STR***	***W 1/4 - 1/2 (0.437 mi.)***	***AQ298***	***900***
25 MILFORD STREET	***25 MILFORD STREET***	***ENE 1/4 - 1/2 (0.453 mi.)***	***AR299***	***901***
LOT 25,TAXBLOCK 4153	***29 MILFORD STREET***	***ENE 1/4 - 1/2 (0.456 mi.)***	***AR300***	***902***
LOT 28,TAXBLOCK 4153	***23 MILFORD STREET***	***ENE 1/4 - 1/2 (0.456 mi.)***	***AR301***	***904***
3294 ATLANTIC AVENUE	***3192 ATLANTIC AVENUE***	***ENE 1/4 - 1/2 (0.463 mi.)***	***AR303***	***909***
157 NEW JERSEY AVENU	***157 NEW JERSEY AVENU***	***W 1/4 - 1/2 (0.484 mi.)***	***309***	***941***
2667 FULTON STREET	***2667 FULTON STREET***	***W 1/4 - 1/2 (0.493 mi.)***	***310***	***942***
3200 ATLANTIC AVENUE	***3200 ATLANTIC AVENUE***	***ENE 1/2 - 1 (0.514 mi.)***	***311***	***943***
LOT 35,TAXBLOCK 3703	***184 PENNSYLVANIA AVE***	***WSW 1/2 - 1 (0.580 mi.)***	***313***	***956***
EXXON DIV OF CFI #70	***225 PENNSYLVANIA AVE***	***SW 1/2 - 1 (0.582 mi.)***	***314***	***959***
50 PENN LLC	***2618 FULTON ST***	***W 1/2 - 1 (0.592 mi.)***	***315***	***969***
2440 FULTON STREET	***2440 FULTON STREET***	***W 1/2 - 1 (0.841 mi.)***	***321***	***984***
81-111 JUNIUS STREET	***81 JUNIUS STREET***	***WSW 1/2 - 1 (0.941 mi.)***	***323***	***988***
LOT 46,TAXBLOCK 1437	***2435 PACIFIC STREET***	***W 1/2 - 1 (0.977 mi.)***	***AT324***	***989***
2396 ATLANTIC AVENUE	2396 ATLANTIC AVENUE	W 1/2 - 1 (0.995 mi.)	AT325	994

Lower Elevation	Address	Direction / Distance	Map ID	Page
315 LINWOOD STREET	***315 LINWOOD***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q133***	***440***
LOT 30,TAXBLOCK 3998	***2337 PITKIN AVENUE***	***S 1/8 - 1/4 (0.236 mi.)***	***242***	***745***
LOT 53,TAXBLOCK 3957	***3051 ATLANTIC AVENUE***	***ENE 1/8 - 1/4 (0.240 mi.)***	***AA247***	***755***
777 GLENMORE AVENUE	***777 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.275 mi.)***	***AG263***	***793***
LOT 19,TAXBLOCK 4017	***2400 PITKIN AVENUE***	***SSE 1/4 - 1/2 (0.275 mi.)***	***AH264***	***794***
LOT 1,TAXBLOCK 3989	***355 SHEPHERD AVENUE***	***ESE 1/4 - 1/2 (0.292 mi.)***	***267***	***801***
2437 PITKIN AVENUE	***2437 PITKIN AVENUE***	***SE 1/4 - 1/2 (0.294 mi.)***	***268***	***804***
790 LIBERTY AVE	790 LIBERTY AVE	E 1/4 - 1/2 (0.297 mi.)	269	805
LOT 28,TAXBLOCK 4005	***2501 PITKIN AVENUE***	***ESE 1/4 - 1/2 (0.364 mi.)***	***AP287***	***865***
LOT 13,TAXBLOCK 4006	***820 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.366 mi.)***	***288***	***868***

Lower Elevation	Address	Direction / Distance	Map ID	Page
LOT 13,TAXBLOCK 4228	***2602 PITKIN AVENUE***	***ESE 1/2 - 1 (0.570 mi.)***	***312***	***954***
447 EUCLID AVENUE	***447 EUCLID AVENUE***	***E 1/2 - 1 (0.752 mi.)***	***317***	***980***
LOT 3,TAXBLOCK 4092	***876 LIVONIA AVENUE***	***S 1/2 - 1 (0.766 mi.)***	***AS318***	***980***
691-715 NEW LOTS AVE	691-715 NEW LOTS AVE	S 1/2 - 1 (0.778 mi.)	AS319	983

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the EDR MGP list, as provided by EDR, has revealed that there are 2 EDR MGP sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BELMONT STATION	BELMONT, WILLIAMS, A	SW 1/2 - 1 (0.819 mi.)	320	984

Lower Elevation	Address	Direction / Distance	Map ID	Page
UNION STATION (CITIZ	ATLANTIC AVE., ASHFO	E 0 - 1/8 (0.040 mi.)	A21	50

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 5 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
M M P G TUNE INC	2914 ATLANTIC AVE	0 - 1/8 (0.000 mi.)	A3	14
TRANCARE INC	2900 ATLANTIC AVE	WSW 0 - 1/8 (0.027 mi.)	A17	41
DIAL A MATTRESS ATLA	2887 ATLANTIC AVE ST	WNW 0 - 1/8 (0.041 mi.)	B24	54
MERIT GASOLINE STATI	2880 ATLANTIC AVE AV	WSW 0 - 1/8 (0.071 mi.)	B51	126


Lower Elevation	Address	Direction / Distance	Map ID	Page
JL AUTO REPAIR	670 LIBERTY AVE	SE 0 - 1/8 (0.105 mi.)	I90	273

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 3 records.

Site Name	Database(s)
LINWOOD STREET GW	NY SHWS
UNION STATION (CITIZENS BRANCH)	NY VCP
BELMONT STATION	NY VCP

OVERVIEW MAP - 07942990.2R




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 2916 Atlantic Avenue ADDRESS: 2916 Atlantic Avenue Brooklyn NY 11207 LAT/LONG: 40.677161 / 73.886455	CLIENT: Haley & Aldrich, Inc. CONTACT: Rachel Freeman INQUIRY #: 07942990.2r DATE: March 31, 2025 3:52 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 07942990.2R



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 2916 Atlantic Avenue	CLIENT: Haley & Aldrich, Inc.
ADDRESS: 2916 Atlantic Avenue Brooklyn NY 11207	CONTACT: Rachel Freeman INQUIRY #: 07942990.2r
LAT/LONG: 40.677161 / 73.886455	DATE: March 31, 2025 3:59 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Lists of Federal NPL (Superfund) sites								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Lists of Federal Delisted NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites subject to CERCLA removals and CERCLA orders								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Lists of Federal CERCLA sites with NFRAP								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA facilities undergoing Corrective Action								
CORRACTS	1.000		0	0	0	0	NR	0
Lists of Federal RCRA TSD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA generators								
RCRA-LQG	0.250		1	2	NR	NR	NR	3
RCRA-SQG	0.250		0	2	NR	NR	NR	2
RCRA-VSQG	0.250		1	0	NR	NR	NR	1
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
Lists of state- and tribal hazardous waste facilities								
NY SHWS	1.000		1	0	0	2	NR	3
Lists of state and tribal landfills and solid waste disposal facilities								
NY SWF/LF	0.500		0	0	3	NR	NR	3
Lists of state and tribal leaking storage tanks								
INDIAN LUST	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY LTANKS	0.500		2	15	26	NR	NR	43
NY HIST LTANKS	0.500		0	0	0	NR	NR	0
Lists of state and tribal registered storage tanks								
FEMA UST	0.250		0	0	NR	NR	NR	0
NY UST	0.250		7	8	NR	NR	NR	15
NY CBS UST	0.250		0	0	NR	NR	NR	0
NY MOSF UST	0.500		0	0	0	NR	NR	0
NY CBS	0.250		0	0	NR	NR	NR	0
NY MOSF	0.500		0	0	0	NR	NR	0
NY AST	0.250		8	10	NR	NR	NR	18
NY CBS AST	0.250		0	0	NR	NR	NR	0
NY MOSF AST	0.500		0	0	0	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
NY TANKS	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
NY RES DECL	0.125		0	NR	NR	NR	NR	0
NY ENG CONTROLS	0.500		0	1	0	NR	NR	1
NY INST CONTROL	0.500		0	1	0	NR	NR	1
Lists of state and tribal voluntary cleanup sites								
NY VCP	0.500		0	3	17	NR	NR	20
INDIAN VCP	0.500		0	0	0	NR	NR	0
Lists of state and tribal brownfield sites								
NY BROWNFIELDS	0.500		2	1	2	NR	NR	5
NY ERP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	2	1	NR	NR	3
Local Lists of Landfill / Solid Waste Disposal Sites								
NY SWRCY	0.500		0	0	0	NR	NR	0
NY SWTIRE	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
NY DEL SHWS	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
NY HIST UST	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY HIST AST	TP		NR	NR	NR	NR	NR	0
Local Land Records								
NY LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		16	NR	NR	NR	NR	16
NY Hist Spills	0.125		0	NR	NR	NR	NR	0
NY SPILLS 90	0.125		0	NR	NR	NR	NR	0
NY SPILLS 80	0.125		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		7	36	NR	NR	NR	43
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0
PFAS PROJECT	0.250		0	0	NR	NR	NR	0
PFAS ECHO	0.250		0	0	NR	NR	NR	0
PFAS ECHO FIRE TRAIN	0.250		0	0	NR	NR	NR	0
PFAS PT 139 AIRPORT	0.250		0	0	NR	NR	NR	0
AQUEOUS FOAM NRC	0.250		0	0	NR	NR	NR	0
BIOSOLIDS	TP		NR	NR	NR	NR	NR	0
UST FINDER RELEASE	0.500		0	2	0	NR	NR	2
UST FINDER	0.250		7	8	NR	NR	NR	15
E MANIFEST	0.250		14	28	NR	NR	NR	42
NY PFAS	0.250		0	0	NR	NR	NR	0
NY AIRS	TP		NR	NR	NR	NR	NR	0
NY COAL ASH	0.500		0	0	0	NR	NR	0
NY DRYCLEANERS	0.250		0	2	NR	NR	NR	2
NY E DESIGNATION	0.125	1	37	NR	NR	NR	NR	38
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY HSWDS	0.500		0	0	0	NR	NR	0
NY LEAD	TP		NR	NR	NR	NR	NR	0
NY MANIFEST	0.250		8	40	NR	NR	NR	48
PA MANIFEST	0.250		0	2	NR	NR	NR	2
NJ MANIFEST	0.250		1	10	NR	NR	NR	11
NY SPDES	TP		NR	NR	NR	NR	NR	0
NY VAPOR REOPENED	0.500		0	0	0	NR	NR	0
NY UIC	TP		NR	NR	NR	NR	NR	0
NY COOLING TOWERS	TP		NR	NR	NR	NR	NR	0
NY MGP	1.000		1	0	0	0	NR	1
NY NYC OER	1.000		1	4	19	12	NR	36
NY ILI	0.500		0	0	0	NR	NR	0
NY NYC LAND USE	TP	1	NR	NR	NR	NR	NR	1
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		1	0	0	1	NR	2
EDR Hist Auto	0.125		5	NR	NR	NR	NR	5
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
NY RGA HWS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY RGA LF	TP		NR	NR	NR	NR	NR	0
- Totals --		2	120	177	68	15	0	382

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 **LOT 15,TAXBLOCK 3967** **NY E DESIGNATION** **S118704104**
Target **2916 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
Property **BROOKLYN, NY 11207**

Site 1 of 24 in cluster A

Actual:
36 ft.

E DESIGNATION:

Name:	LOT 15,TAXBLOCK 3967
Address:	2916 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	15
Tax Block:	3967
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2916 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6771587
Longitude:	-73.8864573
Type Of Ownership Code:	Not reported
Owner Name:	ARGAB PROPERTIES LLC
Borough:	BK
Tax Block:	3967
Tax Lot:	15
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002002
Census Tract 2010:	1170
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported

LOT 15,TAXBLOCK 3967 (Continued) **S118704104**

Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	G2: Garages And Gasoline Stations - Auto Body/Collision Or Auto Repair
Land Use Category:	Transportation & Utility
Number Of Easements:	0
Lot Area:	6455
Total Building Floor Area:	6532
Commercial Floor Area:	6532
Residential Floor Area:	0
Office Floor Area:	2375
Retail Floor Area:	0
Garage Floor Area:	4157
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	2
Lot Frontage:	72.6700000
Lot Depth:	88.8300000
Building Frontage:	72.0000000
Building Depth:	88.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	58500.00000
Assessed Total Value:	145350.00000
Exempt Total Value:	18225.00000
Year Built:	1930
Year Altered 1:	2003
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.01000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670015.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015744
Y Coordinate:	186004
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported

LOT 15,TAXBLOCK 3967 (Continued) **S118704104**

Version Number: 24v3.1
Changed By DCP: Not reported

A2 **GIBRALTAR TRANSMISSION** **RCRA NonGen / NLR** **1000353397**
2914 ATLANTIC AVE **FINDS** **NYD982279317**
< 1/8 **BROOKLYN, NY 11207** **ECHO**
1 ft.

Site 2 of 24 in cluster A

Relative: Higher
Actual: 36 ft.

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Gibraltar Transmission
Handler Address:	Atlantic Ave
Handler City,State,Zip:	BROOKLYN, NY 11207-2729
EPA ID:	NYD982279317
Contact Name:	Not reported
Contact Address:	ATLANTIC AVE
Contact City,State,Zip:	BROOKLYN, NY 11207
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	ATLANTIC AVE
Mailing City,State,Zip:	BROOKLYN, NY 11207
Owner Name: Unknown	
Owner Type:	Private
Operator Name: Unknown	
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No

GIBRALTAR TRANSMISSION (Continued) **1000353397**

Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: UNKNOWN	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: UNKNOWN	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: UNKNOWN	
Legal Status:	Private

GIBRALTAR TRANSMISSION (Continued) **1000353397**

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19990708
Handler Name: GIBRALTAR TRANSMISSION	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name: GIBRALTAR TRANSMISSION	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: GIBRALTAR TRANSMISSION	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19871104
Handler Name: GIBRALTAR TRANSMISSION	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

GIBRALTAR TRANSMISSION (Continued) **1000353397**

Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004419576

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000353397
Registry ID: 110004419576

DFR URL:
Name: GIBRALTAR TRANSMISSION
Address: 2914 ATLANTIC AVE
City,State,Zip: BROOKLYN, NY 11207

A3 **M M P G TUNE INC** **EDR Hist Auto** **1020663373**
2914 ATLANTIC AVE **N/A**
< 1/8 **BROOKLYN, NY 11207**
1 ft.

Site 3 of 24 in cluster A

Relative: Higher EDR Hist Auto

Actual: 36 ft.

Year:	Name:	Type:
1980	M M P G TUNE INC	General Automotive Repair Shops
1982	M M P G TUNE INC	General Automotive Repair Shops
1982	TEST CYCLE INC	General Automotive Repair Shops
1983	M M P G TUNE INC	General Automotive Repair Shops
1983	TEST CYCLE INC	General Automotive Repair Shops
1985	M M P G TUNE INC	General Automotive Repair Shops
1985	TEST CYCLE INC	General Automotive Repair Shops
1986	TEST CYCLE INC	General Automotive Repair Shops

M M P G TUNE INC (Continued) **1020663373**

1986	M M P G TUNE INC	General Automotive Repair Shops
1987	M M P G TUNE INC	General Automotive Repair Shops
1987	TEST CYCLE INC	General Automotive Repair Shops
1989	UCC TRANSMISSION INC	Automotive Transmission Repair Shops
1991	UCC TRANSMISSION INC	Automotive Transmission Repair Shops
1992	UCC TRANSMISSION INC	Automotive Transmission Repair Shops
1993	ALLWOOD AUTO REPAIR INC	General Automotive Repair Shops
1994	ALLWOOD AUTO REPAIR INC	General Automotive Repair Shops
1995	ALLWOOD AUTO REPAIR INC	General Automotive Repair Shops
1996	ALLWOOD AUTO REPAIR INC	General Automotive Repair Shops
1997	ALLWOOD AUTO REPAIR INC	General Automotive Repair Shops

A4 **LOT 19,TAXBLOCK 3967** **NY E DESIGNATION S118704170**
2926 ATLANTIC AVENUE **NY NYC LAND USE N/A**
< 1/8 **BROOKLYN, NY 11207**
0.001 mi.
5 ft. **Site 4 of 24 in cluster A**

Relative:
Lower

Actual:
35 ft.

E DESIGNATION:

Name:	LOT 19,TAXBLOCK 3967
Address:	2926 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	19
Tax Block:	3967
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2926 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6772189
Longitude:	-73.8863057
Type Of Ownership Code:	Not reported
Owner Name:	HIDALGO GERARDO
Borough:	BK
Tax Block:	3967
Tax Lot:	19
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002002
Census Tract 2010:	1170
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75

LOT 19,TAXBLOCK 3967 (Continued) **S118704170**

Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B1: Two Family Dwellings - Brick
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	1467
Total Building Floor Area:	1270
Commercial Floor Area:	0
Residential Floor Area:	1270
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	18.1700000
Lot Depth:	80.7500000
Building Frontage:	18.1700000
Building Depth:	35.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	11100.00000
Assessed Total Value:	36540.00000
Exempt Total Value:	0.00000
Year Built:	1899
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.87000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670019.00000000

LOT 19,TAXBLOCK 3967 (Continued) **S118704170**

Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015786
Y Coordinate:	186026
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A5 **2912 ATLANTIC AVE REALTY CORP** **NY UST** **U001831905**
WSW **2912 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.003 mi.
14 ft. **Site 5 of 24 in cluster A**

Relative:
Higher

Actual:
36 ft.

UST:

Name:	2912 ATLANTIC AVE REALTY CORP
Address:	2912 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-081558 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594085.31521
UTM Y:	4503469.19173
Site Type:	Unknown

Affiliation Records:

Site Id:	1706
Affiliation Type:	Facility Owner
Company Name:	2912 ATLANTIC AVE REALTY CORP
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	2912 ATLANTIC AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 235-4094
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1706
Affiliation Type:	Mail Contact
Company Name:	D. GOTTLIEB
Contact Type:	Not reported

2912 ATLANTIC AVE REALTY CORP (Continued) **U001831905**

Contact Name:	Not reported
Address1:	1339 E. 35TH STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11210
Country Code:	001
Phone:	(718) 235-4094
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1706
Affiliation Type:	Facility Operator
Company Name:	2912 ATLANTIC AVE REALTY CORP
Contact Type:	Not reported
Contact Name:	2912 ATLANTIC AVE REALTY CORP
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 235-4094
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	1706
Affiliation Type:	Emergency Contact
Company Name:	2912 ATLANTIC AVE REALTY CORP
Contact Type:	Not reported
Contact Name:	D GOTTLIEB
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(516) 889-6633
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	135
Tank ID:	2914
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	3000
Install Date:	12/01/1966
Date Tank Closed:	08/01/1993
Registered:	True

2912 ATLANTIC AVE REALTY CORP (Continued) **U001831905**

Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

A6 **LOT 13,TAXBLOCK 3967** **NY E DESIGNATION S118704075**
WSW **2912 ATLANTIC AVENUE** **NY NYC LAND USE N/A**
< 1/8 **BROOKLYN, NY 11207**
0.003 mi.
14 ft. **Site 6 of 24 in cluster A**

Relative:
Higher

Actual:
36 ft.

E DESIGNATION:
Name: LOT 13,TAXBLOCK 3967
Address: 2912 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Tax Lot(s): 13
Tax Block: 3967
Borough Code: BK
E-No: E-366
Effective Date: Not reported
Satisfaction Date: Not reported
Ceqr Number: 15DCP102K
Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:
Name: Not reported
Address: 2912 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Latitude: 40.6770875
Longitude: -73.8866377
Type Of Ownership Code: Not reported
Owner Name: SALETA-STEVENSON ENTERPRISES,INC
Borough: BK
Tax Block: 3967

LOT 13,TAXBLOCK 3967 (Continued) **S118704075**

Tax Lot:	13
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002002
Census Tract 2010:	1170
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	R6B: Residential Districts
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Y
Building Class:	E1: Warehouses - Fireproof
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	3848
Total Building Floor Area:	12126
Commercial Floor Area:	12126
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	12126
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	4.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	35.2500000
Lot Depth:	109.1700000
Building Frontage:	34.0000000
Building Depth:	90.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	86400.00000
Assessed Total Value:	496800.00000
Exempt Total Value:	0.00000
Year Built:	1930

LOT 13,TAXBLOCK 3967 (Continued) **S118704075**

Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	3.15000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670013.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015694
Y Coordinate:	185978
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A7 **2912 ATLANTIC AVE REALTY CORP** **UST FINDER** **1028569491**
WSW **2912 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.003 mi.
14 ft. **Site 7 of 24 in cluster A**

Relative: **Higher**
Actual: **36 ft.**

UST FINDER:

Object ID:	295863
Facility ID:	NY1706
Name:	2912 ATLANTIC AVE REALTY CORP
Address:	2912 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	10112
Private Wells 1500ft:	16
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Closed UST(s)

2912 ATLANTIC AVE REALTY CORP (Continued) **1028569491**

Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.886721
Y Coord:	40.676742
Latitude:	40.676742
Longitude:	-73.886721

UST FINDER:

Object ID:	1208502
Facility ID:	NY1706
Tank ID:	NY107620
Tank Status:	Closed
Installation Date:	1966/12/01 16:00:01+00
Removal Date:	Not reported
Tank Capacity:	3000
Substances:	Not reported
Tank Wall Type:	Not reported

A8 **LOT 20,TAXBLOCK 3967** **NY E DESIGNATION** **S118704194**
NE **2928 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.005 mi.
24 ft. **Site 8 of 24 in cluster A**

Relative:
Lower

Actual:
35 ft.

E DESIGNATION:

Name:	LOT 20,TAXBLOCK 3967
Address:	2928 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	20
Tax Block:	3967
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2928 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6772299
Longitude:	-73.8862372
Type Of Ownership Code:	Not reported
Owner Name:	GERARDO HIDALGO
Borough:	BK
Tax Block:	3967
Tax Lot:	20
Community District:	305

LOT 20,TAXBLOCK 3967 (Continued) **S118704194**

Census Tract 2020:	3117000
Census Block 2020:	31170002002
Census Tract 2010:	1170
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	S1: Residence - Multiple Use - Primarily One Family With One Store Or Office
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	1512
Total Building Floor Area:	1272
Commercial Floor Area:	636
Residential Floor Area:	636
Office Floor Area:	0
Retail Floor Area:	636
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	1
Total Units:	2
Lot Frontage:	18.1700000
Lot Depth:	83.2500000
Building Frontage:	18.1700000
Building Depth:	35.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	6060.00000
Assessed Total Value:	27900.00000
Exempt Total Value:	0.00000
Year Built:	1920
Year Altered 1:	0

LOT 20,TAXBLOCK 3967 (Continued) **S118704194**

Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.84000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670020.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015805
Y Coordinate:	186030
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A9 **LOT 24,TAXBLOCK 3967** **NY E DESIGNATION** **S118704235**
ESE **218 ASHFORD STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.005 mi.
27 ft. **Site 9 of 24 in cluster A**

Relative: **Lower**
Actual: **35 ft.**

E DESIGNATION:

Name:	LOT 24,TAXBLOCK 3967
Address:	218 ASHFORD STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	24
Tax Block:	3967
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	218 ASHFORD STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6770898
Longitude:	-73.8861726

LOT 24,TAXBLOCK 3967 (Continued) **S118704235**

Type Of Ownership Code:	Not reported
Owner Name:	CACCAVO DAVID
Borough:	BK
Tax Block:	3967
Tax Lot:	24
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002002
Census Tract 2010:	1170
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	R6B: Residential Districts
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Y
Building Class:	G2: Garages And Gasoline Stations - Auto Body/Collision Or Auto Repair
Land Use Category:	Transportation & Utility
Number Of Easements:	0
Lot Area:	1460
Total Building Floor Area:	1160
Commercial Floor Area:	1160
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	1160
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	20.0000000
Lot Depth:	73.0000000
Building Frontage:	20.0000000
Building Depth:	58.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0

LOT 24,TAXBLOCK 3967 (Continued) **S118704235**

Assessed Land Value:	22950.00000
Assessed Total Value:	77850.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.79000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670024.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015823
Y Coordinate:	185979
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A10 **LOT 21,TAXBLOCK 3967** **NY E DESIGNATION** **S118704212**
ENE **2930 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.008 mi.
42 ft. **Site 10 of 24 in cluster A**

Relative:
Lower

Actual:
35 ft.

E DESIGNATION:

Name:	LOT 21,TAXBLOCK 3967
Address:	2930 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	21
Tax Block:	3967
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

LOT 21,TAXBLOCK 3967 (Continued) **S118704212**

Name:	Not reported
Address:	2930 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6772435
Longitude:	-73.8861759
Type Of Ownership Code:	Not reported
Owner Name:	VAM REAL ESTATE LLC
Borough:	BK
Tax Block:	3967
Tax Lot:	21
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002002
Census Tract 2010:	1170
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	S1: Residence - Multiple Use - Primarily One Family With One Store Or Office
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	1520
Total Building Floor Area:	1260
Commercial Floor Area:	630
Residential Floor Area:	630
Office Floor Area:	0
Retail Floor Area:	630
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	1
Total Units:	2
Lot Frontage:	18.0000000
Lot Depth:	85.6700000
Building Frontage:	18.0000000

LOT 21,TAXBLOCK 3967 (Continued) **S118704212**

Building Depth:	35.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	6420.00000
Assessed Total Value:	27660.00000
Exempt Total Value:	0.00000
Year Built:	1920
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.83000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670021.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015822
Y Coordinate:	186035
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A11 **CON EDISON** **RCRA NonGen / NLR** **1019907974**
SE **220 ASHFORD ST** **FINDS** **NYP004840514**
< 1/8 **BROOKLYN, NY 11203** **ECHO**
0.011 mi.
56 ft. **Site 11 of 24 in cluster A**

Relative: **Lower**
Actual: **35 ft.**

RCRA Listings:

Date Form Received by Agency:	20150918
Handler Name:	Con Edison
Handler Address:	Ashford St
Handler City,State,Zip:	BROOKLYN, NY 11203
EPA ID:	NYP004840514
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private

CON EDISON (Continued) **1019907974**

Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20160909
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Historic Generators:

Receive Date:	20150918

CON EDISON (Continued) **1019907974**

Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20150918
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110069649802

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019907974
Registry ID: 110069649802

CON EDISON (Continued) **1019907974**

DFR URL:
Name: CON EDISON
Address: 220 ASHFORD ST
City,State,Zip: BROOKLYN, NY 11203

A12 **LOT 25,TAXBLOCK 3967** **NY E DESIGNATION** **S118704245**
SE **220 ASHFORD STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.011 mi.
56 ft. **Site 12 of 24 in cluster A**

Relative: **Lower**
Actual: **35 ft.**

E DESIGNATION:
Name: LOT 25,TAXBLOCK 3967
Address: 220 ASHFORD STREET
City,State,Zip: BROOKLYN, NY 11207
Tax Lot(s): 25
Tax Block: 3967
Borough Code: BK
E-No: E-366
Effective Date: Not reported
Satisfaction Date: Not reported
Ceqr Number: 15DCP102K
Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:
Name: Not reported
Address: 220 ASHFORD STREET
City,State,Zip: BROOKLYN, NY 11207
Latitude: 40.6769251
Longitude: -73.8861656
Type Of Ownership Code: Not reported
Owner Name: DAVID CACCAVO
Borough: BK
Tax Block: 3967
Tax Lot: 25
Community District: 305
Census Tract 2020: 3117000
Census Block 2020: 31170002002
Census Tract 2010: 1170
Census Block 2010: 2002
School District: 19
City Council District: 37
Fire Company: E332
Police Precinct: 75
Health Center District: 34
Health Area: 3820
Sanitation District Boro: 3
Sanitation District Number: 05
Sanitation Subsection: 1E
Zoning District 1: R6B: Residential Districts

LOT 25,TAXBLOCK 3967 (Continued) **S118704245**

Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	F9: Factory And Industrial Buildings - Miscellaneous
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	9000
Total Building Floor Area:	12460
Commercial Floor Area:	12460
Residential Floor Area:	0
Office Floor Area:	500
Retail Floor Area:	0
Garage Floor Area:	500
Storage Floor Area:	5000
Factory Floor Area:	6460
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	0
Total Units:	2
Lot Frontage:	100.0000000
Lot Depth:	90.0000000
Building Frontage:	70.0000000
Building Depth:	89.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	162000.00000
Assessed Total Value:	356400.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	2006
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.38000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670025.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015825
Y Coordinate:	185919
Zoning Map #:	17c
Zoning Map Code:	Not reported

LOT 25,TAXBLOCK 3967 (Continued) **S118704245**

Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A13 **CON EDISON** **NJ MANIFEST** **S120676873**
SE **220 ASHFORD ST** **N/A**
< 1/8 **BROOKLYN, NY 11203**
0.011 mi.
56 ft. **Site 13 of 24 in cluster A**

Relative: **Lower**
Actual: **35 ft.**

NJ MANIFEST:

EPA ID:	NYP004840514
Name:	CON EDISON
Address:	220 ASHFORD ST
City,State,Zip:	BROOKLYN, NY 11203
County:	Not reported
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004840514
Manifest Number:	002625108GBF
Date Shipped:	9/18/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported

CON EDISON (Continued) **S120676873**

Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

A14 **LOT 22,TAXBLOCK 3967** **NY E DESIGNATION** **S118704219**
ENE **2932 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.012 mi.
61 ft. **Site 14 of 24 in cluster A**

Relative: **Lower**
Actual: **35 ft.**

E DESIGNATION:

Name:	LOT 22,TAXBLOCK 3967
Address:	2932 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	22
Tax Block:	3967
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2932 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6772572
Longitude:	-73.8861146
Type Of Ownership Code:	Not reported
Owner Name:	RKLM ESTATES, LLC

LOT 22,TAXBLOCK 3967 (Continued) **S118704219**

Borough:	BK
Tax Block:	3967
Tax Lot:	22
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002002
Census Tract 2010:	1170
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	E2: Warehouses - Contractor S Warehouse
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	1670
Total Building Floor Area:	2400
Commercial Floor Area:	2400
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	2400
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	19.3300000
Lot Depth:	88.0000000
Building Frontage:	19.0000000
Building Depth:	88.2500000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	37800.00000
Assessed Total Value:	74250.00000

LOT 22,TAXBLOCK 3967 (Continued) **S118704219**

Exempt Total Value:	0.00000
Year Built:	1920
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.44000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039670022.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015839
Y Coordinate:	186040
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A15 **CON EDISON** **RCRA NonGen / NLR** **1019901802**
NW **ATLANTIC AVE & WARWICK ST NW** **FINDS** **NYP004766192**
< 1/8 **BROOKLYN, NY 11207** **ECHO**
0.016 mi.
86 ft. **Site 15 of 24 in cluster A**

Relative: **Higher**
Actual: **37 ft.**

RCRA Listings:

Date Form Received by Agency:	20150410
Handler Name:	Con Edison
Handler Address:	Atlantic Ave & Warwick St Nw
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004766192
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE

CON EDISON (Continued) **1019901802**

Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20160909
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Historic Generators:

Receive Date:		20150410
Handler Name:	CON EDISON	
Federal Waste Generator Description:		Large Quantity Generator
State District Owner:		Ny
Large Quantity Handler of Universal Waste:		No
Recognized Trader Importer:		No
Recognized Trader Exporter:		No
Spent Lead Acid Battery Importer:		No
Spent Lead Acid Battery Exporter:		No

CON EDISON (Continued) **1019901802**

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20150410
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110069656991

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019901802
Registry ID:	110069656991

DFR URL:

Name:	CON EDISON
Address:	ATLANTIC AVE & WARWICK ST NW
City,State,Zip:	BROOKLYN, NY 11207

A16 **LOT 16,TAXBLOCK 3966** **NY E DESIGNATION** **S118704125**
WSW **2900 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.027 mi.
145 ft. **Site 16 of 24 in cluster A**

Relative:
Higher

Actual:
37 ft.

E DESIGNATION:

Name:	LOT 16,TAXBLOCK 3966
Address:	2900 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	16
Tax Block:	3966
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2900 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6770001
Longitude:	-73.8870885
Type Of Ownership Code:	Not reported
Owner Name:	2900 ATLANTIC LLC
Borough:	BK
Tax Block:	3966
Tax Lot:	16
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002003
Census Tract 2010:	1170
Census Block 2010:	2003
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported

LOT 16,TAXBLOCK 3966 (Continued) **S118704125**

Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	G2: Garages And Gasoline Stations - Auto Body/Collision Or Auto Repair
Land Use Category:	Transportation & Utility
Number Of Easements:	0
Lot Area:	7190
Total Building Floor Area:	6569
Commercial Floor Area:	6569
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	6569
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	75.5000000
Lot Depth:	91.4200000
Building Frontage:	75.5000000
Building Depth:	87.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	129600.00000
Assessed Total Value:	316350.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.91000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039660016.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015569
Y Coordinate:	185946
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported

LOT 16,TAXBLOCK 3966 (Continued) **S118704125**

Version Number: 24v3.1
Changed By DCP: Not reported

A17 **TRANCARE INC** **EDR Hist Auto** **1021576220**
WSW **2900 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.027 mi.
145 ft. **Site 17 of 24 in cluster A**

Relative: EDR Hist Auto
Higher

Actual:
37 ft.

Year:	Name:	Type:
1980	KERN-DAUGH AUTOMATIC TRANSM*	Automotive Repair Shops, NEC
1982	KERN-DAUGH AUTOMATIC TRANS INC	Automotive Repair Shops, NEC
1983	KERN-DAUGH AUTOMATIC TRANS INC	Automotive Repair Shops, NEC
1985	KERN-DAUGH AUTOMATIC TRANS INC	Automotive Repair Shops, NEC
1986	KERN-DAUGH AUTOMATIC TRANSM*	Automotive Repair Shops, NEC
1987	KERN-DAUGH AUTOMATIC TRANSM*	Automotive Repair Shops, NEC
1988	KERN-DAUGH AUTOMATIC TRANSM	Automotive Repair Shops, NEC
1989	KERN-DAUGH AUTOMATIC TRANSM	Automotive Transmission Repair Shops
1991	TROPICAL DIESEL REPAIR	General Automotive Repair Shops
1992	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
1993	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
1994	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
1995	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
1996	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
1998	TRANCARE INC	Automotive Transmission Repair Shops
1998	TORKFLITE INC	Automotive Transmission Repair Shops
1999	TRANCARE INC	Automotive Transmission Repair Shops
1999	TORKFLITE INC	Automotive Transmission Repair Shops
2000	TORKFLITE INC	Automotive Transmission Repair Shops
2000	TRANCARE INC	Automotive Transmission Repair Shops
2001	TORKFLITE INC	Automotive Transmission Repair Shops
2001	TRANCARE INC	Automotive Transmission Repair Shops
2002	TORKFLITE INC	Automotive Transmission Repair Shops
2002	TRANCARE INC	Automotive Transmission Repair Shops
2003	TORKFLITE INC	Automotive Transmission Repair Shops
2003	TRANCARE INC	Automotive Transmission Repair Shops
2004	TORKFLITE INC	Automotive Transmission Repair Shops
2004	TRANCARE INC	Automotive Transmission Repair Shops
2005	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
2005	TORKFLITE INC	Automotive Transmission Repair Shops
2005	TRANCARE INC	Automotive Transmission Repair Shops
2006	TORKFLITE INC	Automotive Transmission Repair Shops
2006	TRANCARE INC	Automotive Transmission Repair Shops
2006	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
2007	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
2007	TORKFLITE INC	Automotive Transmission Repair Shops
2007	TRANCARE INC	Automotive Transmission Repair Shops
2008	TORKFLITE INC	Automotive Transmission Repair Shops
2008	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
2008	TRANCARE INC	Automotive Transmission Repair Shops
2009	TORKFLITE INC	Automotive Transmission Repair Shops
2009	TRANCARE INC	Automotive Transmission Repair Shops
2010	TRANCARE INC	Automotive Transmission Repair Shops
2010	TORKFLITE INC	Automotive Transmission Repair Shops
2011	TORKFLITE INC	Automotive Transmission Repair Shops
2011	TRANCARE INC	Automotive Transmission Repair Shops

TRANCARE INC (Continued) **1021576220**

2012	TRANCARE INC	Automotive Transmission Repair Shops
2012	TORKFLITE INC	Automotive Transmission Repair Shops
2013	TRANCARE INC	Automotive Transmission Repair Shops
2013	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
2013	TORKFLITE INC	Automotive Transmission Repair Shops
2014	TORKFLITE INC	Automotive Transmission Repair Shops
2014	TROPICAL DIESEL REPAIRS INC	General Automotive Repair Shops
2014	TRANCARE INC	Automotive Transmission Repair Shops

A18 **LOT 42,TAXBLOCK 3952** **NY E DESIGNATION S118704354**
NNE **2929 ATLANTIC AVENUE** **NY NYC LAND USE N/A**
< 1/8 **BROOKLYN, NY 11207**
0.030 mi.
161 ft. **Site 18 of 24 in cluster A**

Relative:
Lower

Actual:
35 ft.

E DESIGNATION:

Name:	LOT 42,TAXBLOCK 3952
Address:	2929 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	42
Tax Block:	3952
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2929 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6778338
Longitude:	-73.8862903
Type Of Ownership Code:	Not reported
Owner Name:	2929 ATLANTIC
Borough:	BK
Tax Block:	3952
Tax Lot:	42
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170001003
Census Tract 2010:	1170
Census Block 2010:	1002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05

LOT 42,TAXBLOCK 3952 (Continued) **S118704354**

Sanitation Subsection:	1E
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	K4: Store Buildings (Taxpayers Included) - Predominant Retail With Other Uses
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	7670
Total Building Floor Area:	15000
Commercial Floor Area:	15000
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	7500
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	7500
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	0
Total Units:	3
Lot Frontage:	75.0000000
Lot Depth:	97.5800000
Building Frontage:	75.0000000
Building Depth:	100.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	90000.00000
Assessed Total Value:	1026000.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.96000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039520042.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015790

LOT 42,TAXBLOCK 3952 (Continued) **S118704354**

Y Coordinate:	186250
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 011
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A19 **LOT 15,TAXBLOCK 3966** **NY E DESIGNATION** **S118704103**
WSW **2896 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.037 mi.
195 ft. **Site 19 of 24 in cluster A**

Relative: **Higher**
Actual: **38 ft.**

E DESIGNATION:

Name:	LOT 15,TAXBLOCK 3966
Address:	2896 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	15
Tax Block:	3966
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2896 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6769674
Longitude:	-73.8872616
Type Of Ownership Code:	Not reported
Owner Name:	2900 ATLANTIC LLC
Borough:	BK
Tax Block:	3966
Tax Lot:	15
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002003
Census Tract 2010:	1170
Census Block 2010:	2003
School District:	19
City Council District:	37

LOT 15,TAXBLOCK 3966 (Continued) **S118704103**

Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	G2: Garages And Gasoline Stations - Auto Body/Collision Or Auto Repair
Land Use Category:	Transportation & Utility
Number Of Easements:	0
Lot Area:	2301
Total Building Floor Area:	2301
Commercial Floor Area:	2301
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	2301
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	25.1700000
Lot Depth:	91.4200000
Building Frontage:	25.1700000
Building Depth:	50.0000000
Extension Code:	N
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	41400.00000
Assessed Total Value:	131850.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.00000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000

LOT 15,TAXBLOCK 3966 (Continued) **S118704103**

Boro Code:	3
Borough, Tax Block and Lot:	3039660015.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015521
Y Coordinate:	185934
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

A20 **K - UNION STATION HOLDER** **NY SHWS** **S109580117**
East **ATLANTIC AVE, ASHFORD ST, LIBERTY AVE** **NY BROWNFIELDS** **N/A**
< 1/8 **BROOKLYN, NY 11207** **NY MGP**
0.037 mi.
196 ft. **Site 20 of 24 in cluster A**

Relative: **Lower**
Actual: **34 ft.**

SHWS:

Name:	K - UNION STATION HOLDER
Address:	ATLANTIC AVE, ASHFORD ST, LIBERTY AVE
City,State,Zip:	BROOKLYN, NY 11207
Program:	HW
Site Code:	378991
Classification:	A
Region:	2
Acres:	1.300
HW Code:	224054
Record Add:	03/27/2007
Record Upd:	07/17/2024
Updated By:	GHPRATT

Site Description: Location: The Union Station Holder site is located in an urban area at 2940 Atlantic Avenue in Brooklyn, Kings County. The site is 1.3 acres in size. Site Features: The main site feature is a two-story brick building located in the northeast corner of the site. The rest of the site is covered in asphalt. Current Zoning and Land Use: The site is currently an active Con Edison Service Center, and is zoned for commercial use. The surrounding parcels are currently used for a combination of residential, commercial and manufacturing/industrial. The closest residential area is within 150 feet, due west of the site. Past Use of the Site: The first two gas holders (north and center) were constructed in approximately 1887. The center gas holder was dismantled in 1906, and the north gas holder was dismantled in 1908. The southern holder was constructed in 1908 and operated until approximately 1928, then dismantled around 1950. The site was used as a distribution facility. The Con Edison facility removed two underground storage tanks (USTs) in 1998, and as a result of the impacts found in groundwater and soil, a spill number was assigned (98-06522), and remains open. Site Geology and Hydrogeology: The site is underlain by artificial fill and glacial deposits (outwash sands and gravel). The outwash sand and gravel beneath the site consists of

K - UNION STATION HOLDER (Continued) **S109580117**

	coarse to fine gravel with sand, and ranges from 2 to 250 feet in thickness. The depth to groundwater is approximately 25 to 30 feet below ground surface (bgs), and general flow direction is to the east-southeast.
Env Problem:	Nature and Extent of Contamination: Soil and groundwater were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs) and pesticides. Based upon investigations completed to date, the primary contaminants of concern for the site are VOCs and SVOCs. There have been multiple spills at the site of petroleum products and one spill remains open, associated with the removal of two USTs in 1998. Soil - Total benzene, toluene, ethylbenzene, and xylene (BTEX) ranged from non-detect (ND) to 414 ppm. In addition to BTEX, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene were detected at elevated levels, with Total VOC concentrations as high as 2092 ppm. SVOCs, in the form of polycyclic aromatic hydrocarbons (PAHs), were detected from ND to 928 ppm. Groundwater - Total VOC concentrations were found as high as 1879 ppb, mostly downgradient of the holders. Total PAH concentrations ranged from non-detect to 601 ppb. In 2019, several monitoring wells were sampled for PFAS and 1,4-dioxane as part of the Department's Emerging Contaminants initiative. Perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) were reported at concentrations of up to 99.5 and 38 parts per trillion (ppt), respectively, exceeding the 10 ppt screening levels for groundwater for each. There were no soil vapor samples collected as part of this investigation.
Health Problem:	The NYSDOH will evaluate the potential for impacts to public health from exposure to site contaminants once sufficient information from the investigation of the site becomes available for review.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2013-09-20 14:17:00
Record Upd:	2013-10-29 11:19:00
Updated By:	ldennist
Own Op:	1
Sub Type:	E
Owner Name:	Raphael rosenbaum
Owner Company:	Consolidated Edison Company of NY, Inc.
Owner Address:	31-01 20th Avenue - Bldg 136, 2nd Flr
Owner Addr2:	Not reported
Owner City,St,Zip:	long island city, NY 11105
Owner Country:	United States of America
HW Code:	224054
Waste Type:	COAL TAR
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	9806522
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	2017-04-04 14:52:00

K - UNION STATION HOLDER (Continued) **S109580117**

Record Updated: 2017-04-04 14:52:00
Updated By: SXDEYETT

BROWNFIELDS:

Name:	K - UNION STATION HOLDER
Address:	ATLANTIC AVE, ASHFORD ST, LIBERTY AVE
City,State,Zip:	BROOKLYN, NY 11207
Program:	BCP
Site Code:	57390
Acres:	1.300
HW Code:	C224054
SWIS:	2401
Town:	New York City
Record Added Date:	04/30/2004
Record Updated Date:	12/07/2009
Update By:	MOBARRIE
Site Description:	See Site 224054
Env Problem:	Not reported
Health Problem:	Not reported
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	1
Sub Type:	E
Owner Name:	Not reported
Owner Company:	KEYSPAN
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	NY
Owner Country:	Unknown
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

MGP:

Site ID:	224054
Name:	K - UNION STATION HOLDER
Address:	ATLANTIC AVE, ASHFORD ST, LIBERTY AVE
City,State,Zip:	BROOKLYN, NY 11207
Region:	2

K - UNION STATION HOLDER (Continued) **S109580117**

Class:	Active: The classification assigned to a non-registry site in any remedial program where work is underway and not yet complete (i. e., Brownfield Cleanup Program, Environmental Restoration Program, Voluntary Cleanup Program and RCRA Corrective action Program sites). This may be used for Manufactured Gas Plant sites or those being remediated under an EPA Cooperative Agreement.
Swis Code:	2401
Town:	New York City
Disp Start:	Not reported
Disp Term:	Not reported
Acres:	1.3
Fuse:	Commercial
Description:	Location: The Union Station Holder site is located in an urban area at 2940 Atlantic Avenue in Brooklyn, Kings County. The site is 1.3 acres in size. Site Features: The main site feature is a two-story brick building located in the northeast corner of the site. The rest of the site is covered in asphalt. Current Zoning and Land Use: The site is currently an active Con Edison Service Center, and is zoned for commercial use. The surrounding parcels are currently used for a combination of residential, commercial and manufacturing/industrial. The closest residential area is within 150 feet, due west of the site. Past Use of the Site: The first two gas holders (north and center) were constructed in approximately 1887. The center gas holder was dismantled in 1906, and the north gas holder was dismantled in 1908. The southern holder was constructed in 1908 and operated until approximately 1928, then dismantled around 1950. The site was used as a distribution facility. The Con Edison facility removed two underground storage tanks (USTs) in 1998, and as a result of the impacts found in groundwater and soil, a spill number was assigned (98-06522), and remains open. Site Geology and Hydrogeology: The site is underlain by artificial fill and glacial deposits (outwash sands and gravel). The outwash sand and gravel beneath the site consists of coarse to fine gravel with sand, and ranges from 2 to 250 feet in thickness. The depth to groundwater is approximately 25 to 30 feet below ground surface (bgs), and general flow direction is to the east-southeast.
Assess Env:	Nature and Extent of Contamination: Soil and groundwater were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs) and pesticides. Based upon investigations completed to date, the primary contaminants of concern for the site are VOCs and SVOCs. There have been multiple spills at the site of petroleum products and one spill remains open, associated with the removal of two USTs in 1998. Soil - Total benzene, toluene, ethylbenzene, and xylene (BTEX) ranged from non-detect (ND) to 414 ppm. In addition to BTEX, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, and naphthalene were detected at elevated levels, with Total VOC concentrations as high as 2092 ppm. SVOCs, in the form of polycyclic aromatic hydrocarbons (PAHs), were detected from ND to 928 ppm. Groundwater - Total VOC concentrations were found as high as 1879 ppb, mostly downgradient of the holders. Total PAH concentrations ranged from non-detect to 601 ppb. In 2019, several monitoring wells were sampled for PFAS and 1,4-dioxane as part of the Department's Emerging Contaminants initiative. Perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) were reported at concentrations of up to 99.5 and 38 parts per trillion (ppt), respectively, exceeding the 10 ppt screening levels for groundwater for each. There were no soil vapor

K - UNION STATION HOLDER (Continued) **S109580117**

samples collected as part of this investigation.
Assess Doh: The NYSDOH will evaluate the potential for impacts to public health from exposure to site contaminants once sufficient information from the investigation of the site becomes available for review.
Latitude: 40.677222222
Longitude: -73.885555556

A21 **UNION STATION (CITIZENS BRANCH)** **EDR MGP** **1008407901**
East **ATLANTIC AVE., ASHFORD ST., LIBERTY AVE.** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.040 mi.
210 ft. **Site 21 of 24 in cluster A**

Relative: **Lower**
Actual: **34 ft.**

EDR MGP:
No additional information available

B22 **LOT 42,TAXBLOCK 3951** **NY E DESIGNATION** **S118704353**
WNW **2887 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.041 mi.
216 ft. **Site 1 of 10 in cluster B**

Relative: **Higher**
Actual: **38 ft.**

E DESIGNATION:
Name: LOT 42,TAXBLOCK 3951
Address: 2887 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Tax Lot(s): 42
Tax Block: 3951
Borough Code: BK
E-No: E-366
Effective Date: Not reported
Satisfaction Date: Not reported
Ceqr Number: 15DCP102K
Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:
Name: Not reported
Address: 2887 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Latitude: 40.6775576
Longitude: -73.8873615
Type Of Ownership Code: Not reported
Owner Name: U-STORE-IT, L.P.
Borough: BK
Tax Block: 3951
Tax Lot: 42
Community District: 305
Census Tract 2020: 3117000

LOT 42,TAXBLOCK 3951 (Continued) **S118704353**

Census Block 2020:	31170002004
Census Tract 2010:	1170
Census Block 2010:	2004
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	E7: Warehouses - Warehouse, Self Storage
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	19919
Total Building Floor Area:	87260
Commercial Floor Area:	87260
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	87260
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	4.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	200.0000000
Lot Depth:	114.0000000
Building Frontage:	190.8300000
Building Depth:	94.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	537750.00000
Assessed Total Value:	5283900.00000
Exempt Total Value:	1932930.00000
Year Built:	1917
Year Altered 1:	2004
Year Altered 2:	0
Historic District Name:	Not reported

LOT 42,TAXBLOCK 3951 (Continued) **S118704353**

Landmark Status:	Not reported
Built Floor Area Ratio:	4.38000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039510042.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015493
Y Coordinate:	186149
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

B23 **BAYSIDE FUEL OIL** **NY AST** **S107781236**
WNW **2887 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.041 mi.
216 ft. **Site 2 of 10 in cluster B**

Relative:
Higher

Actual:
38 ft.

AST:

Name:	BAYSIDE FUEL OIL
Address:	2887 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-110671
Program Type:	PBS
UTM X:	594031.77469
UTM Y:	4503546.24339
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	3401
Affiliation Type:	Facility Owner
Company Name:	HAROLD MILGRIM (IN TRUST)
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	125 PRINCE ST
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10012
Country Code:	001
Phone:	(212) 228-8130
EMail:	Not reported

BAYSIDE FUEL OIL (Continued) **S107781236**

Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3401
Affiliation Type:	Mail Contact
Company Name:	HAROLD MILGROM INTRUST
Contact Type:	Not reported
Contact Name:	HAROLD MILGRIM
Address1:	125 PRINCE ST
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10012
Country Code:	001
Phone:	(212) 228-8130
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3401
Affiliation Type:	Facility Operator
Company Name:	BAYSIDE FUEL OIL
Contact Type:	Not reported
Contact Name:	BAYSIDE FUEL OIL
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 460-9582
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	3401
Affiliation Type:	Emergency Contact
Company Name:	HAROLD MILGRIM (IN TRUST)
Contact Type:	Not reported
Contact Name:	HAROLD MILGRIM
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 228-8130
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

BAYSIDE FUEL OIL (Continued) **S107781236**

Tank Number:	001
Tank Id:	4854
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	3000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	02/12/2004
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	#2 fuel oil (on-site consumption)

B24 **DIAL A MATTRESS ATLANTIC AVE** **EDR Hist Auto** **1020669209**
WNW **2887 ATLANTIC AVE STE 2** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.041 mi.
216 ft. **Site 3 of 10 in cluster B**

Relative: EDR Hist Auto
Higher

Actual: **38 ft.**

Year:	Name:	Type:
2002	DIAL A MATTRESS ATLANTIC AVE	Gasoline Service Stations
2003	DIAL A MATTRESS ATLANTIC AVE	Gasoline Service Stations
2004	DIAL A MATTRESS ATLANTIC AVE	Gasoline Service Stations
2005	DIAL A MATTRESS ATLANTIC AVE	Gasoline Service Stations
2006	DIAL A MATTRESS ATLANTIC AVE	Gasoline Service Stations
2007	DIAL A MATTRESS ATLANTIC AVE	Gasoline Service Stations

A25
WSW
< 1/8
0.042 mi.
220 ft.

LOT 14,TAXBLOCK 3966
2894 ATLANTIC AVENUE
BROOKLYN, NY 11207

Site 22 of 24 in cluster A

NY E DESIGNATION **S118704089**
NY NYC LAND USE **N/A**

Relative:
Higher

Actual:
38 ft.

E DESIGNATION:

Name:	LOT 14,TAXBLOCK 3966
Address:	2894 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	14
Tax Block:	3966
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2894 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6769482
Longitude:	-73.8873517
Type Of Ownership Code:	Not reported
Owner Name:	2900 ATLANTIC LLC
Borough:	BK
Tax Block:	3966
Tax Lot:	14
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002003
Census Tract 2010:	1170
Census Block 2010:	2003
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported

LOT 14,TAXBLOCK 3966 (Continued) **S118704089**

Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	G2: Garages And Gasoline Stations - Auto Body/Collision Or Auto Repair
Land Use Category:	Transportation & Utility
Number Of Easements:	0
Lot Area:	2229
Total Building Floor Area:	2229
Commercial Floor Area:	2229
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	2229
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	25.1700000
Lot Depth:	88.5800000
Building Frontage:	24.7500000
Building Depth:	62.8300000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	35100.00000
Assessed Total Value:	133650.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.00000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039660014.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015496
Y Coordinate:	185927
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported

LOT 14,TAXBLOCK 3966 (Continued) **S118704089**

Version Number: 24v3.1
Changed By DCP: Not reported

A26
WSW
< 1/8
0.042 mi.
220 ft.

ATLANTIC LUBE INC **NY AST** **A100298609**
2894 ATLANTIC AVENUE **N/A**
BROOKLYN, NY 11207

Site 23 of 24 in cluster A

Relative:
Higher

Actual:
38 ft.

AST:
Name: ATLANTIC LUBE INC
Address: 2894 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-610284
Program Type: PBS
UTM X: 594029.60213
UTM Y: 4503503.32745
Expiration Date: 07/28/2016
Site Type: Other Wholesale/Retail Sales

Affiliation Records:
Site Id: 367859
Affiliation Type: Facility Owner
Company Name: THOMAS HEANEY
Contact Type: PRESIDENT
Contact Name: THOMAS HEANEY
Address1: 20 HOME ST
Address2: Not reported
City: MALVERNE
State: NY
Zip Code: 11565
Country Code: 001
Phone: (516) 805-0422
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2006-07-28

Site Id: 367859
Affiliation Type: Mail Contact
Company Name: ATLANTIC LUBE INC.
Contact Type: Not reported
Contact Name: THOMAS HEANEY
Address1: 2894 ATLANTIC AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11207
Country Code: 001
Phone: (718) 277-4400
EMail: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2006-07-28

ATLANTIC LUBE INC (Continued) **A100298609**

Site Id:	367859
Affiliation Type:	Facility Operator
Company Name:	ATLANTIC LUBE INC
Contact Type:	Not reported
Contact Name:	THOMAS HEANEY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 277-4400
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-07-28

Site Id:	367859
Affiliation Type:	Emergency Contact
Company Name:	THOMAS HEANEY
Contact Type:	Not reported
Contact Name:	THOMAS HEANEY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 277-4400
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-07-28

Tank Info:

Tank Number:	382392
Tank Id:	212871
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
G11 - Tank Secondary Containment - Double-bottom (Aboveground)
K01 - Spill Prevention - Catch Basin
F00 - Pipe External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
A99 - Tank Internal Protection - Other
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None

Tank Location:	Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service

ATLANTIC LUBE INC (Continued) **A100298609**

Pipe Model:	Not reported
Install Date:	01/01/2000
Capacity Gallons:	240
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	waste oil/used oil

Tank Number:	382405
Tank Id:	212872
Material Code:	0013
Common Name of Substance:	Lube Oil

Equipment Records:

K01 - Spill Prevention - Catch Basin
D01 - Pipe Type - Steel/Carbon Steel/Iron
G11 - Tank Secondary Containment - Double-bottom (Aboveground)
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
A99 - Tank Internal Protection - Other
C01 - Pipe Location - Aboveground

Tank Location:	Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/2000
Capacity Gallons:	240
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	lube oil

A27 **CON EDISON - COMPANY OF NY** **E MANIFEST** **1031612095**
WSW **F/O 2894 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.042 mi.
220 ft. **Site 24 of 24 in cluster A**

Relative: E MANIFEST:
Higher

Manifest Tracking Number:	007157894GBF
Last Updated Date:	20220624
Shipped Date:	20220614
Received Date:	20220614
Manifest Status:	Signed

Actual:
38 ft.

CON EDISON - COMPANY OF NY (Continued) **1031612095**

Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	F/O 2894 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 Butler St
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	007157894GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	007157894GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	007157894GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

CON EDISON - COMPANY OF NY (Continued) **1031612095**

Waste Line:

Manifest Tracking Number:	007157894GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Rq, Na3082, Hazardous Waste, Liquid N.O.S., (Lead), 9, Pg Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	1000
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.5
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.5
Waste Quantity, in Kilograms:	453.515
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	453.515
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

C28 **CON ED CLEVELAND ST YARD** **NY Spills** **S121464141**
ENE **2950 ATALNTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY**
0.046 mi.
244 ft. **Site 1 of 20 in cluster C**

Relative: **Lower**

Actual: **33 ft.**

SPILLS:

Name:	CON ED CLEVELAND ST YARD
Address:	2950 ATALNTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1709810 / 2018-04-26
Facility ID:	1709810
Facility Type:	ER
DER Facility ID:	519719
Site ID:	566274
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2018-01-26
Investigator:	RWAUSTIN

CON ED CLEVELAND ST YARD (Continued) **S121464141**

Referred To:	Not reported
Reported to Dept:	2018-01-26
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2018-01-26
Spill Record Last Update:	2018-04-26
Spiller Name:	ERT
Spiller Company:	CON ED
Spiller Address:	2950 ATALNTIC AVE
Spiller Company:	999
Contact Name:	ERT
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	EMIS 264391 1/26/2018 - Feng - Duty Desk. Spoke to Ines of Con Ed ERT (212-580-8383). The spill was reported to them on 11:55am. Hydraulic Oil of 1 quart from one of their vehicle leaked on the blacktop. The cleanup is in progress. Assigned to Con Ed Unassigned. 4/26/18 - Austin - Con Ed contained and cleaned up the spill, and vehicle was taken for repairs - See document files for further information - Spill closed - end
Remarks:	loss to blacktop, c/u in progress

All Materials:

Site ID:	566274
Operable Unit ID:	1314204
Operable Unit:	01
Material ID:	2321769
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.25
Units:	G
Recovered:	Not reported
Resource Affected:	Soil
Oxygenate:	Not reported

C29 **MOTOR OIL LEAK FROM VEH 50584** **NY Spills** **S109062585**
ENE **2950 ATLANTIC AVE. CLEVELAND ST YARD** **N/A**
< 1/8 **BROOKLYN, NY**
0.046 mi.
244 ft. **Site 2 of 20 in cluster C**

Relative: SPILLS:
Lower

Name:	MOTOR OIL LEAK FROM VEH 50584
Address:	2950 ATLANTIC AVE. CLEVELAND ST YARD
City,State,Zip:	BROOKLYN, NY

Actual:
33 ft.

MOTOR OIL LEAK FROM VEH 50584 (Continued) **S109062585**

Spill Number/Closed Date:	0801455 / 2008-05-19
Facility ID:	0801455
Facility Type:	ER
DER Facility ID:	346802
Site ID:	397377
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2008-05-07
Investigator:	gdbreen
Referred To:	Not reported
Reported to Dept:	2008-05-07
CID:	27
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2008-05-07
Spill Record Last Update:	2008-05-19
Spiller Name:	Not reported
Spiller Company:	CON EDISON VEHICLE
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERTSDESK
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	05/19/08 - See eDocs for Con Ed report detailing cleanup and closure. 211230. see eDocs
Remarks:	Caller reports spill onto asphalt. Ref #211230. No to the 5 questions. Not reported

All Materials:

Site ID:	397377
Operable Unit ID:	1154345
Operable Unit:	01
Material ID:	2145138
Material Code:	0015
Material Name:	motor oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

C30 **CLEVELAND SUBSTATION** **NY Spills** **S114561557**
ENE **2950 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY**
0.046 mi.
244 ft. **Site 3 of 20 in cluster C**

Relative: **Lower**

Actual: **33 ft.**

SPILLS:

Name:	CLEVELAND SUBSTATION
Address:	2950 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1910071 / 2020-03-17
Facility ID:	1910071
Facility Type:	ER
DER Facility ID:	403698
Site ID:	600695
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2020-01-24
Investigator:	EJKIM
Referred To:	Not reported
Reported to Dept:	2020-01-24
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2020-01-24
Spill Record Last Update:	2020-03-17
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	CARRIE
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	emis _ 276857 Mechanic # (20963) with subsurface construction, discovered a 1 pint of hydraulic oil after starting the equipment. 3/17/20 Kim Con Ed reported that the hydraulic oil spilled onto concrete/blacktop/asphalt. Con Ed cleaned up the spill using Speedi-Dri. Generated waste was disposed of onsite at Cleveland St yard in a non-hazardous oily debris drum. Con Ed's GOFOR DIGIT 92333 was towed offsite for permanent repairs. See document files for further information Spill closed end
Remarks:	1 pint onto asphalt, clean up pending

All Materials:

Site ID:	600695
Operable Unit ID:	1347831
Operable Unit:	01
Material ID:	2358306

CLEVELAND SUBSTATION (Continued) **S114561557**

Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Name:	DRAIN
Address:	2950 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1308234 / 2014-09-25
Facility ID:	1308234
Facility Type:	ER
DER Facility ID:	444019
Site ID:	488956
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2013-11-13
Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	2013-11-13
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2013-11-13
Spill Record Last Update:	2014-09-25
Spiller Name:	CHRIS
Spiller Company:	CON ED
Spiller Address:	2950 ATLANTIC AVE
Spiller Company:	999
Contact Name:	CHRIS
Latitude:	40.6776011
Longitude:	-73.8854081
DEC Memo:	11/13/2013: Mahat A phone call was made to Con Edison ERT (Paul Dedomenico @ 212.580.8383) regarding the spill. It is inside the contained area. ERT is doing an investigation to determine the flow path of spilled antifreeze. Mr. Paul will inform DEC in any event when the attention is needed. As per Mr. Paul, there is no soil and GW contamination. Further investigation is ongoing. 02/06/14-Zhune spoke to ERT-Paul DiDomenico. He said they replaced the valve from the AC unit that caused the spill. The spill went directly to the storm drain. NRC and

CLEVELAND SUBSTATION (Continued) **S114561557**

DEP was notified. Emis #
235524 6/18/14-Zhune spoke to ConEdison ERT- Dennis Michaelides. He said they did not fix the AC
yet. They are waiting for a piece of equipment that they ordered to fix the AC. The area where the
spill happened has been cleaned up. The spill went into the drain and into the sewer. 9/25/14 -
Austin - 55 gals of antifreeze (propylene glycol solution) leaked from a loose valve on an AC
unit, and entered drain - Con Ed tightened the valve; material drained completely to NYC sewer
system, so no cleanup practical - See the document files for further information - Spill closed -
end

Remarks: Clean up unknown they do not know where drain leads to at this time

All Materials:

Site ID:	488956
Operable Unit ID:	1238560
Operable Unit:	01
Material ID:	2238482
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	55.00
Units:	G
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

C31 **ATLANTIC AVE. SERVICE CENTER** **NY AST** **A100382338**
ENE **2950 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
244 ft. **Site 4 of 20 in cluster C**

Relative: **Lower**
Actual: **33 ft.**

AST:

Name:	ATLANTIC AVE. SERVICE CENTER
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-452718
Program Type:	PBS
UTM X:	594192.76576
UTM Y:	4503511.54092
Expiration Date:	N/A
Site Type:	Utility (Other than Municipal)

Tank Info:

Tank Number:	CLE-1
Tank Id:	50817
Tank Location:	Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type:	Steel/Carbon Steel/Iron

ATLANTIC AVE. SERVICE CENTER (Continued) **A100382338**

Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	12/01/1986
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	04/05/2012
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	Not reported

Tank Number:	F03
Tank Id:	43614
Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	12/01/1982
Capacity Gallons:	550
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	10/01/1996
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	Not reported

C32 **CONSOLIDATED EDISON** **NY Spills** **S102239118**
ENE **2950 ATLANTIC AVE** **NY MANIFEST** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
244 ft. **Site 5 of 20 in cluster C**

Relative: **Lower**
Actual: **33 ft.**

SPILLS:

Name:	ATLANTIC AVE SERVICE CNTR
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9806522 / Not Reported
Facility ID:	9806522
Facility Type:	ER
DER Facility ID:	324772
Site ID:	81585
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	B3
SWIS:	2401
Spill Date:	1998-08-26
Investigator:	GHPRATT
Referred To:	Not reported
Reported to Dept:	1998-08-26
CID:	281
Water Affected:	Not reported
Spill Source:	Commercial/Industrial

CONSOLIDATED EDISON (Continued) **S102239118**

Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	4
Date Entered In Computer:	1998-08-26
Spill Record Last Update:	2024-01-02
Spiller Name:	FRANK MASSERIA
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	FRANK MASSERIA
Latitude:	40.6776368
Longitude:	-73.8853372
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL 8/27/98: site visit with Joe Floryshak and Ken Twomey (Con Ed). 2 x 2000 gallon gasoline USTs and 1 x 275 gallon hydraulic oil tank. When they were pulling the tanks out of ground they noted gasoline odors. Hole is visually contaminated - soil is still being excavated. Requested 2 additional monitoring wells be installed - one north, one west of excavation. They will excavate to concrete slab to collect soil samples. (JHO) 2/23/00: Jacques Whitford Corp. (JWC) notes approx. 0.14 feet of gasoline in well MW-1A. Passive product recovery initialted (sorbent sock deployed in well). (JHO) 6/15/00: Con Ed submits site investigation work plan to characterize site. Proposal calls for installation of 8 soil borings and 4 new wells around former tank area. Work plan approved in letter dated 6/21/00. Site investigation activities commence in late July 2000. (JHO) 4/23/01: Site investigation report submitted. Findings indicate that in addition to gasoline/diesel contamination associated with former tanks, the site is underlain by a former BUG (now KeySpan) manufactured gas plant. Comment letter on SIR sent to Con Ed 9/10/01. Request Con Ed submit proposal for additional remedial action. (KMF) 12/28/01: MGP site history report submitted by Con Ed. (KMF) 2/15/02: Supplemental site charaterization work plan submitted, which addresses some of the on-site former MGP structures. Comment letter sent to Con Ed 6/13/03. (KMF) ~~~~~~~~~~~~~~~~~~~ e2mis no. 119278: 8/26/98 STRONG ODOR OF GASOLINE OR DIESEL FLUID IN EXCAVATION 30'BY 15' BY OLD GAS PUMPS. SOIL ALSO LOOKS EFFECTED. D.E.C. JANE OCONNELY WAS ON LOCATION REQUESTED EXCAVATION BE SQUARED OFF & SAMPLED. 2/23/00 Jacques Whitford, a contractor for ConEd, reports that during a sampling event at 5:30, he encountered 0.14' of product material in monitoring well. Update 12-11-00 - Closure Report submitted to the DEC on 4/24/00. Draft Site Characterization plan

CONSOLIDATED EDISON (Continued) **S102239118**

submitted to the DEC on 6/09/00.
Verbally approved by the DEC on 06/20/00. Nine borings and five monitoring wells were installed to
evaluate the potential of soil and groundwater contamination in the vicinity of the former USTs.
Five (5) of the boring locations were designated for well installation. The drilling occurred from
July 24 to August 11, 2000. The analytical results indicated elevated BTEX concentrations, and to a
lesser extent MTBE concentrations in the soil samples collected. With the exception of one boring
(SB-6B), SVOC concentrations in soil for all boring locations were relatively low. During the soil
boring installation work, evidence of Manufacturing Gas Plant (MGP) residuals were encountered at
the SB-6B location. The first round of groundwater sampling of the six monitoring wells was
completed on August 29, 2000. The results indicated very high concentrations of MTBE and moderately
high concentrations of BTEX in the wells. Relatively low levels of SVOCs were detected. A summary
of the MTBE and BTEX concentrations for the groundwater sampling completed on August 29, 2000 is
provided below: Well ID MTBE (ppb) BTEX (ppb) MW-1A 500,000 13,000 MW-2 37,000 660 MW-3 31,000
17,000 MW-4 6,300 ND MW-5 47,000 1,200 MW-6 100,000 8,500 A second round of groundwater sampling
was completed during the week of October 30, 2000. Jacques Whitford Company (a contractor for Con
Edison) is currently developing the site characterization report. The draft report is expected to
be completed during the first quarter of 2001. 07/01/10 - Spill transferred to S. Deyette in
Central Office. Telcon with J. Oconnell (R2) to discuss current status. Spoke with M. Gonzalez (CE
PM) regarding transfer of spill. Discussed current groundwater monitoring and tentative start date
of NG site characterization of MGP. 08/06/10 - The Second Quarter 2010 Groundwater Monitoring
Report was received and is under review. (SD) 08/02/11 - The First Half 2011 Groundwater Monitroing
report was submitted and approved. (SD) 05/12/12 - The September 2011 Report was reviewed and
approved on May 2012. The next semi-annual report is expected in July 2012. (SD) 06/20/13 - The
March 2012 and September 2012 reports were reviewed and accepted. No update to start of NG MGP
Investigation. (SD) 09/18/13 - The March 2013 report was submitted and reviewed. Portions of the
report were not included. CE was asked to revise and re-submit. (SD) 10/28/13 - CE submitted
revised March 2013 report, which was subsequently approved. No update to the start of the NG MGP
investigation. (SD) 02/13/2014 - CE submitted the September 2013 sampling report; no changes to
sampling frequency or locations. (SD) 01/20/2015 - CE submitted the 2014 second half GW report for

CONSOLIDATED EDISON (Continued) **S102239118**

review.(SD) 02/25/2015 - The 2014 second half GW report was approved; there were no changes to sampling frequency or locations.(SD) 06/23/2015 - The 2015 first half GW report was received and is under review.(SD) 07/27/2015 - The 2015 First Half GW report was approved. The next sampling event is scheduled for September 2015.(SD) 04/04/2017 - The 2016 First Half GW report was approved. The second half sampling event occurred in the 4th Quarter of 2016; awaiting the report submittal.(SD) 09/18/2017 - The Second Half 2016 GW report was received and is under review. (SD) 12/17/2017 - The May 2017 GW report was received and is under review. (SD) 03/19/2018 - The May 2017 GW Report was approved. (SD) 06/28/2018 - The Dec 2017 GW Report was received and is under review. (SD) 12/28/2018 - The June 2018 GW Report was received and is under review. (SD) 01/30/2019 - The December 2017 and June 2018 GW reports were approved. (SD) 07/15/2019 - The Second Half 2018 GW Report was reviewed and approved. (SD) 03/25/2020 - Conference call with R. Rosenbaum and N. O'Halloran regarding proposed ISCO remedy for spill source area. CE would concentrate on reducing the gasoline/diesel constituents rather than those related to the former MGP. A draft RAWP will be submitted in Q2/3 of 2020 for review. (SD) 12/17/2020 - The SA GW Monitoring report for June/July 2020 was approved. The draft UST ISCO RAWP was received on 12/15 and is under review. (SD) 01/20/2021 - The UST ISCO RAWP was approved on January 20. (SD) 10/13/2021 - Con Ed submitted schedule for ISCO injections: 10/29 through 11/19/21. 12/23/2021 - The June 2021 GW Report was approved. (SD) 06/15/2023 - The May 2022 SA GW Report was approved. Report showed some decreasing concentrations of BTEX constituents in UST area and down gradient, but mostly consistent with past sampling events. The second round of post-injection samples was to occur in November of 2022; report is pending. (SD)

Remarks: CON EDISON CLEVLAND STREET YARD THERE IS A STRONG ODOR IN AREA OF GASOLINE AND DIESEL. TANK EXCAVATION IN PROGRESS AT SITE.

All Materials:

Site ID:	81585
Operable Unit ID:	1064145
Operable Unit:	01
Material ID:	317675
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Air
Oxygenate:	True

CONSOLIDATED EDISON (Continued) **S102239118**

Site ID:	81585
Operable Unit ID:	1064145
Operable Unit:	01
Material ID:	2237758
Material Code:	2645A
Material Name:	BTEX
Case No.:	Not reported
Material FA:	Oxygenates
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	True

Site ID:	81585
Operable Unit ID:	1064145
Operable Unit:	01
Material ID:	573871
Material Code:	1213A
Material Name:	MTBE (methyl-tert-butyl ether)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Air
Oxygenate:	True

Site ID:	81585
Operable Unit ID:	1064145
Operable Unit:	01
Material ID:	317676
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Air
Oxygenate:	True

Name:	I PT GASOLINE FROM VEH 41513
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0610593 / 2007-02-16
Facility ID:	0610593
Facility Type:	ER
DER Facility ID:	324772
Site ID:	375059
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2006-12-18
Investigator:	GDBREEN

CONSOLIDATED EDISON (Continued) **S102239118**

Referred To:	Not reported
Reported to Dept:	2006-12-19
CID:	77
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-12-19
Spill Record Last Update:	2007-02-16
Spiller Name:	Not reported
Spiller Company:	CON EDISON 151710
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	ERT DESK
Latitude:	40.6776010
Longitude:	-73.8854080
DEC Memo:	02/16/07 - See e-docs for Con Ed report detailing cleanup and closure. 203760. see eDocs
Remarks:	1 pint of gasoline spilled from veh #41513. in the yard. spill contained, clean-up schedule for 0500hrs. no to 5 questions. con ed ref # 203760.

All Materials:

Site ID:	375059
Operable Unit ID:	1132712
Operable Unit:	01
Material ID:	2122492
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	CLEVELAND STREET YARD
Address:	2950 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1101622 / 2011-10-28
Facility ID:	1101622
Facility Type:	ER
DER Facility ID:	403698
Site ID:	449086
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2011-05-13
Investigator:	RWAUSTIN
Referred To:	Not reported

CONSOLIDATED EDISON (Continued) **S102239118**

Reported to Dept:	2011-05-13
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-05-13
Spill Record Last Update:	2011-10-28
Spiller Name:	ERT
Spiller Company:	CONEDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	999
Contact Name:	ERT
Latitude:	40.6776010
Longitude:	-73.8854080
DEC Memo:	5/13/11-HRAHMED- As per EMIS report, ConEd persionnel used diapers and kitty litter to contain leak from entering any sewer or waterways. Lamy reports brand new overhead Transformer is leaking from one of the top leads. Leak is starting to slow down reporting about 4 gallons total at this time. Env.ops has been dispatched and cig has been notified. Spoke to ConEd ERT desk. As per the desk, the leak has been stopped and the spill has been cleaned up. He mensioned that they reported the spill cause they couldnot clean it within 2 hours. Case assigned to Feroze Mohammad for routine closure. 10/28/11 - Austin - Approx. 4 gals. dielectric fluid spilled - Truck and pavement cleaned - Con Ed contained and cleaned up spill - See eDocs for additional info. in documents submitted - Spill closed - end
Remarks:	New transformer is leaking on the truck and the ground. Leak rate is 10z. per few mintues. Clean up is pending crew.

All Materials:

Site ID:	449086
Operable Unit ID:	1199307
Operable Unit:	01
Material ID:	2195676
Material Code:	0020A
Material Name:	transformer oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	Not reported
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	CLEVELAND ST YARD
Address:	2950 ATLANTIC AVENUE

CONSOLIDATED EDISON (Continued) **S102239118**

City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0405593 / 2004-10-28
Facility ID:	0405593
Facility Type:	ER
DER Facility ID:	324772
Site ID:	81582
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2004-08-22
Investigator:	SKARAKHA
Referred To:	Not reported
Reported to Dept:	2004-08-22
CID:	27
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-08-22
Spill Record Last Update:	2004-10-28
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6775990
Longitude:	-73.8854500
DEC Memo:	E2MIS NO 154999 T. KUSTERBECK FOUND 8 OZ. MOTOR OIL SPILLED ONTO ASPHALT SURFACE UNDER A TRUCK. SPILL CONTAINED. NO SEWERS OR WATERWAYS AFFECTED. HE PLACED OIL ABSORBENT ON THE SPILL AND PUT ABSORBANT PADS (BALONEYS) AROUND IT. TRUCK MUST BE MOVED TO COMPLETE CLEANUP. KUSTERBECK REPORTS NO ONE FROM CONSTRUCTION IS AVAILABLE TO MOVE TRUCK AT THIS TIME ON SUNDAY . HE WILL NOTIFY CONSTRUCTION OF SPILL ON TOMORROW MORNING (MONDAY) AND CLEANUP WILL BE COMPLETED AT THAT TIME. IF NEEDED, VEHICLE WILL ALSO BE TURNED IN TO TRANSPORTATION FOR REPAIRS. 23-AUG-2004 0818 SSC SUPV. DENNIS JONES, EMP NO 28487 REPORTS SPILL WAS CLEANED USING ABSORB-ALL, DEBRIS BAGGED, AND DISPOSED OF IN PROPER CONTAINERS.. CLEANUP IS 100%. VEHICLE NO. 60438 HAS BEEN TURNED IN FOR REPAIR TO TRANSPORTATION.
Remarks:	Caller reports an oil leak from a dump truck #c60458. Spill is contained and will be cleaned up tomorrow by Con ED employees. Total spill was 8 oz. onto pavement. No to the 5 questions.

All Materials:

Site ID:	81582
Operable Unit ID:	889140
Operable Unit:	01

CONSOLIDATED EDISON (Continued) **S102239118**

Material ID:	486365
Material Code:	0015
Material Name:	motor oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	CLEVELAND ST YARD
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9514626 / 1998-03-30
Facility ID:	9514626
Facility Type:	ER
DER Facility ID:	324772
Site ID:	81583
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	2401
Spill Date:	1996-02-15
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	1996-02-15
CID:	351
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-02-15
Spill Record Last Update:	1998-03-30
Spiller Name:	LISA PRIMEGGIA
Spiller Company:	CON ED
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	LISA PRIMEGGIA
Latitude:	40.6776368
Longitude:	-73.8853372
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL
Remarks:	pulled truck out this morning and found material on ground - truck was checked and was not leaking - unknown where it came from

All Materials:

Site ID:	81583
Operable Unit ID:	1029173
Operable Unit:	01
Material ID:	354753
Material Code:	0043A

CONSOLIDATED EDISON (Continued) **S102239118**

Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	ATLANTIC AVE SERVICE CTR
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9609446 / 2004-09-02
Facility ID:	9609446
Facility Type:	ER
DER Facility ID:	324772
Site ID:	81584
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	B3
SWIS:	2401
Spill Date:	1996-10-28
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1996-10-29
CID:	312
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-29
Spill Record Last Update:	2004-09-02
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	128 WEST END AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6776368
Longitude:	-73.8853372
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT see spill #9806522
Remarks:	fuel tank discrepancy - tank #2

All Materials:

Site ID:	81584
Operable Unit ID:	1037514
Operable Unit:	01
Material ID:	345171
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum

CONSOLIDATED EDISON (Continued) **S102239118**

Quantity:	80.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	CLEVELAND YARD
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0206914 / 2002-10-08
Facility ID:	0206914
Facility Type:	ER
DER Facility ID:	324772
Site ID:	180783
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2002-10-04
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2002-10-04
CID:	365
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-10-04
Spill Record Last Update:	2002-10-08
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6776368
Longitude:	-73.8853372
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL Con Ed e2mis #145412: 10/4/02 - 0913hrs - Peter Pitzer # 39376 OS FOD reports he found 16 oz of antifreeze leaked from Truck # 40941 onto asphalt in Cleveland Yard. States spill has been contained with diapers, bolognies and oil absorb. Transportation has been contacted to make repairs to vehicle. Cannot make repairs at this time. Vehicle is still leaking antifreeze onto diapers at a rate of 1 drop per minute. Clean up will proceed once truck has been moved. Advised as of 2 hrs timeframe. UPDATE 10/06/02 17:00 HRS. PER P.PITZER ON FRIDAY 10/4 10:30 HRS VEHICLE WAS MOVE TO TRANSPORTATION AND LEAK REPAIRED. AS OF 10:50 HRS CLEAN UP COMP USING DIAPERS, AND

CONSOLIDATED EDISON (Continued) **S102239118**

ABSORBANT.
Remarks: 16 OUNCES - TRUCK 40941 - STILL LEAKING AT 1 DROP PER MIN ONTO ABSORBANTS - REF #145412 - ORIGINAL LEAK TO ASPHAULT

All Materials:
Site ID: 180783
Operable Unit ID: 858664
Operable Unit: 01
Material ID: 517505
Material Code: 0043A
Material Name: antifreeze
Case No.: Not reported
Material FA: Other
Quantity: 1.00
Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

NY MANIFEST:
EPA ID: NYD982273831
Country: USA
Name: Consolidated Edison
Address: 2950 ATLANTIC AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11207
Zip 4: Not reported
Location Address 1: 2950 ATLANTIC AVE
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Consolidated Edison
Mailing Contact: Franklin Murray
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

Manifest Data:
Document ID: NYG0260028
Manifest Status: Not reported
Trans1 State ID: Not reported
Year: 1997
Trans2 State ID: Not reported
Generator Ship Date: 01/21/1997
Trans1 Recv Date: 01/21/1997
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/21/1997
Part A Recv Date: Not reported

CONSOLIDATED EDISON (Continued) **S102239118**

Part B Recv Date:	Not reported
Generator EPA ID:	NYD982273831
Trans1 EPA ID:	CTD983883745
Trans2 EPA ID:	Not reported
TSDF ID 1:	NY0000343889
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Mercury
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00098
Units:	Pounds
Number of Containers:	007
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYG0260055
Manifest Status:	Not reported
Trans1 State ID:	H10202
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	01/23/1997
Trans1 Recv Date:	01/23/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/24/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982273831
Trans1 EPA ID:	CTD983883745
Trans2 EPA ID:	Not reported
TSDF ID 1:	NY0000343889
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

CONSOLIDATED EDISON (Continued) **S102239118**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Mercury
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00075
Units:	Pounds
Number of Containers:	006
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	MAG2624850
Manifest Status:	Not reported
Trans1 State ID:	970642MA
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	11/04/1992
Trans1 Recv Date:	11/04/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/04/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982273831
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSDF ID 1:	MAD053452637
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	MAH7043670

CONSOLIDATED EDISON (Continued) **S102239118**

Manifest Status:	Not reported
Trans1 State ID:	100E30MD
Year:	1994
Trans2 State ID:	Not reported
Generator Ship Date:	10/14/1994
Trans1 Recv Date:	10/14/1994
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/14/1994
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982273831
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSDF ID 1:	MAD053452637
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	MAH2668000
Manifest Status:	Not reported
Trans1 State ID:	MD102E84
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	10/12/1993
Trans1 Recv Date:	10/12/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/13/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982273831
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSDF ID 1:	MAD053452637
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported

CONSOLIDATED EDISON (Continued) **S102239118**

Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

C33 **CON EDISON - CLEVELAND SERVICE CENTER** **RCRA-LQG** **1000111682**
ENE **2950 ATLANTIC AVE** **FINDS** **NYD982272841**
< 1/8 **BROOKLYN, NY 11207** **ECHO**
0.046 mi. **E MANIFEST**
244 ft. **Site 6 of 20 in cluster C** **NY MANIFEST**

Relative: **Lower**
Actual: **33 ft.**

RCRA Listings:

Date Form Received by Agency:	20100323
Handler Name:	Con Edison - Cleveland Service Center
Handler Address:	Atlantic Ave
Handler City,State,Zip:	BROOKLYN, NY 11207-2731
EPA ID:	NYD982272841
Contact Name:	FRANKLIN MURRAY
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-2808
Contact Fax:	Not reported
Contact Email:	MURRAYFR@CONED.COM
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2009
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Not reported
State District:	Not reported
Mailing Address:	4 IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Consolidated Edison Company Of Ny, Inc.
Owner Type:	Private
Operator Name:	Consolidated Edison Company Of Ny, Inc.

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2009

Click Here for Biennial Reporting System Data:
Year: 2005

Click Here for Biennial Reporting System Data:
Year: 2003

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D000
Waste Description: Not Defined

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Waste Code: D001
Waste Description: Ignitable Waste

Waste Code: D002
Waste Description: Corrosive Waste

Waste Code: D006
Waste Description: Cadmium

Waste Code: D008
Waste Description: Lead

Waste Code: D009
Waste Description: Mercury

Waste Code: D010
Waste Description: Selenium

Waste Code: D018
Waste Description: Benzene

Waste Code: D039
Waste Description: Tetrachloroethylene

Waste Code: F002
Waste Description: The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: X002
Waste Description: Not Defined

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 19610717
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 19610717
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 19610717
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 19610717
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON CO OF NY
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PL
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: 212-460-3968
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 19610717
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Date Became Current: 19610717
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 20060101
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 20060101
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20100323
Handler Name: CON EDISON - CLEVELAND SERVICE CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060220
Handler Name: CON EDISON - CLEVELAND SERVICE CENTER
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: CON EDISON - CLEVELAND SERVICE CENTER
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19970815
Handler Name: CON EDISON - CLEVELAND STREET
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960329
Handler Name: CON EDISON-CLEVELAND ST SERVICE CTR
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19980226
Handler Name: CON ED-CLEVELAND STREET SERVICE CTR
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20040225
Handler Name: CON EDISON - CLEVELAND SERVICE CENTER

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060221
Handler Name:	CON EDISON - CLEVELAND SERVICE CENTER
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	2211
NAICS Description:	Electric Power Generation, Transmission And Distribution

NAICS Code:	22111
NAICS Description:	Electric Power Generation

NAICS Code:	221122
NAICS Description:	Electric Power Distribution

Has the Facility Received Notices of Violations:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD IS-Preparedness and Prevention
Date Violation was Determined: 20090820
Actual Return to Compliance Date: 20091008
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20090917
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20091020
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSAN
Enforcement Responsible Sub-Organization: R2
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 20031210

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSAN
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20090820
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSAN
Evaluation Responsible Sub-Organization:	R2
Actual Return to Compliance Date:	20091008
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:
Registry ID: 110009474595

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
All generators and treatment, storage, and disposal (TSD) facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years. The data collected is used to create the National Biennial Resource Conservation and Recovery Act (RCRA) Hazardous Waste Report. This data is processed within the RCRA Information (RCRAInfo) database
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000111682
Registry ID:	110009474595

DFR URL:

Name:	CON EDISON - CLEVELAND SERVICE CENTER
Address:	2950 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY 11207

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

E MANIFEST:

Manifest Tracking Number:	008168823FLE
Last Updated Date:	20191030
Shipped Date:	20190109
Received Date:	20190110
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	NYD982272841
Generator Name:	Con Edison - Cleveland Service Center
Generator Location Street Number:	Not reported
Generator Location Street 1:	2950 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207-2731
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	4 IRVING PLACE
Generator Mail Street 2:	Not reported
Generator Mail City:	NEW YORK
Generator Mail Zip:	10003
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NYD980593636
Designated Facility Name:	Con Edison - Astoria
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	4 IRVING PLACE, 15TH FL NE
Designated Facility Mail City:	NEW YORK
Designated Facility Mail Zip:	10003
Designated Facility Mail State:	NY
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	31-01 20TH AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	LONG ISLAND CITY
Designated Facility Location Zip:	11105-2048
Designated Facility Location State:	NY
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	008168823FLE
Waste Line Number:	1
Federal Waste Code:	D018
Federal Waste:	BENZENE

State Waste:

Manifest Tracking Number:	008168823FLE
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	B
State Waste:	Incineration, heat recovery, burning. Waste management method code to be used on e-Manifest only

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Transporter:
- Manifest Tracking Number: 008168823FLE
- Transporter Line Number: 1
- Transporter EPA ID: NYD006982359
- Transporter Name: Con Edison - Corporate Headquarters - 4

Waste Line:
- Manifest Tracking Number: 008168823FLE
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid, N.O.S., 9, Pg Iii (Benzene) C00071
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 4
- Container Type Code: DM
- Container Type Description: Metal drums, barrels, kegs
- Waste Quantity: 220
- Quantity Unit of Measure Code: G
- Quantity Unit of Measure Description: Gallons
- Waste Quantity, in Tons: 0.9174312
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.9174312
- Waste Quantity, in Kilograms: 832.13763
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 832.13763
- Management Method Code: H141
- Management Method Description: STORAGE, BULKING AND/OR TRANSFER OFF SITE
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

NY MANIFEST:
- EPA ID: NYD982272841
- Country: USA
- Name: Consolidated Edison
- Address: 2950 ATLANTIC AVE
- Address 2: Not reported
- City,State,Zip: BROOKLYN, NY 11207-0000
- Zip 4: Not reported
- Location Address 1: 2950 ATLANTIC AVE
- Location Address 2: Not reported
- Location City,State,Zip: BROOKLYN, NY 11207
- Location Zip 4: 2731
- Facility Status: Not reported
- Total Tanks: Not reported

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Code: BP

Mailing:
Mailing Name: Consolidated Edison
Mailing Contact: Franklin Murray
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

Manifest Data:
Document ID: NYA8779735
Manifest Status: K - Completed after the designated time
Trans1 State ID: Not reported
Year: 1988
Trans2 State ID: 79026GR
Generator Ship Date: 880617
Trans1 Recv Date: 880617
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880617
Part A Recv Date: 880809
Part B Recv Date: 880628
Generator EPA ID: NYD982272841
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980785760
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Ignitable Waste
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00045
Units: Pounds
Number of Containers: 001
Container Type: Metal drums, barrels, kegs
Handling Method: Recycle
Specific Gravity: 100

Document ID: NYC1832477
Manifest Status: Not reported
Trans1 State ID: JU4819

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	08/26/1992
Trans1 Recv Date:	08/26/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/26/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980785760
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00045
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Ignitable Waste
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00027
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYB7573437
Manifest Status:	Not reported
Trans1 State ID:	40137K
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	04/03/1997
Trans1 Recv Date:	04/03/1997
Trans2 Recv Date:	Not reported

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

TSD Site Recv Date:	04/07/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00375
Units:	Kilograms
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYB7573446
Manifest Status:	Not reported
Trans1 State ID:	701496
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/1997
Trans1 Recv Date:	03/25/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/25/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00400
Units:	Kilograms
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYB7574013
Manifest Status:	Not reported
Trans1 State ID:	53576V
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	02/04/1997
Trans1 Recv Date:	02/04/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/04/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B002
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00189
Units:	Kilograms
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Document ID:	NYB7574049
Manifest Status:	Not reported
Trans1 State ID:	70148G
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	02/14/1997
Trans1 Recv Date:	02/14/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/14/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00550
Units:	Kilograms
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYB7574571
Manifest Status:	Not reported
Trans1 State ID:	535770
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	01/09/1997
Trans1 Recv Date:	01/09/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/09/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00650
Units:	Kilograms
Number of Containers:	004
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00
Waste Code 7:	B002
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00189
Units:	Kilograms
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYB7574589
Manifest Status:	Not reported
Trans1 State ID:	70076G
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	01/24/1997
Trans1 Recv Date:	01/24/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/24/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01200
Units:	Kilograms
Number of Containers:	006
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYB7574616
Manifest Status:	Not reported
Trans1 State ID:	40137K
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	02/21/1997
Trans1 Recv Date:	02/21/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/21/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD982272841
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00300
Units:	Kilograms
Number of Containers:	002

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Container Type: Metal drums, barrels, kegs
Handling Method: Landfill
Specific Gravity: 01.00

Document ID: NYB7574634
Manifest Status: Not reported
Trans1 State ID: 40137K
Year: 1997
Trans2 State ID: Not reported
Generator Ship Date: 03/07/1997
Trans1 Recv Date: 03/07/1997
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/07/1997
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982272841
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID 1: NYD980593636
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: B007
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00525
Units: Kilograms
Number of Containers: 003
Container Type: Metal drums, barrels, kegs
Handling Method: Landfill
Specific Gravity: 01.00

Document ID: NYB7588584
Manifest Status: Not reported
Trans1 State ID: 53576U
Year: 1997
Trans2 State ID: Not reported
Generator Ship Date: 06/04/1997
Trans1 Recv Date: 06/04/1997
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/04/1997
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982272841

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Cubic Yards
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
404 additional NY MANIFEST: record(s) in the EDR Site Report.

C34 **ATLANTIC AVE. SERVICE CENTER** **NY UST** **U004198785**
ENE **2950 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
244 ft. **Site 7 of 20 in cluster C**

Relative:
Lower

Actual:
33 ft.

UST:

Name:	ATLANTIC AVE. SERVICE CENTER
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-452718 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594192.76576
UTM Y:	4503511.54092
Site Type:	Utility (Other than Municipal)

Tank Info:

Tank Number:	G01
Tank ID:	35556
Tank Status:	Closed - Removed
Material Name:	Closed - Removed

ATLANTIC AVE. SERVICE CENTER (Continued) **U004198785**

Capacity Gallons:	2000
Install Date:	12/01/1981
Date Tank Closed:	08/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	14
Date Test:	09/01/1997
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Tank Number:	G02
Tank ID:	35557
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2000
Install Date:	12/01/1981
Date Tank Closed:	08/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	14
Date Test:	09/01/1997
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

C35 **ATLANTIC AVE. SERVICE CENTER** **UST FINDER** **1028570578**
ENE **2950 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
244 ft. **Site 8 of 20 in cluster C**

Relative: **Lower**
Actual: **33 ft.**

UST FINDER:

Object ID:	295883
Facility ID:	NY19791
Name:	ATLANTIC AVE. SERVICE CENTER
Address:	2950 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	2
TOS USTs:	0
Population 1500ft:	9777
Private Wells 1500ft:	18
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021

ATLANTIC AVE. SERVICE CENTER (Continued) **1028570578**

WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.885443
Y Coord:	40.677111
Latitude:	40.677111
Longitude:	-73.885443

UST FINDER:

Object ID:	1212381
Facility ID:	NY19791
Tank ID:	NY110585
Tank Status:	Closed
Installation Date:	1981/12/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	2000
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1212382
Facility ID:	NY19791
Tank ID:	NY110586
Tank Status:	Closed
Installation Date:	1981/12/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	2000
Substances:	Not reported
Tank Wall Type:	Not reported

B36 **LOT 13,TAXBLOCK 3966** **NY E DESIGNATION** **S118704074**
West **ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
245 ft. **Site 4 of 10 in cluster B**

Relative:
Higher

Actual:
38 ft.

E DESIGNATION:

Name:	LOT 13,TAXBLOCK 3966
Address:	ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	13
Tax Block:	3966
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation

LOT 13,TAXBLOCK 3966 (Continued) **S118704074**

Lot Remediation Date: Not reported

C37 **CLEVELAND ST YARD** **NY Spills** **S102240102**
ENE **CLEVELAND ST** **N/A**
< 1/8 **BROOKLYN, NY**
0.048 mi.
253 ft. **Site 9 of 20 in cluster C**

Relative:
Lower

Actual:
33 ft.

SPILLS:

Name:	CLEVELAND ST YARD
Address:	CLEVELAND ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9602782 / 1996-08-22
Facility ID:	9602782
Facility Type:	ER
DER Facility ID:	175312
Site ID:	211551
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	1996-05-28
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1996-05-28
CID:	312
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-05-28
Spill Record Last Update:	1998-04-17
Spiller Name:	Not reported
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	999
Contact Name:	Not reported
Latitude:	40.6776799
Longitude:	-73.8732500
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT
Remarks:	1 PINT SPILLED ON BLACKTOP

All Materials:

Site ID:	211551
Operable Unit ID:	1034101
Operable Unit:	01
Material ID:	349020
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	1.00

CLEVELAND ST YARD (Continued) **S102240102**

Units: G
Recovered: 1.00
Resource Affected: Soil
Oxygenate: Not reported

B38 **LOT 12,TAXBLOCK 3966** **NY E DESIGNATION** **S118704064**
WSW **2890 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.051 mi.
271 ft. **Site 5 of 10 in cluster B**

Relative:
Higher

Actual:
38 ft.

E DESIGNATION:
Name: LOT 12,TAXBLOCK 3966
Address: 2890 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Tax Lot(s): 12
Tax Block: 3966
Borough Code: BK
E-No: E-366
Effective Date: Not reported
Satisfaction Date: Not reported
Ceqr Number: 15DCP102K
Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:
Name: Not reported
Address: 2890 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Latitude: 40.6769155
Longitude: -73.8875356
Type Of Ownership Code: Not reported
Owner Name: BADAWY & SONS INTERNATIONAL CORP.
Borough: BK
Tax Block: 3966
Tax Lot: 12
Community District: 305
Census Tract 2020: 3117000
Census Block 2020: 31170002003
Census Tract 2010: 1170
Census Block 2010: 2003
School District: 19
City Council District: 37
Fire Company: E332
Police Precinct: 75
Health Center District: 34
Health Area: 3820
Sanitation District Boro: 3
Sanitation District Number: 05
Sanitation Subsection: 1D
Zoning District 1: R8A: Residential Districts

LOT 12,TAXBLOCK 3966 (Continued) **S118704064**

Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	S2: Residence - Multiple Use - Primarily Two Family With One Store Or Office
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	1997
Total Building Floor Area:	4900
Commercial Floor Area:	1900
Residential Floor Area:	3000
Office Floor Area:	0
Retail Floor Area:	1900
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	3.0000000
Residential Units:	2
Total Units:	3
Lot Frontage:	25.1700000
Lot Depth:	79.3300000
Building Frontage:	25.0000000
Building Depth:	50.0000000
Extension Code:	E
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	5
Assessed Land Value:	20940.00000
Assessed Total Value:	115860.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	2.45000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039660012.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015445
Y Coordinate:	185915
Zoning Map #:	17c

LOT 12,TAXBLOCK 3966 (Continued) **S118704064**

Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

D39 **ST MICHAEL ROMAN CATHOLIC CHURCH** **NY UST** **U004064423**
SW **219-237 JEROME STREET** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.052 mi.
274 ft. **Site 1 of 14 in cluster D**

Relative:
Higher

Actual:
38 ft.

UST:

Name:	ST MICHAEL ROMAN CATHOLIC CHURCH
Address:	219-237 JEROME STREET
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-213837 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	06/30/2027
UTM X:	594018.76783
UTM Y:	4503454.21033
Site Type:	Religious Building (Church, Synagogue, Mosque, Temple, etc.)

Affiliation Records:

Site Id:	7908
Affiliation Type:	Facility Owner
Company Name:	ST MICHAEL R C CHURCH
Contact Type:	PASTOR
Contact Name:	REV. MICHAEL SEVIGNY
Address1:	225 JEROME STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2022-03-25

Site Id:	7908
Affiliation Type:	Mail Contact
Company Name:	ST MICHAEL R. C. CHURCH
Contact Type:	Not reported
Contact Name:	REV. BRENDAN SEVIGNY
Address1:	284 WARWICK ST
Address2:	Not reported
City:	BROOKLYN
State:	NY

ST MICHAEL ROMAN CATHOLIC CHURCH (Continued) **U004064423**

Zip Code:	11207
Country Code:	001
Phone:	(718) 647-1818
EMail:	STMICHAEL284@YAHOO.COM
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2022-03-25

Site Id:	7908
Affiliation Type:	Facility Operator
Company Name:	ST MICHAEL ROMAN CATHOLIC CHURCH
Contact Type:	Not reported
Contact Name:	JOSE ULLOA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-03-07

Site Id:	7908
Affiliation Type:	Emergency Contact
Company Name:	ST MICHAEL R C CHURCH
Contact Type:	Not reported
Contact Name:	MICHAEL SEVIGNY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-02-17

Tank Info:

Tank Number:	002
Tank ID:	9812
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	10000
Install Date:	Not reported
Date Tank Closed:	11/20/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

ST MICHAEL ROMAN CATHOLIC CHURCH (Continued) **U004064423**

Tightness Test Method: 21
Date Test: 02/03/2005
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

D40 **ST MICHAEL ROMAN CATHOLIC CHURCH** **NY AST** **U003074447**
SW **219-237 JEROME STREET** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.052 mi.
274 ft. **Site 2 of 14 in cluster D**

Relative:
Higher

Actual:
38 ft.

AST:
Name: ST MICHAEL ROMAN CATHOLIC CHURCH
Address: 219-237 JEROME STREET
City,State,Zip: BROOKLYN, NY 11207
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-213837
Program Type: PBS
UTM X: 594018.76783
UTM Y: 4503454.21033
Expiration Date: 06/30/2027
Site Type: Religious Building (Church, Synagogue, Mosque, Temple, etc.)

Affiliation Records:
Site Id: 7908
Affiliation Type: Facility Owner
Company Name: ST MICHAEL R C CHURCH
Contact Type: PASTOR
Contact Name: REV. MICHAEL SEVIGNY
Address1: 225 JEROME STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11207
Country Code: 001
Phone: (718) 647-1818
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2022-03-25

Site Id: 7908
Affiliation Type: Mail Contact

ST MICHAEL ROMAN CATHOLIC CHURCH (Continued) **U003074447**

Company Name:	ST MICHAEL R. C. CHURCH
Contact Type:	Not reported
Contact Name:	REV. BRENDAN SEVIGNY
Address1:	284 WARWICK ST
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 647-1818
EMail:	STMICHAEL284@YAHOO.COM
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2022-03-25

Site Id:	7908
Affiliation Type:	Facility Operator
Company Name:	ST MICHAEL ROMAN CATHOLIC CHURCH
Contact Type:	Not reported
Contact Name:	JOSE ULLOA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	2005-03-07

Site Id:	7908
Affiliation Type:	Emergency Contact
Company Name:	ST MICHAEL R C CHURCH
Contact Type:	Not reported
Contact Name:	MICHAEL SEVIGNY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-02-17

Tank Info:

Tank Number:	001
Tank Id:	9811
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

ST MICHAEL ROMAN CATHOLIC CHURCH (Continued) **U003074447**

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H99 - Tank Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1955
Capacity Gallons:	3000
Tightness Test Method:	21
Date Test:	02/03/2005
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	#2 fuel oil (on-site consumption)

D41 **ST MICHAEL ROMAN CATHOLIC CHURCH** **UST FINDER** **1028600006**
SW **219-237 JEROME STREET** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.052 mi.
274 ft. **Site 3 of 14 in cluster D**

Relative: **Higher**
Actual: **38 ft.**

UST FINDER:

Object ID:	295828
Facility ID:	NY7908
Name:	ST MICHAEL ROMAN CATHOLIC CHURCH
Address:	219-237 JEROME STREET
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	10038
Private Wells 1500ft:	18
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103

ST MICHAEL ROMAN CATHOLIC CHURCH (Continued) **1028600006**

Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.8875189999999
Y Coord:	40.6760100000001
Latitude:	40.67601
Longitude:	-73.887519

UST FINDER:

Object ID:	1319264
Facility ID:	NY7908
Tank ID:	NY11145
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Not reported
Tank Wall Type:	Not reported

D42 **ST. MICHAELS RCC** **NY AST** **A100296136**
SW **225 JEROME STREET** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.056 mi.
297 ft. **Site 4 of 14 in cluster D**

Relative:
Higher

Actual:
39 ft.

AST:

Name:	ST. MICHAELS RCC
Address:	225 JEROME STREET
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-608678
Program Type:	PBS
UTM X:	594040.37556
UTM Y:	4503350.93696
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	30530
Affiliation Type:	Facility Owner
Company Name:	ST. MICHAELS CHURCH
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	225 JEROME STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

ST. MICHAELS RCC (Continued) **A100296136**

Site Id:	30530
Affiliation Type:	Mail Contact
Company Name:	SAINT MICHAELS CHURCH
Contact Type:	Not reported
Contact Name:	LUIS ATENCIO (PASTOR)
Address1:	225 JEROME STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	30530
Affiliation Type:	Facility Operator
Company Name:	ST. MICHAELS RCC
Contact Type:	Not reported
Contact Name:	JOSE ULLOA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-1818
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	30530
Affiliation Type:	Emergency Contact
Company Name:	ST. MICHAELS CHURCH
Contact Type:	Not reported
Contact Name:	JOSE ULLOA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 277-2598
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	65510
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

ST. MICHAELS RCC (Continued) **A100296136**

Equipment Records:

B99 - Tank External Protection - Other
D00 - Pipe Type - No Piping
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction Dispenser
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
A99 - Tank Internal Protection - Other
C01 - Pipe Location - Aboveground
F99 - Pipe External Protection - Other

Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Tank Converted to Non-Regulated Use
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	3000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	06/18/2020
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	#2 fuel oil (on-site consumption)

E43 **CON EDISON** **NY MANIFEST** **S117067615**
North **186 ASHFORD ST** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.060 mi.
318 ft. **Site 1 of 2 in cluster E**

Relative: **Lower**
Actual: **34 ft.**

NY MANIFEST:

EPA ID:	NYP004607649
Country:	USA
Name:	Con Edison
Address:	186 ASHFORD ST
Address 2:	STRUCTURE 58408
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	186 ASHFORD ST
Location Address 2:	STRUCTURE 58408
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

CON EDISON (Continued) **S117067615**

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/25/2014
Trans1 Recv Date:	07/25/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/28/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004607649
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002615283GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

C44 **ATLANTIC AVE SERVICE CENTER** **NY Spills** **S103569918**
NE **ALANTIC AVE/CLEVELAND ST** **N/A**
< 1/8 **BROOKLYN, NY**
0.061 mi.
321 ft. **Site 10 of 20 in cluster C**

Relative: **Lower**

Actual: **33 ft.**

SPILLS:

Name:	ATLANTIC AVE SERVICE CENTER
Address:	ALANTIC AVE/CLEVELAND ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9608853 / 2006-03-16
Facility ID:	9608853
Facility Type:	ER
DER Facility ID:	208884
Site ID:	255003
DEC Region:	2
Spill Cause:	Other
Spill Class:	C4
SWIS:	2401
Spill Date:	1996-10-16
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	1996-10-16
CID:	267
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-16
Spill Record Last Update:	2006-03-16
Spiller Name:	TIM SOILCH
Spiller Company:	CON EDISON
Spiller Address:	4 IRVING PLACE
Spiller Company:	001
Contact Name:	CHERYL PANE
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT Closed - track under spill # 9806522. (JHO, 3/16/06)
Remarks:	while digging a well to check for leaks before they started tank tightness test they noticed high levels of voc tank will be tested tomorrow

All Materials:

Site ID:	255003
Operable Unit ID:	1036984
Operable Unit:	01
Material ID:	344588
Material Code:	1868A
Material Name:	volatile organics
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G

ATLANTIC AVE SERVICE CENTER (Continued) **S103569918**

Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

C45 **MANHOLE #1874** **NY Spills** **S104789840**
ENE **ATLANTIC/CLEVELAND** **N/A**
< 1/8 **BROOKLYN, NY**
0.062 mi.
330 ft. **Site 11 of 20 in cluster C**

Relative: **Lower**
Actual: **32 ft.**

SPILLS:

Name:	MANHOLE #1874
Address:	ATLANTIC/CLEVELAND
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0007359 / 2016-12-08
Facility ID:	0007359
Facility Type:	ER
DER Facility ID:	91826
Site ID:	103873
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	2401
Spill Date:	2000-09-22
Investigator:	HRPATEL
Referred To:	ERT
Reported to Dept:	2000-09-22
CID:	252
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-09-22
Spill Record Last Update:	2016-12-08
Spiller Name:	UNKNOWN
Spiller Company:	Unknown
Spiller Address:	UNKNOWN
Spiller Company:	999
Contact Name:	CHARLIE MCCARTHY
Latitude:	40.6777130
Longitude:	-73.8852810
DEC Memo:	11/18/16 Austin This spill report is being transferred from Joe O Connell to Kumar Patel - end 12/08/16-Hiralkumar Patel. approx. 1 quart of unknown oil was found on 5 gals of water in manhole. no other information available. no emis report available. case closed due to nature of the spill and lack of further information.
Remarks:	APPROX 1 QUART ONTO FIVE GALLONS OF WATER-SAMPLE TAKEN-CLEANUP PENDING RESULTS. CON ED #133544.

All Materials:

MANHOLE #1874 (Continued) **S104789840**

Site ID:	103873
Operable Unit ID:	830019
Operable Unit:	01
Material ID:	544901
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

C46 **ROADSIDE** **NY Spills** **S109828984**
ESE **CLEVELAND ST BET ATLANTIC AVE & LIBERTY AVE** **N/A**
< 1/8 **BROOKLYN, NY**
0.065 mi.
341 ft. **Site 12 of 20 in cluster C**

Relative: **Lower**

Actual: **32 ft.**

SPILLS:

Name:	ROADSIDE
Address:	CLEVELAND ST BET ATLANTIC AVE & LIBERTY AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0906008 / 2009-08-24
Facility ID:	0906008
Facility Type:	ER
DER Facility ID:	367416
Site ID:	418303
DEC Region:	2
Spill Cause:	Other
Spill Class:	D5
SWIS:	2401
Spill Date:	2009-08-23
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2009-08-23
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Not reported
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2009-08-23
Spill Record Last Update:	2009-08-24
Spiller Name:	MALLORY GILMORE
Spiller Company:	UNK
Spiller Address:	CLEVELAND ST BET ATLANTIC AVE & LIBERTY AVE
Spiller Company:	999
Contact Name:	ALBERT NIEVES
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	sewage issue - DEP responding

ROADSIDE (Continued) **S109828984**

Remarks: Abandoned truck with raw sewage spilling onto the ground. Unknown cleanup at this time.

All Materials:

Site ID:	418303
Operable Unit ID:	1174489
Operable Unit:	01
Material ID:	2166853
Material Code:	0062A
Material Name:	raw sewage
Case No.:	Not reported
Material FA:	Other
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Soil
Oxygenate:	Not reported

C47 **LOT 45,TAXBLOCK 3953** **NY E DESIGNATION** **S118704366**
NE **2941 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.066 mi.
349 ft. **Site 13 of 20 in cluster C**

Relative:
Lower

Actual:
33 ft.

E DESIGNATION:

Name:	LOT 45,TAXBLOCK 3953
Address:	2941 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	45
Tax Block:	3953
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2941 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6780443
Longitude:	-73.8855220
Type Of Ownership Code:	Not reported
Owner Name:	PPF SAFEGUARD, LLC
Borough:	BK
Tax Block:	3953
Tax Lot:	45
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170001001

LOT 45,TAXBLOCK 3953 (Continued) **S118704366**

Census Tract 2010:	1170
Census Block 2010:	1001
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	E7: Warehouses - Warehouse, Self Storage
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	15650
Total Building Floor Area:	52640
Commercial Floor Area:	52640
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	52640
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	4.0000000
Residential Units:	0
Total Units:	607
Lot Frontage:	151.9200000
Lot Depth:	106.8300000
Building Frontage:	94.0000000
Building Depth:	140.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	457650.00000
Assessed Total Value:	3457350.00000
Exempt Total Value:	758700.00000
Year Built:	1930
Year Altered 1:	2002
Year Altered 2:	2003
Historic District Name:	Not reported
Landmark Status:	Not reported

LOT 45,TAXBLOCK 3953 (Continued) **S118704366**

Built Floor Area Ratio:	3.36000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039530045.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1016003
Y Coordinate:	186327
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 011
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

C48 **VESTPRO** **NY AST** **U003389288**
NE **2941 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.066 mi.
349 ft. **Site 14 of 20 in cluster C**

Relative: **Lower**
Actual: **33 ft.**

AST:

Name:	VESTPRO
Address:	2941 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-305227
Program Type:	PBS
UTM X:	594188.76543
UTM Y:	4503601.97200
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	13938
Affiliation Type:	Mail Contact
Company Name:	SAFEGUARD OPERATIONS, LLC
Contact Type:	Not reported
Contact Name:	ROB LABRIER
Address1:	6371 KEYSTONE ST
Address2:	Not reported
City:	PHILADELPHIA
State:	PA
Zip Code:	19135
Country Code:	001
Phone:	(251) 335-1927
EMail:	RLABRIER@SAFEGUARDIT.COM
Fax Number:	Not reported

VESTPRO (Continued) **U003389288**

Modified By: MRBARROW
Date Last Modified: 2017-02-17

Site Id: 13938
Affiliation Type: Facility Operator
Company Name: VESTPRO
Contact Type: Not reported
Contact Name: NA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-02-17

Site Id: 13938
Affiliation Type: Emergency Contact
Company Name: SAFEGUARD PROPERTIES LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-02-17

Site Id: 13938
Affiliation Type: Facility Owner
Company Name: SAFEGUARD PROPERTIES LLC
Contact Type: EUP, COO, CFO
Contact Name: MARK B. RINDER
Address1: 3384 PEACHTREE RD. 4TH FL.
Address2: Not reported
City: ATLANTA
State: GA
Zip Code: 30326
Country Code: 001
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: MRBARROW
Date Last Modified: 2017-02-17

Tank Info:

Tank Number: 001

VESTPRO (Continued) **U003389288**

Tank Id:	16313
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

B99 - Tank External Protection - Other
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I05 - Overfill - Vent Whistle
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A99 - Tank Internal Protection - Other
C01 - Pipe Location - Aboveground
F99 - Pipe External Protection - Other
H99 - Tank Leak Detection - Other

Tank Location:	Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	03/01/1982
Capacity Gallons:	3000
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	09/03/2003
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	#2 fuel oil (on-site consumption)

D49 **ST. MICHAEL SCHOOL** **UST FINDER** **1028574405**
SSW **237 JEROME STREET** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.068 mi.
361 ft. **Site 5 of 14 in cluster D**

Relative:
Higher

Actual:
40 ft.

UST FINDER:

Object ID:	295839
Facility ID:	NY30324
Name:	ST. MICHAEL SCHOOL
Address:	237 JEROME STREET
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	10096
Private Wells 1500ft:	17
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes

ST. MICHAEL SCHOOL (Continued) **1028574405**

WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.8874079999999
Y Coord:	40.6762150000001
Latitude:	40.676215
Longitude:	-73.887408

UST FINDER:

Object ID:	1226839
Facility ID:	NY30324
Tank ID:	NY37681
Tank Status:	Closed
Installation Date:	1955/01/01 16:00:01+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Not reported
Tank Wall Type:	Not reported

D50 **ST. MICHAEL SCHOOL** **NY UST** **U004048361**
SSW **237 JEROME STREET** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.068 mi.
361 ft. **Site 6 of 14 in cluster D**

Relative:
Higher

Actual:
40 ft.

UST:

Name:	ST. MICHAEL SCHOOL
Address:	237 JEROME STREET
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-608472 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594027.99086
UTM Y:	4503409.94502
Site Type:	School

Affiliation Records:

Site Id:	30324
Affiliation Type:	Facility Owner
Company Name:	ST. MICHAEL SCHOOL
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	237 JEROME STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 277-6766
EMail:	Not reported

ST. MICHAEL SCHOOL (Continued) **U004048361**

Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	30324
Affiliation Type:	Mail Contact
Company Name:	SISTER MARGARET A. MERRITT
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	ST. MICHAEL SCHOOL
Address2:	237 JEROME STREET
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 277-6766
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	30324
Affiliation Type:	Facility Operator
Company Name:	ST. MICHAEL SCHOOL
Contact Type:	Not reported
Contact Name:	SISTER MARGARET A. MERRITT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 277-6766
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	30324
Affiliation Type:	Emergency Contact
Company Name:	ST. MICHAEL SCHOOL
Contact Type:	Not reported
Contact Name:	SISTER MARGARET A. MERRITT
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 277-6766
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

ST. MICHAEL SCHOOL (Continued) **U004048361**

Tank Number:	002
Tank ID:	65222
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	10000
Install Date:	01/01/1955
Date Tank Closed:	11/20/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping

B51 **MERIT GASOLINE STATION** **EDR Hist Auto** **1021039115**
WSW **2880 ATLANTIC AVE AV** **N/A**
< 1/8 **NEW YORK - BROOKLYN, NY 11207**
0.071 mi.
375 ft. **Site 6 of 10 in cluster B**

Relative: **Higher**

EDR Hist Auto

Actual: **39 ft.**

Year:	Name:	Type:
1986	MERIT GASOLINE STATION	Gasoline Service Stations
1987	MERIT GASOLINE STATION	Gasoline Service Stations
1988	MERIT GASOLINE STATION	Gasoline Service Stations
1989	MERIT GASOLINE STATION	Gasoline Service Stations
1990	MERIT GASOLINE STATION	Gasoline Service Stations
1991	MERIT GASOLINE STATION	Gasoline Service Stations
1992	MERIT GASOLINE STATION	Gasoline Service Stations
1993	MERIT GASOLINE STATION	Gasoline Service Stations
1994	MERIT GASOLINE STATION	Gasoline Service Stations
1995	MERIT GASOLINE STATION	Gasoline Service Stations
1996	MERIT GASOLINE STATION	Gasoline Service Stations
1997	MERIT GASOLINE STATION	Gasoline Service Stations
1998	MERIT GASOLINE STATION INC	Gasoline Service Stations
1999	MERIT OIL CORPORATION	Gasoline Service Stations
2000	MERIT OIL CORPORATION	Gasoline Service Stations
2001	AMERADA HESS CORPORATION	Gasoline Service Stations
2002	AMERADA HESS CORPORATION	Gasoline Service Stations

MERIT GASOLINE STATION (Continued) **1021039115**

2003	AMERADA HESS CORPORATION	Gasoline Service Stations
2004	AMERADA HESS CORPORATION	Gasoline Service Stations
2005	AMERADA HESS CORPORATION	Gasoline Service Stations
2006	HESS CORPORATION	Gasoline Service Stations
2007	HESS CORPORATION	Gasoline Service Stations
2008	HESS CORPORATION	Gasoline Service Stations
2009	HESS CORPORATION	Gasoline Service Stations
2010	HESS CORPORATION	Gasoline Service Stations
2011	HESS CORPORATION	Gasoline Service Stations
2012	HESS CORPORATION	Gasoline Service Stations
2013	HESS CORPORATION	Gasoline Service Stations
2014	HESS CORPORATION	Gasoline Service Stations

B52 **HESS#32518** **RCRA-VSQG** **1000263774**
WSW **2880 ATLANTIC AVENUE** **NY LTANKS** **NYD982185670**
< 1/8 **BROOKLYN, NY 11207** **NY UST**
0.071 mi. **NY Spills**
375 ft. **Site 7 of 10 in cluster B** **US AIRS**
FINDS
Relative: **ECHO**
Higher **NY MANIFEST**

Actual:
39 ft.

RCRA Listings:

Date Form Received by Agency:		20160921
Handler Name:		Speedway 7823
Handler Address:		Atlantic Ave
Handler City,State,Zip:		BROOKLYN, NY 11207-2725
EPA ID:		NYD982185670
Contact Name:		CHARLES A BESSE
Contact Address:		PO BOX 1500
Contact City,State,Zip:		SPRINGFIELD, OH 45501-1500
Contact Telephone:		937-863-6272
Contact Fax:		937-863-6078
Contact Email:		CABESSE@SPEEDWAY.COM
Contact Title:		ENVIRONMENTAL COMPLIANCE ADMIN
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Conditionally Exempt Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		PO BOX 1500
Mailing City,State,Zip:		SPRINGFIELD, OH 45501-1500
Owner Name:	Speedway Llc	
Owner Type:		Private
Operator Name:	Speedway Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No

HESS#32518 (Continued) **1000263774**

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20161005
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D018
Waste Description:	Benzene

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: SPEEDWAY LLC	
Legal Status:	Private
Date Became Current:	20141001
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 1500
Owner/Operator City,State,Zip:	SPRINGFIELD, OH 45501-1500
Owner/Operator Telephone:	937-864-3000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: MERIT OIL CORP	

HESS#32518 (Continued) **1000263774**

Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: MERIT OIL CORP	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: SPEEDWAY LLC	
Legal Status:	Private
Date Became Current:	20141001
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: MERIT OIL CORP	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19990708
Handler Name: MERIT OIL CORP	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

HESS#32518 (Continued) **1000263774**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: MERIT OIL CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: MERIT OIL CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19870511
Handler Name: MERIT OIL CORP
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20160921
Handler Name: SPEEDWAY 7823
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

HESS#32518 (Continued) **1000263774**

List of NAICS Codes and Descriptions:
NAICS Code: 447110
NAICS Description: Gasoline Stations With Convenience Stores

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

LTANKS:

Name:	2880 ATLANTIC AVE.
Address:	2880 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY 11207
Spill Number/Closed Date:	9200248 / 1994-08-03
Facility ID:	9200248
Site ID:	147618
Spill Date:	1992-04-07
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	A3
Cleanup Ceased:	1994-08-03
SWIS:	2401
Investigator:	SULLIVAN
Referred To:	Not reported
Reported to Dept:	1992-04-07
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1992-04-08
Spill Record Last Update:	1994-08-03
Spiller Name:	Not reported
Spiller Company:	MERIT GAS STA.
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	13745
Latitude:	40.6770898
Longitude:	-73.8874643
DEC Memo:	Not reported
Remarks:	POSS. EX. & RETEST

All TTF:

Facility ID:	9200248
Spill Number:	9200248
Spill Tank Test:	1539836
Site ID:	147618

HESS#32518 (Continued) **1000263774**

Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	147618
Operable Unit ID:	967477
Operable Unit:	01
Material ID:	415065
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

UST:

Name:	SPEEDWAY # 7823
Address:	2880 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-297747 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	593979.65845
UTM Y:	4503483.62653
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	13764
Affiliation Type:	Facility Owner
Company Name:	2864 ATLANTIC . REALTY, LLC
Contact Type:	MEMBER
Contact Name:	JACOB KOHN
Address1:	40 OSER AVENUE, SUITE 4
Address2:	Not reported
City:	HAUPPAUGE
State:	NY
Zip Code:	11788
Country Code:	999
Phone:	(917) 846-1115
EMail:	Not reported

HESS#32518 (Continued) **1000263774**

Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2023-02-02
Site Id:	13764
Affiliation Type:	Facility Operator
Company Name:	SPEEDWAY # 7823
Contact Type:	Not reported
Contact Name:	2864 ATLANTIC REALTY, LLC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 846-1115
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2023-02-02
Site Id:	13764
Affiliation Type:	Emergency Contact
Company Name:	SPEEDWAY LLC
Contact Type:	MEMBER
Contact Name:	JACOB KOHN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(347) 578-3749
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2023-01-27
Site Id:	13764
Affiliation Type:	Mail Contact
Company Name:	JACOB KOHN
Contact Type:	MEMBER
Contact Name:	JACOB KOHN
Address1:	40 OSER AVENUE, SUITE 4
Address2:	ATTN.: ENVIRONMENTAL COMPLIANCE
City:	HAUPPAUGE
State:	NY
Zip Code:	11788
Country Code:	001
Phone:	(917) 846-1115
EMail:	KOHNJACOB@GMAIL.COM
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2023-01-27

Tank Info:

HESS#32518 (Continued) **1000263774**

Tank Number:	1
Tank ID:	46828
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	10
Tank ID:	46839
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel

HESS#32518 (Continued) **1000263774**

F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	11
Tank ID:	46837
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	12
Tank ID:	46840
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

HESS#32518 (Continued) **1000263774**

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	13
Tank ID:	46838
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	14
Tank ID:	46841
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

HESS#32518 (Continued) **1000263774**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 15
Tank ID: 46812
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 16
Tank ID: 46813
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998

HESS#32518 (Continued) **1000263774**

Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	17
Tank ID:	46814
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	18

HESS#32518 (Continued) **1000263774**

Tank ID:	46815
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	19
Tank ID:	46816
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

HESS#32518 (Continued) **1000263774**

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 2
Tank ID: 46829
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 20
Tank ID: 46817
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

HESS#32518 (Continued) **1000263774**

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 21
Tank ID: 46818
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 22
Tank ID: 46819
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported

HESS#32518 (Continued) **1000263774**

Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 23
Tank ID: 46820
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 24
Tank ID: 46821
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground

HESS#32518 (Continued) **1000263774**

Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 25
Tank ID: 46822
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 26
Tank ID: 46823
Tank Status: Closed - Removed

HESS#32518 (Continued) **1000263774**

Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	27
Tank ID:	46824
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None

HESS#32518 (Continued) **1000263774**

I00 - Overfill - None

Tank Number: 28
Tank ID: 46825
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 29
Tank ID: 46826
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

HESS#32518 (Continued) **1000263774**

J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	3
Tank ID:	46830
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	30
Tank ID:	46827
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported

HESS#32518 (Continued) **1000263774**

Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 31
Tank ID: 16159
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 10/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 20
Date Test: 04/01/1997
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I01 - Overfill - Float Vent Valve
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Number: 32
Tank ID: 16160
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: 10/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009

HESS#32518 (Continued) **1000263774**

Common Name of Substance: Gasoline

Tightness Test Method: 20
Date Test: 04/01/1997
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I01 - Overfill - Float Vent Valve
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Number: 33
Tank ID: 16161
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 2000
Install Date: 10/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 20
Date Test: 04/01/1997
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I01 - Overfill - Float Vent Valve
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Number: 34
Tank ID: 16162
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000

HESS#32518 (Continued) **1000263774**

Install Date: 10/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 20
Date Test: 04/01/1997
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I01 - Overfill - Float Vent Valve
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Number: 35
Tank ID: 16163
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 2000
Install Date: 10/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 20
Date Test: 04/01/1997
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I01 - Overfill - Float Vent Valve
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

HESS#32518 (Continued) **1000263774**

Tank Number:	36
Tank ID:	16164
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	4000
Install Date:	10/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	20
Date Test:	04/01/1997
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I01 - Overfill - Float Vent Valve
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J01 - Dispenser - Pressurized Dispenser

Tank Number:	37
Tank ID:	16165
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	02/01/1964
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	9999
Common Name of Substance:	Other
Tightness Test Method:	20
Date Test:	04/01/1997
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
H99 - Tank Leak Detection - Other

HESS#32518 (Continued) **1000263774**

J00 - Dispenser - None
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number: 38
Tank ID: 16166
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 2000
Install Date: 02/01/1964
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: 00
Date Test: 07/01/1995
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
D10 - Pipe Type - Copper
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 39
Tank ID: 54686
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 10000
Install Date: 07/01/1998
Date Tank Closed: 06/06/2022
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MSALI
Last Modified: 01/25/2023

Equipment Records:

HESS#32518 (Continued) **1000263774**

A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number:	4
Tank ID:	46831
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	40
Tank ID:	54687
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	10000
Install Date:	07/01/1998
Date Tank Closed:	06/06/2022
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology

HESS#32518 (Continued) **1000263774**

Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 00
Date Test: 11/01/1998
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MSALI
Last Modified: 01/24/2023

Equipment Records:

A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin
E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number: 41
Tank ID: 54688
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 10000
Install Date: 07/01/1998
Date Tank Closed: 06/08/2022
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MSALI
Last Modified: 01/24/2023

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
A00 - Tank Internal Protection - None
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

HESS#32518 (Continued) **1000263774**

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin

Tank Number: 42
Tank ID: 54689
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 10000
Install Date: 07/01/1998
Date Tank Closed: 06/08/2022
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 0008
Common Name of Substance: Diesel

Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MSALI
Last Modified: 01/24/2023

Equipment Records:

E04 - Piping Secondary Containment - Double walled UG
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
C02 - Pipe Location - Underground/On-ground
F04 - Pipe External Protection - Fiberglass
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I02 - Overfill - High Level Alarm
K01 - Spill Prevention - Catch Basin

Tank Number: 43
Tank ID: 54690
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 600
Install Date: 07/01/1998
Date Tank Closed: 06/07/2022
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 9999
Common Name of Substance: Other

Tightness Test Method: 00
Date Test: 11/01/1998
Next Test Date: Not reported

HESS#32518 (Continued) **1000263774**

Pipe Model: Not reported
Modified By: MSALI
Last Modified: 01/24/2023

Equipment Records:

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
E00 - Piping Secondary Containment - None
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
K01 - Spill Prevention - Catch Basin

Tank Number: 5
Tank ID: 46832
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 6
Tank ID: 46833
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998

HESS#32518 (Continued) **1000263774**

Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number: 7
Tank ID: 46834
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 11/01/1982
Date Tank Closed: 07/01/1998
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None

Tank Number: 8

HESS#32518 (Continued) **1000263774**

Tank ID:	46835
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	9
Tank ID:	46836
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	11/01/1982
Date Tank Closed:	07/01/1998
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

HESS#32518 (Continued) **1000263774**

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None

Tank Number:	UST- 44
Tank ID:	299304
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	03/16/2022
Date Tank Closed:	05/12/2023
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	10/06/2023

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
J00 - Dispenser - None

Tank Number:	UST-45
Tank ID:	299305
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	03/16/2022
Date Tank Closed:	05/18/2023
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	10/06/2023

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

HESS#32518 (Continued) **1000263774**

A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
J00 - Dispenser - None

Tank Number: UST-46
Tank ID: 299306
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/16/2022
Date Tank Closed: 05/12/2023
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: DAFRANCI
Last Modified: 10/06/2023

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
J00 - Dispenser - None

Tank Number: UST-47
Tank ID: 299307
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/16/2022
Date Tank Closed: 05/18/2023
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: DAFRANCI

HESS#32518 (Continued) **1000263774**

Last Modified: 10/06/2023

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
J00 - Dispenser - None

Tank Number: UST-48
Tank ID: 299308
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: 03/16/2022
Date Tank Closed: 05/18/2023
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: DAFRANCI
Last Modified: 10/06/2023

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
J00 - Dispenser - None

SPILLS:

Name: FORMER HESS STATION 32518
Address: 2880 ATLANTIC AVE
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9830002 / 2023-12-31
Facility ID: 9830002
Facility Type: ER
DER Facility ID: 479929
Site ID: 65126
DEC Region: 2

HESS#32518 (Continued) **1000263774**

Spill Cause:	Other
Spill Class:	B3
SWIS:	2401
Spill Date:	1998-08-06
Investigator:	AXDORONO
Referred To:	ENTERED INTO BCP - (BCA #C224349)
Reported to Dept:	1998-08-06
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-08-06
Spill Record Last Update:	2023-12-12
Spiller Name:	Not reported
Spiller Company:	FORMER HESS STATION
Spiller Address:	2880 ATLANTIC AVENUE
Spiller Company:	999
Contact Name:	ANGELO FATIGA
Latitude:	40.6770898
Longitude:	-73.8874643
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was SUN 12/10/2004 Reassigned from Sangesland to Sun. 10/31/05: Project reassigned from Sun to Andersen. Site needs Stip and RAP. 1/26/06: 1/25/06 meeting with Quantum, NYSDEC, and GSC/Kleinfelder: Additional delineation difficult because of residential area, an RAP will be prepared. 2/13/06: Reviewed the quarterly report dated 1/24/06. BTEX concentration in MW-6 is 7,530 ppb. Sent an RAP required letter. RAP due 4/13/06. 4/17/06: RAP not received. Sent stipulation agreement. Stip due back 5/29/06. 6/26/06: Received a RAP. Vertical delineation around MW6 proposed. Biosolve use proposed. RAP states that MW6 is too close to the tanks and remote fills for the use of chemical injection. 6/30/06: Meeting on 6/28/06 with Hess, Quantum, NYSDEC, EnviroTrac and GSC. RAP approved. Stip will be delayed for another triannual sampling period. 7/25/06: Received email from Albert Tonn of GSC/Kleinfelder: Please be advised that the soil boring adjacent to MW-6 will be advanced on August 8, 2006. 8/15/06: Received email from Al Tonn of GSC/K: Please be advised that the soil boring was completed on 8/8/06. There were no impacts observed until the water table interface. Therefore, -Kleinfelder will proceed with the Bio-Solve injection on 8/22/06, followed by an EFR event on 8/24/06. 10/4/06: Reviewed update report dated 9/27/06. Seven wells sampled on 7/20/06. Max BTEX 3,226 (MW4). No MTBE present. Report states that the approved workplan will be implemented

HESS#32518 (Continued) **1000263774**

during the third quarter of
2006 . 1/17/07: Meeting on 1/16/07 with Hess, Delta, NYDEC. Biosolve injection/EFR in August,
September, and October 2006 from MW4 and MW6. 400-600 gallons recovered. 2/12/07: Received the
third triannaul 2006 site status report. Biosolve injection and EFR performed in August, September,
and October. There may have been some mobilization into MW1. Wells sampled on 12/26/06. Max BTEX
3,405 ppb (MW6). Emailed Hess, Delta asking if additional work is planned (RAP dated 6/23/06 only
proposed 3 Biosolve and EFR events), and suggested that EFR should be performed in MW1. 3/13/07:
Received email from Tim Fisher: As discussed during the 1/16/07 site review meeting, our approach
for this site is to complete March's sampling event and then evaluate the effectiveness of the
biosolve / EFR events. 5/16/07: Reviewed update report. Wells sampled on 3/28/07. Fluctuating
concentrations in MW1/MW6. Max BTEX 5,069 ppb in MW1. MTBE ND in all wells. Biosolve/EFR no longer
in use? What is the RAP now? 5/17/07: Received email from Timothy Fisher : Since part of the
manufactured claims of Biosolve is to increase the bioavailability of the contaminants, we will be
monitoring the attenuation of the residual concentrations. As expected, there was an initial
increase in dissolved phase (increase in bioavailability), so the plan is to monitor the
effectiveness of the injection. 5/21/07: Received email from Timothy Fisher: We intend to complete
2 additional ground water monitoring events in July and November before completing an assessment of
the biosolve applications conducted in August, September, and October 2006. This will provide us a
full year of monitoring data which will help us factor in season dissolved concentration
fluctuations. 9/21/07: Reviewed site status report. Fluctuating concentrations in some wells. Wells
sampled on 7/10/07. Max BTEX 4,472 ppb (MW6), MTBE ND. One additional sampling event and then
evaluate for additional action. 2/14/08: Reviewed September 2007 through December 2007 Site Status
Report. Wells sampled on November 20, 2007. Max BTEX 2,673 ppb (MW6). MTBE ND. Flucutating
concentrations in MW6. 5/6/08 - Carlson: Reviewed First Triannual 2008 Update Report dated April
30, 2008. Wells sampled on March 28, 2008. Maximum BTEX concentration 8,883 ppb (MW6). MTBE below
detection limit. Hess intends to submit a RAP. When will it be submitted? Meeting scheduled for May
7, 2008. 9/2/08 - Carlson: Received email from Ed Russo (Envirotrac) indicating that off-site
delineation on the adjacent residential property is impossible and that they would like to install
AS wells to perform short term AS/SVE. Mark Tibbe (NYSDEC) sent email in response indicating that

HESS#32518 (Continued) **1000263774**

delineation may be possible in a driveway and that short term AS/SVE is unacceptable. Sent email requesting a site meeting and a formal RAP be submitted. 9/17/08 - Carlson: Site visit. Envirotrac will submit a workplan for soil borings/SVE/AS pilot testing. 10/3/08 - Carlson: Reviewed workplan submitted by email on 9/18/08 for installation of 3 wells and STRE pilot testing. Approved workplan. Report due by 1/3/09. 10/08/08 - Carlson: Received notification that wells will be installed on 10/15 - 10/16/2008. 10/16/08 - Carlson: Reviewed September 2008 Update Report. Wells sampled on 7/2/08. Maximum BTEX concentration 5,850 ppb (MW6). 10/22/08 - Carlson: Meeting with Hess/Envirotrac. 2/20/09 - Carlson: Reviewed January 2009 Update Report. STRE were conducted. High effluent PID during pilot testing. RAP for STREs will be submitted. Wells sampled on 11/19/08. Maximum BTEX concentration 6,041 ppb (MW1). 3/18/09 - Carlson: Meeting with Hess and Envirotrac. Need to complete review of submitted RAP. Quarterly gauging requested. 4/10/09 - Carlson: Reviewed workplan. STRE pilot testing was conducted. Workplan requested two additional quarters to evaluate STRE effectiveness. Sent email requiring a revised workplan in 30 days. The following modifications are required: 1) addition of SVE radius of influence for MW4 and MW6 to the site plan 2) an additional air sparge well should be installed between AS-3 and AS-1 3) remedial action should begin immediately upon receipt of NYSDEC workplan approval. 5/27/09 - Carlson: Emailed Envirotrac regarding overdue revised workplan. 6/5/09 - Carlson: Reviewed May 2009 Update Report. Wells sampled on March 25, 2009. Maximum BTEX concentration 3,294 ppb (MW4). MTBE ND in all wells. Revised RAP overdue. 8/19/09 - Carlson: Meeting with Hess and Envirotrac. Revised RAP submission deadline extended to 9/15/09. 12/18/09 - Carlson: Revised work plan overdue. Reviewed update report. SVE/AS wells will be installed in January 2010. 1/22/2010 - Carlson: Meeting with Hess. Revised RAP will be submitted. 3/11/2010 - Carlson: Reviewed update report. Revised work plan received. 3/18/2010 - Carlson: Approved work plan for installation of 2 additional AS wells and an additional STRE pilot test with new and existing wells. 4/6/2010 - Carlson: Notified drilling will commence on 4/13/2010. 6/11/2010 - Carlson: Reviewed update report. Wells sampled on 3/31/2010. Maximum BTEX concentration 3,620 ppb (MW6). Air sparge wells AS4 and AS5 installed on 4/13/2010. STRE conducted on 4/23/2010. 9/30/2010 - Carlson: Reviewed update report. Air sparge wells AS4 and AS5 installed on 4/13/2010. STRE conducted monthly. Soil data for AS4 and AS5 included. Soil impact at 40-45 ft. 4/21/11 - Obligado - I reviewed the November 2010 Status

HESS#32518 (Continued) **1000263774**

report. STREs conducted
during August and September 2010. BTEX concentrations up to 959 ug/L in MW1. February 2011 update
report. No short term remediation events were conducted during the 4th quarter. BTEX concentrations
were detected up to 3400 ug/L in MW1. Hess to continue STREs. 10/21/11 - Obligado - This spill is
reassigned back to Sarah Carlson as per Brevdo. 2/9/2012 - Carlson: Reviewed November 2011 Update
Report. BTEX groundwater impact remains in MW-1, MW-4, and MW-5. STRE conducted in July and
September 2011. 8/29/2012 - 1Q2012, 5/31/2012, by EnviroTrac. Hess/EnviroTrac requested to abandon
monitoring wells MW-2 and MW-3 based on the historical and current groundwater sampling data.
Groundwater was sampled 3/16/2012. DTW 31.32 to 34.41'. Flows to southwest. The next sampling will
be in 6/2012. Hess will continue with the STRE events. MW-1, 3,605.6J BTEX. MW-2, ND. MW-3, ND.
MW-4, 39.3 BTEX. MW-5, 84.9 BTEX. MW-6, 1.6 BTEX. 11/13/2012 2Q2012, 8/31/2012, by EnviroTrac. The
groundwater was sampled on 6/19/2012. DTW 31.61 to 34.52. Flows to southwest. NO LNAPL. MW-4, 114.9
BTEX, MTBE ND. MW-5, 18.6 BTEX, MTBE ND. MW-1, 998 BTEX. MTBE ND. MW-6, 9.2 BTEX, MTBE ND. The next
sampling will be in September 2012. Hess to continue STREs. Based on historical and current
groundwater sampling data from MW-2 and MW-3, and based on the fact that both wells are upgradient
of site features, Hess proposes to abandon those wells. 1/25/2013 - 3Q2012, 11/30/2012, by
EnviroTrac. The groundwater was sampled on 9/27/2012. On 8/6, 9/26/2012, conducted STRE on MW-5 and
MW-1. MW-4, 151.2 BTEX, MTBE ND. MW-5, 18.7 BTEX, MTBE ND. MW-1, 3,828 BTEX, MTBE ND. MW-6,
1,055.98J BTEX, MTBE ND. The next sampling will be in 12/2012. Hess to contiune STRE events.
9/25/2013 - 1Q2013, 5/31/2013, by EnviroTrac. Groundwater was sampled on 3/11/2013. On 1/4, 2/25,
3/6/2013, STRE on selected wells, i.e. MW-1/AS-3, and MW-5/AS-3. DTW 26.16 to 33.67 feet. Flows to
southwest. NO LPH. MW-4, 596 BTEX, MTBE ND. MW-5, 88.9 BTEX, MTBE ND. MW-1, 3,188.3 BTEX, MTBE ND.
9/15/2014 - 2Q2014, 9/4/2014, by EnviroTrac. Groundwater was sampled on 6/18/2014. DTW 32.21 to
33.03 feet. Flows to southwest. Hess to continue STRE events. MW-4, 83.4 BTEX. MW-5, 33.2 BTEX.
MW-1, 4,500.9 BTEX. MW-6, 63.2 BTEX. 2/13/2015 - 3Q2014, 11/17/2014. 7/7, 9/1, 9/14/2014, STREs on
select wells. 9/22/2014, sampled 5 monitoring wells. DTW 33.63 to 34.46 feet. Flows to southwest.
MW-1, 2,446.8 J BTEX. MW-4, 475.39 J BTEX. MW-5, 99.81 J BTEX. MW-6, 40.3 BTEX. 4Q2014, 2/13/2015.
12/3/2014, STREs on select wells. 12/18/2014, gauged and sampled 5 monitoring wells. DTW 33.59 to
34.43 feet. Flows to southwest. MW-1, 147.4 BTEX. 10/29/2015 - 1Q2015, 5/8/2015. 1/18, 2/3,

HESS#32518 (Continued) **1000263774**

3/11/2015, STREs on select wells. 3/23/2015, gauged and sampled 5 monitoring wells. DTW 32.53 to
34.02 feet. Flows to southwest. MW-1, 4,831 BTEX. MW-4, 1,567 BTEX. 2Q2015, 8/12/2015. 4/9, 5/4,
6/16/2015, STREs on select wells. 6/24/2015, gauged and sampled 5 monitoring wells. DTW 33.62 to
34.6 feet. Flows to southwest. MW-2 and MW-3 to be abandoned. MW-1, 3,351.3 BTEX. MW-4, 80.1 BTEX.
MW-5, 55.3 BTEX. 11/20/2015 - 3Q2015, 11/20/2015. 7/29, 8/6, 9/28/2015, STREs on select wells.
9/30/2015, gauged 5 and sampled 4 monitoring wells. DTW 33.33 to 34.15 feet. Flows to southwest.
MW-1, 3,351 BTEX. MW-5, 25.1 BTEX. 2/29/2016 - 4Q2015, 2/19/2016. 11/5, 11/16, 11/25, and
12/22/2015, STREs on select wells. 11/16/2015, MW-2 and MW-3 were abandoned according to NYSDEC
well abandonment procedures. 12/22/2015, gauged and sampled 5 monitoring wells. MW-1, 559 BTEX.
MW-5, 173.6 BTEX. MW-4, 58.7 BTEX. 3/30/2016 Feng This spill is transferred from J. Feng to V.
Brevdo as per J. Vought. 3/30/16 - Raphael Ketani. This spill case has been assigned to me
effective today. According to ACRIS, the block and lot are 3965 and 11. The latest deed is dated
4/24/14. The property owner is HESS Retail Stores, 1 HESS Plaza. The PBS record is #2-297747. The
owner is Speedway #7823. There are 4 active 10,000 gallon gasoline and diesel USTs and one 600
gallon UST with other product. These tanks were installed on 7/1/98. Thirty eight mostly gasoline
550 gallon USTs and 7 large gasoline USTs were closed and removed on 7/1/98. The contacts are as
follows: Speedway/Hess contact: Matthew Butler, (732) 738-2924, MButler1@Speedway.com Consultants:
Edward Russo (EnviroTrac), (631) 924-3001, EDR@EnviroTrac.com Joseph Rennie (EnviroTrac), (631)
924-3001, JoeR@EnviroTrac.com 5/23/16 - Raphael Ketani. I reviewed the EnviroTrac 5/20/16 Quarterly
Report for the period January to March 2016. On 1/13/16, 2/22/16 and 3/2/16 short term remediation
events (STREs) were conducted at AS-3. Wells MW-1, MW-4 to 6 were gauged and sampled on 3/8/16. No
product was seen in the wells. Groundwater flow was to the southwest at 33.44' to 34.28' below
grade. Monthly STREs and quarterly groundwater sampling will be continued. The next round of
groundwater sampling will take place during June 2016. MW-7 was not sampled. The groundwater
results for samples from MW-4 to 6 were non-detect to low in concentration. MW-1 had 102 ppb of
ethylbenzene and 1010 ppb of total xylenes. MW-1 is situated right next to the USTs. MW-5 is 30
feet downgradient. MW-4 is sidegradient to the west and MW-6 is sidegradient to the east. I
approved the report without comment. 8/31/16 - Raphael Ketani. I reviewed the EnviroTrac 8/31/16
Quarterly Report for the period April to June 2016. On 4/7/16, 5/17/16

HESS#32518 (Continued) **1000263774**

and 6/1/16 short term remediation events (STREs) were conducted at select wells. On 6/10/16, MW-1 and MW-4 to MW-7 were gauged and wells MW-1, MW-4 to 6 were sampled. No product was seen in the wells. Groundwater flow was to the southwest at 33.45' to 34.61' below grade. Monthly STREs and quarterly groundwater sampling will be continued. The next round of groundwater sampling will take place during September 2016. The 6/1/16 SVE system effluent results for MW-1/AS-3 were 250.2 ppm. This value was about average when compared to the historical results. The groundwater results for samples from MW-4 to 6 were non-detect to low in concentration. MW-1 had 1480 ppb of total xylenes and 1779 ppb of total BTEX. MW-1 is situated right next to the USTs. MW-5 is 30 feet downgradient. MW-4 is sidegradient to the west and MW-6 is sidegradient to the east. I approved the report without comment. 11/29/16 - Raphael Ketani. I reviewed the EnviroTrac 11/29/16 Quarterly Report for the period July to September 2016. On 7/11/16, 8/19/16 and 9/15/16 short term remediation events (STREs) were conducted at select wells. On 9/19/16, MW-1, 5 and 6 were gauged and sampled. No product was seen in the wells. Groundwater flow was to the southwest at 24.05' to 35.04' below grade. Monthly STREs and quarterly groundwater sampling will be continued. The next round of groundwater sampling will take place during December 2016. The SVE system effluent results for MW-1/AS-3 on 7/11/16, 8/19/16 and 9/15/16 were 317.9 ppm, 105.0 ppm and 221.0 ppm, respectively. Among the results for 2015 and 2016, these value were about average. The groundwater results for samples from MW-1 were 1885 ppb total BTEX. MW-1 is situated right next to the USTs. The results for MW-5 were mostly non-detect with one low hit. MW-5 is 30 feet downgradient. The results for MW-6 were mostly non-detect with two low hits. MW-6 is sidegradient to the east. 2/2/17 - Raphael Ketani. I reviewed the EnviroTrac January 2017 Quarterly Report dated 1/31/17 for the period October to December 2016. On 10/26/16, 11/15/16 and 12/1/16 short term remediation events (STREs) were conducted at select wells. On 12/21/16, MW-1, 4, 5 and 6 were gauged and sampled. No product was seen in the wells. Groundwater flow was to the southwest at 33.45' to 34.23' below grade. BTEX was 167.6 ppb in MW-1, 12 ppb in MW-4, 137.8 ppb in MW-5 and non-detect in MW-6. The SVE system effluent results for MW-1/AS-3 on 10/26/16, 11/15/16 and 12/1/16 were 84.7 ppm, 91.3 ppm and 103.4 ppm, respectively. Among the results for 2015 and 2016, these value were below average. Additionally, Mr. Rennie [(631) 924-3001, JoeR@EnviroTrac.com] of EnviroTrac wrote that dumping of oil was taking place at MW-7, an

HESS#32518 (Continued) **1000263774**

off site well. He included pictures of the location which showed oil staining on the sidewalk next to the well, oil between the riser of the well and the larger casing, oil coating the inside of the riser from the top to deep below and oil on the bailer that was brought up to the surface. A chemical analysis of the oil was provided in the laboratory report, along with chromatograms showing the chemical makeup. Mr. Rennie asked the DEC for permission to permanently close the well. Having seen the pictures of the damage to the well, the chemical analyses and the chromatograms, I granted permission to permanently close MW-7. 4/28/17 - Raphael Ketani. Today I received an email from Mr. Butler that he is leaving Speedway. He stated that John Engdahl [jjengdahl@speedway.com (732) 738-2923] will take over his duties. 6/5/17 - Raphael Ketani. I reviewed the EnviroTrac May 2017 Quarterly Report dated 5/31/17 for the period January to March 2017. On 1/12/17, 2/14/17 and 3/6/17 short term remediation events (STREs) were conducted at select wells. On 2/14/17, MW-7 was cleaned and abandoned. On 3/31/17, MW-1, 4, 5 and 6 were gauged and sampled. No product was seen in the wells. Groundwater flow was to the southwest at 32.89' to 33.80' below grade. BTEX was 4975.1 ppb in MW-1 (benzene non-detect), 306.8 ppb in MW-4 (benzene non-detect), 11.2 ppb in MW-5 and 13.3 ppb in MW-6. The SVE system effluent results for MW-1/AS-3 on 1/12/176, 2/14/17 and 3/6/17 were 338.1 ppm, 26.6 ppm and 349.6 ppm, respectively. Except for the 2/14/17 result, the values were about average when compared to the 2015 and 2016 results. 8/24/17 - Raphael Ketani. I reviewed the EnviroTrac August 2017 Quarterly Report dated 8/24/17 for the period April to June 2017. On 4/10/17, 5/24/17 and 6/5/17 short term remediation events (STREs) were conducted at select wells. On 6/26/17, MW-1, 4, 5 and 6 were gauged and sampled. No product was seen in the wells. Groundwater flow was to the southwest at 32.63' to 33.30' below grade. BTEX was 944 ppb in MW-1 (benzene non-detect), 291 ppb in MW-4 (benzene non-detect), 28 ppb in MW-5 and 24.7 ppb in MW-6. The SVE system effluent results for MW-1/AS-3 on 4/10/17, 5/24/17 and 6/5/17 were 356.8 ppm, 175.1 ppm and 133.1 ppm, respectively. 8/25/17 - Raphael Ketani. Mr. Russo [(631) 924-3001, EDR@EnviroTrac.com] sent me an email request to stop having the groundwater samples analyzed for MTBE as the results have been non-detect for many years. He included attachments consisting of a map of the groundwater flow direction beneath the site with the latest analytical results and a set of tables showing the analytical results for the groundwater samples going back many rounds. I reviewed this information and concluded that stopping the MTBE analyses would not affect

HESS#32518 (Continued) **1000263774**

understanding the future
interpretations of the subsurface conditions. I approved his request.
11/27/17 - Raphael Ketani. I
reviewed the EnviroTrac November 2017 Quarterly Report dated 11/27/17 for the period July to
September 2017. On 7/21/17, 8/8/17 and 9/18/17 short term remediation events (STREs) were conducted
at select wells. On 9/22/17, MW-1, 4, 5 and 6 were gauged and sampled. No product was seen in the
wells. Groundwater flow was to the southwest at 32.57' to 33.37' below grade. BTEX was 1359.5 ppb
in MW-1 (benzene non-detect), 138.8 ppb in MW-4 (benzene non-detect), 33.6 ppb in MW-5 and 203.4
ppb in MW-6. The SVE system effluent results for MW-1/AS-3 on 7/21/17, 8/8/17 and 9/18/17 were
114.5 ppm, 136.7 ppm and 183.8 ppm, respectively. 2/26/18 - Raphael Ketani. I reviewed the
EnviroTrac February 2018 Update Report dated 2/26/18 for the period October to December 2017. On
10/24/17, 11/16/17 and 12/4/17 short term remediation events (STREs) were conducted at select
wells. On 12/29/17, MW-1, 4, 5 and 6 were gauged and sampled. No product was seen in the wells.
Groundwater flow was to the southwest at 32.89' to 33.70' below grade. BTEX was 4.3 ppb in MW-1
(benzene 4.3 ppb), 1.1 ppb in MW-4 (benzene non-detect), 58.2 ppb in MW-5 (benzene non-detect) and
100.6 ppb in MW-6 (benzene non-detect). The SVE system effluent results for MW-1/AS-3 on 10/24/17,
11/16/17 and 12/4/17 were 114.5 ppm, 1000.1 ppm, 708.8 ppm and 127.7 ppm, respectively. 05/01/2018:
This spill case was transferred to A. Doronova - AD. AD 06/01/2018: Received the following e-mail
from Mr. Rennie of EnviroTrac: Dear Ms. Doronova, Please find attached the most recent Update
Report for the above referenced location. Sincerely, Joseph Rennie - Project Manager - EnviroTrac
Ltd. - 5 Old Dock Road, Yaphank NY 11980 631.924.3001 (Office) - 631.924.5001 (Fax) -
joer@envirotrac.com DL the report to DDocs. Will review. AD 06/18/2018: Reviewed the report. It
states that this spill was opened when impacted soils were encountered during an underground
storage tank (UST) upgrade project in August 1998. Removed thirty (30) 550-gallon gasoline, three
(3) 4,000-gallon gasoline, one (1) 2,000-gallon gasoline, one (1) 4,000-gallon diesel, two (2)
2,000-gallon gasoline, two (2) 550-gallon waste water UST s and associated remote fills, product
piping, and dispensers. During this project 1,006 tons of impacted soils were removed off site for
disposal. This report covers monitoring period from January 2018 to March 2018. On January 15,
February 14, and March 9, 2018 the consultant conducted Short Term Remediation Events (STREs) on
select wells. On March 14, 2018, EnviroTrac gauged and sampled four (4) monitoring wells. Wells

HESS#32518 (Continued) **1000263774**

Gauged: MW-1, MW-4, MW-5, and MW-6 Wells Containing LPH: None Groundwater Depth: 32.38 feet 33.14
feet Groundwater Flow: Southwesterly Wells Sampled: MW- 1, MW-4, MW-5, and MW-6 Maximum BTEX
Concentration: 1,372 ug/L (MW-6). This well indicated sharp increase in BTEX concentrations since
last sampling event in December 2017 (100ppb). Maximum MTBE Concentration: Non-detect (all wells)
EnviroTrac to continue with monthly STREs and quarterly sampling, with the next groundwater
sampling event scheduled for June 2018. An Update Report summarizing these activities will be
submitted to NYSDEC in August 2018. AD 11/30/2018: Received the following e-mail from Mr. Rennie:
Dear Ms. Doronova - Please find attached the most recent Update Report for the above referenced
location. Joseph Rennie - Project Manager - EnviroTrac Ltd. - 5 Old Dock Road, Yaphank NY 11980
631.924.3001 (Office) - 631.924.5001 (Fax) - joer@envirotrac.com Will review. AD 12/06/2018:
Reviewed the report. It states that for the monitoring period: July 2018 September 2018, the
following work was performed at the site: - July 3 and September 7, 2018 Conducted Short Term
Remediation Events (STREs) on select wells. - September 17, 2018 Gauged and sampled four (4)
monitoring wells. Groundwater Monitoring: Wells Gauged: MW-1, MW-4, MW-5, and MW-6. Wells
Containing LPH: None Groundwater Depth: 31.70 feet 32.47 feet. Groundwater Flow: Southwesterly
Wells Sampled: MW- 1, MW-4, MW-5, and MW-6: Maximum BTEX Concentration: 936.0 ug/L (MW-1) Maximum
MTBE Concentration: Non-detect (all wells) Total VOCs Range: 746.3 2,241.4 ug/L Recommendations:
EnviroTrac to continue with monthly STREs and quarterly sampling, with the next groundwater
sampling event scheduled for December 2018. An Update Report summarizing these activities will be
submitted to NYSDEC in February 2019. A Sensitive Receptor Survey will be completed and submitted
under separate cover. AD 01/09/2019: Received the following e-mail from Ed Russo: Ainura please
find attached a Sensitive Receptor Survey and an Update Report (which also includes a proposed plan
to complete soil borings in the area of MW-1 to determine remaining impacts and well as a request
for abandonment of wells that we feel are no longer needed) for the referenced site. Let us know if
you have any questions or comments or if we are approved to move forward. Thanks. Edward Russo -
Senior Project Manager - EnviroTrac Ltd. - 5 Old Dock Road, Yaphank NY 11980 631.924.3001 (Office)
- 631.924.5001 (Fax) - 516.523.6714 (Cell) - edr@envirotrac.com Will review. AD 01/16/2019:
Reviewed the report. It states that for the monitoring period: October December 2018, the following
work was performed at the site: On October 4, November 26, and

HESS#32518 (Continued) **1000263774**

December 3, 2018 Short Term
Remediation Events (STREs) were conducted on select wells. On December 5, 2018 Gauged and sampled
four (4) monitoring wells. Groundwater Monitoring: Wells Gauged: MW-1, MW-4, MW-5, and MW-6 Wells
Containing LPH: None Groundwater Depth: 32.52 feet 33.11 feet
Groundwater Flow: Southwesterly Wells
Sampled: MW- 1, MW-4, MW-5, and MW-6 Maximum BTEX Concentration: 1,874.1 ug/L (MW-1) Maximum MTBE
Concentration: Non-detect (all wells) Total VOCs Range: 308.3 4,179.1 ug/L TVOCs levels in well
MW-1 increased since last GW sampling from 2,241 ppb to 4,179 ppb. In an effort to reduce
contaminant mass and to obtain spill closure, Speedway/EnviroTrac propose to complete soil borings
in the area of MW-1 to assess soil conditions and the vertical extent of impacts in this area. If a
limited thickness of impact is observed, spill closure will be requested. If significant impact is
observed during drilling, additional remedial wells will be installed to aid in localized
remediation moving forward. Due to contaminant level and breakdown, as well as the locations of the
wells (side-gradient of MW-1) MW-4 and MW-5, as well as their associated air sparge wells (AS-2 and
AS-5), EnviroTrac is recommending abandonment of these wells. Speedway/EnviroTrac will continue
with monthly STREs and quarterly groundwater sampling, with the next groundwater sampling event
scheduled for March 2019. An Update Report summarizing these activities will be submitted to NYSDEC
in May 2019. AD 01/17/2019: Called and spoke with Mr. Russo regarding the proposed investigation.
Depth to GW at the site is around 40 feet bgs. Since Mr. Engdahl left Speedway and his replacement
was not appointed yet, the approval letter should be addressed to Mr. Russo. AD 01/18/2019: Sent a
correspondence to Mr. Russo approving the proposed actions: Dear Mr. Russo, The Department has
reviewed the Groundwater Monitoring Update Report pertaining to the above-referenced site,
submitted by EnviroTrac Ltd. on behalf of Speedway LLC. The report contains a proposal for an
additional subsurface investigation in the vicinity of well MW-1 to assess soil conditions and the
vertical extent of impacts in this area by advancing several soil borings, depending on site
conditions, with collection of soil samples. A summary report with conclusions and recommendations
for further actions will be provided to NYS DEC. If significant impact is observed during this
investigation, additional wells will be installed to aid in remediation process. Based on the low
or non-detect contaminant levels and locations of wells MW-4 and MW-5 and air sparge wells AS-2 and
AS-5, the consultant recommended their abandonment. The Department approves the proposed soil

HESS#32518 (Continued) **1000263774**

investigation and abandonment of monitoring wells MW-4 and MW-5 and air sparge wells AS-2 and AS-5.
AD 05/31/2019: Received the following e-mail from Joe Rennie: Ainura - Please find attached the
most recent Update Report for the above referenced location. Joseph Rennie - Project Manager -
EnviroTrac Ltd. - 5 Old Dock Road, Yaphank NY 11980 631.924.3001 (Office) - 631.924.5001 (Fax) -
joer@envirotrac.com Will review. AD 06/7/2019: Reviewed the report. It states that for the
monitoring Period: January March 2019, the following work was performed: at the site: - January 24,
February 11, and March 1, 2019 Conducted STREs on select site wells. - February 11, 2019 Abandoned
two (2) monitoring wells [(MW)-4 and MW-5)] and two AS wells (AS-2 and AS-5) as per NYSDEC
guidelines. - March 6, 2019 Gauged and sampled two (2) wells. Groundwater Monitoring: Wells Gauged:
MW-1 and MW-6. Wells Containing LPH: None Groundwater Depth: 33.07 feet 33.55 feet. Groundwater
Flow: Southwesterly Wells Sampled: MW- 1 and MW-6. Maximum BTEX Concentration: 1,657.9 ug/L (MW-1)
Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: 325.8 4,543.4 ug/L
Recommendations: The NYSDEC approved Speedway s/EnviroTrac s work plan on January 21, 2019 which
proposed the completion of soil borings in the area of MW-1 to assess soil conditions.
Implementation of this work plan will be done during the second quarter of 2019. Results will be
summarized in the next update report. Speedway/EnviroTrac will continue with monthly STREs and
quarterly groundwater sampling, with the next groundwater sampling event scheduled for June 2019.
An Update Report summarizing these activities will be submitted to NYSDEC in August 2019. AD
08/23/2019: Received the following e-mail from Mr. Rennie: Ainura - Please find attached the most
recent Update Report for the above referenced location. Joseph Rennie Project Manager EnviroTrac
Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 -

monitoring period: April June 2019, the following work was performed at the site: - April 11, May
7, and June 4, 2019 Conducted STREs on select wells. - June 21, 2019 Gauged and sampled two (2)
MWs. - June 25 and 26, 2019 Installed three (3) injection wells (IW-1, IW-2, and IW-3) as per the
01/21/19 NYSDEC approved work plan. Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells
Containing LPH: None Groundwater Depth: 32.58 feet 32.98 feet Groundwater Flow: Southwesterly Wells
Sampled: MW- 1 and MW-6 Maximum BTEX Concentration: 965.1 ug/L (MW-1) Maximum MTBE Concentration:
Non-detect (all wells) Total VOCs Range: 6.8 1,478.5 ug/L Remediation:

HESS#32518 (Continued) **1000263774**

As per the work plan that
was included within the 2018 4th Quarter Update Report on 01/09/2019
to the NYSDEC (which was
subsequently approved on 01/21/2019), EnviroTrac successfully
installed three (3) injection wells
in June 2019. During well installations, soil conditions were assessed
to determine the extent of
impacts near existing monitoring well MW-1. Soil samples at each
injection well were collected and
analyzed for VOCs and SVOCs and compared to NYSDEC CP-51 Soil Cleanup
Levels. Based on field
observations/soil data, EnviroTrac completed injections of
PetroCleanze and RegenOx into IW-1,
IW-2, and IW-3 followed by enhanced fluid recovery (EFR) events
utilizing a vac-truck in July and
August 2019 to aid in the remediation of localized areas of
groundwater impact that remain.
Injections and EFR events will continue on a monthly basis and will be
summarized in quarterly
update reports. Recommendations: Speedway/EnviroTrac will continue
with monthly STREs and quarterly
groundwater sampling, with the next groundwater sampling event
scheduled for September 2019. An
Update Report summarizing these activities will be submitted to NYSDEC
in November 2019. AD
11/26/2019: Received the following email from Mr. Rennie: Ainura -
Please find attached the most
recent Update Report for the above referenced location. Joseph Rennie
Project Manager EnviroTrac
Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road
Yaphank, NY 11980 -

when impacted soils were encountered during an underground storage
tank (UST) upgrade project in
August 1998. Removed thirty (30) 550-gallon gasoline, three (3)
4,000-gallon gasoline, one (1)
2,000-gallon gasoline, one (1) 4,000-gallon diesel, two (2)
2,000-gallon gasoline, two (2)
550-gallon waste water UST s and associated remote fills, product
piping, and dispensers. During
this project 1,006 tons of impacted soils were removed off site for
disposal. The report states
that for the reported monitoring period: July September 2019, the
following work was performed at
the site: - July 15 & August 7, 2019 Completed injections of RegenOx
Parts A and B (PetroCleanze)
into the three (3) injection wells (IWs). - July 22, 2019 Performed a
post-injection gauging event
on select on-site wells. - July 31 & August 21, 2019 Performed
Enhanced Fluid Recovery (EFR) events
on select on-site wells. - September 20, 2019 Gauged and sampled two
(2) monitoring wells (MWs).
Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing
LPH: None Groundwater Depth:
32.37 feet 32.78 feet Groundwater Flow: Southwesterly Wells Sampled:
MW- 1 and MW-6 Maximum BTEX

HESS#32518 (Continued) **1000263774**

Concentration: 66.6 ug/L (MW-1) Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: 164.4 353.9 ug/L Conclusions and recommendations: The NYSDEC approved Injection Work Plan was implemented in June 2019. EnviroTrac will continue with quarterly groundwater sampling, with the next sampling event scheduled for December 2019. Injections, post-injection gauging, and EFR events will continue as per the Injection Work Plan schedule. An Update Report summarizing these activities will be submitted to NYSDEC in February 2020. AD 02/26/2020: Received the following email from Mr. Rennie: Ainura - Please find attached the most recent Update Report for the above referenced location. Joseph Rennie Project Manager EnviroTrac Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 - https://envirotrac.com Will review. AD 03/12/2020: Reviewed the report. It states that for the monitoring period: October December 2019, the following work was performed at the site: - October 1 & November 14, 2019 Completed injections of RegenOx Parts A and B (PetroCleanze) into the three (3) injection wells (IWs). - October 11 & November 21, 2019 Performed a post-injection gauging event on select on-site wells. - October 18 & December 4, 2019 Performed EFR events on select on-site wells. - December 19, 2019 Gauged and sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing LPH: None Groundwater Depth: 32.01 feet 32.42 feet Groundwater Flow: Southwesterly Wells Sampled: MW- 1 and MW-6 Maximum BTEX Concentration: 11.5 ug/L (MW-1) Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: ND 44.0 ug/L Recommendations: EnviroTrac will continue with quarterly groundwater sampling, with the next sampling event scheduled for March 2020. Injections, post-injection gauging, and EFR events will also continue. An Update Report summarizing these activities will be submitted to NYSDEC in May 2020. The site is ready for spill closure petition, according to the latest results. AD 05/27/2020: Received the following email from Mr. Rennie: Ainura - Please find attached the most recent Update Report for the above referenced location. Joseph Rennie Project Manager EnviroTrac Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 - https://envirotrac.com Will review. AD 06/12/2020: Reviewed the report. It states that this spill was reported when impacted soils were encountered during an UST upgrade project in August 1998. Removed thirty (30) 550-gallon gasoline, three (3) 4,000-gallon gasoline, one (1) 2,000-gallon gasoline, one (1) 4,000-gallon diesel, two (2) 2,000-gallon gasoline, two (2) 550-gallon waste water USTs and

HESS#32518 (Continued) **1000263774**

associated remote fills, product
piping, and dispensers. During this project 1,006 tons of impacted soils were removed off site for
disposal. The following site remediation activities were historically performed at the site: -
April 2010 Short-Term Remediation Events (STREs) via soil vapor extraction (SVE) and air sparge
(AS) on select on-site wells commenced. - July 2019 RegenOx Parts A and B (PetroCleanze)
injections and Enhanced Fluid Recovery (EFR) events commenced. Current Site Status: Active station.
For the reported monitoring period: January March 2020, the following work was performed at the
site: - January 24 & March 11, 2020 Completed injections of RegenOx Parts A and B (PetroCleanze)
into the three (3) injection wells (IWs). - January 29, 2020 Performed an EFR event while
simultaneously conducting an STRE on select on-site wells. - February 20, 2020 Conducted an STRE on
select on-site wells. - March 25, 2020 Performed post injection EFR events on select on-site wells.
- March 30, 2020 Gauged and sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells
Gauged: MW-1 and MW-6 Wells Containing LPH: None Groundwater Depth: 32.12 feet 32.54 feet
Groundwater Flow: Southwesterly Wells Sampled: MW-1 and MW-6 Maximum BTEX Concentration: 85.9 ug/L
(MW-1) Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: ND 232.9 ug/L
Recommendations: EnviroTrac will continue with quarterly groundwater sampling, with the next
sampling event scheduled for June 2020. Remediation will continue through Q2 and then post remedial
groundwater sampling to monitor for rebounding will happen Q3-Q4 with a 2021 Q1 closure request if
no significant rebounding occurs. An Update Report summarizing these activities will be submitted
to NYSDEC in August 2020. AD 08/18/2020: Received the following email from Ms. Quell: Hi Ainura,
Attached is the 2nd Quarter 20202 Project Summary Report for the Sunoco Service Station located
188-06 Hillside Avenue, Hollis, NYSDEC Spill # 9808686. I sent this to you yesterday, but I was
referencing the wrong site. I apologize for the confusion. Feel free to contact me if you have any
questions or concerns. Sincerely Erin Quell Project Manager Environmental Assessment & Remediations
Quell@Enviro-Asmnt.com Phone: 1-888-EAR-6789 ext. 158 Fax: 631-447-6497 Will review. AD 09/17/2020:
Reviewed the 2nd quarter 2020 report. It states that groundwater samples were collected from select
monitoring wells on June 05, 2020. Samples were submitted to Eurofins Lancaster Laboratories
Environmental, LLC for analysis of NYSDEC CP-51 compounds, according to EPA Method 8260. Prior to
sampling, each of the wells were gauged for depth to groundwater. Purged groundwater was field

HESS#32518 (Continued) **1000263774**

screened for dissolved oxygen, temperature, pH, oxidation reduction potential, and conductivity.
During this monitoring period, no liquid phase hydrocarbons (LPH) were detected in the site wells.
Analysis of the groundwater samples indicates the presence of 7 VOC chemicals. All are detected
above TOGS 1.1.1 Class GA water quality standards and guidance value limits.1. The highest level of
total BTEX and total VOCs were observed in MW-3 at concentrations of 2,403 ug/L. Benzene was not
detected in any of the wells sampled. Wells Total BTEX Total VOCs (ug/L) MW3 2,403 3,247 SVE1D 31
57 SVE3D 1 1 The current plan is to evaluate COC concentrations in groundwater, to determine if
additional remediation near MW3 is warranted. Groundwater sampling of MW-3, SVE-1D and SVE-3D will
continue on a quarterly basis. AD 08/28/2020: Received the following email from Mr. Rennie: Ainura
- Please find attached the most recent Update Report for the above referenced location. Joseph
Rennie Project Manager EnviroTrac Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock
Road Yaphank, NY 11980 - https://envirotrac.com Will review. AD 10/05/2020: Reviewed the report. It
states that the spill was reported due to impacted soils encountered during an underground storage
tank (UST) upgrade project in August 1998. Removed thirty (30) 550-gallon gasoline, three (3)
4,000-gallon gasoline, one (1) 2,000-gallon gasoline, one (1) 4,000-gallon diesel, two (2)
2,000-gallon gasoline, two (2) 550-gallon waste water USTs and associated remote fills, product
piping, and dispensers. During this project 1,006 tons of impacted soils were removed off site for
disposal. The following remediation activities were historically performed at the ssite: - April
2010 Short-Term Remediation Events (STREs) via soil vapor extraction (SVE) and air sparge (AS) on
select on-site wells commenced. - July 2019 RegenOx Parts A and B (PetroCleanze) injections and
Enhanced Fluid Recovery (EFR) events commenced. Current Site Status: Active station. For the
reported monitoring period: April June 2020, the following work was performed at the site: - April
22, 2020 Completed injections of RegenOx Parts A and B (PetroCleanze) into the three (3) injection
wells (IWs). - April 30, 2020 Performed a post injection well gauging event on select wells. - May
8, 2020 Performed an EFR event on select on-site wells. - June 3, 2020 Conducted an STRE on select
on-site wells. - June 9, 2020 Gauged and sampled two (2) monitoring wells (MWs). Groundwater
Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing LPH: None Groundwater Depth: 32.20 feet
32.60 feet Groundwater Flow: Southwesterly Wells Sampled: MW- 1 and MW-6 Maximum BTEX
Concentration: 594.3 ug/L (MW-1) Maximum MTBE Concentration:

HESS#32518 (Continued) **1000263774**

Non-detect (all wells) Total VOCs
Range: ND 1,089.4 ug/L Recommendations: EnviroTrac will continue with quarterly groundwater
sampling, with the next sampling event scheduled for September 2020. Post remedial groundwater
sampling to monitor for rebounding will be completed in September and December 2020. If results are
favorable, closure will be requested following the December 2020 sampling event. An Update Report
summarizing activities completed from July through September 2020 will be submitted to NYSDEC in
November 2020. AD 11/30/2020: Received the following email fro Mr. Rennie: Ainura - Please find
attached the most recent Update Report for the above referenced location. Joseph Rennie Project
Manager EnviroTrac Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank,
NY 11980 - https://envirotrac.com Will review. AD 12/30/2020: Reviewed the report. It states that
the following remediation activities were performed historically at the site: - April 2010
Short-Term Remediation Events (STREs) via soil vapor extraction (SVE) and air sparge (AS) on select
on-site wells commenced. - July 2019 RegenOx Parts A and B (PetroCleanze) injections and Enhanced
Fluid Recovery (EFR) events commenced. Current site status: Active station For the monitoring
period: July September 2020, the following work was performed at the site: - July 3, September 23,
and September 30, 2020 Conducted an STRE on select on-site wells. September 30, 2020 Gauged and
sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells
Containing LPH: None Groundwater Depth: 31.89 feet 32.26 feet Groundwater Flow: Southwesterly Wells
Sampled: MW- 1 and MW-6 Maximum BTEX Concentration: 1,062.7 ug/L (MW-1) Maximum MTBE Concentration:
Non-detect (all wells) Total VOCs Range: 90.5 2,386.8 ug/L Recommendations: EnviroTrac will
continue with quarterly groundwater sampling, with the next sampling event scheduled for December
2020. Post remedial groundwater sampling to monitor for rebounding will be completed in September
and December 2020. If results are favorable, closure will be requested following the December 2020
sampling event. An Update Report summarizing activities completed from October through December
2020 will be submitted to NYSDEC in February 2021. AD 02/26/2021: Received the following email from
Mr. Rennie: Ainura - Please find attached the most recent Update Report for the above referenced
location. Joseph Rennie Project Manager EnviroTrac Ltd. phone: 631.924.3001 - email:
joer@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 - https://envirotrac.com Will review. AD
03/30/2021: Reviewed the report. It states that the following remediation activities were performed

HESS#32518 (Continued) **1000263774**

historically at the site: - April 2010 Short-Term Remediation Events (STREs) via soil vapor extraction (SVE) and air sparge (AS) on select on-site wells commenced. - July 2019 RegenOx Parts A and B (PetroCleanze) injections and Enhanced Fluid Recovery (EFR) events commenced. Current site status: Active station For the monitoring period: October December 2020 the following work was performed at the site: - December 10, 2020 Performed an EFR event while simultaneously conducting an STRE on select on-site wells. - December 29, 2020 Gauged and sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing LPH: None Groundwater Depth: 31.81 feet 32.20 feet Groundwater Flow: Southwesterly Wells Sampled: MW-1 and MW-6 Maximum BTEX Concentration: 531 ug/L (MW-1) Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: 1,424.4 1,810.5 ug/L Recommendations: EnviroTrac will continue with quarterly groundwater sampling, with the next sampling event scheduled for March 2021. An Update Report summarizing activities completed from January through March 2021 will be submitted to NYSDEC in May 2021. AD 05/26/2021: Received the following email from Mr. Rennie: Ainura - Please find attached the most recent Update Report for the above referenced location. Joseph Rennie Project Manager EnviroTrac Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 -

following remediation activities were performed historically at the site: - April 2010 Short-Term Remediation Events (STREs) via soil vapor extraction (SVE) and air sparge (AS) on select on-site wells commenced. - July 2019 RegenOx Parts A and B (PetroCleanze) injections and Enhanced Fluid Recovery (EFR) events commenced. Current site status: Active station For the monitoring period: January March 2021, the following work was performed at the site: - January 14, 2021 Performed an EFR event while simultaneously conducting an STRE on select on-site wells. - February 10, 2021 Performed an EFR event while simultaneously conducting an STRE on select on-site wells. - March 3, 2021 Performed an EFR event while simultaneously conducting an STRE on select on-site wells. - March 15, 2021 Gauged and sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing LPH: None Groundwater Depth: 32.00 feet 32.51 feet Groundwater Flow: Southwesterly Wells Sampled: MW- 1 and MW-6 Maximum BTEX Concentration: 352 ug/L (MW-1) Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: 23.9 1,080.9 ug/L Recommendations: EnviroTrac will continue with quarterly groundwater

HESS#32518 (Continued) **1000263774**

sampling, with the next
sampling event scheduled for June 2021. An Update Report summarizing activities completed from
April through June 2021 will be submitted to NYSDEC in August 2021. AD 08/27/2021: Received the
following email from Mr. Rennie: Ainura - Please find attached the most recent Update Report for
the above referenced location. Joseph Rennie Project Manager EnviroTrac Ltd. phone: 631.924.3001 -
email: joer@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 - https://envirotrac.com Will review.
AD 09/13/2021: Reviewed the report. It states that the following remediation activities were
performed historically at the site: - April 2010 Short-Term Remediation Events (STREs) via soil
vapor extraction (SVE) and air sparge (AS) on select on-site wells commenced. - July 2019 RegenOx
Parts A and B (PetroCleanze) injections and Enhanced Fluid Recovery (EFR) events commenced.
Current site status: Active station For the monitoring period: April June 2021, the following work
was performed at the site: - April 16, 2021 Performed an EFR event while simultaneously conducting
an STRE on select on-site wells. - June 2, 2021 Performed an STRE on select on-site wells. - June
14, 2021 Performed an STRE on select on-site wells. - June 21, 2021 Gauged and sampled two (2)
monitoring wells (MWs). Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing LPH:
None Groundwater Depth: 31.30 feet 32.33 feet Groundwater Flow: Southwesterly Wells Sampled: MW-1
and MW-6 Maximum BTEX Concentration: 333.5 ug/L (MW-1) Maximum MTBE Concentration: Non-detect (all
wells) Total VOCs Range: 48.5 820.4 ug/L Wells 09/2020 12/2020 03/2021 06/2021 (in TVOCs ug/L) MW-1
2,386 1,810 1080 820 MW-6 90 1420 21 48 Recommendations: EnviroTrac will continue with quarterly
groundwater sampling, with the next sampling event scheduled for September 2021. An Update Report
summarizing activities completed from July through September 2021 will be submitted to NYSDEC in
November 2021. AD 11/28/2021: Received the following email from Mr. Rennie: Ainura - Please find
attached the most recent Update Report for the above referenced location. Joseph Rennie Project
Manager EnviroTrac Ltd. phone: 631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank,
NY 11980 - https://envirotrac.com Will review. AD 12/27/2021: Reviewed the report. It states that
the following remediation activities were performed historically at the site: - April 2010
Short-Term Remediation Events (STREs) via soil vapor extraction (SVE) and air sparge (AS) on select
on-site wells commenced. - July 2019 RegenOx Parts A and B (PetroCleanze) injections and Enhanced
Fluid Recovery (EFR) events commenced. Current site status: Active station For the monitoring

HESS#32518 (Continued) **1000263774**

period: July September 2021, the following work was performed at the site: - September 22, 2021 Performed an STRE on select on-site wells. - September 30, 2021 Gauged and sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing LPH: None Groundwater Depth: 31.40 feet 31.80 feet Groundwater Flow: Southwesterly Wells Sampled: MW- 1 and MW-6 Maximum BTEX Concentration: 366.3 ug/L (MW-1) Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: 612.2 660.3 ug/L Recommendations: EnviroTrac will continue with quarterly groundwater sampling, with the next sampling event scheduled for December 2021. An Update Report summarizing activities completed from October through December 2021 will be submitted to NYSDEC in January 2022. AD 01/13/2021: Received the following email from Ed Russo: Ainura good morning. If you are available, we d like to have a very brief discussion about these 2 sites. Please let us know if you have time today or in the next few days. Thanks. Edward Russo Senior Project Manager EnviroTrac Ltd. phone: 631.924.3001 - mobile: 516.523.6714 - email: edr@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 - https://envirotrac.com Sent him a response with available times. Later in the day received a call from Ed. He informed me that Speedway selling these two sites to J Group, which is planning to redeveloped the sites and they already filed for the participation in Brownfield program. Asked him to put this info into email and send it to me. Received the following email from Ed: Ainura good morning. As discussed, Speedway is in the process of selling these properties to a developer that is working with the NYSDEC to enter the sites into the Brownfields program, with plans to remove all USTs and commence redevelopment of the sites in 2022. As such, we would like your permission to discontinue localized remediation at both sites (chemical injections/vac truck work at the Manhattan site and localized injections/short term remediation events at the Brooklyn site). We will continue to groundwater sample the sites and report to you until the Brownfield Cleanup Agreements are finalized. If for any reason the property transactions fall through or the site(s) aren t accepted into the Brownfields program, we will start localized remediation again. Please confirm that you are ok with this plan. Thanks. Edward Russo Senior Project Manager EnviroTrac Ltd. phone: 631.924.3001 - mobile: 516.523.6714 - email: edr@envirotrac.com 5 Old Dock Road Yaphank, NY 11980 - https://envirotrac.com AD 02/23/2022: Received the following email from Joe Rennie: Ainura - Please find attached the most recent Update Report for the above referenced location. Joseph Rennie Project

HESS#32518 (Continued) **1000263774**

Manager EnviroTrac Ltd. phone:
631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank, NY
11980 -

following remediation activities were performed historically at the
site: - April 2010 Short-Term
Remediation Events (STREs) via soil vapor extraction (SVE) and air
sparge (AS) on select on-site
wells commenced. - July 2019 RegenOx Parts A and B (PetroCleanze)
injections and Enhanced Fluid
Recovery (EFR) events commenced. Current site status: Active station
For the monitoring period:
October December 2021, the following work was performed at the site: -
December 29, 2021 Gauged and
sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells
Gauged: MW-1 and MW-6 Wells
Containing LPH: None Groundwater Depth: 32.11 feet 37.51 feet
Groundwater Flow: Southwesterly Wells
Sampled: MW- 1 and MW-6 Maximum BTEX Concentration: 1.7 ug/L (MW-1)
Maximum MTBE Concentration:
Non-detect (all wells) Total VOCs Range: ND 150.3 ug/L
Recommendations: Speedway is in contract to
sell this property to a developer that plans to enter the site into
the Brownfield Cleanup Program.
As such, localized remediation is currently on hold. If the sale of
the property falls through,
EnviroTrac will discuss options to move Spill #98-30002 to closure
with NYSDEC. AD 05/25/2022:
Received the following email from Mr. Rennie: Ainura - Please find
attached the latest update
report for the above referenced location. Please note, this property
has been sold and accepted
into the Brownfields Cleanup Program (BCA #C224349). No further
sampling or remedial actions are
planned by EnviroTrac/Speedway moving forward. Joseph Rennie Project
Manager EnviroTrac Ltd. phone:
631.924.3001 - email: joer@envirotrac.com 5 Old Dock Road Yaphank, NY
11980 -

Impacted soils encountered during an underground storage tank (UST)
upgrade project in August 1998.
Removed thirty (30) 550-gallon gasoline, three (3) 4,000-gallon
gasoline, one (1) 2,000-gallon
gasoline, one (1) 4,000-gallon diesel, two (2) 2,000-gallon gasoline,
two (2) 550-gallon wastewater
USTs and associated remote fills, product piping, and dispensers.
During this project 1,006 tons of
impacted soils were removed off site for disposal. The following
remediation activities were
performed historically at the site: - April 2010 Short-Term
Remediation Events (STREs) via soil
vapor extraction (SVE) and air sparge (AS) on select on-site wells
commenced. - July 2019 RegenOx
Parts A and B (PetroCleanze) injections and Enhanced Fluid Recovery
(EFR) events commenced.

HESS#32518 (Continued) **1000263774**

Current site status: Active station For the monitoring period: January March 2022, the following work was performed at the site: - March 8, 2022 Gauged and sampled two (2) monitoring wells (MWs). Groundwater Monitoring: Wells Gauged: MW-1 and MW-6 Wells Containing LPH: None Groundwater Depth: 32.07 feet 32.47 feet Groundwater Flow: Southwesterly Wells Sampled: MW- 1 and MW-6 Maximum BTEX Concentration: 1.3 ug/L (MW-6) Maximum MTBE Concentration: Non-detect (all wells) Total VOCs Range: 7.7 61.7 ug/L Recommendations: This property has been sold and accepted into the Brownfields Cleanup Program (BCA #C224349). No further sampling or remedial actions are planned by EnviroTrac/Speedway moving forward. AD 12/12/2023: COC package sent out for review. COC expected to be executed by 12/31/23. Site has achieved a Conditional Track 1 cleanup. Remediation has included sitewide excavation from 8 - 14 ft-bgs, removal of an additional 5 unregistered USTs, installation of a passive SSDS, and 5 monitoring well injections of AP-pH which will continue to be monitored under a recorded Easement and an approved SMP.

Remarks: STAINING ON SOIL. SAMPLES SUBMITTED TO THE LAB.

All Materials:

Site ID:	65126
Operable Unit ID:	1073908
Operable Unit:	01
Material ID:	309027
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	HESS STATION
Address:	2880 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1006577 / 2010-10-20
Facility ID:	1006577
Facility Type:	ER
DER Facility ID:	62609
Site ID:	439937
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	2401
Spill Date:	2010-09-16
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2010-09-17
CID:	Not reported

HESS#32518 (Continued) **1000263774**

Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Not reported
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2010-09-17
Spill Record Last Update:	2010-10-20
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ED RUSSO
Latitude:	40.6769640
Longitude:	-73.8879310
DEC Memo:	Sangesland spoke to Joe Rennie at EnviroTrak. He said the site was MW7 on the West side of Barbey St, Brooklyn. At the time person sampling the well said they had a trace amount of oil on the outside of the bailer. 8270 results showed minor hits for the benzos and 8260 was Non-Detect. No additional information was available.
Remarks:	Caller advised that unknown material possibly fuel oil spilled in a monitoring well. Caller also advising that the material possibly came from the adjacent property at 2840 atlantic ave.

All Materials:

Site ID:	439937
Operable Unit ID:	1190566
Operable Unit:	01
Material ID:	2185594
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Soil
Oxygenate:	Not reported

US AIRS MINOR:

Envid:	1000263774
Region Code:	02
Programmatic ID:	AIR NY0000002610500153
Facility Registry ID:	110001572691
D and B Number:	Not reported
Primary SIC Code:	5541
NAICS Code:	999999
Default Air Classification Code:	MIN
Facility Type of Ownership Code:	POF
Air CMS Category Code:	Not reported
HPV Status:	Not reported

HESS#32518 (Continued) **1000263774**

US AIRS MINOR:

Region Code:	02
Programmatic ID:	AIR NY0000002610500153
Facility Registry ID:	110001572691
Air Operating Status Code:	OPR
Default Air Classification Code:	MIN
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1988-05-03 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

FINDS:

Registry ID: 110001572691

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

The Air Facility System (AFS) contains compliance and permit data for stationary sources of air pollution regulated by the EPA, state, and local air pollution agencies.
ICIS-Air (AIR) AIR is the modernization of the Air Facility System (AFS) into the Integrated Compliance Information System (ICIS). AIR contains enforcement, compliance, and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The New York Department of Environmental Conservation Facility Information System (FIS) database houses all information about facilities that are regulated or of environmental interest to the state of New York.
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000263774
Registry ID:	110001572691

DFR URL:

Name:	HESS#32518
Address:	2880 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207

NY MANIFEST:

EPA ID:	NYD982185670
Country:	USA
Name:	Merit Oil
Address:	2880 ATLANTIC AVE
Address 2:	Not reported

HESS#32518 (Continued) **1000263774**

City,State,Zip: BROOKLYN, NY 11207-2725
Zip 4: Not reported
Location Address 1: 2880 ATLANTIC AVE
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: 2725
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Merit Oil
Mailing Contact: Nelson Flores
Mailing Address 1: 2880 ATLANTIC AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: BROOKLYN, NY 11207
Mailing Zip 4: 2725
Mailing Country: USA
Mailing Phone: 5164547677

Manifest Data:
Document ID: NYG1058085
Manifest Status: Not reported
Trans1 State ID: PD1011NY
Year: 1998
Trans2 State ID: Not reported
Generator Ship Date: 12/22/1998
Trans1 Recv Date: 12/22/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/22/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982185670
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID 1: NYD077444263
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Ignitable Waste
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00250
Units: Pounds

HESS#32518 (Continued) **1000263774**

Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

B53 **SPEEDWAY # 7823** **UST FINDER** **1028568278**
WSW **2880 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.071 mi.
375 ft. **Site 8 of 10 in cluster B**

Relative: **Higher**

Actual: **39 ft.**

UST FINDER:

Object ID:	295872
Facility ID:	NY13764
Name:	SPEEDWAY # 7823
Address:	2880 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	5
Closed USTs:	38
TOS USTs:	0
Population 1500ft:	10256
Private Wells 1500ft:	8
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.8879689999999
Y Coord:	40.676885
Latitude:	40.676885
Longitude:	-73.887969

UST FINDER:

Object ID:	1203274
Facility ID:	NY13764
Tank ID:	NY14465
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203275

SPEEDWAY # 7823 (Continued) **1028568278**

Facility ID:	NY13764
Tank ID:	NY14466
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203276
Facility ID:	NY13764
Tank ID:	NY14467
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203277
Facility ID:	NY13764
Tank ID:	NY14468
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203278
Facility ID:	NY13764
Tank ID:	NY14469
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203279
Facility ID:	NY13764
Tank ID:	NY15344
Tank Status:	Closed
Installation Date:	1982/10/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	2000
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203280
Facility ID:	NY13764
Tank ID:	NY15345
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported

SPEEDWAY # 7823 (Continued) **1028568278**

Tank Wall Type: Not reported

Object ID: 1203281
Facility ID: NY13764
Tank ID: NY15395
Tank Status: Closed
Installation Date: 1982/10/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203282
Facility ID: NY13764
Tank ID: NY15546
Tank Status: Closed
Installation Date: 1982/10/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 2000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203283
Facility ID: NY13764
Tank ID: NY15547
Tank Status: Closed
Installation Date: 1964/02/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203284
Facility ID: NY13764
Tank ID: NY15548
Tank Status: Closed
Installation Date: 1964/02/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 2000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203285
Facility ID: NY13764
Tank ID: NY15549
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203286
Facility ID: NY13764
Tank ID: NY15550
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00

SPEEDWAY # 7823 (Continued) **1028568278**

Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported
Object ID:	1203287
Facility ID:	NY13764
Tank ID:	NY15551
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported
Object ID:	1203288
Facility ID:	NY13764
Tank ID:	NY15552
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported
Object ID:	1203289
Facility ID:	NY13764
Tank ID:	NY15553
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported
Object ID:	1203290
Facility ID:	NY13764
Tank ID:	NY15554
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported
Object ID:	1203291
Facility ID:	NY13764
Tank ID:	NY15817
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported
Object ID:	1203292
Facility ID:	NY13764

SPEEDWAY # 7823 (Continued) **1028568278**

Tank ID: NY15818
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203293
Facility ID: NY13764
Tank ID: NY16607
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203294
Facility ID: NY13764
Tank ID: NY17644
Tank Status: Closed
Installation Date: 1982/10/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203295
Facility ID: NY13764
Tank ID: NY17645
Tank Status: Closed
Installation Date: 1982/10/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203296
Facility ID: NY13764
Tank ID: NY17646
Tank Status: Closed
Installation Date: 1982/10/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203297
Facility ID: NY13764
Tank ID: NY17647
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

SPEEDWAY # 7823 (Continued) **1028568278**

Object ID:	1203298
Facility ID:	NY13764
Tank ID:	NY17648
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203299
Facility ID:	NY13764
Tank ID:	NY17649
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203300
Facility ID:	NY13764
Tank ID:	NY17650
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203301
Facility ID:	NY13764
Tank ID:	NY17651
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203302
Facility ID:	NY13764
Tank ID:	NY109554
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203303
Facility ID:	NY13764
Tank ID:	NY109555
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550

SPEEDWAY # 7823 (Continued) **1028568278**

Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203304
Facility ID: NY13764
Tank ID: NY109556
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203305
Facility ID: NY13764
Tank ID: NY109557
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203306
Facility ID: NY13764
Tank ID: NY109558
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203307
Facility ID: NY13764
Tank ID: NY109559
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203308
Facility ID: NY13764
Tank ID: NY109560
Tank Status: Closed
Installation Date: 1982/11/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1203309
Facility ID: NY13764
Tank ID: NY109561
Tank Status: Closed

SPEEDWAY # 7823 (Continued) **1028568278**

Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203310
Facility ID:	NY13764
Tank ID:	NY109562
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203311
Facility ID:	NY13764
Tank ID:	NY109563
Tank Status:	Closed
Installation Date:	1982/11/01 16:00:00+00
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203312
Facility ID:	NY13764
Tank ID:	NY14470
Tank Status:	Open
Installation Date:	1998/07/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	600
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203313
Facility ID:	NY13764
Tank ID:	NY15346
Tank Status:	Open
Installation Date:	1998/07/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203314
Facility ID:	NY13764
Tank ID:	NY15555
Tank Status:	Open
Installation Date:	1998/07/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203315

SPEEDWAY # 7823 (Continued) **1028568278**

Facility ID:	NY13764
Tank ID:	NY15819
Tank Status:	Open
Installation Date:	1998/07/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1203316
Facility ID:	NY13764
Tank ID:	NY109564
Tank Status:	Open
Installation Date:	1998/07/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	10000
Substances:	Not reported
Tank Wall Type:	Not reported

D54 **I/F/O** **NY Spills** **S106004666**
WSW **222 JEROME ST** **N/A**
< 1/8 **BROOKLYN, NY**
0.073 mi.
388 ft. **Site 7 of 14 in cluster D**

Relative: **Higher**
Actual: **39 ft.**

SPILLS:

Name:	I/F/O
Address:	222 JEROME ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0202912 / 2002-08-02
Facility ID:	0202912
Facility Type:	ER
DER Facility ID:	243277
Site ID:	300814
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	2401
Spill Date:	2002-06-19
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	2002-06-19
CID:	405
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2002-06-19
Spill Record Last Update:	2002-08-06
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported

I/F/O (Continued) **S106004666**

Spiller Company:	001
Contact Name:	BATIALION 44
Latitude:	40.6766233
Longitude:	-73.8876614
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT 8/02/2002-VOUGHT-Site visit on 8/02/2002. No drums present. Spill closed.
Remarks:	caller states that there is a 55 gallon drum that has some sand in it with gasoline in the sand - it is an unknown amount of soil and gasoline - req a dec agent to p/u the drum

All Materials:

Site ID:	300814
Operable Unit ID:	855910
Operable Unit:	01
Material ID:	520745
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

E55 **JAGARNATH HOME** **NY Spills** **S107488889**
North **176 ASHFORD STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY**
0.074 mi.
392 ft. **Site 2 of 2 in cluster E**

Relative: **Lower**

Actual: **34 ft.**

SPILLS:

Name:	JAGARNATH HOME
Address:	176 ASHFORD STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0510472 / 2005-12-06
Facility ID:	0510472
Facility Type:	ER
DER Facility ID:	306515
Site ID:	356457
DEC Region:	2
Spill Cause:	Other
Spill Class:	C4
SWIS:	2401
Spill Date:	2005-12-06
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2005-12-06
CID:	444
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False

JAGARNATH HOME (Continued) **S107488889**

UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-12-06
Spill Record Last Update:	2005-12-06
Spiller Name:	JAGARNATH HOME
Spiller Company:	JAGARNATH HOME
Spiller Address:	176 ASHFORD STREET
Spiller Company:	001
Contact Name:	JAGARNATH HOME
Latitude:	40.6784060
Longitude:	-73.8862520
DEC Memo:	Minor spill out of the vent line onto the cement in the rear of the house. Before DEC could speak with the homeowner, he turned the hose on and ran all of the oil/water down a sewer drain.
Remarks:	LEAKING TANK, STILL INVESTIGATING:

All Materials:

Site ID:	356457
Operable Unit ID:	1113763
Operable Unit:	01
Material ID:	2103823
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	176 ASHFORD STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6784021
Longitude:	-73.8864840
Type Of Ownership Code:	Not reported
Owner Name:	JAGARNATH, KANTWATIE
Borough:	BK
Tax Block:	3952
Tax Lot:	34
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170001003
Census Tract 2010:	1170
Census Block 2010:	1002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05

JAGARNATH HOME (Continued) **S107488889**

Sanitation Subsection:	1E
Zoning District 1:	R5B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	1964
Commercial Floor Area:	0
Residential Floor Area:	1964
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.5000000
Residential Units:	2
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	20.0000000
Building Depth:	30.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	12480.00000
Assessed Total Value:	59040.00000
Exempt Total Value:	0.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.79000000000
Maximum Allowable Residential Far:	1.35000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039520034.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015736
Y Coordinate:	186457

JAGARNATH HOME (Continued) **S107488889**

Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 011
Tax Map #:	31302
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

C56 **COMMERICAL BUILDING CSL** **NY Spills** **S111011728**
ENE **2958 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY**
0.075 mi.
395 ft. **Site 15 of 20 in cluster C**

Relative: **Lower**

Actual: **31 ft.**

SPILLS:

Name:	COMMERICAL BUILDING CSL
Address:	2958 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1101321 / 2011-06-22
Facility ID:	1101321
Facility Type:	ER
DER Facility ID:	403376
Site ID:	448770
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	2401
Spill Date:	2011-05-05
Investigator:	vszhune
Referred To:	Not reported
Reported to Dept:	2011-05-05
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-05-05
Spill Record Last Update:	2011-06-22
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	DAVID RUDDY
Latitude:	40.6777080
Longitude:	-73.8850320
DEC Memo:	Sangesland spoke to Paul Woodell (environmental consultant) Property was an Auto Parts store and the building was recently sold. New Owner wanted to renovate and

COMMERICAL BUILDING CSL (Continued) **S111011728**

during construction found 2 - 550
gal UST which were removed. After removal they used a PID to check the soil. It looked clean, but
they took soil samples from the bottom & sidewalls and there were minor SVOC hits (exceeded the
state levels). Additional excavations done and new soil samples taken today. If these samples are
clean, a tank closure report will be sent to DEC for review and closure. 06/22/11-Darlene Day from
LBGN (Laggette, Brashears & Graham, Inc. emailed The Undeground Storage Tank Closure Report dated
June 21, 2011. Two 550-Gallon single wall steel USTs and associated piping were removed from
beneath the interior floor of the building. The USTs were found to be in good condition with
surface corrosion but not visible penetrations. Initial endpoint samples were collected from bottom
of grave(T-2 North, west, east sdewalls and bottom. T-1 south, west, east sidewalls and bottom).
The analytical results indicated no VOCs exceeding the standards with exception of Ethylbrnzene in
sample T-1 south sidewall and Methylbenzene in all samples. Exceedances are minimal. Several SVOCs
Benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, chryzene, benzo(k) fluoranthene, indeno
(1,2,3cd)pyrene) in two samples T-1 south sidewall and T-1 bottom exceeded the standards.
Additional soil was excavated from these two areas (beneath and south of the former T-1 location).
Three additional endpoint soil samples (T-1 south sidewall second set, T-1 bottom of south sidewall
and T-1 bottom second set) were collected. The analytical results indicated no SVOCs exceeded the
standards.

Remarks: test resuts show contamination

All Materials:

Site ID:	448770
Operable Unit ID:	1199000
Operable Unit:	01
Material ID:	2195343
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	Not reported
Resource Affected:	Soil
Oxygenate:	Not reported

C57 **2958 ATLANTIC AVENUE** **NY AST** **A100298619**
ENE **2958 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.075 mi.
395 ft. **Site 16 of 20 in cluster C**

Relative:
Lower

Actual:
31 ft.

AST:

Name:	2958 ATLANTIC AVENUE
Address:	2958 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-610301
Program Type:	PBS
UTM X:	594231.52499
UTM Y:	4503568.02599
Expiration Date:	N/A
Site Type:	Auto Service/Repair (No Gasoline Sales)

Affiliation Records:

Site Id:	368493
Affiliation Type:	Facility Owner
Company Name:	ATLAND LLC C/O LAUNDRY CAPITAL CO, LLC
Contact Type:	VICE PRESIDENT
Contact Name:	OREN SAUBERMAN
Address1:	95-25 QUEENS BLVD, 10TH FLOOR
Address2:	Not reported
City:	REGO PARK
State:	NY
Zip Code:	11374
Country Code:	001
Phone:	(914) 921-8238
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2011-09-22

Site Id:	368493
Affiliation Type:	Mail Contact
Company Name:	ATLAND, LLC C/O LAUNDRY CAPITAL CO, LLC
Contact Type:	Not reported
Contact Name:	DAVID RUDDY
Address1:	95-25 QUEENS BOULEVARD
Address2:	10TH FLOOR
City:	REGO PARK
State:	NY
Zip Code:	11374
Country Code:	001
Phone:	(914) 921-8238
EMail:	DRUDDY@LAUNDRYCAPITAL.COM
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2011-09-22

Site Id:	368493
Affiliation Type:	Facility Operator
Company Name:	CAESAR AUTO REPAIR CORP.
Contact Type:	Not reported
Contact Name:	N/A

2958 ATLANTIC AVENUE (Continued) **A100298619**

Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-25

Site Id:	368493
Affiliation Type:	Emergency Contact
Company Name:	ATLAND LLC
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-25

Tank Info:

Tank Number:	001
Tank Id:	213004
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

	A00 - Tank Internal Protection - None
Tank Location:	Aboveground - contact with impervious barrier... Tank bottom rests on impervious barrier, allowing visual indication of leaks.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	275
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	03/28/2011
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	waste oil/used oil

C58 **2958 ATLANTIC AVENUE** **UST FINDER** **1028580613**
ENE **2958 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.075 mi.
395 ft. **Site 17 of 20 in cluster C**

Relative: **Lower**

Actual: **31 ft.**

UST FINDER:

Object ID:	295919
Facility ID:	NY368493
Name:	2958 ATLANTIC AVENUE
Address:	2958 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	2
TOS USTs:	0
Population 1500ft:	10071
Private Wells 1500ft:	16
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.885136
Y Coord:	40.677693
Latitude:	40.677693
Longitude:	-73.885136

UST FINDER:

Object ID:	1250190
Facility ID:	NY368493
Tank ID:	NY100409
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	Not reported
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1250191
Facility ID:	NY368493
Tank ID:	NY102692
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	1100
Substances:	Not reported
Tank Wall Type:	Not reported

C59 **2958 ATLANTIC AVENUE** **NY UST** **U004182940**
ENE **2958 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.075 mi.
395 ft. **Site 18 of 20 in cluster C**

Relative:
Lower

Actual:
31 ft.

UST:

Name:	2958 ATLANTIC AVENUE
Address:	2958 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Id/Status:	2-610301 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594231.52499
UTM Y:	4503568.02599
Site Type:	Auto Service/Repair (No Gasoline Sales)

Affiliation Records:

Site Id:	368493
Affiliation Type:	Facility Owner
Company Name:	ATLAND LLC C/O LAUNDRY CAPITAL CO, LLC
Contact Type:	VICE PRESIDENT
Contact Name:	OREN SAUBERMAN
Address1:	95-25 QUEENS BLVD, 10TH FLOOR
Address2:	Not reported
City:	REGO PARK
State:	NY
Zip Code:	11374
Country Code:	001
Phone:	(914) 921-8238
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2011-09-22

Site Id:	368493
Affiliation Type:	Mail Contact
Company Name:	ATLAND, LLC C/O LAUNDRY CAPITAL CO, LLC
Contact Type:	Not reported
Contact Name:	DAVID RUDDY
Address1:	95-25 QUEENS BOULEVARD
Address2:	10TH FLOOR
City:	REGO PARK
State:	NY
Zip Code:	11374
Country Code:	001
Phone:	(914) 921-8238
EMail:	DRUDDY@LAUNDRYCAPITAL.COM
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2011-09-22

Site Id:	368493
Affiliation Type:	Facility Operator
Company Name:	CAESAR AUTO REPAIR CORP.
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported

2958 ATLANTIC AVENUE (Continued) **U004182940**

Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-25

Site Id:	368493
Affiliation Type:	Emergency Contact
Company Name:	ATLAND LLC
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	N/A
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2011-07-25

Tank Info:

Tank Number:	001A
Tank ID:	240142
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	1100
Install Date:	Not reported
Date Tank Closed:	04/29/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None

2958 ATLANTIC AVENUE (Continued) **U004182940**

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
J00 - Dispenser - None

Tank Number:	001B
Tank ID:	240143
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	0
Install Date:	Not reported
Date Tank Closed:	04/29/2011
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
J00 - Dispenser - None

F60 **MANHOLE #5294** **NY Spills** **S106127328**
South **LIBERTY AVE/WARWICK STR** **N/A**
< 1/8 **BROOKLYN, NY**
0.077 mi.
406 ft. **Site 1 of 14 in cluster F**

Relative:
Higher

Actual:
38 ft.

SPILLS:

Name:	MANHOLE #5294
Address:	LIBERTY AVE/WARWICK STR
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0311120 / 2005-06-30
Facility ID:	0311120
Facility Type:	ER
DER Facility ID:	216843
Site ID:	266089
DEC Region:	2

MANHOLE #5294 (Continued) **S106127328**

Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2003-12-30
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2003-12-30
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-12-30
Spill Record Last Update:	2005-06-30
Spiller Name:	ERT
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	ERT
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL e2mis no. 151565: 12/30/03 - 1124hrs - Gary Moscicki # 14089 Splicer Queens UG reports found 4 ounces dielectric fluid leaked for joint in MH5294 onto dirt on concrete floor of structure. Joint is being wrapped at this time and structure is being dfaulted and is on 4kv fdr L27. Clean up pending safe access and repairs to dfault. Sample taken. UPDATE: DEC-30 -2003 2330HRS LAB RESULTS RETURNED LSN# IS 03-10277-001 776PPM UPDATE: DEC-30-2003 2335HRS EPA # IS NYP004117214 UPDATE: 30-DEC-2003 2338HRS BECAUSE L19 OPENED AUTO, THIS D FAULTED STRUCTURE FEEDER L27 WILL NOT BE WORKED ON DURING THIS SHIFT 11P 7A. UPDATE 14-JAN-2004 21:50 HRS. The FOD tagged feeder (L-27) in MH - 5294 at Liberty Ave & Wrawick St; the structure is ready to start >500ppm cleanup. An over tanker was requested prior to 1900hrs but will not be available until 2200hrs; so I have everything ready to start on the next shift. Since there is no problem gaining access I instructed crew Adedapo, and Jones to pack down the setup and return to the yard. From: Brown, Brian Sent: Thursday, January 15, 2004 7:29 PM Subject: Update for Liberty Ave. and Warick: On 15 Jan 04, manhole 5294 was shoveled out and the double wash was being initiated. Two drums of debris were taken from the structure so far. Gene Williams will continue with the job. UPDATE 1/15/04 22:15 HRS. -- GENE WILLIAMS, O.S. BROOKLYN ENV OPS, REPORTS: ALL DEBRIS REMOVED FROM STRUCTURE, TOTAL OF TWO

MANHOLE #5294 (Continued) **S106127328**

DRUMS. STRUCTURE DOUBLE WASHED
WITH BIOGEN 760. TANKER REMOVED 50 GAL. OF LIQUID. ENV. STOP TAG
REMAINS IN PLACEPE NDING POST
CLEANUP . UPDATE: 1/16/04 - 2106 E. WILLIAMS - O.S. - ENV. OPS.,
REPORTS: For incident # 151565 MH
- 5294 zones were set up and held for splicing of feeder (L - 27);
they completed splicing and (2)
drums with cable, zone material, and PPE. Environmental stop tag
remains in place pending soda
blasting. 2/11/04 08:21 -- REQUESTED NEW EPA ID # AS PER B. BAMONTE,
O.S. QUEENS ENV. OPS. 2/11/04
08:31 -- ERT D. PONTECORVO ISSUED EPA ID # NYP 004 117 974. 2/12/04
20:13 HRS. -- R. QUIJIJE, O.S.
QUEENS ENV OPS, REPORTS ENV OPS CREW DOUBLE WASHED AND SODA BLASTED
MANHOLE. OVER 50 TANKER REMOVED
25 GAL. OF LIQUIDS. CHEMIST TOOK WIPE SAMPLES. ONE DRUM GENERATED
WHICH WILL BE PICKED UP BY
ASTORIA TRANSPORTATION. CLEANUP 100% COMPLETE AS OF 20:00 HRS. ENV.
STOP TAG REMAINS IN PLACE
PENDING WIPE SAMPLE RESULTS. UPDATE @ 1430 HRS 2/14 WIPE SAMPLE
RESULTS RECEIVED SEQ#04-01139-005 @
2UG/100CM^2. UPDATE 2/14/04 19:56 17 WIPE SAMPLES WERE RECEIVED. 14
PASSED. 3 FAILED. TEST # 4 WAS
11 UG/100CM, TEST # 8 WAS 56 UG/100CM, TEST # 10 WAS 13 UG/100CM.
UPDATE-26-FEB-2004 1510HRS FROM B
BAMONTE O/S ENVIROMENTAL OPS. Update 2/26/04 14:00hrs. O.S. B. Bamonte
reports on location with
Rosado, Fernandez, and Walker. Crews back on location to take 3 wipe
samples that previously
failed. Structure was double washed with bio-gen 760. No sump found in
structure. An >50 Astoria
tanker removed 100 gallons of wash liquids out of structure. One drum
was generated consisting of
PPE, zone material, PCB solids and lead debris. Drum was picked up by
transportation. Chemist was
called to location and took 3 wipes (2 on the floor and 1 on the
wall). Env. stop tag remains in
place pending results from wipes. 2/26/04 22:38 HRS. -- RECEIVED
SAMPLE RESULTS FROM CHEM LAB. --
W.W. #17344 -- LAB SEQ # 04-01440-001, TEST POINT 4: 1 ug/100cm^2 LAB
SEQ # 04-01440-002, TEST
POINT 8: 2 ug/100cm^2 LAB SEQ # 04-01440-003, TEST POINT 10: <1.0
ug/100cm^2 2/26/04 23:10 -- AS
PER R. HUTCHINSON, O.S. QUEENS ENV OPS, WIPE SAMPLES PASSED AND ENV
OPS CREW WILL BE SENT OUT TO
REMOVED ENV. STOP TAG 2/27/04 00:52 HRS. -- J. STEVENS OF QUEENS ENV.
OPS. REPORTS HE & I.
AHLUWALIA REMOVED ENV. STOP TAG 32560. CLEANUP COMPLETE.

Remarks: APX. 4 OUNCES LEAKED FROM A FEEDER. CONTAINED , WILL ENERGIZE THE EQUIPMENT AND REPAIR . NO SEWERS, WATERWAYS, SMOKE OR FIRE.

All Materials:

Site ID:	266089
Operable Unit ID:	878881
Operable Unit:	01
Material ID:	499948
Material Code:	0541A
Material Name:	dielectric fluid

MANHOLE #5294 (Continued) **S106127328**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

F61 **NYNEX** **NY MANIFEST** **1010185260**
SSE **ASHFORD ST & LIBERTY** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.078 mi.
410 ft. **Site 2 of 14 in cluster F**

Relative:
Lower

Actual:
35 ft.

NY MANIFEST:

EPA ID:	NYP000923375
Country:	USA
Name:	Nynex
Address:	ASHFORD ST & LIBERTY
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	ASHFORD ST & LIBERTY
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Nynex
Mailing Contact:	Daniel Greene
Mailing Address 1:	221 EAST 37TH ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10016
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7183467106

Manifest Data:

Document ID:	NJA2295771
Manifest Status:	Not reported
Trans1 State ID:	50060
Year:	1996
Trans2 State ID:	Not reported
Generator Ship Date:	01/31/1996
Trans1 Recv Date:	01/31/1996
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/01/1996
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP000923375
Trans1 EPA ID:	NYD980761191
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported

NYNEX (Continued) **1010185260**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

F62 **NYNEX** **NY MANIFEST** **1009234575**
SSE **ASHFORD ST & LIBERTY AVE** **N/A**
< 1/8 **BROOKLYN, NY**
0.078 mi.
410 ft. **Site 3 of 14 in cluster F**

Relative: **Lower**
Actual: **35 ft.**

NY MANIFEST:

EPA ID:	NYP000932749
Country:	USA
Name:	Nynex
Address:	ASHFORD ST & LIBERTY AVE
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY
Zip 4:	Not reported
Location Address 1:	ASHFORD ST & LIBERTY AVE
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Nynex
Mailing Contact:	V. Orchier
Mailing Address 1:	221 E 37TH ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10016
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2123387126

NYNEX (Continued) **1009234575**

Manifest Data:

Document ID:	MIA4512848
Manifest Status:	Not reported
Trans1 State ID:	Not reported
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	12/31/1996
Trans1 Recv Date:	12/31/1996
Trans2 Recv Date:	12/31/1996
TSD Site Recv Date:	01/21/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP000932749
Trans1 EPA ID:	NYD010951986
Trans2 EPA ID:	NYD046765574
TSDF ID 1:	MID096963194
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01200
Units:	Pounds
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	MIA4512848
Manifest Status:	Not reported
Trans1 State ID:	Not reported
Year:	1996
Trans2 State ID:	Not reported
Generator Ship Date:	12/31/1996
Trans1 Recv Date:	12/31/1996
Trans2 Recv Date:	12/31/1996
TSD Site Recv Date:	01/21/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP000932749
Trans1 EPA ID:	NYD010951986
Trans2 EPA ID:	NYD046765574
TSDF ID 1:	MID096963194

NYNEX (Continued) **1009234575**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01200
Units:	Pounds
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

F63 **CON EDISON MANHOLE 4744** **RCRA NonGen / NLR** **1014919305**
SSE **ASHFORD ST & LIBERTY AVE** **NY MANIFEST** **NYP004234662**
< 1/8 **BROOKLYN, NY 11201**
0.078 mi.
410 ft. **Site 4 of 14 in cluster F**

Relative: **Lower**
Actual: **35 ft.**

RCRA Listings:

Date Form Received by Agency:	20110528
Handler Name:	Con Edison Manhole 4744
Handler Address:	Ashford St & Liberty Ave
Handler City,State,Zip:	BROOKLYN, NY 11201
EPA ID:	NYP004234662
Contact Name:	ALFONSO GUERRERO
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SR OFFICE ASSISTANT A X L1-2
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PLAZA RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported

CON EDISON MANHOLE 4744 (Continued) **1014919305**

Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20111026
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Historic Generators:

Receive Date:	20110428
Handler Name:	CON EDISON MANHOLE 4744
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No

CON EDISON MANHOLE 4744 (Continued) **1014919305**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20110528
Handler Name: CON EDISON MANHOLE 4744
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:
EPA ID: NYP004234662
Country: USA
Name: Consolidated Edison
Address: ASHFORD ST & LIBERTY AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11201
Zip 4: Not reported
Location Address 1: LIBERTY AVE & ASHFORD ST
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Consolidated Edison
Mailing Contact: Consolidated Edison
Mailing Address 1: 4 IRVING PLACE ROOM 828
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported

CON EDISON MANHOLE 4744 (Continued) **1014919305**

Trans1 State ID:	NYD006982359
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	04/28/2011
Trans1 Recv Date:	04/28/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/29/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004234662
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	003204398FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Lead
Waste Code b:	B007
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	90
Units:	Kilograms
Number of Containers:	2
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	1

D64 **LOT 11,TAXBLOCK 3965** **NY BROWNFIELDS** **S118704052**
WSW **2864 ATLANTIC AVENUE** **NY E DESIGNATION** **N/A**
< 1/8 **BROOKLYN, NY 11207** **NY NYC LAND USE**
0.082 mi. **NY NYC OER**
431 ft. **Site 8 of 14 in cluster D**

Relative: BROWNFIELDS:
Higher

Name:	2864 ATLANTIC AVENUE REDEVELOPMENT
Address:	2864 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Program:	BCP
Site Code:	629738

Actual:
39 ft.

LOT 11,TAXBLOCK 3965 (Continued) **S118704052**

Acres:	0.415
HW Code:	C224349
SWIS:	2401
Town:	New York City
Record Added Date:	11/24/2021
Record Updated Date:	12/28/2023
Update By:	MSBABICK
Site Description:	Site Location: The 0.415-acre site is located at 2864 Atlantic Avenue in the East New York neighborhood of Brooklyn, NY, and is designated as Brooklyn Tax Block 3965, Lot 11. The site is bounded to the north by Atlantic Avenue, to the east by Jerome Street, to the south by 2-story residential buildings, and to the west by Barbey Street followed by another BCP site (Site No. C224255). The Long Island Railroad (LIRR) is located approximately 40 feet to the north of the site, beneath Atlantic Avenue. Site Features: Construction for a new mixed-use residential/commercial, mixed-income building with a cellar is currently ongoing. Current Zoning and Land Use: The site is zoned R8-A for residential use and includes a commercial C2-4 overlay. The surrounding properties are currently used for commercial, residential, and warehousing/manufacturing purposes. The nearest residential buildings immediately adjoin the Site to the south. The proposed mixed-use commercial/residential development of this property is consistent with the current zoning. As a result of the CEQR process, Block 3965 Lot 11 was assigned an environmental E-Designation (E-366) - East New York Rezoning Action, for hazardous materials, noise (window wall attenuation & alternative means of ventilation), and air (HVAC fuel limited to natural gas) resulting from a City Environmental Quality Review (CEQR) effective 20 April 2016 (CEQR #15DCP102K). Satisfaction of the E-Designation requirements is subject to review and approval by the New York City Mayor's Office of Environmental Remediation (NYCOER) to obtain a Notice to Proceed (NTP) or a Notice of No Objection (NNO) prior to obtaining building permits. Past Land Use: The site was first developed in the early 1950s with a garage and two gasoline tanks. By 1965, the entire site was occupied by a gas filling station that was developed with an overhead canopy and a one-story office building. The site remained unchanged until 2022 when all on-site fuel tanks were decommissioned and the gas station was demolished as part of the NYSDEC approved Interim Remedial Measures Work Plan (IRMWP). Records for historic bulk petroleum storage (PBS No. 2-297747) list a total of forty-three former underground storage tanks (USTs) for the site. Five additional unregistered USTs were discovered during the 2023 remedial activities and have since been removed. Site Geology and Hydrogeology: As of the 2023 remedial activities, nearly all urban fill has been excavated and removed from the site. The site has been backfilled with approximately 225 tons of 3/4 clean stone from the building foundation sub-base at 13 feet below ground surface (ft-bgs)up to 14 ft-bgs. This layer of clean stone is underlain by a native layer consisting of brown to orange-brown coarse to fine sand with varying amounts of silt and gravel and intermittent clay lenses. Bedrock underlying the site is present at depths greater than 100 ft-bgs and is part of the Raritan formation consisting of unconsolidated coastal plain deposits. Groundwater was encountered at approximately 25 to 35 ft-bgs and groundwater flows to the southeast.
Env Problem:	Remediation at the site is complete. Prior to the 2023 remediation, the primary contaminants of concern for the site were SVOCs and lead in soil, SVOCs and petroleum-related VOCs in groundwater, and

LOT 11,TAXBLOCK 3965 (Continued) **S118704052**

petroleum-related VOCs in soil vapor. Remedial actions have successfully achieved soil cleanup objectives for Unrestricted Use. Residual contamination remaining in groundwater and soil vapor is being managed under a Site Management Plan. Prior to the 2023 Remediation: Soil One VOC of concern, total xylene, was detected at a maximum concentration of 1.7 parts per million (ppm), exceeding the Unrestricted Use Soil Cleanup Objective (UUSCO) of 0.26 ppm and the Protection of Groundwater Soil Cleanup Objective (PGWSCO) of 1.6 ppm. Several SVOCs were detected at concentrations exceeding the UUSCOs and PGWSCOs, including benzo(a)anthracene (max. 7.1 ppm, UUSCO and PGWSCO is 1 ppm), benzo(b)fluoranthene (max. 8.3 ppm, UUSCO is 1 ppm, PGWSCO is 1.7 ppm), benzo(k)fluoranthene (max. 2.2 ppm, UUSCO is 0.8 ppm, PGWSCO is 1.7 ppm), and chrysene (max. 7.4 ppm, UUSCO and PGWSCO is 1 ppm). For metals in soil, lead was detected at a maximum concentration of 932 ppm (UUSCO is 64 ppm). For PFAS compounds, perfluorooctanesulfonic acid (PFOS) was detected at a maximum concentration of 1.25 parts per billion (ppb), exceeding the guidance value for unrestricted use of 0.88 ppb. Data did not indicate any off-site impacts in soil related to this site. Groundwater Several VOCs were identified in groundwater samples at concentrations above the Ambient Water Quality Standards (AWQSs), including 1,2,4-trimethylbenzene (max. 3,800 ppb, AWQS is 5 ppb), 1,3,5-trimethylbenzene (max. 760 ppb, AWQS is 5 ppb), ethylbenzene (max. 1,500 ppb, AWQS is 5 ppb), o-xylene (max. 1,300 ppb, AWQS is 5 ppb), p/m-xyelene (max. 5,200 ppb, AWQS is 5 ppb), and benzene (max. 22 ppb, AQWS is 1 ppb). Several SVOCs were identified at concentrations exceeding the AWQSs, including benzo(a)anthracene (max. 0.12 ppb, AWQS is 0.002 ppb), benzo(b)fluoranthene (max. 0.18 ppb, AWQS is 0.002 ppb), benzo(k)fluoranthene (max. 0.06 ppb, AWQS is 0.002 ppb), and chrysene (max. 0.13 ppb, AWQS is 0.002 ppb). Several dissolved metals were detected in groundwater, including iron, manganese, and sodium. These are naturally occurring metals and are not considered to be site-related contaminants. PFOS and perfluorooctanoic acid (PFOA) were detected in groundwater at maximum concentrations of 105 parts per trillion (ppt) and 92.1 ppt, respectively. These concentrations exceed the applicable Maximum Contaminant Level (drinking water standard) of 10 ppt each. Data did not indicate any off-site impacts in groundwater-related to this site. Soil Vapor Several petroleum-related VOCs were detected in soil vapor throughout the site, including benzene (max. 69.6 micrograms per cubic meter (ug/m3)), toluene (max. 288 ug/m3), ethylbenzene (max. 34 ug/m3), total xylenes (max. 29.4 ug/m3), 2,2,4-trimethylpentane (max. 27,200 ug/m3), n-hexane (max. 9,060 ug/m3), 2-butanone (max. 2,140 ug/m3), heptane (max. 1,750 ug/m3), 1,2,4-trimethylbenzene (max. 29.6 ug/m3), and 1,3,5-trimethylbenzene (max. 7.18 ug/m3). Data did not indicate any off-site impacts in soil vapor related to this site.

Health Problem: Remedial actions are complete and measures are in place to prevent people from coming in contact with remaining contamination at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported

LOT 11,TAXBLOCK 3965 (Continued) **S118704052**

Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2022-01-25 12:53:00
Record Upd:	2023-12-12 16:37:00
Updated By:	MSBABICK
Own Op:	6
Sub Type:	P03
Owner Name:	Jacob Kohn
Owner Company:	2864 Atlantic Realty LLC
Owner Address:	40 Oser Avenue, Suite 4
Owner Addr2:	Not reported
Owner City,St,Zip:	Hauppauge, NY 11788
Owner Country:	United States of America
Own Op:	1
Sub Type:	P03
Owner Name:	Jacob Kohn
Owner Company:	2864 Atlantic Realty LLC
Owner Address:	40 Oser Avenue, Suite 4
Owner Addr2:	Not reported
Owner City,St,Zip:	Hauppauge, NY 11788
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Melinda Perkins
Owner Company:	Brooklyn Community Board 5
Owner Address:	127 Pennsylvania Avenue, 2nd Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11207
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Rowshon A. Perveen
Owner Company:	Cypress Hills Library
Owner Address:	1197 Sutter Ave. at Crystal St.
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
HW Code:	C224349
Waste Type:	xylene (mixed)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	xylene (mixed)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	benzo(k)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	benzo(a)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	lead
Waste Quantity:	UNKNOWN
Waste Code:	Not reported

LOT 11,TAXBLOCK 3965 (Continued) **S118704052**

HW Code:	C224349
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	1,2,4-trimethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	1,2,4-trimethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	n-propylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	benzo(b)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	benzo(b)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	1,3,5-trimethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	1,3,5-trimethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	benzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	ethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224349
Waste Type:	ethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	9830002
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	2023-08-29 11:26:00
Record Updated:	2023-08-29 11:26:00

LOT 11,TAXBLOCK 3965 (Continued) **S118704052**

Updated By:	MSBABICK
Crossref ID:	C224349-03-22
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2023-08-29 11:24:00
Record Updated:	2023-08-29 11:24:00
Updated By:	MSBABICK
Crossref ID:	2023000304719
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2023-12-04 10:02:00
Record Updated:	2023-12-04 10:02:00
Updated By:	MSBABICK
Crossref ID:	2-297747
Cross Ref Type Code:	18
Cross Ref Type:	PBS No.
Record Added Date:	2022-09-22 13:23:00
Record Updated:	2022-09-22 13:23:00
Updated By:	KXLIU

E DESIGNATION:

Name:	LOT 11,TAXBLOCK 3965
Address:	2864 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	11
Tax Block:	3965
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2864 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6767760
Longitude:	-73.8880767
Type Of Ownership Code:	Not reported
Owner Name:	2864 ATLANTIC REALTY LLC
Borough:	BK
Tax Block:	3965
Tax Lot:	11
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19

LOT 11,TAXBLOCK 3965 (Continued) **S118704052**

City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	D7: Elevator Apartments - Semi-Fireproof With Stores
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	18111
Total Building Floor Area:	154888
Commercial Floor Area:	16043
Residential Floor Area:	138845
Office Floor Area:	0
Retail Floor Area:	5293
Garage Floor Area:	10750
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	10.0000000
Residential Units:	183
Total Units:	184
Lot Frontage:	200.9200000
Lot Depth:	99.9200000
Building Frontage:	190.0000000
Building Depth:	90.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	448200.00000
Assessed Total Value:	448200.00000
Exempt Total Value:	0.00000
Year Built:	2023
Year Altered 1:	2023
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	8.55000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000

LOT 11,TAXBLOCK 3965 (Continued) **S118704052**

Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650011.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015295
Y Coordinate:	185864
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	2886 ATLANTIC AVENUE
Address:	2864 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.676977
Longitude:	-73.888458
OER Project Numbers:	22TMP0805K,22EHAN181K
BBL:	3039650011
OER Program:	E/RD (Review), State BCP
Class:	Completed (C)
Phase:	Site Management

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1170
BIN:	3327107
NTA:	East New York

D65 **2864 ATLANTIC REALTY LLC REDEVELOPMENT** **RCRA NonGen / NLR** **1027533145**
WSW **2864 ATLANTIC AVE** **E MANIFEST** **NYR000260265**
< 1/8 **BROOKLYN, NY 11207**
0.082 mi.
431 ft. **Site 9 of 14 in cluster D**

Relative:
Higher

Actual:
39 ft.

RCRA Listings:

Date Form Received by Agency:	20250122
Handler Name:	2864 Atlantic Ave Redevelopment
Handler Address:	Atlantic Ave
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYR000260265
Contact Name:	JACOB KOHN
Contact Address:	OSER AVE STE 4
Contact City,State,Zip:	HAUPPAUGE, NY 11788
Contact Telephone:	917-846-1115
Contact Fax:	Not reported

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Contact Email:		KOHNJACOB@GMAIL.COM
Contact Title:		AUTHORIZED SIGNATORY
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		OSER AVE STE 4
Mailing City,State,Zip:		HAUPPAUGE, NY 11788
Owner Name:	2864 Atlantic Realty Llc	
Owner Type:		Private
Operator Name:	2864 Atlantic Realty Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20250122
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Biennial: List of Years
Year: 2023

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D008
Waste Description: Lead

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: 2864 ATLANTIC REALTY LLC
Legal Status: Private
Date Became Current: 20220316
Date Ended Current: Not reported
Owner/Operator Address: 40 OSER AVE STE 4
Owner/Operator City,State,Zip: HAUPPAUGE, NY 11788
Owner/Operator Telephone: 917-846-1115
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KOHNJACOB@GMAIL.COM

Owner/Operator Indicator: Owner
Owner/Operator Name: 2864 ATLANTIC REALTY LLC
Legal Status: Private
Date Became Current: 20220316
Date Ended Current: Not reported
Owner/Operator Address: 40 OSER AVE STE 4
Owner/Operator City,State,Zip: HAUPPAUGE, NY 11788
Owner/Operator Telephone: 917-846-1115
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KOHNJACOB@GMAIL.COM

Owner/Operator Indicator: Operator
Owner/Operator Name: 2864 ATLANTIC REALTY LLC
Legal Status: Private
Date Became Current: 20220316
Date Ended Current: Not reported
Owner/Operator Address: 40 OSER AVE STE 4
Owner/Operator City,State,Zip: HAUPPAUGE, NY 11788
Owner/Operator Telephone: 917-846-1115
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KOHNJACOB@GMAIL.COM

Owner/Operator Indicator: Owner
Owner/Operator Name: 2864 ATLANTIC REALTY LLC
Legal Status: Private
Date Became Current: 20220316
Date Ended Current: Not reported
Owner/Operator Address: 40 OSER AVE STE 4
Owner/Operator City,State,Zip: HAUPPAUGE, NY 11788
Owner/Operator Telephone: 917-846-1115
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Owner/Operator Email: KOHNJACOB@GMAIL.COM

Owner/Operator Indicator: Operator
Owner/Operator Name: 2864 ATLANTIC REALTY LLC
Legal Status: Private
Date Became Current: 20220316
Date Ended Current: Not reported
Owner/Operator Address: 40 OSER AVE STE 4
Owner/Operator City,State,Zip: HAUPPAUGE, NY 11788
Owner/Operator Telephone: 917-846-1115
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KOHNJACOB@GMAIL.COM

Owner/Operator Indicator: Owner
Owner/Operator Name: 2864 ATLANTIC REALTY LLC
Legal Status: Private
Date Became Current: 20220316
Date Ended Current: Not reported
Owner/Operator Address: 40 OSER AVE STE 4
Owner/Operator City,State,Zip: HAUPPAUGE, NY 11788
Owner/Operator Telephone: 917-846-1115
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KOHNJACOB@GMAIL.COM

Historic Generators:
Receive Date: 20240227
Handler Name: 2864 ATLANTIC REALTY LLC REDEVELOPMENT
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20250122
Handler Name: 2864 ATLANTIC AVE REDEVELOPMENT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20230222
Handler Name: 2864 ATLANTIC REALTY LLC REDEVELOPMENT
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	325211
NAICS Description:	Plastics Material And Resin Manufacturing
NAICS Code:	326199
NAICS Description:	All Other Plastics Product Manufacturing
NAICS Code:	457110
NAICS Description:	Gasoline Stations With Convenience Stores

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

E MANIFEST:

Manifest Tracking Number:	017998795FLE
Last Updated Date:	20231213
Shipped Date:	20230601
Received Date:	20230601
Manifest Status:	Corrected
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000260265
Generator Name:	2864 Atlantic Realty Llc Redevelopment
Generator Location Street Number:	2864
Generator Location Street 1:	2864 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	40
Generator Mail Street 1:	OSER AVE STE 4
Generator Mail Street 2:	Not reported
Generator Mail City:	HAUPPAUGE
Generator Mail Zip:	11788
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	017998796FLE
Last Updated Date:	20231213
Shipped Date:	20230601
Received Date:	20230601
Manifest Status:	Corrected
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000260265
Generator Name:	2864 Atlantic Realty Llc Redevelopment
Generator Location Street Number:	2864
Generator Location Street 1:	2864 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	40
Generator Mail Street 1:	OSER AVE STE 4
Generator Mail Street 2:	Not reported
Generator Mail City:	HAUPPAUGE
Generator Mail Zip:	11788
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	017998797FLE
Last Updated Date:	20231213
Shipped Date:	20230601
Received Date:	20230601
Manifest Status:	Corrected

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000260265
Generator Name:	2864 Atlantic Realty Llc Redevelopment
Generator Location Street Number:	2864
Generator Location Street 1:	2864 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	40
Generator Mail Street 1:	OSER AVE STE 4
Generator Mail Street 2:	Not reported
Generator Mail City:	HAUPPAUGE
Generator Mail Zip:	11788
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	017998798FLE
Last Updated Date:	20231213
Shipped Date:	20230605
Received Date:	20230605
Manifest Status:	Corrected
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000260265
Generator Name:	2864 Atlantic Realty Llc Redevelopment
Generator Location Street Number:	2864
Generator Location Street 1:	2864 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	40
Generator Mail Street 1:	OSER AVE STE 4
Generator Mail Street 2:	Not reported
Generator Mail City:	HAUPPAUGE
Generator Mail Zip:	11788
Generator Mail State:	NY
Generator Contact Company Name:	Not reported

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Designated Facility EPA ID: NJD991291105
Designated Facility Name: Clean Earth Of North Jersey
Designated Facility Mail Street Number: 105
Designated Facility Mail Street 1: Not reported
Designated Facility Mail Street 2: JACOBUS AVE
Designated Facility Mail City: KEARNY
Designated Facility Mail Zip: 07032
Designated Facility Mail State: NJ
Designated Facility Location Street Number: 105
Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Transporter:
Manifest Tracking Number: 017998798FLE
Transporter Line Number: 1
Transporter EPA ID: NJR986653780
Transporter Name: Grid Logistics Llc

Waste Line:
Manifest Tracking Number: 017998798FLE
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3077
U.S. DOT Description: Na3077, Hazardous Waste, Solid N.O.S., 9, Pg Iii, Rq (Lead)
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: DT
Container Type Description: Dump truck
Waste Quantity: 49280
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 24.64
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 24.64
Waste Quantity, in Kilograms: 22349.219
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 22349.219
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: Y
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported

2864 ATLANTIC REALTY LLC REDEVELOPMENT (Continued) **1027533145**

Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: Y

C66 **LOT 45,TAXBLOCK 3954** **NY E DESIGNATION** **S118704367**
NE **2961 ATLANTIC AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.083 mi.
438 ft. **Site 19 of 20 in cluster C**

Relative:
Lower

Actual:
32 ft.

E DESIGNATION:

Name:	LOT 45,TAXBLOCK 3954
Address:	2961 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Tax Lot(s):	45
Tax Block:	3954
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2961 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6782494
Longitude:	-73.8847105
Type Of Ownership Code:	Not reported
Owner Name:	SHREE ASHTA VINAYAKINC
Borough:	BK
Tax Block:	3954
Tax Lot:	45
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170001000
Census Tract 2010:	1170
Census Block 2010:	1000
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported

LOT 45,TAXBLOCK 3954 (Continued) **S118704367**

Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	H4: Hotels - Motels
Land Use Category:	Commercial & Office Buildings
Number Of Easements:	0
Lot Area:	20790
Total Building Floor Area:	19850
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	203.0000000
Lot Depth:	96.0000000
Building Frontage:	203.0000000
Building Depth:	96.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	Y
Lot Type:	4
Basement Type/Grade:	2
Assessed Land Value:	748350.00000
Assessed Total Value:	1636200.00000
Exempt Total Value:	0.00000
Year Built:	1993
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.95000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039540045.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1016228
Y Coordinate:	186402
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 011
Tax Map #:	31302

LOT 45,TAXBLOCK 3954 (Continued) **S118704367**

E-designation Number:	E-366
Apportionment BBL:	3039540045.00000000
Apportionment Date:	10/25/1994
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

B67 **CONSOLIDATED EDISON COMPANY OF NY** **E MANIFEST** **1031635232**
West **F/O2873 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11201**
0.086 mi.
452 ft. **Site 9 of 10 in cluster B**

Relative:
Higher

Actual:
40 ft.

E MANIFEST:

Manifest Tracking Number:	006855166GBF
Last Updated Date:	20210607
Shipped Date:	20210520
Received Date:	20210520
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	F/O2873 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11201
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	ELIZABETH
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

CONSOLIDATED EDISON COMPANY OF NY (Continued) **1031635232**

Manifest Tracking Number: 006855166GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006855166GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006855166GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006855166GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Rq , Na3082, Hazardous Waste Liquid , Nos (Lead) 9 , Pg Iii
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: Y

B68
West
< 1/8
0.086 mi.
452 ft.

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS
2873 ATLANTIC AVE
BROOKLYN, NY 11207

Site 10 of 10 in cluster B

E MANIFEST **1031621397**
N/A

Relative:
Higher

Actual:
40 ft.

E MANIFEST:

Manifest Tracking Number:	007164394GBF
Last Updated Date:	20221007
Shipped Date:	20220926
Received Date:	20220929
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/ Attn: Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	2873 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	007164394GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	007164394GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS (Continued) **1031621397**

State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 007164394GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 007164394GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 300
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.15
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.15
- Waste Quantity, in Kilograms: 136.0545
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 136.0545
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

F69 **CON EDISON - QUEENS ENVIRONMENTAL OPS** **E MANIFEST** **1031617213**
SSE **646 LIBERTY AVE** **N/A**
< 1/8 **BRONX, NY 11207**
0.088 mi.
465 ft. **Site 5 of 14 in cluster F**

Relative: **Higher**

Actual: **37 ft.**

E MANIFEST:
- Manifest Tracking Number: 006870155GBF
- Last Updated Date: 20220211
- Shipped Date: 20220125
- Received Date: 20220127
- Manifest Status: Signed

CON EDISON - QUEENS ENVIRONMENTAL OPS (Continued) **1031617213**

Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	646 LIBERTY AVE
Generator Location Street 2:	Not reported
Generator Location City:	BRONX
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006870155GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	006870155GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	006870155GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

CON EDISON - QUEENS ENVIRONMENTAL OPS (Continued) **1031617213**

Waste Line:

Manifest Tracking Number:	006870155GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

F70 **LOT 15,TAXBLOCK 3983** **NY E DESIGNATION** **S118704107**
SSE **646 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.088 mi.
465 ft. **Site 6 of 14 in cluster F**

Relative: **Higher**
Actual: **37 ft.**

E DESIGNATION:

Name:	LOT 15,TAXBLOCK 3983
Address:	646 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	15
Tax Block:	3983
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall

LOT 15,TAXBLOCK 3983 (Continued) **S118704107**

Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:

Name:	Not reported
Address:	646 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6757528
Longitude:	-73.8858828
Type Of Ownership Code:	Not reported
Owner Name:	LIBERTY ASHFORD LLC
Borough:	BK
Tax Block:	3983
Tax Lot:	15
Community District:	305
Census Tract 2020:	3115000
Census Block 2020:	31150001001
Census Tract 2010:	1150
Census Block 2010:	1001
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	K4: Store Buildings (Taxpayers Included) - Predominant Retail With Other Uses
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	5000
Total Building Floor Area:	5380
Commercial Floor Area:	3380
Residential Floor Area:	2000
Office Floor Area:	0
Retail Floor Area:	3380
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	1.0000000
Residential Units:	1

LOT 15,TAXBLOCK 3983 (Continued) **S118704107**

Total Units:	2
Lot Frontage:	50.0000000
Lot Depth:	100.0000000
Building Frontage:	27.0000000
Building Depth:	100.0000000
Extension Code:	E
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	33750.00000
Assessed Total Value:	264150.00000
Exempt Total Value:	0.00000
Year Built:	1935
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.08000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039830015.00000000
Condominium Number:	Not reported
Census Tract 2:	1150
X Coordinate:	1015904
Y Coordinate:	185492
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

F71 **LOT 13,TAXBLOCK 3983** **NY E DESIGNATION** **S118704078**
SSE **640 LIBERTY AVENUE** **N/A**
< 1/8 **BROOKLYN, NY**
0.088 mi.
466 ft. **Site 7 of 14 in cluster F**

Relative:
Higher

Actual:
37 ft.

E DESIGNATION:

Name:	LOT 13,TAXBLOCK 3983
Address:	640 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY
Tax Lot(s):	13
Tax Block:	3983
Borough Code:	Not reported
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K

LOT 13,TAXBLOCK 3983 (Continued) **S118704078**

Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

F72 **LOT 17,TAXBLOCK 3982** **NY E DESIGNATION** **S118704138**
South **626 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.091 mi.
483 ft. **Site 8 of 14 in cluster F**

Relative:
Higher

Actual:
39 ft.

E DESIGNATION:
Name: LOT 17,TAXBLOCK 3982
Address: 626 LIBERTY AVENUE
City,State,Zip: BROOKLYN, NY 11207
Tax Lot(s): 17
Tax Block: 3982
Borough Code: BK
E-No: E-366
Effective Date: Not reported
Satisfaction Date: Not reported
Ceqr Number: 15DCP102K
Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:
Name: Not reported
Address: 626 LIBERTY AVENUE
City,State,Zip: BROOKLYN, NY 11207
Latitude: 40.6756410
Longitude: -73.8866545
Type Of Ownership Code: Not reported
Owner Name: MINTUN, ANN M
Borough: BK
Tax Block: 3982
Tax Lot: 17
Community District: 305
Census Tract 2020: 3115000
Census Block 2020: 31150001002
Census Tract 2010: 1150
Census Block 2010: 1002
School District: 19
City Council District: 37
Fire Company: E332
Police Precinct: 75
Health Center District: 33
Health Area: 6200
Sanitation District Boro: 3
Sanitation District Number: 05
Sanitation Subsection: 1D
Zoning District 1: R6A: Residential Districts

LOT 17,TAXBLOCK 3982 (Continued) **S118704138**

Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	1540
Commercial Floor Area:	0
Residential Floor Area:	1540
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.5000000
Residential Units:	2
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	20.0000000
Building Depth:	30.0000000
Extension Code:	E
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	12900.00000
Assessed Total Value:	41880.00000
Exempt Total Value:	0.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.62000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039820017.00000000
Condominium Number:	Not reported
Census Tract 2:	1150
X Coordinate:	1015690
Y Coordinate:	185451
Zoning Map #:	17c
Zoning Map Code:	Not reported

LOT 17,TAXBLOCK 3982 (Continued) **S118704138**

Sanborn Map #:	308 004
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

F73 **LOT 18,TAXBLOCK 3982** **NY E DESIGNATION** **S118704158**
South **630 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.093 mi.
490 ft. **Site 9 of 14 in cluster F**

Relative:
Higher

Actual:
39 ft.

E DESIGNATION:

Name:	LOT 18,TAXBLOCK 3982
Address:	630 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	18
Tax Block:	3982
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	630 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6756547
Longitude:	-73.8865608
Type Of Ownership Code:	Not reported
Owner Name:	GALANTE, LIBORIO
Borough:	BK
Tax Block:	3982
Tax Lot:	18
Community District:	305
Census Tract 2020:	3115000
Census Block 2020:	31150001002
Census Tract 2010:	1150
Census Block 2010:	1002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200

LOT 18,TAXBLOCK 3982 (Continued) **S118704158**

Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	S3: Residence - Multiple Use - Primarily Three Family With One Store Or Office
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	5000
Total Building Floor Area:	4825
Commercial Floor Area:	1875
Residential Floor Area:	2950
Office Floor Area:	0
Retail Floor Area:	1300
Garage Floor Area:	575
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	3.0000000
Residential Units:	3
Total Units:	4
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	25.0000000
Building Depth:	38.0000000
Extension Code:	EG
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	5
Assessed Land Value:	37800.00000
Assessed Total Value:	201150.00000
Exempt Total Value:	0.00000
Year Built:	1925
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.97000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039820018.00000000
Condominium Number:	Not reported

LOT 18,TAXBLOCK 3982 (Continued) **S118704158**

Census Tract 2:	1150
X Coordinate:	1015716
Y Coordinate:	185456
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 004
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

D74 **CON EDISON - BROOKLYN ENVIRONMENTAL OPS** **E MANIFEST** **1031610239**
WSW **OPP 259 BARBEY ST** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.094 mi.
496 ft. **Site 10 of 14 in cluster D**

Relative:
Higher

Actual:
40 ft.

E MANIFEST:

Manifest Tracking Number:	006873221GBF
Last Updated Date:	20211101
Shipped Date:	20211022
Received Date:	20211022
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Brooklyn Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	OPP 259 BARBEY ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031610239**

Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 006873221GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006873221GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006873221GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006873221GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 400
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.2
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.2
Waste Quantity, in Kilograms: 181.406
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 181.406
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031610239**

Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

D75 **LOT 7,TAXBLOCK 3965** **NY E DESIGNATION** **S118704434**
WSW **267 BARBEY STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.095 mi.
503 ft. **Site 11 of 14 in cluster D**

Relative:
Higher

Actual:
40 ft.

E DESIGNATION:

Name:	LOT 7,TAXBLOCK 3965
Address:	267 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	7
Tax Block:	3965
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	267 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6764660
Longitude:	-73.8881998
Type Of Ownership Code:	Not reported
Owner Name:	CARRASQUILLO CLOTHILDE
Borough:	BK
Tax Block:	3965
Tax Lot:	7
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6B: Residential Districts

LOT 7,TAXBLOCK 3965 (Continued) **S118704434**

Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B3: Two Family Dwellings - Converted From One Family
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	3750
Total Building Floor Area:	1228
Commercial Floor Area:	0
Residential Floor Area:	1228
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	37.5000000
Lot Depth:	100.0000000
Building Frontage:	21.0000000
Building Depth:	26.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	19800.00000
Assessed Total Value:	40020.00000
Exempt Total Value:	0.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.33000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650007.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015261
Y Coordinate:	185751
Zoning Map #:	17c
Zoning Map Code:	Not reported

LOT 7,TAXBLOCK 3965 (Continued) **S118704434**

Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

F76 **MANHOLE # 5293** **NY Spills** **S106125351**
SSW **LIBERTY AVE/JEROME STREET** **N/A**
< 1/8 **BROOKLYN, NY**
0.096 mi.
507 ft. **Site 10 of 14 in cluster F**

Relative: **Higher**
Actual: **40 ft.**

SPILLS:

Name:	MANHOLE # 5293
Address:	LIBERTY AVE/JEROME STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0311630 / 2004-05-27
Facility ID:	0311630
Facility Type:	ER
DER Facility ID:	257209
Site ID:	319267
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2004-01-14
Investigator:	SKARAKHA
Referred To:	Not reported
Reported to Dept:	2004-01-15
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-01-15
Spill Record Last Update:	2004-05-27
Spiller Name:	ERT
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	ERT
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	e2mis no. 151756: 14-JAN-2004 20:31 HRS. FOD DEPT. SR FIELD OPER. M.YOUNG EMP# 15196 REPORTS: WHILE ON LOCATION M-5293 TO MARK PHASES ON FEEDER FOUND FEEDER 9B9 LEAKED: APPROX. 1qT OF DIELECTRIC FEEDER FLUID FROM JOINT IN TO DRY CONCRETE STRUCTURE. SPILL IS

MANHOLE # 5293 (Continued) **S106125351**

CONTAINED. NO SEWERS OR WATERWAYS
APPEAR TO BE AFFECTED. 1 LIQ. SAMPLE TAKEN. UPDATE 0805 HRS 1/15 LAB RESULTS RECEIVED SEQ #
04-00316-001 @ 513 PPM PCB. UPDATE @ 920 HRS 1/15 EPA#NYP00411750 ISSUED. UPDATE @ 1622 HRS 1/15
B.BROWN ENVIROMENTAL SUP REPORTS FINDING A SMALL DRAIN IN STRUCTURE UNSURE OF TYPE. IT IS IN CORNER
NO CHANCE OF OIL ENTERING IT. WILL PROCEED TO CEMENT SAME. #155 V PM = Env Ops Sup B.Brown reports
that after Underground crews repaired D-Fault three drums of debris
were removed from structure. A
clogged drain with no visible oil was found and cemented. The
structure was double washed with
BioGen 760. 50 gallons of liquid were removed from structure by an
Astoria tanker and drums were
removed by an Astoria Transportation truck. Tag remains in place until
structure is soda blasted.
UPDATE: 1/16/04 - 2106 E. WILLIAMS - O.S. - ENV. OPS., REPORTS:
Incident # 151756 MH - 5293 zones
were also set up at for splicing; the splicing was done and (1) drum
of zone material, and PPE the
stop tag was left in place pending post cleanup. Drums from both
locations were picked and
transported to Astoria. TJ - 50495 A.WALKER REPORTS REMOVING 1 DRUM OF SOLID WASTE FROM STRUCTURE,
SODA BLASTED & REMOVED BY CORPORATE TANKER 35 GALLONS OF LIQUID. WAITING CHEMIST TO TAKE 9 WIPE
SAMPLES. R. QUIJIJE, O.S. QUEENS ENV. OPS, REPORTS ALL WIPE RESULTS PASSED, i.e., all < 10 ug per
100 sq cm.

Remarks: FEEDER IS LEAKING DIELECTRIC FLUID, CLEAN UP WILL TAKE PLACE. NO SEWERS,WATERWAYS,FIRE OR SMOKE. HIGH PCB READING OF 513 PARTS PER MILLION.

All Materials:

Site ID:	319267
Operable Unit ID:	876990
Operable Unit:	01
Material ID:	496883
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

C77 **CON EDISON - COMPANY OF NY** **E MANIFEST** **1031611262**
ENE **2972 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.096 mi.
509 ft. **Site 20 of 20 in cluster C**

Relative: **Lower**

Actual: **31 ft.**

E MANIFEST:

Manifest Tracking Number:	023096177JJK
Last Updated Date:	20211203
Shipped Date:	20211127
Received Date:	20211129
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	2972 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 Butler Street
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	023096177JJK
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	023096177JJK
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T

CON EDISON - COMPANY OF NY (Continued) **1031611262**

State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 023096177JJK
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 023096177JJK
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: Y

D78 **LOT 6,TAXBLOCK 3965** **NY E DESIGNATION S118704422**
WSW **269 BARBEY STREET** **NY NYC LAND USE N/A**
< 1/8 **BROOKLYN, NY 11207**
0.097 mi.
510 ft. **Site 12 of 14 in cluster D**

Relative:
Higher

Actual:
40 ft.

E DESIGNATION:
Name: LOT 6,TAXBLOCK 3965
Address: 269 BARBEY STREET
City,State,Zip: BROOKLYN, NY 11207
Tax Lot(s): 6
Tax Block: 3965

LOT 6,TAXBLOCK 3965 (Continued) **S118704422**

Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	269 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6763836
Longitude:	-73.8881783
Type Of Ownership Code:	Not reported
Owner Name:	PEREZ, RICHARD
Borough:	BK
Tax Block:	3965
Tax Lot:	6
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B9: Two Family Dwellings - Miscellaneous
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	2908
Commercial Floor Area:	0
Residential Floor Area:	2908
Office Floor Area:	0

LOT 6,TAXBLOCK 3965 (Continued) **S118704422**

Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	25.0000000
Building Depth:	58.0000000
Extension Code:	E
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5
Assessed Land Value:	12900.00000
Assessed Total Value:	48000.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	2005
Year Altered 2:	2005
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.16000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650006.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015267
Y Coordinate:	185721
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

G79 **LOT 32,TAXBLOCK 3965** **NY E DESIGNATION** **S118704297**
SW **599 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.098 mi.
517 ft. **Site 1 of 7 in cluster G**

Relative:
Higher

Actual:
40 ft.

E DESIGNATION:

Name:	LOT 32,TAXBLOCK 3965
Address:	599 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	32
Tax Block:	3965
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	599 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6759221
Longitude:	-73.8877212
Type Of Ownership Code:	Not reported
Owner Name:	599 LIBERTY AVE. LLC
Borough:	BK
Tax Block:	3965
Tax Lot:	32
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported

LOT 32,TAXBLOCK 3965 (Continued) **S118704297**

Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	S2: Residence - Multiple Use - Primarily Two Family With One Store Or Office
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	2192
Total Building Floor Area:	2403
Commercial Floor Area:	735
Residential Floor Area:	1668
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	735
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	3.0000000
Residential Units:	2
Total Units:	3
Lot Frontage:	21.9200000
Lot Depth:	100.0000000
Building Frontage:	21.0000000
Building Depth:	35.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	1
Assessed Land Value:	10440.00000
Assessed Total Value:	48900.00000
Exempt Total Value:	0.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.10000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650032.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015394
Y Coordinate:	185553
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported

LOT 32,TAXBLOCK 3965 (Continued) **S118704297**

2015 Preliminary Flood Insurance Rate Map Indicator: Not reported
Version Number: 24v3.1
Changed By DCP: Not reported

D80 **LOT 4,TAXBLOCK 3965** **NY E DESIGNATION** **S118704341**
SW **273 BARBEY STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.100 mi.
526 ft. **Site 13 of 14 in cluster D**

Relative:
Higher

Actual:
40 ft.

E DESIGNATION:

Name:	LOT 4,TAXBLOCK 3965
Address:	273 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	4
Tax Block:	3965
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	273 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6762463
Longitude:	-73.8881424
Type Of Ownership Code:	Not reported
Owner Name:	GALARZA ROBERTO
Borough:	BK
Tax Block:	3965
Tax Lot:	4
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported

LOT 4,TAXBLOCK 3965 (Continued) **S118704341**

Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	A1: One Family Dwellings - Two Stories Detached (Small Or Moderate Size, With Or Without Attic)
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	1418
Commercial Floor Area:	0
Residential Floor Area:	1418
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.5000000
Residential Units:	1
Total Units:	1
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	20.0000000
Building Depth:	27.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	12900.00000
Assessed Total Value:	45060.00000
Exempt Total Value:	0.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.57000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650004.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015277
Y Coordinate:	185671
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003

LOT 4,TAXBLOCK 3965 (Continued) **S118704341**

Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

F81 **LOT 13,TAXBLOCK 3982** **NY E DESIGNATION** **S118704077**
SSW **614 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.100 mi.
530 ft. **Site 11 of 14 in cluster F**

Relative:
Higher

Actual:
40 ft.

E DESIGNATION:

Name:	LOT 13,TAXBLOCK 3982
Address:	614 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	13
Tax Block:	3982
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	614 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6755865
Longitude:	-73.8870115
Type Of Ownership Code:	Not reported
Owner Name:	614 LIBERTY AVENUE LLC
Borough:	BK
Tax Block:	3982
Tax Lot:	13
Community District:	305
Census Tract 2020:	3115000
Census Block 2020:	31150001002
Census Tract 2010:	1150
Census Block 2010:	1002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3

LOT 13,TAXBLOCK 3982 (Continued) **S118704077**

Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	1600
Commercial Floor Area:	0
Residential Floor Area:	1600
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	25.0000000
Building Depth:	32.0000000
Extension Code:	E
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	12900.00000
Assessed Total Value:	39240.00000
Exempt Total Value:	0.00000
Year Built:	1910
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.64000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039820013.00000000
Condominium Number:	Not reported
Census Tract 2:	1150
X Coordinate:	1015591

LOT 13,TAXBLOCK 3982 (Continued) **S118704077**

Y Coordinate:	185431
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 004
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

H82 **LOT 55,TAXBLOCK 3954** **NY E DESIGNATION** **S118704410**
NE **281 CLEVELAND STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.101 mi.
532 ft. **Site 1 of 6 in cluster H**

Relative: **Lower**
Actual: **33 ft.**

E DESIGNATION:

Name:	LOT 55,TAXBLOCK 3954
Address:	281 CLEVELAND STREET
City,State,Zip:	BROOKLYN, NY 11208
Tax Lot(s):	55
Tax Block:	3954
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	281 CLEVELAND STREET
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6783484
Longitude:	-73.8849266
Type Of Ownership Code:	Not reported
Owner Name:	SAV LLC
Borough:	BK
Tax Block:	3954
Tax Lot:	55
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170001000
Census Tract 2010:	1170
Census Block 2010:	1000
School District:	19
City Council District:	37

LOT 55,TAXBLOCK 3954 (Continued) **S118704410**

Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R5B: Residential Districts
Zoning District 2:	R8A: Residential Districts
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Y
Building Class:	B3: Two Family Dwellings - Converted From One Family
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	1297
Commercial Floor Area:	0
Residential Floor Area:	1297
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	13.0000000
Building Depth:	15.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	12480.00000
Assessed Total Value:	32880.00000
Exempt Total Value:	0.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.52000000000
Maximum Allowable Residential Far:	1.35000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000

LOT 55,TAXBLOCK 3954 (Continued) **S118704410**

Boro Code:	3
Borough, Tax Block and Lot:	3039540055.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1016168
Y Coordinate:	186438
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 011
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

D83 **LOT 3,TAXBLOCK 3965** **NY E DESIGNATION** **S118704279**
SW **277 BARBEY STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.101 mi.
535 ft. **Site 14 of 14 in cluster D**

Relative:
Higher

Actual:
40 ft.

E DESIGNATION:

Name:	LOT 3,TAXBLOCK 3965
Address:	277 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	3
Tax Block:	3965
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	277 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6761805
Longitude:	-73.8881245
Type Of Ownership Code:	Not reported
Owner Name:	DONALD KING
Borough:	BK
Tax Block:	3965
Tax Lot:	3
Community District:	305
Census Tract 2020:	3117000

LOT 3,TAXBLOCK 3965 (Continued) **S118704279**

Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	864
Commercial Floor Area:	0
Residential Floor Area:	864
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	20.0000000
Building Depth:	27.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	11400.00000
Assessed Total Value:	28080.00000
Exempt Total Value:	0.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported

LOT 3,TAXBLOCK 3965 (Continued) **S118704279**

Landmark Status:	Not reported
Built Floor Area Ratio:	0.35000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650003.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015282
Y Coordinate:	185647
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

H84 **2969 ATLANTIC AVE** **NY UST** **U004045357**
NE **2969 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.102 mi.
536 ft. **Site 2 of 6 in cluster H**

Relative:
Lower

Actual:
32 ft.

UST:

Name:	2969 ATLANTIC AVE
Address:	2969 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Id/Status:	2-609250 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594282.41509
UTM Y:	4503637.99150
Site Type:	Unknown

Affiliation Records:

Site Id:	31095
Affiliation Type:	Facility Owner
Company Name:	SHREE ASHTA VINAYAK INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	2969 ATLANTIC AVENUE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(718) 827-1111
EMail:	Not reported
Fax Number:	Not reported

2969 ATLANTIC AVE (Continued) **U004045357**

Modified By:	TRANSLAT
Date Last Modified:	2004-03-04
Site Id:	31095
Affiliation Type:	Mail Contact
Company Name:	SUPER 8 MOTEL
Contact Type:	Not reported
Contact Name:	DAN SARTUALA
Address1:	410 ROUTE 46 WEST
Address2:	Not reported
City:	SOUTH HACKENSACK
State:	NJ
Zip Code:	07606
Country Code:	001
Phone:	(201) 951-8308
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04
Site Id:	31095
Affiliation Type:	Facility Operator
Company Name:	2969 ATLANTIC AVE
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04
Site Id:	31095
Affiliation Type:	Emergency Contact
Company Name:	SHREE ASHTA VINAYAK INC
Contact Type:	Not reported
Contact Name:	N/A
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	1

2969 ATLANTIC AVE (Continued) **U004045357**

Tank ID:	66933
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	5000
Install Date:	Not reported
Date Tank Closed:	08/22/2003
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

H85 **RIVEIRA MOTEL** **NY LTANKS** **S105999669**
NE **2969 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY**
0.102 mi.
536 ft. **Site 3 of 6 in cluster H**

Relative: **Lower**
Actual: **32 ft.**

LTANKS:

Name:	RIVEIRA MOTEL
Address:	2969 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0305319 / 2006-03-14
Facility ID:	0305319
Site ID:	226027
Spill Date:	2003-08-19
Spill Cause:	Tank Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2003-08-19
CID:	422
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False

RIVEIRA MOTEL (Continued) **S105999669**

Remediation Phase:	0
Date Entered In Computer:	2003-08-19
Spill Record Last Update:	2006-03-14
Spiller Name:	Not reported
Spiller Company:	RIVIERA MOTEL
Spiller Address:	SAME
Spiller County:	001
Spiller Contact:	GARY WEISSBERGER
Spiller Phone:	(732) 390-5858
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	186577
Latitude:	40.6780283
Longitude:	-73.8848337
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND Sangesland spoke with Gary Weissberger of Whitman Companies. Specific direction was: 2 soil boring samples through the bottom of the tank 3 soil borings from around the tank (2 ends and one side) Depth of borings will be 0 to 2 feet below the bottom of the tank. The other side is right up against a building. Test samples to VOC/SVOC & compare to TAGM One deeper boring to confirm that Groundwater is not in the area 3/6/2006 Sangesland called Mr. Weissberger at Whitman asking about the closure report. He said a copy was submitted in Oct 2003 and sent to Anthony Sigona. Sangesland asked for another copy of the report to be sent. Mr. Weissberger says that teh site was clean and the closure report backs this up. 3/14/2006 Sangesland reviewed a UST - Site Investigation Report from Gary Weissberger of the Whitman Companies originally dated October 2003. The report confirms the information discussed above. The subject tank was properly cleaned, soil samples were taken through the bottom of the tank and then it was filled. The soil samples taken through the bottom of the tank showed slight hits for a few SVOCs, but this can be attributed to the fill material located in the area. Additional soil samples were taken adjacent to the tank and found to be clean. The tank was properly abandoned in place and the soil sampling proved to be adequate for spill closure.
Remarks:	OLD TANK UNABLE TO TIGHNESS TEST TANK WOULD LIKE CALLBACK

All Materials:

Site ID:	226027
Operable Unit ID:	871968
Operable Unit:	01
Material ID:	502574
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

H86
NE
< 1/8
0.102 mi.
536 ft.

2969 ATLANTIC AVE
2969 ATLANTIC AVENUE
BROOKLYN, NY 11208

Site 4 of 6 in cluster H

UST FINDER **1028574581**
N/A

Relative:
Lower

Actual:
32 ft.

UST FINDER:

Object ID:	295946
Facility ID:	NY31095
Name:	2969 ATLANTIC AVE
Address:	2969 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	10262
Private Wells 1500ft:	16
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.884834
Y Coord:	40.678029
Latitude:	40.678029
Longitude:	-73.884834

UST FINDER:

Object ID:	1227210
Facility ID:	NY31095
Tank ID:	NY112358
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	5000
Substances:	Not reported
Tank Wall Type:	Not reported

G87 **LOT 33,TAXBLOCK 3965** **NY E DESIGNATION** **S118704304**
SW **597 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.102 mi.
537 ft. **Site 2 of 7 in cluster G**

Relative:
Higher

Actual:
40 ft.

E DESIGNATION:

Name:	LOT 33,TAXBLOCK 3965
Address:	597 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	33
Tax Block:	3965
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	597 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6759084
Longitude:	-73.8878149
Type Of Ownership Code:	Not reported
Owner Name:	597 LIBERTY AVE., LLC
Borough:	BK
Tax Block:	3965
Tax Lot:	33
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported

LOT 33,TAXBLOCK 3965 (Continued) **S118704304**

Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	F5: Factory And Industrial Buildings - Light Manufacturing
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	3108
Total Building Floor Area:	3100
Commercial Floor Area:	3100
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	3100
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	31.0800000
Lot Depth:	100.0000000
Building Frontage:	31.0000000
Building Depth:	100.0000000
Extension Code:	N
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	63000.00000
Assessed Total Value:	197100.00000
Exempt Total Value:	0.00000
Year Built:	1984
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.00000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650033.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015368
Y Coordinate:	185548
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported

LOT 33,TAXBLOCK 3965 (Continued) **S118704304**

Version Number: 24v3.1
Changed By DCP: Not reported

F88 **LOT 11,TAXBLOCK 3982** **NY E DESIGNATION** **S118704055**
SSW **608 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.103 mi.
546 ft. **Site 12 of 14 in cluster F**

Relative: Higher
Actual: 40 ft.

E DESIGNATION:

Name:	LOT 11,TAXBLOCK 3982
Address:	608 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	11
Tax Block:	3982
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	608 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6755674
Longitude:	-73.8871450
Type Of Ownership Code:	Not reported
Owner Name:	VERDUGO, MARCO
Borough:	BK
Tax Block:	3982
Tax Lot:	11
Community District:	305
Census Tract 2020:	3115000
Census Block 2020:	31150001002
Census Tract 2010:	1150
Census Block 2010:	1002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4

LOT 11,TAXBLOCK 3982 (Continued) **S118704055**

Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	5000
Total Building Floor Area:	2640
Commercial Floor Area:	0
Residential Floor Area:	2640
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	50.0000000
Lot Depth:	100.0000000
Building Frontage:	22.0000000
Building Depth:	60.0000000
Extension Code:	E
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	18120.00000
Assessed Total Value:	52560.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	2005
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.53000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039820011.00000000
Condominium Number:	Not reported
Census Tract 2:	1150
X Coordinate:	1015554
Y Coordinate:	185424
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 004
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported

LOT 11,TAXBLOCK 3982 (Continued) **S118704055**

Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

I89 **LOT 15,TAXBLOCK 3984** **NY E DESIGNATION** **S118704108**
SE **670 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.105 mi.
556 ft. **Site 1 of 7 in cluster I**

Relative:
Lower

Actual:
33 ft.

E DESIGNATION:

Name:	LOT 15,TAXBLOCK 3984
Address:	670 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Tax Lot(s):	15
Tax Block:	3984
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	670 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6758864
Longitude:	-73.8849777
Type Of Ownership Code:	Not reported
Owner Name:	CRUZ RAMON
Borough:	BK
Tax Block:	3984
Tax Lot:	15
Community District:	305
Census Tract 2020:	3115000
Census Block 2020:	31150001000
Census Tract 2010:	1150
Census Block 2010:	1000
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R6A: Residential Districts

LOT 15,TAXBLOCK 3984 (Continued) **S118704108**

Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	G2: Garages And Gasoline Stations - Auto Body/Collision Or Auto Repair
Land Use Category:	Transportation & Utility
Number Of Easements:	0
Lot Area:	5250
Total Building Floor Area:	1313
Commercial Floor Area:	1313
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	1313
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	52.5000000
Lot Depth:	100.0000000
Building Frontage:	50.0000000
Building Depth:	30.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	47250.00000
Assessed Total Value:	100800.00000
Exempt Total Value:	0.00000
Year Built:	1935
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.25000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039840015.00000000
Condominium Number:	Not reported
Census Tract 2:	1150
X Coordinate:	1016155
Y Coordinate:	185541
Zoning Map #:	17c
Zoning Map Code:	Not reported

LOT 15,TAXBLOCK 3984 (Continued) **S118704108**

Sanborn Map #:	308 013
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

I90 **JL AUTO REPAIR** **EDR Hist Auto** **1021460051**
SE **670 LIBERTY AVE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.105 mi.
556 ft. **Site 2 of 7 in cluster I**

Relative: EDR Hist Auto
Lower

Actual: **33 ft.**

Year:	Name:	Type:
1969	SQUARE DEAL SERVICE STATION	Gasoline Service Stations
1970	SQUARE DEAL SERVICE STATION	Gasoline Service Stations
1971	SQUARE DEAL SERVICE STATION	Gasoline Service Stations
1972	SQUARE DEAL SERVICE STATION	Gasoline Service Stations
1973	SQUARE DEAL SERVICE STATION	Gasoline Service Stations
1996	JL AUTO REPAIR	General Automotive Repair Shops
1997	JL AUTO REPAIR	General Automotive Repair Shops
1998	JL AUTO REPAIR	General Automotive Repair Shops
1999	JL AUTO REPAIR	General Automotive Repair Shops
2000	JL AUTO REPAIR	General Automotive Repair Shops
2001	JL AUTO REPAIR	General Automotive Repair Shops
2002	JL AUTO REPAIR	General Automotive Repair Shops

I91 **670 LIBERTY AVE REPAIR SHOP INC** **NY AST** **A100292660**
SE **670 LIBERTY AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.105 mi.
556 ft. **Site 3 of 7 in cluster I**

Relative: AST:
Lower

Actual: **33 ft.**

Name:	670 LIBERTY AVE REPAIR SHOP INC
Address:	670 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-610204
Program Type:	PBS
UTM X:	594242.64282
UTM Y:	4503367.66676
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	363891
Affiliation Type:	Facility Owner
Company Name:	RAMON CRUZ

670 LIBERTY AVE REPAIR SHOP INC (Continued) **A100292660**

Contact Type:	MANAGER
Contact Name:	FRANCISCO SERRATA
Address1:	2672 PITKIN AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(718) 235-5009
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-05-12

Site Id:	363891
Affiliation Type:	Mail Contact
Company Name:	810 CAR SERVOCE
Contact Type:	Not reported
Contact Name:	RAMON CRUZ
Address1:	2672 PITKIN AVENUE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(718) 235-3480
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MJGRIFFI
Date Last Modified:	2021-06-25

Site Id:	363891
Affiliation Type:	Facility Operator
Company Name:	670 LIBERTY AVE REPAIR SHOP INC
Contact Type:	Not reported
Contact Name:	DIONICIO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 827-9713
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-05-12

Site Id:	363891
Affiliation Type:	Emergency Contact
Company Name:	RAMON CRUZ
Contact Type:	Not reported
Contact Name:	FRANK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

670 LIBERTY AVE REPAIR SHOP INC (Continued) **A100292660**

Zip Code:	Not reported
Country Code:	001
Phone:	(718) 235-3480
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2006-05-12

Tank Info:

Tank Number:	001
Tank Id:	211711
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
F03 - Pipe External Protection - Original Impressed Current
J03 - Dispenser - Gravity
A00 - Tank Internal Protection - None
B03 - Tank External Protection - Original Impressed Current
D08 - Pipe Type - Equivalent Technology
G08 - Tank Secondary Containment - Flexible Internal Lining (Bladder)
I00 - Overfill - None
K01 - Spill Prevention - Catch Basin
E04 - Piping Secondary Containment - Double walled UG
L04 - Piping Leak Detection - Groundwater Well
H04 - Tank Leak Detection - Groundwater Well
B08 - Tank External Protection - Retrofitted Impressed Current

Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Stainless Steel Alloy
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	02/18/2005
Capacity Gallons:	600
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	04/13/2008
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	waste oil/used oil

Tank Number:	002
Tank Id:	211712
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

F03 - Pipe External Protection - Original Impressed Current
J03 - Dispenser - Gravity
C03 - Pipe Location - Aboveground/Underground Combination
K01 - Spill Prevention - Catch Basin

670 LIBERTY AVE REPAIR SHOP INC (Continued) **A100292660**

G08 - Tank Secondary Containment - Flexible Internal Lining (Bladder)
I00 - Overfill - None
A00 - Tank Internal Protection - None
B03 - Tank External Protection - Original Impressed Current
D08 - Pipe Type - Equivalent Technology
L04 - Piping Leak Detection - Groundwater Well
E04 - Piping Secondary Containment - Double walled UG
H04 - Tank Leak Detection - Groundwater Well
B08 - Tank External Protection - Retrofitted Impressed Current

Tank Location:	Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type:	Stainless Steel Alloy
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	11/02/2005
Capacity Gallons:	800
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	03/14/2007
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	waste oil/used oil
Tank Number:	003
Tank Id:	238577
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

J03 - Dispenser - Gravity
F03 - Pipe External Protection - Original Impressed Current
C03 - Pipe Location - Aboveground/Underground Combination
K01 - Spill Prevention - Catch Basin
D08 - Pipe Type - Equivalent Technology
G08 - Tank Secondary Containment - Flexible Internal Lining (Bladder)
I00 - Overfill - None
A00 - Tank Internal Protection - None
B03 - Tank External Protection - Original Impressed Current
L04 - Piping Leak Detection - Groundwater Well
E04 - Piping Secondary Containment - Double walled UG
H04 - Tank Leak Detection - Groundwater Well
B08 - Tank External Protection - Retrofitted Impressed Current

Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Stainless Steel Alloy
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	400
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	03/14/2007
Register:	True

670 LIBERTY AVE REPAIR SHOP INC (Continued) **A100292660**

Modified By: MJGRIFFI
Last Modified: 05/09/2022
Material Name: waste oil/used oil

J92 **CON EDISON** **E MANIFEST** **1031624575**
NNW **218 WARWICK STR** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.106 mi.
562 ft. **Site 1 of 4 in cluster J**

Relative:
Lower

Actual:
35 ft.

E MANIFEST:

Manifest Tracking Number:	006654683GBF
Last Updated Date:	20211201
Shipped Date:	20211123
Received Date:	20211124
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison
Generator Location Street Number:	Not reported
Generator Location Street 1:	218 WARWICK STR
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	CLEAN EARTH OF NORTH JERSEY
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006654683GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

CON EDISON (Continued) **1031624575**

State Waste:
- Manifest Tracking Number: 006654683GBF
- Waste Line Number: 1
- State Waste Code Owner: NY
- State Waste Code: T
- State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 006654683GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 006654683GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 750
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.375
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.375
- Waste Quantity, in Kilograms: 340.13626
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 340.13626
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

F93 **282 ASHFORD ST.** **NY Spills** **S104648514**
SSE **282 ASHFORD ST** **N/A**
< 1/8 **BROOKLYN, NY**
0.108 mi.
570 ft. **Site 13 of 14 in cluster F**

Relative:
Higher

Actual:
38 ft.

SPILLS:

Name:	SPILL NUMBER 9813215
Address:	282 ASHFORD ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9813215 / 1999-01-28
Facility ID:	9813215
Facility Type:	ER
DER Facility ID:	86343
Site ID:	96821
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	B3
SWIS:	2401
Spill Date:	1999-01-27
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1999-01-27
CID:	207
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1999-01-27
Spill Record Last Update:	2002-05-20
Spiller Name:	HOMEOWNER
Spiller Company:	WENTZ
Spiller Address:	983 SCHENCK AVE
Spiller Company:	001
Contact Name:	YVONNE WENTZ
Latitude:	40.6755316
Longitude:	-73.8856207
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE CLEANED BY RP.
Remarks:	spiller is owner of apt building - cleanup in progress problem with oil filter

All Materials:

Site ID:	96821
Operable Unit ID:	1073663
Operable Unit:	01
Material ID:	309942
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Resource Affected:	Soil

282 ASHFORD ST. (Continued) **S104648514**

Oxygenate: Not reported

Name: 282 ASHFORD ST.
Address: 282 ASHFORD ST
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 9311714 / 1994-01-02
Facility ID: 9311714
Facility Type: ER
DER Facility ID: 86343
Site ID: 283165
DEC Region: 2
Spill Cause: Equipment Failure
Spill Class: C3
SWIS: 2401
Spill Date: 1994-01-02
Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 1994-01-02
CID: Not reported
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Other
Cleanup Ceased: 1994-01-02
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1994-03-30
Spill Record Last Update: 2003-01-03
Spiller Name: Not reported
Spiller Company: BASENCLAW
Spiller Address: 740 JAMAICA AVENUE
Spiller Company: 001
Contact Name: Not reported
Latitude: 40.6755316
Longitude: -73.8856207
DEC Memo: Not reported
Remarks: NOZZELL ON HOZE OPENED, PLANNING TO CLEAR SOON. NO CALL BACK NECESSARY.

All Materials:
Site ID: 283165
Operable Unit ID: 993726
Operable Unit: 01
Material ID: 390738
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: L
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

H94 **CON EDISON - COMPANY OF NY** **E MANIFEST** **1031611263**
ENE **2976 ATLANTIC AVE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.108 mi.
572 ft. **Site 5 of 6 in cluster H**

Relative:
Lower

Actual:
31 ft.

E MANIFEST:

Manifest Tracking Number:	006747548GBF
Last Updated Date:	20211101
Shipped Date:	20211019
Received Date:	20211020
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	2976 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 Butler Street
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	CLEAN EARTH OF NORTH JERSEY
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006747548GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	006747548GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T

CON EDISON - COMPANY OF NY (Continued) **1031611263**

State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006747548GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006747548GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 1000
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.5
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.5
Waste Quantity, in Kilograms: 453.515
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 453.515
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: Y

F95 **DRUM IN BACKYARD** **NY Spills S109415686**
South **338 WARWICK ST** **NY LEAD N/A**
< 1/8 **BROOKLYN, NY** **NY NYC LAND USE**
0.110 mi.
582 ft. **Site 14 of 14 in cluster F**

Relative: **Higher**
Actual: **39 ft.**

SPILLS:
Name: DRUM IN BACKYARD
Address: 338 WARWICK ST
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 0812768 / 2009-04-13
Facility ID: 0812768

DRUM IN BACKYARD (Continued) **S109415686**

Facility Type:	ER
DER Facility ID:	359637
Site ID:	410405
DEC Region:	2
Spill Cause:	Abandoned Drums
Spill Class:	Not reported
SWIS:	2401
Spill Date:	2009-02-24
Investigator:	HRAHMED
Referred To:	Not reported
Reported to Dept:	2009-02-24
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2009-02-24
Spill Record Last Update:	2009-04-13
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	SAMER HANNA
Latitude:	40.6754820
Longitude:	-73.8864700
DEC Memo:	02/24/2009-HRAHMED-Spoke to the property owner Warren Brown (718 808 2334). DEC Ahmed told Warren that since its in his property, he has to hire a contractor to dispose the oil and drum and send disposal manifest to DEC. A CSL was sent to : Warren Brown 338 Warwick St Brooklyn, NY 11207 3/10/09-HRAHMED-Spoke to Warren. Told him to dispose off the drum as per regulations and send disposal manifest by next week. 04/13/09-HRAHMED-Spoke to Warren. As per him he hired somebody to take the drum away. When the guy came to take the drum the drum was not there. Somebody took the drum from his backyard and he has no idea who took it. This case is closed.
Remarks:	CALLER STATES THAT THERE IS A FULL 55 GALLON DRUM OF UNK PETROLEUM IN THE BACK YARD OF THE ABOVE LOCATION.

All Materials:

Site ID:	410405
Operable Unit ID:	1166893
Operable Unit:	01
Material ID:	2158411
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G

DRUM IN BACKYARD (Continued) **S109415686**

Recovered: Not reported
Resource Affected: Not reported
Oxygenate: Not reported

NYC LEAD:

Name: Not reported
Address: 338 WARWICK STREET
City,State,Zip: BROOKLYN, NY 11207
Violation ID: 16383151
Building ID: 388296
Registration ID: 360455
Apartment: 2
Story: 2
Class: Most Serious
Inspection Date: 11/01/2023
Approved Date: 11/13/2023
Original Certify By Date: 12/13/2023
Original Correct By Date: 12/08/2023
New Certify By Date: Not reported
New Correct By Date: Not reported
Certified Date: Not reported
Order Number: 616
NOV ID: 8728806
NOV Description: 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PRESUMED LEAD PAINT THAT IS PEELING OR ON A DETERIORATED SUBSURFACE USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) NORTH WALL IN THE BATHROOM LOCATED AT APT 2, 2nd STORY, 1st APARTMENT FROM EAST AT SOUTH
NOV Issued Date: 11/14/2023
Current Status ID: 19
Current Status: VIOLATION CLOSED
Current Status Date: 12/06/2023

Name: Not reported
Address: 338 WARWICK STREET
City,State,Zip: BROOKLYN, NY 11207
Violation ID: 16383150
Building ID: 388296
Registration ID: 360455
Apartment: 2
Story: 2
Class: Most Serious
Inspection Date: 11/01/2023
Approved Date: 11/13/2023
Original Certify By Date: 12/13/2023
Original Correct By Date: 12/08/2023
New Certify By Date: Not reported
New Correct By Date: Not reported
Certified Date: Not reported
Order Number: 616
NOV ID: 8728806
NOV Description: 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PRESUMED LEAD PAINT THAT IS PEELING OR ON A DETERIORATED SUBSURFACE USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) EAST WALL IN THE 2nd ROOM FROM EAST LOCATED AT APT 2, 2nd STORY, 1st APARTMENT FROM EAST AT SOUTH
NOV Issued Date: 11/14/2023

DRUM IN BACKYARD (Continued) **S109415686**

Current Status ID:	19
Current Status:	VIOLATION CLOSED
Current Status Date:	12/06/2023
Name:	Not reported
Address:	338 WARWICK STREET
City,State,Zip:	BROOKLYN, NY 11207
Violation ID:	14379337
Building ID:	388296
Registration ID:	360455
Apartment:	1
Story:	1
Class:	Most Serious
Inspection Date:	06/07/2021
Approved Date:	06/10/2021
Original Certify By Date:	07/10/2021
Original Correct By Date:	07/05/2021
New Certify By Date:	Not reported
New Correct By Date:	Not reported
Certified Date:	Not reported
Order Number:	616
NOV ID:	7374511
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PRESUMED LEAD PAINT THAT IS PEELING OR ON A DETERIORATED SUBSURFACE USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) CEILING IN THE BATHROOM LOCATED AT APT 1, 1st STORY, 1st APARTMENT FROM EAST AT SOUTH
NOV Issued Date:	06/11/2021
Current Status ID:	19
Current Status:	VIOLATION CLOSED
Current Status Date:	06/21/2021
Name:	Not reported
Address:	338 WARWICK STREET
City,State,Zip:	BROOKLYN, NY 11207
Violation ID:	11862598
Building ID:	388296
Registration ID:	360455
Apartment:	2
Story:	2
Class:	Most Serious
Inspection Date:	06/24/2017
Approved Date:	07/05/2017
Original Certify By Date:	08/08/2017
Original Correct By Date:	08/03/2017
New Certify By Date:	Not reported
New Correct By Date:	Not reported
Certified Date:	Not reported
Order Number:	616
NOV ID:	5794132
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PRESUMED LEAD PAINT THAT IS PEELING OR ON A DETERIORATED SUBSURFACE USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) CEILING IN THE BATHROOM LOCATED AT APT 2, 2nd STORY, 1st APARTMENT FROM EAST AT SOUTH
NOV Issued Date:	07/06/2017
Current Status ID:	19
Current Status:	VIOLATION CLOSED
Current Status Date:	07/11/2017

DRUM IN BACKYARD (Continued) **S109415686**

NYC LAND USE:

Name:	Not reported
Address:	338 WARWICK STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6753967
Longitude:	-73.8866297
Type Of Ownership Code:	Not reported
Owner Name:	JNS WARWICK 338 LLC
Borough:	BK
Tax Block:	3982
Tax Lot:	21
Community District:	305
Census Tract 2020:	3115000
Census Block 2020:	31150001002
Census Tract 2010:	1150
Census Block 2010:	1002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R5B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	C0: Walk Up Apartments - Three Families
Land Use Category:	Multi-Family Walk-Up Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	3120
Commercial Floor Area:	0
Residential Floor Area:	3120
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	3.0000000
Residential Units:	3
Total Units:	3
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	20.0000000

DRUM IN BACKYARD (Continued) **S109415686**

Building Depth:	52.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	12900.00000
Assessed Total Value:	58200.00000
Exempt Total Value:	0.00000
Year Built:	1910
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.25000000000
Maximum Allowable Residential Far:	1.35000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039820021.00000000
Condominium Number:	Not reported
Census Tract 2:	1150
X Coordinate:	1015697
Y Coordinate:	185362
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 004
Tax Map #:	31303
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

G96 **LOT 1,TAXBLOCK 3965** **NY E DESIGNATION** **S118704032**
SW **583 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.112 mi.
589 ft. **Site 3 of 7 in cluster G**

Relative:
Higher

Actual:
41 ft.

E DESIGNATION:

Name:	LOT 1,TAXBLOCK 3965
Address:	583 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	1
Tax Block:	3965
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported

Description: Air Quality - HVAC fuel limited to natural gas;Exhaust stack location

LOT 1,TAXBLOCK 3965 (Continued) **S118704032**

limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:

Name:	Not reported
Address:	583 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6759416
Longitude:	-73.8880672
Type Of Ownership Code:	Not reported
Owner Name:	BROOKLYN BANANA
Borough:	BK
Tax Block:	3965
Tax Lot:	1
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170002006
Census Tract 2010:	1170
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	R6B: Residential Districts
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Y
Building Class:	E9: Warehouses - Miscellaneous
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	15000
Total Building Floor Area:	10000
Commercial Floor Area:	10000
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	10000
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0

LOT 1,TAXBLOCK 3965 (Continued) **S118704032**

Total Units:	1
Lot Frontage:	100.0000000
Lot Depth:	150.0000000
Building Frontage:	100.0000000
Building Depth:	100.0000000
Extension Code:	E
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	236250.00000
Assessed Total Value:	357300.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.67000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039650001.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015298
Y Coordinate:	185560
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

I97 **CONSOLIDATED EDISON COMPANY OF NY** **E MANIFEST** **1031634668**
SE **374 CLEVELAND ST** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.114 mi.
604 ft. **Site 4 of 7 in cluster I**

Relative: E MANIFEST:
Lower

Manifest Tracking Number:	023096085JJK
Last Updated Date:	20211203
Shipped Date:	20211123
Received Date:	20211129
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny
Generator Location Street Number:	Not reported

Actual:
34 ft.

CONSOLIDATED EDISON COMPANY OF NY (Continued) **1031634668**

Generator Location Street 1:	374 CLEVELAND ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER ST
Generator Mail Street 2:	Not reported
Generator Mail City:	ELIZABETH
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	023096085JJK
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	023096085JJK
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	023096085JJK
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	023096085JJK
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082

CONSOLIDATED EDISON COMPANY OF NY (Continued) **1031634668**

U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

K98 **LOT 23,TAXBLOCK 3964** **NY E DESIGNATION** **S118704230**
WSW **BARBEY STREET** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.116 mi.
613 ft. **Site 1 of 8 in cluster K**

Relative:
Higher

Actual:
41 ft.

E DESIGNATION:

Name:	LOT 23,TAXBLOCK 3964
Address:	BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	23
Tax Block:	3964
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

J99 **CON EDISON SERVICE BOX: 21057** **RCRA NonGen / NLR** **1017779864**
NNW **2896 FULTON ST** **E MANIFEST** **NYP004578829**
< 1/8 **BROOKLYN, NY 11207**
0.118 mi.
625 ft. **Site 2 of 4 in cluster J**

Relative: **Higher**
Actual: **36 ft.**

RCRA Listings:

Date Form Received by Agency:		20140727
Handler Name:		Con Edison Service Box: 21057
Handler Address:		Fulton St
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYP004578829
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SENIOR SCIENTIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CON EDISON SERVICE BOX: 21057 (Continued) **1017779864**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150211
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140627
Handler Name: CON EDISON	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140627
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140727
Handler Name: CON EDISON SERVICE BOX: 21057	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CON EDISON SERVICE BOX: 21057 (Continued) **1017779864**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

E MANIFEST:

Manifest Tracking Number:	006871425GBF
Last Updated Date:	20211220
Shipped Date:	20211201
Received Date:	20211206
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison
Generator Location Street Number:	Not reported
Generator Location Street 1:	2896 FULTON STR
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11101
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006871425GBF
Waste Line Number:	1
Federal Waste Code:	D008

CON EDISON SERVICE BOX: 21057 (Continued) **1017779864**

Federal Waste: LEAD

State Waste:
- Manifest Tracking Number: 006871425GBF
- Waste Line Number: 1
- State Waste Code Owner: NY
- State Waste Code: T
- State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 006871425GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 006871425GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 500
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.25
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.25
- Waste Quantity, in Kilograms: 226.7575
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 226.7575
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: Y
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

J100 **CON EDISON** **NY MANIFEST** **S117065334**
NNW **2896 FULTON ST** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.118 mi.
625 ft. **Site 3 of 4 in cluster J**

Relative:
Higher

Actual:
36 ft.

NY MANIFEST:

EPA ID:	NYP004578829
Country:	USA
Name:	Con Edison
Address:	2896 FULTON ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	2896 FULTON ST
Location Address 2:	SB 21057
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	06/27/2014
Trans1 Recv Date:	06/27/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/27/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004578829
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	012774079JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

CON EDISON (Continued) **S117065334**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	100
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

I101 **CON ED COMPANY OF NY** **E MANIFEST** **1031609456**
SE **680 LIBERTY AVE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.119 mi.
626 ft. **Site 5 of 7 in cluster I**

Relative: **Lower**

Actual: **30 ft.**

E MANIFEST:

Manifest Tracking Number:	006856221GBF
Last Updated Date:	20210609
Shipped Date:	20210527
Received Date:	20210602
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Ed Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	680 LIBERTY AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 Butler St
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032

CON ED COMPANY OF NY (Continued) **1031609456**

Designated Facility Mail State: NJ
Designated Facility Location Street Number: 105
Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 006856221GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006856221GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006856221GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006856221GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N

CON ED COMPANY OF NY (Continued) **1031609456**

Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

J102 **CON EDISON/QUEENS ENVIRO OPS-C/O-ACV ENVIRO** **E MANIFEST** **1031622645**
North **2922 FULTON ST.** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.120 mi.
636 ft. **Site 4 of 4 in cluster J**

Relative: E MANIFEST:
Lower

Actual: Manifest Tracking Number:	007354535GBF
33 ft. Last Updated Date:	20230925
Shipped Date:	20230906
Received Date:	20230913
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/Queens Enviro Ops-C/O-Acv Enviro
Generator Location Street Number:	Not reported
Generator Location Street 1:	2922 FULTON ST.
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave.
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

CON EDISON/QUEENS ENVIRO OPS-C/O-ACV ENVIRO (Continued) **1031622645**

Transporter:
- Manifest Tracking Number: 007354535GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 007354535GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Rq, Na3082, Hazardous Waste, Liquid N.O.S., (Lead), 9, Pg Iii
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 500
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.25
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.25
- Waste Quantity, in Kilograms: 226.7575
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 226.7575
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

I103 **LOT 15,TAXBLOCK 3985** **NY E DESIGNATION** **S118704109**
SE **682 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.122 mi.
643 ft. **Site 6 of 7 in cluster I**

Relative: **Lower**
Actual: **29 ft.**

E DESIGNATION:
- Name: LOT 15,TAXBLOCK 3985
- Address: 682 LIBERTY AVENUE
- City,State,Zip: BROOKLYN, NY 11208
- Tax Lot(s): 15
- Tax Block: 3985
- Borough Code: BK
- E-No: E-366
- Effective Date: Not reported

LOT 15,TAXBLOCK 3985 (Continued) **S118704109**

Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	682 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6759709
Longitude:	-73.8843935
Type Of Ownership Code:	Not reported
Owner Name:	CHURCH OF/LORD JESUSCHRIST OF THE APOSTO LIC FAITH
Borough:	BK
Tax Block:	3985
Tax Lot:	15
Community District:	305
Census Tract 2020:	3116600
Census Block 2020:	31166001004
Census Tract 2010:	1166
Census Block 2010:	1004
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	G7: Garages And Gasoline Stations - Unlicensed Parking Lot
Land Use Category:	Parking Facilities
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	0
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported

LOT 15,TAXBLOCK 3985 (Continued) **S118704109**

Other Floor Area:	Not reported
Total Building Floor Area Source Code:	7
Number Of Buildings:	0
Number Of Floors:	Not reported
Residential Units:	0
Total Units:	0
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	0.0000000
Building Depth:	0.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5
Assessed Land Value:	95400.00000
Assessed Total Value:	95400.00000
Exempt Total Value:	0.00000
Year Built:	0
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.00000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039850015.00000000
Condominium Number:	Not reported
Census Tract 2:	1166
X Coordinate:	1016317
Y Coordinate:	185572
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

K104 **LOT 24,TAXBLOCK 3964** **NY E DESIGNATION** **S118704234**
WSW **274 BARBEY STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.123 mi.
649 ft. **Site 2 of 8 in cluster K**

Relative:
Higher

Actual:
41 ft.

E DESIGNATION:

Name:	LOT 24,TAXBLOCK 3964
Address:	274 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	24
Tax Block:	3964

LOT 24,TAXBLOCK 3964 (Continued) **S118704234**

Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	274 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6761782
Longitude:	-73.8886689
Type Of Ownership Code:	Not reported
Owner Name:	1386 SUTTER LLC
Borough:	BK
Tax Block:	3964
Tax Lot:	24
Community District:	305
Census Tract 2020:	3119800
Census Block 2020:	31198003007
Census Tract 2010:	1198
Census Block 2010:	3007
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	M1-4/R6A: Mixed Manufacturing & Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	MX-16
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	E9: Warehouses - Miscellaneous
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	2772
Commercial Floor Area:	0
Residential Floor Area:	900
Office Floor Area:	0

LOT 24,TAXBLOCK 3964 (Continued) **S118704234**

Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	1
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	20.0000000
Building Depth:	99.0000000
Extension Code:	E
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	39600.00000
Assessed Total Value:	133200.00000
Exempt Total Value:	0.00000
Year Built:	1905
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.11000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	2.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039640024.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1015131
Y Coordinate:	185646
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

G105 **LOT 25,TAXBLOCK 3964** **NY E DESIGNATION** **S118704244**
WSW **276 BARBEY STREET** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.124 mi.
656 ft. **Site 4 of 7 in cluster G**

Relative:
Higher

Actual:
41 ft.

E DESIGNATION:

Name:	LOT 25,TAXBLOCK 3964
Address:	276 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	25
Tax Block:	3964
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	276 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6761069
Longitude:	-73.8886510
Type Of Ownership Code:	Not reported
Owner Name:	1386 SUTTER LLC
Borough:	BK
Tax Block:	3964
Tax Lot:	25
Community District:	305
Census Tract 2020:	3119800
Census Block 2020:	31198003007
Census Tract 2010:	1198
Census Block 2010:	3007
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	M1-4/R6A: Mixed Manufacturing & Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	MX-16
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported

LOT 25,TAXBLOCK 3964 (Continued) **S118704244**

Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	E9: Warehouses - Miscellaneous
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	600
Commercial Floor Area:	600
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	600
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	25.0000000
Building Depth:	24.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	18000.00000
Assessed Total Value:	40500.00000
Exempt Total Value:	0.00000
Year Built:	1994
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.24000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	2.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039640025.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1015136
Y Coordinate:	185620
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported

LOT 25,TAXBLOCK 3964 (Continued) **S118704244**

Version Number: 24v3.1
Changed By DCP: Not reported

H106 **CON EDISON** **RCRA NonGen / NLR** **1019902085**
ENE **ATLANTIC AVE & ELTON ST** **FINDS** **NYP004769485**
< 1/8 **BROOKLYN, NY 11208** **ECHO**
0.125 mi.
658 ft. **Site 6 of 6 in cluster H**

Relative: **Lower**
Actual: **32 ft.**

RCRA Listings:

Date Form Received by Agency:		20150416
Handler Name:		Con Edison
Handler Address:		Atlantic Ave & Elton St
Handler City,State,Zip:		BROOKLYN, NY 11208
EPA ID:		NYP004769485
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No

CON EDISON (Continued) **1019902085**

Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160909
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20150416
Handler Name: CON EDISON	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150416
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

CON EDISON (Continued) **1019902085**

Evaluations: No Evaluations Found

FINDS:
Registry ID: 110069669371

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019902085
Registry ID: 110069669371

DFR URL:
Name: CON EDISON
Address: ATLANTIC AVE & ELTON ST
City,State,Zip: BROOKLYN, NY 11208

I107 **LOT 16,TAXBLOCK 3985** **NY E DESIGNATION** **S118704126**
SE **684 LIBERTY AVENUE** **NY NYC LAND USE** **N/A**
< 1/8 **BROOKLYN, NY 11208**
0.125 mi.
660 ft. **Site 7 of 7 in cluster I**

Relative:
Lower

Actual:
29 ft.

E DESIGNATION:
Name: LOT 16,TAXBLOCK 3985
Address: 684 LIBERTY AVENUE
City,State,Zip: BROOKLYN, NY 11208
Tax Lot(s): 16
Tax Block: 3985
Borough Code: BK
E-No: E-366
Effective Date: Not reported
Satisfaction Date: Not reported
Ceqr Number: 15DCP102K
Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:
Name: Not reported
Address: 684 LIBERTY AVENUE
City,State,Zip: BROOKLYN, NY 11208
Latitude: 40.6759845
Longitude: -73.8843070

LOT 16,TAXBLOCK 3985 (Continued) **S118704126**

Type Of Ownership Code:	Not reported
Owner Name:	CHURCH OF/LORD JESUSCHRIST OF THE APOSTO LIC FAITH
Borough:	BK
Tax Block:	3985
Tax Lot:	16
Community District:	305
Census Tract 2020:	3116600
Census Block 2020:	31166001004
Census Tract 2010:	1166
Census Block 2010:	1004
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	G7: Garages And Gasoline Stations - Unlicensed Parking Lot
Land Use Category:	Parking Facilities
Number Of Easements:	0
Lot Area:	2450
Total Building Floor Area:	0
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	7
Number Of Buildings:	1
Number Of Floors:	Not reported
Residential Units:	0
Total Units:	0
Lot Frontage:	24.5000000
Lot Depth:	100.0000000
Building Frontage:	0.0000000
Building Depth:	0.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5

LOT 16,TAXBLOCK 3985 (Continued) **S118704126**

Assessed Land Value:	93150.00000
Assessed Total Value:	93150.00000
Exempt Total Value:	0.00000
Year Built:	0
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.00000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039850016.00000000
Condominium Number:	Not reported
Census Tract 2:	1166
X Coordinate:	1016341
Y Coordinate:	185577
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 013
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

L108 **CON EDISON/QUEENS ENVIRO OPS-C/O-ACV ENVIRO** **E MANIFEST** **1031622646**
North **2932 FULTON ST.** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.129 mi.
679 ft. **Site 1 of 3 in cluster L**

Relative: **Lower**

Actual: **33 ft.**

E MANIFEST:

Manifest Tracking Number:	007354666GBF
Last Updated Date:	20230925
Shipped Date:	20230906
Received Date:	20230913
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/Queens Enviro Ops-C/O-Acv Enviro
Generator Location Street Number:	Not reported
Generator Location Street 1:	2932 FULTON ST.
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave.
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001

CON EDISON/QUEENS ENVIRO OPS-C/O-ACV ENVIRO (Continued) **1031622646**

Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	007354666GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	007354666GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Rq, Na3082, Hazardous Waste, Liquid N.O.S., (Lead), 9, Pg Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	2000
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	1
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	1
Waste Quantity, in Kilograms:	907.03
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	907.03
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported

CON EDISON/QUEENS ENVIRO OPS-C/O-ACV ENVIRO (Continued) **1031622646**

Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

K109 **2840 ATLANTIC AVE REALTY CORP.** **NY AST** **U003383865**
WSW **2840 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.130 mi.
684 ft. **Site 3 of 8 in cluster K**

Relative:
Higher

Actual:
42 ft.

AST:

Name:	2840 ATLANTIC AVE REALTY CORP.
Address:	2840 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-064742
Program Type:	PBS
UTM X:	593857.06107
UTM Y:	4503456.39402
Expiration Date:	N/A
Site Type:	Manufacturing (Other than Chemical)/Processing

Affiliation Records:

Site Id:	1373
Affiliation Type:	Mail Contact
Company Name:	EMPIRE STATE DAIRY LLC
Contact Type:	MANAGING DIRECTOR
Contact Name:	ABRAHAM J. HOFFMAN
Address1:	P.O. BOX 180075
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11218
Country Code:	001
Phone:	(718) 417-1616 204
EMail:	GITTY@BUSHBURG.COM
Fax Number:	Not reported
Modified By:	LXZIELIN
Date Last Modified:	2021-04-15

Site Id:	1373
Affiliation Type:	Facility Owner
Company Name:	EMPIRE STATE DAIRY LLC
Contact Type:	MANAGING DIRECTOR
Contact Name:	ABRAHAM J. HOFFMAN
Address1:	P.O. BOX 180075
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11218
Country Code:	001
Phone:	(718) 417-1616 204
EMail:	GITTY@BUSHBURG.COM
Fax Number:	Not reported

2840 ATLANTIC AVE REALTY CORP. (Continued) **U003383865**

Modified By: LXZIELIN
Date Last Modified: 2021-04-15

Site Id: 1373
Affiliation Type: Facility Operator
Company Name: 2840 ATLANTIC AVE REALTY CORP.
Contact Type: Not reported
Contact Name: ABRAHAM J. HOFFMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: LXZIELIN
Date Last Modified: 2021-04-15

Site Id: 1373
Affiliation Type: Emergency Contact
Company Name: EMPIRE STATE DAIRY LLC
Contact Type: Not reported
Contact Name: ABRAHAM J. HOFFMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 417-1616 204
EMail: Not reported
Fax Number: Not reported
Modified By: LXZIELIN
Date Last Modified: 2021-04-15

Tank Info:

Tank Number: 001
Tank Id: 2408
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil,

2840 ATLANTIC AVE REALTY CORP. (Continued) **U003383865**

allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 03/06/1953
Capacity Gallons: 10000
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 04/02/2020
Register: True
Modified By: MJGRIFFI
Last Modified: 05/09/2022
Material Name: #2 fuel oil (on-site consumption)

K110 **2840 ATLANTIC AVE REALTY CORP.** **NY UST** **U004272209**
WSW **2840 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.130 mi.
684 ft. **Site 4 of 8 in cluster K**

Relative: **Higher**

Actual: **42 ft.**

UST:
Name: 2840 ATLANTIC AVE REALTY CORP.
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Id/Status: 2-064742 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 593857.06107
UTM Y: 4503456.39402
Site Type: Manufacturing (Other than Chemical)/Processing

Affiliation Records:
Site Id: 1373
Affiliation Type: Mail Contact
Company Name: EMPIRE STATE DAIRY LLC
Contact Type: MANAGING DIRECTOR
Contact Name: ABRAHAM J. HOFFMAN
Address1: P.O. BOX 180075
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11218
Country Code: 001
Phone: (718) 417-1616 204
EMail: GITTY@BUSHBURG.COM
Fax Number: Not reported
Modified By: LXZIELIN
Date Last Modified: 2021-04-15

Site Id: 1373
Affiliation Type: Facility Owner
Company Name: EMPIRE STATE DAIRY LLC
Contact Type: MANAGING DIRECTOR
Contact Name: ABRAHAM J. HOFFMAN
Address1: P.O. BOX 180075

2840 ATLANTIC AVE REALTY CORP. (Continued) **U004272209**

Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11218
Country Code:	001
Phone:	(718) 417-1616 204
EMail:	GITTY@BUSHBURG.COM
Fax Number:	Not reported
Modified By:	LXZIELIN
Date Last Modified:	2021-04-15

Site Id:	1373
Affiliation Type:	Facility Operator
Company Name:	2840 ATLANTIC AVE REALTY CORP.
Contact Type:	Not reported
Contact Name:	ABRAHAM J. HOFFMAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	LXZIELIN
Date Last Modified:	2021-04-15

Site Id:	1373
Affiliation Type:	Emergency Contact
Company Name:	EMPIRE STATE DAIRY LLC
Contact Type:	Not reported
Contact Name:	ABRAHAM J. HOFFMAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 417-1616 204
EMail:	Not reported
Fax Number:	Not reported
Modified By:	LXZIELIN
Date Last Modified:	2021-04-15

Tank Info:

Tank Number:	002
Tank ID:	269852
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	20000
Install Date:	03/06/1953
Date Tank Closed:	01/20/2022
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel

2840 ATLANTIC AVE REALTY CORP. (Continued) **U004272209**

Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: DAFRANCI
Last Modified: 12/13/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J05 - Dispenser - On Site Heating System (Supply/Return)
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 003
Tank ID: 297737
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 1000
Install Date: 01/01/1930
Date Tank Closed: 02/08/2022
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: DAFRANCI
Last Modified: 12/13/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J05 - Dispenser - On Site Heating System (Supply/Return)
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 004
Tank ID: 297738
Tank Status: Closed - Removed
Material Name: Closed - Removed

2840 ATLANTIC AVE REALTY CORP. (Continued) **U004272209**

Capacity Gallons:	550
Install Date:	01/01/1930
Date Tank Closed:	02/21/2022
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Tightness Test Method:	-
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	DAFRANCI
Last Modified:	12/13/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J05 - Dispenser - On Site Heating System (Supply/Return)
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

K111 **2840 ATLANTIC AVE REALTY CORP** **UST FINDER** **1028568245**
WSW **2840 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.130 mi.
684 ft. **Site 5 of 8 in cluster K**

Relative: **Higher**

Actual: **42 ft.**

UST FINDER:

Object ID:	295829
Facility ID:	NY1373
Name:	2840 ATLANTIC AVE REALTY CORP
Address:	2840 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	1
Closed USTs:	0
TOS USTs:	0
Population 1500ft:	10126
Private Wells 1500ft:	6
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Open UST(s)

2840 ATLANTIC AVE REALTY CORP (Continued) **1028568245**

Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.8893619999999
Y Coord:	40.676092
Latitude:	40.676092
Longitude:	-73.889362

UST FINDER:

Object ID:	1202043
Facility ID:	NY1373
Tank ID:	NY1857
Tank Status:	Open
Installation Date:	1953/03/06 16:00:01+00
Removal Date:	Not reported
Tank Capacity:	5000
Substances:	Not reported
Tank Wall Type:	Not reported

K112 **EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE** **RCRA NonGen / NLR** **1027099649**
WSW **2840 ATLANTIC AVE** **E MANIFEST** **NYR000253294**
1/8-1/4 **BROOKLYN, NY 11207**
0.130 mi.
684 ft. **Site 6 of 8 in cluster K**

Relative:
Higher

Actual:
42 ft.

RCRA Listings:

Date Form Received by Agency:		20230727
Handler Name:		Empire State Dairy Llc - 2840 Atlantic Ave
Handler Address:		Atlantic Ave
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYR000253294
Contact Name:		SAM GOLDSTEIN
Contact Address:		14TH AVE STE 400
Contact City,State,Zip:		BROOKLYN, NY 11218
Contact Telephone:		718-417-1616
Contact Fax:		Not reported
Contact Email:		SAMG@BUSHBURG.COM
Contact Title:		OWNERS REPRESENTATIVE
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		14TH AVE STE 215
Mailing City,State,Zip:		BROOKLYN, NY 11218
Owner Name:	Empire State Dairy Llc	
Owner Type:		Private
Operator Name:	Empire State Dairy Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE (Continued) **1027099649**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20230727
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: EMPIRE STATE DAIRY LLC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3611 14TH AVE
Owner/Operator City,State,Zip:	BROOKLYN, NY 11218
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE (Continued) **1027099649**

Owner/Operator Indicator:	Operator
Owner/Operator Name: EMPIRE STATE DAIRY LLC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3611 14TH AVE
Owner/Operator City,State,Zip:	BROOKLYN, NY 11218
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: EMPIRE STATE DAIRY LLC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3611 14TH AVE
Owner/Operator City,State,Zip:	BROOKLYN, NY 11218
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: EMPIRE STATE DAIRY LLC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3611 14TH AVE
Owner/Operator City,State,Zip:	BROOKLYN, NY 11218
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: EMPIRE STATE DAIRY LLC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3611 14TH AVE
Owner/Operator City,State,Zip:	BROOKLYN, NY 11218
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: EMPIRE STATE DAIRY LLC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	3611 14TH AVE
Owner/Operator City,State,Zip:	BROOKLYN, NY 11218
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE (Continued) **1027099649**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: EMPIRE STATE DAIRY LLC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3611 14TH AVE
Owner/Operator City,State,Zip: BROOKLYN, NY 11218
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: EMPIRE STATE DAIRY LLC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 3611 14TH AVE
Owner/Operator City,State,Zip: BROOKLYN, NY 11218
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20230131
Handler Name: EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Yes
Electronic Manifest Broker: No

Receive Date: 20220922
Handler Name: EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20230727
Handler Name: EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE
Federal Waste Generator Description: Not a generator, verified

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE (Continued) **1027099649**

State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20211112
Handler Name: EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 453998
NAICS Description: All Other Miscellaneous Store Retailers (Except Tobacco Stores)

NAICS Code: 531110
NAICS Description: Lessors Of Residential Buildings And Dwellings

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

E MANIFEST:
Manifest Tracking Number: 023907545JJK
Last Updated Date: 20220225
Shipped Date: 20220125
Received Date: 20220125
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Service
Generator EPA ID: NYR000253294
Generator Name: Empire State Dairy Llc
Generator Location Street Number: Not reported
Generator Location Street 1: 2840 ATLANITIC AVE BCP NO. C224255
Generator Location Street 2: Not reported
Generator Location City: BROOKLYN
Generator Location State: NY
Generator Location Zip: 11207
Generator Mail Street Number: Not reported
Generator Mail Street 1: 3611 14TH AV, SUITE 215

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE (Continued) **1027099649**

Generator Mail Street 2:	Not reported
Generator Mail City:	BROOKLYN
Generator Mail Zip:	11218
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD002200046
Designated Facility Name:	Cycle Chem, Inc.
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	217 SOUTH FIRST STREET
Designated Facility Mail City:	ELIZABETH
Designated Facility Mail Zip:	07206
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	217 SOUTH FIRST STREET
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	ELIZABETH
Designated Facility Location Zip:	07206
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	023907573JJK
Last Updated Date:	20220225
Shipped Date:	20220127
Received Date:	20220127
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000253294
Generator Name:	Empire State Dairy Llc
Generator Location Street Number:	Not reported
Generator Location Street 1:	2840 ATLANITIC AVE BCP NO. C224255
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	3611 14TH AV, SUITE 215
Generator Mail Street 2:	Not reported
Generator Mail City:	BROOKLYN
Generator Mail Zip:	11218
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD002200046
Designated Facility Name:	Cycle Chem, Inc.
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	217 SOUTH FIRST STREET
Designated Facility Mail City:	ELIZABETH
Designated Facility Mail Zip:	07206
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	217 SOUTH FIRST STREET
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	ELIZABETH

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE (Continued) **1027099649**

Designated Facility Location Zip: 07206
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 023907573JJK
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 023907573JJK
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 023907573JJK
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services, Inc

Waste Line:
Manifest Tracking Number: 023907573JJK
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3077
U.S. DOT Description: Na3077, Hazardous Waste, Solid, N.O.S. (Contains Lead), 9 , Iii
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: CM
Container Type Description: Metal boxes, cartons, cases (including roll offs)
Waste Quantity: 38860
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 19.43
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 19.43
Waste Quantity, in Kilograms: 17623.594
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 17623.594
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE (Continued) **1027099649**

Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

K113 **CON EDISON - MANHOLE 18062** **NY Spills** **S118951596**
WSW **2840 ATLANTIC AVE** **NY MANIFEST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.130 mi.
684 ft. **Site 7 of 8 in cluster K**

Relative: **Higher**

Actual: **42 ft.**

SPILLS:

Name:	2840 ATLANTIC AVE LLC
Address:	2840 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1605901 / Not Reported
Facility ID:	1605901
Facility Type:	ER
DER Facility ID:	486471
Site ID:	532464
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	2401
Spill Date:	2016-09-12
Investigator:	SXSCHARF
Referred To:	Not reported
Reported to Dept:	2016-09-12
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	1
Date Entered In Computer:	2016-09-12
Spill Record Last Update:	2023-06-16
Spiller Name:	JASON HAYES
Spiller Company:	LANGAN
Spiller Address:	2849 ATLANTIC AVE
Spiller Company:	999
Contact Name:	JASON HAYES
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	06/16/2023: The 10,000 gallon No 4 fuel oil tanks has been removed. Soils down to 25 feet were removed and areas was capped off by a concrete slab. Monitoring and VEFR wells were installed. Site spill is in active remediation under the site management plan using VEFR technology. 9/13/16 TJD AH DDO left message for notifier (Jason Hayes) at Langan Engineering requesting callback with update and submission of all available reports and documentation associated

CON EDISON - MANHOLE 18062 (Continued) **S118951596**

with reported spill. Awaiting
requested information prior to spill assignment. 9/29/2016: Rashad
Address is actually 2840
Atlantic Ave, Langan has old Phase 2 that they will be sending us. The
property is currently vacant
and the property owner would like to redevelop and potentially get
into the BCP program. 2840
Atlantic Ave has an alternate address of 2840-2844 Atlantic Ave and
181-185 Schenck Avenue. No
additional spills found for site. PBS registration found for site,
PBS#2-064742, there is a 10,000
gallon #2 fuel oil AST in contact with soil, tank was installed in
1953. Received Phase 2 report,
review is as follows: Adjoining filling station 2880 Atlantic Ave has
an open spill on property.
Property has been used for industrial manufacturing. Numerous old and
deteriorated drums and other
containers were noted and an inactive 275 gallon AST of unknown
content was also noted. Dark
staining and an accumulation of wet, dark sediment was noted on the
floor within the east side of
the loading dock. Groundwater is anticipated to be at a depth of 25-35
feet below grade and
groundwater flows towards the southwest. 11 soil borings were advanced
to a max depth of 40 ftbgs.
10 soil samples and 2 groundwater samples were collected for analysis.
Two sub-slab soil vapor
samples and one ambient air sample within the property. A geophysical
survey was also conducted to
see in any abandoned USTs were on site. A 4x6 anomaly was located near
the Schenck Ave entrance in
the rear parking lot. A 5x6 anomaly in the south central portion of
the exterior parking lot was
also found. A vent pipe and abandoned remote fill was traced back to a
6x24 anomaly beneath the
loading dock floor. It should be noted that an additional groundwater
sample was to be collected
from SB-8 due to heavy contamination, presumed to be fuel oil, a
groundwater sample at SB-8
location was not feasible Based upon information collected from the
Phase 1 there was documented
impacted groundwater from an adjacent gasoline station just east if
the property on Atlantic Ave
across from Barbey Street. Soil exceedances are as follows: SB-8.2
37ft-38ft 1,2,4
Trimethylbenzene-5.10ppm, ethylbenzene-6.10ppm, vinyl
chloride-0.23ppm, xylene-3.90ppm. Groundwater
samples SB-1 and SB-2 had no VOCs however there were various SVOCs
above standards. Ambient air
readings were as follows: 1,2,4 Trimethylbenzene-6.10ug/m3,
2-butanone-11ug/m3, acetone-16ug/m3,
benzene-5.60ug/m3, chloromethane-2.30ug/m3, cyclohexane-3.40ug/m3,
dichlorodifluoromethane-2.40ug/m3, n-heptane-5.70ug/m3,
n-hexane-17ug/m3, xylene-25ug/m3,
tetrachloroethylene-2ug/m3, tetrahydrofuran-14ug/m3, toluene-26ug/m3,
trichloroethylene-0.14ug/m3,
trichlorofluromethane-1.30ug/m3. Soil Vapor sample 1: 1,2,4

CON EDISON - MANHOLE 18062 (Continued) **S118951596**

trimethylbenzene-120ug/m3,
2-butanone-15ug/m3, acetone-46ug/m3, benzene-15ug/m3,
n-heptane-26ug/m3, n-hexane-20ug/m3,
xylene-280ug/m3, PCE-15ug/m3, toluene-170ug/m3, TCE-41ug/m3. Sub Slab Vapor Sample 2: 1,2,4
trimethylbenzene-99ug/m3, acetone-24ug/m3, benzene-14ug/m3,
n-heptane-16ug/m3, n-hexane-18ug/m3,
xylene-230ug/m3, PCE-55ug/m3, toluene-140ug/m3, TCE-180ug/m3. In conclusions and recommendations by
Environmental Building Solutions in report they state: Additionally an existing groundwater
monitoring well located along Barbey Street was noted to have at least 1' of free product in the
well at a depth of 38 feet bgs, product appeared to be heating oil. 10/5/2016: Rashad Sent email to
Jason Hayes (jhayes@langan.com, 212-479-5427): Thank you for the report. Is a RAWP being created
for this site and is there any product recovery currently occurring? Thanks. 1/17/2017 Austin This
spill report is being transferred from Rashad Omar to Jennifer Kann end. 6/6/17: J.Kann - As per
Austin, spill reassigned to Lakhani. 06/12/17 - Lakhani According to the above Phase II, the sub
slab vapor samples have VOCs above indoor air mean values. Maximum PCE concentration is 55 ug/m3
and the maximum TCE concentration is 180 ug/m3. PCE falls within the no further action - take
reasonable and practical actions to identify source(s) and reduce exposure range and TCE falls
within the monitor - mitigate range. SB-8 soils indicate the presence of soil contamination.
Elevated concentrations of VOCs observed in these soils. Groundwater samples SB-1 and SB-2 had no
VOCs however there were various SVOCs above standards. 06/19/17 - Lakhani Langan Jason Hayes called
to inform that the property in question will be entering the State's Brownfield Program. 07/18/17 -
Lakhani As per DEC Scharf, case has been assigned to DEC Scharf.

Remarks: previous industrial operations historic. cleanup pending

All Materials:

Site ID:	532464
Operable Unit ID:	1281236
Operable Unit:	01
Material ID:	2286497
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Soil, Groundwater
Oxygenate:	Not reported

NY MANIFEST:

CON EDISON - MANHOLE 18062 (Continued) **S118951596**

EPA ID: NYR000253294
Country: USA
Name: Empire State Dairy Llc - 2840 Atlantic Ave
Address: 2840 ATLANTIC AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11207
Zip 4: Not reported
Location Address 1: 2840 ATLANTIC AVE
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Empire State Dairy Llc - 2840 Atlantic Ave
Mailing Contact: Sam Goldstein
Mailing Address 1: 14TH AVE STE 215
Mailing Address 2: Not reported
Mailing City,State,Zip: BROOKLYN, NY 11218
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7184171616

EPA ID: NYP004942817
Country: USA
Name: Con Edison - Manhole 18062
Address: 2840 ATLANTIC AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11207
Zip 4: Not reported
Location Address 1: 2840 ATLANTIC AVE
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison - Manhole 18062
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PL 15TH FL NE
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

K114 **2840 ATLANTIC AVENUE** **NY ENG CONTROLS** **S120706216**
WSW **2840 ATLANTIC AVENUE** **NY INST CONTROL** **N/A**
1/8-1/4 **BROOKLYN, NY 11207** **NY BROWNFIELDS**
0.130 mi. **NY NYC LAND USE**
684 ft. **Site 8 of 8 in cluster K**

Relative:
Higher

Actual:
42 ft.

ENG CONTROLS:

Name:	2840 ATLANTIC AVENUE
Address:	2840 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Site Code:	544636
HW Code:	C224255
Control Code:	15
Control Type:	ENG
Date Record Added:	11/29/2022
Date Rec Updated:	10/21/2024
Updated By:	SXSCHARF
Site Description:	Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem:	Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's

2840 ATLANTIC AVENUE (Continued) **S120706216**

and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2020-08-24 08:59:00
Record Upd:	2022-12-29 13:34:00
Updated By:	SXSCHARF
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Public Library - New Lots Branch
Owner Address:	665 New Lots Avenue at Barbey Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11207
Owner Country:	United States of America
Own Op:	1
Sub Type:	E
Owner Name:	shalom Laine/Sam Goldstein
Owner Company:	Empire State Dairy LLC
Owner Address:	3611 14TH AVENUE
Owner Addr2:	suite 215
Owner City,St,Zip:	brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	6
Sub Type:	P03
Owner Name:	shalom Laine

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Company:	Empire State Dairy LLC
Owner Address:	3611 14th Avenue
Owner Addr2:	suite 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Community Board 5
Owner Address:	404 Pine Street, 3rd Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
Own Op:	6
Sub Type:	09
Owner Name:	Abraham Hoffman
Owner Company:	HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address:	3611 14th Avenue
Owner Addr2:	SUITE 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	6
Sub Type:	09
Owner Name:	Shalom Laine
Owner Company:	2840 Atlantic LLC
Owner Address:	3611 14th Avenue
Owner Addr2:	suite 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
HW Code:	C224255
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	arsenic
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	lead
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	o-xylene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported

2840 ATLANTIC AVENUE (Continued) **S120706216**

HW Code:	C224255
Waste Type:	chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	PCB aroclor 1254
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	naphthalene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	DDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2-064742
Cross Ref Type Code:	18
Cross Ref Type:	PBS No.
Record Added Date:	2021-03-29 11:12:00
Record Updated:	2021-03-29 11:12:00
Updated By:	LXZIELIN
Crossref ID:	100
Cross Ref Type Code:	21
Cross Ref Type:	Environmental Zone
Record Added Date:	2022-11-18 13:57:00
Record Updated:	2022-11-18 13:57:00
Updated By:	SXSCHARF
Crossref ID:	C224255-11-17
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2022-11-18 14:45:00
Record Updated:	2022-11-18 14:45:00
Updated By:	SXSCHARF
Crossref ID:	2018-04-16
Cross Ref Type Code:	26
Cross Ref Type:	Agreement/Consent Order Date
Record Added Date:	2022-11-18 14:45:00
Record Updated:	2022-11-18 14:45:00
Updated By:	SXSCHARF
Crossref ID:	1605901
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	2019-03-06 15:19:00
Record Updated:	2019-03-06 15:19:00
Updated By:	RDDECAND
Crossref ID:	2022000456068
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier

2840 ATLANTIC AVENUE (Continued) **S120706216**

Record Added Date:	2022-12-22 10:25:00
Record Updated:	2022-12-22 10:25:00
Updated By:	SXSCHARF
Name:	2840 ATLANTIC AVENUE
Address:	2840 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Site Code:	544636
HW Code:	C224255
Control Code:	36
Control Type:	ENG
Date Record Added:	11/29/2022
Date Rec Updated:	10/21/2024
Updated By:	SXSCHARF
Site Description:	Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem:	Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at

2840 ATLANTIC AVENUE (Continued) **S120706216**

SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2020-08-24 08:59:00
Record Upd:	2022-12-29 13:34:00
Updated By:	SXSCHARF
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Public Library - New Lots Branch
Owner Address:	665 New Lots Avenue at Barbey Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11207
Owner Country:	United States of America
Own Op:	1
Sub Type:	E
Owner Name:	shalom Laine/Sam Goldstein
Owner Company:	Empire State Dairy LLC
Owner Address:	3611 14TH AVENUE
Owner Addr2:	suite 215
Owner City,St,Zip:	brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	6
Sub Type:	P03
Owner Name:	shalom Laine
Owner Company:	Empire State Dairy LLC

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Address:	3611 14th Avenue
Owner Addr2:	suite 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Community Board 5
Owner Address:	404 Pine Street, 3rd Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
Own Op:	6
Sub Type:	09
Owner Name:	Abraham Hoffman
Owner Company:	HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address:	3611 14th Avenue
Owner Addr2:	SUITE 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	6
Sub Type:	09
Owner Name:	Shalom Laine
Owner Company:	2840 Atlantic LLC
Owner Address:	3611 14th Avenue
Owner Addr2:	suite 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
HW Code:	C224255
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	arsenic
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	lead
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	o-xylene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Type:	chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	PCB aroclor 1254
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	naphthalene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	DDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2-064742
Cross Ref Type Code:	18
Cross Ref Type:	PBS No.
Record Added Date:	2021-03-29 11:12:00
Record Updated:	2021-03-29 11:12:00
Updated By:	LXZIELIN
Crossref ID:	100
Cross Ref Type Code:	21
Cross Ref Type:	Environmental Zone
Record Added Date:	2022-11-18 13:57:00
Record Updated:	2022-11-18 13:57:00
Updated By:	SXSCHARF
Crossref ID:	C224255-11-17
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2022-11-18 14:45:00
Record Updated:	2022-11-18 14:45:00
Updated By:	SXSCHARF
Crossref ID:	2018-04-16
Cross Ref Type Code:	26
Cross Ref Type:	Agreement/Consent Order Date
Record Added Date:	2022-11-18 14:45:00
Record Updated:	2022-11-18 14:45:00
Updated By:	SXSCHARF
Crossref ID:	1605901
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	2019-03-06 15:19:00
Record Updated:	2019-03-06 15:19:00
Updated By:	RDDECAND
Crossref ID:	2022000456068
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2022-12-22 10:25:00

2840 ATLANTIC AVENUE (Continued) **S120706216**

Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

INST CONTROL:
Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: Soil Management Plan
HW Code: C224255
Control Code: 14
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results-

2840 ATLANTIC AVENUE (Continued) **S120706216**

Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14TH AVENUE
Owner Addr2: suite 215
Owner City,St,Zip: brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: P03

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity: UNKNOWN

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901
Cross Ref Type Code: 11
Cross Ref Type: Spill No.
Record Added Date: 2019-03-06 15:19:00
Record Updated: 2019-03-06 15:19:00
Updated By: RDDECAND
Crossref ID: 2022000456068
Cross Ref Type Code: 25

2840 ATLANTIC AVENUE (Continued) **S120706216**

Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: IC/EC Plan
HW Code: C224255
Control Code: 34
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4

2840 ATLANTIC AVENUE (Continued) **S120706216**

fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14TH AVENUE
Owner Addr2: suite 215
Owner City,St,Zip: brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6

2840 ATLANTIC AVENUE (Continued) **S120706216**

Sub Type: P03
Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 2019-03-06 15:19:00
Record Updated: 2019-03-06 15:19:00
Updated By: RDDECAND
Crossref ID: 2022000456068

2840 ATLANTIC AVENUE (Continued) **S120706216**

Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: Site Management Plan
HW Code: C224255
Control Code: 32
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These

2840 ATLANTIC AVENUE (Continued) **S120706216**

metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14TH AVENUE
Owner Addr2: suite 215
Owner City,St,Zip: brooklyn, NY 11218
Owner Country: United States of America

2840 ATLANTIC AVENUE (Continued) **S120706216**

Own Op: 6
Sub Type: P03
Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 2019-03-06 15:19:00
Record Updated: 2019-03-06 15:19:00
Updated By: RDDECAND

2840 ATLANTIC AVENUE (Continued) **S120706216**

Crossref ID: 2022000456068
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: Environmental Easement
HW Code: C224255
Control Code: J
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at

2840 ATLANTIC AVENUE (Continued) **S120706216**

concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14TH AVENUE
Owner Addr2: suite 215
Owner City,St,Zip: brooklyn, NY 11218

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Country: United States of America
Own Op: 6
Sub Type: P03
Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene
Waste Quantity: UNKNOWN
Waste Code: Not reported

2840 ATLANTIC AVENUE (Continued) **S120706216**

HW Code: C224255
Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 2019-03-06 15:19:00
Record Updated: 2019-03-06 15:19:00

2840 ATLANTIC AVENUE (Continued) **S120706216**

Updated By: RDDECAND
Crossref ID: 2022000456068
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: Landuse Restriction
HW Code: C224255
Control Code: 25
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil

2840 ATLANTIC AVENUE (Continued) **S120706216**

and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14TH AVENUE
Owner Addr2: suite 215

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner City,St,Zip: brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: P03
Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene
Waste Quantity: UNKNOWN

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Code: Not reported
HW Code: C224255
Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901
Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 2019-03-06 15:19:00

2840 ATLANTIC AVENUE (Continued) **S120706216**

Record Updated: 2019-03-06 15:19:00
Updated By: RDDECAND
Crossref ID: 2022000456068
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: O&M Plan
HW Code: C224255
Control Code: 33
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at

2840 ATLANTIC AVENUE (Continued) **S120706216**

a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14TH AVENUE

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Addr2: suite 215
Owner City,St,Zip: brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: P03
Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901
Cross Ref Type Code: 01
Cross Ref Type: Spill No.

2840 ATLANTIC AVENUE (Continued) **S120706216**

Record Added Date: 2019-03-06 15:19:00
Record Updated: 2019-03-06 15:19:00
Updated By: RDDECAND
Crossref ID: 2022000456068
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: Ground Water Use Restriction
HW Code: C224255
Control Code: 08
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in

2840 ATLANTIC AVENUE (Continued) **S120706216**

sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein
Owner Company: Empire State Dairy LLC

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Address: 3611 14TH AVENUE
Owner Addr2: suite 215
Owner City,St,Zip: brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: P03
Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Type: benzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901
Cross Ref Type Code: 01

2840 ATLANTIC AVENUE (Continued) **S120706216**

Cross Ref Type: Spill No.
Record Added Date: 2019-03-06 15:19:00
Record Updated: 2019-03-06 15:19:00
Updated By: RDDECAND
Crossref ID: 2022000456068
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

Name: 2840 ATLANTIC AVENUE
Address: 2840 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 11207
Site Code: 544636
Control Name: Monitoring Plan
HW Code: C224255
Control Code: 31
Control Type: INST
Dt record added: 11/29/2022
Dt rec updated: 10/21/2024
Updated By: SXSCHARF
Site Code: 544636
Site Description: Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem: Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at

2840 ATLANTIC AVENUE (Continued) **S120706216**

concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem: Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2020-08-24 08:59:00
Record Upd: 2022-12-29 13:34:00
Updated By: SXSCHARF
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Public Library - New Lots Branch
Owner Address: 665 New Lots Avenue at Barbey Street
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11207
Owner Country: United States of America
Own Op: 1
Sub Type: E
Owner Name: shalom Laine/Sam Goldstein

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Company: Empire State Dairy LLC
Owner Address: 3611 14TH AVENUE
Owner Addr2: suite 215
Owner City,St,Zip: brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: P03
Owner Name: shalom Laine
Owner Company: Empire State Dairy LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Brooklyn Community Board 5
Owner Address: 404 Pine Street, 3rd Floor
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11208
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Abraham Hoffman
Owner Company: HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address: 3611 14th Avenue
Owner Addr2: SUITE 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
Own Op: 6
Sub Type: 09
Owner Name: Shalom Laine
Owner Company: 2840 Atlantic LLC
Owner Address: 3611 14th Avenue
Owner Addr2: suite 215
Owner City,St,Zip: Brooklyn, NY 11218
Owner Country: United States of America
HW Code: C224255
Waste Type: trichloroethene (TCE)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: arsenic
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: lead
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: o-xylene
Waste Quantity: UNKNOWN
Waste Code: Not reported

2840 ATLANTIC AVENUE (Continued) **S120706216**

HW Code: C224255
Waste Type: benzene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: chrysene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: pyrene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: PCB aroclor 1254
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: benzo(a)anthracene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: naphthalene
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: C224255
Waste Type: DDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: 2-064742
Cross Ref Type Code: 18
Cross Ref Type: PBS No.
Record Added Date: 2021-03-29 11:12:00
Record Updated: 2021-03-29 11:12:00
Updated By: LXZIELIN
Crossref ID: 100
Cross Ref Type Code: 21
Cross Ref Type: Environmental Zone
Record Added Date: 2022-11-18 13:57:00
Record Updated: 2022-11-18 13:57:00
Updated By: SXSCHARF
Crossref ID: C224255-11-17
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 2018-04-16
Cross Ref Type Code: 26
Cross Ref Type: Agreement/Consent Order Date
Record Added Date: 2022-11-18 14:45:00
Record Updated: 2022-11-18 14:45:00
Updated By: SXSCHARF
Crossref ID: 1605901

2840 ATLANTIC AVENUE (Continued) **S120706216**

Cross Ref Type Code: 01
Cross Ref Type: Spill No.
Record Added Date: 2019-03-06 15:19:00
Record Updated: 2019-03-06 15:19:00
Updated By: RDDECAND
Crossref ID: 2022000456068
Cross Ref Type Code: 25
Cross Ref Type: County Recording Identifier
Record Added Date: 2022-12-22 10:25:00
Record Updated: 2022-12-22 10:25:00
Updated By: SXSCHARF

BROWNFIELDS:

Name:	2840 ATLANTIC AVENUE
Address:	2840 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Program:	BCP
Site Code:	544636
Acres:	1.001
HW Code:	C224255
SWIS:	2401
Town:	New York City
Record Added Date:	04/03/2017
Record Updated Date:	08/16/2024
Update By:	JBSWARTO
Site Description:	Location: The 2840 Atlantic Avenue Site is located in an urban area of Brooklyn with a mix of industrial, commercial, and residential buildings. The site is comprised, with the addition of two extra lots through a Brownfield cleanup Agreement amendment, of three contiguous parcels identified now joined as Block 3964 Lots 8 and is located on the south side of Atlantic Avenue, the east side of Schenck Avenue, and the west side of Barbey Street. The approximate site area is 43,600 square feet. Site Features: The 1.0009-acre site is currently developed with a three-story former industrial building that is a historic landmark and is currently undergoing renovation on the northern portion of the site. The rear portion of the site structure that is not part of the historic landmark was demolished and is now the location of the new apartment complex. A 5,000-gallon No. 4 fuel oil underground storage tank, originally closed in-place has since been removed. Current Zoning and Land Use: The site is zoned for manufacturing(M1-4) and residential uses (R6A and R8A) and is currently vacant. The surrounding area consists of commercial, industrial, and residential buildings. The new construction for affordable housing is now complete. Past Use of the Site: The earliest identified use of the site included a lumber yard, retail buildings, and residences in 1887. The existing structures were constructed circa 1908 and expanded in 1914 / 1915. The property was operated as a dairy and food product manufacturing facility from at least 1908 to the mid to late 1970s. The site was operated as a plastics and floor tile products manufacturing facility from the 1980s until 2016. Site Geology and Hydrogeology: Subsurface soils at the site consist of brown sands, gravel, and silts. Bedrock was not encountered to a depth of 40 feet below land surface (BLS). Groundwater was encountered between 35 feet BLS and 40 feet BLS. The groundwater flow direction at the site is towards the southwest.
Env Problem:	Soil Boring Sampling Results- Soil sample results from all soil borings were compared to the NYSDEC Part 375 Unrestricted use soil

2840 ATLANTIC AVENUE (Continued) **S120706216**

cleanup objectives (UUSCO s). Several volatile organic compounds (VOCs), and semi-volatile organic compounds (SVOCs) were detected at concentrations above their respective NYSDEC Part 375 UUSCOs in sample SB-8.2, from approximately 37-38 below ground surface (bgs) at a location just east of the 20,000-gallon heating oil UST, fuel oil and several metals from borings SB-7 & SB-9 were detected at concentrations above their respective NYSDEC Part 375 UUSCOs. These metals included lead, zinc, and mercury. Pure product in number 4 fuel oil was also found in this area. Groundwater Sampling Results- Based upon review of the groundwater analytical laboratory data VOC's and semi-VOCs were detected in the groundwater sample collected at SB-1 and the SB-5 location. In addition, fuel oil was also detected within the area of the leaking underground storage tank. Emerging Contaminant Results- Per- and polyfluoroalkyl substances (PFAS): PFAS compounds were detected fairly ubiquitously in the upgradient and downgradient onsite monitoring wells. PFOA concentrations ranged from 27.3 to 91.6 ng/l and PFOS concentrations ranged from 1.21 to 19.3 ng/l. Groundwater analytical results for 1, 4 Dioxane were all non-detect. Soil Vapor Sampling Results- Based upon the analytical laboratory data, the presence of petroleum-related and solvent-related vapors were confirmed in the subsurface and ambient air at concentrations above their respective NYSDOH 25th and/or 75th percentile concentrations for Indoor Air. These compounds included 1,2,4-trimethylbenzene, 2-butanone, acetone, benzene, chloromethane, cyclohexane, dichlorodifluoromethane, n-heptane, n-hexane, p&m xylenes, PCE, tetrahydrofuran, toluene, TCE, and trichlorofluoromethane (Freon 11). Current Status: Implementation of the remedial design, found in the Remedial Action Work Plan (RAWP) and codified in the Decision Document, detailing the remedial action that began fall 2021 is now complete and the site has been redeveloped. The project is now in the site management phase for the ongoing Vaccuum enhanced fluid recovery (VEFR) and sub-slab depressurization (SSD) systems.

Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with contamination remaining at the site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2020-08-24 08:59:00
Record Upd:	2022-12-29 13:34:00
Updated By:	SXSCHARF
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Public Library - New Lots Branch
Owner Address:	665 New Lots Avenue at Barbey Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11207
Owner Country:	United States of America
Own Op:	1

2840 ATLANTIC AVENUE (Continued) **S120706216**

Sub Type:	E
Owner Name:	shalom Laine/Sam Goldstein
Owner Company:	Empire State Dairy LLC
Owner Address:	3611 14TH AVENUE
Owner Addr2:	suite 215
Owner City,St,Zip:	brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	6
Sub Type:	P03
Owner Name:	shalom Laine
Owner Company:	Empire State Dairy LLC
Owner Address:	3611 14th Avenue
Owner Addr2:	suite 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Community Board 5
Owner Address:	404 Pine Street, 3rd Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
Own Op:	6
Sub Type:	09
Owner Name:	Abraham Hoffman
Owner Company:	HP Brooklyn Dairy Housing Development Fund Company, Inc.
Owner Address:	3611 14th Avenue
Owner Addr2:	SUITE 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
Own Op:	6
Sub Type:	09
Owner Name:	Shalom Laine
Owner Company:	2840 Atlantic LLC
Owner Address:	3611 14th Avenue
Owner Addr2:	suite 215
Owner City,St,Zip:	Brooklyn, NY 11218
Owner Country:	United States of America
HW Code:	C224255
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	arsenic
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	polycyclic aromatic hydrocarbons (PAHS), total
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	lead
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	o-xylene

2840 ATLANTIC AVENUE (Continued) **S120706216**

Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzene, toluene, ethylbenzene and xylenes (BTEX)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	PCB aroclor 1254
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	naphthalene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224255
Waste Type:	DDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2-064742
Cross Ref Type Code:	18
Cross Ref Type:	PBS No.
Record Added Date:	2021-03-29 11:12:00
Record Updated:	2021-03-29 11:12:00
Updated By:	LXZIELIN
Crossref ID:	100
Cross Ref Type Code:	21
Cross Ref Type:	Environmental Zone
Record Added Date:	2022-11-18 13:57:00
Record Updated:	2022-11-18 13:57:00
Updated By:	SXSCHARF
Crossref ID:	C224255-11-17
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2022-11-18 14:45:00
Record Updated:	2022-11-18 14:45:00
Updated By:	SXSCHARF
Crossref ID:	2018-04-16
Cross Ref Type Code:	26
Cross Ref Type:	Agreement/Consent Order Date
Record Added Date:	2022-11-18 14:45:00
Record Updated:	2022-11-18 14:45:00

2840 ATLANTIC AVENUE (Continued) **S120706216**

Updated By:	SXSCHARF
Crossref ID:	1605901
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	2019-03-06 15:19:00
Record Updated:	2019-03-06 15:19:00
Updated By:	RDDECAND
Crossref ID:	2022000456068
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2022-12-22 10:25:00
Record Updated:	2022-12-22 10:25:00
Updated By:	SXSCHARF

NYC LAND USE:

Name:	Not reported
Address:	2840 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6764036
Longitude:	-73.8889353
Type Of Ownership Code:	Not reported
Owner Name:	EMPIRE STATE DAIRY LLC
Borough:	BK
Tax Block:	3964
Tax Lot:	8
Community District:	305
Census Tract 2020:	3119800
Census Block 2020:	31198003007
Census Tract 2010:	1198
Census Block 2010:	3007
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	M1-4/R8A: Mixed Manufacturing & Residential Districts
Zoning District 2:	M1-4/R6A: Mixed Manufacturing & Residential Districts
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	MX-16
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Y
Building Class:	D6: Elevator Apartments - Fireproof With Stores
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	43648
Total Building Floor Area:	323953
Commercial Floor Area:	78696
Residential Floor Area:	222478

2840 ATLANTIC AVENUE (Continued) **S120706216**

Office Floor Area:	52520
Retail Floor Area:	4376
Garage Floor Area:	21800
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	14.0000000
Residential Units:	640
Total Units:	642
Lot Frontage:	200.6700000
Lot Depth:	235.0000000
Building Frontage:	200.0000000
Building Depth:	235.0000000
Extension Code:	Not reported
Proximity Code:	2
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	785700.00000
Assessed Total Value:	4321688.00000
Exempt Total Value:	0.00000
Year Built:	1921
Year Altered 1:	0
Year Altered 2:	2021
Historic District Name:	Individual Landmark
Landmark Status:	INDIVIDUAL LANDMARK
Built Floor Area Ratio:	7.42000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	2.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039640008.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1015057
Y Coordinate:	185728
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 003
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	3039640008.00000000
Apportionment Date:	07/18/2018
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported
Name:	Not reported
Address:	2840 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	Not reported
Longitude:	Not reported
Type Of Ownership Code:	X

2840 ATLANTIC AVENUE (Continued) **S120706216**

Owner Name:	EMPIRE STATE DAIRY LLC
Borough:	BK
Tax Block:	3964
Tax Lot:	7501
Community District:	Not reported
Census Tract 2020:	Not reported
Census Block 2020:	Not reported
Census Tract 2010:	Not reported
Census Block 2010:	Not reported
School District:	Not reported
City Council District:	Not reported
Fire Company:	Not reported
Police Precinct:	Not reported
Health Center District:	Not reported
Health Area:	Not reported
Sanitation District Boro:	Not reported
Sanitation District Number:	Not reported
Sanitation Subsection:	Not reported
Zoning District 1:	Not reported
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Not reported
Building Class:	R0: Condominiums - Condo Billing Lot
Land Use Category:	Not reported
Number Of Easements:	0
Lot Area:	43648
Total Building Floor Area:	658000
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	5
Number Of Buildings:	1
Number Of Floors:	14.0000000
Residential Units:	Not reported
Total Units:	Not reported
Lot Frontage:	200.6700000
Lot Depth:	235.0000000
Building Frontage:	200.0000000
Building Depth:	235.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	0
Basement Type/Grade:	5
Assessed Land Value:	0.00000

2840 ATLANTIC AVENUE (Continued) **S120706216**

Assessed Total Value:	0.00000
Exempt Total Value:	0.00000
Year Built:	1921
Year Altered 1:	0
Year Altered 2:	2021
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	15.08000000000
Maximum Allowable Residential Far:	0.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	0.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039647501.00000000
Condominium Number:	5863
Census Tract 2:	Not reported
X Coordinate:	Not reported
Y Coordinate:	Not reported
Zoning Map #:	Not reported
Zoning Map Code:	Not reported
Sanborn Map #:	Not reported
Tax Map #:	Not reported
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	2
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

G115 **DEVELOPMENT PROPERTY** **NY UST** **U003800456**
SW **584-600 LIBERTY AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.131 mi.
693 ft. **Site 5 of 7 in cluster G**

Relative:
Higher

Actual:
41 ft.

UST:

Name:	DEVELOPMENT PROPERTY
Address:	584-600 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-606824 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	593964.49168
UTM Y:	4503276.11788
Site Type:	Other

Affiliation Records:

Site Id:	28679
Affiliation Type:	Facility Operator
Company Name:	NEW LIBERTY BEER & SODA CORP.
Contact Type:	Not reported
Contact Name:	BOAZ SHOLARCHIK
Address1:	Not reported
Address2:	Not reported
City:	Not reported

DEVELOPMENT PROPERTY (Continued) **U003800456**

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 206-0550
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2006-04-06

Site Id: 28679
Affiliation Type: Emergency Contact
Company Name: AUTUMN EQUITIES, LLC
Contact Type: Not reported
Contact Name: BOAZ SHOLARCHIK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 206-0550
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2006-04-06

Site Id: 28679
Affiliation Type: Mail Contact
Company Name: AUTUMN EQUITIES, LLC
Contact Type: MEMBER
Contact Name: BOAZ SHOLARCHIK
Address1: 87-20 139TH STREET
Address2: Not reported
City: JAMAICA
State: NY
Zip Code: 11435
Country Code: 001
Phone: (718) 206-0550
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2006-04-06

Site Id: 28679
Affiliation Type: Facility Owner
Company Name: AUTUMN EQUITIES, LLC
Contact Type: MEMBER
Contact Name: BOAZ SHOLARCHIK
Address1: 87-20 139TH STREET
Address2: Not reported
City: JAMAICA
State: NY
Zip Code: 11435
Country Code: 001
Phone: (718) 206-0550
EMail: Not reported
Fax Number: Not reported

DEVELOPMENT PROPERTY (Continued) **U003800456**

Modified By: KXTANG
Date Last Modified: 2006-04-06

Tank Info:

Tank Number: 01
Tank ID: 61915
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/01/2001
Registered: True
Tank Location: Underground
Tank Type: Concrete
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number: 02
Tank ID: 61916
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 08/01/2001
Registered: True
Tank Location: Underground
Tank Type: Concrete
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

DEVELOPMENT PROPERTY (Continued) **U003800456**

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number:	03
Tank ID:	61917
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	08/01/2001
Registered:	True
Tank Location:	Underground
Tank Type:	Concrete
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number:	04
Tank ID:	61918
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	08/01/2001
Registered:	True
Tank Location:	Underground
Tank Type:	Concrete
Material Code:	0009
Common Name of Substance:	Gasoline

DEVELOPMENT PROPERTY (Continued) **U003800456**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number: 05
Tank ID: 61919
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: Not reported
Date Tank Closed: 08/01/2001
Registered: True
Tank Location: Underground
Tank Type: Concrete
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number: 06
Tank ID: 61920
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: Not reported
Date Tank Closed: 08/01/2001

DEVELOPMENT PROPERTY (Continued) **U003800456**

Registered: True
Tank Location: Underground
Tank Type: Concrete
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number: 07
Tank ID: 61921
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 4000
Install Date: Not reported
Date Tank Closed: 08/01/2001
Registered: True
Tank Location: Underground
Tank Type: Concrete
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None

Tank Number: 10

DEVELOPMENT PROPERTY (Continued) **U003800456**

Tank ID:	210906
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	01/31/2006
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground

Tank Number:	11
Tank ID:	210907
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	01/31/2006
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

C02 - Pipe Location - Underground/On-ground

Tank Number:	12
Tank ID:	210908
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	01/31/2006
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009

DEVELOPMENT PROPERTY (Continued) **U003800456**

Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:
C02 - Pipe Location - Underground/On-ground

Tank Number: 8
Tank ID: 210904
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 01/31/2006
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:
C02 - Pipe Location - Underground/On-ground

Tank Number: 9
Tank ID: 210905
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 01/31/2006
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:
C02 - Pipe Location - Underground/On-ground

G116 **DEVELOPMENT PROPERTY** **UST FINDER** **1028574022**
SW **584-600 LIBERTY AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.131 mi.
693 ft. **Site 6 of 7 in cluster G**

Relative:
Higher

Actual:
41 ft.

UST FINDER:

Object ID:	295785
Facility ID:	NY28679
Name:	DEVELOPMENT PROPERTY
Address:	584-600 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	12
TOS USTs:	0
Population 1500ft:	9824
Private Wells 1500ft:	18
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	No
WHPA PWS Facility ID:	Not reported
WHPA Water Type:	Not reported
WHPA Facility Type:	Not reported
WHPA HUC12:	Not reported
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.888179
Y Coord:	40.675017
Latitude:	40.675017
Longitude:	-73.888179

UST FINDER:

Object ID:	1225887
Facility ID:	NY28679
Tank ID:	NY32968
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	4000
Substances:	Not reported
Tank Wall Type:	Not reported

Object ID:	1225888
Facility ID:	NY28679
Tank ID:	NY33629
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	550
Substances:	Not reported
Tank Wall Type:	Not reported

DEVELOPMENT PROPERTY (Continued) **1028574022**

Object ID: 1225889
Facility ID: NY28679
Tank ID: NY33630
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225890
Facility ID: NY28679
Tank ID: NY33631
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225891
Facility ID: NY28679
Tank ID: NY33632
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225892
Facility ID: NY28679
Tank ID: NY34458
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225893
Facility ID: NY28679
Tank ID: NY35902
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225894
Facility ID: NY28679
Tank ID: NY36249
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550

DEVELOPMENT PROPERTY (Continued) **1028574022**

Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225895
Facility ID: NY28679
Tank ID: NY112216
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225896
Facility ID: NY28679
Tank ID: NY112217
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225897
Facility ID: NY28679
Tank ID: NY112218
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1225898
Facility ID: NY28679
Tank ID: NY112219
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

M117 **CON EDISON/ ATTN: BROOKLYN ENVIRONMENTAL OPS** **E MANIFEST** **1031619803**
NW **2874 FULTON STREET** **N/A**
1/8-1/4 **BROOKLYN, NY 10462**
0.135 mi.
713 ft. **Site 1 of 11 in cluster M**

Relative: **Higher**
Actual: **39 ft.**

E MANIFEST:
Manifest Tracking Number: 006874544GBF
Last Updated Date: 20210930
Shipped Date: 20210910
Received Date: 20210916
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Service

CON EDISON/ ATTN: BROOKLYN ENVIRONMENTAL OPS (Continued) **1031619803**

Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/ Attn: Brooklyn Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	2874 FULTON STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	10462
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	co/ACV Enviro 1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006874544GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	006874544GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	006874544GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	006874544GBF

CON EDISON/ ATTN: BROOKLYN ENVIRONMENTAL OPS (Continued) **1031619803**

Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Rq, Na3082, Hazardous Waste, Liquid N.O.S.(Lead), 9, Pg Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

L118 **NY LTANKS S102672684**
North **2942 FULTON STREET** **NY NYC LAND USE N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.135 mi.
713 ft. **Site 2 of 3 in cluster L**

Relative: LTANKS:
Lower

Actual:
33 ft.

Name:	2942 FULTON STREET
Address:	2942 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9411155 / 1994-11-21
Facility ID:	9411155
Site ID:	256827
Spill Date:	1994-11-21
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C4
Cleanup Ceased:	1994-11-21
SWIS:	2401
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1994-11-21
CID:	Not reported
Water Affected:	Not reported

(Continued) **S102672684**

Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-12-13
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	210310
Latitude:	40.6794102
Longitude:	-73.8861359
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG
Remarks:	TANK WAS FULL WHEN DELIVERY ATTEMPTED-OIL SPILLED ON SIDEWALK. NO STORM DRAIN

All Materials:

Site ID:	256827
Operable Unit ID:	1009020
Operable Unit:	01
Material ID:	377017
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	2942 FULTON ST
Address:	2942 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9411203 / 1994-11-22
Facility ID:	9411203
Site ID:	190755
Spill Date:	1994-11-21
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	1994-11-22
SWIS:	2401
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1994-11-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Affected Persons

(Continued) **S102672684**

Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-12-13
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU OIL
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	210310
Latitude:	40.6794102
Longitude:	-73.8861359
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG
Remarks:	WHEN THE DRIVER MADE THE DELIVERY HE FILLED TANK TOO FULL & IT SPILLED ONTO CONCRETE FLOOR- SPEEDY DRY USED TO CLEANUP-NO CALL BACK

All Materials:

Site ID:	190755
Operable Unit ID:	1005020
Operable Unit:	01
Material ID:	377065
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2942 FULTON STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6792554
Longitude:	-73.8861004
Type Of Ownership Code:	Not reported
Owner Name:	RAJCOOAR, NANCOOAR
Borough:	BK
Tax Block:	3953
Tax Lot:	22
Community District:	305
Census Tract 2020:	3117000
Census Block 2020:	31170001001
Census Tract 2010:	1170
Census Block 2010:	1001
School District:	19
City Council District:	37

(Continued) **S102672684**

Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R6B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-6
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	S2: Residence - Multiple Use - Primarily Two Family With One Store Or Office
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	1763
Total Building Floor Area:	3318
Commercial Floor Area:	1106
Residential Floor Area:	2212
Office Floor Area:	0
Retail Floor Area:	1106
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	3.0000000
Residential Units:	2
Total Units:	3
Lot Frontage:	19.1500000
Lot Depth:	92.1200000
Building Frontage:	19.1500000
Building Depth:	59.0000000
Extension Code:	N
Proximity Code:	3
Irregular Lot Code:	Y
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	10080.00000
Assessed Total Value:	41880.00000
Exempt Total Value:	0.00000
Year Built:	1920
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.88000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000

(Continued) **S102672684**

Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039530022.00000000
Condominium Number:	Not reported
Census Tract 2:	1170
X Coordinate:	1015842
Y Coordinate:	186768
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 011
Tax Map #:	31302
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

M119 **CON EDISON** **RCRA NonGen / NLR** **1019906316**
NW **2870 FULTON ST** **FINDS** **NYP004819714**
1/8-1/4 **BROOKLYN, NY 11207** **ECHO**
0.137 mi.
724 ft. **Site 2 of 11 in cluster M**

Relative: **Higher**
Actual: **40 ft.**

RCRA Listings:

Date Form Received by Agency:	20150806
Handler Name:	Con Edison
Handler Address:	Fulton St
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004819714
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name: Not reported	
Owner Type:	Not reported
Operator Name: Not reported	
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No

CON EDISON (Continued) **1019906316**

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160909
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20150806
Handler Name: CON EDISON	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150806
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No

CON EDISON (Continued) **1019906316**

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110069648812

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1019906316
Registry ID:	110069648812

DFR URL:

Name:	CON EDISON
Address:	2870 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207

M120 **CON EDISON** **NJ MANIFEST** **S120675082**
NW **2870 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.137 mi.
724 ft. **Site 3 of 11 in cluster M**

Relative:
Higher

Actual:
40 ft.

NJ MANIFEST:

EPA ID:	NYP004819714
Name:	CON EDISON
Address:	2870 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207
County:	Not reported
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003

CON EDISON (Continued) **S120675082**

Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004819714
Manifest Number:	014472972JJK
Date Shipped:	8/6/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

M121 **CON EDISON** **NY MANIFEST** **S119077066**
NW **2870 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.137 mi.
724 ft. **Site 4 of 11 in cluster M**

Relative:
Higher

Actual:
40 ft.

NY MANIFEST:

EPA ID:	NYP004819714
Country:	USA
Name:	Con Edison
Address:	2870 FULTON ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	OPP 2870 FULTON ST
Location Address 2:	SB 21056
Location City,State,Zip:	BROOKLYN, NY
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Dennis Huacon
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	08/06/2015
Trans1 Recv Date:	08/06/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/06/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004819714
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014472972JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

CON EDISON (Continued) **S119077066**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	2000
Units:	Pounds
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

G122 **CONSOLIDATED EDISON COMPANY OF NY** **E MANIFEST** **1031634889**
SW **571 LIBERTY AVE** **N/A**
1/8-1/4 **QUEENS, NY 11207**
0.139 mi.
736 ft. **Site 7 of 7 in cluster G**

Relative:
Higher

Actual:
41 ft.

E MANIFEST:

Manifest Tracking Number:	007048263GBF
Last Updated Date:	20220211
Shipped Date:	20220125
Received Date:	20220128
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	571 LIBERTY AVE
Generator Location Street 2:	Not reported
Generator Location City:	QUEENS
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER ST
Generator Mail Street 2:	Not reported
Generator Mail City:	ELIZABETH
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032

CONSOLIDATED EDISON COMPANY OF NY (Continued) **1031634889**

Designated Facility Mail State: NJ
Designated Facility Location Street Number: 105
Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 007048263GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 007048263GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 007048263GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 007048263GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N

CONSOLIDATED EDISON COMPANY OF NY (Continued) **1031634889**

Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

M123 **208 BARBEY ST** **NY LTANKS** **S102233260**
WNW **208 BARBEY ST** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.140 mi.
738 ft. **Site 5 of 11 in cluster M**

Relative: **Higher**

Actual: **44 ft.**

LTANKS:

Name:	208 BARBEY ST
Address:	208 BARBEY ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9512002 / 1995-12-26
Facility ID:	9512002
Site ID:	124613
Spill Date:	1995-12-22
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1995-12-22
CID:	365
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-12-22
Spill Record Last Update:	1998-01-26
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	208 BARBEY ST
Spiller County:	001
Spiller Contact:	BRENDA SCALES
Spiller Phone:	(718) 647-8980
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	107897
Latitude:	40.6781222
Longitude:	-73.8889617
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE OWNER MERILLE TEMISLL 718-523-0424. CLEANED WITH SPEEDY DRY.
Remarks:	WHILE DELIVERING AN OIL LOAD THE TANK SPLIT IN HALF RELEASING OIL

208 BARBEY ST (Continued) **S102233260**

ONTO THE CEMENT BASEMENT FLOOR

All Materials:

Site ID:	124613
Operable Unit ID:	1022684
Operable Unit:	01
Material ID:	359324
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25.00
Units:	G
Recovered:	25.00
Resource Affected:	Soil
Oxygenate:	Not reported

L124 **CLEVELAND M CLEANERS** **RCRA NonGen / NLR** **1004758579**
North **2948 FULTON ST** **ICIS** **NYD987009719**
1/8-1/4 **BROOKLYN, NY 11207** **US AIRS**
0.141 mi. **FINDS**
742 ft. **Site 3 of 3 in cluster L** **ECHO**
NY DRYCLEANERS

Relative:
Lower

Actual:
34 ft.

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Cleveland Cleaners
Handler Address:		Fulton St
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYD987009719
Contact Name:		JUAN GUILLEN
Contact Address:		FULTON ST
Contact City,State,Zip:		BROOKLYN, NY 11207
Contact Telephone:		718-235-8659
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		FULTON ST
Mailing City,State,Zip:		BROOKLYN, NY 11207
Owner Name:	Juan Guillen	
Owner Type:		Private
Operator Name:	Juan Guillen	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No

CLEVELAND M CLEANERS (Continued) **1004758579**

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	F002
Waste Description:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: JUAN GUILLEN	
Legal Status:	Private

CLEVELAND M CLEANERS (Continued) **1004758579**

Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 2948 FULTON ST
Owner/Operator City,State,Zip: BROOKLYN, NY 11207
Owner/Operator Telephone: 718-235-8659
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: JUAN GUILLEN
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 2948 FULTON ST
Owner/Operator City,State,Zip: BROOKLYN, NY 11207
Owner/Operator Telephone: 718-235-8659
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: JUAN GUILLEN
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 2948 FULTON ST
Owner/Operator City,State,Zip: BROOKLYN, NY 11207
Owner/Operator Telephone: 718-235-8659
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20060101
Handler Name: CLEVELAND CLEANERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: CLEVELAND CLEANERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes

CLEVELAND M CLEANERS (Continued) **1004758579**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19920728
Handler Name: CLEVELAND CLEANERS
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

ICIS:
Enforcement Action ID: NY000A0000261050058000315
FRS ID: 110004493138
Action Name: CLEVELAND M CLEANERS 36047R346200315
Facility Name: CLEVELAND M CLEANERS
Facility Address: 2948 FULTON ST
BROOKLYN, NY 112072724
Enforcement Action Type: Notice of Violation
Facility County: KINGS
Program System Acronym: AIR
Enforcement Action Forum Desc: Administrative - Informal
EA Type Code: NOV
Facility SIC Code: 7216
Federal Facility ID: Not reported
Latitude in Decimal Degrees: 40.67953
Longitude in Decimal Degrees: -73.88598
Permit Type Desc: Not reported
Program System Acronym: NY0000002610500580
Facility NAICS Code: 812320
Tribal Land Code: Not reported

US AIRS (AFS):
Region Code: 02
County Code: NY047
Programmatic ID: AIR NY0000002610500580
Facility Registry ID: 110004493138
D and B Number: Not reported

CLEVELAND M CLEANERS (Continued) **1004758579**

Facility Site Name: CLEVELAND M CLEANERS
Primary SIC Code: 7216
NAICS Code: 812320
Default Air Classification Code: SMI
Facility Type of Ownership Code: POF
Air CMS Category Code: Not reported
HPV Status: Not reported

US AIRS (AFS):
Region Code: 02
Programmatic ID: AIR NY0000002610500580
Facility Registry ID: 110004493138
Air Operating Status Code: OPR
Default Air Classification Code: SMI

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2007-07-17 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 2007-07-17 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 2006-10-26 00:00:00
Activity Status Date: 2006-10-26 00:00:00
Activity Group: Enforcement Action
Activity Type: Administrative - Informal
Activity Status: Achieved

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2005-07-05 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 2005-07-05 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Air Program: MACT Standards (40 CFR Part 63)
Activity Date: 2005-06-07 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards

CLEVELAND M CLEANERS (Continued) **1004758579**

Activity Date: 2005-06-07 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

FINDS:
Registry ID: 110004493138

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The New York Department of Environmental Conservation Facility Information System (FIS) database houses all information about facilities that are regulated or of environmental interest to the state of New York.
The Air Facility System (AFS) contains compliance and permit data for stationary sources of air pollution regulated by the EPA, state, and local air pollution agencies.
ICIS-Air (AIR) AIR is the modernization of the Air Facility System (AFS) into the Integrated Compliance Information System (ICIS). AIR contains enforcement, compliance, and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1004758579
Registry ID: 110004493138

DFR URL:
Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207

DRYCLEANERS:
Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 09/16/2011
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported

CLEVELAND M CLEANERS (Continued) **1004758579**

Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 09/16/2011
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 07/17/2007
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 07/17/2006
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785

CLEVELAND M CLEANERS (Continued) **1004758579**

Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 07/17/2006
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 07/05/2005
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 07/05/2005
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 10/04/2017
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4

CLEVELAND M CLEANERS (Continued) **1004758579**

Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 10/04/2017
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 10/07/2015
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 10/07/2015
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013

CLEVELAND M CLEANERS (Continued) **1004758579**

Inspection Date: 10/05/2016
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 10/05/2016
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 10/01/2014
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 10/01/2014
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

CLEVELAND M CLEANERS (Continued) **1004758579**

Name:	CLEVELAND M CLEANERS
Address:	2948 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2724
Facility ID:	2-6105-00580
Phone Number:	7186471785
Region:	Not reported
Registration Effective Date:	06/20/2013
Inspection Date:	11/13/2013
Install Date:	Not reported
Expiration Date:	09/13/2018
Removal Date:	08/18/2018
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	CLEVELAND M CLEANERS
Address:	2948 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2724
Facility ID:	2-6105-00580
Phone Number:	7186471785
Region:	Not reported
Registration Effective Date:	06/30/2003
Inspection Date:	11/13/2013
Install Date:	Not reported
Expiration Date:	06/20/2013
Removal Date:	08/18/2018
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	CLEVELAND M CLEANERS
Address:	2948 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2724
Facility ID:	2-6105-00580
Phone Number:	7186471785
Region:	Not reported
Registration Effective Date:	06/20/2013
Inspection Date:	11/09/2012
Install Date:	Not reported
Expiration Date:	09/13/2018
Removal Date:	08/18/2018
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	CLEVELAND M CLEANERS
Address:	2948 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2724
Facility ID:	2-6105-00580
Phone Number:	7186471785
Region:	Not reported
Registration Effective Date:	06/30/2003
Inspection Date:	11/09/2012
Install Date:	Not reported

CLEVELAND M CLEANERS (Continued) **1004758579**

Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 07/14/2010
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 07/14/2010
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 07/07/2009
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST

CLEVELAND M CLEANERS (Continued) **1004758579**

City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 07/07/2009
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 07/02/2008
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/30/2003
Inspection Date: 07/02/2008
Install Date: Not reported
Expiration Date: 06/20/2013
Removal Date: 08/18/2018
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: CLEVELAND M CLEANERS
Address: 2948 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2724
Facility ID: 2-6105-00580
Phone Number: 7186471785
Region: Not reported
Registration Effective Date: 06/20/2013
Inspection Date: 07/17/2007
Install Date: Not reported
Expiration Date: 09/13/2018
Removal Date: 08/18/2018

CLEVELAND M CLEANERS (Continued) **1004758579**

Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

M125 **2862 FULTON STREET** **NY NYC OER** **S132179920**
NW **2862 FULTON STREET** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.141 mi.
743 ft. **Site 6 of 11 in cluster M**

Relative: **Higher**
Actual: **41 ft.**

NYC OER:

Name:	2862 FULTON STREET
Address:	2862 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.678605
Longitude:	-73.888831
OER Project Numbers:	19TMP0585K,19EH-N180K
BBL:	3039500017
OER Program:	E/RD (Review)
Class:	Completed (C)
Phase:	Completed
URL:	
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1170
BIN:	3087843
NTA:	East New York

N126 **CON EDISON - BROOKLYN ENVIRONMENTAL OPS** **E MANIFEST** **1031609921**
SSW **282 JEROME ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.145 mi.
766 ft. **Site 1 of 4 in cluster N**

Relative: **Higher**
Actual: **40 ft.**

E MANIFEST:

Manifest Tracking Number:	006875367GBF
Last Updated Date:	20210706
Shipped Date:	20210617
Received Date:	20210625
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Brooklyn Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	282 JEROME ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031609921**

Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006875367GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	006875367GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	006875367GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	006875367GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031609921**

Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

N127 **CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO** **E MANIFEST** **1031631366**
SSW **282 JEROME ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.145 mi.
766 ft. **Site 2 of 4 in cluster N**

Relative: **Higher**
Actual: **40 ft.**

E MANIFEST:

Manifest Tracking Number:	007047408GBF
Last Updated Date:	20220329
Shipped Date:	20220317
Received Date:	20220318
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny C/O Acv Enviro
Generator Location Street Number:	Not reported
Generator Location Street 1:	282 JEROME ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER ST
Generator Mail Street 2:	Not reported
Generator Mail City:	ELIZABETH
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO (Continued) **1031631366**

Designated Facility Mail Zip: 07032
Designated Facility Mail State: NJ
Designated Facility Location Street Number: 105
Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 007047408GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 007047408GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 007047408GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 007047408GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 750
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.375
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.375
Waste Quantity, in Kilograms: 340.13626
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 340.13626
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: Y

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO (Continued) **1031631366**

Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

O128 **I.S. 302 - BROOKLYN K302** **NY AST** **A100320170**
East **350 LINWOOD STREET** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.148 mi.
784 ft. **Site 1 of 8 in cluster O**

Relative:
Lower

Actual:
29 ft.

AST:

Name:	I.S. 302 - BROOKLYN K302
Address:	350 LINWOOD STREET
City,State,Zip:	BROOKLYN, NY 11208
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-354589
Program Type:	PBS
UTM X:	594346.85886
UTM Y:	4503517.40716
Expiration Date:	06/28/2028
Site Type:	School

Affiliation Records:

Site Id:	17636
Affiliation Type:	Facility Owner
Company Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type:	Not reported
Contact Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Address1:	FIELD OPERATIONS-FUEL DIVISION
Address2:	44-36 VERNON BOULEVARD
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 349-5752
EMail:	bcu@SCHOOLS.NYC.GOV
Fax Number:	Not reported
Modified By:	nFormUpd
Date Last Modified:	2024-11-01

Site Id:	17636
Affiliation Type:	Mail Contact
Company Name:	NYC DEPARTMENT OF EDUCATION
Contact Type:	MGR, FUSEL DIVISION
Contact Name:	JOSEPH YOUNGHESE
Address1:	FIELD OPERATIONS - FUEL DIVISION
Address2:	44-36 VERNON BOULEVARD

I.S. 302 - BROOKLYN K302 (Continued) **A100320170**

City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 349-5751
EMail:	JYOUNGHESE@SCHOOLS.NYC.GOV
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2023-12-18

Site Id:	17636
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type:	Not reported
Contact Name:	ATHNASIOS GUIRGUIS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(917) 392-3884
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXLIU
Date Last Modified:	2024-03-20

Site Id:	17636
Affiliation Type:	Facility Operator
Company Name:	I.S. 302 - BROOKLYN K302
Contact Type:	Not reported
Contact Name:	PETER MEEHAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-1301
EMail:	Not reported
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2023-10-13

Tank Info:

Tank Number:	001
Tank Id:	34526
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating

I.S. 302 - BROOKLYN K302 (Continued) **A100320170**

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
L00 - Piping Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	09/03/1970
Capacity Gallons:	10000
Tightness Test Method:	34
Date Test:	07/25/2023
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	JSMACRI
Last Modified:	10/13/2023
Material Name:	#4 fuel oil (on-site consumption)
Tank Number:	002
Tank Id:	34527
Material Code:	0003
Common Name of Substance:	#6 Fuel Oil (On-Site Consumption)

Equipment Records:

G02 - Tank Secondary Containment - Vault (w/access)
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
L00 - Piping Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	09/03/1970
Capacity Gallons:	10000
Tightness Test Method:	34
Date Test:	07/25/2023
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True

I.S. 302 - BROOKLYN K302 (Continued) **A100320170**

Modified By: JSMACRI
Last Modified: 10/13/2023
Material Name: #4 fuel oil (on-site consumption)

O129 **IS 302K** **RCRA-LQG** **1014399562**
East **350 LINWOOD STREET** **E MANIFEST** **NYR000176511**
1/8-1/4 **BROOKLYN, NY 11208** **NY MANIFEST**
0.148 mi.
784 ft. **Site 2 of 8 in cluster O**

Relative: **Lower**
Actual: **29 ft.**

RCRA Listings:

Date Form Received by Agency:	20140220
Handler Name:	Is 302k School
Handler Address:	Linwood St
Handler City,State,Zip:	BROOKLYN, NY 11208
EPA ID:	NYR000176511
Contact Name:	ALEXANDER LEMPERT
Contact Address:	THOMSON AVE
Contact City,State,Zip:	LONG ISLAND CITY, NY 11101
Contact Telephone:	718-472-8501
Contact Fax:	Not reported
Contact Email:	ALEMPERT@NYCSCA.ORG
Contact Title:	SCAIEH DIRECTOR
EPA Region:	02
Land Type:	Municipal
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2013
Accessibility:	Not reported
Active Site Indicator:	Handler Activities
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	THOMSON AVE
Mailing City,State,Zip:	LONG ISLAND CITY, NY 11101
Owner Name:	Nyc Department Of Education
Owner Type:	Municipal
Operator Name:	Nyc Department Of Education
Operator Type:	Municipal
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No

IS 302K (Continued) **1014399562**

Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2013

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D008
Waste Description: Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NYC DEPARTMENT OF EDUCATION
Legal Status:	Municipal
Date Became Current:	19000101
Date Ended Current:	Not reported
Owner/Operator Address:	44-36 VERNON BLVD
Owner/Operator City,State,Zip:	LONG ISLAND CITY, NY 11101
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NYC DEPT OF SCHOOL FACILITIES
Legal Status:	Municipal
Date Became Current:	19700219
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator: Owner

IS 302K (Continued) **1014399562**

Owner/Operator Name: NYC DEPT OF SCHOOL FACILITIES
Legal Status: Municipal
Date Became Current: 19700219
Date Ended Current: Not reported
Owner/Operator Address: 30-30 THOMSON AVE
Owner/Operator City,State,Zip: LONG ISLAND CITY, NY 11101
Owner/Operator Telephone: 718-472-8501
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NYC DEPARTMENT OF EDUCATION
Legal Status: Municipal
Date Became Current: 19000101
Date Ended Current: Not reported
Owner/Operator Address: 44-36 VERNON BLVD
Owner/Operator City,State,Zip: LONG ISLAND CITY, NY 11101
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20140220
Handler Name: IS 302K SCHOOL
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20100716
Handler Name: NYC DEPT OF ED - IS 302K
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 61111
NAICS Description: Elementary And Secondary Schools

Has the Facility Received Notices of Violations:
Found Violation: No

IS 302K (Continued) **1014399562**

Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 20150616
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYCMK
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

E MANIFEST:
Manifest Tracking Number: 021048084JJK
Last Updated Date: 20191003
Shipped Date: 20190916

IS 302K (Continued) **1014399562**

Received Date:	20190919
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000176511
Generator Name:	Is 302k
Generator Location Street Number:	Not reported
Generator Location Street 1:	350 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	589 JOHNSON AVENUE
Generator Mail Street 2:	Not reported
Generator Mail City:	BROOKLYN
Generator Mail Zip:	11237
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD002200046
Designated Facility Name:	Cycle Chem, Inc.
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	217 SOUTH FIRST STREET
Designated Facility Mail City:	ELIZABETH
Designated Facility Mail Zip:	07206
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	217 SOUTH FIRST STREET
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	ELIZABETH
Designated Facility Location Zip:	07206
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	021048084JJK
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	021048084JJK
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	021048084JJK
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Allstate Power Vac, Inc.

IS 302K (Continued) **1014399562**

Waste Line:

Manifest Tracking Number:	021048084JJK
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3077
U.S. DOT Description:	Rq, Na3077, Hazardous Waste, Solid, N.O.S. (Lead), 9 , Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DM
Container Type Description:	Metal drums, barrels, kegs
Waste Quantity:	20
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.01
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.01
Waste Quantity, in Kilograms:	9.0703
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	9.0703
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

NY MANIFEST:

EPA ID:	NYR000176511
Country:	USA
Name:	Nyc Dept Of Ed - Is 302k
Address:	350 LINWOOD ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	350 LINWOOD ST
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Nyc Dept Of Ed - Is 302k
Mailing Contact:	Mitch Knaps
Mailing Address 1:	589 JOHNSON AVE
Mailing Address 2:	Not reported

IS 302K (Continued) **1014399562**

Mailing City,State,Zip: BROOKLYN, NY 11237
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 7184728501

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000692061
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 04/25/2014
Trans1 Recv Date: 04/25/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/05/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000176511
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: ALD000622464
TSDF ID 2: Not reported
Manifest Tracking Number: 000923844VES
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: Y
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H132
Waste Code a: B007
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 2821
Units: Kilograms
Number of Containers: 1
Container Type: Metal boxes, cartons, cases (including roll-offs)
Handling Method: Landfill
Specific Gravity: 1

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYR000201384
Year: 2018

IS 302K (Continued) **1014399562**

Trans2 State ID:	Not reported
Generator Ship Date:	07/17/2013
Trans1 Recv Date:	07/17/2013
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/18/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049836679
TSDF ID 2:	Not reported
Manifest Tracking Number:	002183838GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code a:	B007
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	6922
Units:	Kilograms
Number of Containers:	1
Container Type:	Dump truck
Handling Method:	Landfill
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD000692061
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/09/2014
Trans1 Recv Date:	07/09/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/16/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

IS 302K (Continued) **1014399562**

TSDF ID 1:	ALD000622464
TSDF ID 2:	Not reported
Manifest Tracking Number:	000723149VES
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code a:	B007
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	2948
Units:	Kilograms
Number of Containers:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Handling Method:	Landfill
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD000692061
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	05/09/2014
Trans1 Recv Date:	05/09/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/20/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ALD000622464
TSDF ID 2:	Not reported
Manifest Tracking Number:	000923791VES
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N

IS 302K (Continued) **1014399562**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code a:	Not reported
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	B007
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	2939
Units:	Kilograms
Number of Containers:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Handling Method:	Landfill
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD000692061
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	04/04/2014
Trans1 Recv Date:	04/04/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/08/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ALD000622464
TSDF ID 2:	Not reported
Manifest Tracking Number:	000923911VES
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code a:	B007
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported

IS 302K (Continued) **1014399562**

Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	3374
Units:	Kilograms
Number of Containers:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Handling Method:	Landfill
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAC300016672
Year:	2018
Trans2 State ID:	OHD980614374
Generator Ship Date:	01/29/2018
Trans1 Recv Date:	01/29/2018
Trans2 Recv Date:	02/01/2018
TSD Site Recv Date:	02/10/2018
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	OHD048415665
TSDF ID 2:	Not reported
Manifest Tracking Number:	011104201FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H040
Waste Code a:	Ignitable Waste
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	950
Units:	Pounds
Number of Containers:	2
Container Type:	Fiber or plastic boxes, cartons, cases

IS 302K (Continued) **1014399562**

Handling Method: Burn
Specific Gravity: 1

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAC300016672
Year: 2018
Trans2 State ID: OHD980614374
Generator Ship Date: 01/29/2018
Trans1 Recv Date: 01/29/2018
Trans2 Recv Date: 02/01/2018
TSD Site Recv Date: 02/10/2018
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000176511
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: OHD048415665
TSDF ID 2: Not reported
Manifest Tracking Number: 011104201FLE
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H040
Waste Code a: Ignitable Waste
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 375
Units: Pounds
Number of Containers: 2
Container Type: Metal drums, barrels, kegs
Handling Method: Burn
Specific Gravity: 1

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000692061
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 03/21/2014
Trans1 Recv Date: 03/21/2014

IS 302K (Continued) **1014399562**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/03/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ALD000622464
TSDF ID 2:	Not reported
Manifest Tracking Number:	000926404VES
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code a:	B007
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	3257
Units:	Kilograms
Number of Containers:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Handling Method:	Landfill
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD000692061
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/15/2014
Trans1 Recv Date:	07/15/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/17/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ALD000622464
TSDF ID 2:	Not reported
Manifest Tracking Number:	000805938VES

IS 302K (Continued) **1014399562**

Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code a:	B007
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	1642
Units:	Kilograms
Number of Containers:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Handling Method:	Landfill
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD000692061
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	05/16/2014
Trans1 Recv Date:	05/16/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/28/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000176511
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	ALD000622464
TSDF ID 2:	Not reported
Manifest Tracking Number:	000923781VES
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported

IS 302K (Continued) **1014399562**

MGMT Method Type Code:	H132
Waste Code a:	B007
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	3239
Units:	Kilograms
Number of Containers:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Handling Method:	Landfill
Specific Gravity:	1

M130 **CON EDISON** **NY MANIFEST** **S117315639**
NW **2869 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.152 mi.
801 ft. **Site 7 of 11 in cluster M**

Relative:
Higher

Actual:
39 ft.

NY MANIFEST:

EPA ID:	NYP004628277
Country:	USA
Name:	Con Edison
Address:	2869 FULTON ST
Address 2:	STRUCTURE 21056
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	2869 FULTON ST
Location Address 2:	STRUCTURE 21056
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018

CON EDISON (Continued) **S117315639**

Trans2 State ID:	Not reported
Generator Ship Date:	08/14/2014
Trans1 Recv Date:	08/14/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/14/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004628277
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002616319GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	100
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

P131 **CON EDISON** **NY MANIFEST** **S117314364**
SSE **FRONT OF 681 GLENMORE AV** **N/A**
1/8-1/4 **BROOKLYN, NY 11201**
0.155 mi.
821 ft. **Site 1 of 3 in cluster P**

Relative: NY MANIFEST:
Higher

EPA ID:	NYP004614160
Country:	USA
Name:	Con Edison
Address:	FRONT OF 681 GLENMORE AV
Address 2:	SB60144
City,State,Zip:	BROOKLYN, NY 11201
Zip 4:	Not reported

Actual:
37 ft.

CON EDISON (Continued) **S117314364**

Location Address 1: FRONT OF 681 GLENMORE AV
Location Address 2: SB60144
Location City,State,Zip: BROOKLYN, NY 11201
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/31/2014
Trans1 Recv Date: 07/31/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/31/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004614160
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002615083GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported

CON EDISON (Continued) **S117314364**

Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

N132 **KINGS RIDERS MOTOR SPORTS** **NY AST** **A100294695**
South **635 GLENMORE AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.160 mi.
846 ft. **Site 3 of 4 in cluster N**

Relative:
Higher

Actual:
39 ft.

AST:

Name:	KINGS RIDERS MOTOR SPORTS
Address:	635 GLENMORE AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-609685
Program Type:	PBS
UTM X:	594069.41557
UTM Y:	4503235.45483
Expiration Date:	08/25/2009
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	59090
Affiliation Type:	Facility Owner
Company Name:	COSME A. MARTINEZ
Contact Type:	PRES
Contact Name:	COSME A. MARTINEZ
Address1:	635 GLENMORE AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(917) 578-2-197
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2004-08-25

Site Id:	59090
Affiliation Type:	Mail Contact
Company Name:	KINGS RIDERS MOTOR SPORT
Contact Type:	Not reported
Contact Name:	CHUCHO OR ALEX
Address1:	635 GLENMORE AVENUE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207

KINGS RIDERS MOTOR SPORTS (Continued) **A100294695**

Country Code:	001
Phone:	(718) -827-1644
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2004-08-25

Site Id:	59090
Affiliation Type:	Facility Operator
Company Name:	KINGS RIDERS MOTOR SPORTS
Contact Type:	Not reported
Contact Name:	CHUCHO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 827-1644
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2004-08-25

Site Id:	59090
Affiliation Type:	Emergency Contact
Company Name:	COSME A. MARTINEZ
Contact Type:	Not reported
Contact Name:	ALEX
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 578-2197
EMail:	Not reported
Fax Number:	Not reported
Modified By:	NRLOMBAR
Date Last Modified:	2004-08-25

Tank Info:

Tank Number:	001
Tank Id:	179907
Material Code:	0022
Common Name of Substance:	Waste Oil/Used Oil

Equipment Records:

	A00 - Tank Internal Protection - None
	H00 - Tank Leak Detection - None
	B02 - Tank External Protection - Original Sacrificial Anode
Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service

KINGS RIDERS MOTOR SPORTS (Continued) **A100294695**

Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	100
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	waste oil/used oil

Q133 **315 LINWOOD STREET** **NY VCP** **S129932313**
ENE **315 LINWOOD** **NY NYC OER** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.162 mi.
853 ft. **Site 1 of 3 in cluster Q**

Relative:
Lower

Actual:
31 ft.

VCP NYC:

Project ID:	18TMP0064K,18EHAN037K,18CVCP084K
Name:	315 LINWOOD STREET
Address:	315 LINWOOD
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	303,971,001,930,397,000,000,000,000,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Completed
Latitude:	Not reported
Longitude:	Not reported
Postcode:	Not reported
Community Board:	Not reported
Council District:	Not reported
Census Tract:	Not reported
BIN:	Not reported
NTA:	Not reported

NYC OER:

Name:	315 LINWOOD STREET
Address:	315 LINWOOD
City,State,Zip:	BROOKLYN, NY
Latitude:	Not reported
Longitude:	Not reported
OER Project Numbers:	18TMP0064K,18EHAN037K,18CVCP084K
BBL:	3.0397100193039699E+29
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Completed

URL:

Postcode:	Not reported
Community Board:	Not reported
Council District:	Not reported
Census Tract:	Not reported
BIN:	Not reported
NTA:	Not reported

Q134 **B&B URBAN LLC - 315 LINWOOD STREET** **RCRA-LQG** **1024892107**
ENE **315 LINWOOD STREET** **E MANIFEST** **NYR000237008**
1/8-1/4 **BROOKLYN, NY 11208**
0.162 mi.
853 ft. **Site 2 of 3 in cluster Q**

Relative: **Lower**
Actual: **31 ft.**

RCRA Listings:

Date Form Received by Agency:		20180711
Handler Name:		B&B Urban Llc - 315 Linwood Street
Handler Address:		Linwood Street
Handler City,State,Zip:		BROOKLYN, NY 11208
EPA ID:		NYR000237008
Contact Name:		HELI PINILLOS
Contact Address:		PARK AVENUE SOUTH
Contact City,State,Zip:		NEW YORK, NY 10016
Contact Telephone:		646-484-5700 x12
Contact Fax:		Not reported
Contact Email:		HPINILLOS@BANDBURBAN.COM
Contact Title:		PROJECT MANAGER
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Large Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		PARK AVENUE SOUTH
Mailing City,State,Zip:		NEW YORK, NY 10016
Owner Name:	B&B Urban Llc	
Owner Type:		Private
Operator Name:	B&B Urban Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20180713
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: B&B URBAN LLC	
Legal Status:	Private
Date Became Current:	20180626
Date Ended Current:	Not reported
Owner/Operator Address:	419 PARK AVENUE SOUTH
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	646-484-5700
Owner/Operator Telephone Ext:	12
Owner/Operator Fax:	Not reported
Owner/Operator Email:	HPINILLOS@BANDBURBAN.COM

Owner/Operator Indicator:	Operator
Owner/Operator Name: B&B URBAN LLC	
Legal Status:	Private
Date Became Current:	20180626
Date Ended Current:	Not reported
Owner/Operator Address:	419 PARK AVENUE SOUTH
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	646-484-5700
Owner/Operator Telephone Ext:	12
Owner/Operator Fax:	Not reported
Owner/Operator Email:	HPINILLOS@BANDBURBAN.COM

Historic Generators:

Receive Date:	20180711
Handler Name:	B&B URBAN LLC - 315 LINWOOD STREET
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 236116
NAICS Description: New Multifamily Housing Construction (Except Operative Builders)

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 20180724
Evaluation Responsible Agency: EPA
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: R2STP
Evaluation Responsible Sub-Organization: RCB
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

E MANIFEST:

Manifest Tracking Number:	016324875JJK
Last Updated Date:	20190618
Shipped Date:	20180727
Received Date:	20180727
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324876JJK
Last Updated Date:	20191023
Shipped Date:	20180727
Received Date:	20180727
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324879JJK
Last Updated Date:	20211201
Shipped Date:	20180807
Received Date:	20180811
Manifest Status:	Corrected
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324880JJK
Last Updated Date:	20191112
Shipped Date:	20180803
Received Date:	20180803
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324881JJK
Last Updated Date:	20200106
Shipped Date:	20180803
Received Date:	20180803

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	315
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	419
Generator Mail Street 1:	PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324882JJK
Last Updated Date:	20200110
Shipped Date:	20180803
Received Date:	20180803
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	315
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	419
Generator Mail Street 1:	PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324883JJK
Last Updated Date:	20200109
Shipped Date:	20180803
Received Date:	20180803
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	315
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	419
Generator Mail Street 1:	PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Rejection Indicator:	N
Manifest Tracking Number:	016324884JJK
Last Updated Date:	20190927
Shipped Date:	20180831
Received Date:	20180831
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	016324885JJK
Last Updated Date:	20190927
Shipped Date:	20180831
Received Date:	20180831
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324923JJK
Last Updated Date:	20200212
Shipped Date:	20180730
Received Date:	20180730
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	016324924JJK
Last Updated Date:	20190626
Shipped Date:	20180730
Received Date:	20180730
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000237008
Generator Name:	B&B Urban Llc - 315 Linwood Street
Generator Location Street Number:	Not reported
Generator Location Street 1:	315 LINWOOD STREET
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	419 PARK AVENUE SOUTH
Generator Mail Street 2:	7TH FLOOR
Generator Mail City:	NEW YORK
Generator Mail Zip:	10016
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	105 JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	105 JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	016324925JJK
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

Transporter:

Manifest Tracking Number:	016324925JJK

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **1024892107**

Transporter Line Number:	1
Transporter EPA ID:	NOSITEID
Transporter Name:	J& D #7 As337x

Waste Line:

Manifest Tracking Number:	016324925JJK
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3077
U.S. DOT Description:	Rq, Na3077, Waste Hazardous Waste, Solid, N.O.S. (Epa D008), 9, Pg-Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DT
Container Type Description:	Dump truck
Waste Quantity:	23
Quantity Unit of Measure Code:	Y
Quantity Unit of Measure Description:	Cubic Yards
Waste Quantity, in Tons:	19.32
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	19.32
Waste Quantity, in Kilograms:	17523.82
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	17523.82
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	Y
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

Click this hyperlink while viewing on your computer to access
2 additional US EManifest: record(s) in the EDR Site Report.

Q135 **B&B URBAN LLC - 315 LINWOOD STREET** **NY MANIFEST** **S122483166**
ENE **315 LINWOOD STREET** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.162 mi.
853 ft. **Site 3 of 3 in cluster Q**

Relative:
Lower

Actual:
31 ft.

NY MANIFEST:

EPA ID:	NYR000237008
Country:	USA
Name:	B&B Urban Llc - 315 Linwood Street
Address:	315 LINWOOD STREET
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported

B&B URBAN LLC - 315 LINWOOD STREET (Continued) **S122483166**

Location Address 1:	315 LINWOOD STREET
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	B&B Urban Llc - 315 Linwood Street
Mailing Contact:	B&B Urban Llc - 315 Linwood Street
Mailing Address 1:	315 LINWOOD STREET
Mailing Address 2:	Not reported
Mailing City,State,Zip:	BROOKLYN, NY 11208
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

R136 **MTA NYCT - CLEVELAND ST STA - JMZ LINE** **RCRA-SQG** **1007990573**
NNE **CLEVELAND & FULTON ST** **NY MANIFEST** **NYR000130930**
1/8-1/4 **BROOKLYN, NY 11208**
0.166 mi.
874 ft. **Site 1 of 3 in cluster R**

Relative: **Lower**
Actual: **34 ft.**

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Mta Nyct - Cleveland St Sta - Jmz Line
Handler Address:		Cleveland & Fulton St
Handler City,State,Zip:		BROOKLYN, NY 11208
EPA ID:		NYR000130930
Contact Name:		THOMAS A ABDALLAH
Contact Address:		BROADAY - 2ND FLOOR
Contact City,State,Zip:		NEW YORK, NY 10004
Contact Telephone:		646-252-3500
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		State
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		BROADAY - 2ND FLOOR
Mailing City,State,Zip:		NEW YORK, NY 10004
Owner Name:	No Name Found	
Owner Type:		State
Operator Name:	No Name Found	
Operator Type:		State
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No

MTA NYCT - CLEVELAND ST STA - JMZ LINE (Continued) **1007990573**

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: NO NAME FOUND	
Legal Status:	State
Date Became Current:	19680301
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: MTA NYCT	

MTA NYCT - CLEVELAND ST STA - JMZ LINE (Continued) **1007990573**

Legal Status: State
Date Became Current: 19680301
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NO NAME FOUND
Legal Status: State
Date Became Current: 19680301
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MTA NYCT
Legal Status: State
Date Became Current: 19680301
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20060101
Handler Name: MTA NYCT - CLEVELAND ST STA - JMZ LINE
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: MTA NYCT - CLEVELAND ST STA - JMZ LINE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No

MTA NYCT - CLEVELAND ST STA - JMZ LINE (Continued) **1007990573**

Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20050224
Handler Name: MTA NYCT - CLEVELAND ST STA - JMZ LINE
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 485111
NAICS Description: Mixed Mode Transit Systems

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:
EPA ID: NYR000130930
Country: USA
Name: Nycta Cpm Envoro Eng Div
Address: CLEVELAND & FULTON ST
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11208
Zip 4: Not reported
Location Address 1: CLEVELAND AVE STATION
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 10004
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Nycta Cpm Envoro Eng Div
Mailing Contact: N/S
Mailing Address 1: 2 BROADWAY 5TH FL
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10004
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 6462523500

Manifest Data:

MTA NYCT - CLEVELAND ST STA - JMZ LINE (Continued) **1007990573**

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765674
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	11/20/2006
Trans1 Recv Date:	11/20/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/20/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000130930
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	000067172WAS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	2000
Units:	Pounds
Number of Containers:	5
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/11/2006
Trans1 Recv Date:	07/11/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/13/2006
Part A Recv Date:	Not reported

MTA NYCT - CLEVELAND ST STA - JMZ LINE (Continued) **1007990573**

Part B Recv Date:	Not reported
Generator EPA ID:	NYR000130930
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	NJA5319762
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	900
Units:	Pounds
Number of Containers:	3
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1

O137 **CON EDISON** **NY MANIFEST** **S117736596**
ESE **LINWOOD ST & LIBERTY AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.167 mi.
884 ft. **Site 3 of 8 in cluster O**

Relative: NY MANIFEST:
Lower

Actual: EPA ID:	NYP004539094
28 ft. Country:	USA
Name:	Con Edison
Address:	LINWOOD ST & LIBERTY AVE
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	LINWOOD ST & LIBERTY AVE
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported

CON EDISON (Continued) **S117736596**

Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Tom Teeling
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 05/20/2014
Trans1 Recv Date: 05/20/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/23/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004539094
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 013246087JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 350
Units: Gallons (liquids only)
Number of Containers: 1
Container Type: Cargo tanks (tank trucks)

CON EDISON (Continued) **S117736596**

Handling Method: Treat
Specific Gravity: 1

O138 **CON EDISON** **RCRA NonGen / NLR** **1019909394**
ESE **LIBERTY AVE & LINWOOD ST NW** **NYP004884298**
1/8-1/4 **BROOKLYN, NY 11208**
0.167 mi.
884 ft. **Site 4 of 8 in cluster O**

Relative: **Lower**
Actual: **28 ft.**

RCRA Listings:

Date Form Received by Agency:	20151228
Handler Name:	Con Edison
Handler Address:	Liberty Ave & Linwood St Nw
Handler City,State,Zip:	BROOKLYN, NY 11208
EPA ID:	NYP004884298
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name: Not reported	
Owner Type:	Not reported
Operator Name: Not reported	
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No

CON EDISON (Continued) **1019909394**

Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160909
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20151228
Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20151228
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

CON EDISON (Continued) **1019909394**

Evaluation Action Summary:
Evaluations: No Evaluations Found

O139 **CON EDISON** **NJ MANIFEST** **S120678544**
ESE **LIBERTY AVE & LINWOOD ST NW** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.167 mi.
884 ft. **Site 5 of 8 in cluster O**

Relative: **Lower**

Actual: **28 ft.**

NJ MANIFEST:

EPA ID:	NYP004884298
Name:	CON EDISON
Address:	LIBERTY AVE & LINWOOD ST NW
City,State,Zip:	BROOKLYN, NY 11208
County:	Not reported
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004884298
Manifest Number:	014466849JJK
Date Shipped:	12/28/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJD000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported

CON EDISON (Continued) **S120678544**

TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

O140 **CON EDISON** **RCRA NonGen / NLR** **1017776060**
ESE **LINWOOD ST & LIBERTY AVE** **NYP004539094**
1/8-1/4 **BROOKLYN, NY 11208**
0.167 mi.
884 ft. **Site 6 of 8 in cluster O**

Relative: **Lower**
Actual: **28 ft.**

RCRA Listings:

Date Form Received by Agency:	20140521
Handler Name:	Con Edison
Handler Address:	Linwood St & Liberty Ave
Handler City,State,Zip:	BROOKLYN, NY 11208
EPA ID:	NYP004539094
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No

CON EDISON (Continued) **1017776060**

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150814
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140521
Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140521
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

CON EDISON (Continued) **1017776060**

Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20140621
Handler Name:	CON EDISON MANHOLE: 4747
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

S141 **CON EDISON MANHOLE 5291** **RCRA NonGen / NLR** **1010327598**
SW **LIBERTY AVE & SCHENK AVE** **NYP004147468**
1/8-1/4 **BROOKLYN, NY 11201**
0.172 mi.
909 ft. **Site 1 of 12 in cluster S**

Relative:
Higher

Actual:
41 ft.

RCRA Listings:

Date Form Received by Agency:	20070411
Handler Name:	Con Edison Manhole 5291
Handler Address:	Liberty Ave & Schenk Ave
Handler City,State,Zip:	BROOKLYN, NY 11201
EPA ID:	NYP004147468
Contact Name:	PAUL WALSH
Contact Address:	4 IRVING PL, RM 828
Contact City,State,Zip:	NEW YORK, NY 10003
Contact Telephone:	212-580-8383
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2

CON EDISON MANHOLE 5291 (Continued) **1010327598**

Mailing Address:		4 IRVING PL, RM 828
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Historic Generators:

Receive Date:		20070409
Handler Name:	CON EDISON	
Federal Waste Generator Description:		Not reported
State District Owner:		Not reported
Large Quantity Handler of Universal Waste:		No
Recognized Trader Importer:		No
Recognized Trader Exporter:		No
Spent Lead Acid Battery Importer:		No

CON EDISON MANHOLE 5291 (Continued) **1010327598**

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20070410
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20070411
Handler Name: CON EDISON MANHOLE 5291	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

S142 **CON EDISON** **NY MANIFEST** **S117314349**
SW **LIBERTY AVE & SCHENCK AV** **N/A**
1/8-1/4 **BROOKLYN, NY 11201**
0.172 mi.
909 ft. **Site 2 of 12 in cluster S**

Relative: **Higher**
Actual: **41 ft.**

NY MANIFEST:

EPA ID:	NYP004614004
Country:	USA
Name:	Con Edison
Address:	LIBERTY AVE & SCHENCK AV
Address 2:	SB2655
City,State,Zip:	BROOKLYN, NY 11201
Zip 4:	Not reported
Location Address 1:	LIBERTY AVE & SCHENCK AV

CON EDISON (Continued) **S117314349**

Location Address 2: SB2655
Location City,State,Zip: BROOKLYN, NY 11201
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/31/2014
Trans1 Recv Date: 07/31/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004614004
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 012774286JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported

CON EDISON (Continued) **S117314349**

Waste Code 6:	Not reported
Quantity:	200
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

S143 **CON EDISON MANHOLE 5291** **RCRA NonGen / NLR** **1010787372**
SW **LIBERTY AVE & SCHENCK AVE** **NYP004148912**
1/8-1/4 **BROOKLYN, NY 11207**
0.172 mi.
909 ft. **Site 3 of 12 in cluster S**

Relative: **Higher**
Actual: **41 ft.**

RCRA Listings:

Date Form Received by Agency:		20080315
Handler Name:		Con Edison Manhole 5291
Handler Address:		Liberty Ave & Schenck Ave
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYP004148912
Contact Name:		PAUL WALSH
Contact Address:		4 IRVING PL, RM 828
Contact City,State,Zip:		NEW YORK, NY 10003
Contact Telephone:		212-580-8383
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		4 IRVING PL, RM 828
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported

CON EDISON MANHOLE 5291 (Continued) **1010787372**

Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20080314
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not reported
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20080315
Handler Name: CON EDISON MANHOLE 5291	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

CON EDISON MANHOLE 5291 (Continued) **1010787372**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

S144 **CON EDISON MANHOLE 5291** **RCRA NonGen / NLR** **1010326864**
SW **LIBERTY AVE & SCHENCK AVE** **NYP004143442**
1/8-1/4 **BROOKLYN, NY 11201**
0.172 mi.
909 ft. **Site 4 of 12 in cluster S**

Relative:
Higher

Actual:
41 ft.

RCRA Listings:

Date Form Received by Agency:		20061117
Handler Name:		Con Edison Manhole 5291
Handler Address:		Liberty Ave & Schenck Ave
Handler City,State,Zip:		BROOKLYN, NY 11201
EPA ID:		NYP004143442
Contact Name:		ANTONIO DELGADO
Contact Address:		4 IRVING PL, RM 828
Contact City,State,Zip:		NEW YORK, NY 10003
Contact Telephone:		718-204-4201
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		4 IRVING PL, RM 828
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N

CON EDISON MANHOLE 5291 (Continued) **1010326864**

Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20061115
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not reported
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20061116
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20061117
Handler Name: CON EDISON MANHOLE 5291	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny

CON EDISON MANHOLE 5291 (Continued) **1010326864**

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

S145 **CON EDISON MANHOLE 05291** **RCRA NonGen / NLR** **1014918966**
SW **LIBERTY AVE & SCHENCK AVE** **NY MANIFEST** **NYP004225850**
1/8-1/4 **BROOKLYN, NY 11201**
0.172 mi.
909 ft. **Site 5 of 12 in cluster S**

Relative:
Higher

Actual:
41 ft.

RCRA Listings:

Date Form Received by Agency:		20110227
Handler Name:		Con Edison Manhole 05291
Handler Address:		Liberty Ave & Schenck Ave
Handler City,State,Zip:		BROOKLYN, NY 11201
EPA ID:		NYP004225850
Contact Name:		ROMULO QUIJIJE
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		718-802-5182
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SR SPECIALIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL RM 828
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No

CON EDISON MANHOLE 05291 (Continued) **1014918966**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20110701
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years

Year:	2011

Click Here for Biennial Reporting System Data:

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: CON EDISON	
Legal Status:	Private
Date Became Current:	20110128
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PL 15TH FL
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

CON EDISON MANHOLE 05291 (Continued) **1014918966**

Owner/Operator Indicator: Operator
Owner/Operator Name: CON EDISON
Legal Status: Private
Date Became Current: 20110128
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PL 15TH FL
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20120306
Handler Name: CON EDISON MANHOLE 05291
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20110128
Handler Name: CON EDISON MANHOLE 05291
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20110227
Handler Name: CON EDISON MANHOLE 05291
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 221122
NAICS Description: Electric Power Distribution

CON EDISON MANHOLE 05291 (Continued) **1014918966**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:

EPA ID:	NYP004148912
Country:	USA
Name:	Consolidated Edison
Address:	LIBERTY AVE & SCHENCK AVE
Address 2:	S OF LIBERTY
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	LIBERTY AVE & SCHENCK AVE
Location Address 2:	MH5291
Location City,State,Zip:	BROOKLYN, NY 11201
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Consolidated Edison
Mailing Contact:	Franklin Murray
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD006982359
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	03/28/2007
Trans1 Recv Date:	03/28/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/29/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004148912
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	001436051FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N

CON EDISON MANHOLE 05291 (Continued) **1014918966**

Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code a: B007
Waste Code b: Lead
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 200
Units: Kilograms
Number of Containers: 4
Container Type: Metal drums, barrels, kegs
Handling Method: Landfill
Specific Gravity: 1

EPA ID: NYP004225850
Country: USA
Name: Consolidated Edison
Address: LIBERTY AVE & SCHENCK AVE
Address 2: COR OF
City,State,Zip: BROOKLYN, NY 11201
Zip 4: Not reported
Location Address 1: C/O LIBERTY AVE & SCHENCK AVE
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 11201
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Consolidated Edison
Mailing Contact: Tom Teeling
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD039322250
Year: 2018
Trans2 State ID: MAD039322250

CON EDISON MANHOLE 05291 (Continued) **1014918966**

Generator Ship Date:	01/29/2011
Trans1 Recv Date:	01/29/2011
Trans2 Recv Date:	01/31/2011
TSD Site Recv Date:	01/31/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004225850
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	MAD053452637
TSDF ID 2:	Not reported
Manifest Tracking Number:	003416217FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	B002
Waste Code b:	Lead
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	1000
Units:	Kilograms
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Landfill
Specific Gravity:	1

S146 **CON EDISON MANHOLE 5291** **RCRA NonGen / NLR** **1010327438**
SW **LIBERTY AVE & SCHENCK AVE** **NYP004146668**
1/8-1/4 **BROOKLYN, NY 11201**
0.172 mi.
909 ft. **Site 6 of 12 in cluster S**

Relative:
Higher

Actual:
41 ft.

RCRA Listings:

Date Form Received by Agency:	20070111
Handler Name:	Con Edison Manhole 5291
Handler Address:	Liberty Ave & Schenck Ave
Handler City,State,Zip:	BROOKLYN, NY 11201
EPA ID:	NYP004146668
Contact Name:	DANIEL PONTECORVO
Contact Address:	4 IRVING PL, RM 828
Contact City,State,Zip:	NEW YORK, NY 10003

CON EDISON MANHOLE 5291 (Continued) **1010327438**

Contact Telephone:		212-580-8383
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		4 IRVING PL, RM 828
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No

CON EDISON MANHOLE 5291 (Continued) **1010327438**

Manifest Broker: No
Sub-Part P Indicator: No

Historic Generators:
Receive Date: 20070109
Handler Name: CON EDISON
Federal Waste Generator Description: Not reported
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070110
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070111
Handler Name: CON EDISON MANHOLE 5291
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

M147 **NY LTANKS** **S108298717**
NW **2849 FULTON STREET** **NY NYC LAND USE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.172 mi.
909 ft. **Site 8 of 11 in cluster M**

Relative: **Higher**
Actual: **44 ft.**

LTANKS:

Name:	MALDONDAO HOME - TTF
Address:	2849 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0608616 / 2015-04-02
Facility ID:	0608616
Site ID:	372626
Spill Date:	2006-10-26
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	HRPATEL
Referred To:	Not reported
Reported to Dept:	2006-10-27
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2006-10-27
Spill Record Last Update:	2015-04-03
Spiller Name:	RAMONE MALDONADO
Spiller Company:	MALDONDAO HOME
Spiller Address:	2849 FULTON STREET
Spiller County:	001
Spiller Contact:	RAMONE MALDONADO
Spiller Phone:	(718) 827-0074
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	322361
Latitude:	40.6784936
Longitude:	-73.8894724
DEC Memo:	8/17/12 Spill re-assigned to T. Demeo as per RSE. bf 10/16/14-Hiralkumar Patel. reviewed available information for DEC DeMeo. alternate address: none no PBS or other spills found. the subject case was reported due to tightness test failure of 1,000 gal #2 oil tank. Ramon Maldonado **property owner** 90-22 215th Place Queens Village, NY 11428-1230 PH. (718) 827-0074 email: cranecooling@hotmail.COM 2/12/15 TJD Spill reassigned from DeMeo to Patel 04/02/15-Hiralkumar Patel. 2:30 PM:- visited site. met Mr. Maldonado. he mentioned that the 1,000 gal tank was aboveground and located in basement along building's southern foundation wall. he also mentioned that the tank was out-of-service since they installed a new gas service sometime in 2000. during a refinance process in 2006, bank asked for tank test. after it failed, the out-of-service tank was removed. no signs of oil spill or petroleum odors noted in the basement. case closed.
Remarks:	Not reported

(Continued) **S108298717**

All TTF:

Facility ID:	0608616
Spill Number:	0608616
Spill Tank Test:	1550390
Site ID:	372626
Tank Number:	1
Tank Size:	1000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	372626
Operable Unit ID:	1130363
Operable Unit:	01
Material ID:	2120039
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2849 FULTON STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6786574
Longitude:	-73.8893714
Type Of Ownership Code:	Not reported
Owner Name:	MALDONADO RAMON C
Borough:	BK
Tax Block:	3935
Tax Lot:	44
Community District:	305
Census Tract 2020:	3114600
Census Block 2020:	31146001005
Census Tract 2010:	1146
Census Block 2010:	1005
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34

(Continued) **S108298717**

Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-6
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	K1: Store Buildings (Taxpayers Included) - One Story Retail Building
Land Use Category:	Commercial & Office Buildings
Number Of Easements:	0
Lot Area:	6061
Total Building Floor Area:	6005
Commercial Floor Area:	6005
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	5405
Garage Floor Area:	600
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	2
Lot Frontage:	73.0000000
Lot Depth:	90.5000000
Building Frontage:	73.0000000
Building Depth:	90.8000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	108900.00000
Assessed Total Value:	361800.00000
Exempt Total Value:	0.00000
Year Built:	1930
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.99000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039350044.00000000
Condominium Number:	Not reported

(Continued) **S108298717**

Census Tract 2:	1146
X Coordinate:	1014935
Y Coordinate:	186549
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 002
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

N148 **CON ED - MH 67372** **RCRA NonGen / NLR** **1007206226**
South **GLENMORE & JEROME AVE** **NY MANIFEST** **NYP004006052**
1/8-1/4 **BROOKLYN, NY 11212**
0.173 mi.
914 ft. **Site 4 of 4 in cluster N**

Relative: RCRA Listings:
Higher

Actual: Date Form Received by Agency: 19980228
39 ft. Handler Name: Con Ed - Mh 67372
Handler Address: Glenmore & Jerome Ave
Handler City,State,Zip: BROOKLYN, NY 11212-0000
EPA ID: NYP004006052
Contact Name: ANTHONY DRUMMINGS
Contact Address: CONSOLIDATED EDISON INC
Contact City,State,Zip: NEW YORK, NY 10003-0000
Contact Telephone: 212-460-3770
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Ny
State District: NYSDEC R2
Mailing Address: CONSOLIDATED EDISON INC
Mailing City,State,Zip: NEW YORK, NY 10003-0000
Owner Name: Not reported
Owner Type: Not reported
Operator Name: Not reported
Operator Type: Not reported
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No

CON ED - MH 67372 (Continued) **1007206226**

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	19980227
Handler Name: CON ED - MH 67372	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19980228
Handler Name: CON ED - MH 67372	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

CON ED - MH 67372 (Continued) **1007206226**

Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19980226
Handler Name: CON ED - MH 67372
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 2211
NAICS Description: Electric Power Generation, Transmission And Distribution

NAICS Code: 22111
NAICS Description: Electric Power Generation

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:
EPA ID: NYP004006052
Country: USA
Name: Consolidated Edison
Address: GLENMORE & JEROME AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11212-0000
Zip 4: Not reported
Location Address 1: #67372 - GLENMORE & JEROME ST
Location Address 2: Not reported
Location City,State,Zip: QUEENS, NY
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Consolidated Edison
Mailing Contact: Franklin Murray
Mailing Address 1: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124602808

CON ED - MH 67372 (Continued) **1007206226**

Manifest Data:

Document ID:	NYG0124605
Manifest Status:	Not reported
Trans1 State ID:	80680AE
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	05/01/1997
Trans1 Recv Date:	05/01/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/02/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004006052
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Cubic Yards
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYG0250047
Manifest Status:	Not reported
Trans1 State ID:	80336AB
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	05/16/1997
Trans1 Recv Date:	05/16/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/19/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004006052
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263

CON ED - MH 67372 (Continued) **1007206226**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Cubic Yards
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYG0250686
Manifest Status:	Not reported
Trans1 State ID:	20854AD
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	05/16/1997
Trans1 Recv Date:	05/16/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/16/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004006052
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B003
Waste Code 2:	Not reported
Waste Code 3:	Not reported

CON ED - MH 67372 (Continued) **1007206226**

Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01782
Units:	Kilograms
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYG0248913
Manifest Status:	Not reported
Trans1 State ID:	80336AB
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	04/29/1997
Trans1 Recv Date:	04/29/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/30/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004006052
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Cubic Yards
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00
Document ID:	NYG0249561
Manifest Status:	Not reported
Trans1 State ID:	SM1708
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	04/29/1997

CON ED - MH 67372 (Continued) **1007206226**

Trans1 Recv Date:	04/29/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/30/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004006052
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B003
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01836
Units:	Kilograms
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYG0249624
Manifest Status:	Not reported
Trans1 State ID:	8068AE
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	05/01/1997
Trans1 Recv Date:	05/01/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/02/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004006052
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported

CON ED - MH 67372 (Continued) **1007206226**

Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Cubic Yards
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

S149 **CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO** **E MANIFEST** **1031631187**
WSW **210 SCHENCK AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.173 mi.
915 ft. **Site 7 of 12 in cluster S**

Relative: **Higher**
Actual: **42 ft.**

E MANIFEST:

Manifest Tracking Number:	007162234GBF
Last Updated Date:	20220808
Shipped Date:	20220725
Received Date:	20220726
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny C/O Acv Enviro
Generator Location Street Number:	Not reported
Generator Location Street 1:	210 SCHENCK AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO (Continued) **1031631187**

Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 007162234GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 007162234GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 007162234GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 007162234GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO (Continued) **1031631187**

Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

T150 **P.S. 290 - BROOKLYN K290** **NY AST** **A100320203**
WNW **135 SCHENCK AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.176 mi.
927 ft. **Site 1 of 13 in cluster T**

Relative:
Higher

Actual:
45 ft.

AST:

Name:	P.S. 290 - BROOKLYN K290
Address:	135 SCHENCK AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-356581
Program Type:	PBS
UTM X:	593832.37002
UTM Y:	4503620.78490
Expiration Date:	06/28/2028
Site Type:	School

Affiliation Records:

Site Id:	17818
Affiliation Type:	Mail Contact
Company Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type:	MANAGER, FUEL DIVISION
Contact Name:	JOSEPH YOUNGHESE
Address1:	FIELD OPERATIONS - FUEL DIVISION
Address2:	44-36 VERNON BOULEVARD
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 349-5751
EMail:	JYOUNGHESE@SCHOOLS.NYC.GOV
Fax Number:	Not reported
Modified By:	nFormUpd
Date Last Modified:	2024-05-09

Site Id:	17818
Affiliation Type:	Facility Owner
Company Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type:	Not reported
Contact Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Address1:	FIELD OPERATIONS-FUEL DIVISION
Address2:	44-36 VERNON BOULEVARD
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101

P.S. 290 - BROOKLYN K290 (Continued) **A100320203**

Country Code:	001
Phone:	(718) 349-5752
EMail:	bcu@SCHOOLS.NYC.GOV
Fax Number:	Not reported
Modified By:	nFormUpd
Date Last Modified:	2024-11-01

Site Id:	17818
Affiliation Type:	Facility Operator
Company Name:	P.S. 290 - BROOKLYN K290
Contact Type:	Not reported
Contact Name:	TODD MCKENNA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-1113
EMail:	Not reported
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2023-10-19

Site Id:	17818
Affiliation Type:	Emergency Contact
Company Name:	NEW YORK CITY DEPARTMENT OF EDUCATION
Contact Type:	Not reported
Contact Name:	ATHNASIOS GUIRGUIS
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(917) 392-3884
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXLIU
Date Last Modified:	2024-03-20

Tank Info:

Tank Number:	001
Tank Id:	34850
Material Code:	0002
Common Name of Substance:	#4 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
F01 - Pipe External Protection - Painted/Asphalt Coating
I02 - Overfill - High Level Alarm
K00 - Spill Prevention - None

P.S. 290 - BROOKLYN K290 (Continued) **A100320203**

G02 - Tank Secondary Containment - Vault (w/access)
C03 - Pipe Location - Aboveground/Underground Combination
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
L00 - Piping Leak Detection - None
H05 - Tank Leak Detection - In-Tank System (ATG)
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	02/28/1978
Capacity Gallons:	10000
Tightness Test Method:	34
Date Test:	07/25/2023
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	JSMACRI
Last Modified:	10/19/2023
Material Name:	#4 fuel oil (on-site consumption)

T151 **PS 290 (SCHOOL)** **NY LTANKS** **S108299052**
WNW **135 SCHENCK AVE** **NY LEAD** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.176 mi.
927 ft. **Site 2 of 13 in cluster T**

Relative: **Higher**
Actual: **45 ft.**

LTANKS:

Name:	PS 290 (SCHOOL)
Address:	135 SCHENCK AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0610197 / 2007-02-26
Facility ID:	0610197
Site ID:	374588
Spill Date:	2006-12-07
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	rvketani
Referred To:	Not reported
Reported to Dept:	2006-12-07
CID:	406
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2006-12-07
Spill Record Last Update:	2007-02-26
Spiller Name:	KIM LEE ALLEN
Spiller Company:	PS 290 (SCHOOL)
Spiller Address:	135 SCHENCK AVE.

PS 290 (SCHOOL) (Continued) **S108299052**

Spiller County:	001
Spiller Contact:	KIM LEE ALLEN
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	324261
Latitude:	40.6780150
Longitude:	-73.8897090
DEC Memo:	12/11/2006 Sangesland spoke to Joe Ostrowski at PTC. He said PTC cleaned up a spill in the basement of the building and outside. There was soil contamination and the area was dug out. Several endpoint samples were taken and the results will be submitted to DEC as soon as PTC gets them from the lab. 12/19/06 - Raphael Ketani. On 12/7/06, T&S Trucking (718) 499-2900 (Angelo Solimine) delivered the oil. Custodian had ordered 5000 gals., but tank already had 3900 gals. of #4. Oil shot out the vent pipe and onto the concrete. Kim Lee Allen is the school contact. The PBS case is #2-356581 and shows an active 10,000 gal. tank with #4 oil. 1/5/07 - Raphael Ketani. I tried to call Ms. Allen (718) 647-1113 and Mark Salamack of PTC (718) 624-4842, but could only leave messages. Mr. Salamack called me back. He said that the school usually produces its own report, but he will send me the analyticals. 2/23/07 - Raphael Ketani. I tried to call Mr. Salamack, but could only leave a message. 3/26/07 - Raphael Ketani. I received a FAX from Mr. Salamack containing manifests and end-point sample results. There were 2 manifests and 5 sample results. All of the samples were either non-detect or had hits that were very far below the TAGM RSCO limit. One sample had a number of VOC and SVOC hits, but these were well below the limits, except for benzo(a)pyrene which was just very slightly above with 81.2 ppb (limit 61 ppb). I called up Mr. Salamack regarding the amount of oil that had spilled inside the school and the vapor concentrations in the school. He said that he will have to talk to someone in PTC who knows the cleanup and get back to me. He said that it was #4 oil. I told him I needed a letter describing how much was spilled and the cleanup. He said that he would send me the letter. Mr. Salamack called me back a little while later. He said that the spill was an overfill and that the tank doesn't have a vent alarm or high level alarm. Mr. Salamack FAXed me a letter describing how the spill happened and what was done to clean it up. It said that 30 gals. came out the vent pipe as an overfill and contaminated the soil and conrete. It was also stated that the custodian opened the stick line and another 10 gals. spilled out, ran down the tank, and onto the painted floor of the tank room. Mr. Salamack's letter stated that the soil was dug out, absorbent was put down on the concrete outside, and the conrete next to the tank was pressure washed. Based upon the letter mentioned above, the manifests and the soil sample results, I am closing the spill case.
Remarks:	Driver was making a delivery for Castle Oil. The Custodian for the school read the gauge and gave the okay for a 5000gal. Tank originally had 3989 gal. Material shot out of the vent which is outside the school. Spill impacted the concrete. T& S Trucking has a crew on route to contain the spill but caller does not know who is doing the clean up.

All TTF:

Facility ID:	0610197
Spill Number:	0610197
Spill Tank Test:	1550490

PS 290 (SCHOOL) (Continued) **S108299052**

Site ID: 374588
Tank Number: Not reported
Tank Size: 10000
Material: 0002
EPA UST: Not reported
UST: Not reported
Cause: 02
Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Watchdog
Last Modified Date: Not reported

All Materials:
Site ID: 374588
Operable Unit ID: 1132260
Operable Unit: 01
Material ID: 2121991
Material Code: 0002A
Material Name: #4 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 60.00
Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

NYC LEAD 2:
Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 1st Floor
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: Caf
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE

PS 290 (SCHOOL) (Continued) **S108299052**

City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: Caf
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 201
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 203
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 209
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 213
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19

PS 290 (SCHOOL) (Continued) **S108299052**

Building Code:	K290
Room:	217
Deteriorated Paint:	NO
Presence of LBP:	NA
Stabilization Required:	NA
Stabilization Complete:	NA
Name:	P.S. 290 - BROOKLYN
Address:	135 SCHENCK AVENUE
City,State,Zip:	BROOKLYN, NY
Geographical District:	19
Building Code:	K290
Room:	219
Deteriorated Paint:	NO
Presence of LBP:	NA
Stabilization Required:	NA
Stabilization Complete:	NA
Name:	P.S. 290 - BROOKLYN
Address:	135 SCHENCK AVENUE
City,State,Zip:	BROOKLYN, NY
Geographical District:	19
Building Code:	K290
Room:	221
Deteriorated Paint:	NO
Presence of LBP:	NA
Stabilization Required:	NA
Stabilization Complete:	NA
Name:	P.S. 290 - BROOKLYN
Address:	135 SCHENCK AVENUE
City,State,Zip:	BROOKLYN, NY
Geographical District:	19
Building Code:	K290
Room:	223
Deteriorated Paint:	NO
Presence of LBP:	NA
Stabilization Required:	NA
Stabilization Complete:	NA
Name:	P.S. 290 - BROOKLYN
Address:	135 SCHENCK AVENUE
City,State,Zip:	BROOKLYN, NY
Geographical District:	19
Building Code:	K290
Room:	309
Deteriorated Paint:	NO
Presence of LBP:	NA
Stabilization Required:	NA
Stabilization Complete:	NA
Name:	P.S. 290 - BROOKLYN
Address:	135 SCHENCK AVENUE
City,State,Zip:	BROOKLYN, NY
Geographical District:	19
Building Code:	K290
Room:	108 BR

PS 290 (SCHOOL) (Continued) **S108299052**

Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 114 BR
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 116 BR
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 208 BR
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 216 BR
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 308 BR
Deteriorated Paint: NO
Presence of LBP: NA

PS 290 (SCHOOL) (Continued) **S108299052**

Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 316 BR
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 408 BR
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

Name: P.S. 290 - BROOKLYN
Address: 135 SCHENCK AVENUE
City,State,Zip: BROOKLYN, NY
Geographical District: 19
Building Code: K290
Room: 416 BR
Deteriorated Paint: NO
Presence of LBP: NA
Stabilization Required: NA
Stabilization Complete: NA

T152 **NYC DEPT OF EDUCATION - PS 290K** **RCRA-SQG** **1016974945**
WNW **135 SCHENCK AVE** **NYR000214064**
1/8-1/4 **BROOKLYN, NY 11207**
0.176 mi.
927 ft. **Site 3 of 13 in cluster T**

Relative: **Higher**

Actual: **45 ft.**

RCRA Listings:
Date Form Received by Agency: 20141021
Handler Name: Nyc Dept Of Education - Ps 290k
Handler Address: Schenck Ave
Handler City,State,Zip: BROOKLYN, NY 11207
EPA ID: NYR000214064
Contact Name: ALEXANDER LEMPERT
Contact Address: THOMSON AVE
Contact City,State,Zip: LONG ISLAND CITY, NY 11101
Contact Telephone: 718-742-8501
Contact Fax: 718-742-8500
Contact Email: ALEMPERT@NYCSCA.ORG
Contact Title: DIRECTOR
EPA Region: 02
Land Type: Municipal
Federal Waste Generator Description: Small Quantity Generator

NYC DEPT OF EDUCATION - PS 290K (Continued) **1016974945**

Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		THOMSON AVE
Mailing City,State,Zip:		LONG ISLAND CITY, NY 11101
Owner Name:	Nyc Dept Of Education	
Owner Type:		Municipal
Operator Name:	Nyc Dept Of School Facilities	
Operator Type:		Municipal
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20160607
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	NYC DEPT OF EDUCATION

NYC DEPT OF EDUCATION - PS 290K (Continued) **1016974945**

Legal Status:	Municipal
Date Became Current:	19790108
Date Ended Current:	Not reported
Owner/Operator Address:	30-30 THOMSON AVE
Owner/Operator City,State,Zip:	LONG ISLANDE CITY, NY 11101
Owner/Operator Telephone:	718-742-8501
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	NYC DEPT OF SCHOOL FACILITIES
Legal Status:	Municipal
Date Became Current:	19790108
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20141021
Handler Name:	NYC DEPT OF EDUCATION - PS 290K
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	611110
NAICS Description:	Elementary And Secondary Schools

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

R153
NNE
1/8-1/4
0.176 mi.
929 ft.

CON EDISON/ ATTN: BROOKLYN ENVIRONMENTAL OPS
2974 FULTON ST
BROOKLYN, NY 11208

Site 2 of 3 in cluster R

E MANIFEST | **1031619820** / **N/A**

Relative:
Higher

Actual:
36 ft.

E MANIFEST:

Manifest Tracking Number:	007168879GBF
Last Updated Date:	20221108
Shipped Date:	20221101
Received Date:	20221103
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/ Attn: Brooklyn Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	2974 FULTON ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	007168879GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	007168879GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T

CON EDISON/ ATTN: BROOKLYN ENVIRONMENTAL OPS (Continued) **1031619820**

State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 007168879GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 007168879GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 1500
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.75
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.75
- Waste Quantity, in Kilograms: 680.2725
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 680.2725
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

U154 **2827 ATLANTIC AVENUE** **US BROWNFIELDS** **1027574057**
West **2827 ATLANTIC AVENUE** **FINDS** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.176 mi.
931 ft. **Site 1 of 18 in cluster U**

Relative: **Higher**
Actual: **44 ft.**

US BROWNFIELDS:
- Name: 2827 ATLANTIC AVENUE
- Address: 2827 Atlantic Avenue
- City,State,Zip: BROOKLYN, NY 11207
- Property ID: 233523
- Property Alias: Not reported

2827 ATLANTIC AVENUE (Continued) **1027574057**

Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 3948, Lot 134
Parcel Size:	0.14
Latitude:	40.6769324
Longitude:	-73.8900294
Census Tract:	36047119800
State or Tribal Voluntary Response Program:	N
Program Name:	BF
AA Activity Funded:	Phase I
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Phase I
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Not reported
Contaminants Found at Actionable Level:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	EPA
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015
Start Date:	2016-02-10 00:00:00
Ownership Entity:	Private
Additional Institutional Controls Information:	Not reported
Completion Date:	2016-05-31 00:00:00
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	Not reported
Additional Cleanup/Treatment Tech Info:	Not reported
IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	U
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported

2827 ATLANTIC AVENUE (Continued) **1027574057**

Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Not reported
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	0.14
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	9120
Below Poverty Percent:	32.45
Meidan Income:	19776
Meidan Income Number:	15461
Meidan Income Percent:	55.01
Vacant Housing Number:	1180

2827 ATLANTIC AVENUE (Continued) **1027574057**

Vacant Housing Percent:	11.64
Unemployed Number:	1442
Unemployed Percent:	5.13
Name:	2827 ATLANTIC AVENUE
Address:	2827 Atlantic Avenue
City,State,Zip:	BROOKLYN, NY 11207
Property ID:	233523
Property Alias:	Not reported
Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 3948, Lot 134
Parcel Size:	0.14
Latitude:	40.6769324
Longitude:	-73.8900294
Census Tract:	36047119800
State or Tribal Voluntary Response Program:	N
Program Name:	BF
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Phase I
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Not reported
Contaminants Found at Actionable Level:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015
Start Date:	Not reported
Ownership Entity:	Private
Additional Institutional Controls Information:	Not reported
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	Not reported
Additional Cleanup/Treatment Tech Info:	Not reported

2827 ATLANTIC AVENUE (Continued) **1027574057**

IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	U
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported
Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Not reported
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	0.14
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported

2827 ATLANTIC AVENUE (Continued) **1027574057**

Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	9120
Below Poverty Percent:	32.45
Meidan Income:	19776
Meidan Income Number:	15461
Meidan Income Percent:	55.01
Vacant Housing Number:	1180
Vacant Housing Percent:	11.64
Unemployed Number:	1442
Unemployed Percent:	5.13

FINDS:
Registry ID: 110071349635

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on Brownfields properties assessed or cleaned up with grant funding, as well as information on Targeted Brownfields Assessments (TBA) performed by EPA Regions.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

---

155 South 1/8-1/4 0.179 mi. 946 ft. **CON EDISON - BROOKLYN ENVIRONMENTAL OPS** **E MANIFEST** **1031610118**
628 GLENMORE AVE **N/A**
BROOKLYN, NY 11207

Relative: Higher

Actual: 39 ft.

E MANIFEST:

Manifest Tracking Number:	006871164GBF
Last Updated Date:	20210706
Shipped Date:	20210618
Received Date:	20210625
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Brooklyn Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	628 GLENMORE AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031610118**

Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006871164GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	006871164GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	006871164GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	006871164GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031610118**

Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

T156 **CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO** **E MANIFEST** **1031632408**
WNW **OPP 2843 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.180 mi.
948 ft. **Site 4 of 13 in cluster T**

Relative: **Higher**
Actual: **44 ft.**

E MANIFEST:

Manifest Tracking Number:	006857596GBF
Last Updated Date:	20210729
Shipped Date:	20210712
Received Date:	20210715
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny C/O Acv Enviro
Generator Location Street Number:	Not reported
Generator Location Street 1:	OPP 2843 FULTON ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER STREET ATTN: RENALDO HEMANS/SHARON BROWN
Generator Mail Street 2:	Not reported
Generator Mail City:	ELIZABETH
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO (Continued) **1031632408**

Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 006857596GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006857596GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006857596GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006857596GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Rq, Na3082, Hazardous Waste, Liquid N.O.S.(Lead), 9, Pg Iii
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO (Continued) **1031632408**

Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

M157 **CON EDISON - BARBEY STREET** **PA MANIFEST** **S123093059**
NW **163 BARBEY STREET** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.180 mi.
948 ft. **Site 9 of 11 in cluster M**

Relative: **Higher**
Actual: **42 ft.**

PA MANIFEST:

Name:	CON EDISON - BARBEY STREET
Address:	163 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Year:	2017
Manifest Number:	009438925FLE
Manifest Type:	T
Generator EPA ID:	NYP005031349
Generator Date:	02/11/2017
Mailing Address:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA ID:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	TT
Waste Quantity:	240
Unit:	P
Handling Code:	Not reported
TSP EPA ID:	PAD085690592
Date TSP Sig:	Not reported

M158 **CON EDISON SERVICE BOX: 22274** **RCRA NonGen / NLR** **1017774664**
NW **163 BARBEY ST** **FINDS** **NYP004524781**
1/8-1/4 **BROOKLYN, NY 11207**
0.180 mi.
948 ft. **Site 10 of 11 in cluster M**

Relative: **Higher**
Actual: **42 ft.**

RCRA Listings:

Date Form Received by Agency:	20140607
Handler Name:	Con Edison Service Box: 22274
Handler Address:	Barbey St
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004524781
Contact Name:	THOMAS TEELING

CON EDISON SERVICE BOX: 22274 (Continued) **1017774664**

Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SENIOR SCIENTIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150211
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No

CON EDISON SERVICE BOX: 22274 (Continued) **1017774664**

Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140507
Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140507
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140607
Handler Name: CON EDISON SERVICE BOX:	22274
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

CON EDISON SERVICE BOX: 22274 (Continued) **1017774664**

FINDS:
Registry ID: 110063785300

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

M159 **CON EDISON** **NY MANIFEST** **S117060264**
NW **163 BARBEY ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.180 mi.
948 ft. **Site 11 of 11 in cluster M**

Relative:
Higher

Actual:
42 ft.

NY MANIFEST:

EPA ID:	NYP004524781
Country:	USA
Name:	Con Edison
Address:	163 BARBEY ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	FRONT OF 163 BARBEY ST
Location Address 2:	SB22274
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH ST
Mailing City,State,Zip:	NEW YORK, NY 10001
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	05/07/2014
Trans1 Recv Date:	05/07/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/08/2014
Part A Recv Date:	Not reported

CON EDISON (Continued) **S117060264**

Part B Recv Date:	Not reported
Generator EPA ID:	NYP004524781
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002422254GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

V160 **CON EDISON SERVICE BOX: 21539** **RCRA NonGen / NLR** **1017777152**
NW **112 JEROME ST FRONT OF** **FINDS** **NYP004550398**
1/8-1/4 **BROOKLYN, NY 11207**
0.180 mi.
949 ft. **Site 1 of 8 in cluster V**

Relative: RCRA Listings:
Higher

Actual: Date Form Received by Agency:	20140702
40 ft. Handler Name:	Con Edison Service Box: 21539
Handler Address:	Jerome St Front Of
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004550398
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02

CON EDISON SERVICE BOX: 21539 (Continued) **1017777152**

Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150211
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

CON EDISON SERVICE BOX: 21539 (Continued) **1017777152**

Historic Generators:

Receive Date:		20140602
Handler Name:	CON EDISON	
Federal Waste Generator Description:		Small Quantity Generator
State District Owner:		Ny
Large Quantity Handler of Universal Waste:		No
Recognized Trader Importer:		No
Recognized Trader Exporter:		No
Spent Lead Acid Battery Importer:		No
Spent Lead Acid Battery Exporter:		No
Current Record:		No
Non Storage Recycler Activity:		Not reported
Electronic Manifest Broker:		Not reported

Receive Date:		20140602
Handler Name:	CON EDISON	
Federal Waste Generator Description:		Not a generator, verified
State District Owner:		Ny
Large Quantity Handler of Universal Waste:		No
Recognized Trader Importer:		No
Recognized Trader Exporter:		No
Spent Lead Acid Battery Importer:		No
Spent Lead Acid Battery Exporter:		No
Current Record:		No
Non Storage Recycler Activity:		Not reported
Electronic Manifest Broker:		Not reported

Receive Date:		20140702
Handler Name:	CON EDISON SERVICE BOX:	21539
Federal Waste Generator Description:		Not a generator, verified
State District Owner:		Ny
Large Quantity Handler of Universal Waste:		No
Recognized Trader Importer:		No
Recognized Trader Exporter:		No
Spent Lead Acid Battery Importer:		No
Spent Lead Acid Battery Exporter:		No
Current Record:		Yes
Non Storage Recycler Activity:		Not reported
Electronic Manifest Broker:		Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110063813137

Click Here for FRS Facility Detail Report:

CON EDISON SERVICE BOX: 21539 (Continued) **1017777152**

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

V161 **CON EDISON** **NY MANIFEST** **S117062669**
NW **112 JEROME ST FRONT OF** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.180 mi.
949 ft. **Site 2 of 8 in cluster V**

Relative:
Higher

Actual:
40 ft.

NY MANIFEST:

EPA ID:	NYP004550398
Country:	USA
Name:	Con Edison
Address:	112 JEROME ST FRONT OF
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	112 JEROME ST
Location Address 2:	SB21539
Location City,State,Zip:	BROOKLYN, NY 11201
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH ST
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	06/02/2014
Trans1 Recv Date:	06/02/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/05/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004550398
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

CON EDISON (Continued) **S117062669**

TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013245880JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	150
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

W162 **398 LINWOOD ST** **NY LTANKS** **S102672736**
ESE **398 LINWOOD ST** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.180 mi.
950 ft. **Site 1 of 5 in cluster W**

Relative: LTANKS:
Lower

Name:	398 LINWOOD ST
Address:	398 LINWOOD ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9412321 / 2003-02-13
Facility ID:	9412321
Site ID:	153913
Spill Date:	1994-12-14
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	TOMASELLO
Referred To:	Not reported
Reported to Dept:	1994-12-14
CID:	Not reported
Water Affected:	Not reported

Actual:
28 ft.

398 LINWOOD ST (Continued) **S102672736**

Spill Notifier:	Federal Government
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-01-30
Spill Record Last Update:	2003-02-13
Spiller Name:	Not reported
Spiller Company:	GLENDALE FUEL CO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	130550
Latitude:	40.6758050
Longitude:	-73.8831550
DEC Memo:	Not reported
Remarks:	OVERFILLE TANK-A CONTRACTOR CAME & PUMPED MOST OF IT OUT, BUT LEFT 25 GL ON FLOOR

All Materials:

Site ID:	153913
Operable Unit ID:	1010021
Operable Unit:	01
Material ID:	374642
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

W163 **CON EDISON** **E MANIFEST** **1031627445**
ESE **720 LIBERTY AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.181 mi.
954 ft. **Site 2 of 5 in cluster W**

Relative:
Lower

Actual:
28 ft.

E MANIFEST:

Manifest Tracking Number:	007164812GBF
Last Updated Date:	20220510
Shipped Date:	20220426
Received Date:	20220428
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison
Generator Location Street Number:	Not reported
Generator Location Street 1:	720 LIBERTY AVE
Generator Location Street 2:	Not reported

CON EDISON (Continued) **1031627445**

Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	007164812GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	007164812GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	007164812GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	007164812GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
Non-Hazardous Waste Description:	Not reported

CON EDISON (Continued) **1031627445**

Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

O164 **CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS** **E MANIFEST** **1031621886**
ESE **729 LIBERTY AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.182 mi.
960 ft. **Site 7 of 8 in cluster O**

Relative: **Lower**
Actual: **28 ft.**

E MANIFEST:

Manifest Tracking Number:	006869207GBF
Last Updated Date:	20211123
Shipped Date:	20211110
Received Date:	20211112
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/ Attn: Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	729 LIBERTY AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS (Continued) **1031621886**

Designated Facility EPA ID: NJD991291105
Designated Facility Name: Clean Earth Of North Jersey
Designated Facility Mail Street Number: 105
Designated Facility Mail Street 1: Not reported
Designated Facility Mail Street 2: JACOBUS AVE
Designated Facility Mail City: KEARNY
Designated Facility Mail Zip: 07032
Designated Facility Mail State: NJ
Designated Facility Location Street Number: 105
Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 006869207GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006869207GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006869207GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006869207GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 200
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.1
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.1
Waste Quantity, in Kilograms: 90.703

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS (Continued) **1031621886**

Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	90.703
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

O165 **CON EDISON** **E MANIFEST** **1031627456**
ESE **729 LIBERTY AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.182 mi.
960 ft. **Site 8 of 8 in cluster O**

Relative: E MANIFEST:
Lower

Actual:
28 ft.

Manifest Tracking Number:	006874234GBF
Last Updated Date:	20210823
Shipped Date:	20210812
Received Date:	20210816
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison
Generator Location Street Number:	Not reported
Generator Location Street 1:	729 LIBERTY AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE

CON EDISON (Continued) **1031627456**

Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 006874234GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006874234GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006874234GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006874234GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq (Lead)
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 200
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.1
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.1
Waste Quantity, in Kilograms: 90.703
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 90.703
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported

CON EDISON (Continued) **1031627456**

Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

T166 **CORNER OF W. 1ST ST** **NY LTANKS** **S104191918**
WNW **AND SCHENCK ST** **N/A**
1/8-1/4 **FULTON, NY**
0.187 mi.
985 ft. **Site 5 of 13 in cluster T**

Relative:
Higher

Actual:
45 ft.

LTANKS:

Name:	CORNER OF W. 1ST ST
Address:	AND SCHENCK ST
City,State,Zip:	FULTON, NY
Spill Number/Closed Date:	9906643 / 2000-03-07
Facility ID:	9906643
Site ID:	120569
Spill Date:	1999-09-03
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3804
Investigator:	CFMANNES
Referred To:	Not reported
Reported to Dept:	1999-09-03
CID:	322
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1999-09-03
Spill Record Last Update:	2000-03-07
Spiller Name:	STEVE THOMAS
Spiller Company:	CORNER OF W. 1ST ST
Spiller Address:	AND SCHENCK ST
Spiller County:	001
Spiller Contact:	FORMER NEIL OBRIEN PROP.
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	7
DER Facility ID:	104677
Latitude:	40.6782950
Longitude:	-73.8899100
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was CM
Remarks:	former lumberyard /hardware shop being demolished and contamined soil found around an old gasoline tank (2000 gal)

All Materials:

Site ID:	120569

CORNER OF W. 1ST ST (Continued) **S104191918**

Operable Unit ID:	1081022
Operable Unit:	01
Material ID:	299365
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

U167 **ATLANTIC & HENDRIX** **NY UST** **U000396461**
WSW **2820 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.188 mi.
993 ft. **Site 2 of 18 in cluster U**

Relative: UST:
Higher

Actual:
44 ft.

Name:	ATLANTIC & HENDRIX
Address:	2820 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-191485 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	593794.20307
UTM Y:	4503440.25631
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	5971
Affiliation Type:	Facility Owner
Company Name:	ABBONDANDOLO & CO
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	333 GLEN HEAD ROAD
Address2:	Not reported
City:	OLD BROOKVILLE
State:	NY
Zip Code:	11545
Country Code:	001
Phone:	(516) 674-9229
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	5971
Affiliation Type:	Mail Contact
Company Name:	GASETERIA OIL CORP
Contact Type:	Not reported
Contact Name:	GEORGE ESAYAN
Address1:	364 MASPETH AVENUE
Address2:	Not reported

ATLANTIC & HENDRIX (Continued) **U000396461**

City:	BROOKLYN
State:	NY
Zip Code:	11211
Country Code:	001
Phone:	(718) 782-4200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	5971
Affiliation Type:	Facility Operator
Company Name:	ATLANTIC & HENDRIX
Contact Type:	Not reported
Contact Name:	GASETERIA OIL CORP
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 348-0044
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	5971
Affiliation Type:	Emergency Contact
Company Name:	ABBONDANDOLO & CO
Contact Type:	Not reported
Contact Name:	GEORGE ESAYAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 782-4200
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	7529
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	08/01/1959
Date Tank Closed:	07/01/1996
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009

ATLANTIC & HENDRIX (Continued) **U000396461**

Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 03/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

Tank Number: 002
Tank ID: 7530
Tank Status: Tank Converted to Non-Regulated Use
Material Name: Tank Converted to Non-Regulated Use
Capacity Gallons: 550
Install Date: 08/01/1959
Date Tank Closed: 07/01/1996
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: 03
Date Test: 09/01/1993
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground

Tank Number: 003
Tank ID: 7531
Tank Status: Tank Converted to Non-Regulated Use
Material Name: Tank Converted to Non-Regulated Use
Capacity Gallons: 550

ATLANTIC & HENDRIX (Continued) **U000396461**

Install Date:	08/01/1959
Date Tank Closed:	07/01/1996
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	03
Date Test:	03/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground

Tank Number:	004
Tank ID:	7532
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	08/01/1959
Date Tank Closed:	07/01/1996
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	03
Date Test:	03/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

ATLANTIC & HENDRIX (Continued) **U000396461**

Tank Number:	005
Tank ID:	7533
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	08/01/1959
Date Tank Closed:	07/01/1996
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	03
Date Test:	03/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

Tank Number:	006
Tank ID:	7534
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	550
Install Date:	08/01/1959
Date Tank Closed:	07/01/1996
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	03
Date Test:	03/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D02 - Pipe Type - Galvanized Steel

ATLANTIC & HENDRIX (Continued) **U000396461**

F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground

Tank Number:	007
Tank ID:	7535
Tank Status:	Tank Converted to Non-Regulated Use
Material Name:	Tank Converted to Non-Regulated Use
Capacity Gallons:	4000
Install Date:	04/01/1975
Date Tank Closed:	07/01/1996
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	03
Date Test:	03/01/1993
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J02 - Dispenser - Suction Dispenser
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None

U168 **ATLANTIC & HENDRIX** **UST FINDER** **1028599424**
WSW **2820 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.188 mi.
993 ft. **Site 3 of 18 in cluster U**

Relative: **Higher**
Actual: **44 ft.**

UST FINDER:

Object ID:	295826
Facility ID:	NY5971
Name:	ATLANTIC & HENDRIX
Address:	2820 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	7
TOS USTs:	0
Population 1500ft:	10252
Private Wells 1500ft:	3
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No

ATLANTIC & HENDRIX (Continued) **1028599424**

SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported
Within WHPA: No
WHPA PWS Facility ID: Not reported
WHPA Water Type: Not reported
WHPA Facility Type: Not reported
WHPA HUC12: Not reported
Facility Status: Closed UST(s)
Date of Last Inspection: Not reported
EPA Region: 2
Tribe: Not reported
Coordinate Source: State
X Coord: -73.890114
Y Coord: 40.675958
Latitude: 40.675958
Longitude: -73.890114

UST FINDER:
Object ID: 1317623
Facility ID: NY5971
Tank ID: NY8400
Tank Status: Closed
Installation Date: 1959/08/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1317624
Facility ID: NY5971
Tank ID: NY9008
Tank Status: Closed
Installation Date: 1975/04/01 16:00:00+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1317625
Facility ID: NY5971
Tank ID: NY10206
Tank Status: Closed
Installation Date: 1959/08/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1317626
Facility ID: NY5971
Tank ID: NY10207
Tank Status: Closed
Installation Date: 1959/08/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported

ATLANTIC & HENDRIX (Continued) **1028599424**

Tank Wall Type: Not reported

Object ID: 1317627
Facility ID: NY5971
Tank ID: NY108675
Tank Status: Closed
Installation Date: 1959/08/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1317628
Facility ID: NY5971
Tank ID: NY108676
Tank Status: Closed
Installation Date: 1959/08/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1317629
Facility ID: NY5971
Tank ID: NY108677
Tank Status: Closed
Installation Date: 1959/08/01 16:00:01+00
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

U169 **GASETERIA** **UST FINDER RELEASE** **1029063739**
WSW **2820 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 0**
0.188 mi.
993 ft. **Site 4 of 18 in cluster U**

Relative: **Higher**
Actual: **44 ft.**

UST FINDER RELEASE:
Object ID: 259143
Facility ID: NY189529
Lust ID: NY9403819
Name: GASETERIA
Address: 2820 ATLANTIC AVENUE
City,State,Zip: BROOKLYN, NY 0
Address Match Type: Not reported
Reported Date: 1994/06/17 15:59:59+00
Status: No Further Action
Substance: Not reported
Population within 1500ft: 10366
Domestic Wells within 1500ft: 1
Land Use: Developed, High Intensity
Within SPA: No
SPA PWS Facility ID: Not reported
SPA Water Type: Not reported
SPA Facility Type: Not reported
SPA HUC12: Not reported

GASETERIA (Continued) **1029063739**

Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.89014
Y Coord:	40.6765100000001
Latitude:	40.67651
Longitude:	-73.89014

U170 **SPILL NUMBER 9312952** **UST FINDER RELEASE** **1029063740**
WSW **2820 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 0**
0.188 mi.
993 ft. **Site 5 of 18 in cluster U**

Relative:
Higher

Actual:
44 ft.

UST FINDER RELEASE:

Object ID:	259173
Facility ID:	NY189529
Lust ID:	NY9312952
Name:	SPILL NUMBER 9312952
Address:	2820 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 0
Address Match Type:	Not reported
Reported Date:	1993/08/17 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	10261
Domestic Wells within 1500ft:	3
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State

SPILL NUMBER 9312952 (Continued) **1029063740**

X Coord:	-73.8892099999999
Y Coord:	40.6766900000001
Latitude:	40.67669
Longitude:	-73.88921

U171 **GASETERIA** **NY LTANKS** **S102672366**
WSW **2820 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.188 mi.
993 ft. **Site 6 of 18 in cluster U**

Relative: LTANKS:
Higher

Actual:
44 ft.

Name:	SPILL NUMBER 9312952
Address:	2820 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9312952 / 2003-01-27
Facility ID:	9312952
Site ID:	229957
Spill Date:	1993-08-17
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	1994-02-02
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1994-02-10
Spill Record Last Update:	2004-01-29
Spiller Name:	Not reported
Spiller Company:	GASETERIA - GEORGE ESAYAN
Spiller Address:	53-02 11TH STREET
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	189529
Latitude:	40.6766922
Longitude:	-73.8892103
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT Operated as a Mobil as of approx. 10/95. All 550's pulled 5/95 as per Mobil's new PBS report #2-602236. GOC never notified DEC when tanks were pulled or when property transferred. Tank closure report pending. 1/27/2003-Vought-Spill transferred from Rommel to Vought. Vought spoke to Steven Muller and site is currently Mobil Exxon. This spill closed due to historic spill (at least ten years old) and tank overfill spill on concrete. Tanks involved in original spill were removed and replaced by Mobil. Spill closed by Vought.
Remarks:	DISCOVERED AS RESULT OF ONGOING INSPECTION OF GASETERIA

GASETERIA (Continued) **S102672366**

STATIONS.(SULLIVAN)

All Materials:

Site ID:	229957
Operable Unit ID:	994844
Operable Unit:	01
Material ID:	388356
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

Name:	GASETERIA
Address:	2820 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9403819 / 2006-02-14
Facility ID:	9403819
Site ID:	229958
Spill Date:	1994-06-17
Spill Cause:	Tank Overfill
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	aaobliga
Referred To:	Not reported
Reported to Dept:	1994-06-17
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	DEC
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1994-09-26
Spill Record Last Update:	2008-08-07
Spiller Name:	Not reported
Spiller Company:	GASETERIA
Spiller Address:	2820 ATLANTIC AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	189529
Latitude:	40.6765149
Longitude:	-73.8901380
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was VOUGHT Formerly Wilson Spill. 1/12/2004-Vought-Spill transferred from Rommel to Vought. 9/26/05-Obligado-Spill transferred from Vought to Obligado 2/14/06 - Obligado - Close spill, consolidate with spill

GASETERIA (Continued) **S102672366**

already closed by Vought sp#9312952
Remarks: CONTAMINATED SOIL FOUND AT FILL BOXES AND SUCTION PUMPS.

All Materials:
Site ID: 229958
Operable Unit ID: 997506
Operable Unit: 01
Material ID: 383983
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: L
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

R172 **MTA-NYCTA FULTON ST STORAGE AREA** **RCRA NonGen / NLR** **1008195895**
NNE **2963-2965 FULTON ST** **NJ MANIFEST** **NYR000131375**
1/8-1/4 **BROOKLYN, NY 11234** **NY MANIFEST**
0.189 mi.
998 ft. **Site 3 of 3 in cluster R**

Relative: **Higher**
Actual: **36 ft.**

RCRA Listings:
Date Form Received by Agency: 20090902
Handler Name: Mta-Nycta Fulton St Storage Area
Handler Address: Fulton St
Handler City,State,Zip: BROOKLYN, NY 11234
EPA ID: NYR000131375
Contact Name: ARTHUR JURGRAU
Contact Address: FULTON ST
Contact City,State,Zip: BROOKLYN, NY 11234
Contact Telephone: 516-790-1462
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Ny
State District: NYSDEC R2
Mailing Address: FULTON ST
Mailing City,State,Zip: BROOKLYN, NY 11234
Owner Name: Nyct
Owner Type: State
Operator Name: Mta Nycta
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2005

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D008
Waste Description: Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: NYCT	
Legal Status:	State
Date Became Current:	19530601
Date Ended Current:	Not reported
Owner/Operator Address:	2 BROADWAY
Owner/Operator City,State,Zip:	NEW YORK, NY 10004
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: MTA NYCT	
Legal Status:	Private
Date Became Current:	19680301
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: NYCT	
Legal Status:	State
Date Became Current:	19530601
Date Ended Current:	20090730
Owner/Operator Address:	2 BROADWAY
Owner/Operator City,State,Zip:	NEW YORK, NY 10004
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: GHAZI KARAMULLAH	
Legal Status:	Private
Date Became Current:	19680301
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: ARTHUR JURGRAU	
Legal Status:	Private
Date Became Current:	20090801
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: NO NAME FOUND	
Legal Status:	Private
Date Became Current:	19680301
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: ARTHUR JURGRAU
Legal Status: Private
Date Became Current: 20090801
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MTA NYCTA
Legal Status: Private
Date Became Current: 19680301
Date Ended Current: 20090730
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NYCT
Legal Status: State
Date Became Current: 19530601
Date Ended Current: Not reported
Owner/Operator Address: 2 BROADWAY
Owner/Operator City,State,Zip: NEW YORK, NY 10004
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NYCT
Legal Status: State
Date Became Current: 19530601
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20060130
Handler Name: MTA-NYCTA FULTON ST STORAGE AREA
Federal Waste Generator Description: Small Quantity Generator

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: MTA-NYCTA FULTON ST STORAGE AREA
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20090902
Handler Name: MTA-NYCTA FULTON ST STORAGE AREA
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20050331
Handler Name: MTA NYCT - STORAGE AREA
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060131
Handler Name: MTA-NYCTA FULTON ST STORAGE AREA
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 485111
NAICS Description: Mixed Mode Transit Systems

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:
Evaluation Date: 20090723
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYACY
Evaluation Responsible Sub-Organization: R2
Actual Return to Compliance Date: Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

NJ MANIFEST:

EPA ID:	NYR000131375
Name:	NYCTA CPM ENVIRO ENG DIV
Address:	2963-2965 FULTON STREET
City,State,Zip:	BROOKLYN, NY 11201
County:	Not reported
Mailing Address:	2 BROADWAY
Mailing City,State,Zip:	NEW YORK 10004
Telephone:	6462523500
Emergency Telephone:	Not reported
Contact:	LOU DEFORTE
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPAID:	Not reported
Generator Flag:	X
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYR000131375
Manifest Number:	000067546WAS
Date Shipped:	03/09/2007
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/09/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/09/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H11
Quantity:	2000
Unit:	P

EPA ID:	NYR000131375
Manifest Number:	NJA5268292
Date Shipped:	07/29/2005
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/29/2005
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/01/2005
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Manifest Discrepancy Type:	Not reported
Data Entry Number:	09060521
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported
EPA ID:	NYR000131375
Manifest Number:	NJA5286893
Date Shipped:	01/17/2006
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/17/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/17/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02280621
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported
EPA ID:	NYR000131375
Manifest Number:	NJA5227121
Date Shipped:	05/18/2005
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	05/18/2005
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	05/18/2005
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	08030525
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

EPA ID:	NYR000131375
Manifest Number:	NJA5287041
Date Shipped:	04/17/2006
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/17/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/19/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	05300621
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

EPA ID:	NYR000131375
Manifest Number:	NJA5286966
Date Shipped:	03/03/2006
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/03/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/06/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	05040621
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

EPA ID:	NYR000131375
Manifest Number:	NJA5300373

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Date Shipped:	10/20/2005
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	10/20/2005
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	10/20/2005
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	01060625
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

EPA ID:	NYR000131375
Manifest Number:	NJA5319698
Date Shipped:	06/21/2006
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NYD046765574
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/21/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/21/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	08070621
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

NY MANIFEST:

EPA ID:	NYR000131375
Country:	USA
Name:	Nycta Enviro Eng Div
Address:	2963-2965 FULTON STREET
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 12008
Zip 4:	Not reported
Location Address 1:	2963 2965 FULTON STREET
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11201
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Nycta Enviro Eng Div
Mailing Contact:	Lou Deforte
Mailing Address 1:	2 BROADWAY 2ND FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10004
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	6462523500

Manifest Data:

Document ID:	NJA5227121
Manifest Status:	Not reported
Trans1 State ID:	S8424
Year:	2005
Trans2 State ID:	Not reported
Generator Ship Date:	05/18/2005

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Trans1 Recv Date:	05/18/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/18/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000131375
Trans1 EPA ID:	NYD046765574
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	03300
Units:	Pounds
Number of Containers:	011
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	03/03/2006
Trans1 Recv Date:	03/03/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/06/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000131375
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	NJA5286966
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	10000
Units:	Pounds
Number of Containers:	13
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	01/17/2006
Trans1 Recv Date:	01/17/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/17/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000131375
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	NJA5286893
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	5500
Units:	Pounds
Number of Containers:	11
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	12/11/2006
Trans1 Recv Date:	12/11/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/12/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000131375
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	000067246WAS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	4000
Units:	Pounds

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Number of Containers: 10
Container Type: Metal drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 1

Document ID: NJA5300373
Manifest Status: Not reported
Trans1 State ID: S8424
Year: 2005
Trans2 State ID: Not reported
Generator Ship Date: 10/20/2005
Trans1 Recv Date: 10/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/20/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000131375
Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Lead
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 04400
Units: Pounds
Number of Containers: 013
Container Type: Metal drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 01.00

Document ID: NJA5268292
Manifest Status: Not reported
Trans1 State ID: S8424
Year: 2005
Trans2 State ID: Not reported
Generator Ship Date: 07/29/2005
Trans1 Recv Date: 07/29/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/01/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Generator EPA ID: NYR000131375
Trans1 EPA ID: NJD046765574
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Lead
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 02500
Units: Pounds
Number of Containers: 009
Container Type: Metal drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 01.00

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 04/17/2006
Trans1 Recv Date: 04/17/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/19/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000131375
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: NJA5287041
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

MGMT Method Type Code:	Not reported
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	4800
Units:	Pounds
Number of Containers:	13
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	09/12/2006
Trans1 Recv Date:	09/12/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/12/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000131375
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	000062022WAS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	2500
Units:	Pounds
Number of Containers:	15
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	06/21/2006
Trans1 Recv Date:	06/21/2006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/21/2006
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000131375
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	NJA5319698
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	6500
Units:	Pounds
Number of Containers:	13
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1

MTA-NYCTA FULTON ST STORAGE AREA (Continued) **1008195895**

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD046765574
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	03/09/2007
Trans1 Recv Date:	03/09/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/09/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000131375
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	000067546WAS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H111
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	2000
Units:	Pounds
Number of Containers:	17
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	1

U173 **CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS** **E MANIFEST** **1031621394**
West **2817 ATLANTIC AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.190 mi.
1004 ft. **Site 7 of 18 in cluster U**

Relative:
Higher

Actual:
45 ft.

E MANIFEST:

Manifest Tracking Number:	007165488GBF
Last Updated Date:	20220526
Shipped Date:	20220510
Received Date:	20220516
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/ Attn: Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	2817 ATLANTIC AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	007165488GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	007165488GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS (Continued) **1031621394**

State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 007165488GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 007165488GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 300
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.15
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.15
- Waste Quantity, in Kilograms: 136.0545
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 136.0545
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

U174 **2817 ATLANTIC AVENUE** **US BROWNFIELDS** **1027574056**
West **2817 ATLANTIC AVENUE** **FINDS** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.190 mi.
1004 ft. **Site 8 of 18 in cluster U**

Relative: **Higher**
Actual: **45 ft.**

US BROWNFIELDS:
- Name: 2817 ATLANTIC AVENUE
- Address: 2817 Atlantic Avenue
- City,State,Zip: BROOKLYN, NY 11207
- Property ID: 233522
- Property Alias: Not reported

2817 ATLANTIC AVENUE (Continued) **1027574056**

Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 3948, Lot 43
Parcel Size:	0.15
Latitude:	40.676893
Longitude:	-73.890222
Census Tract:	36047119800
State or Tribal Voluntary Response Program:	N
Program Name:	BF
AA Activity Funded:	Phase I
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Phase I
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Not reported
Contaminants Found at Actionable Level:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	EPA
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015
Start Date:	2016-02-10 00:00:00
Ownership Entity:	Private
Additional Institutional Controls Information:	Not reported
Completion Date:	2016-05-31 00:00:00
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	Not reported
Additional Cleanup/Treatment Tech Info:	Not reported
IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	U
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported

2817 ATLANTIC AVENUE (Continued) **1027574056**

Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Not reported
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	0.15
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	9124
Below Poverty Percent:	32.45
Meidan Income:	19936
Meidan Income Number:	15466
Meidan Income Percent:	55.01
Vacant Housing Number:	1180

2817 ATLANTIC AVENUE (Continued) **1027574056**

Vacant Housing Percent:	11.63
Unemployed Number:	1442
Unemployed Percent:	5.13
Name:	2817 ATLANTIC AVENUE
Address:	2817 Atlantic Avenue
City,State,Zip:	BROOKLYN, NY 11207
Property ID:	233522
Property Alias:	Not reported
Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 3948, Lot 43
Parcel Size:	0.15
Latitude:	40.676893
Longitude:	-73.890222
Census Tract:	36047119800
State or Tribal Voluntary Response Program:	N
Program Name:	BF
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Phase I
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Not reported
Contaminants Found at Actionable Level:	Not reported
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015
Start Date:	Not reported
Ownership Entity:	Private
Additional Institutional Controls Information:	Not reported
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	Not reported
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Not reported
Institutional Controls Required:	U
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Not reported
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Not reported
Removal of materials (tanks and piping, etc.):	Not reported
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	Not reported
Additional Cleanup/Treatment Tech Info:	Not reported

2817 ATLANTIC AVENUE (Continued) **1027574056**

IC in place:	Not reported
Address of Data Source (URL if available) 2:	Not reported
Indicate whether Engineering Controls are required:	U
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Not reported
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Not reported
Other:	Not reported
Additional Engineering Controls Information:	Not reported
Address of Data Source (URL if available) 3:	Not reported
Indicate whether Engineering Controls are in place:	Not reported
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Not reported
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Not reported
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Not reported
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	0.15
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported

2817 ATLANTIC AVENUE (Continued) **1027574056**

Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	9124
Below Poverty Percent:	32.45
Meidan Income:	19936
Meidan Income Number:	15466
Meidan Income Percent:	55.01
Vacant Housing Number:	1180
Vacant Housing Percent:	11.63
Unemployed Number:	1442
Unemployed Percent:	5.13

FINDS:
Registry ID: 110071349634

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on Brownfields properties assessed or cleaned up with grant funding, as well as information on Targeted Brownfields Assessments (TBA) performed by EPA Regions.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

U175 **KINGS HENDRIX C-STORE** **UST FINDER** **1028572717**
WSW **2816 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.193 mi.
1017 ft. **Site 9 of 18 in cluster U**

Relative:
Higher

Actual:
44 ft.

UST FINDER:

Object ID:	295825
Facility ID:	NY24194
Name:	KINGS HENDRIX C-STORE
Address:	2816 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	5
Closed USTs:	12
TOS USTs:	0
Population 1500ft:	10258
Private Wells 1500ft:	3
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	No
WHPA PWS Facility ID:	Not reported
WHPA Water Type:	Not reported
WHPA Facility Type:	Not reported
WHPA HUC12:	Not reported
Facility Status:	Open UST(s)

KINGS HENDRIX C-STORE (Continued) **1028572717**

Date of Last Inspection: Not reported
EPA Region: 2
Tribe: Not reported
Coordinate Source: State
X Coord: -73.890271
Y Coord: 40.6759300000001
Latitude: 40.67593
Longitude: -73.890271

UST FINDER:
Object ID: 1222048
Facility ID: NY24194
Tank ID: NY29883
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222049
Facility ID: NY24194
Tank ID: NY29884
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222050
Facility ID: NY24194
Tank ID: NY30534
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222051
Facility ID: NY24194
Tank ID: NY32813
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222052
Facility ID: NY24194
Tank ID: NY32814
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported

KINGS HENDRIX C-STORE (Continued) **1028572717**

Tank Wall Type: Not reported

Object ID: 1222053
Facility ID: NY24194
Tank ID: NY32815
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222054
Facility ID: NY24194
Tank ID: NY111762
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222055
Facility ID: NY24194
Tank ID: NY111763
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222056
Facility ID: NY24194
Tank ID: NY111764
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222057
Facility ID: NY24194
Tank ID: NY111765
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222058
Facility ID: NY24194
Tank ID: NY111766
Tank Status: Closed
Installation Date: Not reported

KINGS HENDRIX C-STORE (Continued) **1028572717**

Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222059
Facility ID: NY24194
Tank ID: NY111767
Tank Status: Closed
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 550
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222060
Facility ID: NY24194
Tank ID: NY28616
Tank Status: Open
Installation Date: 1995/05/01 15:59:59+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222061
Facility ID: NY24194
Tank ID: NY30465
Tank Status: Open
Installation Date: 1995/05/01 15:59:59+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222062
Facility ID: NY24194
Tank ID: NY30466
Tank Status: Open
Installation Date: 1995/05/01 15:59:59+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222063
Facility ID: NY24194
Tank ID: NY33022
Tank Status: Open
Installation Date: 1995/05/01 15:59:59+00
Removal Date: Not reported
Tank Capacity: 4000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1222064
Facility ID: NY24194

KINGS HENDRIX C-STORE (Continued) **1028572717**

Tank ID:	NY111768
Tank Status:	Open
Installation Date:	1995/05/01 15:59:59+00
Removal Date:	Not reported
Tank Capacity:	4000
Substances:	Not reported
Tank Wall Type:	Not reported

U176 **KINGS HENDRIX C-STORE** **NY UST** **U002223000**
WSW **2816 ATLANTIC AVENUE** **NY AST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.193 mi.
1017 ft. **Site 10 of 18 in cluster U**

Relative:
Higher

Actual:
44 ft.

UST:

Name:	KINGS HENDRIX C-STORE
Address:	2816 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-602236 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	05/23/2025
UTM X:	593825.29281
UTM Y:	4503419.46281
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	24194
Affiliation Type:	Facility Operator
Company Name:	KINGS HENDRIX C-STORE
Contact Type:	Not reported
Contact Name:	IMRAN AFFREEDI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 827-2817
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2021-12-23

Site Id:	24194
Affiliation Type:	Mail Contact
Company Name:	BOLLA EM REALTY LLC
Contact Type:	OWNER'S AUTHORIZED AGENT
Contact Name:	BANTI NATH
Address1:	809 STEWART AVE
Address2:	Not reported
City:	GARDEN CITY
State:	NY
Zip Code:	11530
Country Code:	001
Phone:	(516) 512-6125

KINGS HENDRIX C-STORE (Continued) **U002223000**

EMail:	BNATH@BOLLAOIL.COM
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2024-06-05

Site Id:	24194
Affiliation Type:	Facility Owner
Company Name:	BOLLA EM REALTY LLC
Contact Type:	OFFICE MANAGER
Contact Name:	BANTI NATH
Address1:	809 STEWART AVE
Address2:	Not reported
City:	GARDEN CITY
State:	NY
Zip Code:	11530
Country Code:	001
Phone:	(516) 512-6550
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2024-06-05

Site Id:	24194
Affiliation Type:	Emergency Contact
Company Name:	BOLLA EM REALTY LLC
Contact Type:	Not reported
Contact Name:	FMS SPILL RESPONSE HOTLINE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(800) 997-7725
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MFLEONAR
Date Last Modified:	2017-10-17

Tank Info:

Tank Number:	001
Tank ID:	49627
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported

KINGS HENDRIX C-STORE (Continued) **U002223000**

Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 002
Tank ID: 49628
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 003
Tank ID: 49629
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel

KINGS HENDRIX C-STORE (Continued) **U002223000**

Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 004
Tank ID: 49630
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 005
Tank ID: 49631
Tank Status: Closed - Removed
Material Name: Closed - Removed

KINGS HENDRIX C-STORE (Continued) **U002223000**

Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	006
Tank ID:	49632
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

KINGS HENDRIX C-STORE (Continued) **U002223000**

Tank Number:	007
Tank ID:	49633
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	008
Tank ID:	49634
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground

KINGS HENDRIX C-STORE (Continued) **U002223000**

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	009
Tank ID:	49635
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number:	010
Tank ID:	49636
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	550
Install Date:	Not reported
Date Tank Closed:	05/01/1995
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

KINGS HENDRIX C-STORE (Continued) **U002223000**

Equipment Records:

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B02 - Tank External Protection - Original Sacrificial Anode
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground

Tank Number: 011
Tank ID: 49637
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 012
Tank ID: 49638
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 550
Install Date: Not reported
Date Tank Closed: 05/01/1995
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0009
Common Name of Substance: Gasoline

KINGS HENDRIX C-STORE (Continued) **U002223000**

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Number: 020
Tank ID: 51688
Tank Status: In Service
Material Name: In Service
Capacity Gallons: 4000
Install Date: 05/01/1995
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Equivalent technology
Material Code: 2712
Common Name of Substance: Gasoline/Ethanol

Tightness Test Method: 21
Date Test: 12/03/2010
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
K01 - Spill Prevention - Catch Basin
C02 - Pipe Location - Underground/On-ground
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
D11 - Pipe Type - Flexible Piping
E04 - Piping Secondary Containment - Double walled UG
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number: 021

KINGS HENDRIX C-STORE (Continued) **U002223000**

Tank ID:	51689
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	21
Date Test:	12/03/2010
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
C02 - Pipe Location - Underground/On-ground
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
D11 - Pipe Type - Flexible Piping
E04 - Piping Secondary Containment - Double walled UG
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number:	022
Tank ID:	51690
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	21
Date Test:	12/03/2010
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

KINGS HENDRIX C-STORE (Continued) **U002223000**

A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
C02 - Pipe Location - Underground/On-ground
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
D11 - Pipe Type - Flexible Piping
E04 - Piping Secondary Containment - Double walled UG
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number:	023
Tank ID:	51691
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	2712
Common Name of Substance:	Gasoline/Ethanol
Tightness Test Method:	21
Date Test:	12/03/2010
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
K01 - Spill Prevention - Catch Basin
C02 - Pipe Location - Underground/On-ground
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
D11 - Pipe Type - Flexible Piping
E04 - Piping Secondary Containment - Double walled UG
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Number:	024
Tank ID:	51692
Tank Status:	In Service

KINGS HENDRIX C-STORE (Continued) **U002223000**

Material Name:	In Service
Capacity Gallons:	4000
Install Date:	05/01/1995
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0008
Common Name of Substance:	Diesel
Tightness Test Method:	21
Date Test:	12/03/2010
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
B04 - Tank External Protection - Fiberglass
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I02 - Overfill - High Level Alarm
I03 - Overfill - Automatic Shut-Off
K01 - Spill Prevention - Catch Basin
C02 - Pipe Location - Underground/On-ground
L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
D11 - Pipe Type - Flexible Piping
E04 - Piping Secondary Containment - Double walled UG
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Pressurized Dispenser
H05 - Tank Leak Detection - In-Tank System (ATG)

AST:

Name:	KINGS HENDRIX C-STORE
Address:	2816 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-602236
Program Type:	PBS
UTM X:	593825.29281
UTM Y:	4503419.46281
Expiration Date:	05/23/2025
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	24194
Affiliation Type:	Facility Operator
Company Name:	KINGS HENDRIX C-STORE
Contact Type:	Not reported
Contact Name:	IMRAN AFFREEDI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

KINGS HENDRIX C-STORE (Continued) **U002223000**

Zip Code:	Not reported
Country Code:	001
Phone:	(718) 827-2817
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2021-12-23

Site Id:	24194
Affiliation Type:	Mail Contact
Company Name:	BOLLA EM REALTY LLC
Contact Type:	OWNER'S AUTHORIZED AGENT
Contact Name:	BANTI NATH
Address1:	809 STEWART AVE
Address2:	Not reported
City:	GARDEN CITY
State:	NY
Zip Code:	11530
Country Code:	001
Phone:	(516) 512-6125
EMail:	BNATH@BOLLAOIL.COM
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2024-06-05

Site Id:	24194
Affiliation Type:	Facility Owner
Company Name:	BOLLA EM REALTY LLC
Contact Type:	OFFICE MANAGER
Contact Name:	BANTI NATH
Address1:	809 STEWART AVE
Address2:	Not reported
City:	GARDEN CITY
State:	NY
Zip Code:	11530
Country Code:	001
Phone:	(516) 512-6550
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2024-06-05

Site Id:	24194
Affiliation Type:	Emergency Contact
Company Name:	BOLLA EM REALTY LLC
Contact Type:	Not reported
Contact Name:	FMS SPILL RESPONSE HOTLINE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(800) 997-7725
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MFLEONAR

KINGS HENDRIX C-STORE (Continued) **U002223000**

Date Last Modified: 2017-10-17

Tank Info:

Tank Number: 025
Tank Id: 214726
Material Code: 0022
Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
E00 - Piping Secondary Containment - None
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
K00 - Spill Prevention - None
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None

Tank Location: Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 05/01/1995
Capacity Gallons: 250
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 04/10/2020
Register: True
Modified By: MJGRIFFI
Last Modified: 05/09/2022
Material Name: waste oil/used oil

U177 **CON EDISON - BROOKLYN ENVIRONMENTAL OPS** **E MANIFEST** **1031609920**
West **2815 ATLANTIC AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.194 mi.
1023 ft. **Site 11 of 18 in cluster U**

Relative: **Higher**
Actual: **45 ft.**

E MANIFEST:
Manifest Tracking Number: 006874044GBF
Last Updated Date: 20210806
Shipped Date: 20210726
Received Date: 20210727
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Service
Generator EPA ID: NYR000114579
Generator Name: Con Edison - Brooklyn Environmental Ops
Generator Location Street Number: Not reported
Generator Location Street 1: 2815 ATLANTIC AVE

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031609920**

Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006874044GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	006874044GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	006874044GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	006874044GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031609920**

Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

U178 **2815 ATLANTIC HOLDINGS** **NY UST** **U004339759**
West **2815 ATLANTIC AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.194 mi.
1023 ft. **Site 12 of 18 in cluster U**

Relative:
Higher

Actual:
45 ft.

UST:

Name:	2815 ATLANTIC HOLDINGS
Address:	2815 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-613226 / Active
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	12/29/2022
UTM X:	593774.82247
UTM Y:	4503463.07014
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	616659
Affiliation Type:	Facility Owner
Company Name:	2815 ATLANTIC HOLDINGS LLC
Contact Type:	AUTHORIZED REPRESENTATIVE
Contact Name:	RALPH PANTONY
Address1:	183 WILSON STREET
Address2:	Not reported
City:	BROOKLYN

2815 ATLANTIC HOLDINGS (Continued) **U004339759**

State:	NY
Zip Code:	11211
Country Code:	001
Phone:	(718) 599-6775
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2021-02-26

Site Id:	616659
Affiliation Type:	Mail Contact
Company Name:	SUNSHINE CONSTRUCTION
Contact Type:	Not reported
Contact Name:	AMI KOHN
Address1:	2815 ATLANTIC AVENUE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(347) 598-0327
EMail:	AMROM@SUNHSINEEMAIL.COM
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2021-03-01

Site Id:	616659
Affiliation Type:	Facility Operator
Company Name:	2815 ATLANTIC HOLDINGS
Contact Type:	Not reported
Contact Name:	SUNSHINE CONSTRUCTION
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2021-02-26

Site Id:	616659
Affiliation Type:	Emergency Contact
Company Name:	2815 ATLANTIC HOLDINGS LLC
Contact Type:	Not reported
Contact Name:	SAM POLATSEK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 421-5449
EMail:	Not reported
Fax Number:	Not reported

2815 ATLANTIC HOLDINGS (Continued) **U004339759**

Modified By: ACDANIEL
Date Last Modified: 2021-02-26

Tank Info:

Tank Number: 001
Tank ID: 289554
Tank Status: Temporarily Out of Service
Material Name: Temporarily Out of Service
Capacity Gallons: 2500
Install Date: 10/07/2019
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Tightness Test Method: -
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

J00 - Dispenser - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
K00 - Spill Prevention - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None

X179 **CON EDISON** **E MANIFEST** **1031627486**
East **737 LIBERTY AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.196 mi.
1033 ft. **Site 1 of 9 in cluster X**

Relative: E MANIFEST:
Lower
Actual: Manifest Tracking Number: 013198418FLE
28 ft. Last Updated Date: 20190715
Shipped Date: 20190604
Received Date: 20190607
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Service
Generator EPA ID: NYR000114579
Generator Name: Con Edison
Generator Location Street Number: Not reported
Generator Location Street 1: 737 LIBERTY AVE
Generator Location Street 2: Not reported
Generator Location City: BROOKLYN
Generator Location State: NY
Generator Location Zip: 11208

CON EDISON (Continued) **1031627486**

Generator Mail Street Number: Not reported
Generator Mail Street 1: 737 Liberty Ave
Generator Mail Street 2: Not reported
Generator Mail City: Brooklyn
Generator Mail Zip: 11208
Generator Mail State: NY
Generator Contact Company Name: Not reported
Designated Facility EPA ID: PAD085690592
Designated Facility Name: Republic Env Sys Inc
Designated Facility Mail Street Number: Not reported
Designated Facility Mail Street 1: Not reported
Designated Facility Mail Street 2: 2869 Sandstone Drive
Designated Facility Mail City: Hatfield
Designated Facility Mail Zip: 19440
Designated Facility Mail State: PA
Designated Facility Location Street Number: Not reported
Designated Facility Location Street 1: 2869 Sandstone Drive
Designated Facility Location Street 2: Not reported
Designated Facility Location City: Hatfield
Designated Facility Location Zip: 19440
Designated Facility Location State: PA
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 013198418FLE
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

Transporter:
Manifest Tracking Number: 013198418FLE
Transporter Line Number: 1
Transporter EPA ID: MAC300016672
Transporter Name: Triumvirate Environmental

Waste Line:
Manifest Tracking Number: 013198418FLE
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082 Hazardous Waste, Liquid, N.O.S. (Lead) Iii 9 D008
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 100
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.05
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.05
Waste Quantity, in Kilograms: 45.3515
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 45.3515

CON EDISON (Continued) **1031627486**

Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

W180 **CON EDISON** **NY MANIFEST** **S117061597**
ESE **728 LIBERTY AVE FRONT OF** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.196 mi.
1037 ft. **Site 3 of 5 in cluster W**

Relative: **Lower**
Actual: **28 ft.**

NY MANIFEST:

EPA ID:	NYP004539110
Country:	USA
Name:	Con Edison
Address:	728 LIBERTY AVE FRONT OF
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	FO 728 LIBERTY AVE
Location Address 2:	SB 29444
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	05/20/2014
Trans1 Recv Date:	05/20/2014
Trans2 Recv Date:	Not reported

CON EDISON (Continued) **S117061597**

TSD Site Recv Date:	05/23/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004539110
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013246035JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

W181 **CON EDISON** **RCRA NonGen / NLR** **1017776062**
ESE **728 LIBERTY AVE FRONT OF** **FINDS** **NYP004539110**
1/8-1/4 **BROOKLYN, NY 11208**
0.196 mi.
1037 ft. **Site 4 of 5 in cluster W**

Relative: **Lower**
Actual: **28 ft.**

RCRA Listings:

Date Form Received by Agency:	20140521
Handler Name:	Con Edison
Handler Address:	Liberty Ave Front Of
Handler City,State,Zip:	BROOKLYN, NY 11208
EPA ID:	NYP004539110
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported

CON EDISON (Continued) **1017776062**

Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150814
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

CON EDISON (Continued) **1017776062**

Historic Generators:
Receive Date: 20140521
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140521
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140621
Handler Name: CON EDISON SERVICE BOX: 29444
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110063801863

Click Here for FRS Facility Detail Report:

CON EDISON (Continued) **1017776062**

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

S182 **CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO** **E MANIFEST** **1031631740**
SW **548 LIBERTY AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.199 mi.
1050 ft. **Site 8 of 12 in cluster S**

Relative:
Higher

Actual:
41 ft.

E MANIFEST:

Manifest Tracking Number:	007162235GBF
Last Updated Date:	20220803
Shipped Date:	20220725
Received Date:	20220726
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny C/O Acv Enviro
Generator Location Street Number:	Not reported
Generator Location Street 1:	548 LIBERTY AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 BUTLER ST
Generator Mail Street 2:	Not reported
Generator Mail City:	ELIZABETH
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO (Continued) **1031631740**

Federal Waste:
- Manifest Tracking Number: 007162235GBF
- Waste Line Number: 1
- Federal Waste Code: D008
- Federal Waste: LEAD

State Waste:
- Manifest Tracking Number: 007162235GBF
- Waste Line Number: 1
- State Waste Code Owner: NY
- State Waste Code: T
- State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 007162235GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 007162235GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 500
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.25
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.25
- Waste Quantity, in Kilograms: 226.7575
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 226.7575
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

S183 **CON EDISON** **NY MANIFEST** **S118091175**
WSW **263 HENDRIX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.200 mi.
1058 ft. **Site 9 of 12 in cluster S**

Relative:
Higher

Actual:
43 ft.

NY MANIFEST:

EPA ID:	NYP004779799
Country:	USA
Name:	Con Edison
Address:	263 HENDRIX ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	OPP 263 HENDRIX STREET
Location Address 2:	SB 27268
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Dennis Huacon
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	05/07/2015
Trans1 Recv Date:	05/07/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/11/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004779799
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002624332GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

CON EDISON (Continued) **S118091175**

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 50
Units: Gallons (liquids only)
Number of Containers: 1
Container Type: Cargo tanks (tank trucks)
Handling Method: Treat
Specific Gravity: 1

EPA ID: NYP004788451
Country: USA
Name: Con Edison
Address: 263 HENDRIX ST
Address 2: SB 27268
City,State,Zip: BROOKLYN, NY
Zip 4: Not reported
Location Address 1: 263 HENDRIX ST
Location Address 2: SB 27268
Location City,State,Zip: BROOKLYN, NY
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Dennis Huacon
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 06/01/2015
Trans1 Recv Date: 06/01/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/01/2015

CON EDISON (Continued) **S118091175**

Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004788451
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002624218GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

S184 **CON EDISON** **NJ MANIFEST** **S120671529**
WSW **263 HENDRIX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.200 mi.
1058 ft. **Site 10 of 12 in cluster S**

Relative: **Higher**

Actual: **43 ft.**

NJ MANIFEST:

EPA ID:	NYP004779799
Name:	CON EDISON
Address:	263 HENDRIX ST
City,State,Zip:	BROOKLYN, NY 11207
County:	Not reported
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported

CON EDISON (Continued) **S120671529**

County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004779799
Manifest Number:	002624332GBF
Date Shipped:	5/7/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

S185 **CON EDISON** **RCRA NonGen / NLR** **1019902953**
WSW **263 HENDRIX ST** **NYP004779799**
1/8-1/4 **BROOKLYN, NY 11207**
0.200 mi.
1058 ft. **Site 11 of 12 in cluster S**

Relative: **Higher**
Actual: **43 ft.**

RCRA Listings:

Date Form Received by Agency:		20150601
Handler Name:		Con Edison
Handler Address:		Hendrix St
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYP004779799
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CON EDISON (Continued) **1019902953**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160909
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20150601
Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150601
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

U186 **207 HENDRIX ST./ST. MALAC** **NY LTANKS** **S100144840**
West **207 HENDRIX ST.** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.201 mi.
1059 ft. **Site 13 of 18 in cluster U**

Relative:
Higher

Actual:
46 ft.

LTANKS:

Name:	207 HENDRIX ST./ST. MALAC
Address:	207 HENDRIX ST.
City,State,Zip:	NEW YORK CITY, NY
Spill Number/Closed Date:	8705786 / 1993-02-25
Facility ID:	8705786
Site ID:	148832
Spill Date:	1987-10-08
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	1993-02-25
SWIS:	2401
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1987-10-09
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-10-28
Spill Record Last Update:	1994-02-15
Spiller Name:	Not reported
Spiller Company:	ST. MALACHYS CHURCH
Spiller Address:	207 HENDRIX ST.
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	126642
Latitude:	40.6772530
Longitude:	-73.8904480
DEC Memo:	Not reported
Remarks:	5K TANK SYSTEM FAILURE, LEAK RATE WAS -.177 G/HR. WILL EXCAVATE, ISOLATE, REPAIR, AND RETEST. CONTACT: FR. KING (718) 647-5900.

All TTF:

Facility ID:	8705786
Spill Number:	8705786
Spill Tank Test:	1531871
Site ID:	148832
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00

207 HENDRIX ST./ST. MALAC (Continued) **S100144840**

Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 148832
Operable Unit ID: 911820
Operable Unit: 01
Material ID: 468360
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: Not reported
Recovered: .00
Resource Affected: Groundwater
Oxygenate: Not reported

P187 **CON EDISON** **NY MANIFEST** **S117061078**
SSE **422 CLEVELAND ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.201 mi.
1063 ft. **Site 2 of 3 in cluster P**

Relative:
Lower

Actual:
35 ft.

NY MANIFEST:
EPA ID: NYP004696233
Country: USA
Name: Con Edison
Address: 422 CLEVELAND ST
Address 2: SB 23103
City,State,Zip: BROOKLYN, NY
Zip 4: Not reported
Location Address 1: 422 CLEVELAND ST
Location Address 2: SB 23103
Location City,State,Zip: BROOKLYN, NY
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Tom Teeling
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported

CON EDISON (Continued) **S117061078**

Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	11/17/2014
Trans1 Recv Date:	11/17/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/24/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004696233
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002417081GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	30
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

EPA ID:	NYP004533527
Country:	USA
Name:	Con Edison
Address:	422 CLEVELAND ST FRONT OF
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	422 CLEVELAND ST
Location Address 2:	SB 23103
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported

CON EDISON (Continued) **S117061078**

Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Tom Teeling
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 05/15/2014
Trans1 Recv Date: 05/15/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/16/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004533527
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 013246347JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 50
Units: Gallons (liquids only)

CON EDISON (Continued) **S117061078**

Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

EPA ID:	NYP004708707
Country:	USA
Name:	Con Edison
Address:	422 CLEVELAND ST
Address 2:	SB23103
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	422 CLEVELAND ST
Location Address 2:	SB23103
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	NJD003812047
Generator Ship Date:	12/10/2014
Trans1 Recv Date:	12/10/2014
Trans2 Recv Date:	12/31/2014
TSD Site Recv Date:	12/31/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004708707
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002620118GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported

CON EDISON (Continued) **S117061078**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

P188 **CON EDISON SERVICE BOX: 23103** **RCRA NonGen / NLR** **1017775514**
SSE **422 CLEVELAND ST FRONT OF** **NYP004533527**
1/8-1/4 **BROOKLYN, NY 11208**
0.201 mi.
1063 ft. **Site 3 of 3 in cluster P**

Relative: **Lower**
Actual: **35 ft.**

RCRA Listings:

Date Form Received by Agency:	20140615
Handler Name:	Con Edison Service Box: 23103
Handler Address:	Cleveland St Front Of
Handler City,State,Zip:	BROOKLYN, NY 11208
EPA ID:	NYP004533527
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No

CON EDISON SERVICE BOX: 23103 (Continued) **1017775514**

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150211
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140515
Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140515
Handler Name: CON EDISON	

CON EDISON SERVICE BOX: 23103 (Continued) **1017775514**

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140615
Handler Name: CON EDISON SERVICE BOX:	23103
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

U189 **CON EDISON** **RCRA NonGen / NLR** **1019901384**
West **ATLANTIC AVE & HENDRIX ST** **FINDS** **NYP004761383**
1/8-1/4 **BROOKLYN, NY 11207** **ECHO**
0.202 mi.
1064 ft. **Site 14 of 18 in cluster U**

Relative: **Higher**
Actual: **45 ft.**

RCRA Listings:

Date Form Received by Agency:	20150401
Handler Name:	Con Edison
Handler Address:	Atlantic Ave & Hendrix St
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004761383
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified

CON EDISON (Continued) **1019901384**

Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20160909
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Historic Generators:

Receive Date:	20150401
Handler Name:	CON EDISON

CON EDISON (Continued) **1019901384**

Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150401
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110069641070

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019901384
Registry ID: 110069641070

DFR URL:
Name: CON EDISON

CON EDISON (Continued) **1019901384**

Address: ATLANTIC AVE & HENDRIX ST
City,State,Zip: BROOKLYN, NY 11207

U190 **CON EDISON** **NY MANIFEST** **S118257218**
WSW **236 HENDRIX AVE** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.206 mi.
1087 ft. **Site 15 of 18 in cluster U**

Relative:
Higher

Actual:
45 ft.

NY MANIFEST:

EPA ID:	NYP004799060
Country:	USA
Name:	Con Edison
Address:	236 HENDRIX AVE
Address 2:	SB 27268
City,State,Zip:	BROOKLYN, NY
Zip 4:	Not reported
Location Address 1:	236 HENDRIX AVE
Location Address 2:	SB 27268
Location City,State,Zip:	BROOKLYN, NY
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Dennis Huacon
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	06/25/2015
Trans1 Recv Date:	06/25/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/25/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004799060
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002619746GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N

CON EDISON (Continued) **S118257218**

Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

Y191 **CON EDISON - QUEENS ENVIRONMENTAL OPS** **E MANIFEST** **1031616897**
North **216 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.206 mi.
1090 ft. **Site 1 of 7 in cluster Y**

Relative: **Lower**
Actual: **35 ft.**

E MANIFEST:

Manifest Tracking Number:	006870969GBF
Last Updated Date:	20210706
Shipped Date:	20210623
Received Date:	20210625
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	216 ARLINGTON AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105

CON EDISON - QUEENS ENVIRONMENTAL OPS (Continued) **1031616897**

Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006870969GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	006870969GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	006870969GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	006870969GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110

CON EDISON - QUEENS ENVIRONMENTAL OPS (Continued) **1031616897**

Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

U192 **CLOSED-LACKOF RECENT INFO** **NY LTANKS** **S100560045**
West **220 HENDRICKS STREET** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.207 mi.
1094 ft. **Site 16 of 18 in cluster U**

Relative: **Higher**

Actual: **45 ft.**

LTANKS:

Name:	CLOSED-LACKOF RECENT INFO
Address:	220 HENDRICKS STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9305054 / 2003-03-06
Facility ID:	9305054
Site ID:	71180
Spill Date:	1993-07-22
Spill Cause:	Tank Test Failure
Spill Source:	Unknown
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	ADMIN. CLOSED
Referred To:	Not reported
Reported to Dept:	1993-07-22
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-07-23
Spill Record Last Update:	2003-03-06
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	67406
Latitude:	40.6769310

CLOSED-LACKOF RECENT INFO (Continued) **S100560045**

Longitude:	-73.8905510
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ADMIN.CLOSED 03/06/2003- Closed Due To The Nature / Extent Of The Spill Report
Remarks:	CLEAN UP? NOTHING DONE YET.CLOSED DUE TO LACK OF ANY RECENT INFO-DOES NOT MEET ANY CLEAN UP REQUIREMENTS.

All TTF:

Facility ID:	9305054
Spill Number:	9305054
Spill Tank Test:	1541798
Site ID:	71180
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	71180
Operable Unit ID:	983337
Operable Unit:	01
Material ID:	395001
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Resource Affected:	Air
Oxygenate:	Not reported

Z193 **CON EDISON SERVICE BOX: 14594** **RCRA NonGen / NLR** **1017776991**
NNW **192 ARLINGTON AVE FRONT OF** **FINDS** **NYP004548723**
1/8-1/4 **BROOKLYN, NY 11207**
0.208 mi.
1100 ft. **Site 1 of 8 in cluster Z**

Relative:
Higher

Actual:
38 ft.

RCRA Listings:

Date Form Received by Agency:	20140630
Handler Name:	Con Edison Service Box: 14594
Handler Address:	Arlington Ave Front Of
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004548723
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770

CON EDISON SERVICE BOX: 14594 (Continued) **1017776991**

Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SENIOR SCIENTIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150211
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No

CON EDISON SERVICE BOX: 14594 (Continued) **1017776991**

Sub-Part P Indicator: No

Historic Generators:

Receive Date: 20140530
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140530
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140630
Handler Name: CON EDISON SERVICE BOX: 14594
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110063815652

CON EDISON SERVICE BOX: 14594 (Continued) **1017776991**

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

Z194 **CON EDISON** **NY MANIFEST** **S117062517**
NNW **192 ARLINGTON AVE FRONT OF** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.208 mi.
1100 ft. **Site 2 of 8 in cluster Z**

Relative:
Higher

Actual:
38 ft.

NY MANIFEST:

EPA ID:	NYP004548723
Country:	USA
Name:	Con Edison
Address:	192 ARLINGTON AVE FRONT OF
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	F/O 192 ARLINGTON AV
Location Address 2:	SB14594
Location City,State,Zip:	BROOKLYN, NY 11201
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	05/30/2014
Trans1 Recv Date:	05/30/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/02/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004548723

CON EDISON (Continued) **S117062517**

Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013245652JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

AA195 **CON EDISON SERVICE BOX: 55987** **RCRA NonGen / NLR** **1016970199**
ENE **3027 ATLANTIC AVE** **NY MANIFEST** **NYP004439006**
1/8-1/4 **BROOKLYN, NY 11208**
0.209 mi.
1101 ft. **Site 1 of 2 in cluster AA**

Relative: **Lower**
Actual: **34 ft.**

RCRA Listings:

Date Form Received by Agency:	20140310
Handler Name:	Con Edison Service Box: 55987
Handler Address:	Atlantic Ave
Handler City,State,Zip:	BROOKLYN, NY 11208
EPA ID:	NYP004439006
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified

CON EDISON SERVICE BOX: 55987 (Continued) **1016970199**

Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20141014
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Historic Generators:

Receive Date:	20140210
Handler Name:	CON EDISON SERVICE BOX: 55987

CON EDISON SERVICE BOX: 55987 (Continued) **1016970199**

Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140310
Handler Name: CON EDISON SERVICE BOX:	55987
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

NY MANIFEST:

EPA ID:	NYP004439006
Country:	USA
Name:	Con Ed
Address:	3027 ATLANTIC AVE
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	FO 30-27 ATLANTIC AVE
Location Address 2:	SB 55987
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Ed
Mailing Contact:	Tpm Teeling
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported

CON EDISON SERVICE BOX: 55987 (Continued) **1016970199**

Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 02/10/2014
Trans1 Recv Date: 02/10/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/18/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004439006
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002329682GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 150
Units: Gallons (liquids only)
Number of Containers: 1
Container Type: Cargo tanks (tank trucks)
Handling Method: Treat
Specific Gravity: 1

Y196 **CON EDISON - QUEENS ENVIRONMENTAL OPS** **E MANIFEST** **1031616867**
NNW **196 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.209 mi.
1102 ft. **Site 2 of 7 in cluster Y**

Relative:
Higher

Actual:
37 ft.

E MANIFEST:

Manifest Tracking Number:	006870970GBF
Last Updated Date:	20210706
Shipped Date:	20210623
Received Date:	20210625
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	196 ARLINGTON AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006870970GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	006870970GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T

CON EDISON - QUEENS ENVIRONMENTAL OPS (Continued) **1031616867**

State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006870970GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006870970GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: Y

X197 **CON EDISON** **RCRA NonGen / NLR** **1017776064**
ESE **LIBERTY AVE & ESSEX ST** **NYP004539136**
1/8-1/4 **BROOKLYN, NY 11208**
0.211 mi.
1114 ft. **Site 2 of 9 in cluster X**

Relative: **Lower**
Actual: **28 ft.**

RCRA Listings:
Date Form Received by Agency: 20140521
Handler Name: Con Edison
Handler Address: Liberty Ave & Essex St
Handler City,State,Zip: BROOKLYN, NY 11208
EPA ID: NYP004539136

CON EDISON (Continued) **1017776064**

Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150814
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No

CON EDISON (Continued) **1017776064**

Importer of Spent Lead Acid Batteries: No
Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Historic Generators:
Receive Date: 20140521
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140521
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140621
Handler Name: CON EDISON MANHOLE: 4748
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

X198 **CON EDISON** **NY MANIFEST** **S117736597**
ESE **LIBERTY AVE & ESSEX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.211 mi.
1114 ft. **Site 3 of 9 in cluster X**

Relative:
Lower

Actual:
28 ft.

NY MANIFEST:

EPA ID:	NYP004539136
Country:	USA
Name:	Con Edison
Address:	LIBERTY AVE & ESSEX ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	LIBERTY AVE & ESSEX ST
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	05/20/2014
Trans1 Recv Date:	05/20/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/23/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004539136
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013246086JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

CON EDISON (Continued) **S117736597**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	300
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

X199 **CON EDISON** **RCRA NonGen / NLR** **1012185325**
ESE **LIBERTY AVE & ESSEX ST** **NY MANIFEST** **NYP004161295**
1/8-1/4 **BROOKLYN, NY 11201**
0.211 mi.
1114 ft. **Site 4 of 9 in cluster X**

Relative: **Lower**

Actual: **28 ft.**

RCRA Listings:

Date Form Received by Agency:	20160601
Handler Name:	Con Edison
Handler Address:	Liberty Ave & Essex St
Handler City,State,Zip:	BROOKLYN, NY 11201
EPA ID:	NYP004161295
Contact Name:	DANIEL PONTECORVO
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	347-203-2573
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	4 IRVING PL, RM 828
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No

CON EDISON (Continued) **1012185325**

Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160609
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20080919
Handler Name: CON EDISON	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20160601
Handler Name: CON EDISON	

CON EDISON (Continued) **1012185325**

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

NY MANIFEST:

EPA ID:	NYP004161295
Country:	USA
Name:	Consolidated Edison
Address:	LIBERTY AVE & ESSEX ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11201
Zip 4:	Not reported
Location Address 1:	ESSEX ST & LIBERTY AVE
Location Address 2:	MH4748
Location City,State,Zip:	brooklyn, NY
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Consolidated Edison
Mailing Contact:	Franklyn Murray
Mailing Address 1:	4 IRVING PL RM 828
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD006982359
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	09/19/2008
Trans1 Recv Date:	09/19/2008

CON EDISON (Continued) **1012185325**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/22/2008
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004161295
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	001432881FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Lead
Waste Code b:	B002
Waste Code c:	B007
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	200
Units:	Kilograms
Number of Containers:	2
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	1

Z200 **180 ARLINGTON AVENUE** **NY LTANKS** **S101341290**
NNW **180 ARLINGTON AVENUE** **NY Spills** **N/A**
1/8-1/4 **BROOKLYN, NY** **NY NYC LAND USE**
0.213 mi.
1123 ft. **Site 3 of 8 in cluster Z**

Relative: **Higher**
Actual: **39 ft.**

LTANKS:

Name:	180 ARLINGTON AVE
Address:	180 ARLINGTON AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9413591 / 1995-01-12
Facility ID:	9413591
Site ID:	65678
Spill Date:	1995-01-12
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C3

180 ARLINGTON AVENUE (Continued) **S101341290**

Cleanup Ceased:	1995-01-12
SWIS:	2401
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	1995-01-12
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-02-01
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU OIL CO
Spiller Address:	740 JAMICA AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	266255
Latitude:	40.6802760
Longitude:	-73.8881095
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TIBBE
Remarks:	CUSTOMER OVERORDERED 400 GALS OF FUEL-DID NOT NEED THAT MUCH CAUSIONG OVERFILL.

All Materials:

Site ID:	65678
Operable Unit ID:	1011156
Operable Unit:	01
Material ID:	372338
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	1.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	180 ARLINGTON AVENUE
Address:	180 ARLINGTON AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9313892 / 1994-02-24
Facility ID:	9313892
Facility Type:	ER
DER Facility ID:	266255
Site ID:	331052
DEC Region:	2

180 ARLINGTON AVENUE (Continued) **S101341290**

Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	1994-02-24
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1994-02-24
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Responsible Party
Cleanup Ceased:	1994-02-24
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1994-02-25
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6802760
Longitude:	-73.8881095
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG
Remarks:	FILL BOX LEAKING - SPILL DID CLEAN UP.

All Materials:

Site ID:	331052
Operable Unit ID:	995932
Operable Unit:	01
Material ID:	389249
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	180 ARLINGTON AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6801219
Longitude:	-73.8880314
Type Of Ownership Code:	Not reported
Owner Name:	CRESPO, ARLENNY
Borough:	BK
Tax Block:	3937
Tax Lot:	20

180 ARLINGTON AVENUE (Continued) **S101341290**

Community District:	305
Census Tract 2020:	3117201
Census Block 2020:	31172012003
Census Tract 2010:	1172.01
Census Block 2010:	2003
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R4: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	3750
Total Building Floor Area:	2480
Commercial Floor Area:	0
Residential Floor Area:	2480
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.5000000
Residential Units:	2
Total Units:	2
Lot Frontage:	37.5000000
Lot Depth:	100.0000000
Building Frontage:	21.0000000
Building Depth:	48.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	22560.00000
Assessed Total Value:	46200.00000
Exempt Total Value:	0.00000
Year Built:	1905
Year Altered 1:	0

180 ARLINGTON AVENUE (Continued) **S101341290**

Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.66000000000
Maximum Allowable Residential Far:	0.75000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039370020.00000000
Condominium Number:	Not reported
Census Tract 2:	117201
X Coordinate:	1015306
Y Coordinate:	187083
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 002
Tax Map #:	31302
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

Z201 **CON EDISON SERVICE BOX: 14593** **RCRA NonGen / NLR** **1016969257**
NNW **180 ARLINGTON AVE** **NY MANIFEST** **NYP004429114**
1/8-1/4 **BROOKLYN, NY 11207**
0.213 mi.
1123 ft. **Site 4 of 8 in cluster Z**

Relative: **Higher**
Actual: **39 ft.**

RCRA Listings:

Date Form Received by Agency:	20140228
Handler Name:	Con Edison Service Box: 14593
Handler Address:	Arlington Ave
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004429114
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name: Not reported	
Owner Type:	Not reported

CON EDISON SERVICE BOX: 14593 (Continued) **1016969257**

Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20141014
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140129
Handler Name:	CON EDISON SERVICE BOX: 14593
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

CON EDISON SERVICE BOX: 14593 (Continued) **1016969257**

Electronic Manifest Broker: Not reported

Receive Date: 20140228
Handler Name: CON EDISON SERVICE BOX: 14593
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:
EPA ID: NYP004429114
Country: USA
Name: Con Edison
Address: 180 ARLINGTON AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11207
Zip 4: Not reported
Location Address 1: 180 ARLINGTON AVE
Location Address 2: SB14593
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047

CON EDISON SERVICE BOX: 14593 (Continued) **1016969257**

Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	01/29/2014
Trans1 Recv Date:	01/29/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/31/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004429114
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002329049GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	100
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

Z202 **CON EDISON** **NY MANIFEST** **S117062515**
NNW **180 ARLINGTON AVE FRONT OF** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.213 mi.
1123 ft. **Site 5 of 8 in cluster Z**

Relative: NY MANIFEST:
Higher

EPA ID:	NYP004548699
Country:	USA
Name:	Con Edison
Address:	180 ARLINGTON AVE FRONT OF
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207

Actual:
39 ft.

CON EDISON (Continued) **S117062515**

Zip 4: Not reported
Location Address 1: F/O 180 ARLINGTON AV
Location Address 2: SB14593
Location City,State,Zip: BROOKLYN, NY 11201
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 05/30/2014
Trans1 Recv Date: 05/30/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/02/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004548699
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 013245651JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported

CON EDISON (Continued) **S117062515**

Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	30
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

Z203 **CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS** **E MANIFEST** **1031621180**
NNW **180 ARLINGTON AVE** **N/A**
1/8-1/4 **QUEENS, NY 11207**
0.213 mi.
1123 ft. **Site 6 of 8 in cluster Z**

Relative: **Higher**
Actual: **39 ft.**

E MANIFEST:

Manifest Tracking Number:	007164565GBF
Last Updated Date:	20221026
Shipped Date:	20221018
Received Date:	20221020
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/ Attn: Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 ARLINGTON AVE
Generator Location Street 2:	Not reported
Generator Location City:	QUEENS
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS (Continued) **1031621180**

Federal Waste:
- Manifest Tracking Number: 007164565GBF
- Waste Line Number: 1
- Federal Waste Code: D008
- Federal Waste: LEAD

State Waste:
- Manifest Tracking Number: 007164565GBF
- Waste Line Number: 1
- State Waste Code Owner: NY
- State Waste Code: T
- State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 007164565GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 007164565GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 500
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.25
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.25
- Waste Quantity, in Kilograms: 226.7575
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 226.7575
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: Y
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

Z204 **CON EDISON SERVICE BOX: 14593** **RCRA NonGen / NLR** **1017776988**
NNW **180 ARLINGTON AVE FRONT OF** **NYP004548699**
1/8-1/4 **BROOKLYN, NY 11207**
0.213 mi.
1123 ft. **Site 7 of 8 in cluster Z**

Relative: **Higher**

Actual: **39 ft.**

RCRA Listings:

Date Form Received by Agency:		20140630
Handler Name:		Con Edison Service Box: 14593
Handler Address:		Arlington Ave Front Of
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYP004548699
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SENIOR SCIENTIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CON EDISON SERVICE BOX: 14593 (Continued) **1017776988**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150211
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140530
Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140530
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140630
Handler Name: CON EDISON SERVICE BOX: 14593	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CON EDISON SERVICE BOX: 14593 (Continued) **1017776988**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

X205 **CON EDISON** **NJ MANIFEST** **S120675442**
ESE **320 ESSEX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.213 mi.
1124 ft. **Site 5 of 9 in cluster X**

Relative:
Lower

Actual:
29 ft.

NJ MANIFEST:

EPA ID:	NYP004824732
Name:	CON EDISON
Address:	320 ESSEX ST
City,State,Zip:	BROOKLYN, NY 11208
County:	Not reported
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004824732
Manifest Number:	014466322JJK
Date Shipped:	8/17/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported

CON EDISON (Continued) **S120675442**

Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

X206 **CON ED** **NY MANIFEST** **S118259004**
ESE **320 ESSEX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.213 mi.
1124 ft. **Site 6 of 9 in cluster X**

Relative: **Lower**

Actual: **29 ft.**

NY MANIFEST:

EPA ID:	NYP004824732
Country:	USA
Name:	Con Ed
Address:	320 ESSEX ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	320 ESSEX ST
Location Address 2:	SB 62385
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Ed
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Manifest Data:

Document ID:	Not reported

CON ED (Continued) **S118259004**

Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	08/17/2015
Trans1 Recv Date:	08/17/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/18/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004824732
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	014466322JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	1000
Units:	Pounds
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

X207 **CON EDISON** **RCRA NonGen / NLR** **1019906646**
ESE **320 ESSEX ST** **FINDS** **NYP004824732**
1/8-1/4 **BROOKLYN, NY 11208** **ECHO**
0.213 mi.
1124 ft. **Site 7 of 9 in cluster X**

Relative: **Lower**
Actual: **29 ft.**

RCRA Listings:

Date Form Received by Agency:	20150817
Handler Name:	Con Edison
Handler Address:	Essex St
Handler City,State,Zip:	BROOKLYN, NY 11208

CON EDISON (Continued) **1019906646**

EPA ID:		NYP004824732
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20160909
Recognized Trader-Importer:		No

CON EDISON (Continued) **1019906646**

Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20150817
Handler Name: CON EDISON	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150817
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

FINDS:

Registry ID:	110069668096

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many

CON EDISON (Continued) **1019906646**

types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019906646
Registry ID: 110069668096

DFR URL:
Name: CON EDISON
Address: 320 ESSEX ST
City,State,Zip: BROOKLYN, NY 11208

X208 **J. BORAH CO.** **NY AST** **A100294523**
East **291 ESSEX STREET** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.213 mi.
1127 ft. **Site 8 of 9 in cluster X**

Relative:
Lower

Actual:
29 ft.

AST:
Name: J. BORAH CO.
Address: 291 ESSEX STREET
City,State,Zip: BROOKLYN, NY 11208
Region: STATE
DEC Region: 2
Site Status: Unregulated/Closed
Facility Id: 2-608411
Program Type: PBS
UTM X: 594451.48774
UTM Y: 4503502.02787
Expiration Date: N/A
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 30263
Affiliation Type: Mail Contact
Company Name: EASTEX BRIDALS HOLDING CORP
Contact Type: Not reported
Contact Name: MANJEET SINGH
Address1: 124-03 149TH AVE.
Address2: Not reported
City: SOUTH OZONE PARK
State: NY
Zip Code: 11420
Country Code: 001
Phone: (347) 624-2959
EMail: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2014-05-21

Site Id: 30263
Affiliation Type: Facility Operator
Company Name: J. BORAH CO.
Contact Type: Not reported
Contact Name: EASTEX BNDALS HOLDING
Address1: Not reported

J. BORAH CO. (Continued) **A100294523**

Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(347) 624-1616
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-05-21

Site Id:	30263
Affiliation Type:	Emergency Contact
Company Name:	EASTEX BRIDALS HOLDING CORP
Contact Type:	Not reported
Contact Name:	MANJEET SINGH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(347) 624-1616
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-05-21

Site Id:	30263
Affiliation Type:	Facility Owner
Company Name:	EASTEX BRIDALS HOLDING CORP
Contact Type:	OWNER
Contact Name:	G SINGH
Address1:	291 ESSEX STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(347) 624-2959
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	2014-05-21

Tank Info:

Tank Number:	1
Tank Id:	65135
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

C02 - Pipe Location - Underground/On-ground
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None

J. BORAH CO. (Continued) **A100294523**

J00 - Dispenser - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Concrete
Tank Status:	Closed - Removed
Pipe Model:	Not reported
Install Date:	01/01/1930
Capacity Gallons:	1500
Tightness Test Method:	34
Date Test:	03/10/2003
Next Test Date:	Not reported
Date Tank Closed:	02/22/2016
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	#2 fuel oil (on-site consumption)

T209 **CON EDISON - COMPANY OF NY** **E MANIFEST** **1031611243**
WNW **2823 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.214 mi.
1128 ft. **Site 6 of 13 in cluster T**

Relative: **Higher**

Actual: **47 ft.**

E MANIFEST:

Manifest Tracking Number:	006857334GBF
Last Updated Date:	20210719
Shipped Date:	20210706
Received Date:	20210709
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	2823 FULTON ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 Butler Street
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032

CON EDISON - COMPANY OF NY (Continued) **1031611243**

Designated Facility Mail State: NJ
Designated Facility Location Street Number: 105
Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 006857334GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006857334GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006857334GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006857334GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N

CON EDISON - COMPANY OF NY (Continued) **1031611243**

Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

U210 **ST MALACHY'S SCHOOL** **NY UST** **U000404498**
West **220 HENDRIX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.214 mi.
1131 ft. **Site 17 of 18 in cluster U**

Relative:
Higher

Actual:
46 ft.

UST:

Name:	ST MALACHY'S SCHOOL
Address:	220 HENDRIX ST
City,State,Zip:	BROOKLYN, NY 11207
Id/Status:	2-336254 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	593755.49993
UTM Y:	4503507.84588
Site Type:	School

Affiliation Records:

Site Id:	16070
Affiliation Type:	Mail Contact
Company Name:	ST MALACHYS R.C. CHURCH
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	207 HENDRIX ST
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 647-5900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	CGFREEDM
Date Last Modified:	2004-12-15

Site Id:	16070
Affiliation Type:	Facility Owner
Company Name:	ST MALACHYS R.C. CHURCH
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	207 HENDRIX ST
Address2:	Not reported
City:	BROOKLYN
State:	NY

ST MALACHY'S SCHOOL (Continued) **U000404498**

Zip Code: 11207
Country Code: 001
Phone: (718) 647-5900
EMail: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 2004-12-15

Site Id: 16070
Affiliation Type: Facility Operator
Company Name: ST MALACHYS SCHOOL
Contact Type: Not reported
Contact Name: REV RAYMOND J KELLY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 647-5900
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Site Id: 16070
Affiliation Type: Emergency Contact
Company Name: ST MALACHYS R.C. CHURCH
Contact Type: Not reported
Contact Name: REV RAYMOND J KELLY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 647-5900
EMail: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 2004-03-04

Tank Info:

Tank Number: 001
Tank ID: 21099
Tank Status: Closed - Removed
Material Name: Closed - Removed
Capacity Gallons: 5000
Install Date: Not reported
Date Tank Closed: Not reported
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

ST MALACHY'S SCHOOL (Continued) **U000404498**

Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None

U211 **ST MALACHY'S SCHOOL** **UST FINDER** **1028569038**
West **220 HENDRIX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.214 mi.
1131 ft. **Site 18 of 18 in cluster U**

Relative: **Higher**

Actual: **46 ft.**

UST FINDER:

Object ID:	295840
Facility ID:	NY16070
Name:	ST MALACHY'S SCHOOL
Address:	220 HENDRIX ST
City,State,Zip:	BROOKLYN, NY 11207
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	10286
Private Wells 1500ft:	2
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	No
WHPA PWS Facility ID:	Not reported
WHPA Water Type:	Not reported
WHPA Facility Type:	Not reported
WHPA HUC12:	Not reported
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.89037
Y Coord:	40.676225
Latitude:	40.676225
Longitude:	-73.89037

UST FINDER:

Object ID:	1205965

ST MALACHY'S SCHOOL (Continued) **1028569038**

Facility ID:	NY16070
Tank ID:	NY17081
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	5000
Substances:	Not reported
Tank Wall Type:	Not reported

T212 **CON EDISON** **NJ MANIFEST** **S120675137**
WNW **2814 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.216 mi.
1139 ft. **Site 7 of 13 in cluster T**

Relative:
Higher

Actual:
47 ft.

NJ MANIFEST:

EPA ID:	NYP004820300
Name:	CON EDISON
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207
County:	Not reported
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004820300
Manifest Number:	002619428GBF
Date Shipped:	8/7/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported

CON EDISON (Continued) **S120675137**

Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

T213 **NAYA SUPER DRY CLEANERS** **NY DRYCLEANERS** **S121966743**
WNW **2814 FULTON ST** **NY MANIFEST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.216 mi.
1139 ft. **Site 8 of 13 in cluster T**

Relative: **Higher**

Actual: **47 ft.**

DRYCLEANERS:

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	09/11/2020
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	09/11/2020
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 09/11/2020
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 09/11/2020
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 05/13/2002
Inspection Date: 07/02/2002
Install Date: Not reported
Expiration Date: 02/05/2007
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	07/02/2002
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	07/02/2002
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	07/02/2002
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	06/27/2003
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 02/05/2007
Inspection Date: 06/27/2003
Install Date: Not reported
Expiration Date: 08/08/2008
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 06/27/2003
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 06/27/2003
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 05/13/2002

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Inspection Date: 06/21/2004
Install Date: Not reported
Expiration Date: 02/05/2007
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 02/05/2007
Inspection Date: 06/21/2004
Install Date: Not reported
Expiration Date: 08/08/2008
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 06/21/2004
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 06/21/2004
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	09/07/2018
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	09/07/2018
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	08/30/2019
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	08/30/2019
Install Date:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	08/30/2019
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	08/30/2019
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	06/17/2005
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 02/05/2007
Inspection Date: 06/17/2005
Install Date: Not reported
Expiration Date: 08/08/2008
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 06/17/2005
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 06/17/2005
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 05/13/2002
Inspection Date: 06/16/2006
Install Date: Not reported
Expiration Date: 02/05/2007
Removal Date: Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 02/05/2007
Inspection Date: 06/16/2006
Install Date: Not reported
Expiration Date: 08/08/2008
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 06/16/2006
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 06/16/2006
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	06/13/2008
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	06/13/2008
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	06/13/2008
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	06/13/2008
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	06/24/2009
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	06/24/2009
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	06/24/2009
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Registration Effective Date:	01/31/2014
Inspection Date:	06/24/2009
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	06/16/2007
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	06/16/2007
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	06/16/2007
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	06/16/2007
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	06/11/2010
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	06/11/2010
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	06/11/2010
Install Date:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	06/11/2010
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	07/12/2014
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	07/12/2014
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	07/12/2014
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	07/12/2014
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	08/23/2013
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	08/23/2013
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 08/23/2013
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 08/23/2013
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 05/13/2002
Inspection Date: 07/31/2015
Install Date: Not reported
Expiration Date: 02/05/2007
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	07/31/2015
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	08/08/2008
Inspection Date:	07/31/2015
Install Date:	Not reported
Expiration Date:	01/31/2014
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	01/31/2014
Inspection Date:	07/31/2015
Install Date:	Not reported
Expiration Date:	01/05/2021
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	10/07/2016
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 02/05/2007
Inspection Date: 10/07/2016
Install Date: Not reported
Expiration Date: 08/08/2008
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 10/07/2016
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 10/07/2016
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Registration Effective Date: 05/13/2002
Inspection Date: 09/15/2017
Install Date: Not reported
Expiration Date: 02/05/2007
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 02/05/2007
Inspection Date: 09/15/2017
Install Date: Not reported
Expiration Date: 08/08/2008
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 08/08/2008
Inspection Date: 09/15/2017
Install Date: Not reported
Expiration Date: 01/31/2014
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

Name: NAYA SUPER DRY CLEANERS
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207 2608
Facility ID: 2-6105-00672
Phone Number: 7186474580
Region: Not reported
Registration Effective Date: 01/31/2014
Inspection Date: 09/15/2017
Install Date: Not reported
Expiration Date: 01/05/2021
Removal Date: Not reported
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Perchloroethylene; CAS 127-18-4
Current Business: Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	05/13/2002
Inspection Date:	09/07/2018
Install Date:	Not reported
Expiration Date:	02/05/2007
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

Name:	NAYA SUPER DRY CLEANERS
Address:	2814 FULTON ST
City,State,Zip:	BROOKLYN, NY 11207 2608
Facility ID:	2-6105-00672
Phone Number:	7186474580
Region:	Not reported
Registration Effective Date:	02/05/2007
Inspection Date:	09/07/2018
Install Date:	Not reported
Expiration Date:	08/08/2008
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Not reported
Alternate Solvent:	Perchloroethylene; CAS 127-18-4
Current Business:	Not reported

NY MANIFEST:

EPA ID:	NYD980778666
Country:	USA
Name:	J C Clnrs
Address:	2814 FULTON ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	28-14 FULTON ST
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	J C Clnrs
Mailing Contact:	J C Clnrs
Mailing Address 1:	28-14 FULTON STREET
Mailing Address 2:	Not reported
Mailing City,State,Zip:	BROOKLYN, NY 11207
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	7182351638

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Manifest Data:

Document ID:	NYC1827415
Manifest Status:	Not reported
Trans1 State ID:	AM6252NY
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	09/01/1992
Trans1 Recv Date:	09/01/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/01/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980785760
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYC4322250
Manifest Status:	Not reported
Trans1 State ID:	NYGF2859
Year:	1996
Trans2 State ID:	OR23226
Generator Ship Date:	10/29/1996
Trans1 Recv Date:	10/29/1996

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Trans2 Recv Date:	11/04/1996
TSD Site Recv Date:	11/05/1996
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	MOD095038998
TSDF ID 1:	OHD980587364
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYC3764452
Manifest Status:	Not reported
Trans1 State ID:	GF2859
Year:	1995
Trans2 State ID:	Not reported
Generator Ship Date:	11/28/1995
Trans1 Recv Date:	11/28/1995
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/28/1995
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980785760

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYA6772937
Manifest Status:	C - Completed copy
Trans1 State ID:	AP4503
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	870826
Trans1 Recv Date:	870826
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	870826
Part A Recv Date:	870902
Part B Recv Date:	870901
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980785760
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00135
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000081205
Year:	2018
Trans2 State ID:	NJD071629976
Generator Ship Date:	07/31/2015
Trans1 Recv Date:	07/31/2015
Trans2 Recv Date:	08/12/2015
TSD Site Recv Date:	08/21/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	OHD980587364
TSDF ID 2:	Not reported
Manifest Tracking Number:	005008898SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H020
Waste Code a:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane,

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code b:	Chromium
Waste Code c:	Tetrachloroethylene
Waste Code e:	Trichlorethylene
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	200
Units:	Pounds
Number of Containers:	2
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD000564908
Year:	2018
Trans2 State ID:	MIT270012321
Generator Ship Date:	02/15/2018
Trans1 Recv Date:	02/15/2018
Trans2 Recv Date:	02/22/2018
TSD Site Recv Date:	02/23/2018
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CDX107000000
TSDF ID 2:	Not reported
Manifest Tracking Number:	017158485JJK
Import Indicator:	N
Export Indicator:	Y
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H020
Waste Code a:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

	Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code b:	Tetrachloroethylene
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	260
Units:	Pounds
Number of Containers:	2
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000081205
Year:	2018
Trans2 State ID:	NYD982792814
Generator Ship Date:	07/22/2014
Trans1 Recv Date:	07/22/2014
Trans2 Recv Date:	07/30/2014
TSD Site Recv Date:	08/06/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	OHD980587364
TSDF ID 2:	Not reported
Manifest Tracking Number:	004265843SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H020
Waste Code a:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

	F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code b:	Chromium
Waste Code c:	Tetrachloroethylene
Waste Code e:	Trichlorethylene
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	100
Units:	Pounds
Number of Containers:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000081205
Year:	2018
Trans2 State ID:	NYD982792814
Generator Ship Date:	07/22/2014
Trans1 Recv Date:	07/22/2014
Trans2 Recv Date:	07/30/2014
TSD Site Recv Date:	08/06/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	OHD980587364
TSDF ID 2:	Not reported
Manifest Tracking Number:	004265843SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H020
Waste Code a:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Waste Code b:	Chromium
Waste Code c:	Tetrachloroethylene
Waste Code e:	Trichlorethylene
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	110
Units:	Pounds
Number of Containers:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	TXR000081205
Year:	2018
Trans2 State ID:	NYD982792814
Generator Ship Date:	07/22/2014
Trans1 Recv Date:	07/22/2014
Trans2 Recv Date:	07/30/2014
TSD Site Recv Date:	08/06/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	OHD980587364
TSDF ID 2:	Not reported
Manifest Tracking Number:	004265843SKS
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H020
Waste Code a:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code b:	Chromium
Waste Code c:	Tetrachloroethylene

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Waste Code e:	Trichlorethylene
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	80
Units:	Pounds
Number of Containers:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1
Document ID:	NYA9355667
Manifest Status:	C - Completed copy
Trans1 State ID:	AM6252NY
Year:	1989
Trans2 State ID:	Not reported
Generator Ship Date:	890310
Trans1 Recv Date:	890310
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890310
Part A Recv Date:	890315
Part B Recv Date:	890322
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980785760
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Waste Code 6:	Not reported
Quantity:	00135
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC2888741
Manifest Status:	Not reported
Trans1 State ID:	JE4550NY
Year:	1994
Trans2 State ID:	Not reported
Generator Ship Date:	09/15/1994
Trans1 Recv Date:	09/15/1994
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/15/1994
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980778666
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980785760
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

NAYA SUPER DRY CLEANERS (Continued) **S121966743**

Click this hyperlink while viewing on your computer to access
47 additional NY MANIFEST: record(s) in the EDR Site Report.

T214 **CON ED** **NY MANIFEST** **S121967340**
WNW **2814 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.216 mi.
1139 ft. **Site 9 of 13 in cluster T**

Relative:
Higher

Actual:
47 ft.

NY MANIFEST:

EPA ID:	NYP004820300
Country:	USA
Name:	Con Ed
Address:	2814 FULTON ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	2814 FULTON ST
Location Address 2:	SB 6781
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Ed
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	08/07/2015
Trans1 Recv Date:	08/07/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/13/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004820300
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002619428GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N

CON ED (Continued) **S121967340**

Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

T215 **CON EDISON** **RCRA NonGen / NLR** **1019906373**
WNW **2814 FULTON ST** **FINDS** **NYP004820300**
1/8-1/4 **BROOKLYN, NY 11207** **ECHO**
0.216 mi.
1139 ft. **Site 10 of 13 in cluster T**

Relative: **Higher**
Actual: **47 ft.**

RCRA Listings:

Date Form Received by Agency:	20150807
Handler Name:	Con Edison
Handler Address:	Fulton St
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004820300
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported

CON EDISON (Continued) **1019906373**

Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160909
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20150807
Handler Name:	CON EDISON
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

CON EDISON (Continued) **1019906373**

Electronic Manifest Broker: Not reported

Receive Date: 20150807
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110069649269

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019906373
Registry ID: 110069649269

DFR URL:
Name: CON EDISON
Address: 2814 FULTON ST
City,State,Zip: BROOKLYN, NY 11207

W216 **CON EDISON** **NY MANIFEST** **S117067114**
ESE **330 ESSEX ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.216 mi.
1140 ft. **Site 5 of 5 in cluster W**

Relative:
Lower

Actual:
29 ft.

NY MANIFEST:

EPA ID:	NYP004598520
Country:	USA
Name:	Con Edison
Address:	330 ESSEX ST
Address 2:	STRUCTURE 65911
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	330 ESSEX ST
Location Address 2:	STRUCTURE 65911
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/16/2014
Trans1 Recv Date:	07/16/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/17/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004598520
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002504238GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

CON EDISON (Continued) **S117067114**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

T217 **CON ED** **NY MANIFEST** **S119078257**
WNW **2821 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.217 mi.
1144 ft. **Site 11 of 13 in cluster T**

Relative: **Higher**

Actual: **47 ft.**

NY MANIFEST:

EPA ID:	NYP004881138
Country:	USA
Name:	Con Ed
Address:	2821 FULTON ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	63 BAY 28TH ST
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11214
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Ed
Mailing Contact:	Ralph Legrand
Mailing Address 1:	222 1ST ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	BROOKLYN, NY 11215
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	6467396673

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYR000188490

CON ED (Continued) **S119078257**

Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	03/11/2016
Trans1 Recv Date:	03/11/2016
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/17/2016
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004881138
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD085690592
TSDF ID 2:	Not reported
Manifest Tracking Number:	008225542FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Reactive Waste
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	900
Units:	Pounds
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

T218 **CON EDISON** **RCRA NonGen / NLR** **1019909113**
WNW **2821 FULTON ST** **NYP004881138**
1/8-1/4 **BROOKLYN, NY 11207**
0.217 mi.
1144 ft. **Site 12 of 13 in cluster T**

Relative: **Higher**
Actual: **47 ft.**

RCRA Listings:

Date Form Received by Agency:	20151217
Handler Name:	Con Edison
Handler Address:	Fulton St
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004881138
Contact Name:	THOMAS TEELING

CON EDISON (Continued) **1019909113**

Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20160909
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No

CON EDISON (Continued) **1019909113**

Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Historic Generators:
Receive Date: 20151217
Handler Name: CON EDISON
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20151217
Handler Name: CON EDISON
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

T219 **CON EDISON** **NJ MANIFEST** **S120678280**
WNW **2821 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.217 mi.
1144 ft. **Site 13 of 13 in cluster T**

Relative: NJ MANIFEST:
Higher
EPA ID: NYP004881138
Actual: Name: CON EDISON
47 ft. Address: 2821 FULTON ST
City,State,Zip: BROOKLYN, NY 11207
County: Not reported
Mailing Address: IRVING PL 15TH FL NE

CON EDISON (Continued) **S120678280**

Mailing City,State,Zip:	NEW YORK, NY 10003
Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	THOMAS TEELING
Comments:	Not reported
SIC Code:	Not reported
County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004881138
Manifest Number:	002625252GBF
Date Shipped:	12/17/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

AB220 **CON EDISON SERVICE BOX: 21067** **RCRA NonGen / NLR** **1016969267**
NNE **2983 FULTON ST** **NY MANIFEST** **NYP004429213**
1/8-1/4 **BROOKLYN, NY 11208**
0.217 mi.
1147 ft. **Site 1 of 2 in cluster AB**

Relative: **Higher**

Actual: **39 ft.**

RCRA Listings:

Date Form Received by Agency:		20140228
Handler Name:		Con Edison Service Box: 21067
Handler Address:		Fulton St
Handler City,State,Zip:		BROOKLYN, NY 11208
EPA ID:		NYP004429213
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SENIOR SCIENTIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CON EDISON SERVICE BOX: 21067 (Continued) **1016969267**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20141014
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140129
Handler Name: CON EDISON SERVICE BOX:	21067
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140228
Handler Name: CON EDISON SERVICE BOX:	21067
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

CON EDISON SERVICE BOX: 21067 (Continued) **1016969267**

NY MANIFEST:

EPA ID:	NYP004429213
Country:	USA
Name:	Con Edison
Address:	2983 FULTON ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	FRONT OF 2983 FULTON ST
Location Address 2:	SB21067
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PLACE
Mailing Address 2:	15TH FL
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	01/29/2014
Trans1 Recv Date:	01/29/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/31/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004429213
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002329404GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	Y
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	NJD991291105
Alt Facility Sign Date:	01/31/2014
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported

CON EDISON SERVICE BOX: 21067 (Continued) **1016969267**

Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

S221 **GREATER REFUGE MINISTRIES, INC.** **NY AST** **A100294260**
SW **291 HENDRIX STREET** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.220 mi.
1159 ft. **Site 12 of 12 in cluster S**

Relative:
Higher

Actual:
41 ft.

AST:

Name:	GREATER REFUGE MINISTRIES, INC.
Address:	291 HENDRIX STREET
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-608619
Program Type:	PBS
UTM X:	593824.97191
UTM Y:	4503261.13071
Expiration Date:	02/21/2020
Site Type:	Religious Building (Church, Synagogue, Mosque, Temple, etc.)

Affiliation Records:

Site Id:	30471
Affiliation Type:	Mail Contact
Company Name:	GREATER REFUGE MINISTRIES, INC.
Contact Type:	Not reported
Contact Name:	GWENDOLYN BELOTI-PERRY
Address1:	291 HENDRIX STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(347) 845-3838
EMail:	GREATERREFUGEMINISTRIES1@YAHOO.COM
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-10-11

Site Id:	30471
Affiliation Type:	Facility Operator

GREATER REFUGE MINISTRIES, INC. (Continued) **A100294260**

Company Name:	GREATER REFUGE MINISTRIES, INC.
Contact Type:	Not reported
Contact Name:	GWENDOLYN BELOTI-PERRY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 827-7822
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-10-11

Site Id:	30471
Affiliation Type:	Emergency Contact
Company Name:	GREATER REFUGE MINISTRIES, INC.
Contact Type:	Not reported
Contact Name:	NEARLY BRADLEY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 452-5433
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-10-11

Site Id:	30471
Affiliation Type:	Facility Owner
Company Name:	GREATER REFUGE MINISTRIES, INC.
Contact Type:	SENIOR PASTOR, APOSTLE
Contact Name:	BEVERLY BELL
Address1:	291 HENDRIX STREET
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11207
Country Code:	001
Phone:	(718) 827-7822
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MRBARROW
Date Last Modified:	2017-10-11

Tank Info:

Tank Number:	001
Tank Id:	65405
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

GREATER REFUGE MINISTRIES, INC. (Continued) **A100294260**

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location:	Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	05/24/1951
Capacity Gallons:	2020
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	#2 fuel oil (on-site consumption)

222
SE
1/8-1/4
0.220 mi.
1162 ft.

CON EDISON **NY MANIFEST** **S117067120**
734 GLENMORE AVE **N/A**
BROOKLYN, NY 11208

Relative:
Lower

Actual:
29 ft.

NY MANIFEST:

EPA ID:	NYP004598587
Country:	USA
Name:	Con Edison
Address:	734 GLENMORE AVE
Address 2:	STRUCTURE 59892
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	734 GLENMORE AVE
Location Address 2:	STRUCTURE 59892
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Tom Teeling
Mailing Address 1:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA

CON EDISON (Continued) **S117067120**

Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/16/2014
Trans1 Recv Date: 07/16/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/17/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004598587
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002615029GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 100
Units: Gallons (liquids only)
Number of Containers: 1
Container Type: Cargo tanks (tank trucks)
Handling Method: Treat
Specific Gravity: 1

V223 **CON EDISON** **RCRA NonGen / NLR** **1019906060**
NNW **164 ARLINGTON AVE** **FINDS** **NYP004816797**
1/8-1/4 **BROOKLYN, NY 11207** **ECHO**
0.221 mi.
1166 ft. **Site 3 of 8 in cluster V**

Relative: **Higher**
Actual: **42 ft.**

RCRA Listings:

Date Form Received by Agency:		20150731
Handler Name:		Con Edison
Handler Address:		Arlington Ave
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYP004816797
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CON EDISON (Continued) **1019906060**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160909
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20150731
Handler Name: CON EDISON	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150731
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

CON EDISON (Continued) **1019906060**

FINDS:
Registry ID: 110069699473

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1019906060
Registry ID: 110069699473

DFR URL:
Name: CON EDISON
Address: 164 ARLINGTON AVE
City,State,Zip: BROOKLYN, NY 11207

V224 **CON EDISON** **NJ MANIFEST** **S120674812**
NNW **164 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.221 mi.
1166 ft. **Site 4 of 8 in cluster V**

Relative:
Higher

Actual:
42 ft.

NJ MANIFEST:
EPA ID: NYP004816797
Name: CON EDISON
Address: 164 ARLINGTON AVE
City,State,Zip: BROOKLYN, NY 11207
County: Not reported
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Telephone: Not reported
Emergency Telephone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY047
Municipal: Not reported
Previous EPAID: Not reported
Generator Flag: Not reported
Transporter Flag: Not reported
TSDF Flag: Not reported
Name Change: Not reported
Date Change: Not reported

Manifest Data:
EPA ID: NYP004816797
Manifest Number: 002619433GBF
Date Shipped: 7/31/2015
TSDF EPA ID: NJD991291105
Transporter EPA ID: NJD003812047

CON EDISON (Continued) **S120674812**

Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

225
NE
1/8-1/4
0.222 mi.
1171 ft.

249 LINWOOD ST/BKLYN **NY LTANKS** **S100145922**
249 LINWOOD STREET **N/A**
NEW YORK CITY, NY

Relative:
Higher

Actual:
38 ft.

LTANKS:

Name:	249 LINWOOD ST/BKLYN
Address:	249 LINWOOD STREET
City,State,Zip:	NEW YORK CITY, NY
Spill Number/Closed Date:	9000036 / 1995-06-07
Facility ID:	9000036
Site ID:	93305
Spill Date:	1990-04-02
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	1995-06-07
SWIS:	2401
Investigator:	FINGER
Referred To:	Not reported

249 LINWOOD ST/BKLYN (Continued) **S100145922**

Reported to Dept:	1990-04-03
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-05-09
Spill Record Last Update:	1995-06-07
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	249 LINWOOD STREET
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	83651
Latitude:	40.6797480
Longitude:	-73.8835730
DEC Memo:	Not reported
Remarks:	CUSTOMER DISCOVERED PINHOLE LEAK IN TANK CALLED BAERENKLAU FOUND LEAK IN TANK, APPLIED SPEEDY DRY, MAGNETIC PATCHES.

All Materials:

Site ID:	93305
Operable Unit ID:	939252
Operable Unit:	01
Material ID:	557443
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Y226 **CONSOLIDATED EDISON OF NY, INC.** **E MANIFEST** **1031636703**
North **ARLINGTON AVE & ASHFORD ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.222 mi.
1173 ft. **Site 3 of 7 in cluster Y**

Relative:
Higher

Actual:
37 ft.

E MANIFEST:

Manifest Tracking Number:	016954087FLE
Last Updated Date:	20220404
Shipped Date:	20220322
Received Date:	20220323
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Of Ny, Inc.

CONSOLIDATED EDISON OF NY, INC. (Continued) **1031636703**

Generator Location Street Number:	Not reported
Generator Location Street 1:	ARLINGTON AVE & ASHFORD ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	116 Skyline Drive
Generator Mail Street 2:	Not reported
Generator Mail City:	South Plainfield
Generator Mail Zip:	07080
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	016954087FLE
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste: LEAD	

State Waste:

Manifest Tracking Number:	016954087FLE
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	016954087FLE
Transporter Line Number:	1
Transporter EPA ID:	MAD039322250
Transporter Name:	Clean Harbors Environmental Services Inc

Waste Line:

Manifest Tracking Number:	016954087FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y

CONSOLIDATED EDISON OF NY, INC. (Continued) **1031636703**

U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Rq, Na3082, Hazardous Waste, Liquid N.O.S., (Lead), 9, Pg Iii, (D008)
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	1000
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.5
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.5
Waste Quantity, in Kilograms:	453.515
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	453.515
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

AB227 **CONSOLIDATED EDISON COMPANY OF NY INC** **E MANIFEST** **1031632879**
NNE **134 ELTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.223 mi.
1175 ft. **Site 2 of 2 in cluster AB**

Relative: **Higher**
Actual: **39 ft.**

E MANIFEST:

Manifest Tracking Number:	016953364FLE
Last Updated Date:	20220526
Shipped Date:	20220513
Received Date:	20220516
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Consolidated Edison Company Of Ny Inc
Generator Location Street Number:	Not reported
Generator Location Street 1:	134 ELTON ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	116 SKYLINE DRIVE
Generator Mail Street 2:	Not reported
Generator Mail City:	SOUTH PLAINFIELD

CONSOLIDATED EDISON COMPANY OF NY INC (Continued) **1031632879**

Generator Mail Zip:	07080
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	016953364FLE
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	016953364FLE
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	016953364FLE
Transporter Line Number:	1
Transporter EPA ID:	MAD039322250
Transporter Name:	Clean Harbors Environmental Services Inc

Waste Line:

Manifest Tracking Number:	016953364FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT
Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	525
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.2625

CONSOLIDATED EDISON COMPANY OF NY INC (Continued) **1031632879**

Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.2625
Waste Quantity, in Kilograms:	238.09537
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	238.09537
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	Y
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

228
NNE
1/8-1/4
0.224 mi.
1181 ft.

ARLGINTON ESTATES LLC **NY AST** **U003389861**
248 ARLINGTON AVE **N/A**
BROOKLYN, NY 11208

Relative:
Higher

Actual:
38 ft.

AST:

Name:	ARLGINTON ESTATES LLC
Address:	248 ARLINGTON AVE
City,State,Zip:	BROOKLYN, NY 11208
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-287512
Program Type:	PBS
UTM X:	594175.79600
UTM Y:	4503896.98488
Expiration Date:	12/05/2028
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	12872
Affiliation Type:	Facility Operator
Company Name:	ARLGINTON ESTATES LLC
Contact Type:	Not reported
Contact Name:	ABE PENTELNIK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(647) 477-1747
EMail:	Not reported
Fax Number:	Not reported
Modified By:	JSMACRI

ARLGINTON ESTATES LLC (Continued) **U003389861**

Date Last Modified: 2022-06-10

Site Id: 12872
Affiliation Type: Emergency Contact
Company Name: ARLINGTON ESTATES LLC
Contact Type: Not reported
Contact Name: ABE PENTELNIK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 557-7717
EMail: Not reported
Fax Number: Not reported
Modified By: JSMACRI
Date Last Modified: 2022-06-10

Site Id: 12872
Affiliation Type: Facility Owner
Company Name: ARLINGTON ESTATES, LLC
Contact Type: MANAGING AGENT
Contact Name: ABE PENTELNIK
Address1: P.O. BOX 250134
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11225
Country Code: 001
Phone: (718) 557-7717
EMail: NOLSHWANG@BELTPARK.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2023-11-06

Site Id: 12872
Affiliation Type: Mail Contact
Company Name: ARLINGTON ESTATES, LLC
Contact Type: MANAGING AGENT
Contact Name: ABE PENTELNIK
Address1: P.O. BOX 250134
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11225
Country Code: 001
Phone: (718) 557-7717
EMail: NOLSHWANG@BELTPARK.COM
Fax Number: Not reported
Modified By: ACDANIEL
Date Last Modified: 2023-11-06

Tank Info:

Tank Number: 001
Tank Id: 17753

ARLGINTON ESTATES LLC (Continued) **U003389861**

Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
K00 - Spill Prevention - None
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Pipe Model: Not reported
Install Date: 12/19/1973
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: ACDANIEL
Last Modified: 11/06/2023
Material Name: #2 fuel oil (on-site consumption)

V229 **CON EDISON** **NJ MANIFEST** **S120674811**
NNW **160 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.224 mi.
1182 ft. **Site 5 of 8 in cluster V**

Relative: **Higher**
Actual: **42 ft.**

NJ MANIFEST:
EPA ID: NYP004816789
Name: CON EDISON
Address: 160 ARLINGTON AVE
City,State,Zip: BROOKLYN, NY 11207
County: Not reported
Mailing Address: IRVING PL 15TH FL NE
Mailing City,State,Zip: NEW YORK, NY 10003
Telephone: Not reported
Emergency Telephone: Not reported
Contact: THOMAS TEELING
Comments: Not reported
SIC Code: Not reported
County: NY047
Municipal: Not reported
Previous EPAID: Not reported
Generator Flag: Not reported
Transporter Flag: Not reported
TSDF Flag: Not reported

CON EDISON (Continued) **S120674811**

Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004816789
Manifest Number:	002619549GBF
Date Shipped:	7/31/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

V230 **CON EDISON - ARLINGTON AVE** **PA MANIFEST** **S118889013**
NNW **160 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.224 mi.
1182 ft. **Site 6 of 8 in cluster V**

Relative: PA MANIFEST:
Higher

Name:	CON EDISON - ARLINGTON AVE
Address:	160 ARLINGTON AVE
City,State,Zip:	BROOKLYN, NY 11207
Year:	2015
Manifest Number:	002659219GBF

Actual:
42 ft.

CON EDISON - ARLINGTON AVE (Continued) **S118889013**

Manifest Type:	T
Generator EPA ID:	NYP004721734
Generator Date:	01/30/2015
Mailing Address:	Not reported
Contact Name:	Not reported
Contact Phone:	Not reported
TSD EPA ID:	Not reported
TSD Date:	Not reported
TSD Facility Name:	Republic Environmental Systems (Pennsylvania) LLC
TSD Facility Address:	2869 Sandstone Dr
TSD Facility City:	Hatfield
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D008
Container Number:	1
Container Type:	TT
Waste Quantity:	500
Unit:	P
Handling Code:	Not reported
TSP EPA ID:	PAD085690592
Date TSP Sig:	Not reported

V231 **CON ED** **NY MANIFEST** **S117739081**
NNW **160 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.224 mi.
1182 ft. **Site 7 of 8 in cluster V**

Relative:
Higher

Actual:
42 ft.

NY MANIFEST:

EPA ID:	NYP004721734
Country:	USA
Name:	Con Edison
Address:	160 ARLINGTON AV
Address 2:	SB14591
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	160 ARLINGTON AV
Location Address 2:	SB14591
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported

CON ED (Continued) **S117739081**

Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	01/30/2015
Trans1 Recv Date:	01/30/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/10/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004721734
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD085690592
TSDF ID 2:	Not reported
Manifest Tracking Number:	002659219GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	Y
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	1190
Units:	Pounds
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

EPA ID:	NYP004816789
Country:	USA
Name:	Con Ed
Address:	160 ARLINGTON AVE
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	160 ARLINGTON AVE
Location Address 2:	SB 14591
Location City,State,Zip:	BROOKLYN, NY 11207

CON ED (Continued) **S117739081**

Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Ed
Mailing Contact: Tom Teeling
Mailing Address 1: 4 IRVING PLACE - 15TH FLOOR
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/31/2015
Trans1 Recv Date: 07/31/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/05/2015
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004816789
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002619549GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 200

CON ED (Continued) **S117739081**

Units:	Pounds
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

V232 **CON EDISON** **RCRA NonGen / NLR** **1019906059**
NNW **160 ARLINGTON AVE** **NYP004816789**
1/8-1/4 **BROOKLYN, NY 11207**
0.224 mi.
1182 ft. **Site 8 of 8 in cluster V**

Relative: **Higher**
Actual: **42 ft.**

RCRA Listings:

Date Form Received by Agency:		20150731
Handler Name:		Con Edison
Handler Address:		Arlington Ave
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYP004816789
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported

CON EDISON (Continued) **1019906059**

2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160909
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20150731
Handler Name: CON EDISON	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150731
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

CON EDISON (Continued) **1019906059**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

AC233 **CON EDISON - MH 67369** **RCRA NonGen / NLR** **1008195672**
SSW **GLENMORE AND SCHNECK** **NY MANIFEST** **NYP004112074**
1/8-1/4 **BROOKLYN, NY 11207**
0.224 mi.
1185 ft. **Site 1 of 2 in cluster AC**

Relative: **Higher**
Actual: **38 ft.**

RCRA Listings:

Date Form Received by Agency:	20040227
Handler Name:	Con Edison - Mh 67369
Handler Address:	Glenmore And Schneck
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004112074
Contact Name:	ANTHONY DRUMMINGS
Contact Address:	4 IRVING PLACE
Contact City,State,Zip:	NEW YORK, NY 10003
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Municipal
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	4 IRVING PLACE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Consolidated Edison Company Of Ny, Inc.
Owner Type:	Private
Operator Name:	Consolidated Edison Company Of Ny, Inc.
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N

CON EDISON - MH 67369 (Continued) **1008195672**

Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2003

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D008
Waste Description: Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	20030618
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name:	CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status:	Private
Date Became Current:	20030618
Date Ended Current:	Not reported
Owner/Operator Address:	4 IRVING PLACE
Owner/Operator City,State,Zip:	NEW YORK, NY 10003
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported

CON EDISON - MH 67369 (Continued) **1008195672**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 20030618
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Legal Status: Private
Date Became Current: 20030618
Date Ended Current: Not reported
Owner/Operator Address: 4 IRVING PLACE
Owner/Operator City,State,Zip: NEW YORK, NY 10003
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20040225
Handler Name: CON EDISON - MH 67369
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20040226
Handler Name: CON EDISON - MH 67369
Federal Waste Generator Description: Not a generator, verified
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20040227
Handler Name: CON EDISON - MH 67369
Federal Waste Generator Description: Not a generator, verified

CON EDISON - MH 67369 (Continued) **1008195672**

State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Code:	221122
NAICS Description:	Electric Power Distribution

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

NY MANIFEST:

EPA ID:	NYP004112074
Country:	USA
Name:	Consolidated Edison
Address:	GLENMORE AND SCHNECK
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	GLENMORE & SCHENECK MH67369
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11201
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Consolidated Edison
Mailing Contact:	Franklin Murray
Mailing Address 1:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602808

Manifest Data:

Document ID:	NYE1303956
Manifest Status:	Not reported
Trans1 State ID:	46690JM
Year:	2003
Trans2 State ID:	Not reported
Generator Ship Date:	06/18/2003
Trans1 Recv Date:	06/18/2003

CON EDISON - MH 67369 (Continued) **1008195672**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/20/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004112074
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B007
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00241
Units:	Kilograms
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYE0641178
Manifest Status:	Not reported
Trans1 State ID:	46826JM
Year:	2003
Trans2 State ID:	Not reported
Generator Ship Date:	06/18/2003
Trans1 Recv Date:	06/18/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/19/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004112074
Trans1 EPA ID:	NYD006982359
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD980593636
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported

CON EDISON - MH 67369 (Continued) **1008195672**

Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B002
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00773
Units:	Kilograms
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00

AC234 **CON EDISON MANHOLE: 56145** **RCRA NonGen / NLR** **1016970891**
SSW **GLENMORE AVE & SCHENCK AVE** **NY MANIFEST** **NYP004446209**
1/8-1/4 **BROOKLYN, NY 11207**
0.224 mi.
1185 ft. **Site 2 of 2 in cluster AC**

Relative: **Higher**
Actual: **38 ft.**

RCRA Listings:

Date Form Received by Agency:	20140319
Handler Name:	Con Edison Manhole: 56145
Handler Address:	Glenmore Ave & Schenck Ave
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004446209
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No

CON EDISON MANHOLE: 56145 (Continued) **1016970891**

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20141014
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140219
Handler Name: CON EDISON MANHOLE: 56145	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140319
Handler Name: CON EDISON MANHOLE: 56145	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No

CON EDISON MANHOLE: 56145 (Continued) **1016970891**

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

NY MANIFEST:

EPA ID:	NYP004446209
Country:	USA
Name:	Con Edison
Address:	GLENMORE AVE & SCHENCK AVE
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	GLENMORE AVE AND SCHENCK AVE
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edision
Mailing Address 1:	4 IRVING PL
Mailing Address 2:	15TH FL
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	02/19/2014
Trans1 Recv Date:	02/19/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/21/2014
Part A Recv Date:	Not reported

CON EDISON MANHOLE: 56145 (Continued) **1016970891**

Part B Recv Date:	Not reported
Generator EPA ID:	NYP004446209
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	012772897JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	600
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

AD235 **NY LTANKS** **S102146906**
NW **140 BARBEY STREET** **NY Spills** **N/A**
1/8-1/4 **BROOKLYN, NY 11207** **NY NYC LAND USE**
0.227 mi.
1196 ft. **Site 1 of 4 in cluster AD**

Relative: **Higher**
Actual: **45 ft.**

LTANKS:

Name:	140 BARBAY ST/BKLYN
Address:	140 BARBEY STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9012255 / 1991-02-25
Facility ID:	9012255
Site ID:	254610
Spill Date:	1991-02-25
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Not reported
Cleanup Ceased:	1991-02-25
SWIS:	2401
Investigator:	TOMASELLO

(Continued) **S102146906**

Referred To:	Not reported
Reported to Dept:	1991-02-25
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-03-15
Spill Record Last Update:	2003-04-09
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU
Spiller Address:	740 JAMAICA AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	225499
Latitude:	40.6796756
Longitude:	-73.8893737
DEC Memo:	Not reported
Remarks:	SPILL CONTAINED,USED SPEEDY DRY.

All Materials:

Site ID:	254610
Operable Unit ID:	952034
Operable Unit:	01
Material ID:	428761
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	12.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	140 BARBEY STREET
Address:	140 BARBEY STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9306318 / 1993-08-24
Facility ID:	9306318
Facility Type:	ER
DER Facility ID:	225499
Site ID:	277428
DEC Region:	2
Spill Cause:	Human Error
Spill Class:	C3
SWIS:	2401
Spill Date:	1993-08-24
Investigator:	CAMMISA

(Continued) **S102146906**

Referred To:	Not reported
Reported to Dept:	1993-08-24
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Responsible Party
Cleanup Ceased:	1993-08-24
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1993-08-24
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6796756
Longitude:	-73.8893737
DEC Memo:	Not reported
Remarks:	CONTAINED ON SIDE WALK - SORBENT APPLIED AND P/U -

All Materials:

Site ID:	277428
Operable Unit ID:	987623
Operable Unit:	01
Material ID:	396194
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-2.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	140 BARBEY STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6796814
Longitude:	-73.8895680
Type Of Ownership Code:	Not reported
Owner Name:	EASTER ELLIS
Borough:	BK
Tax Block:	3935
Tax Lot:	26
Community District:	305
Census Tract 2020:	3114600
Census Block 2020:	31146001005
Census Tract 2010:	1146
Census Block 2010:	1005
School District:	19

(Continued) **S102146906**

City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R4: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	A9: One Family Dwellings - Miscellaneous
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	4750
Total Building Floor Area:	3737
Commercial Floor Area:	0
Residential Floor Area:	3737
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.5000000
Residential Units:	1
Total Units:	1
Lot Frontage:	50.0000000
Lot Depth:	95.0000000
Building Frontage:	26.0000000
Building Depth:	53.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	22500.00000
Assessed Total Value:	80220.00000
Exempt Total Value:	43850.00000
Year Built:	1901
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.79000000000
Maximum Allowable Residential Far:	0.75000000000
Maximum Allowable Commercial Far:	0.00000000000

(Continued) **S102146906**

Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039350026.00000000
Condominium Number:	Not reported
Census Tract 2:	1146
X Coordinate:	1014880
Y Coordinate:	186922
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 002
Tax Map #:	31302
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

Z236 **187 ARLINGTON AVE/BKLYN** **NY LTANKS** **S102671607**
NNW **187 ARLINGTON AVENUE** **N/A**
1/8-1/4 **NEW YORK CITY, NY**
0.228 mi.
1204 ft. **Site 8 of 8 in cluster Z**

Relative: **Higher**

Actual: **39 ft.**

LTANKS:

Name:	187 ARLINGTON AVE/BKLYN
Address:	187 ARLINGTON AVENUE
City,State,Zip:	NEW YORK CITY, NY
Spill Number/Closed Date:	9009774 / 1990-12-08
Facility ID:	9009774
Site ID:	106791
Spill Date:	1990-12-08
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	Not reported
Cleanup Ceased:	1990-12-08
SWIS:	2401
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1990-12-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-12-18
Spill Record Last Update:	1991-01-08
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU OIL CO
Spiller Address:	740 JAMAICA AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported

187 ARLINGTON AVE/BKLYN (Continued) **S102671607**

Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	93988
Latitude:	40.6804450
Longitude:	-73.8878330
DEC Memo:	Not reported
Remarks:	CUSTOMER OVERORDERED, BAERENKLAU TO CLEAN UP WITH SPEEDY DRY.

All Materials:

Site ID:	106791
Operable Unit ID:	946811
Operable Unit:	01
Material ID:	429969
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

AE237 **CON EDISON - BROOKLYN ENVIRONMENTAL OPS** **E MANIFEST** **1031609967**
South **332 JEROME ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.229 mi.
1209 ft. **Site 1 of 3 in cluster AE**

Relative: **Lower**

Actual: **35 ft.**

E MANIFEST:

Manifest Tracking Number:	006875365GBF
Last Updated Date:	20210706
Shipped Date:	20210617
Received Date:	20210625
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Brooklyn Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	332 JEROME ST
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 Rahway Ave
Generator Mail Street 2:	Not reported
Generator Mail City:	Avenel
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031609967**

Designated Facility Mail City: KEARNY
Designated Facility Mail Zip: 07032
Designated Facility Mail State: NJ
Designated Facility Location Street Number: 105
Designated Facility Location Street 1: JACOBUS AVE
Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Federal Waste:
Manifest Tracking Number: 006875365GBF
Waste Line Number: 1
Federal Waste Code: D008
Federal Waste: LEAD

State Waste:
Manifest Tracking Number: 006875365GBF
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: T
State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 006875365GBF
Transporter Line Number: 1
Transporter EPA ID: NJD003812047
Transporter Name: Acv Environmental Services Inc.

Waste Line:
Manifest Tracking Number: 006875365GBF
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3082
U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: TT
Container Type Description: Cargo tanks (tank trucks)
Waste Quantity: 500
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.25
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.25
Waste Quantity, in Kilograms: 226.7575
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 226.7575
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N

CON EDISON - BROOKLYN ENVIRONMENTAL OPS (Continued) **1031609967**

Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

Y238 **ARLINGTON BRANCH** **NY AST** **U001839499**
North **203 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.230 mi.
1214 ft. **Site 4 of 7 in cluster Y**

Relative: **Higher**

Actual: **38 ft.**

AST:

Name:	ARLINGTON BRANCH
Address:	203 ARLINGTON AVE
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-345326
Program Type:	PBS
UTM X:	594023.53770
UTM Y:	4503819.91709
Expiration Date:	N/A
Site Type:	Other

Affiliation Records:

Site Id:	16838
Affiliation Type:	Facility Operator
Company Name:	ARLINGTON BRANCH
Contact Type:	Not reported
Contact Name:	BROOKLYN PUBLIC LIBRARY
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 277-0160
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	16838
Affiliation Type:	Emergency Contact
Company Name:	BROOKLYN PUBLIC LIBRARY
Contact Type:	Not reported
Contact Name:	BUILDINGS & MAINTENANCE
Address1:	Not reported

ARLINGTON BRANCH (Continued) **U001839499**

Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 780-7707
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	16838
Affiliation Type:	Facility Owner
Company Name:	BROOKLYN PUBLIC LIBRARY
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1 GRAND ARMY PLAZA
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11238
Country Code:	001
Phone:	(718) 780-7707
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	16838
Affiliation Type:	Mail Contact
Company Name:	BROOKLYN PUBLIC LIBRARY
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	1 GRAND ARMY PLAZA
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11238
Country Code:	001
Phone:	(718) 780-7707
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank Id:	32763
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser

ARLINGTON BRANCH (Continued) **U001839499**

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None

Tank Location:	Aboveground in subterranean vault with access for inspections..... Tank in subterranean vault but accessible for inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	Closed - In Place
Pipe Model:	Not reported
Install Date:	Not reported
Capacity Gallons:	2500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	#2 fuel oil (on-site consumption)

AF239 **168 HENDRIX ST** **NY AST** **A100291587**
WNW **168 HENDRIX STREET** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.230 mi.
1215 ft. **Site 1 of 3 in cluster AF**

Relative: **Higher**

Actual: **48 ft.**

AST:

Name:	168 HENDRIX ST
Address:	168 HENDRIX STREET
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Unregulated/Closed
Facility Id:	2-601140
Program Type:	PBS
UTM X:	593728.69707
UTM Y:	4503635.83656
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	23110
Affiliation Type:	Facility Operator
Company Name:	168 HENDRIX ST
Contact Type:	Not reported
Contact Name:	ANGELA HALL
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	BVCAMPBE

168 HENDRIX ST (Continued) **A100291587**

Date Last Modified: 2011-11-04

Site Id: 23110
Affiliation Type: Emergency Contact
Company Name: CYPRESS CORNER LP
Contact Type: Not reported
Contact Name: Not reported
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: Not reported
EMail: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2011-11-04

Site Id: 23110
Affiliation Type: Facility Owner
Company Name: CYPRESS CORNER LP
Contact Type: PROJECT MANAGER
Contact Name: ANGELA HALL
Address1: 625 JAMAICA AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11208
Country Code: 001
Phone: (718) 855-2551 109
EMail: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2011-11-04

Site Id: 23110
Affiliation Type: Mail Contact
Company Name: J-J PLUMBING
Contact Type: Not reported
Contact Name: Not reported
Address1: 1152 LONGFELLOW AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10459
Country Code: 001
Phone: (718) 292-3323
EMail: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 2011-11-04

Tank Info:

Tank Number: 001
Tank Id: 44838

168 HENDRIX ST (Continued) **A100291587**

Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction Dispenser
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Location: Aboveground - contact with soil.... Tank bottom rests on soil, allowing no visual inspection.
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Pipe Model: Not reported
Install Date: 06/12/1951
Capacity Gallons: 2000
Tightness Test Method: 21
Date Test: 01/24/2002
Next Test Date: Not reported
Date Tank Closed: 05/08/2007
Register: True
Modified By: MJGRIFFI
Last Modified: 05/09/2022
Material Name: #2 fuel oil (on-site consumption)

AF240 **HPD** **NY LTANKS** **S105054941**
WNW **168 HENDRIX ST** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.230 mi.
1215 ft. **Site 2 of 3 in cluster AF**

Relative: **Higher**
Actual: **48 ft.**

LTANKS:
Name: HPD
Address: 168 HENDRIX ST
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 0102090 / 2004-03-01
Facility ID: 0102090
Site ID: 227113
Spill Date: 2001-05-24
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: B3
Cleanup Ceased: Not reported
SWIS: 2401
Investigator: JMROMMEL
Referred To: Not reported
Reported to Dept: 2001-05-24
CID: 312
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False

HPD (Continued) **S105054941**

Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2001-05-24
Spill Record Last Update:	2008-05-12
Spiller Name:	AZZAH NANASSAH
Spiller Company:	HPD
Spiller Address:	168 HENDRICK ST
Spiller County:	001
Spiller Contact:	AZZAH NANASSAH
Spiller Phone:	(212) 892-2874
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	187459
Latitude:	40.6782890
Longitude:	-73.8909070
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ROMMEL 2/25/04 Tank test failure due to manway seal. No evidence of spillage, photos taken of tank room, passed post repair tank test. closed Rommel
Remarks:	top of tank was cut open

All TTF:

Facility ID:	0102090
Spill Number:	0102090
Spill Tank Test:	1526324
Site ID:	227113
Tank Number:	001
Tank Size:	2000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	227113
Operable Unit ID:	840915
Operable Unit:	01
Material ID:	537785
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

X241 **CON EDISON - COMPANY OF NY** **E MANIFEST** **1031611876**
ESE **750 LIBERTY AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.233 mi.
1231 ft. **Site 9 of 9 in cluster X**

Relative:
Lower

Actual:
29 ft.

E MANIFEST:

Manifest Tracking Number:	006857333GBF
Last Updated Date:	20210719
Shipped Date:	20210706
Received Date:	20210709
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison - Company Of Ny
Generator Location Street Number:	Not reported
Generator Location Street 1:	750 LIBERTY AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY
Generator Location Zip:	11208
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	36 Butler Street
Generator Mail Street 2:	Not reported
Generator Mail City:	Elizabeth
Generator Mail Zip:	07206
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	006857333GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	006857333GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T

CON EDISON - COMPANY OF NY (Continued) **1031611876**

State Waste: Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:
- Manifest Tracking Number: 006857333GBF
- Transporter Line Number: 1
- Transporter EPA ID: NJD003812047
- Transporter Name: Acv Environmental Services Inc.

Waste Line:
- Manifest Tracking Number: 006857333GBF
- Waste Line Number: 1
- U.S. DOT Hazardous Indicator: Y
- U.S. DOT ID Number: NA3082
- U.S. DOT Description: Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
- Non-Hazardous Waste Description: Not reported
- Number of Containers: 1
- Container Type Code: TT
- Container Type Description: Cargo tanks (tank trucks)
- Waste Quantity: 500
- Quantity Unit of Measure Code: P
- Quantity Unit of Measure Description: Pounds
- Waste Quantity, in Tons: 0.25
- Acute Waste Quantity, in Tons: 0
- Non-Acute Waste Quantity, in Tons: 0.25
- Waste Quantity, in Kilograms: 226.7575
- Acute Waste Quantity, in Kilograms: 0
- Non-Acute Waste Quantity, in Kilorgrams: 226.7575
- Management Method Code: H110
- Management Method Description: STABILIZATION
- Waste Residue Indicator: N
- Quantity Discrepancy Indicator: N
- Waste Type Discrepancy Indicator: N
- Waste Density: Not reported
- Waste Density Unit of Measure Code: Not reported
- Waste Density Unit of Measure Description: Not reported
- Form Code: Not reported
- Form Code Description: Not reported
- Source Code: Not reported
- Source Code Description: Not reported
- Waste Minimization Code: Not reported
- Waste Minimization Code Description: Not reported
- Consent Number: Not reported
- EPA Waste Indicator: Y

242
South
1/8-1/4
0.236 mi.
1248 ft.

LOT 30,TAXBLOCK 3998
2337 PITKIN AVENUE
BROOKLYN, NY 11207

NY VCP **S118704284**
NY E DESIGNATION **N/A**
NY NYC OER

Relative:
Lower

Actual:
34 ft.

VCP NYC:
- Project ID: 19TMP2102K,19EH-N449K,20CVCP019K
- Name: 2337 PITKIN AVENUE
- Address: 2337 PITKIN AVENUE
- City,State,Zip: NEW YORK CITY, NY
- Borough: Brooklyn

LOT 30,TAXBLOCK 3998 (Continued) **S118704284**

BBL:	30,399,800,303,039,900,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management
Latitude:	40.673349
Longitude:	-73.8861
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1150
BIN:	3392571
NTA:	East New York

E DESIGNATION:

Name:	LOT 30,TAXBLOCK 3998
Address:	2337 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	30
Tax Block:	3998
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC OER:

Name:	2337 PITKIN AVENUE
Address:	2337 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.673349
Longitude:	-73.8861
OER Project Numbers:	19TMP2102K,19EH-N449K,20CVCP019K
BBL:	3.0399800303039902E+19
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management
URL:	
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1150
BIN:	3392571
NTA:	East New York

Y243 **CON EDISON** **NY MANIFEST** **S118258434**
North **231 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.239 mi.
1263 ft. **Site 5 of 7 in cluster Y**

Relative:
Higher

Actual:
39 ft.

NY MANIFEST:

EPA ID:	NYP004850161
Country:	USA
Name:	Con Edison
Address:	231 ARLINGTON AVE
Address 2:	STRUCTURE 14600
City,State,Zip:	BROOKLYN, NY
Zip 4:	Not reported
Location Address 1:	231 ARLINGTON AVE
Location Address 2:	STRUCTURE 14600
Location City,State,Zip:	BROOKLYN, NY
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Dennis Huacon
Mailing Address 1:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124603770

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	10/08/2015
Trans1 Recv Date:	10/08/2015
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004850161
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002613323GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

CON EDISON (Continued) **S118258434**

Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 50
Units: Pounds
Number of Containers: 1
Container Type: Cargo tanks (tank trucks)
Handling Method: Treat
Specific Gravity: 1

EPA ID: NYP004815508
Country: USA
Name: Con Edison
Address: 231 ARLINGTON AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11207
Zip 4: Not reported
Location Address 1: 231 ARLINGTON AVE
Location Address 2: SB 14600
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Dennis Huacon
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/30/2015
Trans1 Recv Date: 07/30/2015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/05/2015

CON EDISON (Continued) **S118258434**

Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004815508
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002619617GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	50
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

Y244 **CON EDISON** **RCRA NonGen / NLR** **1019905952**
North **231 ARLINGTON AVE** **NYP004815508**
1/8-1/4 **BROOKLYN, NY 11207**
0.239 mi.
1263 ft. **Site 6 of 7 in cluster Y**

Relative: **Higher**

Actual: **39 ft.**

RCRA Listings:

Date Form Received by Agency:	20150730
Handler Name:	Con Edison
Handler Address:	Arlington Ave
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004815508
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported

CON EDISON (Continued) **1019905952**

EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20160909
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

CON EDISON (Continued) **1019905952**

Historic Generators:
- Receive Date: 20150730
- Handler Name: CON EDISON
- Federal Waste Generator Description: Large Quantity Generator
- State District Owner: Ny
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: No
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

- Receive Date: 20150730
- Handler Name: CON EDISON
- Federal Waste Generator Description: Not a generator, verified
- State District Owner: Ny
- Large Quantity Handler of Universal Waste: No
- Recognized Trader Importer: No
- Recognized Trader Exporter: No
- Spent Lead Acid Battery Importer: No
- Spent Lead Acid Battery Exporter: No
- Current Record: Yes
- Non Storage Recycler Activity: Not reported
- Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
- NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
- Violations: No Violations Found

Evaluation Action Summary:
- Evaluations: No Evaluations Found

Y245 **CON EDISON** **NJ MANIFEST** **S120674698**
North **231 ARLINGTON AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.239 mi.
1263 ft. **Site 7 of 7 in cluster Y**

Relative: **Higher**

Actual: **39 ft.**

NJ MANIFEST:
- EPA ID: NYP004815508
- Name: CON EDISON
- Address: 231 ARLINGTON AVE
- City,State,Zip: BROOKLYN, NY 11207
- County: Not reported
- Mailing Address: IRVING PL 15TH FL NE
- Mailing City,State,Zip: NEW YORK, NY 10003
- Telephone: Not reported
- Emergency Telephone: Not reported
- Contact: THOMAS TEELING
- Comments: Not reported
- SIC Code: Not reported

CON EDISON (Continued) **S120674698**

County:	NY047
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP004815508
Manifest Number:	002619617GBF
Date Shipped:	7/30/2015
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD003812047
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

AD246 **CON EDISON SERVICE BOX: 14590** **RCRA NonGen / NLR** **1017779739**
NNW **153 ARLINTON** **FINDS** **NYP004577508**
1/8-1/4 **BROOKLYN, NY 11208**
0.239 mi.
1264 ft. **Site 2 of 4 in cluster AD**

Relative: **Higher**

Actual: **43 ft.**

RCRA Listings:

Date Form Received by Agency:		20140726
Handler Name:		Con Edison Service Box: 14590
Handler Address:		Arlinton
Handler City,State,Zip:		BROOKLYN, NY 11208
EPA ID:		NYP004577508
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SENIOR SCIENTIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CON EDISON SERVICE BOX: 14590 (Continued) **1017779739**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150211
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140626
Handler Name: CON EDISON	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140626
Handler Name: CON EDISON	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140726
Handler Name: CON EDISON SERVICE BOX: 14590	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

CON EDISON SERVICE BOX: 14590 (Continued) **1017779739**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110063821146

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

AA247 **LOT 53,TAXBLOCK 3957** **NY VCP** **S118704403**
ENE **3051 ATLANTIC AVENUE** **NY E DESIGNATION** **N/A**
1/8-1/4 **BROOKLYN, NY 11208** **NY NYC LAND USE**
0.240 mi. **NY NYC OER**
1268 ft. **Site 2 of 2 in cluster AA**

Relative:
Lower

Actual:
34 ft.

VCP NYC:

Project ID:	22TMP1733K,22EH-N402K,24CVCP011K
Name:	3051 ATLANTIC AVENUE
Address:	3051 ATLANTIC AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3039570053
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Construction
Latitude:	40.678703
Longitude:	-73.882074
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1168
BIN:	3336148
NTA:	East New York

E DESIGNATION:

Name:	LOT 53,TAXBLOCK 3957
Address:	3051 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Tax Lot(s):	53
Tax Block:	3957
Borough Code:	BK

LOT 53,TAXBLOCK 3957 (Continued) **S118704403**

E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	3051 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6789414
Longitude:	-73.8822973
Type Of Ownership Code:	Not reported
Owner Name:	3051 ATLANTIC BX LLC
Borough:	BK
Tax Block:	3957
Tax Lot:	53
Community District:	305
Census Tract 2020:	3116800
Census Block 2020:	31168001002
Census Tract 2010:	1168
Census Block 2010:	1002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R8A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	K4: Store Buildings (Taxpayers Included) - Predominant Retail With Other Uses
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	4812
Total Building Floor Area:	5720
Commercial Floor Area:	5720
Residential Floor Area:	0
Office Floor Area:	900
Retail Floor Area:	900

LOT 53,TAXBLOCK 3957 (Continued) **S118704403**

Garage Floor Area:	0
Storage Floor Area:	920
Factory Floor Area:	0
Other Floor Area:	3000
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	3.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	50.6700000
Lot Depth:	100.5800000
Building Frontage:	25.0000000
Building Depth:	34.0000000
Extension Code:	N
Proximity Code:	3
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	29700.00000
Assessed Total Value:	353250.00000
Exempt Total Value:	0.00000
Year Built:	1920
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.19000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039570053.00000000
Condominium Number:	Not reported
Census Tract 2:	1168
X Coordinate:	1016897
Y Coordinate:	186655
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 012
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	3051 ATLANTIC AVENUE
Address:	3051 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.678703
Longitude:	-73.882074
OER Project Numbers:	22TMP1733K,22EH-N402K,24CVCP011K
BBL:	3039570053

LOT 53,TAXBLOCK 3957 (Continued) **S118704403**

OER Program: VCP (Enrolled), E/RD (Review)
Class: Active (A)
Phase: Construction

URL:
Postcode: 11208
Community Board: 5
Council District: 37
Census Tract: 1168
BIN: 3336148
NTA: East New York

AE248 **CON EDISON** **NY MANIFEST** **S117736735**
South **23-35 PITKIN AVE MH55267** **N/A**
1/8-1/4 **OZONE PARK, NY 11417**
0.241 mi.
1270 ft. **Site 2 of 3 in cluster AE**

Relative:
Lower

Actual:
34 ft.

NY MANIFEST:
EPA ID: NYP004559878
Country: USA
Name: Con Edison
Address: 23-35 PITKIN AVE MH55267
Address 2: Not reported
City,State,Zip: OZONE PARK, NY 11417
Zip 4: Not reported
Location Address 1: 23-35 PITKIN AVE F/O
Location Address 2: Not reported
Location City,State,Zip: OZONE PARK, NY 11417
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 06/09/2014
Trans1 Recv Date: 06/09/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/16/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004559878
Trans1 EPA ID: Not reported

CON EDISON (Continued) **S117736735**

Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002200046
TSDF ID 2:	Not reported
Manifest Tracking Number:	013255088JJK
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	300
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

AG249 **CON EDISON** **NY MANIFEST** **S117067115**
ESE **OPP 761 GLENMORE AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.241 mi.
1270 ft. **Site 1 of 3 in cluster AG**

Relative: NY MANIFEST:
Lower

Actual: EPA ID:	NYP004598546
29 ft. Country:	USA
Name:	Con Edison
Address:	OPP 761 GLENMORE AVE
Address 2:	STRUCTURE 58407
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	OPP 761 GLENMORE AVE
Location Address 2:	STRUCTURE 58407
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

CON EDISON (Continued) **S117067115**

Mailing Name: Con Edison
Mailing Contact: Tom Teeling
Mailing Address 1: 4 IRVING PLACE 15TH FLOOR
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/16/2014
Trans1 Recv Date: 07/16/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/17/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004598546
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD991291105
TSDF ID 2: Not reported
Manifest Tracking Number: 002504239GBF
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 100
Units: Gallons (liquids only)
Number of Containers: 1
Container Type: Cargo tanks (tank trucks)
Handling Method: Treat
Specific Gravity: 1

AD250 **CON EDISON SERVICE BOX: 14587** **RCRA NonGen / NLR** **1016967834**
NW **140 ARLINGTON AVE FRONT OF** **NY MANIFEST** **NYP004414322**
1/8-1/4 **BROOKLYN, NY 11207**
0.241 mi.
1272 ft. **Site 3 of 4 in cluster AD**

Relative:
Higher

Actual:
45 ft.

RCRA Listings:

Date Form Received by Agency:		20140208
Handler Name:		Con Edison Service Box: 14587
Handler Address:		Arlington Ave Front Of
Handler City,State,Zip:		BROOKLYN, NY 11207
EPA ID:		NYP004414322
Contact Name:		THOMAS TEELING
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		212-460-3770
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		SENIOR SCIENTIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R2
Mailing Address:		IRVING PL, 15TH FL NE
Mailing City,State,Zip:		NEW YORK, NY 10003
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CON EDISON SERVICE BOX: 14587 (Continued) **1016967834**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20141014
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140108
Handler Name: CON EDISON SERVICE BOX:	14587
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140208
Handler Name: CON EDISON SERVICE BOX:	14587
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

CON EDISON SERVICE BOX: 14587 (Continued) **1016967834**

NY MANIFEST:

EPA ID:	NYP004414322
Country:	USA
Name:	Con Edison
Address:	140 ARLINGTON AVE FRONT OF
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	130 ARLINGTON AVE
Location Address 2:	SB14587
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Con Edison
Mailing Contact:	Con Edison
Mailing Address 1:	4 IRVING PLACE
Mailing Address 2:	15TH FL
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	01/08/2014
Trans1 Recv Date:	01/08/2014
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/09/2014
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004414322
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002328380GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported

CON EDISON SERVICE BOX: 14587 (Continued) **1016967834**

Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	100
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

AD251 **CON EDISON SERVICE BOX: 14589** **RCRA NonGen / NLR** **1016967811**
NW **140 ARLINGTON AVE FRONT OF** **NY MANIFEST** **NYP004414090**
1/8-1/4 **BROOKLYN, NY 11207**
0.241 mi.
1272 ft. **Site 4 of 4 in cluster AD**

Relative: **Higher**

Actual: **45 ft.**

RCRA Listings:

Date Form Received by Agency:	20140207
Handler Name:	Con Edison Service Box: 14589
Handler Address:	Arlington Ave Front Of
Handler City,State,Zip:	BROOKLYN, NY 11207
EPA ID:	NYP004414090
Contact Name:	THOMAS TEELING
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	212-460-3770
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	SENIOR SCIENTIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	IRVING PL, 15TH FL NE
Mailing City,State,Zip:	NEW YORK, NY 10003
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No

CON EDISON SERVICE BOX: 14589 (Continued) **1016967811**

Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20141014
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20140107
Handler Name: CON EDISON SERVICE BOX:	14589
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140207
Handler Name: CON EDISON SERVICE BOX:	14589
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

CON EDISON SERVICE BOX: 14589 (Continued) **1016967811**

Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:
EPA ID: NYP004414090
Country: USA
Name: Con Edison
Address: 140 ARLINGTON AVE FRONT OF
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11207
Zip 4: Not reported
Location Address 1: 140 ARLINGTON
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PLACE
Mailing Address 2: 15TH FL
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 01/07/2014
Trans1 Recv Date: 01/07/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported

CON EDISON SERVICE BOX: 14589 (Continued) **1016967811**

Generator EPA ID:	NYP004414090
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002328461GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	100
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

AH252 **CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS** **E MANIFEST** **1031621304**
SSE **2377 PITKIN AVE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.242 mi.
1278 ft. **Site 1 of 2 in cluster AH**

Relative: **Lower**

Actual: **34 ft.**

E MANIFEST:

Manifest Tracking Number:	007165218GBF
Last Updated Date:	20220518
Shipped Date:	20220505
Received Date:	20220506
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000114579
Generator Name:	Con Edison/ Attn: Queens Environmental Ops
Generator Location Street Number:	Not reported
Generator Location Street 1:	2377 PITKIN AVE
Generator Location Street 2:	Not reported
Generator Location City:	BROOKLYN
Generator Location State:	NY

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS (Continued) **1031621304**

Generator Location Zip:	11207
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1500 RAHWAY AVE
Generator Mail Street 2:	Not reported
Generator Mail City:	AVENEL
Generator Mail Zip:	07001
Generator Mail State:	NJ
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	007165218GBF
Waste Line Number:	1
Federal Waste Code:	D008
Federal Waste:	LEAD

State Waste:

Manifest Tracking Number:	007165218GBF
Waste Line Number:	1
State Waste Code Owner:	NY
State Waste Code:	T
State Waste:	Chemical, physical or biological treatment. Waste management method code to be used on e-Manifest only

Transporter:

Manifest Tracking Number:	007165218GBF
Transporter Line Number:	1
Transporter EPA ID:	NJD003812047
Transporter Name:	Acv Environmental Services Inc.

Waste Line:

Manifest Tracking Number:	007165218GBF
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082, Hazardous Waste, Liquid N.O.S., 9, Pg Iii, Rq
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	TT

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS (Continued) **1031621304**

Container Type Description:	Cargo tanks (tank trucks)
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

AI253 **ST RITAS YOUTH CENTER** **UST FINDER** **1028600056**
ENE **260 SHEPHERD AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.243 mi.
1282 ft. **Site 1 of 3 in cluster AI**

Relative: **Lower**

Actual: **33 ft.**

UST FINDER:

Object ID:	295916
Facility ID:	NY8043
Name:	ST RITAS YOUTH CENTER
Address:	260 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	9502
Private Wells 1500ft:	44
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Closed UST(s)

ST RITAS YOUTH CENTER (Continued) **1028600056**

Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.88174
Y Coord:	40.6776520000001
Latitude:	40.677652
Longitude:	-73.88174

UST FINDER:

Object ID:	1319454
Facility ID:	NY8043
Tank ID:	NY10643
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	3000
Substances:	Not reported
Tank Wall Type:	Not reported

AI254 **ST RITAS YOUTH CENTER** **NY UST** **U001837635**
ENE **260 SHEPHERD AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.243 mi.
1282 ft. **Site 2 of 3 in cluster AI**

Relative:
Lower

Actual:
33 ft.

UST:

Name:	ST RITAS YOUTH CENTER
Address:	260 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Id/Status:	2-215333 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594505.00471
UTM Y:	4503575.51902
Site Type:	School

Affiliation Records:

Site Id:	8043
Affiliation Type:	Facility Owner
Company Name:	ST RITAS YOUTH CENTER
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	260 SHEPHARD AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(000) 647-5727
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8043

ST RITAS YOUTH CENTER (Continued) **U001837635**

Affiliation Type:	Mail Contact
Company Name:	ST RITAS YOUTH CENTER
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	260 SHEPHARD AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(000) 647-5727
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8043
Affiliation Type:	Facility Operator
Company Name:	ST RITAS YOUTH CENTER
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(000) 647-5727
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8043
Affiliation Type:	Emergency Contact
Company Name:	ST RITAS YOUTH CENTER
Contact Type:	Not reported
Contact Name:	REV JOHN PEYTON
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-4910
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	22256
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	3000

ST RITAS YOUTH CENTER (Continued) **U001837635**

Install Date: Not reported
Date Tank Closed: 10/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)

Tank Number: 001
Tank ID: 22255
Tank Status: Closed - In Place
Material Name: Closed - In Place
Capacity Gallons: 3000
Install Date: Not reported
Date Tank Closed: 10/01/1993
Registered: True
Tank Location: Underground
Tank Type: Steel/carbon steel
Material Code: 0001
Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

ST RITAS YOUTH CENTER (Continued) **U001837635**

Affiliation Records:

Site Id:	8044
Affiliation Type:	Facility Owner
Company Name:	ST RITAS SCHOOL
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	260 SHEPHARD AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(718) 647-6040
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8044
Affiliation Type:	Mail Contact
Company Name:	ST RITAS SCHOOL
Contact Type:	Not reported
Contact Name:	REV JOHN PEYTON
Address1:	260 SHEPHARD AVE
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(718) 647-6040
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8044
Affiliation Type:	Facility Operator
Company Name:	ST RITAS SCHOOL
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-6040
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	8044
Affiliation Type:	Emergency Contact
Company Name:	ST RITAS SCHOOL
Contact Type:	Not reported
Contact Name:	REV JOHN PEYTON

ST RITAS YOUTH CENTER (Continued) **U001837635**

Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-6040
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Tank Info:

Tank Number:	001
Tank ID:	22256
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	3000
Install Date:	Not reported
Date Tank Closed:	10/01/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
I04 - Overfill - Product Level Gauge (A/G)

Tank Number:	001
Tank ID:	22255
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	3000
Install Date:	Not reported
Date Tank Closed:	10/01/1993
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001

ST RITAS YOUTH CENTER (Continued) **U001837635**

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Pipe Model: Not reported
Modified By: MJGRIFFI
Last Modified: 05/09/2022

Equipment Records:

F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

AI255 **ST RITA'S SCHOOL** **UST FINDER** **1028600057**
ENE **260 SHEPHERD AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.243 mi.
1282 ft. **Site 3 of 3 in cluster AI**

Relative:
Lower

Actual:
33 ft.

UST FINDER:

Object ID:	295917
Facility ID:	NY8044
Name:	ST RITA'S SCHOOL
Address:	260 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Address Match Type:	Not reported
Open USTs:	0
Closed USTs:	1
TOS USTs:	0
Population 1500ft:	9502
Private Wells 1500ft:	44
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Closed UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.88174
Y Coord:	40.6776520000001
Latitude:	40.677652

ST RITA'S SCHOOL (Continued) **1028600057**

Longitude:	-73.88174

UST FINDER:

Object ID:	1319455
Facility ID:	NY8044
Tank ID:	NY108852
Tank Status:	Closed
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	3000
Substances:	Not reported
Tank Wall Type:	Not reported

AJ256 **185 VAN SICLEN AVE./ST. S** **NY LTANKS** **S106703124**
WSW **185 VAN SICLEN AVE** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.246 mi.
1298 ft. **Site 1 of 2 in cluster AJ**

Relative:
Higher

Actual:
44 ft.

LTANKS:

Name:	185 VAN SICLEN AVE./ST. S
Address:	185 VAN SICLEN AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	8704880 / 1993-11-05
Facility ID:	8704880
Site ID:	163326
Spill Date:	1987-09-11
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	1993-11-05
SWIS:	2401
Investigator:	BATTISTA
Referred To:	Not reported
Reported to Dept:	1987-09-11
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-09-15
Spill Record Last Update:	2003-10-28
Spiller Name:	Not reported
Spiller Company:	ST. SIMON/ST. JUDE
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	137763
Latitude:	40.6756556
Longitude:	-73.8910141
DEC Memo:	Not reported

185 VAN SICLEN AVE./ST. S (Continued) **S106703124**

Remarks: 10,000 GALLON TANK- HIGH VOLUME LEAK- COULDN'T STABILIZE- PRODUCT COMING OUT OF REMOTE FILL BOX.

All TTF:

Facility ID:	8704880
Spill Number:	8704880
Spill Tank Test:	1531605
Site ID:	163326
Tank Number:	Not reported
Tank Size:	0
Material:	0002
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	163326
Operable Unit ID:	908587
Operable Unit:	01
Material ID:	467496
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	L
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

AE257 **CON EDISON** **NY MANIFEST** **S117535873**
South **F/O 2325 PITKIN AV** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.247 mi.
1306 ft. **Site 3 of 3 in cluster AE**

Relative:
Lower

Actual:
34 ft.

NY MANIFEST:

EPA ID:	NYP004682936
Country:	USA
Name:	Con Edison
Address:	F/O 2325 PITKIN AV
Address 2:	SB55255
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	F/O 2325 PITKIN AV
Location Address 2:	SB55255
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported

CON EDISON (Continued) **S117535873**

Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PL
Mailing Address 2: 15TH FL
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 10/23/2014
Trans1 Recv Date: 10/23/2014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/23/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004682936
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002200046
TSDF ID 2: Not reported
Manifest Tracking Number: 012774942JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H110
Waste Code a: Lead
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 50
Units: Gallons (liquids only)
Number of Containers: 1
Container Type: Cargo tanks (tank trucks)

CON EDISON (Continued) **S117535873**

Handling Method:	Treat
Specific Gravity:	1

AK258 **ST RITA'S R.C.CHURCH** **UST FINDER** **1028570528**
East **275 SHEPHERD AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.249 mi.
1317 ft. **Site 1 of 4 in cluster AK**

Relative:
Lower

Actual:
33 ft.

UST FINDER:

Object ID:	295895
Facility ID:	NY19707
Name:	ST RITA'S R.C.CHURCH
Address:	275 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Address Match Type:	Not reported
Open USTs:	1
Closed USTs:	0
TOS USTs:	0
Population 1500ft:	9446
Private Wells 1500ft:	47
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY7003493_77021
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020103
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.88163
Y Coord:	40.6772120000001
Latitude:	40.677212
Longitude:	-73.88163

UST FINDER:

Object ID:	1212128
Facility ID:	NY19707
Tank ID:	NY25404
Tank Status:	Open
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	5000
Substances:	Not reported
Tank Wall Type:	Not reported

AK259 **ST RITA'S R.C. CHURCH** **NY UST** **U001837883**
East **275 SHEPHERD AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11208**
0.249 mi.
1317 ft. **Site 2 of 4 in cluster AK**

Relative:
Lower

Actual:
33 ft.

UST:

Name:	ST RITA'S R.C. CHURCH
Address:	275 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Id/Status:	2-407259 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594524.48880
UTM Y:	4503587.95681
Site Type:	Religious Building (Church, Synagogue, Mosque, Temple, etc.)

Affiliation Records:

Site Id:	19707
Affiliation Type:	Facility Owner
Company Name:	SAINT RITAS ROMAN CATHOLIC CHURCH
Contact Type:	REPRESENTATIVE
Contact Name:	CHRISTOPHER QUINTANA
Address1:	275 SHEPHARD AVE.
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11208
Country Code:	001
Phone:	(718) 647-4910
EMail:	MJOHNSON@DIOBROOK.ORG
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2020-09-16

Site Id:	19707
Affiliation Type:	Mail Contact
Company Name:	ROCKLYN ASSET CORP.
Contact Type:	Not reported
Contact Name:	MARK JOHNSON
Address1:	243 PROSPECT PARK WEST
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11215
Country Code:	001
Phone:	(718) 647-4910
EMail:	MJOHNSON@DIOBROOK.ORG
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2020-09-16

Site Id:	19707
Affiliation Type:	Facility Operator
Company Name:	ST RITAS R.C.CHURCH
Contact Type:	Not reported
Contact Name:	MSGR. JOHN PEYTON
Address1:	Not reported

ST RITA'S R.C. CHURCH (Continued) **U001837883**

Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 647-4910
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	2004-03-04

Site Id:	19707
Affiliation Type:	Emergency Contact
Company Name:	ST RITAS R.C.CHURCH
Contact Type:	Not reported
Contact Name:	MARK JOHNSON
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 581-3427 1154
EMail:	Not reported
Fax Number:	Not reported
Modified By:	ACDANIEL
Date Last Modified:	2020-09-16

Tank Info:

Tank Number:	001
Tank ID:	23259
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	5000
Install Date:	Not reported
Date Tank Closed:	05/14/2020
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	03
Date Test:	12/01/1998
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

B00 - Tank External Protection - None
C02 - Pipe Location - Underground/On-ground
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
A01 - Tank Internal Protection - Epoxy Liner

ST RITA'S R.C. CHURCH (Continued) **U001837883**

D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
H99 - Tank Leak Detection - Other
I04 - Overfill - Product Level Gauge (A/G)

AJ260 **203-207 VAN SICLEN AVENUE** **NY BROWNFIELDS** **S123159101**
WSW **203-207 VAN SICLEN AVENUE** **N/A**
1/4-1/2 **BROOKLYN, NY 11207**
0.254 mi.
1341 ft. **Site 2 of 2 in cluster AJ**

Relative: **Higher**
Actual: **43 ft.**

BROWNFIELDS:

Name:	203-207 VAN SICLEN AVENUE
Address:	203-207 VAN SICLEN AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Program:	BCP
Site Code:	577646
Acres:	0.230
HW Code:	C224285
SWIS:	2401
Town:	New York City
Record Added Date:	09/28/2018
Record Updated Date:	03/18/2022
Update By:	GWBURKE
Site Description:	Location: The site consists of two parcels, Lots 14 and 15 on Tax Map Block 3978, located at 203-207 Van Siclen Avenue in the East New York neighborhood of Brooklyn, Kings County, New York. The site is situated on the northwest corner of the block bound by Liberty Avenue to the north, Hendrix Street to the east, Glenmore Avenue to the south, and Van Siclen Avenue to the west. Long Island Rail Road (LIRR) tracks run east-west below Atlantic Avenue, about 425 feet north of the site. Site Features: Mostly soil covers the site with isolated patches of low vegetation and gravel. There are no permanent structures/buildings on the site. Current Zoning and Land Use The site is located within a Special Mixed Use Paired District (M1-4/R6A) and is currently used for storage of construction equipment. M1 districts typically include retail and light industrial uses and R6A districts promote residential development. The surrounding area is primarily residential and industrial, but also includes commercial buildings, public facilities, day care centers, and schools. The site properties were assigned an E-Designation (E-366) on April 20, 2016 by the New York City Department of City Planning (NYCDCP) as part of the East New York rezoning (CEQR No. 15DCP102K). Past Use of the Site: Prior to about May 2017, the site was used for storage and maintenance of automobiles. As early as 1887, the site was divided into four tax lots and occupied by one 2-story dwelling with a basement. By 1908, the site was vacant and unimproved. From at least 1928 to 1966, the site was occupied by a 4-story residential building with a store. By 1977, Lot 14 was vacated and unimproved; and the entire site was vacated and unimproved by 1981. Spill No. 9601652 was reported at 522 Liberty Avenue (an alternate address for the 203-207 Van Siclen Avenue site) on May 1, 1996 when the site was found to be contaminated with various chemicals, oils, and other unknown materials. The spill was closed on May 2, 1996. Site Geology and Hydrogeology: The site is underlain by fill material predominantly consisting of brown sand with varying amounts gravel, silt, concrete, brick, coal, steel fragments, and glass and other debris. The fill extends to a depth between 5 and 16 feet below grade surface. Native

203-207 VAN SICLEN AVENUE (Continued) **S123159101**

deposits encountered beneath the historical fill material predominantly consists of fine- to coarse-grained sand with varying amounts silt and fine gravel. Bedrock was not encountered during the site investigation. Groundwater was encountered approximately 38 feet below grade surface (bgs). Based on the surface topography of the site and surrounding area, the assumed regional groundwater flow direction is to the south towards Jamaica Bay.

Env Problem: Environmental Assessment: Site investigations began with the February 2018 Preliminary Due Diligence Review which included an environmental database search provided by Environmental Data Resources (EDR), Sanborn Fire Insurance maps, and New York City Department of Buildings (NYDOB) records to identify historical site uses. A limited subsurface investigation was conducted in February 2018 to investigate potential impacts associated with its historical site use. The subsurface investigation included a geophysical survey, ten soil borings, installation of one temporary groundwater monitoring well, and installation of two soil vapor points. Nature and Extent of Contamination: Soil was analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs), and pesticides. Based on investigations performed to date, the primary contaminants of concern are elevated SVOCs and heavy metals. Soil Vapor Several VOCs were detected in soil vapor, but concentrations did not exceed the minimum NYSDOH Decision Matrix Values. Soil Various heavy metals are found in shallow soils across the Site including lead, barium, and mercury. Lead concentrations were reported from 66.2 ppm to 8,530 ppm exceeding the soil cleanup objective (SCO) for Restricted Residential of 400 ppm. Barium concentrations ranged from 489 ppm to 9,060 ppm also exceeding the Restricted Residential SCO of 400 ppm. Mercury concentrations exceeding the Restricted Residential SCO of .81 ppm were also reported with a maximum of 7.43 ppm. Petroleum-related volatile organic compounds (VOCs) and polynuclear aromatic hydrocarbons (PAHs) were reported above their respective Restricted Residential SCOs in 11 of 14 soil samples. Semi-volatile organic compounds (SVOCs) reported ranged between .47 ppm and 14.8 ppm. Pesticide concentrations ranged from .0035 ppm to .0483 ppm. Polychlorinated biphenyls (PCBs) were detected above the respective Unrestricted Use SCO of .1 ppm in 1 of 14 soil samples with a concentration of .259 ppm. Groundwater - Due to poor recharge and limited sample volume, groundwater was only analyzed for VOCs, pesticides, and PCBs. The VOC chloroform was reported at a concentration of 12.9 ug/L, exceeding the Ambient Water Quality Standard of 7ug/L. Further site investigation is needed to determine the extent and possible source of site-related contamination.

Health Problem: Information submitted with the BCP application regarding the conditions at the site are currently under review and will be revised as additional information becomes available.

Dump: False
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: Not reported
Disp Term: Not reported
Lat/Long: Not reported
Dell: Not reported
Record Add: 2019-01-03 13:23:00

203-207 VAN SICLEN AVENUE (Continued) **S123159101**

Record Upd:	2019-05-28 10:32:00
Updated By:	SMQUANDT
Own Op:	1
Sub Type:	P03
Owner Name:	Lisa Inzerillo
Owner Company:	Van Siclen Realty LLC
Owner Address:	60 Lyman Place
Owner Addr2:	Not reported
Owner City,St,Zip:	Staten Island, NY 10304
Owner Country:	United States of America
Own Op:	6
Sub Type:	P03
Owner Name:	Lisa Inzerillo
Owner Company:	Van Siclen Realty LLC
Owner Address:	60 Lyman Place
Owner Addr2:	Not reported
Owner City,St,Zip:	Staten Island, NY 10304
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Public Library - Arlington Branch
Owner Address:	203 Arlington Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11207
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Community Board 5
Owner Address:	404 Pine Street, 3rd Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

AF261 **LOT 55,TAXBLOCK 3933** **NY VCP** **S118704409**
WNW **2795 FULTON STREET** **NY E DESIGNATION** **N/A**
1/4-1/2 **BROOKLYN, NY 11207** **NY NYC LAND USE**
0.262 mi. **NY NYC OER**
1384 ft. **Site 3 of 3 in cluster AF**

Relative:
Higher

Actual:
49 ft.

VCP NYC:

Project ID:	20TMP0836K,20EH-N258K
Name:	2795 FULTON STREET
Address:	2795 FULTON STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3039330055

LOT 55,TAXBLOCK 3933 (Continued) **S118704409**

OER Program:	VCP (Withdrawn), E/RD (Review)
Phase:	Construction
Latitude:	40.678086
Longitude:	-73.89137
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1146
BIN:	3000000
NTA:	Cypress Hills-City Line

E DESIGNATION:

Name:	LOT 55,TAXBLOCK 3933
Address:	2795 FULTON STREET
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	55
Tax Block:	3933
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2795 FULTON STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6782861
Longitude:	-73.8914523
Type Of Ownership Code:	Not reported
Owner Name:	2795 FULTON ST LLC
Borough:	BK
Tax Block:	3933
Tax Lot:	55
Community District:	305
Census Tract 2020:	3114600
Census Block 2020:	31146001003
Census Tract 2010:	1146
Census Block 2010:	1003
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported

LOT 55,TAXBLOCK 3933 (Continued) **S118704409**

Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-6
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	V1: Vacant Land - Zoned Commercial Or Manhattan Residential
Land Use Category:	Vacant Land
Number Of Easements:	0
Lot Area:	10000
Total Building Floor Area:	0
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	7
Number Of Buildings:	0
Number Of Floors:	Not reported
Residential Units:	0
Total Units:	0
Lot Frontage:	100.0000000
Lot Depth:	100.0000000
Building Frontage:	0.0000000
Building Depth:	0.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	5
Assessed Land Value:	382950.00000
Assessed Total Value:	382950.00000
Exempt Total Value:	0.00000
Year Built:	0
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.00000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039330055.00000000
Condominium Number:	Not reported
Census Tract 2:	1146
X Coordinate:	1014358
Y Coordinate:	186413
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 005

LOT 55,TAXBLOCK 3933 (Continued) **S118704409**

Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	3039330055.00000000
Apportionment Date:	04/03/2012
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	2795 FULTON STREET
Address:	2795 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.678086
Longitude:	-73.89137
OER Project Numbers:	20TMP0836K,20EH-N258K
BBL:	3039330055
OER Program:	VCP (Withdrawn), E/RD (Review)
Class:	Active (A)
Phase:	Construction

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1146
BIN:	3000000
NTA:	Cypress Hills-City Line

AG262 **FORMER GARONE BROS AUTO SERVICE CENTER** **NY BROWNFIELDS** **S127990286**
ESE **352-362 SHEPHERD AVENUE** **N/A**
1/4-1/2 **BROOKLYN, NY 11208**
0.268 mi.
1413 ft. **Site 2 of 3 in cluster AG**

Relative:
Lower

Actual:
30 ft.

BROWNFIELDS:

Name:	FORMER GARONE BROS AUTO SERVICE CENTER
Address:	352-362 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Program:	BCP
Site Code:	625573
Acres:	0.230
HW Code:	C224338
SWIS:	2401
Town:	New York City
Record Added Date:	10/15/2021
Record Updated Date:	03/05/2024
Update By:	SMQUANDT
Site Description:	Site Location: The site s address is 352-362 Shepherd Avenue, Brooklyn, NY 11208. The site is located in Kings County, New York and is identified as Brooklyn Block 3988, Lot 28. The site is located in an urban area of the East New York neighborhood of Brooklyn, NY on the west side of Shepherd Avenue between Liberty Avenue and Glenmore Avenue. The site is bounded by residential homes to the north and south, Shepherd Avenue followed by a residential home and a miscellaneous garage/parking area to the east, and residential

FORMER GARONE BROS AUTO SERVICE CENTER (Continued) **S127990286**

apartments to the west. The site is 0.230 acres in size. Site Features: The site is a rectangular shaped lot formerly occupied by a one-story warehouse/garage building encompassing the entire site footprint with a partial cellar located in the southwest corner of the property. The site is now vacant and undeveloped as of 2022. Current Zoning and Land Use: The site is currently developed land that is zoned R6 for residential use. The surrounding properties are currently used for residential purposes. The site is listed with an environmental E-Designation (E-366) East New York Rezoning (CEQR 15DCP102K). The requirements under the E-Designation program are satisfaction of the requirements for Hazardous Material and Air Quality components with the New York City Office of Environmental Remediation (NYCOER) to obtain a NTP or NNO prior to obtaining building permits. Past Land Use: As found during the Phase I Environmental Site Assessment, the site was developed in the late 1880s with several dwellings. In the early 1900s, the site was used as a toy animal factory and by the late 1920s, the previous site buildings were razed and began operation as a garage. The site continued to operate as a garage until the late 1960s/early 1970s. From the late 1970s through the present, the site was primarily used for auto-related purposes including an auto repair shop and service center, used car sales shop, and a towing center. The site is currently improved with a one-story warehouse/garage building encompassing the entire site footprint and is currently occupied by Gils Auto Body and Hi-Tech Heating. Site Geology and Hydrogeology: The stratigraphy of the site, from the surface down, consists of 0-5 feet of urban fill material, comprised of brown silty sand with some fragments of concrete, brick, and asphalt underlain by brown to orange-brown well graded sand to 12 ft bgs. The average depth to groundwater is 22.13 feet and the range in depth is 21.76 to 22.63 feet below grade. Groundwater is inferred to flow from south to north.
Not reported

Env Problem:
Nature and Extent of Contamination: Soil and groundwater were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs), per- and polyfluoroalkyl substances (PFAS), and pesticides. Soil vapor was analyzed for VOCs. Based on findings summarized in the September 2021 Remedial Investigation Report (RIR), the primary contaminants of concern include VOCs (TCE), SVOCs (PAHs), and metals. Soil: No VOCs were identified in soils at concentrations exceeding the 6NYCRR Part 375 unrestricted use soil cleanup objectives (UUSCOs). Soil impacts at the subject site primarily consisted of SVOCs, specifically polyaromatic hydrocarbons (PAHs), and metals, at concentrations exceeding the UUSCOs within the historic fill layer which extends to approximately 6 - 7 ft below ground surface. In general, the highest concentrations were detected in the upper two feet of site soils. However, elevated concentrations of SVOCs and metals did extend into deeper soils in the southeast portion of the site (10-12 ft bgs). More notably, mercury was identified in shallow fill collected from 0-2 ft bgs in the southwest region of the site at a concentration of 30.2 mg/kg compared with its respective RRSCO of 0.81 mg/kg. PAH concentrations were generally 2- to 6-times greater than their respective RRSCOs with the exception of Soil Boring B03 where the magnitude of exceedances was much higher at the depth interval of 0 - 6 inches jsut below the impervious site cover. SVOCs detected at levels exceeding RRSCOs include: benzo(a)anthracene (270 mg/kg, RRSCO of 1 mg/kg), benzo(a)pyrene (260 mg/kg, RRSCO of 1 mg/kg),

FORMER GARONE BROS AUTO SERVICE CENTER (Continued) **S127990286**

benzo(b)fluoranthene (280 mg/kg, RRSCO of 1 mg/kg and PGWSCO of 1.7 mg/kg), benzo(ghi)perylene (140 mg/kg, RRSCO of 100 mg/kg),benzo(k)fluoranthene (62 mg/kg, RRSCO of 3.9 mg/kg and PGWSCO of 1.7 mg/kg), chrysene (260 mg/kg, RRSCO of 3.9 mg/kg and PGWSCO of 1 mg/kg), dibenzo(a,h)anthracene (31 mg/kg, RRSCO of 0.33 mg/kg), fluoranthene (560 mg/kg, RRSCO of 100 mg/kg), indeno(1,2,3-cd)pyrene (170 mg/kg, RRSCO of 0.5 mg/kg and PGWSCO of 8.2 mg/kg), phenanthrene (270 mg/kg, RRSCO of 100 mg/kg), and pyrene (480 mg/kg, RRSCO of 100 mg/kg). Metals detected at levels exceeding RRSCOs include: arsenic (36.6 mg/kg, RRSCO of 16 mg/kg), barium (1060 mg/kg, RRSCO of 400 mg/kg), cadmium (4.42 mg/kg, RRSCO of 4.3 mg/kg), copper (25,100 mg/kg, RRSCO of 270 mg/kg), lead (1,840 mg/kg, RRSCO of 400 mg/kg), and mercury (30.2 mg/kg, RRSCO of 0.81 mg/kg) Five soil samples were analyzed for lead and one soil sample was analyzed for mercury via TCLP due to hazardous concentrations above 100 mg/kg and 4 mg/kg respectively. TCLP lead and/or mercury results for the samples did not exceed the USEPA Allowable limit of 5 mg/L for TCLP lead or 0.2 mg/L for TCLP mercury. Data does not indicate any off-site impacts in soil related to this site. Groundwater: A single VOC, Tetrachloroethene (PCE), was detected at a maximum concentration of 3.6 ppb. This is below the Class GA Ambient Water Quality Standard (AWQS) of 5 ppb. SVOCs detected at levels exceeding AWQS include: dimethyl phthalate (100 ppb, AWQS of 5 ppb), benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, and indeno(1,2,3-cd)pyrene, each of which were detected at a concentration of 0.01 ppb (AWQS of 0.002 ppb) in the single monitoring well MW-04. Metals detected above AWQS include: dissolved antimony (7.84 ppb, AWQS of 3 ppb), dissolved manganese (416.7 ppb, AWQS of 300 ppb), and dissolved sodium (88700 ppb, AWQS of 20000 ppb). For PFAS compounds, PFOA and PFOS were reported at concentrations up to 0.0596 ppb and 0.0764 ppt, respectively, exceeding the NYSDOH Maximum Contaminant Levels (MCLs). Data does not indicate any off-site impacts in groundwater related to this site. Soil Vapor: Total VOC concentrations in soil vapor samples ranged from 90.883 g/m3 in sample SG4 to 408.08 g/m3 in sample SG2. Total benzene, toluene, ethylbenzene, and xylenes (BTEX) concentrations ranged from 44.97 g/m3 in sample SG4 to 270.8 g/m3 in sample SG1. PCE was detected in one soil vapor sample, SG2, at a concentration 35.5 g/m3 exceeding the NYSDEC AGV of 30 g/m3.PCE concentrations were detected in the remaining five soil vapor samples; however, with the exception of SG2, were detected at concentrations below the NYSDEC AGV. TCE detected in in one soil vapor sample, SG3, at a TCE concentration 2.26 g/m3, exceeding the NYSDEC AGV of 2 g/m3. TCE was not detected above laboratory detection limits in any other soil vapor samples analyzed. Methylene chloride was identified above laboratory detection limits, but below NYSDEC AGV, in two soil vapor samples analyzed including, SG6 at a concentration of 3.23 g/m3, and, SG1 at a concentration of 3.28 vg/m3. No other CVOCs were detected above laboratory detection limits in soil vapor samples analyzed. Data does not indicate any off-site impacts in soil vapor related to this site.

Health Problem: The site is secured with a fence and people will not come in contact with site-related soil and groundwater contamination unless they dig below the surface. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in soil vapor (air spaces within the soil) may move into buildings and affect the indoor air quality. This process, which is similar to the

FORMER GARONE BROS AUTO SERVICE CENTER (Continued) **S127990286**

movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. As the site is vacant, the inhalation of site related contaminants due to soil vapor intrusion does not represent a current concern, however it may be a concern for future buildings. Environmental sampling indicates soil vapor intrusion from site contaminants is not a concern for off-site buildings.

Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2022-01-20 15:30:00
Record Upd:	2022-01-20 15:30:00
Updated By:	GWBURKE
Own Op:	6
Sub Type:	P03
Owner Name:	David Horowitz
Owner Company:	362 Shepherd Development LLC
Owner Address:	145 East 57th Street, 6th Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10022
Owner Country:	United States of America
Own Op:	1
Sub Type:	P03
Owner Name:	David Horowitz
Owner Company:	362 Shepherd Development LLC
Owner Address:	183 wILSON sT., sUITE 133
Owner Addr2:	Not reported
Owner City,St,Zip:	bROOKLYN, NY 11211
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Rowshon A. Perveen
Owner Company:	Brooklyn Public Library - Cypress Hills
Owner Address:	1197 Sutter Avenue at Crystal Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Melinda Perkins
Owner Company:	Brooklyn Community Board 5
Owner Address:	127 Pennsylvania Avenue, 2nd Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11207
Owner Country:	United States of America
HW Code:	C224338
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	benzo(k)fluoranthene

FORMER GARONE BROS AUTO SERVICE CENTER (Continued) **S127990286**

Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	dimethyl phthalate
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	cadmium
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	phenol
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	antimony
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	indeno(1,2,3-cd)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	trichloroethene (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	silver
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	lead
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	arsenic
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	benzo(g,h,i)perylene
Waste Quantity:	UNKNOWN

FORMER GARONE BROS AUTO SERVICE CENTER (Continued) **S127990286**

Waste Code:	Not reported
HW Code:	C224338
Waste Type:	barium
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	copper
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	selenium
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	benzo(a)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	methylene chloride
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	mercury
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	benzo(b)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	manganese
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	zinc
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	phenanthrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	dibenzofuran
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224338
Waste Type:	dibenz[a,h]anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported

FORMER GARONE BROS AUTO SERVICE CENTER (Continued) **S127990286**

Record Updated: Not reported
Updated By: Not reported

AG263 **777 GLENMORE AVENUE** **NY VCP** **S129932637**
ESE **777 GLENMORE AVENUE** **NY NYC OER** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.275 mi.
1451 ft. **Site 3 of 3 in cluster AG**

Relative:
Lower

Actual:
29 ft.

VCP NYC:

Project ID:	18TMP1177K,18EH-A406K,19CVCP001K
Name:	777 GLENMORE AVENUE
Address:	777 GLENMORE AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3039880035
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Completed
Latitude:	40.675337
Longitude:	-73.881543
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1166
BIN:	3088714
NTA:	East New York

NYC OER:

Name:	777 GLENMORE AVENUE
Address:	777 GLENMORE AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.675337
Longitude:	-73.881543
OER Project Numbers:	18TMP1177K,18EH-A406K,19CVCP001K
BBL:	3039880035
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Completed

URL:

Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1166
BIN:	3088714
NTA:	East New York

AH264 **LOT 19,TAXBLOCK 4017** **NY VCP** **S118704178**
SSE **2400 PITKIN AVENUE** **NY E DESIGNATION** **N/A**
1/4-1/2 **BROOKLYN, NY** **NY NYC OER**
0.275 mi.
1454 ft. **Site 2 of 2 in cluster AH**

Relative:
Lower

Actual:
32 ft.

VCP NYC:

Project ID:	21TMP0991K,21EHAN209K,22CVCP042K
Name:	2400 PITKIN AVENUE
Address:	2400 PITKIN AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	30,401,700,153,040,100,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management
Latitude:	40.673673
Longitude:	-73.883803
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1166
BIN:	3089210
NTA:	East New York

E DESIGNATION:

Name:	LOT 19,TAXBLOCK 4017
Address:	2400 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY
Tax Lot(s):	19
Tax Block:	4017
Borough Code:	Not reported
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Exhaust stack location limitations;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC OER:

Name:	2400 PITKIN AVENUE
Address:	2400 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.673673
Longitude:	-73.883803
OER Project Numbers:	21TMP0991K,21EHAN209K,22CVCP042K
BBL:	3.0401700153040101E+19
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management
URL:	
Postcode:	11208
Community Board:	5

LOT 19,TAXBLOCK 4017 (Continued) **S118704178**

Council District:	37
Census Tract:	1166
BIN:	3089210
NTA:	East New York

AK265 **CARBUSTERS AUTO RECYCLING LLC** **NY SWF/LF** **S108145756**
East **60 BERRIMAN STREET** **NY Spills** **N/A**
1/4-1/2 **BROOKLYN, NY 11208**
0.283 mi.
1495 ft. **Site 3 of 4 in cluster AK**

Relative:
Lower

Actual:
35 ft.

SWF/LF:

Name:	CARBUSTERS AUTO RECYCLING LLC
Address:	60 BERRIMAN STREET
City,State,Zip:	BROOKLYN, NY 11208
Flag:	INACTIVE
Region Code:	2
Phone Number:	7182350242
Owner Name:	Joseph Zuccaro
Owner Type:	Private
Owner Address:	60 Berriman Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Email:	Not reported
Owner Phone:	7182350242
Contact Name:	Joseph Zuccaro
Contact Address:	Not reported
Contact Addr2:	Not reported
Contact City,St,Zip:	Not reported
Contact Email:	Not reported
Contact Phone:	Not reported
Activity Desc:	Vehicle Dismantling Facility
Activity Number:	[24J--]
Active:	No
East Coordinate:	594595
North Coordinate:	4503491
Accuracy Code:	Not reported
Regulatory Status:	Not reported
Waste Type:	Not reported
Authorization #:	Not reported
Authorization Date:	Not reported
Expiration Date:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Laste Date:	Not reported

SPILLS:

Name:	CAR BUSTERS
Address:	60 BERRIMAN STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0551819 / 2009-10-08
Facility ID:	0551819
Facility Type:	ER
DER Facility ID:	312027
Site ID:	361785
DEC Region:	2
Spill Cause:	Deliberate

CARBUSTERS AUTO RECYCLING LLC (Continued) **S108145756**

Spill Class:	C4
SWIS:	2401
Spill Date:	2006-03-29
Investigator:	HRPATEL
Referred To:	Not reported
Reported to Dept:	2006-03-29
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	DEC
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-03-29
Spill Record Last Update:	2009-10-09
Spiller Name:	Not reported
Spiller Company:	CAR BUSTERS
Spiller Address:	60 BERRY STREET
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6774380
Longitude:	-73.8807440
DEC Memo:	04/03/06-Hiralkumar Patel. Owner: Stuart Goldstein Berriman Street Associates 888 7th Ave - 24th Flr New York, NY 10106-0001 PH. (212) 755-5390 EXt. 305 CSL sent out to Stuart Goldstein. 04/04/06-Hiralkumar Patel. DEC_Steve asked me to send the same letter to property owner, listed in property shark list. Joseph Zuccaro 81 Miriam Street Valley Stream, NY 11581-1320 letter sent out to owner. copy given to ECO. 04/06/06-Hiralkumar Patel. Received message from Jim Vest (212-660-1200 Ext. 309), who is handling this property. as per him, property has gas heating system and doesn't have any kind of oil tank, burner etc. Left message for Jim. 05/04/06-Hiralkumar Patel. Left message for Jim. 05/11/06-Hiralkumar Patel. Left message for Jim. 05/15/06-Hiralkumar Patel. Received call from Jim(Cell: 973-641-1139). as per him, there is no open spot, which has soil. all property area is covered by concrete floor and property has commercial buildings like garage and warehouses. the property side at Berryman street is touching sidewalk and there they have garage opening. Jim is not sure about which part of site has contamination that DEC officer observed. he wants to meet on site. 05/17/06-Hiralkumar Patel. Spoke to Jim and ECO. meeting both on site at 2:30 PM tomorrow. 05/18/06-Hiralkumar Patel. visited site with DEC Vought and ECOs. spoke to Joseph Zuccaro, owner of property. property has piles of junk of broken parts from cars. owner is selling this property and is in contract stage. but new owner wants those piles cleaned up from site before

CARBUSTERS AUTO RECYCLING LLC (Continued) **S108145756**

they buy it, as buyer wants to do soil investigation. Mr. Zuccaro is removing piles and will be
done by July 1, 2006. buyer has planning to develop this property as residential complex. Mr.
Zuccaro denied to give buyer's information, but he is taking responsibilty of cleanup and will sign
STIP. he was also agree to forward copy of the STIP to buyer once they sell out property. DEC
Vought suggest him to inform DEC when he removes all the piles from ground, so we can see soil and
floor condition as currently most of the area is covered by these piles. he agreed with this and
will remove everything from ground for better insepction. he will not remove racks and junk from
racks by July 1. property has few ASTs onsite. as per Mr. Zuccaro, he doesn't keep gas tank from
the cars, so doesn't store any waste oil tank on location. property has multiple ASTs. few are in
use to store diesel for internal use. ECO Jeff mentioned that they have issued some violations
against Mr. Zuccaro. Carbusters Auto Recycling 66 Berriman Street, Brooklyn, NY 11208 (718)
235-0242 05/19/06-Hiralkumar Patel. Received message from Jim. after talking to Jim, found that Jim
was talking about site at 60 Berry STreet in Brooklyn. as DEC got this address in initial spill
report, first letter sent out at this address, but that was not the site. ask Jim to disregard the
letter that he has from the Department. 05/23/06-Hiralkumar Patel. STIP sent out to Mr. Zuccaro at
following address: Joseph Zuccaro 81 Miriam Street Valley Stream, NY 11581-1320 Ph. (516) 872-8747
(H) (718) 235-0242 (Off., site) (516) 523-7039 (C) FAX (718) 235-8703 email: carbustersauto@aol.com
STIP sent out in registered mail (7005 1160 0000 6901 1261). faxed to Mr. Zuccaro.
06/02/06-Hiralkumar Patel. REceived certified mail receipt.
07/10/06-Hiralkumar Patel. Left message
for Joseph. 07/12/06-Hiralkumar Patel. Received message from Joseph (718-235-7015). Left message
for Mr. Zuccaro. received call from Mr. Zuccaro. he will check wiht his secretary and will send
STIP soon. he is still removing piles from area. asked to call the department once he removes all
piles from spot. 08/14/06-Hiralkumar Patel. left message for Joseph. 09/27/06-Hiralkumar Patel.
after discussing with DEC Austin and DEC Urda, case transferred to legal department. Mr. Urda is
working on this case. 05/27/08-Hiralkumar Patel. visited site as DEC Urda requested to know number
and size of tanks and type of product stored. visited site with ECO Markey. found three 275 gal
tanks at the site. two 275 gal diesel tanks were located at elevated platform. one 275 gal waste
oil tank was found on floor but covered entired with junk and only top was visible. met Joseph at
the site. he is still running business. Joseph mentioned that NYC HPD

CARBUSTERS AUTO RECYCLING LLC (Continued) **S108145756**

is buying this property.
asked Joseph to provide contact at NYC HPD. left message for John Garrity at NYC HPD to know status
of transaction. John Garrity NYC HPD Director, Environmental Remediaton & Special Projects Unit Ph.
(212) 863-8052 Fax (212) 863-7988 03/02/09-Hiralkumar Patel. spoke with DEC Urda. no updates yet.
10/08/09-Hiralkumar Patel. received call from DEC Urda. he requested to visit site again (with ECO)
to confirm contamination (take pics). 2:45 PM:- visited site with ECO Neil Stevens. most of the
site was covered by junk stockpile (more than during initial site visit). found middle portion
cleaned up and solid concrete in visible areas. some stains found on concrete, but no oil. other
areas were covered with piles. based on observations during the site visit, case closed. **Do not
take site visit without ECO**

Remarks: During inspection, a significant amount of engine blocks/ transmissions piled on soil. Excavation w/ foot revealed oil coming into depression. ***** Do not attempt to visit site without armed escort!*****

All Materials:

Site ID:	361785
Operable Unit ID:	1119899
Operable Unit:	01
Material ID:	2109368
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil, Groundwater
Oxygenate:	Not reported

266
West
1/4-1/2
0.287 mi.
1514 ft.

LOT 18,TAXBLOCK 3946
2776 FULTON STREET
BROOKLYN, NY 11207

NY VCP **S118704153**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Relative:
Higher

Actual:
50 ft.

VCP NYC:

Project ID:	19TMP1818K,19EH-N392K,20CVCP007K
Name:	2776 FULTON STREET
Address:	2776 FULTON STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	30,394,600,183,039,400,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Construction
Latitude:	40.677955
Longitude:	-73.892152
Postcode:	11207
Community Board:	5

LOT 18,TAXBLOCK 3946 (Continued) **S118704153**

Council District: 37
Census Tract: 1198
BIN: 3000000
NTA: East New York

E DESIGNATION:
Name: LOT 18,TAXBLOCK 3946
Address: 2776 FULTON STREET
City,State,Zip: BROOKLYN, NY 11207
Tax Lot(s): 18
Tax Block: 3946
Borough Code: BK
E-No: E-366
Effective Date: Not reported
Satisfaction Date: Not reported
Ceqr Number: 15DCP102K
Ulurp Number: N160050ZRK; C160035ZMK
Zoning Map No: Not reported

Description: Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date: Not reported

NYC LAND USE:
Name: Not reported
Address: 2776 FULTON STREET
City,State,Zip: BROOKLYN, NY 11207
Latitude: 40.6777542
Longitude: -73.8920336
Type Of Ownership Code: Not reported
Owner Name: FULTON PROJECTS LLC
Borough: BK
Tax Block: 3946
Tax Lot: 18
Community District: 305
Census Tract 2020: 3119800
Census Block 2020: 31198003003
Census Tract 2010: 1198
Census Block 2010: 3003
School District: 19
City Council District: 37
Fire Company: L175
Police Precinct: 75
Health Center District: 34
Health Area: 3820
Sanitation District Boro: 3
Sanitation District Number: 05
Sanitation Subsection: 1D
Zoning District 1: R6A: Residential Districts
Zoning District 2: Not reported
Zoning District 3: Not reported
Zoning District 4: Not reported
Commercial Overlay 1: C2-4
Commercial Overlay 2: Not reported
Special Purpose District 1: EC-6
Special Purpose District 2: Not reported

LOT 18,TAXBLOCK 3946 (Continued) **S118704153**

Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	Z9: Miscellaneous - Other
Land Use Category:	Not reported
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	0
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	7
Number Of Buildings:	0
Number Of Floors:	Not reported
Residential Units:	0
Total Units:	0
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	0.0000000
Building Depth:	0.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5
Assessed Land Value:	39150.00000
Assessed Total Value:	39150.00000
Exempt Total Value:	0.00000
Year Built:	0
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.00000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039460018.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1014197
Y Coordinate:	186219
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 012
Tax Map #:	31302
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported

LOT 18,TAXBLOCK 3946 (Continued) **S118704153**

2015 Preliminary Flood Insurance Rate Map Indicator: Not reported
Version Number: 24v3.1
Changed By DCP: Not reported

NYC OER:
Name: 2776 FULTON STREET
Address: 2776 FULTON STREET
City,State,Zip: BROOKLYN, NY
Latitude: 40.677955
Longitude: -73.892152
OER Project Numbers: 19TMP1818K,19EH-N392K,20CVCP007K
BBL: 3.0394600183039402E+19
OER Program: VCP (Enrolled), E/RD (Review)
Class: Active (A)
Phase: Construction

URL:
Postcode: 11207
Community Board: 5
Council District: 37
Census Tract: 1198
BIN: 3000000
NTA: East New York

267
ESE
1/4-1/2
0.292 mi.
1541 ft.

LOT 1,TAXBLOCK 3989
355 SHEPHERD AVENUE
BROOKLYN, NY 11208

NY VCP **S118704033**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Relative:
Lower

Actual:
30 ft.

VCP NYC:
Project ID: 19TMP1307K,19EH-A310K,22CVCP091K
Name: 355 SHEPHERD AVENUE
Address: 355 SHEPHERD AVENUE
City,State,Zip: NEW YORK CITY, NY
Borough: Brooklyn
BBL: 3,039,890,001,303,980,000,000,000,000,000,000,000,000
OER Program: VCP (Enrolled), E/RD (Review)
Phase: Closure
Latitude: 40.675993
Longitude: -73.881257
Postcode: 11208
Community Board: 5
Council District: 37
Census Tract: 1166
BIN: 3327154
NTA: East New York

E DESIGNATION:
Name: LOT 1,TAXBLOCK 3989
Address: 355 SHEPHERD AVENUE
City,State,Zip: BROOKLYN, NY 11208
Tax Lot(s): 1
Tax Block: 3989
Borough Code: BK
E-No: E-366
Effective Date: Not reported

LOT 1,TAXBLOCK 3989 (Continued) **S118704033**

Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	355 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6757560
Longitude:	-73.8809149
Type Of Ownership Code:	Not reported
Owner Name:	SHEPHERD GLENMORE HOUSING DEVELOPMENT FU ND CORPORA
Borough:	BK
Tax Block:	3989
Tax Lot:	1
Community District:	305
Census Tract 2020:	3116600
Census Block 2020:	31166001000
Census Tract 2010:	1166
Census Block 2010:	1000
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	M1-1/R6A: Mixed Manufacturing & Residential Districts
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	MX-16
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Y
Building Class:	D1: Elevator Apartments - Semi-Fireproof (Without Stores)
Land Use Category:	Multi-Family Elevator Buildings
Number Of Easements:	0
Lot Area:	18500
Total Building Floor Area:	81341
Commercial Floor Area:	4936
Residential Floor Area:	76405
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0

LOT 1,TAXBLOCK 3989 (Continued) **S118704033**

Other Floor Area:	4936
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	7.0000000
Residential Units:	125
Total Units:	126
Lot Frontage:	185.0000000
Lot Depth:	100.0000000
Building Frontage:	119.2500000
Building Depth:	185.0000000
Extension Code:	Not reported
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	765900.00000
Assessed Total Value:	765900.00000
Exempt Total Value:	0.00000
Year Built:	2023
Year Altered 1:	2023
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	4.40000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039890001.00000000
Condominium Number:	Not reported
Census Tract 2:	1166
X Coordinate:	1017282
Y Coordinate:	185495
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 014
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	3039890001.00000000
Apportionment Date:	01/19/2023
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	355 SHEPHERD AVENUE
Address:	355 SHEPHERD AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.675993
Longitude:	-73.881257
OER Project Numbers:	19TMP1307K,19EH-A310K,22CVCP091K
BBL:	3.0398900013039803E+39
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Active (A)
Phase:	Closure

LOT 1,TAXBLOCK 3989 (Continued) **S118704033**

URL:
Postcode: 11208
Community Board: 5
Council District: 37
Census Tract: 1166
BIN: 3327154
NTA: East New York

268
SE
1/4-1/2
0.294 mi.
1550 ft.

2437 PITKIN AVENUE
2437 PITKIN AVENUE
NEW YORK CITY, NY

NY VCP **S129932219**
NY NYC OER **N/A**

Relative:
Lower

Actual:
29 ft.

VCP NYC:
Project ID: 17TMP0606K,17EH-N247K,18CVCP016K
Name: 2437 PITKIN AVENUE
Address: 2437 PITKIN AVENUE
City,State,Zip: NEW YORK CITY, NY
Borough: Brooklyn
BBL: 3040030035
OER Program: VCP (Enrolled), E/RD (Review)
Phase: Site Management
Latitude: 40.673905
Longitude: -73.882342
Postcode: 11208
Community Board: 5
Council District: 37
Census Tract: 1166
BIN: 3319656
NTA: East New York

NYC OER:
Name: 2437 PITKIN AVENUE
Address: 2437 PITKIN AVENUE
City,State,Zip: BROOKLYN, NY
Latitude: 40.673905
Longitude: -73.882342
OER Project Numbers: 17TMP0606K,17EH-N247K,18CVCP016K
BBL: 3040030035
OER Program: VCP (Enrolled), E/RD (Review)
Class: Completed (C)
Phase: Site Management

URL:
Postcode: 11208
Community Board: 5
Council District: 37
Census Tract: 1166
BIN: 3319656
NTA: East New York

269
East
1/4-1/2
0.297 mi.
1568 ft.

790 LIBERTY AVE
790 LIBERTY AVE
BROOKLYN, NY

NY NYC OER **S132180050**
N/A

Relative:
Lower

Actual:
33 ft.

NYC OER:

Name:	790 LIBERTY AVE
Address:	790 LIBERTY AVE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.676741
Longitude:	-73.880643
OER Project Numbers:	22TMP0328K,22EHAN065K
BBL:	3.03989001630398E+29
OER Program:	E/RD (Review)
Class:	Active (A)
Phase:	Construction
URL:	
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1166
BIN:	3000000
NTA:	East New York

270
SE
1/4-1/2
0.298 mi.
1571 ft.

385 ESSEX STREET
385 ESSEX STREET
BROOKLYN, NY

NY LTANKS **S102960479**
NY NYC LAND USE **N/A**

Relative:
Lower

Actual:
27 ft.

LTANKS:

Name:	385 ESSEX STREET
Address:	385 ESSEX STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9708809 / 1998-06-17
Facility ID:	9708809
Site ID:	245641
Spill Date:	1997-10-22
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1997-10-28
CID:	204
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-10-28
Spill Record Last Update:	1998-06-17
Spiller Name:	PAT TURTURRO
Spiller Company:	CLASSIC FUEL

385 ESSEX STREET (Continued) **S102960479**

Spiller Address:	9 WYTHE AVENUE
Spiller County:	001
Spiller Contact:	LISA HAUER
Spiller Phone:	(914) 592-3385
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	201736
Latitude:	40.6745665
Longitude:	-73.8817677
DEC Memo:	Not reported
Remarks:	WENT INTO A DRYWELL ALSO

All Materials:

Site ID:	245641
Operable Unit ID:	1051891
Operable Unit:	01
Material ID:	330752
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	385 ESSEX STREET
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6746094
Longitude:	-73.8815875
Type Of Ownership Code:	Not reported
Owner Name:	BISCOMBE ELSIE
Borough:	BK
Tax Block:	4004
Tax Lot:	103
Community District:	305
Census Tract 2020:	3116600
Census Block 2020:	31166002001
Census Tract 2010:	1166
Census Block 2010:	2001
School District:	19
City Council District:	42
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R5B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported

385 ESSEX STREET (Continued) **S102960479**

Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	C0: Walk Up Apartments - Three Families
Land Use Category:	Multi-Family Walk-Up Buildings
Number Of Easements:	0
Lot Area:	1783
Total Building Floor Area:	1666
Commercial Floor Area:	0
Residential Floor Area:	1666
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	3
Total Units:	3
Lot Frontage:	17.8300000
Lot Depth:	100.0000000
Building Frontage:	17.8300000
Building Depth:	49.0000000
Extension Code:	N
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	9120.00000
Assessed Total Value:	51060.00000
Exempt Total Value:	0.00000
Year Built:	1910
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.93000000000
Maximum Allowable Residential Far:	1.35000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3040040103.00000000
Condominium Number:	Not reported
Census Tract 2:	1166
X Coordinate:	1017096
Y Coordinate:	185077
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 016
Tax Map #:	31303
E-designation Number:	Not reported

385 ESSEX STREET (Continued) **S102960479**

Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

AL271 **31 BERRIMAN ST.- TTF** **NY LTANKS** **S106971321**
ENE **31 BERRIMAN ST** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.298 mi.
1575 ft. **Site 1 of 2 in cluster AL**

Relative: **Higher**
Actual: **36 ft.**

LTANKS:

Name:	31 BERRIMAN ST.- TTF
Address:	31 BERRIMAN ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0407617 / 2017-02-21
Facility ID:	0407617
Site ID:	332136
Spill Date:	2004-10-08
Spill Cause:	Tank Test Failure
Spill Source:	Tank Truck
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2004-10-08
CID:	408
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-12
Spill Record Last Update:	2023-04-06
Spiller Name:	REDA
Spiller Company:	Not reported
Spiller Address:	62 ATKINS AVE.
Spiller County:	001
Spiller Contact:	REDA
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	267301
Latitude:	40.6781360
Longitude:	-73.8807720
DEC Memo:	11/25/05- DEC Piper sent out ttf leterto Estate of Fren Stark 198-10 Jamaica Ave, Hollis NY 11423 1/23/06- DEC Piper spoke w/ Liz Farral regarding site. Currently there are two temp tanks on site. The management co has not decided on the fate of the tank. Repair or abandon. Liz will contact me when a decision has been made. 4/5/06- DEC Piper left message for Liz requesting update. 4/18/06- DEC Piper spoke w/ Liz froom Fred Stark, As per her, Eastmond to provide quote

31 BERRIMAN ST.- TTF (Continued) **S106971321**

for new tank. Possibly AST. 2/22/07- DECP iper left message for liz requesting callback and info 7/21/15- DEC Piper- Received call from Hydrotech. They will work with owner to have spill closed. 12/21/15-Vought-See also open spill 1509573 at same apartment complex. PBS- 2-510106 2/21/17- DEC Piper received report from Hydrotech. The top of the tank was exposed and the liquid inside the tank was pumped out via Vacuum truck. A total of 690 gallons of liquid were pumped out and disposed of in accordance with local, state and federal regulations. Upon completion of the liquid pump out, two (2) endpoint samples were collected from the bottom of the tank. Consequently the fill port and vent pipe were cut and removed and the UST was properly abandoned in place by filling it with sand. The results of the endpoint samples indicate that no petroleum contamination was identified in the soil beneath the tank. This is evidenced by the analytical results from EP-1 and EP-2, which revealed neither VOCs nor SVOCs are present in concentrations exceeding the most stringent cleanup criteria. Based on work to date, this spill is closed. See report in DEC Docs.

Remarks: PBS No: 2-510106

All TTF:

Facility ID:	0407617
Spill Number:	0407617
Spill Tank Test:	1548228
Site ID:	332136
Tank Number:	Not reported
Tank Size:	2500
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	332136
Operable Unit ID:	1094393
Operable Unit:	01
Material ID:	574499
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

AK272 **3100 ATLANTIC LLC** **NY LTANKS** **U001841117**
East **55 BERRIMAN STREET** **NY UST** **N/A**
1/4-1/2 **BROOKLYN, NY 11208**
0.299 mi.
1578 ft. **Site 4 of 4 in cluster AK**

Relative: **Lower**

Actual: **35 ft.**

LTANKS:

Name:	55 BERRIMAN STREET - TTF
Address:	55 BERRIMAN STREET
City,State,Zip:	BROOKLYN, NY 11208
Spill Number/Closed Date:	0407618 / 2007-06-22
Facility ID:	0407618
Site ID:	332137
Spill Date:	2004-10-08
Spill Cause:	Tank Test Failure
Spill Source:	Tank Truck
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	VSZHUNE
Referred To:	Not reported
Reported to Dept:	2004-10-08
CID:	408
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-12
Spill Record Last Update:	2007-06-22
Spiller Name:	REDA
Spiller Company:	Not reported
Spiller Address:	62 ATKINS AVE.
Spiller County:	001
Spiller Contact:	REDA
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	21762
Latitude:	40.6775600
Longitude:	-73.8806280
DEC Memo:	Spoke to John Leddy. This is in an estate and the estate has to make a decision where to take this. Tried to make contact and was unsuccessful 11/05-S. Scharf 3/06-Refer back to Region 2 for followup and closure.- S. Scharf 09/12/06 This case was transferred from Albany to Region 2. Zhune spoke to Elizabeth Farrel. (ph: 718-465-3600). She will fax copy of documents. 9/12/06 She sent tightness test result from 2005. I called her back let know that we need documents from 2004. 09/15/06 She only sent tank test failed results from 2004. 09/22/06-Vought-Received call and spoke to Elizabeth and she has already faxed in results. Requesting review and callback from Zhune. 06/19/07-ABC tank sent a letter and invoice describing the repair they did to the 2500 gallons UST that failed the test. The letter says: on April 11- April 15, 2005 ABC Tank dug up to expose the top of (1) 2,500 gallon underground storage tank. After tank was opened, a new gasket set along with a new stickline was installed. The tank was then cleaned and a visual inspection was

3100 ATLANTIC LLC (Continued) **U001841117**

performed on the interior of the tank. ABC found no evidence of leakage from the interior of the tank. Pressure was able to hold for (1) hour. On April 15,2005 a tightness test was performed on the tank. ABC Tank found no evidence of contaminated soil at the above site and any repairs made were neded in order for the tank to pass the tightness test. A copy of the pass tightness test results was also sending. Case Closed

Remarks: PBS No: 2-510092

All TTF:

Facility ID:	0407618
Spill Number:	0407618
Spill Tank Test:	1548229
Site ID:	332137
Tank Number:	Not reported
Tank Size:	2500
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	332137
Operable Unit ID:	1094394
Operable Unit:	01
Material ID:	574500
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

UST:

Name:	3100 ATLANTIC LLC
Address:	55 BERRIMAN STREET
City,State,Zip:	BROOKLYN, NY 11208
Id/Status:	2-510092 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594608.23858
UTM Y:	4503572.82297
Site Type:	Apartment Building/Office Building

3100 ATLANTIC LLC (Continued) **U001841117**

Affiliation Records:

Site Id:	21826
Affiliation Type:	Facility Operator
Company Name:	55 BERRIMAN STREET - TTF
Contact Type:	Not reported
Contact Name:	NA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	LSZINOMA
Date Last Modified:	2016-04-11

Site Id:	21826
Affiliation Type:	Emergency Contact
Company Name:	3100 ATLANTIC LLC
Contact Type:	Not reported
Contact Name:	MORDY PERKOWSKI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 819-6161
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXLIU
Date Last Modified:	2019-12-31

Site Id:	21826
Affiliation Type:	Facility Owner
Company Name:	3100 ATLANTIC LLC
Contact Type:	Not reported
Contact Name:	MORDY PERKOWSKI
Address1:	175 BLAKE AVE.
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11212
Country Code:	001
Phone:	(718) 819-6161
EMail:	Not reported
Fax Number:	Not reported
Modified By:	KXLIU
Date Last Modified:	2019-12-31

Site Id:	21826
Affiliation Type:	Mail Contact
Company Name:	LIBERTY ONE GROUP
Contact Type:	Not reported
Contact Name:	MORDY PERKOWSKI

3100 ATLANTIC LLC (Continued) **U001841117**

Address1:	175 BLAKE AVE.
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11212
Country Code:	001
Phone:	(718) 819-6161
EMail:	MORDY@LIBERTY1GROUP.COM
Fax Number:	Not reported
Modified By:	KXLIU
Date Last Modified:	2019-12-31

Tank Info:

Tank Number:	001
Tank ID:	39477
Tank Status:	Closed - Removed
Material Name:	Closed - Removed
Capacity Gallons:	2500
Install Date:	12/01/1948
Date Tank Closed:	11/02/2017
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	34
Date Test:	08/25/2017
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)

AM273 **CLASS A CARS** **NY SWF/LF** **S108145772**
WSW **477 LIBERTY AVE** **N/A**
1/4-1/2 **BROOKLYN, NY 11207**
0.319 mi.
1685 ft. **Site 1 of 4 in cluster AM**

Relative:
Higher

Actual:
46 ft.

SWF/LF:

Name:	CLASS A CARS
Address:	477 LIBERTY AVE
City,State,Zip:	BROOKLYN, NY 11207
Flag:	ACTIVE
Region Code:	2

CLASS A CARS (Continued) **S108145772**

Phone Number:	7183480303
Owner Name:	Anthony Pavone
Owner Type:	Private
Owner Address:	265 Ada Drive
Owner Addr2:	Not reported
Owner City,St,Zip:	Staten Island, NY 10314
Owner Email:	classacars@aol.com
Owner Phone:	7183480303
Contact Name:	Anthony Pavone
Contact Address:	477 Liberty Avenue
Contact Addr2:	Not reported
Contact City,St,Zip:	Brooklyn;, NY 11207
Contact Email:	classacars@aol.com
Contact Phone:	7183480303
Activity Desc:	Vehicle Dismantling Facility
Activity Number:	[7070034]
Active:	Yes
East Coordinate:	593618
North Coordinate:	4503291
Accuracy Code:	Not reported
Regulatory Status:	Not reported
Waste Type:	Not reported
Authorization #:	Not reported
Authorization Date:	Not reported
Expiration Date:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Laste Date:	Not reported

AL274 **TANK TEST FAILURES TTF (TWO)** **NY LTANKS** **S118462523**
East **3100 ATLANTIC AVENUE/31 BERRIMAN STREET** **NY NYC LAND USE** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.319 mi.
1685 ft. **Site 2 of 2 in cluster AL**

Relative: **Higher**
Actual: **37 ft.**

LTANKS:

Name:	TANK TEST FAILURES TTF (TWO)
Address:	3100 ATLANTIC AVENUE/31 BERRIMAN STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1509573 / 2023-04-06
Facility ID:	1509573
Site ID:	520207
Spill Date:	2015-12-21
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	RHLIN
Referred To:	Not reported
Reported to Dept:	2015-12-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False

TANK TEST FAILURES TTF (TWO) (Continued) **S118462523**

Remediation Phase:	0
Date Entered In Computer:	2015-12-21
Spill Record Last Update:	2023-04-06
Spiller Name:	Not reported
Spiller Company:	FRED CATAPANO
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	ZAID NALLY
Spiller Phone:	(800) 385-2650
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	474508
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	12/21/15-Vought-Duty desk officer. Called and spoke to Zaida Nally (Universal Tank Services Ph:(800)385-2650) and she noted that call was for two tank test failures (at Building #6 and Building #7) and both failures were dry leaks. Vought provided email address so that she could send in failed reports and also provided contact information for DEC Mahat (who as runner will be assigned the case). Nally noted that they were contracted out by Carlos Quinonez from HydroTech Environmental and she had no contact information for the property owner. Nally also noted that there were going to test three additional USTs tomorrow and Vought requested that this spill number be updated so that there was one DEC Project manager for all the cases as one responsible party. No PBS Registration found in PBS database. Vought called HydroTech (Ph:631-462-5866) and he noted that the tests were part of the requirement for open spill 0407617 that is being managed by DEC Piper. He also noted that the tanks that were the subject of this report were both 2,500-gallon tanks and there are a total of eleven that are going to be tested. Owners information as per Quinonez is: FCA Realty 325 East 104th Street New York, NY 10029 Ph: (212)996-6456 Email: sberger@familynyc.com Vought to discuss site with Piper to determine if spill should be assigned to him and whether TTFs should be sent out as per standard protocol. 2/16/17-Vought-Received email from Douglas Sullivan (Dewberry) on 2/14/17 that Mr. Vought: Raphael Ketani identified you as the case manager for this open spill. For the subject spill it is my understanding that an unknown volume of No. 2 FO was spilled (tank test failure), with unknown resources affected (in 2015). I am trying to assess if this spill may impact some proposed green infrastructure borings in the vicinity of these spills. I am wondering if you can provide me with any current information that will help me to assess if this spill is something to be concerned about when advancing the borings and potentially installing bioswales? Any information to assist would be appreciated, I can be reached at the number below. Thanks, Vought sent reply to Dewberry (Sullivan) that Douglas, With respect to your inquiry below, that particular case, albeit under my name, is currently being managed by Ryan Piper as he is looking into all spills at the Berriman Avenue apartment complex. In talking to Ryan about your inquiry, as well as Andre Obligado and Hiralkumar Patel, they have all also received requests from Dewberry for more information on spills in relation to the proposed green infrastructure borings near their sites. Multiple inquiries to multiple DEC Project Managers on multiple sites may necessitate a more effective way of getting Dewberry the information it needs. We had set up a prior arrangement with Dewberry, when they were working

TANK TEST FAILURES TTF (TWO) (Continued) **S118462523**

on the numerous Hurricane Sandy Build-it Back projects, where they came into our DEC offices and we gave them review access to our Spills database and files so that they could do the research here in the office and also save time to the numerous Project Mangers managing the sites. As such, please provide more background on the proposed green infrastructure borings including the scope of the project, which government agency the projects is for, and any other information that may be useful to us. Pending your reply, we may request that Dewberry come into our DEC Region 2 Office to do the database research directly. Thanks! DEC Requires: 1)submission of PBS registration of for failed tanks 2)submission of copies of failed test reports. 12/19/2017 - Austin - Project transferred from Vought to Lakhani - end 08/05/19 - Lakhani - Spill being transferred to Lin. 4/6/23-Lin-The tanks failed as a dry leak. All eleven (11) tanks in the apartment complex were closed out or closed in place. Spill#0407617 for the tank test failure at building 10 managed by DEC Ryan was closed out. Case closed.

Remarks: tank failure. there are 2 building that fail the test building # 6 and #7

All Materials:

Site ID:	520207
Operable Unit ID:	1269248
Operable Unit:	01
Material ID:	2273250
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	3100 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6779347
Longitude:	-73.8803198
Type Of Ownership Code:	Not reported
Owner Name:	3100 ATLANTIC LLC
Borough:	BK
Tax Block:	3974
Tax Lot:	1
Community District:	305
Census Tract 2020:	3119200
Census Block 2020:	31192003002
Census Tract 2010:	1192
Census Block 2010:	3002
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33

TANK TEST FAILURES TTF (TWO) (Continued) **S118462523**

Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R5: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	C1: Walk Up Apartments - Over Six Families Without Stores
Land Use Category:	Multi-Family Walk-Up Buildings
Number Of Easements:	0
Lot Area:	150600
Total Building Floor Area:	79254
Commercial Floor Area:	0
Residential Floor Area:	79254
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	53
Number Of Floors:	2.0000000
Residential Units:	108
Total Units:	108
Lot Frontage:	200.0000000
Lot Depth:	745.0000000
Building Frontage:	336.0000000
Building Depth:	34.0000000
Extension Code:	E
Proximity Code:	1
Irregular Lot Code:	Y
Lot Type:	1
Basement Type/Grade:	2
Assessed Land Value:	227700.00000
Assessed Total Value:	2778750.00000
Exempt Total Value:	0.00000
Year Built:	1950
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.53000000000
Maximum Allowable Residential Far:	1.25000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039740001.00000000
Condominium Number:	Not reported

TANK TEST FAILURES TTF (TWO) (Continued) **S118462523**

Census Tract 2:	1192
X Coordinate:	1017446
Y Coordinate:	186289
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 014
Tax Map #:	31302
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

275
ENE
1/4-1/2
0.325 mi.
1714 ft.

CON EDISON - SERVICE BOX 18072 **NY LTANKS S106971320**
3104 ATLANTIC AVE **NY MANIFEST N/A**
BROOKLYN, NY 11208

Relative:
Higher

Actual:
37 ft.

LTANKS:

Name:	3104ATLANTIC AVE - TTF
Address:	3104 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0407616 / 2006-01-23
Facility ID:	0407616
Site ID:	332135
Spill Date:	2004-10-08
Spill Cause:	Tank Test Failure
Spill Source:	Tank Truck
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2004-10-08
CID:	408
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-12
Spill Record Last Update:	2006-01-23
Spiller Name:	REDA
Spiller Company:	Not reported
Spiller Address:	62 ATKINS AVE.
Spiller County:	001
Spiller Contact:	REDA
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	267300
Latitude:	40.6789630

CON EDISON - SERVICE BOX 18072 (Continued) **S106971320**

Longitude:	-73.8806450
DEC Memo:	11/25/05- DEC Pipper sent out ttf leterto Estate of Fren Stark 198-10 Jamaica Ave, Hollis NY 11423 1/23/06- DEC Piper review receipts form ABC Tank. Repairs made to gaskets, vent line, stick line and feed and return lines. System passed thereafter. E-docs. Closed.
Remarks:	PBS No: 2-510289

All TTF:

Facility ID:	0407616
Spill Number:	0407616
Spill Tank Test:	1548227
Site ID:	332135
Tank Number:	Not reported
Tank Size:	3000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	332135
Operable Unit ID:	1094392
Operable Unit:	01
Material ID:	574498
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NY MANIFEST:

EPA ID:	NYP005175260
Country:	USA
Name:	Con Edison - Service Box 18072
Address:	3104 ATLANTIC AVE
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11208
Zip 4:	Not reported
Location Address 1:	3104 ATLANTIC AVE
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11208
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

CON EDISON - SERVICE BOX 18072 (Continued) **S106971320**

Mailing:

Mailing Name:	Con Edison - Service Box 18072
Mailing Contact:	Annamarie Moylan
Mailing Address 1:	4 IRVING PLACE 15TH FL NE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	NEW YORK, NY 10003
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	2124602278

276
North
1/4-1/2
0.326 mi.
1720 ft.

70 ELCON ST/BKLYN **NY LTANKS** **S102671483**
70 ELCON STREET **N/A**
NEW YORK CITY, NY

Relative:
Higher

Actual:
45 ft.

LTANKS:

Name:	70 ELCON ST/BKLYN
Address:	70 ELCON STREET
City,State,Zip:	NEW YORK CITY, NY
Spill Number/Closed Date:	8910317 / 1992-12-08
Facility ID:	8910317
Site ID:	68948
Spill Date:	1990-01-27
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	1992-12-08
SWIS:	2401
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1990-01-27
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-01-31
Spill Record Last Update:	1992-12-10
Spiller Name:	Not reported
Spiller Company:	PETRO OIL CO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	65603
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Not reported
Remarks:	TANK OVERFILL, SPEEDY DRY USED FOR CLEAN UP.

70 ELCON ST/BKLYN (Continued) **S102671483**

All Materials:

Site ID:	68948
Operable Unit ID:	937334
Operable Unit:	01
Material ID:	443422
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

277
NW
1/4-1/2
0.328 mi.
1733 ft.

81 ARLINGTON AVE
81 ARLINGTON AVE
BROOKLYN, NY

NY LTANKS **S102672088**
N/A

Relative:
Higher

Actual:
56 ft.

LTANKS:

Name:	81 ARLINGTON AVE
Address:	81 ARLINGTON AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9212315 / 1993-01-29
Facility ID:	9212315
Site ID:	161891
Spill Date:	1993-01-29
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	C4
Cleanup Ceased:	1993-01-29
SWIS:	2401
Investigator:	CAMMISA
Referred To:	Not reported
Reported to Dept:	1993-01-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1993-02-01
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	136669

81 ARLINGTON AVE (Continued) **S102672088**

Latitude:	40.6798429
Longitude:	-73.8917849
DEC Memo:	Not reported
Remarks:	CONTAINED ON WALKWAY AND CLEANED UP

All Materials:

Site ID:	161891
Operable Unit ID:	976857
Operable Unit:	01
Material ID:	402170
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	-1.00
Units:	Not reported
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

AM278 **RESI: COHEN** **NY LTANKS** **S102446639**
WSW **155 BRADFORD ST** **NY Spills** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.336 mi.
1774 ft. **Site 2 of 4 in cluster AM**

Relative:
Higher

Actual:
48 ft.

LTANKS:

Name:	RESI: UNKNOWN NAME
Address:	155 BRADFORD ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9610511 / 1996-11-21
Facility ID:	9610511
Site ID:	92092
Spill Date:	1996-11-21
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1996-11-21
CID:	323
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-11-21
Spill Record Last Update:	1996-12-05
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported

RESI: COHEN (Continued) **S102446639**

Spiller Phone:	(718) 297-8040
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	82713
Latitude:	40.6756555
Longitude:	-73.8928836
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG CALLED AND SPOKE TO OWNER OF THE HOUSE, HE SAID NO ONE IS LIVING IN THE HOUSE NOW. HE HAS CONTACTED PETRO IN ASTORIA TO CLEANUP THE OIL IN THE BASEMENT.
Remarks:	NEW HOMEOWNER APPARENTLY HAD OIL TANK FILLED PRIOR TO DELIVERY FROM PETRO, OIL OVERFILLED INTO THE BASEMENT. PETRO HAS A CLEAN UP CREW ENROUTE TO THE RESIDENCE AT THIS TIME.

All Materials:

Site ID:	92092
Operable Unit ID:	1038425
Operable Unit:	01
Material ID:	569621
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	RESI: COHEN
Address:	155 BRADFORD ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9610521 / 1997-01-10
Facility ID:	9610521
Facility Type:	ER
DER Facility ID:	82713
Site ID:	92093
DEC Region:	2
Spill Cause:	Human Error
Spill Class:	C4
SWIS:	2401
Spill Date:	1996-11-21
Investigator:	CAENGELH
Referred To:	Not reported
Reported to Dept:	1996-11-21
CID:	323
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0

RESI: COHEN (Continued) **S102446639**

Date Entered In Computer:	1996-11-21
Spill Record Last Update:	1997-01-10
Spiller Name:	MR COHEN
Spiller Company:	RESI: COHEN
Spiller Address:	155 BRADFORD ST
Spiller Company:	001
Contact Name:	MR COHEN
Latitude:	40.6756555
Longitude:	-73.8928836
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ENGELHARDT Homeowner cleaned oil by himself. Mr. Wagner of Petro advised him to have fill line plugged.
Remarks:	CONVERTED TO GAS, OWNER NEVER SEALED THE FILL BOX. SPILL WAS CLEANED UP.

All Materials:

Site ID:	92093
Operable Unit ID:	1041994
Operable Unit:	01
Material ID:	342732
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	11.00
Units:	G
Recovered:	11.00
Resource Affected:	Soil
Oxygenate:	Not reported

AM279 **NY LTANKS** **S102672910**
WSW **165 BRADFORD STREET** **NY AST** **N/A**
1/4-1/2 **BROOKLYN, NY 11207** **NY Spills**
0.338 mi. **NY NYC LAND USE**
1783 ft. **Site 3 of 4 in cluster AM**

Relative: Higher
Actual: 48 ft.

LTANKS:

Name:	ENGINE CO. 332/LADD. CO. 175 FDNY -DDC
Address:	165 BRADFORD STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9501313 / 1995-05-30
Facility ID:	9501313
Site ID:	301664
Spill Date:	1995-05-01
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C4
Cleanup Ceased:	1995-05-30
SWIS:	2401
Investigator:	ADZHITOM
Referred To:	Not reported
Reported to Dept:	1995-05-01
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False

(Continued) **S102672910**

Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-05-18
Spill Record Last Update:	2005-01-07
Spiller Name:	Not reported
Spiller Company:	LAC PETROLEUM
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	243779
Latitude:	40.6753755
Longitude:	-73.8928054
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHITOMIRSKY Mulqueen responded and closed the spill. See file. SPILL CAME OUT VENT PIPE 260 LOST =100 GALLONS DISCHURGEDROO0F DRAINS MAY HAVE SUMP/SEWER CONFIRMED BY BLOWING OUT FILL LINE INTO FNNK VEST APPROX 60 ABOVE LAND SURFACE FILL LINE APPROX 100FROM BUILDING ALSO HAVE DIESELL GASLINE USTS
Remarks:	POSSIBLE DRAIN IN REAR OF FIREHOUSE

All Materials:

Site ID:	301664
Operable Unit ID:	1012069
Operable Unit:	01
Material ID:	369921
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	.00
Resource Affected:	Sewer
Oxygenate:	Not reported

AST:

Name:	ENGINE COMPANY 332
Address:	165 BRADFORD STREET
City,State,Zip:	BROOKLYN, NY 11207
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-600524
Program Type:	PBS
UTM X:	593579.30198
UTM Y:	4503313.84825
Expiration Date:	12/23/2026
Site Type:	Municipality (Incl. Waste Water Treatment Plants, Utilities, Swimming Pools, etc.)

Affiliation Records:

Site Id:	22505
Affiliation Type:	Facility Operator
Company Name:	ENGINE COMPANY 332

(Continued) **S102672910**

Contact Type:	Not reported
Contact Name:	CASSANDRA RICHARD
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 965-8312
EMail:	Not reported
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2021-02-01

Site Id:	22505
Affiliation Type:	Mail Contact
Company Name:	FIRE DEPARTMENT FACILITIES
Contact Type:	Not reported
Contact Name:	CASSANDRA RICHARD
Address1:	48-34 35TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 784-6569
EMail:	CASSANDRA.RICHARD@FDNY.NYC.GOV
Fax Number:	Not reported
Modified By:	nFormUpd
Date Last Modified:	2024-12-11

Site Id:	22505
Affiliation Type:	Facility Owner
Company Name:	FDNY
Contact Type:	DEPUTY COMPLIANCE ADMIN
Contact Name:	CASSANDRA RICHARD
Address1:	9 METROTECH CENTER
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11201-3857
Country Code:	001
Phone:	(718) 999-7900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	JSMACRI
Date Last Modified:	2022-12-28

Site Id:	22505
Affiliation Type:	Emergency Contact
Company Name:	FDNY
Contact Type:	Not reported
Contact Name:	EOC/NOTIFICATION DESK
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

(Continued) **S102672910**

Zip Code:	Not reported
Country Code:	999
Phone:	(718) 999-7900
EMail:	Not reported
Fax Number:	Not reported
Modified By:	nFormUpd
Date Last Modified:	2024-12-11

Tank Info:

Tank Number:	004
Tank Id:	62475
Material Code:	0008
Common Name of Substance:	Diesel

Equipment Records:

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
G12 - Tank Secondary Containment - Double-Walled (AG only)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction Dispenser
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
E00 - Piping Secondary Containment - None
K01 - Spill Prevention - Catch Basin
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)

Tank Location:	Aboveground - on saddles, legs, racks, etc.... Tank bottom is elevated above grade or tank pad, allowing visual inspection.
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	01/01/1998
Capacity Gallons:	500
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	MJGRIFFI
Last Modified:	05/09/2022
Material Name:	diesel

SPILLS:

Name:	NYC FIRE DEPT ENG 332
Address:	165 BRADFORD ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1106196 / 2011-08-30
Facility ID:	1106196
Facility Type:	ER
DER Facility ID:	408480
Site ID:	453873
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4

(Continued) **S102672910**

SWIS:	2401
Spill Date:	2011-08-29
Investigator:	smsanges
Referred To:	Not reported
Reported to Dept:	2011-08-29
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-08-29
Spill Record Last Update:	2011-08-30
Spiller Name:	JOHN
Spiller Company:	HIRIAM LING (DRIVER)
Spiller Address:	165 BRADFORD ST
Spiller Company:	999
Contact Name:	JOHN
Latitude:	40.6753180
Longitude:	-73.8927690
DEC Memo:	Not reported
Remarks:	3-5 gal of diesel spilled due to faulty fill level alarm. cleanup complete by driver/fire dept

All Materials:

Site ID:	453873
Operable Unit ID:	1204029
Operable Unit:	01
Material ID:	2200770
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Name:	B/W ATLANTIC AVE AND LIBE
Address:	165 BRADFORD STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0500373 / 2005-04-22
Facility ID:	0500373
Facility Type:	ER
DER Facility ID:	243779
Site ID:	343322
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	2401
Spill Date:	2005-04-08
Investigator:	SFRAHMAN

(Continued) **S102672910**

Referred To:	Not reported
Reported to Dept:	2005-04-08
CID:	409
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Not reported
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2005-04-08
Spill Record Last Update:	2005-04-22
Spiller Name:	UNKNOWN
Spiller Company:	UNKNOWN VESSEL
Spiller Address:	UNKNOWN
Spiller Company:	001
Contact Name:	LT.MICHEAL LOPEZ
Latitude:	40.6753200
Longitude:	-73.8927910
DEC Memo:	add to drum run 04/22/05-SR// ' Drum run'took place 04/21/05- Ref spill# 9930008 & PIN #01036. Drum were filled with solid waste materials. NYC Sanitation was contacted to collect them.
Remarks:	OFFICER ON DUTY. THERE ARE TWO 55 GAL DRUMS THAT WERE LEFT ON THE STREET AND THEY ARE FILLED WITH FLUID INSIDE OF THEM. A PERSON JUST DROPPED THEM OFF AT THE FIRE HOUSE.

All Materials:

Site ID:	343322
Operable Unit ID:	1102008
Operable Unit:	01
Material ID:	582240
Material Code:	0064A
Material Name:	unknown material
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	165 BRADFORD STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6755066
Longitude:	-73.8924302
Type Of Ownership Code:	C
Owner Name:	FIRE DEPARTMENT OF NEW YORK
Borough:	BK
Tax Block:	3691
Tax Lot:	1
Community District:	305

(Continued) **S102672910**

Census Tract 2020:	3119800
Census Block 2020:	31198002007
Census Tract 2010:	1198
Census Block 2010:	2007
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R6B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	Y1: Selected Government Installations - Fire Department
Land Use Category:	Public Facilities & Institutions
Number Of Easements:	0
Lot Area:	20000
Total Building Floor Area:	11300
Commercial Floor Area:	11300
Residential Floor Area:	0
Office Floor Area:	11300
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	0
Total Units:	0
Lot Frontage:	100.0000000
Lot Depth:	200.0000000
Building Frontage:	60.0000000
Building Depth:	100.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	4
Basement Type/Grade:	0
Assessed Land Value:	112950.00000
Assessed Total Value:	958950.00000
Exempt Total Value:	958950.00000
Year Built:	1984
Year Altered 1:	0
Year Altered 2:	0

(Continued) **S102672910**

Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.57000000000
Maximum Allowable Residential Far:	2.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3036910001.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1014088
Y Coordinate:	185400
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 012
Tax Map #:	31205
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	t

AN280 **62 ATKINS AVE - TTF** **NY LTANKS** **S106971318**
East **62 ATKINS AVE** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.341 mi.
1803 ft. **Site 1 of 3 in cluster AN**

Relative: **Higher**

Actual: **36 ft.**

LTANKS:

Name:	62 ATKINS AVE - TTF
Address:	62 ATKINS AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0407614 / 2006-01-23
Facility ID:	0407614
Site ID:	332133
Spill Date:	2004-10-08
Spill Cause:	Tank Test Failure
Spill Source:	Tank Truck
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2004-10-08
CID:	408
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-12
Spill Record Last Update:	2006-01-23
Spiller Name:	REDA

62 ATKINS AVE - TTF (Continued) **S106971318**

Spiller Company:	Not reported
Spiller Address:	62 ATKINS AVE.
Spiller County:	001
Spiller Contact:	REDA
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	267298
Latitude:	40.6774660
Longitude:	-73.8797830
DEC Memo:	11/25/05- DEC Piper sent out ttf leterto Estate of Fren Stark 198-10 Jamaica Ave, Hollis NY 11423 1/23/06- DEC Piper review receipts from ABC Tank, provided by managing agent. Repairs made to dry portion of tank (Vent line replaced). E-docs. Closed.
Remarks:	Not reported

All TTF:

Facility ID:	0407614
Spill Number:	0407614
Spill Tank Test:	1548225
Site ID:	332133
Tank Number:	Not reported
Tank Size:	2500
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	332133
Operable Unit ID:	1094390
Operable Unit:	01
Material ID:	574496
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

281
NW
1/4-1/2
0.344 mi.
1817 ft.

SERVICE BOX 21287
280 JAMAICA AVENUE
BROOKLYN, NY

NY LTANKS **S102672326**
NY Spills **N/A**
NY NYC LAND USE

Relative:
Higher

Actual:
61 ft.

LTANKS:

Name:	280 JAMAICA AVENUE
Address:	280 JAMAICA AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9312222 / 1994-01-17
Facility ID:	9312222
Site ID:	87204
Spill Date:	1994-01-17
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	1994-01-17
SWIS:	2401
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	1994-01-17
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-01-20
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	PETRO OIL
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	79933
Latitude:	40.6810003
Longitude:	-73.8912924
DEC Memo:	Not reported
Remarks:	CUSTOMER ORDERED TOO MUCH OIL PETRO ENROUTE TO CLEAN UP - NO CALL BACK.

All Materials:

Site ID:	87204
Operable Unit ID:	990846
Operable Unit:	01
Material ID:	391212
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15.00
Units:	G
Recovered:	.00
Resource Affected:	Soil

SERVICE BOX 21287 (Continued) **S102672326**

Oxygenate: Not reported

SPILLS:

Name:	SERVICE BOX 21287
Address:	280 JAMAICA AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0004729 / 2001-10-22
Facility ID:	0004729
Facility Type:	ER
DER Facility ID:	79933
Site ID:	267005
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	2401
Spill Date:	2000-07-20
Investigator:	JHOCONNE
Referred To:	Not reported
Reported to Dept:	2000-07-20
CID:	257
Water Affected:	Not reported
Spill Source:	Unknown
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-07-20
Spill Record Last Update:	2001-10-22
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	JIMMY FOX
Latitude:	40.6810003
Longitude:	-73.8912924
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'CONNELL Con Ed e2mis Notes: 7/20/00 1qt unknown oil on 260gal water in service box. Sample returned 10ppm PCB and similar to lubricatin fluid. Cleanup completed by double washing with slix. Liquids removed by tanker, solids by vactor. No leaking equipment. No sump.
Remarks:	samples taken cleanup pending results ref #132466

All Materials:

Site ID:	267005
Operable Unit ID:	825811
Operable Unit:	01
Material ID:	549458
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum

SERVICE BOX 21287 (Continued) **S102672326**

Quantity:	1.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	280 JAMAICA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6809947
Longitude:	-73.8908926
Type Of Ownership Code:	Not reported
Owner Name:	BHUYA, NAHID
Borough:	BK
Tax Block:	3919
Tax Lot:	16
Community District:	305
Census Tract 2020:	3114600
Census Block 2020:	31146001001
Census Tract 2010:	1146
Census Block 2010:	1001
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	R4: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C1-3
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2580
Total Building Floor Area:	1462
Commercial Floor Area:	0
Residential Floor Area:	1462
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2

SERVICE BOX 21287 (Continued) **S102672326**

Number Of Buildings:	1
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	23.6700000
Lot Depth:	109.0400000
Building Frontage:	20.0000000
Building Depth:	30.0000000
Extension Code:	E
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	7740.00000
Assessed Total Value:	43740.00000
Exempt Total Value:	0.00000
Year Built:	1920
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.57000000000
Maximum Allowable Residential Far:	0.75000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039190016.00000000
Condominium Number:	Not reported
Census Tract 2:	1146
X Coordinate:	1014512
Y Coordinate:	187400
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 002
Tax Map #:	31301
E-designation Number:	Not reported
Apportionment BBL:	3039190015.00000000
Apportionment Date:	12/05/2007
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

AM282 **ENGINE CO. 332/LADD. CO. 175 FDNY -DDC** **NY LTANKS** **S102672911**
WSW **165 BRADFORD STREET** **N/A**
1/4-1/2 **EAST NEW YORK, NY**
0.347 mi.
1831 ft. **Site 4 of 4 in cluster AM**

Relative: **Higher**
Actual: **48 ft.**

LTANKS:

Name:	ENGINE CO. 332/LADD. CO. 175 FDNY -DDC
Address:	165 BRADFORD STREET
City,State,Zip:	EAST NEW YORK, NY
Spill Number/Closed Date:	9501336 / 1999-09-08
Facility ID:	9501336
Site ID:	95093
Spill Date:	1995-05-01

ENGINE CO. 332/LADD. CO. 175 FDNY -DDC (Continued) **S102672911**

Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	ADZHITOM
Referred To:	Not reported
Reported to Dept:	1995-05-01
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	DEC
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-05-18
Spill Record Last Update:	2005-01-07
Spiller Name:	Not reported
Spiller Company:	RAD OIL
Spiller Address:	287 BAUMAN AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	271362
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHITOMIRSKY See file. No further action. 09/08/99 Alex Zhitomirsky
Remarks:	SPILL WAS ON ROOF, HAS RUN DOWN THE WALLS & ONTO SIDEWALK. IN THE PROCESS OF CLEAN-UP NOW

All Materials:

Site ID:	95093
Operable Unit ID:	1012087
Operable Unit:	01
Material ID:	561420
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	75.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	ENGINE CO. 332/LADD. CO. 175 FDNY -DDC
Address:	165 BRADFORD STREET
City,State,Zip:	EAST NEW YORK, NY
Spill Number/Closed Date:	9709284 / 1999-09-08
Facility ID:	9709284
Site ID:	95094
Spill Date:	1997-11-10
Spill Cause:	Tank Failure

ENGINE CO. 332/LADD. CO. 175 FDNY -DDC (Continued) **S102672911**

Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	ADZHITOM
Referred To:	Not reported
Reported to Dept:	1997-11-10
CID:	351
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1997-11-10
Spill Record Last Update:	2005-01-07
Spiller Name:	NYC DEPT OF DESIGN & CONS
Spiller Company:	NYC FD ENGINE CO 332
Spiller Address:	165 BRADFORD ST
Spiller County:	001
Spiller Contact:	NYC DEPT OF DESIGN & CONS
Spiller Phone:	(718) 391-1062
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	271362
Latitude:	40.6753755
Longitude:	-73.8928054
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ZHITOMIRSKY SPILL CLOSED AS PER URS REPORT. No further action. See file.09/08/99 Alex Zhitomirsky
Remarks:	SUSPECTED TANK FAILURE - CALLER JUST RECEIVED SAMPLE RESULTS

All Materials:

Site ID:	95094
Operable Unit ID:	1055673
Operable Unit:	01
Material ID:	556247
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

AO283 **35 ATKINS AVE - TTF** **NY LTANKS** **S106971319**
ENE **35 ATKINS AVE** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.348 mi.
1836 ft. **Site 1 of 2 in cluster AO**

Relative:
Higher

Actual:
38 ft.

LTANKS:

Name:	35 ATKINS AVE - TTF
Address:	35 ATKINS AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0407615 / 2006-01-23
Facility ID:	0407615
Site ID:	332134
Spill Date:	2004-10-08
Spill Cause:	Tank Test Failure
Spill Source:	Tank Truck
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2004-10-08
CID:	408
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-12
Spill Record Last Update:	2006-01-23
Spiller Name:	REDA
Spiller Company:	Not reported
Spiller Address:	62 ATKINS AVE.
Spiller County:	001
Spiller Contact:	REDA
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	267299
Latitude:	40.6783550
Longitude:	-73.8798590
DEC Memo:	11/25/05- DEC Pipper sent out ttf leterto Estate of Fren Stark 198-10 Jamaica Ave, Hollis NY 11423 1/23/06- DEC Piper reviewed invoice fromn ABC Tank. Replaced vent line, stick line, feed and return lines. System passed thereafter. Closed.
Remarks:	PBS No: 2-510262

All TTF:

Facility ID:	0407615
Spill Number:	0407615
Spill Tank Test:	1548226
Site ID:	332134
Tank Number:	Not reported
Tank Size:	2500
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported

35 ATKINS AVE - TTF (Continued) **S106971319**

Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	332134
Operable Unit ID:	1094391
Operable Unit:	01
Material ID:	574497
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

AN284 **61 ATKINS AVENUE** **NY LTANKS** **U001841121**
East **61 ATKINS AVENUE** **NY UST** **N/A**
1/4-1/2 **BROOKLYN, NY 11208**
0.349 mi.
1845 ft. **Site 2 of 3 in cluster AN**

Relative:
Higher

Actual:
36 ft.

LTANKS:

Name:	ESTATE OF FRED STARK
Address:	61 ATKINS AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Spill Number/Closed Date:	0407729 / 2010-04-30
Facility ID:	0407729
Site ID:	332262
Spill Date:	2004-10-12
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	LXZIELIN
Referred To:	Not reported
Reported to Dept:	2004-10-12
CID:	403
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-12
Spill Record Last Update:	2010-04-30
Spiller Name:	RITA

61 ATKINS AVENUE (Continued) **U001841121**

Spiller Company:	Not reported
Spiller Address:	61 ATKINS AVE
Spiller County:	001
Spiller Contact:	RITA
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	21770
Latitude:	40.6774920
Longitude:	-73.8796420
DEC Memo:	04/30/10 - LZ Reviewed documents(eDocs)sent by Liz Farrell of Estate of Fred Stark. They indicate that the stick line and the gasket set were replaced, and the tanks system subsequently passed the tightness test. The spill case is closed. 04/19/10 - LZ Sent two TTF letters (eDocs) to Estate of Fred Stark at 198-10 Jamaica Avenue and 61 Atkins Avenue. 03/07/05 - Sawyer - Sent TTF to: Estate of Fred Stark 198-10 Jamaica Avenue Hollis, NY 11423 718-465-3600 Made contact with the estate but could not get a response that the spill can be satisfactorily closed. refer back to Region.-s. scharf Transferred from CO 9/11/06
Remarks:	PBS No: 2-510173

All TTF:

Facility ID:	0407729
Spill Number:	0407729
Spill Tank Test:	1548239
Site ID:	332262
Tank Number:	Not reported
Tank Size:	2500
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	332262
Operable Unit ID:	1094510
Operable Unit:	01
Material ID:	574617
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

61 ATKINS AVENUE (Continued) **U001841121**

UST:

Name:	61 ATKINS AVENUE
Address:	61 ATKINS AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Id/Status:	2-510173 / Unregulated/Closed
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	594676.91314
UTM Y:	4503519.08690
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	21834
Affiliation Type:	Facility Owner
Company Name:	3124 ATLANTIC LLC
Contact Type:	AGENT
Contact Name:	DANNY SINGH
Address1:	175 BLAKE AVE.
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11212
Country Code:	001
Phone:	(917) 533-2236 206
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2019-04-04

Site Id:	21834
Affiliation Type:	Mail Contact
Company Name:	3124 ATLANTIC LLC
Contact Type:	Not reported
Contact Name:	MORDY PERKOWSKI
Address1:	175 BLAKE AVE.
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11212
Country Code:	001
Phone:	(917) 533-2236 206
EMail:	MORDY@LIBERTY1GROUP.COM
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2019-04-04

Site Id:	21834
Affiliation Type:	Emergency Contact
Company Name:	3124 ATLANTIC LLC
Contact Type:	Not reported
Contact Name:	MORDY PERKOWSKI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

61 ATKINS AVENUE (Continued) **U001841121**

Zip Code:	Not reported
Country Code:	999
Phone:	(917) 533-2236
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2019-04-04

Site Id:	21834
Affiliation Type:	Facility Operator
Company Name:	61 ATKINS AVENUE
Contact Type:	Not reported
Contact Name:	MORDY PERKOWSKI
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 220-2569
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2019-04-04

Tank Info:

Tank Number:	001
Tank ID:	39485
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	2500
Install Date:	12/01/1948
Date Tank Closed:	02/26/2019
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Tightness Test Method:	34
Date Test:	10/31/2018
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction Dispenser
L00 - Piping Leak Detection - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
I05 - Overfill - Vent Whistle
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
K00 - Spill Prevention - None

61 ATKINS AVENUE (Continued) **U001841121**

D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None

285
WSW
1/4-1/2
0.355 mi.
1874 ft.

LOT 15,TAXBLOCK 3690
2738 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY VCP **S118704098**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Relative:
Higher

Actual:
49 ft.

VCP NYC:

Project ID:	22TMP0839K,22EH-N233K,25CVCP004K
Name:	2738 ATLANTIC AVENUE
Address:	2738 ATLANTIC AVE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3036900015
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Construction
Latitude:	40.676101
Longitude:	-73.89332
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3000000
NTA:	East New York

E DESIGNATION:

Name:	LOT 15,TAXBLOCK 3690
Address:	2738 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	15
Tax Block:	3690
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2738 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6758284
Longitude:	-73.8931435
Type Of Ownership Code:	Not reported
Owner Name:	2738 ATLANTIC AVENUE LLC
Borough:	BK
Tax Block:	3690

LOT 15,TAXBLOCK 3690 (Continued) **S118704098**

Tax Lot:	15
Community District:	305
Census Tract 2020:	3119800
Census Block 2020:	31198002006
Census Tract 2010:	1198
Census Block 2010:	2006
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	C4-4D: Commercial Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	Z9: Miscellaneous - Other
Land Use Category:	Not reported
Number Of Easements:	0
Lot Area:	2513
Total Building Floor Area:	0
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	7
Number Of Buildings:	0
Number Of Floors:	Not reported
Residential Units:	0
Total Units:	0
Lot Frontage:	25.0000000
Lot Depth:	100.5000000
Building Frontage:	0.0000000
Building Depth:	0.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	24750.00000
Assessed Total Value:	28755.00000
Exempt Total Value:	0.00000
Year Built:	0

LOT 15,TAXBLOCK 3690 (Continued) **S118704098**

Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.00000000000
Maximum Allowable Residential Far:	6.02000000000
Maximum Allowable Commercial Far:	3.40000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3036900015.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1013890
Y Coordinate:	185517
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 012
Tax Map #:	31205
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	2738 ATLANTIC AVENUE
Address:	2738 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.676101
Longitude:	-73.89332
OER Project Numbers:	22TMP0839K,22EH-N233K,25CVCP004K
BBL:	3036900015
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Active (A)
Phase:	Construction

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3000000
NTA:	East New York

AP286 **PITKIN BERRIMAN SITE** **US BROWNFIELDS** **1025442563**
ESE **2501 PITKIN AVENUE** **N/A**
1/4-1/2 **BROOKLYN, NY 11208**
0.364 mi.
1922 ft. **Site 1 of 2 in cluster AP**

Relative:
Lower

Actual:
28 ft.

US BROWNFIELDS:

Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208

PITKIN BERRIMAN SITE (Continued) **1025442563**

Property ID:	233421
Property Alias:	Not reported
Recipient Name:	New York, City of
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Phase II
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	97257906
Start Date:	Not reported
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually. Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls
Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21
Unemployed Number:	1686
Unemployed Percent:	5.06

Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208
Property ID:	233421
Property Alias:	Not reported
Recipient Name:	New York, City of
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Phase II
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	97249607
Start Date:	Not reported
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually.

PITKIN BERRIMAN SITE (Continued) **1025442563**

	Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls
Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21
Unemployed Number:	1686
Unemployed Percent:	5.06

Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208
Property ID:	233421
Property Alias:	Not reported
Recipient Name:	New York, City of
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Phase II
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

Activity Funded:	Phase II
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	EPA
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	97257906
Start Date:	2013-05-06 00:00:00
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually. Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	2013-11-13 00:00:00
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls
Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21
Unemployed Number:	1686
Unemployed Percent:	5.06

PITKIN BERRIMAN SITE (Continued) **1025442563**

Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208
Property ID:	233421
Property Alias:	Not reported
Recipient Name:	New York, City of
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Phase II
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Phase II
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	EPA
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	97249607
Start Date:	2013-05-06 00:00:00
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually. Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	2013-11-13 00:00:00
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls
Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21
Unemployed Number:	1686
Unemployed Percent:	5.06

Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208
Property ID:	233421
Property Alias:	Not reported
Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Supplemental Groundwater Sampling
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015
Start Date:	Not reported
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual

PITKIN BERRIMAN SITE (Continued) **1025442563**

	material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually. Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls
Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	Not reported
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	Not reported
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21
Unemployed Number:	1686
Unemployed Percent:	5.06

Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208
Property ID:	233421
Property Alias:	Not reported
Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Supplemental Groundwater Sampling
Start Date:	Not reported
Redev Completition Date:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Supplemental Groundwater Sampling
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	EPA
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015
Start Date:	2014-10-27 00:00:00
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually. Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	2014-12-30 00:00:00
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls

PITKIN BERRIMAN SITE (Continued) **1025442563**

Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21

PITKIN BERRIMAN SITE (Continued) **1025442563**

Unemployed Number:	1686
Unemployed Percent:	5.06
Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208
Property ID:	233421
Property Alias:	Not reported
Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Not reported
Start Date:	Not reported
Redev Completition Date:	Not reported
Completed Date:	Not reported
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Supplemental Groundwater Sampling
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015
Start Date:	Not reported
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually. Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls
Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	Not reported
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported
Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	Not reported
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21
Unemployed Number:	1686
Unemployed Percent:	5.06

Name:	PITKIN BERRIMAN SITE
Address:	2501 Pitkin Avenue
City,State,Zip:	BROOKLYN, NY 11208
Property ID:	233421
Property Alias:	Not reported
Recipient Name:	City of New York
Grant Type:	Hazardous
Property Number:	Block 4005, Lot 28
Parcel Size:	0.47
Latitude:	40.6742101
Longitude:	-73.880013
Census Tract:	36047116600
State or Tribal Voluntary Response Program:	Not reported
Program Name:	BF
AA Activity Funded:	Not reported
Start Date:	11/1/2015
Redev Completition Date:	Not reported
Completed Date:	04/19/0018
Cleanup Funding:	Not reported
Cleanup Funding Source:	Not reported
Activity Funded:	Supplemental Groundwater Sampling
Assessment Funding:	Not reported
Assessment Funding Source:	Not reported
Redevelopment Funding:	Not reported
Contaminants REC:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Contaminants Found at Actionable Level:	Lead Other Metals PAHs Pesticides SVOCs VOCs
Redev. Funding Source:	Not reported
Redev. Funding Entity Name:	Not reported
Contaminants Found Below Actionable Level:	Not reported
Redevelopment Start Date:	Not reported
Assessment Funding Entity:	Not reported
Cleanup Funding Entity:	Not reported
Climate Adapt Mitig - Planning or Assessment:	Not reported
Cooperative Agreement Number:	96281015

PITKIN BERRIMAN SITE (Continued) **1025442563**

Start Date:	Not reported
Ownership Entity:	Private
Additional Institutional Controls Information:	Site Management Plan (SMP) for long-term management of residual material, including plans for operation, maintenance, inspection and certification of the performance of Engineering Controls and Institutional Controls. Inspections will be performed annually. Inspection and Certification reports will be submitted by July 30, 2020 (for the reporting period calendar years 2018-2019), July 30, 2021 (for the reporting period calendar year 2020) and every year thereafter (for the reporting period consisting of the prior calendar year). Inspection and Certification Reports will cover all calendar years since the prior reporting period.
Completion Date:	Not reported
Address of Data Sources (URL if available) 1:	RAR
Cleanup Required:	U
Indicates Cleanup/Treatment Tech Implemented:	Y
Institutional Controls Required:	Y
IC Category Proprietary Controls:	Not reported
Excavation and Disposal of Soils:	Y
Extraction of contaminants:	Not reported
IC Cat. Info. Devices:	Y
Removal of materials (tanks and piping, etc.):	Y
IC Cat. Gov. Controls:	Not reported
Reduction of Contam Bioremediation/Phytoremediation:	Not reported
IC Cat. Enforcement Permit Tools:	Not reported
Cleanup of structures:	Not reported
IC in place date:	04/19/0018
Additional Cleanup/Treatment Tech Info:	soil removal, soil fill/backfill, composite cover Achieved Track 4 with engineering controls
IC in place:	Y
Address of Data Source (URL if available) 2:	RAR March 2018, NOC 4/19/18
Indicate whether Engineering Controls are required:	Y
State/tribal program ID:	Not reported
Cover Technologies (e.g., Capping):	Y
Security (e.g., Guard, Fence):	Not reported
Immobilization Process:	Not reported
Engineering Barriers (e.g., Slurry Walls, Sheet):	Y
Other:	Not reported
Additional Engineering Controls Information:	soil removal, soil fill/backfill, composite cover, vapor barrier system. Achieved Track 4 with engineering controls
Address of Data Source (URL if available) 3:	RAR
Indicate whether Engineering Controls are in place:	Y
Date Engineering Controls put into place:	Not reported
ACRES Cleaned Up:	0.47
Section 128(a) State/Tribal:	Not reported
Multipurpose - Cost Share Amount:	Not reported
Cleanup - Cost Share Amount:	Not reported
RLF Loan - Total Loan Amount:	Not reported
RLF - Loan Signed Date:	Not reported
RLF Loan - Anticipated Repayment Start Date:	Not reported
RLF Loan - Anticipated Repayment End Date:	Not reported
RLF Loan - Interest Rate:	Not reported
RLF Loan - EPA Funds Used:	Not reported
Contaminant Cleanup:	Pesticides
RLF Loan - Cost Share Used:	Not reported
Media Affected:	Ground Water Soil
RLF Loan - Program Income Used:	Not reported

PITKIN BERRIMAN SITE (Continued) **1025442563**

Media Cleanup:	Soil
RLF Loan - Discounted:	Not reported
RLF Loan - Discount Percentage:	Not reported
RLF Subgrant - Total Subgrant Amount:	Not reported
RLF Subgrant - Signed Date:	Not reported
RLF Subgrant - EPA Funds Used:	Not reported
RLF Subgrant - Cost Share Used:	Not reported
RLF Subgrant - Program Income Used:	Not reported
RLF Direct Cleanup - Total Funding Amt:	Not reported
Num. of cleanup and re-dev. jobs:	Not reported
RLF Direct Cleanup - Source of Funding:	Not reported
RLF Leveraged - Funding Source Type:	Not reported
Past use greenspace acreage:	Not reported
Past use residential acreage:	Not reported
RLF Leveraged - Entity Providing Funding:	Not reported
RLF Leveraged - Funding Amount:	Not reported
Cleanup Completion Doc - NFA Letter Received:	N
Past use commercial acreage:	Not reported
NFA Letter Date Received:	Not reported
Past use industrial acreage:	Not reported
Cleanup Comp Doc - Letter/Signed Rep Qualified Pro:	N
Future use greenspace acreage:	Not reported
Letter/Signed Report Date Received:	Not reported
Future use residential acreage:	Not reported
Future use commercial acreage:	Not reported
Cleanup Completion Doc- Other forms of Doc:	NOC 4/19/18
Future use industrial acreage:	Not reported
Climate Adapt and Mitiga - Demo or Cleanup:	Not reported
ReDev Activity Funded:	Not reported
Amount of Funding Expended on this Activity 2:	Not reported
Number of Redevelopment Jobs Leveraged:	Not reported
Climate Adaptation and Mitigation Redevelopment:	Not reported
Radius:	0.5
Below Poverty Number:	11640
Below Poverty Percent:	34.92
Meidan Income:	12325
Meidan Income Number:	19721
Meidan Income Percent:	59.16
Vacant Housing Number:	2135
Vacant Housing Percent:	17.21
Unemployed Number:	1686
Unemployed Percent:	5.06

AP287 **LOT 28,TAXBLOCK 4005** **NY VCP** **S113915075**
ESE **2501 PITKIN AVENUE** **NY E DESIGNATION** **N/A**
1/4-1/2 **BROOKLYN, NY** **NY NYC LAND USE**
0.364 mi. **NY NYC OER**
1922 ft. **Site 2 of 2 in cluster AP**

Relative: **Lower**
Actual: **28 ft.**

VCP NYC:

Project ID:	15TMP0080K,15EH-N080K,15CVCP019K
Name:	2501 PITKIN AVENUE
Address:	2501 PITKIN AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	30,400,500,283,040,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,0
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management

LOT 28,TAXBLOCK 4005 (Continued) **S113915075**

Latitude:	40.674238
Longitude:	-73.880081
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1166
BIN:	3000000
NTA:	East New York

E DESIGNATION:

Name:	LOT 28,TAXBLOCK 4005
Address:	2501 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY
Tax Lot(s):	28
Tax Block:	4005
Borough Code:	Not reported
E-No:	E-298
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	13DCP067K
Ulurp Number:	C130161ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2501 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6744955
Longitude:	-73.8803079
Type Of Ownership Code:	X
Owner Name:	UNAVAILABLE OWNER
Borough:	BK
Tax Block:	4005
Tax Lot:	7501
Community District:	305
Census Tract 2020:	3116600
Census Block 2020:	31166002000
Census Tract 2010:	1166
Census Block 2010:	2000
School District:	19
City Council District:	42
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R7A: Residential Districts
Zoning District 2:	R6A: Residential Districts
Zoning District 3:	Not reported
Zoning District 4:	Not reported

LOT 28,TAXBLOCK 4005 (Continued) **S113915075**

Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	Y
Building Class:	Rm: Condominiums -Mixed Residential & Commercial Building (Mixed Residential & Commercial)
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	20625
Total Building Floor Area:	95789
Commercial Floor Area:	11903
Residential Floor Area:	83886
Office Floor Area:	0
Retail Floor Area:	11903
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	7.0000000
Residential Units:	60
Total Units:	61
Lot Frontage:	156.2500000
Lot Depth:	100.0000000
Building Frontage:	156.2500000
Building Depth:	100.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	0
Basement Type/Grade:	5
Assessed Land Value:	1039950.00000
Assessed Total Value:	7890300.00000
Exempt Total Value:	7890300.00000
Year Built:	2014
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	4.64000000000
Maximum Allowable Residential Far:	4.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	4.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3040057501.00000000
Condominium Number:	4016
Census Tract 2:	1166
X Coordinate:	1017451
Y Coordinate:	185036
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 016
Tax Map #:	31303

LOT 28,TAXBLOCK 4005 (Continued) **S113915075**

E-designation Number:	Not reported
Apportionment BBL:	3040050028.00000000
Apportionment Date:	03/31/2017
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	2501 PITKIN AVENUE
Address:	2501 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.674238
Longitude:	-73.880081
OER Project Numbers:	15TMP0080K,15EH-N080K,15CVCP019K
BBL:	3.0400500283040001E+109
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management

URL:

Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1166
BIN:	3000000
NTA:	East New York

288
ESE
1/4-1/2
0.366 mi.
1933 ft.

LOT 13,TAXBLOCK 4006
820 GLENMORE AVENUE
BROOKLYN, NY 11208

NY VCP **S118704080**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Relative:
Lower

Actual:
30 ft.

VCP NYC:

Project ID:	17TMP0600K,17EHAZ240K,18CVCP009K
Name:	820 GLENMORE AVENUE
Address:	820 GLENMORE AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	30,400,600,133,040,000,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Completed
Latitude:	40.675563
Longitude:	-73.879881
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	3000000
NTA:	East New York

E DESIGNATION:

Name:	LOT 13,TAXBLOCK 4006
Address:	820 GLENMORE AVENUE
City,State,Zip:	BROOKLYN, NY 11208

LOT 13,TAXBLOCK 4006 (Continued) **S118704080**

Tax Lot(s):	13
Tax Block:	4006
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	820 GLENMORE AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6753868
Longitude:	-73.8795889
Type Of Ownership Code:	Not reported
Owner Name:	820 GLENMORE AVE HOLDINGS LLC
Borough:	BK
Tax Block:	4006
Tax Lot:	13
Community District:	305
Census Tract 2020:	3119200
Census Block 2020:	31192002004
Census Tract 2010:	1192
Census Block 2010:	2004
School District:	19
City Council District:	42
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	D3: Elevator Apartments - Fireproof (Without Stores)
Land Use Category:	Multi-Family Elevator Buildings
Number Of Easements:	0
Lot Area:	15000
Total Building Floor Area:	68780
Commercial Floor Area:	0
Residential Floor Area:	68780
Office Floor Area:	0

LOT 13,TAXBLOCK 4006 (Continued) **S118704080**

Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	8.0000000
Residential Units:	79
Total Units:	79
Lot Frontage:	120.0000000
Lot Depth:	100.0000000
Building Frontage:	150.0000000
Building Depth:	64.5000000
Extension Code:	Not reported
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	0
Assessed Land Value:	405000.00000
Assessed Total Value:	4442850.00000
Exempt Total Value:	4305150.00000
Year Built:	2019
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	4.59000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3040060013.00000000
Condominium Number:	Not reported
Census Tract 2:	1192
X Coordinate:	1017650
Y Coordinate:	185361
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 016
Tax Map #:	31303
E-designation Number:	E-366
Apportionment BBL:	3040060013.00000000
Apportionment Date:	09/20/2018
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	820 GLENMORE AVENUE
Address:	820 GLENMORE AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.675563
Longitude:	-73.879881
OER Project Numbers:	17TMP0600K,17EHAZ240K,18CVCP009K

LOT 13,TAXBLOCK 4006 (Continued) **S118704080**

BBL:	3.0400600133040001E+19
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Completed
URL:	
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	3000000
NTA:	East New York

---

289 North 1/4-1/2 0.379 mi. 1999 ft.

CON EDISON
418 JAMAICA AVE
BROOKLYN, NY 11207

NY LTANKS **S102147450**
NY Spills **N/A**
NY MANIFEST
NY NYC LAND USE

Relative: Higher

Actual: 54 ft.

LTANKS:

Name:	418 JAMAICA AVENUE
Address:	418 JAMAICA AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9500032 / 1995-05-01
Facility ID:	9500032
Site ID:	181142
Spill Date:	1995-04-03
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	1995-05-01
SWIS:	2401
Investigator:	MMMULQUE
Referred To:	Not reported
Reported to Dept:	1995-04-03
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-05-09
Spill Record Last Update:	1995-05-16
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU
Spiller Address:	740 JAMAICA AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	151929
Latitude:	40.6829607
Longitude:	-73.8871892
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was MULQUEEN

CON EDISON (Continued) **S102147450**

Remarks: CLEANUP CREW ARE BEING CALLED IN. IT IS BELIEVED STICK WELL WAS LEFT OPEN BY CUSTOMER CAUSING TANK OVERFILL.

All Materials:

Site ID:	181142
Operable Unit ID:	1014143
Operable Unit:	01
Material ID:	368653
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	418 JAMAICA AVE.
Address:	418 JAMAICA AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9311308 / 1993-12-18
Facility ID:	9311308
Facility Type:	ER
DER Facility ID:	151929
Site ID:	227079
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	1993-12-18
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1993-12-18
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Responsible Party
Cleanup Ceased:	1993-12-18
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1993-12-20
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	BAERENKLAU OIL
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6829607
Longitude:	-73.8871892
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG

CON EDISON (Continued) **S102147450**

Remarks: FAULTY NOZZLE CAUSED SPILL ON GROUND. CLEANED UP WITH DRY-SOL.

All Materials:
Site ID: 227079
Operable Unit ID: 993190
Operable Unit: 01
Material ID: 390348
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1.00
Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

NY MANIFEST:
EPA ID: NYP004666806
Country: USA
Name: Con Edison
Address: 418 JAMAICA AVE
Address 2: MH 3658
City,State,Zip: BROOKLYN, NY 11207
Zip 4: Not reported
Location Address 1: 418 JAMAICA AVE
Location Address 2: MH 3658
Location City,State,Zip: BROOKLYN, NY 11207
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Con Edison
Mailing Contact: Con Edison
Mailing Address 1: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City,State,Zip: NEW YORK, NY 10003
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 2124603770

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Year: 2018
Trans2 State ID: NJD003812047
Generator Ship Date: 09/26/2014
Trans1 Recv Date: 09/26/2014
Trans2 Recv Date: 09/30/2014
TSD Site Recv Date: 09/30/2014
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004666806

CON EDISON (Continued) **S102147450**

Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	002617766GBF
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H110
Waste Code a:	Lead
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	200
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	1

NYC LAND USE:

Name:	Not reported
Address:	418 JAMAICA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6827889
Longitude:	-73.8871688
Type Of Ownership Code:	Not reported
Owner Name:	RODRIGUEZ, JOYCELYN
Borough:	BK
Tax Block:	3907
Tax Lot:	3
Community District:	305
Census Tract 2020:	3117201
Census Block 2020:	31172011000
Census Tract 2010:	1172.01
Census Block 2010:	1000
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34

CON EDISON (Continued) **S102147450**

Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R4: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B1: Two Family Dwellings - Brick
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	1945
Total Building Floor Area:	2208
Commercial Floor Area:	0
Residential Floor Area:	2208
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	21.7500000
Lot Depth:	89.4200000
Building Frontage:	20.0000000
Building Depth:	60.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	16080.00000
Assessed Total Value:	49200.00000
Exempt Total Value:	0.00000
Year Built:	1920
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.14000000000
Maximum Allowable Residential Far:	0.75000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039070003.00000000
Condominium Number:	Not reported

CON EDISON (Continued) **S102147450**

Census Tract 2:	117201
X Coordinate:	1015544
Y Coordinate:	188055
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 009
Tax Map #:	31301
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

AN290 **64 MONTAUK AVENUE** **NY LTANKS** **U000411507**
East **64 MONTAUK AVENUE** **NY UST** **N/A**
1/4-1/2 **BROOKLYN, NY 11208**
0.390 mi.
2060 ft. **Site 3 of 3 in cluster AN**

Relative: **Higher**

Actual: **38 ft.**

LTANKS:

Name:	ESTATE OF FRED STARK
Address:	64 MONTAUK AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Spill Number/Closed Date:	0407730 / 2010-04-30
Facility ID:	0407730
Site ID:	332263
Spill Date:	2004-10-12
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	LXZIELIN
Referred To:	Not reported
Reported to Dept:	2004-10-12
CID:	403
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-12
Spill Record Last Update:	2010-04-30
Spiller Name:	RITA
Spiller Company:	Not reported
Spiller Address:	61 ATKINS AVE
Spiller County:	001
Spiller Contact:	RITA
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	389081
Latitude:	40.6778760

64 MONTAUK AVENUE (Continued) **U000411507**

Longitude: -73.8789310
DEC Memo: 04/30/10 - LZ Reviewed documents(eDocs)sent by Liz Farrell of Estate of Fred Stark. They indicate that the fill line was replaced, and the tanks system subsequently passed the tightness test. The spill case is closed. 11/29/05 Contacted John Leddy at Protest. I should call Rita at Estate of Fred Stark. Contact: Estate of fred Stark Rita 198-10 Jamaica Avenue Queens, NY 718-465-3600 Spoke to the Estate of Fred Stark. have not responsed with information that can close spill. Refer back to the Region. -S. Scharf
Remarks: PBS No: 2-510246

All TTF:
Facility ID: 0407730
Spill Number: 0407730
Spill Tank Test: 1548240
Site ID: 332263
Tank Number: Not reported
Tank Size: 2500
Material: 0001
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 03
Test Method 2: Horner EZ Check I or II
Leak Rate: .00
Gross Fail: Not reported
Modified By: Watchdog
Last Modified Date: Not reported

All Materials:
Site ID: 332263
Operable Unit ID: 1094511
Operable Unit: 01
Material ID: 574618
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

UST:
Name: 64 MONTAUK AVENUE
Address: 64 MONTAUK AVENUE
City,State,Zip: BROOKLYN, NY 11208
Id/Status: 2-510246 / Unregulated/Closed
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 594753.70857
UTM Y: 4503542.93857

64 MONTAUK AVENUE (Continued) **U000411507**

Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 21839
Affiliation Type: Mail Contact
Company Name: 3124 ATLANTIC LLC
Contact Type: Not reported
Contact Name: MORDY PERKOWSKI
Address1: 175 BLAKE AVE.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11212
Country Code: 001
Phone: (917) 533-2236 206
EMail: MORDY@LIBERTY1GROUP.COM
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-04-04

Site Id: 21839
Affiliation Type: Facility Operator
Company Name: 64 MONTAUK AVENUE
Contact Type: Not reported
Contact Name: MORDY PERKOWSKI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 220-2569
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-04-04

Site Id: 21839
Affiliation Type: Emergency Contact
Company Name: 3124 ATLANTIC LLC
Contact Type: Not reported
Contact Name: MORDY PERKOWSKI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 533-2236 206
EMail: Not reported
Fax Number: Not reported
Modified By: DAFRANCI
Date Last Modified: 2019-04-04

Site Id: 21839
Affiliation Type: Facility Owner
Company Name: 3124 ATLANTIC LLC
Contact Type: AGENT

64 MONTAUK AVENUE (Continued) **U000411507**

Contact Name:	DANNY SINGH
Address1:	175 BLAKE AVE.
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11212
Country Code:	001
Phone:	(917) 533-2236 206
EMail:	Not reported
Fax Number:	Not reported
Modified By:	DAFRANCI
Date Last Modified:	2019-04-04

Tank Info:

Tank Number:	001
Tank ID:	39490
Tank Status:	Closed - In Place
Material Name:	Closed - In Place
Capacity Gallons:	2500
Install Date:	12/01/1948
Date Tank Closed:	02/26/2019
Registered:	True
Tank Location:	Underground
Tank Type:	Steel/carbon steel
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)
Tightness Test Method:	34
Date Test:	10/31/2018
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
K00 - Spill Prevention - None
C03 - Pipe Location - Aboveground/Underground Combination
L00 - Piping Leak Detection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction Dispenser
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
I04 - Overfill - Product Level Gauge (A/G)

AO291 **TTF** **NY LTANKS** **S106971336**
ENE **36 MONTAUK AVE** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.390 mi.
2061 ft. **Site 2 of 2 in cluster AO**

Relative:
Higher

Actual:
39 ft.

LTANKS:

Name:	PRIVATE RESIDENCE
Address:	36 MONTAUK AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0408110 / 2005-12-30
Facility ID:	0408110
Site ID:	332748
Spill Date:	2004-10-22
Spill Cause:	Tank Test Failure
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	Con Ed Unassigned
Referred To:	Not reported
Reported to Dept:	2004-10-22
CID:	444
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-10-22
Spill Record Last Update:	2006-02-06
Spiller Name:	LIZ FARRELL
Spiller Company:	PRIVATE RESIDENCE
Spiller Address:	36 MAUNTAUK AVE
Spiller County:	001
Spiller Contact:	LIZ FARRELL
Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	267421
Latitude:	40.6785370
Longitude:	-73.8790990
DEC Memo:	10/22/04 ttf letter sent 12/19/05 Feroze. Spill is transferred from Ketani to Feroze. 12/28/05. Talked to Mrs. Liz Farrell (718-465-3600). she informed me that she sent the tank test result to Albany. she is requested to submit tank test result to NYSDEC Region-2 office. TTF is also sent. 12/30/05.Mrs. Liz Farrel submitted Tank Test result. The result show that the Tank & the System is tight.Consultation with DEC Jeffery, the spill is closed.
Remarks:	RECOMMEND- REPAIR & RETEST

All TTF:

Facility ID:	0408110
Spill Number:	0408110
Spill Tank Test:	1548270
Site ID:	332748
Tank Number:	1
Tank Size:	2500
Material:	0001

TTF (Continued) **S106971336**

EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 03
Test Method 2: Horner EZ Check I or II
Leak Rate: .00
Gross Fail: Not reported
Modified By: Watchdog
Last Modified Date: Not reported

All Materials:
Site ID: 332748
Operable Unit ID: 1094960
Operable Unit: 01
Material ID: 575093
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: G
Recovered: .00
Resource Affected: Groundwater
Oxygenate: Not reported

Name: TTF
Address: 36 MONTAUK AVE
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 0407731 / 2005-08-18
Facility ID: 0407731
Site ID: 332264
Spill Date: 2004-10-12
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: D4
Cleanup Ceased: Not reported
SWIS: 2401
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 2004-10-12
CID: 403
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2004-10-12
Spill Record Last Update: 2005-08-18
Spiller Name: RITA
Spiller Company: Not reported
Spiller Address: 61 ATKINS AVE
Spiller County: 001
Spiller Contact: RITA

TTF (Continued) **S106971336**

Spiller Phone:	(718) 465-3600
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	267421
Latitude:	40.6785370
Longitude:	-73.8790990
DEC Memo:	8/18/05. J.Krimgold closed this case due to a duplicate reporting see spill # 0407731.
Remarks:	PBS No: 2-510254

All TTF:

Facility ID:	0407731
Spill Number:	0407731
Spill Tank Test:	1548241
Site ID:	332264
Tank Number:	Not reported
Tank Size:	2500
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Watchdog
Last Modified Date:	Not reported

All Materials:

Site ID:	332264
Operable Unit ID:	1094512
Operable Unit:	01
Material ID:	574619
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

AQ292 **NY VCP** **S118704084**
West **2718 FULTON STREET** **NY E DESIGNATION** **N/A**
1/4-1/2 **BROOKLYN, NY 11207** **NY NYC LAND USE**
0.398 mi. **NY NYC OER**
2101 ft. **Site 1 of 2 in cluster AQ**

Relative: **Higher**

Actual: **55 ft.**

VCP NYC:

Project ID:	17TMP0622K,18CVCP046K,18EH-N452K
Name:	2718 FULTON STREET
Address:	2718 FULTON STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	303,673,001,430,367,000,000,000,000,000

(Continued) **S118704084**

OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management
Latitude:	40.677641
Longitude:	-73.894251
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3000000
NTA:	East New York

E DESIGNATION:

Name:	LOT 14,TAXBLOCK 3673
Address:	2718 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Tax Lot(s):	14
Tax Block:	3673
Borough Code:	Not reported
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2718 FULTON STREET
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6774432
Longitude:	-73.8941143
Type Of Ownership Code:	Not reported
Owner Name:	2722 FULTON LLC
Borough:	BK
Tax Block:	3673
Tax Lot:	14
Community District:	305
Census Tract 2020:	3119800
Census Block 2020:	31198002001
Census Tract 2010:	1198
Census Block 2010:	2001
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1D
Zoning District 1:	C4-4L: Commercial Districts
Zoning District 2:	Not reported

(Continued) **S118704084**

Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-6
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	H3: Hotels - Limited Service Many Affiliated With National Chain
Land Use Category:	Commercial & Office Buildings
Number Of Easements:	0
Lot Area:	7513
Total Building Floor Area:	36769
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	7.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	75.0000000
Lot Depth:	100.5000000
Building Frontage:	48.0000000
Building Depth:	100.0000000
Extension Code:	Not reported
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	270450.00000
Assessed Total Value:	2942550.00000
Exempt Total Value:	0.00000
Year Built:	2020
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	4.89000000000
Maximum Allowable Residential Far:	4.00000000000
Maximum Allowable Commercial Far:	4.00000000000
Maximum Allowable Community Facility Far:	4.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3036730014.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1013620
Y Coordinate:	186105
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 012

(Continued) **S118704084**

Tax Map #:	31205
E-designation Number:	E-366
Apportionment BBL:	3036730014.00000000
Apportionment Date:	11/09/2017
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	2718 FULTON STREET
Address:	2718 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.677641
Longitude:	-73.894251
OER Project Numbers:	17TMP0622K,18CVCP046K,18EH-N452K
BBL:	3.0367300143036699E+29
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3000000
NTA:	East New York

293
NNW
1/4-1/2
0.405 mi.
2137 ft.

240 SUNNYSIDE AVENUE
240 SUNNYSIDE AVENUE
BROOKLYN, NY

NY LTANKS **S101658345**
NY NYC LAND USE **N/A**

Relative:
Higher

Actual:
78 ft.

LTANKS:

Name:	240 SUNNYSIDE AVENUE
Address:	240 SUNNYSIDE AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9502743 / 1995-06-16
Facility ID:	9502743
Site ID:	139529
Spill Date:	1995-06-04
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	1995-06-16
SWIS:	2401
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	1995-06-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False

240 SUNNYSIDE AVENUE (Continued) **S101658345**

Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-06-13
Spill Record Last Update:	1995-06-21
Spiller Name:	Not reported
Spiller Company:	SAME
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	119201
Latitude:	40.6825290
Longitude:	-73.8900719
DEC Memo:	Not reported
Remarks:	DFECTIVE OIL TANK. CUSTOMER DID CLEANUP & WILL HAVE TANK PUMPED OUT.

All Materials:

Site ID:	139529
Operable Unit ID:	1017329
Operable Unit:	01
Material ID:	367799
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	1.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	240 SUNNYSIDE AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6828702
Longitude:	-73.8889137
Type Of Ownership Code:	Not reported
Owner Name:	FISHER HOPETON G
Borough:	BK
Tax Block:	3898
Tax Lot:	21
Community District:	305
Census Tract 2020:	3114202
Census Block 2020:	31142022000
Census Tract 2010:	1142.02
Census Block 2010:	2000
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820

240 SUNNYSIDE AVENUE (Continued) **S101658345**

Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1C
Zoning District 1:	R3-1: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	C0: Walk Up Apartments - Three Families
Land Use Category:	Multi-Family Walk-Up Buildings
Number Of Easements:	0
Lot Area:	3080
Total Building Floor Area:	1140
Commercial Floor Area:	0
Residential Floor Area:	1140
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.0000000
Residential Units:	3
Total Units:	3
Lot Frontage:	28.0000000
Lot Depth:	110.0000000
Building Frontage:	19.0000000
Building Depth:	30.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	13260.00000
Assessed Total Value:	39420.00000
Exempt Total Value:	1340.00000
Year Built:	1931
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.37000000000
Maximum Allowable Residential Far:	0.50000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	1.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3038980021.00000000
Condominium Number:	Not reported
Census Tract 2:	114202

240 SUNNYSIDE AVENUE (Continued) **S101658345**

X Coordinate:	1015060
Y Coordinate:	188084
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 001
Tax Map #:	31301
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

294
West
1/4-1/2
0.410 mi.
2164 ft.

110 WYONA STREET
BROOKLYN, NY 11207

NY LTANKS **U003385703**
NY Spills **N/A**
NY LEAD
NY NYC LAND USE

Relative:
Higher

Actual:
53 ft.

LTANKS:

Name:	RESIDENCE
Address:	110 WYONA STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0411597 / 2005-01-31
Facility ID:	0411597
Site ID:	336825
Spill Date:	2005-01-28
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	2005-01-28
CID:	409
Water Affected:	Not reported
Spill Notifier:	Local Agency
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2005-01-28
Spill Record Last Update:	2005-01-31
Spiller Name:	JIM CAREY
Spiller Company:	CASTLE OIL CORP.
Spiller Address:	290 LOCUST AVE
Spiller County:	001
Spiller Contact:	DORIS ZAMBRUSKI
Spiller Phone:	(718) 647-0507
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	272158
Latitude:	40.6766040
Longitude:	-73.8942130

(Continued) **U003385703**

DEC Memo: Duplicate spill is closed. Ref back to Spill #0411594
Remarks: REMEDIATIONS ARE MOBILIZING TO THE SITE. SOME INSIDE SOME OUTSIDE.

All Materials:
Site ID: 336825
Operable Unit ID: 1098826
Operable Unit: 01
Material ID: 579005
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 75.00
Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

SPILLS:
Name: RESIDENCE
Address: 110 WYONA STREET
City,State,Zip: BROOKLYN, NY
Spill Number/Closed Date: 0411594 / 2006-09-06
Facility ID: 0411594
Facility Type: ER
DER Facility ID: 272158
Site ID: 336822
DEC Region: 2
Spill Cause: Unknown
Spill Class: C4
SWIS: 2401
Spill Date: 2005-01-28
Investigator: rmpiper
Referred To: Not reported
Reported to Dept: 2005-01-28
CID: 409
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: DEC
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2005-01-28
Spill Record Last Update: 2006-09-06
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller Company: 001
Contact Name: MS. UVILES
Latitude: 40.6766040
Longitude: -73.8942130
DEC Memo: CROSS REF WITH SPILL #0411597 9/6/2006 Rob Hill from Castle Oil called looking to close out this

(Continued) **U003385703**

spill case. Spill #0411597 was closed out because it was a duplicate of this spill. Spill case came back from Albany and was reassigned to R. Piper. 9/6/06- DEC Piper received documentation of spill cleanup by Castle oil and PTC. See e-docs if warranted. Closed.

Remarks: CAP OFF BOILER AND LARGE FUMES. LOCATED IN HER BASEMEN. SPILL OUTSIDE AND IN BASEMENT. RESPONSE ENVIR. HIRED FOR CLEANUP

All Materials:

Site ID:	336822
Operable Unit ID:	1098823
Operable Unit:	01
Material ID:	579002
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	75.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LEAD:

Name:	Not reported
Address:	110 WYONA STREET
City,State,Zip:	BROOKLYN, NY 11207
Violation ID:	11682359
Building ID:	398578
Registration ID:	334921
Apartment:	17
Story:	3
Class:	Most Serious
Inspection Date:	03/07/2017
Approved Date:	03/08/2017
Original Certify By Date:	04/11/2017
Original Correct By Date:	04/06/2017
New Certify By Date:	Not reported
New Correct By Date:	Not reported
Certified Date:	Not reported
Order Number:	617
NOV ID:	5700707
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) WEST WALL IN THE 4th ROOM FROM NORTH LOCATED AT APT 17, 3rd STORY, 2nd APARTMENT FROM SOUTH AT WEST
NOV Issued Date:	03/09/2017
Current Status ID:	20
Current Status:	DEFECT LETTER ISSUED
Current Status Date:	08/24/2019

Name:	Not reported
Address:	110 WYONA STREET
City,State,Zip:	BROOKLYN, NY 11207
Violation ID:	11682358

(Continued) **U003385703**

Building ID:	398578
Registration ID:	334921
Apartment:	17
Story:	3
Class:	Most Serious
Inspection Date:	03/07/2017
Approved Date:	03/08/2017
Original Certify By Date:	04/11/2017
Original Correct By Date:	04/06/2017
New Certify By Date:	Not reported
New Correct By Date:	Not reported
Certified Date:	Not reported
Order Number:	617
NOV ID:	5700707
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) SOUTH WALL IN THE 1st ROOM FROM NORTH LOCATED AT APT 17, 3rd STORY, 2nd APARTMENT FROM SOUTH AT WEST
NOV Issued Date:	03/09/2017
Current Status ID:	20
Current Status:	DEFECT LETTER ISSUED
Current Status Date:	08/24/2019
Name:	Not reported
Address:	110 WYONA STREET
City,State,Zip:	BROOKLYN, NY 11207
Violation ID:	14656120
Building ID:	398578
Registration ID:	334921
Apartment:	20
Story:	4
Class:	Most Serious
Inspection Date:	10/26/2021
Approved Date:	10/28/2021
Original Certify By Date:	11/27/2021
Original Correct By Date:	11/22/2021
New Certify By Date:	12/11/2021
New Correct By Date:	12/06/2021
Certified Date:	Not reported
Order Number:	617
NOV ID:	7530131
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) NORTH WALL, SOUTH WALL IN THE FOYER LOCATED AT APT 20, 4th STORY, 2nd APARTMENT FROM NORTH AT EAST
NOV Issued Date:	10/29/2021
Current Status ID:	28
Current Status:	INVALID CERTIFICATION
Current Status Date:	12/11/2021
Name:	Not reported
Address:	110 WYONA STREET
City,State,Zip:	BROOKLYN, NY 11207
Violation ID:	14656121
Building ID:	398578

(Continued) **U003385703**

Registration ID:	334921
Apartment:	20
Story:	4
Class:	Most Serious
Inspection Date:	10/26/2021
Approved Date:	10/28/2021
Original Certify By Date:	11/27/2021
Original Correct By Date:	11/22/2021
New Certify By Date:	12/11/2021
New Correct By Date:	12/06/2021
Certified Date:	Not reported
Order Number:	617
NOV ID:	7530131
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) EAST WALL IN THE PRIVATE HALLWAY LOCATED AT APT 20, 4th STORY, 2nd APARTMENT FROM NORTH AT EAST
NOV Issued Date:	10/29/2021
Current Status ID:	28
Current Status:	INVALID CERTIFICATION
Current Status Date:	12/11/2021

Name:	Not reported
Address:	110 WYONA STREET
City,State,Zip:	BROOKLYN, NY 11207
Violation ID:	14656118
Building ID:	398578
Registration ID:	334921
Apartment:	20
Story:	4
Class:	Most Serious
Inspection Date:	10/26/2021
Approved Date:	10/28/2021
Original Certify By Date:	11/27/2021
Original Correct By Date:	11/22/2021
New Certify By Date:	12/11/2021
New Correct By Date:	12/06/2021
Certified Date:	Not reported
Order Number:	617
NOV ID:	7530131
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 1st DOOR FRAME FROM EAST AT SOUTH WALL, 1st WINDOW FRAME FROM NORTH AT EAST WALL, 2nd WINDOW FRAME FROM NORTH AT EAST WALL IN THE 1st ROOM FROM NORTH LOCATED AT APT 20, 4th STORY, 2nd APARTMENT FROM NORTH AT EAST
NOV Issued Date:	10/29/2021
Current Status ID:	28
Current Status:	INVALID CERTIFICATION
Current Status Date:	12/11/2021

NYC LAND USE:

Name:	Not reported
Address:	110 WYONA STREET
City,State,Zip:	BROOKLYN, NY 11207

(Continued) **U003385703**

Latitude:	40.6765734
Longitude:	-73.8943969
Type Of Ownership Code:	Not reported
Owner Name:	WYONA APARTMENTS LLC
Borough:	BK
Tax Block:	3672
Tax Lot:	37
Community District:	305
Census Tract 2020:	3119800
Census Block 2020:	31198002002
Census Tract 2010:	1198
Census Block 2010:	2002
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1C
Zoning District 1:	R5B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	C1: Walk Up Apartments - Over Six Families Without Stores
Land Use Category:	Multi-Family Walk-Up Buildings
Number Of Easements:	0
Lot Area:	5767
Total Building Floor Area:	16144
Commercial Floor Area:	0
Residential Floor Area:	16144
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	4.0000000
Residential Units:	23
Total Units:	23
Lot Frontage:	57.6700000
Lot Depth:	100.0000000
Building Frontage:	57.6700000
Building Depth:	89.0000000
Extension Code:	N
Proximity Code:	2
Irregular Lot Code:	N

(Continued) **U003385703**

Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	103950.00000
Assessed Total Value:	703800.00000
Exempt Total Value:	0.00000
Year Built:	1937
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	2.80000000000
Maximum Allowable Residential Far:	1.35000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3036720037.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1013542
Y Coordinate:	185788
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 011
Tax Map #:	31205
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

---

295 SW 1/4-1/2 0.424 mi. 2238 ft. **FIORENTINO PLAZA -NYCHA** **NY LTANKS** **S105997454**
2181 PITKIN AVE **N/A**
BROOKLYN, NY

Relative: Higher

Actual: 38 ft.

LTANKS:

Name:	FIORENTINO PLAZA -NYCHA
Address:	2181 PITKIN AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0209000 / 2014-08-25
Facility ID:	0209000
Site ID:	130782
Spill Date:	2002-12-02
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	jkkann
Referred To:	Not reported
Reported to Dept:	2002-12-02
CID:	270
Water Affected:	Not reported
Spill Notifier:	Tank Tester

FIORENTINO PLAZA -NYCHA (Continued) **S105997454**

Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-12-02
Spill Record Last Update:	2014-08-25
Spiller Name:	CHARLES MCGUINESS
Spiller Company:	FIORENTINO PLAZA
Spiller Address:	2181 PITKIN AV
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	112693
Latitude:	40.6725204
Longitude:	-73.8919298
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was KOLLEENY 11/04/05: This spill transferred from J.Kolleeny to S.Kraszewski. 12/23/05: Two spills for this site. Tanks is still in place and being used. Appears that a MW was installed, not sure when. No MW data is available. - SK 07/07/06: NYCHA summary report states a tank test failure caused by a man way gasket leak occured. Summary states no recovery system or MWs on-site and soil/GW conditions are unknown. No mention of any investigative work performed, but yet NYCHA still recommends closure based on nothing, apparently. - SK 02/06/07 - J.Kann - site reassigned from S. Kraszewski to J.Kann. 3/10/11: J.Kann - Investigative work plan submitted on 3/3/11. 8/25/14: J.Kann - Reviewed file. Tank installed in 1971. Failed TTT in 1997. Leak around tank lid and petrometer bung hole. Tank repaired, retested and passed. Tank failed again in 2002. Manway gasket repaired. Tank passed in 2003, passed in 2007 and passed in 2012. Given this information, NFA and spill closed.
Remarks:	isolate repair retest

All TTF:

Facility ID:	0209000
Spill Number:	0209000
Spill Tank Test:	1527766
Site ID:	130782
Tank Number:	1
Tank Size:	12000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	130782

FIORENTINO PLAZA -NYCHA (Continued) **S105997454**

Operable Unit ID:	862184
Operable Unit:	01
Material ID:	515988
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	FIORENTINO PLAZA -NYCHA
Address:	2181 PITKIN AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9706130 / 2005-12-23
Facility ID:	9706130
Site ID:	128034
Spill Date:	1997-08-20
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	SWKRASZE
Referred To:	Not reported
Reported to Dept:	1997-08-20
CID:	257
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1997-08-20
Spill Record Last Update:	2005-12-23
Spiller Name:	FRANK OCELLO
Spiller Company:	NYC HOUSING AUTHORITY
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	FRANK OCELLO
Spiller Phone:	(212) 306-3229
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	112693
Latitude:	40.6725539
Longitude:	-73.8916690
DEC Memo:	12/08/05: This spill transferred from J.Kolleeny to S.Kraszewski. 12/23/05: This spill closed to consolidate with open spill #0209000. - SK
Remarks:	Not reported

All Materials:

Site ID:	128034
Operable Unit ID:	1049374

FIORENTINO PLAZA -NYCHA (Continued) **S105997454**

Operable Unit:	01
Material ID:	331730
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

296
WSW
1/4-1/2
0.425 mi.
2243 ft.

SOLCO PLUMBING SUPPLY
413 LIBERTY AVENUE
BROOKLYN, NY 11207

NY SWF/LF **S118406630**
NY NYC LAND USE **N/A**

Relative:
Higher

Actual:
49 ft.

SWF/LF:

Name:	SOLCO PLUMBING SUPPLY
Address:	413 LIBERTY AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Flag:	INACTIVE
Region Code:	2
Phone Number:	7183451900
Owner Name:	New York City Department of Environmental Protection
Owner Type:	Municipal
Owner Address:	59-17 Junction Blvd; 11th Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Flushing, NY 11373
Owner Email:	bhuff@dep.nyc.gov
Owner Phone:	7185955522
Contact Name:	Ben Huff
Contact Address:	Not reported
Contact Addr2:	Not reported
Contact City,St,Zip:	NY
Contact Email:	bhuff@dep.nyc.gov
Contact Phone:	7185955522
Activity Desc:	Transfer station - registration
Activity Number:	[24RG8]
Active:	No
East Coordinate:	593465
North Coordinate:	4503257
Accuracy Code:	Not reported
Regulatory Status:	Registration
Waste Type:	Not reported
Authorization #:	24RG8
Authorization Date:	12/23/2015
Expiration Date:	Not reported
Operator Name:	New York City Department of Environmental Protection
Operator Type:	Municipal
Laste Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	413 LIBERTY AVENUE

SOLCO PLUMBING SUPPLY (Continued) **S118406630**

City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6750636
Longitude:	-73.8942118
Type Of Ownership Code:	X
Owner Name:	413 LIBERTY REALTY CORP
Borough:	BK
Tax Block:	3689
Tax Lot:	1
Community District:	305
Census Tract 2020:	3119800
Census Block 2020:	31198002005
Census Tract 2010:	1198
Census Block 2010:	2005
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1C
Zoning District 1:	M1-4: Manufacturing Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	E9: Warehouses - Miscellaneous
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	36050
Total Building Floor Area:	36050
Commercial Floor Area:	36050
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	10000
Garage Floor Area:	0
Storage Floor Area:	26050
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	206.0000000
Lot Depth:	175.6700000
Building Frontage:	206.0000000
Building Depth:	175.0000000
Extension Code:	N
Proximity Code:	2

SOLCO PLUMBING SUPPLY (Continued) **S118406630**

Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	306900.00000
Assessed Total Value:	989100.00000
Exempt Total Value:	989100.00000
Year Built:	1955
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.00000000000
Maximum Allowable Residential Far:	0.00000000000
Maximum Allowable Commercial Far:	2.00000000000
Maximum Allowable Community Facility Far:	6.50000000000
Boro Code:	3
Borough, Tax Block and Lot:	3036890001.00000000
Condominium Number:	Not reported
Census Tract 2:	1198
X Coordinate:	1013594
Y Coordinate:	185238
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 011
Tax Map #:	31205
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

297
WSW
1/4-1/2
0.428 mi.
2260 ft.

2700 ATLANTIC AVENUE **NY VCP** **S129932256**
2700 ATLANTIC AVENUE **NY NYC OER** **N/A**
BROOKLYN, NY

Relative:
Higher

Actual:
51 ft.

VCP NYC:

Project ID:	19TMP0704K,19EHAN181K,22CVCP001K
Name:	2700 ATLANTIC AVENUE
Address:	2700 ATLANTIC AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3,036,890,012,303,680,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management
Latitude:	40.675937
Longitude:	-73.894603
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3326746
NTA:	East New York

2700 ATLANTIC AVENUE (Continued) **S129932256**

NYC OER:

Name:	2700 ATLANTIC AVENUE
Address:	2700 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.675937
Longitude:	-73.894603
OER Project Numbers:	19TMP0704K,19EHAN181K,22CVCP001K
BBL:	3.03689001230368E+69
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3326746
NTA:	East New York

AQ298 **2701-2715 FULTON STREET** **NY VCP** **S129932257**
West **2701-2715 FULTON STREET** **NY NYC OER** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.437 mi.
2308 ft. **Site 2 of 2 in cluster AQ**

Relative:
Higher

Actual:
57 ft.

VCP NYC:

Project ID:	22TMP0913K,22EH-N211K,22CVCP068K
Name:	2701-2715 FULTON STREET
Address:	2701-2715 FULTON STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	303,662,005,230,366,000,000,000,000,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Completed
Latitude:	40.67756
Longitude:	-73.894943
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1146
BIN:	3083146
NTA:	Cypress Hills-City Line

NYC OER:

Name:	2701-2715 FULTON STREET
Address:	2701-2715 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.67756
Longitude:	-73.894943
OER Project Numbers:	22TMP0913K,22EH-N211K,22CVCP068K
BBL:	3.0366200523036599E+29
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Completed

2701-2715 FULTON STREET (Continued) **S129932257**

URL:
Postcode: 11207
Community Board: 5
Council District: 37
Census Tract: 1146
BIN: 3083146
NTA: Cypress Hills-City Line

AR299 **25 MILFORD STREET** **NY VCP** **S129932225**
ENE **25 MILFORD STREET** **NY NYC OER** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.453 mi.
2392 ft. **Site 1 of 4 in cluster AR**

Relative:
Higher

Actual:
39 ft.

VCP NYC:
Project ID: 21TMP1469K,21EHAZ296K,22CVCP021K
Name: 25 MILFORD STREET
Address: 25 MILFORD STREET
City,State,Zip: NEW YORK CITY, NY
Borough: Brooklyn
BBL: 3041530027
OER Program: VCP (Enrolled), E/RD (Review)
Phase: Site Management
Latitude: 40.678885
Longitude: -73.878162
Postcode: 11208
Community Board: 5
Council District: 37
Census Tract: 1192
BIN: 3000000
NTA: East New York

NYC OER:
Name: 25 MILFORD STREET
Address: 25 MILFORD STREET
City,State,Zip: BROOKLYN, NY
Latitude: 40.678885
Longitude: -73.878162
OER Project Numbers: 21TMP1469K,21EHAZ296K,22CVCP021K
BBL: 3041530027
OER Program: VCP (Enrolled), E/RD (Review)
Class: Completed (C)
Phase: Site Management

URL:
Postcode: 11208
Community Board: 5
Council District: 37
Census Tract: 1192
BIN: 3000000
NTA: East New York

AR300 **LOT 25,TAXBLOCK 4153** **NY E DESIGNATION** **S108075793**
ENE **29 MILFORD STREET** **NY NYC OER** **N/A**
1/4-1/2 **BROOKLYN, NY 11208** **NY NYC LAND USE**
0.456 mi.
2406 ft. **Site 2 of 4 in cluster AR**

Relative:
Higher

Actual:
39 ft.

E DESIGNATION:

Name:	LOT 25,TAXBLOCK 4153
Address:	29 MILFORD STREET
City,State,Zip:	BROOKLYN, NY 11208
Tax Lot(s):	25
Tax Block:	4153
Borough Code:	BK
E-No:	E-141
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	04DCP031K
Ulurp Number:	C040389ZMK
Zoning Map No:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

NYC OER:

Name:	29 MILFORD STREET
Address:	29 MILFORD STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.678817
Longitude:	-73.878144
OER Project Numbers:	13TMP0473K,13EHAZ473K
BBL:	3041530025
OER Program:	E/RD (Review)
Class:	Completed (C)
Phase:	Site Management
URL:	
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	3000000
NTA:	East New York

NYC LAND USE:

Name:	Not reported
Address:	29 MILFORD STREET
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6789395
Longitude:	-73.8778988
Type Of Ownership Code:	Not reported
Owner Name:	29 MILFORD ST LLC
Borough:	BK
Tax Block:	4153
Tax Lot:	25
Community District:	305
Census Tract 2020:	3119200
Census Block 2020:	31192001001
Census Tract 2010:	1192

LOT 25,TAXBLOCK 4153 (Continued) **S108075793**

Census Block 2010:	1001
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R5B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B1: Two Family Dwellings - Brick
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	3225
Commercial Floor Area:	0
Residential Floor Area:	3225
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	3.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	17.9200000
Building Depth:	60.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	2
Assessed Land Value:	10080.00000
Assessed Total Value:	62160.00000
Exempt Total Value:	0.00000
Year Built:	2020
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.29000000000

LOT 25,TAXBLOCK 4153 (Continued) **S108075793**

Maximum Allowable Residential Far:	1.35000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3041530025.00000000
Condominium Number:	Not reported
Census Tract 2:	1192
X Coordinate:	1018117
Y Coordinate:	186656
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 031
Tax Map #:	31306
E-designation Number:	E-141
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

AR301 **LOT 28,TAXBLOCK 4153** **NY VCP** **S108075795**
ENE **23 MILFORD STREET** **NY E DESIGNATION** **N/A**
1/4-1/2 **BROOKLYN, NY 11208** **NY NYC LAND USE**
0.456 mi. **NY NYC OER**
2410 ft. **Site 3 of 4 in cluster AR**

Relative:
Higher

Actual:
39 ft.

VCP NYC:

Project ID:	23TMP1291K,23EHAZ202K,24CVCP008K
Name:	23 MILFORD STREET
Address:	23 MILFORD ST
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3041530028
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management
Latitude:	40.678918
Longitude:	-73.878169
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	3000000
NTA:	East New York

E DESIGNATION:

Name:	LOT 28,TAXBLOCK 4153
Address:	23 MILFORD STREET
City,State,Zip:	BROOKLYN, NY 11208
Tax Lot(s):	28
Tax Block:	4153
Borough Code:	BK
E-No:	E-141
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	04DCP031K

LOT 28,TAXBLOCK 4153 (Continued) **S108075795**

Ulurp Number:	C040389ZMK
Zoning Map No:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	23 MILFORD STREET
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6790988
Longitude:	-73.8779382
Type Of Ownership Code:	Not reported
Owner Name:	ZHINGRI PROPERTIES LLC
Borough:	BK
Tax Block:	4153
Tax Lot:	28
Community District:	305
Census Tract 2020:	3119200
Census Block 2020:	31192001001
Census Tract 2010:	1192
Census Block 2010:	1001
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1E
Zoning District 1:	R5B: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B1: Two Family Dwellings - Brick
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	1875
Total Building Floor Area:	2531
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	2
Number Of Buildings:	0

LOT 28,TAXBLOCK 4153 (Continued) **S108075795**

Number Of Floors:	3.0000000
Residential Units:	2
Total Units:	2
Lot Frontage:	18.7500000
Lot Depth:	100.0000000
Building Frontage:	18.8000000
Building Depth:	45.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5
Assessed Land Value:	11160.00000
Assessed Total Value:	11160.00000
Exempt Total Value:	0.00000
Year Built:	2024
Year Altered 1:	2023
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	1.35000000000
Maximum Allowable Residential Far:	1.35000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3041530028.00000000
Condominium Number:	Not reported
Census Tract 2:	1192
X Coordinate:	1018106
Y Coordinate:	186714
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 031
Tax Map #:	31306
E-designation Number:	E-141
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	23 MILFORD STREET
Address:	23 MILFORD ST
City,State,Zip:	BROOKLYN, NY
Latitude:	40.678918
Longitude:	-73.878169
OER Project Numbers:	23TMP1291K,23EHAZ202K,24CVCP008K
BBL:	3041530028
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management

URL:
Postcode: 11208

LOT 28,TAXBLOCK 4153 (Continued) **S108075795**

Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	3000000
NTA:	East New York

302
NW
1/4-1/2
0.459 mi.
2426 ft.

SPILL NUMBER 9712720
258 HIGHLAND BLVD
BROOKLYN, NY

NY LTANKS **S104619465**
NY Spills **N/A**

Relative:
Higher

Actual:
148 ft.

LTANKS:

Name:	SPILL NUMBER 9712728
Address:	258 HIGHLAND BLVD
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9712728 / 1998-02-13
Facility ID:	9712728
Site ID:	207323
Spill Date:	1998-02-13
Spill Cause:	Tank Overfill
Spill Source:	Commercial Vehicle
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1998-02-13
CID:	322
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1998-02-13
Spill Record Last Update:	1998-02-17
Spiller Name:	MIKE MARINO
Spiller Company:	ALMAR FUEL
Spiller Address:	918 MCDONALD AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	(718) 277-0751
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	172068
Latitude:	40.6825137
Longitude:	-73.8922258
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT
Remarks:	driver overfilled tank - spill on pavement and has been cleaned up

All Materials:

Site ID:	207323
Operable Unit ID:	1058941
Operable Unit:	01
Material ID:	327320

SPILL NUMBER 9712720 (Continued) **S104619465**

Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	20.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	SPILL NUMBER 9712720
Address:	258 HIGHLAND BLVD
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9712720 / 1998-03-17
Facility ID:	9712720
Facility Type:	ER
DER Facility ID:	172068
Site ID:	207322
DEC Region:	2
Spill Cause:	Human Error
Spill Class:	B3
SWIS:	2401
Spill Date:	1998-02-13
Investigator:	KGHALE
Referred To:	Not reported
Reported to Dept:	1998-02-13
CID:	312
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Affected Persons
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-02-13
Spill Record Last Update:	1998-03-30
Spiller Name:	Not reported
Spiller Company:	ALAMAR FUEL OIL
Spiller Address:	918 MCDONALD AVE
Spiller Company:	001
Contact Name:	DR MORRISON
Latitude:	40.6825137
Longitude:	-73.8922258
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was HALE
Remarks:	driver overfilled her tank - spilled in driveway, lawn and basement heavy odor of oil in house - nyc dep has been called - she is concerned for her 2 small children in the house

All Materials:

Site ID:	207322
Operable Unit ID:	1058933
Operable Unit:	01

SPILL NUMBER 9712720 (Continued) **S104619465**

Material ID:	327313
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

AR303 **3294 ATLANTIC AVENUE** **NY VCP** **S131580663**
ENE **3192 ATLANTIC AVENUE** **NY NYC OER** **N/A**
1/4-1/2 **BROOKLYN, NY**
0.463 mi.
2444 ft. **Site 4 of 4 in cluster AR**

Relative:
Higher

Actual:
39 ft.

VCP NYC:

Project ID:	19TMP1943K,19EHAN411K,20CVCP016K
Name:	3294 ATLANTIC AVENUE
Address:	3192 ATLANTIC AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3041530040
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management
Latitude:	40.679952
Longitude:	-73.877619
Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	Not reported
NTA:	East New York

NYC OER:

Name:	3294 ATLANTIC AVENUE
Address:	3192 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.679952
Longitude:	-73.877619
OER Project Numbers:	19TMP1943K,19EHAN411K,20CVCP016K
BBL:	3041530040
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management

URL:

Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	Not reported
NTA:	East New York

304
ENE
1/4-1/2
0.466 mi.
2462 ft.

PRIVATE RESIDENCE
229 NORWOOD AVE
BROOKLYN, NY

NY LTANKS **S106869058**
N/A

Relative:
Higher

Actual:
40 ft.

LTANKS:

Name:	PRIVATE RESIDENCE
Address:	229 NORWOOD AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0500041 / 2005-11-21
Facility ID:	0500041
Site ID:	342916
Spill Date:	2005-04-01
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	2005-04-01
CID:	41
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2005-04-01
Spill Record Last Update:	2005-11-21
Spiller Name:	Not reported
Spiller Company:	VIJAX OIL CO,
Spiller Address:	222 MERRICK AV
Spiller County:	001
Spiller Contact:	SEORAJI GAYARAM
Spiller Phone:	(718) 827-1558
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	289301
Latitude:	40.6808940
Longitude:	-73.8788510
DEC Memo:	05/18/05 - Sawyer - Soeraji Gayaram from her private residence called and reported that she is still having problems with interior contamination. I called Anthony Losquadro from Vjiax Oil and he is going to send out a cleanup crew to finish the basement cleaning. I required him to call the Department when he the job is finished, so an inspection can be performed. 11/17/05- DEC Piper spoke w/ homeowner Ms. Gayaram. All cleaned up by Vijax. No complaints by her.
Remarks:	overfill of tank - being cleaned up at this time

All Materials:

Site ID:	342916
Operable Unit ID:	1101603
Operable Unit:	01
Material ID:	581816
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported

PRIVATE RESIDENCE (Continued) **S106869058**

Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

305
WNW
1/4-1/2
0.467 mi.
2467 ft.

63 SUNNYSIDE AVENUE
BROOKLYN, NY 11207

NY LTANKS **S102673302**
NY Spills **N/A**
NY NYC LAND USE

Relative:
Higher

Actual:
113 ft.

LTANKS:

Name:	63 SUNNYSIDE AVE
Address:	63 SUNNYSIDE AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9515454 / 1996-03-01
Facility ID:	9515454
Site ID:	288953
Spill Date:	1996-03-01
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	D4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	1996-03-01
CID:	270
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1996-03-01
Spill Record Last Update:	1996-03-26
Spiller Name:	UNKNOWN
Spiller Company:	Unknown
Spiller Address:	UNKNOWN
Spiller County:	999
Spiller Contact:	MS STEWART
Spiller Phone:	(718) 235-9203
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	234027
Latitude:	40.6807388
Longitude:	-73.8940893
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was TANG MR. STEWART SAID THE PEOPLE IN THE STREET FIXING THE CAR SPILLED THE OIL.
Remarks:	CITIZEN STATES THAT OIL COMPANY WHICH DELIVERS TO HER NEIGHBOR IS ALWAYS SPILLING OIL

All Materials:

(Continued) **S102673302**

Site ID:	288953
Operable Unit ID:	1030097
Operable Unit:	01
Material ID:	355581
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	RESIDENTIAL
Address:	63 SUNNYSIDE AVENUE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	2000481 / 2020-05-12
Facility ID:	2000481
Facility Type:	ER
DER Facility ID:	552604
Site ID:	604089
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2020-04-22
Investigator:	VSZHUNE
Referred To:	Not reported
Reported to Dept:	2020-04-22
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2020-04-22
Spill Record Last Update:	2020-05-12
Spiller Name:	Not reported
Spiller Company:	LEFFERTS OIL
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	MALONEY
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	04/22/20-Hiralkumar Patel. 5:12 PM:- spoke with FDNY. they reported discharge of approx. 70 gal of #2 oil from a tank inside the basement due to an overfill. FDNY provided number for oil company representative. 5:20 PM:- spoke with Patrick (917-560-2394) and left message for oil company. 6:04

(Continued) **S102673302**

PM:- spoke with Vinny at Lefferts Oil. he mentioned that property owner ordered delivery of 600 gal of #2 fuel oil. driver delivered oil around 5 PM and left site. sometime after, property owner called FDNY due to an oil spill noted in basement. the spill occurred from a loose plug on the tank. Vinny mentioned that he has reported spill to NRC (cased # 1275870) and is responding with Miller Env. for cleanup. asked him to send property owner's contact info and site pics. based on available information about spill in building basement, suggested Vinny to place a ventilation fan in basement to prevent any vapor accumulation in the building. Vinny Boves Lefferts Oil Ph. (917) 416-2438 email: vinnyboves@gmail.com 7:59 PM:- spoke with Vinny inquiring update. he is at the site and will call back with property owner's contact details. 8:11 PM:- received call from Vinny and spoke with Carlos Williams, property owner. Mr. Williams confirmed spill being cleaned up and there are no petroleum vapors upstairs. Mr. Williams is the only occupant of the building. Carlos Williams 63 Sunnyside Avenue Brooklyn, NY 11207 Ph. (917) 833-2123 8:26 PM:- received email from Vinny including some site pics which show tile floor, but does not include any details about tank location or leak point on the tank. 8:28 PM:- sent email to Vinny and inquired him about type of floor tiles and pics of tank system from where spill occurred. 8:44 PM:- received email from Vinny stating that the basement floor tiles are ceramic tiles. he also stated that the tank is underground located beneath the basement floor. 8:45 PM:- spoke with Vinny and inquired him about tank location and area from where spill occurred. at this point, Vinny clarified that spill actually occurred from a vent pipe (not from loose plug as mentioned earlier) which is located right above a metal hatch for basement access. Vinny stated that spilled material from the vent line entered the basement through the hatch and had impacted ceramic tile floor. he did not notice any leak from the tank. Vinny confirmed presence of a tank gauging port on basement floor. asked Vinny to revisit the site and send pics of vent pipe/basement hatch and basement floor where tank located to confirm spill cleanup. 8:58 PM:- spoke with Mr. Williams. he gauged the tank and noted 49 inches of oil in the 1,080 gal tank. 10:37 PM:- sent email to Vinny and asked him to revisit the site and provide pics of vent pipe/basement hatch where spill occurred and basement floor where the tank is located. also asked him to gauge the tank to measure product in the tank.
04/23/20-Hiralkumar Patel. 9:25 AM:- spoke with Mr. Williams. he regauged the tank and noted same amount of oil (49 inches). he also confirmed completion of spill

(Continued) **S102673302**

cleanup and no petroleum odors in
the house. discussed with DEC Austin. based on review of available information, Austin asked to
assign case to DEC Zhune (off-hour secondary) for a site inspection to confirm cleanup prior to
spill closure. 10:15 AM:- spoke with DEC Zhune and asked her to visit site (as per current
guidelines on COVID-19) to confirm spill cleanup. 10:49 AM:- sent email to DEC Zhune including case
summary and asked her to schedule a site inspection. email copied to Vinny and asked him to send
site pics/tank gauging data to DEC Zhune. case assigned to DEC Zhune. 11:31 AM:- received pics from
Vinny including pics taken during tank gauging. 11:47 AM:- spoke with Vinny. he mentioned that him
and property owner both gauged the tank and noted 49 inches of oil in it. Vinny confirmed that the
tank is full. 1:02 PM:- received email from Vinny including pic of a vent pipe. email confirms
presence of 49 inches of oil in the tank. 5/12/20-Vinny Boves emailed the report dated 5/7/20. The
letter ststed that on April 22 2020 we received a call from home heating oil to respond to an oil
spill clean up at 63 Sunnyside Avenue. We responded and met either the owner of the property who
took us to the basement. We found approximately less than 2 gqllons of oil on the floor. The tank
cap was loose and oil had come out through the cap. The oil was squeegee back into the tank and the
area was wiped and wipes were put in a 5 gallon container for later pick up by third party. Baking
Soda boxes were left at the side to absorb any lingering odor. The area was clean an no odor could
be detected. Spill Closed

Remarks: BUSTED PIPE IN BASEMENT CLEAN UP PENDING

All Materials:

Site ID:	604089
Operable Unit ID:	1351242
Operable Unit:	01
Material ID:	2362058
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	70.00
Units:	G
Recovered:	Not reported
Resource Affected:	Soil
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	63 SUNNYSIDE AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6809127

(Continued) **S102673302**

Longitude:	-73.8942278
Type Of Ownership Code:	Not reported
Owner Name:	WILLIAMS CARLOS
Borough:	BK
Tax Block:	3488
Tax Lot:	3
Community District:	305
Census Tract 2020:	3114201
Census Block 2020:	31142012000
Census Tract 2010:	1142.01
Census Block 2010:	2000
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1C
Zoning District 1:	R3-1: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	B2: Two Family Dwellings - Frame
Land Use Category:	One & Two Family Buildings
Number Of Easements:	0
Lot Area:	6000
Total Building Floor Area:	3063
Commercial Floor Area:	0
Residential Floor Area:	3063
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	2
Number Of Floors:	2.5000000
Residential Units:	2
Total Units:	2
Lot Frontage:	50.0000000
Lot Depth:	120.0000000
Building Frontage:	35.0000000
Building Depth:	35.0000000
Extension Code:	G
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	5

(Continued) **S102673302**

Basement Type/Grade:	2
Assessed Land Value:	25800.00000
Assessed Total Value:	79500.00000
Exempt Total Value:	0.00000
Year Built:	1910
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.51000000000
Maximum Allowable Residential Far:	0.50000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	1.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3034880003.00000000
Condominium Number:	Not reported
Census Tract 2:	114201
X Coordinate:	1013587
Y Coordinate:	187369
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 004
Tax Map #:	31109
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

306
ESE
1/4-1/2
0.474 mi.
2504 ft.

PRIVATE RESIDENCE
172 MILLFORD ST
BROOKLYN, NY

NY LTANKS **S106124044**
N/A

Relative:
Lower

Actual:
27 ft.

LTANKS:

Name:	PRIVATE RESIDENCE
Address:	172 MILLFORD ST
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0312000 / 2004-03-04
Facility ID:	0312000
Site ID:	257620
Spill Date:	2004-01-26
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	JMKRIMGO
Referred To:	Not reported
Reported to Dept:	2004-01-26
CID:	403
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported

PRIVATE RESIDENCE (Continued) **S106124044**

Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2004-01-26
Spill Record Last Update:	2004-03-16
Spiller Name:	Not reported
Spiller Company:	TRUCKING USA
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	DAVID PEREZ
Spiller Phone:	(917) 531-4502
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	210936
Latitude:	40.6753794
Longitude:	-73.8773526
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was KRIMGOLD 1/26/04. J.Krimgold responded to the site. During fuel delivery to a 275 gal AST located in the basement of a two family house, was over-pressurized and split-open its side wall. About 250 gal of #2 oil was released onto the basement concrete floor. Trucking USA made a delivery ordered by Empire Fuel. Trucking USA contacted its insurance co. AIG to report a spill. Trade-Winds was hired to clean up. Currently oil is contained and due to a good floor condition can be picked up by vacuum truck. 20:15 Trade-Winds crew arrived and began the cleanup. Doug Schrimp is a project manager. 2/2/04. Krimgold/Embrose/phone. Investigation revealed that tank was over-pressurize due to a completely clogged vent line. Some oil went through the cracs in the concrete. These aras will be excavated to remove contaminated soil. 2/10/04. J. Krimgold spoke to Clif Embrose (Embrose Envir. 888-556-4734) a consultant for AIG Insurance. He stated that a cleanup has been completed and will request Trade-Winds to submit a closure report to DEC. Also, spoke to David Perez- house owner. He conferred that a cleanup and restoration has been completed. Closure pending report from Trade-Winds. 3/04/04. J.Krimgold reviewed a closure letter report prepared by Trade-Winds and dated February 26, 2004. Soil analytical results show no residual contamination inside the house but exceedance over TAGM criteria around exterior drain, where excavation was stopped at 5’ due to the construction constraints. BIO-Solution has been applied at this area and then backfilled and cemented. NFA.
Remarks:	asbout 250 gallons spilled due to tank overfill they are in the process of cleaning it up

All Materials:

Site ID:	257620
Operable Unit ID:	877232
Operable Unit:	01
Material ID:	497235
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	250.00
Units:	G
Recovered:	.00
Resource Affected:	Soil

PRIVATE RESIDENCE (Continued) **S106124044**

Oxygenate: Not reported

307
NNE
1/4-1/2
0.476 mi.
2515 ft.

508 JAMAICA AVENUE
508 JAMAICA AVE
BROOKLYN, NY

NY LTANKS **S102672738**
N/A

Relative:
Higher

Actual:
56 ft.

LTANKS:

Name:	508 JAMAICA AVENUE
Address:	508 JAMAICA AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	9412416 / 1994-12-16
Facility ID:	9412416
Site ID:	84898
Spill Date:	1994-12-16
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	1994-12-16
SWIS:	2401
Investigator:	SMMARTIN
Referred To:	Not reported
Reported to Dept:	1994-12-16
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-02-16
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	582 SENECA AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	78046
Latitude:	40.6841437
Longitude:	-73.8846844
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was MARTINKAT
Remarks:	APPROVE 10 GALLON SPILLED OUTSIDE RESIDENCE.

All Materials:

Site ID:	84898
Operable Unit ID:	1010066
Operable Unit:	01
Material ID:	374728
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported

508 JAMAICA AVENUE (Continued) **S102672738**

Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	10.00
Resource Affected:	Soil
Oxygenate:	Not reported

308
NNE
1/4-1/2
0.482 mi.
2546 ft.

ANNA CORP REALITY
78 HIGHLAND PLACE
BROOKLYN, NY 11208

NY LTANKS **S107657273**
NY Spills **N/A**
NY LEAD
NY NYC LAND USE

Relative:
Higher

Actual:
51 ft.

LTANKS:

Name:	ANNA CORP REALITY
Address:	78 HIGHLAND PLACE
City,State,Zip:	BROOKLYN, NY 11208
Spill Number/Closed Date:	0212208 / 2009-06-02
Facility ID:	0212208
Site ID:	315891
Spill Date:	2003-03-12
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	2401
Investigator:	JMKRIMGO
Referred To:	Not reported
Reported to Dept:	2003-03-12
CID:	297
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2003-03-12
Spill Record Last Update:	2009-07-20
Spiller Name:	ISAAC KATZ
Spiller Company:	ANNA CORP REALITY
Spiller Address:	78 HIGHLAND PLACE
Spiller County:	001
Spiller Contact:	ISAAC KATZ
Spiller Phone:	(516) 924-5840
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	21716
Latitude:	40.6835030
Longitude:	-73.8817840
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was SANGESLAND 01/04/2006- Isaac Katz on phone asked to have Spill report to be Faxed at 1-718-623 -9436. He will response by end of Jan, 2006. 6/2/09. According to a Clean Solutions Technologies letter dated 12/18/06 (see spill # 0513778), borings were done outside the building and next to the former UST location on 11/6/06 and 11/7/06. Two outside borings were performed to 12' and 36'. No contamination

ANNA CORP REALITY (Continued) **S107657273**

was detected. Boring B-1 was done next to the former UST location to a depth of 15' bg. Results from the soil sample taken on 11/17/06 were virtually entirely non-detect. Residual contamination was found at less than 6' at the other borings. 5/18/07 letter from Clean Solutions Technologies stated that the second treatment solution injection took place on 3/19/07 and soil samples were taken on 4/19/07. The results for soil samples from SB-1 and SB-2 (next to the tank) showed only a few hits for both and the total SVOCs were below TAGM. All of the other soil samples taken from borings throughout the basement were almost entirely non-detect. 7/12/07 letter from Clean Solutions Technologies stated that a soil sample taken on 6/29/07 from boring S-1 next to the former UST location had results that were below TAGM. Based on the data obtained case closed. SCL. JK.

Remarks: THE ONLY POSSIBLE SPILL WAS A COUPLE OF STAINS ON THE WALL NEED NEAR THE FILL TUBE

All TTF:

Facility ID:	0212208
Spill Number:	0212208
Spill Tank Test:	1528077
Site ID:	315891
Tank Number:	1
Tank Size:	2000
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	315891
Operable Unit ID:	863217
Operable Unit:	01
Material ID:	565752
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	APRT BUILDING
Address:	78 HIGHLAND PLACE
City,State,Zip:	BROOKLYN, NY 11208
Spill Number/Closed Date:	0513965 / 2006-03-07
Facility ID:	0513965

ANNA CORP REALITY (Continued) **S107657273**

Facility Type:	ER
DER Facility ID:	21716
Site ID:	360561
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	C4
SWIS:	2401
Spill Date:	2006-03-07
Investigator:	SMSANGES
Referred To:	Not reported
Reported to Dept:	2006-03-07
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Federal Government
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	Not reported
Remediation Phase:	0
Date Entered In Computer:	2006-03-07
Spill Record Last Update:	2009-05-21
Spiller Name:	Not reported
Spiller Company:	UNKNOWN OIL COMPANY
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	BAINCA
Latitude:	40.6834870
Longitude:	-73.8817700
DEC Memo:	duplicate spill - Ref #0513778
Remarks:	call bianca with any further questions:

All Materials:

Site ID:	360561
Operable Unit ID:	1117705
Operable Unit:	01
Material ID:	2108216
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	APARTMENT BUILDING
Address:	78 HIGHLAND PLACE
City,State,Zip:	BROOKLYN, NY 11208
Spill Number/Closed Date:	0513778 / 2007-07-19
Facility ID:	0513778
Facility Type:	ER
DER Facility ID:	21716
Site ID:	360323
DEC Region:	2

ANNA CORP REALITY (Continued) **S107657273**

Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	2401
Spill Date:	2006-03-01
Investigator:	rvketani
Referred To:	Not reported
Reported to Dept:	2006-03-01
CID:	409
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-03-01
Spill Record Last Update:	2011-02-11
Spiller Name:	ALEX ZEBLOVICH
Spiller Company:	APARTMENT BUILDING
Spiller Address:	78 HIGHLAND PLACE
Spiller Company:	001
Contact Name:	ALEX ZEBLOVICH
Latitude:	40.6834870
Longitude:	-73.8817700
DEC Memo:	Sangesland called eastmond to get a status on the cleanup 03/02/06 Feroze, PBS case of this spill is # 2-509531. CSL is sent to: ISSAC KATZ Anna Court Realty LLC 174 Broadway, #215 Brooklyn, NY 11211 03/07/06 Feroze, received a call from Mrs. Bianca (718-827-0184). She told me that she feel too odor in her apartment. Eastman & Sons is working on the site. Issack Mangoa of Eastmond & Sons (718-378-3000)is requested to use air ventelation of that building to reduce oil smell. Mr.Rene 917-299-7257 of Eastmond & Sons is taking care of that work. 03/08/06 Feroze, I talked to Ms. Bianca. She complained about the odor of fuel. She cann't stay in her room. I talked to Rene. He informed that the concrete floor is impacted by fuel. I talked to Mr.Anthony (718-627-5100) of Empire Fuel Oil Corp. He informed that they will send Eastman & Sons for further cleaning work. 3/8/05 - Raphael Ketani. I arrived at the site at 1:15PM. I was met by Mrs. Bianca (cell (718) 753-1884), the building manager. There was a slight oil odor (160 ppb total VOCs with the PID)in the foyer which was enclosed by steel with glass doors front and back. She took me to the first floor lobby, which had a slight odor (187 ppb). Then she took me to see Mr. Kissoon, the resident of apartment 5A (first floor). Mr. Kissoon's apartment had about 80 to 125 ppb depending on how well the rooms were ventilated. She took me to the basement. There I saw many dark stains all over the floor of the basement and inside the boiler room. There were many

ANNA CORP REALITY (Continued) **S107657273**

fine cracks throughout the
basement and the boiler room, and many of them had oil stains along their lengths. The ambient air
in the basement had 3,400 ppb. There were wet looking stains where the basement walls met the
floor, especially inside the tank room. The PID indicated 5,000 to 9,000 ppb at these stains. The
2,000 gal. #2 fuel tank looked dry on the outside. All of the associated piping looked dry and
intact. The tank looked like a recently installed unit as the paint was shiny black. The boiler
looked dry and intact, but the ambient air had 3,000 ppb. Mrs. Bianca said that K. C.
Transportation had arrived at the building on 3/1/06 and started pumping oil into the fill port and
pipe. However, she said, it was an unplugged pipe that was no longer used which opened into the
tank room. Mrs. Bianca said that after some time her husband noticed a strong odor coming from the
basement and went to investigate. He saw the oil flowing through the cinder block wall of the tank
room and over the floor of the basement. He ran outside to stop the truck driver from pumping more
oil. She said that the oil was all over the floor of the basement and the floor of the boiler room
and the tank room. She said that Eastmond told her that 50 gallons had spilled. However, given the
amount of time that elapsed from when pumping started and when Mr. Bianca had the oil delivery
stopped, I estimated the spillage at atleast 280 gals. I did not see any drains in the basement,
but there is a sump with a pump in the boiler room. She said that it hasn't been running. (It
didn't look wet when I saw it.) She said that Eastmond was hired by Empire Oil who had
subcontracted K. C. Transportation. Eastmond had knocked out most of the cinder blocks from the
tank room vault and piled them up nearby. They had also bagged up some oil soaked debris, but they
didn't take away the saturated blocks or the bags. Additionally, there is still alot of oil soaked
sediment and cement within the tank room on the floor and along the bottom of the walls of the
basement. The floor staining is also obvious, despite a round of power washing. Eastmond left Mrs.
Bianca bottles of vinegar and Sweet-Air to reduce the odors. From talking to Mrs. Bianca, it is not
clear why Eastmond left the oil soaked debris. The floor needs at least another power washing. I
told Mrs. Bianca to immediately get someone to plug up the old fill port and pipe with cement. She
said she would, but seemed a bit upset and so she may not remember my telling her this. Mrs. Bianca
took me up to her apartment to measure the vapor levels. The second floor landing had 415 ppb. The
ambient air in her apartment was 200 to 375 ppb, the first bedroom was 280 ppb with ventilation,

ANNA CORP REALITY (Continued) **S107657273**

and the second bedroom (which was closed) was 900 ppb. I asked her for the building owners phone
number. She said Mr. Issac Katz was at (718) 623-9430. I told Mrs. Bianca that I will call Empire
State Fuel Corp. ((718)627-5142), K. C. Transportation (Paul Sano at cell (516) 322-3820), and
Eastmond ((718)378-3000) and write letters to Issac Katz, the building's owner, to get the vapors
resolved. vapor recap: foyer - 160 ppb first floor lobby - 187 ppb Kissoon's apartment - 80 to 125
ppb basement ambient air - 3400 ppb tank room floor sediment - 5000 to 9000 ppb boiler room ambient
air - 3000 ppb second floor landing - 415 ppb Mrs. Beanka's apartment - 200 to 375 ppb Mrs.
Beanka's first bedroom - 280 ppb Mrs. Beanka's second bedroom - 900 ppb I spoke to Rene of Eastmond
and he said that he was working for Empire State Fuel and Anthony Reitano hired his company. He
said they arrived on 3/1/06 and spread Speedi-Dri inside the tank room, but to soak up some of the
oil. However, he said, they were not authorized to break down the cinder block wall to get inside
and clean up more oil. So they power washed the floor. Later, he said, the super's own crew knocked
down the cinder blocks. He added that his crew had picked up all of the debris they made and that
the cinder blocks and black bags that are present were generated by the super's crew, though he is
willing to pick them up. Rene said that he wont do more work as there are arguments (between Empire
and the super) as to who is responsible for paying for the cleanup and who will pay for more work.
Later, Mahendra of NYC DEP called ((347) 386-3702) to say that Mrs. Bianca had called him about the
oil spill and the high vapors in the building. He asked what the situation was there and I told
him. He asked whether DEC needed any help and I told him that we are responding to the case and
will get the responsible parties to clean up the spill. I tried to call Issac Katz, the owner, but
could only leave a message. 3/9/06 - Raphael Ketani. I tried calling Mr. Katz again, but could only
leave a message. I will send spill cleanup letters to Mr. Katz and to Empire State Fuel. I called
up Mr. Reitano of Empire State Fuel to ask what was happening with the cleanup of the basement. He
said that nothing was happening right now. I told him about the oil soaked conditions and high
vapors in the basement and how the vapors were affecting people in the floors above. He said he
will talk to Rene of Eastmond and find out what is the status of his company going out there to
continue the cleanup. Also, as of 1:37PM, I still haven't heard from Mr. Katz. 3/10/06 - Raphael
Ketani. Jeff Vought of DEC Spill Response Region 2 called Mrs. Bianca to find out how the vapors
were in the building and if someone was ventilating the building. She

ANNA CORP REALITY (Continued) **S107657273**

said that no one had come to get rid of the odors. Mr. Vought told me that the vapors weren't being removed and I called Mr. Katz, Mr. Reitano of Empire, Mr. Alex Zeblovich of K. C. Transportation (the subcontractor) and Rene of Eastmond. I told each of them that a contractor had to be brought to the building immediately and had to set up large fans to ventilate the building and get rid of the vapors. Mr. Katz, Mr. Reitano, and Mr. Zeblovich all told me that it was the other guys' responsibility and not theirs. I told them that they were all responsible and that this must be done by four o'clock today. I added that if they don't call me by four o'clock to tell me the fans are in place and blowing, then I will call the ECOs and have them visit everyone and issue fines and violations to everyone. They seemed to understand. I informed Randy Austin, Chief Spills Engineer of Region 2, of the situation with the heavy vapors in the basement, the residents complaining, and in one case leaving to stay elsewhere, and he agreed with my actions. Later, at about 3:45PM, Mrs. Bianca called to say that the vapors were again very strong in her apartment and that they were making her sick. At 4:05PM, I received a call from Mr. Katz that Eastmond was on their way to set up fans in the basement. I mentioned this to Mr. Austin and he sent Ryan Piper of the Spill Response Unit to investigate. Mr. Piper arrived on site at 5:20PM. He told me that Eastmond was present and that they were setting up 4 large fans. The odors in the basement were moderate and the odors upstairs were light. 3/15/06 - Raphael Ketani. I received a call from Mr. Katz. He asked what has to be done now. I told him the oil stained cracks need to be investigated. If oil is found below the floor, then that part of the floor needs to be dug up, the soil dug up, and everything removed. I added that there are cracks in the upper basement floor, the floor outside the boiler room, and the floor inside the boiler room. Lastly, I told him that the oil soaked bottom of the walls and the oil soaked cinder block needs to be power washed, and removed, respectively. He said he will hire ABC Tank. I told him I will need a report regarding all of this work before I close the case. Rene of Eastmond called. He said he set up 4 large fans in the basement. He said that Anthony of Empire State was contracting him for this. I told him to keep his fans there and to keep the air circulation going. He said he would. He told me that Mr. Katz hasn't contacted him regarding the investigation work. I told him that I had told Mr. Katz what needs to be done to conduct the investigation. Rene said that as soon as the other company arrives, he will remove the fans. I told

ANNA CORP REALITY (Continued) **S107657273**

him that the air circulation has to be maintained because there are children and sick people in the building. I spoke to Mr. Reitano and told him to keep at least one large fan in the basement. He said he will, but HE WANTED TO KNOW WHEN HE CAN TAKE THEM OUT. I told him I would let him know. 3/17/06 - Raphael Ketani. I tried to find out whether the clean up had started by calling Mr. Katz, but I could only leave a message. I called Mrs. Bianca and asked her how things were and whether any work had started. She said the odors were better in her apartment, but the elderly couple on the first floor still hasn't returned. She said the fans are working, but no digging or debris removal has started. She said someone from the NYC DOH came over to the building. She said this person issued a notice that the oil soaked debris had to be cleaned up by April 1. Mr. Katz called me back. He said he is going to contract with ABC Tank and they will send him a proposal. He said they will initially do soil borings to see how bad the contamination is under the floor. He said that Eastmond has already done 2 power washes. I told him that all oil soaked cinder block and the black bags of debris have to be removed. He said he will have this done. I told him that the cement walls at their base are oil soaked and that this needs to be power washed and sealed with expoxy paint, as they are bearing walls that can't be removed. He said he will also have this done. Lastly, I asked him to keep me informed as to what ABC Tank finds and as to what they recommend. He said he would. 3/21/06 - Raphael Ketani. I spoke to Mrs. Bianca. She said that John Sabatino, Project Manager from AB Environmental (631) 567-6545, was in the basement with another person inspecting the site. She said that he had also been there about a week ago. Mrs. Bianca said that no work has taken place, yet, but the fans are still blowing and the vapors are low enough in her apartment to live comfortably. Later, Mark Robbins of Hydro Tech Environmental (631) 462-5866 called to find out what the remediation job would entail. He said he was contacted by Mr. Katz. I explained to him the extent of the contamination that I had seen during my site visit. 3/24/06 - Raphael Ketani. I spoke to Mr. Sabatino today. He asked what kind of analysis DEC wanted. I told him methods 8260 and 8270 with TAGM 4046. He said he would have this done. He told me the soil PID results he obtained. He said the following: between wall and tank at 10' bgl: 426 ppm 5' away from tank: 289 ppm SB-4 at 20 bgl: 60 ppm SB-6 at 16 bgl: 235 ppm SB-10 at right side of tank: 414 ppm SB-14 at floor drain: 28 ppm I asked Mr. Sabatino whether his company would do the soil digging below the slab and the power washing of the base of the walls. He said

ANNA CORP REALITY (Continued) **S107657273**

they would. 3/29/06 -
Raphael Ketani. I left a message for Mr. Sabatino to call me back regarding the status of the
cleanup and investigation at the site. I spoke to Rene of Eastmond. He said he is taking his fans
out of the basement as his company is no longer the contractor there. I told him he can do this.
Next, I called up Mr. Sabatino and told him that ventilation must be maintained in the basement,
that Eastmond has to take there equipment out to bring it to another job, and so AB Environmental
must install fans for ventilation. He said he will do this. 4/3/06 - Raphael Ketani. I spoke to Mr.
Sabatino (cell (631) 466-2793). He said that he has the analytical results for SVOCs for the soil
samples and that he is expecting the VOC results within a week. I asked him about the fans. He said
that his boss is worried about getting paid and so he can't put the fans in - it's a contract
issue. Mr. Sabatino told me to call or write Mr. Katz directly to get him to order putting in the
fans. I tried calling Mr. Katz, but could only leave a message with his answering service. I tried
to call Mrs. Bianca to find out how the odors are in her building, but could only leave a message.
Mr. Katz called me back. He said that he had talked to A B Environmental last friday, 3/31, and
they agreed to put in the fans. I told him that I had just talked to Mr. Sabatino today and he said
that A.B. had not agreed to do so. I told him that I was told it was a contractual issue and they
were concerned about getting paid. Mr. Katz said he would talk to A.B. and straighten the situation
out. I told him to resolve the situation quickly so that the floors above don't get filled with
vapors again. 4/4/06 - Raphael Ketani. Mrs. Bianca called to say that the fans were taken out
yesterday and that last night the vapors became more noticeable in the first floor apartments. She
said some of the residents complained to her. I told her that if the fans are not installed today,
she should call me back tomorrow. She said she will do that if no ventilation is provided. Mr.
Sabatino called at 2:20PM and said that his company will install fans in the basement and do power
washing tomorrow. 4/10/06 - Raphael Ketani. I spoke to Mr. Sabatino at 11:28AM. He said that the
fans were installed thursday, 4/6/06, and that they power washed the tank containment area and the
basement floor. He said they found a lot of residue in the tank containment area. I asked him about
the soil below the slab. He said he is putting together an investigation proposal right now which
will include soil removal below the floor. I asked about the odors. He said they are slight due to
the ventilation. 4/17/06 - Raphael Ketani. I tried calling Mrs. Bianca, but could only leave a

ANNA CORP REALITY (Continued) **S107657273**

voice mail message. 4/18/06 - Raphael Ketani. I reviewed the Site Assessment Report produced by
ABLE Environmental, submitted by AB Oil Service Ltd. and dated 4/12/06. The report was acceptable
to the Department. Significant contamination was found in the soil at sites SB-1, SB-2, SB-6, and
SB-10. I will send a letter to this effect with the addition that they have to do several rounds of
bioremediation to get the oil under the tank room and under inaccessable areas of the basement.
4/26/06 - Raphael Ketani. Mr. Sabatino called and asked for clarification regarding my 4/18/06
letter. I told him I wanted soil to be dug up only at the boring sites I indicated: SB-1, SB-2,
SB-6, and SB-10. He said that he will do bioremediation by injection from outside the building and
possibly via a trench dug inside the basement in the exposed soil below the concrete floor. Mr.
Sabatino said that it may take a number of injections. I told him to send me a letter describing
what he wants to do. He said he would. As an aside, I asked him what the vapors were like in the
basement. He said that you can hardly smell them. He said that the last time he measured the
vapors, they were at 10 ppm. I told him that is very high and that this is dangerous to elderly
people, sick people, and children in the building. He said that his company is not in the business
of ventilating buildings. I told him that the basement needs ventilation. He said that he has one
fan going all the time and the windows and doors are open. Later, I called up Mrs. Bianca and asked
her how the vapors were in her apartment. She said that the vapors are bad in her place, even with
the windows open. She said that the elderly couple on the first floor still haven't returned due to
the odors. I told her I will make a site visit tomorrow at 10:30AM. She said she will be there to
let me into the building. 4/27/06 - Raphael Ketani. I made my site visit and met Rosemary Addison,
Public Health Sanitarian with the Office of Environmental Investigations, Div. of Environmental
Health, NYC DOH ((212) 442-3372). I did not expect to meet her, but she said that Mr. Kisson of
apt. 1A had asked her to come and she was responding to a nusiance odor complaint. I told her that
A.B. Environmental was going to start work soon to dig out the soil below the basement and do
bioremediation. She said she wasn't going to issue a ticket at this time and will talk to her
supervisor on what to do. Next, I met Mrs. Bianca and she showed me the basement, her apartment,
Mr. Kisson's apartment and Mr. Kisson's parents' apartment (5A). The vapor levels were: basement
ambient air - 300 ppb stained areas where basement walls meet the floor, and the tank room floor -
up to 690 ppb boiler room - 350 ppb first floor hall - 29 ppb Mr.

ANNA CORP REALITY (Continued) **S107657273**

Kisson's apartment - 250 ppb Mr.
Kisson's parents' apartment - 110 ppb Mrs. Bianca's apartment - 250 ppb in kitchen and 162 ppb in
the second bedroom Except for the basement, there were no detectable odors. The apartments have
odors primarily because they are over the basement and because the floor boards have many gaps and
the pipes for the radiators pass through holes that are too large - creating more gaps. All of the
measurements were made with open windows in the apartments, the hallway, and the basement. Two fans
were running in the basement. One to draw in air and one to exhaust air. I spoke to Mr. Sabatino of
A.B. Environmental and told him that there are still stains along the base of the walls. I asked
him to power wash those areas where the floor meets the walls inside and outside the tank room. He
said he would do it. I asked him when the digging will start. He said probably next week. He said
he will put up plastic sheeting on the ceiling to prevent additional vapors from migrating up into
the apartments. 5/25/06 - Raphael Ketani. Received a FAXed letter from Scott N. Fein, attorney for
Mr. Katz and Anna Court Realty, stating that DEC should also go after Empire State Fuel to get them
to pay for some of the cleanup costs. I brought the letter to the attention of John Urda of Legal
Affairs and he said he would call Mr. Fein. I tried calling Mr. Sabatino, but could only leave a
message. Mr. Sabatino returned my called at 3:20PM and said he spoke to Mr. Katz last week, but Mr.
Katz told him he's not going any further with the cleanup (only soil sampling was done). 6/7/06 -
Raphael Ketani. I left a message for Mr. Sabatino at his desk number (631) 567-6545 and at his new
cell number (631) 300-6493. Mr. Sabatino returned my call. He said that things are at a standstill.
I will contact John Urda of Region 2 Legal Affairs and let him know. 6/13/06 - Raphael Ketani. I
sent STIP letters to Issac Katz of Anna Court Realty LLC, Anthony Reitano of Empire State Fuel
Corp, and Casey Transportation. 6/26/06 - Raphael Ketani. I received a call from Mary Ellen of
Coverage Concepts, the insurance broker for Empire State Fuel and K C. Transportation. She inquired
as to what the STIPS mean. I explained the letters to her and stated that they have until the
deadline, June 27, to get me the signed stipulations. I told her that if I don't receive them, then
I will have the ECOs go out and issue fines. She said she understood. 6/27/06 - Raphael Ketani. I
visited the site today after Mary Ellen Fatscher ((631) 331-7700, ext. 134), the Coverage Concepts
insurance agent for Empire and K.C., called to say that she had talked to A. B. Environmental and
wasn't sure the cleanup work was continuing. I looked inside the basement window from the street

ANNA CORP REALITY (Continued) **S107657273**

and saw that nothing had changed since the investigation took place. There was only a slight odor in the basement. I talked to Ms. Fatscher after returning and told her nothing was taking place. I told her that I still held Mr. Katz responsible, even if he doesn't send in a STIP, and that he will get fines because of this. She said that, in that case, she will have both Empire and K.C. send in their STIPs. Ms. Fatscher called back and asked for a 1 day extension of the STIP submittal deadline. I told her that would be alright, but not more than 1 day. I tried calling Mr. Katz, but no one picked up the phone and the answering machine would not come on. Ms. Fatscher said that she thought Mr. Katz was out of town for a vacation or due to a death in the family. 6/28/06 - Raphael Ketani. I received a call from Bob Spears of Ambrose Environmental (732) 312-2375. He said he represents the insurance carrrier, AIG. He wanted to know what was needed to remedy the situation at the site. I told him that only the cleanup is needed. I told him what was involved in order to collect and remove the oil. I asked him to send me a cleanup plan for review. He said he would. Mr. Sabatino called because he received a call from Ambrose that they were going to do the cleanup. I told him that was true and that Ambrose has been hired by the insurance company for Empire and K.C. I told him I was sorry this was happening, but things are standing still and Mr. Katz is unresponsive because he feels he has paid enough of the costs. Mr. Sabatino said he wasn't upset about Ambrose doing the cleanup and he will talk to them again. 6/30/06 - Raphael Ketani. Ms. Fatscher FAXed me a copy of the building permit that was granted by the NYC Department of Buildings for replacing the tank, boiler and associated piping. She also FAXed me a copy of the court summons whereby Anna Court Realty is suing Empire State Fuel. 7/5/06 - Raphael Ketani. Mr. Robert Martin (212) 989-5337, an investigator for Mr. Krol ((212) 595-8009; the lawyer for Empire State Fuel), called and asked whether there were any witnesses to the oil spill, other than the super, and how much oil spilled. I told him that, as far as I knew, the super was the only witness and that it was impossible to tell how much oil had been released and whether this followed a previous spill. 7/10/06 - Raphael Ketani. I sent out new letters containing STIP forms to be signed to Empire and K. C. I did this because they both scratched out paragraph 3 on the STIPs they sent in. However, Mr. Katz never responded. Mr. Sabatino of A. B. Environmental tried to call me last friday (7/7/06). I called him today. He said that A. B. will do the actual physical removal and treatment work and Ambrose will be the overseeing company. I told him that

ANNA CORP REALITY (Continued) **S107657273**

sounded fine. He said he expected
work to start either this week or next week. 7/11/06 - Raphael Ketani. Ms. Bianca called to say
that she has a 9 to 5 job now and so she will not be at the apartment building during business
hours. She said her husband is a part-time super. and so he may or may not be in the building
during business hours. She added that possibly she can make special arrangements for me to visit
the basement if I call her enough ahead of time. 7/14/06 - Raphael Ketani. Mr. Sabatino called and
said that he sent the cleanup proposal to Ambrose. He said if they approve it soon, then maybe he
can start work next week. 7/25/06 - Raphael Ketani. I spoke to Bob Spears (732) 312-2375 regarding
the cleanup of the oil in the soil. He said that Ambrose has taken the approved A. B. Environmental
proposal and has given it to Clean Solutions to design a soil treatment method. He said that Clean
Solutions has a lot more experience on Long Island in treating oil contaminated soil. He added that
A. B. and Clean Solutions will sit down together and come to an agreement on the method to be used.
8/2/06 - Raphael Ketani. I spoke to Mr. Spears. He said that A.B. Environmental and Clean Solutions
have put togther a remediation plan and that I should receive it either this week or next week. Mr.
Sabatino of A. B. called at 2:25PM. He said that Ambrose has taken the lead as to who is supposed
to do what. However, he believed A. B. will still do the digging and later Clean Solutions will
inject the bio or ORC solution. 8/9/06 - Raphael Ketani. I spoke with Mr. Spears of Ambrose
Environmental. He said that Clean Solutions has finished their proposal and will mail it to DEC
sometime this week. 8/23/06 - Raphael Ketani. I contacted Mr. Spears. He said that Ambrose told him
the plan had been mailed last week. I told Mr. Spears that I will wait until monday, 8/28, to get
it. Tom from Clean Solutions cell (516) 857-9822 called to say that he mailed the proposal 2
fridays ago. I told him I never received it. He said he will mail it out again and I should get it
by 8/28, monday. 8/30/06 - Raphael Ketani. I received the Remedial Action Work Plan from Clean
Solutions Technologies, Inc. 8/31/06 - Raphael Ketani. I finished my review of the RAP. In it,
Clean Solutions states that they will install 18 borings. Most will be in the general basement
area, 2 will be in the boiler room, 1 will be in a small room outside the basement, and the rest
will be in the street on the south side of the building. They will inject Fenton Chemistry - dilute
solutions of hydrogen peroxide and enhanced acetic acid - and ferrous salt ions. The site is over 2
miles to the west of the nearest pumping well of the Jamaica Water Supply district. They will

ANNA CORP REALITY (Continued) **S107657273**

inject the solution slowly over several rounds of treatment. Monitoring of the concentrations of the chemicals and the oil in the groundwater and the soil will take place. I will send a letter approving the location and number of borings, the rounds of application, and the continual monitoring of the groundwater and the soil. However, I will write that it is the responsibility of Clean Solutions to insure that the process goes smoothly, that there are no impacts to the people living in the building, that the DEC expects Clean Solutions to remediate any mishaps with the treatment process, and that there must be no damage to the soil or groundwater. The letter will be cc'd to: Issac Katz, Anna Court Realty, LLC, 174 Broadway, #215, Brooklyn, 11211 Anthony Reitano, Empire Fuel Oil Corp., 1640 McDonald Ave., Brooklyn, 11230 John Sabatino, A. B. Environmental, 1599 Ocean Avenue, Bohemia, NY, 11716 Bob Spears, Ambrose Environmental Management, 5 Cherry Hill Park, Ste. 100, Danvers, MA, 01923 9/11/06 - Raphael Ketani. The letter addressed to Mr. Katz at 174 Broadway came back undeliverable as addressed. 9/12/06 - Raphael Ketani. Tom Dehaney of Clean Solutions Technologies, Inc. (cell (516) 857-9822) called me today to explain what happens when the oil removal solutions are injected and to calm any fears I might have, as he felt were expressed in my 8/31/06 letter to his company regarding the remediation of the oil. He said he will work with all of the residents of the building and notify them when work is to start and he stated that he will communicate with all of them if they have any questions. 9/19/06 - Raphael Ketani. Bob Spears of Ambrose called and said that everyone had a meeting a while ago. He added that A. B. Environmental will put together a package describing the work that will take place to seal the ceiling. He said I will be notified when the well drilling will take place. 9/29/06 - Raphael Ketani. I received a FAX today of a letter dated 9/28/06 from Thomas Doheny, Jr. of Clean Solutions Technologies. The letter addressed the concerns DEC had regarding vapors and odors during the soil treatment process. Mr. Doheny included a diagram for another site that was also the subject of soil treatment. 10/13/06 - Raphael Ketani. Bob Spears of Ambrose called to say that the wells will be put in 10/23/06. 11/3/06 - Raphael Ketani. I called up Bob Spears of Ambrose (732) 312-2375 and asked him what was happening at the site. He said that there was a problem with A.B. Environmental where they wanted to install only 1 wells, when 4 wells were needed. So Ambrose got rid of A.B. and hired Trade Winds Environmental (800) 282-8701. Trade Winds told Ambrose they will install the 4 wells. Trade Winds and Ambrose set a date for the installations

ANNA CORP REALITY (Continued) **S107657273**

starting the week of 11/6/06.
12/26/06 - Raphael Ketani. Mr. Spears called regarding the oil spill. He said that the first oil
treatment solution injection will take place on 12/28/06. 1/2/07 - Raphael Ketani. I tried calling
Mr. Spears to see how the injection went, but could only leave a voice mail. I received a report
dated 12/18/06 from Thomas Doheny, Jr. (516) 897-2880 of Clean Solutions Technologies, Inc. (CST)
regarding work at the site. The cover letter stated that the oil didn't migrate outside of the
basement. Through the sidewalk, continuous cores were taken to 36 feet below grade. Analytical
results were included in the report for soil samples collected from the outside borings and for
several inside borings. With the exception of well #1 (A B Environmental boring #10), the
contamination is at less than 6 feet below the basement floor. Cracks were investigated and it was
determined that the contamination was at a depth of 2 feet or less below the floor. CST will
install injection points to treat the contamination at these locations. The analytical results for
B-1, B-1A, B-14, B1-12, and B1-36 show that contamination is non-detect or at most well below the
TAGM 4046 RSCO limits. Pictures were included in the report that show the debris and oil staining
has been cleaned up. I found the report to be acceptable. 1/3/07 - Raphael Ketani. Bob Spears of
Ambrose (732) 312-2375 called to give me an update. He said that the solution injection did not
take place as planned due to the alternate side of the street parking. CST couldn't put there
trucks next to the building. So some setup and initial injection will take place tomorrow, 1/4/07.
The bulk of the injection will take place on 1/8/07. The first soil samples will be taken 30 days
later. 1/10/07 - Raphael Ketani. Bob Spears called and said that they are working in step with the
alternate side of the street parking regulations. He said that partial introductions of the
treatment solution were done last thursday (1/4/07) and monday (1/8/07). He added that additional
work will take place this monday (1/15/07) and the following thursday (1/18/07). 2/14/07 - Raphael
Ketani. Bob Spears called to say that I should receive the soil analytical results soon. He said
they look good. He said that a vapor suctioning device was installed on each of the 2 most
contaminated borings. He said that the vapors are exhausted directly to the outside. Two sets of
galleries (shallow wells) were installed for the impacted soil. Three deep wells will be installed
soon. 3/12/07 - Raphael Ketani. Today I received a cover letter dated 2/28/07 with attachments from
Clean Solutions describing the progress they have made in treating the contaminated soil. There was

ANNA CORP REALITY (Continued) **S107657273**

a site map, soil analytical results from 3 locations (MW-1, MW-5, MW-7) a copy of the flyer that was sent to the residents notifying them about the work that was to take place, and photos of the exhaust fan setup and the injection piping. The analyticals show that the 3 sites were essentially non-detect for the 2/1/07 round of sampling for VOCs and SVOCs. 4/10/07 - Raphael Ketanni. Mr. Spears called to say that the next round of soil sampling will take place on about 4/16/07. 4/17/07 - Raphael Ketani. Mr. Spears called to say that soil sampling will take place this thursday, 4/19, at the site. He said that the water table is greater than 30 feet below the surface. 5/2/07 - Raphael Ketani. Jean Gerbini (ger-bee-nee) of Whiteman, Ostraman, and Hanna (518) 487-7725 called and left a message that her firm is representing Anna Court (78 Highland Pl.) and that she would like an update on the situation. I spoke with Ms. Gerbini later today and told her that DEC needed another round of soil analyticals with good results in order to consider closing the spill case. I added that the last round of soil samples took place 4/19/07 and that we were hoping to get the results soon. She said that if everything is good, then she would like an NFA letter. I told her I would send one if the results are at or below TAGM RSCOs. 5/16/07 - Raphael Ketani. Mr. Spears called and said that the soil samples were non-detect. He said that there was only some odor from the ground just under the tank, but they will address that in the final report. He said DEC should get the final report by week's end. 6/1/07 - Raphael Ketani. Today I received a FAXed progress report regarding the soil treatment by Clean Solutions. The report was sent by Thomas Doheny, Jr. (516) 897-2880. All of the VOCs were non-detect for the 15 wells. There were some SVOC hits, but they were well below TAGM. I spoke to Mr. Doheny regarding the soil under the tank pad, which still had oil. He said that this is the only area that still needs treatment and they are thinking of drilling horizontal wells. He said that the 3 galleries around the perimeter of the pad were helping, but they were not enough. He said that they may also drill an injection well outside the building and through the sidewalk. I told him this sounded fine. I asked about the oil vapors and odors. He said that 2 wells still have some odors, but the exhaust fans are keeping the building odor free. He said that they will pour new concrete and epoxy paint the floor when everything is done. 7/19/07 - Raphael Ketani. I received a 7/12/07 letter from Clean Solutions Technologies, Inc. The letter listed the analytical results for a soil sample from under the concrete slab supporting the tank. This was the last location that needed to be addressed. The

ANNA CORP REALITY (Continued) **S107657273**

results were all well below
TAGM. Based upon the 7/12/07 letter from Clean Solutions, the FAXed progress report from Clean
Solutions that was received on 6/1/07 and the other documents in the case file, I am closing the
spill case. I will send the NFA letter to Ms. Gerbini, Mr. Spears (Ambrose Environmental
Management, 3400 Belmar Blvd., Wall, NJ, 07719), Mr. Reitano and Mr. Doheny, Jr. The letter went
out today. 10/22/07 - Raphael Ketani. Mr. Spears called to let me know that all of the injection
wells have been closed up and the floor of the basement has been sealed. 6/1/09 - Raphael Ketani.
Dale Lanier of EFI Global (704) 246-2420 (an environmental consulting company) called to inquire
whether any more environmental work was needed at the site, including borings around the area where
the old UST used to be (see case #0212208). I told him that I would have to research what took
place at the site with my spill. 6/2/09 - Raphael Ketani. I called Mr. Lanier back and told him
that according to a Clean Solutions Technologies letter dated 12/18/06, borings were done outside
the building and next to the former UST location on 11/6/06 and 11/7/06. Two outside borings were
performed to 12' and 36'. No contamination was detected. Boring B-1 was done next to the former UST
location to a depth of 15' bg. Results from the soil sample taken on 11/17/06 were virtually
entirely non-detect. Residual contamination was found at less than 6' at the other borings. A
5/18/07 letter from Clean Solutions Technologies stated that the second treatment solution
injection took place on 3/19/07 and soil samples were taken on 4/19/07. The results for soil
samples from SB-1 and SB-2 (next to the tank) showed only a few hits for both and the total SVOCs
were below TAGM. All of the other soil samples taken from borings throughout the basement were
almost entirely non-detect. A 7/12/07 letter from Clean Solutions Technologies stated that a soil
sample taken on 6/29/07 from boring S-1 next to the former UST location had results that were below
TAGM.

Remarks: EASTMAN TANK CLEANERS HAVE BEEN DISPATCHED TO SCENE. LOCATECD IN THE BASEMENT. WAS A BROKEN FILL PIPE AND WHEN THE DRVIER BEGAN TO FILL TANK IN WENT INTO THE BASEMENT.

All Materials:

Site ID:	360323
Operable Unit ID:	1117494
Operable Unit:	01
Material ID:	2108007
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00

ANNA CORP REALITY (Continued) **S107657273**

Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

NYC LEAD:
Name: Not reported
Address: 78 HIGHLAND PLACE
City,State,Zip: BROOKLYN, NY 11208
Violation ID: 12337372
Building ID: 312659
Registration ID: 331187
Apartment: C2
Story: 2
Class: Most Serious
Inspection Date: 04/14/2018
Approved Date: 04/15/2018
Original Certify By Date: 05/19/2018
Original Correct By Date: 05/14/2018
New Certify By Date: Not reported
New Correct By Date: Not reported
Certified Date: Not reported
Order Number: 617
NOV ID: 6066028
NOV Description: SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 1st DOOR FRAME FROM EAST AT SOUTH WALL, 1st WINDOW FRAME FROM WEST AT NORTH WALL IN THE BATHROOM LOCATED AT APT C2, 2nd STORY, 1st APARTMENT FROM NORTH AT EAST
NOV Issued Date: 04/16/2018
Current Status ID: 19
Current Status: VIOLATION CLOSED
Current Status Date: 11/02/2018

Name: Not reported
Address: 78 HIGHLAND PLACE
City,State,Zip: BROOKLYN, NY 11208
Violation ID: 12337373
Building ID: 312659
Registration ID: 331187
Apartment: C2
Story: 2
Class: Most Serious
Inspection Date: 04/14/2018
Approved Date: 04/15/2018
Original Certify By Date: 05/19/2018
Original Correct By Date: 05/14/2018
New Certify By Date: Not reported
New Correct By Date: Not reported
Certified Date: Not reported
Order Number: 616
NOV ID: 6066028
NOV Description: SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PRESUMED LEAD PAINT THAT IS PEELING OR ON A DETERIORATED SUBSURFACE USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 1st RADIATOR

ANNA CORP REALITY (Continued) **S107657273**

FROM NORTH AT EAST WALL IN THE 1st ROOM FROM EAST AT NORTH LOCATED AT APT C2, 2nd STORY, 1st APARTMENT FROM NORTH AT EAST
NOV Issued Date: 04/16/2018
Current Status ID: 19
Current Status: VIOLATION CLOSED
Current Status Date: 11/02/2018

Name: Not reported
Address: 78 HIGHLAND PLACE
City,State,Zip: BROOKLYN, NY 11208
Violation ID: 12337374
Building ID: 312659
Registration ID: 331187
Apartment: C2
Story: 2
Class: Most Serious
Inspection Date: 04/14/2018
Approved Date: 04/15/2018
Original Certify By Date: 05/19/2018
Original Correct By Date: 05/14/2018
New Certify By Date: Not reported
New Correct By Date: Not reported
Certified Date: Not reported
Order Number: 617
NOV ID: 6066028
NOV Description: SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 2nd WINDOW FRAME FROM WEST AT NORTH WALL IN THE 1st ROOM FROM EAST AT NORTH LOCATED AT APT C2, 2nd STORY, 1st APARTMENT FROM NORTH AT EAST
NOV Issued Date: 04/16/2018
Current Status ID: 19
Current Status: VIOLATION CLOSED
Current Status Date: 11/02/2018

Name: Not reported
Address: 78 HIGHLAND PLACE
City,State,Zip: BROOKLYN, NY 11208
Violation ID: 12337370
Building ID: 312659
Registration ID: 331187
Apartment: C2
Story: 2
Class: Most Serious
Inspection Date: 04/14/2018
Approved Date: 04/15/2018
Original Certify By Date: 05/19/2018
Original Correct By Date: 05/14/2018
New Certify By Date: Not reported
New Correct By Date: Not reported
Certified Date: Not reported
Order Number: 617
NOV ID: 6066028
NOV Description: SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY

ANNA CORP REALITY (Continued) **S107657273**

11-06(B)(2) 1st DOOR FRAME FROM EAST AT SOUTH WALL IN THE FOYER LOCATED AT APT C2, 2nd STORY, 1st APARTMENT FROM NORTH AT EAST

NOV Issued Date:	04/16/2018
Current Status ID:	20
Current Status:	DEFECT LETTER ISSUED
Current Status Date:	06/14/2022
Name:	Not reported
Address:	78 HIGHLAND PLACE
City,State,Zip:	BROOKLYN, NY 11208
Violation ID:	11221426
Building ID:	312659
Registration ID:	331187
Apartment:	1C
Story:	3
Class:	Most Serious
Inspection Date:	05/02/2016
Approved Date:	05/03/2016
Original Certify By Date:	06/06/2016
Original Correct By Date:	06/01/2016
New Certify By Date:	Not reported
New Correct By Date:	Not reported
Certified Date:	Not reported
Order Number:	617
NOV ID:	5422455
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 1st RADIATOR FROM WEST AT NORTH WALL, 2nd WINDOW FRAME FROM WEST AT NORTH WALL IN THE 1st ROOM FROM NORTH LOCATED AT APT 1C, 3rd STORY, 1st APARTMENT FROM WEST AT NORTH
NOV Issued Date:	05/04/2016
Current Status ID:	19
Current Status:	VIOLATION CLOSED
Current Status Date:	10/05/2022
Name:	Not reported
Address:	78 HIGHLAND PLACE
City,State,Zip:	BROOKLYN, NY 11208
Violation ID:	11714866
Building ID:	312659
Registration ID:	331187
Apartment:	1C
Story:	3
Class:	Most Serious
Inspection Date:	03/27/2017
Approved Date:	03/31/2017
Original Certify By Date:	05/03/2017
Original Correct By Date:	04/28/2017
New Certify By Date:	Not reported
New Correct By Date:	Not reported
Certified Date:	Not reported
Order Number:	616
NOV ID:	5717079
NOV Description:	SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PRESUMED LEAD PAINT THAT IS PEELING OR ON A DETERIORATED SUBSURFACE USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 1st RADIATOR

ANNA CORP REALITY (Continued) **S107657273**

FROM WEST AT NORTH WALL IN THE 1st ROOM FROM NORTH LOCATED AT APT 1C, 3rd STORY, 1st APARTMENT FROM WEST AT NORTH
NOV Issued Date: 03/31/2017
Current Status ID: 19
Current Status: VIOLATION CLOSED
Current Status Date: 10/05/2022

Name: Not reported
Address: 78 HIGHLAND PLACE
City,State,Zip: BROOKLYN, NY 11208
Violation ID: 14462501
Building ID: 312659
Registration ID: 331187
Apartment: 1B
Story: 2
Class: Most Serious
Inspection Date: 07/22/2021
Approved Date: 07/26/2021
Original Certify By Date: 08/25/2021
Original Correct By Date: 08/20/2021
New Certify By Date: 09/08/2021
New Correct By Date: 09/03/2021
Certified Date: Not reported
Order Number: 617
NOV ID: 7420885
NOV Description: SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 1st DOOR FRAME FROM WEST AT NORTH WALL IN THE FOYER LOCATED AT APT 1B, 2nd STORY, 1st APARTMENT FROM EAST AT SOUTH
NOV Issued Date: 07/27/2021
Current Status ID: 20
Current Status: DEFECT LETTER ISSUED
Current Status Date: 06/26/2022

Name: Not reported
Address: 78 HIGHLAND PLACE
City,State,Zip: BROOKLYN, NY 11208
Violation ID: 14462503
Building ID: 312659
Registration ID: 331187
Apartment: 4C
Story: 3
Class: Most Serious
Inspection Date: 07/22/2021
Approved Date: 07/26/2021
Original Certify By Date: 08/25/2021
Original Correct By Date: 08/20/2021
New Certify By Date: 09/08/2021
New Correct By Date: 09/03/2021
Certified Date: Not reported
Order Number: 617
NOV ID: 7420886
NOV Description: SECTION 27-2056.6 ADM CODE - CORRECT THE LEAD-BASED PAINT HAZARD - PAINT THAT TESTED POSITIVE FOR LEAD CONTENT AND THAT IS PEELING OR ON A DETERIORATED SUBSURFACE - USING WORK PRACTICES SET FORTH IN 28 RCNY 11-06(B)(2) 1st DOOR FROM NORTH AT EAST WALL, 1st DOOR FRAME FROM

ANNA CORP REALITY (Continued) **S107657273**

NORTH AT EAST WALL IN THE FOYER LOCATED AT APT 4C, 3rd STORY, 2nd APARTMENT FROM SOUTH AT WEST

NOV Issued Date:	07/27/2021
Current Status ID:	19
Current Status:	VIOLATION CLOSED
Current Status Date:	10/05/2022

NYC LAND USE:

Name:	Not reported
Address:	78 HIGHLAND PLACE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6834561
Longitude:	-73.8818963
Type Of Ownership Code:	Not reported
Owner Name:	HIGHLAND APARTMENTS LLC
Borough:	BK
Tax Block:	3912
Tax Lot:	58
Community District:	305
Census Tract 2020:	3117202
Census Block 2020:	31172021000
Census Tract 2010:	1172.02
Census Block 2010:	1000
School District:	19
City Council District:	37
Fire Company:	E332
Police Precinct:	75
Health Center District:	34
Health Area:	3820
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	2E
Zoning District 1:	R4: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	C1: Walk Up Apartments - Over Six Families Without Stores
Land Use Category:	Multi-Family Walk-Up Buildings
Number Of Easements:	0
Lot Area:	5000
Total Building Floor Area:	14276
Commercial Floor Area:	0
Residential Floor Area:	14276
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2

ANNA CORP REALITY (Continued) **S107657273**

Number Of Buildings:	1
Number Of Floors:	4.0000000
Residential Units:	23
Total Units:	23
Lot Frontage:	50.0000000
Lot Depth:	100.0000000
Building Frontage:	50.0000000
Building Depth:	90.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	2
Assessed Land Value:	63450.00000
Assessed Total Value:	753750.00000
Exempt Total Value:	0.00000
Year Built:	1923
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	2.86000000000
Maximum Allowable Residential Far:	0.75000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3039120058.00000000
Condominium Number:	Not reported
Census Tract 2:	117202
X Coordinate:	1017006
Y Coordinate:	188300
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 010
Tax Map #:	31301
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

---

309 West 1/4-1/2 0.484 mi. 2558 ft.

157 NEW JERSEY AVENUE
157 NEW JERSEY AVENUE
BROOKLYN, NY

NY VCP S129932074
NY NYC OER N/A

Relative: Higher

Actual: 54 ft.

VCP NYC:

Project ID:	18TMP0088K,18EH-N061K,18CVCP043K
Name:	157 NEW JERSEY AVENUE
Address:	157 NEW JERSEY AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	30,367,101,433,036,700,000
OER Program:	VCP (Enrolled), E/RD (Review)

157 NEW JERSEY AVENUE (Continued) **S129932074**

Phase:	Construction
Latitude:	40.676216
Longitude:	-73.895915
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3000000
NTA:	East New York

NYC OER:

Name:	157 NEW JERSEY AVENUE
Address:	157 NEW JERSEY AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.676216
Longitude:	-73.895915
OER Project Numbers:	18TMP0088K,18EH-N061K,18CVCP043K
BBL:	3.0367101433036702E+19
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Active (A)
Phase:	Construction

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3000000
NTA:	East New York

---

310 West 1/4-1/2 0.493 mi. 2602 ft.

2667 FULTON STREET
2667 FULTON STREET
NEW YORK CITY, NY

NY VCP **S129932248**
NY NYC OER **N/A**

Relative: Higher

Actual: 58 ft.

VCP NYC:

Project ID:	22TMP1353K,22EHAN317K,22CVCP079K
Name:	2667 FULTON STREET
Address:	2667 FULTON STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3036610001
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Completed
Latitude:	40.677388
Longitude:	-73.896083
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1146
BIN:	3000000
NTA:	Cypress Hills-City Line

NYC OER:

Name:	2667 FULTON STREET
Address:	2667 FULTON STREET

2667 FULTON STREET (Continued) **S129932248**

City,State,Zip:	BROOKLYN, NY
Latitude:	40.677388
Longitude:	-73.896083
OER Project Numbers:	22TMP1353K,22EHAN317K,22CVCP079K
BBL:	3036610001
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Completed
URL:	
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1146
BIN:	3000000
NTA:	Cypress Hills-City Line

---

311 **3200 ATLANTIC AVENUE** **NY BROWNFIELDS** **S122877422**
ENE **3200 ATLANTIC AVENUE** **NY Spills** **N/A**
1/2-1 **BROOKLYN, NY 11208** **NY NYC OER**
0.514 mi.
2713 ft.

Relative:
Higher

Actual:
37 ft.

BROWNFIELDS:

Name:	3200 ATLANTIC AVENUE
Address:	3200 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Program:	BCP
Site Code:	579723
Acres:	0.880
HW Code:	C224289
SWIS:	2401
Town:	New York City
Record Added Date:	11/21/2018
Record Updated Date:	09/18/2024
Update By:	RKCORCOR
Site Description:	Location: The project site is located on the south side of Atlantic Avenue, between Logan Street and Fountain Avenue in Brooklyn, Kings County, NY. The property lot is an irregularly shaped 0.88-acre parcel identified as Tax Block 4154, Lot 28. Site Features: The northwest corner of the site is currently occupied by an auto filling station and one-story convenience store. The site is registered on the NYSDEC Petroleum Bulk Storage (PBS) database as Site No. 2-600695. Four underground storage tanks (USTs) were installed in 1996. A warehouse used for auto repair occupies the south-southeast portion of the site. A two-story building on the southwest portion of the site is inaccessible and not currently in use. All on-site structures are currently vacant and scheduled to be demolished prior to remediation. The remainder of the property is an open storage yard densely crowded with used trucks, truck and auto parts, and containers and drums of auto maintenance fluids. Current Zoning and Land Use: The site lot is zoned C4-4D, a designation denoting commercial centers, with bulk and height regulations, outside central business districts. The surrounding area is generally residential to the south and north with commercial uses along Atlantic Avenue and a public school east of the site, across Logan Street. Past Uses of the Site: The subject property was generally undeveloped land until sometime between 1887 and 1908. The earliest known site uses were as

3200 ATLANTIC AVENUE (Continued) **S122877422**

a carpenter shop, glazer and lumber storage, followed by coal and ice storage and a bottling facility. The most recent uses of the site include a filling station, office building, used auto parts storage and auto repair. Site Geology and Hydrogeology: The site is located at an elevation of approximately 35 feet above mean sea level, and bedrock is estimated to be present at approximately 500 feet below grade. The overburden is composed predominantly of a shallow fill layer underlain by native sands. Groundwater was encountered at depths ranging from approximately 25 to 29 feet below grade (ft-bg), and the groundwater flow direction is to the south-southwest.

Env Problem:

Soil and groundwater were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, emerging contaminants, polychlorinated biphenyls (PCBs), and pesticides. Based upon investigations conducted to date, the primary contaminants of concern at the site include petroleum-related VOCs and SVOCs. The soil, soil vapor and groundwater are impacted with petroleum-related VOCs, consistent with the historic and current use of the site for auto repair, vehicle dismantling and a fueling station.
Petroleum-related VOCs have been detected in soil, soil vapor and groundwater at concentrations above applicable regulatory and/or ambient levels. SVOCs, particularly polycyclic aromatic hydrocarbons (PAHs), were detected in soil and groundwater above regulatory levels and are likely attributable to the presence of historic fill.
Historic fill related metals were detected in shallow soil. Soil: The results of the RI indicate that petroleum-related VOCs are present from below the existing tanks to the groundwater interface, as well as at the groundwater interface in the western and northwestern portions of the site at levels exceeding applicable standards.
Maximum VOC detections exceeding the Protection of Groundwater Soil Cleanup Objectives (PGWSCOs) are as follows: benzene at 24 parts per million, or ppm (PGWSCO is 0.06 ppm), toluene at 440 ppm (PGWSCO is 0.7 ppm), ethylbenzene at 150 ppm (PGWSCO is 1 ppm), total xylenes at 730 ppm (PGWSCO is 1.6 ppm), 1,2,4-trimethylbenzene at 290 ppm (PGWSCO is 3.6 ppm), and 1,3,5-trimethylbenzene at 84 ppm (PGWSCO is 8.4 ppm). Multiple SVOCs, specifically polycyclic aromatic hydrocarbons (PAHs), were detected in two shallow (0-5 ft below grade) on-site soil samples at concentrations exceeding applicable standards. Maximum SVOC detections above Restricted Residential SCOs are as follows: benzo(a)anthracene at 3.4 ppm (RRSCO is 1ppm), benzo(a)pyrene at 2.7 ppm (RRSCO is 1ppm), benzo(b)fluoranthene at 3.6 ppm (RRSCO is 1ppm), dibenzo(a,h)anthracene at 0.37 ppm (RRSCO is 0.33ppm), and indeno(1,2,3-cd)pyrene at 1.7 ppm (RRSCO is 0.5ppm). PAH concentrations in exceedance of RRSCOs were not detected in soil deeper than 5 feet below grade. PFAS were detected at low concentrations in 15 of 17 soil samples. The maximum PFAS detection in soil was PFOS at 0.00204 ppb. 1,4-dioxane was not detected in any soil samples. Data does not indicate any off-site impacts in soil related to this site. Groundwater: Petroleum-related VOCs (primarily benzene, toluene, ethylbenzene and xylenes -- BTEX) were detected in on-site groundwater samples and off-site downgradient and crossgradient groundwater samples at concentrations exceeding the Class GA Standards, with the highest concentrations generally occurring downgradient of the petroleum source area. Benzene was detected in exceedance of its Class GA Standard of 1 part per billion (ppb) in eight of 19 samples (max. 10,000 ppb); toluene was detected in exceedance of its Class GA Standard of 5 ppb in four samples (max. 15,000 ppb); ethylbenzene was detected in exceedance of its Class GA

3200 ATLANTIC AVENUE (Continued) **S122877422**

Standard of 5 ppb in five samples (max. 3,000 ppb); p/m xylene was detected in exceedance of its Class GA Standard of 5 ppb in eight samples and one duplicate sample (max. 8,900 ppb); o-xylene was detected in exceedance of its Class GA Standard of 5 ppb in four samples (max. 3,700 ppb in MW-5). A variety of SVOCs, specifically polycyclic aromatic hydrocarbons (PAHs), were detected in on-site groundwater samples and off-site downgradient and crossgradient groundwater samples at concentrations exceeding the Class GA Standards. The highest concentrations of PAHs were detected in MW-13, located onsite and upgradient. Benzo(a)anthracene was detected in six samples, with a maximum concentration of 5.5 ppb compared to its Class GA Standard of 0.002 ppb; benzo(b)fluoranthene was detected in eight samples at a maximum concentration of 10 ppb with a Class GA Standard of 0.002 ppb; benzo(k)fluoranthene was detected in five samples at a maximum concentration of 2.7 ppb with a Class GA Standard of 0.002 ppb; chrysene was detected in five samples at a maximum concentration of 4.6 ppb with a Class GA Standard of 0.002 ppb; and, indeno(1,2,3-cd)pyrene was detected in seven samples at a maximum concentration of 5.6 ppb with a Class GA Standard of 0.002 ppb; naphthalene was detected in exceedance of its Class GA Standard of 10 ppb in five samples at a maximum concentration of 440 ppb. Several metals, including total antimony, chromium, lead, nickel, and selenium were detected in groundwater samples above Class GA Standards. The naturally-occurring earth metals iron, manganese and sodium were also detected in total and dissolved groundwater samples above Class GA Standards. PFAS, perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS) were reported at concentrations of up to 138 and 47.9 parts per trillion (ppt), respectively, exceeding the 10 ppt screening levels for groundwater for each. Individual PFAS exceeding the 100 ppt screening level included PFHxS with a detection of 103 ppt. The total concentration of PFAS, including PFOA and PFOS, were reported at concentrations of up to 377.2 ppt, below the 500 ppt screening level for total PFAS in groundwater. PFAS detections were highest along the site s western boundary and upgradient, potentially indicating an off-site source. 1,4-dioxane was not detected in any groundwater samples. Data indicates that there are exceedances of groundwater standards for petroleum related VOCs immediately sidegradient of the site and downgradient to a maximum distance of approximately 300 ft south of the site. Soil Vapor: Soil vapor samples collected from the site indicated elevated concentrations of several petroleum-related compounds, including benzene (max. 473,000 micrograms per cubic meter [ug/m3]), toluene (max. 239,000 ug/m3), and ethylbenzene (max. 8,900 ug/m3). The highest concentrations of petroleum related VOCs were detected in the northwestern portion of the site, near the corner of Logan Street and Atlantic Avenue directly proximal to the fueling station. PCE was detected in one on-site soil vapor sample with a detection of 168 ug/m3. Off-Site Property 285L: A sub-slab soil vapor sample (SS-1) and co-located indoor air sample (IA-1) were collected within a south adjoining property identified as 285L. Offsite exterior soil vapor samples were collected at two locations along Fountain Avenue and Atlantic Avenue, downgradient and upgradient of the site. One ambient air sample was collected during each sampling event. Low concentrations of petroleum-related VOCs were detected in exterior soil vapor samples in exceedance of the corresponding ambient air concentrations. Concentrations of benzene (max. 12 ug/m3), toluene (max. 13 ug/m3), and 2-butanone (max. 74ug/m3) were

3200 ATLANTIC AVENUE (Continued) **S122877422**

detected in both exterior soil vapor samples in exceedance of ambient air concentrations. Xylene was also detected in exceedance of the ambient air concentration in one exterior soil vapor sample, at a concentration of 5 ug/m3. Low concentrations of petroleum-related VOCs were also detected in the sub-slab soil vapor sample. Concentrations of benzene (2.15 ug/m3), toluene (6.56 ug/m3), 2-butanone (27.3 ug/m3), and p/m-xylene (2.94 ug/m3) were detected in the sub-slab soil vapor sample. Low levels of benzene, toluene, and p/m-xylene were also detected in the co-located indoor air sample collected. Benzene was detected at a concentration of 0.671 ?g/m3; toluene was detected at a concentration of 4.15 ?g/m3; and p/m-xylene was detected at a concentration of 2.42 ug/m3. One chlorinated VOC (CVOC), 1,1,1-trichloroethane (1,1,1-TCA), was detected in the subslab soil vapor sample at a concentration of 1.89 ug/m3. 1,1,1-TCA was not detected in the co-located indoor air sample. Two CVOCs, carbon tetrachloride and tetrachloroethene (PCE), were detected at low concentrations in the indoor air sample, IA-1. Carbon tetrachloride was detected at a concentration of 0.51 ug/m3 and PCE was detected at a concentration of 0.203 ug/m3. Carbon tetrachloride and PCE were not detected in the co-located sub-slab soil vapor sample. Data does not indicate any off-site migration of contaminants in soil vapor.

Health Problem:	People who enter the site may come into contact with site related soil and groundwater contamination if they dig below the surface. Contaminated groundwater at the site is not used for drinking or other purposes and the site is served by a public water supply that obtains water from a different source not affected by this contamination. Volatile organic compounds in the soil vapor (air spaces within the soil) may move into buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Because the site is vacant soil vapor intrusion is not a current concern and environmental sampling indicates vapor intrusion associated with this site is not a concern for off-site buildings.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2019-01-30 14:10:00
Record Upd:	2019-06-06 13:36:00
Updated By:	GWHEITZM
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	brooklyn public library - arlington branch
Owner Address:	203 arlington avenue at warwick street
Owner Addr2:	Not reported
Owner City,St,Zip:	brooklyn, NY 11207
Owner Country:	United States of America
Own Op:	6
Sub Type:	P02

3200 ATLANTIC AVENUE (Continued) **S122877422**

Owner Name:	Joseph Riggs
Owner Company:	Logan Fountain Owner LLC
Owner Address:	c/o The Hudson Companies
Owner Addr2:	826 Broadway, 11th Floor
Owner City,St,Zip:	New York, NY 10003
Owner Country:	United States of America
Own Op:	1
Sub Type:	E
Owner Name:	Joseph Riggs
Owner Company:	Logan Fountain Owner LLC
Owner Address:	826 Broadway
Owner Addr2:	11th Floor
Owner City,St,Zip:	New York, NY 10003
Owner Country:	United States of America
Own Op:	6
Sub Type:	P02
Owner Name:	Joseph Riggs
Owner Company:	Hudson Logan Fountain LLC
Owner Address:	826 Broadway
Owner Addr2:	11th Floor
Owner City,St,Zip:	New York, NY 10003
Owner Country:	United States of America
Own Op:	1
Sub Type:	E
Owner Name:	Jericho 265 Logan Street Housing Development Fund
Owner Company:	Jericho 265 Logan Street Housing Development Fund Corp.
Owner Address:	c/o The Jericho Project
Owner Addr2:	245 W. 29th Street, Suite 902
Owner City,St,Zip:	New York, NY 10001
Owner Country:	United States of America
HW Code:	C224289
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	1,2,4-trimethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	benzo(k)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	butylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	xylene (mixed)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	ethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	toluene
Waste Quantity:	UNKNOWN

3200 ATLANTIC AVENUE (Continued) **S122877422**

Waste Code:	Not reported
HW Code:	C224289
Waste Type:	indeno(1,2,3-CD)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	benzo(b)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	benzo(a)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	dibenz[a,h]anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	benzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	chrysene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	n-propylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	naphthalene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224289
Waste Type:	1,3,5-trimethylbenzene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	1806390
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	2021-05-28 09:38:00
Record Updated:	2021-05-28 09:38:00
Updated By:	JHOCONNE
Crossref ID:	2024000183696
Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2024-08-14 12:58:00
Record Updated:	2024-08-14 12:58:00
Updated By:	JSDONALD

SPILLS:

Name:	CONSTRUCTION SITE
Address:	3200 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	2206569 / Not Reported
Facility ID:	2206569
Facility Type:	ER

3200 ATLANTIC AVENUE (Continued) **S122877422**

DER Facility ID:	529980
Site ID:	644806
DEC Region:	2
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	2401
Spill Date:	2022-10-31
Investigator:	JSDONALD
Referred To:	Not reported
Reported to Dept:	2022-10-31
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	1
Date Entered In Computer:	2022-10-31
Spill Record Last Update:	2022-11-02
Spiller Name:	MARK ACCETTEORI
Spiller Company:	MOORE CONSTRUCTION
Spiller Address:	3200 ATLANTIC AVE
Spiller Company:	999
Contact Name:	MARK ACCETTEORI
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	10/31/22-Lin-According to caller, this is a brownfield site (C224289). Tenet environmental is the environmental consultant for the site. The caller state that an excavator hit an underground storage tank causing the spill. The site was previously used as a truck repair shop. The site is located on Atlanic Ave between Logan St and Fountain Avenue. DEC Zhune and Ye is responding. 10/31/22-Ye-Met with Mark Accetteori (maccetteori@gmail.com), Support of Excavation Oversight at Tenen Environmental, and Jeff Campbell of Broadway Builders, the Superintendent of the site. They found three unregistered tanks today while excavating - one was discovered intact and 550 gallons of mostly water with a sheen was pumped out; another one was punctured halfway when the excavator moved it, so they estimated 150 gallons of an oil/water mixture was spilled; a third tank was discovered already corroded and they left it in place for today. The tanks were found around 3 feet below ground. For the tank that was punctured, an area was cleared to native soil. The tank and excavated soil was covered up and will be removed tomorrow. The tanks will be registered. 11/2/22 - Kim - I received a call yesterday from Victor with Tenen Environmental and a follow up call today through the Region 2 Spills Duty Desk Line. Victor stated that the first tank that was called in to

3200 ATLANTIC AVENUE (Continued) **S122877422**

the Spills Hotline was the 550gal tank. The contractors came on site and pulled out the tank and
discovered a second 275gal tank directly adjacent to the southwest. The second tank was corroded
and had a mix of water and No. 2 Fuel Oil residue. Victor clarified that there were 2 tanks
discovered during this incident. Both tanks were pumped out, placed on poly, cut and cleaned, and
are ready for removal. Approximately 5 yards of impacted soil was removed, and a characterization
soil sample was collected for disposal. The site will continue to be excavated down to 18 to 22
feet.

Remarks: Cleanup completed.

All Materials:

Site ID:	644806
Operable Unit ID:	1391808
Operable Unit:	01
Material ID:	2407063
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	180.00
Units:	G
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

Name:	GAS STATION
Address:	3200 ATLANTIC AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1806390 / Not Reported
Facility ID:	1806390
Facility Type:	ER
DER Facility ID:	529980
Site ID:	577115
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	2401
Spill Date:	2018-09-06
Investigator:	JSDONALD
Referred To:	Not reported
Reported to Dept:	2018-09-13
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	1
Date Entered In Computer:	2018-09-13

3200 ATLANTIC AVENUE (Continued) **S122877422**

Spill Record Last Update:	2019-03-13
Spiller Name:	ELANA CARROLL
Spiller Company:	GAS STATION
Spiller Address:	3200 ATLANTIC AVE
Spiller Company:	999
Contact Name:	ELANA CARROLL
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	09/18/18-Hiralkumar Patel. as per NYC DOB record, lot #: 28, 35 and 45 were merged into new lot #: 28. alternate address: 3196-3218 Atlantic Ave, 2-24 Fountain Ave, 259-265 Logan St PBS #: 2-600695. as per PBS record, the site has/had following tanks: - eleven (11) 550 gal gasoline USTs, removed in Feb. 1996 - one (1) 4,000 gal gasoline UST, removed in Feb. 1996 - three (3) 4,000 gal gasoline USTs, in-service, installed in Mar. 1996 - one (1) 4,000 gal diesel UST, in-service, installed in Mar. 1996 other spills #: 0711733, 1403193 spill #: 0711733 was reported on 02/06/2008 with complaint about unknown amount of oil spill on sidewalk, but no spill noted during field visit. spill closed. spill #: 1403193 was reported on 06/24/2014 due to 3 gal diesel spill on pavement. spill closed. DCV Holding, Inc. **property owner** as per NYC DOB record, a permit application has been filed to construct a thirteen (13) story mixed-use building. site has 'e' designation for hazmat/noise/air. ---------- 1:43 PM:- left message for Alena. 09/20/18-Hiralkumar Patel. 8:37 AM:- left message for Alena. 8:39 AM:- left message for Michael Ohlhausen at Hudson Companies Inc. who is listed as permit applicant in NYC DOB record. The Hudson Companies Incorporated 826 Broadway, 11th floor New York, NY 10003 Attn.: Michael Ohlhausen Ph. (212) 777-9500 (212) 710-6033 Fax (212) 777-9501 email: mohlhausen@hudsoninc.com 09/24/18-Hiralkumar Patel. received message from Mr. Ohlhausen (at 4:11 PM on 09/21/18). 1:03 PM:- left message for Mr. Ohlhausen. 1:04 PM:- spoke with Alena at Tenen. she mentioned that the site is currently an active gas station and property owner is planning to redevelop the site. Tenen Env. is conducting remedial investigation and planning to apply for state BCP. she mentioned that previously installed monitoring wells are found at the site and they noted 0.25 inches of product in one of the monitoring well. asked her to submit available environmental study reports and site map including existing tank systems/well locations. 09/27/18-Hiralkumar Patel. 11:39 AM:- received email from Alana including text part of Phase I report, text part of draft Phase II report and sample location map. summary of Phase I report dated Jan. 2018: - site is currently occupied by an auto filing station, a warehouse used for auto repair, and a yard storing used truck/auto parts - 1887

3200 ATLANTIC AVENUE (Continued) **S122877422**

Sanborn map depicts the site as
multiple vacant lots. by 1908, the eastern half of the site was occupied by a carpenter shop,
glazing and lumber storage. a railway entered the northeast corner of the site from Atlantic Ave.
the site is identified as Rubel Coal & Ice Corp. on the 1928 Sanborn maps and shown with eight coal
pockets (depicted on all maps through 2007) on the western part of the site. by 1951, a beverage
bottling facility occupied the eastern portion of the site, a private garage was constructed on the
southeast corner, and a filling station occupied the northwest corner (--------). the bottling
facility was demolished by 1979, and by 1980 the northeastern portion of the site was used for used
truck sales and storage of used auto parts. the 1989 Sanborn map depicts auto repair on the
northern portion of the site and the original filling station is no longer shown. a second filling
station is depicted on the northern portion of the site on the 20001-2007 maps - city directory
listings identify commercial uses of the site, including coal, coke and fuel oil companies; truck
cleaning and repair; auto sales and repair, and a gasoline service station - the Sun Oil Company
was identified on a 1980 deed for lot # 35 - Betts Creek is the nearest surface water body and is
located approx. 9,000 ft to the southeast Phase I report is missing all appendices. summary of
draft Phase II date Sept. 2018: - elevation of the property is approx. 25 ft above mean sea level -
depth to groundwater ranges from 25.4 to 28.5 ft bg - groundwater flow is generally from
north-northeast to south-southwest - depth to bedrock is approx. 500 ft - stratigraphy of the site,
from the surface down, consists of predominantly of a shallow fill layer (upto 7 ft bg) underlain
by native soils - proposed use of the site will consist of a new 11-story mixed-use building with a
partial cellar - first floor with lobby and approx. 15,000 sq. ft. retail space plus residences -
residences will also be on the 2nd through 11th floors - depth of excavation is expected to be
approx. 12 ft bg across the site - installed total of eleven (11) soil borings (SB-1 through SB-5,
MW-1 through MW-6)and collected 23 soil samples - soil borings SB-1 through SB-5 were installed to
a depth of 15 ft bg; except boring SB-3 which was installed to a depth of 2 ft using hand auger
inside the auto repair facility - borings MW-1 through MW-6 were installed to a depth of 30 ft bg -
two soil samples were collected from each soil boring (except SB-3 where only one sample was
collected): the shallow interval from 0-2 ft and the proposed excavation depth from 13-15 ft bg - a
third sample was collected from select boring locations at the groundwater interface - PID readings

3200 ATLANTIC AVENUE (Continued) **S122877422**

ranged from non-detect to 1,670 ppm in MW-5 (28-29.5 ft bg), at the groundwater interface -
installed total of six (6) 2-inch diam. groundwater monitoring wells (MW-1 through MW-6; installed
in soil borings) and collected five groundwater samples - groundwater sample was not collected from
MW-5 due to detection of LNAPL ---------- - head-space PID readings ranged from non-detect to 689
ppm in MW-6 - installed seven (7) soil vapor probes and collected 7 samples 10/01/18-Hiralkumar
Patel. 12:27 PM:- sent email to Alana and asked her to submit complete Phase I and Phase II
reports. 10/10/18-Hiralkumar Patel. DEC Jane is meeting with property owner/consultant for BCP
pre-application. 03/13/19-Hiralkumar Patel. after discussion with DEC Jared Donaldson (case manager
for BCP #: C224289), case assigned to him. **e-designated site**

Remarks: loss discovered in monitoring well

All Materials:

Site ID:	577115
Operable Unit ID:	1324893
Operable Unit:	01
Material ID:	2333400
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Resource Affected:	Not reported
Oxygenate:	Not reported

NYC OER:

Name:	3200 ATLANTIC AVENUE
Address:	3200 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.680043
Longitude:	-73.877298
OER Project Numbers:	18TMP0698K,18EHAN274K
BBL:	3.0415400283041499E+29
OER Program:	E/RD (Review), State BCP
Class:	Active (A)
Phase:	Approved Remedial Plan

URL:

Postcode:	11208
Community Board:	5
Council District:	37
Census Tract:	1192
BIN:	3394360
NTA:	East New York

312
ESE
1/2-1
0.570 mi.
3007 ft.

LOT 13,TAXBLOCK 4228
2602 PITKIN AVENUE
BROOKLYN, NY 11208

NY VCP **S118704081**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Relative:
Lower

Actual:
23 ft.

VCP NYC:

Project ID:	20TMP0583K,20EH-N133K,22CVCP019K
Name:	2602 PITKIN AVENUE
Address:	2602 PITKIN AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3042280013
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Construction
Latitude:	40.674799
Longitude:	-73.87605
Postcode:	11208
Community Board:	5
Council District:	42
Census Tract:	1194
BIN:	3094942
NTA:	East New York

E DESIGNATION:

Name:	LOT 13,TAXBLOCK 4228
Address:	2602 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Tax Lot(s):	13
Tax Block:	4228
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2602 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6745924
Longitude:	-73.8758951
Type Of Ownership Code:	Not reported
Owner Name:	CONCERN LOGAN HOUSING DEVELOPMENT FUND C ORP.
Borough:	BK
Tax Block:	4228
Tax Lot:	13
Community District:	305
Census Tract 2020:	3119400
Census Block 2020:	31194001000
Census Tract 2010:	1194
Census Block 2010:	1000

LOT 13,TAXBLOCK 4228 (Continued) **S118704081**

School District:	19
City Council District:	42
Fire Company:	L107
Police Precinct:	75
Health Center District:	33
Health Area:	6200
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	2E
Zoning District 1:	R7A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	EC-5
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	D6: Elevator Apartments - Fireproof With Stores
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	7200
Total Building Floor Area:	51916
Commercial Floor Area:	7516
Residential Floor Area:	44400
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	4702
Factory Floor Area:	2814
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	9.0000000
Residential Units:	66
Total Units:	68
Lot Frontage:	80.0000000
Lot Depth:	90.0000000
Building Frontage:	80.0000000
Building Depth:	72.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	5
Assessed Land Value:	194400.00000
Assessed Total Value:	550800.00000
Exempt Total Value:	0.00000
Year Built:	2023
Year Altered 1:	2022
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	7.21000000000
Maximum Allowable Residential Far:	4.00000000000

LOT 13,TAXBLOCK 4228 (Continued) **S118704081**

Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	4.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3042280013.00000000
Condominium Number:	Not reported
Census Tract 2:	1194
X Coordinate:	1018675
Y Coordinate:	185073
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 037
Tax Map #:	31307
E-designation Number:	E-366
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	2602 PITKIN AVENUE
Address:	2602 PITKIN AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.674799
Longitude:	-73.87605
OER Project Numbers:	20TMP0583K,20EH-N133K,22CVCP019K
BBL:	3042280013
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Active (A)
Phase:	Construction

URL:

Postcode:	11208
Community Board:	5
Council District:	42
Census Tract:	1194
BIN:	3094942
NTA:	East New York

313
WSW
1/2-1
0.580 mi.
3062 ft.

LOT 35,TAXBLOCK 3703
184 PENNSYLVANIA AVENUE
BROOKLYN, NY 11207

NY VCP **S118704314**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Relative:
Higher

Actual:
47 ft.

VCP NYC:

Project ID:	22TMP1653K,22EHAZ371K,23CVCP013K
Name:	184 PENNSYLVANIA AVENUE
Address:	184 PENNSYLVANIA AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	303,703,003,530,370,000,000,000,000,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Construction
Latitude:	40.673405

LOT 35,TAXBLOCK 3703 (Continued) **S118704314**

Longitude:	-73.896266
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1144
BIN:	3000000
NTA:	East New York (Pennsylvania Ave)

E DESIGNATION:

Name:	LOT 35,TAXBLOCK 3703
Address:	184 PENNSYLVANIA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	35
Tax Block:	3703
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	184 PENNSYLVANIA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6732871
Longitude:	-73.8965795
Type Of Ownership Code:	Not reported
Owner Name:	180 PENNSYLVANIA LLC
Borough:	BK
Tax Block:	3703
Tax Lot:	35
Community District:	305
Census Tract 2020:	3114400
Census Block 2020:	31144002003
Census Tract 2010:	1144
Census Block 2010:	2003
School District:	19
City Council District:	37
Fire Company:	L175
Police Precinct:	75
Health Center District:	33
Health Area:	5700
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	1C
Zoning District 1:	R7A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported

LOT 35,TAXBLOCK 3703 (Continued) **S118704314**

Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	V1: Vacant Land - Zoned Commercial Or Manhattan Residential
Land Use Category:	Vacant Land
Number Of Easements:	0
Lot Area:	2500
Total Building Floor Area:	0
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	7
Number Of Buildings:	0
Number Of Floors:	Not reported
Residential Units:	0
Total Units:	0
Lot Frontage:	25.0000000
Lot Depth:	100.0000000
Building Frontage:	0.0000000
Building Depth:	0.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5
Assessed Land Value:	50850.00000
Assessed Total Value:	108000.00000
Exempt Total Value:	0.00000
Year Built:	0
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.00000000000
Maximum Allowable Residential Far:	4.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	4.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3037030035.00000000
Condominium Number:	Not reported
Census Tract 2:	1144
X Coordinate:	1012938
Y Coordinate:	184590
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	316 010
Tax Map #:	31205
E-designation Number:	E-366
Apportionment BBL:	3037030034.00000000
Apportionment Date:	07/19/2024

LOT 35,TAXBLOCK 3703 (Continued) **S118704314**

Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	184 PENNSYLVANIA AVENUE
Address:	184 PENNSYLVANIA AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.673405
Longitude:	-73.896266
OER Project Numbers:	22TMP1653K,22EHAZ371K,23CVCP013K
BBL:	3.0370300353037001E+29
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Active (A)
Phase:	Construction

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1144
BIN:	3000000
NTA:	East New York (Pennsylvania Ave)

---

314 **EXXON DIV OF CFI #70227** **RCRA NonGen / NLR** **1000335601**
SW **225 PENNSYLVANIA AVE** **FINDS** **NYD986894186**
1/2-1 **BROOKLYN, NY 11236** **ECHO**
0.582 mi. **NY MANIFEST**
3072 ft. **NY NYC OER**

Relative: Higher

Actual: 41 ft.

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Exxon Div Of Cfi #70227
Handler Address:	Pennsylvania Ave
Handler City,State,Zip:	BROOKLYN, NY 11236
EPA ID:	NYD986894186
Contact Name:	MAUREEN JERNSTEDT
Contact Address:	DEDHAM ST
Contact City,State,Zip:	CANTON, MA 02021
Contact Telephone:	800-225-9702 x3378
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R2
Mailing Address:	DEDHAM ST
Mailing City,State,Zip:	CANTON, MA 02021
Owner Name:	Tosco

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Owner Type:		Private
Operator Name:	No Name Found	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D018
Waste Description:	Benzene

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: NO NAME FOUND	
Legal Status:	Private

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Date Became Current:	20030910
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: TOSCO	
Legal Status:	Private
Date Became Current:	20010101
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 52085
Owner/Operator City,State,Zip:	PHOENIX, AZ 85072-2085
Owner/Operator Telephone:	602-728-8000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: TOSCO	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 52085
Owner/Operator City,State,Zip:	PHOENIX, AZ 85072-2085
Owner/Operator Telephone:	602-728-8000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: CUMBERLAND FARMS INC	
Legal Status:	Private
Date Became Current:	20030910
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: CUMBERLAND FARMS INC	
Legal Status:	Private
Date Became Current:	20030910
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Owner/Operator Indicator:	Operator
Owner/Operator Name: NO NAME FOUND	
Legal Status:	Private
Date Became Current:	20030910
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: TOSCO	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 52085
Owner/Operator City,State,Zip:	PHOENIX, AZ 85072-2085
Owner/Operator Telephone:	602-728-8000
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19990708
Handler Name: TOSCO #34780	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name: EXXON DIV OF CFI #70227	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: EXXON DIV OF CFI #70227	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900404
Handler Name: TOSCO #34780
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010808
Handler Name: TOSCO #34780
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20041001
Handler Name: EXXON DIV OF CFI #70227
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 44711
NAICS Description: Gasoline Stations With Convenience Stores

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

EXXON DIV OF CFI #70227 (Continued) **1000335601**

FINDS:
Registry ID: 110004444192

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000335601
Registry ID: 110004444192

DFR URL:
Name: EXXON DIV OF CFI #70227
Address: 225 PENNSYLVANIA AVE
City,State,Zip: BROOKLYN, NY 11236

NY MANIFEST:
EPA ID: NYD986894186
Country: USA
Name: Exxon Company Usa
Address: 225 PENNSYLVANIA AVE
Address 2: Not reported
City,State,Zip: BROOKLYN, NY 11236
Zip 4: Not reported
Location Address 1: 225 PENNSYLVANIA AVE
Location Address 2: Not reported
Location City,State,Zip: BROOKLYN, NY 13775
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Exxon Company Usa
Mailing Contact: Christine Coluccio
Mailing Address 1: P O BOX 4415
Mailing Address 2: Not reported
Mailing City,State,Zip: HOUSTON, TX 77210
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5168641772

Manifest Data:
Document ID: NYB2128320
Manifest Status: Not reported
Trans1 State ID: IL015
Year: 1990
Trans2 State ID: Not reported

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Generator Ship Date:	10/11/1990
Trans1 Recv Date:	10/11/1990
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/12/1990
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986894186
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049836679
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Carbon Tetrachloride
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00100
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00

Document ID:	NYB2445165
Manifest Status:	Not reported
Trans1 State ID:	HW6917
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	01/07/1992
Trans1 Recv Date:	01/07/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/08/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986894186
Trans1 EPA ID:	NYD986910222
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00010
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	MAF3182630
Manifest Status:	Not reported
Trans1 State ID:	50C143OH
Year:	1991
Trans2 State ID:	Not reported
Generator Ship Date:	05/12/1991
Trans1 Recv Date:	05/30/1991
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/31/1991
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986894186
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSDF ID 1:	MAD053452637
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NJA1565917
Manifest Status:	Not reported
Trans1 State ID:	NJDEPES50
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	03/24/1993
Trans1 Recv Date:	03/24/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/24/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986894186
Trans1 EPA ID:	NYD980761191
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD991291105
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	CTF0180176
Manifest Status:	Not reported
Trans1 State ID:	PP1384
Year:	1992

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Trans2 State ID:	Not reported
Generator Ship Date:	10/12/1992
Trans1 Recv Date:	10/12/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/14/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986894186
Trans1 EPA ID:	NYD986910222
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD021816889
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00600
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00

NYC OER:

Name:	225 PENNSYLVANIA AVENUE
Address:	225 PENNSYLVANIA AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.672274
Longitude:	-73.895954
OER Project Numbers:	17TMP0295K,17EH-N250K
BBL:	3037210001
OER Program:	E/RD (Review)
Class:	Completed (C)
Phase:	Completed

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1144
BIN:	3426261
NTA:	East New York (Pennsylvania Ave)

315 West 1/2-1 0.592 mi. 3126 ft.

50 PENN LLC
2618 FULTON ST
BROOKLYN, NY 11207

NY VCP **S118704070**
NY Spills **N/A**
NY MANIFEST
NY NYC OER

Relative: Higher

Actual: 59 ft.

VCP NYC:

Project ID:	18TMP1429K,18EHAN480K,19CVCP033K
Name:	2618 FULTON STREET
Address:	2618 FULTON STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	303,669,001,330,366,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000,000
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Site Management
Latitude:	40.677079
Longitude:	-73.898052
Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3083272
NTA:	East New York

SPILLS:

Name:	SOIL
Address:	2618 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	1901557 / 2021-11-05
Facility ID:	1901557
Facility Type:	ER
DER Facility ID:	539729
Site ID:	588446
DEC Region:	2
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	2401
Spill Date:	2019-05-14
Investigator:	RHLIN
Referred To:	Not reported
Reported to Dept:	2019-05-14
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2019-05-14
Spill Record Last Update:	2021-11-05
Spiller Name:	STEWART KNOOP
Spiller Company:	50 PENN LLC
Spiller Address:	2618 FULTON STREET
Spiller Company:	999
Contact Name:	STEWART KNOOP
Latitude:	Not reported

50 PENN LLC (Continued) **S118704070**

Longitude: Not reported
DEC Memo: 5/16/19-Lin-This site along with a few neighboring lots are currently under OER s cleanup program to redevelop the sites. They found a few underground tanks that were previously identified and underground tanks that were not found during the GPR survey. Langan suspect that they will encounter more tanks going forward. 9/10/19-Lin-Received call from langan that they found multiple tank near the site boundary that had soil contamination where the tank were. They made us aware that they would have trouble obtaining side wall samples due to the shoring put in place. Off site borings might be require to delineate the contaminated soil. The whole site is going to be excavated down to 15' and 30 bottoms samples would be taken across the site. 11/5/21-Lin-A total of sixteen (16) underground storage tanks were removed. Contaminated soil was excavated. Groundwater was encountered around 50 bgs and the groundwater is inferred to flow to the southeast towards Jamaica Bay. One groundwater sample was collected and came back clean. Groundwater is not expected to be impacted at this site. The whole site was excavated to varies depth. A total of 18 endpoint samples were collected from the base of the remedial excavation. The sample results confirmed that a Track 4 residential cleanup was achieved. An engineered composite cover system consisting of 46 inch and 40 inch thick structural mat slabs in the partial cellar and in the ground floor garage was constructed. A 12 inch thick concrete slab above a 20 mil vapor barrier and an active SSDS were installed. Case closed Stewart from langan 212-479-5461 sknoop@langan.com
Remarks: clean up is done

All Materials:
Site ID: 588446
Operable Unit ID: 1336105
Operable Unit: 01
Material ID: 2345435
Material Code: 0064A
Material Name: unknown material
Case No.: Not reported
Material FA: Other
Quantity: 2.00
Units: G
Recovered: Not reported
Resource Affected: Soil
Oxygenate: Not reported

NY MANIFEST:
EPA ID: NYR000242487
Country: USA
Name: 50 Penn Llc

50 PENN LLC (Continued) **S118704070**

Address:	2618 FULTON ST
Address 2:	Not reported
City,State,Zip:	BROOKLYN, NY 11207
Zip 4:	Not reported
Location Address 1:	2618 FULTON ST
Location Address 2:	Not reported
Location City,State,Zip:	BROOKLYN, NY 11207
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	50 Penn Llc
Mailing Contact:	50 Penn Llc
Mailing Address 1:	2618 FULTON ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	BROOKLYN, NY 11207
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

NYC OER:

Name:	2618 FULTON STREET
Address:	2618 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.677079
Longitude:	-73.898052
OER Project Numbers:	18TMP1429K,18EHAN480K,19CVCP033K
BBL:	3.0366900133036599E+59
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Completed (C)
Phase:	Site Management

URL:

Postcode:	11207
Community Board:	5
Council District:	37
Census Tract:	1198
BIN:	3083272
NTA:	East New York

316
ESE
1/2-1
0.743 mi.
3923 ft.

1199 SUTTER AVENUE
1199 SUTTER AVENUE
BROOKLYN, NY 11208

NY SHWS **S109583525**
NY BROWNFIELDS **N/A**
NY Spills
NY NYC LAND USE

Relative:
Lower

Actual:
19 ft.

SHWS:

Name:	1199 SUTTER AVENUE
Address:	1199 SUTTER AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Program:	HW
Site Code:	434283
Classification:	N
Region:	2
Acres:	0.530

1199 SUTTER AVENUE (Continued) **S109583525**

HW Code: 224141
Record Add: 05/03/2010
Record Upd: 06/13/2013
Updated By: BXANDERS
Site Description: Location: The site is specifically known as 1199-1221 Sutter Avenue in a mixed residential / commercial area of Brooklyn. Site Features: The site occupies about half of a city block on the north side of Sutter Avenue. Approximately one-half of the site is occupied by a one-story building divided into five separate units used for commercial and office purposes. A dry cleaner establishment formerly occupied the eastern-most unit. The former location of the dry cleaner is presently occupied by a self-service laundromat. The laundromat unit is underlain with a basement segmented with utilities, storage and several rooms. The other units also have basements. The adjacent unit is a grocery store that uses their basement as a warehouse. Current Zoning/Use: The site is within an R5 (residential) zoned area. The site is zoned C1-2 (commercial) as are the properties along the north side of a seven-block stretch of Sutter Avenue. Historic Uses: The structures on the site were constructed in 1957 and were the original development on the property. A dry cleaning facility had operated on the site for many years. Site Geology and Hydrogeology: The property is located within the Pavement and Buildings-Flatbush-Riverhead Series Soil Map Unit, which is described as anthropogenic urban fill overlying glacial out wash deposits and characterized as a sandy loam. The groundwater table is approximately 13 feet below grade and is characterized as Class GA indicating it as a potential source of potable water. Groundwater flows south. Groundwater is not utilized as a source of potable water at site.
Env Problem: Nature and Extent of Contamination: A limited Phase II conducted in 2009 found the dry cleaning solvent tetrachloroethene (PCE) and its daughter products trichloroethene (TCE) and cis-1,2-dichloroethene (DCE) at elevated concentrations in groundwater. Permanent monitoring wells were constructed in 2009 and sampled before (August 2009) and after (November 2009) a remedial action consisting of potassium permanganate injections into on-site groundwater. The data are inconclusive as to the effectiveness of the injections. A site characterization investigation was conducted by Associated Environmental Services under NYSDEC oversight in July 2011. PCE and its daughter products remain above groundwater standards in the preexisting monitoring wells constructed during the Phase II investigation. PCE concentrations ranged from below its standard of 5 ppb to a maximum concentration of 470 ppb in MW-4. MW-4 is located in the basement of the former location of the dry cleaner. TCE and DCE were present in some wells and non-detect in others. The new down-gradient monitoring well (MW-5) located across Sutter Avenue had PCE, TCE and DCE at respective concentrations of 98 ppb, 5.2 ppb and 9.8 ppb. The investigation found tetrachloroethene (PCE) and trichloroethene (TCE) in indoor air in the basement of the laundromat (former dry cleaner). Elevated concentrations of PCE, TCE, cis-1,2-dichloroethene (DCE) and vinyl chloride were observed in sub-slab vapor. The indoor air sample had PCE and TCE at 68.5 micrograms per cubic meter (ug/M3) and 1.27 ug/M3 respectively. Respective sub-slab concentrations of PCE, TCE, DCE and vinyl chloride were 428,000 ug/M3, 9,730 ug/M3, 4,220 ug/M3 and 795 ug/M3. The elevated concentrations of these chlorinated VOCs in soil vapor present a significant threat to human health and indicate the

1199 SUTTER AVENUE (Continued) **S109583525**

presence of an on-site source. Also present in the sub-slab vapor were chloroform, dichloroethene, ethylbenzene, freon 113, styrene and toluene. The highest concentrations of contaminants in groundwater were found in a well constructed in the laundromat. PCE, TCE and DCE were dtected at the the respective concentrations of 470 parts per billion (ppm), 14 ppb and 4.3 ppb. Soil data are limited, but two soil borings behind the laundromat had PCE and TCE above their respective unrestricted soil cleanup objectives (USCOs) parts per million (ppm). DCE was also detected above its USCO in one boring. However, all were well below the commercial SCOs More soil data are needed for an accurate analysis of soil contamination at the site.
Significant Threat:

Health Problem:	Not reported
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	Not reported
Sub Type:	Not reported
Owner Name:	Not reported
Owner Company:	Not reported
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	Not reported
Owner Country:	Not reported
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

BROWNFIELDS:

Name:	1199 SUTTER AVENUE
Address:	1199 - 1221 SUTTER AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Program:	BCP
Site Code:	465638
Acres:	0.532
HW Code:	C224141
SWIS:	2401
Town:	New York City
Record Added Date:	06/22/2012
Record Updated Date:	09/14/2023
Update By:	SMQUANDT

1199 SUTTER AVENUE (Continued) **S109583525**

Site Description:	Location: The site is located at 1199-1221 Sutter Avenue in a mixed residential / commercial area of Brooklyn. The site is bounded by Sutter Ave. to the south, Chestnut St. to the east, Crystal St. to the west and the property rear parking lot and a residential area to the north. Site Features: An asphalt parking lot covers the northern portion of the site and a single-story building is located along the southern portion of the site abutting Sutter Avenue. The building is underlain with a basement segmented for each retail/office unit with utilities, storage and service rooms. Current Zoning and Land Use: The site is within an R5 (residential) zoned area. The site is zoned C1-2 (commercial) as are the properties along the north side of a seven-block stretch of Sutter Avenue. Past use of the Site: The structures on the site were constructed in 1957 and were the original development on the property. Spanish American Dry Cleaners occupied the eastern-most unit from September 1988 to May 1995. The former location of the dry cleaner is presently occupied by a self-service laundromat. Site Geology and Hydrogeology: The property is located within the Pavement and Buildings-Flatbush-Riverhead Series Soil Map Unit, which is described as anthropogenic urban fill overlying glacial out wash deposits and characterized as a sandy loam. The groundwater table is approximately 13 feet below grade and flows south. Groundwater is not utilized as a source of potable water at site. As detailed and managed under the Site Management System, the entire site is overlain by a NYSDEC approved cover system that consists of the buildings and pavement.
Env Problem:	Remediation at the site is underway via an air sparge / soil vapor extraction (AS/SVE) system. The primary contaminants of concern are the dry cleaning solvent tetrachloroethene (PCE) and its daughter products trichloroethene (TCE) and cis-1,2-dichloroethene (DCE). Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. Site management includes operation of the AS/SVE system that will address soil and groundwater contamination under the building. A sub-slab depressurization system is also operating to prevent migration of contaminants into the occupied, on-site buildings. The SMP includes a provision to investigate off-site vapor when previously-denied access is gained, and to mitigate as necessary.
Health Problem:	Remedial actions are complete and measures are in place to control the potential for coming in contact with residual contamination remaining at the site.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2012-06-22 11:41:00
Record Upd:	2018-12-17 10:06:00
Updated By:	MDMACCAB
Own Op:	6
Sub Type:	P02
Owner Name:	Anthony Bileddo
Owner Company:	AAA Sutter Realty LLC

1199 SUTTER AVENUE (Continued) **S109583525**

Owner Address:	153-157 Seventh Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Ms. Lisa Goldstein
Owner Company:	Cypress Hills Branch
Owner Address:	Brooklyn Public Library
Owner Addr2:	1197 Sutter Ave. at Crystal St.
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
Own Op:	1
Sub Type:	E
Owner Name:	Anthony Bileddo
Owner Company:	AAA Sutter Realty LLC
Owner Address:	153-157 Seventh Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Garden City, NY 11530
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Melinda Perkins
Owner Company:	Brooklyn Community Board 5
Owner Address:	404 Pine Street, 3rd Floor
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11208
Owner Country:	United States of America
HW Code:	C224141
Waste Type:	1,1 Dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224141
Waste Type:	DICHLOROETHYLENE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224141
Waste Type:	TRICHLOROETHENE (TCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224141
Waste Type:	TETRACHLOROETHYLENE (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224141
Waste Type:	vinyl chloride
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224141
Waste Type:	1,2-dichloroethene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224141
Waste Type:	tetrachloroethene (PCE)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	2018000405070

1199 SUTTER AVENUE (Continued) **S109583525**

Cross Ref Type Code:	25
Cross Ref Type:	County Recording Identifier
Record Added Date:	2019-03-26 11:34:00
Record Updated:	2019-12-12 16:14:00
Updated By:	GWHEITZM
Crossref ID:	224141
Cross Ref Type Code:	02
Cross Ref Type:	HW Site ID
Record Added Date:	2012-08-02 11:14:00
Record Updated:	2012-08-02 11:14:00
Updated By:	BXANDERS
Crossref ID:	0902686
Cross Ref Type Code:	01
Cross Ref Type:	Spill No.
Record Added Date:	2015-07-15 15:14:00
Record Updated:	2015-07-15 15:14:00
Updated By:	MDMACCAB
Crossref ID:	2018000405070
Cross Ref Type Code:	31
Cross Ref Type:	Environmental Easement No.
Record Added Date:	2019-03-26 11:34:00
Record Updated:	2019-03-26 11:34:00
Updated By:	MDMACCAB
Crossref ID:	C224141-04-13
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2018-11-14 14:28:00
Record Updated:	2018-11-14 14:28:00
Updated By:	MDMACCAB

SPILLS:

Name:	COMMERCIAL PROPERTY
Address:	1199 SUTTER AVE
City,State,Zip:	BROOKLYN, NY
Spill Number/Closed Date:	0902686 / 2010-07-15
Facility ID:	0902686
Facility Type:	ER
DER Facility ID:	363885
Site ID:	414744
DEC Region:	2
Spill Cause:	Other
Spill Class:	C4
SWIS:	2401
Spill Date:	2009-06-05
Investigator:	JMOCONNE
Referred To:	SITE # 224141
Reported to Dept:	2009-06-05
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0

1199 SUTTER AVENUE (Continued) **S109583525**

Date Entered In Computer:	2009-06-05
Spill Record Last Update:	2010-07-15
Spiller Name:	ANTHONY BILEDO
Spiller Company:	COMMERCIAL PROPERTY
Spiller Address:	1199 SUTTER AVE
Spiller Company:	999
Contact Name:	CHRISTINE MAZZARELLA
Latitude:	40.6725840
Longitude:	-73.8736920
DEC Memo:	6/17/2009 Sangesland reviewed Phase 2 report (see e-Docs) - Summary below. Krimgold reviewed these notes and agrees with Phase 2 report Recommendation plan. Report Summary: Boring B7 contained 5100ppb of Tetrachloroethene, over the RSCO of 1400ppb. Several GW samples were above limits for VOCs, PCE, Methylene Chloride, Trichloroethene and cis-1,2-Dichloroethene - see report for details Report Recommendations: ...it is recommended that an injection program utilizing Potassium Permanganate...be implemented... In addition shallow and deep monitoring wells should be installed in several strategic locations to monitor the effectiveness of the injection event. 6/17/2009 - Krimgold gave approval for Sangesland to give direction to Associated Environmental to go forward with the Recommended Plan. 4/21/10 (JOC) - re-assigned to Joe O'Connell; - System is prompting for 17-1743 notification determination: This event was not reported pursuant to 17-1743, nor does it qualify for it. No was selected in the system to resolve the prompt; - P-site memo was distributed March 24, 2010; no responses to date; proceeding with P-site owner letter. 7/15/10 - the circumstances that were being evaluated under this spill number will be further evaluated under SSF as site #224141. No further tracking of activities will occur under this spill number. Administratively closed. See site #224141 for further information. (JOC)
Remarks:	CALLER STATES THAT THEY GOT TEST RESULTS BACK SHOWING CONTAMINATED GROUND WATER AND SOIL. CLEAN UP PENDING.

All Materials:

Site ID:	414744
Operable Unit ID:	1171122
Operable Unit:	01
Material ID:	2162910
Material Code:	0040A
Material Name:	tetrachloroethene (PCE)
Case No.:	00127184
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	G
Recovered:	Not reported
Resource Affected:	Soil, Groundwater
Oxygenate:	Not reported

Site ID:	414744

1199 SUTTER AVENUE (Continued) **S109583525**

Operable Unit ID:	1171122
Operable Unit:	01
Material ID:	2162911
Material Code:	1782A
Material Name:	tetrachloroethene
Case No.:	Not reported
Material FA:	Other
Quantity:	Not reported
Units:	G
Recovered:	Not reported
Resource Affected:	Soil, Groundwater
Oxygenate:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	1199 SUTTER AVENUE
City,State,Zip:	BROOKLYN, NY 11208
Latitude:	40.6728467
Longitude:	-73.8733497
Type Of Ownership Code:	Not reported
Owner Name:	AAA SUTTER REALTY LLC
Borough:	BK
Tax Block:	4248
Tax Lot:	1
Community District:	305
Census Tract 2020:	3119600
Census Block 2020:	31196004004
Census Tract 2010:	1196
Census Block 2010:	4004
School District:	19
City Council District:	42
Fire Company:	L107
Police Precinct:	75
Health Center District:	33
Health Area:	6410
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	3D
Zoning District 1:	R5: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C1-2
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	K1: Store Buildings (Taxpayers Included) - One Story Retail Building
Land Use Category:	Commercial & Office Buildings
Number Of Easements:	0
Lot Area:	23025
Total Building Floor Area:	15825
Commercial Floor Area:	15825
Residential Floor Area:	0

1199 SUTTER AVENUE (Continued) **S109583525**

Office Floor Area:	0
Retail Floor Area:	15825
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	5
Lot Frontage:	200.0000000
Lot Depth:	100.0000000
Building Frontage:	200.0000000
Building Depth:	100.0000000
Extension Code:	N
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	383400.00000
Assessed Total Value:	1169550.00000
Exempt Total Value:	0.00000
Year Built:	1965
Year Altered 1:	2007
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.69000000000
Maximum Allowable Residential Far:	1.25000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	2.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3042480001.00000000
Condominium Number:	Not reported
Census Tract 2:	1196
X Coordinate:	1019382
Y Coordinate:	184438
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	308 044
Tax Map #:	31308
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

317
East
1/2-1
0.752 mi.
3969 ft.

447 EUCLID AVENUE
447 EUCLID AVENUE
NEW YORK CITY, NY

NY VCP **S129932453**
NY NYC OER **N/A**

Relative:
Lower

Actual:
31 ft.

VCP NYC:

Project ID:	19TMP1428K,19EH-N325K
Name:	447 EUCLID AVENUE
Address:	447 EUCLID AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	30,421,400,123,042,100,000
OER Program:	VCP (Withdrawn), E/RD (Review)
Phase:	Completed
Latitude:	40.676252
Longitude:	-73.872114
Postcode:	11208
Community Board:	5
Council District:	42
Census Tract:	1196
BIN:	3000000
NTA:	East New York

NYC OER:

Name:	447 EUCLID AVENUE
Address:	447 EUCLID AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.676252
Longitude:	-73.872114
OER Project Numbers:	19TMP1428K,19EH-N325K
BBL:	3.0421400123042099E+19
OER Program:	VCP (Withdrawn), E/RD (Review)
Class:	Completed (C)
Phase:	Completed

URL:

Postcode:	11208
Community Board:	5
Council District:	42
Census Tract:	1196
BIN:	3000000
NTA:	East New York

AS318
South
1/2-1
0.766 mi.
4044 ft.

LOT 3,TAXBLOCK 4092
876 LIVONIA AVENUE
BROOKLYN, NY 11207

Site 1 of 2 in cluster AS

NY VCP **S109155523**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Relative:
Lower

Actual:
17 ft.

VCP NYC:

Project ID:	11TMP0272K,11EH-N272K,13CVCP070K
Name:	876 LIVONIA AVENUE NEW 2-STORY COMMERICAL BLDG. - DOB JOB NO. NB - 320232930
Address:	876 LIVONIA AVENUE
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3040920003
OER Program:	VCP (Enrolled)
Phase:	Closure

LOT 3,TAXBLOCK 4092 (Continued) **S109155523**

Latitude:	40.666186
Longitude:	-73.88449
Postcode:	11207
Community Board:	5
Council District:	42
Census Tract:	1124
BIN:	3252958
NTA:	East New York

E DESIGNATION:

Name:	LOT 3,TAXBLOCK 4092
Address:	876 LIVONIA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Tax Lot(s):	3
Tax Block:	4092
Borough Code:	BK
E-No:	E-209
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	08HPD012K
Ulurp Number:	C080228ZMK
Zoning Map No:	Not reported
Description:	Underground Gasoline Storage Tanks* Testing Protocol.;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	876 LIVONIA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6660321
Longitude:	-73.8844576
Type Of Ownership Code:	Not reported
Owner Name:	877 LIVONIA AVE LLC
Borough:	BK
Tax Block:	4092
Tax Lot:	3
Community District:	305
Census Tract 2020:	3112400
Census Block 2020:	31124001004
Census Tract 2010:	1124
Census Block 2010:	1004
School District:	19
City Council District:	42
Fire Company:	E225
Police Precinct:	75
Health Center District:	33
Health Area:	6420
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	4E
Zoning District 1:	R6A: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported

LOT 3,TAXBLOCK 4092 (Continued) **S109155523**

Commercial Overlay 1:	C2-4
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	V1: Vacant Land - Zoned Commercial Or Manhattan Residential
Land Use Category:	Vacant Land
Number Of Easements:	0
Lot Area:	800
Total Building Floor Area:	0
Commercial Floor Area:	Not reported
Residential Floor Area:	Not reported
Office Floor Area:	Not reported
Retail Floor Area:	Not reported
Garage Floor Area:	Not reported
Storage Floor Area:	Not reported
Factory Floor Area:	Not reported
Other Floor Area:	Not reported
Total Building Floor Area Source Code:	7
Number Of Buildings:	1
Number Of Floors:	Not reported
Residential Units:	0
Total Units:	0
Lot Frontage:	20.0000000
Lot Depth:	40.0000000
Building Frontage:	0.0000000
Building Depth:	0.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5
Assessed Land Value:	26100.00000
Assessed Total Value:	26100.00000
Exempt Total Value:	0.00000
Year Built:	0
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.00000000000
Maximum Allowable Residential Far:	3.00000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	3.00000000000
Boro Code:	3
Borough, Tax Block and Lot:	3040920003.00000000
Condominium Number:	Not reported
Census Tract 2:	1124
X Coordinate:	1016304
Y Coordinate:	181951
Zoning Map #:	17d
Zoning Map Code:	Not reported
Sanborn Map #:	308 008
Tax Map #:	31304
E-designation Number:	E-209

LOT 3,TAXBLOCK 4092 (Continued) **S109155523**

Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	876 LIVONIA AVENUE NEW 2-STORY COMMERICAL BLDG. - DOB JOB NO. NB - 320232930
Address:	876 LIVONIA AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.666186
Longitude:	-73.88449
OER Project Numbers:	11TMP0272K,11EH-N272K,13CVCP070K
BBL:	3040920003
OER Program:	VCP (Enrolled)
Class:	Active (A)
Phase:	Closure

URL:

Postcode:	11207
Community Board:	5
Council District:	42
Census Tract:	1124
BIN:	3252958
NTA:	East New York

AS319 **691-715 NEW LOTS AVENUE** **NY NYC OER** **S131580680**
South **691-715 NEW LOTS AVENUE** **N/A**
1/2-1 **BROOKLYN, NY**
0.778 mi.
4107 ft. **Site 2 of 2 in cluster AS**

Relative:
Lower

Actual:
17 ft.

NYC OER:

Name:	691-715 NEW LOTS AVENUE
Address:	691-715 NEW LOTS AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.665541
Longitude:	-73.884657
OER Project Numbers:	19TMP1620K,19EH-N380K
BBL:	3.0409200103040901E+19
OER Program:	E/RD (Review)
Class:	Completed (C)
Phase:	Site Management

URL:

Postcode:	11207
Community Board:	5
Council District:	42
Census Tract:	1124
BIN:	3090735
NTA:	East New York

320
SW
1/2-1
0.819 mi.
4325 ft.

BELMONT STATION — **EDR MGP** — **1008407879**
BELMONT, WILLIAMS, ALABAMA AND SUTTER AVES. — **N/A**
BROOKLYN, NY 11207

Relative:
Higher

Actual:
37 ft.

EDR MGP:

No additional information available

321
West
1/2-1
0.841 mi.
4441 ft.

2440 FULTON STREET — **NY VCP** — **S129932220**
2440 FULTON STREET — **NY NYC OER** — **N/A**
BROOKLYN, NY

Relative:
Higher

Actual:
76 ft.

VCP NYC:

Project ID:	20TMP1156K,21EHAN084K,21CVCP036K
Name:	2440 FULTON STREET
Address:	2440 FULTON STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	3015540016
OER Program:	VCP (Enrolled), E/RD (Review)
Phase:	Construction
Latitude:	40.677869
Longitude:	-73.903473
Postcode:	11233
Community Board:	16
Council District:	37
Census Tract:	367
BIN:	3042309
NTA:	Ocean Hill

NYC OER:

Name:	2440 FULTON STREET
Address:	2440 FULTON STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.677869
Longitude:	-73.903473
OER Project Numbers:	20TMP1156K,21EHAN084K,21CVCP036K
BBL:	3015540016
OER Program:	VCP (Enrolled), E/RD (Review)
Class:	Active (A)
Phase:	Construction

URL:

Postcode:	11233
Community Board:	16
Council District:	37
Census Tract:	367
BIN:	3042309
NTA:	Ocean Hill

322
SSW
1/2-1
0.857 mi.
4524 ft.

673 LIVONIA AVENUE
673 LIVONIA AVENUE
BROOKLYN, NY 11207

NY SHWS **S129982655**
NY NYC LAND USE **N/A**

Relative:
Lower

Actual:
29 ft.

SHWS:

Name:	673 LIVONIA AVENUE
Address:	673 LIVONIA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Program:	HW
Site Code:	631213
Classification:	P
Region:	2
Acres:	0.230
HW Code:	224352
Record Add:	01/24/2022
Record Upd:	07/16/2024
Updated By:	CXMAYCOC

Site Description: Location: The 0.23-acre site is located at 673 Livonia Avenue in Brooklyn, Kings County, NY in an urban area. Site Features: The site currently consists of a vacant, 8,300 square foot, one-story, slab-on-grade, concrete warehouse building with a concrete driveway to the north. A former UST below the northwest corner of the driveway was closed and removed sometime prior to 1991. Current Zoning and Land Use: The site is currently zoned as R6 (medium-density residence district) with a C2-3 (local retail/service district) overlay and is surrounded by other residential and retail commercial parcels. The site is bound to the north by Dumont Avenue, to the east by Wyona Street, to the south by Livonia Avenue as well as the MTA 2 and 3 aboveground subway lines, and to the west by Vermont Street. Past Use of the Site: The current building was constructed between 1954 1966 and was most recently occupied by Fleetwood Cabinet Co for furniture manufacturing and spray-painting operations from 1985 2017. Historical on-site uses include a knitting mill, textile processing, and dry-cleaning. Site reconnaissance during June 2021 observed a vent pipe reportedly connected to an out-of-service 2,500-gallon #2 fuel oil UST under the northern driveway. An empty 55-gallon drum and two active 250-gallon aboveground storage tanks were observed inside the building as well as evidence of spray-painting on the walls and floor slab in the southeast corner. Site Geology and Hydrogeology: Sub-surface samples collected in June 2021 identified soil consisting of red-brown sand and brown sandy silt. Groundwater was encountered at approximately 22.5 feet below grade and flows at a slight gradient (0.001 ft/ft) to the southeast.

Env Problem: Nature and Extent of Contamination: SOIL No VOCs were detected at concentrations exceeding the applicable protection of groundwater soil cleanup objectives (PGSCO). PCE was detected at a maximum concentration of 0.17 parts per million (ppm) compared to the PGSCO of 1.3 ppm, and TCE at a maximum concentration of 0.11 ppm (PGSCO is 0.47 ppm). One SVOC, benzo(a)pyrene, was identified as exceeding the restricted commercial (RC) SCO of 1 ppm at a maximum of 1.69 ppm. One RCRA metal, barium, was detected at a maximum concentration of 723 ppm (RCSCO is 400 ppm). GROUNDWATER PCE was detected at concentrations exceeding the applicable Ambient Water Quality Standard (AWQS) of 5 parts per billion (ppb) at a maximum concentration of 8.98 ppb. Chloroform was detected at a maximum of 28 ppb (AWQS is 7 ppb). Detected TCE concentrations did not exceed the AWQS of 5 ppb at a maximum of 0.95 ppb. PFOS was detected at a

673 LIVONIA AVENUE (Continued) **S129982655**

	maximum concertation of 0.0747 ppb (AWQS is 0.01 ppb) and PFOA at a maximum of 0.0635 ppb (AWQS is 0.01 ppb). SOIL VAPOR PCE and TCE were detected at maximum concentrations of 180,000 micrograms per cubic meter (ug/m3) and 52,700 ug/m3, respectively. Additionally, the degradation compounds cis-1,2-dichloroethene and trans-1,2-dicholorethene were detected at maximum concentrations of 16,500 ug/m3 and 1,870 ug/m3. Several petroleum-related VOCs were also detected, including benzene (max. 94 ug/m3), toluene (max. 1,800 ug/m3), ethylbenzene (max. 170 ug/m3), and total xylene (max. 800 ug/m3). --- Significant Threat: No evaluation has been made thus far to determine if the contaminants represent a significant environmental threat.
Health Problem:	As information for this site becomes available, it will be reviewed by the NYSDOH to determine if site contamination presents public health exposure concerns.
Dump:	Not reported
Structure:	Not reported
Lagoon:	Not reported
Landfill:	Not reported
Pond:	Not reported
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	Not reported
Record Upd:	Not reported
Updated By:	Not reported
Own Op:	1
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	ElderServe Health, Inc.
Owner Address:	80 West 225th Street
Owner Addr2:	Not reported
Owner City,St,Zip:	Bronx, NY 10463
Owner Country:	United States of America
HW Code:	Not reported
Waste Type:	Not reported
Waste Quantity:	Not reported
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	673 LIVONIA AVENUE
City,State,Zip:	BROOKLYN, NY 11207
Latitude:	40.6653147
Longitude:	-73.8919023
Type Of Ownership Code:	X
Owner Name:	ELDERSERVE HEALTH, INC.
Borough:	BK
Tax Block:	3808
Tax Lot:	1

673 LIVONIA AVENUE (Continued) **S129982655**

Community District:	305
Census Tract 2020:	3112600
Census Block 2020:	31126001001
Census Tract 2010:	1126
Census Block 2010:	1001
School District:	19
City Council District:	42
Fire Company:	L103
Police Precinct:	75
Health Center District:	33
Health Area:	6300
Sanitation District Boro:	3
Sanitation District Number:	05
Sanitation Subsection:	4D
Zoning District 1:	R6: Residential Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	C2-3
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	F5: Factory And Industrial Buildings - Light Manufacturing
Land Use Category:	Industrial & Manufacturing
Number Of Easements:	0
Lot Area:	10000
Total Building Floor Area:	8300
Commercial Floor Area:	8300
Residential Floor Area:	0
Office Floor Area:	0
Retail Floor Area:	0
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	8300
Other Floor Area:	0
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	1.0000000
Residential Units:	0
Total Units:	1
Lot Frontage:	100.0000000
Lot Depth:	100.0000000
Building Frontage:	83.0000000
Building Depth:	100.0000000
Extension Code:	N
Proximity Code:	1
Irregular Lot Code:	N
Lot Type:	3
Basement Type/Grade:	0
Assessed Land Value:	81000.00000
Assessed Total Value:	403200.00000
Exempt Total Value:	403200.00000
Year Built:	1930
Year Altered 1:	0

673 LIVONIA AVENUE (Continued) **S129982655**

Year Altered 2:	0
Historic District Name:	Not reported
Landmark Status:	Not reported
Built Floor Area Ratio:	0.83000000000
Maximum Allowable Residential Far:	2.43000000000
Maximum Allowable Commercial Far:	0.00000000000
Maximum Allowable Community Facility Far:	4.80000000000
Boro Code:	3
Borough, Tax Block and Lot:	3038080001.00000000
Condominium Number:	Not reported
Census Tract 2:	1126
X Coordinate:	1014239
Y Coordinate:	181687
Zoning Map #:	17d
Zoning Map Code:	Not reported
Sanborn Map #:	316 032
Tax Map #:	31207
E-designation Number:	Not reported
Apportionment BBL:	Not reported
Apportionment Date:	Not reported
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

---

323 **81-111 JUNIUS STREET** **NY VCP** **S129932646**
WSW **81 JUNIUS STREET** **NY NYC OER** **N/A**
1/2-1 **BROOKLYN, NY**
0.941 mi.
4966 ft.

Relative:
Higher

Actual:
50 ft.

VCP NYC:

Project ID:	15TMP0582K,15CVCP118K,15CVCP118K
Name:	81-111 JUNIUS STREET
Address:	81 JUNIUS STREET
City,State,Zip:	NEW YORK CITY, NY
Borough:	Brooklyn
BBL:	30,369,600,013,036,900,000
OER Program:	VCP (Enrolled)
Phase:	Completed
Latitude:	40.673003
Longitude:	-73.903826
Postcode:	11212
Community Board:	16
Council District:	37
Census Tract:	908
BIN:	3425596
NTA:	Brownsville

NYC OER:

Name:	81-111 JUNIUS STREET
Address:	81 JUNIUS STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.673003
Longitude:	-73.903826
OER Project Numbers:	15TMP0582K,15CVCP118K,15CVCP118K

81-111 JUNIUS STREET (Continued) **S129932646**

BBL: 3.03696000130369E+19
OER Program: VCP (Enrolled)
Class: Completed (C)
Phase: Completed

URL:
Postcode: 11212
Community Board: 16
Council District: 37
Census Tract: 908
BIN: 3425596
NTA: Brownsville

AT324 **LOT 46,TAXBLOCK 1437** **NY BROWNFIELDS** **S118704373**
West **2435 PACIFIC STREET** **NY E DESIGNATION** **N/A**
1/2-1 **BROOKLYN, NY 11233** **NY NYC LAND USE**
0.977 mi. **NY NYC OER**
5156 ft. **Site 1 of 2 in cluster AT**

Relative:
Higher

Actual:
68 ft.

BROWNFIELDS:
Name: 2435 PACIFIC STREET
Address: 2435 PACIFIC STREET
City,State,Zip: BROOKLYN, NY 11233
Program: BCP
Site Code: 617184
Acres: 0.800
HW Code: C224322
SWIS: 2401
Town: New York City
Record Added Date: 03/17/2021
Record Updated Date: 08/25/2023
Update By: RKCORCOR
Site Description: Location: The 0.8-acre site is located in an urban area of Brooklyn on the northern side of Pacific Street, between Sackman Street to the west and East New York Avenue to the east. The site is comprised of two contiguous tax lots (Lot 46 to the east and Lot 58 to the west). Site Features: The site is primarily grassy land. Gravel and paved surface areas are located along the western and southern property borders, respectively. Chain-link fences and concrete block walls define the property borders. Current Zoning and Land Use: The site is currently vacant and is located in a mixed-use C4-5D/R7D zoning district (a general commercial district with a residential overlay). The adjoining parcels are currently used for a combination of institutional (north), industrial (east), residential (south), and commercial (northeast and west) purposes. Past Uses of the Site: The site was first developed for commercial and manufacturing use sometime between 1908 and 1928. Known commercial uses have included a large automobile garage containing gasoline tanks on Lot 46, subsequently used as a manufacturing facility for elevators, lamps and clothing, and a warehouse on Lot 58 that was occupied by a clothing manufacturer and several retail stores. On-site buildings were demolished by the 1980s (Lot 58) and 2007 (Lot 46). Site Geology and Hydrogeology: Site soils are derived from glacial materials, which overlie deep glacial deposits of sand, gravel and clay, with bedrock located well below the surface, beyond 102 feet below ground surface (bgs). Subsurface soils generally consist of fill (coarse to medium sand, clay, crushed stone, crushed brick and crushed concrete), ranging in depth from three to 15 feet bgs, and underlying

LOT 46,TAXBLOCK 1437 (Continued) **S118704373**

native materials were generally comprised of sands with variable size gravel. Geotechnical borings documented deeper native materials comprised of dense sands and gravels. Site elevation is about 68 feet above mean sea level. Depth to groundwater (from well casings) is about 60 feet bgs. Groundwater flow in the vicinity of the property generally follows surficial topography in a southeasterly direction, toward Jamaica Bay (located approximately three miles from the property).

Env Problem: Soil and groundwater samples were analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, polychlorinated biphenyls (PCBs), per- and polyfluoroalkyl substances (PFAS), pesticides, herbicides, and cyanide during the Remedial Investigation. Soil results were compared to restricted residential soil cleanup objectives (RRSCOs) and the restricted residential guidance values for PFAS. Groundwater results were compared to the Ambient Water Quality Standards and Guidance Values (AWQSs and AWQGVs). Soil vapor samples were analyzed for VOCs. Based upon investigations conducted to date, the primary contaminants of concern for the site are lead and polycyclic aromatic hydrocarbons (PAHs), which are a subset of SVOCs. Soil PAHs (e.g., benzo(a)anthracene) and lead were detected above RRSCOs in on-site fill materials. PAHs were detected above RRSCOs in soil in the majority of the soil borings from the surface to as deep as 15 feet below ground surface (bgs). However, the majority of the impacts were in the shallower sample intervals. For PAHs, the maximum values, as compared to the RRSCO include: benzo(a)anthracene at 82 parts per million (ppm); benzo(a)pyrene at 77 ppm; and benzo(b)fluoranthene at 75 ppm (RRSCOs 1 ppm); and benzo(k)fluoranthene at 71 ppm (RRSCO 3.9 ppm). Lead was detected above the RRSCO of 400 ppm at up to 2,620 ppm. Sampling of the deepest soil intervals, which reached clean native materials, generally showed limited contamination. These findings are consistent with general impacts from poor-quality fill, demolition debris, and/or former commercial uses, rather than any localized source areas of soil contamination. Data do not indicate any off-site impacts in soil related to this site. Groundwater Concentrations of some ubiquitous metals (e.g., sodium and manganese) exceed, and some PAH compounds in groundwater slightly exceed, their respective AWQS and are not considered contaminants of concern in groundwater. PFAS were reported in all groundwater samples, including the upgradient wells. Perfluorooctanesulfonic acid (PFOS) was detected up to 57.0 parts per trillion (ppt) (AWQGV 2.7 ppt), and perfluorooctanoic acid PFOA was detected up to 87.2 ppt (AWQGV 6.7 ppt). The results indicate that the site is not a source of PFAS to groundwater. Groundwater contamination may, in part, be related to the presence of poor-quality on-site fill materials. However, groundwater impacts are similar to conditions typically encountered in urban areas and are likely related to local groundwater conditions, rather than a significant onsite source areas. Data do not indicate any off-site impacts in groundwater related to the site. Soil Vapor - Soil vapor samples were analyzed for VOCs. Soil vapor was not found to be impacted by site-related contamination. The highest detections were for acetone up to 945 micrograms per cubic meter (?g/m3), tertiary butyl alcohol up to 355 ?g/m3, chloroform up to 532 ?g/m3, and tetrachloroethene up to 180 ?g/m3. Data do not indicate any off-site impacts in soil vapor related to the site.

Health Problem: People will not come into contact with contaminated soil or groundwater unless they dig below the ground surface. People are not

LOT 46,TAXBLOCK 1437 (Continued) **S118704373**

drinking the groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in soil vapor (air spaces within the soil) may move into buildings and affect the indoor air quality. This process which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. The site is vacant so inhalation of site contaminants in indoor air is not a current concern, however could be a concern for future on-site occupied structures. Environmental sampling indicates soil vapor is not a concern for off-site buildings.

Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	Not reported
Disp Term:	Not reported
Lat/Long:	Not reported
Dell:	Not reported
Record Add:	2021-06-18 09:16:00
Record Upd:	2023-05-19 14:34:00
Updated By:	TLRUTLAN
Own Op:	1
Sub Type:	NNN
Owner Name:	Elaine Frazier
Owner Company:	Love Fellowship Tabernacle, Inc.
Owner Address:	464 Liberty Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11207
Owner Country:	United States of America
Own Op:	6
Sub Type:	P03
Owner Name:	Mike McCarthy
Owner Company:	2435 Pacific Street LLC
Owner Address:	111 John Street, Suite 1710
Owner Addr2:	Not reported
Owner City,St,Zip:	New York, NY 10038
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Paul Levy
Owner Company:	Brooklyn Public Library - Brownsville Branch
Owner Address:	61 Glenmore Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11212
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Brooklyn Community Board 16
Owner Address:	444 Thomas Boyland Street, Rm. 103
Owner Addr2:	Not reported
Owner City,St,Zip:	Brooklyn, NY 11212
Owner Country:	United States of America
HW Code:	C224322
Waste Type:	benzo(k)fluoranthene
Waste Quantity:	UNKNOWN

LOT 46,TAXBLOCK 1437 (Continued) **S118704373**

Waste Code:	Not reported
HW Code:	C224322
Waste Type:	benzo(a)anthracene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224322
Waste Type:	lead
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224322
Waste Type:	benzo(a)pyrene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	C224322
Waste Type:	benzo(b)fluoranthene
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

E DESIGNATION:

Name:	LOT 46,TAXBLOCK 1437
Address:	2435 PACIFIC STREET
City,State,Zip:	BROOKLYN, NY 11233
Tax Lot(s):	46
Tax Block:	1437
Borough Code:	BK
E-No:	E-366
Effective Date:	Not reported
Satisfaction Date:	Not reported
Ceqr Number:	15DCP102K
Ulurp Number:	N160050ZRK; C160035ZMK
Zoning Map No:	Not reported
Description:	Air Quality - HVAC fuel limited to natural gas;Hazardous Materials* Phase I and Phase II Testing Protocol;Window Wall Attenuation & Alternate Ventilation
Lot Remediation Date:	Not reported

NYC LAND USE:

Name:	Not reported
Address:	2435 PACIFIC STREET
City,State,Zip:	BROOKLYN, NY 11233
Latitude:	40.6754575
Longitude:	-73.9052609
Type Of Ownership Code:	Not reported
Owner Name:	LOVE FELLOWSHIP TABERNACLE INC
Borough:	BK
Tax Block:	1437
Tax Lot:	46
Community District:	316
Census Tract 2020:	3036502

LOT 46,TAXBLOCK 1437 (Continued) **S118704373**

Census Block 2020:	30365021004
Census Tract 2010:	365.02
Census Block 2010:	1001
School District:	23
City Council District:	37
Fire Company:	L176
Police Precinct:	73
Health Center District:	34
Health Area:	3700
Sanitation District Boro:	3
Sanitation District Number:	16
Sanitation Subsection:	1B
Zoning District 1:	C4-5D: Commercial Districts
Zoning District 2:	Not reported
Zoning District 3:	Not reported
Zoning District 4:	Not reported
Commercial Overlay 1:	Not reported
Commercial Overlay 2:	Not reported
Special Purpose District 1:	Not reported
Special Purpose District 2:	Not reported
Special Purpose District 3:	Not reported
Limited Height District:	Not reported
Spill Boundary Indicator:	N
Building Class:	D6: Elevator Apartments - Fireproof With Stores
Land Use Category:	Mixed Residential & Commercial Buildings
Number Of Easements:	0
Lot Area:	35000
Total Building Floor Area:	236732
Commercial Floor Area:	26140
Residential Floor Area:	210592
Office Floor Area:	0
Retail Floor Area:	6963
Garage Floor Area:	0
Storage Floor Area:	0
Factory Floor Area:	0
Other Floor Area:	19177
Total Building Floor Area Source Code:	2
Number Of Buildings:	1
Number Of Floors:	10.0000000
Residential Units:	236
Total Units:	237
Lot Frontage:	350.0000000
Lot Depth:	100.0000000
Building Frontage:	215.0000000
Building Depth:	60.0000000
Extension Code:	Not reported
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	5
Basement Type/Grade:	5
Assessed Land Value:	1274850.00000
Assessed Total Value:	1274850.00000
Exempt Total Value:	0.00000
Year Built:	2024
Year Altered 1:	0
Year Altered 2:	0
Historic District Name:	Not reported

LOT 46,TAXBLOCK 1437 (Continued) **S118704373**

Landmark Status:	Not reported
Built Floor Area Ratio:	6.76000000000
Maximum Allowable Residential Far:	4.20000000000
Maximum Allowable Commercial Far:	4.20000000000
Maximum Allowable Community Facility Far:	4.20000000000
Boro Code:	3
Borough, Tax Block and Lot:	3014370046.00000000
Condominium Number:	Not reported
Census Tract 2:	036502
X Coordinate:	1010529
Y Coordinate:	185378
Zoning Map #:	17c
Zoning Map Code:	Not reported
Sanborn Map #:	307 012
Tax Map #:	30508
E-designation Number:	E-366
Apportionment BBL:	3014370046.00000000
Apportionment Date:	01/19/2023
Pluto DTM Base Map Indicator:	1
2007 Flood Insurance Rate Map Indicator:	Not reported
2015 Preliminary Flood Insurance Rate Map Indicator:	Not reported
Version Number:	24v3.1
Changed By DCP:	Not reported

NYC OER:

Name:	2435 PACIFIC STREET
Address:	2435 PACIFIC STREET
City,State,Zip:	BROOKLYN, NY
Latitude:	40.675235
Longitude:	-73.904872
OER Project Numbers:	19TMP1561K,19EHAN348K
BBL:	3.0143700463014302E+19
OER Program:	E/RD (Review), State BCP, Jumpstart
Class:	Active (A)
Phase:	Construction

URL:

Postcode:	11233
Community Board:	16
Council District:	37
Census Tract:	36502
BIN:	3038668
NTA:	Ocean Hill

AT325 **2396 ATLANTIC AVENUE** **NY NYC OER** **S129932210**
West **2396 ATLANTIC AVENUE** **N/A**
1/2-1 **BROOKLYN, NY**
0.995 mi.
5255 ft. **Site 2 of 2 in cluster AT**

Relative:
Higher

Actual:
71 ft.

NYC OER:

Name:	2396 ATLANTIC AVENUE
Address:	2396 ATLANTIC AVENUE
City,State,Zip:	BROOKLYN, NY
Latitude:	40.676037
Longitude:	-73.905494
OER Project Numbers:	22TMP0304K,22EHAN062K

2396 ATLANTIC AVENUE (Continued) **S129932210**

BBL:	3.0143700013014299E+19
OER Program:	E/RD (Review)
Class:	Active (A)
Phase:	Closure
URL:	
Postcode:	11233
Community Board:	16
Council District:	37
Census Tract:	36502
BIN:	Not reported
NTA:	Ocean Hill

Count: 3 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BROOKLYN	S113922095	UNION STATION (CITIZENS BRANCH)	ATLANTIC AVE, ASHFORD ST, LIBE	11207	NY VCP
BROOKLYN	S113922098	BELMONT STATION	BELMONT, WILLIAMS, ALABAMA & S	11207	NY VCP
BROOKLYN	S125465259	LINWOOD STREET GW	LINWOOD ST BETWEEN WORTMAN ST	11208	NY SHWS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/19/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 19

Source: EPA
Telephone: N/A
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 04/07/2025
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 3
Telephone 215-814-5418

EPA Region 4
Telephone 404-562-8033

EPA Region 5
Telephone 312-886-6686

EPA Region 10
Telephone 206-553-8665

EPA Region 6
Telephone: 214-655-6659

EPA Region 7
Telephone: 913-551-7247

EPA Region 8
Telephone: 303-312-6774

EPA Region 9
Telephone: 415-947-4246

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/19/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 19

Source: EPA
Telephone: N/A
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 04/07/2025
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/19/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 19

Source: EPA
Telephone: N/A
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 04/07/2025
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 11/20/2024
Date Data Arrived at EDR: 12/18/2024
Date Made Active in Reports: 12/20/2024
Number of Days to Update: 2

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 03/27/2025
Next Scheduled EDR Contact: 07/07/2025
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/19/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 19

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 04/21/2025
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 12/19/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 19

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 04/21/2025
Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 15

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 11/11/2024
Date Data Arrived at EDR: 11/25/2024
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 85

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 03/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/15/2024
Date Made Active in Reports: 02/11/2025
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/18/2025
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/15/2024
Date Made Active in Reports: 02/11/2025
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 02/18/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/03/2024
Date Data Arrived at EDR: 12/11/2024
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 69

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Annually

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/11/2024
Date Data Arrived at EDR: 12/17/2024
Date Made Active in Reports: 12/27/2024
Number of Days to Update: 10

Source: Department of Environmental Conservation
Telephone: 518-402-8678
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 07/07/2025
Data Release Frequency: Quarterly

Lists of state and tribal leaking storage tanks

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/11/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

LTANKS: Spills Information Database
Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 11/03/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 12/05/2024
Number of Days to Update: 30

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 08/12/2024
Date Data Arrived at EDR: 10/30/2024
Date Made Active in Reports: 01/14/2025
Number of Days to Update: 76

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 03/26/2025
Next Scheduled EDR Contact: 07/14/2025
Data Release Frequency: Varies

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 12/12/2024
Date Data Arrived at EDR: 12/12/2024
Date Made Active in Reports: 02/28/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 12/12/2024
Date Data Arrived at EDR: 12/12/2024
Date Made Active in Reports: 03/03/2025
Number of Days to Update: 81

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 12/12/2024
Date Data Arrived at EDR: 12/12/2024
Date Made Active in Reports: 03/03/2025
Number of Days to Update: 81

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 12/12/2024
Date Data Arrived at EDR: 12/12/2024
Date Made Active in Reports: 02/28/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/11/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 07/29/2024
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

TANKS: Storage Tank Faciliy Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 12/12/2024
Date Data Arrived at EDR: 12/12/2024
Date Made Active in Reports: 03/03/2025
Number of Days to Update: 81

Source: Department of Environmental Conservation
Telephone: 518-402-9543
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

ENV RES DECL: Environmental Restrictive Declarations

The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 12/06/2024
Date Data Arrived at EDR: 12/11/2024
Date Made Active in Reports: 03/03/2025
Number of Days to Update: 82

Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 03/13/2025
Next Scheduled EDR Contact: 06/23/2025
Data Release Frequency: Varies

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/04/2024
Date Data Arrived at EDR: 12/09/2024
Date Made Active in Reports: 03/03/2025
Number of Days to Update: 84

Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 03/11/2025
Next Scheduled EDR Contact: 06/23/2025
Data Release Frequency: Varies

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Quarterly

Lists of state and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Semi-Annually

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 03/12/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Varies

VCP NYC: Voluntary Cleanup Program Listing NYC
New York City voluntary cleanup program sites.

Date of Government Version: 12/02/2024
Date Data Arrived at EDR: 12/04/2024
Date Made Active in Reports: 02/25/2025
Number of Days to Update: 83

Source: New York City Office of Environmental Protection
Telephone: 212-788-8841
Last EDR Contact: 03/04/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Varies

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Site List
A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Semi-Annually

ERP: Environmental Restoration Program Listing
In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a $200 million Environmental Restoration or Brownfields Fund as part of the $1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/09/2024
Date Data Arrived at EDR: 09/11/2024
Date Made Active in Reports: 12/06/2024
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/12/2025
Next Scheduled EDR Contact: 06/23/2025
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 12/11/2024
Date Data Arrived at EDR: 12/17/2024
Date Made Active in Reports: 12/27/2024
Number of Days to Update: 10

Source: Department of Environmental Conservation
Telephone: 518-402-8678
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 07/07/2025
Data Release Frequency: Quarterly

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 02/27/2018
Date Data Arrived at EDR: 04/06/2018
Date Made Active in Reports: 06/08/2018
Number of Days to Update: 63

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 02/26/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: No Update Planned

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/23/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 02/07/2024
Date Data Arrived at EDR: 11/13/2024
Date Made Active in Reports: 11/19/2024
Number of Days to Update: 6

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 12/09/2024
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 05/20/2024
Date Data Arrived at EDR: 08/19/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 51

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: No Update Planned

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/20/2024
Date Data Arrived at EDR: 08/19/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 51

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database
These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Spill Liens Information
Lien information from the Oil Spill Fund.

Date of Government Version: 10/28/2024
Date Data Arrived at EDR: 10/29/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 85
Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 01/23/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Quarterly

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 12/19/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 19
Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 04/07/2025
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System
Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/10/2024
Date Data Arrived at EDR: 12/11/2024
Date Made Active in Reports: 02/27/2025
Number of Days to Update: 78
Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

SPILLS: Spills Information Database
Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 11/03/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 12/05/2024
Number of Days to Update: 30
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database
This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/12/2013
Number of Days to Update: 40

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 10/01/2024
Date Data Arrived at EDR: 11/12/2024
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 70

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 02/11/2025
Next Scheduled EDR Contact: 05/26/2025
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 01/07/2025
Next Scheduled EDR Contact: 04/21/2025
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 12/30/2024
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 02/03/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA Watch List

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 01/27/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: No Update Planned

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 01/30/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 283

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 03/10/2025
Next Scheduled EDR Contact: 06/23/2025
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 02/11/2025
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 7

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 02/11/2025
Next Scheduled EDR Contact: 05/26/2025
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 10/15/2024
Date Data Arrived at EDR: 10/16/2024
Date Made Active in Reports: 01/14/2025
Number of Days to Update: 90

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/15/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 01/29/2025
Date Data Arrived at EDR: 02/03/2025
Date Made Active in Reports: 02/27/2025
Number of Days to Update: 24

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 06/09/2025
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 10/01/2024
Date Data Arrived at EDR: 10/23/2024
Date Made Active in Reports: 01/14/2025
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 01/09/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 10/02/2024
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 100

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 01/02/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 03/26/2025
Next Scheduled EDR Contact: 07/14/2025
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 10/12/2024
Date Data Arrived at EDR: 10/17/2024
Date Made Active in Reports: 11/19/2024
Number of Days to Update: 33
Source: Nuclear Regulatory Commission
Telephone: 301-415-0717
Last EDR Contact: 01/09/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 10/16/2024
Date Made Active in Reports: 01/14/2025
Number of Days to Update: 90
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 02/24/2025
Next Scheduled EDR Contact: 06/09/2025
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 02/24/2025
Next Scheduled EDR Contact: 06/09/2025
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 01/30/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 03/20/2025
Next Scheduled EDR Contact: 07/07/2025
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 10/04/2024
Date Data Arrived at EDR: 10/16/2024
Date Made Active in Reports: 12/06/2024
Number of Days to Update: 51

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 01/22/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 09/30/2024
Date Data Arrived at EDR: 10/09/2024
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 93

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 03/26/2025
Next Scheduled EDR Contact: 07/14/2025
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/07/2025
Number of Days to Update: 16

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 12/30/2024
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023
Date Data Arrived at EDR: 03/03/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 98

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 01/23/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 02/12/2025
Date Data Arrived at EDR: 02/12/2025
Date Made Active in Reports: 02/27/2025
Number of Days to Update: 15

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 02/06/2025
Next Scheduled EDR Contact: 05/26/2025
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 12/19/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/21/2025
Number of Days to Update: 19

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 03/03/2025
Next Scheduled EDR Contact: 04/07/2025
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data
A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data
Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 02/19/2025
Date Data Arrived at EDR: 02/21/2025
Date Made Active in Reports: 03/20/2025
Number of Days to Update: 27

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 02/19/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Quarterly

US MINES: Mines Master Index File
Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/03/2025
Date Data Arrived at EDR: 02/18/2025
Date Made Active in Reports: 03/20/2025
Number of Days to Update: 30

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 02/18/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing
This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/02/2024
Date Data Arrived at EDR: 08/20/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 50

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing
Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System
Mineral Resources Data System

Date of Government Version: 06/04/2024
Date Data Arrived at EDR: 11/22/2024
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 88

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 12/10/2024
Date Data Arrived at EDR: 12/11/2024
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 69

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 03/12/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/11/2024
Date Data Arrived at EDR: 11/20/2024
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 90

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 02/25/2025
Next Scheduled EDR Contact: 06/09/2025
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 12/21/2024
Date Data Arrived at EDR: 12/27/2024
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 14

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 03/27/2025
Next Scheduled EDR Contact: 07/14/2025
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/06/2023
Date Data Arrived at EDR: 09/13/2023
Date Made Active in Reports: 12/11/2023
Number of Days to Update: 89

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 01/06/2025
Next Scheduled EDR Contact: 04/21/2025
Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 02/12/2025
Next Scheduled EDR Contact: 06/02/2025
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/08/2024
Date Data Arrived at EDR: 11/08/2024
Date Made Active in Reports: 01/14/2025
Number of Days to Update: 67

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 02/13/2025
Next Scheduled EDR Contact: 05/26/2025
Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 703-603-8895
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-566-0250
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 06/24/2020
Date Data Arrived at EDR: 03/17/2021
Date Made Active in Reports: 11/08/2022
Number of Days to Update: 601

Source: Department of Health & Human Services
Telephone: 202-741-5770
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 12/13/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/14/2025
Number of Days to Update: 12

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 01/02/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS PROJECT: NORTHEASTERN UNIVERSITY PFAS PROJECT

The PFAS Contamination Site Tracker records qualitative and quantitative data from each site in a chart, specifically examining discovery, contamination levels, government response, litigation, health impacts, media coverage, and community characteristics. All data presented in the chart were extracted from government websites, such as state health departments or the Environmental Protection Agency, and news articles.

Date of Government Version: 05/19/2023
Date Data Arrived at EDR: 04/05/2024
Date Made Active in Reports: 06/06/2024
Number of Days to Update: 62

Source: Social Science Environmental Health Research Institute
Telephone: N/A
Last EDR Contact: 03/06/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS ECHO FIRE TRAIN: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facilitys name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PFAS PT 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration?s document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 12/30/2024
Date Data Arrived at EDR: 01/02/2025
Date Made Active in Reports: 01/10/2025
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-267-2675
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 04/14/2025
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 12/16/2016
Date Data Arrived at EDR: 01/06/2017
Date Made Active in Reports: 03/10/2017
Number of Days to Update: 63

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 03/27/2025
Next Scheduled EDR Contact: 07/14/2025
Data Release Frequency: No Update Planned

PCS ENF: Enforcement data
No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29
Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 03/27/2025
Next Scheduled EDR Contact: 07/14/2025
Data Release Frequency: Varies

BIOSOLIDS: ICIS-NPDES Biosolids Facility Data
The data reflects compliance information about facilities in the biosolids program.

Date of Government Version: 01/12/2025
Date Data Arrived at EDR: 01/14/2025
Date Made Active in Reports: 03/20/2025
Number of Days to Update: 65
Source: Environmental Protection Agency
Telephone: 202-564-4700
Last EDR Contact: 01/14/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Varies

UST FINDER RELEASE: UST Finder Releases Database
US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/31/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 79
Source: Environmental Protecton Agency
Telephone: 202-564-0394
Last EDR Contact: 02/06/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Semi-Annually

UST FINDER: UST Finder Database
EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories . UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/04/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 106
Source: Environmental Protection Agency
Telephone: 202-564-0394
Last EDR Contact: 02/06/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Varies

E MANIFEST: Hazardous Waste Electronic Manifest System
EPA established a national system for tracking hazardous waste shipments electronically. This system, known as ?e-Manifest,? will modernize the nation?s cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

Date of Government Version: 02/17/2025
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/14/2025
Number of Days to Update: 23
Source: Environmental Protection Agency
Telephone: 833-501-6826
Last EDR Contact: 03/18/2025
Next Scheduled EDR Contact: 06/30/2025
Data Release Frequency: Varies

PFAS 3: PFAS Environmental Site Remediation List
A list of records included in the Environmental Remediation database whose material is listed as Perfluorooctanoic Acid or Perfluorooctane Sulfonic Acid.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/06/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 77

Source: Department of Environmental Conservation
Telephone: 518-402-9759
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Varies

PFAS 2: New York State Inactive Landfill Initiative

A list of landfills that were investigated and the analytical results for PFOA and PFOS for those landfills. These data represent the landfills from the ILI database that were investigated.

Date of Government Version: 12/12/2022
Date Data Arrived at EDR: 08/10/2023
Date Made Active in Reports: 10/25/2023
Number of Days to Update: 76

Source: Department of Environmental Conservation
Telephone: 518-402-9662
Last EDR Contact: 01/23/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

PFAS: PFAS Contamination Site Location Listing

DEC surveyed select businesses, fire departments, fire training centers, bulk storage facilities, airports, and Department of Defense (DoD) facilities. The responses to the survey have helped to determine if these entities used or stored materials containing PFOA/PFOS including AFFF and dispersants used in Teflon coating operations. The results of this survey will be updated periodically as additional responses are received..

Date of Government Version: 01/16/2019
Date Data Arrived at EDR: 05/08/2019
Date Made Active in Reports: 06/24/2019
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-9020
Last EDR Contact: 01/30/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 10/09/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 11/21/2024
Number of Days to Update: 16

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 01/09/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: Annually

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 12/18/2024
Date Data Arrived at EDR: 12/18/2024
Date Made Active in Reports: 03/10/2025
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 07/07/2025
Data Release Frequency: Quarterly

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 11/27/2024
Date Data Arrived at EDR: 12/09/2024
Date Made Active in Reports: 03/03/2025
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 02/26/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 10/07/2024
Date Data Arrived at EDR: 12/19/2024
Date Made Active in Reports: 03/11/2025
Number of Days to Update: 82

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 03/11/2025
Next Scheduled EDR Contact: 06/23/2025
Data Release Frequency: Semi-Annually

FIN ASSURANCE 1: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 12/11/2024
Date Data Arrived at EDR: 12/18/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 03/19/2025
Next Scheduled EDR Contact: 07/07/2025
Data Release Frequency: Quarterly

FIN ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 08/30/2024
Date Data Arrived at EDR: 08/30/2024
Date Made Active in Reports: 09/13/2024
Number of Days to Update: 14

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 02/26/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Varies

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NYC LEAD: Lead-based Paint Testing Results

The results of the inspections for all classrooms serving students under six in applicable buildings. Identifies all classrooms, whether there was observation of peeling paint, and if there was, standard response protocol was followed.

Date of Government Version: 07/10/2024
Date Data Arrived at EDR: 07/30/2024
Date Made Active in Reports: 10/17/2024
Number of Days to Update: 79

Source: New York City Department of Education
Telephone: 212-374-5141
Last EDR Contact: 01/28/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

NYC LEAD 2: Recent Lead Paint Violations

Pursuant to New York City?s Housing Maintenance Code, the Department of Housing Preservation and Development (HPD) issues violations against conditions in rental dwelling units that have been verified to violate the New York City Housing Maintenance Code (HMC) or the New York State Multiple Dwelling Law (MDL). Violations are issued when an inspection verifies that a violation of the HMC or MDL exists. It is closed when the violation is corrected, as observed/verified by HPD or as certified by the landlord.

Date of Government Version: 10/28/2024
Date Data Arrived at EDR: 10/30/2024
Date Made Active in Reports: 01/22/2025
Number of Days to Update: 84

Source: New York City Department of Housing Preservation & Development
Telephone: 212-863-8200
Last EDR Contact: 01/28/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 11/30/2023
Date Made Active in Reports: 12/01/2023
Number of Days to Update: 1

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 01/23/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Quarterly

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 10/10/2024
Date Data Arrived at EDR: 11/08/2024
Date Made Active in Reports: 12/02/2024
Number of Days to Update: 24

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 01/09/2025
Next Scheduled EDR Contact: 04/28/2025
Data Release Frequency: No Update Planned

VAPOR REOPENED: Vapor Intrusion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 01/01/2022
Date Data Arrived at EDR: 02/08/2022
Date Made Active in Reports: 05/06/2022
Number of Days to Update: 87

Source: Department of Environmenal Conservation
Telephone: 518-402-9814
Last EDR Contact: 02/06/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: Varies

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 11/19/2024
Date Data Arrived at EDR: 11/20/2024
Date Made Active in Reports: 02/14/2025
Number of Days to Update: 86

Source: Department of Environmental Conservation
Telephone: 518-402-8056
Last EDR Contact: 02/25/2025
Next Scheduled EDR Contact: 06/09/2025
Data Release Frequency: Quarterly

COOLING TOWERS: Registered Cooling Towers

This data includes the location of cooling towers registered with New York State. The data is self-reported by owners/property managers of cooling towers in service in New York State. In August 2015, the New York State Department of Health released emergency regulations requiring the owners of cooling towers to register them with New York State.

Date of Government Version: 12/31/2024
Date Data Arrived at EDR: 01/07/2025
Date Made Active in Reports: 03/25/2025
Number of Days to Update: 77

Source: Department of Health
Telephone: 518-402-7650
Last EDR Contact: 01/07/2025
Next Scheduled EDR Contact: 04/21/2025
Data Release Frequency: Varies

MGP: Manufactured Gas Plants Listing

From the late 1800's to the mid 1900's, hundreds of manufactured gas plants across New York State supplied homes and industry with fuel for heating, cooking, and lighting. Today, the New York State DEC is overseeing the investigation and cleanup of contamination left behind from these plants.

Date of Government Version: 12/02/2024
Date Data Arrived at EDR: 12/03/2024
Date Made Active in Reports: 02/25/2025
Number of Days to Update: 84

Source: Department of Environmental Conservation
Telephone: 518-402-9662
Last EDR Contact: 02/26/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Varies

NYC OER: OER Cleanup Sites Listing

Properties remediated under OER's oversight, both in the E-Designation program and the NYC Voluntary Cleanup Program. Includes sites completed and in progress.

Date of Government Version: 12/02/2024
Date Data Arrived at EDR: 12/04/2024
Date Made Active in Reports: 02/25/2025
Number of Days to Update: 83

Source: Office of Environmental Remediation
Telephone: 212-788-8841
Last EDR Contact: 03/04/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Varies

NYC LAND USE: New York City Land Use Information

Land use colors

Date of Government Version: 09/30/2024
Date Data Arrived at EDR: 12/09/2024
Date Made Active in Reports: 03/06/2025
Number of Days to Update: 87

Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 03/11/2025
Next Scheduled EDR Contact: 06/23/2025
Data Release Frequency: Varies

ILI: New York State Inactive Landfill Initiative

A solid waste site priority list of mitigation and remedial activities to address sites causing, or substantially contributing to, impairments of drinking water quality. Inactive solid waste disposal sites, primarily landfills, and their potential impact on New York?s drinking water resources from site-related contaminants, with a focus on emerging contaminants.

Date of Government Version: 05/16/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/26/2024
Number of Days to Update: 88

Source: Department of Environmental Conservation
Telephone: 518-402-8671
Last EDR Contact: 02/10/2025
Next Scheduled EDR Contact: 05/12/2025
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COUNTY RECORDS

CORTLAND COUNTY:

AST - CORTLAND: Cortland County Storage Tank Listing
A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Quarterly

UST - CORTLAND: Cortland County Storage Tank Listing
A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Quarterly

NASSAU COUNTY:

AST - NASSAU: Registered Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: No Update Planned

AST NCFM: Storage Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 02/12/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Varies

TANKS NASSAU: Registered Tank Database in Nassau County
A listing of facilities in Nassau County with storage tanks.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Department of Health
Telephone: 516-227-9691
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: No Update Planned

UST - NASSAU: Registered Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: No Update Planned

UST NCFM: Storage Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 02/12/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Varies

ROCKLAND COUNTY:

AST - ROCKLAND: Petroleum Bulk Storage Database
A listing of aboveground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 06/09/2025
Data Release Frequency: No Update Planned

UST - ROCKLAND: Petroleum Bulk Storage Database
A listing of underground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 02/20/2025
Next Scheduled EDR Contact: 06/09/2025
Data Release Frequency: No Update Planned

SUFFOLK COUNTY:

AST - SUFFOLK: Storage Tank Database
A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 02/07/2019
Number of Days to Update: 63

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: No Update Planned

TANKS SUFFOLK: Storage Tank Database
This county is not included in the state?s database. These are facilities that have no tank information in the storage tank database.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 02/05/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 31

Source: Department of Health Services
Telephone: 631-854-2516
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Varies

UST - SUFFOLK: Storage Tank Database
A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 02/07/2019
Number of Days to Update: 63

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 01/16/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

AST - WESTCHESTER: Listing of Storage Tanks
A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 11/13/2024
Date Data Arrived at EDR: 11/14/2024
Date Made Active in Reports: 02/07/2025
Number of Days to Update: 85

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 01/23/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Semi-Annually

UST - WESTCHESTER: Listing of Storage Tanks
A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 11/13/2024
Date Data Arrived at EDR: 11/14/2024
Date Made Active in Reports: 02/07/2025
Number of Days to Update: 85

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 01/23/2025
Next Scheduled EDR Contact: 05/05/2025
Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/04/2024
Date Data Arrived at EDR: 11/05/2024
Date Made Active in Reports: 01/27/2025
Number of Days to Update: 83

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/04/2025
Next Scheduled EDR Contact: 05/19/2025
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 03/27/2025
Next Scheduled EDR Contact: 07/14/2025
Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/06/2025
Next Scheduled EDR Contact: 04/21/2025
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/06/2025
Next Scheduled EDR Contact: 05/26/2025
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 10/28/2019
Date Data Arrived at EDR: 10/29/2019
Date Made Active in Reports: 01/09/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/06/2025
Next Scheduled EDR Contact: 04/21/2025
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 02/26/2025
Next Scheduled EDR Contact: 06/16/2025
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: Endeavor Business Media
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data
Source: Endeavor Business Media
This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.
Daycare Centers: Day Care Providers
Source: Department of Health
Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

2916 ATLANTIC AVENUE
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

TARGET PROPERTY COORDINATES

Latitude (North):	40.677161 - 40° 40' 37.78''
Longitude (West):	73.886455 - 73° 53' 11.24''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	594109.7
UTM Y (Meters):	4503304.5
Elevation:	36 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	14115940 BROOKLYN, NY
Version Date:	2019
East Map:	14105978 JAMAICA, NY
Version Date:	2019

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Target Property Elevation: 36 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
3604970065B	FEMA Q3 Flood data

Additional Panels in search area:	FEMA Source Type
3604970236F	FEMA FIRM Flood data
3604970075C	FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
BROOKLYN	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Cenozoic
System:	Quaternary
Series:	Pleistocene
Code:	Qp *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000828360	1/8 - 1/4 Mile NNE
6	USGS40000828290	1/2 - 1 Mile West
7	USGS40000828531	1/2 - 1 Mile NNE
8	USGS40000828426	1/2 - 1 Mile ENE
9	USGS40000828135	1/2 - 1 Mile WSW
10	USGS40000828169	1/2 - 1 Mile WSW
11	USGS40000828182	1/2 - 1 Mile ESE
C14	USGS40000828091	1/2 - 1 Mile ESE
C15	USGS40000828073	1/2 - 1 Mile SE
18	USGS40000828399	1/2 - 1 Mile WNW
19	USGS40000827849	1/2 - 1 Mile SSW
E22	USGS40000827670	1/2 - 1 Mile South
E23	USGS40000827671	1/2 - 1 Mile South

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	NYREG1200061347	1/4 - 1/2 Mile WSW
A3	NYREG1200061346	1/4 - 1/2 Mile WSW
4	NYREG1200061405	1/4 - 1/2 Mile SSW
5	NYREG1200061480	1/2 - 1 Mile ENE
B12	NYREG1200061644	1/2 - 1 Mile SW
B13	NYREG1200061645	1/2 - 1 Mile SW
16	NYREG1200061424	1/2 - 1 Mile WSW
17	NYREG1200061374	1/2 - 1 Mile ESE
D20	NYREG1200061508	1/2 - 1 Mile WSW
D21	NYREG1200061361	1/2 - 1 Mile SW

PHYSICAL SETTING SOURCE MAP - 07942990.2r



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	2916 Atlantic Avenue	CLIENT:	Haley & Aldrich, Inc.
ADDRESS:	2916 Atlantic Avenue Brooklyn NY 11207	CONTACT:	Rachel Freeman
LAT/LONG:	40.677161 / 73.886455	INQUIRY #:	07942990.2r
		DATE:	March 31, 2025 4:01 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

1
NNE **FED USGS** **USGS40000828360**
1/8 - 1/4 Mile
Lower

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 1198. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	53
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	282	Level reading date:	1968-11-06
Feet below surface:	Not Reported	Feet to sea level:	3.51
Note:	Not Reported		

Level reading date:	1968-04-30	Feet below surface:	Not Reported
Feet to sea level:	3.43	Note:	Not Reported
Level reading date:	1967-11-09	Feet below surface:	Not Reported
Feet to sea level:	2.96	Note:	Not Reported
Level reading date:	1967-03-29	Feet below surface:	Not Reported
Feet to sea level:	2.25	Note:	Not Reported
Level reading date:	1966-10-24	Feet below surface:	Not Reported
Feet to sea level:	1.92	Note:	Not Reported
Level reading date:	1966-05-03	Feet below surface:	Not Reported
Feet to sea level:	2.23	Note:	Not Reported
Level reading date:	1965-10-28	Feet below surface:	Not Reported
Feet to sea level:	2.60	Note:	Not Reported
Level reading date:	1965-09-06	Feet below surface:	Not Reported
Feet to sea level:	2.74	Note:	Not Reported
Level reading date:	1965-05-03	Feet below surface:	Not Reported
Feet to sea level:	3.08	Note:	Not Reported
Level reading date:	1964-10-30	Feet below surface:	Not Reported
Feet to sea level:	2.97	Note:	Not Reported
Level reading date:	1964-04-27	Feet below surface:	Not Reported
Feet to sea level:	3.25	Note:	Not Reported
Level reading date:	1963-04-29	Feet below surface:	Not Reported
Feet to sea level:	3.78	Note:	Not Reported
Level reading date:	1962-04-27	Feet below surface:	Not Reported
Feet to sea level:	4.11	Note:	Not Reported
Level reading date:	1961-12-27	Feet below surface:	Not Reported
Feet to sea level:	4.25	Note:	Not Reported

Level reading date:	1961-01-05	Feet below surface:	Not Reported
Feet to sea level:	3.29	Note:	Not Reported
Level reading date:	1960-07-18	Feet below surface:	Not Reported
Feet to sea level:	2.65	Note:	Not Reported
Level reading date:	1957-12-23	Feet below surface:	Not Reported
Feet to sea level:	1.64	Note:	Not Reported
Level reading date:	1956-12-27	Feet below surface:	Not Reported
Feet to sea level:	2.86	Note:	Not Reported
Level reading date:	1956-01-20	Feet below surface:	Not Reported
Feet to sea level:	2.70	Note:	Not Reported
Level reading date:	1954-12-27	Feet below surface:	Not Reported
Feet to sea level:	1.75	Note:	Not Reported
Level reading date:	1954-06-30	Feet below surface:	Not Reported
Feet to sea level:	1.43	Note:	Not Reported
Level reading date:	1954-05-26	Feet below surface:	Not Reported
Feet to sea level:	1.42	Note:	Not Reported
Level reading date:	1954-04-29	Feet below surface:	Not Reported
Feet to sea level:	1.50	Note:	Not Reported
Level reading date:	1954-03-27	Feet below surface:	Not Reported
Feet to sea level:	1.79	Note:	Not Reported
Level reading date:	1954-02-25	Feet below surface:	Not Reported
Feet to sea level:	2.05	Note:	Not Reported
Level reading date:	1954-01-30	Feet below surface:	Not Reported
Feet to sea level:	2.13	Note:	Not Reported
Level reading date:	1953-12-21	Feet below surface:	Not Reported
Feet to sea level:	2.16	Note:	Not Reported
Level reading date:	1953-12-01	Feet below surface:	Not Reported
Feet to sea level:	2.06	Note:	Not Reported
Level reading date:	1953-10-10	Feet below surface:	Not Reported
Feet to sea level:	2.20	Note:	Not Reported
Level reading date:	1953-09-30	Feet below surface:	Not Reported
Feet to sea level:	2.22	Note:	Not Reported
Level reading date:	1953-08-27	Feet below surface:	Not Reported
Feet to sea level:	2.26	Note:	Not Reported
Level reading date:	1953-07-31	Feet below surface:	Not Reported
Feet to sea level:	2.10	Note:	Not Reported
Level reading date:	1953-06-24	Feet below surface:	Not Reported
Feet to sea level:	1.78	Note:	Not Reported
Level reading date:	1953-05-25	Feet below surface:	Not Reported
Feet to sea level:	1.96	Note:	Not Reported
Level reading date:	1953-04-27	Feet below surface:	Not Reported
Feet to sea level:	2.01	Note:	Not Reported

Level reading date:	1953-03-24	Feet below surface:	Not Reported
Feet to sea level:	1.72	Note:	Not Reported
Level reading date:	1953-02-26	Feet below surface:	Not Reported
Feet to sea level:	1.55	Note:	Not Reported
Level reading date:	1953-02-05	Feet below surface:	Not Reported
Feet to sea level:	1.59	Note:	Not Reported
Level reading date:	1952-12-23	Feet below surface:	Not Reported
Feet to sea level:	1.52	Note:	Not Reported
Level reading date:	1952-12-04	Feet below surface:	Not Reported
Feet to sea level:	1.47	Note:	Not Reported
Level reading date:	1952-11-04	Feet below surface:	Not Reported
Feet to sea level:	1.58	Note:	Not Reported
Level reading date:	1952-09-23	Feet below surface:	Not Reported
Feet to sea level:	1.61	Note:	Not Reported
Level reading date:	1952-08-25	Feet below surface:	Not Reported
Feet to sea level:	1.60	Note:	Not Reported
Level reading date:	1952-07-23	Feet below surface:	Not Reported
Feet to sea level:	1.53	Note:	Not Reported
Level reading date:	1952-06-23	Feet below surface:	Not Reported
Feet to sea level:	1.29	Note:	Not Reported
Level reading date:	1952-05-26	Feet below surface:	Not Reported
Feet to sea level:	0.91	Note:	Not Reported
Level reading date:	1952-04-29	Feet below surface:	Not Reported
Feet to sea level:	0.70	Note:	Not Reported
Level reading date:	1952-03-20	Feet below surface:	Not Reported
Feet to sea level:	0.42	Note:	Not Reported
Level reading date:	1952-02-20	Feet below surface:	Not Reported
Feet to sea level:	0.24	Note:	Not Reported
Level reading date:	1952-01-29	Feet below surface:	Not Reported
Feet to sea level:	0.07	Note:	Not Reported
Level reading date:	1951-12-20	Feet below surface:	Not Reported
Feet to sea level:	0.20	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	-0.28	Note:	Not Reported
Level reading date:	1951-11-01	Feet below surface:	Not Reported
Feet to sea level:	-0.52	Note:	Not Reported
Level reading date:	1951-09-26	Feet below surface:	Not Reported
Feet to sea level:	-0.50	Note:	Not Reported
Level reading date:	1951-08-28	Feet below surface:	Not Reported
Feet to sea level:	-0.48	Note:	Not Reported
Level reading date:	1951-07-25	Feet below surface:	Not Reported
Feet to sea level:	-0.62	Note:	Not Reported

Level reading date:	1951-06-26	Feet below surface:	Not Reported
Feet to sea level:	-0.59	Note:	Not Reported
Level reading date:	1951-05-29	Feet below surface:	Not Reported
Feet to sea level:	-0.60	Note:	Not Reported
Level reading date:	1951-04-26	Feet below surface:	Not Reported
Feet to sea level:	-0.82	Note:	Not Reported
Level reading date:	1951-03-27	Feet below surface:	Not Reported
Feet to sea level:	-1.08	Note:	Not Reported
Level reading date:	1951-02-23	Feet below surface:	Not Reported
Feet to sea level:	-1.17	Note:	Not Reported
Level reading date:	1951-01-30	Feet below surface:	Not Reported
Feet to sea level:	-1.22	Note:	Not Reported
Level reading date:	1950-12-18	Feet below surface:	Not Reported
Feet to sea level:	-1.29	Note:	Not Reported
Level reading date:	1950-11-27	Feet below surface:	Not Reported
Feet to sea level:	-1.33	Note:	Not Reported
Level reading date:	1950-10-30	Feet below surface:	Not Reported
Feet to sea level:	-1.31	Note:	Not Reported
Level reading date:	1950-09-27	Feet below surface:	Not Reported
Feet to sea level:	-1.31	Note:	Not Reported
Level reading date:	1950-08-28	Feet below surface:	Not Reported
Feet to sea level:	-1.23	Note:	Not Reported
Level reading date:	1950-07-26	Feet below surface:	Not Reported
Feet to sea level:	-1.16	Note:	Not Reported
Level reading date:	1950-06-28	Feet below surface:	Not Reported
Feet to sea level:	-1.12	Note:	Not Reported
Level reading date:	1950-06-05	Feet below surface:	Not Reported
Feet to sea level:	-0.98	Note:	Not Reported
Level reading date:	1950-04-27	Feet below surface:	Not Reported
Feet to sea level:	-0.99	Note:	Not Reported
Level reading date:	1950-03-29	Feet below surface:	Not Reported
Feet to sea level:	-1.00	Note:	Not Reported
Level reading date:	1950-03-01	Feet below surface:	Not Reported
Feet to sea level:	-1.08	Note:	Not Reported
Level reading date:	1950-01-25	Feet below surface:	Not Reported
Feet to sea level:	-1.17	Note:	Not Reported
Level reading date:	1949-12-27	Feet below surface:	Not Reported
Feet to sea level:	-1.37	Note:	Not Reported
Level reading date:	1949-11-28	Feet below surface:	Not Reported
Feet to sea level:	-1.16	Note:	Not Reported
Level reading date:	1949-10-31	Feet below surface:	Not Reported
Feet to sea level:	-1.28	Note:	Not Reported

Level reading date:	1949-09-28	Feet below surface:	Not Reported
Feet to sea level:	-1.14	Note:	Not Reported
Level reading date:	1949-08-31	Feet below surface:	Not Reported
Feet to sea level:	-1.13	Note:	Not Reported
Level reading date:	1949-07-28	Feet below surface:	Not Reported
Feet to sea level:	-1.20	Note:	Not Reported
Level reading date:	1949-06-30	Feet below surface:	Not Reported
Feet to sea level:	-1.29	Note:	Not Reported
Level reading date:	1949-05-31	Feet below surface:	Not Reported
Feet to sea level:	-1.50	Note:	Not Reported
Level reading date:	1949-04-27	Feet below surface:	Not Reported
Feet to sea level:	-1.80	Note:	Not Reported
Level reading date:	1949-04-04	Feet below surface:	Not Reported
Feet to sea level:	-1.97	Note:	Not Reported
Level reading date:	1949-02-23	Feet below surface:	Not Reported
Feet to sea level:	-2.23	Note:	Not Reported
Level reading date:	1949-01-26	Feet below surface:	Not Reported
Feet to sea level:	-2.55	Note:	Not Reported
Level reading date:	1948-12-28	Feet below surface:	Not Reported
Feet to sea level:	-2.65	Note:	Not Reported
Level reading date:	1948-12-09	Feet below surface:	Not Reported
Feet to sea level:	-2.64	Note:	Not Reported
Level reading date:	1948-11-03	Feet below surface:	Not Reported
Feet to sea level:	-2.66	Note:	Not Reported
Level reading date:	1948-10-04	Feet below surface:	Not Reported
Feet to sea level:	-2.75	Note:	Not Reported
Level reading date:	1948-08-30	Feet below surface:	Not Reported
Feet to sea level:	-2.64	Note:	Not Reported
Level reading date:	1948-07-26	Feet below surface:	Not Reported
Feet to sea level:	-2.99	Note:	Not Reported
Level reading date:	1948-06-30	Feet below surface:	Not Reported
Feet to sea level:	-3.46	Note:	Not Reported
Level reading date:	1948-06-01	Feet below surface:	Not Reported
Feet to sea level:	-3.67	Note:	Not Reported
Level reading date:	1948-04-27	Feet below surface:	Not Reported
Feet to sea level:	-4.02	Note:	Not Reported
Level reading date:	1948-03-26	Feet below surface:	Not Reported
Feet to sea level:	-4.32	Note:	Not Reported
Level reading date:	1948-03-03	Feet below surface:	Not Reported
Feet to sea level:	-4.50	Note:	Not Reported
Level reading date:	1948-02-02	Feet below surface:	Not Reported
Feet to sea level:	-4.49	Note:	Not Reported

Level reading date:	1948-01-08	Feet below surface:	Not Reported
Feet to sea level:	-4.88	Note:	Not Reported
Level reading date:	1947-12-16	Feet below surface:	Not Reported
Feet to sea level:	-5.00	Note:	Not Reported
Level reading date:	1947-11-26	Feet below surface:	Not Reported
Feet to sea level:	-5.10	Note:	Not Reported
Level reading date:	1947-11-20	Feet below surface:	Not Reported
Feet to sea level:	-5.19	Note:	Not Reported
Level reading date:	1947-10-31	Feet below surface:	Not Reported
Feet to sea level:	-5.33	Note:	Not Reported
Level reading date:	1947-10-14	Feet below surface:	Not Reported
Feet to sea level:	-5.34	Note:	Not Reported
Level reading date:	1947-10-06	Feet below surface:	Not Reported
Feet to sea level:	-5.37	Note:	Not Reported
Level reading date:	1947-09-29	Feet below surface:	Not Reported
Feet to sea level:	-5.30	Note:	Not Reported
Level reading date:	1947-09-15	Feet below surface:	Not Reported
Feet to sea level:	-5.33	Note:	Not Reported
Level reading date:	1947-08-27	Feet below surface:	Not Reported
Feet to sea level:	-5.29	Note:	Not Reported
Level reading date:	1947-08-13	Feet below surface:	Not Reported
Feet to sea level:	-5.24	Note:	Not Reported
Level reading date:	1947-07-30	Feet below surface:	Not Reported
Feet to sea level:	-5.18	Note:	Not Reported
Level reading date:	1947-07-23	Feet below surface:	Not Reported
Feet to sea level:	-5.18	Note:	Not Reported
Level reading date:	1947-07-16	Feet below surface:	Not Reported
Feet to sea level:	-5.13	Note:	Not Reported
Level reading date:	1947-07-07	Feet below surface:	Not Reported
Feet to sea level:	-5.06	Note:	Not Reported
Level reading date:	1947-07-02	Feet below surface:	Not Reported
Feet to sea level:	-5.00	Note:	Not Reported
Level reading date:	1947-06-30	Feet below surface:	Not Reported
Feet to sea level:	-5.03	Note:	Not Reported
Level reading date:	1947-06-24	Feet below surface:	Not Reported
Feet to sea level:	-5.05	Note:	Not Reported
Level reading date:	1947-05-29	Feet below surface:	Not Reported
Feet to sea level:	-5.01	Note:	Not Reported
Level reading date:	1947-05-06	Feet below surface:	Not Reported
Feet to sea level:	-5.03	Note:	Not Reported
Level reading date:	1947-04-04	Feet below surface:	Not Reported
Feet to sea level:	-5.15	Note:	Not Reported

Level reading date:	1947-02-05	Feet below surface:	Not Reported
Feet to sea level:	-4.92	Note:	Not Reported
Level reading date:	1947-01-27	Feet below surface:	Not Reported
Feet to sea level:	-4.92	Note:	Not Reported
Level reading date:	1946-12-30	Feet below surface:	Not Reported
Feet to sea level:	-4.77	Note:	Not Reported
Level reading date:	1946-11-26	Feet below surface:	Not Reported
Feet to sea level:	-4.67	Note:	Not Reported
Level reading date:	1946-10-22	Feet below surface:	Not Reported
Feet to sea level:	-4.57	Note:	Not Reported
Level reading date:	1946-09-27	Feet below surface:	Not Reported
Feet to sea level:	-4.47	Note:	Not Reported
Level reading date:	1946-08-29	Feet below surface:	Not Reported
Feet to sea level:	-4.33	Note:	Not Reported
Level reading date:	1946-07-26	Feet below surface:	Not Reported
Feet to sea level:	-4.34	Note:	Not Reported
Level reading date:	1946-07-01	Feet below surface:	Not Reported
Feet to sea level:	-4.43	Note:	Not Reported
Level reading date:	1946-06-19	Feet below surface:	Not Reported
Feet to sea level:	-4.55	Note:	Not Reported
Level reading date:	1946-05-06	Feet below surface:	Not Reported
Feet to sea level:	-4.72	Note:	Not Reported
Level reading date:	1946-04-12	Feet below surface:	Not Reported
Feet to sea level:	-4.72	Note:	Not Reported
Level reading date:	1946-03-04	Feet below surface:	Not Reported
Feet to sea level:	-4.65	Note:	Not Reported
Level reading date:	1946-02-07	Feet below surface:	Not Reported
Feet to sea level:	-4.65	Note:	Not Reported
Level reading date:	1946-01-10	Feet below surface:	Not Reported
Feet to sea level:	-4.69	Note:	Not Reported
Level reading date:	1945-12-04	Feet below surface:	Not Reported
Feet to sea level:	-4.74	Note:	Not Reported
Level reading date:	1945-11-06	Feet below surface:	Not Reported
Feet to sea level:	-4.70	Note:	Not Reported
Level reading date:	1945-09-28	Feet below surface:	Not Reported
Feet to sea level:	-4.53	Note:	Not Reported
Level reading date:	1945-09-13	Feet below surface:	Not Reported
Feet to sea level:	-4.54	Note:	Not Reported
Level reading date:	1945-08-08	Feet below surface:	Not Reported
Feet to sea level:	-4.47	Note:	Not Reported
Level reading date:	1945-07-03	Feet below surface:	Not Reported
Feet to sea level:	-4.56	Note:	Not Reported

Level reading date:	1945-06-05	Feet below surface:	Not Reported
Feet to sea level:	-4.62	Note:	Not Reported
Level reading date:	1945-04-27	Feet below surface:	Not Reported
Feet to sea level:	-4.57	Note:	Not Reported
Level reading date:	1945-04-05	Feet below surface:	Not Reported
Feet to sea level:	-4.63	Note:	Not Reported
Level reading date:	1945-03-03	Feet below surface:	Not Reported
Feet to sea level:	-4.50	Note:	Not Reported
Level reading date:	1945-01-13	Feet below surface:	Not Reported
Feet to sea level:	-4.54	Note:	Not Reported
Level reading date:	1944-12-05	Feet below surface:	Not Reported
Feet to sea level:	-4.65	Note:	Not Reported
Level reading date:	1944-11-03	Feet below surface:	Not Reported
Feet to sea level:	-4.59	Note:	Not Reported
Level reading date:	1944-10-05	Feet below surface:	Not Reported
Feet to sea level:	-4.49	Note:	Not Reported
Level reading date:	1944-09-02	Feet below surface:	Not Reported
Feet to sea level:	-4.79	Note:	Not Reported
Level reading date:	1944-07-31	Feet below surface:	Not Reported
Feet to sea level:	-4.71	Note:	Not Reported
Level reading date:	1944-07-04	Feet below surface:	Not Reported
Feet to sea level:	-4.68	Note:	Not Reported
Level reading date:	1944-05-27	Feet below surface:	Not Reported
Feet to sea level:	-4.79	Note:	Not Reported
Level reading date:	1944-05-05	Feet below surface:	Not Reported
Feet to sea level:	-4.93	Note:	Not Reported
Level reading date:	1944-03-30	Feet below surface:	Not Reported
Feet to sea level:	-5.18	Note:	Not Reported
Level reading date:	1944-02-26	Feet below surface:	Not Reported
Feet to sea level:	-5.18	Note:	Not Reported
Level reading date:	1944-01-29	Feet below surface:	Not Reported
Feet to sea level:	-5.16	Note:	Not Reported
Level reading date:	1944-01-01	Feet below surface:	Not Reported
Feet to sea level:	-5.17	Note:	Not Reported
Level reading date:	1943-11-27	Feet below surface:	Not Reported
Feet to sea level:	-5.22	Note:	Not Reported
Level reading date:	1943-10-30	Feet below surface:	Not Reported
Feet to sea level:	-5.35	Note:	Not Reported
Level reading date:	1943-09-25	Feet below surface:	Not Reported
Feet to sea level:	-5.40	Note:	Not Reported
Level reading date:	1943-08-28	Feet below surface:	Not Reported
Feet to sea level:	-5.30	Note:	Not Reported

Level reading date:	1943-07-31	Feet below surface:	Not Reported
Feet to sea level:	-5.35	Note:	Not Reported
Level reading date:	1943-06-26	Feet below surface:	Not Reported
Feet to sea level:	-5.39	Note:	Not Reported
Level reading date:	1943-05-29	Feet below surface:	Not Reported
Feet to sea level:	-5.48	Note:	Not Reported
Level reading date:	1943-05-01	Feet below surface:	Not Reported
Feet to sea level:	-5.62	Note:	Not Reported
Level reading date:	1943-03-27	Feet below surface:	Not Reported
Feet to sea level:	-5.80	Note:	Not Reported
Level reading date:	1943-02-27	Feet below surface:	Not Reported
Feet to sea level:	-5.97	Note:	Not Reported
Level reading date:	1943-01-30	Feet below surface:	Not Reported
Feet to sea level:	-6.13	Note:	Not Reported
Level reading date:	1943-01-02	Feet below surface:	Not Reported
Feet to sea level:	-6.29	Note:	Not Reported
Level reading date:	1942-12-26	Feet below surface:	Not Reported
Feet to sea level:	-6.32	Note:	Not Reported
Level reading date:	1942-12-19	Feet below surface:	Not Reported
Feet to sea level:	-6.36	Note:	Not Reported
Level reading date:	1942-12-12	Feet below surface:	Not Reported
Feet to sea level:	-6.38	Note:	Not Reported
Level reading date:	1942-12-05	Feet below surface:	Not Reported
Feet to sea level:	-6.45	Note:	Not Reported
Level reading date:	1942-11-28	Feet below surface:	Not Reported
Feet to sea level:	-6.45	Note:	Not Reported
Level reading date:	1942-11-21	Feet below surface:	Not Reported
Feet to sea level:	-6.48	Note:	Not Reported
Level reading date:	1942-11-14	Feet below surface:	Not Reported
Feet to sea level:	-6.52	Note:	Not Reported
Level reading date:	1942-11-07	Feet below surface:	Not Reported
Feet to sea level:	-6.58	Note:	Not Reported
Level reading date:	1942-10-31	Feet below surface:	Not Reported
Feet to sea level:	-6.61	Note:	Not Reported
Level reading date:	1942-10-24	Feet below surface:	Not Reported
Feet to sea level:	-6.65	Note:	Not Reported
Level reading date:	1942-10-17	Feet below surface:	Not Reported
Feet to sea level:	-6.70	Note:	Not Reported
Level reading date:	1942-10-10	Feet below surface:	Not Reported
Feet to sea level:	-6.76	Note:	Not Reported
Level reading date:	1942-10-03	Feet below surface:	Not Reported
Feet to sea level:	-6.83	Note:	Not Reported

Level reading date:	1942-09-26	Feet below surface:	Not Reported
Feet to sea level:	-6.88	Note:	Not Reported
Level reading date:	1942-09-19	Feet below surface:	Not Reported
Feet to sea level:	-6.94	Note:	Not Reported
Level reading date:	1942-09-12	Feet below surface:	Not Reported
Feet to sea level:	-7.02	Note:	Not Reported
Level reading date:	1942-09-05	Feet below surface:	Not Reported
Feet to sea level:	-7.10	Note:	Not Reported
Level reading date:	1942-08-29	Feet below surface:	Not Reported
Feet to sea level:	-7.19	Note:	Not Reported
Level reading date:	1942-08-22	Feet below surface:	Not Reported
Feet to sea level:	-7.28	Note:	Not Reported
Level reading date:	1942-08-15	Feet below surface:	Not Reported
Feet to sea level:	-7.37	Note:	Not Reported
Level reading date:	1942-08-08	Feet below surface:	Not Reported
Feet to sea level:	-7.47	Note:	Not Reported
Level reading date:	1942-08-01	Feet below surface:	Not Reported
Feet to sea level:	-7.56	Note:	Not Reported
Level reading date:	1942-07-25	Feet below surface:	Not Reported
Feet to sea level:	-7.65	Note:	Not Reported
Level reading date:	1942-07-18	Feet below surface:	Not Reported
Feet to sea level:	-7.77	Note:	Not Reported
Level reading date:	1942-07-11	Feet below surface:	Not Reported
Feet to sea level:	-7.84	Note:	Not Reported
Level reading date:	1942-07-04	Feet below surface:	Not Reported
Feet to sea level:	-7.92	Note:	Not Reported
Level reading date:	1942-06-27	Feet below surface:	Not Reported
Feet to sea level:	-8.00	Note:	Not Reported
Level reading date:	1942-06-20	Feet below surface:	Not Reported
Feet to sea level:	-8.08	Note:	Not Reported
Level reading date:	1942-06-13	Feet below surface:	Not Reported
Feet to sea level:	-8.14	Note:	Not Reported
Level reading date:	1942-06-06	Feet below surface:	Not Reported
Feet to sea level:	-8.20	Note:	Not Reported
Level reading date:	1942-05-30	Feet below surface:	Not Reported
Feet to sea level:	-8.25	Note:	Not Reported
Level reading date:	1942-05-23	Feet below surface:	Not Reported
Feet to sea level:	-8.26	Note:	Not Reported
Level reading date:	1942-05-16	Feet below surface:	Not Reported
Feet to sea level:	-8.30	Note:	Not Reported
Level reading date:	1942-05-09	Feet below surface:	Not Reported
Feet to sea level:	-8.32	Note:	Not Reported

Level reading date:	1942-05-02	Feet below surface:	Not Reported
Feet to sea level:	-8.33	Note:	Not Reported
Level reading date:	1942-04-25	Feet below surface:	Not Reported
Feet to sea level:	-8.34	Note:	Not Reported
Level reading date:	1942-04-18	Feet below surface:	Not Reported
Feet to sea level:	-8.35	Note:	Not Reported
Level reading date:	1942-04-11	Feet below surface:	Not Reported
Feet to sea level:	-8.36	Note:	Not Reported
Level reading date:	1942-04-04	Feet below surface:	Not Reported
Feet to sea level:	-8.39	Note:	Not Reported
Level reading date:	1942-03-28	Feet below surface:	Not Reported
Feet to sea level:	-8.40	Note:	Not Reported
Level reading date:	1942-03-21	Feet below surface:	Not Reported
Feet to sea level:	-8.40	Note:	Not Reported
Level reading date:	1942-03-14	Feet below surface:	Not Reported
Feet to sea level:	-8.45	Note:	Not Reported
Level reading date:	1942-03-07	Feet below surface:	Not Reported
Feet to sea level:	-8.40	Note:	Not Reported
Level reading date:	1942-02-28	Feet below surface:	Not Reported
Feet to sea level:	-8.33	Note:	Not Reported
Level reading date:	1942-02-21	Feet below surface:	Not Reported
Feet to sea level:	-8.35	Note:	Not Reported
Level reading date:	1942-02-14	Feet below surface:	Not Reported
Feet to sea level:	-8.20	Note:	Not Reported
Level reading date:	1942-02-07	Feet below surface:	Not Reported
Feet to sea level:	-8.20	Note:	Not Reported
Level reading date:	1942-01-31	Feet below surface:	Not Reported
Feet to sea level:	-8.17	Note:	Not Reported
Level reading date:	1942-01-24	Feet below surface:	Not Reported
Feet to sea level:	-8.11	Note:	Not Reported
Level reading date:	1942-01-17	Feet below surface:	Not Reported
Feet to sea level:	-8.11	Note:	Not Reported
Level reading date:	1942-01-10	Feet below surface:	Not Reported
Feet to sea level:	-8.05	Note:	Not Reported
Level reading date:	1942-01-03	Feet below surface:	Not Reported
Feet to sea level:	-7.97	Note:	Not Reported
Level reading date:	1941-12-27	Feet below surface:	Not Reported
Feet to sea level:	-7.92	Note:	Not Reported
Level reading date:	1941-12-20	Feet below surface:	Not Reported
Feet to sea level:	-7.86	Note:	Not Reported
Level reading date:	1941-12-13	Feet below surface:	Not Reported
Feet to sea level:	-7.81	Note:	Not Reported

Level reading date:	1941-12-06	Feet below surface:	Not Reported
Feet to sea level:	-7.75	Note:	Not Reported
Level reading date:	1941-11-29	Feet below surface:	Not Reported
Feet to sea level:	-7.72	Note:	Not Reported
Level reading date:	1941-11-22	Feet below surface:	Not Reported
Feet to sea level:	-7.66	Note:	Not Reported
Level reading date:	1941-11-15	Feet below surface:	Not Reported
Feet to sea level:	-7.60	Note:	Not Reported
Level reading date:	1941-11-08	Feet below surface:	Not Reported
Feet to sea level:	-7.55	Note:	Not Reported
Level reading date:	1941-11-01	Feet below surface:	Not Reported
Feet to sea level:	-7.49	Note:	Not Reported
Level reading date:	1941-10-25	Feet below surface:	Not Reported
Feet to sea level:	-7.44	Note:	Not Reported
Level reading date:	1941-10-18	Feet below surface:	Not Reported
Feet to sea level:	-7.40	Note:	Not Reported
Level reading date:	1941-10-11	Feet below surface:	Not Reported
Feet to sea level:	-7.35	Note:	Not Reported
Level reading date:	1941-10-04	Feet below surface:	Not Reported
Feet to sea level:	-7.30	Note:	Not Reported
Level reading date:	1941-09-27	Feet below surface:	Not Reported
Feet to sea level:	-7.25	Note:	Not Reported
Level reading date:	1941-09-20	Feet below surface:	Not Reported
Feet to sea level:	-7.20	Note:	Not Reported
Level reading date:	1941-09-13	Feet below surface:	Not Reported
Feet to sea level:	-7.16	Note:	Not Reported
Level reading date:	1941-09-06	Feet below surface:	Not Reported
Feet to sea level:	-7.13	Note:	Not Reported
Level reading date:	1941-08-30	Feet below surface:	Not Reported
Feet to sea level:	-7.06	Note:	Not Reported
Level reading date:	1941-08-23	Feet below surface:	Not Reported
Feet to sea level:	-7.11	Note:	Not Reported
Level reading date:	1941-08-16	Feet below surface:	Not Reported
Feet to sea level:	-7.04	Note:	Not Reported
Level reading date:	1941-08-09	Feet below surface:	Not Reported
Feet to sea level:	-6.99	Note:	Not Reported
Level reading date:	1941-08-02	Feet below surface:	Not Reported
Feet to sea level:	-6.93	Note:	Not Reported
Level reading date:	1941-07-26	Feet below surface:	Not Reported
Feet to sea level:	-6.86	Note:	Not Reported
Level reading date:	1941-07-19	Feet below surface:	Not Reported
Feet to sea level:	-6.78	Note:	Not Reported

Level reading date:	1941-07-12	Feet below surface:	Not Reported
Feet to sea level:	-6.72	Note:	Not Reported
Level reading date:	1941-07-05	Feet below surface:	Not Reported
Feet to sea level:	-6.65	Note:	Not Reported
Level reading date:	1941-06-28	Feet below surface:	Not Reported
Feet to sea level:	-6.57	Note:	Not Reported
Level reading date:	1941-06-21	Feet below surface:	Not Reported
Feet to sea level:	-6.49	Note:	Not Reported
Level reading date:	1941-06-14	Feet below surface:	Not Reported
Feet to sea level:	-6.40	Note:	Not Reported
Level reading date:	1941-06-07	Feet below surface:	Not Reported
Feet to sea level:	-6.31	Note:	Not Reported
Level reading date:	1941-05-31	Feet below surface:	Not Reported
Feet to sea level:	-6.21	Note:	Not Reported
Level reading date:	1941-05-24	Feet below surface:	Not Reported
Feet to sea level:	-6.14	Note:	Not Reported
Level reading date:	1941-05-17	Feet below surface:	Not Reported
Feet to sea level:	-6.03	Note:	Not Reported
Level reading date:	1941-05-10	Feet below surface:	Not Reported
Feet to sea level:	-5.93	Note:	Not Reported
Level reading date:	1941-05-03	Feet below surface:	Not Reported
Feet to sea level:	-5.86	Note:	Not Reported
Level reading date:	1941-04-26	Feet below surface:	Not Reported
Feet to sea level:	-5.79	Note:	Not Reported
Level reading date:	1941-04-19	Feet below surface:	Not Reported
Feet to sea level:	-5.68	Note:	Not Reported
Level reading date:	1941-04-12	Feet below surface:	Not Reported
Feet to sea level:	-5.63	Note:	Not Reported
Level reading date:	1941-04-05	Feet below surface:	Not Reported
Feet to sea level:	-5.53	Note:	Not Reported
Level reading date:	1941-03-29	Feet below surface:	Not Reported
Feet to sea level:	-5.49	Note:	Not Reported
Level reading date:	1941-03-22	Feet below surface:	Not Reported
Feet to sea level:	-5.51	Note:	Not Reported
Level reading date:	1941-03-15	Feet below surface:	Not Reported
Feet to sea level:	-5.53	Note:	Not Reported
Level reading date:	1941-03-08	Feet below surface:	Not Reported
Feet to sea level:	-5.58	Note:	Not Reported
Level reading date:	1941-03-01	Feet below surface:	Not Reported
Feet to sea level:	-5.64	Note:	Not Reported
Level reading date:	1941-02-22	Feet below surface:	Not Reported
Feet to sea level:	-5.70	Note:	Not Reported

Level reading date:	1941-02-15	Feet below surface:	Not Reported
Feet to sea level:	-5.77	Note:	Not Reported
Level reading date:	1941-02-08	Feet below surface:	Not Reported
Feet to sea level:	-5.83	Note:	Not Reported
Level reading date:	1941-02-01	Feet below surface:	Not Reported
Feet to sea level:	-5.89	Note:	Not Reported
Level reading date:	1941-01-25	Feet below surface:	Not Reported
Feet to sea level:	-5.96	Note:	Not Reported
Level reading date:	1941-01-18	Feet below surface:	Not Reported
Feet to sea level:	-6.00	Note:	Not Reported
Level reading date:	1941-01-11	Feet below surface:	Not Reported
Feet to sea level:	-6.10	Note:	Not Reported
Level reading date:	1941-01-04	Feet below surface:	Not Reported
Feet to sea level:	-6.16	Note:	Not Reported
Level reading date:	1940-12-28	Feet below surface:	Not Reported
Feet to sea level:	-6.23	Note:	Not Reported
Level reading date:	1940-12-21	Feet below surface:	Not Reported
Feet to sea level:	-6.32	Note:	Not Reported
Level reading date:	1940-12-14	Feet below surface:	Not Reported
Feet to sea level:	-6.43	Note:	Not Reported
Level reading date:	1940-12-07	Feet below surface:	Not Reported
Feet to sea level:	-6.52	Note:	Not Reported
Level reading date:	1940-11-30	Feet below surface:	Not Reported
Feet to sea level:	-6.64	Note:	Not Reported
Level reading date:	1940-11-23	Feet below surface:	Not Reported
Feet to sea level:	-6.76	Note:	Not Reported
Level reading date:	1940-11-16	Feet below surface:	Not Reported
Feet to sea level:	-6.89	Note:	Not Reported
Level reading date:	1940-11-09	Feet below surface:	Not Reported
Feet to sea level:	-7.03	Note:	Not Reported
Level reading date:	1940-11-02	Feet below surface:	Not Reported
Feet to sea level:	-7.22	Note:	Not Reported

A2
WSW
1/4 - 1/2 Mile
Higher

NY WELLS **NYREG1200061347**

WELLS REG 1:

Well Number:	K003622	Well Type:	Geothermal - Ac Only
Owner:	Johns Funeral Home	Diameter (in):	6
Well Depth (ft):	65	Casing Length (ft):	55
Screen Length (ft):	10	Pump Capacity (gpm):	20

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

A3
WSW
1/4 - 1/2 Mile
Higher

NY WELLS **NYREG1200061346**

WELLS REG 1:

Well Number:	K003623D	Well Type:	Geothermal Diffusion
Owner:	Johns Funeral Home	Diameter (in):	6
Well Depth (ft):	45	Casing Length (ft):	35
Screen Length (ft):	10	Pump Capacity (gpm):	Not Reported

4
SSW
1/4 - 1/2 Mile
Higher

NY WELLS **NYREG1200061405**

WELLS REG 1:

Well Number:	K003566	Well Type:	Commercial/Industrial Supply
Owner:	Lee, Chin	Diameter (in):	6
Well Depth (ft):	160	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	40

5
ENE
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200061480**

WELLS REG 1:

Well Number:	K003503	Well Type:	Commercial/Industrial Supply
Owner:	Maggies Para Transit Corporation	Diameter (in):	4
Well Depth (ft):	80	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	40

6
West
1/2 - 1 Mile
Higher

FED USGS **USGS40000828290**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 1235. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	80
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	432	Level reading date:	1972-08-31
Feet below surface:	Not Reported	Feet to sea level:	7.12
Note:	Not Reported		

Level reading date:	1972-07-10	Feet below surface:	Not Reported
Feet to sea level:	7.03	Note:	Not Reported
Level reading date:	1972-03-28	Feet below surface:	Not Reported
Feet to sea level:	7.16	Note:	Not Reported
Level reading date:	1971-10-22	Feet below surface:	Not Reported
Feet to sea level:	7.07	Note:	Not Reported
Level reading date:	1971-09-23	Feet below surface:	Not Reported
Feet to sea level:	7.07	Note:	Not Reported
Level reading date:	1971-03-08	Feet below surface:	Not Reported
Feet to sea level:	6.83	Note:	Not Reported
Level reading date:	1970-11-02	Feet below surface:	Not Reported
Feet to sea level:	5.79	Note:	Not Reported
Level reading date:	1970-03-13	Feet below surface:	Not Reported
Feet to sea level:	6.40	Note:	Not Reported
Level reading date:	1969-09-05	Feet below surface:	Not Reported
Feet to sea level:	6.06	Note:	Not Reported
Level reading date:	1969-08-04	Feet below surface:	Not Reported
Feet to sea level:	5.82	Note:	Not Reported
Level reading date:	1969-07-02	Feet below surface:	Not Reported
Feet to sea level:	5.77	Note:	Not Reported
Level reading date:	1969-05-28	Feet below surface:	Not Reported
Feet to sea level:	5.53	Note:	Not Reported
Level reading date:	1969-04-21	Feet below surface:	Not Reported
Feet to sea level:	5.52	Note:	Not Reported
Level reading date:	1969-04-01	Feet below surface:	Not Reported
Feet to sea level:	5.44	Note:	Not Reported
Level reading date:	1969-02-20	Feet below surface:	Not Reported
Feet to sea level:	5.57	Note:	Not Reported
Level reading date:	1969-01-08	Feet below surface:	Not Reported
Feet to sea level:	5.04	Note:	Not Reported
Level reading date:	1968-12-03	Feet below surface:	Not Reported
Feet to sea level:	4.77	Note:	Not Reported
Level reading date:	1968-11-05	Feet below surface:	Not Reported
Feet to sea level:	4.52	Note:	Not Reported
Level reading date:	1968-09-30	Feet below surface:	Not Reported
Feet to sea level:	4.65	Note:	Not Reported
Level reading date:	1968-08-28	Feet below surface:	Not Reported
Feet to sea level:	4.65	Note:	Not Reported
Level reading date:	1968-07-29	Feet below surface:	Not Reported
Feet to sea level:	4.64	Note:	Not Reported
Level reading date:	1968-06-26	Feet below surface:	Not Reported
Feet to sea level:	4.58	Note:	Not Reported

Level reading date:	1968-05-28	Feet below surface:	Not Reported
Feet to sea level:	4.47	Note:	Not Reported
Level reading date:	1968-04-23	Feet below surface:	Not Reported
Feet to sea level:	4.48	Note:	Not Reported
Level reading date:	1968-03-27	Feet below surface:	Not Reported
Feet to sea level:	4.45	Note:	Not Reported
Level reading date:	1968-02-29	Feet below surface:	Not Reported
Feet to sea level:	5.74	Note:	Not Reported
Level reading date:	1968-02-05	Feet below surface:	Not Reported
Feet to sea level:	8.43	Note:	Not Reported
Level reading date:	1968-01-02	Feet below surface:	Not Reported
Feet to sea level:	4.07	Note:	Not Reported
Level reading date:	1967-11-29	Feet below surface:	Not Reported
Feet to sea level:	4.04	Note:	Not Reported
Level reading date:	1967-10-23	Feet below surface:	Not Reported
Feet to sea level:	3.91	Note:	Not Reported
Level reading date:	1967-09-26	Feet below surface:	Not Reported
Feet to sea level:	3.88	Note:	Not Reported
Level reading date:	1967-09-07	Feet below surface:	Not Reported
Feet to sea level:	3.75	Note:	Not Reported
Level reading date:	1967-07-28	Feet below surface:	Not Reported
Feet to sea level:	3.62	Note:	Not Reported
Level reading date:	1967-07-06	Feet below surface:	Not Reported
Feet to sea level:	3.54	Note:	Not Reported
Level reading date:	1967-05-31	Feet below surface:	Not Reported
Feet to sea level:	3.46	Note:	Not Reported
Level reading date:	1967-05-04	Feet below surface:	Not Reported
Feet to sea level:	3.30	Note:	Not Reported
Level reading date:	1967-03-29	Feet below surface:	Not Reported
Feet to sea level:	3.23	Note:	Not Reported
Level reading date:	1967-01-31	Feet below surface:	Not Reported
Feet to sea level:	3.16	Note:	Not Reported
Level reading date:	1966-12-23	Feet below surface:	Not Reported
Feet to sea level:	3.08	Note:	Not Reported
Level reading date:	1966-12-01	Feet below surface:	Not Reported
Feet to sea level:	2.93	Note:	Not Reported
Level reading date:	1966-10-24	Feet below surface:	Not Reported
Feet to sea level:	2.82	Note:	Not Reported
Level reading date:	1966-09-30	Feet below surface:	Not Reported
Feet to sea level:	2.83	Note:	Not Reported
Level reading date:	1966-08-29	Feet below surface:	Not Reported
Feet to sea level:	2.88	Note:	Not Reported

Level reading date:	1966-07-29	Feet below surface:	Not Reported
Feet to sea level:	2.97	Note:	Not Reported
Level reading date:	1966-06-27	Feet below surface:	Not Reported
Feet to sea level:	3.12	Note:	Not Reported
Level reading date:	1966-05-26	Feet below surface:	Not Reported
Feet to sea level:	3.15	Note:	Not Reported
Level reading date:	1966-05-03	Feet below surface:	Not Reported
Feet to sea level:	3.14	Note:	Not Reported
Level reading date:	1966-03-30	Feet below surface:	Not Reported
Feet to sea level:	3.16	Note:	Not Reported
Level reading date:	1966-02-02	Feet below surface:	Not Reported
Feet to sea level:	3.21	Note:	Not Reported
Level reading date:	1966-01-28	Feet below surface:	Not Reported
Feet to sea level:	3.23	Note:	Not Reported
Level reading date:	1965-12-30	Feet below surface:	Not Reported
Feet to sea level:	3.32	Note:	Not Reported
Level reading date:	1965-12-02	Feet below surface:	Not Reported
Feet to sea level:	3.38	Note:	Not Reported
Level reading date:	1965-10-28	Feet below surface:	Not Reported
Feet to sea level:	3.49	Note:	Not Reported
Level reading date:	1965-10-07	Feet below surface:	Not Reported
Feet to sea level:	3.52	Note:	Not Reported
Level reading date:	1965-09-09	Feet below surface:	Not Reported
Feet to sea level:	3.62	Note:	Not Reported
Level reading date:	1965-07-23	Feet below surface:	Not Reported
Feet to sea level:	3.71	Note:	Not Reported
Level reading date:	1965-06-24	Feet below surface:	Not Reported
Feet to sea level:	3.82	Note:	Not Reported
Level reading date:	1965-05-24	Feet below surface:	Not Reported
Feet to sea level:	3.86	Note:	Not Reported
Level reading date:	1965-05-03	Feet below surface:	Not Reported
Feet to sea level:	3.87	Note:	Not Reported
Level reading date:	1965-03-25	Feet below surface:	Not Reported
Feet to sea level:	3.88	Note:	Not Reported
Level reading date:	1965-02-24	Feet below surface:	Not Reported
Feet to sea level:	3.88	Note:	Not Reported
Level reading date:	1965-02-10	Feet below surface:	Not Reported
Feet to sea level:	3.84	Note:	Not Reported
Level reading date:	1964-12-31	Feet below surface:	Not Reported
Feet to sea level:	3.90	Note:	Not Reported
Level reading date:	1964-11-25	Feet below surface:	Not Reported
Feet to sea level:	3.73	Note:	Not Reported

Level reading date:	1964-10-30	Feet below surface:	Not Reported
Feet to sea level:	3.77	Note:	Not Reported
Level reading date:	1964-10-01	Feet below surface:	Not Reported
Feet to sea level:	3.83	Note:	Not Reported
Level reading date:	1964-09-02	Feet below surface:	Not Reported
Feet to sea level:	3.82	Note:	Not Reported
Level reading date:	1964-07-27	Feet below surface:	Not Reported
Feet to sea level:	4.02	Note:	Not Reported
Level reading date:	1964-07-06	Feet below surface:	Not Reported
Feet to sea level:	4.02	Note:	Not Reported
Level reading date:	1964-05-28	Feet below surface:	Not Reported
Feet to sea level:	4.03	Note:	Not Reported
Level reading date:	1964-04-27	Feet below surface:	Not Reported
Feet to sea level:	4.04	Note:	Not Reported
Level reading date:	1964-03-30	Feet below surface:	Not Reported
Feet to sea level:	3.93	Note:	Not Reported
Level reading date:	1964-02-28	Feet below surface:	Not Reported
Feet to sea level:	3.83	Note:	Not Reported
Level reading date:	1964-01-28	Feet below surface:	Not Reported
Feet to sea level:	3.81	Note:	Not Reported
Level reading date:	1963-12-31	Feet below surface:	Not Reported
Feet to sea level:	3.67	Note:	Not Reported
Level reading date:	1963-12-05	Feet below surface:	Not Reported
Feet to sea level:	3.91	Note:	Not Reported
Level reading date:	1963-10-26	Feet below surface:	Not Reported
Feet to sea level:	3.73	Note:	Not Reported
Level reading date:	1963-09-30	Feet below surface:	Not Reported
Feet to sea level:	4.21	Note:	Not Reported
Level reading date:	1963-09-03	Feet below surface:	Not Reported
Feet to sea level:	3.96	Note:	Not Reported
Level reading date:	1963-07-30	Feet below surface:	Not Reported
Feet to sea level:	4.27	Note:	Not Reported
Level reading date:	1963-07-02	Feet below surface:	Not Reported
Feet to sea level:	4.25	Note:	Not Reported
Level reading date:	1963-06-03	Feet below surface:	Not Reported
Feet to sea level:	4.44	Note:	Not Reported
Level reading date:	1963-04-29	Feet below surface:	Not Reported
Feet to sea level:	4.42	Note:	Not Reported
Level reading date:	1963-03-29	Feet below surface:	Not Reported
Feet to sea level:	4.49	Note:	Not Reported
Level reading date:	1963-02-28	Feet below surface:	Not Reported
Feet to sea level:	4.54	Note:	Not Reported

Level reading date:	1963-01-03	Feet below surface:	Not Reported
Feet to sea level:	4.64	Note:	Not Reported
Level reading date:	1962-12-04	Feet below surface:	Not Reported
Feet to sea level:	4.71	Note:	Not Reported
Level reading date:	1962-11-06	Feet below surface:	Not Reported
Feet to sea level:	4.77	Note:	Not Reported
Level reading date:	1962-10-03	Feet below surface:	Not Reported
Feet to sea level:	4.89	Note:	Not Reported
Level reading date:	1962-08-31	Feet below surface:	Not Reported
Feet to sea level:	4.97	Note:	Not Reported
Level reading date:	1962-07-30	Feet below surface:	Not Reported
Feet to sea level:	4.76	Note:	Not Reported
Level reading date:	1962-07-02	Feet below surface:	Not Reported
Feet to sea level:	4.58	Note:	Not Reported
Level reading date:	1962-05-29	Feet below surface:	Not Reported
Feet to sea level:	4.69	Note:	Not Reported
Level reading date:	1962-04-27	Feet below surface:	Not Reported
Feet to sea level:	4.65	Note:	Not Reported
Level reading date:	1962-03-27	Feet below surface:	Not Reported
Feet to sea level:	4.63	Note:	Not Reported
Level reading date:	1962-03-05	Feet below surface:	Not Reported
Feet to sea level:	4.55	Note:	Not Reported
Level reading date:	1962-01-31	Feet below surface:	Not Reported
Feet to sea level:	4.48	Note:	Not Reported
Level reading date:	1961-12-27	Feet below surface:	Not Reported
Feet to sea level:	5.16	Note:	Not Reported
Level reading date:	1961-11-28	Feet below surface:	Not Reported
Feet to sea level:	4.68	Note:	Not Reported
Level reading date:	1961-10-31	Feet below surface:	Not Reported
Feet to sea level:	4.61	Note:	Not Reported
Level reading date:	1961-10-02	Feet below surface:	Not Reported
Feet to sea level:	4.62	Note:	Not Reported
Level reading date:	1961-08-30	Feet below surface:	Not Reported
Feet to sea level:	4.72	Note:	Not Reported
Level reading date:	1961-08-01	Feet below surface:	Not Reported
Feet to sea level:	4.59	Note:	Not Reported
Level reading date:	1961-06-28	Feet below surface:	Not Reported
Feet to sea level:	4.58	Note:	Not Reported
Level reading date:	1961-05-31	Feet below surface:	Not Reported
Feet to sea level:	4.50	Note:	Not Reported
Level reading date:	1961-04-26	Feet below surface:	Not Reported
Feet to sea level:	4.14	Note:	Not Reported

Level reading date:	1961-03-28	Feet below surface:	Not Reported
Feet to sea level:	3.98	Note:	Not Reported
Level reading date:	1961-03-01	Feet below surface:	Not Reported
Feet to sea level:	4.12	Note:	Not Reported
Level reading date:	1961-01-30	Feet below surface:	Not Reported
Feet to sea level:	3.94	Note:	Not Reported
Level reading date:	1960-12-27	Feet below surface:	Not Reported
Feet to sea level:	4.26	Note:	Not Reported
Level reading date:	1960-12-07	Feet below surface:	Not Reported
Feet to sea level:	3.72	Note:	Not Reported
Level reading date:	1960-11-02	Feet below surface:	Not Reported
Feet to sea level:	3.48	Note:	Not Reported
Level reading date:	1960-09-27	Feet below surface:	Not Reported
Feet to sea level:	3.37	Note:	Not Reported
Level reading date:	1960-08-30	Feet below surface:	Not Reported
Feet to sea level:	3.16	Note:	Not Reported
Level reading date:	1960-07-18	Feet below surface:	Not Reported
Feet to sea level:	3.14	Note:	Not Reported
Level reading date:	1960-06-30	Feet below surface:	Not Reported
Feet to sea level:	3.06	Note:	Not Reported
Level reading date:	1960-06-02	Feet below surface:	Not Reported
Feet to sea level:	3.02	Note:	Not Reported
Level reading date:	1960-05-04	Feet below surface:	Not Reported
Feet to sea level:	3.14	Note:	Not Reported
Level reading date:	1960-03-29	Feet below surface:	Not Reported
Feet to sea level:	3.04	Note:	Not Reported
Level reading date:	1960-01-27	Feet below surface:	Not Reported
Feet to sea level:	2.86	Note:	Not Reported
Level reading date:	1960-01-05	Feet below surface:	Not Reported
Feet to sea level:	2.92	Note:	Not Reported
Level reading date:	1959-12-01	Feet below surface:	Not Reported
Feet to sea level:	2.85	Note:	Not Reported
Level reading date:	1959-11-02	Feet below surface:	Not Reported
Feet to sea level:	2.54	Note:	Not Reported
Level reading date:	1959-10-06	Feet below surface:	Not Reported
Feet to sea level:	2.59	Note:	Not Reported
Level reading date:	1959-09-03	Feet below surface:	Not Reported
Feet to sea level:	2.62	Note:	Not Reported
Level reading date:	1959-08-04	Feet below surface:	Not Reported
Feet to sea level:	2.59	Note:	Not Reported
Level reading date:	1959-07-07	Feet below surface:	Not Reported
Feet to sea level:	2.62	Note:	Not Reported

Level reading date:	1959-06-02	Feet below surface:	Not Reported
Feet to sea level:	2.75	Note:	Not Reported
Level reading date:	1959-05-06	Feet below surface:	Not Reported
Feet to sea level:	2.84	Note:	Not Reported
Level reading date:	1959-04-03	Feet below surface:	Not Reported
Feet to sea level:	2.94	Note:	Not Reported
Level reading date:	1959-03-02	Feet below surface:	Not Reported
Feet to sea level:	3.17	Note:	Not Reported
Level reading date:	1959-01-29	Feet below surface:	Not Reported
Feet to sea level:	3.33	Note:	Not Reported
Level reading date:	1959-01-07	Feet below surface:	Not Reported
Feet to sea level:	3.40	Note:	Not Reported
Level reading date:	1958-12-09	Feet below surface:	Not Reported
Feet to sea level:	3.32	Note:	Not Reported
Level reading date:	1958-10-30	Feet below surface:	Not Reported
Feet to sea level:	3.21	Note:	Not Reported
Level reading date:	1958-10-07	Feet below surface:	Not Reported
Feet to sea level:	3.07	Note:	Not Reported
Level reading date:	1958-08-28	Feet below surface:	Not Reported
Feet to sea level:	3.01	Note:	Not Reported
Level reading date:	1958-07-29	Feet below surface:	Not Reported
Feet to sea level:	2.96	Note:	Not Reported
Level reading date:	1958-06-27	Feet below surface:	Not Reported
Feet to sea level:	2.81	Note:	Not Reported
Level reading date:	1958-05-29	Feet below surface:	Not Reported
Feet to sea level:	2.59	Note:	Not Reported
Level reading date:	1958-05-01	Feet below surface:	Not Reported
Feet to sea level:	2.22	Note:	Not Reported
Level reading date:	1958-04-02	Feet below surface:	Not Reported
Feet to sea level:	1.96	Note:	Not Reported
Level reading date:	1958-03-03	Feet below surface:	Not Reported
Feet to sea level:	1.81	Note:	Not Reported
Level reading date:	1958-01-28	Feet below surface:	Not Reported
Feet to sea level:	1.90	Note:	Not Reported
Level reading date:	1957-12-31	Feet below surface:	Not Reported
Feet to sea level:	1.85	Note:	Not Reported
Level reading date:	1957-11-22	Feet below surface:	Not Reported
Feet to sea level:	1.99	Note:	Not Reported
Level reading date:	1957-10-30	Feet below surface:	Not Reported
Feet to sea level:	2.11	Note:	Not Reported
Level reading date:	1957-09-24	Feet below surface:	Not Reported
Feet to sea level:	2.34	Note:	Not Reported

Level reading date:	1957-08-26	Feet below surface:	Not Reported
Feet to sea level:	2.51	Note:	Not Reported
Level reading date:	1957-07-24	Feet below surface:	Not Reported
Feet to sea level:	2.57	Note:	Not Reported
Level reading date:	1957-06-27	Feet below surface:	Not Reported
Feet to sea level:	2.67	Note:	Not Reported
Level reading date:	1957-05-28	Feet below surface:	Not Reported
Feet to sea level:	2.76	Note:	Not Reported
Level reading date:	1957-04-24	Feet below surface:	Not Reported
Feet to sea level:	2.82	Note:	Not Reported
Level reading date:	1957-03-27	Feet below surface:	Not Reported
Feet to sea level:	2.78	Note:	Not Reported
Level reading date:	1957-02-27	Feet below surface:	Not Reported
Feet to sea level:	2.96	Note:	Not Reported
Level reading date:	1957-01-25	Feet below surface:	Not Reported
Feet to sea level:	2.89	Note:	Not Reported
Level reading date:	1956-12-18	Feet below surface:	Not Reported
Feet to sea level:	2.85	Note:	Not Reported
Level reading date:	1956-11-29	Feet below surface:	Not Reported
Feet to sea level:	2.81	Note:	Not Reported
Level reading date:	1956-10-25	Feet below surface:	Not Reported
Feet to sea level:	2.68	Note:	Not Reported
Level reading date:	1956-10-02	Feet below surface:	Not Reported
Feet to sea level:	2.51	Note:	Not Reported
Level reading date:	1956-08-02	Feet below surface:	Not Reported
Feet to sea level:	2.51	Note:	Not Reported
Level reading date:	1956-07-10	Feet below surface:	Not Reported
Feet to sea level:	2.53	Note:	Not Reported
Level reading date:	1956-06-04	Feet below surface:	Not Reported
Feet to sea level:	2.57	Note:	Not Reported
Level reading date:	1956-05-15	Feet below surface:	Not Reported
Feet to sea level:	2.41	Note:	Not Reported
Level reading date:	1956-03-06	Feet below surface:	Not Reported
Feet to sea level:	2.39	Note:	Not Reported
Level reading date:	1956-02-07	Feet below surface:	Not Reported
Feet to sea level:	2.55	Note:	Not Reported
Level reading date:	1955-12-22	Feet below surface:	Not Reported
Feet to sea level:	3.73	Note:	Not Reported
Level reading date:	1955-11-07	Feet below surface:	Not Reported
Feet to sea level:	2.59	Note:	Not Reported
Level reading date:	1955-10-05	Feet below surface:	Not Reported
Feet to sea level:	2.26	Note:	Not Reported

Level reading date:	1955-08-25	Feet below surface:	Not Reported
Feet to sea level:	1.78	Note:	Not Reported
Level reading date:	1955-07-26	Feet below surface:	Not Reported
Feet to sea level:	1.67	Note:	Not Reported
Level reading date:	1955-06-23	Feet below surface:	Not Reported
Feet to sea level:	1.81	Note:	Not Reported
Level reading date:	1955-05-24	Feet below surface:	Not Reported
Feet to sea level:	1.81	Note:	Not Reported
Level reading date:	1955-04-26	Feet below surface:	Not Reported
Feet to sea level:	1.83	Note:	Not Reported
Level reading date:	1955-03-29	Feet below surface:	Not Reported
Feet to sea level:	1.73	Note:	Not Reported
Level reading date:	1955-02-21	Feet below surface:	Not Reported
Feet to sea level:	1.68	Note:	Not Reported
Level reading date:	1955-01-25	Feet below surface:	Not Reported
Feet to sea level:	1.62	Note:	Not Reported
Level reading date:	1954-12-27	Feet below surface:	Not Reported
Feet to sea level:	1.42	Note:	Not Reported
Level reading date:	1954-12-02	Feet below surface:	Not Reported
Feet to sea level:	1.26	Note:	Not Reported
Level reading date:	1954-11-29	Feet below surface:	Not Reported
Feet to sea level:	1.14	Note:	Not Reported
Level reading date:	1954-09-28	Feet below surface:	Not Reported
Feet to sea level:	0.96	Note:	Not Reported
Level reading date:	1954-08-23	Feet below surface:	Not Reported
Feet to sea level:	0.99	Note:	Not Reported
Level reading date:	1954-07-29	Feet below surface:	Not Reported
Feet to sea level:	1.05	Note:	Not Reported
Level reading date:	1954-06-30	Feet below surface:	Not Reported
Feet to sea level:	1.12	Note:	Not Reported
Level reading date:	1954-05-26	Feet below surface:	Not Reported
Feet to sea level:	1.23	Note:	Not Reported
Level reading date:	1954-04-29	Feet below surface:	Not Reported
Feet to sea level:	1.39	Note:	Not Reported
Level reading date:	1954-03-27	Feet below surface:	Not Reported
Feet to sea level:	1.48	Note:	Not Reported
Level reading date:	1954-02-25	Feet below surface:	Not Reported
Feet to sea level:	1.60	Note:	Not Reported
Level reading date:	1954-01-30	Feet below surface:	Not Reported
Feet to sea level:	1.72	Note:	Not Reported
Level reading date:	1953-12-21	Feet below surface:	Not Reported
Feet to sea level:	1.45	Note:	Not Reported

Level reading date:	1953-12-01	Feet below surface:	Not Reported
Feet to sea level:	1.44	Note:	Not Reported
Level reading date:	1953-10-26	Feet below surface:	Not Reported
Feet to sea level:	1.48	Note:	Not Reported
Level reading date:	1953-09-30	Feet below surface:	Not Reported
Feet to sea level:	1.32	Note:	Not Reported
Level reading date:	1953-07-31	Feet below surface:	Not Reported
Feet to sea level:	1.13	Note:	Not Reported
Level reading date:	1953-06-24	Feet below surface:	Not Reported
Feet to sea level:	1.13	Note:	Not Reported
Level reading date:	1953-05-25	Feet below surface:	Not Reported
Feet to sea level:	1.18	Note:	Not Reported
Level reading date:	1953-04-27	Feet below surface:	Not Reported
Feet to sea level:	1.13	Note:	Not Reported
Level reading date:	1953-03-24	Feet below surface:	Not Reported
Feet to sea level:	0.92	Note:	Not Reported
Level reading date:	1953-02-26	Feet below surface:	Not Reported
Feet to sea level:	0.83	Note:	Not Reported
Level reading date:	1953-02-05	Feet below surface:	Not Reported
Feet to sea level:	0.71	Note:	Not Reported
Level reading date:	1952-12-23	Feet below surface:	Not Reported
Feet to sea level:	0.59	Note:	Not Reported
Level reading date:	1952-12-04	Feet below surface:	Not Reported
Feet to sea level:	0.51	Note:	Not Reported
Level reading date:	1952-11-04	Feet below surface:	Not Reported
Feet to sea level:	0.56	Note:	Not Reported
Level reading date:	1952-09-23	Feet below surface:	Not Reported
Feet to sea level:	0.41	Note:	Not Reported
Level reading date:	1952-08-25	Feet below surface:	Not Reported
Feet to sea level:	0.16	Note:	Not Reported
Level reading date:	1952-07-23	Feet below surface:	Not Reported
Feet to sea level:	0.03	Note:	Not Reported
Level reading date:	1952-06-23	Feet below surface:	Not Reported
Feet to sea level:	-0.22	Note:	Not Reported
Level reading date:	1952-05-26	Feet below surface:	Not Reported
Feet to sea level:	-0.31	Note:	Not Reported
Level reading date:	1952-04-29	Feet below surface:	Not Reported
Feet to sea level:	-0.50	Note:	Not Reported
Level reading date:	1952-03-20	Feet below surface:	Not Reported
Feet to sea level:	-0.93	Note:	Not Reported
Level reading date:	1952-02-20	Feet below surface:	Not Reported
Feet to sea level:	-1.07	Note:	Not Reported

Level reading date:	1952-01-29	Feet below surface:	Not Reported
Feet to sea level:	-1.06	Note:	Not Reported
Level reading date:	1951-12-20	Feet below surface:	Not Reported
Feet to sea level:	-1.67	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	-1.74	Note:	Not Reported
Level reading date:	1951-11-01	Feet below surface:	Not Reported
Feet to sea level:	-1.69	Note:	Not Reported
Level reading date:	1951-09-26	Feet below surface:	Not Reported
Feet to sea level:	-2.03	Note:	Not Reported
Level reading date:	1951-09-11	Feet below surface:	Not Reported
Feet to sea level:	-1.86	Note:	Not Reported
Level reading date:	1951-08-28	Feet below surface:	Not Reported
Feet to sea level:	-2.04	Note:	Not Reported
Level reading date:	1951-07-25	Feet below surface:	Not Reported
Feet to sea level:	-2.06	Note:	Not Reported
Level reading date:	1951-06-26	Feet below surface:	Not Reported
Feet to sea level:	-1.89	Note:	Not Reported
Level reading date:	1951-05-29	Feet below surface:	Not Reported
Feet to sea level:	-2.24	Note:	Not Reported
Level reading date:	1951-04-26	Feet below surface:	Not Reported
Feet to sea level:	-1.72	Note:	Not Reported
Level reading date:	1951-03-27	Feet below surface:	Not Reported
Feet to sea level:	-2.59	Note:	Not Reported
Level reading date:	1951-02-23	Feet below surface:	Not Reported
Feet to sea level:	-2.55	Note:	Not Reported
Level reading date:	1951-01-30	Feet below surface:	Not Reported
Feet to sea level:	-2.51	Note:	Not Reported
Level reading date:	1950-12-18	Feet below surface:	Not Reported
Feet to sea level:	-2.21	Note:	Not Reported
Level reading date:	1950-11-27	Feet below surface:	Not Reported
Feet to sea level:	-2.75	Note:	Not Reported
Level reading date:	1950-10-30	Feet below surface:	Not Reported
Feet to sea level:	-2.92	Note:	Not Reported
Level reading date:	1950-09-27	Feet below surface:	Not Reported
Feet to sea level:	-2.37	Note:	Not Reported
Level reading date:	1950-08-28	Feet below surface:	Not Reported
Feet to sea level:	-2.96	Note:	Not Reported
Level reading date:	1950-07-26	Feet below surface:	Not Reported
Feet to sea level:	-2.91	Note:	Not Reported
Level reading date:	1950-06-28	Feet below surface:	Not Reported
Feet to sea level:	-2.76	Note:	Not Reported

Level reading date:	1950-06-05	Feet below surface:	Not Reported
Feet to sea level:	-2.55	Note:	Not Reported
Level reading date:	1950-04-27	Feet below surface:	Not Reported
Feet to sea level:	-2.66	Note:	Not Reported
Level reading date:	1950-03-29	Feet below surface:	Not Reported
Feet to sea level:	-2.33	Note:	Not Reported
Level reading date:	1950-03-01	Feet below surface:	Not Reported
Feet to sea level:	-2.58	Note:	Not Reported
Level reading date:	1950-01-25	Feet below surface:	Not Reported
Feet to sea level:	-2.03	Note:	Not Reported
Level reading date:	1949-12-27	Feet below surface:	Not Reported
Feet to sea level:	-2.16	Note:	Not Reported
Level reading date:	1949-11-28	Feet below surface:	Not Reported
Feet to sea level:	-2.85	Note:	Not Reported
Level reading date:	1949-10-31	Feet below surface:	Not Reported
Feet to sea level:	-2.57	Note:	Not Reported
Level reading date:	1949-09-28	Feet below surface:	Not Reported
Feet to sea level:	-2.58	Note:	Not Reported
Level reading date:	1949-08-31	Feet below surface:	Not Reported
Feet to sea level:	-3.04	Note:	Not Reported
Level reading date:	1949-07-28	Feet below surface:	Not Reported
Feet to sea level:	-3.19	Note:	Not Reported
Level reading date:	1949-06-30	Feet below surface:	Not Reported
Feet to sea level:	-3.08	Note:	Not Reported
Level reading date:	1949-05-31	Feet below surface:	Not Reported
Feet to sea level:	-3.17	Note:	Not Reported
Level reading date:	1949-04-27	Feet below surface:	Not Reported
Feet to sea level:	-3.54	Note:	Not Reported
Level reading date:	1949-04-04	Feet below surface:	Not Reported
Feet to sea level:	-4.11	Note:	Not Reported
Level reading date:	1949-02-23	Feet below surface:	Not Reported
Feet to sea level:	-4.17	Note:	Not Reported
Level reading date:	1949-01-26	Feet below surface:	Not Reported
Feet to sea level:	-4.26	Note:	Not Reported
Level reading date:	1948-12-28	Feet below surface:	Not Reported
Feet to sea level:	-4.82	Note:	Not Reported
Level reading date:	1948-12-09	Feet below surface:	Not Reported
Feet to sea level:	-4.41	Note:	Not Reported
Level reading date:	1948-11-03	Feet below surface:	Not Reported
Feet to sea level:	-4.26	Note:	Not Reported
Level reading date:	1948-10-04	Feet below surface:	Not Reported
Feet to sea level:	-4.98	Note:	Not Reported

Level reading date:	1948-08-30	Feet below surface:	Not Reported
Feet to sea level:	-5.70	Note:	Not Reported
Level reading date:	1948-07-23	Feet below surface:	Not Reported
Feet to sea level:	-6.25	Note:	Not Reported
Level reading date:	1948-06-30	Feet below surface:	Not Reported
Feet to sea level:	-6.45	Note:	Not Reported
Level reading date:	1948-06-01	Feet below surface:	Not Reported
Feet to sea level:	-6.60	Note:	Not Reported
Level reading date:	1948-04-27	Feet below surface:	Not Reported
Feet to sea level:	-6.92	Note:	Not Reported
Level reading date:	1948-03-26	Feet below surface:	Not Reported
Feet to sea level:	-7.11	Note:	Not Reported
Level reading date:	1948-03-03	Feet below surface:	Not Reported
Feet to sea level:	-7.51	Note:	Not Reported
Level reading date:	1948-02-02	Feet below surface:	Not Reported
Feet to sea level:	-7.40	Note:	Not Reported
Level reading date:	1948-01-08	Feet below surface:	Not Reported
Feet to sea level:	-8.01	Note:	Not Reported
Level reading date:	1947-12-16	Feet below surface:	Not Reported
Feet to sea level:	-7.65	Note:	Not Reported
Level reading date:	1947-11-26	Feet below surface:	Not Reported
Feet to sea level:	-8.59	Note:	Not Reported
Level reading date:	1947-11-20	Feet below surface:	Not Reported
Feet to sea level:	-7.90	Note:	Not Reported
Level reading date:	1947-10-31	Feet below surface:	Not Reported
Feet to sea level:	-8.60	Note:	Not Reported
Level reading date:	1947-10-14	Feet below surface:	Not Reported
Feet to sea level:	-8.67	Note:	Not Reported
Level reading date:	1947-10-06	Feet below surface:	Not Reported
Feet to sea level:	-8.42	Note:	Not Reported
Level reading date:	1947-09-29	Feet below surface:	Not Reported
Feet to sea level:	-8.12	Note:	Not Reported
Level reading date:	1947-09-15	Feet below surface:	Not Reported
Feet to sea level:	-8.64	Note:	Not Reported
Level reading date:	1947-08-27	Feet below surface:	Not Reported
Feet to sea level:	-8.64	Note:	Not Reported
Level reading date:	1947-08-13	Feet below surface:	Not Reported
Feet to sea level:	-8.81	Note:	Not Reported
Level reading date:	1947-07-30	Feet below surface:	Not Reported
Feet to sea level:	-8.75	Note:	Not Reported
Level reading date:	1947-07-23	Feet below surface:	Not Reported
Feet to sea level:	-8.66	Note:	Not Reported

Level reading date:	1947-07-16	Feet below surface:	Not Reported
Feet to sea level:	-8.77	Note:	Not Reported
Level reading date:	1947-07-07	Feet below surface:	Not Reported
Feet to sea level:	-8.57	Note:	Not Reported
Level reading date:	1947-07-02	Feet below surface:	Not Reported
Feet to sea level:	-8.67	Note:	Not Reported
Level reading date:	1947-06-30	Feet below surface:	Not Reported
Feet to sea level:	-8.52	Note:	Not Reported
Level reading date:	1947-06-24	Feet below surface:	Not Reported
Feet to sea level:	-8.16	Note:	Not Reported
Level reading date:	1947-05-29	Feet below surface:	Not Reported
Feet to sea level:	-8.27	Note:	Not Reported
Level reading date:	1947-05-06	Feet below surface:	Not Reported
Feet to sea level:	-8.49	Note:	Not Reported
Level reading date:	1947-04-04	Feet below surface:	Not Reported
Feet to sea level:	-7.82	Note:	Not Reported
Level reading date:	1947-03-14	Feet below surface:	Not Reported
Feet to sea level:	-8.39	Note:	Not Reported
Level reading date:	1947-01-27	Feet below surface:	Not Reported
Feet to sea level:	-7.96	Note:	Not Reported
Level reading date:	1946-12-30	Feet below surface:	Not Reported
Feet to sea level:	-8.15	Note:	Not Reported
Level reading date:	1946-11-26	Feet below surface:	Not Reported
Feet to sea level:	-8.05	Note:	Not Reported
Level reading date:	1946-10-22	Feet below surface:	Not Reported
Feet to sea level:	-8.11	Note:	Not Reported
Level reading date:	1946-09-27	Feet below surface:	Not Reported
Feet to sea level:	-8.14	Note:	Not Reported
Level reading date:	1946-08-29	Feet below surface:	Not Reported
Feet to sea level:	-7.92	Note:	Not Reported
Level reading date:	1946-07-26	Feet below surface:	Not Reported
Feet to sea level:	-8.07	Note:	Not Reported
Level reading date:	1946-07-01	Feet below surface:	Not Reported
Feet to sea level:	-8.12	Note:	Not Reported
Level reading date:	1946-06-18	Feet below surface:	Not Reported
Feet to sea level:	-8.14	Note:	Not Reported
Level reading date:	1946-05-06	Feet below surface:	Not Reported
Feet to sea level:	-8.08	Note:	Not Reported
Level reading date:	1946-04-12	Feet below surface:	Not Reported
Feet to sea level:	-8.14	Note:	Not Reported
Level reading date:	1946-03-15	Feet below surface:	Not Reported
Feet to sea level:	-8.07	Note:	Not Reported

Level reading date:	1946-02-08	Feet below surface:	Not Reported
Feet to sea level:	-8.15	Note:	Not Reported
Level reading date:	1946-01-10	Feet below surface:	Not Reported
Feet to sea level:	-8.20	Note:	Not Reported
Level reading date:	1945-12-04	Feet below surface:	Not Reported
Feet to sea level:	-8.28	Note:	Not Reported
Level reading date:	1945-11-06	Feet below surface:	Not Reported
Feet to sea level:	-8.31	Note:	Not Reported
Level reading date:	1945-09-28	Feet below surface:	Not Reported
Feet to sea level:	-8.39	Note:	Not Reported
Level reading date:	1945-09-13	Feet below surface:	Not Reported
Feet to sea level:	-8.35	Note:	Not Reported
Level reading date:	1945-08-07	Feet below surface:	Not Reported
Feet to sea level:	-8.30	Note:	Not Reported
Level reading date:	1945-07-03	Feet below surface:	Not Reported
Feet to sea level:	-8.25	Note:	Not Reported
Level reading date:	1945-06-05	Feet below surface:	Not Reported
Feet to sea level:	-8.19	Note:	Not Reported
Level reading date:	1945-04-27	Feet below surface:	Not Reported
Feet to sea level:	-8.24	Note:	Not Reported
Level reading date:	1945-04-03	Feet below surface:	Not Reported
Feet to sea level:	-8.22	Note:	Not Reported
Level reading date:	1945-03-05	Feet below surface:	Not Reported
Feet to sea level:	-8.25	Note:	Not Reported
Level reading date:	1945-01-02	Feet below surface:	Not Reported
Feet to sea level:	-8.27	Note:	Not Reported
Level reading date:	1944-12-05	Feet below surface:	Not Reported
Feet to sea level:	-8.40	Note:	Not Reported
Level reading date:	1944-11-03	Feet below surface:	Not Reported
Feet to sea level:	-8.47	Note:	Not Reported
Level reading date:	1944-10-05	Feet below surface:	Not Reported
Feet to sea level:	-8.50	Note:	Not Reported
Level reading date:	1944-09-02	Feet below surface:	Not Reported
Feet to sea level:	-8.79	Note:	Not Reported
Level reading date:	1944-07-31	Feet below surface:	Not Reported
Feet to sea level:	-8.63	Note:	Not Reported
Level reading date:	1944-07-04	Feet below surface:	Not Reported
Feet to sea level:	-8.58	Note:	Not Reported
Level reading date:	1944-05-27	Feet below surface:	Not Reported
Feet to sea level:	-8.63	Note:	Not Reported
Level reading date:	1944-05-05	Feet below surface:	Not Reported
Feet to sea level:	-8.64	Note:	Not Reported

Level reading date:	1944-03-30	Feet below surface:	Not Reported
Feet to sea level:	-8.70	Note:	Not Reported
Level reading date:	1944-02-26	Feet below surface:	Not Reported
Feet to sea level:	-8.78	Note:	Not Reported
Level reading date:	1944-01-29	Feet below surface:	Not Reported
Feet to sea level:	-8.67	Note:	Not Reported
Level reading date:	1944-01-01	Feet below surface:	Not Reported
Feet to sea level:	-8.78	Note:	Not Reported
Level reading date:	1943-11-27	Feet below surface:	Not Reported
Feet to sea level:	-8.93	Note:	Not Reported
Level reading date:	1943-10-30	Feet below surface:	Not Reported
Feet to sea level:	-9.13	Note:	Not Reported
Level reading date:	1943-09-25	Feet below surface:	Not Reported
Feet to sea level:	-9.26	Note:	Not Reported
Level reading date:	1943-08-28	Feet below surface:	Not Reported
Feet to sea level:	-9.16	Note:	Not Reported
Level reading date:	1943-07-31	Feet below surface:	Not Reported
Feet to sea level:	-9.13	Note:	Not Reported
Level reading date:	1943-06-26	Feet below surface:	Not Reported
Feet to sea level:	-9.13	Note:	Not Reported
Level reading date:	1943-05-29	Feet below surface:	Not Reported
Feet to sea level:	-9.08	Note:	Not Reported
Level reading date:	1943-05-01	Feet below surface:	Not Reported
Feet to sea level:	-9.15	Note:	Not Reported
Level reading date:	1943-03-27	Feet below surface:	Not Reported
Feet to sea level:	-9.31	Note:	Not Reported
Level reading date:	1943-02-27	Feet below surface:	Not Reported
Feet to sea level:	-9.49	Note:	Not Reported
Level reading date:	1943-01-02	Feet below surface:	Not Reported
Feet to sea level:	-9.66	Note:	Not Reported
Level reading date:	1942-12-26	Feet below surface:	Not Reported
Feet to sea level:	-9.70	Note:	Not Reported
Level reading date:	1942-12-19	Feet below surface:	Not Reported
Feet to sea level:	-9.70	Note:	Not Reported
Level reading date:	1942-12-12	Feet below surface:	Not Reported
Feet to sea level:	-9.72	Note:	Not Reported
Level reading date:	1942-12-05	Feet below surface:	Not Reported
Feet to sea level:	-9.78	Note:	Not Reported
Level reading date:	1942-11-28	Feet below surface:	Not Reported
Feet to sea level:	-9.83	Note:	Not Reported
Level reading date:	1942-11-21	Feet below surface:	Not Reported
Feet to sea level:	-9.85	Note:	Not Reported

Level reading date:	1942-11-14	Feet below surface:	Not Reported
Feet to sea level:	-9.90	Note:	Not Reported
Level reading date:	1942-11-07	Feet below surface:	Not Reported
Feet to sea level:	-9.95	Note:	Not Reported
Level reading date:	1942-10-31	Feet below surface:	Not Reported
Feet to sea level:	-10.01	Note:	Not Reported
Level reading date:	1942-10-24	Feet below surface:	Not Reported
Feet to sea level:	-10.06	Note:	Not Reported
Level reading date:	1942-10-17	Feet below surface:	Not Reported
Feet to sea level:	-10.08	Note:	Not Reported
Level reading date:	1942-10-10	Feet below surface:	Not Reported
Feet to sea level:	-10.12	Note:	Not Reported
Level reading date:	1942-10-03	Feet below surface:	Not Reported
Feet to sea level:	-10.21	Note:	Not Reported
Level reading date:	1942-09-26	Feet below surface:	Not Reported
Feet to sea level:	-10.26	Note:	Not Reported
Level reading date:	1942-09-19	Feet below surface:	Not Reported
Feet to sea level:	-10.29	Note:	Not Reported
Level reading date:	1942-09-12	Feet below surface:	Not Reported
Feet to sea level:	-10.32	Note:	Not Reported
Level reading date:	1942-09-05	Feet below surface:	Not Reported
Feet to sea level:	-10.37	Note:	Not Reported
Level reading date:	1942-08-29	Feet below surface:	Not Reported
Feet to sea level:	-10.41	Note:	Not Reported
Level reading date:	1942-08-22	Feet below surface:	Not Reported
Feet to sea level:	-10.45	Note:	Not Reported
Level reading date:	1942-08-15	Feet below surface:	Not Reported
Feet to sea level:	-10.50	Note:	Not Reported
Level reading date:	1942-08-08	Feet below surface:	Not Reported
Feet to sea level:	-10.57	Note:	Not Reported
Level reading date:	1942-08-01	Feet below surface:	Not Reported
Feet to sea level:	-10.58	Note:	Not Reported
Level reading date:	1942-07-25	Feet below surface:	Not Reported
Feet to sea level:	-10.63	Note:	Not Reported
Level reading date:	1942-07-18	Feet below surface:	Not Reported
Feet to sea level:	-10.62	Note:	Not Reported
Level reading date:	1942-07-11	Feet below surface:	Not Reported
Feet to sea level:	-10.61	Note:	Not Reported
Level reading date:	1942-07-04	Feet below surface:	Not Reported
Feet to sea level:	-10.63	Note:	Not Reported
Level reading date:	1942-06-27	Feet below surface:	Not Reported
Feet to sea level:	-10.65	Note:	Not Reported

Level reading date:	1942-06-20	Feet below surface:	Not Reported
Feet to sea level:	-10.63	Note:	Not Reported
Level reading date:	1942-06-13	Feet below surface:	Not Reported
Feet to sea level:	-10.63	Note:	Not Reported
Level reading date:	1942-06-06	Feet below surface:	Not Reported
Feet to sea level:	-10.61	Note:	Not Reported
Level reading date:	1942-05-30	Feet below surface:	Not Reported
Feet to sea level:	-10.59	Note:	Not Reported
Level reading date:	1942-05-23	Feet below surface:	Not Reported
Feet to sea level:	-10.52	Note:	Not Reported
Level reading date:	1942-05-16	Feet below surface:	Not Reported
Feet to sea level:	-10.51	Note:	Not Reported
Level reading date:	1942-05-09	Feet below surface:	Not Reported
Feet to sea level:	-10.48	Note:	Not Reported
Level reading date:	1942-05-02	Feet below surface:	Not Reported
Feet to sea level:	-10.46	Note:	Not Reported
Level reading date:	1942-04-25	Feet below surface:	Not Reported
Feet to sea level:	-10.42	Note:	Not Reported
Level reading date:	1942-04-18	Feet below surface:	Not Reported
Feet to sea level:	-10.42	Note:	Not Reported
Level reading date:	1942-04-11	Feet below surface:	Not Reported
Feet to sea level:	-10.39	Note:	Not Reported
Level reading date:	1942-04-04	Feet below surface:	Not Reported
Feet to sea level:	-10.36	Note:	Not Reported
Level reading date:	1942-03-28	Feet below surface:	Not Reported
Feet to sea level:	-10.40	Note:	Not Reported
Level reading date:	1942-03-21	Feet below surface:	Not Reported
Feet to sea level:	-10.38	Note:	Not Reported
Level reading date:	1942-03-14	Feet below surface:	Not Reported
Feet to sea level:	-10.33	Note:	Not Reported
Level reading date:	1942-03-07	Feet below surface:	Not Reported
Feet to sea level:	-10.31	Note:	Not Reported
Level reading date:	1942-02-28	Feet below surface:	Not Reported
Feet to sea level:	-10.27	Note:	Not Reported
Level reading date:	1942-02-21	Feet below surface:	Not Reported
Feet to sea level:	-10.23	Note:	Not Reported
Level reading date:	1942-02-14	Feet below surface:	Not Reported
Feet to sea level:	-10.19	Note:	Not Reported
Level reading date:	1942-02-07	Feet below surface:	Not Reported
Feet to sea level:	-10.15	Note:	Not Reported
Level reading date:	1942-01-31	Feet below surface:	Not Reported
Feet to sea level:	-10.13	Note:	Not Reported

Level reading date:	1942-01-24	Feet below surface:	Not Reported
Feet to sea level:	-10.13	Note:	Not Reported
Level reading date:	1942-01-17	Feet below surface:	Not Reported
Feet to sea level:	-10.10	Note:	Not Reported
Level reading date:	1942-01-10	Feet below surface:	Not Reported
Feet to sea level:	-10.06	Note:	Not Reported
Level reading date:	1942-01-03	Feet below surface:	Not Reported
Feet to sea level:	-10.03	Note:	Not Reported
Level reading date:	1941-12-27	Feet below surface:	Not Reported
Feet to sea level:	-9.99	Note:	Not Reported
Level reading date:	1941-12-20	Feet below surface:	Not Reported
Feet to sea level:	-9.96	Note:	Not Reported
Level reading date:	1941-12-13	Feet below surface:	Not Reported
Feet to sea level:	-9.90	Note:	Not Reported
Level reading date:	1941-12-06	Feet below surface:	Not Reported
Feet to sea level:	-9.91	Note:	Not Reported
Level reading date:	1941-11-29	Feet below surface:	Not Reported
Feet to sea level:	-9.88	Note:	Not Reported
Level reading date:	1941-11-22	Feet below surface:	Not Reported
Feet to sea level:	-9.87	Note:	Not Reported
Level reading date:	1941-11-15	Feet below surface:	Not Reported
Feet to sea level:	-9.86	Note:	Not Reported
Level reading date:	1941-11-08	Feet below surface:	Not Reported
Feet to sea level:	-9.80	Note:	Not Reported
Level reading date:	1941-11-01	Feet below surface:	Not Reported
Feet to sea level:	-9.80	Note:	Not Reported
Level reading date:	1941-10-25	Feet below surface:	Not Reported
Feet to sea level:	-9.74	Note:	Not Reported
Level reading date:	1941-10-18	Feet below surface:	Not Reported
Feet to sea level:	-9.68	Note:	Not Reported
Level reading date:	1941-10-11	Feet below surface:	Not Reported
Feet to sea level:	-9.65	Note:	Not Reported
Level reading date:	1941-10-04	Feet below surface:	Not Reported
Feet to sea level:	-9.63	Note:	Not Reported
Level reading date:	1941-09-27	Feet below surface:	Not Reported
Feet to sea level:	-9.65	Note:	Not Reported
Level reading date:	1941-09-20	Feet below surface:	Not Reported
Feet to sea level:	-9.65	Note:	Not Reported
Level reading date:	1941-09-13	Feet below surface:	Not Reported
Feet to sea level:	-9.63	Note:	Not Reported
Level reading date:	1941-09-06	Feet below surface:	Not Reported
Feet to sea level:	-9.60	Note:	Not Reported

Level reading date:	1941-08-30	Feet below surface:	Not Reported
Feet to sea level:	-9.60	Note:	Not Reported
Level reading date:	1941-08-23	Feet below surface:	Not Reported
Feet to sea level:	-9.56	Note:	Not Reported
Level reading date:	1941-08-16	Feet below surface:	Not Reported
Feet to sea level:	-9.50	Note:	Not Reported
Level reading date:	1941-08-09	Feet below surface:	Not Reported
Feet to sea level:	-9.45	Note:	Not Reported
Level reading date:	1941-08-02	Feet below surface:	Not Reported
Feet to sea level:	-9.42	Note:	Not Reported
Level reading date:	1941-07-26	Feet below surface:	Not Reported
Feet to sea level:	-9.38	Note:	Not Reported
Level reading date:	1941-07-19	Feet below surface:	Not Reported
Feet to sea level:	-9.35	Note:	Not Reported
Level reading date:	1941-07-12	Feet below surface:	Not Reported
Feet to sea level:	-9.33	Note:	Not Reported
Level reading date:	1941-07-05	Feet below surface:	Not Reported
Feet to sea level:	-9.27	Note:	Not Reported
Level reading date:	1941-06-28	Feet below surface:	Not Reported
Feet to sea level:	-9.24	Note:	Not Reported
Level reading date:	1941-06-21	Feet below surface:	Not Reported
Feet to sea level:	-9.18	Note:	Not Reported
Level reading date:	1941-06-14	Feet below surface:	Not Reported
Feet to sea level:	-9.14	Note:	Not Reported
Level reading date:	1941-06-07	Feet below surface:	Not Reported
Feet to sea level:	-9.13	Note:	Not Reported
Level reading date:	1941-05-31	Feet below surface:	Not Reported
Feet to sea level:	-9.06	Note:	Not Reported
Level reading date:	1941-05-24	Feet below surface:	Not Reported
Feet to sea level:	-9.06	Note:	Not Reported
Level reading date:	1941-05-17	Feet below surface:	Not Reported
Feet to sea level:	-9.01	Note:	Not Reported
Level reading date:	1941-05-10	Feet below surface:	Not Reported
Feet to sea level:	-8.95	Note:	Not Reported
Level reading date:	1941-05-03	Feet below surface:	Not Reported
Feet to sea level:	-8.89	Note:	Not Reported
Level reading date:	1941-04-26	Feet below surface:	Not Reported
Feet to sea level:	-8.84	Note:	Not Reported
Level reading date:	1941-04-19	Feet below surface:	Not Reported
Feet to sea level:	-8.84	Note:	Not Reported
Level reading date:	1941-04-12	Feet below surface:	Not Reported
Feet to sea level:	-8.89	Note:	Not Reported

Level reading date:	1941-04-05	Feet below surface:	Not Reported
Feet to sea level:	-8.87	Note:	Not Reported
Level reading date:	1941-03-29	Feet below surface:	Not Reported
Feet to sea level:	-8.91	Note:	Not Reported
Level reading date:	1941-03-22	Feet below surface:	Not Reported
Feet to sea level:	-8.98	Note:	Not Reported
Level reading date:	1941-03-15	Feet below surface:	Not Reported
Feet to sea level:	-9.03	Note:	Not Reported
Level reading date:	1941-03-08	Feet below surface:	Not Reported
Feet to sea level:	-9.07	Note:	Not Reported
Level reading date:	1941-03-01	Feet below surface:	Not Reported
Feet to sea level:	-9.12	Note:	Not Reported
Level reading date:	1941-02-22	Feet below surface:	Not Reported
Feet to sea level:	-9.15	Note:	Not Reported
Level reading date:	1941-02-15	Feet below surface:	Not Reported
Feet to sea level:	-9.17	Note:	Not Reported
Level reading date:	1941-02-08	Feet below surface:	Not Reported
Feet to sea level:	-9.19	Note:	Not Reported
Level reading date:	1941-02-01	Feet below surface:	Not Reported
Feet to sea level:	-9.22	Note:	Not Reported
Level reading date:	1941-01-25	Feet below surface:	Not Reported
Feet to sea level:	-9.27	Note:	Not Reported

7
NNE **FED USGS** **USGS40000828531**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 543. 1	Type:	Well
Description:	Not Reported	HUC:	02030201
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	285	Well Hole Depth Units:	ft

8
ENE **FED USGS** **USGS40000828426**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 539. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		

Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	60
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	403	Level reading date:	1960-03-30
Feet below surface:	Not Reported	Feet to sea level:	1.45
Note:	Not Reported		

Level reading date:	1959-10-07	Feet below surface:	Not Reported
Feet to sea level:	1.17	Note:	Not Reported
Level reading date:	1959-07-13	Feet below surface:	Not Reported
Feet to sea level:	1.25	Note:	Not Reported
Level reading date:	1959-03-20	Feet below surface:	Not Reported
Feet to sea level:	1.35	Note:	Not Reported
Level reading date:	1958-07-23	Feet below surface:	Not Reported
Feet to sea level:	2.29	Note:	Not Reported
Level reading date:	1957-12-23	Feet below surface:	Not Reported
Feet to sea level:	0.62	Note:	Not Reported
Level reading date:	1957-09-25	Feet below surface:	Not Reported
Feet to sea level:	1.29	Note:	Not Reported
Level reading date:	1957-06-27	Feet below surface:	Not Reported
Feet to sea level:	2.22	Note:	Not Reported
Level reading date:	1957-03-28	Feet below surface:	Not Reported
Feet to sea level:	2.03	Note:	Not Reported
Level reading date:	1956-12-18	Feet below surface:	Not Reported
Feet to sea level:	2.05	Note:	Not Reported
Level reading date:	1956-11-30	Feet below surface:	Not Reported
Feet to sea level:	2.03	Note:	Not Reported
Level reading date:	1956-10-25	Feet below surface:	Not Reported
Feet to sea level:	1.74	Note:	Not Reported
Level reading date:	1956-10-02	Feet below surface:	Not Reported
Feet to sea level:	1.78	Note:	Not Reported
Level reading date:	1956-08-02	Feet below surface:	Not Reported
Feet to sea level:	1.89	Note:	Not Reported
Level reading date:	1956-07-03	Feet below surface:	Not Reported
Feet to sea level:	2.02	Note:	Not Reported
Level reading date:	1956-06-04	Feet below surface:	Not Reported
Feet to sea level:	2.15	Note:	Not Reported
Level reading date:	1956-05-15	Feet below surface:	Not Reported
Feet to sea level:	2.17	Note:	Not Reported
Level reading date:	1956-03-06	Feet below surface:	Not Reported
Feet to sea level:	1.92	Note:	Not Reported
Level reading date:	1956-02-07	Feet below surface:	Not Reported

Feet to sea level:	2.02	Note:	Not Reported
Level reading date:	1955-12-22	Feet below surface:	Not Reported
Feet to sea level:	2.20	Note:	Not Reported
Level reading date:	1955-11-07	Feet below surface:	Not Reported
Feet to sea level:	2.30	Note:	Not Reported
Level reading date:	1955-10-05	Feet below surface:	Not Reported
Feet to sea level:	2.21	Note:	Not Reported
Level reading date:	1955-08-25	Feet below surface:	Not Reported
Feet to sea level:	2.02	Note:	Not Reported
Level reading date:	1955-07-26	Feet below surface:	Not Reported
Feet to sea level:	1.55	Note:	Not Reported
Level reading date:	1955-06-23	Feet below surface:	Not Reported
Feet to sea level:	1.73	Note:	Not Reported
Level reading date:	1955-05-24	Feet below surface:	Not Reported
Feet to sea level:	1.88	Note:	Not Reported
Level reading date:	1955-04-26	Feet below surface:	Not Reported
Feet to sea level:	1.94	Note:	Not Reported
Level reading date:	1955-03-29	Feet below surface:	Not Reported
Feet to sea level:	1.70	Note:	Not Reported
Level reading date:	1955-02-21	Feet below surface:	Not Reported
Feet to sea level:	1.52	Note:	Not Reported
Level reading date:	1955-01-24	Feet below surface:	Not Reported
Feet to sea level:	1.52	Note:	Not Reported
Level reading date:	1954-12-27	Feet below surface:	Not Reported
Feet to sea level:	1.29	Note:	Not Reported
Level reading date:	1954-12-01	Feet below surface:	Not Reported
Feet to sea level:	1.14	Note:	Not Reported
Level reading date:	1954-10-29	Feet below surface:	Not Reported
Feet to sea level:	1.08	Note:	Not Reported
Level reading date:	1954-09-28	Feet below surface:	Not Reported
Feet to sea level:	1.03	Note:	Not Reported
Level reading date:	1954-08-23	Feet below surface:	Not Reported
Feet to sea level:	0.76	Note:	Not Reported
Level reading date:	1954-07-29	Feet below surface:	Not Reported
Feet to sea level:	0.79	Note:	Not Reported
Level reading date:	1954-06-30	Feet below surface:	Not Reported
Feet to sea level:	0.89	Note:	Not Reported
Level reading date:	1954-05-26	Feet below surface:	Not Reported
Feet to sea level:	0.86	Note:	Not Reported
Level reading date:	1954-04-29	Feet below surface:	Not Reported
Feet to sea level:	0.87	Note:	Not Reported

Level reading date:	1954-03-27	Feet below surface:	Not Reported
Feet to sea level:	1.27	Note:	Not Reported
Level reading date:	1954-02-24	Feet below surface:	Not Reported
Feet to sea level:	1.63	Note:	Not Reported
Level reading date:	1954-01-30	Feet below surface:	Not Reported
Feet to sea level:	1.77	Note:	Not Reported
Level reading date:	1953-12-21	Feet below surface:	Not Reported
Feet to sea level:	1.80	Note:	Not Reported
Level reading date:	1953-12-01	Feet below surface:	Not Reported
Feet to sea level:	1.70	Note:	Not Reported
Level reading date:	1953-10-26	Feet below surface:	Not Reported
Feet to sea level:	1.73	Note:	Not Reported
Level reading date:	1953-09-30	Feet below surface:	Not Reported
Feet to sea level:	1.83	Note:	Not Reported
Level reading date:	1953-08-27	Feet below surface:	Not Reported
Feet to sea level:	1.88	Note:	Not Reported
Level reading date:	1953-07-30	Feet below surface:	Not Reported
Feet to sea level:	1.62	Note:	Not Reported
Level reading date:	1953-06-23	Feet below surface:	Not Reported
Feet to sea level:	1.29	Note:	Not Reported
Level reading date:	1953-05-25	Feet below surface:	Not Reported
Feet to sea level:	1.46	Note:	Not Reported
Level reading date:	1953-04-27	Feet below surface:	Not Reported
Feet to sea level:	1.60	Note:	Not Reported
Level reading date:	1953-03-24	Feet below surface:	Not Reported
Feet to sea level:	1.44	Note:	Not Reported
Level reading date:	1953-02-26	Feet below surface:	Not Reported
Feet to sea level:	1.57	Note:	Not Reported
Level reading date:	1953-02-05	Feet below surface:	Not Reported
Feet to sea level:	1.51	Note:	Not Reported
Level reading date:	1952-12-23	Feet below surface:	Not Reported
Feet to sea level:	1.39	Note:	Not Reported
Level reading date:	1952-12-04	Feet below surface:	Not Reported
Feet to sea level:	1.26	Note:	Not Reported
Level reading date:	1952-11-04	Feet below surface:	Not Reported
Feet to sea level:	1.44	Note:	Not Reported
Level reading date:	1952-09-23	Feet below surface:	Not Reported
Feet to sea level:	1.56	Note:	Not Reported
Level reading date:	1952-08-25	Feet below surface:	Not Reported
Feet to sea level:	1.71	Note:	Not Reported
Level reading date:	1952-07-23	Feet below surface:	Not Reported
Feet to sea level:	1.68	Note:	Not Reported

Level reading date:	1952-06-23	Feet below surface:	Not Reported
Feet to sea level:	1.61	Note:	Not Reported
Level reading date:	1952-05-26	Feet below surface:	Not Reported
Feet to sea level:	1.44	Note:	Not Reported
Level reading date:	1952-04-29	Feet below surface:	Not Reported
Feet to sea level:	1.25	Note:	Not Reported
Level reading date:	1952-03-20	Feet below surface:	Not Reported
Feet to sea level:	0.99	Note:	Not Reported
Level reading date:	1952-02-20	Feet below surface:	Not Reported
Feet to sea level:	0.80	Note:	Not Reported
Level reading date:	1952-01-29	Feet below surface:	Not Reported
Feet to sea level:	0.59	Note:	Not Reported
Level reading date:	1951-12-20	Feet below surface:	Not Reported
Feet to sea level:	0.24	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	0.18	Note:	Not Reported
Level reading date:	1951-11-01	Feet below surface:	Not Reported
Feet to sea level:	-0.03	Note:	Not Reported
Level reading date:	1951-09-26	Feet below surface:	Not Reported
Feet to sea level:	-0.16	Note:	Not Reported
Level reading date:	1951-08-28	Feet below surface:	Not Reported
Feet to sea level:	-0.04	Note:	Not Reported
Level reading date:	1951-07-25	Feet below surface:	Not Reported
Feet to sea level:	-0.15	Note:	Not Reported
Level reading date:	1951-06-26	Feet below surface:	Not Reported
Feet to sea level:	-0.06	Note:	Not Reported
Level reading date:	1951-05-31	Feet below surface:	Not Reported
Feet to sea level:	-0.12	Note:	Not Reported
Level reading date:	1951-04-26	Feet below surface:	Not Reported
Feet to sea level:	-0.25	Note:	Not Reported
Level reading date:	1951-03-27	Feet below surface:	Not Reported
Feet to sea level:	-0.54	Note:	Not Reported
Level reading date:	1951-02-23	Feet below surface:	Not Reported
Feet to sea level:	-0.71	Note:	Not Reported
Level reading date:	1951-01-30	Feet below surface:	Not Reported
Feet to sea level:	-0.82	Note:	Not Reported
Level reading date:	1950-12-18	Feet below surface:	Not Reported
Feet to sea level:	-0.85	Note:	Not Reported
Level reading date:	1950-11-27	Feet below surface:	Not Reported
Feet to sea level:	-0.76	Note:	Not Reported
Level reading date:	1950-10-30	Feet below surface:	Not Reported
Feet to sea level:	-0.88	Note:	Not Reported

Level reading date:	1950-09-26	Feet below surface:	Not Reported
Feet to sea level:	-0.87	Note:	Not Reported
Level reading date:	1950-08-28	Feet below surface:	Not Reported
Feet to sea level:	-0.74	Note:	Not Reported
Level reading date:	1950-07-25	Feet below surface:	Not Reported
Feet to sea level:	-0.61	Note:	Not Reported
Level reading date:	1950-06-27	Feet below surface:	Not Reported
Feet to sea level:	-0.52	Note:	Not Reported
Level reading date:	1950-06-05	Feet below surface:	Not Reported
Feet to sea level:	-0.46	Note:	Not Reported
Level reading date:	1950-04-27	Feet below surface:	Not Reported
Feet to sea level:	-0.42	Note:	Not Reported
Level reading date:	1950-03-29	Feet below surface:	Not Reported
Feet to sea level:	-0.44	Note:	Not Reported
Level reading date:	1950-02-28	Feet below surface:	Not Reported
Feet to sea level:	-0.55	Note:	Not Reported
Level reading date:	1950-01-25	Feet below surface:	Not Reported
Feet to sea level:	-0.72	Note:	Not Reported
Level reading date:	1949-12-27	Feet below surface:	Not Reported
Feet to sea level:	-0.66	Note:	Not Reported
Level reading date:	1949-11-28	Feet below surface:	Not Reported
Feet to sea level:	-0.68	Note:	Not Reported
Level reading date:	1949-10-31	Feet below surface:	Not Reported
Feet to sea level:	-0.58	Note:	Not Reported
Level reading date:	1949-09-28	Feet below surface:	Not Reported
Feet to sea level:	-0.50	Note:	Not Reported
Level reading date:	1949-08-31	Feet below surface:	Not Reported
Feet to sea level:	-0.51	Note:	Not Reported
Level reading date:	1949-07-28	Feet below surface:	Not Reported
Feet to sea level:	-0.55	Note:	Not Reported
Level reading date:	1949-06-30	Feet below surface:	Not Reported
Feet to sea level:	-0.57	Note:	Not Reported
Level reading date:	1949-05-31	Feet below surface:	Not Reported
Feet to sea level:	-0.68	Note:	Not Reported
Level reading date:	1949-04-27	Feet below surface:	Not Reported
Feet to sea level:	-0.86	Note:	Not Reported
Level reading date:	1949-04-04	Feet below surface:	Not Reported
Feet to sea level:	-0.96	Note:	Not Reported
Level reading date:	1949-02-23	Feet below surface:	Not Reported
Feet to sea level:	-1.20	Note:	Not Reported
Level reading date:	1949-01-26	Feet below surface:	Not Reported
Feet to sea level:	-1.41	Note:	Not Reported

Level reading date:	1948-12-28	Feet below surface:	Not Reported
Feet to sea level:	-1.66	Note:	Not Reported
Level reading date:	1948-12-03	Feet below surface:	Not Reported
Feet to sea level:	-1.61	Note:	Not Reported
Level reading date:	1948-11-03	Feet below surface:	Not Reported
Feet to sea level:	-1.53	Note:	Not Reported
Level reading date:	1948-10-04	Feet below surface:	Not Reported
Feet to sea level:	-1.40	Note:	Not Reported
Level reading date:	1948-09-01	Feet below surface:	Not Reported
Feet to sea level:	-1.10	Note:	Not Reported
Level reading date:	1948-07-27	Feet below surface:	Not Reported
Feet to sea level:	-1.51	Note:	Not Reported
Level reading date:	1948-07-02	Feet below surface:	Not Reported
Feet to sea level:	-2.02	Note:	Not Reported
Level reading date:	1948-06-01	Feet below surface:	Not Reported
Feet to sea level:	-2.16	Note:	Not Reported
Level reading date:	1948-04-27	Feet below surface:	Not Reported
Feet to sea level:	-2.40	Note:	Not Reported
Level reading date:	1948-03-26	Feet below surface:	Not Reported
Feet to sea level:	-2.71	Note:	Not Reported
Level reading date:	1948-03-03	Feet below surface:	Not Reported
Feet to sea level:	-2.93	Note:	Not Reported
Level reading date:	1948-02-03	Feet below surface:	Not Reported
Feet to sea level:	-3.14	Note:	Not Reported
Level reading date:	1948-01-07	Feet below surface:	Not Reported
Feet to sea level:	-3.28	Note:	Not Reported
Level reading date:	1947-12-16	Feet below surface:	Not Reported
Feet to sea level:	-3.33	Note:	Not Reported
Level reading date:	1947-11-26	Feet below surface:	Not Reported
Feet to sea level:	-3.42	Note:	Not Reported
Level reading date:	1947-11-20	Feet below surface:	Not Reported
Feet to sea level:	-3.50	Note:	Not Reported
Level reading date:	1947-10-31	Feet below surface:	Not Reported
Feet to sea level:	-3.61	Note:	Not Reported
Level reading date:	1947-10-14	Feet below surface:	Not Reported
Feet to sea level:	-3.56	Note:	Not Reported
Level reading date:	1947-10-06	Feet below surface:	Not Reported
Feet to sea level:	-3.56	Note:	Not Reported
Level reading date:	1947-09-29	Feet below surface:	Not Reported
Feet to sea level:	-3.43	Note:	Not Reported
Level reading date:	1947-09-15	Feet below surface:	Not Reported
Feet to sea level:	-3.50	Note:	Not Reported

Level reading date:	1947-08-27	Feet below surface:	Not Reported
Feet to sea level:	-3.43	Note:	Not Reported
Level reading date:	1947-08-13	Feet below surface:	Not Reported
Feet to sea level:	-3.37	Note:	Not Reported
Level reading date:	1947-07-30	Feet below surface:	Not Reported
Feet to sea level:	-3.30	Note:	Not Reported
Level reading date:	1947-07-23	Feet below surface:	Not Reported
Feet to sea level:	-3.28	Note:	Not Reported
Level reading date:	1947-07-16	Feet below surface:	Not Reported
Feet to sea level:	-3.23	Note:	Not Reported
Level reading date:	1947-07-07	Feet below surface:	Not Reported
Feet to sea level:	-3.15	Note:	Not Reported
Level reading date:	1947-07-03	Feet below surface:	Not Reported
Feet to sea level:	-3.15	Note:	Not Reported
Level reading date:	1947-06-30	Feet below surface:	Not Reported
Feet to sea level:	-3.16	Note:	Not Reported
Level reading date:	1947-06-24	Feet below surface:	Not Reported
Feet to sea level:	-3.15	Note:	Not Reported
Level reading date:	1947-05-26	Feet below surface:	Not Reported
Feet to sea level:	-3.15	Note:	Not Reported
Level reading date:	1947-05-06	Feet below surface:	Not Reported
Feet to sea level:	-3.16	Note:	Not Reported
Level reading date:	1947-04-04	Feet below surface:	Not Reported
Feet to sea level:	-3.34	Note:	Not Reported
Level reading date:	1947-03-05	Feet below surface:	Not Reported
Feet to sea level:	-3.26	Note:	Not Reported
Level reading date:	1947-01-27	Feet below surface:	Not Reported
Feet to sea level:	-3.17	Note:	Not Reported
Level reading date:	1946-12-27	Feet below surface:	Not Reported
Feet to sea level:	-2.81	Note:	Not Reported
Level reading date:	1946-11-26	Feet below surface:	Not Reported
Feet to sea level:	-2.78	Note:	Not Reported
Level reading date:	1946-10-22	Feet below surface:	Not Reported
Feet to sea level:	-2.61	Note:	Not Reported
Level reading date:	1946-09-27	Feet below surface:	Not Reported
Feet to sea level:	-2.50	Note:	Not Reported
Level reading date:	1946-08-29	Feet below surface:	Not Reported
Feet to sea level:	-2.32	Note:	Not Reported
Level reading date:	1946-07-26	Feet below surface:	Not Reported
Feet to sea level:	-2.20	Note:	Not Reported
Level reading date:	1946-07-05	Feet below surface:	Not Reported
Feet to sea level:	-2.22	Note:	Not Reported

Level reading date:	1946-06-18	Feet below surface:	Not Reported
Feet to sea level:	-2.44	Note:	Not Reported
Level reading date:	1946-05-06	Feet below surface:	Not Reported
Feet to sea level:	-2.78	Note:	Not Reported
Level reading date:	1946-04-12	Feet below surface:	Not Reported
Feet to sea level:	-2.76	Note:	Not Reported
Level reading date:	1946-03-04	Feet below surface:	Not Reported
Feet to sea level:	-2.68	Note:	Not Reported
Level reading date:	1946-02-08	Feet below surface:	Not Reported
Feet to sea level:	-2.63	Note:	Not Reported
Level reading date:	1946-01-10	Feet below surface:	Not Reported
Feet to sea level:	-2.66	Note:	Not Reported
Level reading date:	1945-12-04	Feet below surface:	Not Reported
Feet to sea level:	-2.73	Note:	Not Reported
Level reading date:	1945-11-06	Feet below surface:	Not Reported
Feet to sea level:	-2.66	Note:	Not Reported
Level reading date:	1945-09-28	Feet below surface:	Not Reported
Feet to sea level:	-2.45	Note:	Not Reported
Level reading date:	1945-09-13	Feet below surface:	Not Reported
Feet to sea level:	-2.44	Note:	Not Reported
Level reading date:	1945-08-08	Feet below surface:	Not Reported
Feet to sea level:	-2.30	Note:	Not Reported
Level reading date:	1945-07-04	Feet below surface:	Not Reported
Feet to sea level:	-2.43	Note:	Not Reported
Level reading date:	1945-06-05	Feet below surface:	Not Reported
Feet to sea level:	-2.57	Note:	Not Reported
Level reading date:	1945-04-27	Feet below surface:	Not Reported
Feet to sea level:	-2.61	Note:	Not Reported
Level reading date:	1945-04-03	Feet below surface:	Not Reported
Feet to sea level:	-2.57	Note:	Not Reported
Level reading date:	1945-03-03	Feet below surface:	Not Reported
Feet to sea level:	-2.48	Note:	Not Reported
Level reading date:	1945-02-06	Feet below surface:	Not Reported
Feet to sea level:	-2.54	Note:	Not Reported
Level reading date:	1945-01-02	Feet below surface:	Not Reported
Feet to sea level:	-2.43	Note:	Not Reported
Level reading date:	1944-12-05	Feet below surface:	Not Reported
Feet to sea level:	-2.50	Note:	Not Reported
Level reading date:	1944-10-28	Feet below surface:	Not Reported
Feet to sea level:	-2.38	Note:	Not Reported
Level reading date:	1944-10-05	Feet below surface:	Not Reported
Feet to sea level:	-2.34	Note:	Not Reported

Level reading date:	1944-09-01	Feet below surface:	Not Reported
Feet to sea level:	-2.65	Note:	Not Reported
Level reading date:	1944-07-31	Feet below surface:	Not Reported
Feet to sea level:	-2.43	Note:	Not Reported
Level reading date:	1944-07-03	Feet below surface:	Not Reported
Feet to sea level:	-2.40	Note:	Not Reported
Level reading date:	1944-05-27	Feet below surface:	Not Reported
Feet to sea level:	-2.43	Note:	Not Reported
Level reading date:	1944-04-25	Feet below surface:	Not Reported
Feet to sea level:	-2.67	Note:	Not Reported
Level reading date:	1944-03-29	Feet below surface:	Not Reported
Feet to sea level:	-2.90	Note:	Not Reported
Level reading date:	1944-03-06	Feet below surface:	Not Reported
Feet to sea level:	-3.06	Note:	Not Reported
Level reading date:	1943-11-27	Feet below surface:	Not Reported
Feet to sea level:	-2.98	Note:	Not Reported
Level reading date:	1943-10-30	Feet below surface:	Not Reported
Feet to sea level:	-3.16	Note:	Not Reported
Level reading date:	1943-09-25	Feet below surface:	Not Reported
Feet to sea level:	-3.21	Note:	Not Reported
Level reading date:	1943-08-28	Feet below surface:	Not Reported
Feet to sea level:	-3.16	Note:	Not Reported
Level reading date:	1943-07-31	Feet below surface:	Not Reported
Feet to sea level:	-3.14	Note:	Not Reported
Level reading date:	1943-06-26	Feet below surface:	Not Reported
Feet to sea level:	-3.20	Note:	Not Reported
Level reading date:	1943-05-29	Feet below surface:	Not Reported
Feet to sea level:	-3.37	Note:	Not Reported
Level reading date:	1943-05-01	Feet below surface:	Not Reported
Feet to sea level:	-3.56	Note:	Not Reported
Level reading date:	1943-03-27	Feet below surface:	Not Reported
Feet to sea level:	-3.66	Note:	Not Reported
Level reading date:	1943-02-27	Feet below surface:	Not Reported
Feet to sea level:	-3.84	Note:	Not Reported
Level reading date:	1943-01-30	Feet below surface:	Not Reported
Feet to sea level:	-4.03	Note:	Not Reported
Level reading date:	1943-01-02	Feet below surface:	Not Reported
Feet to sea level:	-4.23	Note:	Not Reported
Level reading date:	1942-12-26	Feet below surface:	Not Reported
Feet to sea level:	-4.32	Note:	Not Reported
Level reading date:	1942-12-19	Feet below surface:	Not Reported
Feet to sea level:	-4.34	Note:	Not Reported

Level reading date:	1942-12-12	Feet below surface:	Not Reported
Feet to sea level:	-4.29	Note:	Not Reported
Level reading date:	1942-12-05	Feet below surface:	Not Reported
Feet to sea level:	-4.38	Note:	Not Reported
Level reading date:	1942-11-28	Feet below surface:	Not Reported
Feet to sea level:	-4.38	Note:	Not Reported
Level reading date:	1942-11-21	Feet below surface:	Not Reported
Feet to sea level:	-4.46	Note:	Not Reported
Level reading date:	1942-11-14	Feet below surface:	Not Reported
Feet to sea level:	-4.45	Note:	Not Reported
Level reading date:	1942-11-07	Feet below surface:	Not Reported
Feet to sea level:	-4.51	Note:	Not Reported
Level reading date:	1942-10-31	Feet below surface:	Not Reported
Feet to sea level:	-4.54	Note:	Not Reported
Level reading date:	1942-10-24	Feet below surface:	Not Reported
Feet to sea level:	-4.58	Note:	Not Reported
Level reading date:	1942-10-17	Feet below surface:	Not Reported
Feet to sea level:	-4.64	Note:	Not Reported
Level reading date:	1942-10-10	Feet below surface:	Not Reported
Feet to sea level:	-4.69	Note:	Not Reported
Level reading date:	1942-10-03	Feet below surface:	Not Reported
Feet to sea level:	-4.76	Note:	Not Reported
Level reading date:	1942-09-26	Feet below surface:	Not Reported
Feet to sea level:	-4.85	Note:	Not Reported
Level reading date:	1942-09-19	Feet below surface:	Not Reported
Feet to sea level:	-4.88	Note:	Not Reported
Level reading date:	1942-09-12	Feet below surface:	Not Reported
Feet to sea level:	-5.00	Note:	Not Reported
Level reading date:	1942-09-05	Feet below surface:	Not Reported
Feet to sea level:	-5.09	Note:	Not Reported
Level reading date:	1942-08-29	Feet below surface:	Not Reported
Feet to sea level:	-5.19	Note:	Not Reported
Level reading date:	1942-08-22	Feet below surface:	Not Reported
Feet to sea level:	-5.35	Note:	Not Reported
Level reading date:	1942-08-15	Feet below surface:	Not Reported
Feet to sea level:	-5.75	Note:	Not Reported
Level reading date:	1942-08-08	Feet below surface:	Not Reported
Feet to sea level:	-5.64	Note:	Not Reported
Level reading date:	1942-08-01	Feet below surface:	Not Reported
Feet to sea level:	-5.77	Note:	Not Reported
Level reading date:	1942-07-25	Feet below surface:	Not Reported
Feet to sea level:	-5.96	Note:	Not Reported

Level reading date:	1942-07-18	Feet below surface:	Not Reported
Feet to sea level:	-6.24	Note:	Not Reported
Level reading date:	1942-07-11	Feet below surface:	Not Reported
Feet to sea level:	-6.55	Note:	Not Reported
Level reading date:	1942-07-04	Feet below surface:	Not Reported
Feet to sea level:	-6.47	Note:	Not Reported
Level reading date:	1942-06-27	Feet below surface:	Not Reported
Feet to sea level:	-6.70	Note:	Not Reported
Level reading date:	1942-06-20	Feet below surface:	Not Reported
Feet to sea level:	-6.92	Note:	Not Reported
Level reading date:	1942-06-13	Feet below surface:	Not Reported
Feet to sea level:	-7.15	Note:	Not Reported
Level reading date:	1942-06-06	Feet below surface:	Not Reported
Feet to sea level:	-7.41	Note:	Not Reported
Level reading date:	1942-05-30	Feet below surface:	Not Reported
Feet to sea level:	-7.55	Note:	Not Reported
Level reading date:	1942-05-23	Feet below surface:	Not Reported
Feet to sea level:	-7.66	Note:	Not Reported
Level reading date:	1942-05-16	Feet below surface:	Not Reported
Feet to sea level:	-7.75	Note:	Not Reported
Level reading date:	1942-05-09	Feet below surface:	Not Reported
Feet to sea level:	-7.79	Note:	Not Reported
Level reading date:	1942-05-02	Feet below surface:	Not Reported
Feet to sea level:	-7.74	Note:	Not Reported
Level reading date:	1942-04-25	Feet below surface:	Not Reported
Feet to sea level:	-7.87	Note:	Not Reported
Level reading date:	1942-04-18	Feet below surface:	Not Reported
Feet to sea level:	-7.91	Note:	Not Reported
Level reading date:	1942-04-11	Feet below surface:	Not Reported
Feet to sea level:	-7.96	Note:	Not Reported
Level reading date:	1942-04-04	Feet below surface:	Not Reported
Feet to sea level:	-8.03	Note:	Not Reported
Level reading date:	1942-03-28	Feet below surface:	Not Reported
Feet to sea level:	-8.11	Note:	Not Reported
Level reading date:	1942-03-21	Feet below surface:	Not Reported
Feet to sea level:	-8.18	Note:	Not Reported
Level reading date:	1942-03-14	Feet below surface:	Not Reported
Feet to sea level:	-8.24	Note:	Not Reported
Level reading date:	1942-03-07	Feet below surface:	Not Reported
Feet to sea level:	-8.27	Note:	Not Reported
Level reading date:	1942-02-28	Feet below surface:	Not Reported
Feet to sea level:	-8.27	Note:	Not Reported

Level reading date:	1942-02-21	Feet below surface:	Not Reported
Feet to sea level:	-8.28	Note:	Not Reported
Level reading date:	1942-02-14	Feet below surface:	Not Reported
Feet to sea level:	-8.26	Note:	Not Reported
Level reading date:	1942-02-07	Feet below surface:	Not Reported
Feet to sea level:	-8.19	Note:	Not Reported
Level reading date:	1942-01-31	Feet below surface:	Not Reported
Feet to sea level:	-8.16	Note:	Not Reported
Level reading date:	1942-01-24	Feet below surface:	Not Reported
Feet to sea level:	-8.10	Note:	Not Reported
Level reading date:	1942-01-17	Feet below surface:	Not Reported
Feet to sea level:	-8.06	Note:	Not Reported
Level reading date:	1942-01-10	Feet below surface:	Not Reported
Feet to sea level:	-7.99	Note:	Not Reported
Level reading date:	1942-01-03	Feet below surface:	Not Reported
Feet to sea level:	-7.95	Note:	Not Reported
Level reading date:	1941-12-27	Feet below surface:	Not Reported
Feet to sea level:	-7.88	Note:	Not Reported
Level reading date:	1941-12-20	Feet below surface:	Not Reported
Feet to sea level:	-7.83	Note:	Not Reported
Level reading date:	1941-12-13	Feet below surface:	Not Reported
Feet to sea level:	-7.78	Note:	Not Reported
Level reading date:	1941-12-06	Feet below surface:	Not Reported
Feet to sea level:	-7.69	Note:	Not Reported
Level reading date:	1941-11-29	Feet below surface:	Not Reported
Feet to sea level:	-7.59	Note:	Not Reported
Level reading date:	1941-11-22	Feet below surface:	Not Reported
Feet to sea level:	-7.53	Note:	Not Reported
Level reading date:	1941-11-15	Feet below surface:	Not Reported
Feet to sea level:	-7.46	Note:	Not Reported
Level reading date:	1941-11-08	Feet below surface:	Not Reported
Feet to sea level:	-7.41	Note:	Not Reported
Level reading date:	1941-11-01	Feet below surface:	Not Reported
Feet to sea level:	-7.36	Note:	Not Reported
Level reading date:	1941-10-25	Feet below surface:	Not Reported
Feet to sea level:	-7.28	Note:	Not Reported
Level reading date:	1941-10-18	Feet below surface:	Not Reported
Feet to sea level:	-7.21	Note:	Not Reported
Level reading date:	1941-10-11	Feet below surface:	Not Reported
Feet to sea level:	-7.10	Note:	Not Reported
Level reading date:	1941-10-04	Feet below surface:	Not Reported
Feet to sea level:	-6.92	Note:	Not Reported

Level reading date:	1941-09-27	Feet below surface:	Not Reported
Feet to sea level:	-6.97	Note:	Not Reported
Level reading date:	1941-09-20	Feet below surface:	Not Reported
Feet to sea level:	-6.87	Note:	Not Reported
Level reading date:	1941-09-13	Feet below surface:	Not Reported
Feet to sea level:	-6.80	Note:	Not Reported
Level reading date:	1941-09-06	Feet below surface:	Not Reported
Feet to sea level:	-6.78	Note:	Not Reported
Level reading date:	1941-08-30	Feet below surface:	Not Reported
Feet to sea level:	-6.85	Note:	Not Reported
Level reading date:	1941-08-23	Feet below surface:	Not Reported
Feet to sea level:	-6.93	Note:	Not Reported
Level reading date:	1941-08-16	Feet below surface:	Not Reported
Feet to sea level:	-6.83	Note:	Not Reported
Level reading date:	1941-08-09	Feet below surface:	Not Reported
Feet to sea level:	-6.78	Note:	Not Reported
Level reading date:	1941-08-02	Feet below surface:	Not Reported
Feet to sea level:	-6.65	Note:	Not Reported
Level reading date:	1941-07-26	Feet below surface:	Not Reported
Feet to sea level:	-6.57	Note:	Not Reported
Level reading date:	1941-07-19	Feet below surface:	Not Reported
Feet to sea level:	-6.46	Note:	Not Reported
Level reading date:	1941-07-12	Feet below surface:	Not Reported
Feet to sea level:	-6.35	Note:	Not Reported
Level reading date:	1941-07-05	Feet below surface:	Not Reported
Feet to sea level:	-6.20	Note:	Not Reported
Level reading date:	1941-06-28	Feet below surface:	Not Reported
Feet to sea level:	-6.11	Note:	Not Reported
Level reading date:	1941-06-21	Feet below surface:	Not Reported
Feet to sea level:	-6.05	Note:	Not Reported
Level reading date:	1941-06-14	Feet below surface:	Not Reported
Feet to sea level:	-5.70	Note:	Not Reported
Level reading date:	1941-06-07	Feet below surface:	Not Reported
Feet to sea level:	-5.76	Note:	Not Reported
Level reading date:	1941-05-31	Feet below surface:	Not Reported
Feet to sea level:	-5.56	Note:	Not Reported
Level reading date:	1941-05-17	Feet below surface:	Not Reported
Feet to sea level:	-5.29	Note:	Not Reported
Level reading date:	1941-05-10	Feet below surface:	Not Reported
Feet to sea level:	-5.14	Note:	Not Reported
Level reading date:	1941-05-03	Feet below surface:	Not Reported
Feet to sea level:	-4.96	Note:	Not Reported

Level reading date:	1941-04-19	Feet below surface:	Not Reported
Feet to sea level:	-4.51	Note:	Not Reported
Level reading date:	1941-04-12	Feet below surface:	Not Reported
Feet to sea level:	-4.34	Note:	Not Reported
Level reading date:	1941-04-05	Feet below surface:	Not Reported
Feet to sea level:	-4.09	Note:	Not Reported
Level reading date:	1941-03-29	Feet below surface:	Not Reported
Feet to sea level:	-3.88	Note:	Not Reported
Level reading date:	1941-03-22	Feet below surface:	Not Reported
Feet to sea level:	-3.71	Note:	Not Reported
Level reading date:	1941-03-15	Feet below surface:	Not Reported
Feet to sea level:	-3.56	Note:	Not Reported
Level reading date:	1941-03-08	Feet below surface:	Not Reported
Feet to sea level:	-3.61	Note:	Not Reported
Level reading date:	1941-03-01	Feet below surface:	Not Reported
Feet to sea level:	-3.71	Note:	Not Reported
Level reading date:	1941-02-22	Feet below surface:	Not Reported
Feet to sea level:	-3.77	Note:	Not Reported
Level reading date:	1941-02-15	Feet below surface:	Not Reported
Feet to sea level:	-3.84	Note:	Not Reported
Level reading date:	1941-02-08	Feet below surface:	Not Reported
Feet to sea level:	-3.90	Note:	Not Reported
Level reading date:	1941-02-01	Feet below surface:	Not Reported
Feet to sea level:	-3.98	Note:	Not Reported
Level reading date:	1941-01-25	Feet below surface:	Not Reported
Feet to sea level:	-3.97	Note:	Not Reported
Level reading date:	1941-01-18	Feet below surface:	Not Reported
Feet to sea level:	-3.95	Note:	Not Reported
Level reading date:	1941-01-11	Feet below surface:	Not Reported
Feet to sea level:	-4.04	Note:	Not Reported
Level reading date:	1941-01-04	Feet below surface:	Not Reported
Feet to sea level:	-4.12	Note:	Not Reported
Level reading date:	1940-12-28	Feet below surface:	Not Reported
Feet to sea level:	-4.18	Note:	Not Reported
Level reading date:	1940-12-21	Feet below surface:	Not Reported
Feet to sea level:	-4.28	Note:	Not Reported
Level reading date:	1940-12-14	Feet below surface:	Not Reported
Feet to sea level:	-4.40	Note:	Not Reported
Level reading date:	1940-12-07	Feet below surface:	Not Reported
Feet to sea level:	-4.48	Note:	Not Reported
Level reading date:	1940-11-30	Feet below surface:	Not Reported
Feet to sea level:	-4.63	Note:	Not Reported

Level reading date:	1940-11-23	Feet below surface:	Not Reported
Feet to sea level:	-4.77	Note:	Not Reported
Level reading date:	1940-11-16	Feet below surface:	Not Reported
Feet to sea level:	-4.87	Note:	Not Reported
Level reading date:	1940-11-09	Feet below surface:	Not Reported
Feet to sea level:	-5.01	Note:	Not Reported
Level reading date:	1940-11-02	Feet below surface:	Not Reported
Feet to sea level:	-5.22	Note:	Not Reported
Level reading date:	1940-10-26	Feet below surface:	Not Reported
Feet to sea level:	-5.47	Note:	Not Reported
Level reading date:	1940-10-19	Feet below surface:	Not Reported
Feet to sea level:	-5.74	Note:	Not Reported
Level reading date:	1940-10-12	Feet below surface:	Not Reported
Feet to sea level:	-5.93	Note:	Not Reported
Level reading date:	1940-09-28	Feet below surface:	Not Reported
Feet to sea level:	-6.34	Note:	Not Reported
Level reading date:	1940-09-21	Feet below surface:	Not Reported
Feet to sea level:	-6.63	Note:	Not Reported
Level reading date:	1940-09-14	Feet below surface:	Not Reported
Feet to sea level:	-6.88	Note:	Not Reported
Level reading date:	1940-09-07	Feet below surface:	Not Reported
Feet to sea level:	-7.18	Note:	Not Reported
Level reading date:	1940-08-31	Feet below surface:	Not Reported
Feet to sea level:	-7.33	Note:	Not Reported
Level reading date:	1940-08-24	Feet below surface:	Not Reported
Feet to sea level:	-7.22	Note:	Not Reported
Level reading date:	1940-08-17	Feet below surface:	Not Reported
Feet to sea level:	-7.12	Note:	Not Reported
Level reading date:	1940-08-10	Feet below surface:	Not Reported
Feet to sea level:	-7.05	Note:	Not Reported
Level reading date:	1940-08-03	Feet below surface:	Not Reported
Feet to sea level:	-6.96	Note:	Not Reported
Level reading date:	1940-07-27	Feet below surface:	Not Reported
Feet to sea level:	-6.86	Note:	Not Reported
Level reading date:	1940-07-20	Feet below surface:	Not Reported
Feet to sea level:	-6.79	Note:	Not Reported
Level reading date:	1940-07-13	Feet below surface:	Not Reported
Feet to sea level:	-6.82	Note:	Not Reported
Level reading date:	1940-07-06	Feet below surface:	Not Reported
Feet to sea level:	-6.80	Note:	Not Reported
Level reading date:	1940-06-29	Feet below surface:	Not Reported
Feet to sea level:	-6.76	Note:	Not Reported

Level reading date:	1940-06-22	Feet below surface:	Not Reported
Feet to sea level:	-6.76	Note:	Not Reported
Level reading date:	1940-06-15	Feet below surface:	Not Reported
Feet to sea level:	-6.76	Note:	Not Reported
Level reading date:	1940-06-08	Feet below surface:	Not Reported
Feet to sea level:	-6.74	Note:	Not Reported
Level reading date:	1940-06-01	Feet below surface:	Not Reported
Feet to sea level:	-6.69	Note:	Not Reported
Level reading date:	1940-05-25	Feet below surface:	Not Reported
Feet to sea level:	-6.63	Note:	Not Reported
Level reading date:	1940-05-18	Feet below surface:	Not Reported
Feet to sea level:	-6.57	Note:	Not Reported
Level reading date:	1940-05-11	Feet below surface:	Not Reported
Feet to sea level:	-6.51	Note:	Not Reported
Level reading date:	1940-05-04	Feet below surface:	Not Reported
Feet to sea level:	-6.44	Note:	Not Reported
Level reading date:	1940-04-27	Feet below surface:	Not Reported
Feet to sea level:	-6.43	Note:	Not Reported
Level reading date:	1940-04-20	Feet below surface:	Not Reported
Feet to sea level:	-6.37	Note:	Not Reported
Level reading date:	1940-04-13	Feet below surface:	Not Reported
Feet to sea level:	-6.31	Note:	Not Reported
Level reading date:	1940-04-06	Feet below surface:	Not Reported
Feet to sea level:	-6.24	Note:	Not Reported
Level reading date:	1940-03-30	Feet below surface:	Not Reported
Feet to sea level:	-6.17	Note:	Not Reported
Level reading date:	1940-03-23	Feet below surface:	Not Reported
Feet to sea level:	-6.07	Note:	Not Reported
Level reading date:	1940-03-16	Feet below surface:	Not Reported
Feet to sea level:	-5.99	Note:	Not Reported
Level reading date:	1940-03-09	Feet below surface:	Not Reported
Feet to sea level:	-6.02	Note:	Not Reported
Level reading date:	1940-03-02	Feet below surface:	Not Reported
Feet to sea level:	-5.94	Note:	Not Reported
Level reading date:	1940-02-24	Feet below surface:	Not Reported
Feet to sea level:	-5.79	Note:	Not Reported
Level reading date:	1940-02-17	Feet below surface:	Not Reported
Feet to sea level:	-5.69	Note:	Not Reported
Level reading date:	1940-02-10	Feet below surface:	Not Reported
Feet to sea level:	-5.62	Note:	Not Reported
Level reading date:	1940-02-03	Feet below surface:	Not Reported
Feet to sea level:	-5.54	Note:	Not Reported

Level reading date:	1940-01-27	Feet below surface:	Not Reported
Feet to sea level:	-5.50	Note:	Not Reported
Level reading date:	1940-01-20	Feet below surface:	Not Reported
Feet to sea level:	-5.50	Note:	Not Reported
Level reading date:	1940-01-13	Feet below surface:	Not Reported
Feet to sea level:	-5.46	Note:	Not Reported
Level reading date:	1940-01-06	Feet below surface:	Not Reported
Feet to sea level:	-5.48	Note:	Not Reported
Level reading date:	1939-12-30	Feet below surface:	Not Reported
Feet to sea level:	-5.50	Note:	Not Reported
Level reading date:	1939-12-23	Feet below surface:	Not Reported
Feet to sea level:	-5.53	Note:	Not Reported
Level reading date:	1939-12-16	Feet below surface:	Not Reported
Feet to sea level:	-5.57	Note:	Not Reported
Level reading date:	1939-12-09	Feet below surface:	Not Reported
Feet to sea level:	-5.55	Note:	Not Reported
Level reading date:	1939-12-02	Feet below surface:	Not Reported
Feet to sea level:	-5.53	Note:	Not Reported
Level reading date:	1939-11-25	Feet below surface:	Not Reported
Feet to sea level:	-5.49	Note:	Not Reported
Level reading date:	1939-11-18	Feet below surface:	Not Reported
Feet to sea level:	-5.41	Note:	Not Reported
Level reading date:	1939-11-11	Feet below surface:	Not Reported
Feet to sea level:	-5.55	Note:	Not Reported
Level reading date:	1939-11-04	Feet below surface:	Not Reported
Feet to sea level:	-5.63	Note:	Not Reported
Level reading date:	1939-10-28	Feet below surface:	Not Reported
Feet to sea level:	-5.62	Note:	Not Reported
Level reading date:	1939-08-28	Feet below surface:	Not Reported
Feet to sea level:	-5.67	Note:	Not Reported
Level reading date:	1939-08-03	Feet below surface:	Not Reported
Feet to sea level:	-4.47	Note:	Not Reported
Level reading date:	1939-05-29	Feet below surface:	Not Reported
Feet to sea level:	-1.80	Note:	Not Reported
Level reading date:	1939-03-27	Feet below surface:	Not Reported
Feet to sea level:	-0.34	Note:	Not Reported
Level reading date:	1939-02-21	Feet below surface:	Not Reported
Feet to sea level:	-0.78	Note:	Not Reported
Level reading date:	1938-12-27	Feet below surface:	Not Reported
Feet to sea level:	-0.83	Note:	Not Reported
Level reading date:	1938-11-08	Feet below surface:	Not Reported
Feet to sea level:	-0.77	Note:	Not Reported

Level reading date:	1938-09-08	Feet below surface:	Not Reported
Feet to sea level:	-1.09	Note:	Not Reported
Level reading date:	1938-06-16	Feet below surface:	Not Reported
Feet to sea level:	-1.79	Note:	Not Reported
Level reading date:	1938-05-09	Feet below surface:	Not Reported
Feet to sea level:	-1.80	Note:	Not Reported
Level reading date:	1938-04-04	Feet below surface:	Not Reported
Feet to sea level:	-1.82	Note:	Not Reported
Level reading date:	1938-02-21	Feet below surface:	Not Reported
Feet to sea level:	-1.84	Note:	Not Reported
Level reading date:	1938-01-06	Feet below surface:	Not Reported
Feet to sea level:	-1.97	Note:	Not Reported
Level reading date:	1937-11-08	Feet below surface:	Not Reported
Feet to sea level:	-2.25	Note:	Not Reported
Level reading date:	1937-09-23	Feet below surface:	Not Reported
Feet to sea level:	-3.33	Note:	Not Reported
Level reading date:	1937-08-05	Feet below surface:	Not Reported
Feet to sea level:	-2.31	Note:	Not Reported
Level reading date:	1937-06-15	Feet below surface:	Not Reported
Feet to sea level:	-1.93	Note:	Not Reported
Level reading date:	1937-03-23	Feet below surface:	Not Reported
Feet to sea level:	-2.13	Note:	Not Reported
Level reading date:	1937-02-02	Feet below surface:	Not Reported
Feet to sea level:	-2.34	Note:	Not Reported
Level reading date:	1936-12-29	Feet below surface:	Not Reported
Feet to sea level:	-2.86	Note:	Not Reported
Level reading date:	1936-09-24	Feet below surface:	Not Reported
Feet to sea level:	-4.09	Note:	Not Reported
Level reading date:	1936-07-21	Feet below surface:	Not Reported
Feet to sea level:	-3.28	Note:	Not Reported
Level reading date:	1936-06-11	Feet below surface:	Not Reported
Feet to sea level:	-2.38	Note:	Not Reported
Level reading date:	1936-04-20	Feet below surface:	Not Reported
Feet to sea level:	-1.67	Note:	Not Reported
Level reading date:	1936-03-16	Feet below surface:	Not Reported
Feet to sea level:	-2.40	Note:	Not Reported
Level reading date:	1935-12-11	Feet below surface:	Not Reported
Feet to sea level:	-2.07	Note:	Not Reported
Level reading date:	1935-10-24	Feet below surface:	Not Reported
Feet to sea level:	-2.07	Note:	Not Reported
Level reading date:	1935-09-13	Feet below surface:	Not Reported
Feet to sea level:	-2.73	Note:	Not Reported

Level reading date:	1935-07-01	Feet below surface:	Not Reported
Feet to sea level:	-1.71	Note:	Not Reported
Level reading date:	1935-05-28	Feet below surface:	Not Reported
Feet to sea level:	-0.20	Note:	Not Reported
Level reading date:	1935-04-01	Feet below surface:	Not Reported
Feet to sea level:	-0.28	Note:	Not Reported
Level reading date:	1935-01-02	Feet below surface:	Not Reported
Feet to sea level:	0.13	Note:	Not Reported
Level reading date:	1934-11-05	Feet below surface:	Not Reported
Feet to sea level:	-0.58	Note:	Not Reported
Level reading date:	1934-10-18	Feet below surface:	Not Reported
Feet to sea level:	-0.46	Note:	Not Reported
Level reading date:	1934-09-20	Feet below surface:	Not Reported
Feet to sea level:	-1.99	Note:	Not Reported
Level reading date:	1934-08-29	Feet below surface:	Not Reported
Feet to sea level:	-2.27	Note:	Not Reported
Level reading date:	1934-06-14	Feet below surface:	Not Reported
Feet to sea level:	-1.29	Note:	Not Reported
Level reading date:	1934-04-17	Feet below surface:	Not Reported
Feet to sea level:	-0.13	Note:	Not Reported
Level reading date:	1934-03-22	Feet below surface:	Not Reported
Feet to sea level:	-0.30	Note:	Not Reported
Level reading date:	1934-01-08	Feet below surface:	Not Reported
Feet to sea level:	0.11	Note:	Not Reported
Level reading date:	1933-12-12	Feet below surface:	Not Reported
Feet to sea level:	0.21	Note:	Not Reported
Level reading date:	1933-11-21	Feet below surface:	Not Reported
Feet to sea level:	0.02	Note:	Not Reported
Level reading date:	1933-08-29	Feet below surface:	Not Reported
Feet to sea level:	-1.29	Note:	Not Reported
Level reading date:	1933-07-25	Feet below surface:	Not Reported
Feet to sea level:	-1.09	Note:	Not Reported
Level reading date:	1933-06-28	Feet below surface:	Not Reported
Feet to sea level:	-0.52	Note:	Not Reported
Level reading date:	1933-05-23	Feet below surface:	Not Reported
Feet to sea level:	-0.95	Note:	Not Reported
Level reading date:	1933-04-20	Feet below surface:	Not Reported
Feet to sea level:	-0.54	Note:	Not Reported
Level reading date:	1933-02-28	Feet below surface:	Not Reported
Feet to sea level:	-0.72	Note:	Not Reported
Level reading date:	1933-01-20	Feet below surface:	Not Reported
Feet to sea level:	-0.99	Note:	Not Reported

Level reading date:	1932-11-21	Feet below surface:	Not Reported
Feet to sea level:	-1.04	Note:	Not Reported
Level reading date:	1932-10-17	Feet below surface:	Not Reported
Feet to sea level:	-1.11	Note:	Not Reported
Level reading date:	1932-09-02	Feet below surface:	Not Reported
Feet to sea level:	0.09	Note:	Not Reported
Level reading date:	1932-08-09	Feet below surface:	Not Reported
Feet to sea level:	0.09	Note:	Not Reported
Level reading date:	1932-06-13	Feet below surface:	Not Reported
Feet to sea level:	1.54	Note:	Not Reported
Level reading date:	1932-05-16	Feet below surface:	Not Reported
Feet to sea level:	1.74	Note:	Not Reported
Level reading date:	1932-05-03	Feet below surface:	Not Reported
Feet to sea level:	1.66	Note:	Not Reported

9
WSW **FED USGS** **USGS40000828135**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 136. 1	Type:	Well
Description:	5201	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

10
WSW **FED USGS** **USGS40000828169**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 2622. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	105
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

11
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000828182**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 1054. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	90	Well Hole Depth Units:	ft

B12
SW
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200061644**

WELLS REG 1:

Well Number:	K001786	Well Type:	Cooling (Commercial/Industrial)
Owner:	Belmont Metals Incorporated	Diameter (in):	8
Well Depth (ft):	84	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	100

B13
SW
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200061645**

WELLS REG 1:

Well Number:	K001786	Well Type:	Cooling (Commercial/Industrial)
Owner:	Belmont Metals Incorporated	Diameter (in):	8
Well Depth (ft):	84	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	100

C14
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000828091**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 538. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	172	Well Hole Depth Units:	ft

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

C15
SE
1/2 - 1 Mile
Lower

FED USGS **USGS40000828073**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 1286. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	164	Well Hole Depth Units:	ft

16
WSW
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200061424**

WELLS REG 1:

Well Number:	K003547	Well Type:	Commercial/Industrial Supply
Owner:	M And B Cement	Diameter (in):	4
Well Depth (ft):	75	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	45

17
ESE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200061374**

WELLS REG 1:

Well Number:	K003595	Well Type:	Commercial/Industrial Supply
Owner:	Liberty Car Wash	Diameter (in):	4
Well Depth (ft):	65	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	45

18
WNW
1/2 - 1 Mile
Higher

FED USGS **USGS40000828399**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 45. 1	Type:	Well
Description:	Not Reported	HUC:	02030201
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	Not Reported	Well Depth Units:	Not Reported
Well Hole Depth:	284	Well Hole Depth Units:	ft

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

19
SSW
1/2 - 1 Mile
Lower | **FED USGS** | **USGS40000827849**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 1266. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	41
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	300	Level reading date:	1968-04-30
Feet below surface:	Not Reported	Feet to sea level:	4.51
Note:	Not Reported		

Level reading date:	1967-11-09	Feet below surface:	Not Reported
Feet to sea level:	3.15	Note:	Not Reported
Level reading date:	1967-03-29	Feet below surface:	Not Reported
Feet to sea level:	3.55	Note:	Not Reported
Level reading date:	1966-10-25	Feet below surface:	Not Reported
Feet to sea level:	3.09	Note:	Not Reported
Level reading date:	1966-05-04	Feet below surface:	Not Reported
Feet to sea level:	3.33	Note:	Not Reported
Level reading date:	1965-10-27	Feet below surface:	Not Reported
Feet to sea level:	3.16	Note:	Not Reported
Level reading date:	1965-09-16	Feet below surface:	Not Reported
Feet to sea level:	3.33	Note:	Not Reported
Level reading date:	1965-04-29	Feet below surface:	Not Reported
Feet to sea level:	3.70	Note:	Not Reported
Level reading date:	1964-04-27	Feet below surface:	Not Reported
Feet to sea level:	3.85	Note:	Not Reported
Level reading date:	1963-11-05	Feet below surface:	Not Reported
Feet to sea level:	3.15	Note:	Not Reported
Level reading date:	1963-04-25	Feet below surface:	Not Reported
Feet to sea level:	4.04	Note:	Not Reported
Level reading date:	1962-11-09	Feet below surface:	Not Reported
Feet to sea level:	3.86	Note:	Not Reported
Level reading date:	1962-04-03	Feet below surface:	Not Reported
Feet to sea level:	4.33	Note:	Not Reported
Level reading date:	1961-12-27	Feet below surface:	Not Reported
Feet to sea level:	4.30	Note:	Not Reported

Level reading date:	1961-10-02	Feet below surface:	Not Reported
Feet to sea level:	4.28	Note:	Not Reported
Level reading date:	1961-06-28	Feet below surface:	Not Reported
Feet to sea level:	4.26	Note:	Not Reported
Level reading date:	1961-03-28	Feet below surface:	Not Reported
Feet to sea level:	4.19	Note:	Not Reported
Level reading date:	1961-01-30	Feet below surface:	Not Reported
Feet to sea level:	3.77	Note:	Not Reported
Level reading date:	1960-09-27	Feet below surface:	Not Reported
Feet to sea level:	3.77	Note:	Not Reported
Level reading date:	1960-07-01	Feet below surface:	Not Reported
Feet to sea level:	3.22	Note:	Not Reported
Level reading date:	1960-03-30	Feet below surface:	Not Reported
Feet to sea level:	3.40	Note:	Not Reported
Level reading date:	1960-01-14	Feet below surface:	Not Reported
Feet to sea level:	3.06	Note:	Not Reported
Level reading date:	1959-10-07	Feet below surface:	Not Reported
Feet to sea level:	2.82	Note:	Not Reported
Level reading date:	1959-07-13	Feet below surface:	Not Reported
Feet to sea level:	2.80	Note:	Not Reported
Level reading date:	1959-03-20	Feet below surface:	Not Reported
Feet to sea level:	2.89	Note:	Not Reported
Level reading date:	1957-12-30	Feet below surface:	Not Reported
Feet to sea level:	1.49	Note:	Not Reported
Level reading date:	1957-09-24	Feet below surface:	Not Reported
Feet to sea level:	1.88	Note:	Not Reported
Level reading date:	1957-06-27	Feet below surface:	Not Reported
Feet to sea level:	2.95	Note:	Not Reported
Level reading date:	1957-03-28	Feet below surface:	Not Reported
Feet to sea level:	3.00	Note:	Not Reported
Level reading date:	1955-02-25	Feet below surface:	Not Reported
Feet to sea level:	2.52	Note:	Not Reported
Level reading date:	1955-01-26	Feet below surface:	Not Reported
Feet to sea level:	2.63	Note:	Not Reported
Level reading date:	1954-08-24	Feet below surface:	Not Reported
Feet to sea level:	1.78	Note:	Not Reported
Level reading date:	1954-07-29	Feet below surface:	Not Reported
Feet to sea level:	1.74	Note:	Not Reported
Level reading date:	1954-06-30	Feet below surface:	Not Reported
Feet to sea level:	1.90	Note:	Not Reported
Level reading date:	1954-05-26	Feet below surface:	Not Reported
Feet to sea level:	1.90	Note:	Not Reported

Level reading date:	1954-04-29	Feet below surface:	Not Reported
Feet to sea level:	1.85	Note:	Not Reported
Level reading date:	1954-03-27	Feet below surface:	Not Reported
Feet to sea level:	1.87	Note:	Not Reported
Level reading date:	1954-02-25	Feet below surface:	Not Reported
Feet to sea level:	1.83	Note:	Not Reported
Level reading date:	1953-12-26	Feet below surface:	Not Reported
Feet to sea level:	1.84	Note:	Not Reported
Level reading date:	1953-12-21	Feet below surface:	Not Reported
Feet to sea level:	2.08	Note:	Not Reported
Level reading date:	1953-12-01	Feet below surface:	Not Reported
Feet to sea level:	2.44	Note:	Not Reported
Level reading date:	1953-10-26	Feet below surface:	Not Reported
Feet to sea level:	2.50	Note:	Not Reported
Level reading date:	1953-09-30	Feet below surface:	Not Reported
Feet to sea level:	2.53	Note:	Not Reported
Level reading date:	1953-08-27	Feet below surface:	Not Reported
Feet to sea level:	2.75	Note:	Not Reported
Level reading date:	1953-07-31	Feet below surface:	Not Reported
Feet to sea level:	2.63	Note:	Not Reported
Level reading date:	1953-06-23	Feet below surface:	Not Reported
Feet to sea level:	2.74	Note:	Not Reported
Level reading date:	1953-05-26	Feet below surface:	Not Reported
Feet to sea level:	2.98	Note:	Not Reported
Level reading date:	1953-04-29	Feet below surface:	Not Reported
Feet to sea level:	3.07	Note:	Not Reported
Level reading date:	1953-03-24	Feet below surface:	Not Reported
Feet to sea level:	2.42	Note:	Not Reported
Level reading date:	1953-02-26	Feet below surface:	Not Reported
Feet to sea level:	2.12	Note:	Not Reported
Level reading date:	1953-02-05	Feet below surface:	Not Reported
Feet to sea level:	2.47	Note:	Not Reported
Level reading date:	1952-12-23	Feet below surface:	Not Reported
Feet to sea level:	1.97	Note:	Not Reported
Level reading date:	1952-12-04	Feet below surface:	Not Reported
Feet to sea level:	2.02	Note:	Not Reported
Level reading date:	1952-11-04	Feet below surface:	Not Reported
Feet to sea level:	2.04	Note:	Not Reported
Level reading date:	1952-09-23	Feet below surface:	Not Reported
Feet to sea level:	2.32	Note:	Not Reported
Level reading date:	1952-08-26	Feet below surface:	Not Reported
Feet to sea level:	2.47	Note:	Not Reported

Level reading date:	1952-07-25	Feet below surface:	Not Reported
Feet to sea level:	2.49	Note:	Not Reported
Level reading date:	1952-06-23	Feet below surface:	Not Reported
Feet to sea level:	2.40	Note:	Not Reported
Level reading date:	1952-05-26	Feet below surface:	Not Reported
Feet to sea level:	2.01	Note:	Not Reported
Level reading date:	1952-04-28	Feet below surface:	Not Reported
Feet to sea level:	1.70	Note:	Not Reported
Level reading date:	1952-03-20	Feet below surface:	Not Reported
Feet to sea level:	1.57	Note:	Not Reported
Level reading date:	1952-02-19	Feet below surface:	Not Reported
Feet to sea level:	1.48	Note:	Not Reported
Level reading date:	1952-01-28	Feet below surface:	Not Reported
Feet to sea level:	1.03	Note:	Not Reported
Level reading date:	1951-12-20	Feet below surface:	Not Reported
Feet to sea level:	1.00	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	0.84	Note:	Not Reported
Level reading date:	1951-10-03	Feet below surface:	Not Reported
Feet to sea level:	0.40	Note:	Not Reported
Level reading date:	1951-09-26	Feet below surface:	Not Reported
Feet to sea level:	-0.59	Note:	Not Reported
Level reading date:	1951-08-28	Feet below surface:	Not Reported
Feet to sea level:	0.62	Note:	Not Reported
Level reading date:	1951-07-24	Feet below surface:	Not Reported
Feet to sea level:	0.52	Note:	Not Reported
Level reading date:	1951-06-26	Feet below surface:	Not Reported
Feet to sea level:	0.60	Note:	Not Reported
Level reading date:	1951-05-29	Feet below surface:	Not Reported
Feet to sea level:	0.69	Note:	Not Reported
Level reading date:	1951-05-01	Feet below surface:	Not Reported
Feet to sea level:	0.54	Note:	Not Reported
Level reading date:	1951-03-26	Feet below surface:	Not Reported
Feet to sea level:	0.28	Note:	Not Reported
Level reading date:	1951-02-23	Feet below surface:	Not Reported
Feet to sea level:	-0.12	Note:	Not Reported
Level reading date:	1951-01-30	Feet below surface:	Not Reported
Feet to sea level:	0.16	Note:	Not Reported
Level reading date:	1950-12-18	Feet below surface:	Not Reported
Feet to sea level:	0.22	Note:	Not Reported
Level reading date:	1950-11-27	Feet below surface:	Not Reported
Feet to sea level:	-0.30	Note:	Not Reported

Level reading date:	1950-10-30	Feet below surface:	Not Reported
Feet to sea level:	-0.32	Note:	Not Reported
Level reading date:	1950-09-26	Feet below surface:	Not Reported
Feet to sea level:	-0.51	Note:	Not Reported
Level reading date:	1950-08-28	Feet below surface:	Not Reported
Feet to sea level:	-0.33	Note:	Not Reported
Level reading date:	1950-07-26	Feet below surface:	Not Reported
Feet to sea level:	-0.35	Note:	Not Reported
Level reading date:	1950-06-28	Feet below surface:	Not Reported
Feet to sea level:	-0.40	Note:	Not Reported
Level reading date:	1950-06-05	Feet below surface:	Not Reported
Feet to sea level:	-0.36	Note:	Not Reported
Level reading date:	1950-04-27	Feet below surface:	Not Reported
Feet to sea level:	-0.20	Note:	Not Reported
Level reading date:	1950-03-29	Feet below surface:	Not Reported
Feet to sea level:	-0.52	Note:	Not Reported
Level reading date:	1950-02-28	Feet below surface:	Not Reported
Feet to sea level:	-0.40	Note:	Not Reported
Level reading date:	1950-01-25	Feet below surface:	Not Reported
Feet to sea level:	-0.49	Note:	Not Reported
Level reading date:	1949-12-27	Feet below surface:	Not Reported
Feet to sea level:	-0.76	Note:	Not Reported
Level reading date:	1949-11-28	Feet below surface:	Not Reported
Feet to sea level:	-0.65	Note:	Not Reported
Level reading date:	1949-10-31	Feet below surface:	Not Reported
Feet to sea level:	-0.89	Note:	Not Reported
Level reading date:	1949-09-28	Feet below surface:	Not Reported
Feet to sea level:	-0.58	Note:	Not Reported
Level reading date:	1949-08-31	Feet below surface:	Not Reported
Feet to sea level:	-0.59	Note:	Not Reported
Level reading date:	1949-07-28	Feet below surface:	Not Reported
Feet to sea level:	-0.68	Note:	Not Reported
Level reading date:	1949-06-30	Feet below surface:	Not Reported
Feet to sea level:	-0.75	Note:	Not Reported
Level reading date:	1949-06-01	Feet below surface:	Not Reported
Feet to sea level:	-1.07	Note:	Not Reported
Level reading date:	1949-04-27	Feet below surface:	Not Reported
Feet to sea level:	-1.63	Note:	Not Reported
Level reading date:	1949-04-04	Feet below surface:	Not Reported
Feet to sea level:	-1.83	Note:	Not Reported
Level reading date:	1949-02-23	Feet below surface:	Not Reported
Feet to sea level:	-1.89	Note:	Not Reported

Level reading date:	1949-01-26	Feet below surface:	Not Reported
Feet to sea level:	-1.96	Note:	Not Reported
Level reading date:	1948-12-28	Feet below surface:	Not Reported
Feet to sea level:	-2.06	Note:	Not Reported
Level reading date:	1948-12-09	Feet below surface:	Not Reported
Feet to sea level:	-2.59	Note:	Not Reported
Level reading date:	1948-11-03	Feet below surface:	Not Reported
Feet to sea level:	-3.16	Note:	Not Reported
Level reading date:	1948-10-04	Feet below surface:	Not Reported
Feet to sea level:	-3.10	Note:	Not Reported
Level reading date:	1948-08-30	Feet below surface:	Not Reported
Feet to sea level:	-2.80	Note:	Not Reported
Level reading date:	1948-07-26	Feet below surface:	Not Reported
Feet to sea level:	-3.05	Note:	Not Reported
Level reading date:	1948-06-30	Feet below surface:	Not Reported
Feet to sea level:	-3.54	Note:	Not Reported
Level reading date:	1948-06-02	Feet below surface:	Not Reported
Feet to sea level:	-3.61	Note:	Not Reported
Level reading date:	1948-04-28	Feet below surface:	Not Reported
Feet to sea level:	-3.66	Note:	Not Reported
Level reading date:	1948-03-26	Feet below surface:	Not Reported
Feet to sea level:	-3.94	Note:	Not Reported
Level reading date:	1948-03-03	Feet below surface:	Not Reported
Feet to sea level:	-4.32	Note:	Not Reported
Level reading date:	1948-02-02	Feet below surface:	Not Reported
Feet to sea level:	-3.94	Note:	Not Reported
Level reading date:	1948-01-09	Feet below surface:	Not Reported
Feet to sea level:	-4.82	Note:	Not Reported
Level reading date:	1947-12-17	Feet below surface:	Not Reported
Feet to sea level:	-4.92	Note:	Not Reported
Level reading date:	1947-11-26	Feet below surface:	Not Reported
Feet to sea level:	-5.04	Note:	Not Reported
Level reading date:	1947-11-20	Feet below surface:	Not Reported
Feet to sea level:	-5.07	Note:	Not Reported
Level reading date:	1947-10-31	Feet below surface:	Not Reported
Feet to sea level:	-5.36	Note:	Not Reported
Level reading date:	1947-10-14	Feet below surface:	Not Reported
Feet to sea level:	-5.34	Note:	Not Reported
Level reading date:	1947-10-07	Feet below surface:	Not Reported
Feet to sea level:	-5.36	Note:	Not Reported
Level reading date:	1947-09-30	Feet below surface:	Not Reported
Feet to sea level:	-5.33	Note:	Not Reported

Level reading date:	1947-09-16	Feet below surface:	Not Reported
Feet to sea level:	-5.27	Note:	Not Reported
Level reading date:	1947-08-27	Feet below surface:	Not Reported
Feet to sea level:	-5.26	Note:	Not Reported
Level reading date:	1947-08-14	Feet below surface:	Not Reported
Feet to sea level:	-5.36	Note:	Not Reported
Level reading date:	1947-07-30	Feet below surface:	Not Reported
Feet to sea level:	-5.30	Note:	Not Reported
Level reading date:	1947-07-23	Feet below surface:	Not Reported
Feet to sea level:	-5.27	Note:	Not Reported
Level reading date:	1947-07-16	Feet below surface:	Not Reported
Feet to sea level:	-5.22	Note:	Not Reported
Level reading date:	1947-07-07	Feet below surface:	Not Reported
Feet to sea level:	-5.16	Note:	Not Reported
Level reading date:	1947-07-02	Feet below surface:	Not Reported
Feet to sea level:	-5.12	Note:	Not Reported
Level reading date:	1947-07-01	Feet below surface:	Not Reported
Feet to sea level:	-5.11	Note:	Not Reported
Level reading date:	1947-06-24	Feet below surface:	Not Reported
Feet to sea level:	-5.14	Note:	Not Reported
Level reading date:	1947-05-27	Feet below surface:	Not Reported
Feet to sea level:	-5.06	Note:	Not Reported
Level reading date:	1947-05-06	Feet below surface:	Not Reported
Feet to sea level:	-5.08	Note:	Not Reported
Level reading date:	1947-04-03	Feet below surface:	Not Reported
Feet to sea level:	-5.29	Note:	Not Reported
Level reading date:	1947-03-05	Feet below surface:	Not Reported
Feet to sea level:	-4.85	Note:	Not Reported
Level reading date:	1947-01-27	Feet below surface:	Not Reported
Feet to sea level:	-5.18	Note:	Not Reported
Level reading date:	1946-12-30	Feet below surface:	Not Reported
Feet to sea level:	-5.06	Note:	Not Reported
Level reading date:	1946-11-26	Feet below surface:	Not Reported
Feet to sea level:	-4.96	Note:	Not Reported
Level reading date:	1946-10-22	Feet below surface:	Not Reported
Feet to sea level:	-4.90	Note:	Not Reported
Level reading date:	1946-09-27	Feet below surface:	Not Reported
Feet to sea level:	-4.83	Note:	Not Reported
Level reading date:	1946-08-29	Feet below surface:	Not Reported
Feet to sea level:	-4.65	Note:	Not Reported
Level reading date:	1946-07-26	Feet below surface:	Not Reported
Feet to sea level:	-4.45	Note:	Not Reported

Level reading date:	1946-07-05	Feet below surface:	Not Reported
Feet to sea level:	-4.38	Note:	Not Reported
Level reading date:	1946-06-18	Feet below surface:	Not Reported
Feet to sea level:	-4.52	Note:	Not Reported
Level reading date:	1946-05-09	Feet below surface:	Not Reported
Feet to sea level:	-5.10	Note:	Not Reported
Level reading date:	1946-04-12	Feet below surface:	Not Reported
Feet to sea level:	-5.00	Note:	Not Reported
Level reading date:	1946-03-15	Feet below surface:	Not Reported
Feet to sea level:	-4.98	Note:	Not Reported
Level reading date:	1946-02-08	Feet below surface:	Not Reported
Feet to sea level:	-4.83	Note:	Not Reported
Level reading date:	1946-01-10	Feet below surface:	Not Reported
Feet to sea level:	-4.92	Note:	Not Reported
Level reading date:	1945-12-04	Feet below surface:	Not Reported
Feet to sea level:	-5.20	Note:	Not Reported
Level reading date:	1945-11-06	Feet below surface:	Not Reported
Feet to sea level:	-5.24	Note:	Not Reported
Level reading date:	1945-09-28	Feet below surface:	Not Reported
Feet to sea level:	-5.03	Note:	Not Reported
Level reading date:	1945-09-13	Feet below surface:	Not Reported
Feet to sea level:	-5.12	Note:	Not Reported
Level reading date:	1945-08-08	Feet below surface:	Not Reported
Feet to sea level:	-5.97	Note:	Not Reported
Level reading date:	1945-07-04	Feet below surface:	Not Reported
Feet to sea level:	-5.07	Note:	Not Reported
Level reading date:	1945-06-05	Feet below surface:	Not Reported
Feet to sea level:	-4.91	Note:	Not Reported
Level reading date:	1945-04-27	Feet below surface:	Not Reported
Feet to sea level:	-5.17	Note:	Not Reported
Level reading date:	1945-04-03	Feet below surface:	Not Reported
Feet to sea level:	-5.04	Note:	Not Reported
Level reading date:	1945-03-05	Feet below surface:	Not Reported
Feet to sea level:	-5.11	Note:	Not Reported
Level reading date:	1945-01-03	Feet below surface:	Not Reported
Feet to sea level:	-4.98	Note:	Not Reported
Level reading date:	1944-12-05	Feet below surface:	Not Reported
Feet to sea level:	-5.08	Note:	Not Reported
Level reading date:	1944-10-28	Feet below surface:	Not Reported
Feet to sea level:	-5.09	Note:	Not Reported
Level reading date:	1944-10-04	Feet below surface:	Not Reported
Feet to sea level:	-5.08	Note:	Not Reported

Level reading date:	1944-09-01	Feet below surface:	Not Reported
Feet to sea level:	-5.51	Note:	Not Reported
Level reading date:	1944-08-01	Feet below surface:	Not Reported
Feet to sea level:	-5.33	Note:	Not Reported
Level reading date:	1944-07-04	Feet below surface:	Not Reported
Feet to sea level:	-5.18	Note:	Not Reported
Level reading date:	1944-06-03	Feet below surface:	Not Reported
Feet to sea level:	-5.15	Note:	Not Reported
Level reading date:	1944-04-25	Feet below surface:	Not Reported
Feet to sea level:	-5.42	Note:	Not Reported
Level reading date:	1944-03-29	Feet below surface:	Not Reported
Feet to sea level:	-5.66	Note:	Not Reported
Level reading date:	1944-03-07	Feet below surface:	Not Reported
Feet to sea level:	-6.07	Note:	Not Reported
Level reading date:	1944-01-29	Feet below surface:	Not Reported
Feet to sea level:	-5.81	Note:	Not Reported
Level reading date:	1944-01-01	Feet below surface:	Not Reported
Feet to sea level:	-5.90	Note:	Not Reported
Level reading date:	1943-11-27	Feet below surface:	Not Reported
Feet to sea level:	-5.82	Note:	Not Reported
Level reading date:	1943-10-30	Feet below surface:	Not Reported
Feet to sea level:	-6.11	Note:	Not Reported
Level reading date:	1943-09-25	Feet below surface:	Not Reported
Feet to sea level:	-6.15	Note:	Not Reported
Level reading date:	1943-08-28	Feet below surface:	Not Reported
Feet to sea level:	-5.96	Note:	Not Reported
Level reading date:	1943-07-31	Feet below surface:	Not Reported
Feet to sea level:	-5.82	Note:	Not Reported
Level reading date:	1943-06-26	Feet below surface:	Not Reported
Feet to sea level:	-5.77	Note:	Not Reported
Level reading date:	1943-05-29	Feet below surface:	Not Reported
Feet to sea level:	-5.92	Note:	Not Reported
Level reading date:	1943-05-01	Feet below surface:	Not Reported
Feet to sea level:	-6.04	Note:	Not Reported
Level reading date:	1943-03-27	Feet below surface:	Not Reported
Feet to sea level:	-6.10	Note:	Not Reported
Level reading date:	1943-02-27	Feet below surface:	Not Reported
Feet to sea level:	-6.28	Note:	Not Reported
Level reading date:	1943-01-30	Feet below surface:	Not Reported
Feet to sea level:	-6.39	Note:	Not Reported
Level reading date:	1943-01-02	Feet below surface:	Not Reported
Feet to sea level:	-6.64	Note:	Not Reported

Level reading date:	1942-12-26	Feet below surface:	Not Reported
Feet to sea level:	-6.55	Note:	Not Reported
Level reading date:	1942-12-19	Feet below surface:	Not Reported
Feet to sea level:	-6.31	Note:	Not Reported
Level reading date:	1942-12-12	Feet below surface:	Not Reported
Feet to sea level:	-6.59	Note:	Not Reported
Level reading date:	1942-12-05	Feet below surface:	Not Reported
Feet to sea level:	-6.70	Note:	Not Reported
Level reading date:	1942-11-28	Feet below surface:	Not Reported
Feet to sea level:	-6.81	Note:	Not Reported
Level reading date:	1942-11-21	Feet below surface:	Not Reported
Feet to sea level:	-6.81	Note:	Not Reported
Level reading date:	1942-11-14	Feet below surface:	Not Reported
Feet to sea level:	-6.87	Note:	Not Reported
Level reading date:	1942-11-07	Feet below surface:	Not Reported
Feet to sea level:	-6.85	Note:	Not Reported
Level reading date:	1942-10-31	Feet below surface:	Not Reported
Feet to sea level:	-6.83	Note:	Not Reported
Level reading date:	1942-10-24	Feet below surface:	Not Reported
Feet to sea level:	-6.86	Note:	Not Reported
Level reading date:	1942-10-17	Feet below surface:	Not Reported
Feet to sea level:	-6.87	Note:	Not Reported
Level reading date:	1942-10-10	Feet below surface:	Not Reported
Feet to sea level:	-6.88	Note:	Not Reported
Level reading date:	1942-10-03	Feet below surface:	Not Reported
Feet to sea level:	-6.90	Note:	Not Reported
Level reading date:	1942-09-26	Feet below surface:	Not Reported
Feet to sea level:	-6.84	Note:	Not Reported
Level reading date:	1942-09-19	Feet below surface:	Not Reported
Feet to sea level:	-6.91	Note:	Not Reported
Level reading date:	1942-09-12	Feet below surface:	Not Reported
Feet to sea level:	-6.98	Note:	Not Reported
Level reading date:	1942-09-05	Feet below surface:	Not Reported
Feet to sea level:	-7.00	Note:	Not Reported
Level reading date:	1942-08-29	Feet below surface:	Not Reported
Feet to sea level:	-7.08	Note:	Not Reported
Level reading date:	1942-08-22	Feet below surface:	Not Reported
Feet to sea level:	-7.23	Note:	Not Reported
Level reading date:	1942-08-15	Feet below surface:	Not Reported
Feet to sea level:	-7.18	Note:	Not Reported
Level reading date:	1942-08-08	Feet below surface:	Not Reported
Feet to sea level:	-7.25	Note:	Not Reported

Level reading date:	1942-08-01	Feet below surface:	Not Reported
Feet to sea level:	-7.25	Note:	Not Reported
Level reading date:	1942-07-18	Feet below surface:	Not Reported
Feet to sea level:	-7.26	Note:	Not Reported
Level reading date:	1942-07-11	Feet below surface:	Not Reported
Feet to sea level:	-7.38	Note:	Not Reported
Level reading date:	1942-07-04	Feet below surface:	Not Reported
Feet to sea level:	-7.46	Note:	Not Reported
Level reading date:	1942-06-27	Feet below surface:	Not Reported
Feet to sea level:	-7.49	Note:	Not Reported
Level reading date:	1942-06-20	Feet below surface:	Not Reported
Feet to sea level:	-7.49	Note:	Not Reported
Level reading date:	1942-06-13	Feet below surface:	Not Reported
Feet to sea level:	-7.49	Note:	Not Reported
Level reading date:	1942-06-06	Feet below surface:	Not Reported
Feet to sea level:	-7.49	Note:	Not Reported
Level reading date:	1942-05-30	Feet below surface:	Not Reported
Feet to sea level:	-7.47	Note:	Not Reported
Level reading date:	1942-05-23	Feet below surface:	Not Reported
Feet to sea level:	-7.46	Note:	Not Reported
Level reading date:	1942-05-16	Feet below surface:	Not Reported
Feet to sea level:	-7.46	Note:	Not Reported
Level reading date:	1942-05-02	Feet below surface:	Not Reported
Feet to sea level:	-7.45	Note:	Not Reported
Level reading date:	1942-04-25	Feet below surface:	Not Reported
Feet to sea level:	-7.47	Note:	Not Reported
Level reading date:	1942-04-18	Feet below surface:	Not Reported
Feet to sea level:	-7.37	Note:	Not Reported
Level reading date:	1942-04-11	Feet below surface:	Not Reported
Feet to sea level:	-7.47	Note:	Not Reported
Level reading date:	1942-04-04	Feet below surface:	Not Reported
Feet to sea level:	-7.42	Note:	Not Reported
Level reading date:	1942-03-28	Feet below surface:	Not Reported
Feet to sea level:	-7.19	Note:	Not Reported
Level reading date:	1942-03-21	Feet below surface:	Not Reported
Feet to sea level:	-7.27	Note:	Not Reported
Level reading date:	1942-03-07	Feet below surface:	Not Reported
Feet to sea level:	-7.22	Note:	Not Reported
Level reading date:	1942-02-28	Feet below surface:	Not Reported
Feet to sea level:	-7.38	Note:	Not Reported
Level reading date:	1942-02-21	Feet below surface:	Not Reported
Feet to sea level:	-7.37	Note:	Not Reported

Level reading date:	1942-02-14	Feet below surface:	Not Reported
Feet to sea level:	-7.15	Note:	Not Reported
Level reading date:	1942-02-07	Feet below surface:	Not Reported
Feet to sea level:	-7.10	Note:	Not Reported
Level reading date:	1942-01-24	Feet below surface:	Not Reported
Feet to sea level:	-7.21	Note:	Not Reported
Level reading date:	1942-01-17	Feet below surface:	Not Reported
Feet to sea level:	-6.77	Note:	Not Reported
Level reading date:	1942-01-03	Feet below surface:	Not Reported
Feet to sea level:	-6.77	Note:	Not Reported
Level reading date:	1941-12-27	Feet below surface:	Not Reported
Feet to sea level:	-6.84	Note:	Not Reported
Level reading date:	1941-12-20	Feet below surface:	Not Reported
Feet to sea level:	-6.57	Note:	Not Reported
Level reading date:	1941-12-06	Feet below surface:	Not Reported
Feet to sea level:	-6.85	Note:	Not Reported
Level reading date:	1941-11-29	Feet below surface:	Not Reported
Feet to sea level:	-6.74	Note:	Not Reported
Level reading date:	1941-11-22	Feet below surface:	Not Reported
Feet to sea level:	-6.71	Note:	Not Reported
Level reading date:	1941-11-15	Feet below surface:	Not Reported
Feet to sea level:	-6.11	Note:	Not Reported
Level reading date:	1941-11-08	Feet below surface:	Not Reported
Feet to sea level:	-6.48	Note:	Not Reported
Level reading date:	1941-10-25	Feet below surface:	Not Reported
Feet to sea level:	-6.65	Note:	Not Reported
Level reading date:	1941-10-18	Feet below surface:	Not Reported
Feet to sea level:	-6.55	Note:	Not Reported
Level reading date:	1941-10-11	Feet below surface:	Not Reported
Feet to sea level:	-6.58	Note:	Not Reported
Level reading date:	1941-10-04	Feet below surface:	Not Reported
Feet to sea level:	-6.58	Note:	Not Reported
Level reading date:	1941-09-27	Feet below surface:	Not Reported
Feet to sea level:	-6.54	Note:	Not Reported
Level reading date:	1941-09-20	Feet below surface:	Not Reported
Feet to sea level:	-6.49	Note:	Not Reported
Level reading date:	1941-09-13	Feet below surface:	Not Reported
Feet to sea level:	-6.22	Note:	Not Reported
Level reading date:	1941-09-06	Feet below surface:	Not Reported
Feet to sea level:	-6.43	Note:	Not Reported
Level reading date:	1941-08-30	Feet below surface:	Not Reported
Feet to sea level:	-6.28	Note:	Not Reported

Level reading date:	1941-08-23	Feet below surface:	Not Reported
Feet to sea level:	-6.28	Note:	Not Reported
Level reading date:	1941-08-16	Feet below surface:	Not Reported
Feet to sea level:	-6.40	Note:	Not Reported
Level reading date:	1941-08-09	Feet below surface:	Not Reported
Feet to sea level:	-6.29	Note:	Not Reported
Level reading date:	1941-08-02	Feet below surface:	Not Reported
Feet to sea level:	-6.19	Note:	Not Reported
Level reading date:	1941-07-26	Feet below surface:	Not Reported
Feet to sea level:	-6.17	Note:	Not Reported
Level reading date:	1941-07-19	Feet below surface:	Not Reported
Feet to sea level:	-6.10	Note:	Not Reported
Level reading date:	1941-07-12	Feet below surface:	Not Reported
Feet to sea level:	-6.10	Note:	Not Reported
Level reading date:	1941-07-05	Feet below surface:	Not Reported
Feet to sea level:	-6.02	Note:	Not Reported
Level reading date:	1941-06-28	Feet below surface:	Not Reported
Feet to sea level:	-6.01	Note:	Not Reported
Level reading date:	1941-06-21	Feet below surface:	Not Reported
Feet to sea level:	-5.86	Note:	Not Reported
Level reading date:	1941-06-14	Feet below surface:	Not Reported
Feet to sea level:	-5.92	Note:	Not Reported
Level reading date:	1941-06-07	Feet below surface:	Not Reported
Feet to sea level:	-5.82	Note:	Not Reported
Level reading date:	1941-05-31	Feet below surface:	Not Reported
Feet to sea level:	-5.76	Note:	Not Reported
Level reading date:	1941-05-24	Feet below surface:	Not Reported
Feet to sea level:	-5.70	Note:	Not Reported
Level reading date:	1941-05-17	Feet below surface:	Not Reported
Feet to sea level:	-5.73	Note:	Not Reported
Level reading date:	1941-05-10	Feet below surface:	Not Reported
Feet to sea level:	-5.19	Note:	Not Reported
Level reading date:	1941-05-03	Feet below surface:	Not Reported
Feet to sea level:	-5.68	Note:	Not Reported
Level reading date:	1941-04-26	Feet below surface:	Not Reported
Feet to sea level:	-5.41	Note:	Not Reported
Level reading date:	1937-06-15	Feet below surface:	Not Reported
Feet to sea level:	-4.28	Note:	Not Reported
Level reading date:	1937-03-23	Feet below surface:	Not Reported
Feet to sea level:	-3.77	Note:	Not Reported
Level reading date:	1937-02-02	Feet below surface:	Not Reported
Feet to sea level:	-3.97	Note:	Not Reported

Level reading date:	1936-12-29	Feet below surface:	Not Reported
Feet to sea level:	-3.70	Note:	Not Reported
Level reading date:	1936-09-24	Feet below surface:	Not Reported
Feet to sea level:	-4.70	Note:	Not Reported
Level reading date:	1936-07-21	Feet below surface:	Not Reported
Feet to sea level:	-4.14	Note:	Not Reported
Level reading date:	1936-06-11	Feet below surface:	Not Reported
Feet to sea level:	-4.04	Note:	Not Reported
Level reading date:	1936-04-20	Feet below surface:	Not Reported
Feet to sea level:	-3.68	Note:	Not Reported
Level reading date:	1936-03-16	Feet below surface:	Not Reported
Feet to sea level:	-3.75	Note:	Not Reported
Level reading date:	1935-12-11	Feet below surface:	Not Reported
Feet to sea level:	-4.31	Note:	Not Reported
Level reading date:	1935-10-24	Feet below surface:	Not Reported
Feet to sea level:	-4.37	Note:	Not Reported
Level reading date:	1935-09-13	Feet below surface:	Not Reported
Feet to sea level:	-4.42	Note:	Not Reported
Level reading date:	1935-07-01	Feet below surface:	Not Reported
Feet to sea level:	-3.73	Note:	Not Reported
Level reading date:	1935-05-28	Feet below surface:	Not Reported
Feet to sea level:	-3.51	Note:	Not Reported
Level reading date:	1935-04-01	Feet below surface:	Not Reported
Feet to sea level:	-2.99	Note:	Not Reported
Level reading date:	1935-03-04	Feet below surface:	Not Reported
Feet to sea level:	-2.99	Note:	Not Reported
Level reading date:	1935-01-02	Feet below surface:	Not Reported
Feet to sea level:	-3.14	Note:	Not Reported
Level reading date:	1934-12-07	Feet below surface:	Not Reported
Feet to sea level:	-3.07	Note:	Not Reported
Level reading date:	1934-11-09	Feet below surface:	Not Reported
Feet to sea level:	-2.58	Note:	Not Reported
Level reading date:	1934-10-18	Feet below surface:	Not Reported
Feet to sea level:	-2.85	Note:	Not Reported
Level reading date:	1934-09-20	Feet below surface:	Not Reported
Feet to sea level:	-3.05	Note:	Not Reported
Level reading date:	1934-08-21	Feet below surface:	Not Reported
Feet to sea level:	-3.47	Note:	Not Reported
Level reading date:	1934-08-01	Feet below surface:	Not Reported
Feet to sea level:	-3.32	Note:	Not Reported
Level reading date:	1934-07-09	Feet below surface:	Not Reported
Feet to sea level:	-3.32	Note:	Not Reported

Level reading date:	1934-06-13	Feet below surface:	Not Reported
Feet to sea level:	-3.32	Note:	Not Reported
Level reading date:	1934-04-11	Feet below surface:	Not Reported
Feet to sea level:	-2.82	Note:	Not Reported
Level reading date:	1934-03-22	Feet below surface:	Not Reported
Feet to sea level:	-2.41	Note:	Not Reported
Level reading date:	1934-01-09	Feet below surface:	Not Reported
Feet to sea level:	-2.90	Note:	Not Reported
Level reading date:	1933-12-11	Feet below surface:	Not Reported
Feet to sea level:	-2.67	Note:	Not Reported
Level reading date:	1933-11-22	Feet below surface:	Not Reported
Feet to sea level:	-2.73	Note:	Not Reported
Level reading date:	1933-11-02	Feet below surface:	Not Reported
Feet to sea level:	-2.37	Note:	Not Reported
Level reading date:	1933-09-28	Feet below surface:	Not Reported
Feet to sea level:	-2.45	Note:	Not Reported
Level reading date:	1933-08-29	Feet below surface:	Not Reported
Feet to sea level:	-2.85	Note:	Not Reported
Level reading date:	1933-07-25	Feet below surface:	Not Reported
Feet to sea level:	-2.60	Note:	Not Reported
Level reading date:	1933-06-28	Feet below surface:	Not Reported
Feet to sea level:	-2.43	Note:	Not Reported
Level reading date:	1933-05-29	Feet below surface:	Not Reported
Feet to sea level:	-2.44	Note:	Not Reported
Level reading date:	1933-04-21	Feet below surface:	Not Reported
Feet to sea level:	-2.02	Note:	Not Reported

D20
WSW
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200061508**

WELLS REG 1:

Well Number:	K003477	Well Type:	Multipurpose/Other
Owner:	Herrera Brothers Company	Diameter (in):	4
Well Depth (ft):	80	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	45

D21
SW
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200061361**

WELLS REG 1:

Well Number:	K003608	Well Type:	Commercial/Industrial Supply
Owner:	North Eastern Precast	Diameter (in):	4

Well Depth (ft):	80	Casing Length (ft):	Not Reported
Screen Length (ft):	5	Pump Capacity (gpm):	25

E22
South
1/2 - 1 Mile
Lower

FED USGS **USGS40000827670**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 3256. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	29
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	54	Level reading date:	1999-06-24
Feet below surface:	Not Reported	Feet to sea level:	6.20
Note:	Not Reported		

Level reading date:	1997-07-23	Feet below surface:	Not Reported
Feet to sea level:	5.75	Note:	Not Reported
Level reading date:	1997-06-26	Feet below surface:	Not Reported
Feet to sea level:	5.81	Note:	Not Reported
Level reading date:	1997-03-17	Feet below surface:	Not Reported
Feet to sea level:	5.78	Note:	Not Reported
Level reading date:	1997-02-26	Feet below surface:	Not Reported
Feet to sea level:	5.89	Note:	Not Reported
Level reading date:	1996-07-05	Feet below surface:	Not Reported
Feet to sea level:	5.40	Note:	Not Reported
Level reading date:	1996-03-14	Feet below surface:	Not Reported
Feet to sea level:	5.30	Note:	Not Reported
Level reading date:	1995-09-29	Feet below surface:	Not Reported
Feet to sea level:	5.26	Note:	Not Reported
Level reading date:	1995-06-21	Feet below surface:	Not Reported
Feet to sea level:	5.31	Note:	Not Reported
Level reading date:	1995-01-03	Feet below surface:	Not Reported
Feet to sea level:	5.51	Note:	Not Reported
Level reading date:	1994-06-29	Feet below surface:	Not Reported
Feet to sea level:	5.69	Note:	Not Reported
Level reading date:	1994-03-24	Feet below surface:	Not Reported
Feet to sea level:	6.01	Note:	Not Reported
Level reading date:	1993-11-22	Feet below surface:	Not Reported
Feet to sea level:	5.28	Note:	Not Reported
Level reading date:	1993-08-24	Feet below surface:	Not Reported

Feet to sea level:	5.48	Note:	Not Reported
Level reading date:	1993-07-22	Feet below surface:	Not Reported
Feet to sea level:	5.46	Note:	Not Reported
Level reading date:	1993-06-22	Feet below surface:	Not Reported
Feet to sea level:	5.58	Note:	Not Reported
Level reading date:	1993-05-24	Feet below surface:	Not Reported
Feet to sea level:	5.88	Note:	Not Reported
Level reading date:	1993-04-28	Feet below surface:	Not Reported
Feet to sea level:	6.13	Note:	Not Reported
Level reading date:	1993-03-22	Feet below surface:	Not Reported
Feet to sea level:	5.70	Note:	Not Reported
Level reading date:	1993-01-19	Feet below surface:	Not Reported
Feet to sea level:	5.75	Note:	Not Reported
Level reading date:	1992-12-28	Feet below surface:	Not Reported
Feet to sea level:	5.93	Note:	Not Reported
Level reading date:	1992-11-19	Feet below surface:	Not Reported
Feet to sea level:	5.56	Note:	Not Reported
Level reading date:	1992-10-27	Feet below surface:	Not Reported
Feet to sea level:	5.71	Note:	Not Reported
Level reading date:	1992-09-18	Feet below surface:	Not Reported
Feet to sea level:	6.02	Note:	Not Reported
Level reading date:	1992-08-24	Feet below surface:	Not Reported
Feet to sea level:	6.25	Note:	Not Reported
Level reading date:	1992-07-16	Feet below surface:	Not Reported
Feet to sea level:	5.98	Note:	Not Reported
Level reading date:	1992-06-23	Feet below surface:	Not Reported
Feet to sea level:	5.77	Note:	Not Reported
Level reading date:	1992-06-12	Feet below surface:	Not Reported
Feet to sea level:	5.74	Note:	Not Reported
Level reading date:	1992-03-17	Feet below surface:	Not Reported
Feet to sea level:	5.23	Note:	Not Reported
Level reading date:	1991-03-19	Feet below surface:	Not Reported
Feet to sea level:	6.11	Note:	Not Reported
Level reading date:	1990-03-27	Feet below surface:	Not Reported
Feet to sea level:	5.57	Note:	Not Reported
Level reading date:	1989-03-08	Feet below surface:	Not Reported
Feet to sea level:	6.07	Note:	Not Reported
Level reading date:	1985-10-02	Feet below surface:	Not Reported
Feet to sea level:	5.45	Note:	Not Reported
Level reading date:	1985-05-20	Feet below surface:	Not Reported
Feet to sea level:	4.34	Note:	Not Reported

Level reading date:	1984-12-18	Feet below surface:	Not Reported
Feet to sea level:	4.71	Note:	Not Reported
Level reading date:	1984-10-03	Feet below surface:	Not Reported
Feet to sea level:	6.26	Note:	Not Reported
Level reading date:	1984-06-26	Feet below surface:	Not Reported
Feet to sea level:	6.21	Note:	Not Reported
Level reading date:	1984-03-27	Feet below surface:	Not Reported
Feet to sea level:	5.63	Note:	Not Reported
Level reading date:	1984-03-19	Feet below surface:	Not Reported
Feet to sea level:	5.63	Note:	Not Reported
Level reading date:	1984-01-05	Feet below surface:	Not Reported
Feet to sea level:	5.46	Note:	Not Reported
Level reading date:	1983-09-28	Feet below surface:	Not Reported
Feet to sea level:	4.96	Note:	Not Reported
Level reading date:	1983-06-28	Feet below surface:	Not Reported
Feet to sea level:	5.86	Note:	Not Reported
Level reading date:	1983-03-22	Feet below surface:	Not Reported
Feet to sea level:	5.37	Note:	Not Reported
Level reading date:	1982-12-21	Feet below surface:	Not Reported
Feet to sea level:	5.40	Note:	Not Reported
Level reading date:	1982-10-06	Feet below surface:	Not Reported
Feet to sea level:	6.16	Note:	Not Reported
Level reading date:	1982-06-30	Feet below surface:	Not Reported
Feet to sea level:	6.25	Note:	Not Reported
Level reading date:	1982-03-26	Feet below surface:	Not Reported
Feet to sea level:	6.10	Note:	Not Reported
Level reading date:	1981-12-29	Feet below surface:	Not Reported
Feet to sea level:	6.30	Note:	Not Reported
Level reading date:	1981-09-22	Feet below surface:	Not Reported
Feet to sea level:	6.15	Note:	Not Reported
Level reading date:	1981-06-30	Feet below surface:	Not Reported
Feet to sea level:	6.12	Note:	Not Reported
Level reading date:	1981-03-19	Feet below surface:	Not Reported
Feet to sea level:	6.69	Note:	Not Reported
Level reading date:	1981-02-10	Feet below surface:	Not Reported
Feet to sea level:	6.66	Note:	Not Reported
Level reading date:	1980-12-24	Feet below surface:	Not Reported
Feet to sea level:	6.86	Note:	Not Reported
Level reading date:	1980-09-23	Feet below surface:	Not Reported
Feet to sea level:	7.04	Note:	Not Reported

Map ID Direction Distance Elevation		Database	EDR ID Number
E23 **South** **1/2 - 1 Mile** **Lower**		**FED USGS**	**USGS40000827671**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	K 3256. 2	Type:	Well
Description:	RIVERDALE AVE & MILLER AVE & NEW LOTS AVE		
HUC:	02030202	Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Contrib Drainage Area:	Not Reported
Contrib Drainage Area Unts:	Not Reported		
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Unconfined single aquifer
Construction Date:	19980624	Well Depth:	40
Well Depth Units:	ft	Well Hole Depth:	40
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	72	Level reading date:	2005-02-15
Feet below surface:	Not Reported	Feet to sea level:	5.97
Note:	Not Reported		

Level reading date:	2005-01-21	Feet below surface:	Not Reported
Feet to sea level:	6.01	Note:	Not Reported
Level reading date:	2004-12-15	Feet below surface:	Not Reported
Feet to sea level:	5.99	Note:	Not Reported
Level reading date:	2004-11-23	Feet below surface:	Not Reported
Feet to sea level:	5.84	Note:	Not Reported
Level reading date:	2004-10-21	Feet below surface:	Not Reported
Feet to sea level:	6.02	Note:	Not Reported
Level reading date:	2004-09-21	Feet below surface:	Not Reported
Feet to sea level:	6.04	Note:	Not Reported
Level reading date:	2004-08-25	Feet below surface:	Not Reported
Feet to sea level:	5.99	Note:	Not Reported
Level reading date:	2004-07-19	Feet below surface:	Not Reported
Feet to sea level:	5.79	Note:	Not Reported
Level reading date:	2004-06-16	Feet below surface:	Not Reported
Feet to sea level:	5.67	Note:	Not Reported
Level reading date:	2004-05-25	Feet below surface:	Not Reported
Feet to sea level:	5.79	Note:	Not Reported
Level reading date:	2004-04-29	Feet below surface:	Not Reported
Feet to sea level:	5.83	Note:	Not Reported
Level reading date:	2004-03-21	Feet below surface:	Not Reported
Feet to sea level:	5.61	Note:	Not Reported
Level reading date:	2004-02-25	Feet below surface:	Not Reported
Feet to sea level:	5.63	Note:	Not Reported
Level reading date:	2003-12-18	Feet below surface:	Not Reported
Feet to sea level:	5.84	Note:	Not Reported

Level reading date:	2003-11-22	Feet below surface:	Not Reported
Feet to sea level:	5.72	Note:	Not Reported
Level reading date:	2003-10-29	Feet below surface:	Not Reported
Feet to sea level:	5.64	Note:	Not Reported
Level reading date:	2003-09-24	Feet below surface:	Not Reported
Feet to sea level:	5.84	Note:	Not Reported
Level reading date:	2003-08-25	Feet below surface:	Not Reported
Feet to sea level:	6.05	Note:	Not Reported
Level reading date:	2003-07-21	Feet below surface:	Not Reported
Feet to sea level:	6.07	Note:	Not Reported
Level reading date:	2003-06-25	Feet below surface:	Not Reported
Feet to sea level:	6.44	Note:	Not Reported
Level reading date:	2003-05-19	Feet below surface:	Not Reported
Feet to sea level:	5.75	Note:	Not Reported
Level reading date:	2003-04-28	Feet below surface:	Not Reported
Feet to sea level:	5.96	Note:	Not Reported
Level reading date:	2003-03-18	Feet below surface:	Not Reported
Feet to sea level:	5.95	Note:	Not Reported
Level reading date:	2003-02-27	Feet below surface:	Not Reported
Feet to sea level:	5.88	Note:	Not Reported
Level reading date:	2002-12-27	Feet below surface:	Not Reported
Feet to sea level:	5.78	Note:	Not Reported
Level reading date:	2002-11-26	Feet below surface:	Not Reported
Feet to sea level:	5.84	Note:	Not Reported
Level reading date:	2002-10-21	Feet below surface:	Not Reported
Feet to sea level:	5.88	Note:	Not Reported
Level reading date:	2002-09-25	Feet below surface:	Not Reported
Feet to sea level:	5.47	Note:	Not Reported
Level reading date:	2002-08-27	Feet below surface:	Not Reported
Feet to sea level:	5.09	Note:	Not Reported
Level reading date:	2002-07-22	Feet below surface:	Not Reported
Feet to sea level:	5.22	Note:	Not Reported
Level reading date:	2002-06-18	Feet below surface:	Not Reported
Feet to sea level:	5.44	Note:	Not Reported
Level reading date:	2002-05-29	Feet below surface:	Not Reported
Feet to sea level:	5.40	Note:	Not Reported
Level reading date:	2002-04-24	Feet below surface:	Not Reported
Feet to sea level:	5.15	Note:	Not Reported
Level reading date:	2002-03-21	Feet below surface:	Not Reported
Feet to sea level:	5.09	Note:	Not Reported
Level reading date:	2002-02-27	Feet below surface:	Not Reported
Feet to sea level:	5.02	Note:	Not Reported

Level reading date:	2002-01-28	Feet below surface:	Not Reported
Feet to sea level:	5.10	Note:	Not Reported
Level reading date:	2001-12-28	Feet below surface:	Not Reported
Feet to sea level:	5.21	Note:	Not Reported
Level reading date:	2001-11-15	Feet below surface:	Not Reported
Feet to sea level:	5.29	Note:	Not Reported
Level reading date:	2001-10-24	Feet below surface:	Not Reported
Feet to sea level:	5.43	Note:	Not Reported
Level reading date:	2001-09-26	Feet below surface:	Not Reported
Feet to sea level:	5.55	Note:	Not Reported
Level reading date:	2001-08-29	Feet below surface:	Not Reported
Feet to sea level:	5.65	Note:	Not Reported
Level reading date:	2001-07-24	Feet below surface:	Not Reported
Feet to sea level:	5.79	Note:	Not Reported
Level reading date:	2001-06-28	Feet below surface:	Not Reported
Feet to sea level:	5.94	Note:	Not Reported
Level reading date:	2001-05-24	Feet below surface:	Not Reported
Feet to sea level:	5.92	Note:	Not Reported
Level reading date:	2001-04-25	Feet below surface:	Not Reported
Feet to sea level:	6.15	Note:	Not Reported
Level reading date:	2001-03-20	Feet below surface:	Not Reported
Feet to sea level:	5.72	Note:	Not Reported
Level reading date:	2000-12-19	Feet below surface:	Not Reported
Feet to sea level:	5.58	Note:	Not Reported
Level reading date:	2000-11-28	Feet below surface:	Not Reported
Feet to sea level:	5.56	Note:	Not Reported
Level reading date:	2000-10-24	Feet below surface:	Not Reported
Feet to sea level:	5.57	Note:	Not Reported
Level reading date:	2000-09-27	Feet below surface:	Not Reported
Feet to sea level:	5.76	Note:	Not Reported
Level reading date:	2000-08-24	Feet below surface:	Not Reported
Feet to sea level:	5.83	Note:	Not Reported
Level reading date:	2000-07-27	Feet below surface:	Not Reported
Feet to sea level:	5.83	Note:	Not Reported
Level reading date:	2000-06-28	Feet below surface:	Not Reported
Feet to sea level:	5.82	Note:	Not Reported
Level reading date:	2000-03-23	Feet below surface:	Not Reported
Feet to sea level:	5.74	Note:	Not Reported
Level reading date:	2000-02-29	Feet below surface:	Not Reported
Feet to sea level:	5.57	Note:	Not Reported
Level reading date:	1999-12-13	Feet below surface:	Not Reported
Feet to sea level:	5.55	Note:	Not Reported

Level reading date:	1999-11-23	Feet below surface:	Not Reported
Feet to sea level:	5.58	Note:	Not Reported
Level reading date:	1999-10-19	Feet below surface:	Not Reported
Feet to sea level:	5.69	Note:	Not Reported
Level reading date:	1999-09-23	Feet below surface:	Not Reported
Feet to sea level:	5.91	Note:	Not Reported
Level reading date:	1999-08-17	Feet below surface:	Not Reported
Feet to sea level:	5.64	Note:	Not Reported
Level reading date:	1999-07-16	Feet below surface:	Not Reported
Feet to sea level:	5.70	Note:	Not Reported
Level reading date:	1999-06-24	Feet below surface:	Not Reported
Feet to sea level:	5.76	Note:	Not Reported
Level reading date:	1999-05-18	Feet below surface:	Not Reported
Feet to sea level:	5.80	Note:	Not Reported
Level reading date:	1999-04-28	Feet below surface:	Not Reported
Feet to sea level:	5.88	Note:	Not Reported
Level reading date:	1999-03-23	Feet below surface:	Not Reported
Feet to sea level:	6.05	Note:	Not Reported
Level reading date:	1999-03-02	Feet below surface:	Not Reported
Feet to sea level:	6.01	Note:	Not Reported
Level reading date:	1999-01-27	Feet below surface:	Not Reported
Feet to sea level:	6.03	Note:	Not Reported
Level reading date:	1998-11-24	Feet below surface:	Not Reported
Feet to sea level:	5.63	Note:	Not Reported
Level reading date:	1998-10-29	Feet below surface:	Not Reported
Feet to sea level:	5.67	Note:	Not Reported
Level reading date:	1998-09-29	Feet below surface:	Not Reported
Feet to sea level:	5.72	Note:	Not Reported
Level reading date:	1998-09-01	Feet below surface:	Not Reported
Feet to sea level:	5.86	Note:	Not Reported
Level reading date:	1998-07-28	Feet below surface:	Not Reported
Feet to sea level:	6.04	Note:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for KINGS County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for KINGS COUNTY, NY

Number of sites tested: 51

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.750 pCi/L	100%	0%	0%
Basement	1.370 pCi/L	88%	10%	2%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Source: Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207

Inquiry Number: 07942990.2r
March 31, 2025

EDR Summary Radius Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	996
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-7
Physical Setting Source Map Findings	A-8
Physical Setting Source Records Searched	PSGR-1

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2025 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 16), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

COORDINATES

Latitude (North):	40.6771610 - 40° 40' 37.77''
Longitude (West):	73.8864550 - 73° 53' 11.23''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	594109.7
UTM Y (Meters):	4503304.5
Elevation:	36 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property:	TP
Source:	U.S. Geological Survey

Target Property:	E
Source:	U.S. Geological Survey

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from:	20190830, 20190809
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	LOT 15,TAXBLOCK 3967	2916 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE		TP
A2	GIBRALTAR TRANSMISSI	2914 ATLANTIC AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1 ft.
A3	M M P G TUNE INC	2914 ATLANTIC AVE	EDR Hist Auto	Higher	1 ft.
A4	LOT 19,TAXBLOCK 3967	2926 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	5, 0.001,
A5	2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	NY UST	Higher	14, 0.003, WSW
A6	LOT 13,TAXBLOCK 3967	2912 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	14, 0.003, WSW
A7	2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	UST FINDER	Higher	14, 0.003, WSW
A8	LOT 20,TAXBLOCK 3967	2928 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	24, 0.005, NE
A9	LOT 24,TAXBLOCK 3967	218 ASHFORD STREET	NY E DESIGNATION, NY NYC LAND USE	Lower	27, 0.005, ESE
A10	LOT 21,TAXBLOCK 3967	2930 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	42, 0.008, ENE
A11	CON EDISON	220 ASHFORD ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	56, 0.011, SE
A12	LOT 25,TAXBLOCK 3967	220 ASHFORD STREET	NY E DESIGNATION, NY NYC LAND USE	Lower	56, 0.011, SE
A13	CON EDISON	220 ASHFORD ST	NJ MANIFEST	Lower	56, 0.011, SE
A14	LOT 22,TAXBLOCK 3967	2932 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	61, 0.012, ENE
A15	CON EDISON	ATLANTIC AVE & WARWI	RCRA NonGen / NLR, FINDS, ECHO	Higher	86, 0.016, NW
A16	LOT 16,TAXBLOCK 3966	2900 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	145, 0.027, WSW
A17	TRANCARE INC	2900 ATLANTIC AVE	EDR Hist Auto	Higher	145, 0.027, WSW
A18	LOT 42,TAXBLOCK 3952	2929 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	161, 0.030, NNE
A19	LOT 15,TAXBLOCK 3966	2896 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	195, 0.037, WSW
A20	K - UNION STATION HO	ATLANTIC AVE, ASHFOR	NY SHWS, NY BROWNFIELDS, NY MGP	Lower	196, 0.037, East
A21	UNION STATION (CITIZ	ATLANTIC AVE., ASHFO	EDR MGP	Lower	210, 0.040, East
B22	LOT 42,TAXBLOCK 3951	2887 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	216, 0.041, WNW
B23	BAYSIDE FUEL OIL	2887 ATLANTIC AVE	NY AST	Higher	216, 0.041, WNW
B24	DIAL A MATTRESS ATLA	2887 ATLANTIC AVE ST	EDR Hist Auto	Higher	216, 0.041, WNW
A25	LOT 14,TAXBLOCK 3966	2894 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	220, 0.042, WSW
A26	ATLANTIC LUBE INC	2894 ATLANTIC AVENUE	NY AST	Higher	220, 0.042, WSW
A27	CON EDISON - COMPANY	F/O 2894 ATLANTIC AV	E MANIFEST	Higher	220, 0.042, WSW
C28	CON ED CLEVELAND ST	2950 ATALNTIC AVE	NY Spills	Lower	244, 0.046, ENE
C29	MOTOR OIL LEAK FROM	2950 ATLANTIC AVE. C	NY Spills	Lower	244, 0.046, ENE
C30	CLEVELAND SUBSTATION	2950 ATLANTIC AVE	NY Spills	Lower	244, 0.046, ENE
C31	ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	NY AST	Lower	244, 0.046, ENE
C32	CONSOLIDATED EDISON	2950 ATLANTIC AVE	NY Spills, NY MANIFEST	Lower	244, 0.046, ENE
C33	CON EDISON - CLEVELA	2950 ATLANTIC AVE	RCRA-LQG, FINDS, ECHO, E MANIFEST, NY MANIFEST	Lower	244, 0.046, ENE
C34	ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	NY UST	Lower	244, 0.046, ENE
C35	ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	UST FINDER	Lower	244, 0.046, ENE
B36	LOT 13,TAXBLOCK 3966	ATLANTIC AVENUE	NY E DESIGNATION	Higher	245, 0.046, West
C37	CLEVELAND ST YARD	CLEVELAND ST	NY Spills	Lower	253, 0.048, ENE
B38	LOT 12,TAXBLOCK 3966	2890 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	271, 0.051, WSW
D39	ST MICHAEL ROMAN CAT	219-237 JEROME STREE	NY UST	Higher	274, 0.052, SW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
D40	ST MICHAEL ROMAN CAT	219-237 JEROME STREE	NY AST	Higher	274, 0.052, SW
D41	ST MICHAEL ROMAN CAT	219-237 JEROME STREE	UST FINDER	Higher	274, 0.052, SW
D42	ST. MICHAELS RCC	225 JEROME STREET	NY AST	Higher	297, 0.056, SW
E43	CON EDISON	186 ASHFORD ST	NY MANIFEST	Lower	318, 0.060, North
C44	ATLANTIC AVE SERVICE	ALANTIC AVE/CLEVELAN	NY Spills	Lower	321, 0.061, NE
C45	MANHOLE #1874	ATLANTIC/CLEVELAND	NY Spills	Lower	330, 0.062, ENE
C46	ROADSIDE	CLEVELAND ST BET ATL	NY Spills	Lower	341, 0.065, ESE
C47	LOT 45,TAXBLOCK 3953	2941 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	349, 0.066, NE
C48	VESTPRO	2941 ATLANTIC AVENUE	NY AST	Lower	349, 0.066, NE
D49	ST. MICHAEL SCHOOL	237 JEROME STREET	UST FINDER	Higher	361, 0.068, SSW
D50	ST. MICHAEL SCHOOL	237 JEROME STREET	NY UST	Higher	361, 0.068, SSW
B51	MERIT GASOLINE STATI	2880 ATLANTIC AVE AV	EDR Hist Auto	Higher	375, 0.071, WSW
B52	HESS#32518	2880 ATLANTIC AVENUE	RCRA-VSQG, NY LTANKS, NY UST, NY Spills, US AIRS,...	Higher	375, 0.071, WSW
B53	SPEEDWAY # 7823	2880 ATLANTIC AVENUE	UST FINDER	Higher	375, 0.071, WSW
D54	I/F/O	222 JEROME ST	NY Spills	Higher	388, 0.073, WSW
E55	JAGARNATH HOME	176 ASHFORD STREET	NY Spills, NY NYC LAND USE	Lower	392, 0.074, North
C56	COMMERICAL BUILDING	2958 ATLANTIC AVE	NY Spills	Lower	395, 0.075, ENE
C57	2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	NY AST	Lower	395, 0.075, ENE
C58	2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	UST FINDER	Lower	395, 0.075, ENE
C59	2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	NY UST	Lower	395, 0.075, ENE
F60	MANHOLE #5294	LIBERTY AVE/WARWICK	NY Spills	Higher	406, 0.077, South
F61	NYNEX	ASHFORD ST & LIBERTY	NY MANIFEST	Lower	410, 0.078, SSE
F62	NYNEX	ASHFORD ST & LIBERTY	NY MANIFEST	Lower	410, 0.078, SSE
F63	CON EDISON MANHOLE 4	ASHFORD ST & LIBERTY	RCRA NonGen / NLR, NY MANIFEST	Lower	410, 0.078, SSE
D64	LOT 11,TAXBLOCK 3965	2864 ATLANTIC AVENUE	NY BROWNFIELDS, NY E DESIGNATION, NY NYC LAND USE	Higher	431, 0.082, WSW
D65	2864 ATLANTIC REALTY	2864 ATLANTIC AVE	RCRA NonGen / NLR, E MANIFEST	Higher	431, 0.082, WSW
C66	LOT 45,TAXBLOCK 3954	2961 ATLANTIC AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	438, 0.083, NE
B67	CONSOLIDATED EDISON	F/O2873 ATLANTIC AVE	E MANIFEST	Higher	452, 0.086, West
B68	CON EDISON/ ATTN: QU	2873 ATLANTIC AVE	E MANIFEST	Higher	452, 0.086, West
F69	CON EDISON - QUEENS	646 LIBERTY AVE	E MANIFEST	Higher	465, 0.088, SSE
F70	LOT 15,TAXBLOCK 3983	646 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	465, 0.088, SSE
F71	LOT 13,TAXBLOCK 3983	640 LIBERTY AVENUE	NY E DESIGNATION	Higher	466, 0.088, SSE
F72	LOT 17,TAXBLOCK 3982	626 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	483, 0.091, South
F73	LOT 18,TAXBLOCK 3982	630 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	490, 0.093, South
D74	CON EDISON - BROOKLY	OPP 259 BARBEY ST	E MANIFEST	Higher	496, 0.094, WSW
D75	LOT 7,TAXBLOCK 3965	267 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	503, 0.095, WSW
F76	MANHOLE # 5293	LIBERTY AVE/JEROME S	NY Spills	Higher	507, 0.096, SSW
C77	CON EDISON - COMPANY	2972 ATLANTIC AVE	E MANIFEST	Lower	509, 0.096, ENE
D78	LOT 6,TAXBLOCK 3965	269 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	510, 0.097, WSW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
G79	LOT 32,TAXBLOCK 3965	599 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	517, 0.098, SW
D80	LOT 4,TAXBLOCK 3965	273 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	526, 0.100, SW
F81	LOT 13,TAXBLOCK 3982	614 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	530, 0.100, SSW
H82	LOT 55,TAXBLOCK 3954	281 CLEVELAND STREET	NY E DESIGNATION, NY NYC LAND USE	Lower	532, 0.101, NE
D83	LOT 3,TAXBLOCK 3965	277 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	535, 0.101, SW
H84	2969 ATLANTIC AVE	2969 ATLANTIC AVENUE	NY UST	Lower	536, 0.102, NE
H85	RIVEIRA MOTEL	2969 ATLANTIC AVENUE	NY LTANKS	Lower	536, 0.102, NE
H86	2969 ATLANTIC AVE	2969 ATLANTIC AVENUE	UST FINDER	Lower	536, 0.102, NE
G87	LOT 33,TAXBLOCK 3965	597 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	537, 0.102, SW
F88	LOT 11,TAXBLOCK 3982	608 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	546, 0.103, SSW
I89	LOT 15,TAXBLOCK 3984	670 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	556, 0.105, SE
I90	JL AUTO REPAIR	670 LIBERTY AVE	EDR Hist Auto	Lower	556, 0.105, SE
I91	670 LIBERTY AVE REPA	670 LIBERTY AVENUE	NY AST	Lower	556, 0.105, SE
J92	CON EDISON	218 WARWICK STR	E MANIFEST	Lower	562, 0.106, NNW
F93	282 ASHFORD ST.	282 ASHFORD ST	NY Spills	Higher	570, 0.108, SSE
H94	CON EDISON - COMPANY	2976 ATLANTIC AVE	E MANIFEST	Lower	572, 0.108, ENE
F95	DRUM IN BACKYARD	338 WARWICK ST	NY Spills, NY LEAD, NY NYC LAND USE	Higher	582, 0.110, South
G96	LOT 1,TAXBLOCK 3965	583 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Higher	589, 0.112, SW
I97	CONSOLIDATED EDISON	374 CLEVELAND ST	E MANIFEST	Lower	604, 0.114, SE
K98	LOT 23,TAXBLOCK 3964	BARBEY STREET	NY E DESIGNATION	Higher	613, 0.116, WSW
J99	CON EDISON SERVICE B	2896 FULTON ST	RCRA NonGen / NLR, E MANIFEST	Higher	625, 0.118, NNW
J100	CON EDISON	2896 FULTON ST	NY MANIFEST	Higher	625, 0.118, NNW
I101	CON ED COMPANY OF NY	680 LIBERTY AVE	E MANIFEST	Lower	626, 0.119, SE
J102	CON EDISON/QUEENS EN	2922 FULTON ST.	E MANIFEST	Lower	636, 0.120, North
I103	LOT 15,TAXBLOCK 3985	682 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	643, 0.122, SE
K104	LOT 24,TAXBLOCK 3964	274 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	649, 0.123, WSW
G105	LOT 25,TAXBLOCK 3964	276 BARBEY STREET	NY E DESIGNATION, NY NYC LAND USE	Higher	656, 0.124, WSW
H106	CON EDISON	ATLANTIC AVE & ELTON	RCRA NonGen / NLR, FINDS, ECHO	Lower	658, 0.125, ENE
I107	LOT 16,TAXBLOCK 3985	684 LIBERTY AVENUE	NY E DESIGNATION, NY NYC LAND USE	Lower	660, 0.125, SE
L108	CON EDISON/QUEENS EN	2932 FULTON ST.	E MANIFEST	Lower	679, 0.129, North
K109	2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	NY AST	Higher	684, 0.130, WSW
K110	2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	NY UST	Higher	684, 0.130, WSW
K111	2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	UST FINDER	Higher	684, 0.130, WSW
K112	EMPIRE STATE DAIRY L	2840 ATLANTIC AVE	RCRA NonGen / NLR, E MANIFEST	Higher	684, 0.130, WSW
K113	CON EDISON - MANHOLE	2840 ATLANTIC AVE	NY Spills, NY MANIFEST	Higher	684, 0.130, WSW
K114	2840 ATLANTIC AVENUE	2840 ATLANTIC AVENUE	NY ENG CONTROLS, NY INST CONTROL, NY BROWNFIELDS	Higher	684, 0.130, WSW
G115	DEVELOPMENT PROPERTY	584-600 LIBERTY AVEN	NY UST	Higher	693, 0.131, SW
G116	DEVELOPMENT PROPERTY	584-600 LIBERTY AVEN	UST FINDER	Higher	693, 0.131, SW
M117	CON EDISON/ ATTN: BR	2874 FULTON STREET	E MANIFEST	Higher	713, 0.135, NW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
L118		2942 FULTON STREET	NY LTANKS, NY NYC LAND USE	Lower	713, 0.135, North
M119	CON EDISON	2870 FULTON ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	724, 0.137, NW
M120	CON EDISON	2870 FULTON ST	NJ MANIFEST	Higher	724, 0.137, NW
M121	CON EDISON	2870 FULTON ST	NY MANIFEST	Higher	724, 0.137, NW
G122	CONSOLIDATED EDISON	571 LIBERTY AVE	E MANIFEST	Higher	736, 0.139, SW
M123	208 BARBEY ST	208 BARBEY ST	NY LTANKS	Higher	738, 0.140, WNW
L124	CLEVELAND M CLEANERS	2948 FULTON ST	RCRA NonGen / NLR, ICIS, US AIRS, FINDS, ECHO, NY...	Lower	742, 0.141, North
M125	2862 FULTON STREET	2862 FULTON STREET	NY NYC OER	Higher	743, 0.141, NW
N126	CON EDISON - BROOKLY	282 JEROME ST	E MANIFEST	Higher	766, 0.145, SSW
N127	CONSOLIDATED EDISON	282 JEROME ST	E MANIFEST	Higher	766, 0.145, SSW
O128	I.S. 302 - BROOKLYN	350 LINWOOD STREET	NY AST	Lower	784, 0.148, East
O129	IS 302K	350 LINWOOD STREET	RCRA-LQG, E MANIFEST, NY MANIFEST	Lower	784, 0.148, East
M130	CON EDISON	2869 FULTON ST	NY MANIFEST	Higher	801, 0.152, NW
P131	CON EDISON	FRONT OF 681 GLENMOR	NY MANIFEST	Higher	821, 0.155, SSE
N132	KINGS RIDERS MOTOR S	635 GLENMORE AVENUE	NY AST	Higher	846, 0.160, South
Q133	315 LINWOOD STREET	315 LINWOOD	NY VCP, NY NYC OER	Lower	853, 0.162, ENE
Q134	B&B URBAN LLC - 315	315 LINWOOD STREET	RCRA-LQG, E MANIFEST	Lower	853, 0.162, ENE
Q135	B&B URBAN LLC - 315	315 LINWOOD STREET	NY MANIFEST	Lower	853, 0.162, ENE
R136	MTA NYCT - CLEVELAND	CLEVELAND & FULTON S	RCRA-SQG, NY MANIFEST	Lower	874, 0.166, NNE
O137	CON EDISON	LINWOOD ST & LIBERTY	NY MANIFEST	Lower	884, 0.167, ESE
O138	CON EDISON	LIBERTY AVE & LINWOO	RCRA NonGen / NLR	Lower	884, 0.167, ESE
O139	CON EDISON	LIBERTY AVE & LINWOO	NJ MANIFEST	Lower	884, 0.167, ESE
O140	CON EDISON	LINWOOD ST & LIBERTY	RCRA NonGen / NLR	Lower	884, 0.167, ESE
S141	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENK	RCRA NonGen / NLR	Higher	909, 0.172, SW
S142	CON EDISON	LIBERTY AVE & SCHENC	NY MANIFEST	Higher	909, 0.172, SW
S143	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENC	RCRA NonGen / NLR	Higher	909, 0.172, SW
S144	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENC	RCRA NonGen / NLR	Higher	909, 0.172, SW
S145	CON EDISON MANHOLE 0	LIBERTY AVE & SCHENC	RCRA NonGen / NLR, NY MANIFEST	Higher	909, 0.172, SW
S146	CON EDISON MANHOLE 5	LIBERTY AVE & SCHENC	RCRA NonGen / NLR	Higher	909, 0.172, SW
M147		2849 FULTON STREET	NY LTANKS, NY NYC LAND USE	Higher	909, 0.172, NW
N148	CON ED - MH 67372	GLENMORE & JEROME AV	RCRA NonGen / NLR, NY MANIFEST	Higher	914, 0.173, South
S149	CONSOLIDATED EDISON	210 SCHENCK AVE	E MANIFEST	Higher	915, 0.173, WSW
T150	P.S. 290 - BROOKLYN	135 SCHENCK AVENUE	NY AST	Higher	927, 0.176, WNW
T151	PS 290 (SCHOOL)	135 SCHENCK AVE	NY LTANKS, NY LEAD	Higher	927, 0.176, WNW
T152	NYC DEPT OF EDUCATIO	135 SCHENCK AVE	RCRA-SQG	Higher	927, 0.176, WNW
R153	CON EDISON/ ATTN: BR	2974 FULTON ST	E MANIFEST	Higher	929, 0.176, NNE
U154	2827 ATLANTIC AVENUE	2827 ATLANTIC AVENUE	US BROWNFIELDS, FINDS	Higher	931, 0.176, West
155	CON EDISON - BROOKLY	628 GLENMORE AVE	E MANIFEST	Higher	946, 0.179, South
T156	CONSOLIDATED EDISON	OPP 2843 FULTON ST	E MANIFEST	Higher	948, 0.180, WNW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
M157	CON EDISON - BARBEY	163 BARBEY STREET	PA MANIFEST	Higher	948, 0.180, NW
M158	CON EDISON SERVICE B	163 BARBEY ST	RCRA NonGen / NLR, FINDS	Higher	948, 0.180, NW
M159	CON EDISON	163 BARBEY ST	NY MANIFEST	Higher	948, 0.180, NW
V160	CON EDISON SERVICE B	112 JEROME ST FRONT	RCRA NonGen / NLR, FINDS	Higher	949, 0.180, NW
V161	CON EDISON	112 JEROME ST FRONT	NY MANIFEST	Higher	949, 0.180, NW
W162	398 LINWOOD ST	398 LINWOOD ST	NY LTANKS	Lower	950, 0.180, ESE
W163	CON EDISON	720 LIBERTY AVE	E MANIFEST	Lower	954, 0.181, ESE
O164	CON EDISON/ ATTN: QU	729 LIBERTY AVE	E MANIFEST	Lower	960, 0.182, ESE
O165	CON EDISON	729 LIBERTY AVE	E MANIFEST	Lower	960, 0.182, ESE
T166	CORNER OF W. 1ST ST	AND SCHENCK ST	NY LTANKS	Higher	985, 0.187, WNW
U167	ATLANTIC & HENDRIX	2820 ATLANTIC AVENUE	NY UST	Higher	993, 0.188, WSW
U168	ATLANTIC & HENDRIX	2820 ATLANTIC AVENUE	UST FINDER	Higher	993, 0.188, WSW
U169	GASETERIA	2820 ATLANTIC AVENUE	UST FINDER RELEASE	Higher	993, 0.188, WSW
U170	SPILL NUMBER 9312952	2820 ATLANTIC AVENUE	UST FINDER RELEASE	Higher	993, 0.188, WSW
U171	GASETERIA	2820 ATLANTIC AVENUE	NY LTANKS	Higher	993, 0.188, WSW
R172	MTA-NYCTA FULTON ST	2963-2965 FULTON ST	RCRA NonGen / NLR, NJ MANIFEST, NY MANIFEST	Higher	998, 0.189, NNE
U173	CON EDISON/ ATTN: QU	2817 ATLANTIC AVE	E MANIFEST	Higher	1004, 0.190, West
U174	2817 ATLANTIC AVENUE	2817 ATLANTIC AVENUE	US BROWNFIELDS, FINDS	Higher	1004, 0.190, West
U175	KINGS HENDRIX C-STOR	2816 ATLANTIC AVENUE	UST FINDER	Higher	1017, 0.193, WSW
U176	KINGS HENDRIX C-STOR	2816 ATLANTIC AVENUE	NY UST, NY AST	Higher	1017, 0.193, WSW
U177	CON EDISON - BROOKLY	2815 ATLANTIC AVE	E MANIFEST	Higher	1023, 0.194, West
U178	2815 ATLANTIC HOLDIN	2815 ATLANTIC AVENUE	NY UST	Higher	1023, 0.194, West
X179	CON EDISON	737 LIBERTY AVE	E MANIFEST	Lower	1033, 0.196, East
W180	CON EDISON	728 LIBERTY AVE FRON	NY MANIFEST	Lower	1037, 0.196, ESE
W181	CON EDISON	728 LIBERTY AVE FRON	RCRA NonGen / NLR, FINDS	Lower	1037, 0.196, ESE
S182	CONSOLIDATED EDISON	548 LIBERTY AVE	E MANIFEST	Higher	1050, 0.199, SW
S183	CON EDISON	263 HENDRIX ST	NY MANIFEST	Higher	1058, 0.200, WSW
S184	CON EDISON	263 HENDRIX ST	NJ MANIFEST	Higher	1058, 0.200, WSW
S185	CON EDISON	263 HENDRIX ST	RCRA NonGen / NLR	Higher	1058, 0.200, WSW
U186	207 HENDRIX ST./ST.	207 HENDRIX ST.	NY LTANKS	Higher	1059, 0.201, West
P187	CON EDISON	422 CLEVELAND ST	NY MANIFEST	Lower	1063, 0.201, SSE
P188	CON EDISON SERVICE B	422 CLEVELAND ST FRO	RCRA NonGen / NLR	Lower	1063, 0.201, SSE
U189	CON EDISON	ATLANTIC AVE & HENDR	RCRA NonGen / NLR, FINDS, ECHO	Higher	1064, 0.202, West
U190	CON EDISON	236 HENDRIX AVE	NY MANIFEST	Higher	1087, 0.206, WSW
Y191	CON EDISON - QUEENS	216 ARLINGTON AVE	E MANIFEST	Lower	1090, 0.206, North
U192	CLOSED-LACKOF RECENT	220 HENDRICKS STREET	NY LTANKS	Higher	1094, 0.207, West
Z193	CON EDISON SERVICE B	192 ARLINGTON AVE FR	RCRA NonGen / NLR, FINDS	Higher	1100, 0.208, NNW
Z194	CON EDISON	192 ARLINGTON AVE FR	NY MANIFEST	Higher	1100, 0.208, NNW
AA195	CON EDISON SERVICE B	3027 ATLANTIC AVE	RCRA NonGen / NLR, NY MANIFEST	Lower	1101, 0.209, ENE

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Y196	CON EDISON - QUEENS	196 ARLINGTON AVE	E MANIFEST	Higher	1102, 0.209, NNW
X197	CON EDISON	LIBERTY AVE & ESSEX	RCRA NonGen / NLR	Lower	1114, 0.211, ESE
X198	CON EDISON	LIBERTY AVE & ESSEX	NY MANIFEST	Lower	1114, 0.211, ESE
X199	CON EDISON	LIBERTY AVE & ESSEX	RCRA NonGen / NLR, NY MANIFEST	Lower	1114, 0.211, ESE
Z200	180 ARLINGTON AVENUE	180 ARLINGTON AVENUE	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	1123, 0.213, NNW
Z201	CON EDISON SERVICE B	180 ARLINGTON AVE	RCRA NonGen / NLR, NY MANIFEST	Higher	1123, 0.213, NNW
Z202	CON EDISON	180 ARLINGTON AVE FR	NY MANIFEST	Higher	1123, 0.213, NNW
Z203	CON EDISON/ ATTN: QU	180 ARLINGTON AVE	E MANIFEST	Higher	1123, 0.213, NNW
Z204	CON EDISON SERVICE B	180 ARLINGTON AVE FR	RCRA NonGen / NLR	Higher	1123, 0.213, NNW
X205	CON EDISON	320 ESSEX ST	NJ MANIFEST	Lower	1124, 0.213, ESE
X206	CON ED	320 ESSEX ST	NY MANIFEST	Lower	1124, 0.213, ESE
X207	CON EDISON	320 ESSEX ST	RCRA NonGen / NLR, FINDS, ECHO	Lower	1124, 0.213, ESE
X208	J. BORAH CO.	291 ESSEX STREET	NY AST	Lower	1127, 0.213, East
T209	CON EDISON - COMPANY	2823 FULTON ST	E MANIFEST	Higher	1128, 0.214, WNW
U210	ST MALACHY'S SCHOOL	220 HENDRIX ST	NY UST	Higher	1131, 0.214, West
U211	ST MALACHY'S SCHOOL	220 HENDRIX ST	UST FINDER	Higher	1131, 0.214, West
T212	CON EDISON	2814 FULTON ST	NJ MANIFEST	Higher	1139, 0.216, WNW
T213	NAYA SUPER DRY CLEAN	2814 FULTON ST	NY DRYCLEANERS, NY MANIFEST	Higher	1139, 0.216, WNW
T214	CON ED	2814 FULTON ST	NY MANIFEST	Higher	1139, 0.216, WNW
T215	CON EDISON	2814 FULTON ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1139, 0.216, WNW
W216	CON EDISON	330 ESSEX ST	NY MANIFEST	Lower	1140, 0.216, ESE
T217	CON ED	2821 FULTON ST	NY MANIFEST	Higher	1144, 0.217, WNW
T218	CON EDISON	2821 FULTON ST	RCRA NonGen / NLR	Higher	1144, 0.217, WNW
T219	CON EDISON	2821 FULTON ST	NJ MANIFEST	Higher	1144, 0.217, WNW
AB220	CON EDISON SERVICE B	2983 FULTON ST	RCRA NonGen / NLR, NY MANIFEST	Higher	1147, 0.217, NNE
S221	GREATER REFUGE MINIS	291 HENDRIX STREET	NY AST	Higher	1159, 0.220, SW
222	CON EDISON	734 GLENMORE AVE	NY MANIFEST	Lower	1162, 0.220, SE
V223	CON EDISON	164 ARLINGTON AVE	RCRA NonGen / NLR, FINDS, ECHO	Higher	1166, 0.221, NNW
V224	CON EDISON	164 ARLINGTON AVE	NJ MANIFEST	Higher	1166, 0.221, NNW
225	249 LINWOOD ST/BKLYN	249 LINWOOD STREET	NY LTANKS	Higher	1171, 0.222, NE
Y226	CONSOLIDATED EDISON	ARLINGTON AVE & ASHF	E MANIFEST	Higher	1173, 0.222, North
AB227	CONSOLIDATED EDISON	134 ELTON ST	E MANIFEST	Higher	1175, 0.223, NNE
228	ARLGINTON ESTATES LL	248 ARLINGTON AVE	NY AST	Higher	1181, 0.224, NNE
V229	CON EDISON	160 ARLINGTON AVE	NJ MANIFEST	Higher	1182, 0.224, NNW
V230	CON EDISON - ARLINGT	160 ARLINGTON AVE	PA MANIFEST	Higher	1182, 0.224, NNW
V231	CON ED	160 ARLINGTON AVE	NY MANIFEST	Higher	1182, 0.224, NNW
V232	CON EDISON	160 ARLINGTON AVE	RCRA NonGen / NLR	Higher	1182, 0.224, NNW
AC233	CON EDISON - MH 6736	GLENMORE AND SCHNECK	RCRA NonGen / NLR, NY MANIFEST	Higher	1185, 0.224, SSW
AC234	CON EDISON MANHOLE:	GLENMORE AVE & SCHEN	RCRA NonGen / NLR, NY MANIFEST	Higher	1185, 0.224, SSW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AD235		140 BARBEY STREET	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	1196, 0.227, NW
Z236	187 ARLINGTON AVE/BK	187 ARLINGTON AVENUE	NY LTANKS	Higher	1204, 0.228, NNW
AE237	CON EDISON - BROOKLY	332 JEROME ST	E MANIFEST	Lower	1209, 0.229, South
Y238	ARLINGTON BRANCH	203 ARLINGTON AVE	NY AST	Higher	1214, 0.230, North
AF239	168 HENDRIX ST	168 HENDRIX STREET	NY AST	Higher	1215, 0.230, WNW
AF240	HPD	168 HENDRIX ST	NY LTANKS	Higher	1215, 0.230, WNW
X241	CON EDISON - COMPANY	750 LIBERTY AVE	E MANIFEST	Lower	1231, 0.233, ESE
242	LOT 30,TAXBLOCK 3998	2337 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC OER	Lower	1248, 0.236, South
Y243	CON EDISON	231 ARLINGTON AVE	NY MANIFEST	Higher	1263, 0.239, North
Y244	CON EDISON	231 ARLINGTON AVE	RCRA NonGen / NLR	Higher	1263, 0.239, North
Y245	CON EDISON	231 ARLINGTON AVE	NJ MANIFEST	Higher	1263, 0.239, North
AD246	CON EDISON SERVICE B	153 ARLINTON	RCRA NonGen / NLR, FINDS	Higher	1264, 0.239, NNW
AA247	LOT 53,TAXBLOCK 3957	3051 ATLANTIC AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1268, 0.240, ENE
AE248	CON EDISON	23-35 PITKIN AVE MH5	NY MANIFEST	Lower	1270, 0.241, South
AG249	CON EDISON	OPP 761 GLENMORE AVE	NY MANIFEST	Lower	1270, 0.241, ESE
AD250	CON EDISON SERVICE B	140 ARLINGTON AVE FR	RCRA NonGen / NLR, NY MANIFEST	Higher	1272, 0.241, NW
AD251	CON EDISON SERVICE B	140 ARLINGTON AVE FR	RCRA NonGen / NLR, NY MANIFEST	Higher	1272, 0.241, NW
AH252	CON EDISON/ ATTN: QU	2377 PITKIN AVE	E MANIFEST	Lower	1278, 0.242, SSE
AI253	ST RITAS YOUTH CENTE	260 SHEPHERD AVENUE	UST FINDER	Lower	1282, 0.243, ENE
AI254	ST RITAS YOUTH CENTE	260 SHEPHERD AVENUE	NY UST	Lower	1282, 0.243, ENE
AI255	ST RITA'S SCHOOL	260 SHEPHERD AVENUE	UST FINDER	Lower	1282, 0.243, ENE
AJ256	185 VAN SICLEN AVE./	185 VAN SICLEN AVE	NY LTANKS	Higher	1298, 0.246, WSW
AE257	CON EDISON	F/O 2325 PITKIN AV	NY MANIFEST	Lower	1306, 0.247, South
AK258	ST RITA'S R.C.CHURCH	275 SHEPHERD AVENUE	UST FINDER	Lower	1317, 0.249, East
AK259	ST RITA'S R.C. CHURC	275 SHEPHERD AVENUE	NY UST	Lower	1317, 0.249, East
AJ260	203-207 VAN SICLEN A	203-207 VAN SICLEN A	NY BROWNFIELDS	Higher	1341, 0.254, WSW
AF261	LOT 55,TAXBLOCK 3933	2795 FULTON STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	1384, 0.262, WNW
AG262	FORMER GARONE BROS A	352-362 SHEPHERD AVE	NY BROWNFIELDS	Lower	1413, 0.268, ESE
AG263	777 GLENMORE AVENUE	777 GLENMORE AVENUE	NY VCP, NY NYC OER	Lower	1451, 0.275, ESE
AH264	LOT 19,TAXBLOCK 4017	2400 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC OER	Lower	1454, 0.275, SSE
AK265	CARBUSTERS AUTO RECY	60 BERRIMAN STREET	NY SWF/LF, NY Spills	Lower	1495, 0.283, East
266	LOT 18,TAXBLOCK 3946	2776 FULTON STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	1514, 0.287, West
267	LOT 1,TAXBLOCK 3989	355 SHEPHERD AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1541, 0.292, ESE
268	2437 PITKIN AVENUE	2437 PITKIN AVENUE	NY VCP, NY NYC OER	Lower	1550, 0.294, SE
269	790 LIBERTY AVE	790 LIBERTY AVE	NY NYC OER	Lower	1568, 0.297, East
270	385 ESSEX STREET	385 ESSEX STREET	NY LTANKS, NY NYC LAND USE	Lower	1571, 0.298, SE
AL271	31 BERRIMAN ST.- TTF	31 BERRIMAN ST	NY LTANKS	Higher	1575, 0.298, ENE
AK272	3100 ATLANTIC LLC	55 BERRIMAN STREET	NY LTANKS, NY UST	Lower	1578, 0.299, East
AM273	CLASS A CARS	477 LIBERTY AVE	NY SWF/LF	Higher	1685, 0.319, WSW

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
AL274	TANK TEST FAILURES T	3100 ATLANTIC AVENUE	NY LTANKS, NY NYC LAND USE	Higher	1685, 0.319, East
275	CON EDISON - SERVICE	3104 ATLANTIC AVE	NY LTANKS, NY MANIFEST	Higher	1714, 0.325, ENE
276	70 ELCON ST/BKLYN	70 ELCON STREET	NY LTANKS	Higher	1720, 0.326, North
277	81 ARLINGTON AVE	81 ARLINGTON AVE	NY LTANKS	Higher	1733, 0.328, NW
AM278	RESI: COHEN	155 BRADFORD ST	NY LTANKS, NY Spills	Higher	1774, 0.336, WSW
AM279		165 BRADFORD STREET	NY LTANKS, NY AST, NY Spills, NY NYC LAND USE	Higher	1783, 0.338, WSW
AN280	62 ATKINS AVE - TTF	62 ATKINS AVE	NY LTANKS	Higher	1803, 0.341, East
281	SERVICE BOX 21287	280 JAMAICA AVENUE	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	1817, 0.344, NW
AM282	ENGINE CO. 332/LADD.	165 BRADFORD STREET	NY LTANKS	Higher	1831, 0.347, WSW
AO283	35 ATKINS AVE - TTF	35 ATKINS AVE	NY LTANKS	Higher	1836, 0.348, ENE
AN284	61 ATKINS AVENUE	61 ATKINS AVENUE	NY LTANKS, NY UST	Higher	1845, 0.349, East
285	LOT 15,TAXBLOCK 3690	2738 ATLANTIC AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	1874, 0.355, WSW
AP286	PITKIN BERRIMAN SITE	2501 PITKIN AVENUE	US BROWNFIELDS	Lower	1922, 0.364, ESE
AP287	LOT 28,TAXBLOCK 4005	2501 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1922, 0.364, ESE
288	LOT 13,TAXBLOCK 4006	820 GLENMORE AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	1933, 0.366, ESE
289	CON EDISON	418 JAMAICA AVE	NY LTANKS, NY Spills, NY MANIFEST, NY NYC LAND USE	Higher	1999, 0.379, North
AN290	64 MONTAUK AVENUE	64 MONTAUK AVENUE	NY LTANKS, NY UST	Higher	2060, 0.390, East
AO291	TTF	36 MONTAUK AVE	NY LTANKS	Higher	2061, 0.390, ENE
AQ292		2718 FULTON STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	2101, 0.398, West
293	240 SUNNYSIDE AVENUE	240 SUNNYSIDE AVENUE	NY LTANKS, NY NYC LAND USE	Higher	2137, 0.405, NNW
294		110 WYONA STREET	NY LTANKS, NY Spills, NY LEAD, NY NYC LAND USE	Higher	2164, 0.410, West
295	FIORENTINO PLAZA -NY	2181 PITKIN AVE	NY LTANKS	Higher	2238, 0.424, SW
296	SOLCO PLUMBING SUPPL	413 LIBERTY AVENUE	NY SWF/LF, NY NYC LAND USE	Higher	2243, 0.425, WSW
297	2700 ATLANTIC AVENUE	2700 ATLANTIC AVENUE	NY VCP, NY NYC OER	Higher	2260, 0.428, WSW
AQ298	2701-2715 FULTON STR	2701-2715 FULTON STR	NY VCP, NY NYC OER	Higher	2308, 0.437, West
AR299	25 MILFORD STREET	25 MILFORD STREET	NY VCP, NY NYC OER	Higher	2392, 0.453, ENE
AR300	LOT 25,TAXBLOCK 4153	29 MILFORD STREET	NY E DESIGNATION, NY NYC OER, NY NYC LAND USE	Higher	2406, 0.456, ENE
AR301	LOT 28,TAXBLOCK 4153	23 MILFORD STREET	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	2410, 0.456, ENE
302	SPILL NUMBER 9712720	258 HIGHLAND BLVD	NY LTANKS, NY Spills	Higher	2426, 0.459, NW
AR303	3294 ATLANTIC AVENUE	3192 ATLANTIC AVENUE	NY VCP, NY NYC OER	Higher	2444, 0.463, ENE
304	PRIVATE RESIDENCE	229 NORWOOD AVE	NY LTANKS	Higher	2462, 0.466, ENE
305		63 SUNNYSIDE AVENUE	NY LTANKS, NY Spills, NY NYC LAND USE	Higher	2467, 0.467, WNW
306	PRIVATE RESIDENCE	172 MILLFORD ST	NY LTANKS	Lower	2504, 0.474, ESE
307	508 JAMAICA AVENUE	508 JAMAICA AVE	NY LTANKS	Higher	2515, 0.476, NNE
308	ANNA CORP REALITY	78 HIGHLAND PLACE	NY LTANKS, NY Spills, NY LEAD, NY NYC LAND USE	Higher	2546, 0.482, NNE
309	157 NEW JERSEY AVENU	157 NEW JERSEY AVENU	NY VCP, NY NYC OER	Higher	2558, 0.484, West
310	2667 FULTON STREET	2667 FULTON STREET	NY VCP, NY NYC OER	Higher	2602, 0.493, West
311	3200 ATLANTIC AVENUE	3200 ATLANTIC AVENUE	NY BROWNFIELDS, NY Spills, NY NYC OER	Higher	2713, 0.514, ENE
312	LOT 13,TAXBLOCK 4228	2602 PITKIN AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	3007, 0.570, ESE

MAPPED SITES SUMMARY

Target Property Address:
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
313	LOT 35,TAXBLOCK 3703	184 PENNSYLVANIA AVE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Higher	3062, 0.580, WSW
314	EXXON DIV OF CFI #70	225 PENNSYLVANIA AVE	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST, NY...	Higher	3072, 0.582, SW
315	50 PENN LLC	2618 FULTON ST	NY VCP, NY Spills, NY MANIFEST, NY NYC OER	Higher	3126, 0.592, West
316	1199 SUTTER AVENUE	1199 SUTTER AVENUE	NY SHWS, NY BROWNFIELDS, NY Spills, NY NYC LAND...	Lower	3923, 0.743, ESE
317	447 EUCLID AVENUE	447 EUCLID AVENUE	NY VCP, NY NYC OER	Lower	3969, 0.752, East
AS318	LOT 3,TAXBLOCK 4092	876 LIVONIA AVENUE	NY VCP, NY E DESIGNATION, NY NYC LAND USE, NY NYC...	Lower	4044, 0.766, South
AS319	691-715 NEW LOTS AVE	691-715 NEW LOTS AVE	NY NYC OER	Lower	4107, 0.778, South
320	BELMONT STATION	BELMONT, WILLIAMS, A	EDR MGP	Higher	4325, 0.819, SW
321	2440 FULTON STREET	2440 FULTON STREET	NY VCP, NY NYC OER	Higher	4441, 0.841, West
322	673 LIVONIA AVENUE	673 LIVONIA AVENUE	NY SHWS, NY NYC LAND USE	Lower	4524, 0.857, SSW
323	81-111 JUNIUS STREET	81 JUNIUS STREET	NY VCP, NY NYC OER	Higher	4966, 0.941, WSW
AT324	LOT 46,TAXBLOCK 1437	2435 PACIFIC STREET	NY BROWNFIELDS, NY E DESIGNATION, NY NYC LAND USE	Higher	5156, 0.977, West
AT325	2396 ATLANTIC AVENUE	2396 ATLANTIC AVENUE	NY NYC OER	Higher	5255, 0.995, West

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 9 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
LOT 15,TAXBLOCK 3967 2916 ATLANTIC AVENUE BROOKLYN, NY 11207	NY E DESIGNATION NY NYC LAND USE	N/A

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal RCRA generators

RCRA-LQG: A review of the RCRA-LQG list, as provided by EDR, and dated 02/17/2025 has revealed that there are 3 RCRA-LQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - CLEVELA EPA ID:: NYD982272841	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C33***	***15***
IS 302K EPA ID:: NYR000176511	***350 LINWOOD STREET***	***E 1/8 - 1/4 (0.148 mi.)***	***O129***	***35***
B&B URBAN LLC - 315 EPA ID:: NYR000237008	***315 LINWOOD STREET***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q134***	***36***

RCRA-SQG: A review of the RCRA-SQG list, as provided by EDR, and dated 02/17/2025 has revealed that there are 2 RCRA-SQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NYC DEPT OF EDUCATIO EPA ID:: NYR000214064	135 SCHENCK AVE	WNW 1/8 - 1/4 (0.176 mi.)	T152	40

Lower Elevation	Address	Direction / Distance	Map ID	Page
MTA NYCT - CLEVELAND	***CLEVELAND & FULTON S***	***NNE 1/8 - 1/4 (0.166 mi.)***	***R136***	***37***

EXECUTIVE SUMMARY

EPA ID:: NYR000130930

RCRA-VSQG: A review of the RCRA-VSQG list, as provided by EDR, and dated 02/17/2025 has revealed that there is 1 RCRA-VSQG site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518 EPA ID:: NYD982185670	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***19***

Lists of state- and tribal hazardous waste facilities

NY SHWS: A review of the NY SHWS list, as provided by EDR, and dated 11/04/2024 has revealed that there are 3 NY SHWS sites within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
K - UNION STATION HO Site Code: 378991	***ATLANTIC AVE, ASHFOR***	***E 0 - 1/8 (0.037 mi.)***	***A20***	***12***
1199 SUTTER AVENUE Site Code: 434283	***1199 SUTTER AVENUE***	***ESE 1/2 - 1 (0.743 mi.)***	***316***	***76***
673 LIVONIA AVENUE Site Code: 631213	***673 LIVONIA AVENUE***	***SSW 1/2 - 1 (0.857 mi.)***	***322***	***77***

Lists of state and tribal landfills and solid waste disposal facilities

NY SWF/LF: A review of the NY SWF/LF list, as provided by EDR, and dated 12/11/2024 has revealed that there are 3 NY SWF/LF sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CLASS A CARS	477 LIBERTY AVE	WSW 1/4 - 1/2 (0.319 mi.)	AM273	66
SOLCO PLUMBING SUPPL	***413 LIBERTY AVENUE***	***WSW 1/4 - 1/2 (0.425 mi.)***	***296***	***72***
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
CARBUSTERS AUTO RECY	***60 BERRIMAN STREET***	***E 1/4 - 1/2 (0.283 mi.)***	***AK265***	***64***

Lists of state and tribal leaking storage tanks

NY LTANKS: A review of the NY LTANKS list, as provided by EDR, and dated 11/03/2024 has revealed that there are 43 NY LTANKS sites within approximately 0.5 miles of the target property.

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***19***
Spill Number/Closed Date: 9200248 / 1994-08-03 Site ID: 147618 Spill Date: 1992-04-07				
208 BARBEY ST	208 BARBEY ST	WNW 1/8 - 1/4 (0.140 mi.)	M123	34
Spill Number/Closed Date: 9512002 / 1995-12-26 Site ID: 124613 Spill Date: 1995-12-22				
Not reported	***2849 FULTON STREET***	***NW 1/8 - 1/4 (0.172 mi.)***	***M147***	***39***
Spill Number/Closed Date: 0608616 / 2015-04-02 Site ID: 372626 Spill Date: 2006-10-26				
PS 290 (SCHOOL)	***135 SCHENCK AVE***	***WNW 1/8 - 1/4 (0.176 mi.)***	***T151***	***40***
Spill Number/Closed Date: 0610197 / 2007-02-26 Site ID: 374588 Spill Date: 2006-12-07				
CORNER OF W. 1ST ST	AND SCHENCK ST	WNW 1/8 - 1/4 (0.187 mi.)	T166	43
Spill Number/Closed Date: 9906643 / 2000-03-07 Site ID: 120569 Spill Date: 1999-09-03				
GASETERIA	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U171	44
Spill Number/Closed Date: 9312952 / 2003-01-27 Spill Number/Closed Date: 9403819 / 2006-02-14 Site ID: 229957 Site ID: 229958 Spill Date: 1993-08-17 Spill Date: 1994-06-17				
207 HENDRIX ST./ST.	207 HENDRIX ST.	W 1/8 - 1/4 (0.201 mi.)	U186	47
Spill Number/Closed Date: 8705786 / 1993-02-25 Site ID: 148832 Spill Date: 1987-10-08				
CLOSED-LACKOF RECENT	220 HENDRICKS STREET	W 1/8 - 1/4 (0.207 mi.)	U192	48
Spill Number/Closed Date: 9305054 / 2003-03-06 Site ID: 71180 Spill Date: 1993-07-22				
180 ARLINGTON AVENUE	***180 ARLINGTON AVENUE***	***NNW 1/8 - 1/4 (0.213 mi.)***	***Z200***	***50***
Spill Number/Closed Date: 9413591 / 1995-01-12 Site ID: 65678 Spill Date: 1995-01-12				
249 LINWOOD ST/BKLYN	249 LINWOOD STREET	NE 1/8 - 1/4 (0.222 mi.)	225	56
Spill Number/Closed Date: 9000036 / 1995-06-07 Site ID: 93305 Spill Date: 1990-04-02				
Not reported	***140 BARBEY STREET***	***NW 1/8 - 1/4 (0.227 mi.)***	***AD235***	***58***
Spill Number/Closed Date: 9012255 / 1991-02-25 Site ID: 254610 Spill Date: 1991-02-25				
187 ARLINGTON AVE/BK	187 ARLINGTON AVENUE	NNW 1/8 - 1/4 (0.228 mi.)	Z236	58
Spill Number/Closed Date: 9009774 / 1990-12-08				

Site ID: 106791
Spill Date: 1990-12-08

HPD Spill Number/Closed Date: 0102090 / 2004-03-01 Site ID: 227113 Spill Date: 2001-05-24	168 HENDRIX ST	WNW 1/8 - 1/4 (0.230 mi.)	AF240	59
185 VAN SICLEN AVE./ Spill Number/Closed Date: 8704880 / 1993-11-05 Site ID: 163326 Spill Date: 1987-09-11	185 VAN SICLEN AVE	WSW 1/8 - 1/4 (0.246 mi.)	AJ256	62
31 BERRIMAN ST.- TTF Spill Number/Closed Date: 0407617 / 2017-02-21 Site ID: 332136 Spill Date: 2004-10-08	31 BERRIMAN ST	ENE 1/4 - 1/2 (0.298 mi.)	AL271	65
TANK TEST FAILURES T Spill Number/Closed Date: 1509573 / 2023-04-06 Site ID: 520207 Spill Date: 2015-12-21	***3100 ATLANTIC AVENUE***	***E 1/4 - 1/2 (0.319 mi.)***	***AL274***	***66***
CON EDISON - SERVICE Spill Number/Closed Date: 0407616 / 2006-01-23 Site ID: 332135 Spill Date: 2004-10-08	***3104 ATLANTIC AVE***	***ENE 1/4 - 1/2 (0.325 mi.)***	***275***	***66***
70 ELCON ST/BKLYN Spill Number/Closed Date: 8910317 / 1992-12-08 Site ID: 68948 Spill Date: 1990-01-27	70 ELCON STREET	N 1/4 - 1/2 (0.326 mi.)	276	67
81 ARLINGTON AVE Spill Number/Closed Date: 9212315 / 1993-01-29 Site ID: 161891 Spill Date: 1993-01-29	81 ARLINGTON AVE	NW 1/4 - 1/2 (0.328 mi.)	277	67
RESI: COHEN Spill Number/Closed Date: 9610511 / 1996-11-21 Site ID: 92092 Spill Date: 1996-11-21	***155 BRADFORD ST***	***WSW 1/4 - 1/2 (0.336 mi.)***	***AM278***	***67***
Not reported Spill Number/Closed Date: 9501313 / 1995-05-30 Site ID: 301664 Spill Date: 1995-05-01	***165 BRADFORD STREET***	***WSW 1/4 - 1/2 (0.338 mi.)***	***AM279***	***67***
62 ATKINS AVE - TTF Spill Number/Closed Date: 0407614 / 2006-01-23 Site ID: 332133 Spill Date: 2004-10-08	62 ATKINS AVE	E 1/4 - 1/2 (0.341 mi.)	AN280	68
SERVICE BOX 21287 Spill Number/Closed Date: 9312222 / 1994-01-17 Site ID: 87204 Spill Date: 1994-01-17	***280 JAMAICA AVENUE***	***NW 1/4 - 1/2 (0.344 mi.)***	***281***	***68***
ENGINE CO. 332/LADD. Spill Number/Closed Date: 9501336 / 1999-09-08 Spill Number/Closed Date: 9709284 / 1999-09-08 Site ID: 95093 Site ID: 95094	165 BRADFORD STREET	WSW 1/4 - 1/2 (0.347 mi.)	AM282	68

Spill Date: 1995-05-01
Spill Date: 1997-11-10

35 ATKINS AVE - TTF | 35 ATKINS AVE | ENE 1/4 - 1/2 (0.348 mi.) | AO283 | 69
Spill Number/Closed Date: 0407615 / 2006-01-23
Site ID: 332134
Spill Date: 2004-10-08

61 ATKINS AVENUE | ***61 ATKINS AVENUE*** | ***E 1/4 - 1/2 (0.349 mi.)*** | ***AN284*** | ***69***
Spill Number/Closed Date: 0407729 / 2010-04-30
Site ID: 332262
Spill Date: 2004-10-12

CON EDISON | ***418 JAMAICA AVE*** | ***N 1/4 - 1/2 (0.379 mi.)*** | ***289*** | ***70***
Spill Number/Closed Date: 9500032 / 1995-05-01
Site ID: 181142
Spill Date: 1995-04-03

64 MONTAUK AVENUE | ***64 MONTAUK AVENUE*** | ***E 1/4 - 1/2 (0.390 mi.)*** | ***AN290*** | ***70***
Spill Number/Closed Date: 0407730 / 2010-04-30
Site ID: 332263
Spill Date: 2004-10-12

TTF | 36 MONTAUK AVE | ENE 1/4 - 1/2 (0.390 mi.) | AO291 | 70
Spill Number/Closed Date: 0408110 / 2005-12-30
Spill Number/Closed Date: 0407731 / 2005-08-18
Site ID: 332748
Site ID: 332264
Spill Date: 2004-10-22
Spill Date: 2004-10-12

240 SUNNYSIDE AVENUE | ***240 SUNNYSIDE AVENUE*** | ***NNW 1/4 - 1/2 (0.405 mi.)*** | ***293*** | ***71***
Spill Number/Closed Date: 9502743 / 1995-06-16
Site ID: 139529
Spill Date: 1995-06-04

Not reported | ***110 WYONA STREET*** | ***W 1/4 - 1/2 (0.410 mi.)*** | ***294*** | ***71***
Spill Number/Closed Date: 0411597 / 2005-01-31
Site ID: 336825
Spill Date: 2005-01-28

FIORENTINO PLAZA -NY | 2181 PITKIN AVE | SW 1/4 - 1/2 (0.424 mi.) | 295 | 71
Spill Number/Closed Date: 0209000 / 2014-08-25
Spill Number/Closed Date: 9706130 / 2005-12-23
Site ID: 130782
Site ID: 128034
Spill Date: 2002-12-02
Spill Date: 1997-08-20

SPILL NUMBER 9712720 | ***258 HIGHLAND BLVD*** | ***NW 1/4 - 1/2 (0.459 mi.)*** | ***302*** | ***73***
Spill Number/Closed Date: 9712728 / 1998-02-13
Site ID: 207323
Spill Date: 1998-02-13

PRIVATE RESIDENCE | 229 NORWOOD AVE | ENE 1/4 - 1/2 (0.466 mi.) | 304 | 73
Spill Number/Closed Date: 0500041 / 2005-11-21
Site ID: 342916
Spill Date: 2005-04-01

Not reported | ***63 SUNNYSIDE AVENUE*** | ***WNW 1/4 - 1/2 (0.467 mi.)*** | ***305*** | ***73***
Spill Number/Closed Date: 9515454 / 1996-03-01
Site ID: 288953

Spill Date: 1996-03-01

508 JAMAICA AVENUE — 508 JAMAICA AVE — NNE 1/4 - 1/2 (0.476 mi.) — 307 — 74
Spill Number/Closed Date: 9412416 / 1994-12-16
Site ID: 84898
Spill Date: 1994-12-16

ANNA CORP REALITY — ***78 HIGHLAND PLACE*** — ***NNE 1/4 - 1/2 (0.482 mi.)*** — ***308*** — ***74***
Spill Number/Closed Date: 0212208 / 2009-06-02
Site ID: 315891
Spill Date: 2003-03-12

Lower Elevation	Address	Direction / Distance	Map ID	Page
RIVEIRA MOTEL	2969 ATLANTIC AVENUE	NE 0 - 1/8 (0.102 mi.)	H85	26
Spill Number/Closed Date: 0305319 / 2006-03-14 Site ID: 226027 Spill Date: 2003-08-19				
Not reported	***2942 FULTON STREET***	***N 1/8 - 1/4 (0.135 mi.)***	***L118***	***33***
Spill Number/Closed Date: 9411155 / 1994-11-21 Spill Number/Closed Date: 9411203 / 1994-11-22 Site ID: 256827 Site ID: 190755 Spill Date: 1994-11-21				
398 LINWOOD ST	398 LINWOOD ST	ESE 1/8 - 1/4 (0.180 mi.)	W162	42
Spill Number/Closed Date: 9412321 / 2003-02-13 Site ID: 153913 Spill Date: 1994-12-14				
385 ESSEX STREET	***385 ESSEX STREET***	***SE 1/4 - 1/2 (0.298 mi.)***	***270***	***65***
Spill Number/Closed Date: 9708809 / 1998-06-17 Site ID: 245641 Spill Date: 1997-10-22				
3100 ATLANTIC LLC	***55 BERRIMAN STREET***	***E 1/4 - 1/2 (0.299 mi.)***	***AK272***	***66***
Spill Number/Closed Date: 0407618 / 2007-06-22 Site ID: 332137 Spill Date: 2004-10-08				
PRIVATE RESIDENCE	172 MILLFORD ST	ESE 1/4 - 1/2 (0.474 mi.)	306	74
Spill Number/Closed Date: 0312000 / 2004-03-04 Site ID: 257620 Spill Date: 2004-01-26				

Lists of state and tribal registered storage tanks

NY UST: A review of the NY UST list, as provided by EDR, has revealed that there are 15 NY UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	WSW 0 - 1/8 (0.003 mi.)	A5	9
Database: UST, Date of Government Version: 12/12/2024				
ST MICHAEL ROMAN CAT	219-237 JEROME STREE	SW 0 - 1/8 (0.052 mi.)	D39	17
Database: UST, Date of Government Version: 12/12/2024				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ST. MICHAEL SCHOOL Database: UST, Date of Government Version: 12/12/2024	237 JEROME STREET	SSW 0 - 1/8 (0.068 mi.)	D50	19
HESS#32518 Database: UST, Date of Government Version: 12/12/2024	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***19***
2840 ATLANTIC AVE RE Database: UST, Date of Government Version: 12/12/2024	2840 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.130 mi.)	K110	31
DEVELOPMENT PROPERTY Database: UST, Date of Government Version: 12/12/2024	584-600 LIBERTY AVEN	SW 1/8 - 1/4 (0.131 mi.)	G115	32
ATLANTIC & HENDRIX Database: UST, Date of Government Version: 12/12/2024	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U167	43
KINGS HENDRIX C-STOR Database: UST, Date of Government Version: 12/12/2024	***2816 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.193 mi.)***	***U176***	***45***
2815 ATLANTIC HOLDIN Database: UST, Date of Government Version: 12/12/2024	2815 ATLANTIC AVENUE	W 1/8 - 1/4 (0.194 mi.)	U178	46
ST MALACHY'S SCHOOL Database: UST, Date of Government Version: 12/12/2024	220 HENDRIX ST	W 1/8 - 1/4 (0.214 mi.)	U210	52

Lower Elevation	Address	Direction / Distance	Map ID	Page
ATLANTIC AVE. SERVIC Database: UST, Date of Government Version: 12/12/2024	2950 ATLANTIC AVENUE	ENE 0 - 1/8 (0.046 mi.)	C34	16
2958 ATLANTIC AVENUE Database: UST, Date of Government Version: 12/12/2024	2958 ATLANTIC AVENUE	ENE 0 - 1/8 (0.075 mi.)	C59	21
2969 ATLANTIC AVE Database: UST, Date of Government Version: 12/12/2024	2969 ATLANTIC AVENUE	NE 0 - 1/8 (0.102 mi.)	H84	26
ST RITAS YOUTH CENTE Database: UST, Date of Government Version: 12/12/2024	260 SHEPHERD AVENUE	ENE 1/8 - 1/4 (0.243 mi.)	AI254	62
ST RITA'S R.C. CHURC Database: UST, Date of Government Version: 12/12/2024	275 SHEPHERD AVENUE	E 1/8 - 1/4 (0.249 mi.)	AK259	63

NY AST: A review of the NY AST list, as provided by EDR, has revealed that there are 18 NY AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BAYSIDE FUEL OIL Database: AST, Date of Government Version: 12/12/2024 Facility Id: 2-110671	2887 ATLANTIC AVE	WNW 0 - 1/8 (0.041 mi.)	B23	13
ATLANTIC LUBE INC Database: AST, Date of Government Version: 12/12/2024 Facility Id: 2-610284	2894 ATLANTIC AVENUE	WSW 0 - 1/8 (0.042 mi.)	A26	13
ST MICHAEL ROMAN CAT Database: AST, Date of Government Version: 12/12/2024 Facility Id: 2-213837	219-237 JEROME STREE	SW 0 - 1/8 (0.052 mi.)	D40	17
ST. MICHAELS RCC Database: AST, Date of Government Version: 12/12/2024	225 JEROME STREET	SW 0 - 1/8 (0.056 mi.)	D42	17

Facility Id: 2-608678

2840 ATLANTIC AVE RE | 2840 ATLANTIC AVENUE | WSW 1/8 - 1/4 (0.130 mi.) | K109 | 31
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-064742

KINGS RIDERS MOTOR S | 635 GLENMORE AVENUE | S 1/8 - 1/4 (0.160 mi.) | N132 | 36
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-609685

P.S. 290 - BROOKLYN | 135 SCHENCK AVENUE | WNW 1/8 - 1/4 (0.176 mi.) | T150 | 40
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-356581

KINGS HENDRIX C-STOR | 2816 ATLANTIC AVENUE | WSW 1/8 - 1/4 (0.193 mi.) | U176 | 45
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-602236

GREATER REFUGE MINIS | 291 HENDRIX STREET | SW 1/8 - 1/4 (0.220 mi.) | S221 | 55
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-608619

ARLGINTON ESTATES LL | 248 ARLINGTON AVE | NNE 1/8 - 1/4 (0.224 mi.) | 228 | 56
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-287512

ARLINGTON BRANCH | 203 ARLINGTON AVE | N 1/8 - 1/4 (0.230 mi.) | Y238 | 59
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-345326

168 HENDRIX ST | 168 HENDRIX STREET | WNW 1/8 - 1/4 (0.230 mi.) | AF239 | 59
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-601140

Lower Elevation	Address	Direction / Distance	Map ID	Page

ATLANTIC AVE. SERVIC | 2950 ATLANTIC AVENUE | ENE 0 - 1/8 (0.046 mi.) | C31 | 15
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-452718

VESTPRO | 2941 ATLANTIC AVENUE | NE 0 - 1/8 (0.066 mi.) | C48 | 19
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-305227

2958 ATLANTIC AVENUE | 2958 ATLANTIC AVENUE | ENE 0 - 1/8 (0.075 mi.) | C57 | 21
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-610301

670 LIBERTY AVE REPA | 670 LIBERTY AVENUE | SE 0 - 1/8 (0.105 mi.) | I91 | 27
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-610204

I.S. 302 - BROOKLYN | 350 LINWOOD STREET | E 1/8 - 1/4 (0.148 mi.) | O128 | 35
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-354589

J. BORAH CO. | 291 ESSEX STREET | E 1/8 - 1/4 (0.213 mi.) | X208 | 52
Database: AST, Date of Government Version: 12/12/2024
Facility Id: 2-608411

State and tribal institutional control / engineering control registries

NY ENG CONTROLS: A review of the NY ENG CONTROLS list, as provided by EDR, and dated 11/04/2024 has revealed that there is 1 NY ENG CONTROLS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2840 ATLANTIC AVENUE	***2840 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K114***	***32***
Site Code: 544636				

NY INST CONTROL: A review of the NY INST CONTROL list, as provided by EDR, and dated 11/04/2024 has revealed that there is 1 NY INST CONTROL site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2840 ATLANTIC AVENUE	***2840 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K114***	***32***
Site Code: 544636				

Lists of state and tribal voluntary cleanup sites

NY VCP: A review of the NY VCP list, as provided by EDR, has revealed that there are 20 NY VCP sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 55,TAXBLOCK 3933	***2795 FULTON STREET***	***WNW 1/4 - 1/2 (0.262 mi.)***	***AF261***	***63***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 18,TAXBLOCK 3946	***2776 FULTON STREET***	***W 1/4 - 1/2 (0.287 mi.)***	***266***	***64***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 15,TAXBLOCK 3690	***2738 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.355 mi.)***	***285***	***69***
Database: VCP NYC, Date of Government Version: 12/02/2024				
Not reported	***2718 FULTON STREET***	***W 1/4 - 1/2 (0.398 mi.)***	***AQ292***	***71***
Database: VCP NYC, Date of Government Version: 12/02/2024				
2700 ATLANTIC AVENUE	***2700 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.428 mi.)***	***297***	***72***
Database: VCP NYC, Date of Government Version: 12/02/2024				
2701-2715 FULTON STR	***2701-2715 FULTON STR***	***W 1/4 - 1/2 (0.437 mi.)***	***AQ298***	***72***
Database: VCP NYC, Date of Government Version: 12/02/2024				
25 MILFORD STREET	***25 MILFORD STREET***	***ENE 1/4 - 1/2 (0.453 mi.)***	***AR299***	***72***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 28,TAXBLOCK 4153	***23 MILFORD STREET***	***ENE 1/4 - 1/2 (0.456 mi.)***	***AR301***	***72***
Database: VCP NYC, Date of Government Version: 12/02/2024				
3294 ATLANTIC AVENUE	***3192 ATLANTIC AVENUE***	***ENE 1/4 - 1/2 (0.463 mi.)***	***AR303***	***73***
Database: VCP NYC, Date of Government Version: 12/02/2024				
157 NEW JERSEY AVENU	***157 NEW JERSEY AVENU***	***W 1/4 - 1/2 (0.484 mi.)***	***309***	***74***
Database: VCP NYC, Date of Government Version: 12/02/2024				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2667 FULTON STREET	***2667 FULTON STREET***	***W 1/4 - 1/2 (0.493 mi.)***	***310***	***75***
Database: VCP NYC, Date of Government Version: 12/02/2024				

Lower Elevation	Address	Direction / Distance	Map ID	Page
315 LINWOOD STREET	***315 LINWOOD***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q133***	***36***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 30,TAXBLOCK 3998	***2337 PITKIN AVENUE***	***S 1/8 - 1/4 (0.236 mi.)***	***242***	***59***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 53,TAXBLOCK 3957	***3051 ATLANTIC AVENUE***	***ENE 1/8 - 1/4 (0.240 mi.)***	***AA247***	***60***
Database: VCP NYC, Date of Government Version: 12/02/2024				
777 GLENMORE AVENUE	***777 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.275 mi.)***	***AG263***	***64***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 19,TAXBLOCK 4017	***2400 PITKIN AVENUE***	***SSE 1/4 - 1/2 (0.275 mi.)***	***AH264***	***64***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 1,TAXBLOCK 3989	***355 SHEPHERD AVENUE***	***ESE 1/4 - 1/2 (0.292 mi.)***	***267***	***65***
Database: VCP NYC, Date of Government Version: 12/02/2024				
2437 PITKIN AVENUE	***2437 PITKIN AVENUE***	***SE 1/4 - 1/2 (0.294 mi.)***	***268***	***65***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 28,TAXBLOCK 4005	***2501 PITKIN AVENUE***	***ESE 1/4 - 1/2 (0.364 mi.)***	***AP287***	***69***
Database: VCP NYC, Date of Government Version: 12/02/2024				
LOT 13,TAXBLOCK 4006	***820 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.366 mi.)***	***288***	***70***
Database: VCP NYC, Date of Government Version: 12/02/2024				

Lists of state and tribal brownfield sites

NY BROWNFIELDS: A review of the NY BROWNFIELDS list, as provided by EDR, and dated 11/04/2024 has revealed that there are 5 NY BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 11,TAXBLOCK 3965	***2864 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.082 mi.)***	***D64***	***22***
Site Code: 629738				
2840 ATLANTIC AVENUE	***2840 ATLANTIC AVENUE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K114***	***32***
Site Code: 544636				
203-207 VAN SICLEN A	203-207 VAN SICLEN A	WSW 1/4 - 1/2 (0.254 mi.)	AJ260	63
Site Code: 577646				

Lower Elevation	Address	Direction / Distance	Map ID	Page
K - UNION STATION HO	***ATLANTIC AVE, ASHFOR***	***E 0 - 1/8 (0.037 mi.)***	***A20***	***12***
Site Code: 57390				
FORMER GARONE BROS A	352-362 SHEPHERD AVE	ESE 1/4 - 1/2 (0.268 mi.)	AG262	64
Site Code: 625573				

EXECUTIVE SUMMARY

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A review of the US BROWNFIELDS list, as provided by EDR, and dated 09/09/2024 has revealed that there are 3 US BROWNFIELDS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2827 ATLANTIC AVENUE	***2827 ATLANTIC AVENUE***	***W 1/8 - 1/4 (0.176 mi.)***	***U154***	***41***
2817 ATLANTIC AVENUE	***2817 ATLANTIC AVENUE***	***W 1/8 - 1/4 (0.190 mi.)***	***U174***	***45***

Lower Elevation	Address	Direction / Distance	Map ID	Page
PITKIN BERRIMAN SITE Cleanup Completion Date: 04/19/0018	2501 PITKIN AVENUE	ESE 1/4 - 1/2 (0.364 mi.)	AP286	69

Records of Emergency Release Reports

NY Spills: A review of the NY Spills list, as provided by EDR, and dated 11/03/2024 has revealed that there are 16 NY Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518 Spill Number/Closed Date: 9830002 / 2023-12-31 Spill Number/Closed Date: 1006577 / 2010-10-20 Site ID: 65126 Site ID: 439937 Spill Date: 1998-08-06 Spill Date: 2010-09-16	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***19***
I/F/O Spill Number/Closed Date: 0202912 / 2002-08-02 Site ID: 300814 Spill Date: 2002-06-19	222 JEROME ST	WSW 0 - 1/8 (0.073 mi.)	D54	20
MANHOLE #5294 Spill Number/Closed Date: 0311120 / 2005-06-30 Site ID: 266089 Spill Date: 2003-12-30	LIBERTY AVE/WARWICK	S 0 - 1/8 (0.077 mi.)	F60	21
MANHOLE # 5293 Spill Number/Closed Date: 0311630 / 2004-05-27 Site ID: 319267 Spill Date: 2004-01-14	LIBERTY AVE/JEROME S	SSW 0 - 1/8 (0.096 mi.)	F76	24
282 ASHFORD ST. Spill Number/Closed Date: 9813215 / 1999-01-28 Spill Number/Closed Date: 9311714 / 1994-01-02 Site ID: 96821 Site ID: 283165	282 ASHFORD ST	SSE 0 - 1/8 (0.108 mi.)	F93	27

Spill Date: 1999-01-27
Spill Date: 1994-01-02

DRUM IN BACKYARD ***338 WARWICK ST*** ***S 0 - 1/8 (0.110 mi.)*** ***F95*** ***28***
Spill Number/Closed Date: 0812768 / 2009-04-13
Site ID: 410405
Spill Date: 2009-02-24

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON ED CLEVELAND ST	2950 ATALNTIC AVE	ENE 0 - 1/8 (0.046 mi.)	C28	14
Spill Number/Closed Date: 1709810 / 2018-04-26				
Site ID: 566274				
Spill Date: 2018-01-26				
MOTOR OIL LEAK FROM	2950 ATLANTIC AVE. C	ENE 0 - 1/8 (0.046 mi.)	C29	14
Spill Number/Closed Date: 0801455 / 2008-05-19				
Site ID: 397377				
Spill Date: 2008-05-07				
CLEVELAND SUBSTATION	2950 ATLANTIC AVE	ENE 0 - 1/8 (0.046 mi.)	C30	14
Spill Number/Closed Date: 1910071 / 2020-03-17				
Spill Number/Closed Date: 1308234 / 2014-09-25				
Site ID: 600695				
Site ID: 488956				
Spill Date: 2020-01-24				
Spill Date: 2013-11-13				
CONSOLIDATED EDISON	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C32***	***15***
Spill Number/Closed Date: 9806522 / Not Reported				
Spill Number/Closed Date: 0610593 / 2007-02-16				
Spill Number/Closed Date: 1101622 / 2011-10-28				
Spill Number/Closed Date: 0405593 / 2004-10-28				
Spill Number/Closed Date: 9514626 / 1998-03-30				
**Additional key fields are available in the Map Findings section*				
Site ID: 81585				
Site ID: 375059				
Site ID: 449086				
Site ID: 81582				
Site ID: 81583				
**Additional key fields are available in the Map Findings section*				
Spill Date: 1998-08-26				
Spill Date: 2006-12-18				
Spill Date: 2011-05-13				
Spill Date: 2004-08-22				
Spill Date: 1996-02-15				
**Additional key fields are available in the Map Findings section*				
CLEVELAND ST YARD	CLEVELAND ST	ENE 0 - 1/8 (0.048 mi.)	C37	16
Spill Number/Closed Date: 9602782 / 1996-08-22				
Site ID: 211551				
Spill Date: 1996-05-28				
ATLANTIC AVE SERVICE	ALANTIC AVE/CLEVELAN	NE 0 - 1/8 (0.061 mi.)	C44	18
Spill Number/Closed Date: 9608853 / 2006-03-16				
Site ID: 255003				
Spill Date: 1996-10-16				
MANHOLE #1874	ATLANTIC/CLEVELAND	ENE 0 - 1/8 (0.062 mi.)	C45	18

Spill Number/Closed Date: 0007359 / 2016-12-08 Site ID: 103873 Spill Date: 2000-09-22				
ROADSIDE Spill Number/Closed Date: 0906008 / 2009-08-24 Site ID: 418303 Spill Date: 2009-08-23	CLEVELAND ST BET ATL	ESE 0 - 1/8 (0.065 mi.)	C46	18
JAGARNATH HOME Spill Number/Closed Date: 0510472 / 2005-12-06 Site ID: 356457 Spill Date: 2005-12-06	***176 ASHFORD STREET***	***N 0 - 1/8 (0.074 mi.)***	***E55***	***20***
COMMERICAL BUILDING Spill Number/Closed Date: 1101321 / 2011-06-22 Site ID: 448770 Spill Date: 2011-05-05	2958 ATLANTIC AVE	ENE 0 - 1/8 (0.075 mi.)	C56	21

Other Ascertainable Records

RCRA NonGen / NLR: A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 02/17/2025 has revealed that there are 43 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GIBRALTAR TRANSMISSI EPA ID:: NYD982279317	***2914 ATLANTIC AVE***	***0 - 1/8 (0.000 mi.)***	***A2***	***9***
CON EDISON EPA ID:: NYP004766192	***ATLANTIC AVE & WARWI***	***NW 0 - 1/8 (0.016 mi.)***	***A15***	***11***
2864 ATLANTIC REALTY EPA ID:: NYR000260265	***2864 ATLANTIC AVE***	***WSW 0 - 1/8 (0.082 mi.)***	***D65***	***22***
CON EDISON SERVICE B EPA ID:: NYP004578829	***2896 FULTON ST***	***NNW 0 - 1/8 (0.118 mi.)***	***J99***	***29***
EMPIRE STATE DAIRY L EPA ID:: NYR000253294	***2840 ATLANTIC AVE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K112***	***31***
CON EDISON EPA ID:: NYP004819714	***2870 FULTON ST***	***NW 1/8 - 1/4 (0.137 mi.)***	***M119***	***33***
CON EDISON MANHOLE 5 EPA ID:: NYP004147468	LIBERTY AVE & SCHENK	SW 1/8 - 1/4 (0.172 mi.)	S141	38
CON EDISON MANHOLE 5 EPA ID:: NYP004148912	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S143	38
CON EDISON MANHOLE 5 EPA ID:: NYP004143442	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S144	38
CON EDISON MANHOLE 0 EPA ID:: NYP004225850	***LIBERTY AVE & SCHENC***	***SW 1/8 - 1/4 (0.172 mi.)***	***S145***	***39***
CON EDISON MANHOLE 5 EPA ID:: NYP004146668	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S146	39
CON ED - MH 67372	***GLENMORE & JEROME AV***	***S 1/8 - 1/4 (0.173 mi.)***	***N148***	***39***

EPA ID:: NYP004006052				
CON EDISON SERVICE B	***163 BARBEY ST***	***NW 1/8 - 1/4 (0.180 mi.)***	***M158***	***41***
EPA ID:: NYP004524781				
CON EDISON SERVICE B	***112 JEROME ST FRONT***	***NW 1/8 - 1/4 (0.180 mi.)***	***V160***	***42***
EPA ID:: NYP004550398				
MTA-NYCTA FULTON ST	***2963-2965 FULTON ST***	***NNE 1/8 - 1/4 (0.189 mi.)***	***R172***	***44***
EPA ID:: NYR000131375				
CON EDISON	263 HENDRIX ST	WSW 1/8 - 1/4 (0.200 mi.)	S185	47
EPA ID:: NYP004779799				
CON EDISON	***ATLANTIC AVE & HENDR***	***W 1/8 - 1/4 (0.202 mi.)***	***U189***	***48***
EPA ID:: NYP004761383				
CON EDISON SERVICE B	***192 ARLINGTON AVE FR***	***NNW 1/8 - 1/4 (0.208 mi.)***	***Z193***	***49***
EPA ID:: NYP004548723				
CON EDISON SERVICE B	***180 ARLINGTON AVE***	***NNW 1/8 - 1/4 (0.213 mi.)***	***Z201***	***51***
EPA ID:: NYP004429114				
CON EDISON SERVICE B	180 ARLINGTON AVE FR	NNW 1/8 - 1/4 (0.213 mi.)	Z204	51
EPA ID:: NYP004548699				
CON EDISON	***2814 FULTON ST***	***WNW 1/8 - 1/4 (0.216 mi.)***	***T215***	***53***
EPA ID:: NYP004820300				
CON EDISON	2821 FULTON ST	WNW 1/8 - 1/4 (0.217 mi.)	T218	54
EPA ID:: NYP004881138				
CON EDISON SERVICE B	***2983 FULTON ST***	***NNE 1/8 - 1/4 (0.217 mi.)***	***AB220***	***55***
EPA ID:: NYP004429213				
CON EDISON	***164 ARLINGTON AVE***	***NNW 1/8 - 1/4 (0.221 mi.)***	***V223***	***55***
EPA ID:: NYP004816797				
CON EDISON	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V232	57
EPA ID:: NYP004816789				
CON EDISON - MH 6736	***GLENMORE AND SCHNECK***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC233***	***57***
EPA ID:: NYP004112074				
CON EDISON MANHOLE:	***GLENMORE AVE & SCHEN***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC234***	***58***
EPA ID:: NYP004446209				
CON EDISON	231 ARLINGTON AVE	N 1/8 - 1/4 (0.239 mi.)	Y244	60
EPA ID:: NYP004815508				
CON EDISON SERVICE B	***153 ARLINTON***	***NNW 1/8 - 1/4 (0.239 mi.)***	***AD246***	***60***
EPA ID:: NYP004577508				
CON EDISON SERVICE B	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD250***	***61***
EPA ID:: NYP004414322				
CON EDISON SERVICE B	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD251***	***61***
EPA ID:: NYP004414090				

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON	***220 ASHFORD ST***	***SE 0 - 1/8 (0.011 mi.)***	***A11***	***10***
EPA ID:: NYP004840514				
CON EDISON MANHOLE 4	***ASHFORD ST & LIBERTY***	***SSE 0 - 1/8 (0.078 mi.)***	***F63***	***22***
EPA ID:: NYP004234662				
CON EDISON	***ATLANTIC AVE & ELTON***	***ENE 0 - 1/8 (0.125 mi.)***	***H106***	***30***

EPA ID:: NYP004769485				
CLEVELAND M CLEANERS EPA ID:: NYD987009719	***2948 FULTON ST***	***N 1/8 - 1/4 (0.141 mi.)***	***L124***	***34***
CON EDISON EPA ID:: NYP004884298	LIBERTY AVE & LINWOO	ESE 1/8 - 1/4 (0.167 mi.)	O138	37
CON EDISON EPA ID:: NYP004539094	LINWOOD ST & LIBERTY	ESE 1/8 - 1/4 (0.167 mi.)	O140	38
CON EDISON EPA ID:: NYP004539110	***728 LIBERTY AVE FRON***	***ESE 1/8 - 1/4 (0.196 mi.)***	***W181***	***46***
CON EDISON SERVICE B EPA ID:: NYP004533527	422 CLEVELAND ST FRO	SSE 1/8 - 1/4 (0.201 mi.)	P188	48
CON EDISON SERVICE B EPA ID:: NYP004439006	***3027 ATLANTIC AVE***	***ENE 1/8 - 1/4 (0.209 mi.)***	***AA195***	***49***
CON EDISON EPA ID:: NYP004539136	LIBERTY AVE & ESSEX	ESE 1/8 - 1/4 (0.211 mi.)	X197	50
CON EDISON EPA ID:: NYP004161295	***LIBERTY AVE & ESSEX***	***ESE 1/8 - 1/4 (0.211 mi.)***	***X199***	***50***
CON EDISON EPA ID:: NYP004824732	***320 ESSEX ST***	***ESE 1/8 - 1/4 (0.213 mi.)***	***X207***	***52***

UST FINDER RELEASE: A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 2 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
GASETERIA	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U169	44
SPILL NUMBER 9312952	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U170	44

UST FINDER: A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there are 15 UST FINDER sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
2912 ATLANTIC AVE RE	2912 ATLANTIC AVE	WSW 0 - 1/8 (0.003 mi.)	A7	10
ST MICHAEL ROMAN CAT	219-237 JEROME STREE	SW 0 - 1/8 (0.052 mi.)	D41	17
ST. MICHAEL SCHOOL	237 JEROME STREET	SSW 0 - 1/8 (0.068 mi.)	D49	19
SPEEDWAY # 7823	2880 ATLANTIC AVENUE	WSW 0 - 1/8 (0.071 mi.)	B53	20
2840 ATLANTIC AVE RE	2840 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.130 mi.)	K111	31
DEVELOPMENT PROPERTY	584-600 LIBERTY AVEN	SW 1/8 - 1/4 (0.131 mi.)	G116	32
ATLANTIC & HENDRIX	2820 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.188 mi.)	U168	43
KINGS HENDRIX C-STOR	2816 ATLANTIC AVENUE	WSW 1/8 - 1/4 (0.193 mi.)	U175	45
ST MALACHY'S SCHOOL	220 HENDRIX ST	W 1/8 - 1/4 (0.214 mi.)	U211	53
Lower Elevation	**Address**	**Direction / Distance**	**Map ID**	**Page**
ATLANTIC AVE. SERVIC	2950 ATLANTIC AVENUE	ENE 0 - 1/8 (0.046 mi.)	C35	16
2958 ATLANTIC AVENUE	2958 ATLANTIC AVENUE	ENE 0 - 1/8 (0.075 mi.)	C58	21
2969 ATLANTIC AVE	2969 ATLANTIC AVENUE	NE 0 - 1/8 (0.102 mi.)	H86	26
ST RITAS YOUTH CENTE	260 SHEPHERD AVENUE	ENE 1/8 - 1/4 (0.243 mi.)	AI253	62

EXECUTIVE SUMMARY

Lower Elevation	Address	Direction / Distance	Map ID	Page
ST RITA'S SCHOOL	260 SHEPHERD AVENUE	ENE 1/8 - 1/4 (0.243 mi.)	AI255	62
ST RITA'S R.C.CHURCH	275 SHEPHERD AVENUE	E 1/8 - 1/4 (0.249 mi.)	AK258	63

E MANIFEST: A review of the E MANIFEST list, as provided by EDR, and dated 02/17/2025 has revealed that there are 42 E MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - COMPANY	F/O 2894 ATLANTIC AV	WSW 0 - 1/8 (0.042 mi.)	A27	14
2864 ATLANTIC REALTY	***2864 ATLANTIC AVE***	***WSW 0 - 1/8 (0.082 mi.)***	***D65***	***22***
CONSOLIDATED EDISON	F/O2873 ATLANTIC AVE	W 0 - 1/8 (0.086 mi.)	B67	23
CON EDISON/ ATTN: QU	2873 ATLANTIC AVE	W 0 - 1/8 (0.086 mi.)	B68	23
CON EDISON - QUEENS	646 LIBERTY AVE	SSE 0 - 1/8 (0.088 mi.)	F69	23
CON EDISON - BROOKLY	OPP 259 BARBEY ST	WSW 0 - 1/8 (0.094 mi.)	D74	24
CON EDISON SERVICE B	***2896 FULTON ST***	***NNW 0 - 1/8 (0.118 mi.)***	***J99***	***29***
EMPIRE STATE DAIRY L	***2840 ATLANTIC AVE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K112***	***31***
CON EDISON/ ATTN: BR	2874 FULTON STREET	NW 1/8 - 1/4 (0.135 mi.)	M117	33
CONSOLIDATED EDISON	571 LIBERTY AVE	SW 1/8 - 1/4 (0.139 mi.)	G122	34
CON EDISON - BROOKLY	282 JEROME ST	SSW 1/8 - 1/4 (0.145 mi.)	N126	35
CONSOLIDATED EDISON	282 JEROME ST	SSW 1/8 - 1/4 (0.145 mi.)	N127	35
CONSOLIDATED EDISON	210 SCHENCK AVE	WSW 1/8 - 1/4 (0.173 mi.)	S149	40
CON EDISON/ ATTN: BR	2974 FULTON ST	NNE 1/8 - 1/4 (0.176 mi.)	R153	40
CON EDISON - BROOKLY	628 GLENMORE AVE	S 1/8 - 1/4 (0.179 mi.)	155	41
CONSOLIDATED EDISON	OPP 2843 FULTON ST	WNW 1/8 - 1/4 (0.180 mi.)	T156	41
CON EDISON/ ATTN: QU	2817 ATLANTIC AVE	W 1/8 - 1/4 (0.190 mi.)	U173	45
CON EDISON - BROOKLY	2815 ATLANTIC AVE	W 1/8 - 1/4 (0.194 mi.)	U177	45
CONSOLIDATED EDISON	548 LIBERTY AVE	SW 1/8 - 1/4 (0.199 mi.)	S182	46
CON EDISON - QUEENS	196 ARLINGTON AVE	NNW 1/8 - 1/4 (0.209 mi.)	Y196	49
CON EDISON/ ATTN: QU	180 ARLINGTON AVE	NNW 1/8 - 1/4 (0.213 mi.)	Z203	51
CON EDISON - COMPANY	2823 FULTON ST	WNW 1/8 - 1/4 (0.214 mi.)	T209	52
CONSOLIDATED EDISON	ARLINGTON AVE & ASHF	N 1/8 - 1/4 (0.222 mi.)	Y226	56
CONSOLIDATED EDISON	134 ELTON ST	NNE 1/8 - 1/4 (0.223 mi.)	AB227	56

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - CLEVELA	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C33***	***15***
CON EDISON - COMPANY	2972 ATLANTIC AVE	ENE 0 - 1/8 (0.096 mi.)	C77	25
CON EDISON	218 WARWICK STR	NNW 0 - 1/8 (0.106 mi.)	J92	27
CON EDISON - COMPANY	2976 ATLANTIC AVE	ENE 0 - 1/8 (0.108 mi.)	H94	28
CONSOLIDATED EDISON	374 CLEVELAND ST	SE 0 - 1/8 (0.114 mi.)	I97	28
CON ED COMPANY OF NY	680 LIBERTY AVE	SE 0 - 1/8 (0.119 mi.)	I101	29
CON EDISON/QUEENS EN	2922 FULTON ST.	N 0 - 1/8 (0.120 mi.)	J102	29
CON EDISON/QUEENS EN	2932 FULTON ST.	N 1/8 - 1/4 (0.129 mi.)	L108	31
IS 302K	***350 LINWOOD STREET***	***E 1/8 - 1/4 (0.148 mi.)***	***O129***	***35***
B&B URBAN LLC - 315	***315 LINWOOD STREET***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q134***	***36***
CON EDISON	720 LIBERTY AVE	ESE 1/8 - 1/4 (0.181 mi.)	W163	42
CON EDISON/ ATTN: QU	729 LIBERTY AVE	ESE 1/8 - 1/4 (0.182 mi.)	O164	43
CON EDISON	729 LIBERTY AVE	ESE 1/8 - 1/4 (0.182 mi.)	O165	43
CON EDISON	737 LIBERTY AVE	E 1/8 - 1/4 (0.196 mi.)	X179	46
CON EDISON - QUEENS	216 ARLINGTON AVE	N 1/8 - 1/4 (0.206 mi.)	Y191	48
CON EDISON - BROOKLY	332 JEROME ST	S 1/8 - 1/4 (0.229 mi.)	AE237	58
CON EDISON - COMPANY	750 LIBERTY AVE	ESE 1/8 - 1/4 (0.233 mi.)	X241	59
CON EDISON/ ATTN: QU	2377 PITKIN AVE	SSE 1/8 - 1/4 (0.242 mi.)	AH252	62

EXECUTIVE SUMMARY

NY DRYCLEANERS: A review of the NY DRYCLEANERS list, as provided by EDR, and dated 11/27/2024 has revealed that there are 2 NY DRYCLEANERS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NAYA SUPER DRY CLEAN Facility Id: 2-6105-00672	***2814 FULTON ST***	***WNW 1/8 - 1/4 (0.216 mi.)***	***T213***	***53***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CLEVELAND M CLEANERS Facility Id: 2-6105-00580	***2948 FULTON ST***	***N 1/8 - 1/4 (0.141 mi.)***	***L124***	***34***

NY E DESIGNATION: A review of the NY E DESIGNATION list, as provided by EDR, and dated 10/07/2024 has revealed that there are 37 NY E DESIGNATION sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 13,TAXBLOCK 3967	***2912 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.003 mi.)***	***A6***	***10***
LOT 16,TAXBLOCK 3966	***2900 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.027 mi.)***	***A16***	***12***
LOT 15,TAXBLOCK 3966	***2896 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.037 mi.)***	***A19***	***12***
LOT 42,TAXBLOCK 3951	***2887 ATLANTIC AVENUE***	***WNW 0 - 1/8 (0.041 mi.)***	***B22***	***13***
LOT 14,TAXBLOCK 3966	***2894 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.042 mi.)***	***A25***	***13***
LOT 13,TAXBLOCK 3966	ATLANTIC AVENUE	W 0 - 1/8 (0.046 mi.)	B36	16
LOT 12,TAXBLOCK 3966	***2890 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.051 mi.)***	***B38***	***17***
LOT 11,TAXBLOCK 3965	***2864 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.082 mi.)***	***D64***	***22***
LOT 15,TAXBLOCK 3983	***646 LIBERTY AVENUE***	***SSE 0 - 1/8 (0.088 mi.)***	***F70***	***23***
LOT 13,TAXBLOCK 3983	640 LIBERTY AVENUE	SSE 0 - 1/8 (0.088 mi.)	F71	23
LOT 17,TAXBLOCK 3982	***626 LIBERTY AVENUE***	***S 0 - 1/8 (0.091 mi.)***	***F72***	***24***
LOT 18,TAXBLOCK 3982	***630 LIBERTY AVENUE***	***S 0 - 1/8 (0.093 mi.)***	***F73***	***24***
LOT 7,TAXBLOCK 3965	***267 BARBEY STREET***	***WSW 0 - 1/8 (0.095 mi.)***	***D75***	***24***
LOT 6,TAXBLOCK 3965	***269 BARBEY STREET***	***WSW 0 - 1/8 (0.097 mi.)***	***D78***	***25***
LOT 32,TAXBLOCK 3965	***599 LIBERTY AVENUE***	***SW 0 - 1/8 (0.098 mi.)***	***G79***	***25***
LOT 4,TAXBLOCK 3965	***273 BARBEY STREET***	***SW 0 - 1/8 (0.100 mi.)***	***D80***	***25***
LOT 13,TAXBLOCK 3982	***614 LIBERTY AVENUE***	***SSW 0 - 1/8 (0.100 mi.)***	***F81***	***25***
LOT 3,TAXBLOCK 3965	***277 BARBEY STREET***	***SW 0 - 1/8 (0.101 mi.)***	***D83***	***26***
LOT 33,TAXBLOCK 3965	***597 LIBERTY AVENUE***	***SW 0 - 1/8 (0.102 mi.)***	***G87***	***26***
LOT 11,TAXBLOCK 3982	***608 LIBERTY AVENUE***	***SSW 0 - 1/8 (0.103 mi.)***	***F88***	***27***
LOT 1,TAXBLOCK 3965	***583 LIBERTY AVENUE***	***SW 0 - 1/8 (0.112 mi.)***	***G96***	***28***
LOT 23,TAXBLOCK 3964	BARBEY STREET	WSW 0 - 1/8 (0.116 mi.)	K98	29
LOT 24,TAXBLOCK 3964	***274 BARBEY STREET***	***WSW 0 - 1/8 (0.123 mi.)***	***K104***	***30***
LOT 25,TAXBLOCK 3964	***276 BARBEY STREET***	***WSW 0 - 1/8 (0.124 mi.)***	***G105***	***30***

Lower Elevation	Address	Direction / Distance	Map ID	Page
LOT 19,TAXBLOCK 3967	***2926 ATLANTIC AVENUE***	***0 - 1/8 (0.001 mi.)***	***A4***	***9***
LOT 20,TAXBLOCK 3967	***2928 ATLANTIC AVENUE***	***NE 0 - 1/8 (0.005 mi.)***	***A8***	***10***
LOT 24,TAXBLOCK 3967	***218 ASHFORD STREET***	***ESE 0 - 1/8 (0.005 mi.)***	***A9***	***10***
LOT 21,TAXBLOCK 3967	***2930 ATLANTIC AVENUE***	***ENE 0 - 1/8 (0.008 mi.)***	***A10***	***10***
LOT 25,TAXBLOCK 3967	***220 ASHFORD STREET***	***SE 0 - 1/8 (0.011 mi.)***	***A12***	***11***
LOT 22,TAXBLOCK 3967	***2932 ATLANTIC AVENUE***	***ENE 0 - 1/8 (0.012 mi.)***	***A14***	***11***
LOT 42,TAXBLOCK 3952	***2929 ATLANTIC AVENUE***	***NNE 0 - 1/8 (0.030 mi.)***	***A18***	***12***
LOT 45,TAXBLOCK 3953	***2941 ATLANTIC AVENUE***	***NE 0 - 1/8 (0.066 mi.)***	***C47***	***18***

Lower Elevation	Address	Direction / Distance	Map ID	Page
LOT 45,TAXBLOCK 3954	***2961 ATLANTIC AVENUE***	***NE 0 - 1/8 (0.083 mi.)***	***C66***	***23***
LOT 55,TAXBLOCK 3954	***281 CLEVELAND STREET***	***NE 0 - 1/8 (0.101 mi.)***	***H82***	***25***
LOT 15,TAXBLOCK 3984	***670 LIBERTY AVENUE***	***SE 0 - 1/8 (0.105 mi.)***	***I89***	***27***
LOT 15,TAXBLOCK 3985	***682 LIBERTY AVENUE***	***SE 0 - 1/8 (0.122 mi.)***	***I103***	***30***
LOT 16,TAXBLOCK 3985	***684 LIBERTY AVENUE***	***SE 0 - 1/8 (0.125 mi.)***	***I107***	***30***

NY MANIFEST: A review of the NY MANIFEST list, as provided by EDR, and dated 12/31/2019 has revealed that there are 48 NY MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HESS#32518 EPA ID: NYD982185670	***2880 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.071 mi.)***	***B52***	***19***
CON EDISON EPA ID: NYP004578829	2896 FULTON ST	NNW 0 - 1/8 (0.118 mi.)	J100	29
CON EDISON - MANHOLE EPA ID: NYR000253294 EPA ID: NYP004942817	***2840 ATLANTIC AVE***	***WSW 1/8 - 1/4 (0.130 mi.)***	***K113***	***32***
CON EDISON EPA ID: NYP004819714	2870 FULTON ST	NW 1/8 - 1/4 (0.137 mi.)	M121	34
CON EDISON EPA ID: NYP004628277	2869 FULTON ST	NW 1/8 - 1/4 (0.152 mi.)	M130	36
CON EDISON EPA ID: NYP004614160	FRONT OF 681 GLENMOR	SSE 1/8 - 1/4 (0.155 mi.)	P131	36
CON EDISON EPA ID: NYP004614004	LIBERTY AVE & SCHENC	SW 1/8 - 1/4 (0.172 mi.)	S142	38
CON EDISON MANHOLE 0 EPA ID: NYP004148912 EPA ID: NYP004225850	***LIBERTY AVE & SCHENC***	***SW 1/8 - 1/4 (0.172 mi.)***	***S145***	***39***
CON ED - MH 67372 EPA ID: NYP004006052	***GLENMORE & JEROME AV***	***S 1/8 - 1/4 (0.173 mi.)***	***N148***	***39***
CON EDISON EPA ID: NYP004524781	163 BARBEY ST	NW 1/8 - 1/4 (0.180 mi.)	M159	42
CON EDISON EPA ID: NYP004550398	112 JEROME ST FRONT	NW 1/8 - 1/4 (0.180 mi.)	V161	42
MTA-NYCTA FULTON ST EPA ID: NYR000131375	***2963-2965 FULTON ST***	***NNE 1/8 - 1/4 (0.189 mi.)***	***R172***	***44***
CON EDISON EPA ID: NYP004779799 EPA ID: NYP004788451	263 HENDRIX ST	WSW 1/8 - 1/4 (0.200 mi.)	S183	47
CON EDISON EPA ID: NYP004799060	236 HENDRIX AVE	WSW 1/8 - 1/4 (0.206 mi.)	U190	48
CON EDISON EPA ID: NYP004548723	192 ARLINGTON AVE FR	NNW 1/8 - 1/4 (0.208 mi.)	Z194	49
CON EDISON SERVICE B EPA ID: NYP004429114	***180 ARLINGTON AVE***	***NNW 1/8 - 1/4 (0.213 mi.)***	***Z201***	***51***
CON EDISON	180 ARLINGTON AVE FR	NNW 1/8 - 1/4 (0.213 mi.)	Z202	51

EPA ID: NYP004548699				
NAYA SUPER DRY CLEAN EPA ID: NYD980778666	***2814 FULTON ST***	***WNW 1/8 - 1/4 (0.216 mi.)***	***T213***	***53***
CON ED EPA ID: NYP004820300	2814 FULTON ST	WNW 1/8 - 1/4 (0.216 mi.)	T214	53
CON ED EPA ID: NYP004881138	2821 FULTON ST	WNW 1/8 - 1/4 (0.217 mi.)	T217	54
CON EDISON SERVICE B EPA ID: NYP004429213	***2983 FULTON ST***	***NNE 1/8 - 1/4 (0.217 mi.)***	***AB220***	***55***
CON ED EPA ID: NYP004721734 EPA ID: NYP004816789	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V231	57
CON EDISON - MH 6736 EPA ID: NYP004112074	***GLENMORE AND SCHNECK***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC233***	***57***
CON EDISON MANHOLE: EPA ID: NYP004446209	***GLENMORE AVE & SCHEN***	***SSW 1/8 - 1/4 (0.224 mi.)***	***AC234***	***58***
CON EDISON EPA ID: NYP004850161 EPA ID: NYP004815508	231 ARLINGTON AVE	N 1/8 - 1/4 (0.239 mi.)	Y243	60
CON EDISON SERVICE B EPA ID: NYP004414322	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD250***	***61***
CON EDISON SERVICE B EPA ID: NYP004414090	***140 ARLINGTON AVE FR***	***NW 1/8 - 1/4 (0.241 mi.)***	***AD251***	***61***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CONSOLIDATED EDISON EPA ID: NYD982273831	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C32***	***15***
CON EDISON - CLEVELA EPA ID: NYD982272841	***2950 ATLANTIC AVE***	***ENE 0 - 1/8 (0.046 mi.)***	***C33***	***15***
CON EDISON EPA ID: NYP004607649	186 ASHFORD ST	N 0 - 1/8 (0.060 mi.)	E43	18
NYNEX EPA ID: NYP000923375	ASHFORD ST & LIBERTY	SSE 0 - 1/8 (0.078 mi.)	F61	22
NYNEX EPA ID: NYP000932749	ASHFORD ST & LIBERTY	SSE 0 - 1/8 (0.078 mi.)	F62	22
CON EDISON MANHOLE 4 EPA ID: NYP004234662	***ASHFORD ST & LIBERTY***	***SSE 0 - 1/8 (0.078 mi.)***	***F63***	***22***
IS 302K EPA ID: NYR000176511	***350 LINWOOD STREET***	***E 1/8 - 1/4 (0.148 mi.)***	***O129***	***35***
B&B URBAN LLC - 315 EPA ID: NYR000237008	315 LINWOOD STREET	ENE 1/8 - 1/4 (0.162 mi.)	Q135	37
MTA NYCT - CLEVELAND EPA ID: NYR000130930	***CLEVELAND & FULTON S***	***NNE 1/8 - 1/4 (0.166 mi.)***	***R136***	***37***
CON EDISON EPA ID: NYP004539094	LINWOOD ST & LIBERTY	ESE 1/8 - 1/4 (0.167 mi.)	O137	37
CON EDISON	728 LIBERTY AVE FRON	ESE 1/8 - 1/4 (0.196 mi.)	W180	46

EPA ID: NYP004539110				
CON EDISON EPA ID: NYP004696233 EPA ID: NYP004533527 EPA ID: NYP004708707	422 CLEVELAND ST	SSE 1/8 - 1/4 (0.201 mi.)	P187	47
CON EDISON SERVICE B EPA ID: NYP004439006	***3027 ATLANTIC AVE***	***ENE 1/8 - 1/4 (0.209 mi.)***	***AA195***	***49***
CON EDISON EPA ID: NYP004539136	LIBERTY AVE & ESSEX	ESE 1/8 - 1/4 (0.211 mi.)	X198	50
CON EDISON EPA ID: NYP004161295	***LIBERTY AVE & ESSEX***	***ESE 1/8 - 1/4 (0.211 mi.)***	***X199***	***50***
CON ED EPA ID: NYP004824732	320 ESSEX ST	ESE 1/8 - 1/4 (0.213 mi.)	X206	52
CON EDISON EPA ID: NYP004598520	330 ESSEX ST	ESE 1/8 - 1/4 (0.216 mi.)	W216	54
CON EDISON EPA ID: NYP004598587	734 GLENMORE AVE	SE 1/8 - 1/4 (0.220 mi.)	222	55
CON EDISON EPA ID: NYP004559878	23-35 PITKIN AVE MH5	S 1/8 - 1/4 (0.241 mi.)	AE248	61
CON EDISON EPA ID: NYP004598546	OPP 761 GLENMORE AVE	ESE 1/8 - 1/4 (0.241 mi.)	AG249	61
CON EDISON EPA ID: NYP004682936	F/O 2325 PITKIN AV	S 1/8 - 1/4 (0.247 mi.)	AE257	63

PA MANIFEST: A review of the PA MANIFEST list, as provided by EDR, and dated 06/30/2018 has revealed that there are 2 PA MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON - BARBEY Generator EPA Id: NYP005031349	163 BARBEY STREET	NW 1/8 - 1/4 (0.180 mi.)	M157	41
CON EDISON - ARLINGT Generator EPA Id: NYP004721734	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V230	57

NJ MANIFEST: A review of the NJ MANIFEST list, as provided by EDR, and dated 12/31/2018 has revealed that there are 11 NJ MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA Id: NYP004819714	2870 FULTON ST	NW 1/8 - 1/4 (0.137 mi.)	M120	33
MTA-NYCTA FULTON ST EPA Id: NYR000131375	***2963-2965 FULTON ST***	***NNE 1/8 - 1/4 (0.189 mi.)***	***R172***	***44***
CON EDISON EPA Id: NYP004779799	263 HENDRIX ST	WSW 1/8 - 1/4 (0.200 mi.)	S184	47
CON EDISON	2814 FULTON ST	WNW 1/8 - 1/4 (0.216 mi.)	T212	53

EPA Id: NYP004820300				
CON EDISON EPA Id: NYP004881138	2821 FULTON ST	WNW 1/8 - 1/4 (0.217 mi.)	T219	54
CON EDISON EPA Id: NYP004816797	164 ARLINGTON AVE	NNW 1/8 - 1/4 (0.221 mi.)	V224	56
CON EDISON EPA Id: NYP004816789	160 ARLINGTON AVE	NNW 1/8 - 1/4 (0.224 mi.)	V229	57
CON EDISON EPA Id: NYP004815508	231 ARLINGTON AVE	N 1/8 - 1/4 (0.239 mi.)	Y245	60

Lower Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON EPA Id: NYP004840514	220 ASHFORD ST	SE 0 - 1/8 (0.011 mi.)	A13	11
CON EDISON EPA Id: NYP004884298	LIBERTY AVE & LINWOO	ESE 1/8 - 1/4 (0.167 mi.)	O139	37
CON EDISON EPA Id: NYP004824732	320 ESSEX ST	ESE 1/8 - 1/4 (0.213 mi.)	X205	51

NY MGP: A review of the NY MGP list, as provided by EDR, and dated 12/02/2024 has revealed that there is 1 NY MGP site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
K - UNION STATION HO	***ATLANTIC AVE, ASHFOR***	***E 0 - 1/8 (0.037 mi.)***	***A20***	***12***

NY NYC OER: A review of the NY NYC OER list, as provided by EDR, and dated 12/02/2024 has revealed that there are 36 NY NYC OER sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 11,TAXBLOCK 3965	***2864 ATLANTIC AVENUE***	***WSW 0 - 1/8 (0.082 mi.)***	***D64***	***22***
2862 FULTON STREET	2862 FULTON STREET	NW 1/8 - 1/4 (0.141 mi.)	M125	35
LOT 55,TAXBLOCK 3933	***2795 FULTON STREET***	***WNW 1/4 - 1/2 (0.262 mi.)***	***AF261***	***63***
LOT 18,TAXBLOCK 3946	***2776 FULTON STREET***	***W 1/4 - 1/2 (0.287 mi.)***	***266***	***64***
LOT 15,TAXBLOCK 3690	***2738 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.355 mi.)***	***285***	***69***
Not reported	***2718 FULTON STREET***	***W 1/4 - 1/2 (0.398 mi.)***	***AQ292***	***71***
2700 ATLANTIC AVENUE	***2700 ATLANTIC AVENUE***	***WSW 1/4 - 1/2 (0.428 mi.)***	***297***	***72***
2701-2715 FULTON STR	***2701-2715 FULTON STR***	***W 1/4 - 1/2 (0.437 mi.)***	***AQ298***	***72***
25 MILFORD STREET	***25 MILFORD STREET***	***ENE 1/4 - 1/2 (0.453 mi.)***	***AR299***	***72***
LOT 25,TAXBLOCK 4153	***29 MILFORD STREET***	***ENE 1/4 - 1/2 (0.456 mi.)***	***AR300***	***72***
LOT 28,TAXBLOCK 4153	***23 MILFORD STREET***	***ENE 1/4 - 1/2 (0.456 mi.)***	***AR301***	***72***
3294 ATLANTIC AVENUE	***3192 ATLANTIC AVENUE***	***ENE 1/4 - 1/2 (0.463 mi.)***	***AR303***	***73***
157 NEW JERSEY AVENU	***157 NEW JERSEY AVENU***	***W 1/4 - 1/2 (0.484 mi.)***	***309***	***74***
2667 FULTON STREET	***2667 FULTON STREET***	***W 1/4 - 1/2 (0.493 mi.)***	***310***	***75***
3200 ATLANTIC AVENUE	***3200 ATLANTIC AVENUE***	***ENE 1/2 - 1 (0.514 mi.)***	***311***	***75***
LOT 35,TAXBLOCK 3703	***184 PENNSYLVANIA AVE***	***WSW 1/2 - 1 (0.580 mi.)***	***313***	***75***
EXXON DIV OF CFI #70	***225 PENNSYLVANIA AVE***	***SW 1/2 - 1 (0.582 mi.)***	***314***	***75***
50 PENN LLC	***2618 FULTON ST***	***W 1/2 - 1 (0.592 mi.)***	***315***	***76***
2440 FULTON STREET	***2440 FULTON STREET***	***W 1/2 - 1 (0.841 mi.)***	***321***	***77***
81-111 JUNIUS STREET	***81 JUNIUS STREET***	***WSW 1/2 - 1 (0.941 mi.)***	***323***	***77***

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LOT 46,TAXBLOCK 1437	***2435 PACIFIC STREET***	***W 1/2 - 1 (0.977 mi.)***	***AT324***	***78***
2396 ATLANTIC AVENUE	2396 ATLANTIC AVENUE	W 1/2 - 1 (0.995 mi.)	AT325	78

Lower Elevation	Address	Direction / Distance	Map ID	Page
315 LINWOOD STREET	***315 LINWOOD***	***ENE 1/8 - 1/4 (0.162 mi.)***	***Q133***	***36***
LOT 30,TAXBLOCK 3998	***2337 PITKIN AVENUE***	***S 1/8 - 1/4 (0.236 mi.)***	***242***	***59***
LOT 53,TAXBLOCK 3957	***3051 ATLANTIC AVENUE***	***ENE 1/8 - 1/4 (0.240 mi.)***	***AA247***	***60***
777 GLENMORE AVENUE	***777 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.275 mi.)***	***AG263***	***64***
LOT 19,TAXBLOCK 4017	***2400 PITKIN AVENUE***	***SSE 1/4 - 1/2 (0.275 mi.)***	***AH264***	***64***
LOT 1,TAXBLOCK 3989	***355 SHEPHERD AVENUE***	***ESE 1/4 - 1/2 (0.292 mi.)***	***267***	***65***
2437 PITKIN AVENUE	***2437 PITKIN AVENUE***	***SE 1/4 - 1/2 (0.294 mi.)***	***268***	***65***
790 LIBERTY AVE	790 LIBERTY AVE	E 1/4 - 1/2 (0.297 mi.)	269	65
LOT 28,TAXBLOCK 4005	***2501 PITKIN AVENUE***	***ESE 1/4 - 1/2 (0.364 mi.)***	***AP287***	***69***
LOT 13,TAXBLOCK 4006	***820 GLENMORE AVENUE***	***ESE 1/4 - 1/2 (0.366 mi.)***	***288***	***70***
LOT 13,TAXBLOCK 4228	***2602 PITKIN AVENUE***	***ESE 1/2 - 1 (0.570 mi.)***	***312***	***75***
447 EUCLID AVENUE	***447 EUCLID AVENUE***	***E 1/2 - 1 (0.752 mi.)***	***317***	***76***
LOT 3,TAXBLOCK 4092	***876 LIVONIA AVENUE***	***S 1/2 - 1 (0.766 mi.)***	***AS318***	***77***
691-715 NEW LOTS AVE	691-715 NEW LOTS AVE	S 1/2 - 1 (0.778 mi.)	AS319	77

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: A review of the EDR MGP list, as provided by EDR, has revealed that there are 2 EDR MGP sites within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BELMONT STATION	BELMONT, WILLIAMS, A	SW 1/2 - 1 (0.819 mi.)	320	77

Lower Elevation	Address	Direction / Distance	Map ID	Page
UNION STATION (CITIZ	ATLANTIC AVE., ASHFO	E 0 - 1/8 (0.040 mi.)	A21	13

EDR Hist Auto: A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 5 EDR Hist Auto sites within approximately 0.125 miles of the target property.


Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
M M P G TUNE INC	2914 ATLANTIC AVE	0 - 1/8 (0.000 mi.)	A3	9
TRANCARE INC	2900 ATLANTIC AVE	WSW 0 - 1/8 (0.027 mi.)	A17	12
DIAL A MATTRESS ATLA	2887 ATLANTIC AVE ST	WNW 0 - 1/8 (0.041 mi.)	B24	13
MERIT GASOLINE STATI	2880 ATLANTIC AVE AV	WSW 0 - 1/8 (0.071 mi.)	B51	19

Lower Elevation	Address	Direction / Distance	Map ID	Page
JL AUTO REPAIR	670 LIBERTY AVE	SE 0 - 1/8 (0.105 mi.)	I90	27

Count: 3 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BROOKLYN	S113922095	UNION STATION (CITIZENS BRANCH)	ATLANTIC AVE, ASHFORD ST, LIBE	11207	NY VCP
BROOKLYN	S113922098	BELMONT STATION	BELMONT, WILLIAMS, ALABAMA & S	11207	NY VCP
BROOKLYN	S125465259	LINWOOD STREET GW	LINWOOD ST BETWEEN WORTMAN ST	11208	NY SHWS

OVERVIEW MAP - 07942990.2R




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 2916 Atlantic Avenue ADDRESS: 2916 Atlantic Avenue Brooklyn NY 11207 LAT/LONG: 40.677161 / 73.886455	CLIENT: Haley & Aldrich, Inc. CONTACT: Rachel Freeman INQUIRY #: 07942990.2r DATE: March 31, 2025 3:52 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 07942990.2R



- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 2916 Atlantic Avenue	CLIENT: Haley & Aldrich, Inc.
ADDRESS: 2916 Atlantic Avenue Brooklyn NY 11207	CONTACT: Rachel Freeman INQUIRY #: 07942990.2r
LAT/LONG: 40.677161 / 73.886455	DATE: March 31, 2025 3:59 pm

Copyright © 2025 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Lists of Federal NPL (Superfund) sites								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Lists of Federal Delisted NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites subject to CERCLA removals and CERCLA orders								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	0	NR	NR	0
Lists of Federal CERCLA sites with NFRAP								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA facilities undergoing Corrective Action								
CORRACTS	1.000		0	0	0	0	NR	0
Lists of Federal RCRA TSD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA generators								
RCRA-LQG	0.250		1	2	NR	NR	NR	3
RCRA-SQG	0.250		0	2	NR	NR	NR	2
RCRA-VSQG	0.250		1	0	NR	NR	NR	1
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROLS	0.500		0	0	0	NR	NR	0
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
Lists of state- and tribal hazardous waste facilities								
NY SHWS	1.000		1	0	0	2	NR	3
Lists of state and tribal landfills and solid waste disposal facilities								
NY SWF/LF	0.500		0	0	3	NR	NR	3
Lists of state and tribal leaking storage tanks								
INDIAN LUST	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY LTANKS	0.500		2	15	26	NR	NR	43
NY HIST LTANKS	0.500		0	0	0	NR	NR	0
Lists of state and tribal registered storage tanks								
FEMA UST	0.250		0	0	NR	NR	NR	0
NY UST	0.250		7	8	NR	NR	NR	15
NY CBS UST	0.250		0	0	NR	NR	NR	0
NY MOSF UST	0.500		0	0	0	NR	NR	0
NY CBS	0.250		0	0	NR	NR	NR	0
NY MOSF	0.500		0	0	0	NR	NR	0
NY AST	0.250		8	10	NR	NR	NR	18
NY CBS AST	0.250		0	0	NR	NR	NR	0
NY MOSF AST	0.500		0	0	0	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
NY TANKS	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
NY RES DECL	0.125		0	NR	NR	NR	NR	0
NY ENG CONTROLS	0.500		0	1	0	NR	NR	1
NY INST CONTROL	0.500		0	1	0	NR	NR	1
Lists of state and tribal voluntary cleanup sites								
NY VCP	0.500		0	3	17	NR	NR	20
INDIAN VCP	0.500		0	0	0	NR	NR	0
Lists of state and tribal brownfield sites								
NY BROWNFIELDS	0.500		2	1	2	NR	NR	5
NY ERP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	2	1	NR	NR	3
Local Lists of Landfill / Solid Waste Disposal Sites								
NY SWRCY	0.500		0	0	0	NR	NR	0
NY SWTIRE	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
NY DEL SHWS	1.000		0	0	0	0	NR	0
US CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
NY HIST UST	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY HIST AST	TP		NR	NR	NR	NR	NR	0
Local Land Records								
NY LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		16	NR	NR	NR	NR	16
NY Hist Spills	0.125		0	NR	NR	NR	NR	0
NY SPILLS 90	0.125		0	NR	NR	NR	NR	0
NY SPILLS 80	0.125		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		7	36	NR	NR	NR	43
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
ECHO	TP		NR	NR	NR	NR	NR	0
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0
PFAS PROJECT	0.250		0	0	NR	NR	NR	0
PFAS ECHO	0.250		0	0	NR	NR	NR	0
PFAS ECHO FIRE TRAIN	0.250		0	0	NR	NR	NR	0
PFAS PT 139 AIRPORT	0.250		0	0	NR	NR	NR	0
AQUEOUS FOAM NRC	0.250		0	0	NR	NR	NR	0
BIOSOLIDS	TP		NR	NR	NR	NR	NR	0
UST FINDER RELEASE	0.500		0	2	0	NR	NR	2
UST FINDER	0.250		7	8	NR	NR	NR	15
E MANIFEST	0.250		14	28	NR	NR	NR	42
NY PFAS	0.250		0	0	NR	NR	NR	0
NY AIRS	TP		NR	NR	NR	NR	NR	0
NY COAL ASH	0.500		0	0	0	NR	NR	0
NY DRYCLEANERS	0.250		0	2	NR	NR	NR	2
NY E DESIGNATION	0.125	1	37	NR	NR	NR	NR	38
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY HSWDS	0.500		0	0	0	NR	NR	0
NY LEAD	TP		NR	NR	NR	NR	NR	0
NY MANIFEST	0.250		8	40	NR	NR	NR	48
PA MANIFEST	0.250		0	2	NR	NR	NR	2
NJ MANIFEST	0.250		1	10	NR	NR	NR	11
NY SPDES	TP		NR	NR	NR	NR	NR	0
NY VAPOR REOPENED	0.500		0	0	0	NR	NR	0
NY UIC	TP		NR	NR	NR	NR	NR	0
NY COOLING TOWERS	TP		NR	NR	NR	NR	NR	0
NY MGP	1.000		1	0	0	0	NR	1
NY NYC OER	1.000		1	4	19	12	NR	36
NY ILI	0.500		0	0	0	NR	NR	0
NY NYC LAND USE	TP	1	NR	NR	NR	NR	NR	1
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		1	0	0	1	NR	2
EDR Hist Auto	0.125		5	NR	NR	NR	NR	5
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
NY RGA HWS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY RGA LF	TP		NR	NR	NR	NR	NR	0
- Totals --		2	120	177	68	15	0	382

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID / Direction / Distance / Elevation	Site	Database(s)	EDR ID Number / EPA ID Number
A1 **Target Property**	**LOT 15,TAXBLOCK 3967** **2916 ATLANTIC AVENUE** **BROOKLYN, NY 11207**	**NY E DESIGNATION** **NY NYC LAND USE**	**S118704104** **N/A**
Actual: 36 ft.	**Click here for full text details**		
A2 **< 1/8** **1 ft.**	**GIBRALTAR TRANSMISSION** **2914 ATLANTIC AVE** **BROOKLYN, NY 11207**	**RCRA NonGen / NLR** **FINDS** **ECHO**	**1000353397** **NYD982279317**
Relative: Higher	**Click here for full text details** **RCRA NonGen / NLR** EPA Id NYD982279317 **FINDS** Registry ID: 110004419576 **ECHO** Registry ID 110004419576		
A3 **< 1/8** **1 ft.**	**M M P G TUNE INC** **2914 ATLANTIC AVE** **BROOKLYN, NY 11207**	**EDR Hist Auto**	**1020663373** **N/A**
Relative: Higher	**Click here for full text details**		
A4 **< 1/8** **0.001 mi.** **5 ft.**	**LOT 19,TAXBLOCK 3967** **2926 ATLANTIC AVENUE** **BROOKLYN, NY 11207**	**NY E DESIGNATION** **NY NYC LAND USE**	**S118704170** **N/A**
Relative: Lower	**Click here for full text details**		
A5 **WSW** **< 1/8** **0.003 mi.** **14 ft.**	**2912 ATLANTIC AVE REALTY CORP** **2912 ATLANTIC AVE** **BROOKLYN, NY 11207**	**NY UST**	**U001831905** **N/A**
Relative: Higher	**Click here for full text details**		

A6
WSW
< 1/8
0.003 mi.
14 ft.

Relative:
Higher

LOT 13,TAXBLOCK 3967
2912 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION **S118704075**
NY NYC LAND USE **N/A**

Click here for full text details

A7
WSW
< 1/8
0.003 mi.
14 ft.

Relative:
Higher

2912 ATLANTIC AVE REALTY CORP
2912 ATLANTIC AVE
BROOKLYN, NY 11207

UST FINDER **1028569491**
N/A

Click here for full text details

A8
NE
< 1/8
0.005 mi.
24 ft.

Relative:
Lower

LOT 20,TAXBLOCK 3967
2928 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION **S118704194**
NY NYC LAND USE **N/A**

Click here for full text details

A9
ESE
< 1/8
0.005 mi.
27 ft.

Relative:
Lower

LOT 24,TAXBLOCK 3967
218 ASHFORD STREET
BROOKLYN, NY 11207

NY E DESIGNATION **S118704235**
NY NYC LAND USE **N/A**

Click here for full text details

A10
ENE
< 1/8
0.008 mi.
42 ft.

Relative:
Lower

LOT 21,TAXBLOCK 3967
2930 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION **S118704212**
NY NYC LAND USE **N/A**

Click here for full text details

A11
SE
< 1/8
0.011 mi.
56 ft.

Relative:
Lower

CON EDISON
220 ASHFORD ST
BROOKLYN, NY 11203

RCRA NonGen / NLR **1019907974**
FINDS **NYP004840514**
ECHO

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004840514

FINDS

CON EDISON (Continued) **1019907974**

Registry ID: 110069649802

ECHO
Registry ID 110069649802

A12
SE
< 1/8
0.011 mi.
56 ft.

Relative:
Lower

LOT 25,TAXBLOCK 3967
220 ASHFORD STREET
BROOKLYN, NY 11207

NY E DESIGNATION **S118704245**
NY NYC LAND USE **N/A**

Click here for full text details

A13
SE
< 1/8
0.011 mi.
56 ft.

Relative:
Lower

CON EDISON
220 ASHFORD ST
BROOKLYN, NY 11203

NJ MANIFEST **S120676873**
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004840514

A14
ENE
< 1/8
0.012 mi.
61 ft.

Relative:
Lower

LOT 22,TAXBLOCK 3967
2932 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION **S118704219**
NY NYC LAND USE **N/A**

Click here for full text details

A15
NW
< 1/8
0.016 mi.
86 ft.

Relative:
Higher

CON EDISON
ATLANTIC AVE & WARWICK ST NW
BROOKLYN, NY 11207

RCRA NonGen / NLR **1019901802**
FINDS **NYP004766192**
ECHO

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004766192

FINDS
Registry ID: 110069656991

ECHO
Registry ID 110069656991

A16
WSW
< 1/8
0.027 mi.
145 ft.

Relative:
Higher

LOT 16,TAXBLOCK 3966
2900 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704125**
NY NYC LAND USE **N/A**

A17
WSW
< 1/8
0.027 mi.
145 ft.

Relative:
Higher

TRANCARE INC
2900 ATLANTIC AVE
BROOKLYN, NY 11207

Click here for full text details

EDR Hist Auto **1021576220**
N/A

A18
NNE
< 1/8
0.030 mi.
161 ft.

Relative:
Lower

LOT 42,TAXBLOCK 3952
2929 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704354**
NY NYC LAND USE **N/A**

A19
WSW
< 1/8
0.037 mi.
195 ft.

Relative:
Higher

LOT 15,TAXBLOCK 3966
2896 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704103**
NY NYC LAND USE **N/A**

A20
East
< 1/8
0.037 mi.
196 ft.

Relative:
Lower

K - UNION STATION HOLDER
ATLANTIC AVE, ASHFORD ST, LIBERTY AVE
BROOKLYN, NY 11207

Click here for full text details

NY SHWS **S109580117**
NY BROWNFIELDS **N/A**
NY MGP

NY SHWS
Site Code 378991

NY BROWNFIELDS
Site Code 57390

A21
East
< 1/8
0.040 mi.
210 ft.

Relative:
Lower

UNION STATION (CITIZENS BRANCH)
ATLANTIC AVE., ASHFORD ST., LIBERTY AVE.
BROOKLYN, NY 11207

Click here for full text details

EDR MGP **1008407901**
N/A

B22
WNW
< 1/8
0.041 mi.
216 ft.

Relative:
Higher

LOT 42,TAXBLOCK 3951
2887 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704353**
NY NYC LAND USE **N/A**

B23
WNW
< 1/8
0.041 mi.
216 ft.

Relative:
Higher

BAYSIDE FUEL OIL
2887 ATLANTIC AVE
BROOKLYN, NY 11207

Click here for full text details

NY AST
Facility Id 2-110671

NY AST **S107781236**
N/A

B24
WNW
< 1/8
0.041 mi.
216 ft.

Relative:
Higher

DIAL A MATTRESS ATLANTIC AVE
2887 ATLANTIC AVE STE 2
BROOKLYN, NY 11207

Click here for full text details

EDR Hist Auto **1020669209**
N/A

A25
WSW
< 1/8
0.042 mi.
220 ft.

Relative:
Higher

LOT 14,TAXBLOCK 3966
2894 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704089**
NY NYC LAND USE **N/A**

A26
WSW
< 1/8
0.042 mi.
220 ft.

Relative:
Higher

ATLANTIC LUBE INC
2894 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY AST
Facility Id 2-610284

NY AST **A100298609**
N/A

A27
WSW
< 1/8
0.042 mi.
220 ft.

Relative:
Higher

CON EDISON - COMPANY OF NY
F/O 2894 ATLANTIC AVE
BROOKLYN, NY 11207

E MANIFEST **1031612095**
N/A

Click here for full text details

C28
ENE
< 1/8
0.046 mi.
244 ft.

Relative:
Lower

CON ED CLEVELAND ST YARD
2950 ATALNTIC AVE
BROOKLYN, NY

NY Spills **S121464141**
N/A

Click here for full text details

NY Spills
Spill Number/Closed Date 1709810 / 2018-04-26
Site ID 566274
Spill Date 2018-01-26

C29
ENE
< 1/8
0.046 mi.
244 ft.

Relative:
Lower

MOTOR OIL LEAK FROM VEH 50584
2950 ATLANTIC AVE. CLEVELAND ST YARD
BROOKLYN, NY

NY Spills **S109062585**
N/A

Click here for full text details

NY Spills
Spill Number/Closed Date 0801455 / 2008-05-19
Site ID 397377
Spill Date 2008-05-07

C30
ENE
< 1/8
0.046 mi.
244 ft.

Relative:
Lower

CLEVELAND SUBSTATION
2950 ATLANTIC AVE
BROOKLYN, NY

NY Spills **S114561557**
N/A

Click here for full text details

NY Spills
Spill Number/Closed Date 1910071 / 2020-03-17
Spill Number/Closed Date 1308234 / 2014-09-25
Site ID 600695
Site ID 488956
Spill Date 2020-01-24
Spill Date 2013-11-13

C31
ENE
< 1/8
0.046 mi.
244 ft.

Relative:
Lower

ATLANTIC AVE. SERVICE CENTER
2950 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY AST **A100382338**
N/A

Click here for full text details

NY AST
Facility Id 2-452718

C32
ENE
< 1/8
0.046 mi.
244 ft.

Relative:
Lower

CONSOLIDATED EDISON
2950 ATLANTIC AVE
BROOKLYN, NY 11207

NY Spills **S102239118**
NY MANIFEST **N/A**

Click here for full text details

NY Spills
Spill Number/Closed Date 9806522 / Not Reported
Spill Number/Closed Date 0610593 / 2007-02-16
Spill Number/Closed Date 1101622 / 2011-10-28
Spill Number/Closed Date 0405593 / 2004-10-28
Spill Number/Closed Date 9514626 / 1998-03-30
Spill Number/Closed Date 9609446 / 2004-09-02
Spill Number/Closed Date 0206914 / 2002-10-08
Site ID 81585
Site ID 375059
Site ID 449086
Site ID 81582
Site ID 81583
Site ID 81584
Site ID 180783
Spill Date 1998-08-26
Spill Date 2006-12-18
Spill Date 2011-05-13
Spill Date 2004-08-22
Spill Date 1996-02-15
Spill Date 1996-10-28
Spill Date 2002-10-04

NY MANIFEST
EPA ID NYD982273831

C33
ENE
< 1/8
0.046 mi.
244 ft.

Relative:
Lower

CON EDISON - CLEVELAND SERVICE CENTER
2950 ATLANTIC AVE
BROOKLYN, NY 11207

RCRA-LQG **1000111682**
FINDS **NYD982272841**
ECHO
E MANIFEST
NY MANIFEST

Click here for full text details

RCRA-LQG
EPA Id NYD982272841

FINDS
Registry ID: 110009474595

ECHO

CON EDISON - CLEVELAND SERVICE CENTER (Continued) **1000111682**

Registry ID 110009474595

NY MANIFEST
EPA ID NYD982272841

C34 **ATLANTIC AVE. SERVICE CENTER** **NY UST** **U004198785**
ENE **2950 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
244 ft.

Relative: Lower

Click here for full text details

C35 **ATLANTIC AVE. SERVICE CENTER** **UST FINDER** **1028570578**
ENE **2950 ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
244 ft.

Relative: Lower

Click here for full text details

B36 **LOT 13,TAXBLOCK 3966** **NY E DESIGNATION** **S118704074**
West **ATLANTIC AVENUE** **N/A**
< 1/8 **BROOKLYN, NY 11207**
0.046 mi.
245 ft.

Relative: Higher

Click here for full text details

C37 **CLEVELAND ST YARD** **NY Spills** **S102240102**
ENE **CLEVELAND ST** **N/A**
< 1/8 **BROOKLYN, NY**
0.048 mi.
253 ft.

Relative: Lower

Click here for full text details

NY Spills
Spill Number/Closed Date 9602782 / 1996-08-22
Site ID 211551
Spill Date 1996-05-28

B38
WSW
< 1/8
0.051 mi.
271 ft.

Relative:
Higher

LOT 12,TAXBLOCK 3966
2890 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION
NY NYC LAND USE

S118704064
N/A

Click here for full text details

D39
SW
< 1/8
0.052 mi.
274 ft.

Relative:
Higher

ST MICHAEL ROMAN CATHOLIC CHURCH
219-237 JEROME STREET
BROOKLYN, NY 11207

NY UST

U004064423
N/A

Click here for full text details

D40
SW
< 1/8
0.052 mi.
274 ft.

Relative:
Higher

ST MICHAEL ROMAN CATHOLIC CHURCH
219-237 JEROME STREET
BROOKLYN, NY 11207

NY AST

U003074447
N/A

Click here for full text details

NY AST
Facility Id 2-213837

D41
SW
< 1/8
0.052 mi.
274 ft.

Relative:
Higher

ST MICHAEL ROMAN CATHOLIC CHURCH
219-237 JEROME STREET
BROOKLYN, NY 11207

UST FINDER

1028600006
N/A

Click here for full text details

D42
SW
< 1/8
0.056 mi.
297 ft.

Relative:
Higher

ST. MICHAELS RCC
225 JEROME STREET
BROOKLYN, NY 11207

NY AST

A100296136
N/A

Click here for full text details

NY AST
Facility Id 2-608678

E43
North
< 1/8
0.060 mi.
318 ft.

Relative:
Lower

CON EDISON — **NY MANIFEST** — **S117067615**
186 ASHFORD ST — **N/A**
BROOKLYN, NY 11207

Click here for full text details

NY MANIFEST
EPA ID NYP004607649

C44
NE
< 1/8
0.061 mi.
321 ft.

Relative:
Lower

ATLANTIC AVE SERVICE CENTER — **NY Spills** — **S103569918**
ALANTIC AVE/CLEVELAND ST — **N/A**
BROOKLYN, NY

Click here for full text details

NY Spills
Spill Number/Closed Date 9608853 / 2006-03-16
Site ID 255003
Spill Date 1996-10-16

C45
ENE
< 1/8
0.062 mi.
330 ft.

Relative:
Lower

MANHOLE #1874 — **NY Spills** — **S104789840**
ATLANTIC/CLEVELAND — **N/A**
BROOKLYN, NY

Click here for full text details

NY Spills
Spill Number/Closed Date 0007359 / 2016-12-08
Site ID 103873
Spill Date 2000-09-22

C46
ESE
< 1/8
0.065 mi.
341 ft.

Relative:
Lower

ROADSIDE — **NY Spills** — **S109828984**
CLEVELAND ST BET ATLANTIC AVE & LIBERTY AVE — **N/A**
BROOKLYN, NY

Click here for full text details

NY Spills
Spill Number/Closed Date 0906008 / 2009-08-24
Site ID 418303
Spill Date 2009-08-23

C47
NE
< 1/8
0.066 mi.
349 ft.

Relative:
Lower

LOT 45,TAXBLOCK 3953 — **NY E DESIGNATION** — **S118704366**
2941 ATLANTIC AVENUE — **NY NYC LAND USE** — **N/A**
BROOKLYN, NY 11207

Click here for full text details

C48
NE
< 1/8
0.066 mi.
349 ft.

Relative:
Lower

VESTPRO
2941 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY AST **U003389288**
N/A

Click here for full text details

NY AST
Facility Id 2-305227

D49
SSW
< 1/8
0.068 mi.
361 ft.

Relative:
Higher

ST. MICHAEL SCHOOL
237 JEROME STREET
BROOKLYN, NY 11207

UST FINDER **1028574405**
N/A

Click here for full text details

D50
SSW
< 1/8
0.068 mi.
361 ft.

Relative:
Higher

ST. MICHAEL SCHOOL
237 JEROME STREET
BROOKLYN, NY 11207

NY UST **U004048361**
N/A

Click here for full text details

B51
WSW
< 1/8
0.071 mi.
375 ft.

Relative:
Higher

MERIT GASOLINE STATION
2880 ATLANTIC AVE AV
NEW YORK - BROOKLYN, NY 11207

EDR Hist Auto **1021039115**
N/A

Click here for full text details

B52
WSW
< 1/8
0.071 mi.
375 ft.

Relative:
Higher

HESS#32518
2880 ATLANTIC AVENUE
BROOKLYN, NY 11207

RCRA-VSQG **1000263774**
NY LTANKS **NYD982185670**
NY UST
NY Spills
US AIRS
FINDS
ECHO
NY MANIFEST

Click here for full text details

RCRA-VSQG
EPA Id NYD982185670

NY LTANKS
Spill Number/Closed Date 9200248 / 1994-08-03
Site ID 147618
Spill Date 1992-04-07

NY Spills

HESS#32518 (Continued) **1000263774**

Spill Number/Closed Date 9830002 / 2023-12-31
Spill Number/Closed Date 1006577 / 2010-10-20
Site ID 65126
Site ID 439937
Spill Date 1998-08-06
Spill Date 2010-09-16

US AIRS
EPA plant ID: 110001572691

FINDS
Registry ID: 110001572691

ECHO
Registry ID 110001572691

NY MANIFEST
EPA ID NYD982185670

B53
WSW
< 1/8
0.071 mi.
375 ft.

Relative: Higher

SPEEDWAY # 7823 **UST FINDER** **1028568278**
2880 ATLANTIC AVENUE **N/A**
BROOKLYN, NY 11207

Click here for full text details

D54
WSW
< 1/8
0.073 mi.
388 ft.

Relative: Higher

I/F/O **NY Spills** **S106004666**
222 JEROME ST **N/A**
BROOKLYN, NY

Click here for full text details

NY Spills
Spill Number/Closed Date 0202912 / 2002-08-02
Site ID 300814
Spill Date 2002-06-19

E55
North
< 1/8
0.074 mi.
392 ft.

Relative: Lower

JAGARNATH HOME **NY Spills** **S107488889**
176 ASHFORD STREET **NY NYC LAND USE** **N/A**
BROOKLYN, NY

Click here for full text details

NY Spills
Spill Number/Closed Date 0510472 / 2005-12-06
Site ID 356457
Spill Date 2005-12-06

C56
ENE
< 1/8
0.075 mi.
395 ft.

Relative:
Lower

COMMERICAL BUILDING CSL — **NY Spills** — **S111011728**
2958 ATLANTIC AVE — **N/A**
BROOKLYN, NY

Click here for full text details

NY Spills
Spill Number/Closed Date 1101321 / 2011-06-22
Site ID 448770
Spill Date 2011-05-05

C57
ENE
< 1/8
0.075 mi.
395 ft.

Relative:
Lower

2958 ATLANTIC AVENUE — **NY AST** — **A100298619**
2958 ATLANTIC AVENUE — **N/A**
BROOKLYN, NY 11208

Click here for full text details

NY AST
Facility Id 2-610301

C58
ENE
< 1/8
0.075 mi.
395 ft.

Relative:
Lower

2958 ATLANTIC AVENUE — **UST FINDER** — **1028580613**
2958 ATLANTIC AVENUE — **N/A**
BROOKLYN, NY 11208

Click here for full text details

C59
ENE
< 1/8
0.075 mi.
395 ft.

Relative:
Lower

2958 ATLANTIC AVENUE — **NY UST** — **U004182940**
2958 ATLANTIC AVENUE — **N/A**
BROOKLYN, NY 11208

Click here for full text details

F60
South
< 1/8
0.077 mi.
406 ft.

Relative:
Higher

MANHOLE #5294 — **NY Spills** — **S106127328**
LIBERTY AVE/WARWICK STR — **N/A**
BROOKLYN, NY

Click here for full text details

NY Spills
Spill Number/Closed Date 0311120 / 2005-06-30
Site ID 266089
Spill Date 2003-12-30

F61
SSE
< 1/8
0.078 mi.
410 ft.

Relative:
Lower

NYNEX
ASHFORD ST & LIBERTY
BROOKLYN, NY 11208

NY MANIFEST | **1010185260**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP000923375

F62
SSE
< 1/8
0.078 mi.
410 ft.

Relative:
Lower

NYNEX
ASHFORD ST & LIBERTY AVE
BROOKLYN, NY

NY MANIFEST | **1009234575**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP000932749

F63
SSE
< 1/8
0.078 mi.
410 ft.

Relative:
Lower

CON EDISON MANHOLE 4744
ASHFORD ST & LIBERTY AVE
BROOKLYN, NY 11201

RCRA NonGen / NLR | **1014919305**
NY MANIFEST | **NYP004234662**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004234662

NY MANIFEST
EPA ID NYP004234662

D64
WSW
< 1/8
0.082 mi.
431 ft.

Relative:
Higher

LOT 11,TAXBLOCK 3965
2864 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY BROWNFIELDS | **S118704052**
NY E DESIGNATION | **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

NY BROWNFIELDS
Site Code 629738

D65
WSW
< 1/8
0.082 mi.
431 ft.

Relative:
Higher

2864 ATLANTIC REALTY LLC REDEVELOPMENT
2864 ATLANTIC AVE
BROOKLYN, NY 11207

RCRA NonGen / NLR | **1027533145**
E MANIFEST | **NYR000260265**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYR000260265

C66
NE
< 1/8
0.083 mi.
438 ft.

Relative:
Lower

LOT 45,TAXBLOCK 3954
2961 ATLANTIC AVENUE
BROOKLYN, NY 11208

Click here for full text details

NY E DESIGNATION
NY NYC LAND USE

S118704367
N/A

B67
West
< 1/8
0.086 mi.
452 ft.

Relative:
Higher

CONSOLIDATED EDISON COMPANY OF NY
F/O2873 ATLANTIC AVE
BROOKLYN, NY 11201

Click here for full text details

E MANIFEST

1031635232
N/A

B68
West
< 1/8
0.086 mi.
452 ft.

Relative:
Higher

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS
2873 ATLANTIC AVE
BROOKLYN, NY 11207

Click here for full text details

E MANIFEST

1031621397
N/A

F69
SSE
< 1/8
0.088 mi.
465 ft.

Relative:
Higher

CON EDISON - QUEENS ENVIRONMENTAL OPS
646 LIBERTY AVE
BRONX, NY 11207

Click here for full text details

E MANIFEST

1031617213
N/A

F70
SSE
< 1/8
0.088 mi.
465 ft.

Relative:
Higher

LOT 15,TAXBLOCK 3983
646 LIBERTY AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION
NY NYC LAND USE

S118704107
N/A

F71
SSE
< 1/8
0.088 mi.
466 ft.

Relative:
Higher

LOT 13,TAXBLOCK 3983
640 LIBERTY AVENUE
BROOKLYN, NY

Click here for full text details

NY E DESIGNATION

S118704078
N/A

F72
South
< 1/8
0.091 mi.
483 ft.

Relative:
Higher

LOT 17,TAXBLOCK 3982
626 LIBERTY AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION
NY NYC LAND USE

S118704138
N/A

Click here for full text details

F73
South
< 1/8
0.093 mi.
490 ft.

Relative:
Higher

LOT 18,TAXBLOCK 3982
630 LIBERTY AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION
NY NYC LAND USE

S118704158
N/A

Click here for full text details

D74
WSW
< 1/8
0.094 mi.
496 ft.

Relative:
Higher

CON EDISON - BROOKLYN ENVIRONMENTAL OPS
OPP 259 BARBEY ST
BROOKLYN, NY 11207

E MANIFEST

1031610239
N/A

Click here for full text details

D75
WSW
< 1/8
0.095 mi.
503 ft.

Relative:
Higher

LOT 7,TAXBLOCK 3965
267 BARBEY STREET
BROOKLYN, NY 11207

NY E DESIGNATION
NY NYC LAND USE

S118704434
N/A

Click here for full text details

F76
SSW
< 1/8
0.096 mi.
507 ft.

Relative:
Higher

MANHOLE # 5293
LIBERTY AVE/JEROME STREET
BROOKLYN, NY

NY Spills

S106125351
N/A

Click here for full text details

NY Spills
Spill Number/Closed Date 0311630 / 2004-05-27
Site ID 319267
Spill Date 2004-01-14

C77
ENE
< 1/8
0.096 mi.
509 ft.

Relative:
Lower

CON EDISON - COMPANY OF NY
2972 ATLANTIC AVE
BROOKLYN, NY 11208

Click here for full text details

E MANIFEST

1031611262
N/A

D78
WSW
< 1/8
0.097 mi.
510 ft.

Relative:
Higher

LOT 6,TAXBLOCK 3965
269 BARBEY STREET
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION
NY NYC LAND USE

S118704422
N/A

G79
SW
< 1/8
0.098 mi.
517 ft.

Relative:
Higher

LOT 32,TAXBLOCK 3965
599 LIBERTY AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION
NY NYC LAND USE

S118704297
N/A

D80
SW
< 1/8
0.100 mi.
526 ft.

Relative:
Higher

LOT 4,TAXBLOCK 3965
273 BARBEY STREET
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION
NY NYC LAND USE

S118704341
N/A

F81
SSW
< 1/8
0.100 mi.
530 ft.

Relative:
Higher

LOT 13,TAXBLOCK 3982
614 LIBERTY AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION
NY NYC LAND USE

S118704077
N/A

H82
NE
< 1/8
0.101 mi.
532 ft.

Relative:
Lower

LOT 55,TAXBLOCK 3954
281 CLEVELAND STREET
BROOKLYN, NY 11208

Click here for full text details

NY E DESIGNATION
NY NYC LAND USE

S118704410
N/A

D83
SW
< 1/8
0.101 mi.
535 ft.

Relative:
Higher

LOT 3,TAXBLOCK 3965
277 BARBEY STREET
BROOKLYN, NY 11207

NY E DESIGNATION
NY NYC LAND USE

S118704279
N/A

Click here for full text details

H84
NE
< 1/8
0.102 mi.
536 ft.

Relative:
Lower

2969 ATLANTIC AVE
2969 ATLANTIC AVENUE
BROOKLYN, NY 11208

NY UST

U004045357
N/A

Click here for full text details

H85
NE
< 1/8
0.102 mi.
536 ft.

Relative:
Lower

RIVEIRA MOTEL
2969 ATLANTIC AVENUE
BROOKLYN, NY

NY LTANKS

S105999669
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0305319 / 2006-03-14
Site ID 226027
Spill Date 2003-08-19

H86
NE
< 1/8
0.102 mi.
536 ft.

Relative:
Lower

2969 ATLANTIC AVE
2969 ATLANTIC AVENUE
BROOKLYN, NY 11208

UST FINDER

1028574581
N/A

Click here for full text details

G87
SW
< 1/8
0.102 mi.
537 ft.

Relative:
Higher

LOT 33,TAXBLOCK 3965
597 LIBERTY AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION
NY NYC LAND USE

S118704304
N/A

Click here for full text details

F88
SSW
< 1/8
0.103 mi.
546 ft.

Relative:
Higher

LOT 11,TAXBLOCK 3982
608 LIBERTY AVENUE
BROOKLYN, NY 11207

NY E DESIGNATION **S118704055**
NY NYC LAND USE **N/A**

Click here for full text details

I89
SE
< 1/8
0.105 mi.
556 ft.

Relative:
Lower

LOT 15,TAXBLOCK 3984
670 LIBERTY AVENUE
BROOKLYN, NY 11208

NY E DESIGNATION **S118704108**
NY NYC LAND USE **N/A**

Click here for full text details

I90
SE
< 1/8
0.105 mi.
556 ft.

Relative:
Lower

JL AUTO REPAIR
670 LIBERTY AVE
BROOKLYN, NY 11207

EDR Hist Auto **1021460051**
N/A

Click here for full text details

I91
SE
< 1/8
0.105 mi.
556 ft.

Relative:
Lower

670 LIBERTY AVE REPAIR SHOP INC
670 LIBERTY AVENUE
BROOKLYN, NY 11207

NY AST **A100292660**
N/A

Click here for full text details

NY AST
Facility Id 2-610204

J92
NNW
< 1/8
0.106 mi.
562 ft.

Relative:
Lower

CON EDISON
218 WARWICK STR
BROOKLYN, NY 11207

E MANIFEST **1031624575**
N/A

Click here for full text details

F93
SSE
< 1/8
0.108 mi.
570 ft.

Relative:
Higher

282 ASHFORD ST.
282 ASHFORD ST
BROOKLYN, NY

NY Spills **S104648514**
N/A

Click here for full text details

NY Spills
Spill Number/Closed Date 9813215 / 1999-01-28

282 ASHFORD ST. (Continued) **S104648514**

Spill Number/Closed Date 9311714 / 1994-01-02
Site ID 96821
Site ID 283165
Spill Date 1999-01-27
Spill Date 1994-01-02

H94
ENE
< 1/8
0.108 mi.
572 ft.

Relative:
Lower

CON EDISON - COMPANY OF NY **E MANIFEST** **1031611263**
2976 ATLANTIC AVE **N/A**
BROOKLYN, NY 11208

Click here for full text details

F95
South
< 1/8
0.110 mi.
582 ft.

Relative:
Higher

DRUM IN BACKYARD **NY Spills** **S109415686**
338 WARWICK ST **NY LEAD** **N/A**
BROOKLYN, NY **NY NYC LAND USE**

Click here for full text details

NY Spills
Spill Number/Closed Date 0812768 / 2009-04-13
Site ID 410405
Spill Date 2009-02-24

G96
SW
< 1/8
0.112 mi.
589 ft.

Relative:
Higher

LOT 1,TAXBLOCK 3965 **NY E DESIGNATION** **S118704032**
583 LIBERTY AVENUE **NY NYC LAND USE** **N/A**
BROOKLYN, NY 11207

Click here for full text details

I97
SE
< 1/8
0.114 mi.
604 ft.

Relative:
Lower

CONSOLIDATED EDISON COMPANY OF NY **E MANIFEST** **1031634668**
374 CLEVELAND ST **N/A**
BROOKLYN, NY 11208

Click here for full text details

K98
WSW
< 1/8
0.116 mi.
613 ft.

Relative:
Higher

LOT 23,TAXBLOCK 3964
BARBEY STREET
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704230**
N/A

J99
NNW
< 1/8
0.118 mi.
625 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 21057
2896 FULTON ST
BROOKLYN, NY 11207

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004578829

RCRA NonGen / NLR **1017779864**
E MANIFEST **NYP004578829**

J100
NNW
< 1/8
0.118 mi.
625 ft.

Relative:
Higher

CON EDISON
2896 FULTON ST
BROOKLYN, NY 11207

Click here for full text details

NY MANIFEST
EPA ID NYP004578829

NY MANIFEST **S117065334**
N/A

I101
SE
< 1/8
0.119 mi.
626 ft.

Relative:
Lower

CON ED COMPANY OF NY
680 LIBERTY AVE
BROOKLYN, NY 11208

Click here for full text details

E MANIFEST **1031609456**
N/A

J102
North
< 1/8
0.120 mi.
636 ft.

Relative:
Lower

CON EDISON/QUEENS ENVIRO OPS-C/O-ACV ENVIRO
2922 FULTON ST.
BROOKLYN, NY 11207

Click here for full text details

E MANIFEST **1031622645**
N/A

I103
SE
< 1/8
0.122 mi.
643 ft.

Relative:
Lower

LOT 15,TAXBLOCK 3985
682 LIBERTY AVENUE
BROOKLYN, NY 11208

Click here for full text details

NY E DESIGNATION **S118704109**
NY NYC LAND USE **N/A**

K104
WSW
< 1/8
0.123 mi.
649 ft.

Relative:
Higher

LOT 24,TAXBLOCK 3964
274 BARBEY STREET
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704234**
NY NYC LAND USE **N/A**

G105
WSW
< 1/8
0.124 mi.
656 ft.

Relative:
Higher

LOT 25,TAXBLOCK 3964
276 BARBEY STREET
BROOKLYN, NY 11207

Click here for full text details

NY E DESIGNATION **S118704244**
NY NYC LAND USE **N/A**

H106
ENE
< 1/8
0.125 mi.
658 ft.

Relative:
Lower

CON EDISON
ATLANTIC AVE & ELTON ST
BROOKLYN, NY 11208

Click here for full text details

RCRA NonGen / NLR **1019902085**
FINDS **NYP004769485**
ECHO

RCRA NonGen / NLR
EPA Id NYP004769485

FINDS
Registry ID: 110069669371

ECHO
Registry ID 110069669371

I107
SE
< 1/8
0.125 mi.
660 ft.

Relative:
Lower

LOT 16,TAXBLOCK 3985
684 LIBERTY AVENUE
BROOKLYN, NY 11208

Click here for full text details

NY E DESIGNATION **S118704126**
NY NYC LAND USE **N/A**

L108
North
1/8-1/4
0.129 mi.
679 ft.

Relative:
Lower

CON EDISON/QUEENS ENVIRO OPS-C/O-ACV ENVIRO — **E MANIFEST** — **1031622646**
2932 FULTON ST. — **N/A**
BROOKLYN, NY 11207

Click here for full text details

K109
WSW
1/8-1/4
0.130 mi.
684 ft.

Relative:
Higher

2840 ATLANTIC AVE REALTY CORP. — **NY AST** — **U003383865**
2840 ATLANTIC AVENUE — **N/A**
BROOKLYN, NY 11207

Click here for full text details

NY AST
Facility Id 2-064742

K110
WSW
1/8-1/4
0.130 mi.
684 ft.

Relative:
Higher

2840 ATLANTIC AVE REALTY CORP. — **NY UST** — **U004272209**
2840 ATLANTIC AVENUE — **N/A**
BROOKLYN, NY 11207

Click here for full text details

K111
WSW
1/8-1/4
0.130 mi.
684 ft.

Relative:
Higher

2840 ATLANTIC AVE REALTY CORP — **UST FINDER** — **1028568245**
2840 ATLANTIC AVENUE — **N/A**
BROOKLYN, NY 11207

Click here for full text details

K112
WSW
1/8-1/4
0.130 mi.
684 ft.

Relative:
Higher

EMPIRE STATE DAIRY LLC - 2840 ATLANTIC AVE — **RCRA NonGen / NLR** — **1027099649**
2840 ATLANTIC AVE — **E MANIFEST** — **NYR000253294**
BROOKLYN, NY 11207

Click here for full text details

RCRA NonGen / NLR
EPA Id NYR000253294

K113
WSW
1/8-1/4
0.130 mi.
684 ft.

Relative:
Higher

CON EDISON - MANHOLE 18062
2840 ATLANTIC AVE
BROOKLYN, NY 11207

NY Spills **S118951596**
NY MANIFEST **N/A**

Click here for full text details

NY Spills
Spill Number/Closed Date 1605901 / Not Reported
Site ID 532464
Spill Date 2016-09-12

NY MANIFEST
EPA ID NYR000253294
EPA ID NYP004942817

K114
WSW
1/8-1/4
0.130 mi.
684 ft.

Relative:
Higher

2840 ATLANTIC AVENUE
2840 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY ENG CONTROLS **S120706216**
NY INST CONTROL **N/A**
NY BROWNFIELDS
NY NYC LAND USE

Click here for full text details

NY ENG CONTROLS
Site Code 544636

NY INST CONTROL
Site Code 544636

NY BROWNFIELDS
Site Code 544636

G115
SW
1/8-1/4
0.131 mi.
693 ft.

Relative:
Higher

DEVELOPMENT PROPERTY
584-600 LIBERTY AVENUE
BROOKLYN, NY 11207

NY UST **U003800456**
N/A

Click here for full text details

G116
SW
1/8-1/4
0.131 mi.
693 ft.

Relative:
Higher

DEVELOPMENT PROPERTY
584-600 LIBERTY AVENUE
BROOKLYN, NY 11207

UST FINDER **1028574022**
N/A

Click here for full text details

M117
NW
1/8-1/4
0.135 mi.
713 ft.

Relative:
Higher

CON EDISON/ ATTN: BROOKLYN ENVIRONMENTAL OPS
2874 FULTON STREET
BROOKLYN, NY 10462

E MANIFEST **1031619803**
N/A

Click here for full text details

L118
North
1/8-1/4
0.135 mi.
713 ft.

Relative:
Lower

2942 FULTON STREET
BROOKLYN, NY 11207

NY LTANKS **S102672684**
NY NYC LAND USE **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9411155 / 1994-11-21
Spill Number/Closed Date 9411203 / 1994-11-22
Site ID 256827
Site ID 190755
Spill Date 1994-11-21

M119
NW
1/8-1/4
0.137 mi.
724 ft.

Relative:
Higher

CON EDISON
2870 FULTON ST
BROOKLYN, NY 11207

RCRA NonGen / NLR **1019906316**
FINDS **NYP004819714**
ECHO

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004819714

FINDS
Registry ID: 110069648812

ECHO
Registry ID 110069648812

M120
NW
1/8-1/4
0.137 mi.
724 ft.

Relative:
Higher

CON EDISON
2870 FULTON ST
BROOKLYN, NY 11207

NJ MANIFEST **S120675082**
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004819714

M121
NW
1/8-1/4
0.137 mi.
724 ft.

Relative:
Higher

CON EDISON — **NY MANIFEST** — **S119077066**
2870 FULTON ST — **N/A**
BROOKLYN, NY 11207

Click here for full text details

NY MANIFEST
EPA ID NYP004819714

G122
SW
1/8-1/4
0.139 mi.
736 ft.

Relative:
Higher

CONSOLIDATED EDISON COMPANY OF NY — **E MANIFEST** — **1031634889**
571 LIBERTY AVE — **N/A**
QUEENS, NY 11207

Click here for full text details

M123
WNW
1/8-1/4
0.140 mi.
738 ft.

Relative:
Higher

208 BARBEY ST — **NY LTANKS** — **S102233260**
208 BARBEY ST — **N/A**
BROOKLYN, NY

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9512002 / 1995-12-26
Site ID 124613
Spill Date 1995-12-22

L124
North
1/8-1/4
0.141 mi.
742 ft.

Relative:
Lower

CLEVELAND M CLEANERS — **RCRA NonGen / NLR** — **1004758579**
2948 FULTON ST — **ICIS** — **NYD987009719**
BROOKLYN, NY 11207 — **US AIRS**
FINDS
ECHO
NY DRYCLEANERS

Click here for full text details

RCRA NonGen / NLR
EPA Id NYD987009719

ICIS
FRS ID: 110004493138

US AIRS
EPA plant ID: 110004493138

FINDS
Registry ID: 110004493138

ECHO
Registry ID 110004493138

CLEVELAND M CLEANERS (Continued) **1004758579**

NY DRYCLEANERS
Facility Id 2-6105-00580

M125
NW
1/8-1/4
0.141 mi.
743 ft.

Relative:
Higher

2862 FULTON STREET **NY NYC OER** **S132179920**
2862 FULTON STREET **N/A**
BROOKLYN, NY

Click here for full text details

N126
SSW
1/8-1/4
0.145 mi.
766 ft.

Relative:
Higher

CON EDISON - BROOKLYN ENVIRONMENTAL OPS **E MANIFEST** **1031609921**
282 JEROME ST **N/A**
BROOKLYN, NY 11207

Click here for full text details

N127
SSW
1/8-1/4
0.145 mi.
766 ft.

Relative:
Higher

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO **E MANIFEST** **1031631366**
282 JEROME ST **N/A**
BROOKLYN, NY 11207

Click here for full text details

O128
East
1/8-1/4
0.148 mi.
784 ft.

Relative:
Lower

I.S. 302 - BROOKLYN K302 **NY AST** **A100320170**
350 LINWOOD STREET **N/A**
BROOKLYN, NY 11208

Click here for full text details

NY AST
Facility Id 2-354589

O129
East
1/8-1/4
0.148 mi.
784 ft.

Relative:
Lower

IS 302K **RCRA-LQG** **1014399562**
350 LINWOOD STREET **E MANIFEST** **NYR000176511**
BROOKLYN, NY 11208 **NY MANIFEST**

Click here for full text details

RCRA-LQG
EPA Id NYR000176511

NY MANIFEST

IS 302K (Continued) **1014399562**

EPA ID NYR000176511

M130 **CON EDISON** **NY MANIFEST** **S117315639**
NW **2869 FULTON ST** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.152 mi.
801 ft.

Relative:
Higher

Click here for full text details

NY MANIFEST
EPA ID NYP004628277

P131 **CON EDISON** **NY MANIFEST** **S117314364**
SSE **FRONT OF 681 GLENMORE AV** **N/A**
1/8-1/4 **BROOKLYN, NY 11201**
0.155 mi.
821 ft.

Relative:
Higher

Click here for full text details

NY MANIFEST
EPA ID NYP004614160

N132 **KINGS RIDERS MOTOR SPORTS** **NY AST** **A100294695**
South **635 GLENMORE AVENUE** **N/A**
1/8-1/4 **BROOKLYN, NY 11207**
0.160 mi.
846 ft.

Relative:
Higher

Click here for full text details

NY AST
Facility Id 2-609685

Q133 **315 LINWOOD STREET** **NY VCP** **S129932313**
ENE **315 LINWOOD** **NY NYC OER** **N/A**
1/8-1/4 **BROOKLYN, NY**
0.162 mi.
853 ft.

Relative:
Lower

Click here for full text details

Q134 **B&B URBAN LLC - 315 LINWOOD STREET** **RCRA-LQG** **1024892107**
ENE **315 LINWOOD STREET** **E MANIFEST** **NYR000237008**
1/8-1/4 **BROOKLYN, NY 11208**
0.162 mi.
853 ft.

Relative:
Lower

Click here for full text details

RCRA-LQG
EPA Id NYR000237008

Q135
ENE
1/8-1/4
0.162 mi.
853 ft.

Relative:
Lower

B&B URBAN LLC - 315 LINWOOD STREET
315 LINWOOD STREET
BROOKLYN, NY 11208

Click here for full text details

NY MANIFEST
EPA ID NYR000237008

NY MANIFEST **S122483166**
N/A

R136
NNE
1/8-1/4
0.166 mi.
874 ft.

Relative:
Lower

MTA NYCT - CLEVELAND ST STA - JMZ LINE
CLEVELAND & FULTON ST
BROOKLYN, NY 11208

Click here for full text details

RCRA-SQG
EPA Id NYR000130930

NY MANIFEST
EPA ID NYR000130930

RCRA-SQG **1007990573**
NY MANIFEST **NYR000130930**

O137
ESE
1/8-1/4
0.167 mi.
884 ft.

Relative:
Lower

CON EDISON
LINWOOD ST & LIBERTY AVE
BROOKLYN, NY 11208

Click here for full text details

NY MANIFEST
EPA ID NYP004539094

NY MANIFEST **S117736596**
N/A

O138
ESE
1/8-1/4
0.167 mi.
884 ft.

Relative:
Lower

CON EDISON
LIBERTY AVE & LINWOOD ST NW
BROOKLYN, NY 11208

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004884298

RCRA NonGen / NLR **1019909394**
NYP004884298

O139
ESE
1/8-1/4
0.167 mi.
884 ft.

Relative:
Lower

CON EDISON
LIBERTY AVE & LINWOOD ST NW
BROOKLYN, NY 11208

Click here for full text details

NJ MANIFEST
EPA Id NYP004884298

NJ MANIFEST **S120678544**
N/A

O140
ESE
1/8-1/4
0.167 mi.
884 ft.

Relative:
Lower

CON EDISON
LINWOOD ST & LIBERTY AVE
BROOKLYN, NY 11208

RCRA NonGen / NLR **1017776060**
NYP004539094

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004539094

S141
SW
1/8-1/4
0.172 mi.
909 ft.

Relative:
Higher

CON EDISON MANHOLE 5291
LIBERTY AVE & SCHENK AVE
BROOKLYN, NY 11201

RCRA NonGen / NLR **1010327598**
NYP004147468

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004147468

S142
SW
1/8-1/4
0.172 mi.
909 ft.

Relative:
Higher

CON EDISON
LIBERTY AVE & SCHENCK AV
BROOKLYN, NY 11201

NY MANIFEST **S117314349**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004614004

S143
SW
1/8-1/4
0.172 mi.
909 ft.

Relative:
Higher

CON EDISON MANHOLE 5291
LIBERTY AVE & SCHENCK AVE
BROOKLYN, NY 11207

RCRA NonGen / NLR **1010787372**
NYP004148912

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004148912

S144
SW
1/8-1/4
0.172 mi.
909 ft.

Relative:
Higher

CON EDISON MANHOLE 5291
LIBERTY AVE & SCHENCK AVE
BROOKLYN, NY 11201

RCRA NonGen / NLR **1010326864**
NYP004143442

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004143442

S145
SW
1/8-1/4
0.172 mi.
909 ft.

Relative:
Higher

CON EDISON MANHOLE 05291
LIBERTY AVE & SCHENCK AVE
BROOKLYN, NY 11201

RCRA NonGen / NLR
NY MANIFEST

1014918966
NYP004225850

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004225850

NY MANIFEST
EPA ID NYP004148912
EPA ID NYP004225850

S146
SW
1/8-1/4
0.172 mi.
909 ft.

Relative:
Higher

CON EDISON MANHOLE 5291
LIBERTY AVE & SCHENCK AVE
BROOKLYN, NY 11201

RCRA NonGen / NLR

1010327438
NYP004146668

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004146668

M147
NW
1/8-1/4
0.172 mi.
909 ft.

Relative:
Higher

2849 FULTON STREET
BROOKLYN, NY 11207

NY LTANKS
NY NYC LAND USE

S108298717
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0608616 / 2015-04-02
Site ID 372626
Spill Date 2006-10-26

N148
South
1/8-1/4
0.173 mi.
914 ft.

Relative:
Higher

CON ED - MH 67372
GLENMORE & JEROME AVE
BROOKLYN, NY 11212

RCRA NonGen / NLR
NY MANIFEST

1007206226
NYP004006052

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004006052

NY MANIFEST
EPA ID NYP004006052

S149
WSW
1/8-1/4
0.173 mi.
915 ft.

Relative:
Higher

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO
210 SCHENCK AVE
BROOKLYN, NY 11207

E MANIFEST **1031631187**
N/A

Click here for full text details

T150
WNW
1/8-1/4
0.176 mi.
927 ft.

Relative:
Higher

P.S. 290 - BROOKLYN K290
135 SCHENCK AVENUE
BROOKLYN, NY 11207

NY AST **A100320203**
N/A

Click here for full text details

NY AST
Facility Id 2-356581

T151
WNW
1/8-1/4
0.176 mi.
927 ft.

Relative:
Higher

PS 290 (SCHOOL)
135 SCHENCK AVE
BROOKLYN, NY

NY LTANKS **S108299052**
NY LEAD **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0610197 / 2007-02-26
Site ID 374588
Spill Date 2006-12-07

T152
WNW
1/8-1/4
0.176 mi.
927 ft.

Relative:
Higher

NYC DEPT OF EDUCATION - PS 290K
135 SCHENCK AVE
BROOKLYN, NY 11207

RCRA-SQG **1016974945**
NYR000214064

Click here for full text details

RCRA-SQG
EPA Id NYR000214064

R153
NNE
1/8-1/4
0.176 mi.
929 ft.

Relative:
Higher

CON EDISON/ ATTN: BROOKLYN ENVIRONMENTAL OPS
2974 FULTON ST
BROOKLYN, NY 11208

E MANIFEST **1031619820**
N/A

Click here for full text details

U154
West
1/8-1/4
0.176 mi.
931 ft.

Relative:
Higher

2827 ATLANTIC AVENUE
2827 ATLANTIC AVENUE
BROOKLYN, NY 11207

US BROWNFIELDS
FINDS

1027574057
N/A

Click here for full text details

FINDS
Registry ID: 110071349635

155
South
1/8-1/4
0.179 mi.
946 ft.

Relative:
Higher

CON EDISON - BROOKLYN ENVIRONMENTAL OPS
628 GLENMORE AVE
BROOKLYN, NY 11207

E MANIFEST

1031610118
N/A

Click here for full text details

T156
WNW
1/8-1/4
0.180 mi.
948 ft.

Relative:
Higher

CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO
OPP 2843 FULTON ST
BROOKLYN, NY 11207

E MANIFEST

1031632408
N/A

Click here for full text details

M157
NW
1/8-1/4
0.180 mi.
948 ft.

Relative:
Higher

CON EDISON - BARBEY STREET
163 BARBEY STREET
BROOKLYN, NY 11207

PA MANIFEST

S123093059
N/A

Click here for full text details

PA MANIFEST
Generator EPA Id NYP005031349

M158
NW
1/8-1/4
0.180 mi.
948 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 22274
163 BARBEY ST
BROOKLYN, NY 11207

RCRA NonGen / NLR
FINDS

1017774664
NYP004524781

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004524781

FINDS
Registry ID: 110063785300

M159
NW
1/8-1/4
0.180 mi.
948 ft.

Relative:
Higher

CON EDISON
163 BARBEY ST
BROOKLYN, NY 11207

NY MANIFEST **S117060264**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004524781

V160
NW
1/8-1/4
0.180 mi.
949 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 21539
112 JEROME ST FRONT OF
BROOKLYN, NY 11207

RCRA NonGen / NLR **1017777152**
FINDS **NYP004550398**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004550398

FINDS
Registry ID: 110063813137

V161
NW
1/8-1/4
0.180 mi.
949 ft.

Relative:
Higher

CON EDISON
112 JEROME ST FRONT OF
BROOKLYN, NY 11207

NY MANIFEST **S117062669**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004550398

W162
ESE
1/8-1/4
0.180 mi.
950 ft.

Relative:
Lower

398 LINWOOD ST
398 LINWOOD ST
BROOKLYN, NY

NY LTANKS **S102672736**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9412321 / 2003-02-13
Site ID 153913
Spill Date 1994-12-14

W163
ESE
1/8-1/4
0.181 mi.
954 ft.

Relative:
Lower

CON EDISON
720 LIBERTY AVE
BROOKLYN, NY 11208

E MANIFEST **1031627445**
N/A

Click here for full text details

O164
ESE
1/8-1/4
0.182 mi.
960 ft.

Relative:
Lower

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS
729 LIBERTY AVE
BROOKLYN, NY 11208

E MANIFEST **1031621886**
N/A

Click here for full text details

O165
ESE
1/8-1/4
0.182 mi.
960 ft.

Relative:
Lower

CON EDISON
729 LIBERTY AVE
BROOKLYN, NY 11208

E MANIFEST **1031627456**
N/A

Click here for full text details

T166
WNW
1/8-1/4
0.187 mi.
985 ft.

Relative:
Higher

CORNER OF W. 1ST ST
AND SCHENCK ST
FULTON, NY

NY LTANKS **S104191918**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9906643 / 2000-03-07
Site ID 120569
Spill Date 1999-09-03

U167
WSW
1/8-1/4
0.188 mi.
993 ft.

Relative:
Higher

ATLANTIC & HENDRIX
2820 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY UST **U000396461**
N/A

Click here for full text details

U168
WSW
1/8-1/4
0.188 mi.
993 ft.

Relative:
Higher

ATLANTIC & HENDRIX
2820 ATLANTIC AVENUE
BROOKLYN, NY 11207

UST FINDER **1028599424**
N/A

Click here for full text details

U169
WSW
1/8-1/4
0.188 mi.
993 ft.

Relative:
Higher

GASETERIA
2820 ATLANTIC AVENUE
BROOKLYN, NY 0

UST FINDER RELEASE

1029063739
N/A

Click here for full text details

U170
WSW
1/8-1/4
0.188 mi.
993 ft.

Relative:
Higher

SPILL NUMBER 9312952
2820 ATLANTIC AVENUE
BROOKLYN, NY 0

UST FINDER RELEASE

1029063740
N/A

Click here for full text details

U171
WSW
1/8-1/4
0.188 mi.
993 ft.

Relative:
Higher

GASETERIA
2820 ATLANTIC AVENUE
BROOKLYN, NY

NY LTANKS

S102672366
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9312952 / 2003-01-27
Spill Number/Closed Date 9403819 / 2006-02-14
Site ID 229957
Site ID 229958
Spill Date 1993-08-17
Spill Date 1994-06-17

R172
NNE
1/8-1/4
0.189 mi.
998 ft.

Relative:
Higher

MTA-NYCTA FULTON ST STORAGE AREA
2963-2965 FULTON ST
BROOKLYN, NY 11234

RCRA NonGen / NLR
NJ MANIFEST
NY MANIFEST

1008195895
NYR000131375

Click here for full text details

RCRA NonGen / NLR
EPA Id NYR000131375

NJ MANIFEST
EPA Id NYR000131375

NY MANIFEST
EPA ID NYR000131375

U173
West
1/8-1/4
0.190 mi.
1004 ft.

Relative:
Higher

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS
2817 ATLANTIC AVE
BROOKLYN, NY 11207

Click here for full text details

E MANIFEST **1031621394**
N/A

U174
West
1/8-1/4
0.190 mi.
1004 ft.

Relative:
Higher

2817 ATLANTIC AVENUE
2817 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

FINDS
Registry ID: 110071349634

US BROWNFIELDS **1027574056**
FINDS **N/A**

U175
WSW
1/8-1/4
0.193 mi.
1017 ft.

Relative:
Higher

KINGS HENDRIX C-STORE
2816 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

UST FINDER **1028572717**
N/A

U176
WSW
1/8-1/4
0.193 mi.
1017 ft.

Relative:
Higher

KINGS HENDRIX C-STORE
2816 ATLANTIC AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY AST
Facility Id 2-602236

NY UST **U002223000**
NY AST **N/A**

U177
West
1/8-1/4
0.194 mi.
1023 ft.

Relative:
Higher

CON EDISON - BROOKLYN ENVIRONMENTAL OPS
2815 ATLANTIC AVE
BROOKLYN, NY 11207

Click here for full text details

E MANIFEST **1031609920**
N/A

Map ID / Direction / Distance / Elevation	Site	Database(s)	EDR ID Number / EPA ID Number
U178 **West** **1/8-1/4** **0.194 mi.** **1023 ft.** **Relative: Higher**	**2815 ATLANTIC HOLDINGS** **2815 ATLANTIC AVENUE** **BROOKLYN, NY 11207** **Click here for full text details**	**NY UST**	**U004339759** **N/A**
X179 **East** **1/8-1/4** **0.196 mi.** **1033 ft.** **Relative: Lower**	**CON EDISON** **737 LIBERTY AVE** **BROOKLYN, NY 11208** **Click here for full text details**	**E MANIFEST**	**1031627486** **N/A**
W180 **ESE** **1/8-1/4** **0.196 mi.** **1037 ft.** **Relative: Lower**	**CON EDISON** **728 LIBERTY AVE FRONT OF** **BROOKLYN, NY 11208** **Click here for full text details** **NY MANIFEST** EPA ID NYP004539110	**NY MANIFEST**	**S117061597** **N/A**
W181 **ESE** **1/8-1/4** **0.196 mi.** **1037 ft.** **Relative: Lower**	**CON EDISON** **728 LIBERTY AVE FRONT OF** **BROOKLYN, NY 11208** **Click here for full text details** **RCRA NonGen / NLR** EPA Id NYP004539110 **FINDS** Registry ID: 110063801863	**RCRA NonGen / NLR** **FINDS**	**1017776062** **NYP004539110**
S182 **SW** **1/8-1/4** **0.199 mi.** **1050 ft.** **Relative: Higher**	**CONSOLIDATED EDISON COMPANY OF NY C/O ACV ENVIRO** **548 LIBERTY AVE** **BROOKLYN, NY 11207** **Click here for full text details**	**E MANIFEST**	**1031631740** **N/A**

S183
WSW
1/8-1/4
0.200 mi.
1058 ft.

Relative:
Higher

CON EDISON
263 HENDRIX ST
BROOKLYN, NY 11207

NY MANIFEST | **S118091175**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004779799
EPA ID NYP004788451

S184
WSW
1/8-1/4
0.200 mi.
1058 ft.

Relative:
Higher

CON EDISON
263 HENDRIX ST
BROOKLYN, NY 11207

NJ MANIFEST | **S120671529**
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004779799

S185
WSW
1/8-1/4
0.200 mi.
1058 ft.

Relative:
Higher

CON EDISON
263 HENDRIX ST
BROOKLYN, NY 11207

RCRA NonGen / NLR | **1019902953**
NYP004779799

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004779799

U186
West
1/8-1/4
0.201 mi.
1059 ft.

Relative:
Higher

207 HENDRIX ST./ST. MALAC
207 HENDRIX ST.
NEW YORK CITY, NY

NY LTANKS | **S100144840**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 8705786 / 1993-02-25
Site ID 148832
Spill Date 1987-10-08

P187
SSE
1/8-1/4
0.201 mi.
1063 ft.

Relative:
Lower

CON EDISON
422 CLEVELAND ST
BROOKLYN, NY 11208

NY MANIFEST | **S117061078**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004696233
EPA ID NYP004533527
EPA ID NYP004708707

P188
SSE
1/8-1/4
0.201 mi.
1063 ft.

Relative:
Lower

CON EDISON SERVICE BOX: 23103
422 CLEVELAND ST FRONT OF
BROOKLYN, NY 11208

RCRA NonGen / NLR **1017775514**
NYP004533527

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004533527

U189
West
1/8-1/4
0.202 mi.
1064 ft.

Relative:
Higher

CON EDISON
ATLANTIC AVE & HENDRIX ST
BROOKLYN, NY 11207

RCRA NonGen / NLR **1019901384**
FINDS **NYP004761383**
ECHO

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004761383

FINDS
Registry ID: 110069641070

ECHO
Registry ID 110069641070

U190
WSW
1/8-1/4
0.206 mi.
1087 ft.

Relative:
Higher

CON EDISON
236 HENDRIX AVE
BROOKLYN, NY

NY MANIFEST **S118257218**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004799060

Y191
North
1/8-1/4
0.206 mi.
1090 ft.

Relative:
Lower

CON EDISON - QUEENS ENVIRONMENTAL OPS
216 ARLINGTON AVE
BROOKLYN, NY 11208

E MANIFEST **1031616897**
N/A

Click here for full text details

U192
West
1/8-1/4
0.207 mi.
1094 ft.

Relative:
Higher

CLOSED-LACKOF RECENT INFO
220 HENDRICKS STREET
BROOKLYN, NY

NY LTANKS **S100560045**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9305054 / 2003-03-06

CLOSED-LACKOF RECENT INFO (Continued) **S100560045**

Site ID 71180
Spill Date 1993-07-22

Z193
NNW
1/8-1/4
0.208 mi.
1100 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 14594
192 ARLINGTON AVE FRONT OF
BROOKLYN, NY 11207

RCRA NonGen / NLR **1017776991**
FINDS **NYP004548723**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004548723

FINDS
Registry ID: 110063815652

Z194
NNW
1/8-1/4
0.208 mi.
1100 ft.

Relative:
Higher

CON EDISON
192 ARLINGTON AVE FRONT OF
BROOKLYN, NY 11207

NY MANIFEST **S117062517**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004548723

AA195
ENE
1/8-1/4
0.209 mi.
1101 ft.

Relative:
Lower

CON EDISON SERVICE BOX: 55987
3027 ATLANTIC AVE
BROOKLYN, NY 11208

RCRA NonGen / NLR **1016970199**
NY MANIFEST **NYP004439006**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004439006

NY MANIFEST
EPA ID NYP004439006

Y196
NNW
1/8-1/4
0.209 mi.
1102 ft.

Relative:
Higher

CON EDISON - QUEENS ENVIRONMENTAL OPS
196 ARLINGTON AVE
BROOKLYN, NY 11208

E MANIFEST **1031616867**
N/A

Click here for full text details

X197
ESE
1/8-1/4
0.211 mi.
1114 ft.

Relative:
Lower

CON EDISON
LIBERTY AVE & ESSEX ST
BROOKLYN, NY 11208

RCRA NonGen / NLR **1017776064**
NYP004539136

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004539136

X198
ESE
1/8-1/4
0.211 mi.
1114 ft.

Relative:
Lower

CON EDISON
LIBERTY AVE & ESSEX ST
BROOKLYN, NY 11208

NY MANIFEST **S117736597**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004539136

X199
ESE
1/8-1/4
0.211 mi.
1114 ft.

Relative:
Lower

CON EDISON
LIBERTY AVE & ESSEX ST
BROOKLYN, NY 11201

RCRA NonGen / NLR **1012185325**
NY MANIFEST **NYP004161295**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004161295

NY MANIFEST
EPA ID NYP004161295

Z200
NNW
1/8-1/4
0.213 mi.
1123 ft.

Relative:
Higher

180 ARLINGTON AVENUE
180 ARLINGTON AVENUE
BROOKLYN, NY

NY LTANKS **S101341290**
NY Spills **N/A**
NY NYC LAND USE

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9413591 / 1995-01-12
Site ID 65678
Spill Date 1995-01-12

NY Spills
Spill Number/Closed Date 9313892 / 1994-02-24
Site ID 331052
Spill Date 1994-02-24

Z201
NNW
1/8-1/4
0.213 mi.
1123 ft.

Relative: Higher

CON EDISON SERVICE BOX: 14593
180 ARLINGTON AVE
BROOKLYN, NY 11207

RCRA NonGen / NLR **1016969257**
NY MANIFEST **NYP004429114**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004429114

NY MANIFEST
EPA ID NYP004429114

Z202
NNW
1/8-1/4
0.213 mi.
1123 ft.

Relative: Higher

CON EDISON
180 ARLINGTON AVE FRONT OF
BROOKLYN, NY 11207

NY MANIFEST **S117062515**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004548699

Z203
NNW
1/8-1/4
0.213 mi.
1123 ft.

Relative: Higher

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS
180 ARLINGTON AVE
QUEENS, NY 11207

E MANIFEST **1031621180**
N/A

Click here for full text details

Z204
NNW
1/8-1/4
0.213 mi.
1123 ft.

Relative: Higher

CON EDISON SERVICE BOX: 14593
180 ARLINGTON AVE FRONT OF
BROOKLYN, NY 11207

RCRA NonGen / NLR **1017776988**
NYP004548699

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004548699

X205
ESE
1/8-1/4
0.213 mi.
1124 ft.

Relative: Lower

CON EDISON
320 ESSEX ST
BROOKLYN, NY 11208

NJ MANIFEST **S120675442**
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004824732

X206
ESE
1/8-1/4
0.213 mi.
1124 ft.

Relative:
Lower

CON ED — **NY MANIFEST** — **S118259004**
320 ESSEX ST — **N/A**
BROOKLYN, NY 11208

Click here for full text details

NY MANIFEST
EPA ID NYP004824732

X207
ESE
1/8-1/4
0.213 mi.
1124 ft.

Relative:
Lower

CON EDISON — **RCRA NonGen / NLR, FINDS, ECHO** — **1019906646**
320 ESSEX ST — **NYP004824732**
BROOKLYN, NY 11208

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004824732

FINDS
Registry ID: 110069668096

ECHO
Registry ID 110069668096

X208
East
1/8-1/4
0.213 mi.
1127 ft.

Relative:
Lower

J. BORAH CO. — **NY AST** — **A100294523**
291 ESSEX STREET — **N/A**
BROOKLYN, NY 11208

Click here for full text details

NY AST
Facility Id 2-608411

T209
WNW
1/8-1/4
0.214 mi.
1128 ft.

Relative:
Higher

CON EDISON - COMPANY OF NY — **E MANIFEST** — **1031611243**
2823 FULTON ST — **N/A**
BROOKLYN, NY 11207

Click here for full text details

U210
West
1/8-1/4
0.214 mi.
1131 ft.

Relative:
Higher

ST MALACHY'S SCHOOL — **NY UST** — **U000404498**
220 HENDRIX ST — **N/A**
BROOKLYN, NY 11207

Click here for full text details

U211
West
1/8-1/4
0.214 mi.
1131 ft.

Relative:
Higher

ST MALACHY'S SCHOOL
220 HENDRIX ST
BROOKLYN, NY 11207

UST FINDER

1028569038
N/A

Click here for full text details

T212
WNW
1/8-1/4
0.216 mi.
1139 ft.

Relative:
Higher

CON EDISON
2814 FULTON ST
BROOKLYN, NY 11207

NJ MANIFEST

S120675137
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004820300

T213
WNW
1/8-1/4
0.216 mi.
1139 ft.

Relative:
Higher

NAYA SUPER DRY CLEANERS
2814 FULTON ST
BROOKLYN, NY 11207

NY DRYCLEANERS
NY MANIFEST

S121966743
N/A

Click here for full text details

NY DRYCLEANERS
Facility Id 2-6105-00672

NY MANIFEST
EPA ID NYD980778666

T214
WNW
1/8-1/4
0.216 mi.
1139 ft.

Relative:
Higher

CON ED
2814 FULTON ST
BROOKLYN, NY 11207

NY MANIFEST

S121967340
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004820300

T215
WNW
1/8-1/4
0.216 mi.
1139 ft.

Relative:
Higher

CON EDISON
2814 FULTON ST
BROOKLYN, NY 11207

RCRA NonGen / NLR
FINDS
ECHO

1019906373
NYP004820300

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004820300

FINDS
Registry ID: 110069649269

CON EDISON (Continued) **1019906373**

ECHO
Registry ID 110069649269

W216
ESE
1/8-1/4
0.216 mi.
1140 ft.

Relative:
Lower

CON EDISON **NY MANIFEST** **S117067114**
330 ESSEX ST **N/A**
BROOKLYN, NY 11208

Click here for full text details

NY MANIFEST
EPA ID NYP004598520

T217
WNW
1/8-1/4
0.217 mi.
1144 ft.

Relative:
Higher

CON ED **NY MANIFEST** **S119078257**
2821 FULTON ST **N/A**
BROOKLYN, NY 11207

Click here for full text details

NY MANIFEST
EPA ID NYP004881138

T218
WNW
1/8-1/4
0.217 mi.
1144 ft.

Relative:
Higher

CON EDISON **RCRA NonGen / NLR** **1019909113**
2821 FULTON ST **NYP004881138**
BROOKLYN, NY 11207

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004881138

T219
WNW
1/8-1/4
0.217 mi.
1144 ft.

Relative:
Higher

CON EDISON **NJ MANIFEST** **S120678280**
2821 FULTON ST **N/A**
BROOKLYN, NY 11207

Click here for full text details

NJ MANIFEST
EPA Id NYP004881138

AB220
NNE
1/8-1/4
0.217 mi.
1147 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 21067
2983 FULTON ST
BROOKLYN, NY 11208

RCRA NonGen / NLR
NY MANIFEST

1016969267
NYP004429213

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004429213

NY MANIFEST
EPA ID NYP004429213

S221
SW
1/8-1/4
0.220 mi.
1159 ft.

Relative:
Higher

GREATER REFUGE MINISTRIES, INC.
291 HENDRIX STREET
BROOKLYN, NY 11207

NY AST

A100294260
N/A

Click here for full text details

NY AST
Facility Id 2-608619

222
SE
1/8-1/4
0.220 mi.
1162 ft.

Relative:
Lower

CON EDISON
734 GLENMORE AVE
BROOKLYN, NY 11208

NY MANIFEST

S117067120
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004598587

V223
NNW
1/8-1/4
0.221 mi.
1166 ft.

Relative:
Higher

CON EDISON
164 ARLINGTON AVE
BROOKLYN, NY 11207

RCRA NonGen / NLR
FINDS
ECHO

1019906060
NYP004816797

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004816797

FINDS
Registry ID: 110069699473

ECHO
Registry ID 110069699473

V224
NNW
1/8-1/4
0.221 mi.
1166 ft.

Relative:
Higher

CON EDISON
164 ARLINGTON AVE
BROOKLYN, NY 11207

NJ MANIFEST **S120674812**
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004816797

225
NE
1/8-1/4
0.222 mi.
1171 ft.

Relative:
Higher

249 LINWOOD ST/BKLYN
249 LINWOOD STREET
NEW YORK CITY, NY

NY LTANKS **S100145922**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9000036 / 1995-06-07
Site ID 93305
Spill Date 1990-04-02

Y226
North
1/8-1/4
0.222 mi.
1173 ft.

Relative:
Higher

CONSOLIDATED EDISON OF NY, INC.
ARLINGTON AVE & ASHFORD ST
BROOKLYN, NY 11207

E MANIFEST **1031636703**
N/A

Click here for full text details

AB227
NNE
1/8-1/4
0.223 mi.
1175 ft.

Relative:
Higher

CONSOLIDATED EDISON COMPANY OF NY INC
134 ELTON ST
BROOKLYN, NY 11208

E MANIFEST **1031632879**
N/A

Click here for full text details

228
NNE
1/8-1/4
0.224 mi.
1181 ft.

Relative:
Higher

ARLGINTON ESTATES LLC
248 ARLINGTON AVE
BROOKLYN, NY 11208

NY AST **U003389861**
N/A

Click here for full text details

NY AST
Facility Id 2-287512

V229
NNW
1/8-1/4
0.224 mi.
1182 ft.

Relative:
Higher

CON EDISON
160 ARLINGTON AVE
BROOKLYN, NY 11207

NJ MANIFEST | **S120674811**
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004816789

V230
NNW
1/8-1/4
0.224 mi.
1182 ft.

Relative:
Higher

CON EDISON - ARLINGTON AVE
160 ARLINGTON AVE
BROOKLYN, NY 11207

PA MANIFEST | **S118889013**
N/A

Click here for full text details

PA MANIFEST
Generator EPA Id NYP004721734

V231
NNW
1/8-1/4
0.224 mi.
1182 ft.

Relative:
Higher

CON ED
160 ARLINGTON AVE
BROOKLYN, NY 11207

NY MANIFEST | **S117739081**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004721734
EPA ID NYP004816789

V232
NNW
1/8-1/4
0.224 mi.
1182 ft.

Relative:
Higher

CON EDISON
160 ARLINGTON AVE
BROOKLYN, NY 11207

RCRA NonGen / NLR | **1019906059**
NYP004816789

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004816789

AC233
SSW
1/8-1/4
0.224 mi.
1185 ft.

Relative:
Higher

CON EDISON - MH 67369
GLENMORE AND SCHNECK
BROOKLYN, NY 11207

RCRA NonGen / NLR | **1008195672**
NY MANIFEST | **NYP004112074**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004112074

NY MANIFEST
EPA ID NYP004112074

AC234
SSW
1/8-1/4
0.224 mi.
1185 ft.

Relative: Higher

CON EDISON MANHOLE: 56145
GLENMORE AVE & SCHENCK AVE
BROOKLYN, NY 11207

Database(s): RCRA NonGen / NLR, NY MANIFEST
EDR ID Number: 1016970891
EPA ID Number: NYP004446209

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004446209

NY MANIFEST
EPA ID NYP004446209

AD235
NW
1/8-1/4
0.227 mi.
1196 ft.

Relative: Higher

140 BARBEY STREET
BROOKLYN, NY 11207

Database(s): NY LTANKS, NY Spills, NY NYC LAND USE
EDR ID Number: S102146906
EPA ID Number: N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9012255 / 1991-02-25
Site ID 254610
Spill Date 1991-02-25

NY Spills
Spill Number/Closed Date 9306318 / 1993-08-24
Site ID 277428
Spill Date 1993-08-24

Z236
NNW
1/8-1/4
0.228 mi.
1204 ft.

Relative: Higher

187 ARLINGTON AVE/BKLYN
187 ARLINGTON AVENUE
NEW YORK CITY, NY

Database(s): NY LTANKS
EDR ID Number: S102671607
EPA ID Number: N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9009774 / 1990-12-08
Site ID 106791
Spill Date 1990-12-08

AE237
South
1/8-1/4
0.229 mi.
1209 ft.

Relative: Lower

CON EDISON - BROOKLYN ENVIRONMENTAL OPS
332 JEROME ST
BROOKLYN, NY 11207

Database(s): E MANIFEST
EDR ID Number: 1031609967
EPA ID Number: N/A

Click here for full text details

Y238
North
1/8-1/4
0.230 mi.
1214 ft.

Relative:
Higher

ARLINGTON BRANCH
203 ARLINGTON AVE
BROOKLYN, NY 11207

NY AST **U001839499**
N/A

Click here for full text details

NY AST
Facility Id 2-345326

AF239
WNW
1/8-1/4
0.230 mi.
1215 ft.

Relative:
Higher

168 HENDRIX ST
168 HENDRIX STREET
BROOKLYN, NY 11207

NY AST **A100291587**
N/A

Click here for full text details

NY AST
Facility Id 2-601140

AF240
WNW
1/8-1/4
0.230 mi.
1215 ft.

Relative:
Higher

HPD
168 HENDRIX ST
BROOKLYN, NY

NY LTANKS **S105054941**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0102090 / 2004-03-01
Site ID 227113
Spill Date 2001-05-24

X241
ESE
1/8-1/4
0.233 mi.
1231 ft.

Relative:
Lower

CON EDISON - COMPANY OF NY
750 LIBERTY AVE
BROOKLYN, NY 11208

E MANIFEST **1031611876**
N/A

Click here for full text details

242
South
1/8-1/4
0.236 mi.
1248 ft.

Relative:
Lower

LOT 30,TAXBLOCK 3998
2337 PITKIN AVENUE
BROOKLYN, NY 11207

NY VCP **S118704284**
NY E DESIGNATION **N/A**
NY NYC OER

Click here for full text details

Y243
North
1/8-1/4
0.239 mi.
1263 ft.

Relative:
Higher

CON EDISON
231 ARLINGTON AVE
BROOKLYN, NY 11207

NY MANIFEST **S118258434**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004850161
EPA ID NYP004815508

Y244
North
1/8-1/4
0.239 mi.
1263 ft.

Relative:
Higher

CON EDISON
231 ARLINGTON AVE
BROOKLYN, NY 11207

RCRA NonGen / NLR **1019905952**
NYP004815508

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004815508

Y245
North
1/8-1/4
0.239 mi.
1263 ft.

Relative:
Higher

CON EDISON
231 ARLINGTON AVE
BROOKLYN, NY 11207

NJ MANIFEST **S120674698**
N/A

Click here for full text details

NJ MANIFEST
EPA Id NYP004815508

AD246
NNW
1/8-1/4
0.239 mi.
1264 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 14590
153 ARLINTON
BROOKLYN, NY 11208

RCRA NonGen / NLR **1017779739**
FINDS **NYP004577508**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004577508

FINDS
Registry ID: 110063821146

AA247
ENE
1/8-1/4
0.240 mi.
1268 ft.

Relative:
Lower

LOT 53,TAXBLOCK 3957
3051 ATLANTIC AVENUE
BROOKLYN, NY 11208

NY VCP **S118704403**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

AE248
South
1/8-1/4
0.241 mi.
1270 ft.

Relative:
Lower

CON EDISON
23-35 PITKIN AVE MH55267
OZONE PARK, NY 11417

NY MANIFEST **S117736735**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004559878

AG249
ESE
1/8-1/4
0.241 mi.
1270 ft.

Relative:
Lower

CON EDISON
OPP 761 GLENMORE AVE
BROOKLYN, NY 11208

NY MANIFEST **S117067115**
N/A

Click here for full text details

NY MANIFEST
EPA ID NYP004598546

AD250
NW
1/8-1/4
0.241 mi.
1272 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 14587
140 ARLINGTON AVE FRONT OF
BROOKLYN, NY 11207

RCRA NonGen / NLR **1016967834**
NY MANIFEST **NYP004414322**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004414322

NY MANIFEST
EPA ID NYP004414322

AD251
NW
1/8-1/4
0.241 mi.
1272 ft.

Relative:
Higher

CON EDISON SERVICE BOX: 14589
140 ARLINGTON AVE FRONT OF
BROOKLYN, NY 11207

RCRA NonGen / NLR **1016967811**
NY MANIFEST **NYP004414090**

Click here for full text details

RCRA NonGen / NLR
EPA Id NYP004414090

NY MANIFEST
EPA ID NYP004414090

AH252
SSE
1/8-1/4
0.242 mi.
1278 ft.

Relative:
Lower

CON EDISON/ ATTN: QUEENS ENVIRONMENTAL OPS
2377 PITKIN AVE
BROOKLYN, NY 11207

E MANIFEST
1031621304
N/A

Click here for full text details

AI253
ENE
1/8-1/4
0.243 mi.
1282 ft.

Relative:
Lower

ST RITAS YOUTH CENTER
260 SHEPHERD AVENUE
BROOKLYN, NY 11208

UST FINDER
1028600056
N/A

Click here for full text details

AI254
ENE
1/8-1/4
0.243 mi.
1282 ft.

Relative:
Lower

ST RITAS YOUTH CENTER
260 SHEPHERD AVENUE
BROOKLYN, NY 11208

NY UST
U001837635
N/A

Click here for full text details

AI255
ENE
1/8-1/4
0.243 mi.
1282 ft.

Relative:
Lower

ST RITA'S SCHOOL
260 SHEPHERD AVENUE
BROOKLYN, NY 11208

UST FINDER
1028600057
N/A

Click here for full text details

AJ256
WSW
1/8-1/4
0.246 mi.
1298 ft.

Relative:
Higher

185 VAN SICLEN AVE./ST. S
185 VAN SICLEN AVE
BROOKLYN, NY

NY LTANKS
S106703124
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 8704880 / 1993-11-05
Site ID 163326
Spill Date 1987-09-11

AE257
South
1/8-1/4
0.247 mi.
1306 ft.

Relative:
Lower

CON EDISON
F/O 2325 PITKIN AV
BROOKLYN, NY 11207

Click here for full text details

NY MANIFEST
EPA ID NYP004682936

Database(s): **NY MANIFEST**
EDR ID Number: **S117535873**
EPA ID Number: **N/A**

AK258
East
1/8-1/4
0.249 mi.
1317 ft.

Relative:
Lower

ST RITA'S R.C.CHURCH
275 SHEPHERD AVENUE
BROOKLYN, NY 11208

Click here for full text details

Database(s): **UST FINDER**
EDR ID Number: **1028570528**
EPA ID Number: **N/A**

AK259
East
1/8-1/4
0.249 mi.
1317 ft.

Relative:
Lower

ST RITA'S R.C. CHURCH
275 SHEPHERD AVENUE
BROOKLYN, NY 11208

Click here for full text details

Database(s): **NY UST**
EDR ID Number: **U001837883**
EPA ID Number: **N/A**

AJ260
WSW
1/4-1/2
0.254 mi.
1341 ft.

Relative:
Higher

203-207 VAN SICLEN AVENUE
203-207 VAN SICLEN AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY BROWNFIELDS
Site Code 577646

Database(s): **NY BROWNFIELDS**
EDR ID Number: **S123159101**
EPA ID Number: **N/A**

AF261
WNW
1/4-1/2
0.262 mi.
1384 ft.

Relative:
Higher

LOT 55,TAXBLOCK 3933
2795 FULTON STREET
BROOKLYN, NY 11207

Click here for full text details

Database(s): **NY VCP**
NY E DESIGNATION
NY NYC LAND USE
NY NYC OER
EDR ID Number: **S118704409**
EPA ID Number: **N/A**

AG262
ESE
1/4-1/2
0.268 mi.
1413 ft.

Relative:
Lower

FORMER GARONE BROS AUTO SERVICE CENTER
352-362 SHEPHERD AVENUE
BROOKLYN, NY 11208

Click here for full text details

NY BROWNFIELDS
Site Code 625573

NY BROWNFIELDS **S127990286**
N/A

AG263
ESE
1/4-1/2
0.275 mi.
1451 ft.

Relative:
Lower

777 GLENMORE AVENUE
777 GLENMORE AVENUE
BROOKLYN, NY

Click here for full text details

NY VCP **S129932637**
NY NYC OER **N/A**

AH264
SSE
1/4-1/2
0.275 mi.
1454 ft.

Relative:
Lower

LOT 19,TAXBLOCK 4017
2400 PITKIN AVENUE
BROOKLYN, NY

Click here for full text details

NY VCP **S118704178**
NY E DESIGNATION **N/A**
NY NYC OER

AK265
East
1/4-1/2
0.283 mi.
1495 ft.

Relative:
Lower

CARBUSTERS AUTO RECYCLING LLC
60 BERRIMAN STREET
BROOKLYN, NY 11208

Click here for full text details

NY Spills
Spill Number/Closed Date 0551819 / 2009-10-08
Site ID 361785
Spill Date 2006-03-29

NY SWF/LF **S108145756**
NY Spills **N/A**

266
West
1/4-1/2
0.287 mi.
1514 ft.

Relative:
Higher

LOT 18,TAXBLOCK 3946
2776 FULTON STREET
BROOKLYN, NY 11207

Click here for full text details

NY VCP **S118704153**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

267
ESE
1/4-1/2
0.292 mi.
1541 ft.

Relative:
Lower

LOT 1,TAXBLOCK 3989
355 SHEPHERD AVENUE
BROOKLYN, NY 11208

NY VCP **S118704033**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

268
SE
1/4-1/2
0.294 mi.
1550 ft.

Relative:
Lower

2437 PITKIN AVENUE
2437 PITKIN AVENUE
NEW YORK CITY, NY

NY VCP **S129932219**
NY NYC OER **N/A**

Click here for full text details

269
East
1/4-1/2
0.297 mi.
1568 ft.

Relative:
Lower

790 LIBERTY AVE
790 LIBERTY AVE
BROOKLYN, NY

NY NYC OER **S132180050**
N/A

Click here for full text details

270
SE
1/4-1/2
0.298 mi.
1571 ft.

Relative:
Lower

385 ESSEX STREET
385 ESSEX STREET
BROOKLYN, NY

NY LTANKS **S102960479**
NY NYC LAND USE **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9708809 / 1998-06-17
Site ID 245641
Spill Date 1997-10-22

AL271
ENE
1/4-1/2
0.298 mi.
1575 ft.

Relative:
Higher

31 BERRIMAN ST.- TTF
31 BERRIMAN ST
BROOKLYN, NY

NY LTANKS **S106971321**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0407617 / 2017-02-21
Site ID 332136
Spill Date 2004-10-08

AK272
East
1/4-1/2
0.299 mi.
1578 ft.

Relative:
Lower

3100 ATLANTIC LLC — **NY LTANKS** **U001841117**
55 BERRIMAN STREET — **NY UST** **N/A**
BROOKLYN, NY 11208

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0407618 / 2007-06-22
Site ID 332137
Spill Date 2004-10-08

AM273
WSW
1/4-1/2
0.319 mi.
1685 ft.

Relative:
Higher

CLASS A CARS — **NY SWF/LF** **S108145772**
477 LIBERTY AVE — **N/A**
BROOKLYN, NY 11207

Click here for full text details

AL274
East
1/4-1/2
0.319 mi.
1685 ft.

Relative:
Higher

TANK TEST FAILURES TTF (TWO) — **NY LTANKS** **S118462523**
3100 ATLANTIC AVENUE/31 BERRIMAN STREET — **NY NYC LAND USE** **N/A**
BROOKLYN, NY

Click here for full text details

NY LTANKS
Spill Number/Closed Date 1509573 / 2023-04-06
Site ID 520207
Spill Date 2015-12-21

275
ENE
1/4-1/2
0.325 mi.
1714 ft.

Relative:
Higher

CON EDISON - SERVICE BOX 18072 — **NY LTANKS** **S106971320**
3104 ATLANTIC AVE — **NY MANIFEST** **N/A**
BROOKLYN, NY 11208

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0407616 / 2006-01-23
Site ID 332135
Spill Date 2004-10-08

NY MANIFEST
EPA ID NYP005175260

276
North
1/4-1/2
0.326 mi.
1720 ft.

Relative:
Higher

70 ELCON ST/BKLYN
70 ELCON STREET
NEW YORK CITY, NY

NY LTANKS **S102671483**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 8910317 / 1992-12-08
Site ID 68948
Spill Date 1990-01-27

277
NW
1/4-1/2
0.328 mi.
1733 ft.

Relative:
Higher

81 ARLINGTON AVE
81 ARLINGTON AVE
BROOKLYN, NY

NY LTANKS **S102672088**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9212315 / 1993-01-29
Site ID 161891
Spill Date 1993-01-29

AM278
WSW
1/4-1/2
0.336 mi.
1774 ft.

Relative:
Higher

RESI: COHEN
155 BRADFORD ST
BROOKLYN, NY

NY LTANKS **S102446639**
NY Spills **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9610511 / 1996-11-21
Site ID 92092
Spill Date 1996-11-21

NY Spills
Spill Number/Closed Date 9610521 / 1997-01-10
Site ID 92093
Spill Date 1996-11-21

AM279
WSW
1/4-1/2
0.338 mi.
1783 ft.

Relative:
Higher

165 BRADFORD STREET
BROOKLYN, NY 11207

NY LTANKS **S102672910**
NY AST **N/A**
NY Spills
NY NYC LAND USE

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9501313 / 1995-05-30
Site ID 301664
Spill Date 1995-05-01

NY AST
Facility Id 2-600524

(Continued) **S102672910**

NY Spills
Spill Number/Closed Date 1106196 / 2011-08-30
Spill Number/Closed Date 0500373 / 2005-04-22
Site ID 453873
Site ID 343322
Spill Date 2011-08-29
Spill Date 2005-04-08

AN280
East
1/4-1/2
0.341 mi.
1803 ft.

Relative:
Higher

62 ATKINS AVE - TTF
62 ATKINS AVE
BROOKLYN, NY

NY LTANKS **S106971318**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0407614 / 2006-01-23
Site ID 332133
Spill Date 2004-10-08

281
NW
1/4-1/2
0.344 mi.
1817 ft.

Relative:
Higher

SERVICE BOX 21287
280 JAMAICA AVENUE
BROOKLYN, NY

NY LTANKS **S102672326**
NY Spills **N/A**
NY NYC LAND USE

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9312222 / 1994-01-17
Site ID 87204
Spill Date 1994-01-17

NY Spills
Spill Number/Closed Date 0004729 / 2001-10-22
Site ID 267005
Spill Date 2000-07-20

AM282
WSW
1/4-1/2
0.347 mi.
1831 ft.

Relative:
Higher

ENGINE CO. 332/LADD. CO. 175 FDNY -DDC
165 BRADFORD STREET
EAST NEW YORK, NY

NY LTANKS **S102672911**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9501336 / 1999-09-08
Spill Number/Closed Date 9709284 / 1999-09-08
Site ID 95093
Site ID 95094
Spill Date 1995-05-01
Spill Date 1997-11-10

AO283
ENE
1/4-1/2
0.348 mi.
1836 ft.

Relative:
Higher

35 ATKINS AVE - TTF
35 ATKINS AVE
BROOKLYN, NY

NY LTANKS **S106971319**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0407615 / 2006-01-23
Site ID 332134
Spill Date 2004-10-08

AN284
East
1/4-1/2
0.349 mi.
1845 ft.

Relative:
Higher

61 ATKINS AVENUE
61 ATKINS AVENUE
BROOKLYN, NY 11208

NY LTANKS **U001841121**
NY UST **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0407729 / 2010-04-30
Site ID 332262
Spill Date 2004-10-12

285
WSW
1/4-1/2
0.355 mi.
1874 ft.

Relative:
Higher

LOT 15,TAXBLOCK 3690
2738 ATLANTIC AVENUE
BROOKLYN, NY 11207

NY VCP **S118704098**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

AP286
ESE
1/4-1/2
0.364 mi.
1922 ft.

Relative:
Lower

PITKIN BERRIMAN SITE
2501 PITKIN AVENUE
BROOKLYN, NY 11208

US BROWNFIELDS **1025442563**
N/A

Click here for full text details

US BROWNFIELDS
Cleanup Completion Date 04/19/0018

AP287
ESE
1/4-1/2
0.364 mi.
1922 ft.

Relative:
Lower

LOT 28,TAXBLOCK 4005
2501 PITKIN AVENUE
BROOKLYN, NY

NY VCP **S113915075**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

288
ESE
1/4-1/2
0.366 mi.
1933 ft.

Relative:
Lower

LOT 13,TAXBLOCK 4006
820 GLENMORE AVENUE
BROOKLYN, NY 11208

NY VCP **S118704080**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

289
North
1/4-1/2
0.379 mi.
1999 ft.

Relative:
Higher

CON EDISON
418 JAMAICA AVE
BROOKLYN, NY 11207

NY LTANKS **S102147450**
NY Spills **N/A**
NY MANIFEST
NY NYC LAND USE

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9500032 / 1995-05-01
Site ID 181142
Spill Date 1995-04-03

NY Spills
Spill Number/Closed Date 9311308 / 1993-12-18
Site ID 227079
Spill Date 1993-12-18

NY MANIFEST
EPA ID NYP004666806

AN290
East
1/4-1/2
0.390 mi.
2060 ft.

Relative:
Higher

64 MONTAUK AVENUE
64 MONTAUK AVENUE
BROOKLYN, NY 11208

NY LTANKS **U000411507**
NY UST **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0407730 / 2010-04-30
Site ID 332263
Spill Date 2004-10-12

AO291
ENE
1/4-1/2
0.390 mi.
2061 ft.

Relative:
Higher

TTF
36 MONTAUK AVE
BROOKLYN, NY

NY LTANKS **S106971336**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0408110 / 2005-12-30
Spill Number/Closed Date 0407731 / 2005-08-18
Site ID 332748
Site ID 332264
Spill Date 2004-10-22
Spill Date 2004-10-12

AQ292
West
1/4-1/2
0.398 mi.
2101 ft.

Relative:
Higher

2718 FULTON STREET
BROOKLYN, NY 11207

NY VCP **S118704084**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

293
NNW
1/4-1/2
0.405 mi.
2137 ft.

Relative:
Higher

240 SUNNYSIDE AVENUE
240 SUNNYSIDE AVENUE
BROOKLYN, NY

NY LTANKS **S101658345**
NY NYC LAND USE **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9502743 / 1995-06-16
Site ID 139529
Spill Date 1995-06-04

294
West
1/4-1/2
0.410 mi.
2164 ft.

Relative:
Higher

110 WYONA STREET
BROOKLYN, NY 11207

NY LTANKS **U003385703**
NY Spills **N/A**
NY LEAD
NY NYC LAND USE

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0411597 / 2005-01-31
Site ID 336825
Spill Date 2005-01-28

NY Spills
Spill Number/Closed Date 0411594 / 2006-09-06
Site ID 336822
Spill Date 2005-01-28

295
SW
1/4-1/2
0.424 mi.
2238 ft.

Relative:
Higher

FIORENTINO PLAZA -NYCHA
2181 PITKIN AVE
BROOKLYN, NY

NY LTANKS **S105997454**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0209000 / 2014-08-25
Spill Number/Closed Date 9706130 / 2005-12-23
Site ID 130782
Site ID 128034
Spill Date 2002-12-02
Spill Date 1997-08-20

296
WSW
1/4-1/2
0.425 mi.
2243 ft.

Relative:
Higher

SOLCO PLUMBING SUPPLY
413 LIBERTY AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY SWF/LF **S118406630**
NY NYC LAND USE **N/A**

297
WSW
1/4-1/2
0.428 mi.
2260 ft.

Relative:
Higher

2700 ATLANTIC AVENUE
2700 ATLANTIC AVENUE
BROOKLYN, NY

Click here for full text details

NY VCP **S129932256**
NY NYC OER **N/A**

AQ298
West
1/4-1/2
0.437 mi.
2308 ft.

Relative:
Higher

2701-2715 FULTON STREET
2701-2715 FULTON STREET
BROOKLYN, NY

Click here for full text details

NY VCP **S129932257**
NY NYC OER **N/A**

AR299
ENE
1/4-1/2
0.453 mi.
2392 ft.

Relative:
Higher

25 MILFORD STREET
25 MILFORD STREET
BROOKLYN, NY

Click here for full text details

NY VCP **S129932225**
NY NYC OER **N/A**

AR300
ENE
1/4-1/2
0.456 mi.
2406 ft.

Relative:
Higher

LOT 25,TAXBLOCK 4153
29 MILFORD STREET
BROOKLYN, NY 11208

Click here for full text details

NY E DESIGNATION **S108075793**
NY NYC OER **N/A**
NY NYC LAND USE

AR301
ENE
1/4-1/2
0.456 mi.
2410 ft.

Relative:
Higher

LOT 28,TAXBLOCK 4153
23 MILFORD STREET
BROOKLYN, NY 11208

Click here for full text details

NY VCP **S108075795**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

302
NW
1/4-1/2
0.459 mi.
2426 ft.

Relative:
Higher

SPILL NUMBER 9712720
258 HIGHLAND BLVD
BROOKLYN, NY

NY LTANKS **S104619465**
NY Spills **N/A**

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9712728 / 1998-02-13
Site ID 207323
Spill Date 1998-02-13

NY Spills
Spill Number/Closed Date 9712720 / 1998-03-17
Site ID 207322
Spill Date 1998-02-13

AR303
ENE
1/4-1/2
0.463 mi.
2444 ft.

Relative:
Higher

3294 ATLANTIC AVENUE
3192 ATLANTIC AVENUE
BROOKLYN, NY

NY VCP **S131580663**
NY NYC OER **N/A**

Click here for full text details

304
ENE
1/4-1/2
0.466 mi.
2462 ft.

Relative:
Higher

PRIVATE RESIDENCE
229 NORWOOD AVE
BROOKLYN, NY

NY LTANKS **S106869058**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0500041 / 2005-11-21
Site ID 342916
Spill Date 2005-04-01

305
WNW
1/4-1/2
0.467 mi.
2467 ft.

Relative:
Higher

63 SUNNYSIDE AVENUE
BROOKLYN, NY 11207

NY LTANKS **S102673302**
NY Spills **N/A**
NY NYC LAND USE

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9515454 / 1996-03-01
Site ID 288953
Spill Date 1996-03-01

NY Spills
Spill Number/Closed Date 2000481 / 2020-05-12
Site ID 604089
Spill Date 2020-04-22

306
ESE
1/4-1/2
0.474 mi.
2504 ft.

Relative:
Lower

PRIVATE RESIDENCE
172 MILLFORD ST
BROOKLYN, NY

NY LTANKS **S106124044**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0312000 / 2004-03-04
Site ID 257620
Spill Date 2004-01-26

307
NNE
1/4-1/2
0.476 mi.
2515 ft.

Relative:
Higher

508 JAMAICA AVENUE
508 JAMAICA AVE
BROOKLYN, NY

NY LTANKS **S102672738**
N/A

Click here for full text details

NY LTANKS
Spill Number/Closed Date 9412416 / 1994-12-16
Site ID 84898
Spill Date 1994-12-16

308
NNE
1/4-1/2
0.482 mi.
2546 ft.

Relative:
Higher

ANNA CORP REALITY
78 HIGHLAND PLACE
BROOKLYN, NY 11208

NY LTANKS **S107657273**
NY Spills **N/A**
NY LEAD
NY NYC LAND USE

Click here for full text details

NY LTANKS
Spill Number/Closed Date 0212208 / 2009-06-02
Site ID 315891
Spill Date 2003-03-12

NY Spills
Spill Number/Closed Date 0513965 / 2006-03-07
Spill Number/Closed Date 0513778 / 2007-07-19
Site ID 360561
Site ID 360323
Spill Date 2006-03-07
Spill Date 2006-03-01

309
West
1/4-1/2
0.484 mi.
2558 ft.

Relative:
Higher

157 NEW JERSEY AVENUE
157 NEW JERSEY AVENUE
BROOKLYN, NY

NY VCP **S129932074**
NY NYC OER **N/A**

Click here for full text details

310
West
1/4-1/2
0.493 mi.
2602 ft.

Relative:
Higher

2667 FULTON STREET
2667 FULTON STREET
NEW YORK CITY, NY

Click here for full text details

NY VCP **S129932248**
NY NYC OER **N/A**

311
ENE
1/2-1
0.514 mi.
2713 ft.

Relative:
Higher

3200 ATLANTIC AVENUE
3200 ATLANTIC AVENUE
BROOKLYN, NY 11208

Click here for full text details

NY BROWNFIELDS
Site Code 579723

NY Spills
Spill Number/Closed Date 2206569 / Not Reported
Spill Number/Closed Date 1806390 / Not Reported
Site ID 644806
Site ID 577115
Spill Date 2022-10-31
Spill Date 2018-09-06

NY BROWNFIELDS **S122877422**
NY Spills **N/A**
NY NYC OER

312
ESE
1/2-1
0.570 mi.
3007 ft.

Relative:
Lower

LOT 13,TAXBLOCK 4228
2602 PITKIN AVENUE
BROOKLYN, NY 11208

Click here for full text details

NY VCP **S118704081**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

313
WSW
1/2-1
0.580 mi.
3062 ft.

Relative:
Higher

LOT 35,TAXBLOCK 3703
184 PENNSYLVANIA AVENUE
BROOKLYN, NY 11207

Click here for full text details

NY VCP **S118704314**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

314
SW
1/2-1
0.582 mi.
3072 ft.

Relative:
Higher

EXXON DIV OF CFI #70227
225 PENNSYLVANIA AVE
BROOKLYN, NY 11236

Click here for full text details

RCRA NonGen / NLR
EPA Id NYD986894186

FINDS

RCRA NonGen / NLR **1000335601**
FINDS **NYD986894186**
ECHO
NY MANIFEST
NY NYC OER

EXXON DIV OF CFI #70227 (Continued) **1000335601**

Registry ID: 110004444192

ECHO
Registry ID 110004444192

NY MANIFEST
EPA ID NYD986894186

315
West
1/2-1
0.592 mi.
3126 ft.

Relative:
Higher

50 PENN LLC
2618 FULTON ST
BROOKLYN, NY 11207

NY VCP **S118704070**
NY Spills **N/A**
NY MANIFEST
NY NYC OER

Click here for full text details

NY Spills
Spill Number/Closed Date 1901557 / 2021-11-05
Site ID 588446
Spill Date 2019-05-14

NY MANIFEST
EPA ID NYR000242487

316
ESE
1/2-1
0.743 mi.
3923 ft.

Relative:
Lower

1199 SUTTER AVENUE
1199 SUTTER AVENUE
BROOKLYN, NY 11208

NY SHWS **S109583525**
NY BROWNFIELDS **N/A**
NY Spills
NY NYC LAND USE

Click here for full text details

NY SHWS
Site Code 434283

NY BROWNFIELDS
Site Code 465638

NY Spills
Spill Number/Closed Date 0902686 / 2010-07-15
Site ID 414744
Spill Date 2009-06-05

317
East
1/2-1
0.752 mi.
3969 ft.

Relative:
Lower

447 EUCLID AVENUE
447 EUCLID AVENUE
NEW YORK CITY, NY

NY VCP **S129932453**
NY NYC OER **N/A**

Click here for full text details

AS318
South
1/2-1
0.766 mi.
4044 ft.

Relative:
Lower

LOT 3,TAXBLOCK 4092
876 LIVONIA AVENUE
BROOKLYN, NY 11207

NY VCP **S109155523**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

AS319
South
1/2-1
0.778 mi.
4107 ft.

Relative:
Lower

691-715 NEW LOTS AVENUE
691-715 NEW LOTS AVENUE
BROOKLYN, NY

NY NYC OER **S131580680**
N/A

Click here for full text details

320
SW
1/2-1
0.819 mi.
4325 ft.

Relative:
Higher

BELMONT STATION
BELMONT, WILLIAMS, ALABAMA AND SUTTER AVES.
BROOKLYN, NY 11207

EDR MGP **1008407879**
N/A

Click here for full text details

321
West
1/2-1
0.841 mi.
4441 ft.

Relative:
Higher

2440 FULTON STREET
2440 FULTON STREET
BROOKLYN, NY

NY VCP **S129932220**
NY NYC OER **N/A**

Click here for full text details

322
SSW
1/2-1
0.857 mi.
4524 ft.

Relative:
Lower

673 LIVONIA AVENUE
673 LIVONIA AVENUE
BROOKLYN, NY 11207

NY SHWS **S129982655**
NY NYC LAND USE **N/A**

Click here for full text details

NY SHWS
Site Code 631213

323
WSW
1/2-1
0.941 mi.
4966 ft.

Relative:
Higher

81-111 JUNIUS STREET
81 JUNIUS STREET
BROOKLYN, NY

NY VCP **S129932646**
NY NYC OER **N/A**

Click here for full text details

AT324
West
1/2-1
0.977 mi.
5156 ft.

Relative:
Higher

LOT 46,TAXBLOCK 1437
2435 PACIFIC STREET
BROOKLYN, NY 11233

NY BROWNFIELDS **S118704373**
NY E DESIGNATION **N/A**
NY NYC LAND USE
NY NYC OER

Click here for full text details

NY BROWNFIELDS
Site Code 617184

AT325
West
1/2-1
0.995 mi.
5255 ft.

Relative:
Higher

2396 ATLANTIC AVENUE
2396 ATLANTIC AVENUE
BROOKLYN, NY

NY NYC OER **S129932210**
N/A

Click here for full text details

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
NY	AIRS	Air Emissions Data	Department of Environmental Conservation	10/09/2024	11/05/2024	11/21/2024
NY	AST	Petroleum Bulk Storage	Department of Environmental Conservation	12/12/2024	12/12/2024	02/28/2025
NY	BROWNFIELDS	Brownfields Site List	Department of Environmental Conservation	11/04/2024	11/05/2024	01/22/2025
NY	CBS	Chemical Bulk Storage Site Listing	Department of Environmental Conservation	12/12/2024	12/12/2024	03/03/2025
NY	CBS AST	Chemical Bulk Storage Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	CBS UST	Chemical Bulk Storage Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	COAL ASH	Coal Ash Disposal Site Listing	Department of Environmental Conservation	12/18/2024	12/18/2024	03/10/2025
NY	COOLING TOWERS	Registered Cooling Towers	Department of Health	12/31/2024	01/07/2025	03/25/2025
NY	DEL SHWS	Delisted Registry Sites	Department of Environmental Conservation	11/04/2024	11/05/2024	01/22/2025
NY	DRYCLEANERS	Registered Drycleaners	Department of Environmental Conservation	11/27/2024	12/09/2024	03/03/2025
NY	E DESIGNATION	E DESIGNATION SITE LISTING	New York City Department of City Planning	10/07/2024	12/19/2024	03/11/2025
NY	ENG CONTROLS	Registry of Engineering Controls	Department of Environmental Conservation	11/04/2024	11/05/2024	01/22/2025
NY	ENV RES DECL	Environmental Restrictive Declarations	New York City Department of City Planning	12/06/2024	12/11/2024	03/03/2025
NY	ERP	Environmental Restoration Program Listing	Department of Environmental Conservation	11/04/2024	11/05/2024	01/22/2025
NY	FIN ASSURANCE 1	Financial Assurance Information Listing	Department of Environmental Conservation	12/11/2024	12/18/2024	01/22/2025
NY	FIN ASSURANCE 2	Financial Assurance Information Listing	Department of Environmental Conservation	08/30/2024	08/30/2024	09/13/2024
NY	HIST AST	Historical Petroleum Bulk Storage Database	Department of Environmental Conservation	01/01/2002	06/02/2006	07/20/2006
NY	HIST LTANKS	Listing of Leaking Storage Tanks	Department of Environmental Conservation	01/01/2002	07/08/2005	07/14/2005
NY	HIST SPILLS	SPILLS Database	Department of Environmental Conservation	01/01/2002	07/08/2005	07/14/2005
NY	HIST UST	Historical Petroleum Bulk Storage Database	Department of Environmental Conservation	01/01/2002	06/02/2006	07/20/2006
NY	HSWDS	Hazardous Substance Waste Disposal Site Inventory	Department of Environmental Conservation	01/01/2003	10/20/2006	11/30/2006
NY	ILI	New York State Inactive Landfill Initiative	Department of Environmental Conservation	05/16/2024	05/30/2024	08/26/2024
NY	INST CONTROL	Registry of Institutional Controls	Department of Environmental Conservation	11/04/2024	11/05/2024	01/22/2025
NY	LIENS	Spill Liens Information	Office of the State Comptroller	10/28/2024	10/29/2024	01/22/2025
NY	LTANKS	Spills Information Database	Department of Environmental Conservation	11/03/2024	11/05/2024	12/05/2024
NY	MGP	Manufactured Gas Plants Listing	Department of Environmental Conservation	12/02/2024	12/03/2024	02/25/2025
NY	MOSF	Major Oil Storage Facility Site Listing	Department of Environmental Conservation	12/12/2024	12/12/2024	03/03/2025
NY	MOSF AST	Major Oil Storage Facilities Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	MOSF UST	Major Oil Storage Facilities Database	NYSDEC	01/01/2002	02/20/2002	03/22/2002
NY	NY MANIFEST	Facility and Manifest Data	Department of Environmental Conservation	12/31/2019	11/30/2023	12/01/2023
NY	NYC LAND USE	New York City Land Use Information	New York City Department of City Planning	09/30/2024	12/09/2024	03/06/2025
NY	NYC LEAD	Lead-based Paint Testing Results	New York City Department of Education	07/10/2024	07/30/2024	10/17/2024
NY	NYC LEAD 2	Recent Lead Paint Violations	New York City Department of Housing Preservat	10/28/2024	10/30/2024	01/22/2025
NY	NYC OER	OER Cleanup Sites Listing	Office of Environmental Remediation	12/02/2024	12/04/2024	02/25/2025
NY	PFAS	PFAS Contamination Site Location Listing	Department of Environmental Conservation	01/16/2019	05/08/2019	06/24/2019
NY	PFAS 2	New York State Inactive Landfill Initiative	Department of Environmental Conservation	12/12/2022	08/10/2023	10/25/2023
NY	PFAS 3	PFAS Environmental Site Remediation List	Department of Environmental Conservation	11/04/2024	11/06/2024	01/22/2025
NY	RES DECL	Restrictive Declarations Listing	NYC Department of City Planning	12/04/2024	12/09/2024	03/03/2025
NY	RGA HWS	Recovered Government Archive State Hazardous Waste Facilitie	Department of Environmental Conservation		07/01/2013	12/30/2013
NY	RGA LF	Recovered Government Archive Solid Waste Facilities List	Department of Environmental Conservation		07/01/2013	01/10/2014
NY	SHWS	Inactive Hazardous Waste Disposal Sites in New York State	Department of Environmental Conservation	11/04/2024	11/05/2024	01/22/2025
NY	SPDES	State Pollutant Discharge Elimination System	Department of Environmental Conservation	10/10/2024	11/08/2024	12/02/2024
NY	SPILLS	Spills Information Database	Department of Environmental Conservation	11/03/2024	11/05/2024	12/05/2024
NY	SPILLS 80	SPILLS80 data from FirstSearch	FirstSearch	11/02/2010	01/03/2013	03/07/2013
NY	SPILLS 90	SPILLS90 data from FirstSearch	FirstSearch	12/14/2012	01/03/2013	02/12/2013
NY	SWF/LF	Facility Register	Department of Environmental Conservation	12/11/2024	12/17/2024	12/27/2024
NY	SWRCY	Registered Recycling Facility List	Department of Environmental Conservation	12/11/2024	12/17/2024	12/27/2024

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
NY	SWTIRE	Registered Waste Tire Storage & Facility List	Department of Environmental Conservation	02/27/2018	04/06/2018	06/08/2018
NY	TANKS	Storage Tank Faciliy Listing	Department of Environmental Conservation	12/12/2024	12/12/2024	03/03/2025
NY	UIC	Underground Injection Control Wells	Department of Environmental Conservation	11/19/2024	11/20/2024	02/14/2025
NY	UST	Petroleum Bulk Storage (PBS) Database	Department of Environmental Conservation	12/12/2024	12/12/2024	02/28/2025
NY	VAPOR REOPENED	Vapor Intrusion Legacy Site List	Department of Environmenal Conservation	01/01/2022	02/08/2022	05/06/2022
NY	VCP	Voluntary Cleanup Agreements	Department of Environmental Conservation	11/04/2024	11/05/2024	01/22/2025
NY	VCP NYC	Voluntary Cleanup Program Listing NYC	New York City Office of Environmental Protect	12/02/2024	12/04/2024	02/25/2025
US	2020 COR ACTION	2020 Corrective Action Program List	Environmental Protection Agency	09/30/2017	05/08/2018	07/20/2018
US	ABANDONED MINES	Abandoned Mines	Department of Interior	12/10/2024	12/11/2024	02/18/2025
US	AQUEOUS FOAM NRC	Aqueous Foam Related Incidents Listing	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	BIOSOLIDS	ICIS-NPDES Biosolids Facility Data	Environmental Protection Agency	01/12/2025	01/14/2025	03/20/2025
US	BRS	Biennial Reporting System	EPA/NTIS	12/31/2023	02/19/2025	03/07/2025
US	COAL ASH DOE	Steam-Electric Plant Operation Data	Department of Energy	12/31/2023	10/16/2024	01/14/2025
US	COAL ASH EPA	Coal Combustion Residues Surface Impoundments List	Environmental Protection Agency	01/12/2017	03/05/2019	11/11/2019
US	CONSENT	Superfund (CERCLA) Consent Decrees	Department of Justice, Consent Decree Library	09/30/2024	10/09/2024	01/10/2025
US	CORRACTS	Corrective Action Report	EPA	02/17/2025	02/19/2025	03/06/2025
US	DEBRIS REGION 9	Torres Martinez Reservation Illegal Dump Site Locations	EPA, Region 9	01/12/2009	05/07/2009	09/21/2009
US	DOCKET HWC	Hazardous Waste Compliance Docket Listing	Environmental Protection Agency	05/06/2021	05/21/2021	08/11/2021
US	DOD	Department of Defense Sites	USGS	06/07/2021	07/13/2021	03/09/2022
US	DOT OPS	Incident and Accident Data	Department of Transporation, Office of Pipeli	10/04/2024	10/16/2024	12/06/2024
US	Delisted NPL	National Priority List Deletions	EPA	12/19/2024	01/02/2025	01/21/2025
US	E MANIFEST	Hazardous Waste Electronic Manifest System	Environmental Protection Agency	02/17/2025	02/19/2025	03/14/2025
US	ECHO	Enforcement & Compliance History Information	Environmental Protection Agency	12/21/2024	12/27/2024	01/10/2025
US	EDR Hist Auto	EDR Exclusive Historical Auto Stations	EDR, Inc.			
US	EDR Hist Cleaner	EDR Exclusive Historical Cleaners	EDR, Inc.			
US	EDR MGP	EDR Proprietary Manufactured Gas Plants	EDR, Inc.			
US	EPA WATCH LIST	EPA Watch List	Environmental Protection Agency	08/30/2013	03/21/2014	06/17/2014
US	ERNS	Emergency Response Notification System	National Response Center, United States Coast	12/03/2024	12/11/2024	02/18/2025
US	FEDERAL FACILITY	Federal Facility Site Information listing	Environmental Protection Agency	11/20/2024	12/18/2024	12/20/2024
US	FEDLAND	Federal and Indian Lands	U.S. Geological Survey	04/02/2018	04/11/2018	11/06/2019
US	FEMA UST	Underground Storage Tank Listing	FEMA	08/12/2024	10/30/2024	01/14/2025
US	FINDS	Facility Index System/Facility Registry System	EPA	11/11/2024	11/20/2024	02/18/2025
US	FTTS	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA/Office of Prevention, Pesticides and Toxi	04/09/2009	04/16/2009	05/11/2009
US	FTTS INSP	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fu	EPA	04/09/2009	04/16/2009	05/11/2009
US	FUDS	Formerly Used Defense Sites	U.S. Army Corps of Engineers	10/01/2024	11/12/2024	01/21/2025
US	FUELS PROGRAM	EPA Fuels Program Registered Listing	EPA	11/08/2024	11/08/2024	01/14/2025
US	FUSRAP	Formerly Utilized Sites Remedial Action Program	Department of Energy	03/03/2023	03/03/2023	06/09/2023
US	HIST FTTS	FIFRA/TSCA Tracking System Administrative Case Listing	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HIST FTTS INSP	FIFRA/TSCA Tracking System Inspection & Enforcement Case Lis	Environmental Protection Agency	10/19/2006	03/01/2007	04/10/2007
US	HMIRS	Hazardous Materials Information Reporting System	U.S. Department of Transportation	12/10/2024	12/11/2024	02/27/2025
US	ICIS	Integrated Compliance Information System	Environmental Protection Agency	11/18/2016	11/23/2016	02/10/2017
US	IHS OPEN DUMPS	Open Dumps on Indian Land	Department of Health & Human Serivces, Indian	02/07/2024	11/13/2024	11/19/2024
US	INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land	EPA Region 1	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land	EPA Region 10	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land	EPA Region 4	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land	EPA, Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land	EPA Region 6	05/07/2024	05/30/2024	08/28/2024

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land	EPA Region 7	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land	EPA Region 8	05/07/2024	05/30/2024	08/28/2024
US	INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land	Environmental Protection Agency	05/07/2024	05/30/2024	08/28/2024
US	INDIAN ODI	Report on the Status of Open Dumps on Indian Lands	Environmental Protection Agency	12/31/1998	12/03/2007	01/24/2008
US	INDIAN RESERV	Indian Reservations	USGS	12/31/2014	07/14/2015	01/10/2017
US	INDIAN UST R1	Underground Storage Tanks on Indian Land	EPA, Region 1	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R10	Underground Storage Tanks on Indian Land	EPA Region 10	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R4	Underground Storage Tanks on Indian Land	EPA Region 4	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R5	Underground Storage Tanks on Indian Land	EPA Region 5	04/11/2024	05/30/2024	08/28/2024
US	INDIAN UST R6	Underground Storage Tanks on Indian Land	EPA Region 6	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R7	Underground Storage Tanks on Indian Land	EPA Region 7	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R8	Underground Storage Tanks on Indian Land	EPA Region 8	05/14/2024	05/30/2024	08/28/2024
US	INDIAN UST R9	Underground Storage Tanks on Indian Land	EPA Region 9	05/14/2024	05/30/2024	08/28/2024
US	INDIAN VCP R1	Voluntary Cleanup Priority Listing	EPA, Region 1	07/27/2015	09/29/2015	02/18/2016
US	INDIAN VCP R7	Voluntary Cleanup Priority Lisitng	EPA, Region 7	03/20/2008	04/22/2008	05/19/2008
US	LEAD SMELTER 1	Lead Smelter Sites	Environmental Protection Agency	12/19/2024	01/02/2025	01/21/2025
US	LEAD SMELTER 2	Lead Smelter Sites	American Journal of Public Health	04/05/2001	10/27/2010	12/02/2010
US	LIENS 2	CERCLA Lien Information	Environmental Protection Agency	12/19/2024	01/02/2025	01/21/2025
US	LUCIS	Land Use Control Information System	Department of the Navy	11/11/2024	11/25/2024	02/18/2025
US	MINES MRDS	Mineral Resources Data System	USGS	06/04/2024	11/22/2024	02/18/2025
US	MINES VIOLATIONS	MSHA Violation Assessment Data	DOL, Mine Safety & Health Admi	02/19/2025	02/21/2025	03/20/2025
US	MLTS	Material Licensing Tracking System	Nuclear Regulatory Commission	10/12/2024	10/17/2024	11/19/2024
US	NPL	National Priority List	EPA	12/19/2024	01/02/2025	01/21/2025
US	NPL LIENS	Federal Superfund Liens	EPA	10/15/1991	02/02/1994	03/30/1994
US	ODI	Open Dump Inventory	Environmental Protection Agency	06/30/1985	08/09/2004	09/17/2004
US	PADS	PCB Activity Database System	EPA	07/01/2024	10/02/2024	01/10/2025
US	PCB TRANSFORMER	PCB Transformer Registration Database	Environmental Protection Agency	09/13/2019	11/06/2019	02/10/2020
US	PCS	Permit Compliance System	EPA, Office of Water	12/16/2016	01/06/2017	03/10/2017
US	PCS ENF	Enforcement data	EPA	12/31/2014	02/05/2015	03/06/2015
US	PFAS ATSDR	PFAS Contamination Site Location Listing	Department of Health & Human Services	06/24/2020	03/17/2021	11/08/2022
US	PFAS ECHO	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS ECHO FIRE TRAIN	Facilities in Industries that May Be Handling PFAS Listing	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS FEDERAL SITES	Federal Sites PFAS Information	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS NPDES	Clean Water Act Discharge Monitoring Information	Environmental Protection Agency	12/30/2024	01/02/2025	01/14/2025
US	PFAS NPL	Superfund Sites with PFAS Detections Information	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS PROJECT	NORTHEASTERN UNIVERSITY PFAS PROJECT	Social Science Environmental Health Research	05/19/2023	04/05/2024	06/06/2024
US	PFAS PT 139 AIRPORT	All Certified Part 139 Airports PFAS Information Listing	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS RCRA MANIFEST	PFAS Transfers Identified In the RCRA Database Listing	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS TRIS	List of PFAS Added to the TRI	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS TSCA	PFAS Manufacture and Imports Information	Environmental Protection Agency	12/30/2024	01/02/2025	01/10/2025
US	PFAS WQP	Ambient Environmental Sampling for PFAS	Environmental Protection Agency	12/13/2024	01/02/2025	01/10/2025
US	PRP	Potentially Responsible Parties	EPA	09/19/2023	10/03/2023	10/19/2023
US	Proposed NPL	Proposed National Priority List Sites	EPA	12/19/2024	01/02/2025	01/21/2025
US	RAATS	RCRA Administrative Action Tracking System	EPA	04/17/1995	07/03/1995	08/07/1995
US	RADINFO	Radiation Information Database	Environmental Protection Agency	07/01/2019	07/01/2019	09/23/2019
US	RCRA NonGen / NLR	RCRA - Non Generators / No Longer Regulated	Environmental Protection Agency	02/17/2025	02/19/2025	03/06/2025
US	RCRA-LQG	RCRA - Large Quantity Generators	Environmental Protection Agency	02/17/2025	02/19/2025	03/06/2025

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	RCRA-SQG	RCRA - Small Quantity Generators	Environmental Protection Agency	02/17/2025	02/19/2025	03/06/2025
US	RCRA-TSDF	RCRA - Treatment, Storage and Disposal	Environmental Protection Agency	02/17/2025	02/19/2025	03/06/2025
US	RCRA-VSQG	RCRA - Very Small Quantity Generators (Formerly Conditionall	Environmental Protection Agency	02/17/2025	02/19/2025	03/06/2025
US	RMP	Risk Management Plans	Environmental Protection Agency	10/01/2024	10/23/2024	01/14/2025
US	ROD	Records Of Decision	EPA	01/29/2025	02/03/2025	02/27/2025
US	SCRD DRYCLEANERS	State Coalition for Remediation of Drycleaners Listing	Environmental Protection Agency	07/30/2021	02/03/2023	02/10/2023
US	SEMS	Superfund Enterprise Management System	EPA	12/19/2024	01/02/2025	01/21/2025
US	SEMS-ARCHIVE	Superfund Enterprise Management System Archive	EPA	12/19/2024	01/02/2025	01/21/2025
US	SSTS	Section 7 Tracking Systems	EPA	10/15/2024	10/16/2024	01/14/2025
US	TRIS	Toxic Chemical Release Inventory System	EPA	12/31/2023	02/11/2025	02/18/2025
US	TSCA	Toxic Substances Control Act	EPA	12/31/2020	06/14/2022	03/24/2023
US	UMTRA	Uranium Mill Tailings Sites	Department of Energy	02/12/2025	02/12/2025	02/27/2025
US	US AIRS (AFS)	Aerometric Information Retrieval System Facility Subsystem (	EPA	10/12/2016	10/26/2016	02/03/2017
US	US AIRS MINOR	Air Facility System Data	EPA	10/12/2016	10/26/2016	02/03/2017
US	US BROWNFIELDS	A Listing of Brownfields Sites	Environmental Protection Agency	09/09/2024	09/11/2024	12/06/2024
US	US CDL	Clandestine Drug Labs	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US ENG CONTROLS	Engineering Controls Sites List	Environmental Protection Agency	11/04/2024	11/15/2024	02/11/2025
US	US FIN ASSUR	Financial Assurance Information	Environmental Protection Agency	02/17/2025	02/19/2025	03/06/2025
US	US HIST CDL	National Clandestine Laboratory Register	Drug Enforcement Administration	05/20/2024	08/19/2024	10/09/2024
US	US INST CONTROLS	Institutional Controls Sites List	Environmental Protection Agency	11/04/2024	11/15/2024	02/11/2025
US	US MINES	Mines Master Index File	Department of Labor, Mine Safety and Health A	02/03/2025	02/18/2025	03/20/2025
US	US MINES 2	Ferrous and Nonferrous Metal Mines Database Listing	USGS	05/02/2024	08/20/2024	10/09/2024
US	US MINES 3	Active Mines & Mineral Plants Database Listing	USGS	04/14/2011	06/08/2011	09/13/2011
US	UST FINDER	UST Finder Database	Environmental Protection Agency	06/08/2023	10/04/2023	01/18/2024
US	UST FINDER RELEASE	UST Finder Releases Database	Environmental Protecton Agency	06/08/2023	10/31/2023	01/18/2024
US	UXO	Unexploded Ordnance Sites	Department of Defense	09/06/2023	09/13/2023	12/11/2023
CT	CT MANIFEST	Hazardous Waste Manifest Data	Department of Energy & Environmental Protecti	11/04/2024	11/05/2024	01/27/2025
NJ	NJ MANIFEST	Manifest Information	Department of Environmental Protection	12/31/2018	04/10/2019	05/16/2019
PA	PA MANIFEST	Manifest Information	Department of Environmental Protection	06/30/2018	07/19/2019	09/10/2019
RI	RI MANIFEST	Manifest information	Department of Environmental Management	12/31/2020	11/30/2021	02/18/2022
VT	VT MANIFEST	Hazardous Waste Manifest Data	Department of Environmental Conservation	10/28/2019	10/29/2019	01/09/2020
WI	WI MANIFEST	Manifest Information	Department of Natural Resources	05/31/2018	06/19/2019	09/03/2019
US	AHA Hospitals	Sensitive Receptor: AHA Hospitals	American Hospital Association, Inc.			
US	Medical Centers	Sensitive Receptor: Medical Centers	Centers for Medicare & Medicaid Services			
US	Nursing Homes	Sensitive Receptor: Nursing Homes	National Institutes of Health			
US	Public Schools	Sensitive Receptor: Public Schools	National Center for Education Statistics			
US	Private Schools	Sensitive Receptor: Private Schools	National Center for Education Statistics			
NY	Daycare Centers	Sensitive Receptor: Day Care Providers	Department of Health			

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

St	Acronym	Full Name	Government Agency	Gov Date	Arvl. Date	Active Date
US	Flood Zones	100-year and 500-year flood zones	Emergency Management Agency (FEMA)			
US	NWI	National Wetlands Inventory	U.S. Fish and Wildlife Service			
NY	State Wetlands	Freshwater Wetlands	Department of Environmental Conservation			
US	Topographic Map		U.S. Geological Survey			
US	Oil/Gas Pipelines		Endeavor Business Media			
US	Electric Power Transmission Line Data		Endeavor Business Media			

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

2916 ATLANTIC AVENUE
2916 ATLANTIC AVENUE
BROOKLYN, NY 11207

TARGET PROPERTY COORDINATES

Latitude (North):	40.677161 - 40° 40' 37.78''
Longitude (West):	73.886455 - 73° 53' 11.24''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	594109.7
UTM Y (Meters):	4503304.5
Elevation:	36 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	14115940 BROOKLYN, NY
Version Date:	2019
East Map:	14105978 JAMAICA, NY
Version Date:	2019

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Target Property Elevation: 36 ft.

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
3604970065B	FEMA Q3 Flood data

Additional Panels in search area:	FEMA Source Type
3604970236F	FEMA FIRM Flood data
3604970075C	FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
BROOKLYN	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Status:	Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Cenozoic
System:	Quaternary
Series:	Pleistocene
Code:	Qp *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000828360	1/8 - 1/4 Mile NNE
6	USGS40000828290	1/2 - 1 Mile West
7	USGS40000828531	1/2 - 1 Mile NNE
8	USGS40000828426	1/2 - 1 Mile ENE
9	USGS40000828135	1/2 - 1 Mile WSW
10	USGS40000828169	1/2 - 1 Mile WSW
11	USGS40000828182	1/2 - 1 Mile ESE
C14	USGS40000828091	1/2 - 1 Mile ESE
C15	USGS40000828073	1/2 - 1 Mile SE
18	USGS40000828399	1/2 - 1 Mile WNW
19	USGS40000827849	1/2 - 1 Mile SSW
E22	USGS40000827670	1/2 - 1 Mile South
E23	USGS40000827671	1/2 - 1 Mile South

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	NYREG1200061347	1/4 - 1/2 Mile WSW
A3	NYREG1200061346	1/4 - 1/2 Mile WSW
4	NYREG1200061405	1/4 - 1/2 Mile SSW
5	NYREG1200061480	1/2 - 1 Mile ENE
B12	NYREG1200061644	1/2 - 1 Mile SW
B13	NYREG1200061645	1/2 - 1 Mile SW
16	NYREG1200061424	1/2 - 1 Mile WSW
17	NYREG1200061374	1/2 - 1 Mile ESE
D20	NYREG1200061508	1/2 - 1 Mile WSW
D21	NYREG1200061361	1/2 - 1 Mile SW

PHYSICAL SETTING SOURCE MAP - 07942990.2r


Long Island Rail Road
Cooper St
Vermont Pl
Cypress Hills St
Forest Pkwy
Jamaica Ave
Ridgewood Ave
Euclid Ave
Logan St
Eldert Ln
Liberty Ave
Gonzalo Blvd
S Conduit Blvd
Conduit Blvd
Atlantic Ave
Highland Park Pkwy N
Highland Park Pkwy
Mtn View Pl
Mtn View Pl
Shirley Ave
Bergen Ave
Bergen Ave
Bergen

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
1 **NNE** **1/8 - 1/4 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS40000828360**
A2 **WSW** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**NY WELLS**	**NYREG1200061347**
A3 **WSW** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**NY WELLS**	**NYREG1200061346**
4 **SSW** **1/4 - 1/2 Mile** **Higher**	Click here for full text details	**NY WELLS**	**NYREG1200061405**
5 **ENE** **1/2 - 1 Mile** **Higher**	Click here for full text details	**NY WELLS**	**NYREG1200061480**
6 **West** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS40000828290**
7 **NNE** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS40000828531**
8 **ENE** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS40000828426**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
9 **WSW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS40000828135**
10 **WSW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**FED USGS**	**USGS40000828169**
11 **ESE** **1/2 - 1 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS40000828182**
B12 **SW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**NY WELLS**	**NYREG1200061644**
B13 **SW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**NY WELLS**	**NYREG1200061645**
C14 **ESE** **1/2 - 1 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS40000828091**
C15 **SE** **1/2 - 1 Mile** **Lower**	Click here for full text details	**FED USGS**	**USGS40000828073**
16 **WSW** **1/2 - 1 Mile** **Higher**	Click here for full text details	**NY WELLS**	**NYREG1200061424**
17 **ESE** **1/2 - 1 Mile** **Lower**	Click here for full text details	**NY WELLS**	**NYREG1200061374**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID Direction Distance Elevation		Database	EDR ID Number
18 WNW 1/2 - 1 Mile Higher	Click here for full text details	**FED USGS**	**USGS40000828399**
19 SSW 1/2 - 1 Mile Lower	Click here for full text details	**FED USGS**	**USGS40000827849**
D20 WSW 1/2 - 1 Mile Higher	Click here for full text details	**NY WELLS**	**NYREG1200061508**
D21 SW 1/2 - 1 Mile Higher	Click here for full text details	**NY WELLS**	**NYREG1200061361**
E22 South 1/2 - 1 Mile Lower	Click here for full text details	**FED USGS**	**USGS40000827670**
E23 South 1/2 - 1 Mile Lower	Click here for full text details	**FED USGS**	**USGS40000827671**

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for KINGS County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for KINGS COUNTY, NY

Number of sites tested: 51

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.750 pCi/L	100%	0%	0%
Basement	1.370 pCi/L	88%	10%	2%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Source: Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

19A-2085-1-BA

DUPLICATE CITY OF NEW YORK No. 75305

OFFICE OF THE PRESIDENT OF THE BOROUGH OF BROOKLYN

DEPARTMENT OF BUILDINGS

DATE March 4, 1935

CERTIFICATE OF OCCUPANCY

(Standard form adopted by the Board of Standards and Appeals July 22, 1922, and issued pursuant to Section 211-a, Greater New York Charter, and Chapter 5, Building Code, Code of Ordinances, City of New York)

This certificate supersedes all previously issued certificates.

To the owner or owners of the building or premises:

THIS CERTIFIES that the ~~NEW~~ ALTERED —BUILDING—PREMISES

located at 9916/20 Atlantic Ave. 353' E. of Warwick Dr.

Block 3967. Lot 44, conforms substantially to the approved plans and specifications, and to the requirements of the building code and all other laws and ordinances, and of the rules and regulations of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and CERTIFIES FURTHER that, any provisions of law relating to standpipe and sprinkler equipment have been complied with as certified by a report of the Fire Commissioner to the Commissioner of Buildings.

THIS CERTIFICATE IS ISSUED SUBJECT TO THE LIMITATIONS HEREINAFTER SPECIFIED AND TO THE FOLLOWING RESOLUTIONS OF THE BOARD OF STANDARDS AND APPEALS:
(Calendar numbers to be inserted here)

PERMISSIBLE USE AND OCCUPANCY

STORY	LIVE LOADS LBS. PER SQ. FT.	PERSONS ACCOMMODATED MALE	FEMALE	TOTAL	USE
~~Ellar~~					NONE
~~Cellar~~					
1st					FOUR (4) INDIVIDUAL GARAGES
~~Cellar~~					STORE & MOTOR VEHICLE REPAIR SHOP
2nd					& One 550 gal TANK
3rd					
4th					
5th					

Permit No. 607-35 Type of Construction Brick

Height 1 stories, 11'6" + 14'9" feet Date of completion, construction FF 1/23/35

plumbing Const. 8/5/35

Located in Manufacturing zone at time of issuance of permit.

(OVER)

NO CHANGE OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFI CATE SHALL BE MADE UNLESS FIRST APPROVED BY THE COMMISSIONER OF BUILDINGS.

Unless an approval for the same has been obtained from the Commissioner of Buildings, n change or rearrangement in the structural parts of the building, or affecting the light and ventila tion of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by ex tending on any side or by increasing in height shall be made; nor shall the building be moved fro one location or position to another; nor shall there be any reduction or diminution of the area e the lot or plot on which the building is located.

The building or any part thereof shall not be used for any purpose other than that fo which it is certified.

The superimposed, uniformly distributed loads, or concentrated loads producing the sam stresses in the construction in any story shall not exceed the live loads specified above; the num ber of persons of either sex in any story shall not exceed that specified when sex is indicated, n shall the aggregate number of persons in any story exceed the specified total; and the use to whi any story may be put shall be restricted to that fixed by this certificate except as specifica stated.

This certificate does not in any way relieve the owner or owners or any other person persons in possession or control of the building, or any part thereof, from obtaining such oth permits, licenses or approvals as may be prescribed by law for the uses or purposes for which t building is designed or intended; nor from obtaining the special certificates required for the u and operation of elevators; nor from the installation of fire alarm systems where required by la nor from complying with any lawful order for additional fire extinguishing appliances under discretionary powers of the fire commissioner; nor from complying with any lawful order issu with the object of maintaining the building in a safe or lawful condition; nor from complyi with any authorized direction to remove encroachments into a public highway or other pub place, whether attached to or part of the building or not.

If this certificate is marked "Temporary", it is applicable only to those parts of the bu ing indicated on its face, and certifies to the legal use and occupancy of only such parts of building; it is subject to all the provisions and conditions applying to a final or permanent ce ficate; it is not applicable to any building under the jurisdiction of the tenement house com sioner unless it is also approved and endorsed by him; and it must be replaced by a full certifi at the date of its expiration.

Examined by

Per

Commissioner of Buildings.
Borough of Brooklyn.

Additional copies of this certificate will be issued, upon written request, to persons having an intere the building or premises.

B Form 54C (Rev. 11/73) 106M 705729(71) THE CITY OF NEW YORK

HOUSING AND DEVELOPMENT ADMINISTRATION

DEPARTMENT OF BUILDINGS

CERTIFICATE OF OCCUPANCY

BOROUGH BROOKLYN DATE: SEP 16 1977 NO. 215916

This certificate supersedes C.O. No. 75305 ZONING DISTRICT C8-2

THIS CERTIFIES that new—altered—building—premises located at 2916-24 Atlantic Avenue Block 3967 Lot 15

CONFORMS SUBSTANTIALLY TO THE APPROVED PLANS AND SPECIFICATIONS AND TO THE REQUIREMENTS OF ALL APPLICABLE LAWS, RULES AND REGULATIONS FOR THE USES AND OCCUPANCIES SPECIFIED HEREIN

PERMISSIBLE USE AND OCCUPANCY

STORY	LIVE LOAD LBS. PER SQ. FT.	MAXIMUM NO. OF PERSONS PERMITTED	ZONING DWELLING OR ROOMING UNITS	BUILDING CODE HABITABLE ROOMS	ZONING USE GROUP	BUILDING CODE OCCUPANCY GROUP	DESCRIPTION OF USE
Cellar	On Ground						Boiler Room
1st	On Ground	15			16		Motor Vehicle Repair with Accessory spraying limited to Two (2) gallons per day sprayed andnot more than Twenty (20) gallons stored
							Performance Standards for M1 Districts to be complied with
							TOTAL: Motor Vehicle Repair Shop
							OLD-CODE
							Performance Standards for M1 Districts to be complied with

OPEN SPACE USES _____
(SPECIFY—PARKING SPACES, LOADING BERTHS, OTHER USES, NONE)

NO CHANGES OF USE OR OCCUPANCY SHALL BE MADE UNLESS A NEW AMENDED CERTIFICATE OF OCCUPANCY IS OBTAINED

THIS CERTIFICATE OF OCCUPANCY IS ISSUED SUBJECT TO FURTHER LIMITATIONS, CONDITIONS AND SPECIFICATIONS NOTED ON THE REVERSE SIDE.

Philip E. O'[illegible] HERBERMAN E. WALSH

BOROUGH SUPERINTENDENT COMMISSIONER

OFFICE COPY—DEPARTMENT OF BUILDINGS

THAT THE ZONING LOT ON WHICH THE PREMISES IS LOCATED IS BOUNDED AS FOLLOWS:

BEGINNING at a point on the South side of Atlantic Avenue distant 33'-3" feet from the corner formed by the intersection of Atlantic Avenue and Warwick Street

running thence South 88'-10" feet; thence East 72'-3½" feet;

thence North 88'-5 3/4" feet; thence West 72'-3½" feet;

thence ..... feet; thence ..... feet;

thence ..... feet; thence ..... feet;

to the point or place of beginning.

~~xxx~~ or ALT. No. 607/74 DATE OF COMPLETION 9/06/77 CONSTRUCTION CLASSIFICATION Class 3-N.F.P.

BUILDING OCCUPANCY GROUP CLASSIFICATION HEIGHT STORIES 1 FEET 14'-9"

THE FOLLOWING FIRE DETECTION AND EXTINGUISHING SYSTEMS ARE REQUIRED AND WERE INSTALLED IN COMPLIANCE WITH APPLICABLE LAWS.

	YES	NO		YES	NO
STANDPIPE SYSTEM			AUTOMATIC SPRINKLER SYSTEM		
YARD HYDRANT SYSTEM					
STANDPIPE FIRE TELEPHONE AND SIGNALLING SYSTEM					
SMOKE DETECTOR					
FIRE ALARM AND SIGNAL SYSTEM					

STORM DRAINAGE DISCHARGES INTO:

A) STORM SEWER ☐ B) COMBINED SEWER ☐ C) PRIVATE SEWAGE DISPOSAL SYSTEM ☐

SANITARY DRAINAGE DISCHARGES INTO:

A) SANITARY SEWER ☐ B) COMBINED SEWER ☐ C) PRIVATE SEWAGE DISPOSAL SYSTEM ☐

LIMITATIONS OR RESTRICTIONS:

BOARD OF STANDARDS AND APPEALS CAL. NO. _____

CITY PLANNING COMMISSION CAL. NO. _____

OTHERS:

Freeman, Rachel

From: New York DEC FOIL Center <newyorkdec@govqa.us>
Sent: Monday, March 31, 2025 2:34 PM
To: Freeman, Rachel
Subject: FOIL Request :: W145070-033125

CAUTION: External Email

Dear Rachel:

Thank you for your Freedom of Information Law (FOIL) request. Your request has been received and is being processed. Your request was received in this office on 3/31/2025 and given the reference number FOIL #W145070-033125 for tracking purposes. You may expect the Department's response to your request no later than **4/28/2025**.

Record Requested: **Address: 2916 Atlantic Avenue in Brooklyn Request: I am seeking any environmental reports for the site mentioned above and adjoining properties pertaining to current or previous investigations, spills, or remediation. Specifically, I am requesting: • Remedial Investigation Work Plans • Remedial Investigation Reports • Remedial Action Work Plans • Remedial Action Reports • Remedial Closure Reports • Spill Reports • Tank Installation/Closure Documentation • Notices of Violations (zoning, public health, taxes) Could you please advise on an alternative way to submit this request or provide assistance with the online submission process? Your support would be greatly appreciated.**

You can monitor the progress of your request at the link below and you'll receive an email when your request has been completed. Again, thank you for using the FOIL Center.

Click here to login to the FOIL Center.

New York State Department of Environmental Conservation, Record Access Office

---

Track the issue status and respond at:
https://newyorkdec.govqa.us/WEBAPP//_rs/RequestEdit.aspx?rid=145070

Freeman, Rachel

From: donotreply@records.nyc.gov
Sent: Thursday, April 3, 2025 10:43 AM
To: Freeman, Rachel
Subject: [OpenRecords] FOIL Request Submitted to Department of Health and Mental Hygiene (DOHMH)

CAUTION: External Email

Your request has been emailed to the Department of Health and Mental Hygiene (DOHMH) because that agency is not yet using the portal to respond to FOIL requests. The details of your request are shown below. No further information will be available on the OpenRecords portal regarding this request.

Request Title: FOIL Request for Phase 1: 2916 Atlantic Ave

Request Description: Address: 2916 Atlantic Avenue in Brooklyn Request: I am seeking any environmental reports for the site mentioned above and adjoining properties pertaining to current or previous investigations, spills, or remediation. Specifically, I am requesting: • Remedial Investigation Work Plans • Remedial Investigation Reports • Remedial Action Work Plans • Remedial Action Reports • Remedial Closure Reports • Spill Reports • Tank Installation/Closure Documentation • Notices of Violations (zoning, public health, taxes) Could you please advise on an alternative way to submit this request or provide assistance with the online submission process? Your support would be greatly appreciated.

Requester's Contact Information

Name:
Rachel Freeman
Title:
Staff Engineer 2
Organization:
Haley & Aldrich
Email:
rfreeman@haleyaldrich.com
Phone Number:
(929) 638-0300
Fax Number:
Not provided
Street Address (line 1):
213 W 35th Street FL 7
Street Address (line 2):
Not provided
City:
new york
State:
Not provided
Zip Code:
Not provided

Please contact the Department of Health and Mental Hygiene (DOHMH) via email at foil@health.nyc.gov for any further information.

Freeman, Rachel

From: donotreply@records.nyc.gov
Sent: Thursday, April 3, 2025 10:52 AM
To: Freeman, Rachel
Subject: [OpenRecords] Request FOIL-2025-057-03105 Submitted to New York City Fire Department (FDNY)

CAUTION: External Email

Your request FOIL-2025-057-03105 has been successfully submitted to the New York City Fire Department (FDNY). The details of your request are shown below.

Request Title: FOIL Request for Phase 1 :162-164 East 116th Street in Manhattan

Request Description: Other Request

Request Type: Other Request

Other Request
Submission Method: Online/At Home
Description of Records: Address: 2916 Atlantic Avenue in Brooklyn Request: I am seeking any environmental reports for the site mentioned above and adjoining properties pertaining to current or previous investigations, spills, or remediation. Specifically, I am requesting: • Remedial Investigation Work Plans • Remedial Investigation Reports • Remedial Action Work Plans • Remedial Action Reports • Remedial Closure Reports • Spill Reports • Tank Installation/Closure Documentation • Notices of Violations (zoning, public health, taxes) Could you please advise on an alternative way to submit this request or provide assistance with the online submission process? Your support would be greatly appreciated.

Requester's Contact Information

Name:
Rachel Freeman
Title:
Staff Engineer 2
Organization:
Haley & Aldrich
Email:
rfreeman@haleyaldrich.com
Phone Number:
(929) 638-0300
Fax Number:
Not provided
Street Address (line 1):
237 W 35th Street FL 16
Street Address (line 2):
Not provided
City:
new york
State:
NY
Zip Code:
07304

You can view the request and take any necessary action at the following webpage: https://a860-openrecords.nyc.gov/request/view/FOIL-2025-057-03105.

Freeman, Rachel

From: donotreply@records.nyc.gov
Sent: Wednesday, April 2, 2025 9:54 AM
To: Freeman, Rachel
Subject: [OpenRecords] Request FOIL-2025-826-01577 Submitted to Department of Environmental Protection (DEP)

CAUTION: External Email

Your request FOIL-2025-826-01577 has been successfully submitted to the Department of Environmental Protection (DEP). The details of your request are shown below.

Request Title: FOIL Request for Phase 1: 2916 Atlantic Ave

Request Description: Address: 2916 Atlantic Avenue in Brooklyn Request: I am seeking any environmental reports for the site mentioned above and adjoining properties pertaining to current or previous investigations, spills, or remediation. Specifically, I am requesting: • Remedial Investigation Work Plans • Remedial Investigation Reports • Remedial Action Work Plans • Remedial Action Reports • Remedial Closure Reports • Spill Reports • Tank Installation/Closure Documentation • Notices of Violations (zoning, public health, taxes) Could you please advise on an alternative way to submit this request or provide assistance with the online submission process? Your support would be greatly appreciated.

Requester's Contact Information

Name:
Rachel Freeman
Title:
Staff Engineer 2
Organization:
Haley & Aldrich
Email:
rfreeman@haleyaldrich.com
Phone Number:
(929) 638-0300
Fax Number:
Not provided
Street Address (line 1):
213 W 35th Street FL 7
Street Address (line 2):
Not provided
City:
new york
State:
Not provided
Zip Code:
Not provided

You can view the request and take any necessary action at the following webpage: https://a860-openrecords.nyc.gov/request/view/FOIL-2025-826-01577.

Freeman, Rachel

From: donotreply@records.nyc.gov
Sent: Thursday, April 3, 2025 9:46 AM
To: Freeman, Rachel
Subject: [OpenRecords] Response Added to FOIL-2025-826-01577 - Record

CAUTION: External Email

The Department of Environmental Protection (DEP) has responded to your FOIL request FOIL-2025-826-01577 with the following record(s).

The record(s) listed below will not be publicly available on the OpenRecords portal.

- 2025-826-01577: 2025-826-01577.pdf

Please visit FOIL-2025-826-01577 to view additional information and take any necessary action.

NYC Environmental Protection

Right-to-know

LIST OF CHEMICALS

FOIL

Facility Id	Facility Name	Facility Street	Facility City	Facility State	Facility Zip Code	Chemical Name	Max Daily Amount Code
7655	TRANCARE INC DBA AAMCO TRANSMISSIONS	2916 ATLANTIC AVE Avenue	BROOKLYN	New York	11207	TRANSMISSION FLUID	1
7655	TRANCARE INC DBA AAMCO TRANSMISSIONS	2916 ATLANTIC AVE Avenue	BROOKLYN	New York	11207	CLEANING SOLVENTS	1
7655	TRANCARE INC DBA AAMCO TRANSMISSIONS	2916 ATLANTIC AVE Avenue	BROOKLYN	New York	11207	TRANSMISSION WASTE FLUID	1
7655	TRANCARE INC DBA AAMCO TRANSMISSIONS	2916 ATLANTIC AVE Avenue	BROOKLYN	New York	11207	ENGINE OIL	1
7655	TRANCARE INC DBA AAMCO TRANSMISSIONS	2916 ATLANTIC AVE Avenue	BROOKLYN	New York	11207	WASTE ENGINE OIL	1
7655	TRANCARE INC DBA AAMCO TRANSMISSIONS	2916 ATLANTIC AVE Avenue	BROOKLYN	New York	11207	ANTIFREEZE	1

New York City Department of Finance

Office of the City Register

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Current Search Criteria:

Borough: BROOKLYN / KINGS
Block: 3967
Lot: 15 **Unit:** N/A
Date Range:
Document Class: All Document Classes

Search Results By Parcel Identifier

Records 1 - 25 << previous next >> Max Rows 99 [Search Options] [New BBL Search] [Edit Current Search] [View Tax Map] [Print Index]

View	Reel/Pg/File	CRFN	Lot	Partial	Doc Date	Recorded / Filed	Document Type	Pages	Party1	Party2	Party 3/ Other	More Party 1/2 Names	Corrected/ Remarks	Doc Amount
DET IMG		2007000105641	15	ENTIRE LOT	1/24/2007	2/26/2007 2:05:54 PM	DEED	4	PAPA, MARIO	ARGAB PROPERTIES LLC				0
DET IMG	4912/255		15	ENTIRE LOT	6/16/2000	7/6/2000	DEED	3	KLIEGER, BERNARD/REF	PAPA, MARIO		✓		0
DET IMG	4636/925		15	ENTIRE LOT		10/28/1999	DISCHARGE OF TAX LIEN	10	BANK OF NEW YORK					0
DET IMG	4636/921		15	ENTIRE LOT		10/28/1999	DISCHARGE OF TAX LIEN	10	BANK OF NEW YORK					0
DET IMG	4379/2466		15	ENTIRE LOT		1/25/1999	ASSIGNMENT OF TAX LIEN	44	NYCTL 1997-1 TRUST	BANK OF NEW YORK				0
DET IMG	4225/775		15	ENTIRE LOT		6/19/1998	ASSIGNMENT, MORTGAGE	2	KING BEAR NEVADA INC	PAPA, MARIO				0
DET IMG	4146/1812		15	ENTIRE LOT	3/10/1998	3/16/1998	AMENDMENT OF TAX LIEN	11	BANK OF NEW YORK					0
DET IMG	3994/1836		15	ENTIRE LOT		8/7/1997	TAX LIEN SALE CERTIFICATE	22	CITY OF NEW YORK	BANK OF NEW YORK				0
DET IMG	3966/355		15	ENTIRE LOT		6/18/1997	TAX LIEN SALE CERTIFICATE	34	CITY OF NEW YORK	NYCTL 1997-1 TRUST C/O WILMINGTON TRUST COMPANY				0
DET IMG	3724/1805		15	ENTIRE LOT		6/12/1996	TAX LIEN SALE CERTIFICATE	29	CITY OF NEW YORK	BANK OF NEW YORK				0
DET IMG	2771/288		15	ENTIRE LOT		12/4/1991	ASSIGNMENT, MORTGAGE	2	KRUGMAN, TOBY	KING BEAR NEVADA INC				0
DET IMG	2577/149		15	ENTIRE LOT		7/3/1990	MORTGAGE	5	2914 ATLANTIC RLTY CORP	KRUGMAN, TOBY				282,378
DET IMG	2577/147		15	ENTIRE LOT	4/24/1990	7/3/1990	DEED	2	KRUGMAN, TOBY	2914 ATLANTIC RLTY CORP				0
DET IMG	2577/145		15	ENTIRE LOT	4/24/1990	7/3/1990	DEED	2	GREAT BEAR EAST NY INC	2914 ATLANTIC RLTY CORP				0
DET IMG	2577/143		15	ENTIRE LOT	4/24/1990	7/3/1990	DEED	2	PACIOCCO, LOUIS	2914 ATLANTIC RLTY CP				0
DET IMG	2577/141		15	ENTIRE LOT	4/24/1990	7/3/1990	DEED	2	ERNST, JONATHAN	2914 ATLANTIC REALTYCP				0
DET IMG	2378/1827		15	ENTIRE LOT		4/24/1989	SATISFACTION OF MORTGAGE	2	2914 ATLANTIC AUTO CORP	GENRY HOLDING CORP				0
DET IMG	2143/868		15	ENTIRE LOT	11/12/1987	12/18/1987	DEED	2	GREAT BEAR E.N.Y INC	ERNST, CHARLES				0
DET IMG	2106/697		15	ENTIRE LOT	8/10/1987	10/15/1987	DEED	2	PACIOCCO, LOUIS	KRUGMAN, TOBY				0
DET IMG	1545/640		15	ENTIRE LOT	8/1/1984	8/29/1984	DEED	2	ERNST, JONATHAN	PACIOCCO, LOUIS				0
DET IMG	1545/638		15	ENTIRE LOT	5/1/1984	8/29/1984	DEED	2	ERNST, CHARLES	ERNST, JONATHAN				0
DET IMG	565/1447		15	ENTIRE LOT	6/29/1972	6/29/1972	DEED	2	2914 ATLANTIC AUTO REPAIR CORP	GREAT BEAR ENY INC				0
DET IMG	489/756		15	ENTIRE LOT	6/21/1971	6/21/1971	ASSIGNMENT, MORTGAGE	2	GENRY HOLDING CORP	HERCHEN RODER JOHN JR		✓		0
DET IMG	464/680		15	ENTIRE LOT	2/10/1971	2/10/1971	MORTGAGE	4	2914 ATLANTIC AUTO REPAIR CORPN	GENRY HOLDING CORPN				0
DET IMG	464/678		15	ENTIRE LOT	2/10/1971	2/10/1971	DEED	2	GENRY HOLDING CORPN	2914 ATLANTIC AUTO REPAIR CORPN				0

Search Options | New Parcel Identifier Search | Edit Current Search | View Tax Map

NYC Buildings

NYC

CLICK HERE TO SIGN UP FOR BUILDINGS NEWS

NYC Department of Buildings

Property Profile Overview

2916 ATLANTIC AVENUE		**BROOKLYN 11207**		**BIN# 3088336**	
ATLANTIC AVENUE	2916 - 2916	**Health Area**	: 3820	**Tax Block**	: 3967
		Census Tract	: 1170	**Tax Lot**	: 15
		Community Board	: 305	**Condo**	: NO
		Buildings on Lot	: 1	**Vacant**	: NO

View DCP Addresses... Browse Block

View Zoning Documents | View Challenge Results | Pre - BIS PA | View Certificates of Occupancy

Cross Street(s):	WARWICK STREET, ASHFORD STREET		
DOB Special Place Name:			
DOB Building Remarks:			
Landmark Status:		**Special Status:**	N/A
Local Law:	NO	**Loft Law:**	NO
SRO Restricted:	NO	**TA Restricted:**	NO
UB Restricted:	NO		
Environmental Restrictions:	HAZMAT/NOISE/AIR	**Grandfathered Sign:**	NO
Legal Adult Use:	NO	**City Owned:**	NO
Additional BINs for Building:	NONE		
Additional Designation(s):	MIH - MIH AREA		
HPD Multiple Dwelling:	No		

Special District: EC-5 - ENHANCED COMMERCIAL DISTRICT - 5 (OCEAN HILL & E

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, Coastal Erosion Hazard Area, or Special Flood Hazard Area. Click here for more information

Department of Finance Building Classification: G2-GARAGE/GAS STAT'N

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open
Complaints	1	0
Violations-DOB	2	0
Violations-OATH/ECB	0	0
Jobs/Filings	1	
ARA / LAA Jobs	1	
Total Jobs	2	
Actions	23	


OR Enter Action Type:

OR Select from List: Select...

AND Show Actions

Elevator Records
Electrical Applications
Permits In-Process / Issued
Illuminated Signs Annual Permits
Plumbing Inspections
Open Plumbing Jobs / Work Types
Facades
Marquee Annual Permits
Boiler Records
DEP Boiler Information
Crane Information
After Hours Variance Permits


If you have any questions please review these Frequently Asked Questions, the Glossary, or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.


Atlantic Av
Warwick St
Ashford St
Cleveland St
Jerome St
Map Themes
Environmental Database - City
Transparency
OER Completed Projects
Site Management
Completed
OER Cleanup Projects
Approved Remedial Plan
In Construction
Completed - Site Management
Completed
NYC Green Property Certification sites
NYC E Designations and Restrictive Declarations
Clean Soil Bank - Generating Sites
Clean Soil Bank - Receiving Sites
Lots with Historic Information
Environmental Database - State/Federal
Transparency
Bulk Storage
Remedial sites
Federal Superfund - NPL Sites
Spills - Closed
Solid Waste Facilities
Spills - Open
Bedrock Elevation Contours
Bedrock Points

National Flood Hazard Layer FIRMette

FEMA

73°53'30"W 40°40'52"N



73°52'53"W 40°40'25"N

0 250 500 1,000 1,500 2,000 Feet

1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 Cross Sections with 1% Annual Chance
- 17.5 Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/21/2025 at 7:58 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

U.S. Fish and Wildlife Service
National Wetlands Inventory

2916 Atlantic Avenue Wetlands



April 21, 2025

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207

Inquiry Number: 7942990.6
March 31, 2025

The EDR Property Tax Map Report

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Property Tax Map Report

Environmental Data Resources, Inc.'s EDR Property Tax Map Report is designed to assist environmental professionals in evaluating potential environmental conditions on a target property by understanding property boundaries and other characteristics. The report includes a search of available property tax maps, which include information on boundaries for the target property and neighboring properties, addresses, parcel identification numbers, as well as other data typically used in property location and identification.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2022 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

FINANCE NEW • YORK
MARTHA E. STARK
COMMISSIONER

NYC Digital Tax Map

Effective Date : 12-06-2008 01:49:28
End Date : Current

Brooklyn Block: 3967

Legend

- Streets
- Miscellaneous Text
- Possession Hooks
- Boundary Lines
- Lot Face Possession Hooks
- Regular
- Underwater
- Tax Lot Polygon
- Condo Number
- Tax Block Polygon



2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207

Inquiry Number: 7942990.8
March 31, 2025

EDR Building Permit Report

Target Property and Adjoining Properties

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

About This Report

Executive Summary

Findings

Glossary

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR BUILDING PERMIT REPORT

About This Report

The EDR Building Permit Report provides a practical and efficient method to search building department records for indications of environmental conditions. Generated via a search of municipal building permit records gathered from more than 1,600 cities nationwide, this report will assist you in meeting the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

Building permit data can be used to identify current and/or former operations and structures/features of environmental concern. The data can provide information on a target property and adjoining properties such as the presence of underground storage tanks, pump islands, sumps, drywells, etc., as well as information regarding water, sewer, natural gas, electrical connection dates, and current/former septic tanks.

Methodology

EDR has developed the EDR Building Permit Report through our partnership with BuildFax, the nation's largest repository of building department records. BuildFax collects, updates, and manages building department records from local municipal governments. The database now includes 30 million permits, on more than 10 million properties across 1,600 cities in the United States.

The EDR Building Permit Report comprises local municipal building permit records, gathered directly from local jurisdictions, including both target property and adjoining properties. Years of coverage vary by municipality. Data reported includes (where available): date of permit, permit type, permit number, status, valuation, contractor company, contractor name, and description.

Incoming permit data is checked at seven stages in a regimented quality control process, from initial data source interview, to data preparation, through final auditing. To ensure the building department is accurate, each of the seven quality control stages contains, on average, 15 additional quality checks, resulting in a process of approximately 105 quality control "touch points."

For more information about the EDR Building Permit Report, please contact your EDR Account Executive at (800) 352-0050.

EDR® Environmental Data Resources Inc

BUILD FAX PROPERTY HISTORY

EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

A search of building department records was conducted by Environmental Data Resources, Inc (EDR) on behalf of Haley & Aldrich, Inc. on Mar 31, 2025.

TARGET PROPERTY

2916 Atlantic Avenue
Brooklyn, NY 11207

SEARCH METHODS

EDR searches available lists for both the Target Property and Surrounding Properties.

RESEARCH SUMMARY

Building permits identified: **YES**

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

P//New York City, NY

Year	*Source*	*TP*	*Adjoining*
2025	New York City, Department of Buildings		
2024	New York City, Department of Buildings		X
2023	New York City, Department of Buildings		X
2022	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	
2021	New York City, Department of Buildings		X
2020	New York City, Department of Buildings		X
2019	New York City, Department of Buildings		X
2018	New York City, Department of Buildings		X
2017	New York City, Department of Buildings		X
2016	New York City, Department of Buildings		X
2015	New York City, Department of Buildings		X
2014	New York City, Department of Buildings		X
2013	New York City, Department of Buildings		X
2012	New York City, Department of Buildings		X
2011	New York City, Department of Buildings		X
2010	New York City, Department of Buildings		X
2009	New York City, Department of Buildings		X
2008	New York City, Department of Buildings		X
2007	New York City, Department of Buildings		X
2006	New York City, Department of Buildings		X
2005	New York City, Department of Buildings		X
2004	New York City, Department of Buildings		X
2003	New York City, Department of Buildings		X
2002	New York City, Department of Buildings		X
2001	New York City, Department of Buildings		X
2000	New York City, Department of Buildings		X
	New York City, Department of Buildings	X	

EXECUTIVE SUMMARY: SEARCH DOCUMENTATION

Year	Source	TP	Adjoining
1999	New York City, Department of Buildings		X
1998	New York City, Department of Buildings		X
1997	New York City, Department of Buildings		X
1996	New York City, Department of Buildings		X
1995	New York City, Department of Buildings		X
1994	New York City, Department of Buildings		X
1993	New York City, Department of Buildings		X
1992	New York City, Department of Buildings		X
1991	New York City, Department of Buildings		X
1990	New York City, Department of Buildings		X
1989	New York City, Department of Buildings		X
1988	New York City, Department of Buildings		X
1987	New York City, Department of Buildings		X
1986	New York City, Department of Buildings		X
1985	New York City, Department of Buildings		X
1984	New York City, Department of Buildings		X
1983	New York City, Department of Buildings		X
1982	New York City, Department of Buildings		X
1981	New York City, Department of Buildings		
1980	New York City, Department of Buildings		
1979	New York City, Department of Buildings		
1978	New York City, Department of Buildings		
1977	New York City, Department of Buildings		
1976	New York City, Department of Buildings		
1975	New York City, Department of Buildings		
1974	New York City, Department of Buildings		

Name: JurisdictionName
Years: Years
Source: Source
Phone: Phone

BUILDING DEPARTMENT RECORDS SEARCHED

Name: P//New York City, NY
Years: 1974-2025
Source: New York City, Department of Buildings, BROOKLYN, NY
Phone: (212) 566-5000

TARGET PROPERTY FINDINGS

TARGET PROPERTY DETAIL

2916 Atlantic Avenue
Brooklyn, NY 11207

2916 ATLANTIC AVE

Date:	**3/20/2022**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00702165I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	INFINITI ELECTRIC CORP

Date:	**8/17/2000**
Permit Type:	**EQ**
Description:	**REPLACEMENT OF EXISTING BRICK FACADE AND WOOD FRAME.LOW ROOF STRUCTURE WITH NEW CONCRETE BLOCK AND STEEL FRAME RAISED ROOF CONSTRUCTION.NO CHANGE IN EX ISTING USE,OCCUPANCY OR FLOOR AREA UNDER THIS APPLICATION**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	301051466-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ATLANTIC CERAMIC IMPORT CO /ACI

TARGET PROPERTY FINDINGS

Date:	**8/17/2000**
Permit Type:	**EW**
Description:	**REPLACEMENT OF EXISTING BRICK FACADE AND WOOD FRAME.LOW ROOF STRUCTURE WITH NEW CONCRETE BLOCK AND STEEL FRAME RAISED ROOF CONSTRUCTION.NO CHANGE IN EX ISTING USE,OCCUPANCY OR FLOOR AREA UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301051466-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ATLANTIC CERAMIC IMPORT CORP

Date:	**8/16/2000**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B204977
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RENAISSANCE ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

ASHFORD ST

154 ASHFORD ST

Date: **7/30/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B155812
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: MANDA ELECTRIC CO.

Date: **1/17/1995**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B136445
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ERA-LOR ELECT CONTG CORP

ADJOINING PROPERTY FINDINGS

156 ASHFORD ST

Date:	**3/12/2013**
Permit Type:	**EQ**
Description:	
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	320422048-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TBC CONSTRUCTION INC

Date:	**3/12/2013**
Permit Type:	**NB**
Description:	
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	320422048-01-NB
Status:	RE-ISSUED, ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TBC CONSTRUCTION INC

Date:	**3/7/2013**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	B363591
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FAITHFUL ELECTRIC INC

ADJOINING PROPERTY FINDINGS

Date:	**2/5/2013**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	NEW BUILDING
Proposed Use:	
Permit Number:	B363595
Status:	Closed
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FAITHFUL ELECTRIC INC

Date:	**2/5/2013**
Permit Type:	**EW**
Description:	**NEW BUILDING - CONSTRUCT A 3 STORY NEW BUILDING FOR FIRST FLOOR ABULATORY DIAGNOSTIC OR TREAT MENT HEACL FACILITY & 4 FAMILY DWELLING UNITS ON 2ND AND 3RD FLOOR.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	SPRINKLER
Permit Number:	3PL005158-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DYCKMAN PLBG AND HTG INC

ADJOINING PROPERTY FINDINGS

Date: **1/16/2013**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320422048-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BARMOR REHAB INC

Date: **9/25/2012**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320422048-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: TBC CONSTRUCTION INC

Date: **9/25/2012**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320422048-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: TBC CONSTRUCTION INC

ADJOINING PROPERTY FINDINGS

Date: **8/6/2012**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: DM - FULL DEMOLITION
Proposed Use: FENCE
Permit Number: 320407644-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NEPTUNE INC

Date: **8/6/2012**
Permit Type: **DM**
Description:

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 320407644-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NEPTUNE INC

Date: **12/12/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B221306
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: THORN ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **2/26/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B211389
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: THORN ELECTRIC INC.

158 ASHFORD ST

Date: **9/25/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00082499I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: VENTURE SOLAR ELECTRIC

ADJOINING PROPERTY FINDINGS

Date:	**8/17/2018**
Permit Type:	**EW**
Description:	**INSTALLATION OF SOLAR PANELS ON ROOF. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340624211-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VENTURE HOME SOLAR LLC

163 ASHFORD ST

Date:	**2/21/2001**
Permit Type:	**PL**
Description:	**APPLICATION IS FILED TO OBTAIN WORK PERM IT OT RENOVATE THREE FAMILY HOU E**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	301086223-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THEODORE WAGNER PLBG & HTG CORP

ADJOINING PROPERTY FINDINGS

Date:	**11/21/2000**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B208119
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRIED ELECTRIC CO.

Date:	**10/16/2000**
Permit Type:	**EW**
Description:	**APPLICATION IS FILED TO OBTAIN WORK PERM IT OT RENOVATE THREE FAMILY HOU E**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301086223-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THE APPLE GROUP

ADJOINING PROPERTY FINDINGS

165 ASHFORD ST

Date:	**1/25/2002**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B222527
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RAINBOW ELECTRIC CO. INC

167 ASHFORD ST

Date:	**5/12/1999**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B189337
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RAINBOW ELECTRIC CO. INC

ADJOINING PROPERTY FINDINGS

Date: **6/23/1993**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B112426
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: UBAFU ELEC'L CONTRACTOR

168 ASHFORD ST

Date: **5/5/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00141181S1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: APPO ELECTRICAL CONTRS IN

Date: **3/13/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00141181I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: APPO ELECTRICAL CONTRS IN

ADJOINING PROPERTY FINDINGS

Date:	**8/15/2018**
Permit Type:	**EW**
Description:	**REPAIRS DUE TO FIRE AND WATER DAMAGE AT CELLAR 1ST, 2ND AND 3RD FLOORS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321777396-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRINCHESE CONSTRUCTION IN

Date:	**9/20/2000**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B206076
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOEY ELEC'L CO. INC.

ADJOINING PROPERTY FINDINGS

170 ASHFORD ST

Date:	**5/16/2013**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION INCLUDING MINOR PARTITION, PLUBMING, AND REMOVING VIOLATIONS(#34564009L,#34564010Z,AND ADDITIONAL VIOLATIONS). NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320695486-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FORTUNA DESIGN & CONSTRUC

Date:	**2/11/2013**
Permit Type:	**PL**
Description:	**INTERIOR RENOVATION INCLUDING MINOR PARTITION, PLUBMING, AND REMOVING VIOLATIONS(#34564009L,#34564010Z,AND ADDITIONAL VIOLATIONS). NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320695486-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRIBORO WTR MN & SWR CO C

ADJOINING PROPERTY FINDINGS

Date: **4/20/1998**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B181049
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: MANDA ELECTRIC CO.

174 ASHFORD ST

Date: **8/12/1997**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300655262-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

175 ASHFORD ST

Date:	**6/4/2021**
Permit Type:	**EW**
Description:	**REPAIRS DUE TO WATER AND FIRE DAMAGE AT CELLAR, FIRST AND SECOND FLOORS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321676502-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRINCHESE CONSTRUCTION IN

Date:	**9/23/2020**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00402734I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD NEU

ADJOINING PROPERTY FINDINGS

Date: **9/17/2020**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00399742I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: TRIANGLE ELECTRIC INC.

Date: **3/3/2020**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00325039I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: TRIANGLE ELECTRIC INC.

Date: **8/21/2019**
Permit Type: **PL**
Description: **REPAIRS DUE TO WATER AND FIRE DAMAGE AT CELLAR, FIRST AND SECOND FLOORS**

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 321676502-01-PL
Status: ISSUED, IN PROCESS
Valuation: $0.00
Contractor Company:
Contractor Name: G.M.A. PLUMBING & HEATING

ADJOINING PROPERTY FINDINGS

Date: **5/8/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K04687
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DIADEM ELECTRIC CORP.

Date: **4/10/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K03644
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DELCO SECURITY SYS. INC.

176 ASHFORD ST

Date: **8/20/1997**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300653718-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

177 ASHFORD ST

Date:	**6/4/2018**
Permit Type:	**EW**
Description:	**INTERIOR AND EXTERIOR RENOVATIONS TO RESTORE BUILDING AFTER FIRE DAMAGE AS PER PLANS. NO CHANGE IN OCCUPANCY, USE, OR EGRESS.**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340608195-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIRST RESPONSE CLEANING C

Date:	**3/7/2018**
Permit Type:	
Description:	

Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00024878I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SWITCH ELECTRIC

ADJOINING PROPERTY FINDINGS

Date: **2/21/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B080388
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MORRAY ELECTRIC CORP.

180 ASHFORD ST

Date: **12/13/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B160676
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: MANDA ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

182 ASHFORD ST

Date: **4/29/1999**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B189278
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

Date: **7/28/1998**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B180540
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: LINTECH ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

183 ASHFORD ST

Date:	**4/26/2023**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00864598I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BERGER QUALITY ELEC'L CON

Date:	**1/30/2023**
Permit Type:	**EW**
Description:	**ROOFTOP SOLAR INSTALLATION. NO CHANGE TO USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340877750-01-EW-OT
Status:	ISSUED
Valuation:	$51,840.00
Contractor Company:	
Contractor Name:	KAMTECH RESTORATION CORP

ADJOINING PROPERTY FINDINGS

Date: **1/19/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B406149
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: RM ELECTRIC CO. INC.

Date: **6/19/2006**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 302052686-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAX ENTR LLC

Date: **6/19/2006**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 302052686-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: DUCHY CONST

ADJOINING PROPERTY FINDINGS

Date: **6/5/2006**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B279703
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: LERCO ELECTRIC LLC

Date: **5/4/2006**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 302052686-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: WAGNER ZIV PLUMBING & HEATING CO

Date: **4/22/2005**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: DM - FULL DEMOLITION
Proposed Use: FENCE
Permit Number: 301934316-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: N B I EQUIPMENT CORP

ADJOINING PROPERTY FINDINGS

Date: **4/22/2005**
Permit Type: **DM**
Description:

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 301934316-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: N B I EQUIPMENT CORP

Date: **1/20/1989**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B048110
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

186 ASHFORD ST

Date: **11/15/2016**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 321356377-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ARANDA PLBG & HTG CORP

ADJOINING PROPERTY FINDINGS

Date: **11/10/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B419916
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: PAC ELECTRIC CORP.

Date: **8/22/2016**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 321356377-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: R.A.B. CONSTRUCTION CORP

ADJOINING PROPERTY FINDINGS

192 ASHFORD ST

Date:	**4/30/2009**
Permit Type:	**EQ**
Description:	**INSTALLATION OF 36 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR CONSTRUCTION OF NEW SCHOOL, FILED SEPARATELY. SCAFFOLDING SHALL BE ERECTED ON TOP OF SHED, TO BE FILED AND INSTALLED BY OTHERS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	320013347-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YORK SCAFFOLD EQUIPMENT C

Date:	**4/22/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B315631
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR-DELTA ELECTRIC LLC

ADJOINING PROPERTY FINDINGS

Date: **12/29/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B173255
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

Date: **8/4/1997**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300655761-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GASHI CONSTRUCTION CO.

Date: **6/5/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B166677
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

194 ASHFORD ST

Date:	**4/30/2009**
Permit Type:	**EQ**
Description:	**INSTALLATION OF 38 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR CONSTRUCTION OF NEW SCHOOL, FILED SEPARATELY. SCAFFOLDING SHALL BE ERECTED ON TOP OF SHED, TO BE FILED AND INSTALLED BY OTHERS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	320012758-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YORK SCAFFOLD EQUIPMENT C

Date:	**4/22/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B315632
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR-DELTA ELECTRIC LLC

ADJOINING PROPERTY FINDINGS

Date: **7/10/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B155206
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

218 ASHFORD ST

Date: **1/5/2006**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B274889
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

220 ASHFORD ST

Date: **10/17/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B435772
Status: OBJECTN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name: ILLUMINATIONS UNLMTD ELEC

Date: **4/25/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B427440
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

Date: **4/15/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B427083
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

ADJOINING PROPERTY FINDINGS

232 ASHFORD ST

Date:	**9/20/2006**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B283381
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RUSSO ELECTRIC INC.

244 ASHFORD ST

Date:	**3/4/2009**
Permit Type:	**EQ**
Description:	**2-STORY ADDITION TO EXISTING 2-FAMILY HOUSE. EXISTING LOT SUBDIVIDED INTO 2-TAX LOTS IN ONE ZONING**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	FENCE
Permit Number:	302269729-01-EQ-FN
Status:	IN PROCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date: **7/18/2008**
Permit Type: **AL**
Description: **10 FT CURB CUT FILED IN CONJUNCTION WITH ALT 1 APPLICATION #302269729.**

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 310107853-01-AL
Status: IN PROCESS
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **7/15/2008**
Permit Type: **AL**
Description: **2-STORY ADDITION TO EXISTING 2-FAMILY HOUSE. EXISTING LOT SUBDIVIDED INTO 2-TAX LOTS IN ONE ZONING**

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 302269729-01-AL
Status: IN PROCESS
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **7/25/2002**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B228231
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: HAZRAT RAMATALLI

ADJOINING PROPERTY FINDINGS

276 ASHFORD ST

Date:	**11/6/2000**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B207797
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A & A NY ELECTRIC CORP.

278 ASHFORD ST

Date:	**10/8/1998**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B183454
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BDS ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **9/2/1998**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B182915
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

279 ASHFORD ST

Date: **4/15/2009**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B315403
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: DUDLEY & ASSOC. LIC. ELEC

Date: **5/3/2005**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 301620654-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GREENLEAF CONSTRUTION INC.

ADJOINING PROPERTY FINDINGS

Date: **3/28/2005**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 301620654-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GREENLEAF CONSTRUTION INC.

Date: **6/25/2004**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B255071
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: C & A ELECTRICAL CORP.

Date: **4/26/2004**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 301620654-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: WAGNER ZIV PLUMBING & HEATING

ADJOINING PROPERTY FINDINGS

Date: **1/2/1997**
Permit Type: **DM**
Description:

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 300605762-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: N.B.I. EQUIPMENT CORP.

Date: **1/2/1997**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: DM - FULL DEMOLITION
Proposed Use: FENCE
Permit Number: 300605762-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: N.B.I. EQUIPMENT CORP.

281 ASHFORD ST

Date: **9/21/2022**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B08007424I1EL
Status: Complete
Valuation: $0.00
Contractor Company:
Contractor Name: AYYUB ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date: **7/20/2005**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B270145
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: REM & SONS LIC ELEC CONT

Date: **9/21/1998**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B182416
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: HANSA ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

282 ASHFORD ST

Date:	**6/5/2017**
Permit Type:	**EW**
Description:	**FILING TO REPLACE DAMAGED SECTION OF EXISTING WOOD GIRDER AT THE CELLAR. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321439546-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	Z & S CONSTRUCTION INC

Date:	**4/6/2017**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B426689
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DELTEX ELECTRICAL CONT. I

ADJOINING PROPERTY FINDINGS

Date:	**3/17/2017**
Permit Type:	**AL**
Description:	**TO REPLACE DETERIORATED WOODEN STAIRS WITH NEW METAL STAIRS IN CELLAR AS SHOWN ON PLANS. NO CHANGES TO USE, EGRESS OR OCCUPANCY. HPD MEMO # EH08104.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	321543549-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARK CONTRACTING NY INC

Date:	**2/8/1995**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL BURNING
Permit Number:	300410017-01-EW-FB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BAERENKLAU CO. INC.

ADJOINING PROPERTY FINDINGS

ATLANTIC AVE

2861 ATLANTIC AVE

Date: **3/12/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B081451
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: GLOW-BRITE ELECTRIC SVC.

Date: **10/24/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B010855
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JOSEPH WEINSTEIN ELECTRIC

ADJOINING PROPERTY FINDINGS

2863 ATLANTIC AVE

Date:	**5/24/2018**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00046965I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MEO ELECTRIC CORP

Date:	**4/26/2018**
Permit Type:	**DM**
Description:	**THIS IS A FULL DEMOLITION OF 2 STORY MIXED RESIDENTIAL AND COMMERCIAL BUILDING. PLANS SUBMITTED. FENCE FILED UNDER SEPARATE APPLICATION.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	321703705-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SANO WRECKING LLC

ADJOINING PROPERTY FINDINGS

Date:	**7/25/2014**
Permit Type:	**EW**
Description:	**INSTALLATION OF KITCHEN FIRE SUPPRESSION SYSTEM. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	321055647-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM HIRD & CO INC

Date:	**6/11/2007**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B292026
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	L J ELEC'L SERV. INC.

ADJOINING PROPERTY FINDINGS

Date: **10/23/2002**
Permit Type: **EW**
Description: **PROPOSED NEW KITCEHN AND RELOCATE EXISIT NG TOILETS THERE IS NO CHANGE F OCUCPANCY USE OR MEANS OF EGRESS EXISIT NG TOILETS C OF O 128553ALT 11037/37 AN PA 166/45 FOR 274 PERSONS**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 301296112-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: CONBUILD ASSOCIATES CORP

Date: **2/21/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B096103
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: CORY CONTEMPORARY CONTR.

Date: **1/27/1992**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: SPRINKLER
Permit Number: 300125521-01-EW-SP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SUNSET PLUMBING & FIRE PROTECTIO

ADJOINING PROPERTY FINDINGS

Date: **6/12/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B003995
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: CORY CONTEMPORARY CONTR.

2869 ATLANTIC AVE

Date: **7/8/2011**
Permit Type: **EW**
Description: **PROPOSED UNDERPINNING FILED IN CONJUNCTION WITH JOB NO. 320197755**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 320330147-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MARCO POLO DESIGN CORP

ADJOINING PROPERTY FINDINGS

Date:	**4/29/2011**
Permit Type:	**AL**
Description:	**OBTAIN A CERTIFICATE OF OCCUPANCY FOR EXISTING MIXED USE BUILDING. NO ELARGEMENT IS PROPOSED. MINOR PARTITION AND PLUMBING WORK ON FIRST FLOOR ONLY.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	320197755-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARCO POLO DESIGN CORP

Date:	**10/29/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B321584
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RM ELECTRIC CO. INC.

Date:	**5/2/1996**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B152795
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANDA ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

Date: **2/13/1992**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 300106070-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: UMM PEROTTO MECH CO

Date: **2/13/1992**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FUEL BURNING
Permit Number: 300106070-01-EW-FB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: UMM PEROTTO MECH CO

2873 ATLANTIC AVE

Date: **7/9/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B167766
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: STOKES ELECTRICAL INC.

ADJOINING PROPERTY FINDINGS

Date: **7/9/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B170845
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: STOKES ELECTRICAL INC.

Date: **11/30/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B160343
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: CENTURY ELECTRIC CO.

Date: **11/15/1987**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B029898
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: HULK ELECTRIC

ADJOINING PROPERTY FINDINGS

2875 ATLANTIC AVE

Date:	**7/19/2019**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00192202I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RICHARD NEU

Date:	**7/2/2019**
Permit Type:	**AL**
Description:	**APPLICATION FILE TO EXTERIOR FACADE REPAIR AS STUCCO WORK AS PER PLAN. NO CHANGE IN USE EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	321975430-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHATKHIL CONTRACTING & HA

ADJOINING PROPERTY FINDINGS

Date: **5/31/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00173865I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: R.A. PHILLIPS ELEC'L CONT

Date: **8/6/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00068223I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: WILLDAN ELECTRICAL OF NY, INC

Date: **2/5/2014**
Permit Type: **PL**
Description: **APPLICATION FILED IN CONJUNCTION WITH DOB#310149381 TO INSTALL NEW SPRINKLER SYSTEM THROUGHOUT BUILDING AS SHOWN ON PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 310201590-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: RIGID PLUMBING CONT INC

ADJOINING PROPERTY FINDINGS

Date:	**8/28/2013**
Permit Type:	**EW**
Description:	**APPLICATION FILED IN CONJUNCTION WITH DOB#310149381 TO INSTALL NEW SPRINKLER SYSTEM THROUGHOUT BUILDING AS SHOWN ON PLANS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	310201590-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RIGID PLBG CONTRACTORS IN

Date:	**5/14/2012**
Permit Type:	**AL**
Description:	**PROPOSE TO CONVERT FROM AUTO SHOW ROOM AND VACANT SECOND AND THIRD FLOORS TO RETAIL PLUMBING STORE AND ACCESSORY SSTORAGE AT SECOND AND THIRD FLOORS AS SHOWN ON PLANS AND OBTAIN A NEW CERTIIFCATE OF OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	310149381-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AL-PROS CONST INC

ADJOINING PROPERTY FINDINGS

2880 ATLANTIC AVE

Date: **3/13/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B425329
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: POWER SURGE ELECTRIC, INC

Date: **4/1/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: B393794
Status: OBJECTN PENDING AT CONTRACTOR, Open
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINT. INC

Date: **4/1/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: B393796
Status: OBJECTN PENDING AT CONTRACTOR, Open
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINT. INC

ADJOINING PROPERTY FINDINGS

Date: **4/1/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: B393797
Status: OBJECTN PENDING AT CONTRACTOR, Open
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINT. INC

Date: **4/1/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: UN-TAGGED SIGN
Proposed Use:
Permit Number: B393799
Status: NO ACCESS, Open
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINT. INC

Date: **3/17/2015**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 321095818-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE INC

ADJOINING PROPERTY FINDINGS

Date: **3/17/2015**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 321095827-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE INC

Date: **3/17/2015**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 321095836-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE INC

Date: **3/17/2015**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 321095845-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE INC

ADJOINING PROPERTY FINDINGS

Date: **3/17/2015**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 321095854-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE INC

Date: **1/22/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B376777
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: DELTA PHASE ELEC'L CORP.

Date: **9/17/2013**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B372472
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

ADJOINING PROPERTY FINDINGS

Date: **12/30/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B221191
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

Date: **11/1/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B221262
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

Date: **9/26/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301224066-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE, INC

ADJOINING PROPERTY FINDINGS

Date:	**9/26/2001**
Permit Type:	**AL**
Description:	**ERECT SIGN STRUCTURE- SIGNS FILED SEPARATELY NOT ADJACENT TO ARTERIAL HIGHWAY INSIDE BUILDING LINE- YES**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	301224075-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NATIONAL MAINTENANCE, INC

Date:	**9/15/2001**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B217560
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELEMCO TESTING CO

Date:	**9/15/2001**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B217561
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELEMCO TESTING CO

ADJOINING PROPERTY FINDINGS

Date: **9/13/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301103543-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE, INC

Date: **9/12/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301103525-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE, INC.

Date: **9/12/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301103552-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE, INC.

ADJOINING PROPERTY FINDINGS

Date: **9/12/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301224039-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE, INC

Date: **9/11/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301103570-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE, INC.

Date: **9/11/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301103534-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE, INC.

ADJOINING PROPERTY FINDINGS

Date: **9/11/2001**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301103561-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NATIONAL MAINTENANCE,INC

Date: **7/15/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B216226
Status: SIGN SHOP JOB AWAIT INSP RQST
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

Date: **7/15/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B216228
Status: SIGN SHOP JOB AWAIT INSP RQST
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

ADJOINING PROPERTY FINDINGS

Date: **7/15/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B216230
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

Date: **7/15/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B216231
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

Date: **7/15/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B216233
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

ADJOINING PROPERTY FINDINGS

Date: **7/15/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B216235
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: ELEMCO TESTING CO

Date: **10/14/1998**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300692409-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MOST PLUMBING 7 HEATING CORP.

Date: **9/2/1998**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FIRE SUPPRESSION
Permit Number: 300692711-01-EW-FP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: FIRE GUARD OF L. I. INC.

ADJOINING PROPERTY FINDINGS

Date: **8/3/1998**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 300692409-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AREK PETRO CORP

Date: **8/3/1998**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300692409-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AREK PETRO CORP

Date: **8/3/1998**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300692702-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AREK PETRO CORP

ADJOINING PROPERTY FINDINGS

Date: **2/14/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K30989
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: VIC CONSTRUCTION CORP.

2883 ATLANTIC AVE

Date: **10/25/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00251508I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: WILLDAN ELECTRICAL OF NY

ADJOINING PROPERTY FINDINGS

Date:	**2/12/2016**
Permit Type:	**EW**
Description:	**REOVATION OF 13 UNITS IN APARTMENT BUILDING: PARTITION AND PLUMBING WORK, NEW BOILER AND HWH**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	320900799-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AL PLUMBING & CONT. INC

Date:	**2/12/2016**
Permit Type:	**PL**
Description:	**REOVATION OF 13 UNITS IN APARTMENT BUILDING: PARTITION AND PLUMBING WORK, NEW BOILER AND HWH**

Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320900799-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	J HARRIS PLBG AND HTG COR

ADJOINING PROPERTY FINDINGS

Date:	**11/15/2013**
Permit Type:	**EW**
Description:	**REOVATION OF 13 UNITS IN APARTMENT BUILDING: PARTITION AND PLUMBING WORK, NEW BOILER AND HWH**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320900799-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	QUEEN BEE CONSTRUCTION C

Date:	**11/15/2013**
Permit Type:	**EW**
Description:	**REOVATION OF 13 UNITS IN APARTMENT BUILDING: PARTITION AND PLUMBING WORK, NEW BOILER AND HWH**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320900799-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	QUEEN BEE CONSTRUCTION C

ADJOINING PROPERTY FINDINGS

2887 ATLANTIC AVE

Date:	**10/8/2021**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321979926-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NULITE FUEL OIL CO., LTD

Date:	**1/30/2020**
Permit Type:	**PL**
Description:	**INSTALLATION OF NON-EMERGENCY GAS FIRED GENERATOR WITH GAS BOOSTER ON ROOF. INSTALLATION OF RELATED GAS PIPING AND GAS METER AS PER PLANS. NO CHANGE TO OCCUPANCY, USE, OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321850190-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GO PRO PLBNG AND HTG CO I

ADJOINING PROPERTY FINDINGS

Date:	**2/21/2019**
Permit Type:	**EW**
Description:	**102.05 ROOF MOUNTED PV SOLAR ARRAY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340636761-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	1ST LIGHT ENERGY INC

Date:	**11/22/2018**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00102193I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELMAC ELECTRIC INC.

Date:	**11/13/2018**
Permit Type:	**EW**
Description:	**INSTALLATION OF NON-EMERGENCY GAS FIRED GENERATOR WITH GAS BOOSTER ON ROOF. INSTALLATION OF RELATED GAS PIPING AND GAS METER AS PER PLANS. NO CHANGE TO OCCUPANCY, USE, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	321850190-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ADVANCED CELLULAR SOLUTIO

ADJOINING PROPERTY FINDINGS

Date: **9/17/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00079694I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: MAVEN ELECTIC INC

Date: **2/8/2017**
Permit Type: **PL**
Description: **LEGALIZE DIRECT REPLACEMENT OF HVAC SYSTEM**

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 321469255-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SENID PL & HTG CORP

Date: **1/25/2017**
Permit Type: **EW**
Description: **LEGALIZE DIRECT REPLACEMENT OF HVAC SYSTEM**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 321469255-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: VICTORY BROS. INC

ADJOINING PROPERTY FINDINGS

Date:	**1/25/2017**
Permit Type:	**EW**
Description:	**LEGALIZE DIRECT REPLACEMENT OF HVAC SYSTEM**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321469255-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VICTORY BROS. INC

Date:	**10/26/2016**
Permit Type:	**PL**
Description:	**DIRECT REPLACEMENT OF HVAC SYSTEM**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321392140-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SENID PL & HTG CORP

Date:	**5/25/2016**
Permit Type:	**EW**
Description:	**DIRECT REPLACEMENT OF HVAC SYSTEM**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	321392140-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VICTORY BROS. INC

ADJOINING PROPERTY FINDINGS

Date:	**5/24/2016**
Permit Type:	**EW**
Description:	**DIRECT REPLACEMENT OF HVAC SYSTEM**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321392140-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VICTORY BROS. INC

Date:	**10/15/2015**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	B402267
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

Date:	**9/18/2015**
Permit Type:	**AL**
Description:	**INSTALL TELECOMMUNICATIONS EQUIPMENT AND ANTENNAS ON ROOF IN CONFORMANCE WITH TPPN # 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	321170567-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COMMUNICATION COMPONENT S

ADJOINING PROPERTY FINDINGS

Date: **9/9/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B400728
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **9/1/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B400400
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **8/11/2015**
Permit Type: **AL**
Description: **DECOMMISSION OF EXISTING TELECOMMUNICATIONS SITE. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 321170816-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: TELCOM ENGINEERING GP INC

ADJOINING PROPERTY FINDINGS

Date:	**7/8/2013**
Permit Type:	**EW**
Description:	**REPLACEMENT OF AIR CONDITIONING UNITS ON 2ND FL, 3RD FL & ROOF. NO CHANGE IN USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320720485-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMCOR SERVICES NY/NJ INC

Date:	**10/24/2012**
Permit Type:	**AL**
Description:	**TO INSTALL ANTENNA ON ROOF**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	320493211-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	QUANTA WIRELESS SOLUTIONS

Date:	**12/7/2011**
Permit Type:	**SG**
Description:	
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	320404905-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAUCERI SIGN CO.,INC

ADJOINING PROPERTY FINDINGS

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404914-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404923-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404932-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

ADJOINING PROPERTY FINDINGS

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404941-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404950-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404969-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

ADJOINING PROPERTY FINDINGS

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404978-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

Date: **12/7/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320404987-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAUCERI SIGN CO.,INC

Date: **1/14/2011**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B334721
Status: ASSIGNED TO INSPECTOR
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **12/29/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320247201-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320244017-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320244026-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

ADJOINING PROPERTY FINDINGS

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320244035-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320244044-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320244053-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

ADJOINING PROPERTY FINDINGS

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320247210-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320247229-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

Date: **12/23/2010**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320247238-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

ADJOINING PROPERTY FINDINGS

Date:	**10/5/2010**
Permit Type:	**AL**
Description:	**INSTALL TELECOMMUNICATIONS CABINET ON EXISTING ROOFTOP DUNNAGE IN CONFORMANCE WITH TPPN # 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	320208486-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALCATEL-LUCENT USA INC

Date:	**3/24/2010**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B325470
Status:	ASSIGNED TO INSPECTOR
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELMAC ELECTRIC INC.

Date:	**3/4/2008**
Permit Type:	**SG**
Description:	
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	302388431-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL SIGNS INC.

ADJOINING PROPERTY FINDINGS

Date: **2/14/2008**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B300389
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC.

Date: **2/2/2008**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B300335
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ASSOCIATED ELEC CONT

Date: **1/3/2008**
Permit Type: **AL**
Description: **INSTALLATION OF TELECOMMUNICATIONCABINET WITH RELATED DUNNAGE AND RELATED ANTENNAS ON ROOF. ALL INCOMPLIANCE WITH TPPN 5/98. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 310072676-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ANTELEX WIRELESS

ADJOINING PROPERTY FINDINGS

Date:	**11/28/2007**
Permit Type:	**AL**
Description:	**NON ILLUMINATED NON ADVERTSING ACCESSORY BUSINESS AWNING WITH DOWN LIGHTING WORDING - STORAGE DELUXE NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	310043333-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL SIGNS INC.

Date:	**11/28/2007**
Permit Type:	**AL**
Description:	**NON ILLUMINATED NON ADVERTISING ACCESSORY BUSINESS AWNING WITH DOWN LIGHTING WORDING- STORAGE DELUXE NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	310043342-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL SIGNS INC.

ADJOINING PROPERTY FINDINGS

Date:	**11/28/2007**
Permit Type:	**AL**
Description:	**NON ILLUMINATED NON ADVERTISING ACCESSORY BUSINESS AWNING WITH DOWN LIGHTING WORDING- STORAGE DELUXE NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	310043351-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PAUL SIGNS INC.

Date:	**11/21/2007**
Permit Type:	**EQ**
Description:	**Install sidewalk shed for exterior facade work. Shed to be light duty shed max 150 psf load. No storage on shed. No change in use , egress or occupancy**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	310055098-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COLGATE SCAFFOLDING

ADJOINING PROPERTY FINDINGS

Date: **11/6/2007**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B297548
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: E. FITZGERALD ELEC CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301751548-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301751557-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301751566-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753396-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753421-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753582-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301761181-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301761190-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301761207-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301761216-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/25/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753403-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753109-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: L.S. SIGN CO. INC.

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753546-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: L.S. SIGN CO. INC.

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753118-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753127-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753449-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753458-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

ADJOINING PROPERTY FINDINGS

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753485-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753494-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753500-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

ADJOINING PROPERTY FINDINGS

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753528-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753537-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

Date: **8/24/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753564-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

ADJOINING PROPERTY FINDINGS

Date:	**8/24/2004**
Permit Type:	**AL**
Description:	**NON ILLUMINATED NON ADVERTISING ACCESSORY AWNING READING-SELF STORAGE SELF STORAGE NO CHANGE TO USE, EGRESS OR OCCUPANCY**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	301754153-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMPIRE ERECTORS AND ELECTRICAL

Date:	**8/23/2004**
Permit Type:	**SG**
Description:	
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	301751520-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMPIRE ERECTORS & ELECTRICAL CO

Date:	**8/23/2004**
Permit Type:	**SG**
Description:	
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	301753430-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date: **8/23/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753555-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

Date: **8/23/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753591-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/23/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301753617-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date: **8/23/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301761172-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS AND ELECTRICAL

Date: **8/23/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301761225-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

Date: **8/23/2004**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301751511-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE ERECTORS & ELECTRICAL CO

ADJOINING PROPERTY FINDINGS

Date:	**8/5/2004**
Permit Type:	**EW**
Description:	**INSTALL HVAC UNITS AND EQUIPMENT AS PER PLANS. FILED IN CONJUNCTION WITH ALT.1 #301641258. THERE IS NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	301787163-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAYEFF CONSTRUCTION CORP

Date:	**7/7/2004**
Permit Type:	**AL**
Description:	**RE,OVE, INSTALL, REPAIR, REPLACE, AND RE -FINISH WALLS, FLOORS, CEILING AND ROOF OF EXISTING BUILDING AS PER PLA NS. USE CHANGE TO STORAGE.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301641258-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAEFF CONSTRUCTION CORP.

ADJOINING PROPERTY FINDINGS

Date: **6/22/2004**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B254034
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC.

Date: **3/10/2004**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B252904
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: N.J.D. WIRING & ELEC. INC

Date: **2/19/2004**
Permit Type: **EW**
Description: **FILING FOR SPRINKLER WORK.NO CHANGE IN USE,IN EGRESS OR OCCUPANCY**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: SPRINKLER
Permit Number: 301668620-01-EW-SP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAGIC MECH

ADJOINING PROPERTY FINDINGS

Date:	**2/19/2004**
Permit Type:	**PL**
Description:	**FILING FOR SPRINKLER WORK.NO CHANGE IN USE,IN EGRESS OR OCCUPANCY**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	301668620-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGIC MECH

Date:	**2/2/2004**
Permit Type:	**PL**
Description:	**SUNSEQUENT FILING FOR PLUMBING WORK**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301641258-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAGIC MECHANICAL INC.

ADJOINING PROPERTY FINDINGS

Date:	**5/2/2001**
Permit Type:	**EW**
Description:	**INSTALL GAS FIRED PACKAGE BIOLER, INSTAL L NEW GAS METER AND GAS PIPING ONNECTED TO EXISTING GAS SERVICE INSTALL BOILER RM ENCLOSURE. NO CHANGE IN EGRESS OCCUAPNCY OR USE UNDER THIS AP PLICATION LOCAL LAW 17/95 DOES NOT APPLY TO THIS A PPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	301129375-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARROW PLUMBING & HEATING

Date:	**5/2/2001**
Permit Type:	**EW**
Description:	**INSTALL GAS FIRED PACKAGE BIOLER, INSTAL L NEW GAS METER AND GAS PIPING ONNECTED TO EXISTING GAS SERVICE INSTALL BOILER RM ENCLOSURE. NO CHANGE IN EGRESS OCCUAPNCY OR USE UNDER THIS AP PLICATION LOCAL LAW 17/95 DOES NOT APPLY TO THIS A PPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301129375-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NYC BOILER SERVICE INC.

ADJOINING PROPERTY FINDINGS

Date:	**5/2/2001**
Permit Type:	**PL**
Description:	**INSTALL GAS FIRED PACKAGE BIOLER, INSTAL L NEW GAS METER AND GAS PIPING ONNECTED TO EXISTING GAS SERVICE INSTALL BOILER RM ENCLOSURE. NO CHANGE IN EGRESS OCCUAPNCY OR USE UNDER THIS AP PLICATION LOCAL LAW 17/95 DOES NOT APPLY TO THIS A PPLICATION**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	301129375-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARROW PLUMBING & HEATING

Date:	**3/4/1998**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	300705832-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SEICKEL & SONS PLG INC

ADJOINING PROPERTY FINDINGS

Date: **3/4/1998**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300705832-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SEICKEL & SONS PLG INC

Date: **3/4/1998**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300705832-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SEICKEL & SONS PLG INC

Date: **10/18/1995**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B146397
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MAC ELECT'L CONTR. INC.

ADJOINING PROPERTY FINDINGS

Date: **8/31/1995**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 300465556-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BONAFIDE F.O. CO., INC.

Date: **8/31/1995**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FUEL BURNING
Permit Number: 300465556-01-EW-FB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BONAFIDE F.O. CO., INC.

Date: **3/10/1995**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 300419982-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: STUART ISER, INC.

ADJOINING PROPERTY FINDINGS

Date: **3/10/1995**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300419982-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: STUART ISER, INC.

Date: **3/10/1995**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300419982-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: STUART ISER, INC.

Date: **6/16/1992**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 300173611-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SUNRISE STEAM COOLING INC.

ADJOINING PROPERTY FINDINGS

Date: **6/16/1992**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300173611-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: WASOFF PLUMBING & UTILITY CO

Date: **7/10/1989**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B055153
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALWON ELECTRIC CORP.

2890 ATLANTIC AVE

Date: **2/10/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00018433I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: WILLDAN ELECTRICAL OF NY, INC

ADJOINING PROPERTY FINDINGS

Date: **11/1/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B419510
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

Date: **6/25/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B397492
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **10/16/2001**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300951860-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: KAMAR MECH PLBG & HTG INC

ADJOINING PROPERTY FINDINGS

Date: **10/4/2001**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300951860-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AL PROS GENSTRUCTION

2892 ATLANTIC AVE

Date: **11/29/1991**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: DM - FULL DEMOLITION
Proposed Use: FENCE
Permit Number: 300138802-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **11/29/1991**
Permit Type: **DM**
Description:

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 300138802-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

2894 ATLANTIC AVE

Date: **5/29/2021**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00530943I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE STATE ELECTL CORP

Date: **5/17/2021**
Permit Type:
Description:

Permit Description: **Sign Permit**
Work Class:
Proposed Use:
Permit Number: B00495192I1SG
Status: Signed Off
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

Date: **11/28/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00273405I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: WILLDAN ELECTRICAL OF NY

ADJOINING PROPERTY FINDINGS

Date:	**2/27/2019**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00135407I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEMINI ELECTRIC CO., INC.

Date:	**11/7/2018**
Permit Type:	**PL**
Description:	**INSTALLATION OF TWO (2) GAS-FIRED SINGLE-STAGE, MULTI-SPEED FURNACE UNITS HUNG FROM CEILING IN FIRST FLOOR SPACE. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	340628208-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A&H EXPRESS PLBG & HTG CO

ADJOINING PROPERTY FINDINGS

Date:	**10/30/2018**
Permit Type:	**EW**
Description:	**INSTALLATION OF TWO (2) GAS-FIRED SINGLE-STAGE, MULTI-SPEED FURNACE UNITS HUNG FROM CEILING IN FIRST FLOOR SPACE. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	340628208-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EASTERN HUB CONSTRUCTION

Date:	**5/15/2018**
Permit Type:	**EW**
Description:	**APPLICATION FILED TO REPLACE EXISTING FIRST FLOOR STRUCTURAL STEEL FRAMING AND FORMED CONCRETE SLAB ABOVE CELLAR SPACE AND TO REPLACE SLAB ON-GRADE AT EXISTING FIRST FLOOR UNEXCAVATED SPACE. NO CHANGE IN USE,EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340603323-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EASTERN HUB CONSTRUCTION

ADJOINING PROPERTY FINDINGS

Date:	**5/11/2018**
Permit Type:	**EW**
Description:	**TEMPORARY SHORING APPLICATION FOR EXISTING FRAMED CONCRETE SLAB AT FIRST FLOOR FROM CELLAR FLOOR AS PER PLAN FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340587993-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EASTERN HUB CONSTRUCTION

Date:	**5/14/2015**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	B395686
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

2896 ATLANTIC AVE

Date: **5/29/2021**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00530910I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: EMPIRE STATE ELECTL CORP

Date: **5/17/2021**
Permit Type:
Description:

Permit Description: **Sign Permit**
Work Class:
Proposed Use:
Permit Number: B00495254I1SG
Status: Signed Off
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS, INC

ADJOINING PROPERTY FINDINGS

2900 ATLANTIC AVE

Date: **2/4/2021**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00465216I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: TMF ELEC'L CONTR. INC.

Date: **1/26/2021**
Permit Type:
Description:

Permit Description: **Sign Permit**
Work Class:
Proposed Use:
Permit Number: B00432720I1SG
Status: Signed Off
Valuation: $0.00
Contractor Company:
Contractor Name: PAUL SIGNS INC

Date: **7/10/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B398147
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **3/11/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B150768
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BEMUS ELEC'L CONTRS.

Date: **3/11/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B150771
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BEMUS ELEC'L CONTRS.

Date: **3/7/1996**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300499011-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ACE HIGH CRANES INC.

ADJOINING PROPERTY FINDINGS

Date: **3/7/1996**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300499020-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ACE HIGH CRANES INC.

2904 ATLANTIC AVE

Date: **12/22/2015**
Permit Type: **AL**
Description: **NON-ILLUMINATED NON-ADVERTISING WRAP AROUND STOREFRONT ACCESSORY AWNING - CASTILLO SEAFOOD INC. - NO CHANGE TO USE, EGRESS OR OCCUPANCY**

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 321286103-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SIGNS ARTISTRY AWNING CO*

ADJOINING PROPERTY FINDINGS

Date:	**12/6/2013**
Permit Type:	**EW**
Description:	**STRUCTURE DESIGN FOR NON-ILLUMINATED ADVERTISING WALL FACE SIGN # 1. ALL AS PER PLANS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320814179-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	INTERBORO SIGN & MAINTENA

Date:	**12/6/2013**
Permit Type:	**SG**
Description:	
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	320814188-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	INTERBORO SIGN & MNTNCE

Date:	**11/12/2013**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	B374609
Status:	OBJECTION PENDING
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CSM ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **7/19/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320271031-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LADDER 3 CORP

Date: **7/19/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320271040-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LADDER 3 CORP

Date: **9/25/2006**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B283958
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: NORWAY ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date:	**12/12/2002**
Permit Type:	**EW**
Description:	**REPLACE BOILER AND OIL BURNER. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	301474330-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID WAGNER

Date:	**12/12/2002**
Permit Type:	**EW**
Description:	**REPLACE BOILER AND OIL BURNER. NO CHANGE IN USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL BURNING
Permit Number:	301474330-01-EW-FB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DAVID WAGNER

Date:	**6/22/1999**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B190912
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SALVATORE CAMPISI & SONS

ADJOINING PROPERTY FINDINGS

2911 ATLANTIC AVE

Date:	**3/3/2010**
Permit Type:	**EQ**
Description:	**INSTALLATION OF 247 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR CONSTRUCTION OF NEW SCHOOL, FILED SEPARATELY. SCAFFOLDING SHALL BE ERECTED ON TOP OF SHED, TO BE FILED AND INSTALLED BY OTHERS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	320024353-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YORK SCAFFOLD EQUIPMENT C

Date:	**12/3/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B322673
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR ELEC'L CO. INC

ADJOINING PROPERTY FINDINGS

Date: **12/1/2009**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B322507
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: STAR-DELTA ELECTRIC LLC

Date: **12/1/2009**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B322508
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAR ELEC'L CO. INC

ADJOINING PROPERTY FINDINGS

Date:	**11/24/2009**
Permit Type:	**EQ**
Description:	**TO FILED APPLICATION FOR SUPPORTED PIPE SCAFFOLD 5' WIDE PIPE FRAME TOTAL 369' LONG & 62' HIGH ON GRADE, 3' WIDE PIPE FRAME TOTAL 43' LONG & 62'HIGH ON GRADE AND 5' WIDE PIPE FRAME ON SIDE WALK SHED (NYC DOB JOB # 320024353) TOTAL 54' LONG & 56' HIGH AS SHOWN ON THE PLANS. THERE WILL BE NO CHANGE IN USE, EGRESS AND OCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	320030079-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CITNALTA CONSTRUCTION COR

Date:	**5/8/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B316160
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR-DELTA ELECTRIC LLC

ADJOINING PROPERTY FINDINGS

Date: **1/30/2009**
Permit Type: **PL**
Description: **FILING SUB. DOC FOR RELATED PLBG WORK**

Permit Description: **PLUMBING**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 301775522-03-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: WDF INC.

Date: **12/1/2008**
Permit Type: **EQ**
Description: **HERE WITH FILING A FENCE IN CONJUNCTIONWITH DOB#301775522.**

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use: FENCE
Permit Number: 310018628-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AMCC

Date: **8/26/2008**
Permit Type: **DM**
Description: **DEMOLITION OF STRUCTURE.**

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 310278570-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: A RUSSO WRECKING CO

ADJOINING PROPERTY FINDINGS

Date:	**8/26/2008**
Permit Type:	**EQ**
Description:	**DEMOLITION OF STRUCTURE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	FENCE
Permit Number:	310278570-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A RUSSO WRECKING CO

Date:	**8/5/2008**
Permit Type:	**EQ**
Description:	**WE WILL INSTALL 300 LF OF SIDEWALK SHED AT SCHOOL PS 89K LOCATED AT 2911 ATLANTIC AVE. BROOKLYN , NY 11215. THERE WILL BE NO CHANGE IN THE USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	310175244-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THYSSENKRUPP SAFWAY INC

ADJOINING PROPERTY FINDINGS

Date:	**6/26/2008**
Permit Type:	**EQ**
Description:	**INSTALL A HEAVY DUTY SIDEWALK SHED, A TOTAL OF 200 FT AT ATLANTIC AVENUE. 100 FT ON WARWICK STREET AND 100 FT ON ATLANTIC AVENUE. DURING REMEDIAL REPAIRS. WORK TO COMPLY WITH LL33/91 AND BSA-351-74-SM. - NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	302338110-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROCKLEDGE SCAFFOLD

Date:	**3/27/2008**
Permit Type:	**EW**
Description:	**HEREBY FILING FOR UNDERPINNING INCONJUCTION WITH ALT1 301775522. THIS APPLICATION IS MADE TO SUPERCEDEAPPLICATION 310018735. THERE IS NO PROPOSED CHANGE IN THE EXISTING USE,EGRESS OR OCCUPANCY UNDER THIS APPL.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	310082497-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DARCON CONST.

ADJOINING PROPERTY FINDINGS

Date:	**3/26/2008**
Permit Type:	**EW**
Description:	**HEREBY FILING FOR SHORING IN CONJUCTIONW/ALT 1 #301775522. THIS APPLICATION IS MADE TO SUPERCEDE APPL#310018735. THERE IS NO PROPOSED CHANGE IN THE EXISTING USE, EGRESS OROCCUPANCY UNDER THIS APPLICATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	310079624-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LIC DISMANTLING

Date:	**3/10/2008**
Permit Type:	**EQ**
Description:	**HEREWITH FILING A SHED IN CONJUNCTIONWITH DOB#301775522**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	310026423-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMCC

ADJOINING PROPERTY FINDINGS

Date:	**3/10/2008**
Permit Type:	**AL**
Description:	**HEREEBY FILING FOR CHANGE FO EXISTING US E AND RELOCATION OF FLOOR AREA S INDICATED PN PLANS THERE IS NO ADDITIO NAL PROPOSED FLOOR AREA UNDER THIS APP CATION**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301775522-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMCC

Date:	**12/18/2007**
Permit Type:	**EQ**
Description:	**HERE WITH FILING A SCAFFOLD INCONJUNCTION WITH DOB#301775522**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	310018646-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMCC

ADJOINING PROPERTY FINDINGS

Date:	**12/3/2007**
Permit Type:	**EQ**
Description:	**INSTALLATION OF PIPE SCAFFOLD 45' H X 70' W TO ORIGINATE FROM GRADE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	310060858-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SKYLINE SCAFFOLDING LLC

Date:	**11/27/2007**
Permit Type:	**EQ**
Description:	**INSTALLATION OF PIPE SCAFFOLD 45' H X 70' W TO ORIGINATE FROM SIDEWALK SHED. HEAVY DUTY SIDEWALK SHED FILED UNDER SEPARATE APPLICATION. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	310055114-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SKYLINE SCAFFOLDING LLC.

ADJOINING PROPERTY FINDINGS

Date: **10/19/2007**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B296337
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: FIVE STAR ELECTRIC CORP.

Date: **9/18/2007**
Permit Type: **EW**
Description: **FILING FOR UNDERPINNING AS REQUIRED INCONJUNCTION WITH ALTERATION I 302775522**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 310018735-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AMCC

Date: **9/13/2007**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B295504
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: STANCO SYSTEM ELEC'L CONT

ADJOINING PROPERTY FINDINGS

Date:	**4/20/2006**
Permit Type:	**EQ**
Description:	**Installation of heavy duty sidewalk 240FT long at 2911 Atlantic Avenue During remedial repair Work shall comply with LL33/91 No change to use egress or occupancy**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	301476472-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROCKLEDGE SCAFFOLD

Date:	**1/14/2003**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B235368
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	D.J. ELEC'L CONTR'S INC

Date:	**12/6/1994**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	300405951-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	METROPOLITAN MASON CONTR. CORP.

ADJOINING PROPERTY FINDINGS

Date:	**12/6/1994**
Permit Type:	**AL**
Description:	
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	300405960-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	METROPOLITAN MASON CONTR. CORP.

2912 ATLANTIC AVE

Date:	**4/30/2009**
Permit Type:	**EQ**
Description:	**INSTALLATION OF 181 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR CONSTRUCTION OF NEW SCHOOL, FILED SEPARATELY. SCAFFOLDING SHALL BE ERECTED ON TOP OF SHED, TO BE FILED AND INSTALLED BY OTHERS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	320013338-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YORK SCAFFOLD EQUIPMENT C

ADJOINING PROPERTY FINDINGS

Date: **4/22/2009**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B315626
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: STAR-DELTA ELECTRIC LLC

Date: **6/9/1995**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300356692-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ELI-WOODSON INC

Date: **10/18/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B133703
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **8/31/1994**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FENCE
Permit Number: 300356692-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AAA 57 DALE INC

Date: **8/31/1994**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300356692-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: AAA 57 DALE INC

Date: **6/28/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B128418
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: M. GANNES

ADJOINING PROPERTY FINDINGS

2928 ATLANTIC AVE

Date:	**8/6/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B319084
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALL AMERICAN ELEC'L CORP

Date:	**9/21/2007**
Permit Type:	**EW**
Description:	**Herewith submitting for Fire Suppression a.k.a Ansul System installation located in kitchen hood installed under ALT III # 302369639. No change to use egress or occuoancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	310019280-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	N Y BUSINESS FIRE SYSTEM INC

ADJOINING PROPERTY FINDINGS

Date:	**8/7/2007**
Permit Type:	**PL**
Description:	**Herewith filing for general construction, plumbing and mechanical work for proposed build out of new food establishment in existing commerical space. No change to use egress or occupancy under this application.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	302369639-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	S.J. VISION & SON PLBG & HTG INC

Date:	**7/25/2007**
Permit Type:	**EW**
Description:	**Herewith filing for general construction, plumbing and mechanical work for proposed build out of new food establishment in existing commerical space. No change to use egress or occupancy under this application.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	302369639-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GOLDSMITH CONSTRUCTION CORP.

ADJOINING PROPERTY FINDINGS

Date: **7/4/2007**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B292978
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALL AMERICAN ELEC'L CORP

2929 ATLANTIC AVE

Date: **8/16/2022**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00793031I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: 5 J'S ELECTL CONTS CORP

Date: **12/15/2016**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B421477
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

ADJOINING PROPERTY FINDINGS

Date:	**7/13/2016**
Permit Type:	**EW**
Description:	**LEGALIZE EXISTING HVAC UNITS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320938447-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KBJ CONSTRUCTION CORP

Date:	**7/13/2015**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	B398244
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**12/3/2007**
Permit Type:	**EQ**
Description:	**INSTALLATION OF 10 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR REMEDIAL REPAIRS. SIDEWALK SHED SHALL COMPLY TO LL 33/91 AND TPPN 9/1999. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PSF.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	310061036-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SKYLINE SCAFFOLDING LLC.

Date:	**11/28/2007**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B298283
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MARI ELEC. CONTR'S INC.

ADJOINING PROPERTY FINDINGS

Date:	**1/5/2005**
Permit Type:	**AL**
Description:	**REPLACE AND INSTALL NEW ROLL DOWN METAL GATES AT EXTERIOR STOREFRONT WINDOWS (NO CHANGE IN EGRESS, USE OR OCCUPANCY)**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	301883665-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MERY GATES CO

Date:	**4/14/2000**
Permit Type:	**EW**
Description:	**LEGALIZE INSTALLATION OF (2) TWO NEW 275 GALLON FUEL OIL TANKS. RE-ACTIVATE BOILER AND OIL BURNER AND OIL FIRED HOT WATER HEATER AND CONNECT OIL LINES TO NEW OIL TANKS. NO CHANGE IN EGRESS, OCCUPANCY OR USE UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	301010929-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	UNFLAT & ASSOC

ADJOINING PROPERTY FINDINGS

Date:	**4/14/2000**
Permit Type:	**EW**
Description:	**LEGALIZE INSTALLATION OF (2) TWO NEW 275 GALLON FUEL OIL TANKS. RE-ACTIVATE BOILER AND OIL BURNER AND OIL FIRED HOT WATER HEATER AND CONNECT OIL LINES TO NEW OIL TANKS. NO CHANGE IN EGRESS, OCCUPANCY OR USE UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL BURNING
Permit Number:	301010929-01-EW-FB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	UNFLAT & ASSOC

Date:	**4/14/2000**
Permit Type:	**EW**
Description:	**LEGALIZE INSTALLATION OF (2) TWO NEW 275 GALLON FUEL OIL TANKS. RE-ACTIVATE BOILER AND OIL BURNER AND OIL FIRED HOT WATER HEATER AND CONNECT OIL LINES TO NEW OIL TANKS. NO CHANGE IN EGRESS, OCCUPANCY OR USE UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL STORAGE
Permit Number:	301010929-01-EW-FS
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	UNFLAT & ASSOC

ADJOINING PROPERTY FINDINGS

Date: **2/16/2000**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B198348
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: A#1 UNIVERSAL ELEC'L INC

Date: **2/25/1999**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B187073
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: VEGA ELECTRIC CORP.

2930 ATLANTIC AVE

Date: **8/3/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00204686I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: AMPERE ELECL SERVICES COR

ADJOINING PROPERTY FINDINGS

Date: **6/25/2019**
Permit Type:
Description:

Permit Description: **Sign Permit**
Work Class:
Proposed Use:
Permit Number: B00174207I1SG
Status: Signed Off
Valuation: $0.00
Contractor Company:
Contractor Name: SIGNS CAD CORP

Date: **5/16/2003**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B240369
Status: SIGN SHOP JOB AWAIT INSP RQST
Valuation: $0.00
Contractor Company:
Contractor Name: JOHN CAPPELLI ELEC'L

Date: **5/14/2003**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B240366
Status: SIGN SHOP JOB AWAIT INSP RQST
Valuation: $0.00
Contractor Company:
Contractor Name: JOHN CAPPELLI ELEC'L

ADJOINING PROPERTY FINDINGS

Date: **3/21/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301501934-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JOHN CAPPELLI ERECTORS INC

Date: **3/21/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301501970-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: JOHN CAOOEKKU ERECTIRS INC

Date: **7/19/2002**
Permit Type: **EW**
Description: **LEGALIZE INSTALLATION OF NEW METAL PARTITIONS, ACOUSTICAL CEILINGS AND STEEL WORK AS PER VIOLATION NO.:3101546 (40pct WORK COMPLETED)**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 301378328-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: FORT KNOX CONTRACTING INC

ADJOINING PROPERTY FINDINGS

2932 ATLANTIC AVE

Date:	**4/1/2017**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B426462
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELECTROTEC OF NY ELECL IN

2934 ATLANTIC AVE

Date:	**3/28/1994**
Permit Type:	**PL**
Description:	
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	300325565-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHARP PLUMBING CORP

ADJOINING PROPERTY FINDINGS

2935 ATLANTIC AVE

Date:	**3/15/2011**
Permit Type:	**EW**
Description:	**REPLACE BOILER WITH (4) GAS FIRED BOILERS (NYC BLR NO:96876-01) NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	320284740-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	L & I MECH CONTRACTORS IN

Date:	**3/15/2011**
Permit Type:	**PL**
Description:	**REPLACE BOILER WITH (4) GAS FIRED BOILERS (NYC BLR NO:96876-01) NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320284740-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	L & I MECH CONTRACTORS IN

ADJOINING PROPERTY FINDINGS

Date:	**1/7/2005**
Permit Type:	**AL**
Description:	**FILING FOR APPROVAL OF CABARET. NO WORK TO BE DONE. JOB APPROVED UNDER APPLICATION NUMBER 301377819. HOWEVER WWORK TYPE (OT) WAS NOT INCLUDED.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301831800-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PEA CORP

Date:	**5/7/2004**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	300605432-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**11/3/2003**
Permit Type:	**PL**
Description:	**Herewith filing for a new three-inch sprinkler water service in conjunction with sprinkler application #301377819. There are no proposed changes in use, egress or occupancy under this application.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	301639984-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EASY ST PLUMBING INC

Date:	**8/21/2003**
Permit Type:	**SG**
Description:	
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	301560219-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	N Y SIGN CITY INC

Date:	**8/21/2003**
Permit Type:	**SG**
Description:	
Permit Description:	**SIGN**
Work Class:	SG - SIGN
Proposed Use:	
Permit Number:	301560246-01-SG
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	N Y SIGN CITY INC

ADJOINING PROPERTY FINDINGS

Date: **7/16/2003**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B242105
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC.

Date: **7/16/2003**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B242111
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC.

Date: **7/16/2003**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B242112
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**7/1/2003**
Permit Type:	**EW**
Description:	**ALTERATION TYPE 1 - FILING FOR APPROVAL OF CONVERSION FROM EXISTING EATING AND DRINKING EST ABLISHMENT TO CABAARET.INSTALLATION OF S PRINKLER HEADS ON 1ST FLOOR. AND CELLAR**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	SPRINKLER
Permit Number:	3PL003632-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HEADS UP FIRE SPRINKLER

Date:	**6/10/2003**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B240701
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANDA ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

Date:	**4/10/2003**
Permit Type:	**PL**
Description:	**FILING FOR APPROVAL OF CONVERSION FROM EXISTING EATING AND DRINKING EST ABLISHMENT TO CABAARET.INSTALLATION OF S PRINKLER HEADS ON 1ST FLOOR. AND CELLAR**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301377819-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RIGID PLBG CONST INC

Date:	**4/3/2003**
Permit Type:	**AL**
Description:	**FILING FOR APPROVAL OF CONVERSION FROM EXISTING EATING AND DRINKING EST ABLISHMENT TO CABAARET.INSTALLATION OF S PRINKLER HEADS ON 1ST FLOOR. AND CELLAR**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301377819-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	R & R WERLING CONTRACTORS

ADJOINING PROPERTY FINDINGS

Date:	**3/13/2002**
Permit Type:	**AL**
Description:	**PROPOSE TO CREATE OPEN PARKING AREA. JOB IN CONJUNCTION WITH LOT 51**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	301230175-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAN MIGUEL CONSTRUCTION

Date:	**3/31/1997**
Permit Type:	**PL**
Description:	
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	300605432-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WAGNER-WEINTRAUB PLG & HTG ENT.

Date:	**3/14/1997**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	300605432-02-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ACTIVE FIRE EXTINGUISHER INC.

ADJOINING PROPERTY FINDINGS

Date: **10/17/1996**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300536926-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: WAGNER-WEINTRAUB PLG HTG

2937 ATLANTIC AVE

Date: **6/8/2012**
Permit Type: **EW**
Description: **MODIFY FIRE SUPPRESSION SYSTEM ONLY. FIRE SUPPRESSION PREVIOUSLY PERMITTED UNDER APPLICATION #300234529. NO CHANGE IN USE EGRESS OR OCCUPANCY.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FIRE SUPPRESSION
Permit Number: 320476748-01-EW-FP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MASTER FIRE PREV. SYS INC

ADJOINING PROPERTY FINDINGS

Date: **4/4/2002**
Permit Type: **AL**
Description: **PROPOSE TO CREATE OPEN PARKING LOT. JOB IN CONJUNCTION WITH LOT 52.**

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 301230166-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SAN MIGUEL CONSTRUCTION

Date: **10/23/1996**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300536935-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: WAGNER-WEINTRAUB PLG & HTG

Date: **9/17/1993**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300234529-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PROTECTION SYSTEM SPECIALISTS

ADJOINING PROPERTY FINDINGS

Date: **10/16/1991**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 300116014-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LUCKY SIGN CO

Date: **3/6/1989**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B049944
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J&H ELECT. SERV. CORP.

ADJOINING PROPERTY FINDINGS

2941 ATLANTIC AVE

Date:	**7/15/2016**
Permit Type:	**AL**
Description:	**MODIFICATION TO EXISTING UNMANNED TELECOMMUNICATIONS FACILITY. INSTALLATION OF REMOTE RADIO HEAD UNITS ON ROOF. ALL WORK IN CONFORMANCE WITH TPPN 5/98. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	321116635-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SQUAN CONSTRUCTION SERVIC

Date:	**5/26/2016**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION OF EXISTING OFFICE, CREATE NEW CONFERENCE ROOM, AND PRIVATE OFFICE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	321127525-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COOL STUFF INCORPORATED

ADJOINING PROPERTY FINDINGS

Date:	**5/3/2016**
Permit Type:	**EW**
Description:	**FILING FOR HVAC SYSTEM AS PER PLAN.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	321259295-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	COOL STUFF INCORPORATED

Date:	**4/26/2016**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION OF EXISTING OFFICE, CREATE NEW CONFERENCE ROOM, AND PRIVATE OFFICE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321127525-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M-A-C-HOME DESIGN AND CON

Date:	**11/14/2015**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	B403578
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date:	**10/27/2015**
Permit Type:	**PL**
Description:	**INTERIOR RENOVATION OF EXISTING OFFICE, CREATE NEW CONFERENCE ROOM, AND PRIVATE OFFICE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321127525-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SPARTAKUS PLBG & HTG INC

Date:	**10/22/2015**
Permit Type:	**PL**
Description:	**FILING FOR HVAC SYSTEM AS PER PLAN.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321259295-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SENID PL & HTG CORP

Date:	**10/19/2015**
Permit Type:	**EW**
Description:	**FILING FOR HVAC SYSTEM AS PER PLAN.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321259295-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VICTORY BROS. INC

ADJOINING PROPERTY FINDINGS

Date:	**10/9/2015**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION OF EXISTING OFFICE, CREATE NEW CONFERENCE ROOM, AND PRIVATE OFFICE.**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	321127525-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IRWIN FRIEDMAN & SON INC

Date:	**1/23/2015**
Permit Type:	**EW**
Description:	**INSTALLATION OF (1) NYSERDA REBATED, CON EDISON APPROVED, NET-METERED, GRID-INTERTIED, ROOF-MOUNTED, (PHOTOVOLTAIC) SOLAR SYSTEM. THERE WILL BE NO CHANGE IN MEANS OF EGRESS, USE GROUP, OR OCCUPANCY.**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340184197-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	QUAD STATE SOLAR INC

ADJOINING PROPERTY FINDINGS

Date: **8/13/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B384696
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT S. COVELLO

Date: **5/17/2013**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B367665
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: J.A. LEE ELECTRIC INC.

Date: **11/7/2011**
Permit Type: **EW**
Description: **APPLICATION FILED TO OBTAIN EUP CARDS FOR APPLICATION # 301369971 ALL INSTALLIATION WAS DONE UNDER THE ABOVE FILING. NO CHANGE TO USE,EGRESS,OCCUPANCY,BULK OR ZONING. NO WORK FOR THIS APPLICATION.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 320330423-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date:	**12/10/2009**
Permit Type:	**PL**
Description:	**RENOVATION OF EXISTING WAREHOUSE, NEW BATHROOMS, NEW ACCESSORY OFFICE ON THE FIRST FLOOR. CREATE NEW INTERIOR PARTITIONS. PROVIDE ADDITIONAL SPRINKLER HEADS TO EXISTING SYSTEM. NO CHANGE IN USE,EGRESS,OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	301369971-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THE MAIN CONNECTION INC

Date:	**3/20/2003**
Permit Type:	**EW**
Description:	**APPLICATION FILED TO ESTABLISH A (SD) WORK TYPE. PHYSICAL WORK TO BE COMPLETED UNDER ALTERATION 301369971. NO CHANGE IN USE,EGRESS,OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	STAND PIPE
Permit Number:	301481206-01-EW-SD
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MAIN CONNECTION OF NY INC

ADJOINING PROPERTY FINDINGS

Date: **1/7/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301434491-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NORTH SHORE NEON SIGN CO INC

Date: **1/3/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301434507-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NORTH SHORE NEON SIGN CO INC

Date: **1/3/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301435150-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NORTH SHORE NEON SIGN CO INC

ADJOINING PROPERTY FINDINGS

Date: **1/2/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301434525-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NORTH SHORE NEON SIGN CO INC

Date: **1/2/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301434534-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NORTH SHORE NEON SIGN CO INC

Date: **1/2/2003**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 301435132-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: NORTH SHORE NEON SIGN CO INC

ADJOINING PROPERTY FINDINGS

Date: **12/28/2002**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B234114
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY ELEC'L SIGN ERECTORS

Date: **12/28/2002**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B234115
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY ELEC'L SIGN ERECTORS

Date: **12/28/2002**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B234116
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY ELEC'L SIGN ERECTORS

ADJOINING PROPERTY FINDINGS

Date: **12/28/2002**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B234117
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY ELEC'L SIGN ERECTORS

Date: **12/28/2002**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B234118
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY ELEC'L SIGN ERECTORS

Date: **12/28/2002**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B234119
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY ELEC'L SIGN ERECTORS

ADJOINING PROPERTY FINDINGS

Date:	**12/20/2002**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B235248
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STERLING ELECTRIC INC.

Date:	**12/19/2002**
Permit Type:	**EW**
Description:	**RENOVATION OF EXISTING WAREHOUSE, NEW BATHROOMS, NEW ACCESSORY OFFICE ON THE FIRST FLOOR. CREATE NEW INTERIOR PARTITIONS. PROVIDE ADDITIONAL SPRINKLER HEADS TO EXISTING SYSTEM. NO CHANGE IN USE,EGRESS,OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	301369971-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THE MAIN CONNECTION INC

ADJOINING PROPERTY FINDINGS

Date:	**8/9/2002**
Permit Type:	**EQ**
Description:	**Install Sidewalk Shed 268ft long at 2941 Atlantic Ave. during remedial repairs Work shall comply with LL33/91 No change in use egress or occupancy.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	301392286-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	EAGLE SCAFFOLDING CO. INC.

Date:	**7/31/2002**
Permit Type:	**EQ**
Description:	**RENOVATION OF EXISTING WAREHOUSE, NEW BATHROOMS, NEW ACCESSORY OFFICE ON THE FIRST FLOOR. CREATE NEW INTERIOR PARTITIONS. PROVIDE ADDITIONAL SPRINKLER HEADS TO EXISTING SYSTEM. NO CHANGE IN USE,EGRESS,OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	301369971-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RED HOOK CONST GROUP-1 LLC

ADJOINING PROPERTY FINDINGS

Date:	**7/31/2002**
Permit Type:	**EW**
Description:	**RENOVATION OF EXISTING WAREHOUSE, NEW BATHROOMS, NEW ACCESSORY OFFICE ON THE FIRST FLOOR. CREATE NEW INTERIOR PARTITIONS. PROVIDE ADDITIONAL SPRINKLER HEADS TO EXISTING SYSTEM. NO CHANGE IN USE,EGRESS,OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	301369971-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RED HOOK CONST GROUP-1 LLC

Date:	**7/31/2002**
Permit Type:	**EW**
Description:	**RENOVATION OF EXISTING WAREHOUSE, NEW BATHROOMS, NEW ACCESSORY OFFICE ON THE FIRST FLOOR. CREATE NEW INTERIOR PARTITIONS. PROVIDE ADDITIONAL SPRINKLER HEADS TO EXISTING SYSTEM. NO CHANGE IN USE,EGRESS,OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301369971-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RED HOOK CONST GROUP-1 LLC

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2001**
Permit Type:	**EW**
Description:	**INSTALLING COMMUNICATION CABINETS AND AN TENNAS ON ROOF ON CONFORMANCE W TH TPPN#5/98. NO CHANGE IN USE, EGRESS, OR OCCUOANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301199441-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MERCURY NATIONAL COONSTRUCTION

Date:	**7/30/2001**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B216295
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HI-TECH ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **3/22/2000**
Permit Type: **EW**
Description: **APPLICATION FILED TO REMOVE NON REQUIRED FIRE ESCAPE IN EXISTING FACTOR INDUSTRIAL BUILDING.NO CHANGE TO USE EGR ESS OR OCCUPANCY**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300993183-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BARGOLD STORAGE SYSTEMS LLC

Date: **7/27/1998**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 300766080-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: UNFLAT PEROTTO ASSOCIATES

Date: **7/27/1998**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FUEL BURNING
Permit Number: 300766080-01-EW-FB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: UNFLAT PEROTTO ASSOCIATES

ADJOINING PROPERTY FINDINGS

Date: **2/9/1995**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B137071
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: BISANTZ ELEC. CO. INC.

Date: **1/14/1993**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 300213445-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ALWAYS READY PLUMBING

Date: **1/14/1993**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300213445-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ALWAYS READY PLUMBING

ADJOINING PROPERTY FINDINGS

Date: **11/9/1990**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B077040
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J&H ELECT. SERV. CORP.

Date: **8/9/1990**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B072538
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: SRB ELEC'L CONTR'S INC.

2950 ATLANTIC AVE

Date: **10/4/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01121321I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date:	**11/4/2023**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00956874I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JAVELIN ELECTRIC INC

Date:	**6/23/2023**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION TO BATHROOMS AND LOCKER ROOM. NO CHANGE IN USE EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321775977-01-EW-OT
Status:	ISSUED
Valuation:	$414,630.00
Contractor Company:	
Contractor Name:	D'ONOFRIO GENERAL CONTRAC

ADJOINING PROPERTY FINDINGS

Date:	**6/23/2023**
Permit Type:	**EW**
Description:	**MECHANICAL AND PLUMBING WORK FOR BATHROOMS AND LOCKERS RENOVATION.NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	321775977-02-EW-MH
Status:	ISSUED
Valuation:	$117,972.00
Contractor Company:	
Contractor Name:	D'ONOFRIO GENERAL CONTRAC

Date:	**6/23/2023**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION TO EXISTING BATHROOM.CLEVELAND GARAGE. NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321794420-01-EW-OT
Status:	ISSUED
Valuation:	$414,630.00
Contractor Company:	
Contractor Name:	D'ONOFRIO GENERAL CONTRAC

ADJOINING PROPERTY FINDINGS

Date: **2/10/2023**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00826578I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **6/2/2021**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00531612I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **5/26/2021**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00528545I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: DOLA ELECTRICAL CO. INC

ADJOINING PROPERTY FINDINGS

Date: **5/14/2021**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00376872I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: DOLA ELECTRICAL CO. INC

Date: **7/9/2020**
Permit Type: **PL**
Description: **MECHANICAL AND PLUMBING WORK FOR BATHROOMS AND LOCKERS RENOVATION.NO CHANGE IN USE, EGRESS OR OCCUPANCY UNDER THIS APPLICATION.**

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 321775977-02-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: RITE-FLO P.H.& COOLING IN

Date: **6/26/2020**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00362658I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date: **5/14/2020**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00348938I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **2/3/2020**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00307441I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **10/2/2018**
Permit Type: **EW**
Description: **SEE SECTION 24**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 340497741-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSTRUCTOMICS LLC

ADJOINING PROPERTY FINDINGS

Date: **5/1/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00039901I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CON EDISON

Date: **2/19/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00020620I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: CON EDISON

Date: **10/19/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B435922
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: EMANON ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **10/6/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B435423
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **10/4/2017**
Permit Type: **EW**
Description: **SEE SECTION 24**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 340498580-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSTRUCTOMICS LLC

Date: **9/22/2017**
Permit Type: **EW**
Description: **INSTALLATION OF NEW FALL PROTECTION SYSTEM. NEW PERIMETER RAILINGS ON WAREHOUSE ROOF AS SHOWN ON DRAWINGS FILED HEREWITH. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 321553886-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ATTRI ENTERPRISES INC

ADJOINING PROPERTY FINDINGS

Date: **1/18/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B422669
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **1/12/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B422455
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **10/20/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B418904
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date: **9/7/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B416840
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **4/12/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B410031
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **11/20/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B403868
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **4/7/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B394002
Status: ASSIGNED TO INSPECTOR, Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **4/7/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B394013
Status: COMPLETED, Open
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **12/5/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B389541
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date: **5/12/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B380899
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **2/12/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B377573
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

Date: **12/16/2013**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B375698
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: CONSOLIDATED EDISON CO

ADJOINING PROPERTY FINDINGS

Date:	**9/30/2010**
Permit Type:	**EW**
Description:	**MAKE NECESSARY REPAIRS TO CON EDISON'S ATLANTIC AVE SERVICE CENTER. REPAIR REAR CONCREATE LANDING AND BASEMENT STAIRS. THERE WILL BE NO CHANGES TO EGRESS OCCUPANCY, USE OR FLOOR AREA UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320177802-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	O'LEARY CONSTRUCTION INC

Date:	**2/28/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B313915
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DOLA ELECTRICAL CO.

ADJOINING PROPERTY FINDINGS

Date:	**5/3/2006**
Permit Type:	**EQ**
Description:	**PROPOSED INSTALLATION OF 196 LINEAR FEET X 36 FEET HIGH HEAVY DUTY PIPE SCAFFOLD FOR REMEDIAL REPAIRS. SIDEWALK SHED FILED UNDER SEPARATE APPLICATION. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	302152239-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARSENAL SCAFFOLD INC

Date:	**5/3/2006**
Permit Type:	**EQ**
Description:	**PROPOSED INSTALLATION OF 270 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED DURING FOR REMEDIAL REPAIRS. SIDEWALK SHED SHALL COMPLY WITH LL 33/91. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PSF. NO STORAGE ON SIDEWALK SHED.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	302152248-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARSENAL SCAFFOLD INC

ADJOINING PROPERTY FINDINGS

Date:	**12/15/2005**
Permit Type:	**EW**
Description:	**INSSTALLATION OF NEW VENTILATION SYSTEM FOR LOCKER ROOM & MUSTER ROOM AT CON EDISON'S ATLANTIC AVENUE SERVICE CENTER THERE IS NO CHANGE IN USE EGRESS OCCUPANCY OR FLOOR AREA UNDER THIS APLIC ATION**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	301937723-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AIRMONT INC.

Date:	**11/5/2004**
Permit Type:	**EQ**
Description:	**INSTALL HEAVY DUTY SIDEWALK SHED,100 FT LONG WORK COMPLY WITH LL33/91 NO CHANGE IN USE EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	301378890-01-EQ-SH
Status:	ISSUED, IN PROCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SAFWAY STEEL PRODUCTS,

ADJOINING PROPERTY FINDINGS

Date:	**10/2/2003**
Permit Type:	**EQ**
Description:	**INSTALLATION OF A STAIR TOWER 7' LONG X 40' HIGH TO ALLOW ACCESS TO 2ND FLOOR ROOF. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	301650826-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SPRING SCAFFOLDING

Date:	**8/20/1998**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	300782954-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LARRY E TYREE CO INC

Date:	**4/23/1992**
Permit Type:	**PL**
Description:	
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	300162650-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SALSONS MECH CORP

ADJOINING PROPERTY FINDINGS

Date: **4/6/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B097435
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: WALSH ELEC'L CONTR'G INC

Date: **11/26/1991**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 300126539-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BAYARD MECH. CO INC

Date: **11/26/1991**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300126539-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BAYARD MECH. CO INC

ADJOINING PROPERTY FINDINGS

Date: **12/19/1990**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 300042772-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **8/1/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K08451
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: THE FRANKLIN CO.

Date: **3/30/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K03283
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: THE FRANKLIN CO.

ADJOINING PROPERTY FINDINGS

2956 ATLANTIC AVE

Date: **6/29/2001**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 301166654-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ANDCO HOME IMPROVEMENT

Date: **12/4/1996**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300597067-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: G R CONSTR

Date: **12/4/1996**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300597067-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAINLAND PLG HTG INC

ADJOINING PROPERTY FINDINGS

2958 ATLANTIC AVE

Date:	**2/14/2018**
Permit Type:	**EW**
Description:	**TO REPLACE HOT WATER HEATER WITH EXISTING CHIMNEY AND FRESH AIR INTAKE TO MECHANICAL SPACE.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	321778377-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TREND 21 MANAGEMENT INC

Date:	**2/14/2018**
Permit Type:	**PL**
Description:	**TO REPLACE HOT WATER HEATER WITH EXISTING CHIMNEY AND FRESH AIR INTAKE TO MECHANICAL SPACE.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321778377-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AVON PLBG & HTG INC

ADJOINING PROPERTY FINDINGS

Date: **12/31/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B405473
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **2/4/2012**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: SHOP INSPECTION
Proposed Use:
Permit Number: B347646
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALL-RITE ELEC. CORP.

Date: **12/22/2011**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 320413290-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MONTANA ELECTL DEC CORP

ADJOINING PROPERTY FINDINGS

Date:	**5/26/2011**
Permit Type:	**PL**
Description:	**NEW CERTIFICATE OF OCCUPANCY FROM TRUCK GARAGE (U.G. 16) TO LAUNDROMAT (U.G.6)ON FIRST FLOOR.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	320259581-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GLOBE PLBG & HTG CORP

Date:	**4/15/2011**
Permit Type:	**EQ**
Description:	**TEMPORARY FENCE (EQ) INSTALLATION.THIS APPLICATION IS FILED IN CONJUNCTION WITH # 320259581. NO CHANGE IN USE, EGRESS OR OCCUPANCY**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	320274528-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FENCO CONSTRUCTION CORP

Date:	**3/24/2011**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	B337033
Status:	AWAITING INSPECTION REQUEST, COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date: **3/15/2011**
Permit Type: **AL**
Description: **NEW CERTIFICATE OF OCCUPANCY FROM TRUCK GARAGE (U.G. 16) TO LAUNDROMAT (U.G.6)ON FIRST FLOOR.**

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 320259581-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: FENCO CONSTRUCTION CORP

Date: **12/18/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B161076
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: CITYWIDE ELEC'L CONTR'G

Date: **7/24/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B087977
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: CRAFTSMEN ELEC'L CO. INC

ADJOINING PROPERTY FINDINGS

2969 ATLANTIC AVE

Date:	**10/5/2005**
Permit Type:	**EW**
Description:	**EST COST 21,000 REQUEST TO FILE BL WORKTYPE IN CONJUNC WITH 301974629**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	302010473-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BEDROCK PLUMBING & HEATING INC

Date:	**9/16/2005**
Permit Type:	**PL**
Description:	**REPLACE BOILER IN CELLAR AS PER PLAN NO CHANGE IN USE EGRESS OR OCCUP ANCY**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	301974629-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BEDROCK PL & HTG INC

ADJOINING PROPERTY FINDINGS

Date:	**8/21/2003**
Permit Type:	**EW**
Description:	**DISCONTINUE AND ABANDON IN PLACE (1) EXI STING 5000 GALLON BURIED FUEL O L TANK. NO CHANGE IN USE, EGRESS, OR OCCUPANCY I S INVOLED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301617819-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RND SVCS INC

Date:	**3/25/2000**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B199940
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RASHEED'S ELEC. CONTR'G

Date:	**11/14/1995**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	300256997-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SHREE ASHTA VINAYAK INC.

ADJOINING PROPERTY FINDINGS

Date: **10/16/1995**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300256997-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BLAU MECHANICAL CORP

Date: **10/6/1995**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 300256997-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SHREE ASHTA VINAYAK INC.

Date: **6/2/1995**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 300136895-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SHREE ASHTA VINAYAK CORP

ADJOINING PROPERTY FINDINGS

Date: **12/19/1994**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300217833-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BLAU MECHANICAL CORP

Date: **9/26/1994**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300385045-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERBORO SIGN & MAINTENANCE

Date: **9/26/1994**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300385241-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERBORO SIGN & MAINTENANCE

ADJOINING PROPERTY FINDINGS

Date: **9/26/1994**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300385250-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERBORO SIGN & MAINTENANCE

Date: **9/26/1994**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300385269-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERBORO SIGN & MAINTENANCE

Date: **9/26/1994**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300385278-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERBORO SIGN & MAINTENANCE

ADJOINING PROPERTY FINDINGS

Date: **9/26/1994**
Permit Type: **SG**
Description:

Permit Description: **SIGN**
Work Class: SG - SIGN
Proposed Use:
Permit Number: 300385287-01-SG
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERBORO SIGN & MAINTENANCE

Date: **9/1/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B130631
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AMELCO ELECTRIC INC.

Date: **9/1/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B130632
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AMELCO ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **9/1/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B130633
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AMELCO ELECTRIC INC.

Date: **9/1/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B130634
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AMELCO ELECTRIC INC.

Date: **9/1/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B130635
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AMELCO ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **3/24/1994**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: SPRINKLER
Permit Number: 300217833-01-EW-SP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: UNIVERSAL SPRINKLER CORP

Date: **11/1/1993**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B120439
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROLAND J. WERTZ INC.

Date: **8/25/1993**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B115737
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROLAND J. WERTZ INC.

ADJOINING PROPERTY FINDINGS

Date: **7/9/1993**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 300136895-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: BLAU MECH CORP

Date: **6/25/1993**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use: FENCE
Permit Number: 300257004-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SHREE ASHTA VINAYAK CORP

2972 ATLANTIC AVE

Date: **1/5/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B422151
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

ADJOINING PROPERTY FINDINGS

BARBEY ST

221 BARBEY ST

Date: **4/1/2023**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00853590I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: WCK ELECTRIC CORP.

Date: **9/8/2022**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B08000136I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: WCK ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

225 BARBEY ST

Date:	**3/14/1986**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	K31139
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DA-WILL ELECTRIC CO.INC.

227 BARBEY ST

Date:	**4/26/2017**
Permit Type:	**EW**
Description:	**FILING TO RENOVATE 2 FAMILY HOUSE. NEW PLBG & HVAC.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	321545592-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ISLAND CONTROLS, INC

ADJOINING PROPERTY FINDINGS

Date: **4/26/2017**
Permit Type: **EW**
Description: **FILING TO RENOVATE 2 FAMILY HOUSE. NEW PLBG & HVAC.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 321545592-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ISLAND CONTROLS, INC

Date: **4/26/2017**
Permit Type: **PL**
Description: **FILING TO RENOVATE 2 FAMILY HOUSE. NEW PLBG & HVAC.**

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 321545592-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MARQUIS P & H CO.,INC

Date: **1/13/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B422475
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: TIMOTHY COLEMAN LICENSED

ADJOINING PROPERTY FINDINGS

231 BARBEY ST

Date:	**11/20/1997**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B171893
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LENLITE ELEC'L CONTR'S

259 BARBEY ST

Date:	**5/4/1993**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B111851
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	UBAFU ELEC'L CONTRACTOR

ADJOINING PROPERTY FINDINGS

267 BARBEY ST

Date:	**9/29/2003**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B244890
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	K.J. MCGINLEY ELEC'L CONT

269 BARBEY ST

Date:	**6/12/2007**
Permit Type:	**PL**
Description:	**FILE TO CHANGE OF USE FROM MACHINE SHOP TO TWO(2)FAMILY DWELLING,AND PRO POSE NEW REAR EXTENSION AT 2ND FLR AS PE R PLANS,PL.WORK AND PARTITIONS WORK.NEW CERTIFICATE OF OCCUPANCY TO BE OBTAINED.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301317126-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TOM BRAUN PLBG & HTG INC

ADJOINING PROPERTY FINDINGS

Date:	**10/11/2002**
Permit Type:	**AL**
Description:	**FILE TO CHANGE OF USE FROM MACHINE SHOP TO TWO(2)FAMILY DWELLING,AND PRO POSE NEW REAR EXTENSION AT 2ND FLR AS PE R PLANS,PL.WORK AND PARTITIONS WORK.NEW CERTIFICATE OF OCCUPANCY TO BE OBTAINED.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301317126-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ZESHAN PROFESSIONAL SERVICES COR

Date:	**9/15/2002**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B230842
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AAR/CO ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

277 BARBEY ST

Date: **10/16/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B105538
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

CLEVELAND ST

266 CLEVELAND ST

Date: **5/27/2015**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 340193926-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: COD MECHANICAL CORP

ADJOINING PROPERTY FINDINGS

Date: **5/6/2015**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 340193926-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: HIGH RISE BUILD & DES INC

Date: **5/6/2015**
Permit Type: **EQ**
Description: **THIS APPLICATION IS FILED FOR FENCE IN CONJUNCTION WITH ALT II APPLICATION NO.340193926**

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FENCE
Permit Number: 321125368-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: HIGH RISE BUILD & DES INC

Date: **10/20/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B387512
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: POWER SURGE ELECTRIC INC

ADJOINING PROPERTY FINDINGS

Date: **7/21/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B155734
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: MANDA ELECTRIC CO.

268 CLEVELAND ST

Date: **8/25/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B400135
Status: OBJECTN PENDING AT CONTRACTOR
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **6/12/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B397036
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

269 CLEVELAND ST

Date:	**6/24/2021**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00545914I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BERGER QUALITY ELEC'L CON

Date:	**6/7/2021**
Permit Type:	**EW**
Description:	**INSTALLATION OF SOLAR PANELS ON EXISTING ROOF. NO CHANGE IN USE, OCCUPANCY, OR EGRESS. NO CHANGE IN BULK.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340813560-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CENTURION SOLAR ENERGY

ADJOINING PROPERTY FINDINGS

275 CLEVELAND ST

Date:	**4/27/2006**
Permit Type:	**EW**
Description:	**PUBLIC AREA FRONT STOOP- REBUILD (3) THREE BRICK STEPS AND (1) ONE PLATFORM . NO CHANGE IN USE/OCCUPANCY, ROOM COUNT/DWELLING UNITS OR EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	302151891-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	D & S GENERAL CONTRACTOR

Date:	**9/9/1985**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	K24045
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	LORRAINE ELECTRIC CONT.

ADJOINING PROPERTY FINDINGS

281 CLEVELAND ST

Date:	**4/28/1995**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B138341
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	M.B.S. ELECTRIC INC.

343 CLEVELAND ST

Date:	**2/13/2017**
Permit Type:	**EW**
Description:	**FILING FOR THE FOOTING AND FOUNDATION TO INSTALL 30 FOOT FENCE IN SPERANDEO BOTHERS PLAYGROUND.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321140822-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TDI CONSTRUCTION INC

ADJOINING PROPERTY FINDINGS

361 CLEVELAND ST

Date: **5/31/1989**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B053658
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: AL FOY ELECTRIC

JEROME ST

145 JEROME ST

Date: **11/14/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B420095
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

ADJOINING PROPERTY FINDINGS

Date: **7/5/2004**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B255742
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: MANDA ELECTRIC CO.

159 JEROME ST

Date: **6/30/2005**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B269824
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: V. VASS ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

162 JEROME ST

Date:	**5/22/2019**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00170185I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DELTEX ELECTRICAL CONT. I

166 JEROME ST

Date:	**7/24/1989**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B055686
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GSA ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

170 JEROME ST

Date:	**7/21/2005**
Permit Type:	**PL**
Description:	
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	300948795-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RIGGS PL & HTG INCORP

Date:	**6/15/2001**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	300948795-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	P & P CONTRACTING CO

Date:	**5/15/2001**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B213597
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOEY ELEC'L CO. INC.

ADJOINING PROPERTY FINDINGS

Date: **10/6/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B105217
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: NUNEZ ELECTRIC INC.

Date: **7/21/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B102554
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: NUNEZ ELECTRIC INC.

Date: **2/24/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B095437
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MEL ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **2/14/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B095501
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: G.S.H. ELECTRIC INC.

Date: **8/5/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B087549
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: CENTURY ELECTRIC CO.

171 JEROME ST

Date: **6/26/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B382716
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: ANTONIO CERIELLO ELEC INC

ADJOINING PROPERTY FINDINGS

172 JEROME ST

Date:	**4/18/2007**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B290159
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KNC ELECTRIC

Date:	**5/22/1985**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	K20136
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ROTHBELL ELECTRIC CO.INC

ADJOINING PROPERTY FINDINGS

174 JEROME ST

Date:	**4/18/2007**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B290163
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KNC ELECTRIC

185 JEROME ST

Date:	**5/21/2015**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	B396082
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

Date: **1/14/1997**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300537658-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

186 JEROME ST

Date: **9/4/2008**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 302204013-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: S.J. VISION & SON P & H HTG INC

Date: **4/4/2008**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 302204013-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LESTER BUILDING MGNT.CORP

ADJOINING PROPERTY FINDINGS

Date: **8/24/2007**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B294896
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: KELLEN ELECTRIC CORP.

Date: **4/4/2007**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 302204013-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LESTER BUILDING MGNT.CORP

Date: **3/1/2007**
Permit Type: **DM**
Description:

Permit Description: **DEMOLITION & REMOVAL**
Work Class: DM - FULL DEMOLITION
Proposed Use:
Permit Number: 302270049-01-DM
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LESTER BUILDING MNGMT

ADJOINING PROPERTY FINDINGS

Date: **2/13/2007**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: DM - FULL DEMOLITION
Proposed Use: FENCE
Permit Number: 302270049-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: LESTER BUILDING MNGMT

188 JEROME ST

Date: **6/11/2013**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B367605
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: STEVEN FARKAS

ADJOINING PROPERTY FINDINGS

Date:	**5/17/2013**
Permit Type:	**EQ**
Description:	**INSTALLATION OF 38 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR REMEDIAL REPAIRS. SIDEWALK SHED SHALL COMPLY WITH LL33/91 AND TPPN 9/1999. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PSF.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	320734915-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PRATT CONSTRUCTION INC

Date:	**3/26/1992**
Permit Type:	**EQ**
Description:	
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	FENCE
Permit Number:	300128868-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CHEEVER DEVELOPMENT CORP

ADJOINING PROPERTY FINDINGS

Date: **3/16/1992**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300106123-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: CHEEVER DEVELOPMENT CORP.

Date: **12/20/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B093255
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ENTERPRISE ELECT. CONTR

Date: **12/20/1991**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300106123-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: FRF PLUMBING & HEATING

ADJOINING PROPERTY FINDINGS

190 JEROME ST

Date:	**3/5/2015**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	B392390
Status:	AWAITING INSPECTION REQUEST, Open
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FRIED ELECTRIC CO.

Date:	**10/4/2014**
Permit Type:	**EQ**
Description:	**PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED AS PER PLANS. LIVE LOAD 300 PER SQUARE FEET. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY, OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	340190698-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	J & G GNRL CONTRACT INC

ADJOINING PROPERTY FINDINGS

Date: **10/2/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B386895
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: WCK ELECTRIC CORP.

Date: **2/15/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B377156
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: FRIED ELECTRIC CO.

Date: **9/27/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B131702
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ANOTHER NYCER ELEC. CORP.

ADJOINING PROPERTY FINDINGS

220 JEROME ST

Date:	**8/30/2024**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B01104104I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TRIANGLE ELECTRIC INC.

Date:	**6/3/2015**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	
Proposed Use:	
Permit Number:	B396585
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

222 JEROME ST

Date:	**6/27/2020**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00363388I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUNRUN SOLAR ELECTL CORP

Date:	**6/18/2020**
Permit Type:	**EW**
Description:	**FILING HEREWITH TAX ABATEMENT APPLICATION FOR INSTALLATION OF ROOF MOUNTED SOLAR PANELS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340733585-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SUNRUN INSTALLATION SVC

ADJOINING PROPERTY FINDINGS

Date: **2/20/2005**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B264871
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RM ELECTRIC CO. INC.

224 JEROME ST

Date: **3/13/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B163554
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: QUALITY ELECTRICAL CO.

ADJOINING PROPERTY FINDINGS

228 JEROME ST

Date: **9/28/2007**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B296073
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RM ELECTRIC CO. INC.

Date: **12/8/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B134943
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: G. & S. ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

234 JEROME ST

Date:	**9/20/2002**
Permit Type:	**PL**
Description:	**CHANGE USE FROM ONE TO TWO FAMILY DWELLING.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301396228-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WAGNER ZIV PLBG HTG CORP

Date:	**9/9/2002**
Permit Type:	**AL**
Description:	**CHANGE USE FROM ONE TO TWO FAMILY DWELLING.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301396228-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VIGO CONSTRUCTION CORP

Date:	**8/23/2002**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B230312
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GLOW-BRITE ELECTRIC SVC.

ADJOINING PROPERTY FINDINGS

235 JEROME ST

Date: **9/26/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01117192I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: TF ELECTRICAL CORP

Date: **9/21/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01115118I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: RM ELECTRIC CO., INC.

Date: **8/20/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01098554I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: RM ELECTRIC CO., INC.

ADJOINING PROPERTY FINDINGS

Date: **7/8/2016**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: MINOR WORK
Proposed Use:
Permit Number: B414062
Status: ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation: $0.00
Contractor Company:
Contractor Name: 5 J'S ELECTL CONTS CORP

Date: **5/18/1985**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K21649
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALL-BORO ELECTRIC INC.

236 JEROME ST

Date: **3/23/2016**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B409019
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: SPICE ELECTRIC COMPANY

ADJOINING PROPERTY FINDINGS

Date:	**1/28/2016**
Permit Type:	**EW**
Description:	**INSTALL NEW GYPSUM BOARD ON EXPOSED STUDS THROUGHOUT. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321256555-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KBJ CONSTRUCTION CORP

237 JEROME ST

Date:	**5/25/2016**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	B412170
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MEGAN ELEC'L ENTERP'S INC

ADJOINING PROPERTY FINDINGS

Date: **11/29/2004**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B261423
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ARNOLD FINKELSTEIN

Date: **11/24/2004**
Permit Type: **EW**
Description: **INSTALLITING TELECOMMUNICATIONS CABINET S WITH HVAC RELATED DUMMAGE & DU RELATED ANTENNAS ON ROOF IN CONFORMANCE WITH TPPN#5/98 NO CHANGE IN USE EGRESS O R OCCUPANCY**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 301856917-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ARETE DEVELOPMENT INC

ADJOINING PROPERTY FINDINGS

Date:	**11/24/2004**
Permit Type:	**EW**
Description:	**INSTALLITING TELECOMMUNICATIONS CABINET S WITH HVAC RELATED DUMMAGE & DU RELATED ANTENNAS ON ROOF IN CONFORMANCE WITH TPPN#5/98 NO CHANGE IN USE EGRESS O R OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301856917-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARETE DEVELOPMENT INC

Date:	**4/7/1998**
Permit Type:	**EW**
Description:	
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL BURNING
Permit Number:	300657475-01-EW-FB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE BASSOLINO INC

Date:	**6/20/1997**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B174651
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DYNASTY ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date: **6/6/1997**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: BOILER
Permit Number: 300629354-01-EW-BL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GEORGE BASSOLINO INC

Date: **6/6/1997**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 300629354-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GEORGE BASSOLINO INC

Date: **6/6/1997**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300629354-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GEORGE BASSOLINO INC

ADJOINING PROPERTY FINDINGS

Date: **6/6/1997**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300629354-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: GEORGE BASSOLINO INC

Date: **5/2/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B084497
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ROBERT MAGOOLAGHAN INC.

238 JEROME ST

Date: **10/21/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B092727
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAMDEEN'S ELEC. CONTR.COR

ADJOINING PROPERTY FINDINGS

LIBERTY AVE

583 LIBERTY AVE

Date:	**8/20/2016**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B416005
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELECTROTEC OF NY ELECL IN

Date:	**1/3/1992**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B093798
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	H. HEIMERICH & SONS INC.

ADJOINING PROPERTY FINDINGS

Date: **10/17/1983**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K10180B
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J. P. ACEVEDO & SON INC.

595 LIBERTY AVE

Date: **2/24/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K02058
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BOB MAGOO COMPANY INC.

ADJOINING PROPERTY FINDINGS

599 LIBERTY AVE

Date:	**3/12/1984**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	K02763
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	J. P. ACEVEDO & SON INC.

601 LIBERTY AVE

Date:	**7/24/2019**
Permit Type:	**PL**
Description:	**TO CONVERT THE FIRST FLOOR'S OCCUPANCY FROM STORE TO DWELLING.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	321912748-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	K2NYC SERVICES CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/20/2019**
Permit Type:	**AL**
Description:	**TO CONVERT THE FIRST FLOOR'S OCCUPANCY FROM STORE TO DWELLING.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	321912748-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AC-TEMP INC

Date:	**3/1/2019**
Permit Type:	**AL**
Description:	**RENOVATE EXISTING BUILDING AND TO REMOVE THE VIOLATION #35362210Y.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	321836233-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AC-TEMP INC

Date:	**10/13/2018**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00087594I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH WEINSTEIN ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **12/1/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B172923
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: G. & S. ELECTRIC CO.

605 LIBERTY AVE

Date: **6/8/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01063110I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: JOSEPH WEINSTEIN ELECTRIC

Date: **8/20/1990**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B072961
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

606 LIBERTY AVE

Date:	**8/17/2020**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00385811I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ALL-RITE ELECT CORP OF NY

Date:	**4/25/2019**
Permit Type:	**PL**
Description:	**INSTALL (3) GAS BOILERS AND (3) GAS HOT WATER HEATERS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320809256-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRANCH PLUMBING LLC

ADJOINING PROPERTY FINDINGS

Date:	**11/12/2015**
Permit Type:	**EW**
Description:	**INSTALL (3) GAS BOILERS AND (3) GAS HOT WATER HEATERS. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	320809256-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BRANCH PLUMBING LLC

Date:	**9/21/1990**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B074602
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELMUNDO ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

608 LIBERTY AVE

Date:	**7/7/2005**
Permit Type:	**AL**
Description:	**PROPOSED NEW CURB CUT 10'-0' WIDE INCLUDING (2) 1'-6' SPLAYS NORTH SIDE OF LIBERTY AVENUE, CORNER OF LIBERTY AVENUE AND JEROME STREET.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	301950574-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VERDUGO'S GENERAL CONTRACTOR

Date:	**7/7/2005**
Permit Type:	**EW**
Description:	**PROPOSE AN EXTENSION OF THE EXISTING CONCRETE GARAGE, WORK INCLUDES FOUNDATION, FLOOR, ROOF AND WALLS AS SHOWN ON THE PLANS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301950583-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VERDUGO'S GENERAL CONTRACTOR

ADJOINING PROPERTY FINDINGS

Date: **10/14/2003**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B245948
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ATLAS ELEC CONTR'S. INC.

Date: **7/28/2000**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300944316-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MILEHNIUM MECHANCIAL

Date: **10/21/1999**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300944316-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

614 LIBERTY AVE

Date:	**6/12/2024**
Permit Type:	**EW**
Description:	**LEGALIZE BATHROOM IN CELLAR.CREATE NEW ENTRANCE FROM YARD TO CELLAR. CONVERT EXISTING CELLAR INTO AN ACCESSORY USE ROOM TO BE USED IN CONJUNCTION WITH THE 1ST FLOOR. TO REGISTER 2 BOILERS & 2 H.W.H.. REMOVE AND CAP BATHROOM AND KITCHEN IN ATTIC. BATHROOM LEGALIZATION, CAPPING AND REMOVING BATHROOM AND KITCHEN IN ATTIC. TO CORRECT VIOLATIONS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	322072243-01-EW-OT
Status:	IN PROCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VERDUGOS GENERAL CONTRACT

Date:	**5/29/2018**
Permit Type:	**EW**
Description:	**APPLICATION FILE TO REPAIR/REPLACE EXISTING FRONT SIDE AND REAR FACADA. NEW FRONT FACADE STUCCO FINISH.REPAIR WINDOWS LINTELS, REPAIR LEADER ROOF,AS PER ECB-DOB VIOLATIONS# 35103504N,35017480R,35030470J.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321731211-01-EW-OT
Status:	ISSUED, IN PROCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VERDUGOS GENERAL CONTRACT

ADJOINING PROPERTY FINDINGS

Date: **8/9/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B432620
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: POWER KEY ELECTRIC CORP.

Date: **5/4/1999**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B189274
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

618 LIBERTY AVE

Date: **4/21/1983**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K03459B
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: JOSEPH MARCHESE ELECTRIC

ADJOINING PROPERTY FINDINGS

620 LIBERTY AVE

Date:	**4/9/2007**
Permit Type:	**EQ**
Description:	
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	301795706-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIRST HORIZON CONSTRUCTION

Date:	**4/9/2007**
Permit Type:	**NB**
Description:	
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	301795706-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIRST HORIZON CONSTRUCTION

Date:	**5/23/2006**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B279313
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TECH ELECTRICAL

ADJOINING PROPERTY FINDINGS

Date: **10/26/2005**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 301795706-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: VALUE PL INC

624 LIBERTY AVE

Date: **8/18/2005**
Permit Type: **EW**
Description: **FOUNDATION WORK INCLUDING REMOVAL OF PROTRUDING STONE FOUNDATION BEYOND PROPERTY LINE AND RELATED TEMPORARY SHORING AND BRACING OF FIRST AND SECOND FLOORS AS PER PLANS. NO CHANGE IN USE EGRESS OR OCCUPANCY.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 301995394-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ALPHA HORIZON CONST LLC

ADJOINING PROPERTY FINDINGS

625 LIBERTY AVE

Date:	**8/22/2003**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B244946
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MEGAN ELEC'L ENTERP'S INC

Date:	**7/16/2002**
Permit Type:	**EQ**
Description:	**INSTALLATION OF A STEEL SCAFFOLD 240' L X 48' H DURING FACADE REPAIR. BRICK POINTING 48 ' HIGH. NO MATERIAL OR EQUIOPMENT STORAGE ON SCAFFOLD. NO CHA E IN EGRESS USE IOR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SCAFFOLD
Permit Number:	301369980-01-EQ-SF
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	B & C BUILDERS INC

ADJOINING PROPERTY FINDINGS

Date:	**7/10/2002**
Permit Type:	**EQ**
Description:	**INSTALLATION OF A HEAVY DUTY SIDEWALK SHED 260' DURING FACADE REPAIR. SHED TO COMPLY WITH LL33/91. NO CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	301369999-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	B & C BUILDERS INC

Date:	**4/30/2002**
Permit Type:	**EQ**
Description:	**INSTALLATION OF A HEAVY DUTY SIDEWALK SH ED 300 DURING FACADE REPAIR NO HANGE INUSE EGRESS OR OCUCPANCY SHED TO COMPLY WITH LL33/91**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	301235679-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HOMERIC CONTRACTING CO CORP

ADJOINING PROPERTY FINDINGS

Date: **5/1/1990**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B068212
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: GEORGE F. KOLSCH INC.

Date: **7/15/1989**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B054790
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: HELLER ELECTRIC CO. INC.

ADJOINING PROPERTY FINDINGS

626 LIBERTY AVE

Date:	**12/27/2017**
Permit Type:	**EW**
Description:	**APPLICATION FILE TO PROPOSE INTERIOR RENOVATION. REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGH WITH MINOR GYPSUM BOARD WORK. NO CHANGE IN USE OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321683013-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AXONAL DESIGN INC

Date:	**12/27/2017**
Permit Type:	**PL**
Description:	**APPLICATION FILE TO PROPOSE INTERIOR RENOVATION. REPLACE ALL PLUMBING FIXTURES ON EXISTING ROUGH WITH MINOR GYPSUM BOARD WORK. NO CHANGE IN USE OCCUPANCY OR EGRESS.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321683013-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PLUMBING PLBG & PLBG CORP

ADJOINING PROPERTY FINDINGS

630 LIBERTY AVE

Date: **2/20/2003**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B236609
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

Date: **5/20/2000**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B202599
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AGIR ELEC'L LTD.

ADJOINING PROPERTY FINDINGS

642 LIBERTY AVE

Date:	**10/3/2013**
Permit Type:	**EQ**
Description:	**PROPOSED PARTIAL DEMOLITION AT RIGHT TO PORTION 27.8 FT X 44.1 FT TO REMOVE ROOF, WALL, FLOOR SLAB AND FOUNDATION BY HAND, INTERIOR RENOVATION TO EX PORTION, SHEETROCK TO WALL AND CEILING,NEW CHOP FRONT, REPAIR FLOORING, REPLACE PL FIXTURES AT 642 LIBERTY AVENUE BROOKLYN NY 11207.NO CHANGE TO OCCUPANCY USE OR EGRESS**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FENCE
Permit Number:	320744799-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JRS CONSTRUCTION & EXPEDI

Date:	**10/3/2013**
Permit Type:	**EW**
Description:	**PROPOSED PARTIAL DEMOLITION AT RIGHT TO PORTION 27.8 FT X 44.1 FT TO REMOVE ROOF, WALL, FLOOR SLAB AND FOUNDATION BY HAND, INTERIOR RENOVATION TO EX PORTION, SHEETROCK TO WALL AND CEILING,NEW CHOP FRONT, REPAIR FLOORING, REPLACE PL FIXTURES AT 642 LIBERTY AVENUE BROOKLYN NY 11207.NO CHANGE TO OCCUPANCY USE OR EGRESS**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320744799-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JRS CONSTRUCTION & EXPEDI

ADJOINING PROPERTY FINDINGS

Date:	**10/3/2013**
Permit Type:	**PL**
Description:	**PROPOSED PARTIAL DEMOLITION AT RIGHT TO PORTION 27.8 FT X 44.1 FT TO REMOVE ROOF, WALL, FLOOR SLAB AND FOUNDATION BY HAND, INTERIOR RENOVATION TO EX PORTION, SHEETROCK TO WALL AND CEILING,NEW CHOP FRONT, REPAIR FLOORING, REPLACE PL FIXTURES AT 642 LIBERTY AVENUE BROOKLYN NY 11207.NO CHANGE TO OCCUPANCY USE OR EGRESS**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320744799-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ATTACK PLUMBING INC

Date:	**8/1/1995**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B143298
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A-ULTIMATE EL. CON.&MGMT. JOSEPH MYERS

ADJOINING PROPERTY FINDINGS

Date: **11/16/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B134140
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: AL-LECTRIC ELECT'L CONTRG

Date: **7/2/1994**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B128126
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: WCK ELECTRIC CORP.

Date: **5/2/1992**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B099167
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: STAT ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

646 LIBERTY AVE

Date:	**10/26/2010**
Permit Type:	**EW**
Description:	**INSTALL AUTOMATIC FIRE SUPPRESSION SYSTEM IN THE PAINT SPRAY BOOTH IN AN AUTO BODY SHOP. THE PAINT SPRAY BOOTH JOB AND GAS VALVE WERE FILED IN JOB# 320095598. N0 CHANGE IN USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	320165209-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NY FIRE LLC

Date:	**2/5/2010**
Permit Type:	**PL**
Description:	**CONSTRUCT PAINT MIXING ROOM AND INSTALL PAINT SPRAY BOOTH ON FIRST FLOOR. NO CHANGE TO ZONING, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320095598-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ORION PLUMBING & HTG CORP

ADJOINING PROPERTY FINDINGS

Date:	**2/4/2010**
Permit Type:	**EW**
Description:	**CONSTRUCT PAINT MIXING ROOM AND INSTALL PAINT SPRAY BOOTH ON FIRST FLOOR. NO CHANGE TO ZONING, EGRESS OR OCCUPANCY.**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320095598-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CENTERLINE SPRAY BOOTHS

Date:	**2/4/2010**
Permit Type:	**EW**
Description:	**CONSTRUCT PAINT MIXING ROOM AND INSTALL PAINT SPRAY BOOTH ON FIRST FLOOR. NO CHANGE TO ZONING, EGRESS OR OCCUPANCY.**

Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320095598-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CENTERLINE SPRAY BOOTHS

ADJOINING PROPERTY FINDINGS

647 LIBERTY AVE

Date:	**2/17/2023**
Permit Type:	**DM**
Description:	**FULL DEMOLITION OF TWO STORY HOUSE, USING HAND HELD EQUIPMENT TO DEMOLISH AND MECHANICAL MEANS WILL LOAD OUT DEBRIS AND BACK-FILL SITE. PROPERTY HAS BEEN DECLARED AND ED BY DOB VIOLATION #17055**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	322110309-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GERALDO WATSON

Date:	**12/2/2019**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00270475I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CLAIRMONT ELEC'L CONTR'G

ADJOINING PROPERTY FINDINGS

651 LIBERTY AVE

Date:	**9/25/2024**
Permit Type:	**NB**
Description:	
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	321719173-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	UPSTRATE INC

Date:	**9/20/2024**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B01114134I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SOLAS ELECTRICAL CORP

Date:	**8/30/2024**
Permit Type:	**FO**
Description:	
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	321719173-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PRECISION BUILD USA INC

ADJOINING PROPERTY FINDINGS

Date: **8/30/2024**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 321719173-01-FO-EA
Status: RE-ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PRECISION BUILD USA INC

Date: **6/7/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01062927I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: HIVOLTS ELECTRICAL INC

Date: **6/7/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01062928I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: HIVOLTS ELECTRICAL INC

ADJOINING PROPERTY FINDINGS

Date:	**2/17/2023**
Permit Type:	**DM**
Description:	**FULL DEMOLITION OF TWO STORY HOUSE, USING HAND HELD EQUIPMENT, MECHANICAL MEANS WILL BE USED TO LOAD OUT DEBRIS AND BACK-FILL SITE. DOB ISSUED AN EMERGENCY DEC FOR THIS PROPERTY.**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	322110327-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GERALDO WATSON

Date:	**7/23/2022**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00780122I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	HIGH QUALITY ELECTRIC OF

Date:	**11/20/2019**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00268303I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DORION NORTON ELECL CONT

ADJOINING PROPERTY FINDINGS

652 LIBERTY AVE

Date:	**1/6/2016**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING CONSTRUCT ONE FAMILY TWO STORY BUILDING WITH ACCESSORY OFF STREET PARKING FOR TWO CARS. DEC PERMIT # 20-6404-01060/00001. NO ON OR OFF SITE FILL TO EXCEED 300 CUBIC YARDS. HOA DELCLATAION LAND DOC# 453683. DEC DECLARATION 453684. Limited scope of work: EXTERIOR ONLY UNDERGROUND PLUMBING STORM PVC PIPING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	PLUMBING
Permit Number:	5PL010550-01-PL-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH J MANTO

Date:	**6/30/2010**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B328694
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	UL ELECTRICAL CORP.

ADJOINING PROPERTY FINDINGS

Date: **10/1/1987**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B028402
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: N.J.D. ELECTRONICS INC.

Date: **1/6/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K28643
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DA-WILL ELECTRIC CO.INC.

653 LIBERTY AVE

Date: **7/17/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00193158I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: RICHARD NEU

ADJOINING PROPERTY FINDINGS

Date: **2/26/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B392434
Status: COMPLETED, Open
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

Date: **3/13/2007**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B288734
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: BOMA ELEC. CONTR. CORP.

Date: **6/12/1998**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B178730
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: BDS ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

654 LIBERTY AVE

Date:	**12/7/2022**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B08050763I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RM ELECTRIC CO., INC.

Date:	**3/9/2016**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	B408462
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GT ELECTRICAL COMPANY INC

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2016**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **CONSTRUCT ONE FAMILY TWO STORY BUILDING WITH ACCESSORY OFF STREET PARKING FOR** **TWO CARS. DEC PERMIT # 20-6404-01060/00001. NO ON OR OFF SITE FILL TO EXCEED 300** **CUBIC YARDS. HOA DELCLATAION LAND DOC# 453683. DEC DECLARATION 453684.** **Limited scope of work: EXTERIOR ONLY UNDERGROUND PLUMBING STORM PVC PIPING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	PLUMBING
Permit Number:	5PL010551-01-PL-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH J MANTO

Date:	**3/10/2003**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B237381
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANDA ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

Date:	**1/31/2003**
Permit Type:	**EW**
Description:	**Upgrade exist. fire suppression system, as shown on plan. No change in use, occupancy, or egress.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	301495344-01-EW-FP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	IDEAL FIRE CONTROL INC

Date:	**6/3/1997**
Permit Type:	**PL**
Description:	
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	300597138-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WAGNER-WEINTRAUB PLG & HTG ENT.

Date:	**3/28/1997**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B164033
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BDS ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **1/22/1997**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300597138-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY KING DECORATION INC.

Date: **1/22/1997**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use: FENCE
Permit Number: 300597138-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: CITY KING DECORATION INC.

Date: **5/1/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B152637
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: J. F. MARCH INC.

ADJOINING PROPERTY FINDINGS

Date: **5/13/1994**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: MECHANICAL/HVAC
Permit Number: 300297612-01-EW-MH
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: C.M. CONTRACTING INC.

Date: **3/14/1994**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use:
Permit Number: 300297612-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: SUNSET PLG & HTG

Date: **12/15/1993**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: FIRE SUPPRESSION
Permit Number: 300310740-01-EW-FP
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: IDEAL FIRE CONTROL

ADJOINING PROPERTY FINDINGS

Date: **12/6/1993**
Permit Type: **EW**
Description:

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 300297612-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: C.M. CONTRACTING INC

Date: **11/8/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B092170
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: OSWALD E. IEN

ADJOINING PROPERTY FINDINGS

655 LIBERTY AVE

Date:	**10/4/2017**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION FOR EXISTING APARTMENT 2R INCLUDING: REPLACE KITCHEN CABINET, BATHROOM FIXTURE, WOOD FLOOR, NEW WALL BOARD AND CEILING AS PER PLANS SUBMITTED. NO CHANGE IN USE, AGREES OR OCCUPANCY IN THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321662438-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ACS ENVIRONMENTAL & CONST

Date:	**2/29/2016**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	MINOR WORK
Proposed Use:	
Permit Number:	B407933
Status:	ADMINISTRATIVELY CLOSED (MINOR WORK)
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ELECTROTEC OF NY ELECL IN

ADJOINING PROPERTY FINDINGS

Date: **3/21/1990**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B065504
Status: CLOSED/CANCELLED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

Date: **11/2/1989**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B060764
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

656 LIBERTY AVE

Date: **4/15/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B164628
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MORRAY ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

658 LIBERTY AVE

Date:	**5/12/2023**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00873644I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MACINTOSH ELECTRIC CORP

Date:	**4/19/2023**
Permit Type:	**EW**
Description:	**INSTALLATION OF SOLAR PANELS ON EXISTING ROOF. NO CHANGE IN USE, OCCUPANCY, OR EGRESS. NO CHANGE IN BULK.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340885509-01-EW-OT
Status:	ISSUED
Valuation:	$22,800.00
Contractor Company:	
Contractor Name:	QUEST HOME IMPROVEMENT IN

ADJOINING PROPERTY FINDINGS

Date:	**1/6/2016**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING** **CONSTRUCT ONE FAMILY TWO STORY BUILDING WITH ACCESSORY OFF STREET PARKING FOR** **TWO CARS. DEC PERMIT # 20-6404-01060/00001. NO ON OR OFF SITE FILL TO EXCEED 300** **CUBIC YARDS. HOA DELCLATAION LAND DOC# 453683. DEC DECLARATION 453684.** **Limited scope of work: EXTERIOR ONLY UNDERGROUND PLUMBING STORM PVC PIPING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	PLUMBING
Permit Number:	5PL010552-01-PL-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH J MANTO

Date:	**3/28/1997**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B164031
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BDS ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

659 LIBERTY AVE

Date:	**4/28/2014**
Permit Type:	**PL**
Description:	**FILING HEREWITH UPGRADE OF AN EXISTING FOOD PROCESSING STORE TO INCLUDE STORAGE BIN FOR PROCESSING ICE; WORK SCOPE IS LIMITED TO RESTORATION AND REPAIR OF EXISTING ICE PROCESSING MACHINE. NO CHANGE IN USE, EGRESS OR OCCUPANCY, DIRECTIVE II IS HEREWITH REQUESTED.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320582062-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ORION PLUMBING & HTG CORP

Date:	**11/19/2012**
Permit Type:	**EW**
Description:	**FILING HEREWITH UPGRADE OF AN EXISTING FOOD PROCESSING STORE TO INCLUDE STORAGE BIN FOR PROCESSING ICE; WORK SCOPE IS LIMITED TO RESTORATION AND REPAIR OF EXISTING ICE PROCESSING MACHINE. NO CHANGE IN USE, EGRESS OR OCCUPANCY, DIRECTIVE II IS HEREWITH REQUESTED.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320582062-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MIR ISLAM

ADJOINING PROPERTY FINDINGS

Date:	**11/19/2012**
Permit Type:	**EW**
Description:	**FILING HEREWITH UPGRADE OF AN EXISTING FOOD PROCESSING STORE TO INCLUDE STORAGE BIN FOR PROCESSING ICE; WORK SCOPE IS LIMITED TO RESTORATION AND REPAIR OF EXISTING ICE PROCESSING MACHINE. NO CHANGE IN USE, EGRESS OR OCCUPANCY, DIRECTIVE II IS HEREWITH REQUESTED.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	320582062-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MIR ISLAM

Date:	**8/10/2008**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B307613
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MANDA ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

Date: **7/24/1998**
Permit Type: **AL**
Description:

Permit Description: **ALTERATION**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300556501-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: G & T GEN CONST

Date: **4/21/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B165060
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: E & M ELECT CONTRS CORP

Date: **11/22/1996**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: A1 - ALTERATION TYPE 1
Proposed Use:
Permit Number: 300556501-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MAINLAND PLUMBING & HEATING INC.

ADJOINING PROPERTY FINDINGS

663 LIBERTY AVE

Date:	**4/27/2002**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B225578
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MORRAY ELECTRIC CORP.

Date:	**3/14/2002**
Permit Type:	**AL**
Description:	**CHANGE USE FROM STORE AND 2 FAMILIES TO 3-FAMILY DWELLING. NEW BOILER AND HOT WATER HEATER. NEW ENCLOSURE FOR BOILER AND STAIRS.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301065923-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VIGO CONSTRUCTION CORP.

ADJOINING PROPERTY FINDINGS

Date:	**3/14/2002**
Permit Type:	**PL**
Description:	**CHANGE USE FROM STORE AND 2 FAMILIES TO 3-FAMILY DWELLING. NEW BOILER AND HOT WATER HEATER. NEW ENCLOSURE FOR BOILER AND STAIRS.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301065923-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THEODORE WAGNER PLUMBING & HEATI

664 LIBERTY AVE

Date:	**1/6/2016**
Permit Type:	**PL**
Description:	**PLUMBING - NEW BUILDING CONSTRUCT ONE FAMILY TWO STORY BUILDING WITH ACCESSORY OFF STREET PARKING FOR TWO CARS. DEC PERMIT # 20-6404-01060/00001. NO ON OR OFF SITE FILL TO EXCEED 300 CUBIC YARDS. HOA DELCLATAION LAND DOC# 453683. DEC DECLARATION 453684. Limited scope of work: EXTERIOR ONLY UNDERGROUND PLUMBING STORM PVC PIPING**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	PLUMBING
Permit Number:	5PL010555-01-PL-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	JOSEPH J MANTO

ADJOINING PROPERTY FINDINGS

Date: **4/8/2000**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B199883
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MECHANICAL ELECTR'L CORP.

666 LIBERTY AVE

Date: **12/5/2005**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B273865
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: MECHANICAL ELECTR'L CORP.

ADJOINING PROPERTY FINDINGS

667 LIBERTY AVE

Date:	**6/5/2005**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B267279
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RUSSO ELECTRIC INC.

670 LIBERTY AVE

Date:	**2/14/1987**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B016048
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	TIMM'S ELEC. CO. INC.

ADJOINING PROPERTY FINDINGS

671 LIBERTY AVE

Date:	**4/13/2022**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00717333I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	QUEENSBORO ELEC'L CONTR'G

Date:	**9/29/2018**
Permit Type:	**EW**
Description:	**SPRINKLER APPLICATION FILED IN CONJUNCTION WITH NB APPLICATION 321672061.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	340634497-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RRP PLUMBING CORP

ADJOINING PROPERTY FINDINGS

Date: **9/20/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00081139I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: QUEENSBORO ELECTRICAL CONTRACTING C

Date: **8/31/2018**
Permit Type: **PL**
Description: **NEW 10 FAMILY DWELLING WITH SMALL COMMERCIAL SPACE.**

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 321672061-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: RRP PLUMBING CORP

Date: **8/16/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00071553I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: QUEENSBORO ELECTRIC

ADJOINING PROPERTY FINDINGS

Date: **5/29/2018**
Permit Type: **AL**
Description: **SOE APPLICATION FILED IN CONJUNCTION WITH NB APPLICATION 321672061.**

Permit Description: **ALTERATION**
Work Class: A3 - ALTERATION TYPE 3
Proposed Use:
Permit Number: 340600175-01-AL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INFINITY BUILDING GROUP I

Date: **5/21/2018**
Permit Type: **FO**
Description: **NEW 10 FAMILY DWELLING WITH SMALL COMMERCIAL SPACE.**

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 321672061-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INFINITY BUILDING GROUP I

Date: **5/21/2018**
Permit Type: **FO**
Description: **NEW 10 FAMILY DWELLING WITH SMALL COMMERCIAL SPACE.**

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 321672061-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INFINITY BUILDING GROUP I

ADJOINING PROPERTY FINDINGS

Date: **5/21/2018**
Permit Type: **NB**
Description: **NEW 10 FAMILY DWELLING WITH SMALL COMMERCIAL SPACE.**

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 321672061-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: INFINITY BUILDING GROUP I

Date: **10/10/1990**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B074655
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALL AROUND ELECTRIC CORP.

Date: **6/1/1987**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B023057
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ZEV ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **3/30/1987**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B018609
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAYMOR ELECTRIC CORP.

Date: **3/27/1987**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B019607
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: S. A. RANKIN ELEC. CO.

Date: **2/13/1987**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B016364
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DELCO CONTRACTORS INC.

ADJOINING PROPERTY FINDINGS

Date: **1/29/1987**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B016451
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERCITY ELEC'L CONTR'G

Date: **12/1/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B012738
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAYMOR ELECTRIC CORP.

Date: **11/11/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B012833
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: PHASOR ELEC. CO. INC.

ADJOINING PROPERTY FINDINGS

Date: **11/7/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B011813
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J & R ELECTRIC CORP.

Date: **10/1/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B009747
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J & R ELECTRIC CORP.

Date: **10/1/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B010009
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: KONSKER ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **9/8/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B008850
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BEE-GEE ELECTRIC INC.

Date: **8/20/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B007690
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: BEE-GEE ELECTRIC INC.

Date: **8/16/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B007629
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: SEYMOUR ELECTRIC SVC. IN

ADJOINING PROPERTY FINDINGS

Date: **7/30/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B006197
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: INTERCITY ELEC'L CONTR'G

Date: **7/22/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B006175
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAYMOR ELECTRIC CORP.

Date: **11/4/1985**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K26343
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAYMOR ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **6/11/1985**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K22113
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: PHASOR ELEC. CO. INC.

Date: **5/15/1985**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K19915
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DELCO SECURITY SYS. INC.

Date: **9/26/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K11182
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RAYMOR ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date: **2/29/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K02101
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: DELCO SECURITY SYS. INC.

673 LIBERTY AVE

Date: **10/14/1982**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K06849C
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: M & W ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

WARWICK ST

211 WARWICK ST

Date: **12/16/2021**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00648716I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: BERGER QUALITY ELEC'L CON

Date: **9/19/2020**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00401555I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: BERGER QUALITY ELEC'L CON

ADJOINING PROPERTY FINDINGS

Date:	**8/28/2020**
Permit Type:	**EW**
Description:	**ROOFTOP SOLAR INSTALLATION. NO CHANGE TO USE, OCCUPANCY OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340757817-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	KAMTECH RESTORATION CORP

Date:	**1/23/2007**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B287544
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	H & D ELECTRICAL CORP.

Date:	**12/28/2006**
Permit Type:	**EQ**
Description:	
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	302180397-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PHILCO BUILDERS CORP.

ADJOINING PROPERTY FINDINGS

Date: **9/26/2006**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 302180397-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MASTERS MECHANICAL PLBG & HTG CO

Date: **8/31/2006**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 302180397-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: PHILCO BUILDERS CORP.

ADJOINING PROPERTY FINDINGS

214 WARWICK ST

Date:	**8/11/2016**
Permit Type:	**AL**
Description:	**FIX CRACKS IN FRONT & CHANGING COPING STONE ON PARAPET WALL AS PER PLAN .NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	340411085-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SKYWORX CONTRACTING INC

Date:	**6/16/2016**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B413004
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	4000 ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/16/2016**
Permit Type:	**EQ**
Description:	**PROPOSED INSTALLATION OF HEAVY DUTY SIDEWALK SHED FILED FOR REMEDIAL REPAIRS AS PER PLANS. NO CHANGE IN USE OCCUPANCY OR EGRESS UNDER THIS APPLICATION. LIVE LOAD 300 PER SQUARE FEET. SIDEWALK SHED SHALL COMPLY WITH CHAPTER # 33 OF THE 2014 CODE.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	340392872-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SKYRISE GENERAL CONTRACTO

218 WARWICK ST

Date:	**1/12/1995**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B136266
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MORRAY ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

221 WARWICK ST

Date:	**3/25/2021**
Permit Type:	**PL**
Description:	**INTERIOR RENOVATION THROUGHOUT BUILDING AS PER THE DRAWINGS. NO CHANGE TO USE, EGRESS, AND/OR OCCUPANCY**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	322059927-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DNA PLUMBING CONTR. INC

Date:	**1/18/2019**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00121319I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WCK ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date:	**1/10/2019**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION THROUGHOUT BUILDING AS PER THE DRAWINGS. NO CHANGE TO USE, EGRESS, AND/OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	322059927-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ASAP BUILDERS,INC

224 WARWICK ST

Date:	**9/26/2011**
Permit Type:	
Description:	
Permit Description:	**ELECTRICAL**
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	B342795
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AA ELEC. CONTRACTOR INC

ADJOINING PROPERTY FINDINGS

225 WARWICK ST

Date: **6/3/2022**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00750459I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: NEW CENTURY ELEC'L CONTR

Date: **7/1/1991**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B085921
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: LEKTRIC INSTALLATIONS COR

ADJOINING PROPERTY FINDINGS

227 WARWICK ST

Date:	**2/18/2022**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00683436I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	POWER SURGE ELECTRIC, INC

228 WARWICK ST

Date:	**3/18/2011**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	REHABILITATION
Proposed Use:	
Permit Number:	B336864
Status:	ASSIGNED TO INSPECTOR, COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AA ELEC. CONTRACTOR INC

ADJOINING PROPERTY FINDINGS

230 WARWICK ST

Date:	**7/27/2022**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00779265I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	S&R ELECTRICAL & MECHANIC

Date:	**7/21/2022**
Permit Type:	**EW**
Description:	**INSTALLATION OF SOLAR PANELS ON EXISTING ROOF. NO CHANGE IN USE, OCCUPANCY, OR EGRESS. NO CHANGE IN BULK**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	340859011-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WILLIAM JAMES BUSHELL COR

ADJOINING PROPERTY FINDINGS

231 WARWICK ST

Date:	**4/26/2001**
Permit Type:	**EW**
Description:	**TO REFILE ALT 1247/57 WHICH WAS APPROVED BUT NEVER SIGNED OFF.THE ALTERA ION WAS TO RELOCATE BATH ON 1ST FLOOR AN D TO ENCLOSE REAR PORCH.NO CHANGE IN US EGRESS OR OCCUPANCY**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301134494-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMD & ASSOCIATES

Date:	**4/26/2001**
Permit Type:	**PL**
Description:	**TO REFILE ALT 1247/57 WHICH WAS APPROVED BUT NEVER SIGNED OFF.THE ALTERA ION WAS TO RELOCATE BATH ON 1ST FLOOR AN D TO ENCLOSE REAR PORCH.NO CHANGE IN US EGRESS OR OCCUPANCY**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	301134494-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMD & ASSOCIATES

ADJOINING PROPERTY FINDINGS

233 WARWICK ST

Date: **4/1/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B379398
Status: Closed
Valuation: $0.00
Contractor Company:
Contractor Name: AL-LECTRIC ELECT'L CONTRG

236 WARWICK ST

Date: **7/24/1984**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: K09169
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: W. L. SQUIRE ELECTRIC

ADJOINING PROPERTY FINDINGS

239 WARWICK ST

Date: **1/3/1989**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B048752
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: J&H ELECT. SERV. CORP.

Date: **12/16/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B013871
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: G. & S. ELECTRIC CO.

ADJOINING PROPERTY FINDINGS

242 WARWICK ST

Date:	**5/13/2021**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00521342I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ACCURATE ELEC'L CORP.

244 WARWICK ST

Date:	**4/13/2000**
Permit Type:	**EW**
Description:	**LEGALIZE: ONE STORY ADDITION IN THE REAR NEW BATHROOM**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	301010028-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	

ADJOINING PROPERTY FINDINGS

245 WARWICK ST

Date:	**8/19/2003**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B244431
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RELIANT ELEC'L CONT'G INC

Date:	**4/4/2003**
Permit Type:	**PL**
Description:	**Applictaion filed at this time to remove Violation 062697C05H04 and 111797HPD39700448. Remove plumbing fixtures and non load bearing partitions as per plan and obtain new Cert. of Occupancy.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301506813-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RIGID PLBG CONST INC

ADJOINING PROPERTY FINDINGS

Date:	**3/10/2003**
Permit Type:	**AL**
Description:	**Applictaion filed at this time to remove Violation 062697C05H04 and 111797HPD39700448. Remove plumbing fixtures and non load bearing partitions as per plan and obtain new Cert. of Occupancy.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301506813-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GRACELAND DESIGN BUILD ASSOC

Date:	**4/28/2000**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B201903
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	RELIANT ELEC'L CONT'G INC

Date:	**3/11/1988**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B034930
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	J&H ELECT. SERV. CORP.

ADJOINING PROPERTY FINDINGS

249 WARWICK ST

Date:	**4/30/2009**
Permit Type:	**EQ**
Description:	**INSTALLATION OF 55 LINEAR FEET OF HEAVY DUTY SIDEWALK SHED FOR CONSTRUCTION OF NEW SCHOOL, FILED SEPARATELY. SCAFFOLDING SHALL BE ERECTED ON TOP OF SHED, TO BE FILED AND INSTALLED BY OTHERS. LIVE LOAD 300 PSF. SIDEWALK SHED SHALL COMPLY WITH CHAPTER #33 OF THE 2008 CODE. NO CHANGE IN USE, OCCUPANCY OR EGRESS UNDER THIS APPLICATION.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	320012749-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	YORK SCAFFOLD EQUIPMENT C

Date:	**4/22/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B315627
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	STAR-DELTA ELECTRIC LLC

ADJOINING PROPERTY FINDINGS

252 WARWICK ST

Date: **7/21/1986**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B007617
Status: NO ACCESS
Valuation: $0.00
Contractor Company:
Contractor Name: WCK ELECTRIC CORP.

265 WARWICK ST

Date: **3/1/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01012913I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: A & S ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**8/6/2019**
Permit Type:	**EW**
Description:	**REMOVE PARTITION. JOIN TWO OFFICES.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321068287-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	ARMY CONSTRUCTION LLC

Date:	**12/2/2010**
Permit Type:	**AL**
Description:	**HEREBY FILING FIRE PROTECTION PLAN FOR ENTIRE BUILDING. JOB IS FILED IN CONJUNCTION WITH NEW BUILDING(310245507). NO CHANGE IN USE,SIZE, OR EGRESS.**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	320153855-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CYPRESS HILLS COMM. SCH DC

ADJOINING PROPERTY FINDINGS

Date:	**10/1/2010**
Permit Type:	**PL**
Description:	**HEREBY FILING NEW INSTALLATION OF BL,PLUMBING FIXTURES, AND MECHANICAL COMPONENTS FOR ENTIRE BUILDING. JOB IS FILED IN CONJUNCTION WITH NEW BUILDING(310245507). NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320007265-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FORSYTHE P&H CORP

Date:	**7/22/2010**
Permit Type:	**EW**
Description:	**HEREBY FILING NEW INSTALLATION OF BL,PLUMBING FIXTURES, AND MECHANICAL COMPONENTS FOR ENTIRE BUILDING. JOB IS FILED IN CONJUNCTION WITH NEW BUILDING(310245507). NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	MECHANICAL/HVAC
Permit Number:	320007265-01-EW-MH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DART MECHANICAL CORP

ADJOINING PROPERTY FINDINGS

Date:	**7/22/2010**
Permit Type:	**EW**
Description:	**HEREBY FILING NEW INSTALLATION OF BL,PLUMBING FIXTURES, AND MECHANICAL COMPONENTS FOR ENTIRE BUILDING. JOB IS FILED IN CONJUNCTION WITH NEW BUILDING(310245507). NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	320007265-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FORSYTHE P&H CORP

Date:	**7/14/2010**
Permit Type:	**EW**
Description:	**HEREBY FILING NEW INSTALLATION OF SPRINKLER SYSTEM FOR ENTIRE BUILDING. JOB IS FILED IN CONJUNCTION WITH NEW BUILDING(310245507). NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	SPRINKLER
Permit Number:	320007274-01-EW-SP
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SIRINA FIRE PROT CORP

ADJOINING PROPERTY FINDINGS

Date:	**7/2/2010**
Permit Type:	**NB**
Description:	**FILING OF NEW BUILDING FOR PUBLIC SCHOOL PS 89K**
Permit Description:	**NEW BUILDING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	310245507-01-NB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CITNALTA CONSTRUCTION COR

Date:	**6/17/2010**
Permit Type:	**EW**
Description:	**FILING FOR KITCHEN FIRE SUPPRESSION SYSTEM IN CONJUNCTION WITH JOB#320007265, AS SHOWN ON PLAN. FIRE SUPPRESSION SHUTOFF VALVE FILED UNDER JOB#320007265. NO CHANGE IN USE, OCCUPANCY, OR EGRESS.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FIRE SUPPRESSION
Permit Number:	320169955-01-EW-FP
Status:	RE-ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIREMASTERS

Date:	**6/4/2010**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B327836
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIVE STAR ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

Date:	**11/16/2009**
Permit Type:	**EQ**
Description:	**FILING OF NEW BUILDING FOR PUBLIC SCHOOL PS 89K**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	NB - NEW BUILDING
Proposed Use:	FENCE
Permit Number:	310245507-01-EQ-FN
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CITNALTA CONSTRUCTION COR

Date:	**11/16/2009**
Permit Type:	**FO**
Description:	**FILING OF NEW BUILDING FOR PUBLIC SCHOOL PS 89K**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	310245507-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CITNALTA CONSTRUCTION COR

Date:	**11/16/2009**
Permit Type:	**FO**
Description:	**FILING OF NEW BUILDING FOR PUBLIC SCHOOL PS 89K**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	310245507-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CITNALTA CONSTRUCTION COR

ADJOINING PROPERTY FINDINGS

Date:	**11/16/2009**
Permit Type:	**AL**
Description:	**FILING FOR SHEETING AND SHORING FOR PUBLIC SCHOOL PS 89K IN CONJUNCTION WITH NEW BUILDING**
Permit Description:	**ALTERATION**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	
Permit Number:	310295490-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	CITNALTA CONSTRUCTION COR

Date:	**8/17/2009**
Permit Type:	**PL**
Description:	**I AM A SUBSEQUENT APPLICANT FILING FOR UNDERGROUND PLUMBING IN CONJUNCTION WIT H NEW BUILDING.**
Permit Description:	**PLUMBING**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	310245507-03-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FORSYTHE P&H CORP

Date:	**1/7/2009**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B312408
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIVE STAR ELECTRIC CORP.

ADJOINING PROPERTY FINDINGS

282 WARWICK ST

Date: **3/7/2019**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00138922I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: WILLDAN ELECTRICAL OF NY

Date: **1/30/2016**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B406580
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: ELECTROTEC OF NY ELECL IN

Date: **6/26/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B397574
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

283 WARWICK ST

Date: **8/30/2024**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B01104095I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: RONEY ELECTRIC INC

Date: **8/27/2024**
Permit Type: **PL**
Description: **PROPOSE 4 STORY, 10-FAMILY DWELLING.**

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 321766282-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: EXPERT PLUMBING & HEATING

Date: **5/7/2024**
Permit Type: **NB**
Description: **PROPOSE 4 STORY, 10-FAMILY DWELLING.**

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 321766282-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: MOD CONSULTANTS LLC

ADJOINING PROPERTY FINDINGS

Date:	**2/22/2023**
Permit Type:	**FO**
Description:	**PROPOSE 4 STORY, 10-FAMILY DWELLING.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	321766282-01-FO
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MOD CONSULTANTS LLC

Date:	**2/22/2023**
Permit Type:	**FO**
Description:	**PROPOSE 4 STORY, 10-FAMILY DWELLING.**
Permit Description:	**FOUNDATION/EARTHWORK**
Work Class:	NB - NEW BUILDING
Proposed Use:	
Permit Number:	321766282-01-FO-EA
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	MOD CONSULTANTS LLC

Date:	**2/18/2023**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00831126I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AMERICAN POWER ELECT CONS

ADJOINING PROPERTY FINDINGS

Date:	**11/2/2021**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00622727I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	APPROVED ELECTRIC CORP.

Date:	**10/1/2020**
Permit Type:	**DM**
Description:	**PROPOSE FULL DEMOLITION OF EXISTING TWO STORY FRAMED BUILDING WITH CELLAR AND ATTIC LEVEL**
Permit Description:	**DEMOLITION & REMOVAL**
Work Class:	DM - FULL DEMOLITION
Proposed Use:	
Permit Number:	321930693-01-DM
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VINALE MANAGEMENT & CONSU

ADJOINING PROPERTY FINDINGS

Date:	**2/27/2017**
Permit Type:	**EW**
Description:	**APPLICATION FILE TO LEGALIZE 3-PIECE BATHROOM AT CELLAR LEVEL, NO PLUMBING AND CONSTRUCTION WORK AS SHOWN ON PLANS. NO CHANGE OF USE, EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321391329-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AXONAL DESIGN INC

Date:	**2/27/2017**
Permit Type:	**PL**
Description:	**APPLICATION FILE TO LEGALIZE 3-PIECE BATHROOM AT CELLAR LEVEL, NO PLUMBING AND CONSTRUCTION WORK AS SHOWN ON PLANS. NO CHANGE OF USE, EGRESS OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321391329-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	W.R. PLBG AND HTG CORP

ADJOINING PROPERTY FINDINGS

284 WARWICK ST

Date: **4/27/2018**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B00039125I1EL
Status: Permit Issued
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELECTRICAL SERVICES CORP

Date: **6/13/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B429931
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

Date: **5/17/2016**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B411545
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELECTRICAL SERVICES CORP.

ADJOINING PROPERTY FINDINGS

Date: **5/14/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B395550
Status: AWAITING INSPECTION REQUEST, Open
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

Date: **4/30/2014**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B380414
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

Date: **5/1/2013**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B366889
Status: Open
Valuation: $0.00
Contractor Company:
Contractor Name: JECO ELEC'L SERVICE CORP.

ADJOINING PROPERTY FINDINGS

Date: **4/16/2012**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B348998
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **10/6/2011**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B342991
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

Date: **10/3/2011**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B343125
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **5/5/2011**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class: REHABILITATION
Proposed Use:
Permit Number: B337968
Status: AWAITING INSPECTION REQUEST, COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

Date: **4/6/2011**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B337523
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **10/7/2010**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B331809
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: RUSSO ELECTRIC INC.

ADJOINING PROPERTY FINDINGS

Date:	**7/17/2007**
Permit Type:	**EW**
Description:	**INSTALLATION OF NEW ROOF, REMOVAL OF ASBESTOS ON ROOF AND CAULKING. INSTALLATION OF NEW WINDOWS ON NORTH AND EAST SIDE ONLY. NO CHANGE TO EGRESS, USE OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	302260023-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PCF STATE RESTORATION INC.

Date:	**6/30/2007**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B292425
Status:	CLOSED/CANCELLED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DENMAR ELECTRIC CORP

ADJOINING PROPERTY FINDINGS

Date:	**6/28/2007**
Permit Type:	**EQ**
Description:	**INSTALLATION OF A HEAVY DUTY SIDEWALK SHED 215' DURING FACADE REPAIR. NO CHANGE IN USE, EGRESS OR OCCUPANCY.SHED TO COMPLY WITH LL33/91 AND TPPN 9/99.**
Permit Description:	**CONSTRUCTION EQUIPMENT**
Work Class:	A3 - ALTERATION TYPE 3
Proposed Use:	SIDEWALK SHED
Permit Number:	302372279-01-EQ-SH
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PCF STATE RESTORATION INC.

Date:	**7/28/2006**
Permit Type:	**EW**
Description:	**INSTALL (3) REPLACEMENT GAS FIRED BOILERS AND CONNECT TO EXISTING GAS LINE AND METER AND EXISTING BRICK CHIMNEY WITH TERRA COTA LINING.NO CHANGE IN USE, EGRESS OR OCCUPANCY IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	302199751-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BILL NOLAN PL & HTG INC

ADJOINING PROPERTY FINDINGS

Date:	**7/28/2006**
Permit Type:	**PL**
Description:	**INSTALL (3) REPLACEMENT GAS FIRED BOILERS AND CONNECT TO EXISTING GAS LINE AND METER AND EXISTING BRICK CHIMNEY WITH TERRA COTA LINING.NO CHANGE IN USE, EGRESS OR OCCUPANCY IS INVOLVED UNDER THIS APPLICATION.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	302199751-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	BILL NOLAN PL & HTG INC

Date:	**10/30/2003**
Permit Type:	**EW**
Description:	**REPLACE BOILERS AND BURNERS. NO CHANGE T O USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	BOILER
Permit Number:	301516367-01-EW-BL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE BASSOLINO INC

ADJOINING PROPERTY FINDINGS

Date:	**10/30/2003**
Permit Type:	**EW**
Description:	**REPLACE BOILERS AND BURNERS. NO CHANGE T O USE EGRESS OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	FUEL BURNING
Permit Number:	301516367-01-EW-FB
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GEORGE BASSOLINO INC

Date:	**11/1/1999**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B194691
Status:	NO ACCESS
Valuation:	$0.00
Contractor Company:	
Contractor Name:	SALVATORE CAMPISI & SONS

Date:	**5/2/1996**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B152139
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	GENOVESE ELEC & MTN INC

ADJOINING PROPERTY FINDINGS

285 WARWICK ST

Date:	**7/27/2021**
Permit Type:	
Description:	
Permit Description:	**Electrical Permit**
Work Class:	
Proposed Use:	
Permit Number:	B00564780I1EL
Status:	Permit Issued
Valuation:	$0.00
Contractor Company:	
Contractor Name:	WCK ELECTRIC CORP.

287 WARWICK ST

Date:	**8/24/1993**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B116654
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A.R.P. ELEC'L CONT'G INC.

ADJOINING PROPERTY FINDINGS

289 WARWICK ST

Date:	**8/8/2019**
Permit Type:	**EW**
Description:	**INTERIOR RENOVATION OF FIRE DAMAGED BUILDING IN CELLAR, FIRST, SECOND FLOOR, AND ATTIC. PARTITION AND PLUMBING WORK THROUGHOUT. ADDRESS ECB# 35244785H, 35244786J. NO CHANGES TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321705598-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	XINLI.CONSTRUCTION LLC

Date:	**8/8/2019**
Permit Type:	**PL**
Description:	**INTERIOR RENOVATION OF FIRE DAMAGED BUILDING IN CELLAR, FIRST, SECOND FLOOR, AND ATTIC. PARTITION AND PLUMBING WORK THROUGHOUT. ADDRESS ECB# 35244785H, 35244786J. NO CHANGES TO USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321705598-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	PRIME PIPING & HEATING IN

ADJOINING PROPERTY FINDINGS

Date: **11/29/2017**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B437742
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: APPROVED ELECTRIC CORP.

Date: **12/1/1998**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B184701
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JOSEPH WEINSTEIN ELECTRIC

Date: **10/26/1998**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B183554
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: JOSEPH WEINSTEIN ELECTRIC

ADJOINING PROPERTY FINDINGS

327 WARWICK ST

Date: **3/1/2019**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550186-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: W.R. PLBG AND HTG CORP

Date: **12/27/2016**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 320550186-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **11/5/2015**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550186-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

ADJOINING PROPERTY FINDINGS

Date: **8/30/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B400345
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **7/24/2014**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550186-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

329 WARWICK ST

Date: **3/1/2019**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550195-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: W.R. PLBG AND HTG CORP

ADJOINING PROPERTY FINDINGS

Date: **12/27/2016**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 320550195-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **11/5/2015**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550195-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **9/18/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B401164
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/2014**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550195-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **11/18/2014**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550195-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

331 WARWICK ST

Date: **3/5/2019**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550202-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: W.R. PLBG AND HTG CORP

ADJOINING PROPERTY FINDINGS

Date: **12/27/2016**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 320550202-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **11/5/2015**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550202-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **9/18/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B401165
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **11/18/2014**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550202-01-FO
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **11/18/2014**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550202-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

333 WARWICK ST

Date: **3/5/2019**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550211-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: W.R. PLBG AND HTG CORP

ADJOINING PROPERTY FINDINGS

Date: **12/27/2016**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 320550211-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **3/10/2016**
Permit Type:
Description:

Permit Description: **Electrical Permit**
Work Class:
Proposed Use:
Permit Number: B408429
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: K.A.B. ELECTRIC CORP

Date: **11/5/2015**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550211-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

ADJOINING PROPERTY FINDINGS

Date: **9/18/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B401166
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

Date: **7/24/2014**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550211-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

335 WARWICK ST

Date: **3/5/2019**
Permit Type: **PL**
Description:

Permit Description: **PLUMBING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550220-01-PL
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: W.R. PLBG AND HTG CORP

ADJOINING PROPERTY FINDINGS

Date: **12/27/2016**
Permit Type: **EQ**
Description:

Permit Description: **CONSTRUCTION EQUIPMENT**
Work Class: NB - NEW BUILDING
Proposed Use: FENCE
Permit Number: 320550220-01-EQ-FN
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **11/5/2015**
Permit Type: **NB**
Description:

Permit Description: **NEW BUILDING**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550220-01-NB
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

Date: **9/18/2015**
Permit Type:
Description:

Permit Description: **ELECTRICAL**
Work Class:
Proposed Use:
Permit Number: B401163
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name:

ADJOINING PROPERTY FINDINGS

Date: **7/24/2014**
Permit Type: **FO**
Description:

Permit Description: **FOUNDATION/EARTHWORK**
Work Class: NB - NEW BUILDING
Proposed Use:
Permit Number: 320550220-01-FO-EA
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: ZHINGRI BUILDERS INC

336 WARWICK ST

Date: **5/4/1990**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B068316
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: ALWYN MCLEOD

ADJOINING PROPERTY FINDINGS

338 WARWICK ST

Date:	**7/15/2015**
Permit Type:	**PL**
Description:	**FILING FOR THE INSTALLATION OF NEW BOILERS AND HOT WATER HEATERS. NO CHANGE TO USE, EGRESS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321099128-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NCA PLUMBING&HEATING LLC

Date:	**4/21/2015**
Permit Type:	**EW**
Description:	**FILING TO CORRECT VIOLATIONS 34781522N, 3477615Y, AND 34776157H BY REMOVING ILLEGAL PARTITIONS AND CUTTING/CAPPING ILLEGAL CELLAR BATHROOM. NO CHANGE TO USE, EGRESS NOR OCCUPANCY.**
Permit Description:	**EQUIPMENT WORK**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	OTHER CONSTRUCTION EQUIPMENT
Permit Number:	321097040-01-EW-OT
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	A & I DEVELOPERS INC

ADJOINING PROPERTY FINDINGS

Date:	**4/21/2015**
Permit Type:	**PL**
Description:	**FILING TO CORRECT VIOLATIONS 34781522N, 3477615Y, AND 34776157H BY REMOVING ILLEGAL PARTITIONS AND CUTTING/CAPPING ILLEGAL CELLAR BATHROOM. NO CHANGE TO USE, EGRESS NOR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	321097040-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	NCA PLUMBING&HEATING LLC

Date:	**12/10/2008**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B311719
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	DUDLEY & ASSOC. LIC. ELEC

Date:	**10/28/1997**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B171388
Status:	AWAITING INSPECTION REQUEST
Valuation:	$0.00
Contractor Company:	
Contractor Name:	AL FOY ELECTRIC

ADJOINING PROPERTY FINDINGS

Date: **9/9/1997**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B169706
Status: AWAITING INSPECTION REQUEST
Valuation: $0.00
Contractor Company:
Contractor Name: AL FOY ELECTRIC

Date: **3/22/1995**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B138446
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: VINTAGE ELEC. SERVICE INC

341 WARWICK ST

Date: **8/12/2001**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B216448
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: THOMPSON ELEC'L MAIN SERV

ADJOINING PROPERTY FINDINGS

Date:	**12/22/2000**
Permit Type:	**AL**
Description:	**ENLARGEMENT AT REAR ON FIRST FLOOR AND A DDITION OF 2ND FLOOR ON EXIST ST FLOOR.CHANGE USE FROM GARAGE TO 2-FA MILY DWELLLING**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301105364-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VIGO CONSTRUCTION CORP

Date:	**12/22/2000**
Permit Type:	**PL**
Description:	**ENLARGEMENT AT REAR ON FIRST FLOOR AND A DDITION OF 2ND FLOOR ON EXIST ST FLOOR.CHANGE USE FROM GARAGE TO 2-FA MILY DWELLLING**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301105364-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THEODORE WAGNER PLUMBING & HEAT

ADJOINING PROPERTY FINDINGS

343 WARWICK ST

Date:	**4/25/2001**
Permit Type:	
Description:	
Permit Description:	**Electrical**
Work Class:	
Proposed Use:	
Permit Number:	B212603
Status:	COMPLETED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THOMPSON ELEC'L MAIN SERV

Date:	**11/14/2000**
Permit Type:	**AL**
Description:	**ENLARGEMENT ON 1ST FAND 2ND FLOORS. CHAN GE USE FORM ONE FAMILY TO 2-FAM LY DWELLING.**
Permit Description:	**ALTERATION**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301081086-01-AL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	VIGO CONSTRUCTION CORP

ADJOINING PROPERTY FINDINGS

Date:	**11/14/2000**
Permit Type:	**PL**
Description:	**ENLARGEMENT ON 1ST FAND 2ND FLOORS. CHAN GE USE FORM ONE FAMILY TO 2-FAM LY DWELLING.**
Permit Description:	**PLUMBING**
Work Class:	A1 - ALTERATION TYPE 1
Proposed Use:	
Permit Number:	301081086-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	THEODORE WAGNER PLUMBING & HEAT

345 WARWICK ST

Date:	**1/6/2011**
Permit Type:	**PL**
Description:	**PROPOSE TWO-PIECE , HALF BATH IN CELLAR. PL WORK ONLY. THE OT WORK IS FILED UNDER SEPARATE APPLICATION #320132771. NO CHANGE IN USE, EGRESS, OR OCCUPANCY.**
Permit Description:	**PLUMBING**
Work Class:	A2 - ALTERATION TYPE 2
Proposed Use:	
Permit Number:	320233975-01-PL
Status:	ISSUED
Valuation:	$0.00
Contractor Company:	
Contractor Name:	FIRST CHOICE PLUMBING COR

ADJOINING PROPERTY FINDINGS

Date: **7/7/2010**
Permit Type: **EW**
Description: **INTERIOR WORK. REPLACE EXISTING RUTTED PARTITIONS WITH NEW.**

Permit Description: **EQUIPMENT WORK**
Work Class: A2 - ALTERATION TYPE 2
Proposed Use: OTHER CONSTRUCTION EQUIPMENT
Permit Number: 320132771-01-EW-OT
Status: ISSUED
Valuation: $0.00
Contractor Company:
Contractor Name: S HOME IMPROVEMENT INC

Date: **4/29/2010**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B326710
Status: ASSIGNED TO INSPECTOR
Valuation: $0.00
Contractor Company:
Contractor Name: TRINCITY ELECTRIC INC

Date: **11/22/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B160308
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: KINGS ELECTRIC CO. INC.

ADJOINING PROPERTY FINDINGS

Date: **10/5/1996**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B158132
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: KINGS ELECTRIC CO. INC.

Date: **4/8/1995**
Permit Type:
Description:

Permit Description: **Electrical**
Work Class:
Proposed Use:
Permit Number: B139236
Status: COMPLETED
Valuation: $0.00
Contractor Company:
Contractor Name: PAC ELECTRIC CORP.

GLOSSARY

General Building Department concepts

- **ICC:** The International Code Council. The governing body for the building/development codes used by all jurisdictions who've adopted the ICC guidelines. MOST of the US has done this. Canada, Mexico, and other countries use ICC codes books and guides as well. There are a few states who have added guidelines to the ICC codes to better fit their needs. For example, California has added seismic retrofit requirements for most commercial structures.
- **Building Department (Permitting Authority, Building Codes, Inspections Department, Building and Inspections):** This is the department in a jurisdiction where an owner or contractor goes to obtain permits and inspections for building, tearing down, remodeling, adding to, re-roofing, moving or otherwise making changes to any structure, Residential or Commercial.
- **Jurisdiction:** This is the geographic area representing the properties over which a Permitting Authority has responsibility.
- **GC:** General Contractor. Usually the primary contractor hired for any Residential or Commercial construction work.
- **Sub:** Subordinate contracting companies or subcontractors. Usually a "trades" contractor working for the GC. These contractors generally have an area of expertise in which they are licensed like Plumbing, Electrical, Heating and Air systems, Gas Systems, Pools etc. (called "trades").
- **Journeymen:** Sub contractors who have their own personal licenses in one or more trades and work for different contracting companies, wherever they are needed or there is work.
- **HVAC (Mechanical, Heating & Air companies):** HVAC = Heating, Ventilation, and Air Conditioning.
- **ELEC (Electrical, TempPole, TPole, TPower, Temporary Power, Panel, AMP Change, Power Release):** Electrical permits can be pulled for many reasons. The most common reason is to increase the AMPs of power in an electrical power panel. This requires a permit in almost every jurisdiction. Other commons reason for Electrical permits is to insert a temporary power pole at a new construction site. Construction requires electricity, and in a new development, power has yet to be run to the lot. The temporary power pole is usually the very first permit pulled for new development. The power is released to the home owner when construction is complete and this sometimes takes the form of a Power Release permit or inspection.
- **"Pull" a permit:** To obtain and pay for a building permit.
- **CBO:** Chief Building Official
- **Planning Department:** The department in the development process where the building /structural plans are reviewed for their completeness and compliance with building codes
- **Zoning Department:** The department in the development process where the site plans are reviewed for their compliance with the regulations associated with the zoning district in which they are situated.
- **Zoning District:** A pre-determined geographic boundary within a jurisdiction where certain types of structures are permitted / prohibited. Examples are Residential structure, Commercial/Retail structures, Industrial/Manufacturing structures etc. Each zoning district has regulations associated with it like the sizes of the lots, the density of the structures on the lots, the number of parking spaces required for certain types of structures on the lots etc.
- **PIN (TMS, GIS ID, Parcel#):** Property Identification Number and Tax Map System number.
- **State Card (Business license):** A license card issued to a contractor to conduct business.
- **Building Inspector (Inspector):** The inspector is a building department employee that inspects building construction for compliance to codes.
- **C.O.:** Certificate of Occupancy. This is the end of the construction process and designates that the owners now have permission to occupy a structure after its building is complete. Sometimes also referred to as a Certificate of Compliance.

GLOSSARY

Permit Content Definitions

- Permit Number: The alphanumerical designation assigned to a permit for tracking within the building department system. Sometimes the permit number gives clues to its role, e.g. a "PL" prefix may designate a plumbing permit.
- Description: A field on the permit form that allows the building department to give a brief description of the work being done. More often than not, this is the most important field for EP's to find clues to the prior use (s) of the property.
- Permit Type: Generally a brief designation of the type of job being done. For example BLDG-RES, BLDG-COM, ELEC, MECH etc.

Sample Building Permit Data

Date: Nov 09, 2000
Permit Type: Bldg -
New Permit Number: 101000000405
Status: Valuation: $1,000,000.00
Contractor Company: OWNER-BUILDER
Contractor Name:

Description: New one store retail (SAV-ON) with drive-thru pharmacy. Certificate of Occupancy.

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207

Inquiry Number: 7942990.7
April 02, 2025

EDR Environmental Lien and AUL Search

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

EDR Environmental Lien and AUL Search

The EDR Environmental Lien Search Report provides results from a search of available current land title records for environmental cleanup liens and other activity and use limitations (AULs), such as engineering controls and institutional controls.

A network of professional, trained researchers, following established procedures, uses client supplied address information to:

- search for parcel number and/or legal description
- search for ownership information
- research official land title documents recorded at jurisdictional agencies such as recorders' offices, registries of deeds, county clerks' offices, etc.
- search for publicly available environmental encumbering instrument(s) filed on or after the recording of the current deed; between the recording of the current deed and the most current publicly available date
- provide a copy of any environmental encumbrance(s)
- provide a copy of the current deed when available

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2024 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EDR Environmental Lien and AUL Search

TARGET PROPERTY INFORMATION

ADDRESS

2916 Atlantic Avenue
2916 Atlantic Avenue
Brooklyn, NY 11207

ENVIRONMENTAL LIEN

Environmental Lien: Found ☐ Not Found ☒

OTHER ACTIVITY AND USE LIMITATIONS (AULs)

AULs: Found ☐ Not Found ☒

RESEARCH SOURCE

Source 1:

KINGS COUNTY CLERK
Kings, NY

PROPERTY INFORMATION


Deed 1:

Type of Deed:	DEED
Title is vested in:	ARGAB PROPERTIES LLC
Title received from:	MARIO PAPA
Deed Dated	1/24/2007
Deed Recorded:	2/26/2007
Book:	NA
Page:	NA
Volume:	NA
Instrument:	2007021301493001
Docket:	NA
Land Record Comments:	
Miscellaneous Comments:	
Legal Description:	SEE EXHIBIT
Legal Current Owner:	ARGAB PROPERTIES LLC
Parcel # / Property Identifier:	BLOCK 3967, LOT 15
Comments:	SEE EXHIBIT

Deed Exhibit 1

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER

This page is part of the instrument. The City Register will rely on the information provided by you on this page for purposes of indexing this instrument. The information on this page will control for indexing purposes in the event of any conflict with the rest of the document.



2007021301493001001E7D1C

RECORDING AND ENDORSEMENT COVER PAGE **PAGE 1 OF 4**

Document ID: 2007021301493001 Document Date: 01-24-2007 Preparation Date: 02-13-2007
Document Type: DEED
Document Page Count: 3

PRESENTER:	**RETURN TO:**
ULTIMATE ABSTRACT SERVICES PICKUP -	FRANK J DIDERO ESQ
STEWART TITLE INS. CO.	47-14 158TH STREET
121 WEST OAK STREET	FLUSHING, NY 11358
AMITYVILLE, NY 11701	
631-598-0474	
brian.payne@cleabstract.com	

PROPERTY DATA

Borough	Block	Lot	Unit	Address
BROOKLYN	3967	15	Entire Lot	2914-16 ATLANTIC AVENUE

Property Type: COMMERCIAL REAL ESTATE

CROSS REFERENCE DATA

CRFN_____ *or* Document ID_____ *or* _____ Year____ Reel ___ Page ____ *or* File Number_____

PARTIES

GRANTOR/SELLER:	**GRANTEE/BUYER:**
MARIO PAPA	ARGAB PROPERTIES LLC
163-03 99 ST	163-03 99 ST
HOWARD BEACH, NY 11414	HOWARD BEACH, NY 11414

FEES AND TAXES

Mortgage		
Mortgage Amount:	$	0.00
Taxable Mortgage Amount:	$	0.00
Exemption:		
TAXES: County (Basic):	$	0.00
City (Additional):	$	0.00
Spec (Additional):	$	0.00
TASF:	$	0.00
MTA:	$	0.00
NYCTA:	$	0.00
Additional MRT:	$	0.00
TOTAL:	$	0.00
Recording Fee:	$	52.00
Affidavit Fee:	$	0.00

Filing Fee:	$	165.00
NYC Real Property Transfer Tax:	$	0.00
NYS Real Estate Transfer Tax:	$	0.00

RECORDED OR FILED IN THE OFFICE OF THE CITY REGISTER OF THE CITY OF NEW YORK

Recorded/Filed 02-26-2007 14:05
City Register File No.(CRFN):
2007000105641

City Register Official Signature

Form 8003 (9/99) — Warranty Deed, With Full Covenants—Individual or Corporation. (single sheet)

UCRECS441K-4

CONSULT YOUR LAWYER BEFORE SIGNING THIS INSTRUMENT — THIS INSTRUMENT SHOULD BE USED BY LAWYERS ONLY.

THIS INDENTURE, made the 24th day of January 2007 and

BETWEEN MARIO PAPA residing at 163-03 99th Street
Howard Beach, N.Y. 11414

party of the first part, and

ARGAB PROPERTIES LLC, a New York limited liability company
having its principal place of business at 163-03 99th Street,
Howard Beach, N.Y. 11414

party of the second part,

WITNESSETH, that the party of the first part, in consideration of ten dollars and other valuable consideration paid by the party of the second part, does hereby grant and release unto the party of the second part, the heirs or successors and assigns of the party of the second part forever,

ALL that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Brooklyn, County of Kings, City and State of New York, more particularly described in the Schedule "A" annexed hereto, premises being known as and by the street address 2914-16 Atlantic Ave. Brooklyn, N.Y. 11207

B 3961
L
15

TOGETHER with all right, title and interest, if any, of the party of the first part in and to any streets and roads abutting the above described premises to the center lines thereof; TOGETHER with the appurtenances and all the estate and rights of the party of the first part in and to said premises; TO HAVE AND TO HOLD the premises herein granted unto the party of the second part, the heirs or successors and assigns of the party of the second part forever.

AND the party of the first part, in compliance with Section 13 of the Lien Law, covenants that the party of the first part will receive the consideration for this conveyance and will hold the right to receive such consideration as a trust fund to be applied first for the purpose of paying the cost of the improvement and will apply the same first to the payment of the cost of the improvement before using any part of the total of the same for any other purpose.

AND the party of the first part covenants as follows: that said party of the first part is seized of the said premises in fee simple, and has good right to convey the same; that the party of the second part shall quietly enjoy the said premises; that the said premises are free from incumbrances, except as aforesaid; that the party of the first part will execute or procure any further necessary assurance of the title to said premises; and that said party of the first part will forever warrant the title to said premises.
The word "party" shall be construed as if it read "parties" whenever the sense of this indenture so requires.

IN WITNESS WHEREOF, the party of the first part has duly executed this deed the day and year first above written.

IN PRESENCE OF:

MARIO PAPA

State of New York, County of QUEENS , ss:

On the 24 day of January, in the year 2007, before me, the undersigned, personally appeared MARIO PAPA

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.

AUDRA MUSCO
~~Notary Public – State of New York~~
~~No. 01MU5057214~~
~~Qualified in Nassau County~~
~~My Commission Expires March 18, 2010~~

AUDRA MUSCO
Notary Public – State of New York
No. 01MU5057214
Qualified in Nassau County
My Commission Expires March 18, 2010

SEAL

Audra Musco
NOTARY PUBLIC

Acknowledgement by Subscribing Witness taken in New York State

State of New York, County of , ss:

On the day of , in the year , before me, the undersigned, personally appeared

the subscribing witness to the foregoing instrument, with whom I am personally acquainted, who being by me duly sworn, did depose and say, that he/she/they reside(s) in

that he/she/they know(s)
to be the individual described in and who executed the foregoing instrument; that said subscribing witness was present and saw said
execute the same; and that said witness at the same time subscribed his/her/their name(s) as a witness thereto.

State of New York, County of , ss:

On the day of , in the year , before me, the undersigned, personally appeared

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), and that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument.

Acknowledgement taken outside New York State

* State of , County of , ss:
* (or insert District of Columbia, Territory, Possession or Foreign Country)

On the day of , in the year , before me, the undersigned, personally appeared

personally known to me or proved to me on the basis of satisfactory evidence to be the individual(s) whose name(s) is (are) subscribed to the within instrument and acknowledged to me that he/she/they executed the same in his/her/their capacity(ies), that by his/her/their signature(s) on the instrument, the individual(s) or the person upon behalf of which the individual(s) acted, executed the instrument, and that such individual made such appearance before the undersigned in the

(add the city or political subdivision and the state or country or other place the acknowledgement was taken).

Title No.: UCREC5441K-W

MARIO PAPA

TO

ARGAB PROPERTIES LLC

Distributed by
Chicago Title Insurance Company

SECTION
BLOCK 3967
LOT 10 & 15
COUNTY OR TOWN KINGS

RETURN BY MAIL TO:

FRANK J. DIDERO, ESQ.
47-14 158th Street
Flushing, New York 11358

Zip No.

RESERVE THIS SPACE FOR USE OF RECORDING OFFICE

LOT 15

REEL 4912PG0256

SCHEDULE A

ALL that certain plot, piece or parcel of land, with the building and improvements thereon erected, situate, lying and being in the Borough of Brooklyn, County of Kings, City and State of New York, DESIGNATED AT lOTS #1,2,3 AND PART OF 4 In BLOCK "A" on a certain map entitled "Map of East New York lots surveyed by Martin G. Johnson of Jamaica, filed 6/12/1860 and now on file in the Register's Office of Kings County and which said lots and part of lot when taken together are bounded and described as follows:

BEGINNING at a point distant 375 feet Northerly from the Northerly side of Liberty Avenue and 73 feet Westerly from the Westerly side of Ashford Street, formerly Adams Street;

running thence westerly parallel with Liberty Avenue, 72 feet 3 1/2 inches to the Westerly line of said lot No. 1 on said map;


thence northerly along said westerly line on said map, 88 feet 10 inches to the southeasterly side of Atlantic Avenue;

thence Northeasterly along the southeasterly side of Atlantic Avenue, 72 feet 8 1/2 inches to a point that intersects a line drawn parallel with Ashford Street and 98 feet 5 3/4 inches northerly from the point of BEGINNING;

thence Southerly along said line parallel with Ashford Street 98 feet 5 3/4 inches **to the point or place of BEGINNING.**

25×10

NYC DEPARTMENT OF FINANCE
OFFICE OF THE CITY REGISTER



2007021301493001001SB39D

SUPPORTING DOCUMENT COVER PAGE **PAGE 1 OF 1**

Document ID: 2007021301493001 Document Date: 01-24-2007 Preparation Date: 02-13-2007
Document Type: DEED

ASSOCIATED TAX FORM ID: 2007012400231

SUPPORTING DOCUMENTS SUBMITTED:

	Page Count
RP - 5217 REAL PROPERTY TRANSFER REPORT	1

FOR CITY USE ONLY

C1. County Code | | C2. Date Deed Recorded | / / | Month Day Year

C3. Book OR C5. CRFN | | C4. Page | |

REAL PROPERTY TRANSFER REPORT

STATE OF NEW YORK
STATE BOARD OF REAL PROPERTY SERVICES

RP - 5217NYC

(Rev 11/2002)

PROPERTY INFORMATION

1. Property Location: 2914-16 (STREET NUMBER) | ATLANTIC AVENUE (STREET NAME) | BROOKLYN (BOROUGH) | 11207 (ZIP CODE)

2. Buyer Name: ARGAB PROPERTIES LLC (LAST NAME / COMPANY) | (FIRST NAME)

(LAST NAME / COMPANY) | (FIRST NAME)

3. Tax Billing Address: Indicate where future Tax Bills are to be sent if other than buyer address (at bottom of form) (LAST NAME / COMPANY) | (FIRST NAME)

(STREET NUMBER AND STREET NAME) | (CITY OR TOWN) | (STATE) | (ZIP CODE)

4. Indicate the number of Assessment Roll parcels transferred on the deed: 1 # of Parcels OR ☐ Part of a Parcel

4A. Planning Board Approval - N/A for NYC
4B. Agricultural District Notice - N/A for NYC

5. Deed Property Size: (FRONT FEET) X (DEPTH) OR (ACRES)

Check the boxes below as they apply:
6. Ownership Type is Condominium ☐
7. New Construction on Vacant Land ☐

8. Seller Name: PAPA (LAST NAME / COMPANY) | MARIO (FIRST NAME)

(LAST NAME / COMPANY) | (FIRST NAME)

9. Check the box below which most accurately describes the use of the property at the time of sale:

A ☐ One Family Residential
B ☐ 2 or 3 Family Residential
C ☐ Residential Vacant Land
D ☐ Non-Residential Vacant Land
E ☑ Commercial
F ☐ Apartment
G ☐ Entertainment / Amusement
H ☐ Community Service
I ☐ Industrial
J ☐ Public Service

SALE INFORMATION

10. Sale Contract Date: 1 / 24 / 2007 (Month / Day / Year)

11. Date of Sale / Transfer: 1 / 24 / 2007 (Month / Day / Year)

12. Full Sale Price $ 0

(Full Sale Price is the total amount paid for the property including personal property. This payment may be in the form of cash, other property or goods, or the assumption of mortgages or other obligations.) *Please round to the nearest whole dollar amount.*

13. Indicate the value of personal property included in the sale

14. Check one or more of these conditions as applicable to transfer:

A ☐ Sale Between Relatives or Former Relatives
B ☐ Sale Between Related Companies or Partners in Business
C ☐ One of the Buyers is also a Seller
D ☐ Buyer or Seller is Government Agency or Lending Institution
E ☐ Deed Type not Warranty or Bargain and Sale (Specify Below)
F ☐ Sale of Fractional or Less than Fee Interest (Specify Below)
G ☐ Significant Change in Property Between Taxable Status and Sale Dates
H ☐ Sale of Business is Included in Sale Price
I ☑ Other Unusual Factors Affecting Sale Price (Specify Below)
J ☐ None

ASSESSMENT INFORMATION - Data should reflect the latest Final Assessment Roll and Tax Bill

15. Building Class: G, 2

16. Total Assessed Value (of all parcels in transfer)

17. Borough, Block and Lot / Roll Identifier(s) (If more than three, attach sheet with additional identifier(s))

BROOKLYN 3967 15

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and I understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER

BUYER SIGNATURE | DATE

STREET NUMBER | STREET NAME (AFTER SALE)

CITY OR TOWN | STATE | ZIP CODE

BUYER'S ATTORNEY

LAST NAME | FIRST NAME

AREA CODE | TELEPHONE NUMBER

SELLER

SELLER SIGNATURE | DATE

2007012400231201

CERTIFICATION

I certify that all of the items of information entered on this form are true and correct (to the best of my knowledge and belief) and understand that the making of any willful false statement of material fact herein will subject me to the provisions of the penal law relative to the making and filing of false instruments.

BUYER

BUYER SIGNATURE: [signature] DATE: 1-24-07

STREET NUMBER: 163-03 STREET NAME (AFTER SALE): 99th ST

CITY OR TOWN: HOWARD BEACH STATE: NY ZIP CODE: 11414

BUYER'S ATTORNEY

LAST NAME: FIRST NAME:

AREA CODE: TELEPHONE NUMBER:

SELLER

SELLER SIGNATURE: [signature] DATE: 1-24-07

2007012400231201

APPENDIX D
Subject Property Photographs



Photo 1: View of the subject property, facing south.



Photo 2: View of office space on the northwestern portion of the subject property, facing south.



Photo 3: View of interior of subject property building, facing south.




Photo 4: View of interior of subject property building, facing northeast.



Photo 5: View of interior of subject property building, facing northwest.




Photo 6: View of vehicle maintenance area and hydraulic lifts, facing southeast.




Photo 7: View of vehicle maintenance area and hydraulic lifts, facing southwest.




Photo 8: View of floor hatch leading to electric panel near garage entrance, facing east.



Photo 9: View of the chemical storage room, facing south.




Photo 10: View of two aboveground storage tanks (left) observed in chemical storage room, facing east.




Photo 11: View of chemicals stored on table in auto repair garage, facing northeast.



Photo 12: View of waste oil drum stored along east interior wall, facing east.



Photo 13: View of minor staining observed on concrete floor in the western portion of the garage, facing west.



Photo 14: View of Atlantic Avenue followed by north-adjacent property, facing north.




Photo 15: View of east-adjacent property along Atlantic Avenue, facing southeast.



Photo 16: View of east-adjacent property along Ashford Street, facing west.



Photo 17: View of south-adjacent property along Ashford Street, facing west.




Photo 18: View of south-adjacent property along Warwick Street, facing northeast.




Photo 19: View of west-adjacent property, facing east.



Photo 20: View of west and south-adjacent properties along Warwick Street, facing northeast.

H & A OF NEW YORK ENGINEERING
AND GEOLOGY, LLP
213 W. 35th St
7th Floor
New York, NY 10001
646.277.5685

May 15, 2025
File No. 0213315

Blue Sky Builders
670 Myrtle Avenue, #6367
Brooklyn, New York 11205

Attention: Mr. Shachne Rabi

Subject: Limited Phase II Environmental Site Investigation Summary
2916 Atlantic Avenue
Brooklyn, New York

Dear Mr. Rabi:

As requested, H & A of New York Engineering and Geology, LLP (Haley & Aldrich of New York), is providing this letter to Blue Sky Builders summarizing the results of the Limited Phase II Environmental Site Investigation (ESI) completed at the property located at 2916 Atlantic Avenue, Brooklyn, New York (the "Site") on April 9, 2025.

Site Location

The Site, identified as Block 3967, Lot 15 on the New York City tax map, is approximately 0.15 acres (6,455 square feet) in size and is located in the East New York neighborhood of Brooklyn, New York. The Site is currently improved with an active one-story auto repair facility and is located in a residential (R8A) zoning area with a commercial (C2-4) overlay, within the Ocean Hill and East New York Special Enhanced Commercial District (EC-5). The Site is listed with an E-Designation (E-366) for hazardous materials and noise quality as part of the East New York, resulting from City Environmental Quality Review (CEQR) #15DCP102K. Currently, the Site is used as an automotive maintenance and repair facility operated by AAMCO Transmissions & Total Car Care. A Site Locus is provided as Figure 1.

Background

Based on a Phase I Environmental Site Assessment (ESA) completed by Haley & Aldrich of New York for the Site in May 2025, the Site consisted of four undeveloped lots by 1887, identified as 2916-2924 Atlantic Avenue. By 1928, the lots were combined and improved with several one-story automotive garages arranged around a central courtyard, with two partial basements located in the northeastern and northwestern portions of the Site, respectively. A Certificate of Occupancy dated March 4, 1935, described the Site as improved with a one-story store and motor vehicle repair shop with four individual garages and one 550-gallon tank. The 1951 Sanborn Fire Insurance Map depicts the Site improved with the current one-story building, operated as an auto repair shop. The Site has remained

relatively unchanged through the present and is currently an active auto repair shop occupied by "AAMCO Transmissions & Total Car Care."

The Site is bounded to the north by Atlantic Avenue, followed by a four-story educational use building occupied by "P.S. 089 Cypress Hills Community School"; to the east by a two-story residential building and a one-story auto repair shop; to the south by a partially vacant two-story industrial use building, partially occupied by the "Iglesia Restauracion Rehoboth" church, and a four-story residential building; and to the west by a four-story warehouse building.

Limited Subsurface Investigation

On April 9, 2025, Haley & Aldrich of New York mobilized to the Site with Ground Penetrating Radar Systems, LLC (GPRS) and Lakewood Environmental Services Corp. (Lakewood) to conduct a Limited Phase II ESI. GPRS completed subsurface utility clearance prior to the initiation of ground intrusive activities. Eight soil borings, two temporary monitoring wells, and two temporary soil vapor points were installed by Lakewood using a direct-push 54DT Geoprobe® drill rig. GPRS cleared sampling points and identified subsurface utilities during the survey. A report summarizing the geophysical survey is included in Attachment A.

Haley & Aldrich of New York field representatives were on the Site to document field observations and to collect soil, groundwater, and soil vapor samples. Boring locations were chosen to assess the impacts from potential on- and off-Site sources and to characterize subsurface conditions at the Site. Eight soil borings, B-01 through B-08, were installed in accessible areas throughout the Site to a depth of 12 feet (ft) below ground surface (bgs). Two temporary monitoring wells, TWP-01 and TWP-02, were installed to a depth of 32 ft bgs in the northeastern and southwestern portions of the Site, respectively. Two temporary soil vapor points, SP-01 and SP-02, were installed to a depth of 10 ft bgs in the northeastern and southwestern portions of the Site, respectively. Sample locations are provided on Figure 1. Soil boring logs are included in Attachment B, and the soil vapor purge log is included in Attachment C.

Fill material generally consisting of dark brown medium sand, with silt, gravel, and brick, was observed from below the 6-inch concrete slab to approximately 4 to 6 ft bgs. The fill layer was underlain by a potential native layer consisting of brown, fine to medium sand with varying amounts of silt, gravel, and stone up to the terminus depth in each soil boring. Soil samples were collected continuously, characterized, and screened for visual and olfactory evidence of contamination such as staining and odors. Instrumental screening for the presence of organic vapors was performed using a photoionization detector (PID). No apparent subsurface impacts were observed, including odors and staining, and PID readings of non-detect at 0.0 parts per million (ppm) were observed in each soil boring. Groundwater was encountered at a depth of approximately 28 ft bgs.

A total of eight soil samples, one from each soil boring, were collected and analyzed for volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), and total metals. Soil samples were biased towards intervals with the most impacted material. Two groundwater samples, one from each temporary monitoring well, were collected via peristaltic pump and dedicated tubing and analyzed for

VOCs. Prior to sample collection, groundwater was purged until three well volumes were removed. Two soil vapor samples were collected over a two-hour period into 2.7-liter stainless-steel summa canisters supplied by the laboratory and analyzed for VOCs via United States Environmental Protection Agency Method TO-15.

All soil and groundwater samples were collected into laboratory-provided containers, placed on ice in coolers, and transported by courier to Pace Analytical Services, LLC (Pace), of Westborough, Massachusetts, a New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP)-certified laboratory. The soil vapor samples were collected into laboratory-provided canisters with two-hour flow controllers and transported by courier to Pace's Mansfield, Massachusetts, location.

Results

Full analytical results for soil, groundwater, and soil vapor samples are provided in Tables 1, 2, and 3, respectively, and are summarized on Figures 2, 3, and 4, respectively. Laboratory analytical reports are provided in Attachment D.

SOIL

Soil analytical results were compared to the New York State Department of Environmental Conservation (NYSDEC) Title 6 of the New York Codes, Rules, and Regulations (NYCRR) Part 375 Unrestricted Use Soil Cleanup Objectives (UUSCOs) and Restricted-Residential Use Soil Cleanup Objectives (RRSCOs).

One VOC, acetone, was detected above the UUSCO in three soil samples, at a maximum concentration of 0.58 milligrams per kilogram (mg/kg) in B-05_2-4.

Nine SVOCs, specifically polycyclic aromatic hydrocarbons (PAHs), were detected at concentrations above UUSCOs and/or RRSCOs in multiple soil samples collected. Seven SVOCs were detected above UUSCOs and/or RRSCOs in three of the eight soil samples collected, all at maximum concentrations in B-08_4-6, including benzo(a)anthracene (maximum concentration of 62 mg/kg), benzo(a)pyrene (maximum concentration of 91 mg/kg), benzo(b)fluoranthene (maximum concentration of 100 mg/kg), benzo(k)fluoranthene (maximum concentration of 19 mg/kg), chrysene (maximum concentration of 63 mg/kg), dibenzo(a,h)anthracene (maximum concentration of 10 mg/kg), and indeno(1,2,3-cd)pyrene (maximum concentration 44 mg/kg). Two SVOCs, fluoranthene and pyrene, were detected above the UUSCOs and RRSCOs in one soil sample, B-08_4-6, each at a maximum concentration of 120 mg/kg.

Four metals were detected at concentrations above UUSCOs and/or RRSCOs in multiple soil samples collected. Mercury was detected above the UUSCO and/or RRSCO in two soil samples, at a maximum concentration of 1.08 mg/kg in B-05_2-4. Lead was detected above the UUSCO in three soil samples, at a maximum concentration of 399 mg/kg in B-08_4-6. Copper was detected above the UUSCO in one soil sample, B-02_1-3, at a maximum concentration of 110 mg/kg. Zinc was detected above the UUSCO in one soil sample, B-08_4-6, at a maximum concentration of 110 mg/kg.

GROUNDWATER

Groundwater analytical results were compared to 6 NYCRR Part 703.5 NYSDEC Technical and Operational Guidance Series 1.1.1 Ambient Water Quality Standards and Guidance Values for Class GA Water (AWQS).

One VOC, acetone, was detected above the AWQS of 50 micrograms per liter (µg/L) in one of the two groundwater samples collected, at a concentration of 180 µg/L in TWP-01.

SOIL VAPOR

Total VOC concentrations in soil vapor samples ranged from 1,817.98 micrograms per cubic meter (µg/m^3) in SP-01 to a maximum concentration of 2,855.25 µg/m^3 in SP-02. Total benzene, toluene, ethylbenzene, and xylenes (BTEX) concentrations ranged from 279.8 µg/m^3 in SP-02 to a maximum concentration of 414.9 µg/m^3 in SP-01. Total chlorinated volatile organic compound (CVOC) concentrations ranged from 14.09 µg/m^3 in SP-01 to a maximum concentration of 120.79 µg/m^3 in SP-02.

Specific petroleum-related VOCs detected above laboratory reporting limits in both soil vapor samples collected include benzene (maximum concentration of 17.2 µg/m^3 in SP-02), ethylbenzene (maximum concentration of 21.3 µg/m^3 in SP-01), toluene (maximum concentration of 297 µg/m^3 in SP-01), m,p-xylenes (maximum concentration of 66.9 µg/m^3 in SP-01), and o-xylene (maximum concentration of 19.2 µg/m^3 in SP-01).

Specific CVOCs detected above laboratory reporting limits in both soil vapor samples collected include tetrachloroethylene (PCE; maximum concentration of 11.9 µg/m^3 in SP-02) and trichloroethylene (TCE; maximum concentration of 106 µg/m^3 in SP-02). The CVOC cis-1,2-dichloroethene was detected above laboratory reporting limits in one soil vapor sample, SP-02, at a concentration of 2.89 µg/m^3.

2-butanone (methyl ethyl ketone), acetone, chloroform, and ethanol were also detected above laboratory reporting limits in both soil vapor samples, at maximum concentrations of 141 µg/m^3 in SP-02, 1,550 µg/m^3 in SP-02, 513 µg/m^3 in SP-01, and 347 µg/m^3 in SP-02, respectively. The emerging contaminant 1,4-dioxane was detected in one soil vapor sample, SP-02, at a concentration of 10.1 µg/m^3.


Conclusions and Recommendations

Field observations and analytical results identified VOCs, SVOCs (specifically PAHs), and heavy metals, including lead and mercury, in shallow soils up to 6 ft bgs at the Site at concentrations consistent with characteristics of contaminated fill found throughout the New York City area. Groundwater analytical results detected elevated acetone above the AWQS, and soil vapor analytical results detected petroleum-related VOCs and CVOCs above the laboratory detection limits.

Based on the elevated concentrations of metals, SVOCs, and VOCs in soil, elevated concentrations of acetone in groundwater, and elevated petroleum-related VOCs and CVOCs in soil vapor, an on-Site source may exist. Further Site characterization and delineation would be required to determine the extent of these impacts.

Should you have any questions regarding the findings or recommendations, please do not hesitate to contact us.

Sincerely yours,
H & A OF NEW YORK ENGINEERING AND GEOLOGY, LLP



Nicole A. Mooney
Project Geologist



Zhan Shu, Ph.D., P.E. (NJ)
Senior Project Manager



Mari C. Conlon, P.G.
Senior Associate

Attachments:

Table 1 – Summary of Soil Quality Data
Table 2 – Summary of Groundwater Quality Data
Table 3 – Summary of Soil Vapor Quality Data
Figure 1 – Sample Location Map
Figure 2 – Soil Analytical Results Exceedance Map
Figure 3 – Groundwater Analytical Results Map
Figure 4 – Soil Vapor Analytical Results Map
Attachment A – Geophysical Survey Report
Attachment B – Soil Boring Logs
Attachment C – Soil Vapor Sampling Log
Attachment D – Laboratory Reports

TABLES

TABLE 1
SUMMARY OF SOIL QUALITY DATA
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK
FILE NO. 0213315

	Criteria									
Location Name	NY Part 375 Restricted Residential Use Soil Cleanup Objectives	NY Part 375 Unrestricted Use Soil Cleanup Objectives	B-01	B-02	B-03	B-04	B-05	B-06	B-07	B-08
Sample Name			B-01_1-3	B-02_1-3	B-03_2-4	B-04_3-5	B-05_2-4	B-06_5-7	B-07_0-2	B-08_4-6
Sample Date			04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025
Lab Sample ID			L2521630-01	L2521630-02	L2521630-03	L2521630-04	L2521630-05	L2521630-06	L2521630-07	L2521630-08
Sample Depth (bgs)			1 - 3 (ft)	1 - 3 (ft)	2 - 4 (ft)	3 - 5 (ft)	2 - 4 (ft)	5 - 7 (ft)	0 - 2 (ft)	4 - 6 (ft)
Volatile Organic Compounds (mg/kg)										
1,1,1,2-Tetrachloroethane	NA	NA	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
1,1,1-Trichloroethane	100	0.68	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
1,1,2,2-Tetrachloroethane	NA	NA	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
1,1,2-Trichloroethane	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
1,1-Dichloroethane	26	0.27	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
1,1-Dichloroethene	100	0.33	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
1,1-Dichloropropene	NA	NA	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
1,2,3-Trichlorobenzene	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,2,3-Trichloropropane	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,2,4,5-Tetramethylbenzene	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,2,4-Trichlorobenzene	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,2,4-Trimethylbenzene	52	3.6	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,2-Dibromo-3-chloropropane (DBCP)	NA	NA	ND (0.0031)	ND (0.0042)	ND (0.003)	ND (0.0033)	ND (0.0029)	ND (0.0032)	ND (0.0027)	ND (0.0038)
1,2-Dibromoethane (Ethylene Dibromide)	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
1,2-Dichlorobenzene	100	1.1	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,2-Dichloroethane	3.1	0.02	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
1,2-Dichloroethene (total)	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
1,2-Dichloropropane	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
1,3,5-Trimethylbenzene	52	8.4	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,3-Dichlorobenzene	49	2.4	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,3-Dichloropropane	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,3-Dichloropropene	NA	NA	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
1,4-Dichlorobenzene	13	1.8	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,4-Diethylbenzene	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
1,4-Dioxane	13	0.1	ND (0.082)	ND (0.11)	ND (0.081)	ND (0.088)	ND (0.078)	ND (0.086)	ND (0.071)	ND (0.1)
2,2-Dichloropropane	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
2-Butanone (Methyl Ethyl Ketone)	100	0.12	ND (0.01)	ND (0.014)	ND (0.01)	ND (0.011)	ND (0.0098)	ND (0.011)	ND (0.0089)	ND (0.012)
2-Chlorotoluene	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
2-Hexanone (Methyl Butyl Ketone)	NA	NA	ND (0.01)	ND (0.014)	ND (0.01)	ND (0.011)	ND (0.0098)	ND (0.011)	ND (0.0089)	ND (0.012)
2-Phenylbutane (sec-Butylbenzene)	100	11	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
4-Chlorotoluene	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
4-Ethyltoluene (1-Ethyl-4-Methylbenzene)	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	NA	NA	ND (0.01)	ND (0.014)	ND (0.01)	ND (0.011)	ND (0.0098)	ND (0.011)	ND (0.0089)	ND (0.012)
Acetone	100	0.05	0.034	0.09	0.025	0.0054 J	0.58	0.024	0.13	0.029
Acrylonitrile	NA	NA	ND (0.0041)	ND (0.0056)	ND (0.0041)	ND (0.0044)	ND (0.0039)	ND (0.0043)	ND (0.0036)	ND (0.005)
Benzene	4.8	0.06	0.00018 J	ND (0.0007)	ND (0.00051)	0.00026 J	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
Bromobenzene	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Bromodichloromethane	NA	NA	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
Bromoform	NA	NA	ND (0.0041)	ND (0.0056)	ND (0.0041)	ND (0.0044)	ND (0.0039)	ND (0.0043)	ND (0.0036)	ND (0.005)
Bromomethane (Methyl Bromide)	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Carbon disulfide	NA	NA	ND (0.01)	ND (0.014)	ND (0.01)	ND (0.011)	ND (0.0098)	ND (0.011)	ND (0.0089)	ND (0.012)
Carbon tetrachloride	2.4	0.76	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
Chlorobenzene	100	1.1	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
Chlorobromomethane	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Chloroethane	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Chloroform (Trichloromethane)	49	0.37	ND (0.0015)	ND (0.0021)	ND (0.0015)	ND (0.0016)	ND (0.0015)	ND (0.0016)	ND (0.0013)	ND (0.0019)
Chloromethane (Methyl Chloride)	NA	NA	ND (0.0041)	ND (0.0056)	ND (0.0041)	ND (0.0044)	ND (0.0039)	ND (0.0043)	ND (0.0036)	ND (0.005)
cis-1,2-Dichloroethene	100	0.25	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
cis-1,3-Dichloropropene	NA	NA	ND (0.00051)	ND (0.0007)	ND (0.00051)	ND (0.00055)	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
Cymene (p-Isopropyltoluene)	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
Dibromochloromethane	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
Dibromomethane	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Dichlorodifluoromethane (CFC-12)	NA	NA	ND (0.01)	ND (0.014)	ND (0.01)	ND (0.011)	ND (0.0098)	ND (0.011)	ND (0.0089)	ND (0.012)
Ethyl Ether	NA	NA	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Ethylbenzene	41	1	0.00026 J	ND (0.0014)	ND (0.001)	ND (0.0011)	0.00044 J	0.00025 J	0.00019 J	ND (0.0012)
Hexachlorobutadiene	NA	NA	ND (0.0041)	ND (0.0056)	ND (0.0041)	ND (0.0044)	ND (0.0039)	ND (0.0043)	ND (0.0036)	ND (0.005)
Isopropylbenzene (Cumene)	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
m,p-Xylenes	NA	NA	0.00097 J	ND (0.0028)	ND (0.002)	ND (0.0022)	0.0018 J	0.00098 J	0.00082 J	ND (0.0025)
Methyl Tert Butyl Ether (MTBE)	100	0.93	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Methylene chloride (Dichloromethane)	100	0.05	ND (0.0051)	ND (0.007)	ND (0.0051)	ND (0.0055)	ND (0.0049)	ND (0.0054)	ND (0.0044)	ND (0.0063)
Naphthalene	100	12	ND (0.0041)	ND (0.0056)	ND (0.0041)	ND (0.0044)	ND (0.0039)	ND (0.0043)	ND (0.0036)	ND (0.005)
n-Butylbenzene	100	12	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
n-Propylbenzene	100	3.9	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
o-Xylene	NA	NA	0.00031 J	ND (0.0014)	ND (0.001)	ND (0.0011)	0.0005 J	ND (0.0011)	0.00029 J	ND (0.0012)
Styrene	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
tert-Butylbenzene	100	5.9	ND (0.002)	ND (0.0028)	ND (0.002)	ND (0.0022)	ND (0.002)	ND (0.0022)	ND (0.0018)	ND (0.0025)
Tetrachloroethene	19	1.3	0.00074	0.00027 J	ND (0.00051)	0.00052 J	0.00044 J	ND (0.00054)	0.00044	0.00064
Toluene	100	0.7	0.0011	0.00096 J	ND (0.001)	ND (0.0011)	ND (0.00098)	0.0012	0.0006 J	0.0007 J
trans-1,2-Dichloroethene	100	0.19	ND (0.0015)	ND (0.0021)	ND (0.0015)	ND (0.0016)	ND (0.0015)	ND (0.0016)	ND (0.0013)	ND (0.0019)
trans-1,3-Dichloropropene	NA	NA	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
trans-1,4-Dichloro-2-butene	NA	NA	ND (0.0051)	ND (0.007)	ND (0.0051)	ND (0.0055)	ND (0.0049)	ND (0.0054)	ND (0.0044)	ND (0.0063)
Trichloroethene	21	0.47	ND (0.00051)	0.00033 J	ND (0.00051)	0.00029 J	ND (0.00049)	ND (0.00054)	ND (0.00044)	ND (0.00063)
Trichlorofluoromethane (CFC-11)	NA	NA	ND (0.0041)	ND (0.0056)	ND (0.0041)	ND (0.0044)	ND (0.0039)	ND (0.0043)	ND (0.0036)	ND (0.005)
Vinyl acetate	NA	NA	ND (0.01)	ND (0.014)	ND (0.01)	ND (0.011)	ND (0.0098)	ND (0.011)	ND (0.0089)	ND (0.012)
Vinyl chloride	0.9	0.02	ND (0.001)	ND (0.0014)	ND (0.001)	ND (0.0011)	ND (0.00098)	ND (0.0011)	ND (0.00089)	ND (0.0012)
Xylene (Total)	100	0.26	0.0013 J	ND (0.0014)	ND (0.001)	ND (0.0011)	0.0023 J	0.00098 J	0.0011 J	ND (0.0012)

TABLE 1
SUMMARY OF SOIL QUALITY DATA
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK
FILE NO. 0213315

	Criteria									
Location Name	NY Part 375 Restricted Residential Use Soil Cleanup Objectives	NY Part 375 Unrestricted Use Soil Cleanup Objectives	B-01	B-02	B-03	B-04	B-05	B-06	B-07	B-08
Sample Name			B-01_1-3	B-02_1-3	B-03_2-4	B-04_3-5	B-05_2-4	B-06_5-7	B-07_0-2	B-08_4-6
Sample Date			04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025
Lab Sample ID			L2521630-01	L2521630-02	L2521630-03	L2521630-04	L2521630-05	L2521630-06	L2521630-07	L2521630-08
Sample Depth (bgs)			1 - 3 (ft)	1 - 3 (ft)	2 - 4 (ft)	3 - 5 (ft)	2 - 4 (ft)	5 - 7 (ft)	0 - 2 (ft)	4 - 6 (ft)
Semi-Volatile Organic Compounds (mg/kg)										
1,2,4,5-Tetrachlorobenzene	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
1,2,4-Trichlorobenzene	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
1,2-Dichlorobenzene	100	1.1	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
1,3-Dichlorobenzene	49	2.4	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
1,4-Dichlorobenzene	13	1.8	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
1,4-Dioxane	13	0.1	ND (0.027)	ND (0.034)	ND (0.026)	ND (0.26)	ND (0.028)	ND (0.025)	ND (0.028)	ND (0.27)
2,2'-oxybis(1-Chloropropane)	NA	NA	ND (0.22)	ND (0.27)	ND (0.21)	ND (2.1)	ND (0.22)	ND (0.2)	ND (0.23)	ND (2.1)
2,4,5-Trichlorophenol	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2,4,6-Trichlorophenol	NA	NA	ND (0.11)	ND (0.14)	ND (0.1)	ND (1)	ND (0.11)	ND (0.1)	ND (0.11)	ND (1.1)
2,4-Dichlorophenol	NA	NA	ND (0.16)	ND (0.2)	ND (0.16)	ND (1.6)	ND (0.17)	ND (0.15)	ND (0.17)	ND (1.6)
2,4-Dimethylphenol	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2,4-Dinitrophenol	NA	NA	ND (0.88)	ND (1.1)	ND (0.84)	ND (8.3)	ND (0.89)	ND (0.81)	ND (0.91)	ND (8.6)
2,4-Dinitrotoluene	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2,6-Dinitrotoluene	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2-Chloronaphthalene	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2-Chlorophenol	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2-Methylnaphthalene	NA	NA	0.44	0.035 J	ND (0.21)	0.49 J	0.045 J	ND (0.2)	ND (0.23)	ND (2.1)
2-Methylphenol (o-Cresol)	100	0.33	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2-Nitroaniline	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
2-Nitrophenol	NA	NA	ND (0.39)	ND (0.49)	ND (0.38)	ND (3.7)	ND (0.4)	ND (0.36)	ND (0.41)	ND (3.8)
3&4-Methylphenol	NA	NA	0.051 J	ND (0.33)	ND (0.25)	0.31 J	ND (0.27)	ND (0.24)	ND (0.27)	ND (2.6)
3,3'-Dichlorobenzidine	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
3-Nitroaniline	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
4,6-Dinitro-2-methylphenol	NA	NA	ND (0.47)	ND (0.59)	ND (0.45)	ND (4.5)	ND (0.48)	ND (0.44)	ND (0.49)	ND (4.6)
4-Bromophenyl phenyl ether (BDE-3)	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
4-Chloro-3-methylphenol	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
4-Chloroaniline	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
4-Chlorophenyl phenyl ether	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
4-Nitroaniline	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
4-Nitrophenol	NA	NA	ND (0.26)	ND (0.32)	ND (0.24)	ND (2.4)	ND (0.26)	ND (0.24)	ND (0.26)	ND (2.5)
Acenaphthene	100	20	1.8	ND (0.18)	ND (0.14)	2.9	0.2	ND (0.14)	ND (0.15)	0.91 J
Acenaphthylene	100	100	0.7	ND (0.18)	ND (0.14)	5.2	0.032 J	ND (0.14)	ND (0.15)	ND (1.4)
Acetophenone	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Anthracene	100	100	3.7	ND (0.14)	ND (0.1)	14	0.37	ND (0.1)	ND (0.11)	6.8
Benzo(a)anthracene	1	1	8.5	0.031 J	ND (0.1)	37	0.62	ND (0.1)	ND (0.11)	62
Benzo(a)pyrene	1	1	8.4	ND (0.18)	ND (0.14)	36	0.63	ND (0.14)	ND (0.15)	91
Benzo(b)fluoranthene	1	1	9	ND (0.14)	ND (0.1)	40	0.7	ND (0.1)	ND (0.11)	100
Benzo(g,h,i)perylene	100	100	5.3	0.49	ND (0.14)	20	0.41	ND (0.14)	ND (0.15)	46
Benzo(k)fluoranthene	3.9	0.8	3	ND (0.14)	ND (0.1)	16	0.26	ND (0.1)	ND (0.11)	19
Benzoic acid	NA	NA	ND (0.59)	ND (0.74)	ND (0.56)	ND (5.6)	ND (0.6)	ND (0.55)	ND (0.61)	ND (5.8)
Benzyl Alcohol	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Biphenyl	NA	NA	0.14 J	ND (0.52)	ND (0.4)	0.28 J	ND (0.42)	ND (0.38)	ND (0.43)	ND (4.1)
bis(2-Chloroethoxy)methane	NA	NA	ND (0.2)	ND (0.24)	ND (0.19)	ND (1.9)	ND (0.2)	ND (0.18)	ND (0.2)	ND (1.9)
bis(2-Chloroethyl)ether	NA	NA	ND (0.16)	ND (0.2)	ND (0.16)	ND (1.6)	ND (0.17)	ND (0.15)	ND (0.17)	ND (1.6)
bis(2-Ethylhexyl)phthalate	NA	NA	ND (0.18)	0.28	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Butyl benzylphthalate (BBP)	NA	NA	ND (0.18)	0.16 J	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Carbazole	NA	NA	1.2	ND (0.23)	ND (0.17)	5.3	0.2	ND (0.17)	ND (0.19)	1.4 J
Chrysene	3.9	1	9.1	0.037 J	ND (0.1)	32	0.59	ND (0.1)	ND (0.11)	63
Dibenz(a,h)anthracene	0.33	0.33	1.2	ND (0.14)	ND (0.1)	4.8	0.074 J	ND (0.1)	ND (0.11)	10
Dibenzofuran	59	7	0.77	ND (0.23)	ND (0.17)	2.4	0.12 J	ND (0.17)	ND (0.19)	0.35 J
Diethyl phthalate	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Dimethyl phthalate	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Di-n-butylphthalate (DBP)	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Di-n-octyl phthalate (DnOP)	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Fluoranthene	100	100	16	ND (0.14)	0.021 J	65	1.6	ND (0.1)	0.024 J	120
Fluorene	100	30	1.4	ND (0.23)	ND (0.17)	3.6	0.14 J	ND (0.17)	ND (0.19)	1 J
Hexachlorobenzene	1.2	0.33	ND (0.11)	ND (0.14)	ND (0.1)	ND (1)	ND (0.11)	ND (0.1)	ND (0.11)	ND (1.1)
Hexachlorobutadiene	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Hexachlorocyclopentadiene	NA	NA	ND (0.52)	ND (0.65)	ND (0.5)	ND (5)	ND (0.53)	ND (0.48)	ND (0.54)	ND (5.1)
Hexachloroethane	NA	NA	ND (0.15)	ND (0.18)	ND (0.14)	ND (1.4)	ND (0.15)	ND (0.14)	ND (0.15)	ND (1.4)
Indeno(1,2,3-cd)pyrene	0.5	0.5	4.7	ND (0.18)	ND (0.14)	19	0.37	ND (0.14)	ND (0.15)	44
Isophorone	NA	NA	ND (0.16)	ND (0.2)	ND (0.16)	ND (1.6)	ND (0.17)	ND (0.15)	ND (0.17)	ND (1.6)
Naphthalene	100	12	0.7	ND (0.23)	ND (0.17)	1.6 J	0.099 J	ND (0.17)	ND (0.19)	0.4 J
Nitrobenzene	NA	NA	ND (0.16)	ND (0.2)	ND (0.16)	ND (1.6)	ND (0.17)	ND (0.15)	ND (0.17)	ND (1.6)
N-Nitrosodi-n-propylamine	NA	NA	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
N-Nitrosodiphenylamine	NA	NA	ND (0.15)	ND (0.18)	ND (0.14)	ND (1.4)	ND (0.15)	ND (0.14)	ND (0.15)	ND (1.4)
Pentachlorophenol	6.7	0.8	ND (0.15)	ND (0.18)	ND (0.14)	ND (1.4)	ND (0.15)	ND (0.14)	ND (0.15)	ND (1.4)
Phenanthrene	100	100	17	0.034 J	ND (0.1)	49	1.6	ND (0.1)	ND (0.11)	8.8
Phenol	100	0.33	ND (0.18)	ND (0.23)	ND (0.17)	ND (1.7)	ND (0.18)	ND (0.17)	ND (0.19)	ND (1.8)
Pyrene	100	100	17	0.043 J	0.019 J	59	1.4	ND (0.1)	0.023 J	120

TABLE 1
SUMMARY OF SOIL QUALITY DATA
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK
FILE NO. 0213315

	Criteria									
Location Name	NY Part 375 Restricted Residential Use Soil Cleanup Objectives	NY Part 375 Unrestricted Use Soil Cleanup Objectives	B-01	B-02	B-03	B-04	B-05	B-06	B-07	B-08
Sample Name			B-01_1-3	B-02_1-3	B-03_2-4	B-04_3-5	B-05_2-4	B-06_5-7	B-07_0-2	B-08_4-6
Sample Date			04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025	04/09/2025
Lab Sample ID			L2521630-01	L2521630-02	L2521630-03	L2521630-04	L2521630-05	L2521630-06	L2521630-07	L2521630-08
Sample Depth (bgs)			1 - 3 (ft)	1 - 3 (ft)	2 - 4 (ft)	3 - 5 (ft)	2 - 4 (ft)	5 - 7 (ft)	0 - 2 (ft)	4 - 6 (ft)
Inorganic Compounds (mg/kg)										
Aluminum	NA	NA	7320	106000	4340	6280	12900	4650	7850	5020
Antimony	NA	NA	ND (4.23)	ND (25.8)	ND (4.14)	ND (4.09)	ND (4.3)	ND (4.02)	ND (4.44)	ND (4.33)
Arsenic	16	13	3.32	ND (5.17)	1.51	2.69	4.58	1.91	2.67	2.14
Barium	400	350	52.7	50.2	12.4	33.6	37.9	11.4	52.9	44.2
Beryllium	72	7.2	0.295 J	ND (2.58)	0.263 J	0.286 J	0.468	0.279 J	0.408 J	0.286 J
Cadmium	4.3	2.5	0.2 J	0.342 J	0.146 J	0.172 J	0.203 J	0.149 J	0.11 J	0.76 J
Calcium	NA	NA	847	19900	660	2060	1280	243	925	20800
Chromium	NA	NA	18.5	9.92	7.41	12.7	20.1	13	11.5	12
Cobalt	NA	NA	3.58	1.76 J	2.94	4.36	5.11	3.17	4.88	3.25
Copper	270	50	13.5	110	6.36	19.8	9.54	7.05	4.18	12.2
Iron	NA	NA	13200	4920	13000	15300	18300	12400	11400	16000
Lead	400	63	98.6	24.7 J	3.06 J	28.1	68.5	2.74 J	18	399
Magnesium	NA	NA	1140	7370	1670	1430	1510	1360	1080	1690
Manganese	2000	1600	162	102	234	266	289	268	362	292
Mercury	0.81	0.18	0.265	0.07 J	ND (0.081)	0.101	1.08	ND (0.071)	0.081 J	0.097
Nickel	310	30	7.28	6.58 J	7.5	9.05	9.17	7.62	5.47	7.14
Potassium	NA	NA	250	293 J	807	489	555	326	304	647
Selenium	180	3.9	ND (1.69)	ND (10.3)	ND (1.66)	ND (1.64)	ND (1.72)	ND (1.61)	ND (1.78)	ND (1.73)
Silver	180	2	ND (0.423)	ND (2.58)	ND (0.414)	ND (0.409)	ND (0.43)	ND (0.402)	ND (0.444)	ND (0.433)
Sodium	NA	NA	ND (169)	ND (1030)	ND (166)	275	ND (172)	ND (161)	165 J	173
Thallium	NA	NA	ND (1.69)	ND (10.3)	ND (1.66)	ND (1.64)	ND (1.72)	ND (1.61)	ND (1.78)	ND (1.73)
Vanadium	NA	NA	17.9	15.2	11.7	19.7	25.6	13.7	15.8	16.6
Zinc	10000	109	39.4	61.7	14.2	24.2	30.6	15.1	18.5	110
Other										
Total Solids (%)	NA	NA	89.5	73.1	92.5	94.2	88.8	96.9	85.8	92.2

ABBREVIATIONS AND NOTES:

mg/kg: milligram per kilogram
bgs: below ground surface
ft: feet
NA: Not Applicable
ND (2.5): Not detected, number in parentheses is the laboratory reporting limit
- For test methods used, see the laboratory data sheets.
- Soil analytical results are compared to the New York State Department of Environmental Conservation (NYSDEC) Title 6 of the Official Compilation of New York Codes, Rules, and Regulations (NYCRR) Part 375 Unrestricted Use Soil Cleanup Objectives (SCO) and Restricted-Use Residential SCOs.
- Grey shading indicates an exceedance of the Unrestricted Use Soil Cleanup Objectives.
- Yellow shading indicates an exceedance of the Restricted Use Residential Soil Cleanup Objectives.

TABLE 2
SUMMARY OF GROUNDWATER QUALITY DATA
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK
FILE NO. 0213315

	Criteria		
Location Name	New York TOGS	TWP-01	TWP-02
Sample Name	111 Ambient	TWP-01-20250409	TWP-02-20250409
Sample Date	Water Quality	04/09/2025	04/09/2025
Lab Sample ID	Standards	L2521629-01	L2521629-02
Volatile Organic Compounds (ug/L)			
1,1,1,2-Tetrachloroethane	5	ND (5)	ND (2.5)
1,1,1-Trichloroethane	5	ND (5)	ND (2.5)
1,1,2,2-Tetrachloroethane	5	ND (1)	ND (0.5)
1,1,2-Trichloroethane	1	ND (3)	ND (1.5)
1,1-Dichloroethane	5	ND (5)	ND (2.5)
1,1-Dichloroethene	5	ND (1)	ND (0.5)
1,1-Dichloropropene	5	ND (5)	ND (2.5)
1,2,3-Trichlorobenzene	5	ND (5)	ND (2.5)
1,2,3-Trichloropropane	0.04	ND (5)	ND (2.5)
1,2,4,5-Tetramethylbenzene	5	ND (4)	ND (2)
1,2,4-Trichlorobenzene	5	ND (5)	ND (2.5)
1,2,4-Trimethylbenzene	5	ND (5)	ND (2.5)
1,2-Dibromo-3-chloropropane (DBCP)	0.04	ND (5)	ND (2.5)
1,2-Dibromoethane (Ethylene Dibromide)	0.0006	ND (4)	ND (2)
1,2-Dichlorobenzene	3	ND (5)	ND (2.5)
1,2-Dichloroethane	0.6	ND (1)	ND (0.5)
1,2-Dichloroethene (total)	NA	ND (5)	ND (2.5)
1,2-Dichloropropane	1	ND (2)	ND (1)
1,3,5-Trimethylbenzene	5	ND (5)	ND (2.5)
1,3-Dichlorobenzene	3	ND (5)	ND (2.5)
1,3-Dichloropropane	5	ND (5)	ND (2.5)
1,3-Dichloropropene	0.4	ND (1)	ND (0.5)
1,4-Dichlorobenzene	3	ND (5)	ND (2.5)
1,4-Diethylbenzene	NA	ND (4)	ND (2)
1,4-Dioxane	0.35	ND (500)	ND (250)
2,2-Dichloropropane	5	ND (5)	ND (2.5)
2-Butanone (Methyl Ethyl Ketone)	50	ND (10)	ND (5)
2-Chlorotoluene	5	ND (5)	ND (2.5)
2-Hexanone (Methyl Butyl Ketone)	50	ND (10)	ND (5)
2-Phenylbutane (sec-Butylbenzene)	5	ND (5)	ND (2.5)
4-Chlorotoluene	5	ND (5)	ND (2.5)
4-Ethyltoluene (1-Ethyl-4-Methylbenzene)	NA	ND (4)	ND (2)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	NA	ND (10)	ND (5)
Acetone	50	**180**	4 J
Acrylonitrile	5	ND (10)	ND (5)
Benzene	1	ND (1)	ND (0.5)
Bromobenzene	5	ND (5)	ND (2.5)
Bromodichloromethane	50	ND (1)	ND (0.5)
Bromoform	50	ND (4)	ND (2)
Bromomethane (Methyl Bromide)	5	ND (5)	ND (2.5)
Carbon disulfide	60	ND (10)	ND (5)
Carbon tetrachloride	5	ND (1)	ND (0.5)
Chlorobenzene	5	ND (5)	ND (2.5)
Chlorobromomethane	5	ND (5)	ND (2.5)
Chloroethane	5	ND (5)	ND (2.5)
Chloroform (Trichloromethane)	7	ND (5)	ND (2.5)
Chloromethane (Methyl Chloride)	5	ND (5)	ND (2.5)
cis-1,2-Dichloroethene	5	ND (5)	ND (2.5)
cis-1,3-Dichloropropene	0.4	ND (1)	ND (0.5)
Cymene (p-Isopropyltoluene)	5	ND (5)	ND (2.5)
Dibromochloromethane	50	ND (1)	ND (0.5)
Dibromomethane	5	ND (10)	ND (5)
Dichlorodifluoromethane (CFC-12)	5	ND (10)	ND (5)
Ethyl Ether	NA	ND (5)	ND (2.5)
Ethylbenzene	5	ND (5)	ND (2.5)
Hexachlorobutadiene	0.5	ND (5)	ND (2.5)
Isopropylbenzene (Cumene)	5	ND (5)	ND (2.5)
m,p-Xylenes	5	ND (5)	ND (2.5)
Methyl Tert Butyl Ether (MTBE)	10	ND (5)	ND (2.5)
Methylene chloride (Dichloromethane)	5	ND (5)	ND (2.5)
Naphthalene	10	ND (5)	ND (2.5)
n-Butylbenzene	5	ND (5)	ND (2.5)
n-Propylbenzene	5	ND (5)	ND (2.5)
o-Xylene	5	ND (5)	ND (2.5)
Styrene	5	ND (5)	ND (2.5)
tert-Butylbenzene	5	ND (5)	ND (2.5)
Tetrachloroethene	5	ND (1)	0.18 J
Toluene	5	ND (5)	ND (2.5)
trans-1,2-Dichloroethene	5	ND (5)	ND (2.5)
trans-1,3-Dichloropropene	0.4	ND (1)	ND (0.5)
trans-1,4-Dichloro-2-butene	5	ND (5)	ND (2.5)
Trichloroethene	5	ND (1)	ND (0.5)
Trichlorofluoromethane (CFC-11)	5	ND (5)	ND (2.5)
Vinyl acetate	NA	ND (10)	ND (5)
Vinyl chloride	2	ND (2)	ND (1)
Xylene (Total)	5	ND (5)	ND (2.5)

ABBREVIATIONS AND NOTES:

µg/L: micrograms per liter

-: Not Analyzed
NA: Not Applicable
ND (2.5): Not detected, number in parentheses is the laboratory reporting limit
J: Value is estimated

- For test methods used, see the laboratory data sheets.
- Groundwater analytical results are compared to NY-AWQS: NYSDEC Technical and Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values (SGVs) for Class GA Water.
*- **Bold** indicates an exceedance of the AWQS criteria.*

TABLE 3
SUMMARY OF SOIL VAPOR QUALITY DATA
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK
FILE NO. 0213315

Location Name	SP-01	SP-02
Sample Name	SP-01-20250409	SP-02-20250409
Sample Date	04/09/2025	04/09/2025
Lab Sample ID	L2521777-01	L2521777-02
Volatile Organic Compounds (ug/m3)		
1,1,1-Trichloroethane	ND (2.73)	ND (2.48)
1,1,2,2-Tetrachloroethane	ND (3.43)	ND (3.12)
1,1,2-Trichloroethane	ND (2.73)	ND (2.48)
1,1-Dichloroethane	ND (2.02)	ND (1.84)
1,1-Dichloroethene	ND (1.98)	ND (1.8)
1,2,4-Trichlorobenzene	ND (3.71)	ND (3.38)
1,2,4-Trimethylbenzene	9.34	5.11
1,2-Dibromoethane (Ethylene Dibromide)	ND (3.84)	ND (3.5)
1,2-Dichlorobenzene	ND (3.01)	ND (2.74)
1,2-Dichloroethane	ND (2.02)	ND (1.84)
1,2-Dichloropropane	ND (2.31)	ND (2.1)
1,2-Dichlorotetrafluoroethane (CFC 114)	ND (3.49)	ND (3.18)
1,3,5-Trimethylbenzene	ND (2.46)	ND (2.24)
1,3-Butadiene	2.43	6.61
1,3-Dichlorobenzene	ND (3.01)	ND (2.74)
1,4-Dichlorobenzene	ND (3.01)	ND (2.74)
1,4-Dioxane	ND (1.8)	10.1
2,2,4-Trimethylpentane	19.8	57
2-Butanone (Methyl Ethyl Ketone)	12.5	141
2-Hexanone (Methyl Butyl Ketone)	ND (2.05)	8.52
4-Ethyltoluene (1-Ethyl-4-Methylbenzene)	2.6	ND (2.24)
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	ND (5.12)	13.7
Acetone	668	1550
Allyl chloride	ND (1.57)	ND (1.42)
Benzene	10.5	17.2
Benzyl Chloride (alpha-Chlorotoluene)	ND (2.59)	ND (2.36)
Bromodichloromethane	6.7	3.46
Bromoform	ND (5.17)	ND (4.7)
Bromomethane (Methyl Bromide)	ND (1.94)	ND (1.77)
Carbon disulfide	1.68	15
Carbon tetrachloride	ND (3.15)	ND (2.86)
Chlorobenzene	ND (2.3)	ND (2.1)
Chloroethane	ND (1.32)	ND (1.2)
Chloroform (Trichloromethane)	513	147
Chloromethane (Methyl Chloride)	ND (1.03)	0.985
cis-1,2-Dichloroethene	ND (1.98)	2.89
cis-1,3-Dichloropropene	ND (2.27)	ND (2.07)
Cyclohexane	4.13	7.33
Dibromochloromethane	ND (4.26)	ND (3.88)
Dichlorodifluoromethane (CFC-12)	2.52	3.09
Ethanol	80.6	347
Ethyl acetate	ND (4.5)	ND (4.11)
Ethylbenzene	21.3	15.3
Hexachlorobutadiene	ND (5.33)	ND (4.85)
Hexane	10.5	45.1
Isopropyl Alcohol (2-Propanol)	29.3	62.9
m,p-Xylenes	66.9	45.6
Methyl Tert Butyl Ether (MTBE)	ND (1.8)	3.75
Methylene chloride (Dichloromethane)	ND (4.34)	ND (3.96)
Naphthalene	ND (2.49)	ND (2.27)
N-Heptane	8.57	16.5
o-Xylene	19.2	12.7
Styrene	ND (2.13)	ND (1.94)
Tert-Butyl Alcohol (tert-Butanol)	ND (3.79)	10.5
Tetrachloroethene	10.3	11.9
Tetrahydrofuran	3.92	ND (3.36)
Toluene	297	189
trans-1,2-Dichloroethene	ND (1.98)	ND (1.8)
trans-1,3-Dichloropropene	ND (2.27)	ND (2.07)
Trichloroethene	3.79	106
Trichlorofluoromethane (CFC-11)	13.4	ND (2.56)
Trifluorotrichloroethane (Freon 113)	ND (3.83)	ND (3.49)
Vinyl Bromide (Bromoethene)	ND (2.19)	ND (1.99)
Vinyl chloride	ND (1.28)	ND (1.16)
SUM of Volatile Organic Compounds	1817.98	2855.25
SUM of BTEX	414.9	279.8
SUM of CVOCs	14.09	120.79

ABBREVIATIONS AND NOTES:

$\mu g/m^3$: micrograms per cubic meter

BTEX: Benzene, Toluene, Ethylbenzene, Xylenes
CVOCs: Chlorinated volatile organic compounds
NA: Not Applicable
ND (2.5): Not detected, number in parentheses is the laboratory reporting limit
VOCs: Volatile Organic Compounds

- For test methods used, see the laboratory data sheets.
- SUM of CVOCs includes the following compounds: carbon tetrachloride, 1,1-dichloroethene, cis-1,2-dichloroethene, trichloroethene, methylene chloride, tetrachloroethene, 1,1,1-trichloroethane, vinyl chloride

FIGURES



LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL BORING
- SOIL BORING/TEMPORARY MONITORING WELL
- SOIL VAPOR POINT

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025

N

0 20 40
SCALE IN FEET

HALEY ALDRICH


2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SAMPLE LOCATION MAP

APRIL 2025

FIGURE 1

GIS FILE PATH: \\haleyaldrich.com\share\CP\Projects\02\133\15\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM



B-04	B-04_3-5 04/09/2025 L2521630-04 3 - 5 (ft)
Semi-Volatile Organic Compounds (mg/kg)	
Benzo(a)anthracene	37
Benzo(a)pyrene	36
Benzo(b)fluoranthene	40
Benzo(k)fluoranthene	16
Chrysene	32
Dibenz(a,h)anthracene	4.8
Indeno(1,2,3-cd)pyrene	19

B-01	B-01_1-3 04/09/2025 L2521630-01 1 - 3 (ft)
Semi-Volatile Organic Compounds (mg/kg)	
Benzo(a)anthracene	8.5
Benzo(a)pyrene	8.4
Benzo(b)fluoranthene	9
Benzo(k)fluoranthene	3
Chrysene	9.1
Dibenz(a,h)anthracene	1.2
Indeno(1,2,3-cd)pyrene	4.7
Total Metals (mg/kg)	
Lead	98.6
Mercury	0.265

B-05	B-05_2-4 04/09/2025 L2521630-05 2 - 4 (ft)
Volatile Organic Compounds (mg/kg)	
Acetone	0.58
Total Metals (mg/kg)	
Lead	68.5
Mercury	1.08

B-07	B-07_0-2 04/09/2025 L2521630-07 0 - 2 (ft)
Volatile Organic Compounds (mg/kg)	
Acetone	0.13

B-02	B-02_1-3 04/09/2025 L2521630-02 1 - 3 (ft)
Volatile Organic Compounds (mg/kg)	
Acetone	0.09
Total Metals (mg/kg)	
Copper	110

B-08	B-08_4-6 04/09/2025 L2521630-08 4 - 6 (ft)
Semi-Volatile Organic Compounds (mg/kg)	
Benzo(a)anthracene	62
Benzo(a)pyrene	91
Benzo(b)fluoranthene	100
Benzo(k)fluoranthene	19
Chrysene	63
Dibenz(a,h)anthracene	10
Fluoranthene	120
Indeno(1,2,3-cd)pyrene	44
Pyrene	120
Total Metals (mg/kg)	
Lead	399
Zinc	110

LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL BORING
- SOIL BORING/TEMPORARY MONITORING WELL

	NY-RESR	NY-UNRES
Volatile Organic Compounds (mg/kg)		
Acetone	100	0.05
Semi-Volatile Organic Compounds (mg/kg)		
Benzo(a)anthracene	1	1
Benzo(a)pyrene	1	1
Benzo(b)fluoranthene	1	1
Benzo(k)fluoranthene	3.9	0.8
Chrysene	3.9	1
Dibenz(a,h)anthracene	0.33	0.33
Fluoranthene	100	100
Indeno(1,2,3-cd)pyrene	0.5	0.5
Pyrene	100	100
Total Metals (mg/kg)		
Copper	270	50
Lead	400	63
Mercury	0.81	0.18
Zinc	10000	109

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.

2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION

3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025

4. SOIL SAMPLE ANALYTICAL RESULTS ARE COMPARED TO THE NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYSDEC) TITLE 6 OF THE OFFICIAL COMPILATION OF NEW YORK CODES, RULES, AND REGULATIONS (NYCRR) PART 375 UNRESTRICTED USE SOIL CLEANUP OBJECTIVES (SCOS), RESTRICTED-RESIDENTIAL SCOS, AND 40 CFR 261 SUBPART C AND TABLE 1 OF 40 CFR 261.24.

5. NY-RESR = NYSDEC PART 375 RESTRICTED-RESIDENTIAL USE SCOs

6. NY-UNRES = NYSDEC PART 375 UNRESTRICTED USE SCOs

7. EXCEEDANCES OF THE NY-UNRES SCOS ARE SHADED GRAY

8. EXCEEDANCES OF THE NY-UNRES AND NY-RESRR ARE SHADED YELLOW

9. RESULTS ARE DISPLAYED IN MILLIGRAMS PER KILOGRAM (mg/kg)

N

0 20 40
SCALE IN FEET

HALEY ALDRICH


2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SOIL ANALYTICAL RESULTS EXCEEDANCES MAP

APRIL 2025

FIGURE 2

GIS FILE PATH: \\haleyaldrich.com\share\CP\Projects\021315\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM



LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL BORING/TEMPORARY MONITORING WELL

	NY-AWQS
Volatile Organic Compounds (ug/L)	
Acetone	50

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025
4. GROUNDWATER SAMPLE ANALYTICAL RESULTS ARE COMPARED TO THE NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION (NYSDEC) TECHNICAL AND OPERATIONAL GUIDANCE SERIES (TOGS) 1.1.1 AMBIENT WATER QUALITY STANDARDS (AWQS).
5. NY-AWQS = NYSDEC AWQS
6. EXCEEDANCES OF THE NYSDEC AWQS ARE SHADED YELLOW.
7. RESULTS ARE DISPLAYED IN MICROGRAMS PER LITER (µg/L).

N

0 20 40
SCALE IN FEET

HALEY ALDRICH

2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

GROUNDWATER ANALYTICAL RESULTS EXCEEDANCE MAP

APRIL 2025

FIGURE 3

GIS FILE PATH: \\haleyaldrich.com\share\CF\Projects\021315\GIS\213315_000_2916_ATLANTIC_AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM



SP-01	04/09/2025 L2521777-01
Volatile Organic Compounds (ug/m³)	
1,2,4-Trimethylbenzene	9.34
1,3-Butadiene	2.43
2,2,4-Trimethylpentane	19.8
2-Butanone (Methyl Ethyl Ketone)	12.5
4-Ethyltoluene (1-Ethyl-4-Methylbenzene)	2.6
Acetone	668
Benzene	10.5
Bromodichloromethane	6.7
Carbon disulfide	1.68
Chloroform (Trichloromethane)	513
Cyclohexane	4.13
Dichlorodifluoromethane (CFC-12)	2.52
Ethanol	80.6
Ethylbenzene	21.3
Hexane	10.5
Isopropyl Alcohol (2-Propanol)	29.3
m,p-Xylenes	66.9
N-Heptane	8.57
o-Xylene	19.2
Tetrachloroethene	10.3
Tetrahydrofuran	3.92
Toluene	297
Trichloroethene	3.79
Trichlorofluoromethane (CFC-11)	13.4
SUM of Volatile Organic Compounds	1817.98
SUM of BTEX	414.9
SUM of CVOCs	14.09

SP-02	04/09/2025 L2521777-02
Volatile Organic Compounds (ug/m³)	
1,2,4-Trimethylbenzene	5.11
1,3-Butadiene	6.61
1,4-Dioxane	10.1
2,2,4-Trimethylpentane	57
2-Butanone (Methyl Ethyl Ketone)	141
2-Hexanone (Methyl Butyl Ketone)	8.52
4-Methyl-2-Pentanone (Methyl Isobutyl Ketone)	13.7
Acetone	1550
Benzene	17.2
Bromodichloromethane	3.46
Carbon disulfide	15
Chloroform (Trichloromethane)	147
Chloromethane (Methyl Chloride)	0.985
cis-1,2-Dichloroethene	2.89
Cyclohexane	7.33
Dichlorodifluoromethane (CFC-12)	3.09
Ethanol	347
Ethylbenzene	15.3
Hexane	45.1
Isopropyl Alcohol (2-Propanol)	62.9
m,p-Xylenes	45.6
Methyl Tert Butyl Ether (MTBE)	3.75
N-Heptane	16.5
o-Xylene	12.7
Tert-Butyl Alcohol (tert-Butanol)	10.5
Tetrachloroethene	11.9
Toluene	189
Trichloroethene	106
SUM of Volatile Organic Compounds	2855.25
SUM of BTEX	279.8
SUM of CVOCs	120.79

LEGEND

- SITE BOUNDARY
- PARCEL BOUNDARY
- SOIL VAPOR POINT

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
2. ASSESSOR PARCEL DATA SOURCE: NYC DEPARTMENT OF CITY PLANNING, INFORMATION TECHNOLOGY DIVISION
3. AERIAL IMAGERY SOURCE: NEARMAP, 3 APRIL 2025
4. ALL DETECTED ANALYTES SHOWN ON FIGURE.
5. SOIL VAPOR ANALYSIS - VOLATILE ORGANIC COMPOUNDS (VOCS).
6. RESULTS ARE DISPLAYED IN MICROGRAMS PER CUBIC METER (µg/m³).
7. TOTAL DETECTED CONCENTRATIONS OF BENZENE, TOLUENE, ETHYLBENZENE AND XYLENES (BTEX).
8. TOTAL CVOCS CONCENTRATIONS OF CARBON TETRACHLORIDE, 1,1-DICHLOROETHENE, CIS-1,2-DICHLOROETHENE, TRICHLOROETHENE, METHYLENE CHLORIDE, TETRACHLOROETHENE, 1,1,1-TRICHLOROETHANE AND VINYL CHLORIDE.
9. TOTAL VOCS IS THE SUM OF ALL DETECTED CONCENTRATIONS.

N

0 20 40
SCALE IN FEET

HALEY ALDRICH

2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

SOIL VAPOR ANALYTICAL RESULTS MAP

APRIL 2025

FIGURE 4

GIS FILE PATH: \\haleyaldrich.com\share\CF\Projects\0213315\GIS\213315_000_2916 ATLANTIC AVE.aprx - USER: khensen - LAST SAVED: 3/14/2025 9:14 AM

ATTACHMENT A
Geophysical Survey Report

JOB SUMMARY REPORT

Order Number:	Work Order #768884	**Job Date:**	Apr 9, 2025 11:13:00 AM
Customer:	140724 H & A OF NEW YORK ENGINEERING AND GEOLOGY LLP	**Billing Address:**	H & A OF NEW YORK ENGINEERING AND GEOLOGY LLP 213 West 35th Street | 7th Floor New York NY 10001 United States

JOB DETAILS

Jobsite Location	2916 Atlantic Avenue, New York, New York, 11207
Work Order Number	Work Order #768884
Job Number	
PO Number	

GPRS Project Manager: Alexander Seodat

Thank you for using GPRS on your project. We appreciate the opportunity to work with you. If you have questions regarding the results of this scanning, please contact the lead GPRS project manager on this project.

EQUIPMENT USED

The following equipment was used on this project:

- **Concrete GPR Antenna:** This GPR Antenna is handheld and rolls over the surface. The device displays scan data on a screen, and the operator marks detected objects on the surface in real-time. The antenna needs a reasonably smooth, unobstructed surface for scanning and cannot scan within 2”-4” of obstructions such as walls and metal tracks. Ideally, the client removes obstacles such as these before our work begins. The total effective scan depth can be as much as 18” or more with this antenna but can vary depending on the concrete conditions, composition, and other factors such as the spacing of the reinforcing. Depth accuracy depends on obtaining a precise depth calibration for the concrete. This device does not emit harmful radiation and can be safely operated while people are in close proximity. For more information, please visit: Link
- **Underground GPR Antenna:** This GPR Antenna uses frequencies ranging from 250 MHz to 450 MHz and is mounted in a stroller frame that rolls over the surface. Data is displayed on a screen and marked in the field in real time. The surface needs to be reasonably smooth and unobstructed to obtain readable scans. Obstructions such as curbs, landscaping, and vegetation will limit the efficacy of GPR. The total effective scan depth can be as much as 8’ or more with this antenna but can vary widely depending on the soil conditions and composition. Some soil types, such as clay, may limit maximum depths to 3’ or less. As depth increases, targets must be larger to be detected, and non-metallic targets can be challenging to locate. The depths provided should always be treated as estimates as their accuracy can be affected by multiple factors. For more information, please visit: Link
- **EM Pipe Locator:** Electromagnetic Pipe and Cable Locator. Detects electromagnetic fields. Used to actively trace conductive pipes and tracer wires, or passively detect power and radio signals traveling along conductive pipes and utilities. For more information, please visit: Link

JOB SUMMARY REPORT


WORK PERFORMED

CONCRETE ANALYSIS	
Client Provided Drawings	No
Scope of Work	GPRS was tasked with clearing eight boring locations at a mechanic shop.
Marking Medium	- Spray Paint
Results Notes	GPRS was tasked with clearing eight boring locations at a mechanic shop. Initially, GPRS used the Concrete GPR Antenna for scanning. However, it only penetrated the slab to a depth of 5 inches, revealing a wire mesh. To gain deeper penetration and locate potential utilities, GPRS switched to the Underground GPR Antenna, which provided a depth penetration of approximately 2 feet. Additionally, the EM Pipe Locator was used to perform electromagnetic grid scans around the perimeter of the proposed boring locations. GPRS cleared the boring locations within a 10 x 10-foot scan area, marking the boundaries with pink spray paint. During passive scanning with the EM Pipe Locator, unknown lines were detected. One of these unknown lines ended with an "EOI" (End of Information) symbol, indicating that the signal was no longer detectable. All unidentified lines were marked with pink spray paint. During a site walk, GPRS observed that all electrical lines were running overhead, not inside the slab, and that water lines were being fed from the street, running above ground. There were also vehicles, car parts, and other objects on the ground during the scan. To ensure more accessible scanning, GPRS adjusted the boring locations. All findings and limitations were discussed on-site with Sebastian. GPRS is unable to conduct GPR scans within 2 feet of any wall or surface obstruction. Clients are advised to maintain a 2-foot clearance from all marked lines on each side when excavating or digging.

JOBSITE IMAGES



Jobsite Photo #1



Jobsite Photo #2




Jobsite Photo #3



Jobsite Photo #4



Jobsite Photo #5




Jobsite Photo #6




Jobsite Photo #7



Jobsite Photo #8



Jobsite Photo #9



Jobsite Photo #10

JOB SUMMARY REPORT

CONTACT / SIGNATURE INFORMATION

Contact Information

Contact Name	Nicole Mooney	**Email**	NMooney@haleyaldrich.com

TERMS & CONDITIONS

http://www.gprsinc.com/termsandconditions.html

ATTACHMENT B
Soil Boring Logs

SOIL BORING LOG

BORING NO. B-01

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	**12**	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	**1**			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-0.5	Concrete Slab	
1							
		0	None	Dry	0.5-3	Dark brown, medium to fine SAND, crushed brick, trace asphalt [FILL]	B-01_1-3 collected
2	38/48						
		0	None	Dry			
3							
		0	None	Dry	3-5	Dark brown, medium to fine SAND, some silt and gravel [FILL]	
4							
		0	None	Dry			
5							
		0	None	Dry	5-8	Light brown, coarse to medium SAND, some silt [SP]	
6	42/48						
		0	None	Dry			
7							
		0	None	Dry			
8							
		0	None	Dry	8-12	Light brown, coarse SAND, some silt, some gravel [SP]	
9							
		0	None	Dry			
10	36/48						
		0	None	Dry			
11							
		0	None	Dry			
12						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data				Well Construction Information			Summary	
Date	Time	Elapsed Time (hr.)	Depth in feet to: Water	Type	Depth	Notes	Overburden (Linear ft.)	12
							Rock Cored (Linear ft.)	0
							Number of Samples	1
							BORING NO.	**B-01**

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

SOIL BORING LOG

BORING NO. B-02

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	12	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	1			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-0.5	Concrete Slab	
1							
		0	None	Dry	0.5-3	Light brown, medium SAND, trace concrete, asphalt, brick [FILL]	B-02_1-3 collected
2	36/48						
		0	None	Dry			
3							
		0	None	Dry	3-6	Brown, coarse to medium SAND, some gravel [FILL]	
4							
		0	None	Dry			
5							
		0	None	Dry			
6	36/48						
		0	None	Dry	6-12	Brown, coarse to medium SAND, some silt, some gravel [SP]	
7							
		0	None	Dry			
8							
		0	None	Dry			
9							
		0	None	Dry			
10	36/48						
		0	None	Dry			
11							
		0	None	Dry			
12						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data

Date	Time	Elapsed Time (hr.)	Depth in feet to: Water

Well Construction Information

Type	Depth	Notes

Summary

Overburden (Linear ft.)	12
Rock Cored (Linear ft.)	0
Number of Samples	1

BORING NO. B-02

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

SOIL BORING LOG

BORING NO. B-03

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	12	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	1			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-0.5	Concrete Slab	
1							
		0	None	Dry	0.5-4	Dark brown, medium SAND, some brick, trace concrete and asphalt [FILL]	
2	40/48						
		0	None	Dry			B-03_2-4 collected
3							
		0	None	Dry			
4							
		0	None	Dry	4-6	Brown, coarse SAND, some silt, some gravel [SP]	
5							
		0	None	Dry			
6	40/48						
		0	None	Dry	6-12	Brown, medium to coarse SAND, some gravel [SP]	
7							
		0	None	Dry			
8							
		0	None	Dry			
9							
		0	None	Dry			
10	40/48						
		0	None	Dry			
11							
		0	None	Dry			
12							
						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data

Date	Time	Elapsed Time (hr.)	Depth in feet to: Water

Well Construction Information

Type	Depth	Notes

Summary

Overburden (Linear ft.)	12
Rock Cored (Linear ft.)	0
Number of Samples	1

BORING NO. B-03

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

SOIL BORING LOG

BORING NO. B-04

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	12	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	1			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-0.5	Concrete Slab	
1							
		0	None	Dry	0.5-3	Dark brown, medium to fine SAND, some silt and gravel, trace brick and asphalt [FILL]	
2	40/48						
		0	None	Dry			
3							
		0	None	Dry	3-6	Dark brown, medium to fine SAND, some silt and gravel, trace concrete and asphalt [FILL]	B-04_3-5 collected
4							
		0	None	Dry			
5							
		0	None	Dry			
6	40/48						
		0	None	Dry	6-8	Dark brown, silty SAND, trace clay [SM]	
7							
		0	None	Dry			
8							
		0	None	Dry	8-12	Dark brown, fine SAND, some silt [SP]	
9							
		0	None	Dry			
10	24/48						
		0	None	Dry			
11							
		0	None	Dry			
12						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data

Date	Time	Elapsed Time (hr.)	Depth in feet to: Water

Well Construction Information

Type	Depth	Notes

Summary

Overburden (Linear ft.)	12
Rock Cored (Linear ft.)	0
Number of Samples	1

BORING NO. B-04

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

SOIL BORING LOG

BORING NO. B-05

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	**12**	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	**1**			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-0.5	Concrete Slab	
1							
		0	None	Dry	0.5-2	Dark brown, medium SAND, some silt, brick, concrete, asphalt [FILL]	
2	48/48						
		0	None	Dry	2-6	Dark brown, fine SAND, some silt, trace brick, concrete, asphalt [FILL]	B-05_2-4 collected
3							
		0	None	Dry			
4							
		0	None	Dry			
5							
		0	None	Dry			
6	40/48						
		0	None	Dry	6-7	Brown, silty SAND, trace clay [SM]	
7							
		0	None	Dry	7-12	Brown, coarse to medium SAND [SP]	
8							
		0	None	Dry			
9							
		0	None	Dry			
10	24/48						
		0	None	Dry			
11							
		0	None	Dry			
12							
						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data

Date	Time	Elapsed Time (hr.)	Depth in feet to: Water

Well Construction Information

Type	Depth	Notes

Summary

Overburden (Linear ft.)	12
Rock Cored (Linear ft.)	0
Number of Samples	1

BORING NO. B-05

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

SOIL BORING LOG

BORING NO. B-06

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	12	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	1			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-0.5	Concrete Slab	
1							
		0	None	Dry	0.5-1	Crushed brick [FILL]	
2	48/48				1-4	Brown, medium SAND, some gravel, brick, trace concrete [FILL]	
		0	None	Dry			
3							
		0	None	Dry			
4							
		0	None	Dry	4-12	Brown, coarse to medium SAND, some gravel [SP]	
5							
		0	None	Dry			B-06_5-7 collected
6	40/48						
		0	None	Dry			
7							
		0	None	Dry			
8							
		0	None	Dry			
9							
		0	None	Dry			
10	24/48						
		0	None	Dry			
11							
		0	None	Dry			
12						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data				Well Construction Information			Summary	
Date	Time	Elapsed Time (hr.)	Depth in feet to: Water	Type	Depth	Notes	Overburden (Linear ft.)	12
							Rock Cored (Linear ft.)	0
							Number of Samples	1
							BORING NO.	**B-06**

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

SOIL BORING LOG

BORING NO. B-07

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	**12**	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	**1**			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-0.5	Concrete Slab	B-07_0-2 collected
1							
		0	None	Dry	0.5-2	Dark brown, fine SAND, some gravel, trace concrete, brick [FILL]	
2	48/48						
		0	None	Dry	2-6	Brown, silty SAND, some silt and gravel, trace concrete [FILL]	
3							
		0	None	Dry			
4							
		0	None	Dry			
5							
		0	None	Dry			
6	40/48						
		0	None	Dry	6-12	Brown to light brown, coarse SAND [SP]	
7							
		0	None	Dry			
8							
		0	None	Dry			
9							
		0	None	Dry			
10	24/48						
		0	None	Dry			
11							
		0	None	Dry			
12						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data

Date	Time	Elapsed Time (hr.)	Depth in feet to: Water

Well Construction Information

Type	Depth	Notes

Summary

Overburden (Linear ft.)	12
Rock Cored (Linear ft.)	0
Number of Samples	1

BORING NO. B-07

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

SOIL BORING LOG

BORING NO. B-08

Page 1 of 1

PROJECT	2916 Atlantic Avenue - Phase II ESI	**PROJECT #**	0213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	Blue Sky Builders	**FIELD REP.**	S. Sotomayor
CONTRACTOR	Lakewood Environmental Services	**DATE STARTED**	4/9/2025
DRILLER	T. Kelly	**DATE FINISHED**	4/9/2025

Elevation	ft.	**Datum**	**Boring Location**				
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Surface Conditions**	**Drilling Notes**
Type	Steel	4 ft Plastic Liner	**Completion Depth (ft.)**	**12**	**Drilling Method**	Concrete Slab	
Inside Diameter (in.)	2	2			Direct Push		
Hammer Weight (lb.)	N/A	N/A	**Number of Samples**	**1**			
Hammer Fall (in.)	N/A	N/A					

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Odor	Moisture	Description Depth (ft)	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions [SYMBOL])	Remarks (Sample Information, Depth of Casing, Other Tests, Fill Interval, etc.)
0							
		0	None	Dry	0-1	Concrete Slab	
1							
		0	None	Dry	1-4	Dark brown, coarse SAND, concrete, trace brick and asphalt [FILL]	
2	12/48						
		0	None	Dry			
3							
		0	None	Dry			
4							
		0	None	Dry	4-6	Brown to gray, coarse SAND, some silt and gravel, trace brick, concrete [FILL]	B-08_4-6 collected
5							
		0	None	Dry			
6	12/48						
		0	None	Dry	6-12	Brown to light brown, coarse SAND, some gravel [SP]	
7							
		0	None	Dry			
8							
		0	None	Dry			
9							
		0	None	Dry			
10	36/48						
		0	None	Dry			
11							
		0	None	Dry			
12						End of Boring at 12 ft bgs	
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							

Water Level Data

Date	Time	Elapsed Time (hr.)	Depth in feet to: Water

Well Construction Information

Type	Depth	Notes

Summary

Overburden (Linear ft.)	12
Rock Cored (Linear ft.)	0
Number of Samples	1

BORING NO. B-08

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

ATTACHMENT C
Soil Vapor Log

SOIL VAPOR SAMPLING LOG

Project Name/Location: 2916 Atlantic Avenue Project Number: 0213315

Site: 2916 Atlantic Avenue
Date Collected: 4/9/2025
Personnel: S. Sotomayor
Weather: 33-41 Degrees F
Humidity: 23%

Sample ID	Caniser Size	Canister ID	Flow Controller ID	Sample Start Time	Canister Start Pressure ("Hg)	Sample End Time	Canister End Pressure ("Hg)	Sample Start Date	Sample Type	Analyses Method
SP-01	2.7L	3728	0968	1210	-31.25	1410	-5.13	4/9/2025	SV	TO-15
SP-02	2.7L	1805	01724	1212	-30.37	1412	-5.86	4/9/2025	SV	TO-15

Notes:
Summas and flow regulators provided by Pace Analytical
Analyses for VOCs by Method TO-15

ATTACHMENT D
Laboratory Analytical Data Reports

ANALYTICAL REPORT

Lab Number:	L2521629
Client:	Haley & Aldrich 213 West 35th Street 7th Floor New York, NY 10123
ATTN:	Zhan Shu
Phone:	(646) 568-9340
Project Name:	2916 ATLANTIC AVE
Project Number:	0213315-000-001-02
Report Date:	04/16/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521629
Report Date: 04/16/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2521629-01	TWP-01	WATER	BROOKLYN, NY	04/09/25 14:00	04/09/25
L2521629-02	TWP-02	WATER	BROOKLYN, NY	04/09/25 14:10	04/09/25

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521629
Project Number:	0213315-000-001-02	**Report Date:**	04/16/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521629
Project Number:	0213315-000-001-02	**Report Date:**	04/16/25

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Kelly Stenstrom

Title: Technical Director/Representative Date: 04/16/25

ORGANICS

VOLATILES

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

SAMPLE RESULTS

Lab ID: L2521629-01 D
Client ID: TWP-01
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 14:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 04/16/25 10:56
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	5.0	1.4	2
1,1-Dichloroethane	ND		ug/l	5.0	1.4	2
Chloroform	ND		ug/l	5.0	1.4	2
Carbon tetrachloride	ND		ug/l	1.0	0.27	2
1,2-Dichloropropane	ND		ug/l	2.0	0.27	2
Dibromochloromethane	ND		ug/l	1.0	0.30	2
1,1,2-Trichloroethane	ND		ug/l	3.0	1.0	2
Tetrachloroethene	ND		ug/l	1.0	0.36	2
Chlorobenzene	ND		ug/l	5.0	1.4	2
Trichlorofluoromethane	ND		ug/l	5.0	1.4	2
1,2-Dichloroethane	ND		ug/l	1.0	0.26	2
1,1,1-Trichloroethane	ND		ug/l	5.0	1.4	2
Bromodichloromethane	ND		ug/l	1.0	0.38	2
trans-1,3-Dichloropropene	ND		ug/l	1.0	0.33	2
cis-1,3-Dichloropropene	ND		ug/l	1.0	0.29	2
1,3-Dichloropropene, Total	ND		ug/l	1.0	0.29	2
1,1-Dichloropropene	ND		ug/l	5.0	1.4	2
Bromoform	ND		ug/l	4.0	1.3	2
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	0.33	2
Benzene	ND		ug/l	1.0	0.32	2
Toluene	ND		ug/l	5.0	1.4	2
Ethylbenzene	ND		ug/l	5.0	1.4	2
Chloromethane	ND		ug/l	5.0	1.4	2
Bromomethane	ND		ug/l	5.0	1.4	2
Vinyl chloride	ND		ug/l	2.0	0.14	2
Chloroethane	ND		ug/l	5.0	1.4	2
1,1-Dichloroethene	ND		ug/l	1.0	0.34	2
trans-1,2-Dichloroethene	ND		ug/l	5.0	1.4	2

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

SAMPLE RESULTS

Lab ID: L2521629-01 D
Client ID: TWP-01
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 14:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	1.0	0.35	2
1,2-Dichlorobenzene	ND		ug/l	5.0	1.4	2
1,3-Dichlorobenzene	ND		ug/l	5.0	1.4	2
1,4-Dichlorobenzene	ND		ug/l	5.0	1.4	2
Methyl tert butyl ether	ND		ug/l	5.0	0.33	2
p/m-Xylene	ND		ug/l	5.0	1.4	2
o-Xylene	ND		ug/l	5.0	1.4	2
Xylenes, Total	ND		ug/l	5.0	1.4	2
cis-1,2-Dichloroethene	ND		ug/l	5.0	1.4	2
1,2-Dichloroethene, Total	ND		ug/l	5.0	1.4	2
Dibromomethane	ND		ug/l	10	2.0	2
1,2,3-Trichloropropane	ND		ug/l	5.0	1.4	2
Acrylonitrile	ND		ug/l	10	3.0	2
Styrene	ND		ug/l	5.0	1.4	2
Dichlorodifluoromethane	ND		ug/l	10	2.0	2
Acetone	180		ug/l	10	2.9	2
Carbon disulfide	ND		ug/l	10	2.0	2
2-Butanone	ND		ug/l	10	3.9	2
Vinyl acetate	ND		ug/l	10	2.0	2
4-Methyl-2-pentanone	ND		ug/l	10	2.0	2
2-Hexanone	ND		ug/l	10	2.0	2
Bromochloromethane	ND		ug/l	5.0	1.4	2
2,2-Dichloropropane	ND		ug/l	5.0	1.4	2
1,2-Dibromoethane	ND		ug/l	4.0	1.3	2
1,3-Dichloropropane	ND		ug/l	5.0	1.4	2
1,1,1,2-Tetrachloroethane	ND		ug/l	5.0	1.4	2
Bromobenzene	ND		ug/l	5.0	1.4	2
n-Butylbenzene	ND		ug/l	5.0	1.4	2
sec-Butylbenzene	ND		ug/l	5.0	1.4	2
tert-Butylbenzene	ND		ug/l	5.0	1.4	2
o-Chlorotoluene	ND		ug/l	5.0	1.4	2
p-Chlorotoluene	ND		ug/l	5.0	1.4	2
1,2-Dibromo-3-chloropropane	ND		ug/l	5.0	1.4	2
Hexachlorobutadiene	ND		ug/l	5.0	1.4	2
Isopropylbenzene	ND		ug/l	5.0	1.4	2
p-Isopropyltoluene	ND		ug/l	5.0	1.4	2
Naphthalene	ND		ug/l	5.0	1.4	2

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

SAMPLE RESULTS

Lab ID: L2521629-01 D
Client ID: TWP-01
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 14:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	5.0	1.4	2
1,2,3-Trichlorobenzene	ND		ug/l	5.0	1.4	2
1,2,4-Trichlorobenzene	ND		ug/l	5.0	1.4	2
1,3,5-Trimethylbenzene	ND		ug/l	5.0	1.4	2
1,2,4-Trimethylbenzene	ND		ug/l	5.0	1.4	2
1,4-Dioxane	ND		ug/l	500	120	2
p-Diethylbenzene	ND		ug/l	4.0	1.4	2
p-Ethyltoluene	ND		ug/l	4.0	1.4	2
1,2,4,5-Tetramethylbenzene	ND		ug/l	4.0	1.1	2
Ethyl ether	ND		ug/l	5.0	1.4	2
trans-1,4-Dichloro-2-butene	ND		ug/l	5.0	1.4	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	112		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	90		70-130
Dibromofluoromethane	114		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

SAMPLE RESULTS

Lab ID: L2521629-02
Client ID: TWP-02
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 14:10
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Water
Analytical Method: 1,8260D
Analytical Date: 04/16/25 11:21
Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.18	J	ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

SAMPLE RESULTS

Lab ID: L2521629-02
Client ID: TWP-02
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 14:10
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.17	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
Xylenes, Total	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	4.0	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

SAMPLE RESULTS

Lab ID: L2521629-02
Client ID: TWP-02
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 14:10
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	61.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	110		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	87		70-130
Dibromofluoromethane	119		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 08:52
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG2054719-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,3-Dichloropropene, Total	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 08:52
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG2054719-5					
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.17
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
Xylenes, Total	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
1,2-Dichloroethene, Total	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 08:52
Analyst: PID

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG2054719-5					
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
1,4-Dioxane	ND		ug/l	250	61.
p-Diethylbenzene	ND		ug/l	2.0	0.70
p-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.54
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	112		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	89		70-130
Dibromofluoromethane	116		70-130

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521629
Report Date: 04/16/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG2054719-3 WG2054719-4								
Methylene chloride	110		95		70-130	15		20
1,1-Dichloroethane	110		97		70-130	13		20
Chloroform	100		92		70-130	8		20
Carbon tetrachloride	110		100		63-132	10		20
1,2-Dichloropropane	91		88		70-130	3		20
Dibromochloromethane	100		93		63-130	7		20
1,1,2-Trichloroethane	87		83		70-130	5		20
Tetrachloroethene	110		94		70-130	16		20
Chlorobenzene	100		90		75-130	11		20
Trichlorofluoromethane	120		100		62-150	18		20
1,2-Dichloroethane	100		97		70-130	3		20
1,1,1-Trichloroethane	110		100		67-130	10		20
Bromodichloromethane	97		94		67-130	3		20
trans-1,3-Dichloropropene	86		78		70-130	10		20
cis-1,3-Dichloropropene	91		86		70-130	6		20
1,1-Dichloropropene	88		92		70-130	4		20
Bromoform	87		78		54-136	11		20
1,1,2,2-Tetrachloroethane	85		79		67-130	7		20
Benzene	92		86		70-130	7		20
Toluene	95		85		70-130	11		20
Ethylbenzene	97		86		70-130	12		20
Chloromethane	120		100		64-130	18		20
Bromomethane	**170**	Q	130		39-139	**27**	Q	20

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521629
Report Date: 04/16/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG2054719-3 WG2054719-4								
Vinyl chloride	96		82		55-140	16		20
Chloroethane	110		94		55-138	16		20
1,1-Dichloroethene	110		97		61-145	13		20
trans-1,2-Dichloroethene	110		94		70-130	16		20
Trichloroethene	92		88		70-130	4		20
1,2-Dichlorobenzene	100		93		70-130	7		20
1,3-Dichlorobenzene	100		92		70-130	8		20
1,4-Dichlorobenzene	100		90		70-130	11		20
Methyl tert butyl ether	86		90		63-130	5		20
p/m-Xylene	100		90		70-130	11		20
o-Xylene	100		90		70-130	11		20
cis-1,2-Dichloroethene	110		99		70-130	11		20
Dibromomethane	110		98		70-130	12		20
1,2,3-Trichloropropane	83		80		64-130	4		20
Acrylonitrile	120		110		70-130	9		20
Styrene	90		80		70-130	12		20
Dichlorodifluoromethane	94		82		36-147	14		20
Acetone	110		100		58-148	10		20
Carbon disulfide	100		91		51-130	9		20
2-Butanone	94		95		63-138	1		20
Vinyl acetate	93		93		70-130	0		20
4-Methyl-2-pentanone	78		77		59-130	1		20
2-Hexanone	83		81		57-130	2		20

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521629
Report Date: 04/16/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG2054719-3 WG2054719-4								
Bromochloromethane	120		110		70-130	9		20
2,2-Dichloropropane	110		100		63-133	10		20
1,2-Dibromoethane	97		86		70-130	12		20
1,3-Dichloropropane	86		78		70-130	10		20
1,1,1,2-Tetrachloroethane	97		91		64-130	6		20
Bromobenzene	99		91		70-130	8		20
n-Butylbenzene	96		86		53-136	11		20
sec-Butylbenzene	96		87		70-130	10		20
tert-Butylbenzene	86		90		70-130	5		20
o-Chlorotoluene	93		85		70-130	9		20
p-Chlorotoluene	92		85		70-130	8		20
1,2-Dibromo-3-chloropropane	85		79		41-144	7		20
Hexachlorobutadiene	100		96		63-130	4		20
Isopropylbenzene	94		86		70-130	9		20
p-Isopropyltoluene	91		84		70-130	8		20
Naphthalene	96		91		70-130	5		20
n-Propylbenzene	94		84		69-130	11		20
1,2,3-Trichlorobenzene	97		91		70-130	6		20
1,2,4-Trichlorobenzene	97		90		70-130	7		20
1,3,5-Trimethylbenzene	96		87		64-130	10		20
1,2,4-Trimethylbenzene	96		89		70-130	8		20
1,4-Dioxane	120		108		56-162	11		20
p-Diethylbenzene	91		83		70-130	9		20

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521629
Report Date: 04/16/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG2054719-3 WG2054719-4								
p-Ethyltoluene	98		88		70-130	11		20
1,2,4,5-Tetramethylbenzene	89		79		70-130	12		20
Ethyl ether	92		88		59-134	4		20
trans-1,4-Dichloro-2-butene	98		88		70-130	11		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	102		107		70-130
Toluene-d8	93		94		70-130
4-Bromofluorobenzene	90		91		70-130
Dibromofluoromethane	111		111		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521629
Report Date: 04/16/25

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2521629-01A	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L2521629-01B	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L2521629-01C	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L2521629-02A	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L2521629-02B	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)
L2521629-02C	Vial HCl preserved	A	NA		2.1	Y	Absent		NYTCL-8260(14)

*Values in parentheses indicate holding time in days

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521629
Project Number:	0213315-000-001-02	**Report Date:**	04/16/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521629
Project Number:	0213315-000-001-02	**Report Date:**	04/16/25

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

F - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

J - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521629
Project Number:	0213315-000-001-02	**Report Date:**	04/16/25

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

ND - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

V - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Z - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521629
Report Date: 04/16/25

REFERENCES

1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
EPA 624.1: m/p-xylene, o-xylene, Naphthalene
EPA 625.1: alpha-Terpineol
EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
SM 2540D: TSS.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
MADEP-APH.
Nonpotable Water: EPA RSK-175 Dissolved Gases
Biological Tissue Matrix: EPA 3050B

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**
EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**
EPA 624.1: Volatile Halocarbons & Aromatics,
EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625.1: SVOC (Acid/Base/Neutral Extractables).
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Drinking Water
EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522, EPA 537.1.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.
EPA 245.1 Hg.
SM2340B

Certification IDs:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.

NEW YORK CHAIN OF CUSTODY

ALPHA

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of 1

Date Rec'd in Lab: 4/10/25

ALPHA Job #: L2521629

Client Information

Client: HDA of NY
Address: 213 W 35th Street
NY NY
Phone:
Fax: jmooney@hueygaldrich.com
Email: zshu@hueygaldrich.com

Project Information

Project Name: 2916 Atlantic Ave
Project Location: Brooklyn NY
Project #: 0213315-000-001-02
(Use Project name as Project #)
Project Manager: Zhen Shu
ALPHAQuote #:

Turn-Around Time

Standard: ☒ Due Date:
Rush (only if pre approved): ☐ # of Days:

These samples have been previously analyzed by Alpha ☐

Other project specific requirements/comments:

Please specify Metals or TAL.

Deliverables

☐ ASP-A ☐ ASP-B
☐ EQuIS (1 File) ☐ EQuIS (4 File)
☐ Other

Regulatory Requirement

☐ NY TOGS ☒ NY Part 375
☐ AWQ Standards ☐ NY CP-51
☐ NY Restricted Use ☐ Other
☒ NY Unrestricted Use
☐ NYC Sewer Discharge

Billing Information

☐ Same as Client Info
PO #

Disposal Site Information

Please identify below location of applicable disposal facilities.
Disposal Facility:
☐ NJ ☐ NY
☐ Other:

ANALYSIS

TCL VOCs

Sample Filtration
☐ Done
☐ Lab to do
Preservation
☐ Lab to do
(Please Specify below)

Total Bottles

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	TCL VOCs	Sample Specific Comments
21629-01	TWP-01	4/9/25	1400	GW	SJ	X	
-02	TWP-02	4/9/25	1410	GW	SJ	X	

Container Type: V
Preservative: B

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Relinquished By:	Date/Time	Received By:	Date/Time
	4/9/25 1315	WIFI Dace	4/9/25 1515
WIFI Dace	4/9/25 1845		4/9/25 1845
	4/9/25		4/9/25 2245
	4/9/25 0145		4/10/25 0145

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-25 HC (rev. 30-Sept-2013)

ANALYTICAL REPORT

Lab Number:	L2521630
Client:	Haley & Aldrich 213 West 35th Street 7th Floor New York, NY 10123
ATTN:	Zhan Shu
Phone:	(646) 568-9340
Project Name:	2916 ATLANTIC AVE
Project Number:	0213315-000-001-02
Report Date:	04/17/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2521630-01	B-01_1-3	SOIL	BROOKLYN, NY	04/09/25 10:20	04/09/25
L2521630-02	B-02_1-3	SOIL	BROOKLYN, NY	04/09/25 11:50	04/09/25
L2521630-03	B-03_2-4	SOIL	BROOKLYN, NY	04/09/25 13:30	04/09/25
L2521630-04	B-04_3-5	SOIL	BROOKLYN, NY	04/09/25 12:50	04/09/25
L2521630-05	B-05_2-4	SOIL	BROOKLYN, NY	04/09/25 13:00	04/09/25
L2521630-06	B-06_5-7	SOIL	BROOKLYN, NY	04/09/25 13:40	04/09/25
L2521630-07	B-07_0-2	SOIL	BROOKLYN, NY	04/09/25 13:15	04/09/25
L2521630-08	B-08_4-6	SOIL	BROOKLYN, NY	04/09/25 13:50	04/09/25

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521630
Project Number:	0213315-000-001-02	**Report Date:**	04/17/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L2521630-01, -07, -08: The sample has a concentration above the reporting limit for tetrachloroethene that may be due to potential lab contamination.

L2521630-05: The sample was analyzed as a High Level Methanol in order to quantitate results within the calibration range. The result should be considered estimated, and is qualified with an E flag, for any compound that exceeded the calibration on the initial Low Level analysis. The results of both analyses are reported.

Semivolatile Organics

The WG2052429-2/-3 LCS/LCSD recoveries associated with L2521630-01, -01D, -02, -03, -04D, -05, -06, -07, -08D2, and -08D is below the acceptance criteria for benzoic acid (6%/9%); however, it has been identified as a "difficult" analyte. The results of the associated samples are reported.

Total Metals

L2521630-01 through -08: The sample has elevated detection limits for all elements, with the exception of mercury, due to the dilution required by the sample matrix.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Melissa Sturgis Melissa Sturgis

Title: Technical Director/Representative Date: 04/17/25

ORGANICS

VOLATILES

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/15/25 21:09
Analyst: JIC
Percent Solids: 90%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	5.1	2.4	1
1,1-Dichloroethane	ND		ug/kg	1.0	0.15	1
Chloroform	ND		ug/kg	1.5	0.14	1
Carbon tetrachloride	ND		ug/kg	1.0	0.24	1
1,2-Dichloropropane	ND		ug/kg	1.0	0.13	1
Dibromochloromethane	ND		ug/kg	1.0	0.14	1
1,1,2-Trichloroethane	ND		ug/kg	1.0	0.27	1
Tetrachloroethene	0.74		ug/kg	0.51	0.20	1
Chlorobenzene	ND		ug/kg	0.51	0.13	1
Trichlorofluoromethane	ND		ug/kg	4.1	0.72	1
1,2-Dichloroethane	ND		ug/kg	1.0	0.26	1
1,1,1-Trichloroethane	ND		ug/kg	0.51	0.17	1
Bromodichloromethane	ND		ug/kg	0.51	0.11	1
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.28	1
cis-1,3-Dichloropropene	ND		ug/kg	0.51	0.16	1
1,3-Dichloropropene, Total	ND		ug/kg	0.51	0.16	1
1,1-Dichloropropene	ND		ug/kg	0.51	0.16	1
Bromoform	ND		ug/kg	4.1	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.51	0.17	1
Benzene	0.18	J	ug/kg	0.51	0.17	1
Toluene	1.1		ug/kg	1.0	0.56	1
Ethylbenzene	0.26	J	ug/kg	1.0	0.14	1
Chloromethane	ND		ug/kg	4.1	0.96	1
Bromomethane	ND		ug/kg	2.0	0.60	1
Vinyl chloride	ND		ug/kg	1.0	0.34	1
Chloroethane	ND		ug/kg	2.0	0.46	1
1,1-Dichloroethene	ND		ug/kg	1.0	0.24	1
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.14	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	ND		ug/kg	0.51	0.14	1
1,2-Dichlorobenzene	ND		ug/kg	2.0	0.15	1
1,3-Dichlorobenzene	ND		ug/kg	2.0	0.15	1
1,4-Dichlorobenzene	ND		ug/kg	2.0	0.18	1
Methyl tert butyl ether	ND		ug/kg	2.0	0.21	1
p/m-Xylene	0.97	J	ug/kg	2.0	0.58	1
o-Xylene	0.31	J	ug/kg	1.0	0.30	1
Xylenes, Total	1.3	J	ug/kg	1.0	0.30	1
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.18	1
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.14	1
Dibromomethane	ND		ug/kg	2.0	0.24	1
Styrene	ND		ug/kg	1.0	0.20	1
Dichlorodifluoromethane	ND		ug/kg	10	0.94	1
Acetone	34		ug/kg	10	4.9	1
Carbon disulfide	ND		ug/kg	10	4.7	1
2-Butanone	ND		ug/kg	10	2.3	1
Vinyl acetate	ND		ug/kg	10	2.2	1
4-Methyl-2-pentanone	ND		ug/kg	10	1.3	1
1,2,3-Trichloropropane	ND		ug/kg	2.0	0.13	1
2-Hexanone	ND		ug/kg	10	1.2	1
Bromochloromethane	ND		ug/kg	2.0	0.21	1
2,2-Dichloropropane	ND		ug/kg	2.0	0.21	1
1,2-Dibromoethane	ND		ug/kg	1.0	0.29	1
1,3-Dichloropropane	ND		ug/kg	2.0	0.17	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.51	0.14	1
Bromobenzene	ND		ug/kg	2.0	0.15	1
n-Butylbenzene	ND		ug/kg	1.0	0.17	1
sec-Butylbenzene	ND		ug/kg	1.0	0.15	1
tert-Butylbenzene	ND		ug/kg	2.0	0.12	1
o-Chlorotoluene	ND		ug/kg	2.0	0.20	1
p-Chlorotoluene	ND		ug/kg	2.0	0.11	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.1	1.0	1
Hexachlorobutadiene	ND		ug/kg	4.1	0.17	1
Isopropylbenzene	ND		ug/kg	1.0	0.11	1
p-Isopropyltoluene	ND		ug/kg	1.0	0.11	1
Naphthalene	ND		ug/kg	4.1	0.67	1
Acrylonitrile	ND		ug/kg	4.1	1.2	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.0	0.18	1
1,2,3-Trichlorobenzene	ND		ug/kg	2.0	0.33	1
1,2,4-Trichlorobenzene	ND		ug/kg	2.0	0.28	1
1,3,5-Trimethylbenzene	ND		ug/kg	2.0	0.20	1
1,2,4-Trimethylbenzene	ND		ug/kg	2.0	0.34	1
1,4-Dioxane	ND		ug/kg	82	36.	1
p-Diethylbenzene	ND		ug/kg	2.0	0.18	1
p-Ethyltoluene	ND		ug/kg	2.0	0.40	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.0	0.20	1
Ethyl ether	ND		ug/kg	2.0	0.35	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.1	1.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	122		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	88		70-130
Dibromofluoromethane	121		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/16/25 09:44
Analyst: MNF
Percent Solids: 73%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	7.0	3.2	1
1,1-Dichloroethane	ND		ug/kg	1.4	0.20	1
Chloroform	ND		ug/kg	2.1	0.19	1
Carbon tetrachloride	ND		ug/kg	1.4	0.32	1
1,2-Dichloropropane	ND		ug/kg	1.4	0.17	1
Dibromochloromethane	ND		ug/kg	1.4	0.19	1
1,1,2-Trichloroethane	ND		ug/kg	1.4	0.37	1
Tetrachloroethene	0.27	J	ug/kg	0.70	0.27	1
Chlorobenzene	ND		ug/kg	0.70	0.18	1
Trichlorofluoromethane	ND		ug/kg	5.6	0.97	1
1,2-Dichloroethane	ND		ug/kg	1.4	0.36	1
1,1,1-Trichloroethane	ND		ug/kg	0.70	0.23	1
Bromodichloromethane	ND		ug/kg	0.70	0.15	1
trans-1,3-Dichloropropene	ND		ug/kg	1.4	0.38	1
cis-1,3-Dichloropropene	ND		ug/kg	0.70	0.22	1
1,3-Dichloropropene, Total	ND		ug/kg	0.70	0.22	1
1,1-Dichloropropene	ND		ug/kg	0.70	0.22	1
Bromoform	ND		ug/kg	5.6	0.34	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.70	0.23	1
Benzene	ND		ug/kg	0.70	0.23	1
Toluene	0.96	J	ug/kg	1.4	0.75	1
Ethylbenzene	ND		ug/kg	1.4	0.20	1
Chloromethane	ND		ug/kg	5.6	1.3	1
Bromomethane	ND		ug/kg	2.8	0.81	1
Vinyl chloride	ND		ug/kg	1.4	0.46	1
Chloroethane	ND		ug/kg	2.8	0.63	1
1,1-Dichloroethene	ND		ug/kg	1.4	0.33	1
trans-1,2-Dichloroethene	ND		ug/kg	2.1	0.19	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	0.33	J	ug/kg	0.70	0.19	1
1,2-Dichlorobenzene	ND		ug/kg	2.8	0.20	1
1,3-Dichlorobenzene	ND		ug/kg	2.8	0.20	1
1,4-Dichlorobenzene	ND		ug/kg	2.8	0.24	1
Methyl tert butyl ether	ND		ug/kg	2.8	0.28	1
p/m-Xylene	ND		ug/kg	2.8	0.78	1
o-Xylene	ND		ug/kg	1.4	0.40	1
Xylenes, Total	ND		ug/kg	1.4	0.40	1
cis-1,2-Dichloroethene	ND		ug/kg	1.4	0.24	1
1,2-Dichloroethene, Total	ND		ug/kg	1.4	0.19	1
Dibromomethane	ND		ug/kg	2.8	0.33	1
Styrene	ND		ug/kg	1.4	0.27	1
Dichlorodifluoromethane	ND		ug/kg	14	1.3	1
Acetone	90		ug/kg	14	6.7	1
Carbon disulfide	ND		ug/kg	14	6.3	1
2-Butanone	ND		ug/kg	14	3.1	1
Vinyl acetate	ND		ug/kg	14	3.0	1
4-Methyl-2-pentanone	ND		ug/kg	14	1.8	1
1,2,3-Trichloropropane	ND		ug/kg	2.8	0.18	1
2-Hexanone	ND		ug/kg	14	1.6	1
Bromochloromethane	ND		ug/kg	2.8	0.28	1
2,2-Dichloropropane	ND		ug/kg	2.8	0.28	1
1,2-Dibromoethane	ND		ug/kg	1.4	0.39	1
1,3-Dichloropropane	ND		ug/kg	2.8	0.23	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.70	0.18	1
Bromobenzene	ND		ug/kg	2.8	0.20	1
n-Butylbenzene	ND		ug/kg	1.4	0.23	1
sec-Butylbenzene	ND		ug/kg	1.4	0.20	1
tert-Butylbenzene	ND		ug/kg	2.8	0.16	1
o-Chlorotoluene	ND		ug/kg	2.8	0.26	1
p-Chlorotoluene	ND		ug/kg	2.8	0.15	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	4.2	1.4	1
Hexachlorobutadiene	ND		ug/kg	5.6	0.23	1
Isopropylbenzene	ND		ug/kg	1.4	0.15	1
p-Isopropyltoluene	ND		ug/kg	1.4	0.15	1
Naphthalene	ND		ug/kg	5.6	0.90	1
Acrylonitrile	ND		ug/kg	5.6	1.6	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.4	0.24	1
1,2,3-Trichlorobenzene	ND		ug/kg	2.8	0.45	1
1,2,4-Trichlorobenzene	ND		ug/kg	2.8	0.38	1
1,3,5-Trimethylbenzene	ND		ug/kg	2.8	0.27	1
1,2,4-Trimethylbenzene	ND		ug/kg	2.8	0.46	1
1,4-Dioxane	ND		ug/kg	110	49.	1
p-Diethylbenzene	ND		ug/kg	2.8	0.25	1
p-Ethyltoluene	ND		ug/kg	2.8	0.53	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.8	0.26	1
Ethyl ether	ND		ug/kg	2.8	0.47	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	7.0	2.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	107		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03
Client ID: B-03_2-4
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:30
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/15/25 21:50
Analyst: JIC
Percent Solids: 93%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	5.1	2.3	1
1,1-Dichloroethane	ND		ug/kg	1.0	0.15	1
Chloroform	ND		ug/kg	1.5	0.14	1
Carbon tetrachloride	ND		ug/kg	1.0	0.23	1
1,2-Dichloropropane	ND		ug/kg	1.0	0.13	1
Dibromochloromethane	ND		ug/kg	1.0	0.14	1
1,1,2-Trichloroethane	ND		ug/kg	1.0	0.27	1
Tetrachloroethene	ND		ug/kg	0.51	0.20	1
Chlorobenzene	ND		ug/kg	0.51	0.13	1
Trichlorofluoromethane	ND		ug/kg	4.1	0.71	1
1,2-Dichloroethane	ND		ug/kg	1.0	0.26	1
1,1,1-Trichloroethane	ND		ug/kg	0.51	0.17	1
Bromodichloromethane	ND		ug/kg	0.51	0.11	1
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.28	1
cis-1,3-Dichloropropene	ND		ug/kg	0.51	0.16	1
1,3-Dichloropropene, Total	ND		ug/kg	0.51	0.16	1
1,1-Dichloropropene	ND		ug/kg	0.51	0.16	1
Bromoform	ND		ug/kg	4.1	0.25	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.51	0.17	1
Benzene	ND		ug/kg	0.51	0.17	1
Toluene	ND		ug/kg	1.0	0.55	1
Ethylbenzene	ND		ug/kg	1.0	0.14	1
Chloromethane	ND		ug/kg	4.1	0.95	1
Bromomethane	ND		ug/kg	2.0	0.59	1
Vinyl chloride	ND		ug/kg	1.0	0.34	1
Chloroethane	ND		ug/kg	2.0	0.46	1
1,1-Dichloroethene	ND		ug/kg	1.0	0.24	1
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.14	1

Project Name: 2916 ATLANTIC AVE **Lab Number:** L2521630

Project Number: 0213315-000-001-02 **Report Date:** 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03 Date Collected: 04/09/25 13:30

Client ID: B-03_2-4 Date Received: 04/09/25

Sample Location: BROOKLYN, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	ND		ug/kg	0.51	0.14	1
1,2-Dichlorobenzene	ND		ug/kg	2.0	0.15	1
1,3-Dichlorobenzene	ND		ug/kg	2.0	0.15	1
1,4-Dichlorobenzene	ND		ug/kg	2.0	0.17	1
Methyl tert butyl ether	ND		ug/kg	2.0	0.20	1
p/m-Xylene	ND		ug/kg	2.0	0.57	1
o-Xylene	ND		ug/kg	1.0	0.30	1
Xylenes, Total	ND		ug/kg	1.0	0.30	1
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.18	1
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.14	1
Dibromomethane	ND		ug/kg	2.0	0.24	1
Styrene	ND		ug/kg	1.0	0.20	1
Dichlorodifluoromethane	ND		ug/kg	10	0.93	1
Acetone	25		ug/kg	10	4.9	1
Carbon disulfide	ND		ug/kg	10	4.6	1
2-Butanone	ND		ug/kg	10	2.2	1
Vinyl acetate	ND		ug/kg	10	2.2	1
4-Methyl-2-pentanone	ND		ug/kg	10	1.3	1
1,2,3-Trichloropropane	ND		ug/kg	2.0	0.13	1
2-Hexanone	ND		ug/kg	10	1.2	1
Bromochloromethane	ND		ug/kg	2.0	0.21	1
2,2-Dichloropropane	ND		ug/kg	2.0	0.20	1
1,2-Dibromoethane	ND		ug/kg	1.0	0.28	1
1,3-Dichloropropane	ND		ug/kg	2.0	0.17	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.51	0.13	1
Bromobenzene	ND		ug/kg	2.0	0.15	1
n-Butylbenzene	ND		ug/kg	1.0	0.17	1
sec-Butylbenzene	ND		ug/kg	1.0	0.15	1
tert-Butylbenzene	ND		ug/kg	2.0	0.12	1
o-Chlorotoluene	ND		ug/kg	2.0	0.19	1
p-Chlorotoluene	ND		ug/kg	2.0	0.11	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.0	1.0	1
Hexachlorobutadiene	ND		ug/kg	4.1	0.17	1
Isopropylbenzene	ND		ug/kg	1.0	0.11	1
p-Isopropyltoluene	ND		ug/kg	1.0	0.11	1
Naphthalene	ND		ug/kg	4.1	0.66	1
Acrylonitrile	ND		ug/kg	4.1	1.2	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03
Client ID: B-03_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:30
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.0	0.17	1
1,2,3-Trichlorobenzene	ND		ug/kg	2.0	0.33	1
1,2,4-Trichlorobenzene	ND		ug/kg	2.0	0.28	1
1,3,5-Trimethylbenzene	ND		ug/kg	2.0	0.20	1
1,2,4-Trimethylbenzene	ND		ug/kg	2.0	0.34	1
1,4-Dioxane	ND		ug/kg	81	36.	1
p-Diethylbenzene	ND		ug/kg	2.0	0.18	1
p-Ethyltoluene	ND		ug/kg	2.0	0.39	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.0	0.19	1
Ethyl ether	ND		ug/kg	2.0	0.35	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.1	1.4	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	123		70-130
Toluene-d8	89		70-130
4-Bromofluorobenzene	84		70-130
Dibromofluoromethane	121		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/15/25 22:11
Analyst: JIC
Percent Solids: 94%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	5.5	2.5	1
1,1-Dichloroethane	ND		ug/kg	1.1	0.16	1
Chloroform	ND		ug/kg	1.6	0.15	1
Carbon tetrachloride	ND		ug/kg	1.1	0.25	1
1,2-Dichloropropane	ND		ug/kg	1.1	0.14	1
Dibromochloromethane	ND		ug/kg	1.1	0.15	1
1,1,2-Trichloroethane	ND		ug/kg	1.1	0.30	1
Tetrachloroethene	0.52	J	ug/kg	0.55	0.22	1
Chlorobenzene	ND		ug/kg	0.55	0.14	1
Trichlorofluoromethane	ND		ug/kg	4.4	0.77	1
1,2-Dichloroethane	ND		ug/kg	1.1	0.28	1
1,1,1-Trichloroethane	ND		ug/kg	0.55	0.18	1
Bromodichloromethane	ND		ug/kg	0.55	0.12	1
trans-1,3-Dichloropropene	ND		ug/kg	1.1	0.30	1
cis-1,3-Dichloropropene	ND		ug/kg	0.55	0.17	1
1,3-Dichloropropene, Total	ND		ug/kg	0.55	0.17	1
1,1-Dichloropropene	ND		ug/kg	0.55	0.18	1
Bromoform	ND		ug/kg	4.4	0.27	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.55	0.18	1
Benzene	0.26	J	ug/kg	0.55	0.18	1
Toluene	ND		ug/kg	1.1	0.60	1
Ethylbenzene	ND		ug/kg	1.1	0.16	1
Chloromethane	ND		ug/kg	4.4	1.0	1
Bromomethane	ND		ug/kg	2.2	0.64	1
Vinyl chloride	ND		ug/kg	1.1	0.37	1
Chloroethane	ND		ug/kg	2.2	0.50	1
1,1-Dichloroethene	ND		ug/kg	1.1	0.26	1
trans-1,2-Dichloroethene	ND		ug/kg	1.6	0.15	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	0.29	J	ug/kg	0.55	0.15	1
1,2-Dichlorobenzene	ND		ug/kg	2.2	0.16	1
1,3-Dichlorobenzene	ND		ug/kg	2.2	0.16	1
1,4-Dichlorobenzene	ND		ug/kg	2.2	0.19	1
Methyl tert butyl ether	ND		ug/kg	2.2	0.22	1
p/m-Xylene	ND		ug/kg	2.2	0.62	1
o-Xylene	ND		ug/kg	1.1	0.32	1
Xylenes, Total	ND		ug/kg	1.1	0.32	1
cis-1,2-Dichloroethene	ND		ug/kg	1.1	0.19	1
1,2-Dichloroethene, Total	ND		ug/kg	1.1	0.15	1
Dibromomethane	ND		ug/kg	2.2	0.26	1
Styrene	ND		ug/kg	1.1	0.22	1
Dichlorodifluoromethane	ND		ug/kg	11	1.0	1
Acetone	5.4	J	ug/kg	11	5.3	1
Carbon disulfide	ND		ug/kg	11	5.0	1
2-Butanone	ND		ug/kg	11	2.4	1
Vinyl acetate	ND		ug/kg	11	2.4	1
4-Methyl-2-pentanone	ND		ug/kg	11	1.4	1
1,2,3-Trichloropropane	ND		ug/kg	2.2	0.14	1
2-Hexanone	ND		ug/kg	11	1.3	1
Bromochloromethane	ND		ug/kg	2.2	0.23	1
2,2-Dichloropropane	ND		ug/kg	2.2	0.22	1
1,2-Dibromoethane	ND		ug/kg	1.1	0.31	1
1,3-Dichloropropane	ND		ug/kg	2.2	0.18	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.55	0.14	1
Bromobenzene	ND		ug/kg	2.2	0.16	1
n-Butylbenzene	ND		ug/kg	1.1	0.18	1
sec-Butylbenzene	ND		ug/kg	1.1	0.16	1
tert-Butylbenzene	ND		ug/kg	2.2	0.13	1
o-Chlorotoluene	ND		ug/kg	2.2	0.21	1
p-Chlorotoluene	ND		ug/kg	2.2	0.12	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.3	1.1	1
Hexachlorobutadiene	ND		ug/kg	4.4	0.19	1
Isopropylbenzene	ND		ug/kg	1.1	0.12	1
p-Isopropyltoluene	ND		ug/kg	1.1	0.12	1
Naphthalene	ND		ug/kg	4.4	0.72	1
Acrylonitrile	ND		ug/kg	4.4	1.3	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.1	0.19	1
1,2,3-Trichlorobenzene	ND		ug/kg	2.2	0.36	1
1,2,4-Trichlorobenzene	ND		ug/kg	2.2	0.30	1
1,3,5-Trimethylbenzene	ND		ug/kg	2.2	0.21	1
1,2,4-Trimethylbenzene	ND		ug/kg	2.2	0.37	1
1,4-Dioxane	ND		ug/kg	88	39.	1
p-Diethylbenzene	ND		ug/kg	2.2	0.20	1
p-Ethyltoluene	ND		ug/kg	2.2	0.42	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.2	0.21	1
Ethyl ether	ND		ug/kg	2.2	0.38	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.5	1.6	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	123		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	87		70-130
Dibromofluoromethane	121		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/15/25 22:32
Analyst: JIC
Percent Solids: 89%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	4.9	2.2	1
1,1-Dichloroethane	ND		ug/kg	0.98	0.14	1
Chloroform	ND		ug/kg	1.5	0.14	1
Carbon tetrachloride	ND		ug/kg	0.98	0.22	1
1,2-Dichloropropane	ND		ug/kg	0.98	0.12	1
Dibromochloromethane	ND		ug/kg	0.98	0.14	1
1,1,2-Trichloroethane	ND		ug/kg	0.98	0.26	1
Tetrachloroethene	0.44	J	ug/kg	0.49	0.19	1
Chlorobenzene	ND		ug/kg	0.49	0.12	1
Trichlorofluoromethane	ND		ug/kg	3.9	0.68	1
1,2-Dichloroethane	ND		ug/kg	0.98	0.25	1
1,1,1-Trichloroethane	ND		ug/kg	0.49	0.16	1
Bromodichloromethane	ND		ug/kg	0.49	0.11	1
trans-1,3-Dichloropropene	ND		ug/kg	0.98	0.27	1
cis-1,3-Dichloropropene	ND		ug/kg	0.49	0.15	1
1,3-Dichloropropene, Total	ND		ug/kg	0.49	0.15	1
1,1-Dichloropropene	ND		ug/kg	0.49	0.16	1
Bromoform	ND		ug/kg	3.9	0.24	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.49	0.16	1
Benzene	ND		ug/kg	0.49	0.16	1
Toluene	ND		ug/kg	0.98	0.53	1
Ethylbenzene	0.44	J	ug/kg	0.98	0.14	1
Chloromethane	ND		ug/kg	3.9	0.91	1
Bromomethane	ND		ug/kg	2.0	0.57	1
Vinyl chloride	ND		ug/kg	0.98	0.33	1
Chloroethane	ND		ug/kg	2.0	0.44	1
1,1-Dichloroethene	ND		ug/kg	0.98	0.23	1
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.13	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	ND		ug/kg	0.49	0.13	1
1,2-Dichlorobenzene	ND		ug/kg	2.0	0.14	1
1,3-Dichlorobenzene	ND		ug/kg	2.0	0.14	1
1,4-Dichlorobenzene	ND		ug/kg	2.0	0.17	1
Methyl tert butyl ether	ND		ug/kg	2.0	0.20	1
p/m-Xylene	1.8	J	ug/kg	2.0	0.55	1
o-Xylene	0.50	J	ug/kg	0.98	0.28	1
Xylenes, Total	2.3	J	ug/kg	0.98	0.28	1
cis-1,2-Dichloroethene	ND		ug/kg	0.98	0.17	1
1,2-Dichloroethene, Total	ND		ug/kg	0.98	0.13	1
Dibromomethane	ND		ug/kg	2.0	0.23	1
Styrene	ND		ug/kg	0.98	0.19	1
Dichlorodifluoromethane	ND		ug/kg	9.8	0.90	1
Acetone	370	E	ug/kg	9.8	4.7	1
Carbon disulfide	ND		ug/kg	9.8	4.4	1
2-Butanone	ND		ug/kg	9.8	2.2	1
Vinyl acetate	ND		ug/kg	9.8	2.1	1
4-Methyl-2-pentanone	ND		ug/kg	9.8	1.2	1
1,2,3-Trichloropropane	ND		ug/kg	2.0	0.12	1
2-Hexanone	ND		ug/kg	9.8	1.2	1
Bromochloromethane	ND		ug/kg	2.0	0.20	1
2,2-Dichloropropane	ND		ug/kg	2.0	0.20	1
1,2-Dibromoethane	ND		ug/kg	0.98	0.27	1
1,3-Dichloropropane	ND		ug/kg	2.0	0.16	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.49	0.13	1
Bromobenzene	ND		ug/kg	2.0	0.14	1
n-Butylbenzene	ND		ug/kg	0.98	0.16	1
sec-Butylbenzene	ND		ug/kg	0.98	0.14	1
tert-Butylbenzene	ND		ug/kg	2.0	0.12	1
o-Chlorotoluene	ND		ug/kg	2.0	0.19	1
p-Chlorotoluene	ND		ug/kg	2.0	0.10	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	2.9	0.98	1
Hexachlorobutadiene	ND		ug/kg	3.9	0.16	1
Isopropylbenzene	ND		ug/kg	0.98	0.11	1
p-Isopropyltoluene	ND		ug/kg	0.98	0.11	1
Naphthalene	ND		ug/kg	3.9	0.64	1
Acrylonitrile	ND		ug/kg	3.9	1.1	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	0.98	0.17	1
1,2,3-Trichlorobenzene	ND		ug/kg	2.0	0.32	1
1,2,4-Trichlorobenzene	ND		ug/kg	2.0	0.27	1
1,3,5-Trimethylbenzene	ND		ug/kg	2.0	0.19	1
1,2,4-Trimethylbenzene	ND		ug/kg	2.0	0.33	1
1,4-Dioxane	ND		ug/kg	78	34.	1
p-Diethylbenzene	ND		ug/kg	2.0	0.17	1
p-Ethyltoluene	ND		ug/kg	2.0	0.38	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.0	0.19	1
Ethyl ether	ND		ug/kg	2.0	0.33	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	4.9	1.4	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	121		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	91		70-130
Dibromofluoromethane	118		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/16/25 13:26
Analyst: AJK
Percent Solids: 89%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 High - Westborough Lab						
Methylene chloride	ND		ug/kg	250	110	1
1,1-Dichloroethane	ND		ug/kg	50	7.3	1
Chloroform	ND		ug/kg	75	7.0	1
Carbon tetrachloride	ND		ug/kg	50	12.	1
1,2-Dichloropropane	ND		ug/kg	50	6.3	1
Dibromochloromethane	ND		ug/kg	50	7.0	1
1,1,2-Trichloroethane	ND		ug/kg	50	13.	1
Tetrachloroethene	ND		ug/kg	25	9.8	1
Chlorobenzene	ND		ug/kg	25	6.4	1
Trichlorofluoromethane	ND		ug/kg	200	35.	1
1,2-Dichloroethane	ND		ug/kg	50	13.	1
1,1,1-Trichloroethane	ND		ug/kg	25	8.4	1
Bromodichloromethane	ND		ug/kg	25	5.4	1
trans-1,3-Dichloropropene	ND		ug/kg	50	14.	1
cis-1,3-Dichloropropene	ND		ug/kg	25	7.9	1
1,3-Dichloropropene, Total	ND		ug/kg	25	7.9	1
1,1-Dichloropropene	ND		ug/kg	25	8.0	1
Bromoform	ND		ug/kg	200	12.	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	25	8.3	1
Benzene	ND		ug/kg	25	8.3	1
Toluene	ND		ug/kg	50	27.	1
Ethylbenzene	ND		ug/kg	50	7.1	1
Chloromethane	ND		ug/kg	200	47.	1
Bromomethane	29	J	ug/kg	100	29.	1
Vinyl chloride	ND		ug/kg	50	17.	1
Chloroethane	ND		ug/kg	100	23.	1
1,1-Dichloroethene	ND		ug/kg	50	12.	1
trans-1,2-Dichloroethene	ND		ug/kg	75	6.9	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 High - Westborough Lab						
Trichloroethene	ND		ug/kg	25	6.9	1
1,2-Dichlorobenzene	ND		ug/kg	100	7.2	1
1,3-Dichlorobenzene	ND		ug/kg	100	7.4	1
1,4-Dichlorobenzene	ND		ug/kg	100	8.6	1
Methyl tert butyl ether	ND		ug/kg	100	10.	1
p/m-Xylene	ND		ug/kg	100	28.	1
o-Xylene	ND		ug/kg	50	14.	1
Xylenes, Total	ND		ug/kg	50	14.	1
cis-1,2-Dichloroethene	ND		ug/kg	50	8.8	1
1,2-Dichloroethene, Total	ND		ug/kg	50	6.9	1
Dibromomethane	ND		ug/kg	100	12.	1
Styrene	ND		ug/kg	50	9.8	1
Dichlorodifluoromethane	ND		ug/kg	500	46.	1
Acetone	580		ug/kg	500	240	1
Carbon disulfide	ND		ug/kg	500	230	1
2-Butanone	120	J	ug/kg	500	110	1
Vinyl acetate	ND		ug/kg	500	110	1
4-Methyl-2-pentanone	ND		ug/kg	500	64.	1
1,2,3-Trichloropropane	ND		ug/kg	100	6.4	1
2-Hexanone	ND		ug/kg	500	59.	1
Bromochloromethane	ND		ug/kg	100	10.	1
2,2-Dichloropropane	ND		ug/kg	100	10.	1
1,2-Dibromoethane	ND		ug/kg	50	14.	1
1,3-Dichloropropane	ND		ug/kg	100	8.4	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	25	6.6	1
Bromobenzene	ND		ug/kg	100	7.3	1
n-Butylbenzene	ND		ug/kg	50	8.4	1
sec-Butylbenzene	ND		ug/kg	50	7.3	1
tert-Butylbenzene	ND		ug/kg	100	5.9	1
o-Chlorotoluene	ND		ug/kg	100	9.6	1
p-Chlorotoluene	ND		ug/kg	100	5.4	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	150	50.	1
Hexachlorobutadiene	ND		ug/kg	200	8.5	1
Isopropylbenzene	ND		ug/kg	50	5.4	1
p-Isopropyltoluene	ND		ug/kg	50	5.4	1
Naphthalene	ND		ug/kg	200	32.	1
Acrylonitrile	ND		ug/kg	200	58.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 High - Westborough Lab						
n-Propylbenzene	ND		ug/kg	50	8.6	1
1,2,3-Trichlorobenzene	ND		ug/kg	100	16.	1
1,2,4-Trichlorobenzene	ND		ug/kg	100	14.	1
1,3,5-Trimethylbenzene	ND		ug/kg	100	9.7	1
1,2,4-Trimethylbenzene	ND		ug/kg	100	17.	1
1,4-Dioxane	ND		ug/kg	4000	1800	1
p-Diethylbenzene	ND		ug/kg	100	8.9	1
p-Ethyltoluene	ND		ug/kg	100	19.	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	100	9.6	1
Ethyl ether	ND		ug/kg	100	17.	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	250	71.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	95		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06
Client ID: B-06_5-7
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:40
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/15/25 22:52
Analyst: JIC
Percent Solids: 97%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	5.4	2.5	1
1,1-Dichloroethane	ND		ug/kg	1.1	0.16	1
Chloroform	ND		ug/kg	1.6	0.15	1
Carbon tetrachloride	ND		ug/kg	1.1	0.25	1
1,2-Dichloropropane	ND		ug/kg	1.1	0.13	1
Dibromochloromethane	ND		ug/kg	1.1	0.15	1
1,1,2-Trichloroethane	ND		ug/kg	1.1	0.29	1
Tetrachloroethene	ND		ug/kg	0.54	0.21	1
Chlorobenzene	ND		ug/kg	0.54	0.14	1
Trichlorofluoromethane	ND		ug/kg	4.3	0.75	1
1,2-Dichloroethane	ND		ug/kg	1.1	0.28	1
1,1,1-Trichloroethane	ND		ug/kg	0.54	0.18	1
Bromodichloromethane	ND		ug/kg	0.54	0.12	1
trans-1,3-Dichloropropene	ND		ug/kg	1.1	0.29	1
cis-1,3-Dichloropropene	ND		ug/kg	0.54	0.17	1
1,3-Dichloropropene, Total	ND		ug/kg	0.54	0.17	1
1,1-Dichloropropene	ND		ug/kg	0.54	0.17	1
Bromoform	ND		ug/kg	4.3	0.26	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.54	0.18	1
Benzene	ND		ug/kg	0.54	0.18	1
Toluene	1.2		ug/kg	1.1	0.59	1
Ethylbenzene	0.25	J	ug/kg	1.1	0.15	1
Chloromethane	ND		ug/kg	4.3	1.0	1
Bromomethane	ND		ug/kg	2.2	0.63	1
Vinyl chloride	ND		ug/kg	1.1	0.36	1
Chloroethane	ND		ug/kg	2.2	0.49	1
1,1-Dichloroethene	ND		ug/kg	1.1	0.26	1
trans-1,2-Dichloroethene	ND		ug/kg	1.6	0.15	1

Project Name: 2916 ATLANTIC AVE **Lab Number:** L2521630

Project Number: 0213315-000-001-02 **Report Date:** 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06 Date Collected: 04/09/25 13:40

Client ID: B-06_5-7 Date Received: 04/09/25

Sample Location: BROOKLYN, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	ND		ug/kg	0.54	0.15	1
1,2-Dichlorobenzene	ND		ug/kg	2.2	0.16	1
1,3-Dichlorobenzene	ND		ug/kg	2.2	0.16	1
1,4-Dichlorobenzene	ND		ug/kg	2.2	0.18	1
Methyl tert butyl ether	ND		ug/kg	2.2	0.22	1
p/m-Xylene	0.98	J	ug/kg	2.2	0.60	1
o-Xylene	ND		ug/kg	1.1	0.31	1
Xylenes, Total	0.98	J	ug/kg	1.1	0.31	1
cis-1,2-Dichloroethene	ND		ug/kg	1.1	0.19	1
1,2-Dichloroethene, Total	ND		ug/kg	1.1	0.15	1
Dibromomethane	ND		ug/kg	2.2	0.26	1
Styrene	ND		ug/kg	1.1	0.21	1
Dichlorodifluoromethane	ND		ug/kg	11	0.99	1
Acetone	24		ug/kg	11	5.2	1
Carbon disulfide	ND		ug/kg	11	4.9	1
2-Butanone	ND		ug/kg	11	2.4	1
Vinyl acetate	ND		ug/kg	11	2.3	1
4-Methyl-2-pentanone	ND		ug/kg	11	1.4	1
1,2,3-Trichloropropane	ND		ug/kg	2.2	0.14	1
2-Hexanone	ND		ug/kg	11	1.3	1
Bromochloromethane	ND		ug/kg	2.2	0.22	1
2,2-Dichloropropane	ND		ug/kg	2.2	0.22	1
1,2-Dibromoethane	ND		ug/kg	1.1	0.30	1
1,3-Dichloropropane	ND		ug/kg	2.2	0.18	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.54	0.14	1
Bromobenzene	ND		ug/kg	2.2	0.16	1
n-Butylbenzene	ND		ug/kg	1.1	0.18	1
sec-Butylbenzene	ND		ug/kg	1.1	0.16	1
tert-Butylbenzene	ND		ug/kg	2.2	0.13	1
o-Chlorotoluene	ND		ug/kg	2.2	0.21	1
p-Chlorotoluene	ND		ug/kg	2.2	0.12	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.2	1.1	1
Hexachlorobutadiene	ND		ug/kg	4.3	0.18	1
Isopropylbenzene	ND		ug/kg	1.1	0.12	1
p-Isopropyltoluene	ND		ug/kg	1.1	0.12	1
Naphthalene	ND		ug/kg	4.3	0.70	1
Acrylonitrile	ND		ug/kg	4.3	1.2	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06
Client ID: B-06_5-7
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:40
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.1	0.18	1
1,2,3-Trichlorobenzene	ND		ug/kg	2.2	0.35	1
1,2,4-Trichlorobenzene	ND		ug/kg	2.2	0.29	1
1,3,5-Trimethylbenzene	ND		ug/kg	2.2	0.21	1
1,2,4-Trimethylbenzene	ND		ug/kg	2.2	0.36	1
1,4-Dioxane	ND		ug/kg	86	38.	1
p-Diethylbenzene	ND		ug/kg	2.2	0.19	1
p-Ethyltoluene	ND		ug/kg	2.2	0.41	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.2	0.21	1
Ethyl ether	ND		ug/kg	2.2	0.37	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.4	1.5	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	127		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	86		70-130
Dibromofluoromethane	124		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/15/25 23:13
Analyst: JIC
Percent Solids: 86%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	4.4	2.0	1
1,1-Dichloroethane	ND		ug/kg	0.89	0.13	1
Chloroform	ND		ug/kg	1.3	0.12	1
Carbon tetrachloride	ND		ug/kg	0.89	0.20	1
1,2-Dichloropropane	ND		ug/kg	0.89	0.11	1
Dibromochloromethane	ND		ug/kg	0.89	0.12	1
1,1,2-Trichloroethane	ND		ug/kg	0.89	0.24	1
Tetrachloroethene	0.44		ug/kg	0.44	0.17	1
Chlorobenzene	ND		ug/kg	0.44	0.11	1
Trichlorofluoromethane	ND		ug/kg	3.6	0.62	1
1,2-Dichloroethane	ND		ug/kg	0.89	0.23	1
1,1,1-Trichloroethane	ND		ug/kg	0.44	0.15	1
Bromodichloromethane	ND		ug/kg	0.44	0.10	1
trans-1,3-Dichloropropene	ND		ug/kg	0.89	0.24	1
cis-1,3-Dichloropropene	ND		ug/kg	0.44	0.14	1
1,3-Dichloropropene, Total	ND		ug/kg	0.44	0.14	1
1,1-Dichloropropene	ND		ug/kg	0.44	0.14	1
Bromoform	ND		ug/kg	3.6	0.22	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.44	0.15	1
Benzene	ND		ug/kg	0.44	0.15	1
Toluene	0.60	J	ug/kg	0.89	0.48	1
Ethylbenzene	0.19	J	ug/kg	0.89	0.12	1
Chloromethane	ND		ug/kg	3.6	0.83	1
Bromomethane	ND		ug/kg	1.8	0.52	1
Vinyl chloride	ND		ug/kg	0.89	0.30	1
Chloroethane	ND		ug/kg	1.8	0.40	1
1,1-Dichloroethene	ND		ug/kg	0.89	0.21	1
trans-1,2-Dichloroethene	ND		ug/kg	1.3	0.12	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	ND		ug/kg	0.44	0.12	1
1,2-Dichlorobenzene	ND		ug/kg	1.8	0.13	1
1,3-Dichlorobenzene	ND		ug/kg	1.8	0.13	1
1,4-Dichlorobenzene	ND		ug/kg	1.8	0.15	1
Methyl tert butyl ether	ND		ug/kg	1.8	0.18	1
p/m-Xylene	0.82	J	ug/kg	1.8	0.50	1
o-Xylene	0.29	J	ug/kg	0.89	0.26	1
Xylenes, Total	1.1	J	ug/kg	0.89	0.26	1
cis-1,2-Dichloroethene	ND		ug/kg	0.89	0.16	1
1,2-Dichloroethene, Total	ND		ug/kg	0.89	0.12	1
Dibromomethane	ND		ug/kg	1.8	0.21	1
Styrene	ND		ug/kg	0.89	0.17	1
Dichlorodifluoromethane	ND		ug/kg	8.9	0.82	1
Acetone	130		ug/kg	8.9	4.3	1
Carbon disulfide	ND		ug/kg	8.9	4.0	1
2-Butanone	ND		ug/kg	8.9	2.0	1
Vinyl acetate	ND		ug/kg	8.9	1.9	1
4-Methyl-2-pentanone	ND		ug/kg	8.9	1.1	1
1,2,3-Trichloropropane	ND		ug/kg	1.8	0.11	1
2-Hexanone	ND		ug/kg	8.9	1.0	1
Bromochloromethane	ND		ug/kg	1.8	0.18	1
2,2-Dichloropropane	ND		ug/kg	1.8	0.18	1
1,2-Dibromoethane	ND		ug/kg	0.89	0.25	1
1,3-Dichloropropane	ND		ug/kg	1.8	0.15	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.44	0.12	1
Bromobenzene	ND		ug/kg	1.8	0.13	1
n-Butylbenzene	ND		ug/kg	0.89	0.15	1
sec-Butylbenzene	ND		ug/kg	0.89	0.13	1
tert-Butylbenzene	ND		ug/kg	1.8	0.10	1
o-Chlorotoluene	ND		ug/kg	1.8	0.17	1
p-Chlorotoluene	ND		ug/kg	1.8	0.10	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	2.7	0.89	1
Hexachlorobutadiene	ND		ug/kg	3.6	0.15	1
Isopropylbenzene	ND		ug/kg	0.89	0.10	1
p-Isopropyltoluene	ND		ug/kg	0.89	0.10	1
Naphthalene	ND		ug/kg	3.6	0.58	1
Acrylonitrile	ND		ug/kg	3.6	1.0	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	0.89	0.15	1
1,2,3-Trichlorobenzene	ND		ug/kg	1.8	0.29	1
1,2,4-Trichlorobenzene	ND		ug/kg	1.8	0.24	1
1,3,5-Trimethylbenzene	ND		ug/kg	1.8	0.17	1
1,2,4-Trimethylbenzene	ND		ug/kg	1.8	0.30	1
1,4-Dioxane	ND		ug/kg	71	31.	1
p-Diethylbenzene	ND		ug/kg	1.8	0.16	1
p-Ethyltoluene	ND		ug/kg	1.8	0.34	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	1.8	0.17	1
Ethyl ether	ND		ug/kg	1.8	0.30	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	4.4	1.3	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	128		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	90		70-130
Dibromofluoromethane	121		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8260D
Analytical Date: 04/15/25 23:34
Analyst: JIC
Percent Solids: 92%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Methylene chloride	ND		ug/kg	6.3	2.9	1
1,1-Dichloroethane	ND		ug/kg	1.2	0.18	1
Chloroform	ND		ug/kg	1.9	0.18	1
Carbon tetrachloride	ND		ug/kg	1.2	0.29	1
1,2-Dichloropropane	ND		ug/kg	1.2	0.16	1
Dibromochloromethane	ND		ug/kg	1.2	0.18	1
1,1,2-Trichloroethane	ND		ug/kg	1.2	0.34	1
Tetrachloroethene	0.64		ug/kg	0.63	0.25	1
Chlorobenzene	ND		ug/kg	0.63	0.16	1
Trichlorofluoromethane	ND		ug/kg	5.0	0.87	1
1,2-Dichloroethane	ND		ug/kg	1.2	0.32	1
1,1,1-Trichloroethane	ND		ug/kg	0.63	0.21	1
Bromodichloromethane	ND		ug/kg	0.63	0.14	1
trans-1,3-Dichloropropene	ND		ug/kg	1.2	0.34	1
cis-1,3-Dichloropropene	ND		ug/kg	0.63	0.20	1
1,3-Dichloropropene, Total	ND		ug/kg	0.63	0.20	1
1,1-Dichloropropene	ND		ug/kg	0.63	0.20	1
Bromoform	ND		ug/kg	5.0	0.31	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.63	0.21	1
Benzene	ND		ug/kg	0.63	0.21	1
Toluene	0.70	J	ug/kg	1.2	0.68	1
Ethylbenzene	ND		ug/kg	1.2	0.18	1
Chloromethane	ND		ug/kg	5.0	1.2	1
Bromomethane	ND		ug/kg	2.5	0.73	1
Vinyl chloride	ND		ug/kg	1.2	0.42	1
Chloroethane	ND		ug/kg	2.5	0.57	1
1,1-Dichloroethene	ND		ug/kg	1.2	0.30	1
trans-1,2-Dichloroethene	ND		ug/kg	1.9	0.17	1

Project Name: 2916 ATLANTIC AVE **Lab Number:** L2521630

Project Number: 0213315-000-001-02 **Report Date:** 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08 Date Collected: 04/09/25 13:50

Client ID: B-08_4-6 Date Received: 04/09/25

Sample Location: BROOKLYN, NY Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
Trichloroethene	ND		ug/kg	0.63	0.17	1
1,2-Dichlorobenzene	ND		ug/kg	2.5	0.18	1
1,3-Dichlorobenzene	ND		ug/kg	2.5	0.18	1
1,4-Dichlorobenzene	ND		ug/kg	2.5	0.21	1
Methyl tert butyl ether	ND		ug/kg	2.5	0.25	1
p/m-Xylene	ND		ug/kg	2.5	0.70	1
o-Xylene	ND		ug/kg	1.2	0.36	1
Xylenes, Total	ND		ug/kg	1.2	0.36	1
cis-1,2-Dichloroethene	ND		ug/kg	1.2	0.22	1
1,2-Dichloroethene, Total	ND		ug/kg	1.2	0.17	1
Dibromomethane	ND		ug/kg	2.5	0.30	1
Styrene	ND		ug/kg	1.2	0.25	1
Dichlorodifluoromethane	ND		ug/kg	12	1.1	1
Acetone	29		ug/kg	12	6.0	1
Carbon disulfide	ND		ug/kg	12	5.7	1
2-Butanone	ND		ug/kg	12	2.8	1
Vinyl acetate	ND		ug/kg	12	2.7	1
4-Methyl-2-pentanone	ND		ug/kg	12	1.6	1
1,2,3-Trichloropropane	ND		ug/kg	2.5	0.16	1
2-Hexanone	ND		ug/kg	12	1.5	1
Bromochloromethane	ND		ug/kg	2.5	0.26	1
2,2-Dichloropropane	ND		ug/kg	2.5	0.25	1
1,2-Dibromoethane	ND		ug/kg	1.2	0.35	1
1,3-Dichloropropane	ND		ug/kg	2.5	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.63	0.16	1
Bromobenzene	ND		ug/kg	2.5	0.18	1
n-Butylbenzene	ND		ug/kg	1.2	0.21	1
sec-Butylbenzene	ND		ug/kg	1.2	0.18	1
tert-Butylbenzene	ND		ug/kg	2.5	0.15	1
o-Chlorotoluene	ND		ug/kg	2.5	0.24	1
p-Chlorotoluene	ND		ug/kg	2.5	0.14	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.8	1.2	1
Hexachlorobutadiene	ND		ug/kg	5.0	0.21	1
Isopropylbenzene	ND		ug/kg	1.2	0.14	1
p-Isopropyltoluene	ND		ug/kg	1.2	0.14	1
Naphthalene	ND		ug/kg	5.0	0.82	1
Acrylonitrile	ND		ug/kg	5.0	1.4	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by EPA 5035 Low - Westborough Lab						
n-Propylbenzene	ND		ug/kg	1.2	0.21	1
1,2,3-Trichlorobenzene	ND		ug/kg	2.5	0.40	1
1,2,4-Trichlorobenzene	ND		ug/kg	2.5	0.34	1
1,3,5-Trimethylbenzene	ND		ug/kg	2.5	0.24	1
1,2,4-Trimethylbenzene	ND		ug/kg	2.5	0.42	1
1,4-Dioxane	ND		ug/kg	100	44.	1
p-Diethylbenzene	ND		ug/kg	2.5	0.22	1
p-Ethyltoluene	ND		ug/kg	2.5	0.48	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.5	0.24	1
Ethyl ether	ND		ug/kg	2.5	0.43	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	6.3	1.8	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	125		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	121		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/15/25 19:02
Analyst: TMH

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 Low - Westborough Lab for sample(s): 01,03-08 Batch: WG2054548-5					
Methylene chloride	ND		ug/kg	5.0	2.3
1,1-Dichloroethane	ND		ug/kg	1.0	0.14
Chloroform	ND		ug/kg	1.5	0.14
Carbon tetrachloride	ND		ug/kg	1.0	0.23
1,2-Dichloropropane	ND		ug/kg	1.0	0.12
Dibromochloromethane	ND		ug/kg	1.0	0.14
1,1,2-Trichloroethane	ND		ug/kg	1.0	0.27
Tetrachloroethene	ND		ug/kg	0.50	0.20
Chlorobenzene	ND		ug/kg	0.50	0.13
Trichlorofluoromethane	ND		ug/kg	4.0	0.70
1,2-Dichloroethane	ND		ug/kg	1.0	0.26
1,1,1-Trichloroethane	ND		ug/kg	0.50	0.17
Bromodichloromethane	ND		ug/kg	0.50	0.11
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.27
cis-1,3-Dichloropropene	ND		ug/kg	0.50	0.16
1,3-Dichloropropene, Total	ND		ug/kg	0.50	0.16
1,1-Dichloropropene	ND		ug/kg	0.50	0.16
Bromoform	ND		ug/kg	4.0	0.25
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.50	0.17
Benzene	ND		ug/kg	0.50	0.17
Toluene	ND		ug/kg	1.0	0.54
Ethylbenzene	ND		ug/kg	1.0	0.14
Chloromethane	ND		ug/kg	4.0	0.93
Bromomethane	ND		ug/kg	2.0	0.58
Vinyl chloride	ND		ug/kg	1.0	0.34
Chloroethane	ND		ug/kg	2.0	0.45
1,1-Dichloroethene	ND		ug/kg	1.0	0.24
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.14
Trichloroethene	ND		ug/kg	0.50	0.14

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/15/25 19:02
Analyst: TMH

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 Low - Westborough Lab for sample(s): 01,03-08 Batch: WG2054548-5					
1,2-Dichlorobenzene	ND		ug/kg	2.0	0.14
1,3-Dichlorobenzene	ND		ug/kg	2.0	0.15
1,4-Dichlorobenzene	ND		ug/kg	2.0	0.17
Methyl tert butyl ether	ND		ug/kg	2.0	0.20
p/m-Xylene	ND		ug/kg	2.0	0.56
o-Xylene	ND		ug/kg	1.0	0.29
Xylenes, Total	ND		ug/kg	1.0	0.29
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.18
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.14
Dibromomethane	ND		ug/kg	2.0	0.24
Styrene	ND		ug/kg	1.0	0.20
Dichlorodifluoromethane	ND		ug/kg	10	0.92
Acetone	ND		ug/kg	10	4.8
Carbon disulfide	ND		ug/kg	10	4.6
2-Butanone	ND		ug/kg	10	2.2
Vinyl acetate	ND		ug/kg	10	2.2
4-Methyl-2-pentanone	ND		ug/kg	10	1.3
1,2,3-Trichloropropane	ND		ug/kg	2.0	0.13
2-Hexanone	ND		ug/kg	10	1.2
Bromochloromethane	ND		ug/kg	2.0	0.20
2,2-Dichloropropane	ND		ug/kg	2.0	0.20
1,2-Dibromoethane	ND		ug/kg	1.0	0.28
1,3-Dichloropropane	ND		ug/kg	2.0	0.17
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.50	0.13
Bromobenzene	ND		ug/kg	2.0	0.14
n-Butylbenzene	ND		ug/kg	1.0	0.17
sec-Butylbenzene	ND		ug/kg	1.0	0.15
tert-Butylbenzene	ND		ug/kg	2.0	0.12
o-Chlorotoluene	ND		ug/kg	2.0	0.19

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/15/25 19:02
Analyst: TMH

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 Low - Westborough Lab for sample(s): 01,03-08 Batch: WG2054548-5					
p-Chlorotoluene	ND		ug/kg	2.0	0.11
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.0	1.0
Hexachlorobutadiene	ND		ug/kg	4.0	0.17
Isopropylbenzene	ND		ug/kg	1.0	0.11
p-Isopropyltoluene	ND		ug/kg	1.0	0.11
Naphthalene	ND		ug/kg	4.0	0.65
Acrylonitrile	ND		ug/kg	4.0	1.2
n-Propylbenzene	ND		ug/kg	1.0	0.17
1,2,3-Trichlorobenzene	ND		ug/kg	2.0	0.32
1,2,4-Trichlorobenzene	ND		ug/kg	2.0	0.27
1,3,5-Trimethylbenzene	ND		ug/kg	2.0	0.19
1,2,4-Trimethylbenzene	ND		ug/kg	2.0	0.33
1,4-Dioxane	ND		ug/kg	80	35.
p-Diethylbenzene	ND		ug/kg	2.0	0.18
p-Ethyltoluene	ND		ug/kg	2.0	0.38
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.0	0.19
Ethyl ether	ND		ug/kg	2.0	0.34
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.0	1.4

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	92		70-130
4-Bromofluorobenzene	88		70-130
Dibromofluoromethane	111		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 09:18
Analyst: MNF

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 Low - Westborough Lab for sample(s): 02 Batch: WG2054722-5					
Methylene chloride	ND		ug/kg	5.0	2.3
1,1-Dichloroethane	ND		ug/kg	1.0	0.14
Chloroform	ND		ug/kg	1.5	0.14
Carbon tetrachloride	ND		ug/kg	1.0	0.23
1,2-Dichloropropane	ND		ug/kg	1.0	0.12
Dibromochloromethane	ND		ug/kg	1.0	0.14
1,1,2-Trichloroethane	ND		ug/kg	1.0	0.27
Tetrachloroethene	ND		ug/kg	0.50	0.20
Chlorobenzene	ND		ug/kg	0.50	0.13
Trichlorofluoromethane	ND		ug/kg	4.0	0.70
1,2-Dichloroethane	ND		ug/kg	1.0	0.26
1,1,1-Trichloroethane	ND		ug/kg	0.50	0.17
Bromodichloromethane	ND		ug/kg	0.50	0.11
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.27
cis-1,3-Dichloropropene	ND		ug/kg	0.50	0.16
1,3-Dichloropropene, Total	ND		ug/kg	0.50	0.16
1,1-Dichloropropene	ND		ug/kg	0.50	0.16
Bromoform	ND		ug/kg	4.0	0.25
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.50	0.17
Benzene	ND		ug/kg	0.50	0.17
Toluene	ND		ug/kg	1.0	0.54
Ethylbenzene	ND		ug/kg	1.0	0.14
Chloromethane	ND		ug/kg	4.0	0.93
Bromomethane	ND		ug/kg	2.0	0.58
Vinyl chloride	ND		ug/kg	1.0	0.34
Chloroethane	ND		ug/kg	2.0	0.45
1,1-Dichloroethene	ND		ug/kg	1.0	0.24
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.14
Trichloroethene	ND		ug/kg	0.50	0.14

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 09:18
Analyst: MNF

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 Low - Westborough Lab for sample(s): 02 Batch: WG2054722-5					
1,2-Dichlorobenzene	ND		ug/kg	2.0	0.14
1,3-Dichlorobenzene	ND		ug/kg	2.0	0.15
1,4-Dichlorobenzene	ND		ug/kg	2.0	0.17
Methyl tert butyl ether	ND		ug/kg	2.0	0.20
p/m-Xylene	ND		ug/kg	2.0	0.56
o-Xylene	ND		ug/kg	1.0	0.29
Xylenes, Total	ND		ug/kg	1.0	0.29
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.18
1,2-Dichloroethene, Total	ND		ug/kg	1.0	0.14
Dibromomethane	ND		ug/kg	2.0	0.24
Styrene	ND		ug/kg	1.0	0.20
Dichlorodifluoromethane	ND		ug/kg	10	0.92
Acetone	ND		ug/kg	10	4.8
Carbon disulfide	ND		ug/kg	10	4.6
2-Butanone	ND		ug/kg	10	2.2
Vinyl acetate	ND		ug/kg	10	2.2
4-Methyl-2-pentanone	ND		ug/kg	10	1.3
1,2,3-Trichloropropane	ND		ug/kg	2.0	0.13
2-Hexanone	ND		ug/kg	10	1.2
Bromochloromethane	ND		ug/kg	2.0	0.20
2,2-Dichloropropane	ND		ug/kg	2.0	0.20
1,2-Dibromoethane	ND		ug/kg	1.0	0.28
1,3-Dichloropropane	ND		ug/kg	2.0	0.17
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.50	0.13
Bromobenzene	ND		ug/kg	2.0	0.14
n-Butylbenzene	ND		ug/kg	1.0	0.17
sec-Butylbenzene	ND		ug/kg	1.0	0.15
tert-Butylbenzene	ND		ug/kg	2.0	0.12
o-Chlorotoluene	ND		ug/kg	2.0	0.19

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 09:18
Analyst: MNF

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 Low - Westborough Lab for sample(s): 02 Batch: WG2054722-5					
p-Chlorotoluene	ND		ug/kg	2.0	0.11
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.0	1.0
Hexachlorobutadiene	ND		ug/kg	4.0	0.17
Isopropylbenzene	ND		ug/kg	1.0	0.11
p-Isopropyltoluene	ND		ug/kg	1.0	0.11
Naphthalene	ND		ug/kg	4.0	0.65
Acrylonitrile	ND		ug/kg	4.0	1.2
n-Propylbenzene	ND		ug/kg	1.0	0.17
1,2,3-Trichlorobenzene	ND		ug/kg	2.0	0.32
1,2,4-Trichlorobenzene	ND		ug/kg	2.0	0.27
1,3,5-Trimethylbenzene	ND		ug/kg	2.0	0.19
1,2,4-Trimethylbenzene	ND		ug/kg	2.0	0.33
1,4-Dioxane	ND		ug/kg	80	35.
p-Diethylbenzene	ND		ug/kg	2.0	0.18
p-Ethyltoluene	ND		ug/kg	2.0	0.38
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.0	0.19
Ethyl ether	ND		ug/kg	2.0	0.34
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.0	1.4

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	102		70-130

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 09:22
Analyst: MNF

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 High - Westborough Lab for sample(s): 05 Batch: WG2054760-5					
Methylene chloride	ND		ug/kg	250	110
1,1-Dichloroethane	ND		ug/kg	50	7.2
Chloroform	ND		ug/kg	75	7.0
Carbon tetrachloride	ND		ug/kg	50	12.
1,2-Dichloropropane	ND		ug/kg	50	6.2
Dibromochloromethane	ND		ug/kg	50	7.0
1,1,2-Trichloroethane	ND		ug/kg	50	13.
Tetrachloroethene	ND		ug/kg	25	9.8
Chlorobenzene	ND		ug/kg	25	6.4
Trichlorofluoromethane	ND		ug/kg	200	35.
1,2-Dichloroethane	ND		ug/kg	50	13.
1,1,1-Trichloroethane	ND		ug/kg	25	8.4
Bromodichloromethane	ND		ug/kg	25	5.4
trans-1,3-Dichloropropene	ND		ug/kg	50	14.
cis-1,3-Dichloropropene	ND		ug/kg	25	7.9
1,3-Dichloropropene, Total	ND		ug/kg	25	7.9
1,1-Dichloropropene	ND		ug/kg	25	8.0
Bromoform	ND		ug/kg	200	12.
1,1,2,2-Tetrachloroethane	ND		ug/kg	25	8.3
Benzene	ND		ug/kg	25	8.3
Toluene	ND		ug/kg	50	27.
Ethylbenzene	ND		ug/kg	50	7.0
Chloromethane	ND		ug/kg	200	47.
Bromomethane	34	J	ug/kg	100	29.
Vinyl chloride	ND		ug/kg	50	17.
Chloroethane	ND		ug/kg	100	23.
1,1-Dichloroethene	ND		ug/kg	50	12.
trans-1,2-Dichloroethene	ND		ug/kg	75	6.8
Trichloroethene	ND		ug/kg	25	6.8

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 09:22
Analyst: MNF

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 High - Westborough Lab for sample(s): 05 Batch: WG2054760-5					
1,2-Dichlorobenzene	ND		ug/kg	100	7.2
1,3-Dichlorobenzene	ND		ug/kg	100	7.4
1,4-Dichlorobenzene	ND		ug/kg	100	8.6
Methyl tert butyl ether	ND		ug/kg	100	10.
p/m-Xylene	ND		ug/kg	100	28.
o-Xylene	ND		ug/kg	50	14.
Xylenes, Total	ND		ug/kg	50	14.
cis-1,2-Dichloroethene	ND		ug/kg	50	8.8
1,2-Dichloroethene, Total	ND		ug/kg	50	6.8
Dibromomethane	ND		ug/kg	100	12.
Styrene	ND		ug/kg	50	9.8
Dichlorodifluoromethane	ND		ug/kg	500	46.
Acetone	ND		ug/kg	500	240
Carbon disulfide	ND		ug/kg	500	230
2-Butanone	ND		ug/kg	500	110
Vinyl acetate	ND		ug/kg	500	110
4-Methyl-2-pentanone	ND		ug/kg	500	64.
1,2,3-Trichloropropane	ND		ug/kg	100	6.4
2-Hexanone	ND		ug/kg	500	59.
Bromochloromethane	ND		ug/kg	100	10.
2,2-Dichloropropane	ND		ug/kg	100	10.
1,2-Dibromoethane	ND		ug/kg	50	14.
1,3-Dichloropropane	ND		ug/kg	100	8.4
1,1,1,2-Tetrachloroethane	ND		ug/kg	25	6.6
Bromobenzene	ND		ug/kg	100	7.2
n-Butylbenzene	ND		ug/kg	50	8.4
sec-Butylbenzene	ND		ug/kg	50	7.3
tert-Butylbenzene	ND		ug/kg	100	5.9
o-Chlorotoluene	ND		ug/kg	100	9.6

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260D
Analytical Date: 04/16/25 09:22
Analyst: MNF

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by EPA 5035 High - Westborough Lab for sample(s): 05 Batch: WG2054760-5					
p-Chlorotoluene	ND		ug/kg	100	5.4
1,2-Dibromo-3-chloropropane	ND		ug/kg	150	50.
Hexachlorobutadiene	ND		ug/kg	200	8.4
Isopropylbenzene	ND		ug/kg	50	5.4
p-Isopropyltoluene	ND		ug/kg	50	5.4
Naphthalene	ND		ug/kg	200	32.
Acrylonitrile	ND		ug/kg	200	58.
n-Propylbenzene	ND		ug/kg	50	8.6
1,2,3-Trichlorobenzene	ND		ug/kg	100	16.
1,2,4-Trichlorobenzene	ND		ug/kg	100	14.
1,3,5-Trimethylbenzene	ND		ug/kg	100	9.6
1,2,4-Trimethylbenzene	ND		ug/kg	100	17.
1,4-Dioxane	ND		ug/kg	4000	1800
p-Diethylbenzene	ND		ug/kg	100	8.8
p-Ethyltoluene	ND		ug/kg	100	19.
1,2,4,5-Tetramethylbenzene	ND		ug/kg	100	9.6
Ethyl ether	ND		ug/kg	100	17.
trans-1,4-Dichloro-2-butene	ND		ug/kg	250	71.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	94		70-130

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 01,03-08 Batch: WG2054548-3 WG2054548-4								
Methylene chloride	82		76		70-130	8		30
1,1-Dichloroethane	90		83		70-130	8		30
Chloroform	91		86		70-130	6		30
Carbon tetrachloride	101		92		70-130	9		30
1,2-Dichloropropane	102		97		70-130	5		30
Dibromochloromethane	90		86		70-130	5		30
1,1,2-Trichloroethane	86		82		70-130	5		30
Tetrachloroethene	106		96		70-130	10		30
Chlorobenzene	93		89		70-130	4		30
Trichlorofluoromethane	94		84		70-139	11		30
1,2-Dichloroethane	103		97		70-130	6		30
1,1,1-Trichloroethane	98		88		70-130	11		30
Bromodichloromethane	90		85		70-130	6		30
trans-1,3-Dichloropropene	83		80		70-130	4		30
cis-1,3-Dichloropropene	95		90		70-130	5		30
1,1-Dichloropropene	94		87		70-130	8		30
Bromoform	83		81		70-130	2		30
1,1,2,2-Tetrachloroethane	78		76		70-130	3		30
Benzene	100		93		70-130	7		30
Toluene	89		82		70-130	8		30
Ethylbenzene	89		82		70-130	8		30
Chloromethane	105		95		52-130	10		30
Bromomethane	84		78		57-147	7		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 01,03-08 Batch: WG2054548-3 WG2054548-4								
Vinyl chloride	98		89		67-130	10		30
Chloroethane	87		80		50-151	8		30
1,1-Dichloroethene	88		79		65-135	11		30
trans-1,2-Dichloroethene	89		82		70-130	8		30
Trichloroethene	102		94		70-130	8		30
1,2-Dichlorobenzene	92		88		70-130	4		30
1,3-Dichlorobenzene	95		90		70-130	5		30
1,4-Dichlorobenzene	92		88		70-130	4		30
Methyl tert butyl ether	80		77		66-130	4		30
p/m-Xylene	94		88		70-130	7		30
o-Xylene	91		84		70-130	8		30
cis-1,2-Dichloroethene	80		77		70-130	4		30
Dibromomethane	92		89		70-130	3		30
Styrene	91		85		70-130	7		30
Dichlorodifluoromethane	76		70		30-146	8		30
Acetone	122		114		54-140	7		30
Carbon disulfide	84		76		59-130	10		30
2-Butanone	104		103		70-130	1		30
Vinyl acetate	74		70		70-130	6		30
4-Methyl-2-pentanone	74		72		70-130	3		30
1,2,3-Trichloropropane	86		82		68-130	5		30
2-Hexanone	70		**67**	Q	70-130	4		30
Bromochloromethane	92		87		70-130	6		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 01,03-08 Batch: WG2054548-3 WG2054548-4								
2,2-Dichloropropane	88		81		70-130	8		30
1,2-Dibromoethane	91		88		70-130	3		30
1,3-Dichloropropane	89		85		69-130	5		30
1,1,1,2-Tetrachloroethane	97		90		70-130	7		30
Bromobenzene	90		85		70-130	6		30
n-Butylbenzene	96		88		70-130	9		30
sec-Butylbenzene	96		88		70-130	9		30
tert-Butylbenzene	91		84		70-130	8		30
o-Chlorotoluene	91		84		70-130	8		30
p-Chlorotoluene	89		82		70-130	8		30
1,2-Dibromo-3-chloropropane	77		77		68-130	0		30
Hexachlorobutadiene	98		92		67-130	6		30
Isopropylbenzene	90		83		70-130	8		30
p-Isopropyltoluene	94		87		70-130	8		30
Naphthalene	77		75		70-130	3		30
Acrylonitrile	96		92		70-130	4		30
n-Propylbenzene	91		84		70-130	8		30
1,2,3-Trichlorobenzene	91		88		70-130	3		30
1,2,4-Trichlorobenzene	91		87		70-130	4		30
1,3,5-Trimethylbenzene	92		85		70-130	8		30
1,2,4-Trimethylbenzene	90		84		70-130	7		30
1,4-Dioxane	73		70		65-136	4		30
p-Diethylbenzene	92		85		70-130	8		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 01,03-08 Batch: WG2054548-3 WG2054548-4								
p-Ethyltoluene	92		85		70-130	8		30
1,2,4,5-Tetramethylbenzene	85		80		70-130	6		30
Ethyl ether	89		86		67-130	3		30
trans-1,4-Dichloro-2-butene	83		82		70-130	1		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	106		106		70-130
Toluene-d8	94		95		70-130
4-Bromofluorobenzene	88		88		70-130
Dibromofluoromethane	107		106		70-130

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 02 Batch: WG2054722-3 WG2054722-4								
Methylene chloride	105		101		70-130	4		30
1,1-Dichloroethane	102		99		70-130	3		30
Chloroform	106		104		70-130	2		30
Carbon tetrachloride	104		104		70-130	0		30
1,2-Dichloropropane	93		92		70-130	1		30
Dibromochloromethane	108		104		70-130	4		30
1,1,2-Trichloroethane	99		93		70-130	6		30
Tetrachloroethene	109		106		70-130	3		30
Chlorobenzene	104		100		70-130	4		30
Trichlorofluoromethane	99		98		70-139	1		30
1,2-Dichloroethane	103		101		70-130	2		30
1,1,1-Trichloroethane	108		106		70-130	2		30
Bromodichloromethane	104		104		70-130	0		30
trans-1,3-Dichloropropene	105		100		70-130	5		30
cis-1,3-Dichloropropene	104		102		70-130	2		30
1,1-Dichloropropene	108		105		70-130	3		30
Bromoform	102		100		70-130	2		30
1,1,2,2-Tetrachloroethane	96		91		70-130	5		30
Benzene	103		100		70-130	3		30
Toluene	100		96		70-130	4		30
Ethylbenzene	100		96		70-130	4		30
Chloromethane	79		78		52-130	1		30
Bromomethane	114		114		57-147	0		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 02 Batch: WG2054722-3 WG2054722-4								
Vinyl chloride	84		83		67-130	1		30
Chloroethane	78		79		50-151	1		30
1,1-Dichloroethene	105		103		65-135	2		30
trans-1,2-Dichloroethene	108		104		70-130	4		30
Trichloroethene	107		106		70-130	1		30
1,2-Dichlorobenzene	105		102		70-130	3		30
1,3-Dichlorobenzene	107		104		70-130	3		30
1,4-Dichlorobenzene	104		102		70-130	2		30
Methyl tert butyl ether	110		106		66-130	4		30
p/m-Xylene	107		104		70-130	3		30
o-Xylene	107		103		70-130	4		30
cis-1,2-Dichloroethene	108		104		70-130	4		30
Dibromomethane	99		100		70-130	1		30
Styrene	104		101		70-130	3		30
Dichlorodifluoromethane	87		88		30-146	1		30
Acetone	108		98		54-140	10		30
Carbon disulfide	98		96		59-130	2		30
2-Butanone	78		73		70-130	7		30
Vinyl acetate	95		86		70-130	10		30
4-Methyl-2-pentanone	80		77		70-130	4		30
1,2,3-Trichloropropane	93		91		68-130	2		30
2-Hexanone	76		71		70-130	7		30
Bromochloromethane	110		107		70-130	3		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 02 Batch: WG2054722-3 WG2054722-4								
2,2-Dichloropropane	112		110		70-130	2		30
1,2-Dibromoethane	108		103		70-130	5		30
1,3-Dichloropropane	99		93		69-130	6		30
1,1,1,2-Tetrachloroethane	106		104		70-130	2		30
Bromobenzene	106		103		70-130	3		30
n-Butylbenzene	108		104		70-130	4		30
sec-Butylbenzene	106		103		70-130	3		30
tert-Butylbenzene	106		103		70-130	3		30
o-Chlorotoluene	101		99		70-130	2		30
p-Chlorotoluene	105		101		70-130	4		30
1,2-Dibromo-3-chloropropane	95		91		68-130	4		30
Hexachlorobutadiene	103		102		67-130	1		30
Isopropylbenzene	106		102		70-130	4		30
p-Isopropyltoluene	110		108		70-130	2		30
Naphthalene	102		101		70-130	1		30
Acrylonitrile	109		101		70-130	8		30
n-Propylbenzene	103		99		70-130	4		30
1,2,3-Trichlorobenzene	109		108		70-130	1		30
1,2,4-Trichlorobenzene	115		112		70-130	3		30
1,3,5-Trimethylbenzene	108		104		70-130	4		30
1,2,4-Trimethylbenzene	109		104		70-130	5		30
1,4-Dioxane	84		82		65-136	2		30
p-Diethylbenzene	113		109		70-130	4		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 Low - Westborough Lab Associated sample(s): 02 Batch: WG2054722-3 WG2054722-4								
p-Ethyltoluene	107		102		70-130	5		30
1,2,4,5-Tetramethylbenzene	114		111		70-130	3		30
Ethyl ether	120		118		67-130	2		30
trans-1,4-Dichloro-2-butene	96		88		70-130	9		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	99		99		70-130
Toluene-d8	98		96		70-130
4-Bromofluorobenzene	98		98		70-130
Dibromofluoromethane	101		102		70-130

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 05 Batch: WG2054760-3 WG2054760-4								
Methylene chloride	90		87		70-130	3		30
1,1-Dichloroethane	103		101		70-130	2		30
Chloroform	102		102		70-130	0		30
Carbon tetrachloride	102		100		70-130	2		30
1,2-Dichloropropane	106		108		70-130	2		30
Dibromochloromethane	100		99		70-130	1		30
1,1,2-Trichloroethane	107		105		70-130	2		30
Tetrachloroethene	106		102		70-130	4		30
Chlorobenzene	104		104		70-130	0		30
Trichlorofluoromethane	101		97		70-139	4		30
1,2-Dichloroethane	99		98		70-130	1		30
1,1,1-Trichloroethane	104		103		70-130	1		30
Bromodichloromethane	100		102		70-130	2		30
trans-1,3-Dichloropropene	110		109		70-130	1		30
cis-1,3-Dichloropropene	114		113		70-130	1		30
1,1-Dichloropropene	112		110		70-130	2		30
Bromoform	92		92		70-130	0		30
1,1,2,2-Tetrachloroethane	110		109		70-130	1		30
Benzene	110		110		70-130	0		30
Toluene	105		105		70-130	0		30
Ethylbenzene	106		104		70-130	2		30
Chloromethane	110		105		52-130	5		30
Bromomethane	128		120		57-147	6		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 05 Batch: WG2054760-3 WG2054760-4								
Vinyl chloride	98		96		67-130	2		30
Chloroethane	86		82		50-151	5		30
1,1-Dichloroethene	98		96		65-135	2		30
trans-1,2-Dichloroethene	99		96		70-130	3		30
Trichloroethene	111		111		70-130	0		30
1,2-Dichlorobenzene	105		105		70-130	0		30
1,3-Dichlorobenzene	106		106		70-130	0		30
1,4-Dichlorobenzene	106		106		70-130	0		30
Methyl tert butyl ether	111		105		66-130	6		30
p/m-Xylene	110		108		70-130	2		30
o-Xylene	108		106		70-130	2		30
cis-1,2-Dichloroethene	106		105		70-130	1		30
Dibromomethane	105		106		70-130	1		30
Styrene	106		104		70-130	2		30
Dichlorodifluoromethane	95		92		30-146	3		30
Acetone	108		102		54-140	6		30
Carbon disulfide	89		86		59-130	3		30
2-Butanone	**139**	Q	130		70-130	7		30
Vinyl acetate	111		109		70-130	2		30
4-Methyl-2-pentanone	104		106		70-130	2		30
1,2,3-Trichloropropane	105		106		68-130	1		30
2-Hexanone	107		102		70-130	5		30
Bromochloromethane	100		99		70-130	1		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 05 Batch: WG2054760-3 WG2054760-4								
2,2-Dichloropropane	101		99		70-130	2		30
1,2-Dibromoethane	112		111		70-130	1		30
1,3-Dichloropropane	108		107		69-130	1		30
1,1,1,2-Tetrachloroethane	99		97		70-130	2		30
Bromobenzene	102		103		70-130	1		30
n-Butylbenzene	121		120		70-130	1		30
sec-Butylbenzene	115		115		70-130	0		30
tert-Butylbenzene	110		109		70-130	1		30
o-Chlorotoluene	110		110		70-130	0		30
p-Chlorotoluene	110		110		70-130	0		30
1,2-Dibromo-3-chloropropane	98		96		68-130	2		30
Hexachlorobutadiene	104		106		67-130	2		30
Isopropylbenzene	111		112		70-130	1		30
p-Isopropyltoluene	113		112		70-130	1		30
Naphthalene	105		104		70-130	1		30
Acrylonitrile	118		119		70-130	1		30
n-Propylbenzene	115		115		70-130	0		30
1,2,3-Trichlorobenzene	101		101		70-130	0		30
1,2,4-Trichlorobenzene	107		106		70-130	1		30
1,3,5-Trimethylbenzene	111		110		70-130	1		30
1,2,4-Trimethylbenzene	110		110		70-130	0		30
1,4-Dioxane	126		125		65-136	1		30
p-Diethylbenzene	113		111		70-130	2		30

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by EPA 5035 High - Westborough Lab Associated sample(s): 05 Batch: WG2054760-3 WG2054760-4								
p-Ethyltoluene	114		113		70-130	1		30
1,2,4,5-Tetramethylbenzene	109		107		70-130	2		30
Ethyl ether	105		103		67-130	2		30
trans-1,4-Dichloro-2-butene	100		99		70-130	1		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	91		91		70-130
Toluene-d8	98		97		70-130
4-Bromofluorobenzene	103		103		70-130
Dibromofluoromethane	92		92		70-130

SEMIVOLATILES

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/12/25 14:45
Analyst: IMK
Percent Solids: 90%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	1800		ug/kg	150	19.	1
1,2,4-Trichlorobenzene	ND		ug/kg	180	21.	1
Hexachlorobenzene	ND		ug/kg	110	20.	1
Bis(2-chloroethyl)ether	ND		ug/kg	160	25.	1
2-Chloronaphthalene	ND		ug/kg	180	18.	1
1,2-Dichlorobenzene	ND		ug/kg	180	33.	1
1,3-Dichlorobenzene	ND		ug/kg	180	31.	1
1,4-Dichlorobenzene	ND		ug/kg	180	32.	1
3,3'-Dichlorobenzidine	ND		ug/kg	180	48.	1
2,4-Dinitrotoluene	ND		ug/kg	180	36.	1
2,6-Dinitrotoluene	ND		ug/kg	180	31.	1
Fluoranthene	15000	E	ug/kg	110	21.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	180	20.	1
4-Bromophenyl phenyl ether	ND		ug/kg	180	28.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	220	31.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	200	18.	1
Hexachlorobutadiene	ND		ug/kg	180	27.	1
Hexachlorocyclopentadiene	ND		ug/kg	520	160	1
Hexachloroethane	ND		ug/kg	150	30.	1
Isophorone	ND		ug/kg	160	24.	1
Naphthalene	700		ug/kg	180	22.	1
Nitrobenzene	ND		ug/kg	160	27.	1
NDPA/DPA	ND		ug/kg	150	21.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	180	28.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	180	63.	1
Butyl benzyl phthalate	ND		ug/kg	180	46.	1
Di-n-butylphthalate	ND		ug/kg	180	35.	1
Di-n-octylphthalate	ND		ug/kg	180	62.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	180	17.	1
Dimethyl phthalate	ND		ug/kg	180	38.	1
Benzo(a)anthracene	8600	E	ug/kg	110	20.	1
Benzo(a)pyrene	8600	E	ug/kg	150	44.	1
Benzo(b)fluoranthene	9200	E	ug/kg	110	31.	1
Benzo(k)fluoranthene	3000		ug/kg	110	29.	1
Chrysene	8700	E	ug/kg	110	19.	1
Acenaphthylene	700		ug/kg	150	28.	1
Anthracene	3700		ug/kg	110	36.	1
Benzo(ghi)perylene	5300		ug/kg	150	21.	1
Fluorene	1400		ug/kg	180	18.	1
Phenanthrene	16000	E	ug/kg	110	22.	1
Dibenzo(a,h)anthracene	1200		ug/kg	110	21.	1
Indeno(1,2,3-cd)pyrene	4700		ug/kg	150	25.	1
Pyrene	16000	E	ug/kg	110	18.	1
Biphenyl	140	J	ug/kg	420	24.	1
4-Chloroaniline	ND		ug/kg	180	33.	1
2-Nitroaniline	ND		ug/kg	180	35.	1
3-Nitroaniline	ND		ug/kg	180	34.	1
4-Nitroaniline	ND		ug/kg	180	76.	1
Dibenzofuran	770		ug/kg	180	17.	1
2-Methylnaphthalene	440		ug/kg	220	22.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	180	19.	1
Acetophenone	ND		ug/kg	180	23.	1
2,4,6-Trichlorophenol	ND		ug/kg	110	35.	1
p-Chloro-m-cresol	ND		ug/kg	180	27.	1
2-Chlorophenol	ND		ug/kg	180	22.	1
2,4-Dichlorophenol	ND		ug/kg	160	29.	1
2,4-Dimethylphenol	ND		ug/kg	180	60.	1
2-Nitrophenol	ND		ug/kg	390	69.	1
4-Nitrophenol	ND		ug/kg	260	74.	1
2,4-Dinitrophenol	ND		ug/kg	880	85.	1
4,6-Dinitro-o-cresol	ND		ug/kg	470	88.	1
Pentachlorophenol	ND		ug/kg	150	40.	1
Phenol	ND		ug/kg	180	28.	1
2-Methylphenol	ND		ug/kg	180	28.	1
3-Methylphenol/4-Methylphenol	51	J	ug/kg	260	29.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	180	35.	1
Benzoic Acid	ND		ug/kg	590	180	1
Benzyl Alcohol	ND		ug/kg	180	56.	1
Carbazole	1200		ug/kg	180	18.	1
1,4-Dioxane	ND		ug/kg	27	8.4	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	112		25-120
Phenol-d6	111		10-120
Nitrobenzene-d5	118		23-120
2-Fluorobiphenyl	99		30-120
2,4,6-Tribromophenol	132		10-136
4-Terphenyl-d14	119		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01 D
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/13/25 22:10
Analyst: IMK
Percent Solids: 90%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Fluoranthene	16000		ug/kg	550	100	5
Benzo(a)anthracene	8500		ug/kg	550	100	5
Benzo(a)pyrene	8400		ug/kg	730	220	5
Benzo(b)fluoranthene	9000		ug/kg	550	150	5
Chrysene	9100		ug/kg	550	95.	5
Phenanthrene	17000		ug/kg	550	110	5
Pyrene	17000		ug/kg	550	91.	5

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/12/25 15:30
Analyst: IMK
Percent Solids: 73%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	180	24.	1
1,2,4-Trichlorobenzene	ND		ug/kg	230	26.	1
Hexachlorobenzene	ND		ug/kg	140	25.	1
Bis(2-chloroethyl)ether	ND		ug/kg	200	31.	1
2-Chloronaphthalene	ND		ug/kg	230	22.	1
1,2-Dichlorobenzene	ND		ug/kg	230	41.	1
1,3-Dichlorobenzene	ND		ug/kg	230	39.	1
1,4-Dichlorobenzene	ND		ug/kg	230	40.	1
3,3'-Dichlorobenzidine	ND		ug/kg	230	60.	1
2,4-Dinitrotoluene	ND		ug/kg	230	45.	1
2,6-Dinitrotoluene	ND		ug/kg	230	39.	1
Fluoranthene	ND		ug/kg	140	26.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	230	24.	1
4-Bromophenyl phenyl ether	ND		ug/kg	230	35.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	270	39.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	240	23.	1
Hexachlorobutadiene	ND		ug/kg	230	33.	1
Hexachlorocyclopentadiene	ND		ug/kg	650	200	1
Hexachloroethane	ND		ug/kg	180	37.	1
Isophorone	ND		ug/kg	200	29.	1
Naphthalene	ND		ug/kg	230	28.	1
Nitrobenzene	ND		ug/kg	200	34.	1
NDPA/DPA	ND		ug/kg	180	26.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	230	35.	1
Bis(2-ethylhexyl)phthalate	280		ug/kg	230	78.	1
Butyl benzyl phthalate	160	J	ug/kg	230	57.	1
Di-n-butylphthalate	ND		ug/kg	230	43.	1
Di-n-octylphthalate	ND		ug/kg	230	77.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	230	21.	1
Dimethyl phthalate	ND		ug/kg	230	48.	1
Benzo(a)anthracene	31	J	ug/kg	140	26.	1
Benzo(a)pyrene	ND		ug/kg	180	55.	1
Benzo(b)fluoranthene	ND		ug/kg	140	38.	1
Benzo(k)fluoranthene	ND		ug/kg	140	36.	1
Chrysene	37	J	ug/kg	140	24.	1
Acenaphthylene	ND		ug/kg	180	35.	1
Anthracene	ND		ug/kg	140	44.	1
Benzo(ghi)perylene	490		ug/kg	180	27.	1
Fluorene	ND		ug/kg	230	22.	1
Phenanthrene	34	J	ug/kg	140	28.	1
Dibenzo(a,h)anthracene	ND		ug/kg	140	26.	1
Indeno(1,2,3-cd)pyrene	ND		ug/kg	180	32.	1
Pyrene	43	J	ug/kg	140	22.	1
Biphenyl	ND		ug/kg	520	30.	1
4-Chloroaniline	ND		ug/kg	230	41.	1
2-Nitroaniline	ND		ug/kg	230	44.	1
3-Nitroaniline	ND		ug/kg	230	43.	1
4-Nitroaniline	ND		ug/kg	230	94.	1
Dibenzofuran	ND		ug/kg	230	21.	1
2-Methylnaphthalene	35	J	ug/kg	270	27.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	230	24.	1
Acetophenone	ND		ug/kg	230	28.	1
2,4,6-Trichlorophenol	ND		ug/kg	140	43.	1
p-Chloro-m-cresol	ND		ug/kg	230	34.	1
2-Chlorophenol	ND		ug/kg	230	27.	1
2,4-Dichlorophenol	ND		ug/kg	200	36.	1
2,4-Dimethylphenol	ND		ug/kg	230	75.	1
2-Nitrophenol	ND		ug/kg	490	85.	1
4-Nitrophenol	ND		ug/kg	320	92.	1
2,4-Dinitrophenol	ND		ug/kg	1100	100	1
4,6-Dinitro-o-cresol	ND		ug/kg	590	110	1
Pentachlorophenol	ND		ug/kg	180	50.	1
Phenol	ND		ug/kg	230	34.	1
2-Methylphenol	ND		ug/kg	230	35.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	330	36.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	230	43.	1
Benzoic Acid	ND		ug/kg	740	230	1
Benzyl Alcohol	ND		ug/kg	230	69.	1
Carbazole	ND		ug/kg	230	22.	1
1,4-Dioxane	ND		ug/kg	34	10.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	72		25-120
Phenol-d6	65		10-120
Nitrobenzene-d5	77		23-120
2-Fluorobiphenyl	67		30-120
2,4,6-Tribromophenol	71		10-136
4-Terphenyl-d14	70		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03
Client ID: B-03_2-4
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:30
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/12/25 12:29
Analyst: IMK
Percent Solids: 93%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	140	18.	1
1,2,4-Trichlorobenzene	ND		ug/kg	170	20.	1
Hexachlorobenzene	ND		ug/kg	100	20.	1
Bis(2-chloroethyl)ether	ND		ug/kg	160	24.	1
2-Chloronaphthalene	ND		ug/kg	170	17.	1
1,2-Dichlorobenzene	ND		ug/kg	170	31.	1
1,3-Dichlorobenzene	ND		ug/kg	170	30.	1
1,4-Dichlorobenzene	ND		ug/kg	170	30.	1
3,3'-Dichlorobenzidine	ND		ug/kg	170	46.	1
2,4-Dinitrotoluene	ND		ug/kg	170	35.	1
2,6-Dinitrotoluene	ND		ug/kg	170	30.	1
Fluoranthene	21	J	ug/kg	100	20.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	170	19.	1
4-Bromophenyl phenyl ether	ND		ug/kg	170	27.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	210	30.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	190	17.	1
Hexachlorobutadiene	ND		ug/kg	170	26.	1
Hexachlorocyclopentadiene	ND		ug/kg	500	160	1
Hexachloroethane	ND		ug/kg	140	28.	1
Isophorone	ND		ug/kg	160	23.	1
Naphthalene	ND		ug/kg	170	21.	1
Nitrobenzene	ND		ug/kg	160	26.	1
NDPA/DPA	ND		ug/kg	140	20.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	170	27.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	170	60.	1
Butyl benzyl phthalate	ND		ug/kg	170	44.	1
Di-n-butylphthalate	ND		ug/kg	170	33.	1
Di-n-octylphthalate	ND		ug/kg	170	59.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03
Client ID: B-03_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:30
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	170	16.	1
Dimethyl phthalate	ND		ug/kg	170	37.	1
Benzo(a)anthracene	ND		ug/kg	100	20.	1
Benzo(a)pyrene	ND		ug/kg	140	43.	1
Benzo(b)fluoranthene	ND		ug/kg	100	29.	1
Benzo(k)fluoranthene	ND		ug/kg	100	28.	1
Chrysene	ND		ug/kg	100	18.	1
Acenaphthylene	ND		ug/kg	140	27.	1
Anthracene	ND		ug/kg	100	34.	1
Benzo(ghi)perylene	ND		ug/kg	140	20.	1
Fluorene	ND		ug/kg	170	17.	1
Phenanthrene	ND		ug/kg	100	21.	1
Dibenzo(a,h)anthracene	ND		ug/kg	100	20.	1
Indeno(1,2,3-cd)pyrene	ND		ug/kg	140	24.	1
Pyrene	19	J	ug/kg	100	17.	1
Biphenyl	ND		ug/kg	400	23.	1
4-Chloroaniline	ND		ug/kg	170	32.	1
2-Nitroaniline	ND		ug/kg	170	34.	1
3-Nitroaniline	ND		ug/kg	170	33.	1
4-Nitroaniline	ND		ug/kg	170	72.	1
Dibenzofuran	ND		ug/kg	170	16.	1
2-Methylnaphthalene	ND		ug/kg	210	21.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	170	18.	1
Acetophenone	ND		ug/kg	170	22.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	33.	1
p-Chloro-m-cresol	ND		ug/kg	170	26.	1
2-Chlorophenol	ND		ug/kg	170	21.	1
2,4-Dichlorophenol	ND		ug/kg	160	28.	1
2,4-Dimethylphenol	ND		ug/kg	170	58.	1
2-Nitrophenol	ND		ug/kg	380	66.	1
4-Nitrophenol	ND		ug/kg	240	71.	1
2,4-Dinitrophenol	ND		ug/kg	840	81.	1
4,6-Dinitro-o-cresol	ND		ug/kg	450	84.	1
Pentachlorophenol	ND		ug/kg	140	38.	1
Phenol	ND		ug/kg	170	26.	1
2-Methylphenol	ND		ug/kg	170	27.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	250	27.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03
Client ID: B-03_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:30
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	170	33.	1
Benzoic Acid	ND		ug/kg	560	180	1
Benzyl Alcohol	ND		ug/kg	170	53.	1
Carbazole	ND		ug/kg	170	17.	1
1,4-Dioxane	ND		ug/kg	26	8.0	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	107		25-120
Phenol-d6	104		10-120
Nitrobenzene-d5	110		23-120
2-Fluorobiphenyl	98		30-120
2,4,6-Tribromophenol	119		10-136
4-Terphenyl-d14	107		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04 D
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/13/25 22:34
Analyst: IMK
Percent Solids: 94%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	2900		ug/kg	1400	180	10
1,2,4-Trichlorobenzene	ND		ug/kg	1700	200	10
Hexachlorobenzene	ND		ug/kg	1000	190	10
Bis(2-chloroethyl)ether	ND		ug/kg	1600	230	10
2-Chloronaphthalene	ND		ug/kg	1700	170	10
1,2-Dichlorobenzene	ND		ug/kg	1700	310	10
1,3-Dichlorobenzene	ND		ug/kg	1700	300	10
1,4-Dichlorobenzene	ND		ug/kg	1700	300	10
3,3'-Dichlorobenzidine	ND		ug/kg	1700	460	10
2,4-Dinitrotoluene	ND		ug/kg	1700	350	10
2,6-Dinitrotoluene	ND		ug/kg	1700	300	10
Fluoranthene	65000		ug/kg	1000	200	10
4-Chlorophenyl phenyl ether	ND		ug/kg	1700	180	10
4-Bromophenyl phenyl ether	ND		ug/kg	1700	260	10
Bis(2-chloroisopropyl)ether	ND		ug/kg	2100	300	10
Bis(2-chloroethoxy)methane	ND		ug/kg	1900	170	10
Hexachlorobutadiene	ND		ug/kg	1700	250	10
Hexachlorocyclopentadiene	ND		ug/kg	5000	1600	10
Hexachloroethane	ND		ug/kg	1400	280	10
Isophorone	ND		ug/kg	1600	220	10
Naphthalene	1600	J	ug/kg	1700	210	10
Nitrobenzene	ND		ug/kg	1600	260	10
NDPA/DPA	ND		ug/kg	1400	200	10
n-Nitrosodi-n-propylamine	ND		ug/kg	1700	270	10
Bis(2-ethylhexyl)phthalate	ND		ug/kg	1700	600	10
Butyl benzyl phthalate	ND		ug/kg	1700	440	10
Di-n-butylphthalate	ND		ug/kg	1700	330	10
Di-n-octylphthalate	ND		ug/kg	1700	590	10

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04 D
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	1700	160	10
Dimethyl phthalate	ND		ug/kg	1700	360	10
Benzo(a)anthracene	37000		ug/kg	1000	200	10
Benzo(a)pyrene	36000		ug/kg	1400	420	10
Benzo(b)fluoranthene	40000		ug/kg	1000	290	10
Benzo(k)fluoranthene	16000		ug/kg	1000	280	10
Chrysene	32000		ug/kg	1000	180	10
Acenaphthylene	5200		ug/kg	1400	270	10
Anthracene	14000		ug/kg	1000	340	10
Benzo(ghi)perylene	20000		ug/kg	1400	200	10
Fluorene	3600		ug/kg	1700	170	10
Phenanthrene	49000		ug/kg	1000	210	10
Dibenzo(a,h)anthracene	4800		ug/kg	1000	200	10
Indeno(1,2,3-cd)pyrene	19000		ug/kg	1400	240	10
Pyrene	59000		ug/kg	1000	170	10
Biphenyl	280	J	ug/kg	4000	220	10
4-Chloroaniline	ND		ug/kg	1700	320	10
2-Nitroaniline	ND		ug/kg	1700	330	10
3-Nitroaniline	ND		ug/kg	1700	330	10
4-Nitroaniline	ND		ug/kg	1700	720	10
Dibenzofuran	2400		ug/kg	1700	160	10
2-Methylnaphthalene	490	J	ug/kg	2100	210	10
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1700	180	10
Acetophenone	ND		ug/kg	1700	210	10
2,4,6-Trichlorophenol	ND		ug/kg	1000	330	10
p-Chloro-m-cresol	ND		ug/kg	1700	260	10
2-Chlorophenol	ND		ug/kg	1700	200	10
2,4-Dichlorophenol	ND		ug/kg	1600	280	10
2,4-Dimethylphenol	ND		ug/kg	1700	570	10
2-Nitrophenol	ND		ug/kg	3700	650	10
4-Nitrophenol	ND		ug/kg	2400	710	10
2,4-Dinitrophenol	ND		ug/kg	8300	810	10
4,6-Dinitro-o-cresol	ND		ug/kg	4500	830	10
Pentachlorophenol	ND		ug/kg	1400	380	10
Phenol	ND		ug/kg	1700	260	10
2-Methylphenol	ND		ug/kg	1700	270	10
3-Methylphenol/4-Methylphenol	310	J	ug/kg	2500	270	10

Project Name: 2916 ATLANTIC AVE
Lab Number: L2521630
Project Number: 0213315-000-001-02
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04 D
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	1700	330	10
Benzoic Acid	ND		ug/kg	5600	1800	10
Benzyl Alcohol	ND		ug/kg	1700	530	10
Carbazole	5300		ug/kg	1700	170	10
1,4-Dioxane	ND		ug/kg	260	80.	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	93		25-120
Phenol-d6	85		10-120
Nitrobenzene-d5	83		23-120
2-Fluorobiphenyl	104		30-120
2,4,6-Tribromophenol	102		10-136
4-Terphenyl-d14	110		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/12/25 13:15
Analyst: IMK
Percent Solids: 89%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	200		ug/kg	150	19.	1
1,2,4-Trichlorobenzene	ND		ug/kg	180	21.	1
Hexachlorobenzene	ND		ug/kg	110	21.	1
Bis(2-chloroethyl)ether	ND		ug/kg	170	25.	1
2-Chloronaphthalene	ND		ug/kg	180	18.	1
1,2-Dichlorobenzene	ND		ug/kg	180	33.	1
1,3-Dichlorobenzene	ND		ug/kg	180	32.	1
1,4-Dichlorobenzene	ND		ug/kg	180	32.	1
3,3'-Dichlorobenzidine	ND		ug/kg	180	49.	1
2,4-Dinitrotoluene	ND		ug/kg	180	37.	1
2,6-Dinitrotoluene	ND		ug/kg	180	32.	1
Fluoranthene	1600		ug/kg	110	21.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	180	20.	1
4-Bromophenyl phenyl ether	ND		ug/kg	180	28.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	220	32.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	200	19.	1
Hexachlorobutadiene	ND		ug/kg	180	27.	1
Hexachlorocyclopentadiene	ND		ug/kg	530	170	1
Hexachloroethane	ND		ug/kg	150	30.	1
Isophorone	ND		ug/kg	170	24.	1
Naphthalene	99	J	ug/kg	180	23.	1
Nitrobenzene	ND		ug/kg	170	28.	1
NDPA/DPA	ND		ug/kg	150	21.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	180	29.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	180	64.	1
Butyl benzyl phthalate	ND		ug/kg	180	47.	1
Di-n-butylphthalate	ND		ug/kg	180	35.	1
Di-n-octylphthalate	ND		ug/kg	180	63.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	180	17.	1
Dimethyl phthalate	ND		ug/kg	180	39.	1
Benzo(a)anthracene	620		ug/kg	110	21.	1
Benzo(a)pyrene	630		ug/kg	150	45.	1
Benzo(b)fluoranthene	700		ug/kg	110	31.	1
Benzo(k)fluoranthene	260		ug/kg	110	30.	1
Chrysene	590		ug/kg	110	19.	1
Acenaphthylene	32	J	ug/kg	150	29.	1
Anthracene	370		ug/kg	110	36.	1
Benzo(ghi)perylene	410		ug/kg	150	22.	1
Fluorene	140	J	ug/kg	180	18.	1
Phenanthrene	1600		ug/kg	110	23.	1
Dibenzo(a,h)anthracene	74	J	ug/kg	110	21.	1
Indeno(1,2,3-cd)pyrene	370		ug/kg	150	26.	1
Pyrene	1400		ug/kg	110	18.	1
Biphenyl	ND		ug/kg	420	24.	1
4-Chloroaniline	ND		ug/kg	180	34.	1
2-Nitroaniline	ND		ug/kg	180	36.	1
3-Nitroaniline	ND		ug/kg	180	35.	1
4-Nitroaniline	ND		ug/kg	180	77.	1
Dibenzofuran	120	J	ug/kg	180	18.	1
2-Methylnaphthalene	45	J	ug/kg	220	22.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	180	19.	1
Acetophenone	ND		ug/kg	180	23.	1
2,4,6-Trichlorophenol	ND		ug/kg	110	35.	1
p-Chloro-m-cresol	ND		ug/kg	180	28.	1
2-Chlorophenol	ND		ug/kg	180	22.	1
2,4-Dichlorophenol	ND		ug/kg	170	30.	1
2,4-Dimethylphenol	ND		ug/kg	180	61.	1
2-Nitrophenol	ND		ug/kg	400	70.	1
4-Nitrophenol	ND		ug/kg	260	76.	1
2,4-Dinitrophenol	ND		ug/kg	890	87.	1
4,6-Dinitro-o-cresol	ND		ug/kg	480	89.	1
Pentachlorophenol	ND		ug/kg	150	41.	1
Phenol	ND		ug/kg	180	28.	1
2-Methylphenol	ND		ug/kg	180	29.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	270	29.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	180	36.	1
Benzoic Acid	ND		ug/kg	600	190	1
Benzyl Alcohol	ND		ug/kg	180	57.	1
Carbazole	200		ug/kg	180	18.	1
1,4-Dioxane	ND		ug/kg	28	8.6	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	110		25-120
Phenol-d6	104		10-120
Nitrobenzene-d5	110		23-120
2-Fluorobiphenyl	95		30-120
2,4,6-Tribromophenol	121		10-136
4-Terphenyl-d14	110		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06
Client ID: B-06_5-7
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:40
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/12/25 13:37
Analyst: IMK
Percent Solids: 97%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	140	17.	1
1,2,4-Trichlorobenzene	ND		ug/kg	170	19.	1
Hexachlorobenzene	ND		ug/kg	100	19.	1
Bis(2-chloroethyl)ether	ND		ug/kg	150	23.	1
2-Chloronaphthalene	ND		ug/kg	170	17.	1
1,2-Dichlorobenzene	ND		ug/kg	170	30.	1
1,3-Dichlorobenzene	ND		ug/kg	170	29.	1
1,4-Dichlorobenzene	ND		ug/kg	170	29.	1
3,3'-Dichlorobenzidine	ND		ug/kg	170	45.	1
2,4-Dinitrotoluene	ND		ug/kg	170	34.	1
2,6-Dinitrotoluene	ND		ug/kg	170	29.	1
Fluoranthene	ND		ug/kg	100	19.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	170	18.	1
4-Bromophenyl phenyl ether	ND		ug/kg	170	26.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	200	29.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	180	17.	1
Hexachlorobutadiene	ND		ug/kg	170	25.	1
Hexachlorocyclopentadiene	ND		ug/kg	480	150	1
Hexachloroethane	ND		ug/kg	140	27.	1
Isophorone	ND		ug/kg	150	22.	1
Naphthalene	ND		ug/kg	170	20.	1
Nitrobenzene	ND		ug/kg	150	25.	1
NDPA/DPA	ND		ug/kg	140	19.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	170	26.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	170	58.	1
Butyl benzyl phthalate	ND		ug/kg	170	42.	1
Di-n-butylphthalate	ND		ug/kg	170	32.	1
Di-n-octylphthalate	ND		ug/kg	170	57.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06
Client ID: B-06_5-7
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:40
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	170	16.	1
Dimethyl phthalate	ND		ug/kg	170	35.	1
Benzo(a)anthracene	ND		ug/kg	100	19.	1
Benzo(a)pyrene	ND		ug/kg	140	41.	1
Benzo(b)fluoranthene	ND		ug/kg	100	28.	1
Benzo(k)fluoranthene	ND		ug/kg	100	27.	1
Chrysene	ND		ug/kg	100	18.	1
Acenaphthylene	ND		ug/kg	140	26.	1
Anthracene	ND		ug/kg	100	33.	1
Benzo(ghi)perylene	ND		ug/kg	140	20.	1
Fluorene	ND		ug/kg	170	16.	1
Phenanthrene	ND		ug/kg	100	20.	1
Dibenzo(a,h)anthracene	ND		ug/kg	100	20.	1
Indeno(1,2,3-cd)pyrene	ND		ug/kg	140	24.	1
Pyrene	ND		ug/kg	100	17.	1
Biphenyl	ND		ug/kg	380	22.	1
4-Chloroaniline	ND		ug/kg	170	31.	1
2-Nitroaniline	ND		ug/kg	170	32.	1
3-Nitroaniline	ND		ug/kg	170	32.	1
4-Nitroaniline	ND		ug/kg	170	70.	1
Dibenzofuran	ND		ug/kg	170	16.	1
2-Methylnaphthalene	ND		ug/kg	200	20.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	170	18.	1
Acetophenone	ND		ug/kg	170	21.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	32.	1
p-Chloro-m-cresol	ND		ug/kg	170	25.	1
2-Chlorophenol	ND		ug/kg	170	20.	1
2,4-Dichlorophenol	ND		ug/kg	150	27.	1
2,4-Dimethylphenol	ND		ug/kg	170	56.	1
2-Nitrophenol	ND		ug/kg	360	64.	1
4-Nitrophenol	ND		ug/kg	240	69.	1
2,4-Dinitrophenol	ND		ug/kg	810	79.	1
4,6-Dinitro-o-cresol	ND		ug/kg	440	81.	1
Pentachlorophenol	ND		ug/kg	140	37.	1
Phenol	ND		ug/kg	170	26.	1
2-Methylphenol	ND		ug/kg	170	26.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	240	26.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06
Client ID: B-06_5-7
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:40
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	170	32.	1
Benzoic Acid	ND		ug/kg	550	170	1
Benzyl Alcohol	ND		ug/kg	170	52.	1
Carbazole	ND		ug/kg	170	16.	1
1,4-Dioxane	ND		ug/kg	25	7.8	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	115		25-120
Phenol-d6	111		10-120
Nitrobenzene-d5	113		23-120
2-Fluorobiphenyl	101		30-120
2,4,6-Tribromophenol	127		10-136
4-Terphenyl-d14	114		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/12/25 14:00
Analyst: IMK
Percent Solids: 86%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	150	20.	1
1,2,4-Trichlorobenzene	ND		ug/kg	190	22.	1
Hexachlorobenzene	ND		ug/kg	110	21.	1
Bis(2-chloroethyl)ether	ND		ug/kg	170	26.	1
2-Chloronaphthalene	ND		ug/kg	190	19.	1
1,2-Dichlorobenzene	ND		ug/kg	190	34.	1
1,3-Dichlorobenzene	ND		ug/kg	190	32.	1
1,4-Dichlorobenzene	ND		ug/kg	190	33.	1
3,3'-Dichlorobenzidine	ND		ug/kg	190	50.	1
2,4-Dinitrotoluene	ND		ug/kg	190	38.	1
2,6-Dinitrotoluene	ND		ug/kg	190	32.	1
Fluoranthene	24	J	ug/kg	110	22.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	190	20.	1
4-Bromophenyl phenyl ether	ND		ug/kg	190	29.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	230	32.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	200	19.	1
Hexachlorobutadiene	ND		ug/kg	190	28.	1
Hexachlorocyclopentadiene	ND		ug/kg	540	170	1
Hexachloroethane	ND		ug/kg	150	30.	1
Isophorone	ND		ug/kg	170	24.	1
Naphthalene	ND		ug/kg	190	23.	1
Nitrobenzene	ND		ug/kg	170	28.	1
NDPA/DPA	ND		ug/kg	150	21.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	190	29.	1
Bis(2-ethylhexyl)phthalate	ND		ug/kg	190	65.	1
Butyl benzyl phthalate	ND		ug/kg	190	48.	1
Di-n-butylphthalate	ND		ug/kg	190	36.	1
Di-n-octylphthalate	ND		ug/kg	190	64.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	190	17.	1
Dimethyl phthalate	ND		ug/kg	190	40.	1
Benzo(a)anthracene	ND		ug/kg	110	21.	1
Benzo(a)pyrene	ND		ug/kg	150	46.	1
Benzo(b)fluoranthene	ND		ug/kg	110	32.	1
Benzo(k)fluoranthene	ND		ug/kg	110	30.	1
Chrysene	ND		ug/kg	110	20.	1
Acenaphthylene	ND		ug/kg	150	29.	1
Anthracene	ND		ug/kg	110	37.	1
Benzo(ghi)perylene	ND		ug/kg	150	22.	1
Fluorene	ND		ug/kg	190	18.	1
Phenanthrene	ND		ug/kg	110	23.	1
Dibenzo(a,h)anthracene	ND		ug/kg	110	22.	1
Indeno(1,2,3-cd)pyrene	ND		ug/kg	150	26.	1
Pyrene	23	J	ug/kg	110	19.	1
Biphenyl	ND		ug/kg	430	24.	1
4-Chloroaniline	ND		ug/kg	190	34.	1
2-Nitroaniline	ND		ug/kg	190	36.	1
3-Nitroaniline	ND		ug/kg	190	36.	1
4-Nitroaniline	ND		ug/kg	190	78.	1
Dibenzofuran	ND		ug/kg	190	18.	1
2-Methylnaphthalene	ND		ug/kg	230	23.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	190	20.	1
Acetophenone	ND		ug/kg	190	23.	1
2,4,6-Trichlorophenol	ND		ug/kg	110	36.	1
p-Chloro-m-cresol	ND		ug/kg	190	28.	1
2-Chlorophenol	ND		ug/kg	190	22.	1
2,4-Dichlorophenol	ND		ug/kg	170	30.	1
2,4-Dimethylphenol	ND		ug/kg	190	62.	1
2-Nitrophenol	ND		ug/kg	410	71.	1
4-Nitrophenol	ND		ug/kg	260	77.	1
2,4-Dinitrophenol	ND		ug/kg	910	88.	1
4,6-Dinitro-o-cresol	ND		ug/kg	490	91.	1
Pentachlorophenol	ND		ug/kg	150	42.	1
Phenol	ND		ug/kg	190	28.	1
2-Methylphenol	ND		ug/kg	190	29.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	270	30.	1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	190	36.	1
Benzoic Acid	ND		ug/kg	610	190	1
Benzyl Alcohol	ND		ug/kg	190	58.	1
Carbazole	ND		ug/kg	190	18.	1
1,4-Dioxane	ND		ug/kg	28	8.7	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	111		25-120
Phenol-d6	108		10-120
Nitrobenzene-d5	111		23-120
2-Fluorobiphenyl	96		30-120
2,4,6-Tribromophenol	122		10-136
4-Terphenyl-d14	110		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08 D2
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/15/25 04:32
Analyst: SMZ
Percent Solids: 92%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Fluoranthene	120000		ug/kg	5300	1000	50
Benzo(a)pyrene	91000		ug/kg	7100	2200	50
Benzo(b)fluoranthene	100000		ug/kg	5300	1500	50
Pyrene	120000		ug/kg	5300	880	50

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08 D
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Analytical Method: 1,8270E
Analytical Date: 04/15/25 04:10
Analyst: SMZ
Percent Solids: 92%

Extraction Method: EPA 3546
Extraction Date: 04/11/25 16:14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	910	J	ug/kg	1400	180	10
1,2,4-Trichlorobenzene	ND		ug/kg	1800	200	10
Hexachlorobenzene	ND		ug/kg	1100	200	10
Bis(2-chloroethyl)ether	ND		ug/kg	1600	240	10
2-Chloronaphthalene	ND		ug/kg	1800	180	10
1,2-Dichlorobenzene	ND		ug/kg	1800	320	10
1,3-Dichlorobenzene	ND		ug/kg	1800	310	10
1,4-Dichlorobenzene	ND		ug/kg	1800	310	10
3,3'-Dichlorobenzidine	ND		ug/kg	1800	470	10
2,4-Dinitrotoluene	ND		ug/kg	1800	360	10
2,6-Dinitrotoluene	ND		ug/kg	1800	300	10
Fluoranthene	86000	E	ug/kg	1100	200	10
4-Chlorophenyl phenyl ether	ND		ug/kg	1800	190	10
4-Bromophenyl phenyl ether	ND		ug/kg	1800	270	10
Bis(2-chloroisopropyl)ether	ND		ug/kg	2100	300	10
Bis(2-chloroethoxy)methane	ND		ug/kg	1900	180	10
Hexachlorobutadiene	ND		ug/kg	1800	260	10
Hexachlorocyclopentadiene	ND		ug/kg	5100	1600	10
Hexachloroethane	ND		ug/kg	1400	290	10
Isophorone	ND		ug/kg	1600	230	10
Naphthalene	400	J	ug/kg	1800	220	10
Nitrobenzene	ND		ug/kg	1600	260	10
NDPA/DPA	ND		ug/kg	1400	200	10
n-Nitrosodi-n-propylamine	ND		ug/kg	1800	280	10
Bis(2-ethylhexyl)phthalate	ND		ug/kg	1800	620	10
Butyl benzyl phthalate	ND		ug/kg	1800	450	10
Di-n-butylphthalate	ND		ug/kg	1800	340	10
Di-n-octylphthalate	ND		ug/kg	1800	600	10

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08 D
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Diethyl phthalate	ND		ug/kg	1800	160	10
Dimethyl phthalate	ND		ug/kg	1800	370	10
Benzo(a)anthracene	62000		ug/kg	1100	200	10
Benzo(a)pyrene	75000	E	ug/kg	1400	430	10
Benzo(b)fluoranthene	98000	E	ug/kg	1100	300	10
Benzo(k)fluoranthene	19000		ug/kg	1100	280	10
Chrysene	63000		ug/kg	1100	180	10
Acenaphthylene	ND		ug/kg	1400	280	10
Anthracene	6800		ug/kg	1100	350	10
Benzo(ghi)perylene	46000		ug/kg	1400	210	10
Fluorene	1000	J	ug/kg	1800	170	10
Phenanthrene	8800		ug/kg	1100	220	10
Dibenzo(a,h)anthracene	10000		ug/kg	1100	200	10
Indeno(1,2,3-cd)pyrene	44000		ug/kg	1400	250	10
Pyrene	84000	E	ug/kg	1100	180	10
Biphenyl	ND		ug/kg	4100	230	10
4-Chloroaniline	ND		ug/kg	1800	320	10
2-Nitroaniline	ND		ug/kg	1800	340	10
3-Nitroaniline	ND		ug/kg	1800	340	10
4-Nitroaniline	ND		ug/kg	1800	740	10
Dibenzofuran	350	J	ug/kg	1800	170	10
2-Methylnaphthalene	ND		ug/kg	2100	220	10
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	1800	180	10
Acetophenone	ND		ug/kg	1800	220	10
2,4,6-Trichlorophenol	ND		ug/kg	1100	340	10
p-Chloro-m-cresol	ND		ug/kg	1800	260	10
2-Chlorophenol	ND		ug/kg	1800	210	10
2,4-Dichlorophenol	ND		ug/kg	1600	290	10
2,4-Dimethylphenol	ND		ug/kg	1800	590	10
2-Nitrophenol	ND		ug/kg	3800	670	10
4-Nitrophenol	ND		ug/kg	2500	730	10
2,4-Dinitrophenol	ND		ug/kg	8600	830	10
4,6-Dinitro-o-cresol	ND		ug/kg	4600	860	10
Pentachlorophenol	ND		ug/kg	1400	390	10
Phenol	ND		ug/kg	1800	270	10
2-Methylphenol	ND		ug/kg	1800	280	10
3-Methylphenol/4-Methylphenol	ND		ug/kg	2600	280	10

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08 D
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,5-Trichlorophenol	ND		ug/kg	1800	340	10
Benzoic Acid	ND		ug/kg	5800	1800	10
Benzyl Alcohol	ND		ug/kg	1800	540	10
Carbazole	1400	J	ug/kg	1800	170	10
1,4-Dioxane	ND		ug/kg	270	82.	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	86		25-120
Phenol-d6	97		10-120
Nitrobenzene-d5	109		23-120
2-Fluorobiphenyl	99		30-120
2,4,6-Tribromophenol	71		10-136
4-Terphenyl-d14	110		18-120

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270E
Analytical Date: 04/11/25 12:17
Analyst: SMZ

Extraction Method: EPA 3546
Extraction Date: 04/11/25 02:49

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG2052429-1					
Acenaphthene	ND		ug/kg	130	17.
1,2,4-Trichlorobenzene	ND		ug/kg	160	19.
Hexachlorobenzene	ND		ug/kg	99	18.
Bis(2-chloroethyl)ether	ND		ug/kg	150	22.
2-Chloronaphthalene	ND		ug/kg	160	16.
1,2-Dichlorobenzene	ND		ug/kg	160	30.
1,3-Dichlorobenzene	ND		ug/kg	160	28.
1,4-Dichlorobenzene	ND		ug/kg	160	29.
3,3'-Dichlorobenzidine	ND		ug/kg	160	44.
2,4-Dinitrotoluene	ND		ug/kg	160	33.
2,6-Dinitrotoluene	ND		ug/kg	160	28.
Fluoranthene	ND		ug/kg	99	19.
4-Chlorophenyl phenyl ether	ND		ug/kg	160	18.
4-Bromophenyl phenyl ether	ND		ug/kg	160	25.
Bis(2-chloroisopropyl)ether	ND		ug/kg	200	28.
Bis(2-chloroethoxy)methane	ND		ug/kg	180	17.
Hexachlorobutadiene	ND		ug/kg	160	24.
Hexachlorocyclopentadiene	ND		ug/kg	470	150
Hexachloroethane	ND		ug/kg	130	27.
Isophorone	ND		ug/kg	150	22.
Naphthalene	ND		ug/kg	160	20.
Nitrobenzene	ND		ug/kg	150	24.
NDPA/DPA	ND		ug/kg	130	19.
n-Nitrosodi-n-propylamine	ND		ug/kg	160	26.
Bis(2-ethylhexyl)phthalate	ND		ug/kg	160	57.
Butyl benzyl phthalate	ND		ug/kg	160	42.
Di-n-butylphthalate	ND		ug/kg	160	31.
Di-n-octylphthalate	ND		ug/kg	160	56.
Diethyl phthalate	ND		ug/kg	160	15.

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270E
Analytical Date: 04/11/25 12:17
Analyst: SMZ

Extraction Method: EPA 3546
Extraction Date: 04/11/25 02:49

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG2052429-1					
Dimethyl phthalate	ND		ug/kg	160	35.
Benzo(a)anthracene	ND		ug/kg	99	19.
Benzo(a)pyrene	ND		ug/kg	130	40.
Benzo(b)fluoranthene	ND		ug/kg	99	28.
Benzo(k)fluoranthene	ND		ug/kg	99	26.
Chrysene	ND		ug/kg	99	17.
Acenaphthylene	ND		ug/kg	130	26.
Anthracene	ND		ug/kg	99	32.
Benzo(ghi)perylene	ND		ug/kg	130	19.
Fluorene	ND		ug/kg	160	16.
Phenanthrene	ND		ug/kg	99	20.
Dibenzo(a,h)anthracene	ND		ug/kg	99	19.
Indeno(1,2,3-cd)pyrene	ND		ug/kg	130	23.
Pyrene	ND		ug/kg	99	16.
Biphenyl	ND		ug/kg	380	22.
4-Chloroaniline	ND		ug/kg	160	30.
2-Nitroaniline	ND		ug/kg	160	32.
3-Nitroaniline	ND		ug/kg	160	31.
4-Nitroaniline	ND		ug/kg	160	68.
Dibenzofuran	ND		ug/kg	160	16.
2-Methylnaphthalene	ND		ug/kg	200	20.
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	160	17.
Acetophenone	ND		ug/kg	160	20.
2,4,6-Trichlorophenol	ND		ug/kg	99	31.
p-Chloro-m-cresol	ND		ug/kg	160	25.
2-Chlorophenol	ND		ug/kg	160	20.
2,4-Dichlorophenol	ND		ug/kg	150	27.
2,4-Dimethylphenol	ND		ug/kg	160	55.
2-Nitrophenol	ND		ug/kg	360	62.

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270E
Analytical Date: 04/11/25 12:17
Analyst: SMZ

Extraction Method: EPA 3546
Extraction Date: 04/11/25 02:49

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-08 Batch: WG2052429-1					
4-Nitrophenol	ND		ug/kg	230	68.
2,4-Dinitrophenol	ND		ug/kg	800	77.
4,6-Dinitro-o-cresol	ND		ug/kg	430	80.
Pentachlorophenol	ND		ug/kg	130	36.
Phenol	ND		ug/kg	160	25.
2-Methylphenol	ND		ug/kg	160	26.
3-Methylphenol/4-Methylphenol	ND		ug/kg	240	26.
2,4,5-Trichlorophenol	ND		ug/kg	160	32.
Benzoic Acid	ND		ug/kg	540	170
Benzyl Alcohol	ND		ug/kg	160	51.
Carbazole	ND		ug/kg	160	16.
1,4-Dioxane	ND		ug/kg	25	7.6

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	100		25-120
Phenol-d6	96		10-120
Nitrobenzene-d5	83		23-120
2-Fluorobiphenyl	83		30-120
2,4,6-Tribromophenol	99		10-136
4-Terphenyl-d14	91		18-120

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG2052429-2 WG2052429-3								
Acenaphthene	80		76		31-137	5		50
1,2,4-Trichlorobenzene	71		70		38-107	1		50
Hexachlorobenzene	80		78		40-140	3		50
Bis(2-chloroethyl)ether	70		69		40-140	1		50
2-Chloronaphthalene	72		69		40-140	4		50
1,2-Dichlorobenzene	75		75		40-140	0		50
1,3-Dichlorobenzene	74		73		40-140	1		50
1,4-Dichlorobenzene	73		73		28-104	0		50
3,3'-Dichlorobenzidine	74		70		40-140	6		50
2,4-Dinitrotoluene	101		98		40-132	3		50
2,6-Dinitrotoluene	89		85		40-140	5		50
Fluoranthene	81		76		40-140	6		50
4-Chlorophenyl phenyl ether	76		72		40-140	5		50
4-Bromophenyl phenyl ether	78		74		40-140	5		50
Bis(2-chloroisopropyl)ether	52		50		40-140	4		50
Bis(2-chloroethoxy)methane	76		74		40-117	3		50
Hexachlorobutadiene	65		65		40-140	0		50
Hexachlorocyclopentadiene	83		83		40-140	0		50
Hexachloroethane	81		77		40-140	5		50
Isophorone	76		73		40-140	4		50
Naphthalene	80		77		40-140	4		50
Nitrobenzene	77		76		40-140	1		50
NDPA/DPA	80		76		36-157	5		50

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG2052429-2 WG2052429-3								
n-Nitrosodi-n-propylamine	73		69		32-121	6		50
Bis(2-ethylhexyl)phthalate	115		108		40-140	6		50
Butyl benzyl phthalate	105		99		40-140	6		50
Di-n-butylphthalate	98		92		40-140	6		50
Di-n-octylphthalate	113		107		40-140	5		50
Diethyl phthalate	83		80		40-140	4		50
Dimethyl phthalate	77		73		40-140	5		50
Benzo(a)anthracene	83		78		40-140	6		50
Benzo(a)pyrene	96		90		40-140	6		50
Benzo(b)fluoranthene	86		79		40-140	8		50
Benzo(k)fluoranthene	96		89		40-140	8		50
Chrysene	84		79		40-140	6		50
Acenaphthylene	83		80		40-140	4		50
Anthracene	85		81		40-140	5		50
Benzo(ghi)perylene	89		84		40-140	6		50
Fluorene	81		76		40-140	6		50
Phenanthrene	81		78		40-140	4		50
Dibenzo(a,h)anthracene	86		79		40-140	8		50
Indeno(1,2,3-cd)pyrene	85		83		40-140	2		50
Pyrene	79		75		35-142	5		50
Biphenyl	78		74		37-127	5		50
4-Chloroaniline	71		68		40-140	4		50
2-Nitroaniline	106		102		47-134	4		50

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG2052429-2 WG2052429-3								
3-Nitroaniline	82		80		26-129	2		50
4-Nitroaniline	101		95		41-125	6		50
Dibenzofuran	79		74		40-140	7		50
2-Methylnaphthalene	73		70		40-140	4		50
1,2,4,5-Tetrachlorobenzene	68		66		40-117	3		50
Acetophenone	81		79		14-144	3		50
2,4,6-Trichlorophenol	83		81		30-130	2		50
p-Chloro-m-cresol	92		87		26-103	6		50
2-Chlorophenol	88		86		25-102	2		50
2,4-Dichlorophenol	84		82		30-130	2		50
2,4-Dimethylphenol	99		94		30-130	5		50
2-Nitrophenol	104		103		30-130	1		50
4-Nitrophenol	94		90		11-114	4		50
2,4-Dinitrophenol	70		76		4-130	8		50
4,6-Dinitro-o-cresol	112		107		10-130	5		50
Pentachlorophenol	79		74		17-109	7		50
Phenol	81		78		26-90	4		50
2-Methylphenol	88		87		30-130.	1		50
3-Methylphenol/4-Methylphenol	94		91		30-130	3		50
2,4,5-Trichlorophenol	83		78		30-130	6		50
Benzoic Acid	**6**	Q	**9**	Q	10-110	37		50
Benzyl Alcohol	83		81		40-140	2		50
Carbazole	89		85		54-128	5		50

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-08 Batch: WG2052429-2 WG2052429-3								
1,4-Dioxane	59		59		40-140	0		50

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	90		88		25-120
Phenol-d6	84		81		10-120
Nitrobenzene-d5	85		84		23-120
2-Fluorobiphenyl	72		71		30-120
2,4,6-Tribromophenol	95		91		10-136
4-Terphenyl-d14	83		78		18-120

METALS

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 90%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	7320		mg/kg	8.46	2.75	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	4.23	3.26	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Arsenic, Total	3.32		mg/kg	0.846	0.366	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Barium, Total	52.7		mg/kg	0.846	0.090	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Beryllium, Total	0.295	J	mg/kg	0.423	0.047	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.200	J	mg/kg	0.846	0.047	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Calcium, Total	847		mg/kg	8.46	4.80	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Chromium, Total	18.5		mg/kg	0.846	0.718	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Cobalt, Total	3.58		mg/kg	1.69	0.210	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Copper, Total	13.5		mg/kg	0.846	0.192	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Iron, Total	13200		mg/kg	4.23	0.889	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Lead, Total	98.6		mg/kg	4.23	0.201	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Magnesium, Total	1140		mg/kg	8.46	1.38	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Manganese, Total	162		mg/kg	0.846	0.454	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Mercury, Total	0.265		mg/kg	0.085	0.056	1	04/15/25 16:28	04/16/25 08:54	EPA 7471B	1,7471B	JWN
Nickel, Total	7.28		mg/kg	2.12	0.684	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Potassium, Total	250		mg/kg	212	42.9	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	1.69	0.278	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	0.423	0.252	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Sodium, Total	ND		mg/kg	169	89.7	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	1.69	0.764	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Vanadium, Total	17.9		mg/kg	0.846	0.128	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL
Zinc, Total	39.4		mg/kg	4.23	0.513	2	04/15/25 15:55	04/16/25 18:55	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 73%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	106000		mg/kg	51.7	16.8	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	25.8	19.9	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Arsenic, Total	ND		mg/kg	5.17	2.23	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Barium, Total	50.2		mg/kg	5.17	0.548	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Beryllium, Total	ND		mg/kg	2.58	0.284	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.342	J	mg/kg	5.17	0.284	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Calcium, Total	19900		mg/kg	51.7	29.3	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Chromium, Total	9.92		mg/kg	5.17	4.38	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Cobalt, Total	1.76	J	mg/kg	10.3	1.28	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Copper, Total	110		mg/kg	5.17	1.17	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Iron, Total	4920		mg/kg	25.8	5.42	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Lead, Total	24.7	J	mg/kg	25.8	1.23	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Magnesium, Total	7370		mg/kg	51.7	8.42	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Manganese, Total	102		mg/kg	5.17	2.77	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Mercury, Total	0.070	J	mg/kg	0.104	0.068	1	04/15/25 16:28	04/16/25 08:58	EPA 7471B	1,7471B	JWN
Nickel, Total	6.58	J	mg/kg	12.9	4.17	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Potassium, Total	293	J	mg/kg	1290	262.	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	10.3	1.70	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	2.58	1.54	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Sodium, Total	ND		mg/kg	1030	548.	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	10.3	4.66	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Vanadium, Total	15.2		mg/kg	5.17	0.780	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL
Zinc, Total	61.7		mg/kg	25.8	3.13	10	04/15/25 15:55	04/16/25 20:02	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03
Client ID: B-03_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:30
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 93%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	4340		mg/kg	8.28	2.69	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	4.14	3.19	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Arsenic, Total	1.51		mg/kg	0.828	0.358	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Barium, Total	12.4		mg/kg	0.828	0.088	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Beryllium, Total	0.263	J	mg/kg	0.414	0.046	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.146	J	mg/kg	0.828	0.046	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Calcium, Total	660		mg/kg	8.28	4.70	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Chromium, Total	7.41		mg/kg	0.828	0.702	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Cobalt, Total	2.94		mg/kg	1.66	0.205	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Copper, Total	6.36		mg/kg	0.828	0.188	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Iron, Total	13000		mg/kg	4.14	0.870	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Lead, Total	3.06	J	mg/kg	4.14	0.197	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Magnesium, Total	1670		mg/kg	8.28	1.35	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Manganese, Total	234		mg/kg	0.828	0.444	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Mercury, Total	ND		mg/kg	0.081	0.053	1	04/15/25 16:28	04/16/25 09:01	EPA 7471B	1,7471B	JWN
Nickel, Total	7.50		mg/kg	2.07	0.669	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Potassium, Total	807		mg/kg	207	42.0	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	1.66	0.272	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	0.414	0.247	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Sodium, Total	ND		mg/kg	166	87.8	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	1.66	0.747	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Vanadium, Total	11.7		mg/kg	0.828	0.125	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL
Zinc, Total	14.2		mg/kg	4.14	0.502	2	04/15/25 15:55	04/16/25 19:02	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 94%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	6280		mg/kg	8.18	2.66	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	4.09	3.15	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Arsenic, Total	2.69		mg/kg	0.818	0.353	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Barium, Total	33.6		mg/kg	0.818	0.087	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Beryllium, Total	0.286	J	mg/kg	0.409	0.045	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.172	J	mg/kg	0.818	0.045	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Calcium, Total	2060		mg/kg	8.18	4.64	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Chromium, Total	12.7		mg/kg	0.818	0.694	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Cobalt, Total	4.36		mg/kg	1.64	0.203	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Copper, Total	19.8		mg/kg	0.818	0.186	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Iron, Total	15300		mg/kg	4.09	0.859	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Lead, Total	28.1		mg/kg	4.09	0.195	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Magnesium, Total	1430		mg/kg	8.18	1.33	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Manganese, Total	266		mg/kg	0.818	0.438	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Mercury, Total	0.101		mg/kg	0.068	0.044	1	04/15/25 16:28	04/16/25 09:04	EPA 7471B	1,7471B	JWN
Nickel, Total	9.05		mg/kg	2.04	0.661	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Potassium, Total	489		mg/kg	204	41.5	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	1.64	0.269	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	0.409	0.244	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Sodium, Total	275		mg/kg	164	86.7	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	1.64	0.738	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Vanadium, Total	19.7		mg/kg	0.818	0.123	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL
Zinc, Total	24.2		mg/kg	4.09	0.496	2	04/15/25 15:55	04/16/25 19:06	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 89%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	12900		mg/kg	8.61	2.80	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	4.30	3.31	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Arsenic, Total	4.58		mg/kg	0.861	0.372	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Barium, Total	37.9		mg/kg	0.861	0.091	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Beryllium, Total	0.468		mg/kg	0.430	0.047	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.203	J	mg/kg	0.861	0.047	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Calcium, Total	1280		mg/kg	8.61	4.88	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Chromium, Total	20.1		mg/kg	0.861	0.730	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Cobalt, Total	5.11		mg/kg	1.72	0.214	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Copper, Total	9.54		mg/kg	0.861	0.195	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Iron, Total	18300		mg/kg	4.30	0.904	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Lead, Total	68.5		mg/kg	4.30	0.205	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Magnesium, Total	1510		mg/kg	8.61	1.40	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Manganese, Total	289		mg/kg	0.861	0.461	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Mercury, Total	1.08		mg/kg	0.084	0.055	1	04/15/25 16:28	04/16/25 09:07	EPA 7471B	1,7471B	JWN
Nickel, Total	9.17		mg/kg	2.15	0.696	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Potassium, Total	555		mg/kg	215	43.6	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	1.72	0.283	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	0.430	0.256	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Sodium, Total	ND		mg/kg	172	91.3	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	1.72	0.776	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Vanadium, Total	25.6		mg/kg	0.861	0.130	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL
Zinc, Total	30.6		mg/kg	4.30	0.522	2	04/15/25 15:55	04/16/25 19:09	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06
Client ID: B-06_5-7
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:40
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 97%

Total Metals - Mansfield Lab

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Aluminum, Total	4650		mg/kg	8.05	2.62	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	4.02	3.10	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Arsenic, Total	1.91		mg/kg	0.805	0.348	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Barium, Total	11.4		mg/kg	0.805	0.085	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Beryllium, Total	0.279	J	mg/kg	0.402	0.044	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.149	J	mg/kg	0.805	0.044	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Calcium, Total	243		mg/kg	8.05	4.56	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Chromium, Total	13.0		mg/kg	0.805	0.683	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Cobalt, Total	3.17		mg/kg	1.61	0.200	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Copper, Total	7.05		mg/kg	0.805	0.183	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Iron, Total	12400		mg/kg	4.02	0.845	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Lead, Total	2.74	J	mg/kg	4.02	0.192	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Magnesium, Total	1360		mg/kg	8.05	1.31	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Manganese, Total	268		mg/kg	0.805	0.431	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Mercury, Total	ND		mg/kg	0.071	0.046	1	04/15/25 16:28	04/16/25 09:11	EPA 7471B	1,7471B	JWN
Nickel, Total	7.62		mg/kg	2.01	0.650	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Potassium, Total	326		mg/kg	201	40.8	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	1.61	0.265	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	0.402	0.240	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Sodium, Total	ND		mg/kg	161	85.3	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	1.61	0.726	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Vanadium, Total	13.7		mg/kg	0.805	0.122	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL
Zinc, Total	15.1		mg/kg	4.02	0.488	2	04/15/25 15:55	04/16/25 19:13	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 86%

Total Metals - Mansfield Lab

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Aluminum, Total	7850		mg/kg	8.88	2.89	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	4.44	3.42	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Arsenic, Total	2.67		mg/kg	0.888	0.384	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Barium, Total	52.9		mg/kg	0.888	0.094	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Beryllium, Total	0.408	J	mg/kg	0.444	0.049	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.110	J	mg/kg	0.888	0.049	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Calcium, Total	925		mg/kg	8.88	5.04	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Chromium, Total	11.5		mg/kg	0.888	0.753	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Cobalt, Total	4.88		mg/kg	1.78	0.220	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Copper, Total	4.18		mg/kg	0.888	0.202	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Iron, Total	11400		mg/kg	4.44	0.933	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Lead, Total	18.0		mg/kg	4.44	0.211	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Magnesium, Total	1080		mg/kg	8.88	1.45	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Manganese, Total	362		mg/kg	0.888	0.476	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Mercury, Total	0.081	J	mg/kg	0.088	0.057	1	04/15/25 16:28	04/16/25 09:14	EPA 7471B	1,7471B	JWN
Nickel, Total	5.47		mg/kg	2.22	0.718	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Potassium, Total	304		mg/kg	222	45.0	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	1.78	0.292	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	0.444	0.265	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Sodium, Total	165	J	mg/kg	178	94.2	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	1.78	0.801	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Vanadium, Total	15.8		mg/kg	0.888	0.134	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL
Zinc, Total	18.5		mg/kg	4.44	0.538	2	04/15/25 15:55	04/16/25 19:16	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY
Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil
Percent Solids: 92%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Aluminum, Total	5020		mg/kg	8.67	2.82	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Antimony, Total	ND		mg/kg	4.33	3.34	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Arsenic, Total	2.14		mg/kg	0.867	0.374	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Barium, Total	44.2		mg/kg	0.867	0.092	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Beryllium, Total	0.286	J	mg/kg	0.433	0.048	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Cadmium, Total	0.760	J	mg/kg	0.867	0.048	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Calcium, Total	20800		mg/kg	8.67	4.92	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Chromium, Total	12.0		mg/kg	0.867	0.735	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Cobalt, Total	3.25		mg/kg	1.73	0.215	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Copper, Total	12.2		mg/kg	0.867	0.197	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Iron, Total	16000		mg/kg	4.33	0.910	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Lead, Total	399		mg/kg	4.33	0.206	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Magnesium, Total	1690		mg/kg	8.67	1.41	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Manganese, Total	292		mg/kg	0.867	0.465	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Mercury, Total	0.097		mg/kg	0.070	0.045	1	04/15/25 16:28	04/16/25 09:24	EPA 7471B	1,7471B	JWN
Nickel, Total	7.14		mg/kg	2.17	0.700	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Potassium, Total	647		mg/kg	217	44.0	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Selenium, Total	ND		mg/kg	1.73	0.285	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Silver, Total	ND		mg/kg	0.433	0.258	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Sodium, Total	173		mg/kg	173	91.9	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Thallium, Total	ND		mg/kg	1.73	0.782	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Vanadium, Total	16.6		mg/kg	0.867	0.131	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL
Zinc, Total	110		mg/kg	4.33	0.525	2	04/15/25 15:55	04/16/25 19:20	EPA 3050B	1,6010D	DHL

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-08 Batch: WG2054192-1										
Aluminum, Total	ND		mg/kg	4.00	1.30	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Antimony, Total	ND		mg/kg	2.00	1.54	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Arsenic, Total	ND		mg/kg	0.400	0.173	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Barium, Total	ND		mg/kg	0.400	0.042	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Beryllium, Total	ND		mg/kg	0.200	0.022	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Cadmium, Total	ND		mg/kg	0.400	0.022	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Calcium, Total	ND		mg/kg	4.00	2.27	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Chromium, Total	ND		mg/kg	0.400	0.339	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Cobalt, Total	ND		mg/kg	0.800	0.099	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Copper, Total	0.115	J	mg/kg	0.400	0.091	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Iron, Total	1.17	J	mg/kg	2.00	0.420	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Lead, Total	ND		mg/kg	2.00	0.095	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Magnesium, Total	ND		mg/kg	4.00	0.652	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Manganese, Total	0.253	J	mg/kg	0.400	0.214	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Nickel, Total	ND		mg/kg	1.00	0.323	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Potassium, Total	ND		mg/kg	100	20.3	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Selenium, Total	ND		mg/kg	0.800	0.132	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Silver, Total	ND		mg/kg	0.200	0.119	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Sodium, Total	ND		mg/kg	80.0	42.4	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Thallium, Total	ND		mg/kg	0.800	0.361	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Vanadium, Total	ND		mg/kg	0.400	0.060	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL
Zinc, Total	ND		mg/kg	2.00	0.242	1	04/15/25 15:55	04/16/25 18:08	1,6010D	DHL

Prep Information

Digestion Method: EPA 3050B

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-08 Batch: WG2054194-1										
Mercury, Total	ND		mg/kg	0.083	0.054	1	04/15/25 16:28	04/16/25 07:51	1,7471B	JWN

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

Method Blank Analysis
Batch Quality Control

Prep Information

Digestion Method: EPA 7471B

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-08 Batch: WG2054192-2								
Aluminum, Total	101		-		80-120	-		
Antimony, Total	98		-		80-120	-		
Arsenic, Total	103		-		80-120	-		
Barium, Total	100		-		80-120	-		
Beryllium, Total	102		-		80-120	-		
Cadmium, Total	94		-		80-120	-		
Calcium, Total	105		-		80-120	-		
Chromium, Total	101		-		80-120	-		
Cobalt, Total	98		-		80-120	-		
Copper, Total	96		-		80-120	-		
Iron, Total	106		-		80-120	-		
Lead, Total	104		-		80-120	-		
Magnesium, Total	102		-		80-120	-		
Manganese, Total	100		-		80-120	-		
Nickel, Total	100		-		80-120	-		
Potassium, Total	109		-		80-120	-		
Selenium, Total	101		-		80-120	-		
Silver, Total	100		-		80-120	-		
Sodium, Total	110		-		80-120	-		
Thallium, Total	104		-		80-120	-		
Vanadium, Total	100		-		80-120	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-08 Batch: WG2054192-2					
Zinc, Total	100	-	80-120	-	
Total Metals - Mansfield Lab Associated sample(s): 01-08 Batch: WG2054194-2					
Mercury, Total	94	-	80-120	-	

Matrix Spike Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-08	QC Batch ID: WG2054192-3					WG2054192-4			QC Sample: L2521676-07			Client ID: MS Sample
Aluminum, Total	5640	169	5540	**0**	Q	5740	**58**	Q	75-125	4		20
Antimony, Total	ND	42.2	17.1	**40**	Q	16.6	**39**	Q	75-125	3		20
Arsenic, Total	2.92	10.1	13.1	100		11.6	84		75-125	12		20
Barium, Total	16.4	169	168	90		163	85		75-125	3		20
Beryllium, Total	0.209J	4.22	4.14	98		4.01	93		75-125	3		20
Cadmium, Total	0.074J	4.48	4.00	89		3.89	85		75-125	3		20
Calcium, Total	53.1	845	849	94		827	90		75-125	3		20
Chromium, Total	8.89	16.9	24.8	94		25.4	96		75-125	2		20
Cobalt, Total	2.26	42.2	40.9	91		38.9	85		75-125	5		20
Copper, Total	4.20	21.1	23.3	90		22.4	85		75-125	4		20
Iron, Total	7310	84.5	8410	**1300**	Q	7180	**0**	Q	75-125	16		20
Lead, Total	3.59J	44.8	47.3	106		44.2	97		75-125	7		20
Magnesium, Total	838	845	1580	88		1630	92		75-125	3		20
Manganese, Total	109	42.2	127	**43**	Q	152	100		75-125	18		20
Nickel, Total	4.15	42.2	43.3	93		41.4	87		75-125	4		20
Potassium, Total	208J	845	1030	122		1040	121		75-125	1		20
Selenium, Total	ND	10.1	9.34	92		8.80	85		75-125	6		20
Silver, Total	ND	4.22	3.88	92		3.75	87		75-125	3		20
Sodium, Total	ND	845	846	100		811	94		75-125	4		20
Thallium, Total	ND	10.1	9.62	95		9.20	89		75-125	4		20
Vanadium, Total	11.4	42.2	48.8	88		47.4	84		75-125	3		20

Matrix Spike Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-08 QC Batch ID: WG2054192-3 WG2054192-4 QC Sample: L2521676-07 Client ID: MS Sample									
Zinc, Total	13.0	42.2	51.1	90	50.7	88	75-125	1	20
Total Metals - Mansfield Lab Associated sample(s): 01-08 QC Batch ID: WG2054194-3 WG2054194-4 QC Sample: L2521676-07 Client ID: MS Sample									
Mercury, Total	ND	1.43	1.40	98	1.63	95	80-120	15	20

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-

Lab Serial Dilution Analysis
Batch Quality Control

Lab Number: L2521630
Report Date: 04/17/25

Parameter	Native Sample	Serial Dilution	Units	% D	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-08 QC Batch ID: WG2054192-6 QC Sample: L2521676-07 Client ID: DUP Sample						
Aluminum, Total	5640	5620	mg/kg	0		20
Iron, Total	7310	7640	mg/kg	5		20
Magnesium, Total	838	859	mg/kg	3		20
Manganese, Total	109	110	mg/kg	1		20

INORGANICS
&
MISCELLANEOUS

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-01
Client ID: B-01_1-3
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 10:20
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	89.5		%	0.100	NA	1	-	04/11/25 09:31	121,2540G	ROI

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-02
Client ID: B-02_1-3
Sample Location: BROOKLYN, NY
Sample Depth:
Matrix: Soil

Date Collected: 04/09/25 11:50
Date Received: 04/09/25
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	73.1		%	0.100	NA	1	-	04/11/25 09:31	121,2540G	ROI

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-03
Client ID: B-03_2-4
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:30
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	92.5		%	0.100	NA	1	-	04/11/25 09:31	121,2540G	ROI

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-04
Client ID: B-04_3-5
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 12:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	94.2		%	0.100	NA	1	-	04/11/25 09:31	121,2540G	ROI

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-05
Client ID: B-05_2-4
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:00
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	88.8		%	0.100	NA	1	-	04/11/25 09:31	121,2540G	ROI

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-06
Client ID: B-06_5-7
Sample Location: BROOKLYN, NY
Sample Depth:
Matrix: Soil

Date Collected: 04/09/25 13:40
Date Received: 04/09/25
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	96.9		%	0.100	NA	1	-	04/11/25 09:31	121,2540G	ROI

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-07
Client ID: B-07_0-2
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:15
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	85.8		%	0.100	NA	1	-	04/11/25 09:31	121,2540G	ROI

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

SAMPLE RESULTS

Lab ID: L2521630-08
Client ID: B-08_4-6
Sample Location: BROOKLYN, NY

Date Collected: 04/09/25 13:50
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	92.2		%	0.100	NA	1	-	04/11/25 09:49	121,2540G	ROI

Lab Duplicate Analysis

Batch Quality Control

Project Name: 2916 ATLANTIC AVE

Project Number: 0213315-000-001-02

Lab Number: L2521630

Report Date: 04/17/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-07 QC Batch ID: WG2052518-1 QC Sample: L2520905-01 Client ID: DUP Sample						
Solids, Total	92.2	92.0	%	0		20
General Chemistry - Westborough Lab Associated sample(s): 08 QC Batch ID: WG2052523-1 QC Sample: L2521460-02 Client ID: DUP Sample						
Solids, Total	86.5	87.7	%	1		20

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2521630-01A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260HLW(14)
L2521630-01B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-01C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-01D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)
L2521630-01E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),BA-TI(180),AS-TI(180),AG-TI(180),CR-TI(180),AL-TI(180),TL-TI(180),NI-TI(180),ZN-TI(180),CU-TI(180),SB-TI(180),PB-TI(180),SE-TI(180),CO-TI(180),V-TI(180),HG-T(28),FE-TI(180),MG-TI(180),MN-TI(180),NA-TI(180),CA-TI(180),CD-TI(180),K-TI(180)
L2521630-01F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)
L2521630-02A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260HLW(14)
L2521630-02B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-02C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-02D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)
L2521630-02E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),BA-TI(180),AS-TI(180),AG-TI(180),CR-TI(180),AL-TI(180),TL-TI(180),NI-TI(180),ZN-TI(180),PB-TI(180),SE-TI(180),CU-TI(180),SB-TI(180),V-TI(180),CO-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),K-TI(180),NA-TI(180),CD-TI(180),CA-TI(180)
L2521630-02F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)
L2521630-03A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260HLW(14)
L2521630-03B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-03C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-03D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)

*Values in parentheses indicate holding time in days

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2521630-03E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),BA-TI(180),AS-TI(180),AG-TI(180),AL-TI(180),TL-TI(180),CR-TI(180),NI-TI(180),ZN-TI(180),PB-TI(180),SB-TI(180),CU-TI(180),SE-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),CD-TI(180),K-TI(180),NA-TI(180),CA-TI(180)
L2521630-03F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)
L2521630-04A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260HLW(14)
L2521630-04B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-04C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-04D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)
L2521630-04E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),NI-TI(180),TL-TI(180),CR-TI(180),AL-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),CU-TI(180),SB-TI(180),CO-TI(180),V-TI(180),FE-TI(180),HG-T(28),MN-TI(180),MG-TI(180),K-TI(180),NA-TI(180),CA-TI(180),CD-TI(180)
L2521630-04F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)
L2521630-05A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260H(14),NYTCL-8260HLW(14)
L2521630-05B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260H(14),NYTCL-8260HLW(14)
L2521630-05C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260H(14),NYTCL-8260HLW(14)
L2521630-05D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)
L2521630-05E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),BA-TI(180),AS-TI(180),AG-TI(180),NI-TI(180),CR-TI(180),AL-TI(180),TL-TI(180),CU-TI(180),SB-TI(180),ZN-TI(180),PB-TI(180),SE-TI(180),V-TI(180),CO-TI(180),HG-T(28),FE-TI(180),MN-TI(180),MG-TI(180),NA-TI(180),K-TI(180),CA-TI(180),CD-TI(180)
L2521630-05F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)
L2521630-06A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260HLW(14)
L2521630-06B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-06C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)

*Values in parentheses indicate holding time in days

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521630
Report Date: 04/17/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2521630-06D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)
L2521630-06E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),BA-TI(180),AS-TI(180),AG-TI(180),AL-TI(180),NI-TI(180),TL-TI(180),CR-TI(180),PB-TI(180),SE-TI(180),ZN-TI(180),SB-TI(180),CU-TI(180),CO-TI(180),V-TI(180),MG-TI(180),FE-TI(180),MN-TI(180),HG-T(28),CD-TI(180),CA-TI(180),K-TI(180),NA-TI(180)
L2521630-06F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)
L2521630-07A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260HLW(14)
L2521630-07B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-07C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-07D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)
L2521630-07E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),BA-TI(180),AS-TI(180),AG-TI(180),CR-TI(180),AL-TI(180),NI-TI(180),TL-TI(180),SB-TI(180),SE-TI(180),PB-TI(180),ZN-TI(180),CU-TI(180),CO-TI(180),V-TI(180),FE-TI(180),MN-TI(180),HG-T(28),MG-TI(180),NA-TI(180),K-TI(180),CA-TI(180),CD-TI(180)
L2521630-07F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)
L2521630-08A	Vial MeOH preserved	A	NA		2.1	Y	Absent		NYTCL-8260HLW(14)
L2521630-08B	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-08C	Vial water preserved	A	NA		2.1	Y	Absent	10-APR-25 17:15	NYTCL-8260HLW(14)
L2521630-08D	Plastic 120ml unpreserved	A	NA		2.1	Y	Absent		TS(7)
L2521630-08E	Metals Only-Glass 60mL/2oz unpreserved	A	NA		2.1	Y	Absent		BE-TI(180),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),PB-TI(180),CU-TI(180),SB-TI(180),ZN-TI(180),SE-TI(180),V-TI(180),CO-TI(180),MG-TI(180),MN-TI(180),FE-TI(180),HG-T(28),CD-TI(180),CA-TI(180),NA-TI(180),K-TI(180)
L2521630-08F	Glass 120ml/4oz unpreserved	A	NA		2.1	Y	Absent		NYTCL-8270(14)

*Values in parentheses indicate holding time in days

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521630
Project Number:	0213315-000-001-02	**Report Date:**	04/17/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521630
Project Number:	0213315-000-001-02	**Report Date:**	04/17/25

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

F - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

J - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521630
Project Number:	0213315-000-001-02	**Report Date:**	04/17/25

Data Qualifiers

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

ND - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

V - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Z - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521630
Report Date: 04/17/25

REFERENCES

1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
EPA 624.1: m/p-xylene, o-xylene, Naphthalene
EPA 625.1: alpha-Terpineol
EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
SM 2540D: TSS.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
MADEP-APH.
Nonpotable Water: EPA RSK-175 Dissolved Gases
Biological Tissue Matrix: EPA 3050B

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**
EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**
EPA 624.1: Volatile Halocarbons & Aromatics,
EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625.1: SVOC (Acid/Base/Neutral Extractables).
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Drinking Water
EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522, EPA 537.1.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.
EPA 245.1 Hg.
SM2340B

Certification IDs:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.

NEW YORK CHAIN OF CUSTODY

ALPHA ANALYTICAL

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Mansfield, MA 02048
320 Forbes Blvd
TEL: 508-822-9300
FAX: 508-822-3288

Service Centers
Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of 1

Date Rec'd in Lab: 04/10/25

ALPHA Job #: L2521630

Client Information
Client: HRA of NY
Address: 213 W 35th Street
NY NY
Phone:
Fax: nmooney@hrageldrich.com
Email: zshu@hrageldrich.com

Project Information
Project Name: 2916 Atlantic Ave
Project Location:
Project #: 0213315-000-001-02
(Use Project name as Project #)
Project Manager:
ALPHAQuote #:

Turn-Around Time
Standard: ☒ Due Date:
Rush (only if pre approved): ☐ # of Days:

Deliverables
☐ ASP-A ☐ ASP-B
☐ EQuIS (1 File) ☐ EQuIS (4 File)
☐ Other

Regulatory Requirement
☐ NY TOGS ☒ NY Part 375
☐ AWQ Standards ☐ NY CP-51
☒ NY Restricted Use ☐ Other
☒ NY Unrestricted Use
☐ NYC Sewer Discharge

Billing Information
☐ Same as Client Info
PO #

Disposal Site Information
Please identify below location of applicable disposal facilities.
Disposal Facility:
☐ NJ ☐ NY
☐ Other:

These samples have been previously analyzed by Alpha ☐

Other project specific requirements/comments:

Please specify Metals or TAL.

ANALYSIS

Sample Filtration
☐ Done
☐ Lab to do
Preservation
☐ Lab to do
(Please Specify below)

Total Bottles

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	TCL VOCs	TCL SVOCs	TAL Metals	Sample Specific Comments
21625-01	B-01_1-3	4/9/25	1020	Soil	SS	X	X	X	
02	B-02_1-3		1150						
03	B-03_2-4		1330						
04	B-04_3-5		1250						
05	B-05_2-4		1300						
06	B-06_5-7		1340						
07	B-07_0-2		1315						
08	B-08_4-6		1350						

Container Type: V A A
Preservative: H/F A A

Preservative Code:
A = None
B = HCl
C = HNO_3
D = H_2SO_4
E = NaOH
F = MeOH
G = $NaHSO_4$
H = $Na_2S_2O_3$
K/E = Zn Ac/NaOH
O = Other

Container Code
P = Plastic
A = Amber Glass
V = Vial
G = Glass
B = Bacteria Cup
C = Cube
O = Other
E = Encore
D = BOD Bottle

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Relinquished By:	Date/Time	Received By:	Date/Time
	4/9/25 1315	WIFI Page	4/9/25 1515
WIFI Page	4/9/25 1845		4/9/25 1845
	4/9/25		4/9/25 2245
	4/10/25 0145		4/10/25 0145

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)

Form No: 01-25 HC (rev. 30-Sept-2013)

ANALYTICAL REPORT

Lab Number:	L2521777
Client:	Haley & Aldrich 213 West 35th Street 7th Floor New York, NY 10123
ATTN:	Zhan Shu
Phone:	(646) 568-9340
Project Name:	2916 ATLANTIC AVE
Project Number:	0213315-000-001-02
Report Date:	04/23/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: NH ELAP (2249).

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2521777-01	SP-01	SOIL_VAPOR	Not Specified	04/09/25 14:10	04/09/25
L2521777-02	SP-02	SOIL_VAPOR	Not Specified	04/09/25 14:12	04/09/25

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521777
Project Number:	0213315-000-001-02	**Report Date:**	04/23/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on April 9, 2025. The canister certification data is provided as an addendum.

L2521777-01D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

L2521777-02D: The sample has elevated detection limits due to the dilution required by the elevated concentrations of target compounds in the sample.

The WG2056132-3 LCS recovery associated with L2521777-01D is above the upper 130% acceptance limit for ethyl acetate (149%). All samples associated with this LCS do not have reportable amounts of this analyte. The WG2056349-3 LCS recovery associated with L2521777-02D is below the acceptance limit for vinyl acetate (66%). All samples associated with this LCS that have reportable amounts of this analyte will be reported for low bias.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: Christopher J. Anderson

Title: Technical Director/Representative Date: 04/23/25

AIR

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

SAMPLE RESULTS

Lab ID: L2521777-01 D
Client ID: SP-01
Sample Location:

Date Collected: 04/09/25 14:10
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 04/20/25 04:08
Analyst: TPH

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.510	0.500	--	2.52	2.47	--		2.5
Chloromethane	ND	0.500	--	ND	1.03	--		2.5
Freon-114	ND	0.500	--	ND	3.49	--		2.5
Vinyl chloride	ND	0.500	--	ND	1.28	--		2.5
1,3-Butadiene	1.10	0.500	--	2.43	1.11	--		2.5
Bromomethane	ND	0.500	--	ND	1.94	--		2.5
Chloroethane	ND	0.500	--	ND	1.32	--		2.5
Ethanol	42.8	12.5	--	80.6	23.6	--		2.5
Vinyl bromide	ND	0.500	--	ND	2.19	--		2.5
Acetone	281	2.50	--	668	5.94	--		2.5
Trichlorofluoromethane	2.38	0.500	--	13.4	2.81	--		2.5
Isopropanol	11.9	2.50	--	29.3	6.15	--		2.5
1,1-Dichloroethene	ND	0.500	--	ND	1.98	--		2.5
Tertiary butyl Alcohol	ND	1.25	--	ND	3.79	--		2.5
Methylene chloride	ND	1.25	--	ND	4.34	--		2.5
3-Chloropropene	ND	0.500	--	ND	1.57	--		2.5
Carbon disulfide	0.538	0.500	--	1.68	1.56	--		2.5
Freon-113	ND	0.500	--	ND	3.83	--		2.5
trans-1,2-Dichloroethene	ND	0.500	--	ND	1.98	--		2.5
1,1-Dichloroethane	ND	0.500	--	ND	2.02	--		2.5
Methyl tert butyl ether	ND	0.500	--	ND	1.80	--		2.5
2-Butanone	4.24	1.25	--	12.5	3.69	--		2.5
cis-1,2-Dichloroethene	ND	0.500	--	ND	1.98	--		2.5

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

SAMPLE RESULTS

Lab ID: L2521777-01 D
Client ID: SP-01
Sample Location:

Date Collected: 04/09/25 14:10
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	1.25	--	ND	4.50	--		2.5
Chloroform	105	0.500	--	513	2.44	--		2.5
Tetrahydrofuran	1.33	1.25	--	3.92	3.69	--		2.5
1,2-Dichloroethane	ND	0.500	--	ND	2.02	--		2.5
n-Hexane	2.97	0.500	--	10.5	1.76	--		2.5
1,1,1-Trichloroethane	ND	0.500	--	ND	2.73	--		2.5
Benzene	3.28	0.500	--	10.5	1.60	--		2.5
Carbon tetrachloride	ND	0.500	--	ND	3.15	--		2.5
Cyclohexane	1.20	0.500	--	4.13	1.72	--		2.5
1,2-Dichloropropane	ND	0.500	--	ND	2.31	--		2.5
Bromodichloromethane	1.00	0.500	--	6.70	3.35	--		2.5
1,4-Dioxane	ND	0.500	--	ND	1.80	--		2.5
Trichloroethene	0.705	0.500	--	3.79	2.69	--		2.5
2,2,4-Trimethylpentane	4.24	0.500	--	19.8	2.34	--		2.5
Heptane	2.09	0.500	--	8.57	2.05	--		2.5
cis-1,3-Dichloropropene	ND	0.500	--	ND	2.27	--		2.5
4-Methyl-2-pentanone	ND	1.25	--	ND	5.12	--		2.5
trans-1,3-Dichloropropene	ND	0.500	--	ND	2.27	--		2.5
1,1,2-Trichloroethane	ND	0.500	--	ND	2.73	--		2.5
Toluene	78.8	0.500	--	297	1.88	--		2.5
2-Hexanone	ND	0.500	--	ND	2.05	--		2.5
Dibromochloromethane	ND	0.500	--	ND	4.26	--		2.5
1,2-Dibromoethane	ND	0.500	--	ND	3.84	--		2.5
Tetrachloroethene	1.52	0.500	--	10.3	3.39	--		2.5
Chlorobenzene	ND	0.500	--	ND	2.30	--		2.5
Ethylbenzene	4.90	0.500	--	21.3	2.17	--		2.5

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

SAMPLE RESULTS

Lab ID: L2521777-01 D
Client ID: SP-01
Sample Location:

Date Collected: 04/09/25 14:10
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	15.4	1.00	--	66.9	4.34	--		2.5
Bromoform	ND	0.500	--	ND	5.17	--		2.5
Styrene	ND	0.500	--	ND	2.13	--		2.5
1,1,2,2-Tetrachloroethane	ND	0.500	--	ND	3.43	--		2.5
o-Xylene	4.43	0.500	--	19.2	2.17	--		2.5
4-Ethyltoluene	0.528	0.500	--	2.60	2.46	--		2.5
1,3,5-Trimethylbenzene	ND	0.500	--	ND	2.46	--		2.5
1,2,4-Trimethylbenzene	1.90	0.500	--	9.34	2.46	--		2.5
Benzyl chloride	ND	0.500	--	ND	2.59	--		2.5
1,3-Dichlorobenzene	ND	0.500	--	ND	3.01	--		2.5
1,4-Dichlorobenzene	ND	0.500	--	ND	3.01	--		2.5
1,2-Dichlorobenzene	ND	0.500	--	ND	3.01	--		2.5
1,2,4-Trichlorobenzene	ND	0.500	--	ND	3.71	--		2.5
Naphthalene	ND	0.475	--	ND	2.49	--		2.5
Hexachlorobutadiene	ND	0.500	--	ND	5.33	--		2.5

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	99		60-140
Bromochloromethane	100		60-140
chlorobenzene-d5	104		60-140

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

SAMPLE RESULTS

Lab ID: L2521777-02 D
Client ID: SP-02
Sample Location:

Date Collected: 04/09/25 14:12
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:
Matrix: Soil_Vapor
Anaytical Method: 48,TO-15
Analytical Date: 04/21/25 08:22
Analyst: KJD

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Dichlorodifluoromethane	0.625	0.455	--	3.09	2.25	--		2.273
Chloromethane	0.477	0.455	--	0.985	0.940	--		2.273
Freon-114	ND	0.455	--	ND	3.18	--		2.273
Vinyl chloride	ND	0.455	--	ND	1.16	--		2.273
1,3-Butadiene	2.99	0.455	--	6.61	1.01	--		2.273
Bromomethane	ND	0.455	--	ND	1.77	--		2.273
Chloroethane	ND	0.455	--	ND	1.20	--		2.273
Ethanol	184	11.4	--	347	21.5	--		2.273
Vinyl bromide	ND	0.455	--	ND	1.99	--		2.273
Acetone	652	2.27	--	1550	5.39	--		2.273
Trichlorofluoromethane	ND	0.455	--	ND	2.56	--		2.273
Isopropanol	25.6	2.27	--	62.9	5.58	--		2.273
1,1-Dichloroethene	ND	0.455	--	ND	1.80	--		2.273
Tertiary butyl Alcohol	3.48	1.14	--	10.5	3.46	--		2.273
Methylene chloride	ND	1.14	--	ND	3.96	--		2.273
3-Chloropropene	ND	0.455	--	ND	1.42	--		2.273
Carbon disulfide	4.81	0.455	--	15.0	1.42	--		2.273
Freon-113	ND	0.455	--	ND	3.49	--		2.273
trans-1,2-Dichloroethene	ND	0.455	--	ND	1.80	--		2.273
1,1-Dichloroethane	ND	0.455	--	ND	1.84	--		2.273
Methyl tert butyl ether	1.04	0.455	--	3.75	1.64	--		2.273
2-Butanone	47.7	1.14	--	141	3.36	--		2.273
cis-1,2-Dichloroethene	0.730	0.455	--	2.89	1.80	--		2.273

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

SAMPLE RESULTS

Lab ID: L2521777-02 D
Client ID: SP-02
Sample Location:

Date Collected: 04/09/25 14:12
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Ethyl Acetate	ND	1.14	--	ND	4.11	--		2.273
Chloroform	30.1	0.455	--	147	2.22	--		2.273
Tetrahydrofuran	ND	1.14	--	ND	3.36	--		2.273
1,2-Dichloroethane	ND	0.455	--	ND	1.84	--		2.273
n-Hexane	12.8	0.455	--	45.1	1.60	--		2.273
1,1,1-Trichloroethane	ND	0.455	--	ND	2.48	--		2.273
Benzene	5.37	0.455	--	17.2	1.45	--		2.273
Carbon tetrachloride	ND	0.455	--	ND	2.86	--		2.273
Cyclohexane	2.13	0.455	--	7.33	1.57	--		2.273
1,2-Dichloropropane	ND	0.455	--	ND	2.10	--		2.273
Bromodichloromethane	0.516	0.455	--	3.46	3.05	--		2.273
1,4-Dioxane	2.79	0.455	--	10.1	1.64	--		2.273
Trichloroethene	19.8	0.455	--	106	2.45	--		2.273
2,2,4-Trimethylpentane	12.2	0.455	--	57.0	2.13	--		2.273
Heptane	4.03	0.455	--	16.5	1.86	--		2.273
cis-1,3-Dichloropropene	ND	0.455	--	ND	2.07	--		2.273
4-Methyl-2-pentanone	3.34	1.14	--	13.7	4.67	--		2.273
trans-1,3-Dichloropropene	ND	0.455	--	ND	2.07	--		2.273
1,1,2-Trichloroethane	ND	0.455	--	ND	2.48	--		2.273
Toluene	50.2	0.455	--	189	1.71	--		2.273
2-Hexanone	2.08	0.455	--	8.52	1.86	--		2.273
Dibromochloromethane	ND	0.455	--	ND	3.88	--		2.273
1,2-Dibromoethane	ND	0.455	--	ND	3.50	--		2.273
Tetrachloroethene	1.75	0.455	--	11.9	3.09	--		2.273
Chlorobenzene	ND	0.455	--	ND	2.10	--		2.273
Ethylbenzene	3.53	0.455	--	15.3	1.98	--		2.273

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

SAMPLE RESULTS

Lab ID: L2521777-02 D
Client ID: SP-02
Sample Location:

Date Collected: 04/09/25 14:12
Date Received: 04/09/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
p/m-Xylene	10.5	0.909	--	45.6	3.95	--		2.273
Bromoform	ND	0.455	--	ND	4.70	--		2.273
Styrene	ND	0.455	--	ND	1.94	--		2.273
1,1,2,2-Tetrachloroethane	ND	0.455	--	ND	3.12	--		2.273
o-Xylene	2.92	0.455	--	12.7	1.98	--		2.273
4-Ethyltoluene	ND	0.455	--	ND	2.24	--		2.273
1,3,5-Trimethylbenzene	ND	0.455	--	ND	2.24	--		2.273
1,2,4-Trimethylbenzene	1.04	0.455	--	5.11	2.24	--		2.273
Benzyl chloride	ND	0.455	--	ND	2.36	--		2.273
1,3-Dichlorobenzene	ND	0.455	--	ND	2.74	--		2.273
1,4-Dichlorobenzene	ND	0.455	--	ND	2.74	--		2.273
1,2-Dichlorobenzene	ND	0.455	--	ND	2.74	--		2.273
1,2,4-Trichlorobenzene	ND	0.455	--	ND	3.38	--		2.273
Naphthalene	ND	0.432	--	ND	2.27	--		2.273
Hexachlorobutadiene	ND	0.455	--	ND	4.85	--		2.273

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	80		60-140
Bromochloromethane	74		60-140
chlorobenzene-d5	94		60-140

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/19/25 16:33

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01 Batch: WG2056132-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/19/25 16:33

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01 Batch: WG2056132-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/19/25 16:33

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 01 Batch: WG2056132-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.190	--	ND	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/20/25 16:14

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 02 Batch: WG2056349-4								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/20/25 16:14

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 02 Batch: WG2056349-4								
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

Method Blank Analysis
Batch Quality Control

Analytical Method: 48,TO-15
Analytical Date: 04/20/25 16:14

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab for sample(s): 02 Batch: WG2056349-4								
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.190	--	ND	0.996	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 01 Batch: WG2056132-3								
Dichlorodifluoromethane	104		-		70-130	-		
Chloromethane	96		-		70-130	-		
Freon-114	114		-		70-130	-		
Vinyl chloride	106		-		70-130	-		
1,3-Butadiene	100		-		70-130	-		
Bromomethane	116		-		70-130	-		
Chloroethane	104		-		70-130	-		
Ethanol	83		-		40-160	-		
Vinyl bromide	125		-		70-130	-		
Acetone	112		-		40-160	-		
Trichlorofluoromethane	111		-		70-130	-		
Isopropanol	83		-		40-160	-		
1,1-Dichloroethene	122		-		70-130	-		
Tertiary butyl Alcohol	90		-		70-130	-		
Methylene chloride	111		-		70-130	-		
3-Chloropropene	104		-		70-130	-		
Carbon disulfide	116		-		70-130	-		
Freon-113	114		-		70-130	-		
trans-1,2-Dichloroethene	111		-		70-130	-		
1,1-Dichloroethane	107		-		70-130	-		
Methyl tert butyl ether	106		-		70-130	-		
2-Butanone	94		-		70-130	-		
cis-1,2-Dichloroethene	98		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 01		Batch: WG2056132-3					
Ethyl Acetate	**149**	Q	-		70-130	-		
Chloroform	104		-		70-130	-		
Tetrahydrofuran	105		-		70-130	-		
1,2-Dichloroethane	97		-		70-130	-		
n-Hexane	101		-		70-130	-		
1,1,1-Trichloroethane	104		-		70-130	-		
Benzene	103		-		70-130	-		
Carbon tetrachloride	104		-		70-130	-		
Cyclohexane	103		-		70-130	-		
1,2-Dichloropropane	105		-		70-130	-		
Bromodichloromethane	112		-		70-130	-		
1,4-Dioxane	101		-		70-130	-		
Trichloroethene	104		-		70-130	-		
2,2,4-Trimethylpentane	109		-		70-130	-		
Heptane	104		-		70-130	-		
cis-1,3-Dichloropropene	110		-		70-130	-		
4-Methyl-2-pentanone	106		-		70-130	-		
trans-1,3-Dichloropropene	116		-		70-130	-		
1,1,2-Trichloroethane	110		-		70-130	-		
Toluene	106		-		70-130	-		
2-Hexanone	106		-		70-130	-		
Dibromochloromethane	118		-		70-130	-		
1,2-Dibromoethane	114		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 01		Batch: WG2056132-3					
Tetrachloroethene	106		-		70-130	-		
Chlorobenzene	105		-		70-130	-		
Ethylbenzene	105		-		70-130	-		
p/m-Xylene	108		-		70-130	-		
Bromoform	118		-		70-130	-		
Styrene	108		-		70-130	-		
1,1,2,2-Tetrachloroethane	114		-		70-130	-		
o-Xylene	107		-		70-130	-		
4-Ethyltoluene	112		-		70-130	-		
1,3,5-Trimethylbenzene	109		-		70-130	-		
1,2,4-Trimethylbenzene	110		-		70-130	-		
Benzyl chloride	83		-		70-130	-		
1,3-Dichlorobenzene	111		-		70-130	-		
1,4-Dichlorobenzene	113		-		70-130	-		
1,2-Dichlorobenzene	110		-		70-130	-		
1,2,4-Trichlorobenzene	106		-		70-130	-		
Naphthalene	94		-		70-130	-		
Hexachlorobutadiene	98		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 02 Batch: WG2056349-3								
Dichlorodifluoromethane	109		-		70-130	-		
Chloromethane	83		-		70-130	-		
Freon-114	114		-		70-130	-		
Vinyl chloride	94		-		70-130	-		
1,3-Butadiene	91		-		70-130	-		
Bromomethane	118		-		70-130	-		
Chloroethane	99		-		70-130	-		
Ethanol	82		-		40-160	-		
Vinyl bromide	117		-		70-130	-		
Acetone	64		-		40-160	-		
Trichlorofluoromethane	115		-		70-130	-		
Isopropanol	75		-		40-160	-		
1,1-Dichloroethene	96		-		70-130	-		
Tertiary butyl Alcohol	76		-		70-130	-		
Methylene chloride	93		-		70-130	-		
3-Chloropropene	87		-		70-130	-		
Carbon disulfide	108		-		70-130	-		
Freon-113	108		-		70-130	-		
trans-1,2-Dichloroethene	100		-		70-130	-		
1,1-Dichloroethane	93		-		70-130	-		
Methyl tert butyl ether	103		-		70-130	-		
2-Butanone	91		-		70-130	-		
cis-1,2-Dichloroethene	92		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab Associated sample(s): 02 Batch: WG2056349-3								
Ethyl Acetate	104		-		70-130	-		
Chloroform	102		-		70-130	-		
Tetrahydrofuran	92		-		70-130	-		
1,2-Dichloroethane	100		-		70-130	-		
n-Hexane	94		-		70-130	-		
1,1,1-Trichloroethane	85		-		70-130	-		
Benzene	74		-		70-130	-		
Carbon tetrachloride	92		-		70-130	-		
Cyclohexane	73		-		70-130	-		
1,2-Dichloropropane	72		-		70-130	-		
Bromodichloromethane	91		-		70-130	-		
1,4-Dioxane	84		-		70-130	-		
Trichloroethene	86		-		70-130	-		
2,2,4-Trimethylpentane	78		-		70-130	-		
Heptane	74		-		70-130	-		
cis-1,3-Dichloropropene	79		-		70-130	-		
4-Methyl-2-pentanone	73		-		70-130	-		
trans-1,3-Dichloropropene	85		-		70-130	-		
1,1,2-Trichloroethane	82		-		70-130	-		
Toluene	90		-		70-130	-		
2-Hexanone	84		-		70-130	-		
Dibromochloromethane	118		-		70-130	-		
1,2-Dibromoethane	99		-		70-130	-		

Lab Control Sample Analysis
Batch Quality Control

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Air Lab	Associated sample(s): 02		Batch: WG2056349-3					
Tetrachloroethene	104		-		70-130	-		
Chlorobenzene	98		-		70-130	-		
Ethylbenzene	91		-		70-130	-		
p/m-Xylene	92		-		70-130	-		
Bromoform	125		-		70-130	-		
Styrene	88		-		70-130	-		
1,1,2,2-Tetrachloroethane	95		-		70-130	-		
o-Xylene	93		-		70-130	-		
4-Ethyltoluene	105		-		70-130	-		
1,3,5-Trimethylbenzene	89		-		70-130	-		
1,2,4-Trimethylbenzene	92		-		70-130	-		
Benzyl chloride	90		-		70-130	-		
1,3-Dichlorobenzene	104		-		70-130	-		
1,4-Dichlorobenzene	103		-		70-130	-		
1,2-Dichlorobenzene	104		-		70-130	-		
1,2,4-Trichlorobenzene	118		-		70-130	-		
Naphthalene	99		-		70-130	-		
Hexachlorobutadiene	116		-		70-130	-		

Project Name: 2916 ATLANTIC AVE

Project Number: 0213315-000-001-02

Lab Number: L2521777

Report Date: 04/23/25

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt	Flow Controler Leak Chk	Flow Out mL/min	Flow In	% RPD
L2521777-01	SP-01	0968	Flow 1	04/09/25	515377		-	-	-	Pass	18.0	18.5	3
L2521777-01	SP-01	3728	2.7L Can	04/09/25	515377	L2519545-01	Pass	-29.1	-3.7	-	-	-	-
L2521777-02	SP-02	01724	Flow 1	04/09/25	515377		-	-	-	Pass	18.0	18.4	2
L2521777-02	SP-02	1805	2.7L Can	04/09/25	515377	L2519545-01	Pass	-29.0	-4.5	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15
Analytical Date: 04/03/25 02:35
Analyst: JFI

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air - Mansfield Air Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	5.00	--	ND	9.42	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	1.00	--	ND	2.46	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	1.00	--	ND	3.52	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
Xylenes, total	ND	0.600	--	ND	0.869	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.500	--	ND	1.47	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,2-Dichloroethene (total)	ND	1.00	--	ND	1.00	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	0.996	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air - Mansfield Air Lab								

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	97		60-140
Bromochloromethane	96		60-140
chlorobenzene-d5	98		60-140

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:
Matrix: Air
Anaytical Method: 48,TO-15-SIM
Analytical Date: 04/03/25 02:35
Analyst: JFI

	ppbV			ug/m3				
Parameter	**Results**	**RL**	**MDL**	**Results**	**RL**	**MDL**	**Qualifier**	**Dilution Factor**
Volatile Organics in Air by SIM - Mansfield Air Lab								
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.100	--	ND	0.264	--		1
Acrolein	ND	0.050	--	ND	0.115	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	0.500	--	ND	1.74	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.100	--	ND	0.377	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.100	--	ND	0.461	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethybenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
Benzyl chloride	ND	0.100	--	ND	0.518	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT
Lab Number: L2519545
Report Date: 04/23/25

Air Canister Certification Results

Lab ID: L2519545-01
Client ID: CAN 191B SHELF 14
Sample Location:

Date Collected: 04/01/25 15:00
Date Received: 04/02/25
Field Prep: Not Specified

Sample Depth:

Parameter	ppbV Results	ppbV RL	ppbV MDL	ug/m3 Results	ug/m3 RL	ug/m3 MDL	Qualifier	Dilution Factor
Volatile Organics in Air by SIM - Mansfield Air Lab								
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	96		60-140
bromochloromethane	97		60-140
chlorobenzene-d5	99		60-140

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02

Lab Number: L2521777
Report Date: 04/23/25

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
NA	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2521777-01A	Canister - 2.7L (Batch Certified)	NA	NA			Y	Absent		TO15-LL(30)
L2521777-02A	Canister - 2.7L (Batch Certified)	NA	NA			Y	Absent		TO15-LL(30)

*Values in parentheses indicate holding time in days

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521777
Project Number:	0213315-000-001-02	**Report Date:**	04/23/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: Data Usability Report

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521777
Project Number:	0213315-000-001-02	**Report Date:**	04/23/25

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA,this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

A - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.

E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.

F - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.

G - The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.

H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.

I - The lower value for the two columns has been reported due to obvious interference.

J - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

Report Format: Data Usability Report

Project Name:	2916 ATLANTIC AVE	**Lab Number:**	L2521777
Project Number:	0213315-000-001-02	**Report Date:**	04/23/25

Data Qualifiers

ND - Not detected at the reporting limit (RL) for the sample.

NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

P - The RPD between the results for the two columns exceeds the method-specified criteria.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

S - Analytical results are from modified screening analysis.

V - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Z - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: Data Usability Report

Project Name: 2916 ATLANTIC AVE
Project Number: 0213315-000-001-02
Lab Number: L2521777
Report Date: 04/23/25

REFERENCES

48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
EPA 624.1: m/p-xylene, o-xylene, Naphthalene
EPA 625.1: alpha-Terpineol
EPA 8260D: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270E: NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.
SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO2, NO3.

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
SM 2540D: TSS.
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
MADEP-APH.
Nonpotable Water: EPA RSK-175 Dissolved Gases
Biological Tissue Matrix: EPA 3050B

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.
Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581

Drinking Water
EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**
EPA 524.2: THMs and VOCs; **EPA 504.1:** EDB, DBCP.
Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT,SM9222D**.

Non-Potable Water
SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2**: Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**
EPA 624.1: Volatile Halocarbons & Aromatics,
EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs
EPA 625.1: SVOC (Acid/Base/Neutral Extractables).
Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

Drinking Water
EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.
EPA 522, EPA 537.1.

Non-Potable Water
EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.
EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.
EPA 245.1 Hg.
SM2340B

Certification IDs:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581
CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048
CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048
ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.

AIR ANALYSIS

PAGE ____ OF ____

ALPHA ANALYTICAL — CHAIN OF CUSTODY

320 Forbes Blvd, Mansfield, MA 02048
TEL: 508-822-9300 FAX: 508-822-3288

Date Rec'd in Lab: 4/10/25

ALPHA Job #: L2521777

Client Information

Client: HEA of NY
Address: 213 W 35th Street
NY NY
Phone: nmooney@huleyaldrich.com
Fax: zshu@huleyaldrich.com
Email:
☐ These samples have been previously analyzed by Alpha

Project Information

Project Name: 2916 Atlantic Ave
Project Location:
Project #: 0213315-000-001-02
Project Manager: Zhan Shu
ALPHA Quote #:

Turn-Around Time

☒ Standard ☐ RUSH (only confirmed if pre-approved)
Date Due: Time:

Report Information - Data Deliverables

☐ FAX
☐ ADEx
Criteria Checker:
(Default based on Regulatory Criteria Indicated)
Other Formats:
☐ EMAIL (standard pdf report)
☐ Additional Deliverables:
Report to: (if different than Project Manager)

Billing Information

☐ Same as Client info PO #:

Regulatory Requirements/Report Limits

State/Fed	Program	Res / Comm

Other Project Specific Requirements/Comments:

Project-Specific Target Compound List: ☐

All Columns Below Must Be Filled Out

ANALYSIS

ALPHA Lab ID (Lab Use Only)	Sample ID	COLLECTION End Date	Start Time	End Time	Initial Vacuum	Final Vacuum	Sample Matrix*	Sampler's Initials	Can Size	ID Can	ID - Flow Controller	TO-15	TO-15 SIM	APH (subtract non-petroleum HCs)	Fixed Gases	Sulfides & Mercaptans by TO-15	☐	Sample Comments (i.e. PID)
21777-01	SP-01	4/9/25	1210	1410	-31.25	-5.13	SV	JJ	2.7	3728	01468	X						
02	SP-02	4/9/25	1412	1412	-30.67	-5.26	SV	JJ	2.7	1805	01724	X						

*SAMPLE MATRIX CODES
AA = Ambient Air (Indoor/Outdoor)
SV = Soil Vapor/Landfill Gas/SVE
Other = Please Specify

Container Type: Summa

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:	Date/Time	Received By:	Date/Time
[signature]	4/9/25 1515	WIFI Pace	4/9/25 1515
WIFI Pace	4/9/25 1945	Anthony Green	APR 09 2025 2030
Anthony Green		[signature]	4/10/25 0145
[signature] 4/10/25 0640		[signature]	4/10/25 0640

Form No: 101-02 Rev: (25-Sep-15)

APPENDIX B
Field Sampling Plan

HALEY ALDRICH

www.haleyaldrich.com

FIELD SAMPLING PLAN
2916 ATLANTIC AVENUE REDEVELOPMENT SITE
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

by
H & A of New York Engineering and Geology LLP
New York, New York

for
Blue Sky Builders
Brooklyn, New York

File No. 0213315
June 2025



List of Appendices iii

1. Introduction 1

2. Field Program 2

3. Utility Clearance 3

4. Field Data Recording 6

4.1 WRITTEN FIELD DATA 6
4.2 ELECTRONIC DATA 7

5. Aquifer Characterization 9

5.1 PROCEDURE 9

6. Sample Collection for Laboratory Analysis 10

6.1 SOIL SAMPLE COLLECTION FOR LABORATORY ANALYSIS 10
6.1.1 Preparatory Requirements 10
6.1.2 Soil Classification 10
6.1.3 Soil Sampling 12
6.1.4 Sampling Techniques 12
6.2 GROUNDWATER SAMPLE COLLECTION FOR LABORATORY ANALYSIS 12
6.2.1 Preparatory Requirements 13
6.2.2 Well Development 13
6.2.3 Well Purging and Stabilization Monitoring (Low-Stress/Low-Flow Method) 14
6.2.4 Sampling Techniques 15
6.3 SOIL VAPOR SAMPLING 17
6.3.1 Preparatory Requirements 17
6.3.2 Sampling Techniques 18
6.4 SAMPLE HANDLING AND SHIPPING 18
6.4.1 Sample Handling 18
6.4.2 Sample Labeling 18
6.4.3 Field Code 19
6.4.4 Packaging 20
6.4.5 Chain-of-Custody Records 20
6.4.6 Shipment 21

7. Field Instruments – Use and Calibration 22

7.1 GENERAL PROCEDURE DISCUSSION 22
7.2 DECONTAMINATION OF MONITORING EQUIPMENT 23
7.3 DISPOSAL OF WASH SOLUTIONS AND CONTAMINATED EQUIPMENT 23

8. Investigation-Derived Waste Disposal 24

8.1 RATIONALE/ASSUMPTIONS 24
8.2 PROCEDURE 24

References 26

List of Appendices

Appendix	Title
A	Field Forms

1. Introduction

This Field Sampling Plan (FSP) has been prepared as a component of the Remedial Investigation Work Plan (RIWP) for the property located at 2916 Atlantic Avenue in Brooklyn, New York (the "Site"). This document was prepared to establish field procedures for field data collection to be performed in support of the RIWP for the Site.

The RIWP includes this FSP, a Quality Assurance Project Plan (QAPP), Health and Safety Plan (HASP), and Community Air Monitoring Plan (CAMP), which are included as part of this plan by reference.

The standard operating procedures (SOPs) included as components of this plan will provide the procedures necessary to meet the project objectives. The SOPs will be used as reference for the methods to be employed for field sample collection and handling, and the management of field data collected in the execution of the approved RIWP. The SOPs include numerous methods to execute the tasks of the RIWP. The Project Manager will select the appropriate method as required by field conditions and/or the objective of the respective project task at the time of sample collection. Field procedures will be conducted in general accordance with the New York State Department of Conservation (NYSDEC) Technical Guidance for Site Investigation and Remediation (Division of Environmental Remediation [DER]-10) and the Sampling, Analysis and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) under NYSDEC Part 375 Remedial Program when applicable.

2. Field Program

This FSP provides the general purpose of sampling as well as procedural information. The RIWP contains the details on sampling and analysis (locations, depths, frequency, analyte lists, etc.).

The field program has been designed to acquire the necessary data to comply with the RIWP and includes the following tasks:

- Soil sampling;
- Groundwater sampling;
- Soil vapor and ambient air sampling; and,
- Sampling of investigation-derived waste (IDW) as needed for disposal.

Targeted Environmental Site Investigations (ESIs) were performed at the Site between March 2025 and April 2025 to investigate the anticipated contaminants of concern identified based on the Site's current and former uses. While the limited sampling events provided preliminary Site characterization data, they did not fully determine the nature and extent of soil and groundwater contamination at the Site, nor did they investigate the quality of soil vapor beneath the Site. In addition, further investigation is recommended to determine the presence of, and subsequently remove, suspected buried underground storage tanks (USTs) at the Site. The Site characterization did not identify a source of contamination on the Site; therefore, additional targeted soil, groundwater, and soil vapor sampling are proposed.

The SOPs presented herein may be changed as required, dependent on Site conditions or equipment limitations, at the time of sample collection. If the procedures employed differ from the SOP, the deviations will be documented in the associated sampling report.

3. Utility Clearance

Invasive remedial activities, such as excavation or remedial construction activities, require the location of underground utilities prior to initiating work. Such clearance is sound practice in that it minimizes the potential for damage to underground facilities and, more importantly, is protective of the health and safety of personnel. Under no circumstances will invasive activities be allowed to proceed without obtaining proper utility clearance by the appropriate public agencies and/or private entities. This clearance requirement applies to all work on both public and private properties, whether located in a dense urban area or a seemingly out-of-the-way rural location.

The drilling contractor performing the work will be responsible for obtaining utility clearance.

Utility clearance is required by law, and obtaining clearance includes contacting a public or private central clearance agency via a "one-call" telephone service and providing the proposed exploration location information. It is important to note that public utility agencies may not, and usually do not, have information regarding utility locations on private property.

Before beginning subsurface work at any proposed exploration locations, it is critical that all readily available information on underground utilities and structures be obtained, including publicly available information as well as information in the possession of private landowners. Any drawings obtained must be reviewed in detail for information pertaining to underground utilities.

Using the information obtained, the Site should be viewed in detail for physical evidence of buried lines or structures, including pavement cuts and patches, variation in or lack of vegetation, variations in grading, etc. Care must also be taken to avoid overhead utilities as well. Presence of surface elements of buried utilities should be documented, such as manholes, gas or water service valves, catch basins, monuments, or other evidence.

Overhead utility lines must be considered when choosing exploration and excavation locations. Most states require a minimum of 10 feet (ft) of clearance between equipment and energized wires. Such separation requirements may also be voltage-based and may vary depending on state or municipality regulations. In evaluating clearance from overhead lines, the same restrictions may apply to "drops," or wires on a utility pole connecting overhead and underground lines.

Using the information obtained and observations made, proposed exploration or construction locations should be marked in the field. Marking locations can be accomplished using spray paint on the ground, stakes, or other means. All markings of proposed locations should be made in white, in accordance with the generally accepted universal color code for facilities identification (AWMA 4/99):

- White: Proposed Excavation or Drilling Location
- Pink: Temporary Survey Markings
- Red: Electrical Power Lines, Cables, Conduit, and Lighting Cables
- Yellow: Gas, Oil, Steam, Petroleum, or Gaseous Materials
- Orange: Communication, Alarm or Signal Lines, Cables or Conduits
- Blue: Potable Water

- Purple: Reclaimed Water, Irrigation, and Slurry Lines
- Green: Sewers and Drain Lines

In order to effectively evaluate the proposed locations with these entities, detailed, accurate measurements between the proposed locations and existing surface features should be obtained. Such features can be buildings, street intersections, utility poles, guardrails, etc.

Obtaining the utility clearance generally involves the designated "one-call" underground facilities protection organization for the area and the landowner, and one or both following practices:

- A third-party utility locator company will be utilized to locate underground utilities outside of the public right-of-way; and/or
- "Soft dig" excavation techniques to confirm or deny the presence of underground utilities in the area.

The proposed locations should be evaluated in light of the information available for existing underground facilities. The detailed measurement information described above will be required by the "one-call" agency. The owners of the applicable, participating underground utilities are obligated to mark their respective facilities at the Site in the colors described above. Utility stake-out activities will typically not commence for approximately 72 hours after the initial request is made.

The public and private utility entities generally only mark the locations of their respective underground facilities within public rights-of-way. Determination of the locations of these facilities on private property will be the responsibility of the property owner or Contractor. If available information does not contain sufficient detail to locate underground facilities with a reasonable amount of confidence, alternate measures may be appropriate, as described below. In some cases, the memory of a long-time employee of a facility on private property may be the best or only source of information. It is incumbent on the Consultant or Contractor to exercise caution and use good judgement when faced with uncertainty.

Note: It is important to note that not all utilities are participants in the "one-call" agency or process. As such, inquiries must be made with the "one-call" agency to determine which entities do not participate, so they can be contacted independently.

Most utility stakeouts have a limited time period for which they remain valid, typically two to three weeks. It is critical that this time period be considered to prevent expiration of clearance prior to completion of the invasive activities and the need to repeat the stake-out process.

Care must be exercised to document receipt of notice from the involved agencies of the presence or absence of utilities in the vicinity of the proposed locations.

Most agencies will generally provide a telephone or fax communication indicating the lack of facilities in the project area. If contact is not made by all of the agencies identified by the "one-call" process, do not assume that such utilities are not present. Re-contact the "one-call" agency to determine the status.

For complicated sites with multiple proposed locations and multiple utilities, it is advisable to arrange an on-Site meeting with utility representatives. This will minimize the potential for miscommunication amongst the involved parties.

Completion of the utility stake-out process is not a guarantee that underground facilities will not be encountered in excavations or boreholes; in fact, most “one-call” agencies and individual utilities do not offer guarantees, nor do they accept liability for damage that might occur. In areas outside the public right-of-way, a utility locating service may be utilized to locate underground utilities. It is advisable that any invasive activities proceed with extreme caution in the upper 4 to 5 ft in the event that the clearance has failed to identify an existing facility. This may necessitate hand-excavation or probing to confirm the potential presence of shallow utilities. If uncertainty exists for any given utility, extra activities can be initiated to address utility clearance concerns. These options include:

- Screening the proposed work areas with utility locating devices and/or hiring a utility locating service to perform this task.
- Hand digging, augering, or probing to expose or reveal shallow utilities and confirm the presence and location. In northern climates, this may require advancing to below the frost line, typically at least 4 ft.
- Using “soft dig” techniques that utilize specialized tools and compressed air to excavate soils and locate utilities. This technique is effective in locating utilities to a depth of 4 to 5 ft.

Equipment/Materials:

- White spray paint
- Wooden stakes, painted white or containing white flagging
- Color-code key
- Available drawings

4. Field Data Recording

This procedure describes the protocol for documenting the investigation activities in the field. Field data serves as the cornerstone for an environmental project, not only for site characterization but for additional phases of investigation or remedial design. Producing defensible data includes proper and appropriate recording of field data as it is obtained in a manner to preserve the information for future use. This procedure provides guidelines for accurate, thorough collection and preservation of written and electronic field data.

Field data to be recorded during the project generally includes, but is not limited to, the following:

- general field observations;
- numeric field measurements and instrument readings;
- quantity estimates;
- sample locations and corresponding sample numbers;
- relevant comments and details pertaining to the samples collected;
- documentation of activities and procedures, and progress achieved;
- contractor pay item quantities;
- weather conditions;
- a listing of personnel involved in site-related activities;
- a log of conversations, Site meetings, and other communications; and,
- field decisions and pertinent information associated with the decisions.

4.1 Written Field Data

Written field data will be collected using a standardized, pre-printed field log form. In general, the use of a field log form is preferable as it prompts field personnel to make appropriate observations and record data in a standardized format. This promotes completeness and consistency from one person to the next. Otherwise, electronic data collection using a handheld device produces equal completeness and consistency using a preformatted log form.

In the absence of an appropriate pre-printed form, the data should be recorded in an organized and structured manner in a dedicated project field log book. Log books must be hard cover, bound so that pages cannot be added or removed, and should be made from high-grade 50 percent rag paper with a water-resistant surface.

The following are guidelines for the use of field log forms and log books:

1. Information must be factual and complete.
2. All entries will be made in black indelible ink with a ballpoint pen and will be written legibly. Do not use “rollerball” or felt-tip-style pens, since the water-soluble ink can run or smear in the presence of moisture.

3. Field log forms should be consecutively numbered.
4. Each day's work must start a new form/page.
5. At the end of each day, the current log book page or forms must be signed and dated by the field personnel making the entries.
6. Make data entries immediately upon obtaining the data. Do not make temporary notes in other locations for later transfer; this only increases the potential for error or loss of data.
7. Entry errors are to be crossed out with a single line and initialed by the person making the correction.
8. Do not leave blanks on log forms; if no entry is applicable for a given data field, indicate so with "NA" or a dash ("--").
9. At the earliest practical time, photocopies or typed versions of log forms and log book pages should be made and placed in the project file as a backup in the event the book or forms are lost or damaged.
10. Log books should be dedicated to one project only, i.e., do not record data from multiple projects in one log book.

4.2 Electronic Data

Electronic data recording involves electronic measurement of field information through the use of monitoring instruments, sensors, gauges, and equipment controls. The following is a list of guidelines for proper recording and management of electronic field data:

1. Field data management should follow the requirements of a project-specific data management plan (DMP), if applicable.
2. Use only instruments that have been calibrated in accordance with manufacturer's recommendations.
3. Usage of instruments, controls, and computers for the purpose of obtaining field data should only be performed by personnel properly trained and experienced in the use of the equipment and software.
4. Use only fully licensed software on personal computers and laptops.
5. Loss of electronic files may mean loss of irreplaceable data. Every effort should be made to back up electronic files obtained in the field as soon as practical. A backup file placed on the file server will minimize the potential for loss.
6. Electronic files, once transferred from field instruments or laptops to office computers, should be protected, if possible, to prevent unwanted or inadvertent manipulation or modification of data. Several levels of protection are usually available for spreadsheets, including making a file "read-only" or assigning a password to access the file.
7. Protect CDs from exposure to moisture, excessive heat or cold, magnetic fields, or other potentially damaging conditions.
8. Remote monitoring is often used to obtain stored electronic data from site environmental systems. A thorough discussion of this type of electronic field data recording is beyond the scope of this Section. Such on-site systems are generally capable of storing a limited amount of

data as a comma-delimited or spreadsheet file. Users must remotely access the monitoring equipment files via modem or other access and download the data. In order to minimize the potential for loss of data, access and downloading of data should be performed frequently enough to ensure the data storage capacity of the remote equipment is not exceeded.

Equipment/Materials:

- Appropriate field log forms, or iPad® or equivalent, with preformatted log forms.
- Indelible ball-point pen (do not use “rollerball” or felt-tip style pens);
- Straight edge;
- Pocket calculator; and
- Laptop computer (if required).

5. Aquifer Characterization

This procedure describes the measurement of water levels in groundwater monitoring.

A synoptic gauging round will be completed to obtain water levels in monitoring wells. Water levels will be acquired in a manner that provides accurate data that can be used to calculate vertical and horizontal hydraulic gradients and other hydrogeologic parameters. Accuracy in obtaining the measurements is critical to ensure the usability of the data.

5.1 Procedure

In order to provide reliable data, water level monitoring events should be collected over as short a period of time as practical. Barometric pressure can affect groundwater levels, and therefore, observation of significant weather changes during the period of water level measurements must be noted. Rainfall events and groundwater pumping can also affect groundwater level measurements. Personnel collecting water level data must note if any of these controls are in effect during the groundwater level collection period. Due to possible changes during the groundwater level collection period, it is imperative that the time of data collection at each station be accurately recorded. Water levels will also be collected prior to any sample collection that day.

The depth to groundwater will be measured with an electronic depth-indicating probe. Prior to obtaining a measurement, a fixed reference point on the well casing will be established for each well to be measured. Unless otherwise established, the reference point is typically established and marked on the north side of the well casing. Do not use protective casings or flush-mounted road boxes as a reference, due to the potential for damage or settlement. The elevation of the reference point shall be obtained by accepted surveying methods, to the nearest 0.01 ft.

The water level probe will be lowered into the well until the meter indicates (via indicator light or tone) that the water has been reached. The probe will be raised above water level and slowly lowered again until water is indicated. The cable will be held against the side of the inner protective casing at the point designated for water level measurements, and a depth reading will be taken. This procedure will be followed three times or until a consistent value is obtained. The value will be recorded to the nearest 0.01 ft on the Groundwater Level Monitoring Report form. Upon completion, the probe will be raised to the surface and, together with the amount of cable that entered the well casing, will be decontaminated in accordance with the methods described in the Equipment Decontamination Procedure.

Equipment/Materials:

- Battery-operated, non-stretch electronic water level probe with permanent markings at 0.01 ft increments, such as the Solinst Model 101 or equivalent.
- The calibrated cable on the depth indicator will be checked against a surveyor's steel tape once per quarter year. A new cable will be installed if the cable has changed by more than 0.01 percent (0.01 ft for a 100-ft cable). See also the Field Instruments – Use and Calibration Procedure.
- Groundwater Level Monitoring Report form.

6. Sample Collection for Laboratory Analysis

6.1 SOIL SAMPLE COLLECTION FOR LABORATORY ANALYSIS

The following procedure is an introduction to soil sampling techniques and an outline of field staff responsibilities. All samples will be collected with dedicated sampling equipment.

6.1.1 Preparatory Requirements

Prior to the beginning of any remedial investigation or remedial measures activities, staff must attend a project briefing for the purpose of reviewing the project work plan, Site and utility plans, drawings, applicable regulations, sampling location, depth, and criteria, site contacts, and other related documents. Health and safety concerns will be documented in a Site-specific HASP.

A file folder for the field activities should be created and maintained such that all relevant documents and log forms likely to be useful for the completion of field activities by others are readily available in the event of personnel changes.

6.1.2 Soil Classification

The stratigraphic log is a factual description of the soil at the borehole location and is relied upon to interpret the soil characteristics, their influence, and significance in the subsurface environment. The accuracy of the stratigraphic log is to be verified by the person responsible for interpreting subsurface conditions. An accurate description of the soil stratigraphy is essential for a reasonable understanding of the subsurface conditions. Confirmation of the field description by examination of representative soil samples by the project geologist, hydrogeologist, or geotechnical engineer (whenever practicable) is recommended.

The ability to describe and classify soil correctly is a skill that is learned from a person with experience and by systematic training and comparison of laboratory results to field descriptions.

6.1.2.1 Data Recording

Several methods for classifying and describing soils or unconsolidated sediments are in relatively widespread use; the Unified Soil Classification System (USCS) is the most common. With the USCS, a soil is first classified according to whether it is predominantly coarse-grained or fine-grained.

The description of fill soil is similar to that of natural undisturbed soil except that it is identified as fill and not classified by USCS group, relative density, or consistency. Those logging soils must attempt to distinguish between soils that have been placed (i.e., fill) and not naturally present, or soils that have been naturally present but disturbed (i.e., disturbed native).

It is necessary to identify and group soil samples consistently to determine the subsurface pattern or changes and non-conformities in soil stratigraphy in the field at the time of drilling. The stratigraphy in each borehole during drilling is to be compared to the stratigraphy found at the previously completed

boreholes to ensure that patterns or changes in soil stratigraphy are noted and that consistent terminology is used.

Visual examination, physical observations, and manual tests (adapted from ASTM D2488, visual-manual procedures) are used to classify and group soil samples in the field and are summarized in this subsection. ASTM D2488 should be reviewed for detailed explanations of the procedures. Visual-manual procedures used for soil identification and classification include:

- visual determination of grain size, soil gradation, and percentage fines;
- dry strength, dilatancy, toughness, and plasticity (thread or ribbon test) tests for identification of inorganic fine-grained soil (e.g., CL, CH, ML, or MH); and
- soil compressive strength and consistency estimates based on thumb indent and pocket penetrometer (preferred) methods.

Soil characteristics like plasticity, strength, and dilatancy should be determined using the H & A of New York Engineering and Geology, LLP (Haley & Aldrich of New York) Soil Identification Field Form.

6.1.2.2 Field Sample Screening

Upon the collection of soil samples, the soil is screened with a photoionization detector (PID) for the presence of organic vapor. This is accomplished by running the PID across the soil sample. The highest reading and sustained readings are recorded.

Note: The PID measurement must be done upwind of the excavating equipment or any running engines so that exhaust fumes will not affect the measurements.

Another method of field screening is headspace measurements. This consists of placing a portion of the soil sample in a sealable glass jar, placing aluminum foil over the jar top, and tightening the lid. Alternatively, plastic sealable bags may be utilized for a field screen in lieu of glass containers. The jar should only be partially filled. Shake the jar and set aside for at least 30 minutes. After the sample has equilibrated, the lid of the jar can be opened, the foil is punctured with the PID probe, and the air (headspace) above the soil sample is monitored. This headspace reading on the field form or in the field book is recorded. All headspace measurements must be completed under similar conditions to allow comparability of results. Soil classification and PID readings will be recorded in the daily field report.

Equipment/Materials:

- Pocket knife or small spatula
- Small handheld lens
- Stratigraphic log (Overburden) (Form 2001)
- Tape measure
- When sampling for PFAS, acceptable materials for sampling include stainless-steel, high-density polyethylene (HDPE), PVC, silicone, acetate, and polypropylene.

6.1.3 Soil Sampling

Soil samples will be collected from acetate liners installed by a track-mounted direct-push drill rig (Geoprobe®) or sonic drill rig (as necessary) operated by a licensed operator. Soil samples will be collected using a stainless-steel trowel or sampling spoon into laboratory-provided sample containers. If it is necessary to relocate any proposed sampling location due to terrain, utilities, access, etc., the Project Manager must be notified, and an alternate location will be selected.

Prior to use and between each sampling location at an environmental site, the sampling equipment must be decontaminated. All decontamination must be conducted in accordance with the project-specific plans or the methods presented in SOP 7.0.

6.1.4 Sampling Techniques

The following procedure describes typical soil sample collection methods for submission of samples to a laboratory for chemical analysis. The primary goal of soil sampling is to collect representative samples for examination and chemical analysis (if required).

Environmental soil samples obtained for chemical analyses are collected with special attention given to the rationale behind determining the precise zone to sample, the specifics of the method of soil extraction, and the requisite decontamination procedures. Preservation, handling, and glassware for environmental soil samples vary considerably depending upon several factors, including the analytical method to be conducted and the analytical laboratory being used.

Soil sampling for PFAS will be performed in accordance with NYSDEC, DER, Sampling, Analysis, and Assessment of PFAS under NYSDEC Part 375 Remedial Program (June 2021).

6.1.4.1 Grab Versus Composite Samples

A grab sample is collected to identify and quantify conditions at a specific location or interval. The sample is comprised of the minimum amount of soil necessary to make up the volume of sample dictated by the required sample analyses. Composite samples may be obtained from several locations or along a linear trend (in a test pit or excavation). Sampling may occur within or across stratification.

6.2 GROUNDWATER SAMPLE COLLECTION FOR LABORATORY ANALYSIS

The following section describes two techniques for groundwater sampling: “Low Stress/Low Flow Methods” and “Typical Sampling Methods.”

“Low-Stress/Low-Flow” methods will be employed when collecting groundwater samples for the evaluation of volatile constituents (i.e., dissolved oxygen [DO]) or in fine-grained formations where sediment/colloid transport is possible. Analyses typically sensitive to colloidal transport issues include polychlorinated biphenyls (PCBs), polyaromatic hydrocarbons (PAHs), and metals.

The “Typical Sampling Methods” will be employed where parameters less sensitive to turbidity/sediment issues are being collected (general chemistry, pesticides, and other semi-volatile organic compounds [SVOCs]).

NOTE: If non-aqueous phase liquids (NAPL; light or dense) are detected in a monitoring well, groundwater sample collection will not be conducted, and the Project Manager must be contacted to determine a course of action.

6.2.1 Preparatory Requirements

- Verify well identification and location using borehole log details and location layout figures. Note the condition of the well and record any necessary repair work required.
- Prior to opening the well cap, measure the breathing space above the well casing with a handheld organic vapor analyzer to establish baseline breathing space VOC levels. Repeat this measurement once the well cap is opened. If either of these measurements exceeds the air quality criteria in the HASP, field personnel should adjust their personal protective equipment (PPE) accordingly.
- Prior to commencing the groundwater purging/sampling, a water level must be obtained to determine the well volume for hydraulic purposes. In some settings, it may be necessary to allow the water level time to equilibrate. This condition exists if a watertight seal exists at the well cap and the water level has fluctuated above the top of screen, creating a vacuum or pressurized area in this air space. Three water level checks will verify that static water level conditions have been achieved.
- Calculate the volume of water in the well. Typically, overburden well volumes consider only the quantity of water standing in the well screen and riser; bedrock well volumes are calculated on the quantity of water within the open core hole and within the overburden casing.

6.2.2 Well Development

Well development is completed to remove fine grained materials from the well but in such a manner as to not introduce fines from the formation into the sand pack. Well development continues until the well responds to water level changes in the formation (i.e., a good hydraulic connection is established between the well and formation) and the well produces clear, sediment-free water to the extent practical.

- Attach appropriate pump and lower tubing into well.
- Gauge well and calculate one well volume. Turn on pump. If well runs dry, shut off pump and allow to recover.
- Surging will be performed by raising and lowering the pump several times to pull fine-grained material from the well. Periodically measure turbidity level using a La Motte turbidity reader.
- The second and third steps will be repeated until turbidity is less than 50 nephelometric turbidity units (NTUs) or when 10 well volumes have been removed.
- All water generated during cleaning and development procedures will be collected and contained on site in 55-gallon drums for future analysis and appropriate disposal.

Equipment:

- Appropriate health and safety equipment
- Knife

- Power source (generator)
- Field book
- Well Development Form (Form 3006)
- Well keys
- Graduated pails
- Pump and tubing
- Cleaning supplies (including non-phosphate soap, buckets, brushes, laboratory-supplied distilled/deionized water, tap water, cleaning solvent, aluminum foil, plastic sheeting, etc.)
- Water level meter

6.2.3 Well Purging and Stabilization Monitoring (Low-Stress/Low-Flow Method)

The preferred method for groundwater sampling will be the low-stress/low-flow method described below.

- Slowly lower the pump, safety cable, tubing, and electrical lines into the well to the depth specified by the project requirements. The pump intake must be at the midpoint of the well screen to prevent disturbance and resuspension of any sediment in the screen base.
- Before starting the pump, measure the water level again with the pump in the well, leaving the water level measuring device in the well when completed.
- Purge the well at 100 to a maximum of 500 milliliters per minute (mL/min). During purging, the water level should be monitored approximately every five minutes, or as appropriate. A steady flow rate should be maintained that results in a drawdown of 0.3 ft or less. The rate of pumping should not exceed the natural flow rate conditions of the well. Care should be taken to maintain pump suction and to avoid entrainment of air in the tubing. Record adjustments made to the pumping rates and water levels immediately after each adjustment.
- During the purging of the well, monitor and record the field indicator parameters (pH, temperature, conductivity, oxidation-reduction [redox] reaction potential [ORP], DO, and turbidity) approximately every five minutes. Stabilization is considered to be achieved when the final groundwater flow rate is achieved, and three consecutive readings for each parameter are within the following limits:
  - pH: 0.1 pH units of the average value of the three readings;
  - Temperature: 3 percent of the average value of the three readings;
  - Conductivity: 0.005 milliSiemen per centimeter (mS/cm) of the average value of the three readings for conductivity less than 1 mS/cm and 0.01 mS/cm of the average value of the three readings for conductivity greater than 1 mS/cm;
  - ORP: 10 millivolts (mV) of the average value of the three readings;
  - DO: 10 percent of the average value of the three readings; and
  - Turbidity: 10 percent of the average value of the three readings, or a final value of less than 50 NTUs.
- The pump must not be removed from the well between purging and sampling.

6.2.4 Sampling Techniques

- If an alternate pump is utilized, the first pump discharge volumes should be discarded to allow the equipment a period of acclimation to the groundwater.
- Samples are collected directly from the pump, with the groundwater being discharged directly into the appropriate sample container. Avoid handling the interior of the bottle or bottle cap and don new gloves for each well sampled to avoid contamination of the sample.
- Order of sample collection:
  - PFAS
  - Volatile organic compounds (VOCs)
  - 1,4-dioxane
  - SVOCs
  - Total Analyte List (TAL) metals
  - PCBs, pesticides, and herbicides
- No sampling equipment components or sample containers should come in contact with aluminum foil, low-density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials, including plumber's tape and sample bottle cap liners with a PTFE layer.
- For low-stress/low-flow sampling, samples should be collected at a flow rate between 100 and 500 mL/min and such that drawdown of the water level within the well does not exceed the maximum allowable drawdown of 0.3 ft.
- The pumping rate used to collect a sample for VOC should not exceed 100 mL/min. Samples should be transferred directly to the final container, 40-mL glass vials, completely full and topped with a Teflon™ cap. Once capped, the vial must be inverted and tapped to check for headspace/air presence (bubbles). If air is present, the sample will be discarded and recollected until free of air.
- Groundwater sampling for PFAS will be performed in accordance with NYSDEC, DER, Sampling, Analysis, and Assessment of PFAS under NYSDEC Part 375 Remedial Program (June 2021)
- All samples must be labeled with:
  - A unique sample number
  - Date and time
  - Parameters to be analyzed
  - Project Reference ID
  - Sampler's initials
- Labels should be written in indelible ink and secured to the bottle with clear tape.

Equipment/Materials:

- pH meter, conductivity meter, DO meter, ORP meter, nephelometer, temperature gauge
- Field filtration units (if required)
- Purging/sampling equipment

  - Peristaltic Pump
- Water level probe
- Sampling materials (containers, log book/forms, coolers, chain of custody [COC])
- Work Plan
- HASP
- When sampling for PFAS, acceptable materials for sampling include stainless steel, HDPE, PVC, silicone, acetate, and polypropylene.

Note: Peristaltic pump use for VOC collection is not acceptable on NYSDEC/U.S. Environmental Protection Agency (EPA)/Resource Conservation and Recovery Act (RCRA) sites; this technique has gained acceptance in select areas where it is permissible to collect VOCs using a peristaltic pump at a low flow rate (e.g. Michigan).

Note: 1,4-dioxane and PFAS purge and sample techniques will be conducted following the NYSDEC guidance documents (see Appendix D of the RIWP). Acceptable groundwater pumps include a stainless-steel inertia pump with HDPE tubing, a peristaltic pump equipped with HDPE tubing and silicone tubing, a stainless-steel bailer with a stainless-steel ball or bladder pump (identified as PFAS-free) with HDPE tubing.

Field Notes:

- Field notes must document all the events, equipment used, and measurements collected during the sampling activities. Section 2.0 describes the data/recording procedure for field activities.
- The log book should document the following for each well sampled:
  - Identification of well
  - Well depth
  - Static water level depth and measurement technique
  - Sounded well depth
  - Presence of immiscible layers and detection/collection method
  - Well yield – high or low
  - Purge volume and pumping rate
  - Time well purged
  - Measured field parameters
  - Purge/sampling device used
  - Well sampling sequence
  - Sampling appearance
  - Sample odors
  - Sample volume
  - Types of sample containers and sample identification
  - Preservative(s) used
  - Parameters requested for analysis

- Field analysis data and method(s)
- Sample distribution and transporter
- Laboratory shipped to
- COC number for shipment to the laboratory
- Field observations on sampling event
- Name collector(s)
- Climatic conditions, including air temperature
- Problems encountered and any deviations made from the established sampling protocol

Standard log forms for documentation and reporting groundwater purging and sampling events are presented on the Groundwater Sampling Record, Low Flow Groundwater Sampling Form, and Low Flow Monitored Natural Attenuation (MNA) Field Sampling Form. Refer to Appendix A for example field forms.

Groundwater/Decon Fluid Disposal:

- Groundwater disposal methods will vary on a case-by-case basis but may range from:
  - Off-Site treatment at private treatment/disposal facilities or public-owned treatment facilities
  - On-site treatment at facility-operated facilities
  - Direct discharge to the surrounding ground surface, allowing groundwater infiltration to the underlying subsurface regime
- Decontamination fluids should be segregated and collected separately from wash waters/groundwater containers.

6.3 SOIL VAPOR SAMPLING

The following procedure is an introduction to soil vapor sampling techniques and an outline of field staff responsibilities.

6.3.1 Preparatory Requirements

Prior to collecting the field sample, ensure the stainless-steel or polyethylene soil vapor probe has been installed to the desired depth and sealed completely to the surface using a material such as bentonite. As part of the vapor intrusion evaluation, a tracer gas should be used in accordance with New York State Department of Health (NYSDOH) protocols to serve as a quality assurance/quality control (QA/QC) to verify the integrity of the soil vapor probe seal. A container (box, plastic pail, etc.) will serve to keep the tracer gas in contact with the probe during testing. A portable monitoring device will be used to analyze a sample of soil vapor for the tracer gas prior to sampling. If the tracer sample results show a significant presence of the tracer, the probe seals will be adjusted to prevent infiltration. At the conclusion of the sampling round, tracer monitoring should be performed a second time to confirm the integrity of the probe seals.

6.3.2 Sampling Techniques

Samples will be collected in appropriately sized Summa canisters that have been certified clean by the laboratory, and samples will be analyzed by using EPA Method TO-15. Flow rate for both purging and sampling will not exceed 0.2 L/min. One to three implant volumes shall be purged prior to the collection of any soil-gas samples. A sample log sheet will be maintained summarizing sample identification, date and time of sample collection, sampling depth, identity of samplers, sampling methods and devices, soil vapor purge volumes, volume of the soil vapor extracted, vacuum of canisters before and after the samples are collected, apparent moisture content of the sampling zone, and COC protocols.

6.4 SAMPLE HANDLING AND SHIPPING

Sample management is the continuous care given to each sample from the point of collection to receipt at the analytical laboratory. Good sample management ensures that samples are properly recorded, properly labeled, and not lost, broken, or exposed to conditions which may affect the sample's integrity.

All sample submissions must be accompanied by a COC document to record sample collection and submission. Personnel performing sampling tasks must check the sample preparation and preservation requirements to ensure compliance with the QAPP.

The following sections provide the minimum standards for sample management.

6.4.1 Sample Handling

Prior to entering the field area where sampling is to be conducted, especially at sites with defined exclusion zones, the sampler should ensure that all materials necessary to complete the sampling are on hand. If samples must be maintained at a specified temperature after collection, dedicated coolers and ice must be available for use. Conversely, when sampling in cold weather, proper protection of water samples, trip blanks, and field blanks must be considered. Sample preservation will involve pH adjustment, cooling to 4 degrees Celsius, and sample filtration and preservation.

6.4.2 Sample Labeling

Samples must be properly labeled immediately upon collection.

Note that the data shown on the sample label is the minimum data required. The sample label data requirements are listed below for clarity.

- Project name
- Sample name/number/unique identifier
- Sampler's initials
- Date of sample collection
- Time of sample collection
- Analysis required
- Preservatives

To ensure that samples are not confused, a clear notation should be made on the container with a permanent marker. If the containers are too soiled for marking, the containers can be put into a "Zip Lock" bag, which can then be labeled.

All sample names will be as follows:

- Sample unique identifier: Enter the sample name or number. There should be NO slashes, spaces, or periods in the date.
- Date: Enter the six-digit date when the sample was collected. Note that for one-digit days, months, and/or years, add zeros so that the format is MMDDYY (050210). There should be NO slashes, dashes, or periods in the date.

The QA/QC samples will be numbered consecutively as collected with a sample name, date, and number of samples collected throughout the day (i.e., when multiple QA/QC samples are collected in one day).

Examples of this naming convention are as follows:

Sample Name:	Comments
TB-050202-0001	TRIP BLANK
TB-050202-0002	TRIP BLANK
FD-050202-0001	FIELD DUPLICATE
FD-050202-0002	FIELD DUPLICATE

NOTE: The QA/QC Sample # resets to 0001 EACH DAY, this will avoid having to look back to the previous day for the correct sequential number.

6.4.3 Field Code

The field code will be written in the “Comments” field on the COC for EVERY sample, but will not be a part of the actual sample name. Enter the one/two-character code for the type of sample (must be in CAPITALS):

N	Normal Field Sample
FD	Field Duplicate (note sample number (i.e., 0001) substituted for time)
TB	Trip Blank (note sample number (i.e., 0001) substituted for time)
EB	Equipment Blank (note sample number (i.e., 0001) substituted for time)
FB	Field Blank (note sample number (i.e., 0001) substituted for time)
KD	Known Duplicate
FS	Field Spike Sample
MS	Matrix Spike Sample (note on “Comments” field of COC – laboratory to spike matrix.
MD	Matrix Spike Duplicate Sample (note on “Comments” field of COC – laboratory to spike matrix.
RM	Reference Material

The sample labeling – both chain and sample bottles must be EXACTLY as detailed above. In addition, the Field Sample Key for each sample collected must be filled out.

6.4.4 Packaging

Sample container preparation and packing for shipment should be completed in a well-organized and clean area, free of any potential cross-contamination. The following is a list of standard guidelines that must be followed when packing samples for shipment.

- Double-bag ice in "Zip Lock" bags.
- Double check to ensure trip and temperature blanks have been included for all shipments containing VOCs, or where otherwise specified in the QAPP.
- Enclose the COC form in a "Zip Lock" bag.
- Ensure custody seals (two, minimum) are placed on each cooler. Coolers with hinged lids should have both seals placed on the opening edge of the lid. Coolers with "free" lids should have seals placed on opposite diagonal corners of the lid. Place clear tape over custody seals.
- Containers should be wiped clean of all debris/water using paper towels (paper towels must be disposed of with other contaminated materials).
- Clear, wide packing tape should be placed over the sample label for protection.
- Do not bulk pack. Each sample must be individually padded.
- Large glass containers (1 liter and up) require much more space between containers.
- Ice is not a packing material due to the reduction in volume when it melts.

Note: Never store sterile sample containers in enclosures containing equipment that uses any form of fuel or volatile petroleum-based product. When conducting sampling in freezing conditions at sites without a heated storage area (free of potential cross-contaminants), unused trip blanks should be isolated from coolers immediately after receipt. Trip blanks should be double bagged and kept from freezing.

6.4.5 Chain-of-Custody Records

COC forms will be completed for all samples collected. The form documents the transfer of sample containers. The COC record, completed at the time of sampling, will contain, but not be limited to, the sample number, date and time of sampling, and the name of the sampler. The COC document will be signed and dated by the sampler when transferring the samples.

Each sample cooler being shipped to the laboratory will contain a COC form. The cooler will be sealed properly for shipment. The laboratory will maintain a copy for its records. One copy will be returned with the data deliverables package.

The following list provides guidance for the completion and handling of all COCs:

- COCs used should be a Haley & Aldrich of New York standard form or supplied by the analytical laboratory.
- COCs must be completed in black ball point ink only.
- COCs must be completed neatly using printed text.

- If a simple mistake is made, cross out the error with a single line and initial and date the correction.
- Each separate sample entry must be sequentially numbered.
- If numerous repetitive entries must be made in the same column, place a continuous vertical arrow between the first entry and the next different entry.
- When more than one COC form is used for a single shipment, each form must be consecutively numbered using the "Page ___ of ___" format.
- If necessary, place additional instructions directly onto the COC in the Comment Section. Do not enclose separate instructions.
- Include a contact name and phone number on the COC in case there is a problem with the shipment.
- Before using an acronym on a COC, define clearly the full interpretation of your designation (i.e., PCBs).

6.4.6 Shipment

Prior to the start of the field sampling, the carrier should be contacted to determine if pickup will be at the field Site location. If pick-up is not available at the Site, the nearest pick-up or drop-off location should be determined. Sample shipments must not be left at unsecured drop locations.

Copies of all shipment manifests must be maintained in the field file.

7. Field Instruments – Use and Calibration

A significant number of field activities involve the use of electronic instruments to monitor for environmental conditions and health and safety purposes. It is imperative that the instruments are used and maintained properly to optimize their performance and minimize the potential for inaccuracies in the data obtained. This section provides guidance on the usage, maintenance, and calibration of electronic field equipment.

- All monitoring equipment will be in proper working order and operated in accordance with manufacturer's recommendations.
- Field personnel will be responsible for ensuring that the equipment is maintained and calibrated in the field in accordance with manufacturer's recommendations.
- Instruments will be operated only by personnel trained in the proper usage and calibration.
- Personnel must be aware of the range of conditions, such as temperature and humidity, for instrument operation. Usage of instruments in conditions outside these ranges will only proceed with approval of the Project Manager and/or Health and Safety Officer as appropriate.
- Instruments that contain radioactive source material, such as x-ray fluorescence (XRF) analyzers or moisture-density gauges, require specific transportation, handling, and usage procedures that are generally associated with a license from the Nuclear Regulatory Commission (NRC) or an NRC-Agreement State. Under no circumstances will operation of such instruments be allowed on site unless by properly authorized and trained personnel, using the proper personal dosimetry badges or monitoring instruments.

7.1 GENERAL PROCEDURE DISCUSSION

Care must be taken to minimize the potential for transfer of contaminated materials to the ground or onto other materials. Regardless of the size or nature of the equipment being decontaminated, the process will utilize a series of steps that involve removal of gross material (dirt, grease, oil, etc.), washing with a detergent, and multiple rinsing steps. In lieu of a series of wash and rinse steps, steam cleaning with low-volume, high-pressure equipment (i.e., steam cleaner) is acceptable.

Exploration equipment, and all monitoring equipment in contact with the sampling media must be decontaminated prior to initiating Site activities, in between exploration locations to minimize cross-contamination, and prior to mobilizing off the Site after completion of Site work.

The following specific decontamination procedure is recommended for sampling equipment and tools:

- Brush loose soil off equipment;
- Wash equipment with laboratory grade detergent (i.e., Alconox or equivalent);
- Rinse with tap water;
- Rinse equipment with distilled water;
- Allow water to evaporate before reusing equipment; and
- Wrap equipment in aluminum foil when not being used.

7.2 DECONTAMINATION OF MONITORING EQUIPMENT

Because monitoring equipment is difficult to decontaminate, care should be exercised to prevent contamination. Sensitive monitoring instruments should be protected when they are at risk of exposure to contaminants. This may include enclosing them in plastic bags, allowing an opening for the sample intake. Ventilation ports should not be covered.

If contamination does occur, decontamination of the equipment will be required; however, immersion in decontamination fluids is not possible. As such, care must be taken to wipe the instruments down with detergent-wetted wipes or sponges, and then with de-ionized water-wetted wipes or sponges.

7.3 DISPOSAL OF WASH SOLUTIONS AND CONTAMINATED EQUIPMENT

All contaminated wash water, rinses, solids, and materials used in the decontamination process that cannot be effectively decontaminated (such as polyethylene sheeting) will be containerized and disposed of in accordance with applicable regulations. All containers will be labeled with an indelible marker as to contents and date of placement in the container, and any appropriate stickers required (such as PCBs). Storage of decontamination wastes on site will not exceed 90 days under any circumstances.

Equipment/Materials:

Decontamination equipment and solutions are generally selected based on ease of decontamination and disposability.

- Polyethylene sheeting;
- Metal racks to hold equipment;
- Soft-bristle scrub brushes or long-handle brushes for removing gross contamination and scrubbing with wash solutions;
- Large, galvanized wash tubs, stock tanks, or wading pools for wash and rinse solutions;
- Plastic buckets or garden sprayers for rinse solutions;
- Large plastic garbage cans or other similar containers lined with plastic bags can be used to store contaminated clothing;
- Contaminated liquids and solids should be segregated and containerized in New York State Department of Transportation-approved plastic or metal drums, appropriate for off-Site shipping/disposal if necessary.

8. Investigation-Derived Waste Disposal

8.1 RATIONALE/ASSUMPTIONS

This procedure applies to the disposition of IDW, including soils and/or groundwater. IDW is dealt with the following "Best Management Practices" and is not considered a listed waste due to the lack of generator knowledge concerning chemical source, chemical origin, and timing of chemical introduction to the subsurface.

Consequently, waste sampling and characterization are performed to determine if the wastes exhibit characteristics of hazardous waste. The disposal of soil cuttings, test pit soils, and/or purged groundwater will be reviewed on a case-by-case basis prior to initiation of field activities. Two scenarios typically exist:

- When no information is available in the area of activity or investigation, and impacted media/soils are identified. Activities such as new construction and /or maintenance below grade may encounter environmental conditions that were unknown.
- Disposal Required/Containerization Required – When sufficient Site information regarding the investigative Site conditions warrants that all materials handled will be contained and disposed.

If a known listed hazardous and/or characteristically hazardous waste/contaminated environmental media is being handled, then handling must be performed in accordance with RCRA Subtitle C (reference 2, Part V, Section 1(a),(b),(c)).

The following outlines the waste characterization procedures to be employed when IDW disposal is required.

The following procedure describes the techniques for characterization of IDW for disposal purposes. IDW may consist of soil cuttings (augering, boring, well installation soils, test pit soils), rock core or rock flour (from coring, reaming operations), groundwater (from well development, purging and sampling activities), decontamination fluids, PPE, and disposal equipment (DE).

8.2 PROCEDURE

The procedures for handling and characterization of field activity-generated wastes are:

A.) Soil Cuttings - Soils removed from boring activities will be contained within an approved container, suitable for transportation and disposal.

- Once placed into the approved container, any free liquids (i.e., groundwater) will be removed for disposal as waste fluids or solidified within the approved container using a solidification agent such as Speedy Dri (or equivalent).
- Contained soils will be screened for the presence of VOCs using a PID; this data will be logged for future reference.
- Once screened, full, and closed, the container will be labeled and placed into the container storage area. At a minimum, the following information will be shown on each container

label: date of filling/generation, Site name, source of soils (i.e., borehole or well), and contact.

- Prior to container closure, representative samples from the containers will be collected for waste characterization purposes and submitted to the project laboratory.
- Typically, at a location where an undetermined site-specific parameter group exists, sampling and analysis may consist of the full RCRA Waste Characterization (ignitability, corrosivity, reactivity, toxicity), or a subset of the above based upon data collected, historical information, and generator knowledge.

B.) Groundwater - purging and sampling groundwater, which requires disposal, will be contained.

- Containment may be performed in 55-gallon drums, tanks suitable for temporary storage (i.e., Nalgene tanks 500 to 1,000 gallons), or if large volumes of groundwater are anticipated, tanker trailers (5,000 to 10,000 gallons ±), or drilling "Frac" tanks may be utilized (20,000 gallons ±). In all cases, the container/tank used for groundwater storage must be clean before use such that cross-contamination does not occur.

C.) Decon Waters/Decon Fluids - Decon waters and/or fluids will be segregated, contained, and disposed of accordingly.

- Decon waters may be disposed of with the containerized groundwater once analytical results have been acquired.

D.) PPE/DE – A number of disposal options exist for spent PPE/DE generated from investigation tasks. The options typically employed are:

- Immediately disposed of within on-Site dumpster/municipal trash; or
- If known to be contaminated with RCRA hazardous waste, dispose off Site at a RCRA Subtitle C facility.
- Spent Solvent/Acid Rinses - The need for sampling must be determined in consultation with the waste management organization handling the materials. If known that only the solvent and/or acids are present, then direct disposal/treatment using media-specific options may be possible without sampling (i.e., incineration).
- PPE/DE – Typically not sampled and included with the disposal of the solid wastes.

Equipment/Materials:

- Sample spoons, trier, auger,
- Sample mixing bowl,
- Sampling bailer, or pump,
- Sample glassware.

References

1. American Public Works Association, April 1999, Uniform Color Code (http://www.apwa.net/)

2. ASTM Standard D 2487, “Classification of Soils for Engineering Purposes (Unified Soil Classification System)”.

3. ASTM 4750 Test Method for Determining Subsurface Liquid Levels in a Borehole or Monitoring Well (Observation Well)

4. ASTM D6000 Guide for Presentation of Water Level Information from Ground Water Sites

5. ASTM D5474: Guide for Selection of Data Elements for Groundwater Investigations

6. ASTM D4696: Guide for Pore-liquid Sampling from the Vadose Zone

7. ASTM D5979: Guide for Conceptualization and Characterization of Groundwater Systems

8. ASTM D5903: Guide for Planning and Preparing for a Groundwater Sampling Event

9. ASTM D4448: Standard Guide for Sampling Groundwater Wells

10. ASTM D6001: Standard Guide for Direct Push Water Sampling for Geo-environmental Investigations.

11. ASTM (1991), Standard D1452-80, “Practice for Soil Investigation and Sampling by Auger Borings”, Annual Book of ASTM Standard, Section 4, Volume 04.08.

12. ASTM Standards on Environmental Sampling (1995), Standard D 2488-93, “Standard Practice for Description and Identification of Soils (Visual-Manual Procedure)”

13. ASTM Standards on Environmental Sampling (1995), Standard D 4700-91, “Guide for Soil Sampling from the Vadose Zone”.

14. ASTM Standards on Environmental Sampling (1995), Standard D 1586-92, “Test Method for Penetration Test and Split-Barrel Sampling of Soils”.

15. ASTM D5088 - Practice for Decontamination of Field Equipment Used at Non-Radioactive Waste Sites

16. Geotechnical Gauge, Manufactured by W.F. McCollough, Beltsville, MD.

17. New York State Code Rule 753

18. New York State Department of Environmental Conservation Technical Guidance for Site Investigation and Remediation, DER-10, (3 May 2010).

19. New York State Department of Environmental Conservation, Division of Environmental Remediation, Sampling, Analysis and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) under NYSDEC Part 375 Remedial Program (April 2023).

20. Sand Grading Chart, by Geological Specialty Company, Northport, Alabama.

21. USEPA Office of Solid Waste- SW846 Chapter 9 Sampling Plan, Chapter 10 Sampling Methods (September 1986).

22. USEPA (1986), RCRA Ground-Water Monitoring Technical Enforcement Guidance Document, OSWER-9950.1.

23. USEPA (1987), A Compendium of Superfund Field Operations Methods, EPA/540/P-87/001.

24. USEPA (1988), Guidance for Conducting Remedial Investigations and Feasibility Studies Under CERCLA, OSWER-9950.1.

25. USEPA RCRA - Guidance and Policies: Management of Remediation Waste Under RCRA (October 1998).

26. USEPA RCRA - Management of Contaminated Media (October 1998).

27. USEPA CERCLA Guidance (Options Relevant to RCRA Facilities): Guide to Management of Investigation - Derived Wastes (January 1992).

28. USEPA: Low-flow (Minimal Drawdown) Groundwater Sampling Procedures (EPA/540/S-95/504)

29. USEPA: RCRA Groundwater Monitoring: Draft Technical guidance (EPA/530 R 93 001)

30. The Occupational Safety and Health Administration's (OSHA) Excavation and Trenching Standard Title 29 of the Code of Federal Regulation (CFR) Part 1926.650.

APPENDIX A
Field Forms

HALEY & ALDRICH

EQUIPMENT CALIBRATION LOG

Project: 2916 Atlantic Avenue Redevelopment Site
Location: 2916 Atlantic Avenue, Brooklyn, New York
Model Name: Horiba U-52 water quality meter
Model Number: _____ **Serial Number:** _____
Cal. Standards: pH 4 solution

Instruments will be calibrated in accordance with manufacturer's recommendations at least once per day.

Date	Time	Calibration Satandard Solution	Calibration Result	Calibrated by

Other Comments: _____

Field Sampling Form

Location: 2916 Atlantic Avenue, Brooklyn, New York

Job Number: 0213315
Well ID: _____
Field Sampling Crew: _____

Date: _____
Start Time: _____
Finished Time: _____

Initial Depth to Water: _____
Well Depth: _____
Depth to top of screen: _____
Depth to bottom of screen: _____
Depth of Pump Intake: _____

Purging Device: _____
Tubing present in well? _____
Tubing type: _____

Time Elapsed (24 hour)	Depth to Water (from casing)	Pump Setting (ml/min or gal/min)	Purge Rate (ml/min or gal/min)	Cumulative Purge Volume (liters or gallons)	Temperature (degrees Celsius)	pH	Conductivity us/cm	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP/eH (mv)	Comments

Comments:

HALEY ALDRICH

SAMPLE IDENTIFICATION KEY

Page of

PROJECT 2916 Atlantic Avenue Redevelopment Site
H&A FILE NO. 0213315
LOCATION 2916 Atlantic Avenue, Brooklyn, NY
PROJECT MGR. Z. Shu
CLIENT 2916 Atlantic Ave LLC
CONTRACTOR

Sample ID	Parent Sample ID	Location ID	Sample Date	Sample Time (military)	Sample Type Code	Filtered (Water Only T/D/N)	Composite Y/N	Soil Type	Depth To Top Of Sample	Depth To Bottom Of Sample	C.O.C. Number	Notes	Collected By

Notes:

Common Sample Type Codes:

N Normal Environmental Samp WG Groundwater WS Surface Water SO Soil GS Soil Gas SE Sediment
WQ Water for Quality Control FD Field Duplicate EB Equipment Blank TB Trip Blank MS Matris Spike MSD Matrix Spike Duplicate

see Memorandum dated 08/08/05 from Melanie Satanek "Sample Labeling for Submission to Analytical Laboratory" for less common codes

DAILY FIELD REPORT

Page of

Project	**2916 Atlantic Avenue Redevelopment Site**	**Report No.**	
Location	**2916 Atlantic Avenue, Brooklyn NY**	**Date**	
Client	**2916 Atlantic Ave LLC**	**Page**	of
Contractor		**File No.**	**0213315**
Weather		**Temperature**	

Field Representative(s)	**Time on site**	**Report/Travel/Other**	**Total hours**

Distribution:

Haley & Aldrich, Inc.

HALEY ALDRICH

SOIL BORING LOG

BORING NO.

PROJECT	2916 Atlantic Avenue Redevelopment Site	**PROJECT #**	213315
LOCATION	2916 Atlantic Avenue, Brooklyn NY	**PROJECT MGR.**	Z. Shu
CLIENT	2916 Atlantic Ave LLC	**FIELD REP.**	
CONTRACTOR		**DATE STARTED**	
DRILLER		**DATE FINISHED**	

Elevation ft.	**Datum**	**Boring Location**					
Item	**Casing**	**Sampler**	**Rig Make & Model**			**Hammer Type**	**Drilling Mud**	**Casing Advance**
Type			☐ Truck ☐ Tripod	☐ Cat-Head		☐ Safety	☐ Bentonite	**Type Method Depth**
Inside Diameter (in.)			☐ ATV ☐ Geoprobe	☐ Winch		☐ Doughnut	☐ Polymer	
Hammer Weight (lb.)			☐ Track ☐ Air Track	☐ Roller Bit		☐ Automatic	☐ None	
Hammer Fall (in.)			☐ Skid ☐ Other	☐ Cutting Head		**Drilling Notes:**		

Depth (ft.)	Recovery (in/tot)	PID (ppm)	Sample Depth (ft)	Sample ID	Visual-Manual Identification & Description (Color, primary component NAME, secondary component, optional descriptions, odor, moisture [SYMBOL])	Remarks
0						
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						
27						
28						
29						
30						

Water Level Data

Date	Time	Elapsed Time (hr.)	Depth in feet to: Water

Sample ID

O	Open End Rod
T	Thin Wall Tube
U	Undisturbed Sample
S	Split Spoon Sample
G	Geoprobe

Summary

Overburden (Linear ft.) _____

Rock Cored (Linear ft.) _____

Number of Samples _____

BORING NO.

***NOTE: Maximum Particle Size is determined by direct observation within the limitations of sampler size.**

NOTE: Soil descriptions based on a modified Burmister method of visual-manual identification as practiced by Haley & Aldrich, Inc.

APPENDIX C
GPR Findings Report

JOB SUMMARY REPORT

Order Number:	Work Order #768884	**Job Date:**	Apr 9, 2025 11:13:00 AM
Customer:	140724 H & A OF NEW YORK ENGINEERING AND GEOLOGY LLP	**Billing Address:**	H & A OF NEW YORK ENGINEERING AND GEOLOGY LLP 213 West 35th Street | 7th Floor New York NY 10001 United States

JOB DETAILS

Jobsite Location	2916 Atlantic Avenue, New York, New York, 11207
Work Order Number	Work Order #768884
Job Number	
PO Number	

GPRS Project Manager: Alexander Seodat

Thank you for using GPRS on your project. We appreciate the opportunity to work with you. If you have questions regarding the results of this scanning, please contact the lead GPRS project manager on this project.

EQUIPMENT USED

The following equipment was used on this project:

- **Concrete GPR Antenna:** This GPR Antenna is handheld and rolls over the surface. The device displays scan data on a screen, and the operator marks detected objects on the surface in real-time. The antenna needs a reasonably smooth, unobstructed surface for scanning and cannot scan within 2”-4” of obstructions such as walls and metal tracks. Ideally, the client removes obstacles such as these before our work begins. The total effective scan depth can be as much as 18” or more with this antenna but can vary depending on the concrete conditions, composition, and other factors such as the spacing of the reinforcing. Depth accuracy depends on obtaining a precise depth calibration for the concrete. This device does not emit harmful radiation and can be safely operated while people are in close proximity. For more information, please visit: Link
- **Underground GPR Antenna:** This GPR Antenna uses frequencies ranging from 250 MHz to 450 MHz and is mounted in a stroller frame that rolls over the surface. Data is displayed on a screen and marked in the field in real time. The surface needs to be reasonably smooth and unobstructed to obtain readable scans. Obstructions such as curbs, landscaping, and vegetation will limit the efficacy of GPR. The total effective scan depth can be as much as 8’ or more with this antenna but can vary widely depending on the soil conditions and composition. Some soil types, such as clay, may limit maximum depths to 3’ or less. As depth increases, targets must be larger to be detected, and non-metallic targets can be challenging to locate. The depths provided should always be treated as estimates as their accuracy can be affected by multiple factors. For more information, please visit: Link
- **EM Pipe Locator:** Electromagnetic Pipe and Cable Locator. Detects electromagnetic fields. Used to actively trace conductive pipes and tracer wires, or passively detect power and radio signals traveling along conductive pipes and utilities. For more information, please visit: Link

JOB SUMMARY REPORT


WORK PERFORMED

CONCRETE ANALYSIS	
Client Provided Drawings	No
Scope of Work	GPRS was tasked with clearing eight boring locations at a mechanic shop.
Marking Medium	- Spray Paint
Results Notes	GPRS was tasked with clearing eight boring locations at a mechanic shop. Initially, GPRS used the Concrete GPR Antenna for scanning. However, it only penetrated the slab to a depth of 5 inches, revealing a wire mesh. To gain deeper penetration and locate potential utilities, GPRS switched to the Underground GPR Antenna, which provided a depth penetration of approximately 2 feet. Additionally, the EM Pipe Locator was used to perform electromagnetic grid scans around the perimeter of the proposed boring locations. GPRS cleared the boring locations within a 10 x 10-foot scan area, marking the boundaries with pink spray paint. During passive scanning with the EM Pipe Locator, unknown lines were detected. One of these unknown lines ended with an "EOI" (End of Information) symbol, indicating that the signal was no longer detectable. All unidentified lines were marked with pink spray paint. During a site walk, GPRS observed that all electrical lines were running overhead, not inside the slab, and that water lines were being fed from the street, running above ground. There were also vehicles, car parts, and other objects on the ground during the scan. To ensure more accessible scanning, GPRS adjusted the boring locations. All findings and limitations were discussed on-site with Sebastian. GPRS is unable to conduct GPR scans within 2 feet of any wall or surface obstruction. Clients are advised to maintain a 2-foot clearance from all marked lines on each side when excavating or digging.

JOBSITE IMAGES



Jobsite Photo #1



Jobsite Photo #2




Jobsite Photo #3



Jobsite Photo #4



Jobsite Photo #5




Jobsite Photo #6




Jobsite Photo #7



Jobsite Photo #8



Jobsite Photo #9



Jobsite Photo #10

JOB SUMMARY REPORT

CONTACT / SIGNATURE INFORMATION

Contact Information

Contact Name	Nicole Mooney	**Email**	NMooney@haleyaldrich.com

TERMS & CONDITIONS

http://www.gprsinc.com/termsandconditions.html

APPENDIX D
Quality Assurance Project Plan

HALEY ALDRICH


www.haleyaldrich.com

QUALITY ASSURANCE PROJECT PLAN
2916 ATLANTIC AVENUE REDEVELOPMENT SITE
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

by
H & A of New York Engineering and Geology LLP
New York, New York

for
Blue Sky Builders
Brooklyn, New York

File No. 0213315
June 2025



Executive Summary

This Quality Assurance Project Plan (QAPP) outlines the scope of the quality assurance and quality control (QA/QC) activities associated with the site monitoring activities associated with the Remedial Investigation Work Plan (RIWP) for 2916 Atlantic Avenue (Site) in Brooklyn, New York.

Protocols for sample collection, sample handling and storage, chain-of-custody procedures, and laboratory and field analyses are described herein or specifically referenced to related project documents.

Table of Contents

Page

Executive Summary i
List of Tables v
List of Attachments v

1. Project Description 1

1.1 PROJECT OBJECTIVES 1
1.2 SITE DESCRIPTION AND HISTORY 1
1.3 LABORATORY PARAMETERS 1
1.4 SAMPLING LOCATIONS 2

2. Project Organization and Responsibilities 3

2.1 PROJECT TEAM 3
2.2 MANAGEMENT RESPONSIBILITIES 3
2.3 QUALITY ASSURANCE RESPONSIBILITIES 3
2.3.1 Quality Assurance (QA) Officer 4
2.3.2 Data Validation Staff 4
2.4 LABORATORY RESPONSIBILITIES 4
2.4.1 Laboratory Project Manager 4
2.4.2 Laboratory Operations Manager 4
2.4.3 Laboratory QA Officer 4
2.4.4 Laboratory Sample Custodian 5
2.4.5 Laboratory Technical Personnel 5
2.5 FIELD RESPONSIBILITIES 5
2.5.1 Field Coordinator 5
2.5.2 Field Team Personnel 6

3. Sampling Procedures 7

3.1 SAMPLE CONTAINERS 7
3.2 SAMPLE LABELING 7
3.3 FIELD QC SAMPLE COLLECTION 7
3.3.1 Field Duplicate Sample Collection 7
3.4 GENERAL DECONTAMINATION PROCEDURES 8

4. Custody Procedures 9

4.1 FIELD CUSTODY PROCEDURES 9
4.1.1 Field Procedures 10
4.1.2 Transfer of Custody and Shipment Procedures 10
4.2 LABORATORY CHAIN-OF-CUSTODY PROCEDURES 11
4.3 STORAGE OF SAMPLES 11
4.4 FINAL PROJECT FILES CUSTODY PROCEDURES 11

Table of Contents

		Page
5.	**Calibration Procedures and Frequency**	**13**
5.1	FIELD INSTRUMENT CALIBRATION PROCEDURES	13
5.2	LABORATORY INSTRUMENT CALIBRATION PROCEDURES	13
6.	**Analytical Procedures**	**14**
6.1	FIELD ANALYTICAL PROCEDURES	14
6.2	LABORATORY ANALYTICAL PROCEDURES	14
6.2.1	List of Project Target Compounds and Laboratory Detection Limits	14
6.2.2	List of Method-Specific Quality Control Criteria	14
7.	**Internal Quality Control Checks**	**15**
7.1	FIELD QUALITY CONTROL	15
7.1.1	Field Blanks	15
7.1.2	Trip Blanks	15
7.2	LABORATORY PROCEDURES	15
7.2.1	Field Duplicate Samples	15
7.2.2	Matrix Spike Samples	16
7.2.3	Laboratory Control Sample (LCS) Analyses	16
7.2.4	Surrogate Compound/Internal Standard Recoveries	16
7.2.5	Calibration Verification Standards	17
7.2.6	Laboratory Method Blank Analyses	17
8.	**Data Quality Objectives**	**18**
8.1	PRECISION	18
8.1.1	Definition	18
8.1.2	Field Precision Sample Objectives	18
8.1.3	Laboratory Precision Sample Objectives	18
8.2	ACCURACY	19
8.2.1	Definition	19
8.2.2	Field Accuracy Objectives	19
8.3	LABORATORY ACCURACY OBJECTIVES	19
8.4	REPRESENTATIVENESS	19
8.4.1	Definition	19
8.4.2	Measures to Ensure Representativeness of Field Data	20
8.5	COMPLETENESS	20
8.5.1	Definition	20
8.5.2	Field Completeness Objectives	20
8.5.3	Laboratory Completeness Objectives	20
8.6	COMPARABILITY	20
8.6.1	Definition	20
8.6.2	Measures to Ensure Comparability of Laboratory Data	20

Table of Contents

Page

8.7 LEVEL OF QUALITY CONTROL EFFORT 21

9. Data Reduction, Validation and Reporting 22

9.1 DATA REDUCTION 22
9.1.1 Field Data Reduction Procedures 22
9.1.2 Laboratory Data Reduction Procedures 22
9.1.3 Quality Control Data 22
9.2 DATA VALIDATION 22
9.3 DATA REPORTING 23

10. Performance and System Audits 24

10.1 FIELD PERFORMANCE AND SYSTEM AUDITS 24
10.1.1 Internal Field Audit Responsibilities 24
10.1.2 External Field Audit Responsibilities 24
10.2 LABORATORY PERFORMANCE AND SYSTEM AUDITS 24
10.2.1 Internal Laboratory Audit Responsibilities 24
10.2.2 External Laboratory Audit Responsibilities 25

11. Preventive Maintenance 26

11.1 FIELD INSTRUMENT PREVENTIVE MAINTENANCE 26
11.2 LABORATORY INSTRUMENT PREVENTIVE MAINTENANCE 26

12. Specific Routine Procedures Used to Assess Data Precision, Accuracy, and Completeness 27

12.1 FIELD MEASUREMENTS 27
12.2 LABORATORY DATA 27

13. Quality Assurance (QA) Reports 29

References 30

TABLE 1
ATTACHMENT A 2
PROJECT TEAM RESUMES 2

List of Tables

Table No.	Title
I	Summary of Analysis Method, Preservation Method, Holding Time, Sample Size Requirements and Sample Containers

List of Attachments

Attachment	Title
A	Project Team Resumes

1. Project Description

This Quality Assurance Project Plan (QAPP) has been prepared as a component of the RIWP for the property located at 2916 Atlantic Avenue in Brooklyn, New York (the "Site").

1.1 PROJECT OBJECTIVES

The primary objective for data collection activities is to collect sufficient data necessary to monitor the nature of any remaining groundwater and soil impacts.

1.2 SITE DESCRIPTION AND HISTORY

The general Site description and Site history are provided in the Site Description and History Summary that accompanies the RIWP appended to the Brownfield Cleanup Program (BCP) Application for the Site and incorporated herein by reference.

1.3 LABORATORY PARAMETERS

The laboratory parameters for soil include:

- Target Compound List (TCL) volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (USEPA) Methods 8260C/5035
- TCL semi-volatile organic compounds (SVOCs) using USEPA Method 8270D
- Total Analyte List (TAL) metals (including hexavalent chromium and cyanide) using USEPA Method 6010C
- Polychlorinated biphenyls (PCBs) using USEPA method 8082A
- TCL pesticides and herbicides using USEPA Methods 8081B and 8151A for historic fill samples, respectively
- Per- and polyfluoroalkyl substances (PFAS) using USEPA method 1633
- 1,4-dioxane using USEPA method 8270 SIM

The laboratory parameters for groundwater include:

- TCL VOCs using USEPA Method 8260B
- TCL SVOCs using USEPA Method 8270C
- TAL metals (including hexavalent chromium and cyanide) using USEPA Methods 6010/7471
- PCBs using USEPA Method 8082
- Pesticides and herbicides by USEPA Methods 8081B and 8151A, respectively
- PFAS using USEPA Method 1633
- 1,4-dioxane using USEPA Method 8270D SIM isotope dilution

Note: PFAS will be collected in accordance with the NYSDEC, Division of Environmental Remediation, Sampling, Analysis and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) under NYSDEC Part 375 Remedial Program, April 2023.

During the collection of groundwater samples, pH, specific conductivity, temperature, dissolved oxygen (DO), and oxidation/reduction potential (ORP) will be measured until stabilized.

The laboratory parameter for soil vapor and ambient air includes:

- VOCs using USEPA Method TO-15

Laboratory parameters for disposal samples will be determined by the disposal facility after an approved facility has been determined.

1.4 SAMPLING LOCATIONS

The RIWP provides the locations of soil borings, soil vapor points, ambient air locations, and groundwater monitoring wells that will be sampled.

2. Project Organization and Responsibilities

This section defines the roles and responsibilities of the individuals who will perform the RIWP monitoring activities. A New York State Department of Health (NYSDOH)-certified analytical laboratory will perform the analyses of environmental samples collected at the Site.

2.1 PROJECT TEAM

The following project personnel are anticipated for oversight of the RIWP implementation. Applicable Project personnel resumes are provided in Appendix G of the RAWP. Project team resumes are included in Attachment A.

NYSDEC Case Manager	
NYSDOH Case Manager	
Remediation Engineer	Suzanne M. Bell
Qualified Environmental Professional (QEP)	Mari C. Conlon
Project Manager	Zhan Shu
Haley & Aldrich of New York* Health & Safety Director	Brian Fitzpatrick
Health & Safety Officer (HSO)	Brian Ferguson
Quality Assurance Officer	Nicole Mooney

** H & A of New York Engineering and Geology, LLP = Haley & Aldrich of New York*

2.2 MANAGEMENT RESPONSIBILITIES

The Project Manager is responsible for managing the implementation of the RIWP and monitoring and coordinating the collection of data. The Project Manager is responsible for technical quality control (QC) and project oversight. The Project Manager's responsibilities include the following:

- Acquire and apply technical and corporate resources as needed to ensure performance within budget and schedule restraints;
- Review work performed to ensure quality, responsiveness, and timeliness;
- Communicate with the client point of contact concerning the progress of the monitoring activities;
- Assure corrective actions are taken for deficiencies cited during audits of RIWP monitoring activities; and
- Overall Site Health and Safety Plan (HASP) compliance.

2.3 QUALITY ASSURANCE RESPONSIBILITIES

The Quality Assurance (QA) team will consist of a Quality Assurance Officer and the Data Validation staff. QA responsibilities are described as follows:

2.3.1 Quality Assurance (QA) Officer

The QA Officer reports directly to the Project Manager and will be responsible for overseeing the review of field and laboratory data. Additional responsibilities include the following:

- Assure the application and effectiveness of the QAPP by the analytical laboratory and the project staff;
- Provide input to the Project Manager as to corrective actions that may be required as a result of the above-mentioned evaluations;
- Prepare and/or review data validation and audit reports.

The QA Officer will be assisted by the data validation staff in the evaluation and validation of field and laboratory-generated data.

2.3.2 Data Validation Staff

The Data Validation staff will be independent of the laboratory and familiar with the analytical procedures performed. The validation will include a review of each validation criterion as prescribed by the guidelines presented in Section 9.2 of this document and will be presented in a Data Usability Summary Report (DUSR) for submittal to the QA Officer.

2.4 LABORATORY RESPONSIBILITIES

The Environmental Laboratory Approval Program (ELAP)-approved laboratory to be used will be Alpha Analytical, located in Westborough, Massachusetts. Laboratory services in support of the RIWP monitoring include the following personnel:

2.4.1 Laboratory Project Manager

The Laboratory Project Manager will report directly to the QA Officer and Project Manager and will be responsible for ensuring all resources of the laboratory are available on an as-required basis. The Laboratory Project Manager will also be responsible for the approval of the final analytical reports.

2.4.2 Laboratory Operations Manager

The Laboratory Operations Manager will report to the Laboratory Project Manager and will be responsible for coordinating laboratory analysis, supervising in-house chain-of-custody reports, scheduling sample analyses, overseeing data review, and overseeing the preparation of analytical reports.

2.4.3 Laboratory QA Officer

The Laboratory QA Officer will have sole responsibility for the review and validation of the analytical laboratory data. The Laboratory QA Officer will provide Case Narrative descriptions of any data quality issues encountered during the analyses conducted by the laboratory. The QA Officer will also define appropriate QA procedures, overseeing QA/QC documentation.

2.4.4 Laboratory Sample Custodian

The Laboratory Sample Custodian will report to the Laboratory Operations Manager and will be responsible for the following:

- Receive and inspect the incoming sample containers;
- Record the condition of the incoming sample containers;
- Sign appropriate documents;
- Verify chain-of-custody and its correctness;
- Notify the Project Manager and Operations Manager of sample receipt and inspection;
- Assign a unique identification number and enter each into the sample receiving log;
- Initiate transfer of samples to laboratory analytical sections; and
- Control and monitor access/storage of samples and extracts.

2.4.5 Laboratory Technical Personnel

The laboratory technical staff will have the primary responsibility for the performance of sample analysis and the execution of the QA procedures developed to determine the data quality. These activities will include the proper preparation and analysis of the project samples in accordance with the laboratory's Quality Assurance Manual (QAM) and associated Standard Operating Procedures (SOPs).

2.5 FIELD RESPONSIBILITIES

2.5.1 Field Coordinator

The Field Coordinator is responsible for the overall operation of the field team and reports directly to the Project Manager. The Field Coordinator works with the project HSO to conduct operations in compliance with the project HASP. The Field Coordinator will facilitate communication and coordinate efforts between the Project Manager and the field team members.

Other responsibilities include the following:

- Develop and implement field-related work plans, ensuring schedule compliance and adhering to management-developed project requirements;
- Coordinate and manage field staff;
- Perform field system audits;
- Oversee QC for technical data provided by the field staff;
- Prepare and approve text and graphics required for field team efforts;
- Coordinate and oversee technical efforts of subcontractors assisting the field team;
- Identify problems in the field; resolve difficulties in consultation with the Project QA Officer and Project Manager; implement and document corrective action procedures; and,
- Participate in preparation of the final reports.

2.5.2 Field Team Personnel

Field Team Personnel will be responsible for the following:

- Perform field activities as detailed in the RIWP and in compliance with the Field Sampling Plan (FSP) and QAPP.
- Immediately report any accidents and/or unsafe conditions to the Site HSO and take reasonable precautions to prevent injury.

3. Sampling Procedures

The FSP in the NYSDEC-approved RIWP provides the SOPs for sampling required by the RAWP. Sampling will be conducted in general accordance with the New York State Department of Conservation (NYSDEC) Technical Guidance for Site Investigation and Remediation (Division of Environmental Remediation [DER]-10) and the Sampling, Analysis and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) under NYSDEC Part 375 Remedial Program (April 2023) when applicable.

3.1 SAMPLE CONTAINERS

Sample containers for each sampling task will be provided by the laboratory performing the analysis. The containers will be cleaned by the manufacturer to meet or exceed the analyte specifications established in the USEPA, "Specifications and Guidance for Obtaining Contaminant-Free Sample Containers," April 1992, OSWER Directive #9240.0-0.5A. Certificates of analysis for each lot of sample containers used will be maintained by the laboratory.

The appropriate sample containers, preservation method, maximum holding times, and handling requirements for each sampling task are provided in Table I.

3.2 SAMPLE LABELING

Each sample will be labeled with a unique sample identifier that will facilitate tracking and cross-referencing of sample information. Equipment rinse blank and field duplicate samples will also be numbered with a unique sample identifier to prevent analytical bias of field QC samples.

Refer to the FSP for the sample labeling procedures.

3.3 FIELD QC SAMPLE COLLECTION

3.3.1 Field Duplicate Sample Collection

3.3.1.1 Water Samples

Field duplicate samples will be collected by filling the first sample container to the proper level and sealing and then repeating for the second set of sample containers.

1. The samples are properly labeled as specified in Section 3.2.
2. Steps 1 through 4 are repeated for the bottles for each analysis. The samples are collected in order of decreasing analyte volatility as detailed in Section 3.3.1.
3. Chain-of-custody documents are executed.
4. The samples will be handled as specified in Table I.

3.3.1.2 Soil Samples

Soil field duplicates will be collected as specified in the following procedure:

1. Soils will be sampled directly from acetate liners.
2. Soil for VOC analysis will be removed from the sampling device as specified in the FSP.
3. Soil for non-VOC analysis will be removed from the sampling device and collected into clean laboratory-provided containers.

3.4 GENERAL DECONTAMINATION PROCEDURES

Care must be taken to minimize the potential for transfer of contaminated materials to the ground or onto other materials. Regardless of the size or nature of the equipment being decontaminated, the process will utilize a series of steps that involve removal of gross material (dirt, grease, oil, etc.), washing with a detergent, and multiple rinsing steps. In lieu of a series of wash and rinse steps, steam cleaning with low-volume, high-pressure equipment (i.e., steam cleaner) is acceptable.

Exploration equipment, and all monitoring equipment in contact with the sampling media must be decontaminated prior to initiating site activities, in between exploration locations to minimize cross contamination, and prior to mobilizing off the Site after completion of site work.

The following specific decontamination procedure is recommended for sampling equipment and tools:

- Brush loose soil off equipment;
- Wash equipment with laboratory grade detergent (i.e., Alconox or equivalent);
- Rinse with tap water;
- Rinse equipment with distilled water;
- Allow water to evaporate before reusing equipment; and
- Wrap equipment in aluminum foil when not being used.

4. Custody Procedures

Sample custody is addressed in three parts: field sample collection, laboratory analysis, and final project files. Custody of a sample begins when it is collected by or transferred to an individual and ends when that individual relinquishes or disposes of the sample.

A sample is under custody if:

1. The item is in actual possession of a person;
2. The item is in the view of the person after being in actual possession of the person;
3. The item was in actual possession and subsequently stored to prevent tampering; or
4. The item is in a designated and identified secure area.

4.1 FIELD CUSTODY PROCEDURES

Field personnel will keep written records of field activities on applicable preprinted field forms or in a bound field notebook to record data collecting activities. These records will be written legibly in ink and will contain pertinent field data and observations. Entry errors or changes will be crossed out with a single line, dated, and initialed by the person making the correction. Field forms and notebooks will be periodically reviewed by the Field Coordinator.

The beginning of each entry in the logbook or preprinted field form will contain the following information:

- Date
- Start time
- Weather
- Names of field personnel (including subcontractors)
- Level of personal protection used at the Site
- Names of all visitors and the purpose of their visit.

For each measurement and sample collected, the following information will be recorded:

- Detailed description of sample location,
- Equipment used to collect the sample or make the measurement and the date equipment was calibrated,
- Time sample was collected,
- Description of the sample conditions,
- Depth sample was collected (if applicable),
- Volume and number of containers filled with the sample; and,
- Sampler's identification.

4.1.1 Field Procedures

The following procedure describes the process to maintain the integrity of the samples:

- Upon collection, samples are placed in the proper containers. In general, samples collected for organic analysis will be placed in pre-cleaned glass containers, and samples collected for inorganic analysis will be placed in pre-cleaned plastic (polyethylene) bottles. Refer to the FSP for sample packaging procedures.
- Samples will be assigned a unique sample number and will be affixed to a sample label. Refer to the FSP for sample labeling procedures.
- Samples will be properly and appropriately preserved by field personnel in order to minimize loss of the constituent(s) of interest due to physical, chemical, or biological mechanisms.
- Appropriate volumes will be collected to ensure that the appropriate reporting limits can be successfully achieved and that the required QC sample analyses can be performed.

4.1.2 Transfer of Custody and Shipment Procedures

- A chain-of-custody record will be completed at the time of sample collection and will accompany each shipment of project samples to the laboratory. The field personnel collecting the samples will be responsible for the custody of the samples until the samples are relinquished to the laboratory. Sample transfer will require the individuals relinquishing and receiving the samples to sign, date, and note the time of sample transfer on the chain-of-custody record.
- Samples will be shipped or delivered in a timely fashion to the laboratory so that holding times and/or analysis times as prescribed by the methodology can be met.
- Samples will be transported in containers (coolers) which will maintain the refrigeration temperature for those parameters for which refrigeration is required in the prescribed preservation protocols.
- Samples will be placed in an upright position and limited to one layer of samples per cooler. Additional bubble wrap or packaging material will be added to fill the cooler. Shipping containers will be secured with strapping tape and custody tape for shipment to the laboratory.
- When samples are split with the NYSDEC representatives, a separate chain-of-custody will be prepared and marked to indicate with whom the samples are shared. The person relinquishing the samples will require the representative's signature acknowledging sample receipt.
- If samples are sent by a commercial carrier, a bill of lading will be used. A copy of the bill of lading will be retained as part of the permanent record. Commercial carriers will not sign the custody record as long as the custody record is sealed inside the sample cooler and the custody tape remains intact.
- Samples will be picked up by a laboratory courier or transported to the laboratory the same day they are collected, unless collected on a weekend or holiday. In these cases, the samples will be stored in a secure location until delivery to the laboratory. Additional ice will be added to the cooler as needed to maintain proper preservation temperatures.

4.2 LABORATORY CHAIN-OF-CUSTODY PROCEDURES

A Sample Custodian will be designated by the laboratory and will have the responsibility to receive all incoming samples. Once received, the custodian will document if the sample is received in good condition (i.e., unbroken, cooled, etc.) and that the associated paperwork, such as chain-of-custody forms, has been completed. The custodian will sign the chain-of-custody forms.

The custodian will also document if sufficient sample volume has been received to complete the analytical program. The Sample Custodian will then place the samples into secure, limited-access storage (refrigerated storage, if required). The Sample Custodian will assign a unique number to each incoming sample for use in the laboratory. The unique number will then be entered into the sample-receiving log, with the verified time and date of receipt also noted.

Consistent with the analyses requested on the chain-of-custody form, analyses by the laboratory's analysts will begin in accordance with the appropriate methodologies. Samples will be removed from secure storage with internal chain-of-custody sign-out procedures followed.

4.3 STORAGE OF SAMPLES

Empty sample bottles will be returned to secure and limited-access storage after the available volume has been consumed by the analysis. Upon completion of the entire analytical work effort, samples will be disposed of by the Sample Custodian. The length of time that samples are held will be at least 30 days after reports have been submitted. Disposal of remaining samples will be completed in compliance with all federal, state, and local requirements.

4.4 FINAL PROJECT FILES CUSTODY PROCEDURES

The final project files will be the central repository for all documents with information relevant to sampling and analysis activities as described in this QAPP. The Haley & Aldrich of New York Project Manager will be the custodian of the project file. The project files, including all relevant records, reports, logs, field notebooks, pictures, subcontractor reports, and data reviews, will be maintained in a secured, limited-access area and under custody of the Project Director or his designee.

The final project file will include the following:

- Project plans and drawings
- Field data records
- Sample identification documents and soil boring/monitoring well logs
- All chain-of-custody documentation
- Correspondence
- References, literature
- Laboratory data deliverables
- Data validation and assessment reports
- Progress reports, QA reports

- Final report

The laboratory will be responsible for maintaining analytical logbooks, laboratory data, and sample chain of custody documents. Raw laboratory data files and copies of hard copy reports will be inventoried and maintained by the laboratory for a period of six years, at which time the laboratory will contact the Haley & Aldrich of New York Project Manager regarding the disposition of the project-related files.

5. Calibration Procedures and Frequency

5.1 FIELD INSTRUMENT CALIBRATION PROCEDURES

Several field instruments will be used for both on-Site screening of samples and for health and safety monitoring, as described in the HASP. On-Site air monitoring for health and safety purposes may be accomplished using a vapor detection device, such as a photoionization detector (PID).

Field instruments will be calibrated at the beginning of each day or as per manufacturer's recommendation and checked during field activities to verify performance. Instrument-specific calibration procedures will be performed in accordance with the instrument manufacturer's requirements.

5.2 LABORATORY INSTRUMENT CALIBRATION PROCEDURES

Reference materials of known purity and quality will be utilized for the analysis of environmental samples. The laboratory will carefully monitor the preparation and use of reference materials, including solutions, standards, and reagents through well-documented procedures.

All solid chemicals and acids/bases used by the laboratory will be rated as "reagent grade" or better. All gases will be "high" purity or better. All Standard Reference Materials (SRMs) or Performance Evaluation (PE) materials will be obtained from approved vendors of the National Institute of Standards and Technology (NIST; formerly National Bureau of Standards), the USEPA Environmental Monitoring Support Laboratories (EMSL), or reliable Cooperative Research and Development Agreement (CRADA)-certified commercial sources.

6. Analytical Procedures

Analytical procedures to be utilized for analysis of environmental samples will be based on referenced USEPA analytical protocols and/or project-specific SOP.

6.1 FIELD ANALYTICAL PROCEDURES

Field analytical procedures include the measurement of pH, temperature, ORP, DO, and specific conductivity during sampling of groundwater, and the qualitative measurement of VOCs during the collection of soil samples.

6.2 LABORATORY ANALYTICAL PROCEDURES

Laboratory analyses will be based on the USEPA methodology requirements promulgated in:

> "Test Methods for Evaluating Solid Waste," SW-846 EPA, Office of Solid Waste, and promulgated updates, 1986.

6.2.1 List of Project Target Compounds and Laboratory Detection Limits

The laboratory reporting limits (RLs) and associated method detection limits (MDLs) for the target analytes and compounds for the environmental media to be analyzed are presented in Table I. MDLs have been experimentally determined by the project laboratory using the method provided in 40 CFR, Part 136, Appendix B.

Laboratory parameters for soil samples are listed in the RIWP. Laboratory parameters for disposal samples will be determined by the disposal facility after an approved facility has been determined.

6.2.2 List of Method-Specific Quality Control Criteria

The laboratory SOPs include a section that presents the minimum QC requirements for the project analyses. Section 7 references the frequency of the associated QC samples for each sampling effort and matrix.

7. Internal Quality Control Checks

This section presents the internal quality control checks that will be employed for field and laboratory measurements.

7.1 FIELD QUALITY CONTROL

7.1.1 Field Blanks

Internal QC checks will include analysis of field blanks to validate equipment cleanliness. Whenever possible, dedicated equipment will be employed to reduce the possibility of cross-contamination of samples.

7.1.2 Trip Blanks

Trip blanks samples will be prepared by the project laboratory using ASTM Type II or equivalent water placed within pre-cleaned 40-milliliter (mL) VOC vials equipped with Teflon™ septa. Trip blanks will accompany each sample delivery group (SDG) of environmental samples collected for analysis of VOCs.

Trip blank samples will be placed in each cooler that stores and transports project samples that are to be analyzed for VOCs.

7.2 LABORATORY PROCEDURES

Procedures that contribute to the maintenance of overall laboratory QA/QC include appropriately cleaned sample containers, proper sample identification and logging, applicable sample preservation, storage, and analysis within prescribed holding times, and use of controlled materials.

7.2.1 Field Duplicate Samples

The precision or reproducibility of the data generated will be monitored through the use of field duplicate samples. Field duplicate analysis will be performed at a frequency of one in 20 project samples.

Precision will be measured in terms of the absolute value of the relative percent difference (RPD) as expressed by the following equation:

$$RPD = [|R1-R2|/[(R1+R2)/2]] \; X \; 100\%$$

Acceptance criteria for duplicate analyses performed on solid matrices will be 100 percent and aqueous matrices will be 35 percent. RPD values outside these limits will require an evaluation of the sampling and/or analysis procedures by the project QA Officer and/or laboratory QA Director. Corrective actions may include re-analysis of additional sample aliquots and/or qualification of the data for use.

7.2.2 Matrix Spike Samples

Ten percent of each project sample matrix for each analytical method performed will be spiked with known concentrations of the specific target compounds/analytes.

The amount of the compound recovered from the sample compared to the amount added will be expressed as a percent recovery. The percent recovery of an analyte is an indication of the accuracy of an analysis within the site-specific sample matrix. Percent recovery will be calculated for matrix spike/matrix spike duplicate (MS/MSD) using the following equation.

$$\%\ Recovery = \frac{Spiked\ Sample - Background}{Known\ Value\ of\ Spike} x100\%$$

If the QC value falls outside the control limits (UCL or LCL) due to sample matrix effects, the results will be reported with appropriate data qualifiers. To determine the effect a non-compliant MS recovery has on the reported results, the recovery data will be evaluated as part of the validation process.

7.2.3 Laboratory Control Sample (LCS) Analyses

The laboratory will perform LCS analyses prepared from SRMs. The SRMs will be supplied from an independent manufacturer and traceable to NIST materials with known concentrations of each target analyte to be determined by the analytical methods performed. In cases where an independently supplied SRM is not available, the LCS may be prepared by the laboratory from a reagent lot other than that used for instrument calibration.

The laboratory will evaluate LCS analyses in terms of percent recovery using the most recent laboratory-generated control limits.

LCS recoveries that do not meet acceptance criteria will be deemed invalid. Analysis of project samples will cease until an acceptable LCS analysis has been performed. If sample analysis is performed in association with an out-of-control LCS sample analysis, the data will be deemed invalid.

Corrective actions will be initiated by the Haley & Aldrich of New York QA Officer and/or Laboratory QA Officer to investigate the problem. After the problem has been identified and corrected, the solution will be noted in the instrument run logbook, and re-analysis of project samples will be performed, if possible.

The analytical anomaly will be noted in the SDG Case Narrative and reviewed by the Data Validator. The Data Validator will confirm that appropriate corrective actions were implemented and recommend the applicable use of the affected data.

7.2.4 Surrogate Compound/Internal Standard Recoveries

For VOCs, surrogates will be added to each sample prior to analysis to establish purge and trap efficiency. Quantitation will be accomplished via internal standardization techniques.

The recovery of surrogate compounds and internal standards will be monitored by laboratory personnel to assess possible Site-specific matrix effects on instrument performance.

For semi-volatile organics analyses, surrogates will be added to the raw sample to assess extraction efficiency. Internal standards will be added to all sample extracts and instrument calibration standards immediately before analysis for quantitation via internal standardization techniques.

Method-specific QC limits are provided in the attached laboratory method SOPs. Surrogate compound/internal standard recoveries that do not fall within accepted QC limits for the analytical methodology performed will have the analytical results flagged with data qualifiers as appropriate by the laboratory and will not be noted in the laboratory report Case Narrative.

To ascertain the effect non-compliant surrogate compound/internal standard recoveries may have on the reported results, the recovery data will be evaluated as part of the validation process. The Data Validator will provide recommendations for corrective actions, including but not limited to additional data qualification.

7.2.5 Calibration Verification Standards

Calibration verification (CV) standards will be utilized to confirm instrument calibrations and performance throughout the analytical process. CV standards will be prepared as prescribed by the respective analytical protocols. Continuing calibration will be verified by compliance with method-specific criteria prior to additional analysis of project samples.

Non-compliant analysis of CV standards will require immediate corrective action by the project Laboratory QA Officer and/or designated personnel. Corrective action may include re-analysis of each affected project sample, a detailed description of the problem, the corrective action undertaken, the person who performed the action, and the resolution of the problem.

7.2.6 Laboratory Method Blank Analyses

Method blank sample analysis will be performed as part of each analytical batch for each methodology performed. If target compounds are detected in the method blank samples, the reported results will be flagged by the laboratory in accordance with standard operating procedures. The Data Validator will provide recommendations for corrective actions, including but not limited to additional data qualification.

8. Data Quality Objectives

Sampling that will be performed as described in the RIWP is designed to produce data of the quality necessary to achieve the minimum standard requirements of the field and laboratory analytical objectives described below. These data are being obtained with the primary objective of assessing levels of contaminants of concern associated with the Site.

The overall project data quality objective (DQO) is to implement procedures for field data collection, sample collection, handling, laboratory analysis, and reporting that achieve the project objectives. The following section is a general discussion of the criteria that will be used to measure achievement of the project DQO.

8.1 PRECISION

8.1.1 Definition

Precision is defined as a quantitative measure of the degree to which two or more measurements are in agreement. Precision will be determined by collecting and analyzing field duplicate samples and by creating and analyzing laboratory duplicates from one or more of the field samples. The overall precision of measurement data is a mixture of sampling and analytical factors. The analytical results from the field duplicate samples will provide data on sampling precision. The results from duplicate samples created by the laboratory will provide data on analytical precision. The measurement of precision will be stated in terms of RPD.

8.1.2 Field Precision Sample Objectives

Field precision will be assessed through collection and measurement of field duplicate samples at a rate of one duplicate per 20 investigative samples. The RPD criteria for the project field duplicate samples will be +/- 100 percent for soil and +/- 35 percent for groundwater for parameters of analysis detected at concentrations greater than five times the laboratory RL.

8.1.3 Laboratory Precision Sample Objectives

Laboratory precision will be assessed through the analysis of LCS and laboratory control duplicate samples (LCSD) and MS/MSD samples for groundwater and soil samples, and the analysis of laboratory duplicate samples for air and soil vapor samples. Air and soil vapor laboratory duplicate sample analyses will be performed by analyzing the same SUMMA canister twice. The RPD criteria for the air/soil vapor laboratory duplicate samples will be +/- 35 percent for parameters of analysis detected at concentrations greater than five times the laboratory RL.

8.2 ACCURACY

8.2.1 Definition

Accuracy relates to the bias in a measurement system. Bias is the difference between the observed and the "true" value. Sources of error are the sampling process, field contamination, preservation techniques, sample handling, sample matrix, sample preparation, and analytical procedure limitations.

8.2.2 Field Accuracy Objectives

Sampling bias will be assessed by evaluating the results of field equipment rinse and trip blanks. Equipment rinse and trip blanks will be collected as appropriate based on sampling and analytical methods for each sampling effort.

If non-dedicated sampling equipment is used, equipment rinse blanks will be collected by passing ASTM Type II water over and/or through the respective sampling equipment utilized during each sampling effort. One equipment rinse blank will be collected for each type of non-dedicated sampling equipment used for the sampling effort. Equipment rinse blanks will be analyzed for each target parameter for the respective sampling effort for which environmental media have been collected. Note: If dedicated or disposable sampling equipment is used, equipment rinse samples will not be collected as part of that field effort.

Trip blank samples will be prepared by the laboratory and provided with each shipping container that includes containers for the collection of groundwater samples for the analysis of VOC. Trip blank samples will be analyzed for each VOC for which groundwater samples have been collected for analysis.

8.3 LABORATORY ACCURACY OBJECTIVES

Analytical bias will be assessed through the use of LCS and Site-specific MS sample analyses. LCS analyses will be performed with each analytical batch of project samples to determine the accuracy of the analytical system.

One set of MS/MSD analyses will be performed with each batch of 20 project samples collected for analysis to assess the accuracy of the identification and quantification of analytes within the Site-specific sample matrices. Additional sample volume will be collected at sample locations selected for the preparation of MS/MSD samples so that the standard laboratory RLs are achieved.

The accuracy of analyses that include a sample extraction procedure will be evaluated through the use of system monitoring or surrogate compounds. Surrogate compounds will be added to each sample, standard, blank, and QC sample prior to sample preparation and analysis. Surrogate compound percent recoveries will provide information on the effect of the sample matrix on the accuracy of the analyses.

8.4 REPRESENTATIVENESS

8.4.1 Definition

Representativeness expresses the degree to which sample data represent a characteristic of a population, a parameter variation at a sampling point, or an environmental condition.

Representativeness is a qualitative parameter that is dependent upon the design of the sampling program. The representativeness criterion is satisfied through the proper selection of sampling locations, the quantity of samples, and the use of appropriate procedures to collect and analyze the samples.

8.4.2 Measures to Ensure Representativeness of Field Data

Representativeness will be addressed by prescribing sampling techniques and the rationale used to select sampling locations. Sampling locations may be biased (based on existing data, instrument surveys, observations, etc.) or unbiased (completely random or stratified-random approaches).

8.5 COMPLETENESS

8.5.1 Definition

Completeness is a measure of the amount of valid (usable) data obtained from a measuring system compared to the total amount anticipated to be obtained. The completeness goal for all data uses is that a sufficient amount of valid data be generated so that determinations can be made related to the intended data use with a sufficient degree of confidence.

8.5.2 Field Completeness Objectives

Completeness is a measure of the amount of valid measurements obtained from measurements taken in this project versus the number planned. Field completeness objective for this project will be greater than 90 percent.

8.5.3 Laboratory Completeness Objectives

Laboratory data completeness objective is a measure of the amount of valid data obtained from laboratory measurements. The evaluation of the data completeness will be performed at the conclusion of each sampling and analysis effort.

The completeness of the data generated will be determined by comparing the amount of valid data, based on independent validation, with the total laboratory data set. The completeness goal will be greater than 90 percent.

8.6 COMPARABILITY

8.6.1 Definition

Comparability is a qualitative parameter expressing the confidence with which one data set can be compared to another.

8.6.2 Measures to Ensure Comparability of Laboratory Data

Comparability of laboratory data will be measured from the analysis of SRMs obtained from either USEPA CRADA suppliers or the NIST. The reported analytical data will also be presented in standard units

of mass of contaminant within a known volume of environmental media. The standard units for various sample matrices are as follows:

- Solid Matrices – milligrams per kilogram (mg/kg) of media (Dry Weight).
- Aqueous Matrices – nanograms per liter (ng/L) for PFAS analyses, micrograms per liter (µg/L) of media for organic analyses, and milligrams per liter (mg/L) for inorganic analyses.

8.7 LEVEL OF QUALITY CONTROL EFFORT

If non-dedicated sampling equipment is used, equipment rinse blanks will be prepared by field personnel and submitted for analysis of target parameters. Equipment rinse blank samples will be analyzed to check for potential cross-contamination between sampling locations that may be introduced during the investigation. One equipment rinse blank will be collected per sampling event to the extent that non-dedicated sampling equipment is used.

If necessary, a separate equipment rinse blank sample will be collected for PFAS using the sample collection procedure described in Section 8.1.1 of the NYSDEC-approved FSP. Note: If dedicated or disposable sampling equipment is used, equipment rinse samples will not be collected as part of that field effort.

Trip blanks will be used to assess the potential for contamination during sample storage and shipment. Trip blanks will be provided with the sample containers to be used for the collection of groundwater samples for the analysis of VOC. Trip blanks will be preserved and handled in the same manner as the project samples. One trip blank will be included along with each shipping container containing project samples to be analyzed for VOC.

Method blank samples will be prepared by the laboratory and analyzed concurrently with all project samples to assess potential contamination introduced during the analytical process.

Field duplicate samples will be collected and analyzed to determine sampling and analytical reproducibility. One field duplicate will be collected for every 20 or fewer investigative samples collected for off-Site laboratory analysis.

MS will provide information to assess the precision and accuracy of the analysis of the target parameters within the environmental media collected. One MS/MSD will be collected for every 20 or fewer investigative samples per sample matrix.

Note: Soil MS/MSD samples require triple sample volume for VOC only. Aqueous MS/MSD samples require triple the normal sample volume for VOC analysis and double the volume for the remaining parameters.

9. Data Reduction, Validation and Reporting

Data generated by the laboratory operation will be reduced and validated prior to reporting in accordance with the following procedures:

9.1 DATA REDUCTION

9.1.1 Field Data Reduction Procedures

Field data reduction procedures will be minimal in scope compared to those implemented in the laboratory setting. The pH, conductivity, temperature, turbidity, DO, ORP, and breathing zone VOC readings collected in the field will be generated from direct read instruments. The data will be written into field logbooks immediately after measurements are taken. If errors are made, data will be legibly crossed out, initialed and dated by the field member, and corrected in a space adjacent to the original entry.

9.1.2 Laboratory Data Reduction Procedures

Laboratory data reduction procedures are provided by the appropriate chapter of USEPA, “Test Methods for Evaluating Solid Waste,” SW-846, Third Edition. Errors will be noted, and corrections made with the original notations crossed out legibly. Analytical results for soil samples will be calculated and reported on a dry weight basis.

9.1.3 Quality Control Data

QC data (e.g., laboratory duplicates, surrogates, MS, MSD) will be compared to the method acceptance criteria. Data determined to be acceptable will be entered into the laboratory information management system.

Unacceptable data will be appropriately qualified in the project report. Case Narratives will be prepared, which will include information concerning data that fell outside acceptance limits and any other anomalous conditions encountered during sample analysis.

9.2 DATA VALIDATION

Data validation procedures of the analytical data will be performed by the Haley & Aldrich of New York QA Officer or designee using the following documents as guidance for the review process:

- "U.S. EPA National Functional Guidelines for Organic Data Review,” and the "U.S. EPA National Functional Guidelines for Inorganic Data Review."
- The specific data qualifiers used will be applied to the reported results as presented and defined in the USEPA National Functional Guidelines. Validation will be performed by qualified personnel at the direction of the Haley & Aldrich of New York QA Officer.
- The completeness of each data package will be evaluated by the Data Validator. Completeness checks will be administered on all data to determine that the deliverables are consistent with the NYSDEC ASP Category A and Category B data package requirements. The validator will

determine whether the required items are present and request copies of missing deliverables (if necessary) from the laboratory.

9.3 DATA REPORTING

Data reporting procedures will be carried out for field and laboratory operations as indicated below:

- Field Data Reporting: Field data reporting will be conducted principally through the transmission of report sheets containing tabulated results of measurements made in the field and documentation of field calibration activities.
- Laboratory Data Reporting: The laboratory data reporting package will enable data validation based on the protocols described above. The final laboratory data report format will include the QA/QC sample analysis deliverables to enable the development of a DUSR based on Department DER-10 Appendix 2B.

10. Performance and System Audits

A performance audit is an independent quantitative comparison with data routinely obtained in the field or the laboratory. Performance audits include two separate, independent parts: internal and external audits.

10.1 FIELD PERFORMANCE AND SYSTEM AUDITS

10.1.1 Internal Field Audit Responsibilities

Internal audits of field activities will be initiated at the discretion of the Project Manager and will include the review of sampling and field measurements. The audits will verify that all procedures are being followed. Internal field audits will be conducted periodically during the project. The audits will include examination of the following:

- Field sampling records, screening results, instrument operating records
- Sample collection
- Handling and packaging in compliance with procedures
- Maintenance of QA procedures
- Chain-of-custody reports

10.1.2 External Field Audit Responsibilities

External audits may be conducted by the Project Coordinator at any time during the field operations. These audits may or may not be announced and are at the discretion of the NYSDEC. The external field audits can include (but are not limited to) the following:

- Sampling equipment decontamination procedures
- Sample bottle preparation procedures
- Sampling procedures
- Examination of health and safety plans
- Procedures for verification of field duplicates
- Field screening practices

10.2 LABORATORY PERFORMANCE AND SYSTEM AUDITS

10.2.1 Internal Laboratory Audit Responsibilities

The laboratory system audits are typically conducted by the laboratory QA Officer or designee on an annual basis. The system audit will include an examination of laboratory documentation, including sample receiving logs, sample storage, chain-of-custody procedures, sample preparation and analysis, and instrument operating records.

At the conclusion of internal system audits, reports will be provided to the laboratory's operating divisions for appropriate comment and remedial/corrective action where necessary. Records of audits and corrective actions will be maintained by the Laboratory QA Officer.

10.2.2 External Laboratory Audit Responsibilities

External audits will be conducted as required, by the NYSDOH or designee. External audits may include any of the following:

- Review of laboratory analytical procedures
- Laboratory on-site visits
- Submission of performance evaluation samples for analysis

Failure of any of the above audit procedures can lead to laboratory decertification. An audit may consist of, but not be limited to:

- Sample receipt procedures
- Custody, sample security, and log-in procedures
- Review of instrument calibration logs
- Review of QA procedures
- Review of logbooks
- Review of analytical SOPs
- Personnel interviews

A review of a data package from samples recently analyzed by the laboratory can include (but not be limited to) the following:

- Comparison of the resulting data to the SOP or method
- Verification of initial and continuing calibrations within control limits
- Verification of surrogate recoveries and instrument timing results
- Review of extended quantitation reports for comparisons of library spectra to instrument spectra, where applicable
- Assurance that samples are run within holding times

11. Preventive Maintenance

11.1 FIELD INSTRUMENT PREVENTIVE MAINTENANCE

The field equipment preventive maintenance program is designed to ensure the effective completion of the sampling effort and to minimize equipment down time. Program implementation is concentrated in three areas:

- Maintenance responsibilities
- Maintenance schedules
- Inventory of critical spare parts and equipment

The maintenance responsibilities for field equipment will be assigned to the task leaders in charge of specific field operations. Field personnel will be responsible for daily field checks and calibrations and for reporting any problems with the equipment. The maintenance schedule will follow the manufacturer's recommendations. In addition, the field personnel will be responsible for determining that an inventory of spare parts will be maintained with the field equipment. The inventory will primarily contain parts that are subject to frequent failure, have limited useful lifetimes, and/or cannot be obtained in a timely manner.

11.2 LABORATORY INSTRUMENT PREVENTIVE MAINTENANCE

Analytical instruments at the laboratory will undergo routine and/or preventive maintenance. The extent of the preventive maintenance will be a function of the complexity of the equipment.

Generally, annual preventive maintenance service will involve cleaning, adjusting, inspecting, and testing procedures designed to deduce instrument failure and/or extend useful instrument life. Between visits, routine operator maintenance and cleaning will be performed according to manufacturer's specifications by laboratory personnel.

12. Specific Routine Procedures Used to Assess Data Precision, Accuracy, and Completeness

12.1 FIELD MEASUREMENTS

Field-generated information will be reviewed by the Field Coordinator and typically includes evaluation of bound logbooks/forms, data entry, and calculation checks. Field data will be assessed by the Project Coordinator, who will review the field results for compliance with the established QC criteria that are specified in Section 7 of this QAPP. The accuracy of pH and specific conductance will be assessed using daily instrument calibration, calibration check, and blank data. Accuracy will be measured by determining the percent recovery (% R) of calibration check standards. Precision of the pH and specific conductance measurements will be assessed on the basis of the reproducibility of duplicate readings of a field sample and will be measured by determining the RPD. Accuracy and precision of the soil VOC screening will be determined using duplicate readings of calibration checks. Field data completeness will be calculated using the following equation:

$$Completeness = \frac{Valid\ (usable)\ Data\ Obtained}{Total\ Data\ Planned} \ X\ 100$$

12.2 LABORATORY DATA

Surrogate, internal standard, and MS recoveries will be used to evaluate data quality. The laboratory QA/QC program will include the following elements:

- Precision, in terms of RPD, will be determined by relative sample analysis at a frequency of one duplicate analysis for each batch of ten project samples or a frequency of 10 percent. RPD is defined as the absolute difference of duplicate measurements divided by the mean of these analyses, normalized to a percentage.
- Accuracy, in terms of percent recovery (recovery of known constituent additions or surrogate recoveries), will be determined by the analysis of spiked and unspiked samples. MS/MSD will be used to determine analytical accuracy. The frequency of MS/MSD analyses will be one project sample MS/MSD per set of 20 project samples.
- One method blank will be prepared and analyzed with each batch of project samples. The total number of method blank sample analyses will be determined by the laboratory analytical batch size.
- SRMs will be used for each analysis. Sources of SRMs include the USEPA, commercially available material from CRADA-certified vendors, and/or laboratory-produced solutions. SRMs, when available and appropriate, will be processed and analyzed on a frequency of one per set of samples.
- Completeness is the evaluation of the amount of valid data generated versus the total set of data produced from a particular sampling and analysis event. Valid data is determined by independent confirmation of compliance with method-specific and project-specific DQOs.

- The calculation of data set completeness will be performed by the following equation.

$$\frac{Number\ of\ Valid\ Sample\ Results}{Total\ Number\ of\ Samples\ Planned}\ X\ 100 = \%\ Complete$$

13. Quality Assurance (QA) Reports

Critically important to the successful implementation of the QAPP is a reporting system that provides the means by which the program can be reviewed, problems identified, and programmatic changes made to improve the plan.

QA reports to management can include:

- Audit reports: internal and external audits with responses
- Performance evaluation sample results: internal and external sources
- Daily QA/QC exception reports/corrective actions

QA/QC corrective action reports will be prepared by the Haley & Aldrich of New York QA Officer when appropriate and presented to the project and/or laboratory management personnel so that performance criteria can be monitored for all analyses from each analytical department. The updated trend/QA charts prepared by the laboratory QA personnel will be distributed and reviewed by various levels of the laboratory management.

References

1. New York State Department of Environmental Conservation, NYSDEC Analytical Services Protocol (ASP), Bureau of Environmental Investigation, 1991 with updates.

2. New York State Department of Environmental Conservation, NYSDEC, Division of Environmental Remediation, Technical Guidance for Site Investigation and Remediation, DER-10, May 2010.

3. New York State Department of Environmental Conservation, NYSDEC, Division of Environmental Remediation, Sampling, Analysis and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) under NYSDEC Part 375 Remedial Program, April 2023

4. United States Environmental Protection Agency (1991). Preparation Aids for the Development of Category I Quality Assurance Project Plans. U.S. EPA/600/8-91/003, Risk Reduction Engineering Laboratory, Office of Research and Development, Cincinnati, Ohio, February 1991.

5. United States Environmental Protection Agency, (1992). Specifications and Guidance for Contaminant-Free Sample Containers. OSWER Directive 9240.0-05A, April 1992.

6. United States Environmental Protection Agency, (1993). Data Quality Objectives Process for Superfund Interim Final Guidance. U.S. EPA/540/R-93-071, Office of Solid Waste and Emergency Response (OSWER), September 1993.

7. United States Environmental Protection Agency, (1999). EPA Requirements for Quality Assurance Project Plans for Environmental Data Operations. EPA QA/R-5 Interim Final, November 1999.

8. United States Environmental Protection Agency. Test Methods for Evaluating Solid Waste, Office of Solid Waste, U.S. EPA, SW-846, November 1986, with updates.

9. United States Environmental Protection Agency. U.S. EPA National Functional Guidelines for Organic Data Review. U.S. EPA 540/R-2017-002.

10. United States Environmental Protection Agency. U.S. EPA National Functional Guidelines for Organic Data Review. U.S. EPA 540/R-2017-001.

TABLE

TABLE I
SUMMARY OF ANALYSIS METHOD, PRESERVATION METHOD, HOLDING TIME, SAMPLE SIZE REQUIREMENTS AND SAMPLE CONTAINERS
2916 ATLANTIC AVENUE
BROOKLYN, NEW YORK

Analysis/Method	Sample Type	Preservation	Holding Time	Volume/Weight	Container
Volatile Organic Compounds/8260D	Soil	1 - 1 Vial MeOH/2 Vial Water, Cool, 4 ± 2 °C	14 days[1]	120 mL	3 - 40ml glass vials
Semivolatile Organic Compounds/8270E	Soil	Cool, 4 ± 2 °C	14 days	250 mL	1 - 8 oz Glass
Pesticides (8081B)	Soil	Cool, 4 ± 2 °C	14 days	250 mL	1 - 8 oz Glass
Polychlorinated Biphenyls/8082A	Soil	Cool, 4 ± 2 °C	14 days	250 mL	1 - 8 oz Glass
Metals/6010D	Soil	Cool, 4 ± 2 °C	180 days	60 mL	1 - 2 oz Glass
PFAS 1633	Soil	Cool, 4 ± 2 °C	14 days	250 mL	1 - 8 oz Glass
1,4-Dioxane 8270	Soil	Cool, 4 ± 2 °C	14 days	250 mL	1 - 8 oz Glass
Volatile Organic Compounds/8260D	Groundwater	HCl, Cool, 4 ± 2 °C	14 days	120 mL	3 - 40ml glass vials
Semivolatile Organic Compounds/8270E	Groundwater	Cool, 4 ± 2 °C	7 days	500 mL	2 - 250 mL amber glass
Polychlorinated Biphenyls/8082	Groundwater	Cool, 4 ± 2 °C	365 days	2000 mL	2 - 1000 mL amber glass
Pesticides (8081B)	Groundwater	Cool, 4 ± 2 °C	7 days	3000 mL	2 - 500 mL amber glass
TAL Metals 6020	Groundwater	HNO_3Cool, 4 ± 2 °C	180 days	500 mL	1 - 500 mL plastic bottle
PFAS 1633	Groundwater	H2O Cool, 4 ± 2 °C	14 days	500 mL	2 - teflon free 250 ml plastic containers
1,4-Dioxane 8270 SIM	Groundwater	Cool, 4 ± 2 °C	7 days	500 mL	1 - 500 mL plastic bottle
Volatile Organic Compounds/TO-15	Soil Vapor	N/A	30 days	2.7 - 6 L	1 2.7 or 6 L Summa Canister

Notes:
1. Terracores and encores must be frozen within 48 hours of collection
2. Refer to text for additional information.

ATTACHMENT A
Project Team Resumes

SUZANNE M. BELL, PE

Program Manager, Environmental Engineer

EDUCATION

BS, Biosystems Engineering, University of Arizona

PROFESSIONAL REGISTRATIONS

AZ: Environmental Engineer (Reg. No. 61995)
NY: Professional Engineer (Reg No. 106301)

PROFESSIONAL COMMITTEES

American Council of Engineering Companies of New York – New York State Department of Environmental Conservation Committee Member – 2024-2025

SPECIAL STUDIES AND COURSES

40-Hour OSHA Hazardous Waste and Operations Emergency Response Training (29 CFR 1910.120 and 40 CFR 265.16)
8-Hour HAZWOPER Refresher Course

Suzanne is a senior project manager with over 17 years of experience in the environmental consulting industry. She has worked on soil and groundwater environmental investigations, remediation projects, and prepared reports for private, industrial, and government clients. Her technical experience includes remediation systems; soil and groundwater feasibility studies; Phase I site investigations; environmental file review and historical research; stormwater assessments and Stormwater Pollution Prevention Plan (SWPPP) preparation; reclamation planning for the sand and gravel mining industry; air permitting; and data interpretation.

In New York, Suzanne has experience as an Engineer of Record in completing site closure documentation including Remedial Closure Reports reviewed by the New York City Office of Environmental Remediation (NYCOER), as well as Final Engineering Reports (FERs) and Site Management Plans (SMPs) reviewed by the New York State Department of Environmental Conservation (NYSDEC).

Suzanne has managed the investigation, remedial design, remediation, and closeout of sites in the New York State Brownfield Cleanup Program (NYSBCP) and petroleum spill case sites. Her background also includes developing and complying with approved SMPs overseeing the operation and maintenance of on-site engineering controls, such as soil vapor extraction systems, sub-slab depressurization systems, product recovery systems, and ensuring the protection of human health and the environment.

RELEVANT PROJECT EXPERIENCE

Bedford Beverly Redevelopment Site, Brooklyn, New York. Suzanne served as Engineer of Record for execution of Remedial Action Work Plans for an approximately 5.31-acre non-contiguous property located in the Flatbush neighborhood in the borough of Brooklyn, New York, under the NYSBCP. The remedy included removal of 13 undocumented underground storage tanks (USTs), removal of over 115,000 tons of non-hazardous and hazardous soil, hotspot excavations, injections of zero-valent iron to treat tetrachlorethylene in groundwater, injection of alkaline-activated persulfate to treat petroleum-based volatile organic compounds (VOCs) in groundwater and establishing an SMP for institutional and engineering controls. The site is being redeveloped from a vacant auto service center, vast open-air parking lots, and a vacant commercial building into a vibrant community development. In addition to new residential housing, which includes affordable units and commercial spaces, the project has preserved the highly recognizable Sears Roebuck & Company Department Store. This includes maintaining its historical architecture, updating the building to meet modern standards, introducing commercial spaces that were previously underutilized, and maintaining the character of the neighborhood.

Development, U.S. Environmental Protection Agency (EPA) Site RCRA-02-2009-7306, NYSDEC Site 243016, Former Port Mobil Terminal, Staten Island, New York. Engineer and project manager responsible for the preparation of the feasibility study, preparation of the Interim Remedial Report, completion of the Interim Remedial Measure, completion of the remedial investigation stages, continued execution of the Monitoring and Natural Attenuation Program, preparation of the Remedial Action Work Plan/Remedial Designs, and Resource Conservation and Recovery Act (RCRA) Closure procedures for the Port Mobil Terminal Site under an EPA and NYSDEC Consent Order. The site has a footprint of approximately 240 acres with a planned development for commercial/industrial uses.

Rogers Snyder Brownfield Site, 858 Rogers Avenue and 2605 Snyder Avenue, Brooklyn, New York. Suzanne served as Engineer of Record for execution of the Remedial Action Work Plan at the Rogers Snyder redevelopment project under the NYSBCP. Responsible for remedial oversight of excavation and removal of non-hazardous and hazardous soil, endpoint sample collection, air monitoring, communication with the soil brokerage firm and environmental laboratory, and preparation of the FER.

Former Garone Bros Auto Service Center Site, 352-362 Shepherd Avenue, Brooklyn, New York. Suzanne served as Engineer of Record for execution of the Remedial Action Work Plan at the 352-362 Shepherd redevelopment project under the NYSBCP. Responsible for remedial oversight of excavation and removal of non-hazardous soil, removal of USTs, endpoint sample collection, air monitoring, communication with soil brokerage firm and environmental laboratory, and preparation of the FER.

Former Fielder Waterproofing & Masonry Site, 91 Bruckner Boulevard, Bronx, New York. Suzanne served as Engineer of Record for execution of the Remedial Action Work Plan at the 91 Bruckner redevelopment project under the NYSBCP. Responsible for remedial oversight of excavation and removal of non-hazardous and hazardous soil, removal of USTs, endpoint sample collection, air monitoring, communication with soil brokerage firm and environmental laboratory, and preparation of the FER and SMP.

828 Metropolitan Avenue Site, 808-834 Metropolitan Avenue, Brooklyn, New York. Suzanne served as project manager and Engineer of Record for execution of the Remedial Action Work Plan at the 828 Metropolitan Avenue redevelopment project under the NYSBCP. Responsible for remedial oversight of excavation and removal of non-hazardous soil, removal of USTs, endpoint sample collection, air monitoring, communication with the soil brokerage firm and environmental laboratory, and preparation of Daily Field Reports (DFRs) and the FER.

Waterfront Property Management, 89-91 Gerry Street and 93 Gerry Street, Brooklyn, New York. Suzanne served as project manager for the execution of Remedial Action Work Plans at the former Just4Wheels Site and Just4Wheels Site 2 under the NYSBCP. Responsible for remedial oversight of excavation and removal of non-hazardous and hazardous soil, endpoint sample collection, removal of USTs, air monitoring, dewatering system installation support, communication with soil brokerage firm and environmental laboratory, and preparation of DFRs and the FER.

Multiple Clients, Remedial Investigation Work Plans and BCP Applications, New York City, New York. As project manager and engineer, Suzanne has prepared NYSBCP Applications and Remedial Investigation Work Plans for the NYSDEC for sites within the New York City boroughs.

Multiple Clients, Remedial Action Work Plans, New York City, New York. As project manager and Engineer of Record, Suzanne has prepared Remedial Action Work Plans for the NYSDEC for sites within the New York City boroughs.

Excavation Oversight and Community Air Monitoring Program (CAMP), Various Sites, New York City, New York. Suzanne has served as project manager for projects under the NYCOER program and NYSBCP. Her responsibilities included managing excavation oversight, air monitoring, and logging trucks for off-site disposal.

Aerospace Manufacturing Facility, Feasibility Study and Remedial Action Plan, Chula Vista, California. Suzanne co-authored feasibility studies for soil and groundwater impacted by chlorinated solvents, metals, and polychlorinated

biphenyls (PCBs). She screened ex-situ and in-situ remedial alternatives for effectiveness, implementability, and protectiveness of human health. She also assessed alternative cleanup levels for technical and economic feasibility of achieving background concentrations in accordance with State Water Resources Control Board Resolution 92-49. Additionally, she evaluated groundwater remedial alternatives, including bioremediation, monitored natural attenuation (MNA), pump and treat, chemical oxidation, chemical reduction, and engineered and institutional controls. Lastly, she prepared engineering cost estimates and conceptual designs. Assisted with the preparation of remedial action plans: a bioremediation remedy and MNA program for groundwater, and excavation of contaminated soil.

Aerospace Manufacturing Facility, Groundwater Remediation and Bioremediation Pilot Test, Riverside, California. Suzanne assisted with data analysis and reporting for the bioremediation pilot test study for groundwater impacted by chlorinated solvents, hexavalent chromium, and 1,4-dioxane. She evaluated site data for trends indicative of MNA using statistical analysis.

Goodyear Tire & Rubber Company, Phoenix Goodyear Airport South Superfund Site, Goodyear, Arizona. Suzanne prepared reports and performed data analysis related to the groundwater monitoring program and operation and maintenance of groundwater treatment systems. Currently, two groundwater extraction and remediation systems are capable of treating more than 1 million gallons per day of groundwater contaminated with trichloroethylene (TCE). The upper groundwater zone is treated with an air stripper, while the lower zone is treated with granulated activated carbon (GAC). Treated groundwater is reinjected into their respective zones.

Soil and Groundwater Remediation Systems, Arizona. Suzanne performed operation, maintenance, and sampling activities for two soil vapor extraction systems to remove tetrachloroethylene from subsurface soils at two different dry-cleaning facilities. She prepared soil vapor extraction GAC system test reports in accordance with Maricopa County Air Quality Department Permits.

ASTM Phase I Environmental Site Assessments (ESAs), Arizona. Suzanne assisted with ASTM Phase I ESAs at various industrial facilities in central and southern Arizona. She evaluated site conditions and regulatory implications as they related to the owner's or potential buyer's property development plans.

Phoenix-Goodyear Airport-North Superfund Site, Focused Feasibility Study, Goodyear, Arizona. Suzanne was a member of the team that prepared a source area remediation focused feasibility study report. She evaluated several technologies and alternatives to treat groundwater contaminated with TCE and perchlorate. She analyzed remedial alternatives, including in-well air stripping, a hydraulic barrier, nano- and macro-scale zero-valent iron, anaerobic reductive dechlorination, in-situ chemical oxidation (permanganate), and electrical resistive heating. She prepared cost estimates, conceptual designs, remediation technology summaries, and sustainability evaluation of the alternatives.

Enhanced In-Situ Bioremediation (EISB) and Chemical Reduction Using a Nanoscale, Zero-Valent Metallic Alloy to Treat Co-disposed Chloroethanes and Chloroethenes in Groundwater, Manufacturing Facility, Canton, Massachusetts. Suzanne performed data analysis and prepared status reports on the effectiveness of EISB in treating chlorinated solvents in shallow groundwater. She reported on the performance monitoring results for the permeable reactive barrier in deep zone groundwater.

Hayden Facilities Remedial Investigation/Feasibility Study (RI/FS), ASARCO LLC, Hayden, Arizona. Suzanne served as Quality Assurance Officer for the air monitoring program at a copper smelting facility. She developed site-specific data validation procedures according to EPA guidelines for several analytical methods.

Market Evaluation for Nanoscale Zero-Valent Iron, Stamford, Connecticut. Suzanne used the EPA CERCLIS Public Access Database and select State databases to estimate the market size for potential use of nanoscale zero-valent iron (nZVI) as a remediation technology. She compiled competing vendor information and quotes to estimate the average cost of similar products. She utilized the U.S. Patent and Trademark Office database to analyze competing technologies.

Arizona Pollutant Discharge Elimination System (AZPDES) and National Pollutant Discharge Elimination System (NPDES) Permits, Arizona. Suzanne prepared AZPDES and NPDES permit renewal applications for a copper mining facility in Southern Arizona, which included updates to the facility's SWPPP and Quality Assurance Manual.

Spill Prevention, Control, and Countermeasure (SPCC) Plans, Aggregate Mining Facilities, Arizona. Suzanne assisted with SPCC Plans for aggregate mining facilities in Arizona. She performed the site visit(s), evaluated fuel and oil tanks and secondary containment areas, assisted with calculations to verify compliance, and prepared the report(s).

Copper Mining Facility, Miami, Arizona. Suzanne assisted with Toxic Release Inventory (TRI) and Toxic Substances Control Act (TSCA) reporting, both submitted to the EPA.

Storm Water Pollution Prevention Plan, Franciscan Friars of California, Gila County, Arizona. Suzanne updated the SWPPP for construction activities related to the closure of a historic Gibson copper mine, authorized under the AZPDES "General Permit for Discharge from Construction Activities to Waters of the United States." The Former Gibson Mine is a small, historic copper mine located approximately 7 miles southwest of Miami, Arizona, in Gila County. Construction activities covered under the updated SWPPP consisted of the excavation, hauling, and removal of approximately 80,000 tons of soil cover from the Mineral Creek side of the site to mine-scarred areas on the Pinto Creek side of the site. Also included was final grading of the site, which consisted of re-contouring and re-defining any portion of the drainages that were on site; and revegetation.

Stormwater Pollution Prevention Plans, Vulcan Materials Company, Western Division, Arizona. Suzanne prepared SWPPPs for 11 aggregate mining facilities in Arizona. Performed site visits, analyzed stormwater flows, prepared reports, and completed Notices of Intent for the Arizona Department of Environmental Quality under a Multi-Sector General Permit.

Uranium Enrichment Facility, Lea County, New Mexico. Suzanne prepared quarterly and annual groundwater monitoring reports, semi-annual radioactive effluent release reports, and radiological environmental monitoring program reports in accordance with New Mexico Environment Department regulations and the Nuclear Regulatory Commission. Performed quarterly data validation on a variety of matrices and analytical methods. She prepared site-specific environmental monitoring procedures, which included field sampling techniques; data collection, management and validation; and an air modeling software package.

Rocket Testing and Research Facility, Western U.S. Suzanne analyzed and evaluated groundwater quality data, prepared reports, and managed data for this RCRA site. Assisted with management of sampling, analysis, and reporting of constituents of concern for fractured sandstone bedrock aquifer impacted by chlorinated solvents and emergent chemicals 1,4-dioxane, perchlorate, and n-nitrosodimethylamine (NDMA). Performed data validation of water quality data according to EPA National Functional Guidelines. Queried data from client environmental data management system and prepared summary tables, concentration plots, and water level hydrographs using Microsoft Excel programs. She prepared a quarterly analytical schedule using an Access database application, updated the site-specific Health & Safety Plan, and participated in Lean training, which reduced the cost of groundwater monitoring tasks by 25 percent.

Federal Superfund Site, Eastern Massachusetts. Suzanne performed data validation and quality assurance/quality control of soil and groundwater data according to EPA National Functional Guidelines. She performed third-party database updates.

Great Western Bank, Cortaro Ranch Property, Marana, Arizona. For site characterization of undeveloped land, Suzanne performed surficial soil sampling, analytical laboratory coordination, data analysis, and report preparation.

Twin Buttes Properties, Inc., Southern Arizona. Suzanne assisted with report and analytical table preparation for the characterization and analysis of current and historical hydrologic conditions at an inactive mine site near Sahuarita, Arizona, in support of regulatory compliance.

Skyworks Solutions, Inc. Site, Newbury Park, California. Suzanne assisted with report and analytical table preparation for a subsurface investigation characterizing the lateral and vertical extent of soil and groundwater impacts from known releases of TCE, 1,4-dioxane, and other organic compounds.

PUBLICATIONS

"Mixed Redox Catalytic Destruction of Chlorinated Solvents in Soils and Groundwater," with S. Gao, E. Rupp, M. Willinger, T. Foley, B. Barbaris, A.E., Saez, R.G. Arnold and E. Betterton. In Environmental Challenges in The Pacific Basin, 2008; Annals of the New York Academy of Sciences, Vol. 1140, pp 435-445. PMID: 18991945

INVITED LECTURER OR SPEAKER

"Catalytic Destruction of Perchloroethylene," with E. Betterton, R. Arnold and Eduardo Saez, Presenter - NASA Space Grant Student Symposium, Phoenix, Arizona. April 2007.

MARI C. CONLON

Project Manager

EDUCATION

M.S., Geology, Boston College
B.S., Geology with a minor in Economics and Business, Lafayette College

PROFESSIONAL REGISTRATIONS

NY: Professional Geologist (License No. 000769)

PROFESSIONAL SOCIETIES

Big Apple Brownfield Awards, Co-Chair, 2018-2019
Big Apple Brownfield Awards Nomination Committee, 2016-2017

SPECIAL STUDIES AND COURSES

40-Hour OSHA Hazardous Waste Operations and Emergency Response Training (29 CFR 1910.120)
10-Hour OSHA Construction Safety
8-Hour OSHA Supervisor of Hazardous Waste (29 CFR 1910.120 & 29 CFR 1926.65)

Mari is a project manager with experience in soil, groundwater and soil vapor investigation and a focus on remedial design and implementation, and will focus her time at Haley & Aldrich serving the environmental and real estate markets. She is also experienced in completion of numerous Phase I Environmental Site Assessments and Phase II Environmental Site Investigations, site characterization, hazardous materials analysis, regulatory closure reports as well as remedial design and implementation.

Mari has experience in composing site closure documentation including Remedial Closure Reports and Noise Installation Reports reviewed by the Office of Environmental Remediation as well as Final Engineering Reports reviewed by the New York State Department of Environmental Conservation. Her background includes developing and complying with approved site management plans overseeing the operation and maintenance of on-site engineering controls and ensuring the protection of human health and the environment.

Mari has also worked on city rezoning proposals by performing work associated with and composing the Hazardous Materials Analysis chapter included in Final Environmental Impact Statements published by New York City Department of Planning. Analysis methods were performed in accordance with the City Environmental Quality Review (CEQR) guidelines for neighborhoods including East New York, Brooklyn, Jerome Avenue, Brooklyn, Inwood, and Manhattan.

RELEVANT PROJECT EXPERIENCE

State and City Agencies

School Construction Authority, Waste Characterization and Excavation Materials Disposal Plan, Brooklyn, New York. Project manager for consulting services for New York Public School 127. Services included composition of an Excavated Materials Disposal Plan, collection of waste characterization samples and preparation of and preparation of a findings and recommendations report.

Department of City Planning, Rezoning Environmental Impact Statement, Bronx, New York. Project lead for analysis and composing the Hazardous Materials Chapter as per City Environmental Quality Review (CEQR) Technical Manual guidelines included in the Final Environmental Impact Statement (FEIS) for an approximately 92-block area primarily along Jerome Avenue and its east-west commercial corridors in the Bronx. The review assessed the potential for the presence of hazardous materials in soil and/or groundwater at both the projected and potential development sites identified in the reasonable worst-case development scenario under the proposed East New York Rezoning Proposal. Procedures involved site inspections and review of historic Sanborn fire insurance maps, city directories and city/state regulatory databases. The assessment identified that each of the 146 projected and potential development sites has

some associated concern regarding environmental conditions. As a result, the proposed zoning map actions include (E) designations (E-366) for all privately-held projected and potential development sites.

Department of City Planning, Rezoning Environmental Impact Statement, Brooklyn, New York. Project lead for performance analysis and composing the Hazardous Materials Chapter as per CEQR Technical Manual guidelines included in the FEIS for an approximately 190-block area of East New York, Cypress Hills, and Ocean Hill neighborhoods of Brooklyn, New York. The review assessed the potential for the presence of hazardous materials in soil and/or groundwater at both the projected and potential development sites identified in the reasonable worst-case development scenario under the proposed East New York Rezoning Proposal. Procedures involved site inspections and review of historic Sanborn fire insurance maps, city directories and city/state regulatory databases. The assessment identified that each of the 186 projected and potential development sites has some associated concern regarding environmental conditions. As a result, the proposed zoning map actions include (E) designations (E-366) for all privately-held projected and potential development sites.

Redevelopment and Remediation

Titan Equity Group, Hotel Redevelopment, Bronx, New York. Project manager for a hotel redevelopment in the south Bronx. The site has been assigned New York City Office of Environmental Remediation (NYC OER) E-Designation status for hazardous materials, noise and air quality. Services included completion of a remedial investigation, composition of a Remedial Investigation Report and development of Hazardous Material Remedial Action Work Plan and Air Quality/Noise Remedial Action Plan as per NYC OER requirements.

The Related Companies, Chelsea Mixed-Use Redevelopment, New York, New York. Field geologist for oversight of the remediation of a mixed-use residential and commercial building, the second of a two-building development on 30th Street. Contaminants of concern included volatile and semi-volatile organic compounds associated with historic operations and underground storage tanks (USTs) located on the Site. The Site was given an E-designation (E-142) for hazardous materials and noise as part of the Highline/West Chelsea rezoning proposal. To satisfy the requirements of the E-designation program, soil was excavated to at least 12 feet below grade and bottom endpoint collected showing no contaminants of concern exceeding the New York State Department of Environmental Conservation (NYSDEC) Unrestricted Use Soil Cleanup Objectives (SCO). By achieving Unrestricted Use SCOs, no engineering controls were necessary, although the building slab was included as part of development, and removal of the hazardous materials E-designation was requested.

Tishman Speyer, Long Island City Residential Development, Long Island City, New York. Field geologist for remedial oversight and implementation of a Community Air Monitoring Program during concurrent remediation and development of three Brownfield Cleanup Program (BCP) sites located in Long Island City, New York. The Sites were grossly contaminated with creosote, a carcinogenic chemical formed from the distillation of various tars. Remediation strategies included soil excavation and in-situ soil stabilization. To prevent migration of groundwater off-site, a temporary and later a permanent capture well system was installed on the western boundary of the property. The BCP site located on the western portion of the property left residual contamination in place requiring installation of a sub-slab depressurization system.

Queens West Development Corporation, Queens Waterfront Development, Long Island City, New York. Field geologist for performance of site management post remedial action. Services included annual groundwater monitoring, evaluation of engineering and institutional controls completion and Period Review Reports. In addition to conducting annual site management activities, responsibilities included composing a work plan to evaluate the transition from active sub-slab depressurization systems to passive. Upon NYSDEC approval, active systems were shut down for 30 days prior to a sub-slab vapor sampling event evaluation soil vapor, indoor and outdoor air conditions for potential vapor intrusion risk. As results indicated no evidence of vapor intrusion, continued pressure monitoring was conducted for from the existing monitoring ports for one year assessing whether negative pressure was held by the existing slab by stack-effect or other passive processes.

Jim Beam Brands Co., Brownfield Cleanup Program Remediation Site, Long Island City, New York. Field geologist for oversight of the installation of an Electrical Resistive Heating (ERH) system implemented in order to remediate trichloroethylene groundwater plumes in shallow/intermediate and deep groundwater on- and off-site. The Site, a former stapler manufacturing facility, underwent various remedies, including a Soil Vapor Extraction system, air sparging, ozone injection and chemical oxidation using potassium permanganate injections, which resulted in little reduction to contamination levels and rebounding chlorinated solvents. Components of the ERH system installed included electrodes for delivery of steam, vapor recovery wells, and groundwater monitoring wells. The site is currently under remediation in the state BCP program.

Due Diligence and Site Characterization

Manufacturing Plants, Multiple Investors, Environmental and Compliance Assessment Portfolio United States. Project lead for completion of Phase I Environmental Site Assessments (ESAs) and Limited Compliance Reviews for multiple auto parts manufacturing facilities throughout the United States. Services included completion of Phase I ESAs in accordance with the American Society for Testing and Materials E1527-13 requirements and a limited review of each facility's compliance liabilities including issues pertaining to the Resource Conservation and Recovery Act, Greenhouse Gas Emission Standards and Tier II Emergency and Hazardous Chemical Inventory reporting requirements.

ARM Parking, Environmental Site Assessment and Subsurface Investigation, Brooklyn, New York. Project manager for site assessment and subsurface investigation of parking facility in Sunset Park neighborhood, Brooklyn, New York. Services included ground penetrating radar survey for former and current petroleum USTs, completion of a subsurface investigation of soils and composition of Limited Subsurface Investigation Report.

Spill Consulting

The Trump Organization, Spill Consulting Services, New York, New York. Project manager for consulting services provided after incidental release of calcium carbonate ice rink paint to the Central Park Pond from Wollman Rink. Services included liaising with NYSDEC regarding violations, consent order and required corrective action. Corrective action included designing alterations to the existing on-site drainage plans and routing all meltwater containing paint into the combined sewer system. Coordination was required with property owner, operations personnel, New York City Department of Parks and NYSDEC.

Richmond Gardens Apartments, Spill Management and Closure Services, Staten Island, New York. Project lead responsible for spill closure activities and reporting for Spill 1105661 located at the Richmond Gardens Apartment Complex in the Richmond neighborhood of Staten Island, New York. The spill was opened in 2011 when several underground storage tanks were identified adjacent to the apartments at Jersey Street and Hendricks Avenue. The tanks were cleaned and removed and impacted soils surrounding the tank area excavated to the extent possible. Excavation of all impacted material was not feasible due to the proximity of the tanks to the apartment buildings. Residual contamination in soil and groundwater remained and was monitored through 2016. Upon reviewing the groundwater monitoring data from over 12 consecutive quarters, it was apparent monitored natural attenuation was not a feasible option and an in situ chemical oxidation (ISCO) remedy was approved by NYSDEC. Due to success of the pilot test, the ISCO injection event was implemented utilizing pressure pulse technology to deliver the alkaline activated persulfate solution to the subsurface.



ZHAN SHU, P.E., PH.D.

Senior Project Manager/Technical Specialist

EDUCATION

Ph.D., Environmental Engineering, New Jersey Institute of Technology (NJIT)
B.S., and M.S., Environmental Engineering, National Hua Chiao University, China

PROFESSIONAL REGISTRATIONS

2018/ NJ: Professional Engineer (Reg. No. 24GE05424500)

PROFESSIONAL SOCIETIES

American Society of Civil Engineering
American Chemical Society
New Jersey Society of Women Environmental Professionals
Reviewer, Journal of Environmental Engineering Science
Reviewer, Journal of Science of Total Environment
Reviewer, Journal of Environmental Engineering

SPECIAL STUDIES AND COURSES

OSHA - Hazardous Waste Operations and Emergency Response (OSHA 40-Hour HAZWOPER)
8-Hour OSHA Annual HAZWOPER Refresher
Application of Risk Assessment as a Decision-Making Tool for Contaminated Sites

Zhan has over 11 years of experience in project management, environmental consulting, remediation, engineering, and construction management. She is a licensed professional engineer (P.E.) in the state of New Jersey. She is a senior project manager with experience in soil and groundwater remediation, geochemistry, contaminant hydrogeology, contaminant attenuation and mobility, mechanistic and transport modeling, statistical data analysis, and waste characterization. She has delivered several presentations at professional gatherings, including the Annual International Conference on Soil, Water, Energy, and Air (AEHS) and other technical conferences.

RELEVANT PROJECT EXPERIENCE

Former Pesticide Manufacturing Facility, Site Investigation and Remediation, Middlesex, New Jersey. The 57-acre site is composed of multiple properties that are impacted by former manufacturing activities involving arsenic compounds and other chemicals used as pesticide ingredients. A groundwater remediation system pumps and treats arsenic, pesticides, and volatile organic compounds (VOCs)-impacted groundwater in accordance with New Jersey Department of Environmental Protection (NJDEP) and Publicly Owned Treatment Work (POTW) permits. As project manager, performed a wide variety of tasks related to site investigation and remediation for this project, including:

- Assessed multimedia environmental data, delineated contaminant plumes, completed geologic mapping, and prepared conceptual site model (CSM) and associated interpretation;
- Prepared technical reports (RIR, RASR, RAW, and RAR) for clients and the NJDEP;
- Statistically developed surface water background threshold values (BTV) to evaluate the effectiveness of engineering controls;
- Statistically evaluated remedial alternatives to ensure environmental compliance;
- Assisted in groundwater treatment plant modification projects and feasibility studies, evaluated pilot study results and assessed feasibility of scaling up operations, and prepared associated engineering cost estimate; and

- Prepared engineering design, bid package, and assisted in permit application.

Former Dry Cleaner Facility Remediation, Toms River, New Jersey. As project manager, provided environmental engineering services for an in-site remediation project involving tetrachlorethene (PCE) vapor intrusion. Soil vapor extraction (SVE) and air sparging (AS), along with groundwater monitored natural attenuation (MNA) were applied to reduce contaminant residuals. Conceptually designed intuitional controls—Deed Notice and Classification Exception Area (CEA)—to address on-site residual soil and groundwater contamination.

Active Waste Oil Recycling Facility, Elizabeth, New Jersey. As project manager/project engineer, delineated previous and current light non-aqueous phase liquid (LNAPL) contaminant plume in the groundwater system. Updated facility's Storm Water Pollution Prevention Plan (SWPPP) according to New Jersey Pollution Discharge Elimination System (NJPDES) permit conditions.

The Salvation Army, Asbury Park, New Jersey. As project manager for this underground storage tank (UST) spill case, designed and performed the chemical injection to address petroleum-impacted groundwater and post-monitoring required to move this case toward regulatory closure. The objective of the in situ remediation is to destroy the VOCs in groundwater through chemical oxidation and enhance biodegradation within the source area.

Soil Geobiochemistry Study at DuPont Chambers Works Site (CWKs), Deepwater, New Jersey. As an external consultant for the DuPont Geobiochemistry group, developed protocols for collecting and processing soil core samples in an anaerobic condition, and analyzed the collected data to support the refinement of the site-wide CSM. Assisted in understanding the interactions and mechanisms at the interface as well as in explaining groundwater chemistry, redox conditions, Fe speciation, S speciation, and abiotic/biotic processes.

Former Steel Fabrication Shop, Brownfield Redevelopment Brooklyn, New York. As project manager/project engineer, provided environmental engineering services for a brownfield redevelopment site in the Williamsburg neighborhood of Brooklyn, New York. Previous remedial investigations had documented the presence of PCE in groundwater, soil, and soil gas. Performed a supplemental investigation to delineate the on-site and off-site PCE plumes. Performed the pilot study to evaluate the effectiveness of zero valent iron (ZVI) in treating the high concentrations of chlorinated volatile organic compounds (CVOCs) in groundwater. Also conducted strategic soil management (for hazardous [F-listed] and nonhazardous soil) and remediation as part of site redevelopment and building construction preferred. Reviewed site remedies, including soil excavation, ZVI wall injection, dewatering, in-situ chemical oxidation (ISCO)/in situ chemical reduction (ISCR), sub-slab depressurization system (SSDS), and other remedies.

205 Park Avenue, Brownfield Redevelopment, Brooklyn, New York. As project manager/project engineer, prepared Brownfield Cleanup Program Applications (BCA). Involved in each phase of the project including Phase I Environmental Site Assessment (ESAs), remedial investigations (for chlorinated solvents in soil, groundwater, and soil vapor), CSMs, remedial design (SSDS and ISCO), and long-term operations and maintenance of remedial systems. Prepared the remedial investigation, Remedial Action Work Plan, Site Management Plan (SMP), and Final Engineering Report (FER).

Former Alpine Paper Box Manufacturing Site, Brooklyn, New York. This project was under the jurisdiction of the New York City Office of Environmental Remediation (NYCOER), since an E-Designation for air quality, noise, and HAZMAT was placed on the subject property as part of a rezoning. As project manager/project engineer, performed a Phase I Preliminary Site Assessment, a Phase II Site Investigation, and prepared a Remedial Action Plan. Also prepared Brownfield Cleanup Program Applications and evaluated the potential tax credit for the client.

Former Cascade Laundry Site, Brownfield Redevelopment, Brooklyn, New York. The whole city block has been used as a commercial laundry beginning in the 1920s. USTs were observed, and the site had fuel oil/petroleum-related impacts to both soil and groundwater. As project manager/project engineer, conducted remedial investigation to delineate the vertical and horizontal extent of petroleum contamination in soil. Designed a vapor barrier and passive

SSDS system. Conducted ISCO to address the remaining CVOCs in groundwater. Negotiated with the New York State Department of Environmental Conservation (NYSDEC) to change the conditional track 1 to standard track 1 as the final remedy outcome to obtain more tax credits for the client.

Former Dry Cleaner Site, Brownfield Redevelopment, Coney Island, Brooklyn, New York. As project manager/project engineer, provided environmental services during the rehabilitation and expansion of the expansive, 1970s-era mixed-use complex. Facilitated the BCP applications for two adjacent parcels within the complex: the first for an existing retail space formerly occupied by a dry cleaner; the second application for an adjacent "historic" dry cleaner lot that had been razed as part of urban renewal in the 1960s. Previous site investigations had documented the presence of PCE in soil gas; the Remedial Investigation Work Plan (RIWP) outlined the work required to delineate the vertical and horizontal extent of the impacted soils, soil vapor, and groundwater at both BCP sites. A Remedial Action Work Plan was developed to address contaminated media. An SSDS was designed to protect residential and retail tenants, in conjunction with source area treatments.

296 Wythe Avenue, E-Designation Site, Brooklyn, New York. As project manager/project engineer, managed and oversaw the removal of three USTs and the excavation of non-hazardous soil/fill for off-site disposal. Designed a vapor barrier and passive SSDS. Prepared the OER and NYSDEC-required documents including daily/monthly report, Noise/Air Remedial Action Plan, and Remedial Action Report.

Standard Motor Products, Brownfields Redevelopment, New York. Low levels of chlorinated solvents were detected in the groundwater. As project engineer, contributed to AS and SVE system designed and implemented at the site. Project also entailed operating and managing the system, maintaining the right pressure and flow for the system to effectively remediate the contamination.

JPMorgan Chase, Brownfields Redevelopment, Orangeburg, New York. Served as project engineer. Investigation/remediation/oversight project at a 90+-year-old state hospital campus redeveloped as a database center. The 61-acre site consisted of 32 abandoned and derelict buildings, walkways, roads, and significantly overgrown landscape areas. Initial project work included the preparation of an NYSDEC BCP application and the design and implementation of a fast-track, comprehensive remedial investigation.

Former Nuhart Plastics Site, New York State Superfund Site, Brooklyn, New York. As project engineer, conducted a feasibility study and remedial planning for this former plasticizer facility with on-site and off-site pollutant concerns. Initial site investigations were conducted by others. Project is a high-profile New York State Superfund Site and requires regulatory compliance with NYSDEC and NYCOER, as well as close coordination with local government bodies.

Junior High School 226 Queens (I.S. 226), Queens, New York. As environmental engineer, managed construction support services related to soil management associated with the construction of a New York City school complex and associated utility corridors. Prepared Excavated Material Disposal Plans, reviewed potential disposal facilities, and conducted waste characterization soil sampling.

599 Valley Health Plaza, SSDS, Paramus, New Jersey. As environmental engineer, provided environmental services including a Phase I ESA, Vapor Encroachment Assessment, Phase II ESA, Remedial Action Plan, and Construction Health and Safety Plan. For active SSDS, designed and prepared bid specifications.

2581 & 2587 Atlantic Avenue, 40-44 Georgia Avenue, Brooklyn, New York. Served as environmental engineer and provided environmental services including a Phase I ESA, Vapor Encroachment Assessment, Phase II ESA, Remedial Action Plan, and Construction Health and Safety Plan. Designed the active and passive SSDS systems and prepared bid specifications.

Steel Craft, Newark, New Jersey. Served as environmental engineer and conducted groundwater sampling; delineated and differentiated the on-site and off-site PCE and Trichloroethylene (TCE) plumes.

Oil Spill Risk Assessment, BP and National Oceanic and Atmospheric Administration (NOAA), Gulf of Mexico. Performed risk assessment for oil spill contamination. Statistically evaluated the data obtained from the site. Reviewed reports and conducted associated research.

Contaminant Mobility in Paint Waste during Bridge Rehabilitation, New York State Department of Transportation, New York State. Collaborated with the New York State Department of Transportation (NYSDOT) to investigate the transport and mitigation of the heavy metal contamination from lead-based paint during bridge rehabilitation. Developed a mathematical model using a variety of statistical approaches to rapidly characterize paint waste during bridge rehabilitation. Nine task deliverables were submitted and presented to NYSDOT.

Impact Study on Effects of Superstorm Sandy, National Science Foundation (NSF), Raritan Bay, New Jersey. Investigated water quality, trace metals, nitrogen, phosphate, and related contaminants in the groundwater and sediment in the shorelines along Raritan Bay in New Jersey. Evaluated coastal ecosystem recovery and resilience potential after Superstorm Sandy.

Bio-remediation of Tannery Sludge, China. Conducted bio-remediation using indigenous sulfur-oxidizing bacteria present in the tannery sludge to reduce elevated hexavalent chromium in tannery sludge. Chromium removal rate of 90 percent was achieved.

Fujian Petrochemical Industrial Group Co., Compliance Services, China. Supported lead engineer in the preparation of planning documents and completion of regulatory permit applications. Assisted lead scientist in modifying related EHS programs and procedures to ensure compliance.

PUBLICATIONS

"Field Methods for Rapidly Characterizing Paint Waste during Bridge Rehabilitation," with L. Axe, K. Jahan, and K.V. Ramanujachary, *Chemosphere* 134: 598-605, 2015.

"Metal Concentrations and Distribution in Paint Waste Generated during Bridge Rehabilitation in New York State," with L. Axe, K. Jahan, and K.V. Ramanujachary, *Science of the Total Environment* 526: 262-270, 2015.

"Monitoring Changes in Salinity and Metal Concentrations in New Jersey (USA) Coastal Ecosystems Post Hurricane Sandy," with Y.R. Personna, X. Geng, F. Saleh, N. Jackson, M. Weinstein, and M. Boufadel, *Environ Earth Science*, 73(3): 1169-1177. 2015

"Metal Leaching from the Bridge Paint Waste in the Presence of Steel Grit, ," with L. Axe, K Jahan, and K.V. Ramanujachary, Chemosphere 119, 1105–1112, 2015.

INVITED LECTURER OR SPEAKER

"Thermal Enhanced Recovery for Phthalate-Cutting Oil Mixture Treatability Study – Former Plastic Manufacturing Facility," with D. Winslow, presented at 29th Annual International Conference on Soil, Water, Energy, & Air, March 18-21, 2019.

"Trace metal leaching from bridge paint waste in the presence of iron oxide surfaces," with L. Axe, K. Jahan, K.V. Ramanujachary, Division of Colloid and Surface Chemistry, 246th American Chemical Society (ACS) National Meeting, Indianapolis, Indiana, September 8-12, 2013.

"Leaching behavior of lead and chromium from bridge paint waste in the presence of steel grit," with L. Axe, K. Jahan, and K.V. Ramanujachary, session of Steel Bridges Committee, Transportation Research Board 92nd Annual Meeting, Washington, D.C., January 13-17, 2013.

"Field methods for rapidly characterizing paint waste during bridge rehabilitation," with L. Axe, K. Jahan, and K.V. Ramanujachary, session of Environmental Chemistry for a Sustainable World, 243rd American Chemical Society (ACS) National Meeting, San Diego, California, March 25-29, 2012.



BRIAN FITZPATRICK, CHMM

Corporate Director, Health and Safety

EDUCATION

M.P.A., Environmental Policy, Syracuse University
B.S., Environmental Science, University of Massachusetts-Amherst
A.S., Chemistry, Valley Forge Military Junior College
Commissioned Officer, United States Army

CERTIFICATIONS

Certified Hazardous Materials Manager (Reg. No. 13454)
Certified Department of Transportation Shipper
Certified International Air Transport Authority Shipper

PROFESSIONAL SOCIETIES

Alliance of Hazardous Materials Professionals
Academy of Certified Hazardous Materials Managers, New England Chapter

SPECIAL STUDIES AND COURSES

Department of Transportation
International Air Transport Authority
Incident Commander
Confined Space Entry and Rescue
Radiation Safety Officer
RCRA Hazardous Waste
Massachusetts Industrial Waste Water Operator Grade 2I (expired)

AWARDS

Presidents Club Award (one million hours worked without a recordable injury, Cabot Corporation
Chancellors Award for Excellence, Syracuse University

Brian has over 25 years of experience in developing, implementing, and managing a wide range of environmental, health, and safety (EH&S) solutions for a variety of clients. Brian has served as the Health and Safety Manager and Incident Commander at several research and development sites and has managed extensive programs to maintain and clean contaminated sites under Federal and State regulatory programs. He has provided expertise in managing EH&S programs as a consultant, and has actively developed, implemented, and managed these programs as an EH&S professional for various industries.

Brian is currently working as the Chief Health and Safety Officer for Haley & Aldrich, Inc. He, and his staff, are involved in every project Haley & Aldrich, Inc. undertakes. Brian is involved on several projects, directly overseeing the health and safety on the project site of our staff, our contractors, and the public. Brian also acts as support for our on-site health and safety staff on other larger construction and remediation projects.

Through Brian's leadership our safety culture and focus extend from the top of our organization to each and every Haley & Aldrich employee as well as subconsultants and subcontractors. Utilizing a Behavior Based Safety approach, Haley & Aldrich expects every project team member to play an important role in making our projects safe and has given authority to every Haley & Aldrich employee, subconsultant, and subcontractor to stop any activity at any time for health or safety concerns. Our record illustrates that our hard work is paying off. The company has gone 4 years without a lost time injury, and our TRIR and EMR have consistently improved each of the last 3 years.

RELEVANT PROJECT EXPERIENCE

Haley & Aldrich, Inc., Burlington, Massachusetts. As Chief Health and Safety Officer, Brian has led and facilitated the development and implementation of corporate health and safety (H&S) improvement plans to enhance compliance and improve H&S performance. In Brian's time with Haley & Aldrich, Inc., the company has realized dramatic improvement on H&S goals and in Key Performance Indicators. Brian is responsible for developing a risk competence culture, where our staff are empowered to look for and engage to address risk before anyone is injured. Brian oversees the development, implementation and continuous improvement of all H&S programs for the company. Additional responsibilities include:

- Developing a safety culture through incident reporting, root cause analysis, behavior-based safety, hazard recognition and risk assessment, communication, and developing leaders;
- Monitoring proposed and existing SH&E regulations and legislation to determine their impact on operations and to ensure continued compliance;
- Overseeing the safety, industrial hygiene, and toxicology programs for over 600 staff members engaged in remediation, construction, health and safety, consulting, and general office work across 28 offices in the United States and on assignment to international project sites;
- Continuously seeks to improve H&S performance as measured by the OSHA Incident Rating (IR) and Worker's Compensation Experience Modification Rating (EMR), as well as Leading Indicators developed with the management team; and
- Participating in the corporate audit program as an auditor or lead auditor;

Energy Client, California. As Chief Health and Safety Officer, Brian led and facilitated the Alliance Partnership Safety Council in 2017, is still an active contributor to the council, and hosts routine contractor safety forums for the client. Brian is actively involved in the development and implementation of program safety, health, and environmental (SH&E) plans to ensure safe operations on project sites. Brian developed permits and Health and Safety Plans for large projects and routinely audits the site safety. Additional responsibilities include:

- Driving reporting and behavior-based safety initiatives to support our internal safety culture and developing monthly summary reports to illustrate performance to our client.
- Develop, assess and continuously improve site safety plans and practices, including specific safety protocols for working safely over and around water.
- Worked as an extension of the client's organization to provide assurance that the remedy was completed safely and consistent with client-specific requirements.
- Support on-site safety personnel in ensuring the health and safety of the general public, our staff, and our sub-contracted employees.
- Audits and visits sites to ensure compliance with our internal policies and client-specific requirements.

Energy Client, Ohio. As Chief Health and Safety Officer, Brian supports the project team in developing and executing client and project specific health and safety measures, such as a site specific Health and Safety Plan, Job Hazard Analyses, Industrial Hygiene program, and site specific training. Brian also routinely visits the site to assess current practices and condition and to ensure continuous improvement. Additional responsibilities include:

- Develop, assess, and continuously improve site safety plans and practices, including specific safety protocols to comply with supplemental EH&S requirements such as the Duke Health and Safety Handbook, Environmental Supplemental, and EHS Keys to Life.
- Develop, assess, and continuously improve site safety plans and practices to address the risks associated with the work being performed on site, as well as the environmental conditions and simultaneous operations, including trenching and excavation, hot work, work over and near water, heavy equipment, HAZWOPER, etc.
- Worked as an extension of the client's organization to provide assurance that the remedy was completed safely and consistent with client-specific requirements.
- Support on-site safety personnel in ensuring the health and safety of the general public, our staff, and our sub-contracted employees.
- Audits and visits site to ensure compliance with our internal policies and client-specific requirements.

BRIAN A. FERGUSON

Senior Engineer

EDUCATION

M. S. Geotechnical Engineering, Tufts University, Medford, Massachusetts; 2012
B. S. Civil Engineering, State University of New York - Environmental, Science, and Forestry, Syracuse, New York; 2000
Ass. Science Degree in Applied Science and Technology (Nuclear Engineering), Thomas A. Edison State College, Trenton, New Jersey; 2000

PROFESSIONAL SOCIETIES

Order of the Engineer – 2000
Boston Society of Civil Engineers (BSCE)
American Society of Civil Engineers (ASCE)

SPECIAL STUDIES AND COURSES

American Concrete Institute – Certified Field Technician Certified Grade 1
Radiation Safety and Operations of Nuclear Testing Equipment – Troxler
40-Hour OSHA Hazardous Waste Operations Training (+ 8-Hour annual refresher)
10-Hour OSHA Construction training
Confined Space Entry Training
16-Hour Asbestos Operations and Maintenance

Mr. Ferguson has over six years of experience serving as project engineer on a variety of real estate development projects. His project experience has included monitoring field investigations and performing construction oversight, performing due diligence and engineering analyses, performing geotechnical analyses and developing geotechnical recommendations, and preparing geotechnical reports and project specifications.

In addition to providing engineering design support, Mr. Ferguson has managed and participated in a number of field service activities. Field work has included construction monitoring and documentation of contractors' deep and shallow foundation related construction, including slurry walls, caissons, pile driving, pile cap installation, earthwork, backfilling and compaction, installation of soldier pile and wood lagging support systems, installation of tie backs, reading inclinometers, conducting in-place field unit weight tests, tie-back load testing, seismograph installation, monitoring, and evaluating, and preparation of footing bearing surfaces. Other responsibilities have included site development activities, including placement of utilities and subgrade preparation for roads; observations and testing to determine that work is completed in compliance with contract documents; on-site soil management; sampling of soil and groundwater for chemical laboratory testing and conducting in situ field screening; maintenance of job records including pile driving logs, results of field density tests, records of caisson and footing installations; preparation of daily field reports; in contact with key personnel; and resolution of field related problems.

RELEVANT PROJECT EXPERIENCE

St. Elizabeths Hostpital – West Campus Forensic Evaluations, Washington, D.C. Project Engineer for forensic evaluations on the adaptive reuse of former hospital buildings. Responsibilities included coordination of a field exploration program, including test borings and test pits to obtain subsurface information for project design and construction, overseeing multiple field personnel, subcontractors, assisting with project management, reviewing subcontractors invoices, reviewing and summarizing subsurface data and writing data reports.

TUFTS University, New Central Energy Plant, Medford, MA. Project engineer for a new Central Energy Plant that will house new co-generation steam boilers, centralized chilled water and electrical transformer switchgear that is planned to occupy approximately 20,000 square feet across two or three levels. Responsibilities included coordination of construction monitoring, observing SOE and footing installation, assisting with project management,

reviewing weekly field construction reports, reviewing and responding to geotechnical design submittals and attending project meetings.

Lahey Hospital and Medical Center – Stilts Infill Project, Burlington, MA Project Engineer for an addition to the existing Stilts building on the Lahey campus. Responsibilities included coordination and overseeing geotechnical and environmental subsurface investigations, coordination of construction monitoring, observing footing installation, assisting with project management, reviewing weekly field construction reports, reviewing and responding to geotechnical design submittals and attending project meetings.

Gloucester Beauport Hotel, Gloucester, MA Project engineer for a four story hotel with a seawall constructed adjacent to tidal beach. Responsibilities included coordination and overseeing geotechnical and environmental subsurface investigations, coordination of construction monitoring, assisting with project management, reviewing weekly field construction reports, reviewing and responding to geotechnical design submittals and attending project meetings, design and implementation of a sub-slab gas mitigation system.

275 Wyman Street, New Office Building, Waltham, MA. Project engineer for a new office building and parking garage founded on a shallow foundation system. Responsibilities included preparing proposals, assisting with management and planning of a subsurface investigation program, summarizing subsurface data and reviewing geotechnical test boring logs, coordination of construction monitoring and instrumentation monitoring programs, reviewing weekly field construction reports, reviewing and responding to specialty geotechnical design submittals and RFIs by others and attending project meetings.

Suffolk University - 20 Somerset Street, Boston, MA Project engineer for design of 8-story academic building with two levels of below grade finished space. Responsibilities included coordination of construction monitoring, observing SOE and footing installation, assisting with project management, reviewing weekly field construction reports, reviewing and responding to geotechnical design submittals and attending project meetings.

Worcester State University, New Student Housing, Worcester, MA Project engineer for design and construction of a 7-story residence/dining hall with a single level basement and a major site retaining wall structure. Responsibilities included overseeing geotechnical subsurface investigations, provided foundation recommendations and specifications, and prepared a retaining wall contract document. Responsibilities included coordination of construction monitoring, excavation and construction of footings, and soil reuse and management, assisting with project management, reviewing weekly field construction reports, reviewing and responding to geotechnical design submittals and attending project meetings.

University of Massachusetts Boston, General Academic Building No.1, Boston, MA. Project engineer responsible for assisting project manager in preliminary foundation engineering recommendations and construction considerations for a new academic building on a part of Columbia Point, a historic landfill area. Assisted in design phase services that included preparing foundation support design recommendations including the use of high allowable stresses for 190-ft long end-bearing H-piles and application of Slickcoat coating to address downdrag concerns and reduce foundation costs.

Waltham Watch Factory, Waltham, MA project engineer for redevelopment of former watch factory. Responsibilities included construction oversight of new precast parking garage, utilitiy upgrades, soil remediation and management, installation of gas mitigation systems, assisting with project management, reviewing weekly field construction reports, reviewing and responding to geotechnical design submittals and attending project meetings.

Massachusetts Green High Performance Computing Center, Holyoke, MA. Project engineer for 60,000 sq. ft high level computing center and associated support utilities. Redevelopment of the site included recycling 50,000 cy of construction debris into the site fills at this historic site along the Connecticut River. Responsibilities included coordinating geotechnical and environmental field investigations, coordination of construction monitoring, seismic analysis, reviewing weekly field construction reports, reviewing and responding to geotechnical design submittals and attending project meetings.

The Shops at Riverwood, Hyde Park, MA. The project consisted of the redevelopment of a colonial era paper mill. The multi-building complex was demolished and the concrete and brick from the previous buildings were recycled. The project involved crushing 50,000 cy of brick and concrete and placement of excavated soils and recycled brick and concrete as compacted fill materials to support proposed buildings, pavement areas, and achieve 5 to 9 ft. raises in grade. Field Representative was responsible for management and reuse of brick and concrete stockpiles, in-place density testing, coordination of test pits, installation of soldier pile and versa-lok walls, and backfilling of underground vaults. Remedial activities included: excavation of 5,000 cy of petroleum contaminated soils, on-site cement batching in a pug mill, and placement of compacted recycled materials in roadway areas; delineation, excavation and off-site disposal of TSCA-regulated PCB contaminated soils associated with historical Askarel transformers and dioxin-contaminated soils associated with historical bleaching operations; and disposition of 1,000 tons of paper mill sludge encountered within an abandoned granite-walled sluiceway structure. In addition, assisted with weekly project meetings, maintaining a record of material reuse, and providing weekly field reports.

Harvard Law School, Cambridge, MA. The Harvard Law School project is located on Massachusetts Avenue in Cambridge. The project consisted of a multistory building above ground with 5 levels below ground for a parking garage. Field Representative was responsible for overseeing the installation of slurry walls into bedrock and LBEs with three installation rigs while monitoring the removal of urban fill and transfer to several different receiving facilities from another portion of the site. The slurry walls were constructed into bedrock. Other Field Representative activities were: testing of the slurry, management of the excavated soils, and record keeping of the Contractor's obstruction and down time of the equipment. In addition, assisted with weekly project meetings, maintaining a record of obstruction and machine time, and providing weekly field reports.

NICOLE MOONEY

Project Geologist

EDUCATION

BS, Earth and Environmental Science with a minor in Oceanography, University of Michigan-Ann Arbor

SPECIAL STUDIES AND COURSES

40-Hour OSHA Hazardous Waste Operations and Emergency Response Training (29 CFR 1910.120)
8-Hour OSHA Hazardous Waste Worker Refresher Training (29 CFR 1910.120)
8-Hour OSHA HAZWOPER Supervisor for Construction Training
OSHA 10-Hour Construction Safety
OSHA 30-Hour Construction
NYC SST-307 8-Hour Fall Prevention for Construction
NYC SST-302 2-Hour Drug and Alcohol Awareness for Construction
DOT Hazmat Employee & RCRA Hazardous Waste Generator Training
American Red Cross Adult First Aid/CPR/AED Training and Bloodborne Pathogens Training
USACE Construction Quality Management for Contractors
Level I Antiterrorism Awareness Training

Nicole is a geologist with over four years of experience in site characterization and investigation, subsurface investigations, preparation of technical reports and work plans, and data collection and analysis. She has extensive experience conducting Phase I Environmental Site Assessments (ESAs), Phase II Environmental Site Investigations (ESIs), and other aspects of environmental due diligence. She has experience with preparation and overseeing execution of remedial investigation and actions at sites within the New York State Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP) and the New York City Mayor's Office of Environmental Remediation (NYCOER). She has performed soil, groundwater, and soil vapor sampling events and has drafted various site investigation plans and reports.

RELEVANT PROJECT EXPERIENCE

Environmental Investigation, Site Characterization, and Remediation

340 Myrtle Development LLC, 340 Myrtle Avenue, Brooklyn, New York. As a project geologist, Nicole coordinated and managed implementation of the Remedial Action Work Plan (RAWP) at the approximately 8,828 square foot site enrolled in the NYSDEC BCP. The remedial action included excavation and off-site disposal of soil, installation of an active sub-slab depressurization system (including cover system), installation of injection wells, and reinstallation of permanent monitoring wells for post-remedy groundwater monitoring. Nicole was responsible for the preparation of the Final Engineering Report (FER) and the Site Management Plan (SMP) which are undergoing review by the NYSDEC. Construction for the new development is currently ongoing and, when completed, the site will be improved with a new eight-story mixed-use commercial and residential building with a full cellar level.

B Contractors Group, LLC, 711-713 East 214th Street, Bronx, New York. As a project geologist, Nicole was responsible for coordinating and managing the implementation of the NYCOER-approved Remedial Action Plan (RAP) and preparing the Remedial Closure Report (RCR) for the approximately 6,252 square foot site. The redevelopment included a new eight-story residential building with a full cellar level.

650 Southern Blvd Bronx LLC, 650 Southern Boulevard, Bronx, New York. As a project geologist, Nicole was responsible for preparation and implementation of the Remedial Investigation Work Plan (RIWP), which included the installation of eleven soil borings, seven permanent groundwater monitoring wells (some of which extended into

bedrock), and seven soil vapor points, and the collection of soil, groundwater, and soil vapor samples. Nicole was also responsible for preparation of the Citizen Participation Plan (CPP), Remedial Investigation Report (RIR), and RAWP. The site is in the pre-construction phase.

Degraw Holdings LLC, 563 Sackett Street Site, Brooklyn, New York. As a project geologist, Nicole was responsible for due diligence during acquisition, including preparation of the Phase I ESA and Limited Phase II ESI. The initial Limited Phase II ESI and delineation sampling have been completed and the Limited Phase II ESI Delineation Report, Brownfield Cleanup Agreement (BCA) Major Amendment Application, and Supplemental Remedial Investigation Report (SRIR) are being drafted.

291 Wallabout Realty LLC, 291 Wallabout Street, Brooklyn, New York. As a project geologist, Nicole was responsible for the due diligence during acquisition of the property, including preparation of a Phase I ESA, Phase II ESI, BCP Application, and RIWP.

401 West 207th Realty LLC, 401 West 207th Street, New York, New York. As a project geologist, Nicole was responsible for oversight during implementation of the RAWP under the NYSDEC BCP. During remediation, Nicole observed and documented the excavation and proper disposal of on-site soil required for installation of the foundational elements. Nicole oversaw the proper cleaning and removal of two underground storage tanks encountered during excavation.

BCP Applications and Remedial Investigation Work Plans for NYSDEC. Nicole has prepared several BCP Application packages for various clients in New York State, which requires reviewing the site's history, including any previous investigation reports available, to assist with entry into the BCP to be remediated and redeveloped in accordance with applicable NYSDEC requirements. Nicole also prepares an RIWP to be submitted to the NYSDEC either concurrently or following submittal of the BCP Application for full investigation of the site to facilitate proper remedial action.

Excavation Oversight and CAMP Monitoring, Various Sites, Bronx, Brooklyn, and Queens, New York. As a project geologist, Nicole completed remedial oversight for several projects in the NYCOER cleanup program and NYSDEC BCP. Her responsibilities included excavation oversight, air monitoring, truck logging during off-site disposal of excavated materials, collection of endpoint and/or documentation samples, vapor barrier inspection, and oversight of installation of post-remedy groundwater monitoring wells.

Multiple Clients, Phase I ESAs and Due Diligence, Multiple Locations in New York. As a project geologist, Nicole completed several Phase I ESAs for buyers of properties in New York. She has extensive experience completing site reconnaissance and reviewing historical site documentation to identify potential environmental concerns at properties.

Multiple Clients, Phase II ESIs, Multiple Locations in New York. As a project geologist, Nicole conducted several Phase II ESIs for projects in New York, including oversight of the installation of soil borings, groundwater monitoring wells, and soil vapor points and the collection of soil, groundwater, and soil vapor samples. She assisted with the development of sampling plans based on previous environmental investigations and due diligence findings.

Former Grissom Air Force Base, Kokomo, Indiana. As a project geologist, Nicole was responsible for coordinating and performing quarterly groundwater sampling and/or Land Use Control (LUC) inspections in accordance with the deeds and Decision Documents for nine sites (FT001, FT002, SS190, SS035, SS053, SS058, LF003, LF004, and SS049) located on the 2,722-acre former Grissom Air Force Base under the Base Realignment and Closure (BRAC)/Environmental Construction Optimization Services (BECOS) program. Nicole was also responsible for the coordination and implementation of a Data Gap Investigation (DGI) at the SS035, SS053, and SS058 sites and a Site Investigation (SI) at the former Navy Skeet Range (site SR406). Nicole prepared LUC Inspection reports, Annual Groundwater Monitoring Reports, an SI Report, a DGI Report, and the Five-Year Review Report for this work.

APPENDIX E
NYSDEC Emerging Contaminant Field Sampling Guidance

NEW YORK STATE OF OPPORTUNITY.

Department of Environmental Conservation

SAMPLING, ANALYSIS, AND ASSESSMENT OF PER- AND POLYFLUOROALKYL SUBSTANCES (PFAS)

Under NYSDEC's Part 375 Remedial Programs

April 2023



Table of Contents

Objective 1
Applicability 1
Field Sampling Procedures 1
Analysis and Reporting 2
Routine Analysis 2
Additional Analysis 2
Data Assessment and Application to Site Cleanup 3
Water Sample Results 3
Soil Sample Results 3
Testing for Imported Soil 4
Appendix A - Quality Assurance Project Plan (QAPP) Guidelines for PFAS 5
Appendix B - Sampling Protocols for PFAS in Soils, Sediments and Solids 6
Appendix C - Sampling Protocols for PFAS in Monitoring Wells 8
Appendix D - Sampling Protocols for PFAS in Surface Water 10
Appendix E - Sampling Protocols for PFAS in Private Water Supply Wells 12
Appendix F - Sampling Protocols for PFAS in Fish 14
Appendix G - PFAS Analyte List 22
Appendix H - Data Review Guidelines for Analysis of PFAS in Non-Potable Water and Solids 24

ERRATA SHEET for

SAMPLING, ANALYSIS, AND ASSESSMENT OF PER- AND POLYFLUOROALKYL SUBSTANCES (PFAS) Under NYSDEC's Part 375 Remedial Programs Issued January 17, 2020

Citation and Page Number	Current Text	Corrected Text	Date
Title of Appendix I, page 32	Appendix H	Appendix I	2/25/2020
Document Cover, page 1	Guidelines for Sampling and Analysis of PFAS	Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs	9/15/2020
Data Assessment and Application to Site Cleanup Page 3	Until such time as Ambient Water Quality Standards (AWQS) and Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published	Until such time as Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published	3/28/2023
Water Sample Results Page 3	PFOA and PFOS should be further assessed and considered as potential contaminants of concern in groundwater or surface water if PFOA or PFOS is detected in any water sample at or above 10 ng/L (ppt) and is determined to be attributable to the site, either by a comparison of upgradient and downgradient levels, or the presence of soil source areas, as defined below.	NYSDEC has adopted ambient water quality guidance values for PFOA and PFOS. Groundwater samples should be compared to the human health criteria of 6.7 ng/l (ppt) for PFOA and 2.7 ng/l (ppt) for PFOS. These guidance values also include criteria for surface water for PFOS applicable for aquatic life, which may be applicable at some sites. Drinking water sample results should be compared to the NYS maximum contaminant level (MCL) of 10 ng/l (ppt).Analysis to determine if PFOA and PFOS concentrations are attributable to the site should include a comparison between upgradient and downgradient levels, and the presence of soil source areas, as defined below.	3/28/2023
Soil Sample Results Page 3	Soil cleanup objectives for PFOA and PFOS have been proposed in an upcoming revision to 6 NYCRR Part 375-6. Until SCOs are in effect, the following are to be used as guidance values:	NYSDEC will delay adding soil cleanup objectives for PFOA and PFOS to 6 NYCRR Part 375-6 until the PFAS rural soil background study has been completed. Until SCOs are in effect, the following are to be used as guidance values:	3/28/2023
Protection of Groundwater Page 3	PFOA (ppb) 1.1 PFOS (ppb) 3.7	PFOA (ppb) 0.8 PFOS (ppb) 1.0	3/28/2023

Citation and Page Number	Current Text	Corrected Text	Date
Footnote 2 Page 3	The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the guidance value for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).	The Protection of Groundwater values are based on the above referenced ambient groundwater guidance values. Details on that calculation are available in the following document, prepared for the February 2022 proposed changes to Part 375 (https://www.dec.ny.gov/docs/remediation_hudson_pdf/part375techsupport.pdf). The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the guidance value for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).	3/28/2023
Testing for Imported Soil Page 4	If the concentrations of PFOA and PFOS in leachate are at or above 10 ppt (the Maximum Contaminant Levels established for drinking water by the New York State Department of Health), then the soil is not acceptable.	If the concentrations of PFOA and PFOS in leachate are at or above the ambient water quality guidance values for groundwater, then the soil is not acceptable.	3/28/2023
Routine Analysis, page 9	"However, laboratories analyzing environmental samples…PFOA and PFOS in drinking water by EPA Method 537, 537.1 or ISO 25101."	"However, laboratories analyzing environmental samples…PFOA and PFOS in drinking water by EPA Method 537, 537.1, ISO 25101, or Method 533."	9/15/2020
Additional Analysis, page 9, new paragraph regarding soil parameters	None	"In cases where site-specific cleanup objectives for PFOA and PFOS are to be assessed, soil parameters, such as Total Organic Carbon (EPA Method 9060), soil pH (EPA Method 9045), clay content (percent), and cation exchange capacity (EPA Method 9081), should be included in the analysis to help evaluate factors affecting the leachability of PFAS in site soils."	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Data Assessment and Application to Site Cleanup Page 10	Until such time as Ambient Water Quality Standards (AWQS) and Soil Cleanup Objectives (SCOs) for PFAS are published, the extent of contaminated media potentially subject to remediation should be determined on a case-by-case basis using the procedures discussed below and the criteria in DER-10. Target levels for cleanup of PFAS in other media, including biota and sediment, have not yet been established by the DEC.	Until such time as Ambient Water Quality Standards (AWQS) and Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published, the extent of contaminated media potentially subject to remediation should be determined on a case-by-case basis using the procedures discussed below and the criteria in DER-10. Preliminary target levels for cleanup of PFOA and PFOS in other media, including biota and sediment, have not yet been established by the DEC.	9/15/2020
Water Sample Results Page 10	PFAS should be further assessed and considered as a potential contaminant of concern in groundwater or surface water (…) If PFAS are identified as a contaminant of concern for a site, they should be assessed as part of the remedy selection process in accordance with Part 375 and DER-10.	PFOA and PFOS should be further assessed and considered as potential contaminants of concern in groundwater or surface water (…) If PFOA and/or PFOS are identified as contaminants of concern for a site, they should be assessed as part of the remedy selection process in accordance with Part 375 and DER-10.	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Soil Sample Results, page 10	"The extent of soil contamination for purposes of delineation and remedy selection should be determined by having certain soil samples tested by Synthetic Precipitation Leaching Procedure (SPLP) and the leachate analyzed for PFAS. Soil exhibiting SPLP results above 70 ppt for either PFOA or PFOS (individually or combined) are to be evaluated during the cleanup phase."	"Soil cleanup objectives for PFOA and PFOS will be proposed in an upcoming revision to 6 NYCRR Part 375-6. Until SCOs are in effect, the following are to be used as guidance values. " [Interim SCO Table] "PFOA and PFOS results for soil are to be compared against the guidance values listed above. These guidance values are to be used in determining whether PFOA and PFOS are contaminants of concern for the site and for determining remedial action objectives and cleanup requirements. Site-specific remedial objectives for protection of groundwater can also be presented for evaluation by DEC. Development of site-specific remedial objectives for protection of groundwater will require analysis of additional soil parameters relating to leachability. These additional analyses can include any or all the parameters listed above (soil pH, cation exchange capacity, etc.) and/or use of SPLP. As the understanding of PFAS transport improves, DEC welcomes proposals for site-specific remedial objectives for protection of groundwater. DEC will expect that those may be dependent on additional factors including soil pH, aqueous pH, % organic carbon, % Sand/Silt/Clay, soil cations: K, Ca, Mg, Na, Fe, Al, cation exchange capacity, and anion exchange capacity. Site-specific remedial objectives should also consider the dilution attenuation factor (DAF). The NJDEP publication on DAF can be used as a reference: https://www.nj.gov/dep/srp/guidance/rs/daf.pdf. "	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Testing for Imported Soil Page 11	Soil imported to a site for use in a soil cap, soil cover, or as backfill is to be tested for PFAS in general conformance with DER-10, Section 5.4(e) for the PFAS Analyte List (Appendix F) using the analytical procedures discussed below and the criteria in DER-10 associated with SVOCs. If PFOA or PFOS is detected in any sample at or above 1 µg/kg, then soil should be tested by SPLP and the leachate analyzed for PFAS. If the SPLP results exceed 10 ppt for either PFOA or PFOS (individually) then the source of backfill should be rejected, unless a site-specific exemption is provided by DER. SPLP leachate criteria is based on the Maximum Contaminant Levels proposed for drinking water by New York State's Department of Health, this value may be updated based on future Federal or State promulgated regulatory standards. Remedial parties have the option of analyzing samples concurrently for both PFAS in soil and in the SPLP leachate to minimize project delays. Category B deliverables should be submitted for backfill samples, though a DUSR is not required.	Testing for PFAS should be included any time a full TAL/TCL analyte list is required. Results for PFOA and PFOS should be compared to the applicable guidance values. If PFOA or PFOS is detected in any sample at or above the guidance values then the source of backfill should be rejected, unless a site-specific exemption is provided by DER based on SPLP testing, for example. If the concentrations of PFOA and PFOS in leachate are at or above 10 ppt (the Maximum Contaminant Levels established for drinking water by the New York State Department of Health), then the soil is not acceptable. PFOA, PFOS and 1,4-dioxane are all considered semi-volatile compounds, so composite samples are appropriate for these compounds when sampling in accordance with DER-10, Table 5.4(e)10. Category B deliverables should be submitted for backfill samples, though a DUSR is not required.	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Footnotes	None	[1] TOP Assay analysis of highly contaminated samples, such as those from an AFFF (aqueous film-forming foam) site, can result in incomplete oxidation of the samples and an underestimation of the total perfluoroalkyl substances. [2] The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the soil cleanup objective for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).	9/15/2020
Additional Analysis, page 9	In cases… soil parameters, such as Total Organic Carbon (EPA Method 9060), soil…	In cases… soil parameters, such as Total Organic Carbon (Lloyd Kahn), soil…	1/8/2021
Appendix A, General Guidelines, fourth bullet	List the ELAP-approved lab(s) to be used for analysis of samples	List the ELAP- certified lab(s) to be used for analysis of samples	1/8/2021
Appendix E, Laboratory Analysis and Containers	Drinking water samples collected using this protocol are intended to be analyzed for PFAS by ISO Method 25101.	Drinking water samples collected using this protocol are intended to be analyzed for PFAS by EPA Method 537, 537.1, 533, or ISO Method 25101	1/8/2021
Water Sample Results Page 9	"In addition, further assessment of water may be warranted if either of the following screening levels are met: a. any other individual PFAS (not PFOA or PFOS) is detected in water at or above 100 ng/L; or b. total concentration of PFAS (including PFOA and PFOS) is detected in water at or above 500 ng/L"	Deleted	6/15/2021

Citation and Page Number	Current Text	Corrected Text	Date
Routine Analysis, Page XX	Currently, New York State Department of Health's Environmental Laboratory Approval Program (ELAP)… criteria set forth in the DER's laboratory guidelines for PFAS in non-potable water and solids (Appendix H - Laboratory Guidelines for Analysis of PFAS in Non-Potable Water and Solids).	Deleted	5/31/2022
Analysis and Reporting, Page XX	As of October 2020, the United States Environmental Protection Agency (EPA) does not have a validated method for analysis of PFAS for media commonly analyzed under DER remedial programs (non-potable waters, solids). DER has developed the following guidelines to ensure consistency in analysis and reporting of PFAS.	Deleted	5/31/2022
Routine Analysis, Page XX	LC-MS/MS analysis for PFAS using methodologies based on EPA Method 537.1 is the procedure to use for environmental samples. Isotope dilution techniques should be utilized for the analysis of PFAS in all media.	EPA Method 1633 is the procedure to use for environmental samples.	
Soil Sample Results, Page XX	Soil cleanup objectives for PFOA and PFOS will be proposed in an upcoming revision to 6 NYCRR Part 375-6	Soil cleanup objectives for PFOA and PFOS have been proposed in an upcoming revision to 6 NYCRR Part 375-6	
Appendix A	"Include in the text… LC-MS/MS for PFAS using methodologies based on EPA Method 537.1"	"Include in the text ….EPA Method 1633"	
Appendix A	"Laboratory should have ELAP certification for PFOA and PFOS in drinking water by EPA Method 537, 537.1, EPA Method 533, or ISO 25101"	Deleted	
Appendix B	"Samples collected using this protocol are intended to be analyzed for PFAS using methodologies based on EPA Method 537.1"	"Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633"	

Citation and Page Number	Current Text	Corrected Text	Date
Appendix C	"Samples collected using this protocol are intended to be analyzed for PFAS using methodologies based on EPA Method 537.1"	"Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633"	
Appendix D	"Samples collected using this protocol are intended to be analyzed for PFAS using methodologies based on EPA Method 537.1"	"Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633"	
Appendix G		Updated to include all forty PFAS analytes in EPA Method 533	
Appendix H		Deleted	
Appendix I	Appendix I	Appendix H	
Appendix H	"These guidelines are intended to be used for the validation of PFAS analytical results for projects within the Division of Environmental Remediation (DER) as well as aid in the preparation of a data usability summary report."	"These guidelines are intended to be used for the validation of PFAS using EPA Method 1633 for projects within the Division of Environmental Remediation (DER)."	
Appendix H	"The holding time is 14 days…"	"The holding time is 28 days…"	
Appendix H, Initial Calibration	"The initial calibration should contain a minimum of five standards for linear fit…"	"The initial calibration should contain a minimum of six standards for linear fit…"	
Appendix H, Initial Calibration	Linear fit calibration curves should have an R^2 value greater than 0.990.	Deleted	
Appendix H, Initial Calibration Verification	Initial Calibration Verification Section	Deleted	
Appendix H	secondary Ion Monitoring Section	Deleted	
Appendix H	Branched and Linear Isomers Section	Deleted	

Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs

Objective

New York State Department of Environmental Conservation's Division of Environmental Remediation (DER) performs or oversees sampling of environmental media and subsequent analysis of PFAS as part of remedial programs implemented under 6 NYCRR Part 375. To ensure consistency in sampling, analysis, reporting, and assessment of PFAS, DER has developed this document which summarizes currently accepted procedures and updates previous DER technical guidance pertaining to PFAS.

Applicability

All work plans submitted to DEC pursuant to one of the remedial programs under Part 375 shall include PFAS sampling and analysis procedures that conform to the guidelines provided herein.

As part of a site investigation or remedial action compliance program, whenever samples of potentially affected media are collected and analyzed for the standard Target Analyte List/Target Compound List (TAL/TCL), PFAS analysis should also be performed. Potentially affected media can include soil, groundwater, surface water, and sediment. Based upon the potential for biota to be affected, biota sampling and analysis for PFAS may also be warranted as determined pursuant to a Fish and Wildlife Impact Analysis. Soil vapor sampling for PFAS is not required.

Field Sampling Procedures

DER-10 specifies technical guidance applicable to DER's remedial programs. Given the prevalence and use of PFAS, DER has developed "best management practices" specific to sampling for PFAS. As specified in DER-10 Chapter 2, quality assurance procedures are to be submitted with investigation work plans. Typically, these procedures are incorporated into a work plan, or submitted as a stand-alone document (e.g., a Quality Assurance Project Plan). Quality assurance guidelines for PFAS are listed in Appendix A - Quality Assurance Project Plan (QAPP) Guidelines for PFAS.

Field sampling for PFAS performed under DER remedial programs should follow the appropriate procedures outlined for soils, sediments, or other solids (Appendix B), non-potable groundwater (Appendix C), surface water (Appendix D), public or private water supply wells (Appendix E), and fish tissue (Appendix F).

QA/QC samples (e.g. duplicates, MS/MSD) should be collected as specified in DER-10, Section 2.3(c). For sampling equipment coming in contact with aqueous samples only, rinsate or equipment blanks should be collected. Equipment blanks should be collected at a minimum frequency of one per day per site or one per twenty samples, whichever is more frequent.

Analysis and Reporting

The investigation work plan should describe analysis and reporting procedures, including laboratory analytical procedures for the methods discussed below. As specified in DER-10 Section 2.2, laboratories should provide a full Category B deliverable. In addition, a Data Usability Summary Report (DUSR) should be prepared by an independent, third-party data validator. Electronic data submissions should meet the requirements provided at: https://www.dec.ny.gov/chemical/62440.html.

DER has developed a *PFAS Analyte List* (Appendix G) for remedial programs to understand the nature of contamination at sites. It is expected that reported results for PFAS will include, at a minimum, all the compounds listed. If lab and/or matrix specific issues are encountered for any analytes, the DER project manager, in consultation with the DER chemist, will make case-by-case decisions as to whether certain analytes may be temporarily or permanently discontinued from analysis at each site. As with other contaminants that are analyzed for at a site, the *PFAS Analyte List* may be refined for future sampling events based on investigative findings.

Routine Analysis

EPA Method 1633 is the procedure to use for environmental samples. Reporting limits for PFOA and PFOS in aqueous samples should not exceed 2 ng/L. Reporting limits for PFOA and PFOS in solid samples should not exceed 0.5 µg/kg. Reporting limits for all other PFAS in aqueous and solid media should be as close to these limits as possible. If laboratories indicate that they are not able to achieve these reporting limits for the entire *PFAS Analyte List*, site-specific decisions regarding acceptance of elevated reporting limits for specific PFAS can be made by the DER project manager in consultation with the DER chemist. Data review guidelines were developed by DER to ensure data comparability and usability (Appendix H - Data Review Guidelines for Analysis of PFAS in Non-Potable Water and Solids).

Additional Analysis

Additional laboratory methods for analysis of PFAS may be warranted at a site, such as the Synthetic Precipitation Leaching Procedure (SPLP) and Total Oxidizable Precursor Assay (TOP Assay).

In cases where site-specific cleanup objectives for PFOA and PFOS are to be assessed, soil parameters, such as Total Organic Carbon (Lloyd Kahn), soil pH (EPA Method 9045), clay content (percent), and cation exchange capacity (EPA Method 9081), should be included in the analysis to help evaluate factors affecting the leachability of PFAS in site soils.

SPLP is a technique used to determine the mobility of chemicals in liquids, soils and wastes, and may be useful in determining the need for addressing PFAS-containing material as part of the remedy. SPLP by EPA Method 1312 should be used unless otherwise specified by the DER project manager in consultation with the DER chemist.

Impacted materials can be made up of PFAS that are not analyzable by routine analytical methodology. A TOP Assay can be utilized to conceptualize the amount and type of oxidizable PFAS which could be liberated in the environment, which approximates the maximum concentration of perfluoroalkyl substances that could be generated if all polyfluoroalkyl substances were oxidized. For example, some polyfluoroalkyl substances may degrade or transform to form perfluoroalkyl substances (such as PFOA or PFOS), resulting in an increase in perfluoroalkyl substance concentrations as contaminated groundwater moves away from a source. The TOP Assay converts, through oxidation, polyfluoroalkyl substances (precursors) into perfluoroalkyl substances that can be detected by routine analytical methodology.[1]

[1] TOP Assay analysis of highly contaminated samples, such as those from an AFFF (aqueous film-forming foam) site, can result in incomplete oxidation of the samples and an underestimation of the total perfluoroalkyl substances.

Commercial laboratories have adopted methods which allow for the quantification of targeted PFAS in air and biota. The EPA's Office of Research and Development (ORD) is currently developing methods which allow for air emissions characterization of PFAS, including both targeted and non-targeted analysis of PFAS. Consult with the DER project manager and the DER chemist for assistance on analyzing biota/tissue and air samples.

Data Assessment and Application to Site Cleanup

Until such time as Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published, the extent of contaminated media potentially subject to remediation should be determined on a case-by-case basis using the procedures discussed below and the criteria in DER-10. Preliminary target levels for cleanup of PFOA and PFOS in other media, including biota and sediment, have not yet been established by the DEC.

Water Sample Results

NYSDEC has adopted ambient water quality guidance values for PFOA and PFOS. Groundwater samples should be compared to the human health criteria of 6.7 ng/l (ppt) for PFOA and 2.7 ng/l (ppt) for PFOS. These human health criteria should also be applied to surface water that is used as a water supply. This guidance also includes criteria for surface water for PFOS applicable for aquatic life, which may be applicable at some sites. Drinking water sample results should be compared to the NYS maximum contaminant level (MCL) of 10 ng/l (ppt). Analysis to determine if PFOA and PFOS concentrations are attributable to the site should include a comparison between upgradient and downgradient levels, and the presence of soil source areas, as defined below.

If PFOA and/or PFOS are identified as contaminants of concern for a site, they should be assessed as part of the remedy selection process in accordance with Part 375 and DER-10.

Soil Sample Results

NYSDEC will delay adding soil cleanup objectives for PFOA and PFOS to 6 NYCRR Part 375-6 until the PFAS rural soil background study has been completed. Until SCOs are in effect, the following are to be used as guidance values:

Guidance Values for Anticipated Site Use	PFOA (ppb)	PFOS (ppb)
Unrestricted	0.66	0.88
Residential	6.6	8.8
Restricted Residential	33	44
Commercial	500	440
Industrial	600	440
Protection of Groundwater[2]	0.8	1.0

PFOA and PFOS results for soil are to be compared against the guidance values listed above. These guidance values are to be used in determining whether PFOA and PFOS are contaminants of concern for the site and for determining remedial action objectives and cleanup requirements. Site-specific remedial objectives for protection of groundwater can also be presented for evaluation by DEC. Development of site-specific remedial objectives for protection of groundwater will require analysis of additional soil parameters relating to leachability. These

[2] The Protection of Groundwater values are based on the above referenced ambient groundwater guidance values. Details on that calculation are available in the following document, prepared for the February 2022 proposed changes to Part 375 (https://www.dec.ny.gov/docs/remediation_hudson_pdf/part375techsupport.pdf). The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the guidance value for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).

additional analyses can include any or all the parameters listed above (soil pH, cation exchange capacity, etc.) and/or use of SPLP.

As the understanding of PFAS transport improves, DEC welcomes proposals for site-specific remedial objectives for protection of groundwater. DEC will expect that those may be dependent on additional factors including soil pH, aqueous pH, % organic carbon, % Sand/Silt/Clay, soil cations: K, Ca, Mg, Na, Fe, Al, cation exchange capacity, and anion exchange capacity. Site-specific remedial objectives should also consider the dilution attenuation factor (DAF). The NJDEP publication on DAF can be used as a reference: https://www.nj.gov/dep/srp/guidance/rs/daf.pdf.

Testing for Imported Soil

Testing for PFAS should be included any time a full TAL/TCL analyte list is required. Results for PFOA and PFOS should be compared to the applicable guidance values. If PFOA or PFOS is detected in any sample at or above the guidance values then the source of backfill should be rejected, unless a site-specific exemption is provided by DER based on SPLP testing, for example. If the concentrations of PFOA and PFOS in leachate are at or above the ambient water quality guidance values for groundwater, then the soil is not acceptable.

PFOA, PFOS and 1,4-dioxane are all considered semi-volatile compounds, so composite samples are appropriate for these compounds when sampling in accordance with DER-10, Table 5.4(e)10. Category B deliverables should be submitted for backfill samples, though a DUSR is not required.

Appendix A - Quality Assurance Project Plan (QAPP) Guidelines for PFAS

The following guidelines (general and PFAS-specific) can be used to assist with the development of a QAPP for projects within DER involving sampling and analysis of PFAS.

General Guidelines in Accordance with DER-10

- Document/work plan section title – Quality Assurance Project Plan
- Summarize project scope, goals, and objectives
- Provide project organization including names and resumes of the project manager, Quality Assurance Officer (QAO), field staff, and Data Validator
    - The QAO should not have another position on the project, such as project or task manager, that involves project productivity or profitability as a job performance criterion
- List the ELAP certified lab(s) to be used for analysis of samples
- Include a site map showing sample locations
- Provide detailed sampling procedures for each matrix
- Include Data Quality Usability Objectives
- List equipment decontamination procedures
- Include an "Analytical Methods/Quality Assurance Summary Table" specifying:
    - Matrix type
    - Number or frequency of samples to be collected per matrix
    - Number of field and trip blanks per matrix
    - Analytical parameters to be measured per matrix
    - Analytical methods to be used per matrix with minimum reporting limits
    - Number and type of matrix spike and matrix spike duplicate samples to be collected
    - Number and type of duplicate samples to be collected
    - Sample preservation to be used per analytical method and sample matrix
    - Sample container volume and type to be used per analytical method and sample matrix
    - Sample holding time to be used per analytical method and sample matrix
- Specify Category B laboratory data deliverables and preparation of a DUSR

Specific Guidelines for PFAS

- Include in the text that sampling for PFAS will take place
- Include in the text that PFAS will be analyzed by EPA Method 1633
- Include the list of PFAS compounds to be analyzed (*PFAS Analyte List*)
- Include the laboratory SOP for PFAS analysis
- List the minimum method-achievable Reporting Limits for PFAS
    - Reporting Limits should be less than or equal to:
        - Aqueous – 2 ng/L (ppt)
        - Solids – 0.5 µg/kg (ppb)
- Include the laboratory Method Detection Limits for the PFAS compounds to be analyzed
-
- Include detailed sampling procedures
    - Precautions to be taken
    - Pump and equipment types
    - Decontamination procedures
    - Approved materials only to be used
- Specify that regular ice only will be used for sample shipment
- Specify that equipment blanks should be collected at a minimum frequency of 1 per day per site for each matrix

Appendix B - Sampling Protocols for PFAS in Soils, Sediments and Solids

General

The objective of this protocol is to give general guidelines for the collection of soil, sediment and other solid samples for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Containers

Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633.

The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in to contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials including sample bottle cap liners with a PTFE layer.

A list of acceptable equipment is provided below, but other equipment may be considered appropriate based on sampling conditions.

- stainless steel spoon
- stainless steel bowl
- steel hand auger or shovel without any coatings

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Sampling is often conducted in areas where a vegetative turf has been established. In these cases, a pre-cleaned trowel or shovel should be used to carefully remove the turf so that it may be replaced at the conclusion of sampling. Surface soil samples (e.g. 0 to 6 inches below surface) should then be collected using a pre-cleaned, stainless steel spoon. Shallow subsurface soil samples (e.g. 6 to ~36 inches below surface) may be collected by digging a hole using a pre-cleaned hand auger or shovel. When the desired subsurface depth is reached, a pre-cleaned hand auger or spoon shall be used to obtain the sample.

When the sample is obtained, it should be deposited into a stainless steel bowl for mixing prior to filling the sample containers. The soil should be placed directly into the bowl and mixed thoroughly by rolling the material into the middle until the material is homogenized. At this point the material within the bowl can be placed into the laboratory provided container.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- Request appropriate data deliverable (Category B) and an electronic data deliverable

Documentation

A soil log or sample log shall document the location of the sample/borehole, depth of the sample, sampling equipment, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate. Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appropriate rain gear (PVC, polyurethane, or rubber rain gear are acceptable), bug spray, and sunscreen should be used that does not contain PFAS. Well washed cotton coveralls may be used as an alternative to bug spray and/or sunscreen.

PPE that contains PFAS is acceptable when site conditions warrant additional protection for the samplers and no other materials can be used to be protective. Documentation of such use should be provided in the field notes.

Appendix C - Sampling Protocols for PFAS in Monitoring Wells

General

The objective of this protocol is to give general guidelines for the collection of groundwater samples for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Container

Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633.

The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include: stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials including plumbers tape and sample bottle cap liners with a PTFE layer.

A list of acceptable equipment is provided below, but other equipment may be considered appropriate based on sampling conditions.

- stainless steel inertia pump with HDPE tubing
- peristaltic pump equipped with HDPE tubing and silicone tubing
- stainless steel bailer with stainless steel ball
- bladder pump (identified as PFAS-free) with HDPE tubing

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Monitoring wells should be purged in accordance with the sampling procedure (standard/volume purge or low flow purge) identified in the site work plan, which will determine the appropriate time to collect the sample. If sampling using standard purge techniques, additional purging may be needed to reduce turbidity levels, so samples contain a limited amount of sediment within the sample containers. Sample containers that contain sediment may cause issues at the laboratory, which may result in elevated reporting limits and other issues during the sample preparation that can compromise data usability. Sampling personnel should don new nitrile gloves prior to sample collection due to the potential to contact PFAS containing items (not related to the sampling equipment) during the purging activities.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- Collect one equipment blank per day per site and minimum 1 equipment blank per 20 samples. The equipment blank shall test the new and decontaminated sampling equipment utilized to obtain a sample for residual PFAS contamination. This sample is obtained by using laboratory provided PFAS-free water and passing the water over or through the sampling device and into laboratory provided sample containers
- Additional equipment blank samples may be collected to assess other equipment that is utilized at the monitoring well
- Request appropriate data deliverable (Category B) and an electronic data deliverable

Documentation

A purge log shall document the location of the sample, sampling equipment, groundwater parameters, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate. Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appropriate rain gear (PVC, polyurethane, or rubber rain gear are acceptable), bug spray, and sunscreen should be used that does not contain PFAS. Well washed cotton coveralls may be used as an alternative to bug spray and/or sunscreen.

PPE that contains PFAS is acceptable when site conditions warrant additional protection for the samplers and no other materials can be used to be protective. Documentation of such use should be provided in the field notes.

Appendix D - Sampling Protocols for PFAS in Surface Water

General

The objective of this protocol is to give general guidelines for the collection of surface water samples for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Container

Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633.

The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include: stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials including sample bottle cap liners with a PTFE layer.

A list of acceptable equipment is provided below, but other equipment may be considered appropriate based on sampling conditions.

- stainless steel cup

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Where conditions permit, (e.g. creek or pond) sampling devices (e.g. stainless steel cup) should be rinsed with site medium to be sampled prior to collection of the sample. At this point the sample can be collected and poured into the sample container.

If site conditions permit, samples can be collected directly into the laboratory container.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- Collect one equipment blank per day per site and minimum 1 equipment blank per 20 samples. The equipment blank shall test the new and decontaminated sampling equipment utilized to obtain a sample for residual PFAS contamination. This sample is obtained by using laboratory provided PFAS-free water and passing the water over or through the sampling device and into laboratory provided sample containers
- Request appropriate data deliverable (Category B) and an electronic data deliverable

Documentation

A sample log shall document the location of the sample, sampling equipment, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate. Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appropriate rain gear (PVC, polyurethane, or rubber rain gear are acceptable), bug spray, and sunscreen should be used that does not contain PFAS. Well washed cotton coveralls may be used as an alternative to bug spray and/or sunscreen.

PPE that contains PFAS is acceptable when site conditions warrant additional protection for the samplers and no other materials can be used to be protective. Documentation of such use should be provided in the field notes.

Appendix E - Sampling Protocols for PFAS in Private Water Supply Wells

General

The objective of this protocol is to give general guidelines for the collection of water samples from private water supply wells (with a functioning pump) for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Container

Drinking water samples collected using this protocol are intended to be analyzed for PFAS by EPA Method 537, 537.1, 533, or ISO Method 25101. The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials (e.g. plumbers tape), including sample bottle cap liners with a PTFE layer.

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Locate and assess the pressure tank and determine if any filter units are present within the building. Establish the sample location as close to the well pump as possible, which is typically the spigot at the pressure tank. Ensure sampling equipment is kept clean during sampling as access to the pressure tank spigot, which is likely located close to the ground, may be obstructed and may hinder sample collection.

Prior to sampling, a faucet downstream of the pressure tank (e.g., washroom sink) should be run until the well pump comes on and a decrease in water temperature is noted which indicates that the water is coming from the well. If the homeowner is amenable, staff should run the water longer to purge the well (15+ minutes) to provide a sample representative of the water in the formation rather than standing water in the well and piping system including the pressure tank. At this point a new pair of nitrile gloves should be donned and the sample can be collected from the sample point at the pressure tank.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- If equipment was used, collect one equipment blank per day per site and a minimum 1 equipment blank per 20 samples. The equipment blank shall test the new and decontaminated sampling equipment utilized to obtain a sample for residual PFAS contamination. This sample is obtained by using laboratory provided PFAS-free water and passing the water over or through the sampling device and into laboratory provided sample containers.
- A field reagent blank (FRB) should be collected at a rate of one per 20 samples. The lab will provide a FRB bottle containing PFAS free water and one empty FRB bottle. In the field, pour the water from the one bottle into the empty FRB bottle and label appropriately.
- Request appropriate data deliverable (Category B) and an electronic data deliverable
- For sampling events where multiple private wells (homes or sites) are to be sampled per day, it is acceptable to collect QC samples at a rate of one per 20 across multiple sites or days.

Documentation

A sample log shall document the location of the private well, sample point location, owner contact information, sampling equipment, purge duration, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate and available (e.g. well construction, pump type and location, yield, installation date). Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appendix F - Sampling Protocols for PFAS in Fish

This appendix contains a copy of the latest guidelines developed by the Division of Fish and Wildlife (DFW) entitled “General Fish Handling Procedures for Contaminant Analysis” (Ver. 8).

Procedure Name: General Fish Handling Procedures for Contaminant Analysis

Number: FW-005

Purpose: This procedure describes data collection, fish processing and delivery of fish collected for contaminant monitoring. It contains the chain of custody and collection record forms that should be used for the collections.

Organization: Environmental Monitoring Section
Bureau of Ecosystem Health
Division of Fish and Wildlife (DFW)
New York State Department of Environmental Conservation (NYSDEC)
625 Broadway
Albany, New York 12233-4756

Version: 8

Previous Version Date: 21 March 2018

Summary of Changes to this Version: Updated bureau name to Bureau of Ecosystem Health. Added direction to list the names of all field crew on the collection record. Minor formatting changes on chain of custody and collection records.

Originator or Revised by: Wayne Richter, Jesse Becker

Date: 26 April 2019

Quality Assurance Officer and Approval Date: Jesse Becker, 26 April 2019

Appendix G – PFAS Analyte List

Group	Chemical Name	Abbreviation	CAS Number
Perfluoroalkyl sulfonic acids	Perfluorobutanesulfonic acid	PFBS	375-73-5
	Perfluoropentanesulfonic acid	PFPeS	2706-91-4
	Perfluorohexanesulfonic acid	PFHxS	355-46-4
	Perfluoroheptanesulfonic acid	PFHpS	375-92-8
	Perfluorooctanesulfonic acid	PFOS	1763-23-1
	Perfluorononanesulfonic acid	PFNS	68259-12-1
	Perfluorodecanesulfonic acid	PFDS	335-77-3
	Perfluorododecanesulfonic acid	PFDoS	79780-39-5
Perfluoroalkyl carboxylic acids	Perfluorobutanoic acid	PFBA	375-22-4
	Perfluoropentanoic acid	PFPeA	2706-90-3
	Perfluorohexanoic acid	PFHxA	307-24-4
	Perfluoroheptanoic acid	PFHpA	375-85-9
	Perfluorooctanoic acid	PFOA	335-67-1
	Perfluorononanoic acid	PFNA	375-95-1
	Perfluorodecanoic acid	PFDA	335-76-2
	Perfluoroundecanoic acid	PFUnA	2058-94-8
	Perfluorododecanoic acid	PFDoA	307-55-1
	Perfluorotridecanoic acid	PFTrDA	72629-94-8
	Perfluorotetradecanoic acid	PFTeDA	376-06-7
Per- and Polyfluoroether carboxylic acids	Hexafluoropropylene oxide dimer acid	HFPO-DA	13252-13-6
	4,8-Dioxa-3H-perfluorononanoic acid	ADONA	919005-14-4
	Perfluoro-3-methoxypropanoic acid	PFMPA	377-73-1
	Perfluoro-4-methoxybutanoic acid	PFMBA	863090-89-5
	Nonafluoro-3,6-dioxaheptanoic acid	NFDHA	151772-58-6
Fluorotelomer sulfonic acids	4:2 Fluorotelomer sulfonic acid	4:2-FTS	757124-72-4
	6:2 Fluorotelomer sulfonic acid	6:2-FTS	27619-97-2
	8:2 Fluorotelomer sulfonic acid	8:2-FTS	39108-34-4
Fluorotelomer carboxylic acids	3:3 Fluorotelomer carboxylic acid	3:3 FTCA	356-02-5
	5:3 Fluorotelomer carboxylic acid	5:3 FTCA	914637-49-3
	7:3 Fluorotelomer carboxylic acid	7:3 FTCA	812-70-4
Perfluorooctane sulfonamides	Perfluorooctane sulfonamide	PFOSA	754-91-6
	N-methylperfluorooctane sulfonamide	NMeFOSA	31506-32-8
	N-ethylperfluorooctane sulfonamide	NEtFOSA	4151-50-2
Perfluorooctane sulfonamidoacetic acids	N-methylperfluorooctane sulfonamidoacetic acid	N-MeFOSAA	2355-31-9
	N-ethylperfluorooctane sulfonamidoacetic acid	N-EtFOSAA	2991-50-6
Perfluorooctane sulfonamide ethanols	N-methylperfluorooctane sulfonamidoethanol	MeFOSE	24448-09-7
	N-ethylperfluorooctane sulfonamidoethanol	EtFOSE	1691-99-2

Group	Chemical Name	Abbreviation	CAS Number
Ether sulfonic acids	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (F-53B Major)	9Cl-PF3ONS	756426-58-1
	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (F-53B Minor)	11Cl-PF3OUdS	763051-92-9
	Perfluoro(2-ethoxyethane) sulfonic acid	PFEESA	113507-82-7

Appendix H - Data Review Guidelines for Analysis of PFAS in Non-Potable Water and Solids

General

These guidelines are intended to be used for the validation of PFAS using EPA Method 1633 for projects within the Division of Environmental Remediation (DER). Data reviewers should understand the methodology and techniques utilized in the analysis. Consultation with the end user of the data may be necessary to assist in determining data usability based on the data quality objectives in the Quality Assurance Project Plan. A familiarity with the laboratory's Standard Operating Procedure may also be needed to fully evaluate the data. If you have any questions, please contact DER's Quality Assurance Officer, Dana Barbarossa, at dana.barbarossa@dec.ny.gov.

Preservation and Holding Time

Samples should be preserved with ice to a temperature of less than 6°C upon arrival at the lab. The holding time is 28 days to extraction for aqueous and solid samples. The time from extraction to analysis for aqueous samples is 28 days and 40 days for solids.

Temperature greatly exceeds 6ºC upon arrival at the lab*	Use professional judgement to qualify detects and non-detects as estimated or rejected
Holding time exceeding 28 days to extraction	Use professional judgement to qualify detects and non-detects as estimated or rejected if holding time is grossly exceeded

*Samples that are delivered to the lab immediately after sampling may not meet the thermal preservation guidelines. Samples are considered acceptable if they arrive on ice or an attempt to chill the samples is observed.

Initial Calibration

The initial calibration should contain a minimum of six standards for linear fit and six standards for a quadratic fit. The relative standard deviation (RSD) for a quadratic fit calibration should be less than 20%.

The low-level calibration standard should be within 50% - 150% of the true value, and the mid-level calibration standard within 70% - 130% of the true value.

%RSD >20%	J flag detects and UJ non detects

Continuing Calibration Verification

Continuing calibration verification (CCV) checks should be analyzed at a frequency of one per ten field samples. If CCV recovery is very low, where detection of the analyte could be in question, ensure a low level CCV was analyzed and use to determine data quality.

CCV recovery <70 or >130%	J flag results

Blanks

There should be no detections in the method blanks above the reporting limits. Equipment blanks, field blanks, rinse blanks etc. should be evaluated in the same manner as method blanks. Use the most contaminated blank to evaluate the sample results.

Blank Result	Sample Result	Qualification
Any detection	<Reporting limit	Qualify as ND at reporting limit
Any detection	>Reporting Limit and >10x the blank result	No qualification
>Reporting limit	>Reporting limit and <10x blank result	J+ biased high

Field Duplicates

A blind field duplicate should be collected at rate of one per twenty samples. The relative percent difference (RPD) should be less than 30% for analyte concentrations greater than two times the reporting limit. Use the higher result for final reporting.

RPD >30%	Apply J qualifier to parent sample

Lab Control Spike

Lab control spikes should be analyzed with each extraction batch or one for every twenty samples. In the absence of lab derived criteria, use 70% - 130% recovery criteria to evaluate the data.

Recovery <70% or >130% (lab derived criteria can also be used)	Apply J qualifier to detects and UJ qualifier to non detects

Matrix Spike/Matrix Spike Duplicate

One matrix spike and matrix spike duplicate should be collected at a rate of one per twenty samples. Use professional judgement to reject results based on out of control MS/MSD recoveries.

Recovery <70% or >130% (lab derived criteria can also be used)	Apply J qualifier to detects and UJ qualifier to non detects of parent sample only
RPD >30%	Apply J qualifier to detects and UJ qualifier to non detects of parent sample only

Extracted Internal Standards (Isotope Dilution Analytes)

Problematic analytes (e.g. PFBA, PFPeA, fluorotelomer sulfonates) can have wider recoveries without qualification. Qualify corresponding native compounds with a J flag if outside of the range.

Recovery <50% or >150%	Apply J qualifier
Recovery <25% or >150% for poor responding analytes	Apply J qualifier
Isotope Dilution Analyte (IDA) Recovery <10%	Reject results

Signal to Noise Ratio

The signal to noise ratio for the quantifier ion should be at least 3:1. If the ratio is less than 3:1, the peak is discernable from the baseline noise and symmetrical, the result can be reported. If the peak appears to be baseline noise and/or the shape is irregular, qualify the result as tentatively identified.

Reporting Limits

If project-specific reporting limits were not met, please indicate that in the report along with the reason (e.g. over dilution, dilution for non-target analytes, high sediment in aqueous samples).

Peak Integrations

Target analyte peaks should be integrated properly and consistently when compared to standards. Ensure branched isomer peaks are included for PFAS where standards are available. Inconsistencies should be brought to the attention of the laboratory or identified in the data review summary report.

APPENDIX F
Climate Screening Checklist

Climate Screening Checklist

Background Information

- Project Manager: Zhan Shu, Ph.D., P.E.
- Site Name: 2916 Atlantic Ave
- Site Number: PENDING
- Site Location: 2916 Atlantic Avenue, Brooklyn, New York
- Site Elevation (average above sea level): Approximately 36 feet above sea level (Phase I)
- ClimAID Region (Responding Climate Change in New York State (ClimAID) - NYSERDA): Region 4 – New York City and Long Island
- Remedial Stage/site classification: Pending Brownfield Cleanup Program Acceptance
- Contamination - Media Impacted/ Contaminants of Concern: Soil, Groundwater, Soil Vapor
- Proposed/Current Remedy: Investigation/Design Phase
- What is the predicted timeframe of the remedy? Will components of the remedy still be in place in 10+ years?

  Remedy anticipated for completion in approximately two years. If required, engineering controls will remain in place, be maintained, or replaced as needed for the duration of the requirement under future site management.
- Is the site in proximity to any sensitive receptors? (e.g., wetlands, waterbodies, residential properties, hospitals, schools, drinking water supplies, etc.)
  Yes, one school.

Is the site in a disadvantaged community (DAC) or potential environmental justice area (PEJA) (Use DECinfolocator: DECinfo Locator (ny.gov))?

X Yes ☐ No

If the site is in a DAC or PEJA, will climate impacts be magnified? If yes, list how and why.

☐ Yes X No

Should thresholds of concern be lowered to account for magnification of impacts? If yes, indicate how lower thresholds will be used in the screening.

☐ Yes X No

Climate Screening Table*

Potential Climate Hazards		**Relevant to the Site Location** (Y/N/NA)[1]	**Projected Change** (Reference data source/Model)[3]	**Potential to Impact Remedy** (Y/N)	**Is remedy/site already resilient?** (Y/N)[4]
Precipitation		Potentially	N/A	N/A	N/A
Temperature[2] (Extreme Heat or Cold Weather Impacts)		Y	Y (Resilience Analysis and Planning Tool-RAPT)	Y	Future remedy will evaluate
Sea Level Rise		N	N/A (NOAA Relative Sea Level Trends	N/A	N/A
Flooding		N	N/A (FEMA FloodMapper)	N/A	N/A
Storm Surge		N	N/A (NWS Storm Surge Hazard Map)	N/A	N/A
Wildfire		N	N/A (NYSDEC Fire Danger Map)	N/A	N/A
Drought		N	N/A (NYSDEC Drought Condition Map)	N/A	N/A
Storm Severity		Y	N/A (Resilience Analysis and Planning Tool-RAPT)	Y	Future remedy will evaluate
Landslides		N	N	N/A	N/A
Other Hazards:		N/A	N/A	N/A	N/A

* Links to potential data sources can be found on the following page

[1] If the first column is N --> The rest of the columns will be N/A, the hazard is not applicable to the site.

[2] Extreme Heat: periods of three or more days above 90°F- Extreme Cold: Individual days with minimum temperatures at or below 0 degrees F (NYSERDA ClimAID report)

[3] List the projected change in specific terms or units e.g. inches of rain fall, feet of sea level rise, etc.

[4] If final column is Y, provide reasoning, if the final column is N --> Climate Vulnerability Assessment (CVA) required.

Required Next Steps (If no further action is required, provide justification):

Conduct severe weather storm inspections during the active remedy, as necessary.

Potential Data Sources (not an exhaustive list)- from Superfund Climate Resilience: Vulnerability Assessment | US EPA

NYSERDA ClimAID report- Responding Climate Change in New York State (ClimAID) - NYSERDA

FEMA- National Flood Hazard Layer | FEMA.gov

NOAA- National Storm Surge Risk Maps - Version 3 (noaa.gov)

Department of Agriculture Forest Service Wildfire Risk to Communities

EPA Climate Change Indicators in the United States

EPA Climate Resilience Evaluation & Awareness Tool (CREAT) | U.S. Climate Resilience Toolkit

EPA National Stormwater Calculator

National Integrated Drought Information System U.S. Drought Portal

National Interagency Coordination Center National Interagency Fire Center

National Oceanic and Atmospheric Administration Coastal Services Digital Coast

- Resources to help communities assess coastal hazards, such as the Sea Level Rise Viewer for visualizing community-level impacts of flooding or sea level rise and downloadable LIDAR data

National Oceanic and Atmospheric Administration National Centers for Environmental Information website

National Oceanic and Atmospheric Administration Sea Level Trends

National Weather Service Climate Prediction Center

National Weather Service National Hurricane Center

National Weather Service Sea, Lake, and Overland Surges from Hurricanes (SLOSH)

National Weather Service Storm Surge Hazard Maps

U.S. Federal Government Climate Resilience Toolkit: The Climate Explorer

U.S. Army Corps of Engineers Climate Prepardness and Resilience

U.S. Geological Survey Coastal Change Hazards Portal

U.S. Geological Survey Landslide Hazards Program

U.S. Geological Survey National Ground-water Monitoring Network Data Portal

U.S. Geological Survey National Climate Change Viewer

U.S. Geological Survey National Water Dashboard

U.S. Geological Survey StreamStats

NYS Department of State- Assess | Department of State (ny.gov)

NYSERDA NY Costal Floodplain Mapper- Home Page (ny.gov)

NYSDEC Costal Erosion Hazards- Coastal Areas Regulated By The CEHA Permit Program - NYDEC

NYSDOH Heat Index- health.ny.gov/environmental/weather/vulnerability_index/county_maps.htm

APPENDIX G
Green Sustainable Remediation Documentation

H & A OF NEW YORK ENGINEERING
AND GEOLOGY, LLP
213 W. 35th Street
7th Floor
New York, NY 10001
646.277.5685

June 25, 2025
File No. 0213315

New York State Department of Environmental Conservation
Division of Environmental Remediation, Region 2
47-40 21st Street
Long Island City, New York 11101

Attention: Ms. Jennifer Gonzalez

Subject: Green Site Remediation
2916 Atlantic Avenue Redevelopment Site
NYSDEC SITE PENDING
2916 Atlantic Avenue
Brooklyn, New York

H & A of New York Engineering and Geology, LLP (Haley & Aldrich of New York) presents the following environmental footprint analysis[1] in accordance with the U.S. Environmental Protection Agency (EPA) 542-R-12-002 for the remedial investigation associated with the 2916 Atlantic Avenue Redevelopment Site at 2916 Atlantic Avenue, Brooklyn, New York (Site).

2916 ATLANTIC AVENUE REDEVELOPMENT SITE – TOTALS

The estimated totals for all components of the installation and operation of the remedy are:

- 64.32 Metric Million British Thermal Units (MMBtus) of energy used;
- 4.32 tons of total greenhouse gas emissions (CO2e [includes consideration of carbon dioxide, methane, and nitrous oxide emissions]);
- 287.09 pounds (lbs) of nitrogen oxides (NOx) + sulfur oxides (SOx) + particulate matter (PM) emissions; and,
- 18.54 lbs of hazardous air pollutant (HAP) emissions.

Energy

- 9.19 MMBtus used for on-Site activities, such as excavation, drilling, and the use of air handlers to create a negative pressure enclosure.
- 0.04 MMBtus used for grid electricity generation.
- 16.29 MMBtus used for transportation of personnel, remedy materials, and waste disposal.
- 38.80 MMBtus used for off-Site activities.


[1] *Spreadsheets for Environmental Footprint Analysis (SEFA) Version 3.0, November 2019.*

Greenhouse Gas Emissions (CO2e)

- 0.67 tons of CO2e will be produced from on-Site activities, such as excavation and drilling.
- 0.00 tons of CO2e will be produced from grid electricity generation.
- 1.19 tons of CO2e will be produced from the transportation of personnel, remedy materials, and waste disposal.
- 2.06 tons will be produced from off-Site activities.

The majority of the remedial investigation footprint, including both energy use and CO2e generation, is from the off-Site activities. The on-Site activities are the smallest scope within the footprint and are primarily the result of drilling activities. Overall, the estimated footprint of the Site investigation is dominated by off-Site activities as well as transportation. Off-Site energy use is estimated to comprise 60.33 percent of all energy use and off-Site greenhouse gas emissions are expected to comprise 52.53 percent of all emissions for the remedial investigation.

Sincerely yours,
H & A OF NEW YORK ENGINEERING AND GEOLOGY, LLP



Zhan Shu, Ph.D., P.E.
Senior Project Manager



Mari C. Conlon, P.G.
Senior Associate

https://haleyaldrich.sharepoint.com/sites/BlueskyBuilders/Shared Documents/0213315.2916 Atlantic Ave/Deliverables/3. RIWP/Appendices/Appendix G - Green Sustainable Remediation Documentation/1. SEFA_Summary_Letter.docx


Environmental Footprint Summary


Core Element	Metric		Unit of Measure	Footprint						
				Remedial Investigation						Total
Materials & Waste	M&W-1	Refined materials used on-site	Tons	1.7	0.0	0.0	0.0	0.0	0.0	1.7
	M&W-2	% of refined materials from recycled or reused material	%	0.0%						0.0%
	M&W-3	Unrefined materials used on-site	Tons	0.000	0.000	0.000	0.000	0.000	0.000	0.0
	M&W-4	% of unrefined materials from recycled or reused material	%							
	M&W-5	On-site hazardous waste disposed of off-site	Tons	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	M&W-6	On-site non-hazardous waste disposed of off-site	Tons	2.3	0.0	0.0	0.0	0.0	0.0	2.3
	M&W-7	Recycled or reused waste	Tons	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	M&W-8	% of total potential waste recycled or reused	%	0.0%						0.0%
Water (used on-site)	W-1	Public water use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-2	Groundwater use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-3	Surface water use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-4	Reclaimed water use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-5	Storm water use	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-6	User-defined water resource #1	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-7	User-defined water resource #2	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	W-8	Wastewater generated	MG	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Energy	E-1	Total energy used (on-site and off-site)	MMBtu	64.3	0.0	0.0	0.0	0.0	0.0	64.3
	E-2	Energy voluntarily derived from renewable resources								
	E-2A	On-site renewable energy generation or use + on-site biodiesel use + biodiesel and other renewable resource use for transportation	MMBtu	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E-2B	Voluntary purchase of renewable electricity	MWh	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E-3	Voluntary purchase of RECs	MWh	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	E-4	On-site grid electricity use	MWh	0.005	0.000	0.000	0.000	0.000	0.000	0.0
Air	A-1	On-site NOx, SOx, and PM emissions	Pounds	11.8	0.0	0.0	0.0	0.0	0.0	11.8
	A-2	On-site HAP emissions	Pounds	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	A-3	Total NOx, SOx, and PM emissions	Pounds	287.1	0.0	0.0	0.0	0.0	0.0	287.1
	A-3A	Total NOx emissions	Pounds	94.8	0.0	0.0	0.0	0.0	0.0	94.8
	A-3B	Total SOx emissions	Pounds	165.9	0.0	0.0	0.0	0.0	0.0	165.9
	A-3C	Total PM emissions	Pounds	26.4	0.0	0.0	0.0	0.0	0.0	26.4
	A-4	Total HAP emissions	Pounds	18.5	0.0	0.0	0.0	0.0	0.0	18.5
	A-5	Total greenhouse gas emissions	Tons CO2e*	4.3	0.0	0.0	0.0	0.0	0.0	4.3
Land & Ecosystems	Qualitative Description									


** Total greenhouse gases emissions (in CO2e) include consideration of CO2, CH4, and N2O (Nitrous oxide) emissions.*
"MMBtu" = millions of Btus
"MG" = millions of gallons
"CO2e" = carbon dioxide equivalents of global warming potential
"MWh" = megawatt hours (i.e., thousands of kilowatt-hours or millions of Watt-hours)
"Tons" = short tons (2,000 pounds)

The above metrics are consistent with EPA's Methodology for Understanding and Reducing a Project's Environmental Footprint (EPA 542-R-12-002), February 2012

Notes:


All Energy Use by Remedy Component and Scope
(in MMbtu)
70
60
50
40
30
20
10
0
Remedial Investigation
Other Off-Site (Scope 3b)
Transportation (Scope 3a)
Grid Electricity Generation (Scope 2)
On-site (Scope 1)
Total Energy All Components = 64.3 MMbtus


All Energy Use by Remedy Component
Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%
Total Energy All Components = 64.3 MMbtus



All Energy Use by Scope
On-site (Scope 1) = 14.3%
Grid Electricity Generation (Scope 2) = 0.1%
Transportation (Scope 3a) = 25.3%
Other Off-Site (Scope 3b) = 60.3%
Total Energy All Scopes = 64.3 MMbtus


Total Energy MMbtus	Remedial Investigation						Total	
On-site (Scope 1)	9.2	0.0	0.0	0.0	0.0	0.0	9.2	
Generation (Scope 2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	d Electricity
nsportation (Scope 3a)	16.3	0.0	0.0	0.0	0.0	0.0	16.3	Tran
ner Off-Site (Scope 3b)	38.8	0.0	0.0	0.0	0.0	0.0	38.8	Oth
Total	64.3	0.0	0.0	0.0	0.0	0.0	64.3	


Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%

On-site (Scope 1) = 14.3%
Grid Electricity Generation (Scope 2) = 0.1%
Transportation (Scope 3a) = 25.3%
Other Off-Site (Scope 3b) = 60.3%

Total Energy All Components = 64.3 MMbtus
Total Energy All Scopes = 64.3 MMbtus


All GHG Emissions by Remedy Component and Scope
(in Tons)
5
4.5
4
3.5
3
2.5
2
1.5
1
0.5
0
Remedial Investigation
Other Off-Site (Scope 3b)
Transportation (Scope 3a)
Grid Electricity Generation (Scope 2)
On-site (Scope 1)
GHG All Components = 4.3 Tons CO2e


All GHG Emissions by Remedy Component
Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%
GHG All Components = 4.3 Tons CO2e



All GHG Emissions by Scope
On-site (Scope 1) = 17.2%
Grid Electricity Generation (Scope 2) = 0.1%
Transportation (Scope 3a) = 30.2%
Other Off-Site (Scope 3b) = 52.5%
GHG All Scopes = 4.3 Tons CO2e


GHG Tons CO2e	Remedial Investigation						Total	
On-site (Scope 1)	0.7	0.0	0.0	0.0	0.0	0.0	0.7	
Generation (Scope 2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	d Electricity
ısportation (Scope 3a)	1.3	0.0	0.0	0.0	0.0	0.0	1.3	Tran
ıer Off-Site (Scope 3b)	2.3	0.0	0.0	0.0	0.0	0.0	2.3	Oth
Total	4.3	0.0	0.0	0.0	0.0	0.0	4.3	


Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%

On-site (Scope 1) = 17.2%
Grid Electricity Generation (Scope 2) = 0.1%
Transportation (Scope 3a) = 30.2%
Other Off-Site (Scope 3b) = 52.5%

GHG All Components = 4.3 Tons CO2e
GHG All Scopes = 4.3 Tons CO2e


All NOx Emissions by Remedy Component by Scope
(in Lbs)
100
90
80
70
60
50
40
30
20
10
0
Remedial Investigation
Other Off-Site (Scope 3b)
Transportation (Scope 3a)
Grid Electricity Generation (Scope 2)
On-site (Scope 1)
NOx All Components = 94.8 lbs


All NOx Emissions by Remedy Component
Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%
NOx All Components = 94.8 lbs



All NOx Emissions by Scope
On-site (Scope 1) = 11.8%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 11.6%
Other Off-Site (Scope 3b) = 76.5%
NOx All Scopes = 94.8 lbs


NOx lbs	Remedial Investigation						Total	
On-site (Scope 1)	11.2	0.0	0.0	0.0	0.0	0.0	11.2	
Generation (Scope 2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	d Electricity
ısportation (Scope 3a)	11.0	0.0	0.0	0.0	0.0	0.0	11.0	Tran
ıer Off-Site (Scope 3b)	72.5	0.0	0.0	0.0	0.0	0.0	72.5	Oth
Total	94.8	0.0	0.0	0.0	0.0	0.0	94.8	


Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%

On-site (Scope 1) = 11.8%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 11.6%
Other Off-Site (Scope 3b) = 76.5%

NOx All Components = 94.8 lbs
NOx All Scopes = 94.8 lbs


All SOx Emissions by Remedy Component and Scope
(in Lbs)
180
160
140
120
100
80
60
40
20
0
Remedial Investigation
Other Off-Site (Scope 3b)
Transportation (Scope 3a)
Grid Electricity Generation (Scope 2)
On-site (Scope 1)
SOx All Components = 165.9 lbs


All SOx Emissions by Remedy Component
Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%
SOx All Components = 165.9 lbs



All SOx Emissions by Scope
On-site (Scope 1) = 0.2%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 0.2%
Other Off-Site (Scope 3b) = 99.6%
SOx All Scopes = 165.9 lbs


SOx lbs	Remedial Investigation						Total	
On-site (Scope 1)	0.4	0.0	0.0	0.0	0.0	0.0	0.4	
Generation (Scope 2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	d Electricity
nsportation (Scope 3a)	0.3	0.0	0.0	0.0	0.0	0.0	0.3	Tran
ner Off-Site (Scope 3b)	165.2	0.0	0.0	0.0	0.0	0.0	165.2	Oth
Total	165.9	0.0	0.0	0.0	0.0	0.0	165.9	


Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%

On-site (Scope 1) = 0.2%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 0.2%
Other Off-Site (Scope 3b) = 99.6%

SOx All Components = 165.9 lbs
SOx All Scopes = 165.9 lbs


All PM Emissions by Remedy Component and Scope
(in Lbs)
30
25
20
15
10
5
0
Remedial Investigation
Other Off-Site (Scope 3b)
Transportation (Scope 3a)
Grid Electricity Generation (Scope 2)
On-site (Scope 1)
PM All Components = 26.4 lbs


All PM Emissions by Remedy Component
Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%
PM All Components = 26.4 lbs



All PM Emissions by Scope
On-site (Scope 1) = 0.8%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 1.5%
Other Off-Site (Scope 3b) = 97.7%
PM All Scopes = 26.4 lbs


PM lbs	Remedial Investigation						Total	
On-site (Scope 1)	0.2	0.0	0.0	0.0	0.0	0.0	0.2	
Generation (Scope 2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	d Electricity
ısportation (Scope 3a)	0.4	0.0	0.0	0.0	0.0	0.0	0.4	Tran
ıer Off-Site (Scope 3b)	25.8	0.0	0.0	0.0	0.0	0.0	25.8	Oth
Total	26.4	0.0	0.0	0.0	0.0	0.0	26.4	


Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%

On-site (Scope 1) = 0.8%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 1.5%
Other Off-Site (Scope 3b) = 97.7%

PM All Components = 26.4 lbs
PM All Scopes = 26.4 lbs


All HAPs Emissions by Remedy Component and Scope
(in Lbs)
20
18
16
14
12
10
8
6
4
2
0
Remedial Investigation
Other Off-Site (Scope 3b)
Transportation (Scope 3a)
Grid Electricity Generation (Scope 2)
On-site (Scope 1)
HAPs All Components = 18.5 lbs


All HAP Emissions by Remedy Component
Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%
HAPs All Components = 18.5 lbs


All HAP Emissions by Scope
On-site (Scope 1) = 0%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 2.7%
Other Off-Site (Scope 3b) = 97.3%
HAPs All Scopes = 18.5 lbs

HAPs lbs	Remedial Investigation						Total
On-site (Scope 1)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Generation (Scope 2)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ısportation (Scope 3a)	0.5	0.0	0.0	0.0	0.0	0.0	0.5
ıer Off-Site (Scope 3b)	18.0	0.0	0.0	0.0	0.0	0.0	18.0
Total	18.5	0.0	0.0	0.0	0.0	0.0	18.5

Remedial Investigation = 100%
= 0%
= 0%
= 0%
= 0%
= 0%

On-site (Scope 1) = 0%
Grid Electricity Generation (Scope 2) = 0%
Transportation (Scope 3a) = 2.7%
Other Off-Site (Scope 3b) = 97.3%

HAPs All Components = 18.5 lbs
HAPs All Scopes = 18.5 lbs

Spreadsheets for Environmental Footprint Analysis (SEFA) Version 3.0, November 2019
2916 Atlantic Ave - BCP Remedial Investigation

Input Summary

Remedy Component Number →		1	2	3	4	5	6									Remedy Component Subtotals						
		Column headings in Row 6 must match the name of "Input" tabs in this workbook for Columns C - P in this table to be populated ("0" in Row 4 means "Input" tab is turned Off and will not be grouped to a Remedy Component (Columns Q - V) or used in subsequent calculations)																				
Item		Input Template	Input Template (2)	Input Template (3)	Input Template (4)	Input Template (5)	Input Template (6)	Input Template (7)	Input Template (8)	Input Template (9)	Input Template (10)	Input Template (11)	Input Template (12)	Input Template (13)	Input Template (14)	1	2	3	4	5	6	Total
On-Site																						
On-site Renewable Energy																						
Renewable electricity generated on-site	MWh	0														0	0	0	0	0	0	0
Landfill gas combusted on-site for energy use	ccf CH_4	0														0	0	0	0	0	0	0
On-site biodiesel use	gal	0														0	0	0	0	0	0	0
On-site biodiesel use - Other	gal	0														0	0	0	0	0	0	0
User-defined on-site renewable energy use #1	TBD	0														0	0	0	0	0	0	0
User-defined on-site renewable energy use #2	TBD	0														0	0	0	0	0	0	0
On-Site Conventional Energy																						
Grid electricity	MWh	0.00528														0.00528	0	0	0	0	0	0.00528
On-site diesel use - Other	Gal	66														66	0	0	0	0	0	66
On-site diesel use <75 hp	Gal	0														0	0	0	0	0	0	0
On-site diesel use 75<hp<750	Gal	0														0	0	0	0	0	0	0
On-site diesel use >750 hp	Gal	0														0	0	0	0	0	0	0
On-site gasoline use - Other	Gal	0														0	0	0	0	0	0	0
On-site gasoline use <25 hp	Gal	0														0	0	0	0	0	0	0
On-site gasoline use >25 hp	Gal	0														0	0	0	0	0	0	0
On-site natural gas use	ccf	0														0	0	0	0	0	0	0
On-site compressed natural gas use - Other	ccf	0														0	0	0	0	0	0	0
On-site compressed natural gas use	ccf	0														0	0	0	0	0	0	0
On-site liquified petroleum gas use - Other	gal	0														0	0	0	0	0	0	0
On-site liquified petroleum gas use	gal	0														0	0	0	0	0	0	0
Other forms of on-site conventional energy use #1	TBD	0														0	0	0	0	0	0	0
Other forms of on-site conventional energy use #2	TBD	0														0	0	0	0	0	0	0
Other On-site Emissions																						
On-site HAP process emissions	Lbs	0														0	0	0	0	0	0	0
On-site GHG emissions	Lbs CO2e	0														0	0	0	0	0	0	0
On-site carbon storage	Lbs CO2e	0														0	0	0	0	0	0	0
GHG avoided by flaring on-site landfill methane	ccf CH4	0														0	0	0	0	0	0	0
Other on-site NOx emissions or reductions	Lbs	0														0	0	0	0	0	0	0
Other on-site SOx emissions or reductions	Lbs	0														0	0	0	0	0	0	0
Other on-site PM emissions or reductions	Lbs	0														0	0	0	0	0	0	0
Electricity Generation																						
Grid electricity	MWh	0.00528														0.00528	0	0	0	0	0	0.00528
Voluntary purchase of renewable electricity	MWh	0														0	0	0	0	0	0	0
Voluntary purchase of RECs	MWh	0														0	0	0	0	0	0	0
Transportation																						
Transportation Fuel Use Breakdown																						
Biodiesel use - Personnel Transport	gal	0														0	0	0	0	0	0	0
Biodiesel use - Personnel Transport - User Defined	gal	0														0	0	0	0	0	0	0
Biodiesel use - Equipment Transport	gal	0														0	0	0	0	0	0	0
Biodiesel use - Equipment Transport - User Defined	gal	0														0	0	0	0	0	0	0
Biodiesel use - Material Transport	gal	0														0	0	0	0	0	0	0
Biodiesel use - Material Transport - User Defined	gal	0														0	0	0	0	0	0	0
Biodiesel use - Waste Transport	gal	0														0	0	0	0	0	0	0
Biodiesel use - Waste Transport - User Defined	gal	0														0	0	0	0	0	0	0
Diesel use - Personnel Transport - other vehicles	gal	0														0	0	0	0	0	0	0
Diesel use - Personnel Transport - car	gal	0														0	0	0	0	0	0	0
Diesel use - Personnel Transport - passenger truck	gal	0														0	0	0	0	0	0	0
Diesel use - Personnel Transport - User Defined	gal	0														0	0	0	0	0	0	0
Diesel use - Equipment Transport	gal	25														25	0	0	0	0	0	25
Diesel use - Equipment Transport - User Defined	gal	0														0	0	0	0	0	0	0
Diesel use - Material Transport	gal	21.167														21.167	0	0	0	0	0	21.167
Diesel use - Material Transport - User Defined	gal	0														0	0	0	0	0	0	0
Diesel use - Waste Transport	gal	4.2														4.2	0	0	0	0	0	4.2
Diesel use - Waste Transport - User Defined	gal	0														0	0	0	0	0	0	0
Gasoline use - Personnel Transport - other vehicles	gal	0														0	0	0	0	0	0	0
Gasoline use - Personnel Transport - car	gal	20														20	0	0	0	0	0	20
Gasoline use - Personnel Transport - passenger truck	gal	54.9														54.9	0	0	0	0	0	54.9
Gasoline use - Personnel Transport - User Defined	gal	0														0	0	0	0	0	0	0
Gasoline use - Equipment Transport	gal	0														0	0	0	0	0	0	0
Gasoline use - Equipment Transport - User Defined	gal	0														0	0	0	0	0	0	0
Natural Gas use - Personnel Transport	ccf	0														0	0	0	0	0	0	0
Natural Gas use - Personnel Transport - User Defined	ccf	0														0	0	0	0	0	0	0
Natural Gas use - Equipment Transport	ccf	0														0	0	0	0	0	0	0

Input Summary

Remedy Component Number →		1	2	3	4	5	6									Remedy Component Subtotals						
		Column headings in Row 6 must match the name of "Input" tabs in this workbook for Columns C - P in this table to be populated ("0" in Row 4 means "Input" tab is turned Off and will not be grouped to a Remedy Component (Columns Q - V) or used in subsequent calculations)																				
Item		Input Template	Input Template (2)	Input Template (3)	Input Template (4)	Input Template (5)	Input Template (6)	Input Template (7)	Input Template (8)	Input Template (9)	Input Template (10)	Input Template (11)	Input Template (12)	Input Template (13)	Input Template (14)	1	2	3	4	5	6	Total
Conventional Energy																						
Transportation diesel use	gal	50.367														50.367	0	0	0	0	0	50.367
Transportation gasoline use	gal	74.9														74.9	0	0	0	0	0	74.9
Transportation natural gas use	ccf	0														0	0	0	0	0	0	0
User-defined conventional energy transportation #1	TBD	0														0	0	0	0	0	0	0
User-defined conventional energy transportation #2	TBD	0														0	0	0	0	0	0	0
Renewable Energy																						
Transportation biodiesel use	gal	0														0	0	0	0	0	0	0
User-defined renewable energy transportation #1	TBD	0														0	0	0	0	0	0	0
User-defined renewable energy transportation #2	TBD	0														0	0	0	0	0	0	0
Off-Site																						
Construction Materials																						
Aluminum, Rolled Sheet	lb	0														0	0	0	0	0	0	0
Asphalt, mastic	lb	0														0	0	0	0	0	0	0
Asphalt, paving-grade	lb	0														0	0	0	0	0	0	0
Ethanol, Corn, 95%	lb	0														0	0	0	0	0	0	0
Ethanol, Corn, 99.7%	lb	0														0	0	0	0	0	0	0
Ethanol, Petroleum, 99.7%	lb	0														0	0	0	0	0	0	0
Gravel/Sand Mix, 65% Gravel	lb	0														0	0	0	0	0	0	0
Gravel/sand/clay	lb	0														0	0	0	0	0	0	0
HDPE	lb	0														0	0	0	0	0	0	0
Photovoltaic system (installed)	W	0														0	0	0	0	0	0	0
PVC	lb	153.18														153.18	0	0	0	0	0	153.18
Portland cement, US average	lb	1560																				
Ready-mixed concrete, 20 MPa	ft3	0														0	0	0	0	0	0	0
Round Gravel	lb	0														0	0	0	0	0	0	0
Sand	lb	1710														1710	0	0	0	0	0	1710
Stainless Steel	lb	0														0	0	0	0	0	0	0
Steel	lb	0														0	0	0	0	0	0	0
Other refined construction materials	lb	0														0	0	0	0	0	0	0
Other unrefined construction materials	lb	0														0	0	0	0	0	0	0
Treatment Materials & Chemicals																						
Cheese Whey	lbs	0														0	0	0	0	0	0	0
Emulsified vegetable oil	lbs	0														0	0	0	0	0	0	0
Granular activated carbon, primary	lbs	0														0	0	0	0	0	0	0
Granular activated carbon, regenerated	lbs	0														0	0	0	0	0	0	0
Hydrogen Peroxide, 50% in H2O	lbs	0														0	0	0	0	0	0	0
Iron (II) Sulfate	lbs	0														0	0	0	0	0	0	0
Lime, Hydrated, Packed	lbs	0														0	0	0	0	0	0	0
Molasses	lbs	0														0	0	0	0	0	0	0
Phosphoric Acid, 70% in H2O	lbs	0														0	0	0	0	0	0	0
Potassium Permanganate	lbs	0														0	0	0	0	0	0	0
Sodium Hydroxide, 50% in H2O	lbs	0														0	0	0	0	0	0	0
Other Treatment Chemicals & Materials	lbs	0														0	0	0	0	0	0	0
Material Type																						
Total Virgin Refined Materials	tons	1.71471														1.71471	0	0	0	0	0	1.71471
Total Recycled Refined Materials	tons	0														0	0	0	0	0	0	0
Total Reused Refined Materials	tons	0														0	0	0	0	0	0	0
Total Refined Material	tons	1.71471														1.71471	0	0	0	0	0	1.71471
Total Virgin Unrefined Materials	tons	0														0	0	0	0	0	0	0
Total Recycled Unrefined Materials	tons	0														0	0	0	0	0	0	0
Total Reused Unrefined Materials	tons	0														0	0	0	0	0	0	0
Total Unrefined Material	tons	0														0	0	0	0	0	0	0
Fuel Processing																						
Biodiesel produced	gal	0														0	0	0	0	0	0	0
Diesel produced	gal	116.367														116.367	0	0	0	0	0	116.367
Gasoline produced	gal	74.9														74.9	0	0	0	0	0	74.9
Compressed natural gas produced	ccf	0														0	0	0	0	0	0	0
Liquified petroleum gas produced	gal	0														0	0	0	0	0	0	0
Natural gas produced	ccf	0														0	0	0	0	0	0	0
Water Use																						
Public Water Supply	gal x 1000	0.0995745														0.0995745	0	0	0	0	0	0.0995745
Extracted Groundwater	gal x 1000	0														0	0	0	0	0	0	0
Surface Water	gal x 1000	0														0	0	0	0	0	0	0
Reclaimed Water	gal x 1000	0														0	0	0	0	0	0	0
Collected/Diverted Storm Water	gal x 1000	0														0	0	0	0	0	0	0
User-defined water resource #1	gal x 1000	0														0	0	0	0	0	0	0
User-defined water resource #2	gal x 1000	0														0	0	0	0	0	0	0

Input Summary

Remedy Component Number →		1	2	3	4	5	6									Remedy Component Subtotals						
		Column headings in Row 6 must match the name of "Input" tabs in this workbook for Columns C - P in this table to be populated ("0" in Row 4 means "Input" tab is turned Off and will not be grouped to a Remedy Component (Columns Q - V) or used in subsequent calculations)																				
Item		Input Template	Input Template (2)	Input Template (3)	Input Template (4)	Input Template (5)	Input Template (6)	Input Template (7)	Input Template (8)	Input Template (9)	Input Template (10)	Input Template (11)	Input Template (12)	Input Template (13)	Input Template (14)	1	2	3	4	5	6	Total
Waste/Recycle Handling																						
Hazardous waste incineration	lbs	0														0	0	0	0	0	0	0
Off-site waste water treatment (POTW)	gal x 1000	0														0	0	0	0	0	0	0
Off-site non-hazardous waste landfill	tons	2.31														2.31	0	0	0	0	0	2.31
Off-site hazardous waste landfill	tons	0														0	0	0	0	0	0	0
Recycled/Reused On-Site	tons	0														0	0	0	0	0	0	0
Recycled/Reused Off-Site	tons	0														0	0	0	0	0	0	0
Solid Waste Totals																						
Total Non-Hazardous Waste	tons	2.31														2.31	0	0	0	0	0	2.31
Total Hazardous Waste	tons	0														0	0	0	0	0	0	0
Total Recycled/Reused	tons	0														0	0	0	0	0	0	0
Total Waste (all types)	tons	2.31														2.31	0	0	0	0	0	2.31
Lab Services																						
Off-site Laboratory Analysis - Other	sample	105														105	0	0	0	0	0	105
Off-site Laboratory Analysis - Metals	sample	60														60	0	0	0	0	0	60
Off-site Laboratory Analysis - Mercury	sample	0														0	0	0	0	0	0	0
Off-site Laboratory Analysis - Inorganic Anions	sample	0														0	0	0	0	0	0	0
Off-site Laboratory Analysis - Alkalinity	sample	0														0	0	0	0	0	0	0
Off-site Laboratory Analysis - Perchlorate	sample	0														0	0	0	0	0	0	0
Off-site Laboratory Analysis - Nitrogen/Nitrate	sample	0														0	0	0	0	0	0	0
Off-site Laboratory Analysis - Sulfate	sample	0														0	0	0	0	0	0	0
Off-site Laboratory Analysis - PCBs	sample	50														50	0	0	0	0	0	50
Off-site Laboratory Analysis - VOCs	sample	65														65	0	0	0	0	0	65
Off-site Laboratory Analysis - SVOCs	sample	50														50	0	0	0	0	0	50
Resource Extraction for Electricity																						
Coal extraction and processing	MWh	0.0016104														0.0016104	0	0	0	0	0	0.0016104
Natural gas extraction and processing	MWh	0.0017899														0.0017899	0	0	0	0	0	0.0017899
Nuclear fuel extraction and processing	MWh	0.0010454														0.0010454	0	0	0	0	0	0.0010454
Oil extraction and processing	MWh	3.696E-05														3.696E-05	0	0	0	0	0	3.696E-05
Other fuel extraction and processing	MWh	5.28E-06														5.28E-06	0	0	0	0	0	5.28E-06
Electricity Transmission																						
Transmission and distribution losses	MWh	0.00528														0.00528	0	0	0	0	0	0.00528

Input Summary

Remedy Component Number →		1	2	3	4	5	6									Remedy Component Subtotals						
		Column headings in Row 6 must match the name of "Input" tabs in this workbook for Columns C - P in this table to be populated ("0" in Row 4 means "Input" tab is turned Off and will not be grouped to a Remedy Component (Columns Q - V) or used in subsequent calculations)																				
Item		Input Template	Input Template (2)	Input Template (3)	Input Template (4)	Input Template (5)	Input Template (6)	Input Template (7)	Input Template (8)	Input Template (9)	Input Template (10)	Input Template (11)	Input Template (12)	Input Template (13)	Input Template (14)	1	2	3	4	5	6	Total
Other																						
User-defined material #1	lb	6.24														6.24	0	0	0	0	0	6.24
User-defined material #2	TBD	0														0	0	0	0	0	0	0
User-defined material #3	TBD	0														0	0	0	0	0	0	0
User-defined material #4	TBD	0														0	0	0	0	0	0	0
User-defined material #5	TBD	0														0	0	0	0	0	0	0
User-defined material #6	TBD	0														0	0	0	0	0	0	0
User-defined material #7	TBD	0														0	0	0	0	0	0	0
User-defined material #8	TBD	0														0	0	0	0	0	0	0
User-defined material #9	TBD	0														0	0	0	0	0	0	0
User-defined material #10	TBD	0														0	0	0	0	0	0	0
User-defined material #11	TBD	0														0	0	0	0	0	0	0
User-defined material #12	TBD	0														0	0	0	0	0	0	0
User-defined material #13	TBD	0														0	0	0	0	0	0	0
User-defined material #14	TBD	0														0	0	0	0	0	0	0
User-defined material #15	TBD	0														0	0	0	0	0	0	0
User-defined material #16	TBD	0														0	0	0	0	0	0	0
User-defined material #17	TBD	0														0	0	0	0	0	0	0
User-defined material #18	TBD	0														0	0	0	0	0	0	0
User-defined material #19	TBD	0														0	0	0	0	0	0	0
User-defined material #20	TBD	0														0	0	0	0	0	0	0
User-defined Waste Destinations																						
User-defined recycled/reused on-site #1	TBD	0														0	0	0	0	0	0	0
User-defined recycled/reused on-site #2	TBD	0														0	0	0	0	0	0	0
User-defined recycled/reused on-site #3	TBD	0														0	0	0	0	0	0	0
User-defined recycled/reused off-site #1	TBD	0														0	0	0	0	0	0	0
User-defined recycled/reused off-site #2	TBD	0														0	0	0	0	0	0	0
User-defined recycled/reused off-site #3	TBD	0														0	0	0	0	0	0	0
User-defined non-hazardous waste destination #1	TBD	0														0	0	0	0	0	0	0
User-defined non-hazardous waste destination #2	TBD	0														0	0	0	0	0	0	0
User-defined non-hazardous waste destination #3	TBD	0														0	0	0	0	0	0	0
User-defined hazardous waste destination #1	TBD	0														0	0	0	0	0	0	0
User-defined hazardous waste destination #2	TBD	0														0	0	0	0	0	0	0
User-defined hazardous waste destination #3	TBD	0														0	0	0	0	0	0	0

Remedial Investigation - On-Site Footprint (Scope 1)

Contributors to Footprints	Units	Usage	Energy		GHG		NOx		SOx		PM		HAPs	
			Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
On-Site														
On-site Renewable Energy														
Renewable electricity generated on-site	MWh	0	3.413	0										
Landfill gas combusted on-site for energy use	ccf CH4	0	0.103	0	13.1	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
On-site biodiesel use	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
On-site biodiesel use - User Defined	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
User-defined on-site renewable energy use #1	gal	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined on-site renewable energy use #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
On-site Renewable Energy Subtotals				**0**		**0**		**0**		**0**		**0**		**0**
Notes:														
On-site Conventional Energy														
On-site grid electricity	MWh	0.00528	3.413	0.0180206										
On-site diesel use - Other	Gal	66	0.139	9.174	22.5	1485	0.17	11.22	0.0054	0.3564	0.0034	0.2244	0.0000052	0.0003432
On-site diesel use <75 hp	Gal	0	0.139	0	22.21	0	0.1565	0	0.000145	0	0.0145	0	0.00004	0
On-site diesel use 75<hp<750	Gal	0	0.139	0	22.24	0	0.101	0	0.00013	0	0.009	0	0.00004	0
On-site diesel use >750 hp	Gal	0	0.139	0	22.24	0	0.149	0	0.00013	0	0.006	0	0.00004	0
On-site gasoline use - Other	Gal	0	0.124	0	19.6	0	0.11	0	0.0045	0	0.00054	0	0.000039	0
On-site gasoline use <25 hp	Gal	0	0.124	0	17.48	0	0.037	0	0.00025	0	0.165	0	0.00008	0
On-site gasoline use >25 hp	Gal	0	0.124	0	19.93	0	0.032	0	0.00029	0	0.002	0	0.00009	0
On-site natural gas use	ccf	0	0.103	0	13.1	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
On-site compressed natural gas use - Other	ccf	0	NP		1957.835	0	16.0325	0	0.023045	0	0.2775	0	0	0
On-site compressed natural gas use	ccf	0	NP		1957.835	0	16.0325	0	0.023045	0	0.2775	0	0	0
On-site liquified petroleum gas use - Other	gal	0	NP		12.69	0	0.021	0	0.00013	0	0.001	0	0	0
On-site liquified petroleum gas use	gal	0	NP		12.69	0	0.021	0	0.00013	0	0.001	0	0	0
Other forms of on-site conventional energy use #1	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
Other forms of on-site conventional energy use #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
On-site Conventional Energy Subtotals				**9**		**1,485**		**11**		**0**		**0**		**0**
Notes:														
Other On-site Emissions														
On-site HAP process emissions	lbs	0											1	0
On-site GHG emissions	lbs CO2e	0			1	0								
On-site carbon storage	lbs CO2e	0			1	0								
GHG avoided by flaring on-site landfill methane	Lbs	0			-262	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
Other on-site NOx emissions or reductions	lbs	0					1	0						
Other on-site SOx emissions or reductions	lbs	0							1	0				
Other on-site PM emissions or reductions	lbs	0									1	0		
User-defined recycled/reused on-site #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined recycled/reused on-site #3	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined recycled/reused off-site #1	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
Notes:														
On-site Totals				**9.19**		**1,485**		**11**		**0**		**0**		**0**

2916 Atlantic Ave
BCP Remedial Investigation
Remedial Investigation

Remedial Investigation - Electricity Generation Footprint (Scope 2)

Contributors to Footprints	Units	Usage	Energy		GHG		NOx		SOx		PM		HAPs	
			Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
Electricity Generation														
Grid electricity	MWh	0.00528	6.929	0.0365851	1124.3	5.936304	2.2421	0.0118383	4.6078874	0.0243296	0.057518	0.0003037	0.2102371	0.0011101
Voluntary purchase of renewable electricity	MWh	0												
Voluntary purchase of RECs	MWh	0												
Notes:														

Remedial Investigation - Transportation Footprint (Scope 3a)

Category	Units	Usage	Energy		Greenhouse Gas		NOx		SOx		PM		HAPs	
			Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
Conventional Energy														
Transportation diesel use	gal	50.367	0.139	7.001013	22.5	1133.2575	0.17	8.56239	0.0054	0.2719818	0.0034	0.1712478	0.0000052	0.0002619
Transportation diesel use - car	gal	0	0.139	0	22.57	0	0.015	0	0.0002	0	0.003	0	0.00252	0
Transportation diesel use - passenger truck	gal	0	0.139	0	22.545	0	0.0585	0	0.0002	0	0.007	0	0.002605	0
Transportation diesel use - User Defined	gal	0	0.139	0	22.5	0	0.17	0	0.0054	0	0.0034	0	0.0000052	0
Transportation gasoline use	gal	0	0.124	0	19.6	0	0.11	0	0.0045	0	0.00054	0	0.000039	0
Transportation gasoline use - car	gal	20	0.124	2.48	19.77	395.4	0.027	0.54	0.00036	0.0072	0.003	0.06	0.0067	0.134
Transportation gasoline use - passenger truck	gal	54.9	0.124	6.8076	19.79	1086.471	0.035	1.9215	0.00036	0.019764	0.003	0.1647	0.00661	0.362889
Transportation gasoline use - User Defined	gal	0	0.124	0	19.6	0	0.11	0	0.0045	0	0.00054	0	0.000039	0
Transportation natural gas use	ccf	0	0.103	0	13.1	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
Transportation natural gas use - User Defined	ccf	0	0.103	0	13.1	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
User-defined conventional energy transportation #1	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined conventional energy transportation #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
Conventional Energy Subtotals				**16**		**2,615**		**11**		**0**		**0**		**0**
Notes:														
Renewable Energy														
Transportation biodiesel use	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
Transportation biodiesel use - User Defined	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
User-defined renewable energy transportation #1	TBD	0	Biodiesel		0	0	0	0	0	0	0	0	Ref.	
User-defined renewable energy transportation #2	TBD	0	mpg or pmp		0	0	0	0	0	0	0	0	0	0
Renewable Energy Subtotals				**0**		**0**		**0**		**0**		**0**		**0**
Notes:														
Transportation Totals				**16**		**2615**		**11**		**0**		**0**		**0**

Remedial Investigation - Off-Site Footprint (Scope 3b)

Category	Units	Usage	Energy		Greenhouse Gas		NOx		SOx		PM		HAPs	
			Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
Construction Materials														
Aluminum, Rolled Sheet	lb	0	0.0633	0	9.15	0	0.0148	0	0.0283	0	0.0088	0	0.00102	0
Asphalt, mastic	lb	0	0.0412	0	0.85	0	0.00271	0	0.00798	0	0.000766	0	0.00107	0
Asphalt, paving-grade	lb	0	0.5	0	8.58	0	0.0299	0	0.0969	0	0.0091	0	0.0133	0
Ethanol, Corn, 95%	lb	0	0.0318	0	-0.0199	0	0.00425	0	0.00303	0	0.000469	0	0.0000846	0
Ethanol, Corn, 99.7%	lb	0	0.0324	0	0.0591	0	0.00431	0	0.0031	0	0.000472	0	0.000087	0
Ethanol, Petroleum, 99.7%	lb	0	0.0205	0	1.25	0	0.00199	0	0.00214	0	0.000277	0	0.0000589	0
Gravel/Sand Mix, 65% Gravel	lb	0	0.0000248	0	0.0024	0	0.000018	0	4.52E-06	0	2.61E-06	0	3.08E-07	0
Gravel/sand/clay	lb	0	0.000028	0	0.00335	0	0.0000165	0	0.000015	0	0.000002	0	2.05E-10	0
HDPE	lb	0	0.0332	0	1.94	0	0.00325	0	0.00409	0	0.000439	0	0.0000641	0
Photovoltaic system (installed)	W	0	0.0336	0	4.47	0	0.015	0	0.032	0	0.00063	0	0.0000029	0
PVC	lb	153.18	0.0262	4.013316	2.02	309.4236	0.004	0.61272	0.00274	0.4197132	0.000372	0.056983	0.000375	0.0574425
Portland cement, US average	lb	0	0.0139	0	1.34	0	0.00654	0	0.0104	0	0.00378	0	0.00097	0
Ready-mixed concrete, 20 MPa	ft3	0	0.217	0	19.5	0	0.0975	0	0.154	0	0.057	0	0.0141	0
Round Gravel	lb	0	0.0000248	0	0.0024	0	0.000018	0	4.52E-06	0	2.61E-06	0	3.08E-07	0
Sand	lb	1710	0.0000248	0.042408	0.0024	4.104	0.000018	0.03078	4.52E-06	0.0077292	2.61E-06	0.0044631	3.08E-07	0.0005267
Stainless Steel	lb	0	0.0116	0	3.4	0	0.0075	0	0.012	0	0.0044	0	0.000144	0
Steel	lb	0	0.0044	0	1.1	0	0.0014	0	0.0017	0	0.00056	0	0.000067	0
Other refined construction materials	lb	0	0.01885	0	2.115	0	0.0040375	0	0.0051325	0	0.0014428	0	0.0001625	0
Other unrefined construction materials	lb	0	0.000028	0	0.00335	0	0.0000165	0	0.000015	0	0.000002	0	2.05E-10	0

Notes:

Remedial Investigation - Off-Site Footprint (Scope 3b)

			Energy		Greenhouse Gas		NOx		SOx		PM		HAPs	
Category	Units	Usage	Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
Treatment Materials & Chemicals														
Cheese Whey	lbs	0	0.0025	0	0.031	0	0.000062	0	0.000033	0	0.000002	0	NP	
Emulsified vegetable oil	lbs	0	0.0077	0	3.44	0	0.0066	0	0.0019	0	0.000033	0	NP	
Granular activated carbon, primary	lbs	0	0.0356	0	4.82	0	0.0793	0	0.128	0	0.000987	0	0.000657	0
Granular activated carbon, regenerated	lbs	0	0.00873	0	1.7	0	0.00733	0	0.0129	0	0.000886	0	0.000671	0
Hydrogen Peroxide, 50% in H2O	lbs	0	0.00979	0	1.19	0	0.00142	0	0.0024	0	0.000308	0	0.0000629	0
Iron (II) Sulfate	lbs	0	0.00147	0	0.167	0	0.000316	0	0.000589	0	0.000103	0	0.000023	0
Lime, Hydrated, Packed	lbs	0	0.00206	0	0.762	0	0.000513	0	0.000358	0	0.00013	0	6.57E-06	0
Molasses	lbs	0	0.0044	0	0.48	0	0.0011	0	0.00024	0	0.0000041	0	NP	
Phosphoric Acid, 70% in H2O	lbs	0	0.0067	0	0.882	0	0.00282	0	0.0294	0	0.00171	0	0.000163	0
Potassium Permanganate	lbs	0	0.00981	0	1.16	0	0.00234	0	0.0032	0	0.000422	0	0.000122	0
Sodium Hydroxide, 50% in H2O	lbs	0	0.00977	0	1.09	0	0.00194	0	0.00352	0	0.000403	0	0.000129	0
Other Treatment Chemicals & Materials	lbs	0	0.015	0	1.67	0	0.003	0	0.0065	0	0.00061	0	0.000016	0
Notes:														
Fuel Processing														
Biodiesel produced	gal	0	0.029	0	-16.8	0	0.018	0	0.033	0	0.00082	0	NP	
Diesel produced	gal	116.367	0.017	1.978239	3.02	351.42834	0.0051	0.5934717	0.0062	0.7214754	0.0017	0.1978239	0.0011	0.1280037
Gasoline produced	gal	74.9	0.033	2.4717	2.8	209.72	0.0046	0.34454	0.005	0.3745	0.0015	0.11235	0.001	0.0749
Liquefied Petroleum Gas Produced	gal	0	0.088	0	1.47	0	0.0016	0	0.0024	0	0.0007	0	0.0003	0
Natural Gas - Compressed Produced	ccf	0	19.983	0	343.92	0	0.4732	0	2.1651	0	0.1846	0	0.2895	0
Natural Gas Produced	ccf	0	0.0052	0	2.2	0	0.0037	0	0.0046	0	0.000072	0	0.0000061	0
Fuel Processing Subtotals				**4.449939**		**561.14834**		**0.9380117**		**1.0959754**		**0.3101739**		**0.2029037**
Notes:														
Public water	gal x 1000	0.0995745	0.0092	0.0009161	5	0.4978723	0.0097	0.0009659	0.0059	0.0005875	0.016	0.0015932	0.000015	1.494E-06
User-defined water resource #1	gal x 1000	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined water resource #2	gal x 1000	0	0	0	0	0	0	0	0	0	0	0	0	0
Notes:														

Remedial Investigation - Off-Site Footprint (Scope 3b)

			Energy		Greenhouse Gas		NOx		SOx		PM		HAPs	
Category	Units	Usage	Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
Off-Site Services														
Hazardous waste incineration	lb	0	0.00609	0	2.43	0	0.0016	0	0.00167	0	0.000209	0	0.000087	0
Off-site waste water treatment (POTW)	gal x 1000	0	0.015	0	4.4	0	0.016	0	0.015	0	NP		NP	
Off-site non-hazardous waste landfill	ton	2.31	0.16	0.3696	25	57.75	0.14	0.3234	0.075	0.17325	0.4	0.924	0.0014	0.003234
Off-site hazardous waste landfill	ton	0	0.18	0	27.5	0	0.154	0	0.0825	0	0.44	0	0.00154	0
Off-site Laboratory Analysis - Other	sample	105	0.058071	6.0974581	6.8534384	719.61103	0.131402	13.797206	0.3038758	31.906955	0.0455698	4.7848315	0.0330165	3.4667355
Off-site Laboratory Analysis - Metals	sample	60	0.212	12.72	27.4693	1648.158	0.6423	38.538	1.5072	90.432	0.2264	13.584	0.1643	9.858
Off-site Laboratory Analysis - Mercury	sample	0	0.0731715	0	9.325458	0	0.2127439	0	0.4982396	0	0.0747359	0	0.0542332	0
Off-site Laboratory Analysis - Inorganic Anions	sample	0	0.0074025	0	0.6459478	0	0.0067681	0	0.0147929	0	0.0022024	0	0.0015542	0
Off-site Laboratory Analysis - Alkalinity	sample	0	0.0174398	0	1.3381922	0	0.0070106	0	0.0132496	0	0.00194	0	0.0012831	0
Off-site Laboratory Analysis - Perchlorate	sample	0	0.023885	0	1.8717054	0	0.0079807	0	0.0141535	0	0.0020547	0	0.0012875	0
Off-site Laboratory Analysis - Nitrogen/Nitrate	sample	0	0.0336475	0	4.29897	0	0.0954592	0	0.2226646	0	0.0335099	0	0.0242506	0
Off-site Laboratory Analysis - Sulfate	sample	0	0.0141225	0	1.4726728	0	0.0079807	0	0.0136024	0	0.0019797	0	0.0012015	0
Off-site Laboratory Analysis - PCBs	sample	50	0.0512769	2.563845	5.224902	261.2451	0.0833339	4.166694	0.1904774	9.523872	0.0284393	1.421967	0.0212083	1.0604126
Off-site Laboratory Analysis - VOCs	sample	65	0.0762045	4.9532916	9.016814	586.09291	0.104498	6.7923726	0.2270738	14.759797	0.0339508	2.2068046	0.0235892	1.5332993
Off-site Laboratory Analysis - SVOCs	sample	50	0.0715602	3.5780092	7.870422	393.5211	0.1459445	7.297226	0.3373038	16.86519	0.0504853	2.524267	0.0372577	1.862887
Notes:														
Resource Extraction for Electricity														
Coal extraction and processing	MWh	0.0016104	3.1	0.0049178	180.0	0.289872	0.8	0.00124	0.2	0.0002416	0.0	2.899E-05	NP	
Natural gas extraction and processing	MWh	0.0017899	1.6	0.0029208	270.0	0.4832784	0.2	0.0003222	13.0	0.023269	0.0	1.271E-05	NP	
Nuclear fuel extraction and processing	MWh	0.0010454	0.2	0.0001625	25.0	0.026136	0.2	0.0001568	0.5	0.0005227	0.0	1.568E-06	NP	
Oil extraction and processing	MWh	3.696E-05	2.3	8.484E-05	270.0	0.0099792	1.7	6.283E-05	0.1	2.55E-06	0.0	1.552E-06	NP	
Other fuel extraction and processing	MWh	5.28E-06	0	0	0	0	0	0	0	0	0	0	0	0
Resource Extraction Subtotals				**0.008086**		**0.8092656**		**0.0017818**		**0.0240358**		**4.482E-05**		**0**
Notes:														
Electricity Transmission														
Transmission and distribution losses	MWh	0.00528	1.0342	0.0054606	112.43	0.5936304	0.22421	0.0011838	0.4607887	0.002433	0.0057518	3.037E-05	0.0210237	0.000111
Notes:														

2916 Atlantic Ave
BCP Remedial Investigation
Remedial Investigation

Remedial Investigation - Off-Site Footprint (Scope 3b)

			Energy		Greenhouse Gas		NOx		SOx		PM		HAPs	
Category	Units	Usage	Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
User-defined Materials														
User-defined material #1	lb	6.24	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #3	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #4	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #5	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #6	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #7	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #8	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #9	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #10	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #11	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #12	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #13	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #14	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #15	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #16	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #17	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #18	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #19	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined material #20	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
Notes:														
User-defined Waste Destinations														
User-defined recycled/reused off-site #1	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined recycled/reused off-site #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined recycled/reused off-site #3	TBD	0	y(MMBtu/u		(lbs CO2e/u		Ox(lbs/unit)		Ox(lbs/unit)		M(lbs/unit)		APs(lbs/unit	
User-defined non-hazardous waste destination #1	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined non-hazardous waste destination #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined non-hazardous waste destination #3	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined hazardous waste destination #1	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined hazardous waste destination #2	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
User-defined hazardous waste destination #3	TBD	0	0	0	0	0	0	0	0	0	0	0	0	0
Notes:														
Off-site Totals				**38.80233**		**4542.9549**		**72.500341**		**165.21154**		**25.819158**		**18.045554**

Remedial Investigation - Intermediate Totals

Category	Units	Usage	Energy		Greenhouse Gas		NOx		SOx		PM		HAPs	
			Conv. Factor	MMBtus	Conv. Factor	lbs CO2e	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs	Conv. Factor	lbs
Total Grid Electricity Footprint														
On-site grid electricity	MWh	0.00528	3.413	0.0180206										
Electricity Generation														
Grid electricity	MWh	0.00528	6.929	0.0365851	1124.3	5.936304	2.2421	0.0118383	4.6078874	0.0243296	0.057518	0.0003037	0.2102371	0.0011101
Resource Extraction for Electricity														
Coal extraction and processing	MWh	0.0016104	3.1	0.0049178	180.0	0.289872	0.8	0.00124	0.2	0.0002416	0.0	2.899E-05	NP	
Natural gas extraction and processing	MWh	0.0017899	1.6	0.0029208	270.0	0.4832784	0.2	0.0003222	13.0	0.023269	0.0	1.271E-05	NP	
Nuclear fuel extraction and processing	MWh	0.0010454	0.2	0.0001625	25.0	0.026136	0.2	0.0001568	0.5	0.0005227	0.0	1.568E-06	NP	
Oil extraction and processing	MWh	3.696E-05	2.3	8.484E-05	270.0	0.0099792	1.7	6.283E-05	0.1	2.55E-06	0.0	1.552E-06	NP	
Other fuel extraction and processing	MWh	5.28E-06	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0
Electricity Transmission														
Transmission and distribution losses	MWh	0.00528	1.0342	0.0054606	112.43	0.5936304	0.22421	0.0011838	0.4607887	0.002433	0.0057518	3.037E-05	0.0210237	0.000111
Total Grid Electricity Footprint				**0**		**7**		**0**		**0**		**0**		**0**
Total Fuel Footprints														
Total Gasoline Footprint														
On-site gasoline use - Other	gal	0	0.124	0	19.6	0	0.11	0	0.0045	0	0.00054	0	0.000039	0
On-site gasoline use <25 hp	gal	0	0.124	0	17.48	0	0.037	0	0.00025	0	0.165	0	0.00008	0
On-site gasoline use >25 hp	gal	0	0.124	0	19.93	0	0.032	0	0.00029	0	0.002	0	0.00009	0
Transportation gasoline use	gal	0	0.124	0	19.6	0	0.11	0	0.0045	0	0.00054	0	0.000039	0
Transportation gasoline use - car	gal	20	0.124	2.48	19.77	395.4	0.027	0.54	0.00036	0.0072	0.003	0.06	0.0067	0.134
Transportation gasoline use - passenger truck	gal	54.9	0.124	6.8076	19.79	1086.471	0.035	1.9215	0.00036	0.019764	0.003	0.1647	0.00661	0.362889
Transportation gasoline use - User Defined	gal	0	0.124	0	19.6	0	0.11	0	0.0045	0	0.00054	0	0.000039	0
Gasoline produced	gal	74.9	0.033	2.4717	2.8	209.72	0.0046	0.34454	0.005	0.3745	0.0015	0.11235	0.001	0.0749
Total Gasoline Footprint		**74.9**		**11.7593**		**1691.591**		**2.80604**		**0.401464**		**0.33705**		**0.571789**
Total Diesel Footprint														
On-site diesel use - Other	gal	66	0.139	9.174	22.5	1485	0.17	11.22	0.0054	0.3564	0.0034	0.2244	0.0000052	0.0003432
On-site diesel use <75 hp	gal	0	0.139	0	22.21	0	0.1565	0	0.000145	0	0.0145	0	0.00004	0
On-site diesel use 75<hp<750	gal	0	0.139	0	22.24	0	0.101	0	0.00013	0	0.009	0	0.00004	0
On-site diesel use >750 hp	gal	0	0.139	0	22.24	0	0.149	0	0.00013	0	0.006	0	0.00004	0
Transportation diesel use	gal	50.367	0.139	7.001013	22.5	1133.2575	0.17	8.56239	0.0054	0.2719818	0.0034	0.1712478	0.0000052	0.0002619
Transportation diesel use - car	gal	0	0.139	0	22.57	0	0.015	0	0.0002	0	0.003	0	0.00252	0
Transportation diesel use - passenger truck	gal	0	0.139	0	22.545	0	0.0585	0	0.0002	0	0.007	0	0.002605	0
Transportation diesel use - User Defined	gal	0	0.139	0	22.5	0	0.17	0	0.0054	0	0.0034	0	0.0000052	0
Diesel produced	gal	116.367	0.017	1.978239	3.02	351.42834	0.0051	0.5934717	0.0062	0.7214754	0.0017	0.1978239	0.0011	0.1280037
Total Diesel Footprint		**116.367**		**18.153252**		**2969.6858**		**20.375862**		**1.3498572**		**0.5934717**		**0.1286088**
Total Biodiesel Footprint														
On-site biodiesel use	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
On-site biodiesel use - User Defined	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
Transportation biodiesel use	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
Transportation biodiesel use - User Defined	gal	0	0.127	0	22.3	0	0.2	0	0	0	0.00099	0	NP	
Biodiesel produced	gal	0	0.029	0	-16.8	0	0.018	0	0.033	0	0.00082	0	NP	
Total Biodiesel Footprint		**0**		**0**		**0**		**0**		**0**		**0**		**0**
Total Natural Gas Footprint														
On-site natural gas use	ccf	0	0.103	0	13.1	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
Transportation natural gas use	ccf	0	0.103	0	13.1	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
Transportation natural gas use - User Defined	ccf	0	0.103	0	13.1	0	0.01	0	0.0000063	0	0.00076	0	0.0000084	0
Natural gas produced	ccf	0	0.0052	0	2.2	0	0.0037	0	0.0046	0	0.000072	0	0.0000061	0
Total Natural Gas Footprint		**0**		**0**		**0**		**0**		**0**		**0**		**0**
Total Liquified Petroleum Gas Footprint														
On-site liquified petroleum gas use - Other	ccf	0	NP		12.69	0	0.021	0	0.00013	0	0.001	0	0	0
On-site liquified petroleum gas use	ccf	0	NP		12.69	0	0.021	0	0.00013	0	0.001	0	0	0
Liquified petroleum gas produced	ccf	0	0.088	0	1.47	0	0.0016	0	0.0024	0	0.0007	0	0.0003	0
Total Natural Gas Footprint		**0**		**0**		**0**		**0**		**0**		**0**		**0**
Total Compressed Gas Footprint														
On-site compressed gas use - Other	ccf	0	NP		1957.835	0	16.0325	0	0.023045	0	0.2775	0	0	0
On-site compressed gas use	ccf	0	NP		1957.835	0	16.0325	0	0.023045	0	0.2775	0	0	0
Compressed gas produced	ccf	0	19.983	0	343.92	0	0.4732	0	2.1651	0	0.1846	0	0.2895	0
Total Natural Gas Footprint		**0**		**0**		**0**		**0**		**0**		**0**		**0**

Notes:

Note: Please refer to the "Default Conversions" tab for references for the default conversion factors used on this calculation sheet.

Space below available for notes and calculations:

APPENDIX H
Health and Safety Plan

HALEY & ALDRICH, INC.
SITE-SPECIFIC SAFETY PLAN

FOR

2916 Atlantic Avenue

Brooklyn, NY 11207

Project/File No. 0213315

Gensuite EZ Scan®

BI - Developers

Prepared By: Andrea Lee	**Date: 4/2/2025**
Approvals: The following signatures constitute approval of this Health & Safety Plan.	
	
Field Safety Manager: Brian Ferguson	**Date: 4/8/2025**
	
Project Manager: Zhan Shu	**Date: 4/8/2025**
HASP Valid Through: 12/31/2025	

Table of Contents

Page

STOP WORK AUTHORITY **I**

ISSUANCE AND COMPLIANCE **II**

EMERGENCY EVENT PROCEDURES **III**

PROJECT INFORMATION AND CONTACTS **IV**

DIRECTIONS TO THE NEAREST HOSPITAL **V**

DIRECTIONS TO THE NEAREST URGENT CARE **VI**

1. WORK SCOPE **7**

Project Task Breakdown 7
Subcontractor(s) Tasks 7

2. SITE OVERVIEW / DESCRIPTION **8**

Site Classification 8
Site Description 8
Background and Historic Site Usage 8
Site Status 8
Site Plan 8
Work Areas 8

3. HAZARD ASSESSMENT **10**

Site Chemical Hazards 10
Site Hazards Checklist 11
Weather 11
High Winds 11
Biological 12
Location/Terrain 14
Miscellaneous 15
Task Hazard Summary 17
Task Physical Hazards Checklist 20
Summary of Physical Hazards & Controls 21

4. PROTECTIVE MEASURES **31**

Required Safety & Personal Protective Equipment 31

5. TRAINING REQUIREMENTS **32**

Site Specific Training Requirements 32
Task Specific Training Requirements 32

6. AIR MONITORING PLAN AND EQUIPMENT **33**

Air Monitoring/Screening Equipment Requirements 33
Monitoring Plans 33

7. DECONTAMINATION & DISPOSAL METHODS **34**

Personal Hygiene Safeguards 34

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

Decontamination Supplies 34
Location of Decontamination Station 34
Standard Personal Decontamination Procedures 35
Disposal Methods 36
Disposal of Single Use Personal Protective Equipment 36

8. SITE CONTROL 37

Communication 37
Visitors 37
Zoning 37

9. SITE SPECIFIC EMERGENCY RESPONSE PLAN 38

Pre-Emergency Planning 38
Onsite Emergency Response Equipment 38
EVACUATION ALARM 39
EVACUATION ROUTES 39
EVACUATION MUSTER POINT(S)/ SHELTER AREA(S) 39
EVACUTION RESPONSE DRILLS 39
Emergency Type 40
Notification 40
Response Action 40
Evacuation Plan/Route 40

10. HASP ACKNOWLEDGEMENT FORM 41

Attachments

Attachment A HASP Amendment Form
Attachment B Training Requirements
Attachment C Roles and Responsibilities
Attachment D Job Safety Analyses
Attachment E Project Site Forms

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

STOP WORK AUTHORITY

In accordance with Haley & Aldrich (Haley & Aldrich) Stop Work Authority Operating Procedure (OP1035), any individual has the right to refuse to perform work that he or she believes to be unsafe without fear of retaliation. He or she also has the authority, obligation, and responsibility to stop others from working in an unsafe manner.

STOP Work Authority is the stop work policy for all personnel and subcontractors on the Site. When work has been stopped due to an unsafe condition, Haley & Aldrich site management (e.g., Project Manager [PM], Site Health & Safety Officer [SHSO], etc.) and the Haley & Aldrich Senior Project Manager (SPM) will be notified immediately.

Reasons for issuing a stop work order include, but are not limited to:

- The belief/perception that injury to personnel or accident causing significant damage to property or equipment is imminent.
- An Haley & Aldrich subcontractor is in breach of site safety requirements and/or their own site HASP.
- Identifying a substandard condition (e.g., severe weather) or activity that creates an unacceptable safety risk as determined by a qualified person.

Work will not resume until the unsafe act has been stopped OR sufficient safety precautions have been taken to remove or mitigate the risk to an acceptable degree. Stop work orders will be documented as part of an on-site stop work log, on daily field reports to include the activity/activities stopped, the duration, person stopping work, person in-charge of stopped activity/activities, and the corrective action agreed to and/or taken. Once work has been stopped, only the Haley & Aldrich SPM or SHSO can give the order to resume work. Haley & Aldrich senior management is committed to support anyone who exercises his or her “Stop Work” authority.

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

ISSUANCE AND COMPLIANCE

This HASP has been prepared in accordance with Occupational Safety and Health Administration (OSHA) regulations (CFR 29, Parts 1904, 1910, and 1926) if such are applicable.

The specific requirements of this HASP include precautions for hazards that exist during this project and may be revised as new information is received or as site conditions change.

- This HASP must be signed by all Haley & Aldrich personnel involved in implementation of the SOW (Section 2 of this HASP).
- This HASP, or a current signed copy, must be retained at all times when Haley & Aldrich staff are present.
- Revisions to this HASP must be outlined within the contents of the HASP. If immediate or minor changes are necessary, the Field Safety Manager (FSM), Haley & Aldrich, SSO and/or Project Manager (PM) may use Attachment 1 (HASP Amendment Form), presented at the end of this HASP. Any revision to the HASP requires employees and subcontractors to be informed of the changes so that they understand the requirements of the change.
- Deviations from this HASP are permitted with approval from the Haley & Aldrich FSM, PM, or Senior Health & Safety Manager (SHSM). Unauthorized deviations may constitute a violation of Haley & Aldrich company procedures/policies and may result in disciplinary action.
- This HASP will be relied upon by Haley & Aldrich's subcontractors and visitors to the site. Haley & Aldrich's subcontractors must have their own HASP which will address hazards specific to their trade that is not included in this HASP. This HASP will be made available for review to Haley & Aldrich's subcontractors and other interested parties (e.g. Facility personnel and regulatory agencies) to ensure that Haley & Aldrich has properly informed our subcontractors and others of the potential hazards associated with the implementation of the SOW to the extent that Haley &Aldrich is aware.

This site-specific HASP provides only site-specific descriptions and work procedures. General safety and health compliance programs in support of this HASP (e.g., injury reporting, medical surveillance, personal protective equipment (PPE) selection, etc.) are described in detail in the Haley &Aldrich Corporate Health and Safety Program Manual and within Haley & Aldrich's Standard Operating Procedures Both the manual and SOPs can be located on the Haley & Aldrich's Company Intranet. When appropriate, users of this HASP should always refer to these resources and incorporate to the extent possible. The manual and SOPs are available to clients and regulators upon request.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

EMERGENCY EVENT PROCEDURES

1 - ASSESS THE SCENE

- **STOP WORK**
- Review the situation and ascertain if it's safe to enter the area.
- Evacuate the site if the conditions are unsafe.

2 - EVALUATE THE EMERGENCY

- **Call 911, or designated emergency number, if required.**
- **Provide first aid for the victim if qualified and safe to do so.**
    - First aid will be addressed using the onsite first aid kit. *
        - If providing first aid, remember to use proper first aid universal precautions if blood or bodily fluids are present.
- **If exposure to hazardous substance is suspected, immediately vacate the contaminated area.**
    - Remove any contaminated clothing and/or equipment.
    - Wash any affected dermal/ocular area(s) with water for at least 15 minutes.
    - Seek immediate medical assistance if any exposure symptoms are present.

** Note: Haley & Aldrich employees are not required or expected to administer first aid / CPR to any Haley & Aldrich staff member, Contractor, or Civilian personnel at any time; it is Haley & Aldrich´s position that those who do are doing so on their own behalf and not as a function of their job.*

3 - SECURE THE AREA

- **Cordon off the incident area, if possible.**
    - Notify any security personnel, if required.
    - Escort all non-essential personnel out of the area, if able.

4 - REPORT ON-SITE ACCIDENTS / INCIDENTS TO PM / SSO

- **Notify the PM and SSO as soon as it is safe to do so.**
    - Assist PM and SSO in completing any additional tasks, as required.

5 - INVESTIGATE / REPORT THE INCIDENT

- **Record details of the incident for input to the Gensuite.**
    - Complete any additional forms as requested by the PM and SSO.

6 - TAKE CORRECTIVE ACTION

- **Implement corrective actions per the PM following root cause analysis.**
    - Complete Lessons Learned form.


Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

PROJECT INFORMATION AND CONTACTS	
Project Name: 2916 Atlantic Avenue	**Haley & Aldrich File No.:** 0213315
Location:	
Client/Site Contact: Phone Number:	Blue Sky Builders – Shachne Rabi (718) 619-9586
Haley & Aldrich Field Representative: Phone Number: Emergency Phone Number:	Joseph Mastro (646) 413-6602 (914) 960-5599
Haley & Aldrich Project Manager: Phone Number: Emergency Phone Number:	Zhan Shu (973) 658-3924 (201) 213-6178
Field Safety Manager: Phone Number: Emergency Phone Number:	Luke McCartney (646) 568-9357 (201) 341-3722
Subcontractor Project Manager: Phone Number:	Tim Kelly (631) 257-5321
Nearest Hospital: Address: (see map on next page) Phone Number:	The Brookdale University Hospital and Medical Center 1 Brookdale Plaza Brooklyn, NY 11212 718-240-5000
Nearest Occ. Health Clinic: http://www.talispoint.com/liberty/ext/ Address: (see map on next page) Phone Number:	CityMD Urgent Care 5626 Myrtle Avenue Ridgewood, NY 11385 718-571-9714
Liberty Mutual Claim Policy	**WC6-Z11-254100-035**
WorkCare Injury & Illness HOTLINE	**1-888-449-7787**
Emergency Response Number:	**911**
Other Local Emergency Response Number:	N/A
Other Ambulance, Fire, Police, or Environmental Emergency Resources:	National Spill Response Center National Center for Disaster Preparedness: 475 Riverside Dr Suite 401 New York, NY 10115 800-424-8802 Poison Control New York City Poison Center 800-222-122

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

DIRECTIONS TO THE NEAREST HOSPITAL

Liberty Mutual Medical Location Directory



Directions to the Nearest Hospital:

2916 Atlantic Ave
Brooklyn, NY 11207

↑ Head east on Atlantic Ave toward Ashford St
22 sec (354 ft)

› Continue on Cleveland St. Take Linwood St to Linden Blvd
7 min (1.3 mi)

› Follow Linden Blvd
7 min (1.4 mi)


› Drive to Linden Blvd
2 min (0.3 mi)

The Brookdale University Hospital and Medical Center-Emergency Services
1 Brookdale Plaza, Brooklyn, NY 11212

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

DIRECTIONS TO THE NEAREST URGENT CARE

Liberty Mutual Medical Location Directory



Directions to the Nearest Occupational Clinic:

2916 Atlantic Ave
Brooklyn, NY 11207

- Head east on Atlantic Ave toward Ashford St
  36 sec (0.1 mi)
- Turn left onto Elton St
  2 min (0.4 mi)
- Take Vermont Pl and Cypress Ave to Norman St in Queens
  8 min (1.8 mi)
- Take Seneca Ave to Myrtle Ave
  2 min (0.3 mi)
- Slight left onto Myrtle Ave
  Destination will be on the left
  40 sec (440 ft)

CityMD Ridgewood Urgent Care- Queens
5626 Myrtle Ave, Ridgewood, NY 11385

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

1. WORK SCOPE

This Site-Specific Health and Safety Plan addresses the health and safety practices and procedures that will be exercised by all Haley & Aldrich employees participating in all work on the Project Site. This plan is based on an assessment of the site-specific health and safety risks available to Haley & Aldrich and Haley & Aldrich's experience with other similar project sites. The scope of work includes the following:

Site mobilization involving equipment mobilization and utility mark outs (GPR). Drilling, soil, soil vapor, and groundwater sampling. Screening of soil cored during intrusive work for indications of contamination by visual means, odor, and monitoring with a PID.

Project Task Breakdown

Task No.	Task Description	Employee(s) Assigned	Work Date(s) or Duration
1	Underground Utility Clearance (GPR)	Joseph Mastro	1 Day
2	Drilling	Joseph Mastro	1 Day
3	Soil, Soil Vapor, Groundwater Sampling	Joseph Mastro	1 Day

Subcontractor(s) Tasks

Firm Name	Work Activity	Work Date(s) or Duration
Lakewood	Drilling	1 Day

Projected Start Date: 4/9/2025

Projected Completion Date: 4/9/2025

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

2. SITE OVERVIEW / DESCRIPTION

Site Classification

Commercial

Site Description

The site, identified as Block 3967, Lot 15 on the New York City tax map in a residential R8A zoning area with EC-5 and C2-4 overlays, is approximately 6,455 square feet (SF) in size and currently improved with a one-story structure operated as an auto repair shop.

Background and Historic Site Usage

The site was historically utilized for residential and commercial operations, including auto repair.

Site Status

Active

The site is currently operated as “AAMCO Transmissions & Total Car Care”, an auto repair shop.

Site Plan

Is a site plan or sketch available? Yes

Work Areas

List and identify each specific work areas(s) on the job site and indicate its location(s) on the site plan:

Entire Site

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Site Plan



Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

3. HAZARD ASSESSMENT

Indicate all hazards that may be present at the site and for each task. If any of these potential hazards are checked, it is the Project Manager's responsibility to determine how to eliminate / minimize the hazard to protect onsite personnel.

Site Chemical Hazards

Is this Site impacted with chemical contamination? Unknown

Source of information about contaminants: Unknown

Contaminant of Concern	Location/Media	Concentration	Units
Urban Fill	**Soil**	**Unknown**	**mg/kg**
Polycyclic aromatic hydrocarbons (PAHs)	**Soil**	**Unknown**	**mg/kg**
Lead	**Soil**	**Unknown**	**mg/kg**
Choose an item.	Select Media.		Select Units

Polycyclic aromatic hydrocarbons (PAHs): are a class of chemicals that occur naturally in coal, crude oil, and gasoline. They also are produced when coal, oil, gas, wood, garbage, and tobacco are burned. PAHs generated from these sources can bind to or form small particles in the air. High-temperature cooking will form PAHs in meat and in other foods. Naphthalene is a PAH that is produced commercially in the United States to make other chemicals and mothballs. Cigarette smoke contains many PAHs.

VOCs: include all organic compounds (substances made up of predominantly carbon and hydrogen) with boiling temperatures in the range of 50-260 degrees C, excluding pesticides. This means that they are likely to be present as a vapor or gas in normal ambient temperatures. Substances which are included in the VOC category include aliphatic hydrocarbons (such as hexane), aldehydes, aromatic hydrocarbons (such as benzene, toluene, and the xylenes or BTEX), and oxygenated compounds (such as acetone and similar ketones). The term VOC often is used in a legal or regulatory context and in such cases the precise definition is a matter of law.

VOCs are released from oil and gasoline refining, storage and combustion as well as from a wide range of industrial processes. Processes involving fuels, solvents, paints or the use of chemicals are the most significant sources. VOCs may also be emitted from cleaning products, degreasing products, fabrics, carpets, plastic products, glues, printed material, varnishes, wax, disinfectants, and cosmetics.

Typically, VOCs are present in gas or vapor and will enter the body by breathing contaminated air. Higher concentrations of VOCs may occur in areas of poor ventilation.

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

Lead: The effects of lead are the same whether it enters the body through breathing or swallowing. Lead can affect almost every organ and system in your body. The main target for lead toxicity is the nervous system. Long-term exposure to lead can result in decreased performance in some tests measuring functions of the nervous system in adults. It may also cause weakness in fingers, wrists, or ankles. Lead exposure also causes small increases in blood pressure, particularly in middle-aged and older people and can cause anemia. Exposure to high lead levels can severely damage the brain and kidneys and ultimately cause death.
Click + Add Additional Chemical Language
Click + Add Additional Chemical Language

Site Hazards Checklist			
Weather			
High Winds	Cold Temperatures	Select Hazard	Select Hazard

Cold Temperatures

Cold stress may occur at any time work is being performed at low ambient temperatures and high velocity winds. Because cold stress is common and has potentially serious illnesses associated with outdoor work during cold seasons, regular monitoring and other preventative measures are vital.

Refer to OP1003-Cold Stress for additional information and mitigation controls.

High Winds

While high winds are commonly associated with severe thunderstorms and hurricanes they may also occur as a result of differences in air pressures, such as when a cold front passes across the area. They can cause downed trees and power lines, and flying debris (such as dust or larger debris), which adds additional risks and could lead to power outages, transportation disruptions, damage to buildings and vehicles, and serious injury.

Wind Advisory are issued for sustained winds 25 to 39 mph and/or gusts to 57 mph. High Wind warnings are issued by the National Weather Service when high wind speeds may pose a hazard or is life threatening. The criteria for this warning will varies by state. The Beaufort Wind Scale is a helpful tool to when dealing with high winds.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Biological			
Wildlife Droppings	Stinging Insects	Large/Small Mammals	Choose an item.

Wildlife Droppings

Project sites involving abandoned buildings may bring staff into contact with animal droppings. There are many diseases that one can be exposed to from a variety of animals.

Mice and Rats
Hantavirus is transmitted to humans from dried droppings, urine, or saliva of mice and rats. The disease begins as a flu-like illness with fever, chills, and muscle aches, but can rapidly progress to a life-threatening condition marked by respiratory failure as fluids fill the lungs. Persons working in infested buildings are at increased risk to this disease, particularly during dusty clean-up activities.

Birds and Bats
Large populations of roosting birds may present a disease risk. The most serious health risks arise from disease organisms that grow in the nutrient-rich accumulations of bird droppings, feathers and debris under a roost, particularly if roosts have been active for years.

Histoplasmosis and Cryptococcosis are the most common fungal diseases associated with bird and bat dropping. Infection occurs when spores, carried by the air, are inhaled, especially after a roost has been disturbed. The active and inactive roosts of blackbirds, starlings and cowbirds have also been found to be heavily contaminated with fungus spores. Most infections are mild and produce either no symptoms or a minor influenza-like illness. Occasionally the disease can cause high fever, blood abnormalities, pneumonia and even death.

Do not touch droppings with unprotected hands. Avoid disturbing the droppings and generating dust. Employee work practices and dust control measures that eliminate or reduce dust generation during removal of manure from a building will also reduce risks of infection and development of disease. Use an industrial vacuum cleaner with a high-efficiency (HEPA) filter to bag contaminated material.

Stinging Insects

Stinging Insects fall into two major groups: Apidae (honeybees and bumblebees) and vespids (wasps, yellow jackets, and hornets). Apidae are docile and usually do not sting unless provoked. The stinger of the honeybee has multiple barbs, which usually detach after a sting. Vespids have few barbs and can inflict multiple stings.

There are several kinds of stinging insects that might be encountered on the project site. Most stings will only result in a temporary injury. However, sometimes the effects can be more severe, even life-threatening depending on where you are stung and what allergies you have. Being stung in the throat area of the neck may cause edema (swelling caused by fluid build-up in the tissues) around the throat and may make breathing difficult.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

In rare cases, a severe allergic reaction can occur. This can cause "anaphylaxis" or anaphylactic shock with symptoms appearing immediately or up to 30 minutes later. Symptoms include; Hives, itching and swelling in areas other than the sting site, swollen eyes/eyelids, wheezing, chest tightness, difficulty breathing, hoarse voice, swelling of the tongue, dizziness or sharp drop in blood pressure, shock, unconsciousness or cardiac arrest. Reactions can occur the first time you are stung or with subsequent stings. If you see any signs of reaction, or are unsure, call or have a co-worker call emergency medical services (e.g., 911) right away. Get medical help for stings near the eyes, nose or throat. Stay with the person who has been stung to monitor their reaction.

Staff who are allergic to bee stings are encouraged to inform their staff/project manager. If staff member carries an Epi-pen (i.e., epinephrine autoinjector) they are encouraged to inform their colleagues in case they are stung and are incapable of administering the injection. Examine site for any signs of activity or a hive/nest. If you see several insects flying around, see if they are entering/exiting from the same place. Most will not sting unless startled or attacked. Do not swat, let insects fly away on their own. If you must, walk away slowly or gently "blow" them away. If a nest is disturbed and you hear "wild" buzzing, protect your face with your hands and run from the area immediately. Wear long sleeves, long pants, and closed-toed boots. Wear light colored clothes such as khakis. Avoid brightly colored, patterned, or black clothing. Tie back long hair to avoid bees or wasps from entanglement. Do not wear perfumes, colognes or scented soaps as they contain fragrances that are attractive. If bee or wasp is found in your car, stop and leave windows open.

Small Mammals

Rodents, are the most abundant order of mammals. There are hundreds of species of rats; the most common are the black and brown rat. Other rodents you may encounter are mice, beavers, squirrels, guinea pigs, capybaras and coypu.

The Brown Rat has small ears, blunt nose, and short hair. It is approximately 14-18” long (with tail). They frequently infest garbage/rubbish, slaughterhouses, domestic dwellings, warehouses, and supermarkets. They also frequent any space with an easy meal and potential nesting sites. The Black Rat is identified by its tail, that is always longer than the length from the head to the body. It is also slimmer and more agile than the Brown rat. Its size varies according to its environment and food supply.

The House Mouse has the amazing ability to adapt and can frequently be found in human dwellings. In buildings, mice will live anywhere and difficult to keep out. Mice are omnivorous, they will eat anything. Rats and mice often become a serious problem in cold winter months when they seek food and warmth inside buildings. They may suddenly appear in large numbers when excavation work disturbs their in-ground nesting locations or their food source is changed.

Some major problems caused by rats and mice are contaminating the food they eat with urine and excrement. Gnawing into materials such as paper, wood, or upholstery, to use as nest material. Also gnawing plastic, cement, soft metals such as lead and aluminum, and wiring, which may cause a fire hazard. Occasionally biting people and may kill small animals. They, or the parasites they carry, like fleas, mites and worms, spread many diseases such as salmonella, trichinosis, rat bite fever, hantavirus,

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Weil's disease, and bubonic plague. They damage ornamental plants by burrowing among the roots or feeding on new growth. They also eat garden vegetables, such as corn and squash. These rodents have been a problem for centuries, because of their incredible ability to survive and are so difficult to eliminate. In addition, they are extremely compatible with human behavior and needs.

Avoid contact with rodents, if possible. Avoid contact with rodent excrement. Do not eat food or water that may have encountered rodent excrement. If exposed, wash hands and avoid touching your face with your hands.

Location/Terrain			
Slip/Trip/Falls	Economically Depressed	SIMOPS	Choose an item.

Slips, Trips & Falls

Slip and trip injuries are the most frequent injuries to workers. Statistics show most falls happen on the same level resulting from slips and trips. Both slips and trips result from unintended or unexpected change in the contact between the feet and the ground or walking surface. Good housekeeping, quality of walking surfaces (flooring), awareness of surroundings, selection of proper footwear, and appropriate pace of walking are critical for preventing fall accidents.

Site workers will be walking on a variety of irregular surfaces, that may affect their balance. Extra care must be taken to walk cautiously near rivers because the bottom of the riverbed maybe slick and may not be visible. Rocks, gradient changes, sandy bottoms, and debris may be present but not observable.

Take your time and pay attention to where you are going. Adjust your stride to a pace that is suitable for the walking surface and the tasks you are doing. Check the work area to identify hazards - beware of trip hazards such as wet floors, slippery floors, and uneven surfaces or terrain. Establish and utilize a pathway free of slip and trip hazards. Choose a safer walking route. Carry loads you can see over. Keep work areas clean and free of clutter. Communicate hazards to on-site personnel and remove hazards as appropriate.

Economically Depressed Areas

Economically depressed areas may have high crime rates. Projects involving work in and around inactive industrial sites may bring staff into contact with indigent and homeless persons. Staff could be subjected to crime that includes but may not be limited to thievery, vandalism, and violence. Prior to the start of work staff need to understand the work locations and the potential for exposure to low level crime.

Staff members should never work alone in these areas. A buddy system is required. Conduct during daylight hours. Secure equipment and vehicles. If warranted, contact the local police department for a security detail. Leave the work area immediately and contact the local authorities if staff members feel threatened or are threatened.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

SIMOPS

SIMOPS are described as the potential class of activities which could bring about an undesired event or set of circumstances, e.g., safety, environment, damage to assets, schedule, commercial, financial, etc. SIMOPS are defined as performing two or more operations concurrently.

SIMOPS should be identified at an early stage before operations commence to understand issues such as schedule and physical clashes, maintenance activities, failure impacts, interferences between vessels, contracts and third part interfaces and environmental impacts.

Coordinate project with site activities. Identify and understand the hazards associated with the host and client's activities. Integrate site emergency response protocols where appropriate and communicate to all project staff. Integrate site communication protocols and communicate to all project staff.

Miscellaneous			
Extended Shift	Choose an item.	Choose an item.	Choose an item.

Extended Shift

An extended shift can include extending a workday beyond eight hours. Extended or unusual work shifts may be more stressful physically, mentally, and emotionally. Non-traditional shifts and extended work hours may disrupt the body's regular schedule, leading to increased fatigue, stress, and lack of concentration. This leads to an increased risk of operator error, injuries and/or accidents. The degree to which an individual is exposed to fatigue risk factors depends upon the work schedule. As both the duration of the workday and the number of days worked increase so does the fatigue risk factors. Staff Managers need to be aware of the fatigue risk factors and ensure projects are structured to mitigate these factors. Staff Members also have a responsibility to manage the personal fatigue risk factors that they can control outside of work (e.g, duration and quality of sleep, diet, drugs, and alcohol)

Fatigue is a message to the body to rest and can be eliminated with proper rest. However, if rest is not possible, fatigue can increase and becomes distressing and eventually debilitating. Fatigue symptoms, both mental and physical, vary and depend on the person and degree of overexertion. Examples include: weariness, sleepiness, irritability, reduced alertness, lack of memory, concentration and motivation, increased susceptibility to illness, depression, headache, loss of appetite, and digestive problems.

When possible, managers should limit use of extended shifts and increase the number of days worked. Working shifts longer than 8 hours generally result in reduced productivity and alertness. Additional breaks and meals should be provided when working extended shift periods. Tasks requiring heavy physical labor or intense concentration should be performed at the beginning of the shift if possible. This is an important consideration for pre-emergency planning.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Make efforts, when feasible, to ensure that unavoidable extended work shifts and shift changes allow affected employees time for adequate rest and recovery. Project Managers need to plan to have an adequate number of personnel available to enable workers to take breaks, eat meals, relax, and sleep.

Plan for regular and frequent breaks throughout the work shift. If at remote sites, ensure if possible, that there is a quiet, secluded area designated for rest and recuperation. In addition to formal breaks such as lunch or dinner, encourage use of micro breaks to change positions, move about, and shift concentration. Personnel should look to obtain an adequate quantity and quality of sleep.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Task Hazard Summary

Task 1 - Underground Utility Clearance (GPR)

Ground disturbance activities such as excavating or drilling have the potential to contact underground utilities and may be considered a hazardous activity and a permit to work may be required. Once the H&A Project Manager has identified the work zone and the areas designated for ground disturbance the PM or designee is required to delineate the area with either white paint or flags so that the appropriate agencies know which area to check for their respective utilities. Haley & Aldrich staff members must ensure that permission has been gained from the property owner to access the property prior to site entry and before marking any proposed exploration or drilling locations.

The Project Manager shall verify that the proposed dig or drill zones are adequately marked or staked prior to the locators site visit, and that the appropriate Line Location Organization/ Contractor has been notified (a minimum of 72 business hours in advance) of all planned ground disturbance activities and a request for line location has been registered with the applicable One Call or dial Before You Dig organization when applicable. Personnel that are required to mark the area need to identify and understand the hazards associated with the project area which can range from a public roadway to a greenspace in a remote location.

See OP1020 Work Near Utilities.

Task 2 – Drilling

Drilling is conducted for a range of services that can include but are not limited to: soil characterization, environmental investigation, well installation, and ore exploration. Familiarity with basic drilling safety is an essential component of all drilling projects. Potential hazards related to drilling operations include, but are not limited to encountering underground or overhead utilities, traffic and heavy equipment, hoisting heavy tools, steel impacts, open rotation entanglement, and the planned or unexpected encountering of toxic or hazardous substances. While staff members do not operate drilling equipment, they may work in close proximity to operating drilling equipment and may be exposed to many of the same hazards as the drilling subcontractor. It is imperative that staff are aware of emergency stops and establish communication protocols with the drillers prior to the start of work.

See OP 1002 Drilling Safety for more information.

Task 3A – Soil Sampling

Soil sampling by H&A staff on active construction sites can be conducted in conjunction with a wide range activities such as building construction, earthwork and soil management related activities. These activities can include, but are not limited to: drill spoil characterization and management during building foundation element installation, characterization of excavated soils for management/disposal/reuse during earthwork activities, and as part of environmental remedial activities such as delineation and

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

confirmation sampling. Familiarity with basic heavy construction safety, site conditions (geotechnical and environmental), and potential soil contaminants are essential components of soil sampling performed on active sites. Potential hazards related to soil sampling at construction sites include, but are not limited to: encountering site vehicle traffic and heavy equipment operations, manual lifting, generated waste, contact or exposure to impacted soil, and encountering unknown toxic or hazardous substances. Although soil sampling is commonly performed within active excavations, from stockpiles, or within trench excavations, sampling locations and situations will vary depending on site conditions. Care should be taken while entering and exiting excavations or trenches, and when accessing (climbing up or down) soil stockpiles, ensuring that the sampling area is not being actively accessed by construction equipment. Care should also be taken with handling of potentially environmentally impacted soil during sampling, with appropriate PPE identified and used. At no time during classification activities are personnel to reach for debris near machinery that is in operation, place any samples in their mouth, or come in contact with the soils without the use of gloves. Staff will have to carry and use a variety of sampling tools, equipment, containers, and potentially heavy sample bags. It is imperative that staff are aware of emergency / communication protocols with the Contractor prior to the start of work.

Task 3B – Soil Vapor

Soil gas sampling is employed as an indirect indicator of contamination in soil or groundwater particularly over and around landfill waste sites, or groundwater plumes. Soil gas sampling points can be installed manually using a slam bar or power driven mechanical devices (e.g., demolition hammer or Geoprobe) may be used based on site conditions (i.e., pavement, frozen ground, very dense clays, etc.). Soil gas samples can be drawn through the probe itself, or through Teflon tubing inserted through the probe and attached to the probe point. Samples are collected and analyzed as described below. Other field air monitoring devices, such as the Combustible Gas Indicator (CGI) and the Organic Vapor Analyzer (OVA), can also be used, depending on specific site conditions.

Because the sample is being drawn from underground, and no contamination is introduced into the breathing zone, soil gas sampling usually occurs in Level D. Nevertheless, ambient air should be constantly monitored to obtain background and breathing zone readings during the sampling procedure in the event the seal around the sampling point is breached. As long as the levels in ambient air do not rise above background, no upgrade of the level of protection is needed. Also, an underground utility search must be performed prior to sampling.

Task 3C – Water Sampling

Environmental water sampling could include activities such as groundwater sampling from permanent or temporary wells, or surface water sampling from streams, rivers, lakes, ponds, lagoons, and surface impoundments.

Sampling tasks could involve uncapping, purging (pumping water out of the well), and sampling, and/or monitoring, new or existing monitoring wells. A mechanical pump may be used to purge the wells and

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

can be hand-, gas-, or electric-operated. Water samples taken from the wells are then placed in containers and shipped to an analytical laboratory for analysis. The physical hazards of these operations are primarily associated with the collection methods and procedures used.

When sampling bodies of water containing known or suspected hazardous substances, adequate precautions must be taken to ensure the safety of sampling personnel. The sampling team member collecting the sample should not get too close to the edge, where ground failure or slips, trips or falls may cause him/her to lose his/her balance. The person performing the sampling should have fall restraint or protection for the task. When conducting sampling from a boat in an impoundment or flowing waters, appropriate vessel safety procedures should be followed. Avoid lifting heavy coolers with back muscles; instead, use ergonomic lifting techniques, team lift or mechanical lifts. Wear proper gloves, such as when handling sample containers to avoid contacting any materials that may have spilled out of the sample containers.

Inhalation and absorption of COCs are the primary routes of entry associated with water sampling, due to the manipulation of sample media and equipment, manual transfer of media into sample containers, and proximity of operations to the breathing zone. During this project, several different groundwater sampling methodologies may be used based on equipment accessibility and the types of materials to be sampled. These sampling methods may include hand or mechanical bailing. The primary hazards associated with these specific sampling procedures are not potentially serious; however, other operations in the area or the conditions under which samples must be collected may present chemical and physical hazards. The hazards directly associated with groundwater sampling procedures are generally limited to strains or sprains from hand bailing, and potential eye hazards. Exposure to water containing COCs is also possible. All tools and equipment that will be used at the site must be intrinsically safe (electronics and electrical equipment) and non-sparking or explosion-proof (hand tools).

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Task Physical Hazards Checklist				
Potential Task Hazards	**Task 1** Underground Utility Clearance	**Task 2** Drilling	**Task 3** Soil, Soil Vapor, Groundwater Sampling	**Task 3** Task Name
Compressed Gas	☐	☒	☒	☐
Congested Area	☐	☒	☒	☐
Energized Equipment	☐	☒	☐	☐
Ergonomics	☒	☒	☒	☐
Generated Wastes	☐	☒	☒	☐
Ground Disturbance	☐	☒	☒	☐
Hand/Power Tools	☒	☒	☒	☐
Heavy Equipment	☐	☒	☐	☐
Inadequate Lighting	☐	☒	☒	☐
Line of Fire	☒	☒	☒	☐
Manual Lifting	☒	☒	☒	☐
Noise	☐	☒	☒	☐
Overhead Utilities	☐	☒	☐	☐
Repetitive Motion	☐	☒	☒	☐
Rotating Equipment	☐	☒	☐	☐
Slippery Surfaces	☒	☒	☒	☐
Sharp Objects	☐	☒	☒	☐
Traffic	☐	☒	☒	☐
Underground Utilities	☐	☒	☒	☐
Other: Specify	☐	☐	☐	☐

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Summary of Physical Hazards & Controls

Compressed Gas

Hazards associated with compressed gases include oxygen displacement, fires, explosions, and toxic gas exposures, as well as the physical hazards associated with pressurized containers. In most instances, accidents are caused by improper application, misuse of the gas, or its container by inadequately trained personnel. Special storage, use, and handling precautions are necessary to minimize accidents and control these hazards above.

See OP 1048 Compressed Gas Safety for more information.

Controls

- Visually inspect the cylinder prior to and after use for any damage. Report any damage to the vendor for direction.
- Ensure that cylinders are clearly identified. Labels must not be defaced or removed.
- Leave valve protection caps in place (if provided) until cylinders are secured and connected for use.
- Keep cylinder valves closed except when the cylinder is being used.
- When opening a cylinder valve, stand so the valve outlet is pointed away from yourself and all other employees. Open valves slowly.
- Replace protective caps and outlet caps or plugs before returning empty cylinders to the supplier.
- Never tamper with or alter cylinders, valves, or safety relief devices.
- Do not tighten connections or leaking fittings or attempt repairs while the system is under pressure.
- Do not subject cylinders to artificially low temperatures or temperatures above 125 F. Do not place them next to heat sources or allow a flame to contact any part of the cylinder.
- Avoid dragging or sliding cylinders. Do not lift cylinders by the caps.
- Firmly secure the cylinder and move with a suitable hand truck, lift truck, or crane with a cradle or platform.

Storage

- Provide adequate space or segregate by partitions and post a conspicuous sign that identifies the gas or hazard class.
- Storage areas should be dry, well-drained, ventilated, and fire resistant.
- Cylinders can be stored in the open, but they should be protected from the ground or continuous dampness to prevent rusting.
- Cylinders can usually be stored in the sun; but, cylinders must not exceed temperatures >125 F.
- Always refer to the manufacturers' storage requirements and SDSs.
- Storage areas should protect cylinders from damage. Do not store on unprotected platform edges or obstruct walkways or exits.
- Use brackets, chains, or straps around the upper third of the cylinder to secure cylinders in storage or in use.

Transport

- Cylinders must be stored upright, firmly secured, and be capped during transport.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Choose a building block.

Congested Areas

Working in congested areas can expose both workers and the public to a wide range of hazards depending upon the specific activities taking place. Staff Members need to understand the work scope, work areas, equipment on-site, and internal traffic patterns to minimize or eliminate exposure potential.

Controls

- Provide barricades, fencing, warning signs/signals and adequate lighting to protect people while working in or around congested areas.
- Vehicles and heavy equipment with restricted views to the rear should have functioning back-up alarms that are audible above the surrounding noise levels. Whenever possible, use a signaler to assist heavy equipment operators and/or drivers in backing up or maneuvering in congested areas.
- Lay out traffic control patterns to eliminate excessive congestion.
- Workers in congested areas should always wear high visibility clothing.
- Be aware of Line of Fire hazards when performing work activities in congested areas.
- Hazards associated with SIMOPs should be discussed daily at Tailgate Safety Meetings.

Energized Equipment

Energy sources including electrical, mechanical, hydraulic, pneumatic, or other sources in machines and equipment can be hazardous to workers. During servicing and maintenance of machines and equipment, the unexpected startup or release of stored energy can result in serious injury or death to workers.

Staff members that are required to work on energized equipment must first ensure that the source of energy is isolated and/or de-energized. In addition, any stored energy must also be released. Staff must ensure that the process to de-energize and isolate energy sources is documented and communicated to those who are working on the equipment. Staff must be trained on and understand the procedure.

See OP 1032 Control of Hazardous Energy for more information.

Controls

- Document process to de-energize or isolate energy sources.
- Ensure staff are appropriately trained to conduct work requiring LOTO.
- Affix log or tag to equipment to ensure improper start-up or release of energy.
- Execute an Energy Isolation Permit.

Ergonomics

Most Work-related Musculoskeletal Disorders (WMSDs) are caused by Ergonomic Stressors. Ergonomic Stressors are caused by poor workplace practices and/or insufficient design, which may present ergonomic risk factors. These stressors include, but not limited to, repetition, force, extreme postures, static postures, quick motions, contact pressure, vibration, and cold temperatures.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

WMSDs are injuries to the musculoskeletal system, which involves bones, muscles, tendons, ligaments, and other tissues in the system. Symptoms may include numbness, tightness, tingling, swelling, pain, stiffness, fatigue, and/or redness. WMSD are usually caused by one or more Ergonomic Stressors. There may be individual differences in susceptibility and symptoms among employees performing similar tasks. Any symptoms are to be taken seriously and reported immediately.

See OP1053 Ergonomics for more information.

Controls

- Ensure workstations are ergonomically correct so bad posture is not required to complete tasks.
- Take periodic breaks over the course of the day.
- Stretch during break times.
- Break up tasks that require repetitive motion.
- Contact Corporate H&S with any ergonomic concerns

Generated Waste

Activities on environmental sites may generate waste that requires regulated handling and disposal. Excess sample solids, decontamination materials, poly sheeting, used PPE, etc. that are determined to be free of contamination through field or laboratory screening can usually be disposed into client-approved, on-site trash receptacles. Uncontaminated wash water may be discarded onto the ground surface away from surface water bodies in areas where infiltration can occur. Contaminated materials must be segregated into liquids or solids and drummed separately for off-site disposal.

Controls

- Manage waste properly through good work practices.
- Collect, store, containerize waste, and dispose of it properly.
- All wastes generated shall be containerized in an appropriate container (i.e. open or closed top 55-gallon drum, roll-off container, poly tote, cardboard box, etc.) as directed by the PM.
- Containers should be inspected for damages or defects
- Waste containers should be appropriately labeled indicating the contents, date the container was filled, owner of the material (including address) and any unique identification number, if necessary.
- Upon completion of filling the waste container, the container should be inspected for leaks and an appropriate seal.

Ground Disturbance

Ground disturbance is defined as any activity disturbing the ground. Ground disturbance activities include, but are not limited to, excavating, trenching, drilling (either mechanically or by hand), digging, plowing, grading, tunneling and pounding posts or stakes.

Because of the potential hazards associated with striking an underground utility or structure, the operating procedure for underground utility clearance shall be followed prior to performing any ground disturbance activities.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

See OP1020 Working Near Utilities

Controls
Prior to performing ground disturbance activities, the following requirements should be applied:

- Confirm all approvals and agreements (as applicable) either verbal or written have been obtained.
- Request for line location has been registered with the applicable One-Call or Dial Before You Dig organization, when applicable.
    - Whenever possible, ground disturbance areas should be adequately marked or staked prior to the utility locators site visit.
- Notification to underground facility operator/owner(s) that may not be associated with any known public notification systems such as the One-Call Program regarding the intent to cause ground disturbance within the search zone.
- Notifications to landowners and/or tenant, where deemed reasonable and practicable.
- Proximity and Common Right of Way Agreements shall be checked if the line locator information is inconclusive.

Hand and Power Tools

Hand and power tools can expose staff to a wide range of hazards depending upon the tool used. Hazards can include but are not limited to: falling, flying, abrasive, and splashing objects, or harmful dusts, fumes, mists, vapors, or gases.

Serious accidents often occur before steps are taken to evaluate and avoid or eliminate tool-related hazards. Staff must recognize the hazards associated with the different types of tools and the safety precautions necessary to prevent those hazards.

See OP 1026 Hand and Power Tools for more information.

Controls

- Keep all tools in good condition with regular maintenance.
- Use the right tool for the job. Do not use a tool for a task which it was not designed for.
- Examine each tool for damage before use and do not use damaged tools.
- For tools that are damaged or defective, red tag the tool and take out of service.
- Operate tools per the manufacturers' instructions.
- Use the appropriate personal protective equipment.
- All electrically powered tools will be connected through a ground fault circuit interrupter (GFCI).
- All personnel must be trained on the use of the tool they are utilizing.

Heavy Equipment

Staff must be careful and alert when working around heavy equipment, failure or breakage and limited visibility can lead to accidents and worker injury. Heavy equipment such as cranes, drills, haul trucks, or other can fail during operation increasing chances of worker injury. Equipment of this nature shall be

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

visually inspected and checked for proper working order prior to commencement of field work. Those operating heavy equipment must meet all requirements to operate the equipment. Haley & Aldrich, Inc. staff that supervise projects or are associated with high risk projects that involve digging or drilling should use due diligence when working with a construction firm.

See OP1052 Heavy Equipment for additional information.

Controls

- Only approach equipment once you have confirmed contact with the operator (e.g., operator places the bucket on the ground).
- Always maintain visual contact with operators and keep out of the strike zone whenever possible.
- Always be alert to the position of the equipment around you.
- Always approach heavy equipment with an awareness of the swing radius and traffic routes of all equipment and never go beneath a hoisted load.
- Avoid fumes created by heavy equipment exhaust.

Inadequate Lighting

Work may be conducted during off-hours when natural light is limited or nonexistent. Reduced or inadequate lighting limits one's ability to see which may increase the risk of an accident or injury. Regulations require work that is conducted at night meet specific requirements regarding project site illumination. Staff may also find themselves working in buildings or locations where the power has been cutoff or where only emergency lighting is operational. It is important that staff have appropriate means of lighting to ensure work and access to the site is done safely.

Controls

- Nighttime project sites conducted on a roadway must have appropriate lighting consistent with the MUTCD. Contact the PM if lighting is not sufficient and poses a hazard.
- Non roadway projects must have an appropriate level of lighting that allows work to be completed safely and effectively. Staff should bring additional means of lighting (e.g., flashlight) as a precaution when working at night or areas that require illumination for the work to be conducted safely.

Line of Fire

Line of fire refers to the path an object will travel. Examples of line of fire situations typically observed on project sites include lifting/hoisting, lines under tension, objects that can fall or roll, pressurized objects or lines, springs or stored energy, work overhead, vehicles and heavy equipment.

Controls

- Never walk under a suspended load.
- Be aware and stay clear of tensioned lines such as cable, chain and rope.
- Be cautious of torque stresses that drilling equipment and truck augers can generate. Equipment can rotate unexpectedly long after applied torque force has been stopped.
- Springs and other items can release tremendous energy if compressed and suddenly released
- Items under tension and pressure can release tremendous energy if it is suddenly released.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

- Not all objects may be overhead; be especially mindful of top-heavy items and items being transported by forklift or flatbed.
- Secure objects that can roll such as tools, cylinders, and pipes.
- Stay clear of soil cuttings or soil stockpiles generated during drilling operations and excavations, be aware that chunks of soil, rocks, and debris can fall or roll.

Manual Lifting/Moving

Most materials associated with investigation, remedial, or construction-related activities are moved by hand. The human body is subject to damage in the forms of back injury, muscle strains, and hernia if caution is not observed in the handling process.

Controls

- Under no circumstances should any one person lift more than 49 pounds unassisted.
- Always push, not pull, the object when possible.
- Size up the load before lifting. If it is heavy or clumsy, get a mechanical aid or help from a worker.
- Bend the knees; it is the single most important aspect of lifting.
- When performing the lift:
    - Place your feet close to the object and center yourself over the load.
    - Get a good handhold.
    - Lift straight up, smoothly and let your legs do the work, not your back!
    - Avoid overreaching or stretching to pick up or set down a load.
    - Do not twist or turn your body once you have made the lift.
    - Make sure beforehand that you have a clear path to carry the load.
    - Set the load down properly.

Noise

Working around heavy equipment (drill rigs, excavators, etc.) often creates excessive noise. The effects of noise include physical damage to the ear, pain, and temporary and/or permanent hearing loss. Workers can also be startled, annoyed, or distracted by noise during critical activities. Noise monitoring data that indicates that working within 25 feet of operating heavy equipment result in exposure to hazardous levels of noise (levels greater than 85 dBA).

See OP 1031 Hearing Conservation for additional information.

Controls

- Personnel are required to use hearing protection (earplugs or earmuffs) within 25 feet of any operating piece of heavy equipment.
- Limit the amount of time spent at a noise source.
- Move to a quiet area to gain relief from hazardous noise sources.
- Increase the distance from the noise source to reduce exposure.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Overhead Utilities

When work is undertaken near overhead electrical lines, the distance maintained from those lines shall also meet the minimum distances for electrical hazards as defined in Table 1 below. Note: utilities other than overhead electrical utilities need to be considered when performing work.

Table 1 Minimal Radial Clearance Distances *

Normal System Voltage Kilovolts (kV)	Required Minimal Radial Clearance Distance (feet/meters)
0 – 50	10/3.05
51 – 100	12/3.66
101 – 200	15/4.57
201 – 300	10/6.1
301 – 500	25/7.62
501 – 750	35/10.67
750 - 1000	45/13.72

* For those locations where the utility has specified more stringent safe distances, those distances shall be observed.

Controls

- To prevent damage, guy wires shall be visibly marked and work barriers or spotters provided in those areas where work is being conducted.
    - When working around guy wires, the minimum radial clearance distances for electrical power shall be observed.
- The PM shall research and determine if the local, responsible utility or client has more restrictive requirements than those stated in Table 1.
- If equipment cannot be positioned in accordance with the requirements established in Table 1 the lines need to be de-energized.

Repetitive Motion

Repetitive Motion or Strain Injuries are injuries effecting muscles, nerves, and tendons by repetitive movement and overuse. Almost any kind of awkward or repetitive motion you make could lead to an injury over time. Actions like bending or twisting of the wrists, reaching for materials, working with your hands above shoulder level, or grasping objects can increase wear and tear on the body. The condition mostly effects the upper body.

Controls

- Arrange your work zone, supplies and tools as much as possible to avoid reaching, leaning, bending and twisting your waist or wrists.
- During rest breaks, use stretches to loosen up your body.
- Vary tasks if you can so that you are not making the same movement repeatedly over for a long period.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Rotating Equipment

Exposure to rotating parts can occur when working near a drilling rig, or other similar equipment. All rotating parts should be covered with guards to prevent access by workers. When performing maintenance activities that require the rotating parts to be exposed, workers should not allow loose clothing, hands, or tools to approach the rotating parts. Energy isolation procedures must be followed, and guards must be replaced as soon as possible after completing the maintenance task.

Operation of drilling equipment also creates hazards associated with pinch points and rotating equipment. These are hazards where the body and extremities, especially the hands, can be caught in moving equipment and crushed.

Controls

- Evaluate work procedures to avoid placing the body and extremities in the path of rotating equipment and tools to avoid being struck by moving equipment, tools and machinery.
- Evaluate equipment and tool use to identify pinch points and develop procedures to avoid placing body parts in a position where they can be caught in moving equipment, tools and machinery.
- Follow energy isolation procedures if required
- Do not work near rotating equipment with long loose hair, loose clothing or jewelry.

Sharp Objects

Workers who handle sharp edged objects like sheets of steel or glass are at risk of cuts. Workers who handle sharp edged objects are also at risk of cuts. Injuries may occur to hands, fingers, or legs when they are in the way of the blade, when the blade slips, or if an open blade is handled unexpectedly. Other hazards at job sites include stepping on sharp objects (e.g. wooden boards with protruding nails, sharp work-tools, chisels, etc.) and colliding with sharp and/or protruding objects.

Controls

Always be alert when handling sharps. Never look away or become distracted while handling sharp objects. Use caution when working with tools; use right tool for the job. Keep tools sharp, dull blades are a safety hazard, requiring more force to make cuts which can lead to tool slippage. Wear appropriate PPE and do not handle sharp objects (i.e., broken glass) with bare hands. Use mechanical devices, when possible. Stay away from building debris; avoid handling site debris or placing your hand where you cannot see. Watch out for barbed wire and electrical fences; cover with a car mat or equivalent to cross or walk around; use the buddy system to avoid entanglement; wear gloves. Do not leave unprotected sharps unattended. Use protective shields, cases, styrofoam blocks, etc. Pass a sharp by handing it over carefully by the handle with the blade down or retracted. Fixed open blades are prohibited. Always cut away from the body, making several passes when cutting thicker materials. Make sure blades are fitted properly into the knife. Never cut items with a blade or other sharp object on your lap. Never try to catch a blade or cutting tool that is falling.

Choose a building block.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Slippery Surfaces

Both slips and trips result from unintended or unexpected change in the contact between the feet and ground or walking surface. Good housekeeping, quality of walking surfaces, selection of proper footwear, and appropriate pace of walking are critical for preventing fall accidents. Slips happen where there is too little friction or traction between the footwear and walking surface.

Common causes of slips are wet or oily surfaces, spills, weather hazards, loose unanchored rugs or mats and flooring or other walking surfaces that do not have same degree of traction in all areas.

Weather-related slips and falls become a serious hazard as winter conditions often make for wet or icy surfaces outdoors. Even wet organic material or mud can create hazardous walking conditions. Spills and leaks can also lead to slips and falls.

Controls

- Evaluate the work area to identify any conditions that may pose a slip hazard.
- Address any spills, drips or leaks immediately.
- Mark areas where slippery conditions exist.
- Select proper footwear or enhance traction with additional PPE.
- Where conditions are uncertain or environmental conditions result in slippery surfaces walk slowly, take small steps, and slide feet on wet or slippery surfaces.

Choose a building block.

Traffic

To ensure worker protection and the safe passage of traffic through and around job sites, Site Traffic Control procedures may need to be implemented on project sites. Job zone control and traffic management are necessary when Simultaneous Operations (SIMOPS) or third parties could be at risk of injury by entering the work zone, or when the work crew is at risk of injury by other operations.

Traffic patterns shall be evaluated. Conditions such as high pedestrian traffic, peak periods, daily deliveries or SIMOPS known, Heavy equipment traffic volume and light duty traffic volume shall be evaluated

Early identification and planning for site operations that require job zone control and traffic management, including SIMOPS, is the responsibility of the Project Manager and primary contractor manager. Traffic control plans shall be consistent with the Manual on Uniform Traffic Control Devices.

See OP1025 Signs, Signals, and Barricades and/or OP1043 Site Traffic Control for more information.

Controls

- Alternate walkways where possible.
- Use of the local police to direct traffic.
- Use of an air horn to alert drivers or other workers.
- Maintain good housekeeping and clean the area as work is completed.
- Use the ‘buddy’ or ‘watchperson’ system while performing work.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

- Use a spotter for backing, tight maneuvers and bin/tank/equipment drop-offs.
- Use traffic control devices, field vehicles and barricades and avoid the use of caution tape.
- Park all vehicles (with wheels in a safe direction away from work) to block traffic with a flashing yellow light. Park so that access to the vehicle is away from oncoming traffic while working.
- When parking a vehicle and equipment, utilize a 'first move forward' driving practice.
- Work in an upright position, face traffic and make eye contact with drivers when possible.
- Minimize work time in traffic.
- Establish a 'Stop Work' hand signal.
- Personnel shall always wear high visibility vest

If public sites, such as public roads, bicycle paths or footpaths, are closed or rerouted, local and regulatory requirements shall be followed and traffic control permits shall be put in place. Proper traffic guiding equipment includes stop/slow paddle signs, flaggers, flashing lights and directional signs.

All personnel on-site should be aware of the plan of the day and the Traffic Control Plan should be communicated with all parties involved during the pre-shift meeting.

Underground Utilities

Various forms of underground/overhead utility lines or conveyance pipes may be encountered during site activities. Prior to the start of intrusive operations, utility clearance is mandated, as well as obtaining authorization from all concerned public utility department offices. Should intrusive operations cause equipment to come into contact with utility lines, the SHSO, Project Manager, and Regional H&S Manager shall be notified immediately. Work will be suspended until the client and applicable utility agency is contacted and the appropriate actions for the situation can be addressed.

See OP1020 Work Near Utilities for complete information.

Controls

- Obtain as-built drawings for the areas being investigated from the property owner;
- Visually review each proposed soil boring locations with the property owner or knowledgeable site representative;
- Perform a geophysical survey to locate utilities;
- Hire a private line locating firm to determine location of utility lines that are present at the property;
- Identifying a no-drill or dig zone;
- Hand dig or use vacuum excavation in the proposed ground disturbance locations if insufficient data is unavailable to accurately determine the location of the utility lines.

Enter any content that you want to repeat, including other content controls. You can also insert this control around table rows in order to repeat parts of a table.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

4. PROTECTIVE MEASURES

The personal protective equipment and safety equipment (if listed) is specific to the associated task. The required PPE and equipment listed must be onsite during the task being performed. Work shall not commence unless the required PPE or Safety Equipment is present.

Required Safety & Personal Protective Equipment

Required Personal Protective Equipment (PPE)	**Task 1**	**Task 2**	**Task 3**	**Task 4**
	Underground Utility Clearance (GPR)	Drilling	Sampling Soil, Soil vapor, Groundwater	
Hard hat	☒	☒	☒	☐
Safety Glasses	☒	☒	☒	☐
Safety Toed Shoes	☒	☒	☒	☐
Hearing Protection	☐	☒	☐	☐
Class 2 Safety Vest	☒	☒	☒	☐
Nitrile Gloves	☐	☐	☒	☒
Cut Resistant Gloves (A4)	☒	☒	☒	☐
Level of protection required	D	D	D	Select
Required Safety Equipment				
First Aid Kit	☒	☒	☒	☐
Choose an item.	☐	☐	☐	☐

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

5. TRAINING REQUIREMENTS

The table below lists the training requirements staff must have respective to their assigned tasks and that are required to access the Site.

Site Specific Training Requirements
HAZWOPER - 40 Hour (Initial)
HAZWOPER - 8 Hour (Annual Refresher)

Task Specific Training Requirements				
Required Training Type	**Task 1**	**Task 2**	**Task 3**	**Task 4**
	Underground Utility Clearance (GPR)	Drilling	Sampling Soil, Soil Vapor, and Groundwater	
DOT HAZMAT Transporter Training	☐	☒	☒	☐
RCRA Haz Waste Generator	☐	☒	☒	☐
Hazard Communication	☒	☒	☒	☐

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

6. AIR MONITORING PLAN AND EQUIPMENT

Exposures to airborne substances shall be fully characterized throughout project operations to ensure that exposure controls are effectively selected and modified as needed.

Is air/exposure monitoring required at this work site for personal protection? Yes

Is perimeter monitoring required for community protection? No

Air monitoring plan not applicable Yes

Air Monitoring/Screening Equipment Requirements

Photo-Ionization Detector (PID) 10.6eV

The required equipment listed above must be on site. Work shall not commence unless the equipment is present and in working order.

Monitoring Plans

Parameter/ Contaminant	Equipment	Action Level	Response Activity
VOCs	PID 10.6 eV	< 10 ppm	Continue work and monitoring.
		>10 ppm for 5 minutes	Clear Instrument and Re-Monitor the Area. Implement PPE upgrades
		>10 ppm for >5 minutes	Evacuate the area and call the RHSM and/or PM for further guidance. Implement engineering controls.

Zone Location and Monitoring Interval
Breathing zone and edge of Exclusion Zone.

***If chemical does not have an action level use TLV or REL, whichever is lowest, to be used as an action level. If TLV or REL are the same as PEL, cut the PEL in half for an action level.**

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

7. DECONTAMINATION & DISPOSAL METHODS

All possible and necessary steps shall be taken to reduce or minimize contact with chemicals and contaminated/impacted materials while performing field activities (e.g., avoid sitting or leaning on, walking through, dragging equipment through or over, tracking, or splashing potential or known contaminated/impacted materials.)

Personal Hygiene Safeguards

The following minimum personal hygiene safeguards shall be adhered to:

1. No smoking or tobacco products in any project work areas.
2. No eating or drinking in the exclusion zone.
3. It is required that personnel present on site wash hands before eating, smoking, taking medication, chewing gum/tobacco, using the restroom, or applying cosmetics and before leaving the site for the day.

It is recommended that personnel present on site shower or bathe at home at the end of each day of working on the site.

Decontamination Supplies

All decontamination should be conducted at the project site in designated zones or as dictated by Client requirements. Decontamination should not be performed on Haley & Aldrich owned or leased premises.

☐ Acetone	☒ Distilled Water	☐ Polyethylene Sheeting
☒ Alconox Soap	☒ Drums	☐ Pressure/Steam Cleaner
☒ Brushes	☐ Hexane	☒ Tap Water
☒ Disposal Bags	☐ Methanol	☐ Wash tubs
☒ 5 Gallon Buckets	☒ Paper Towels	☐ Other: Specify

Location of Decontamination Station

Decontamination station location to be coordinated by field lead in a safe area, away from vehicular and pedestrian traffic.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Standard Personal Decontamination Procedures

Outer gloves and boots should be decontaminated periodically as necessary and at the end of the day. Brush off solids with a hard brush and clean with soap and water or other appropriate cleaner whenever possible. Remove inner gloves carefully by turning them inside out during removal. Wash hands and forearms frequently. It is good practice to wear work-designated clothing while on-site which can be removed as soon as possible. Non-disposable overalls and outer work clothing should be bagged onsite prior to laundering. If gross contamination is encountered on-site contact the Project Manager and Field Safety Manager to discuss proper decontamination procedures.

The steps required for decontamination will depend upon the degree and type of contamination but will generally follow the sequence below.

1. Remove and wipe clean hard hat
2. Rinse boots and gloves of gross contamination
3. Scrub boots and gloves clean
4. Rinse boots and gloves
5. Remove outer boots (if applicable)
6. Remove outer gloves (if applicable)
7. Remove Tyvek coverall (if applicable)
8. Remove respirator, wipe clean and store (if applicable)
9. Remove inner gloves (if outer gloves were used)

PPE that is not grossly contaminated can be bagged and disposed in regular trash receptacles.

Small Equipment Decontamination

Pretreatment of heavily contaminated equipment may be conducted as necessary:

1. Remove gross contamination using a brush or wiping with a paper towel
2. Soak in a solution of Alconox and water (if possible)
3. Wipe off excess contamination with a paper towel

Standard decontamination procedure:

4. Wash using a solution of Alconox and water
5. Rinse with potable water
6. Rinse with methanol (or equivalent)
7. Rinse with distilled/deionized water

Inspect the equipment for any remaining contamination and repeat as necessary.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Disposal Methods

Procedures for disposal of contaminated materials, decontamination waste, and single use personal protective equipment shall meet applicable client, locate, State, and Federal requirements.

Disposal of Single Use Personal Protective Equipment

PPE that is not grossly contaminated can be bagged and disposed in regular trash receptacles. PPE that is grossly contaminated must be bagged (sealed and field personnel should communicate with the Project Manager to determine proper disposal.

Standard Disposal Methods for Contaminated Materials

- Excess sample solids, decontamination materials, rags, brushes, poly-sheeting, etc. that are determined to be free of contamination through field screening can usually be disposed into client-approved, on-site trash receptacles.
- Uncontaminated wash water may be discarded onto the ground surface away from surface water bodies in areas where infiltration can occur.
- Contaminated materials must be segregated into liquids or solids and containerized separately for offsite disposal.

Any additional requirements that are designated by the workplan or by client specifications should be entered here.

Disposal Method for Contaminated Soil

- Contaminated soil cuttings and spoils must be containerized for disposal off-site unless otherwise specifically directed.
- Soil cuttings and spoils determined to be free of contamination through field screening can usually be returned to the boreholes or excavations from which they came.

Any additional requirements that are designated by the workplan or by client specifications should be entered here.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

8. SITE CONTROL

The overall purpose of site control is to minimize potential contamination of workers, protect the public from the site's hazards, and prevent vandalism. Site control is especially important in emergency situations. The degree of site control necessary depends on site characteristics, site size, and the surrounding community. The following information identifies the elements used to control the activities and movements of people and equipment at the project site.

Communication

Internal
Haley & Aldrich site personnel will communicate with other Haley & Aldrich staff member and/or subcontractors or contractors with:

Face to Face Communication

External
H&S site personnel will use the following means to communicate with off-site personnel or emergency services.

Cellular Phones

Visitors

Project Site
Will visitors be required to check-in prior to accessing the project site?

Yes

Visitor Access
Authorized visitors that require access to the project site need to be provided with known information with respect to the site operations and hazards as applicable to the purpose of their site visit. Authorized visitors must have the required PPE and appropriate training to access the project site.

Site Safety Officer or Field Safety Manager is responsible for facilitating authorized visitor access.

Zoning

Work Zone
The work zone will be clearly delineated to ensure that the general public or unauthorized worker access is prevented. The following will be used:

Cones

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

9. SITE SPECIFIC EMERGENCY RESPONSE PLAN

The Emergency Response Plan addresses potential emergencies at this site, procedures for responding to these emergencies, roles, responsibilities during emergency response, and training. This section also describes the provisions this project has made to coordinate its emergency response with other contractors onsite and with offsite emergency response organizations (as applicable).

During the development of this emergency response plan, local, state, and federal agency disaster, fire, and emergency response organizations were consulted (if required) to ensure that this plan is compatible and integrated with plans of those organizations. Documentation of the dates of these consultations are the names of individuals contacted is kept on file and available upon request.

The site has been evaluated for potential emergency occurrences, based on site hazards, and the major categories of emergencies that could occur during project work are:

- Fire(s)/Combustion
- Hazardous Material Event
- Medical Emergency
- Natural Disaster

A detailed list of emergency types and response actions are summarized in Table X below. Prior to the start of work, the SSO will update the table with any additional site-specific information regarding evacuations, muster points, or additional emergency procedures. The SSO will establish evacuation routes and assembly areas for the Site. All personnel entering the Site will be informed of these routes and assembly areas.

Pre-Emergency Planning

Before the start of field activities, the Project Manager will ensure preparation has been made in anticipation of emergencies. Preparatory actions include the following:

Meeting with the subcontractor/and or client concerning the emergency procedures in the event a person is injured. Appropriate actions for specific scenarios will be reviewed. These scenarios will be discussed, and responses determined before the sampling event commences. A form of emergency communication (i.e.; Cell phone, Air horn, etc.) between the Project Manager and subcontractor and/or client will be agreed on before the work commences.

A training session (i.e., “safety meeting”) given by the Project Manager or their designee informing all field personnel of emergency procedures, locations of emergency equipment and their use, and proper evacuation procedures.

Ensuring field personnel are aware of the existence of the emergency response HASP and ensuring a copy of the HASP accompanies the field team(s).

Onsite Emergency Response Equipment

Emergency procedures may require specialized equipment to facilitate work rescue, contamination control and reduction or post-emergency cleanup. Emergency response equipment stocked

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Table 9.1 Emergency Equipment and Emergency PPE			
Emergency Equipment	**Specific Type**	**Quantity Stocked**	**Location Stored**
First Aid Kit	General First Aid Kit	1	With H&A Personnel
Emergency PPE	**Specific Type**	**Quantity Stocked**	**Location Stored**
Gloves - Nitrile	General Nitrile Gloves	1 Box+	With H&A Personnel

EVACUATION ALARM
Verbal Communication (Site Personnel are adjacent in work zone)
EVACUATION ROUTES
Will be given a map after site specific training
EVACUATION MUSTER POINT(S)/ SHELTER AREA(S)
Will be given location(s) after site specific training
EVACUTION RESPONSE DRILLS
The Site relies on outside emergency responders and a drill is not required.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

Table 9-2 – Emergency Planning

Emergency Type	Notification	Response Action	Evacuation Plan/Route
Chemical Exposure	Report event to SSO immediately	Refer to Safety Data Sheet for required actions	Remove personnel from work zone
Fire - Small	Notify SSO and contact 911	Use fire extinguisher if safe and qualified to do so	Mobilize to *Muster Point*
Fire – Large/Explosion	Notify SSO and contact 911	Evacuate immediately	Mobilize to *Muster Point*
Hazardous Material – Spill/Release	Notify SSO; SSO will contact PM to determine if additional agency notification is	If practicable don PPE and use spill kit and applicable procedures to contain the release	See Evacuation Map for route, move at least 100 ft upwind of spill location
Medical – Bloodborne Pathogen	Notify SSO	If qualified dispose in container or call client or city to notify for further instruction.	None Anticipated
Medical – First Aid	Notify SSO	If qualified perform first aid duties	None Anticipated
Medical – Trauma	If life threatening or transport is required call 911, immediately	Wait at site entrance for ambulance	Noe Anticipated
Security Threat	Notify SSO who will call 911 as warranted	Keep all valuables out of site and work zones delineated.	None Anticipated
Weather – Earthquake/Tsunami's	STOP WORK and evacuate Site upon any earthquake	Turn off equipment and evacuate as soon as is safe to do so	Mobilize to *Shelter Location*
Weather – Lightning Storm	STOP WORK	Work may resume 30 minutes after the last observed lightning.	None Anticipated
Weather – Tornadoes/Hurricanes	Monitor weather conditions STOP WORK and evacuate the site	Evacuate to shelter location or shelter in place immediately	Mobilize to *Shelter Location*
MUSTER POINT To be communicated during Site kick-off meeting.		*SHELTER LOCATION* To be communicated during Site kick-off meeting.	
In case of site emergencies, site personnel shall be evacuated per this table and will not participate in emergency response activities. Site emergencies shall be reported to local, state, and federal governmental agencies as required.			

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

10. HASP ACKNOWLEDGEMENT FORM

All Haley & Aldrich employees onsite must sign this form prior to entering the site.

I hereby acknowledge receipt of, and briefing on, this HASP prior to the start of on-site work. I declare that I understand and agree to follow the provisions, processes, and procedures set forth herein at all times while working on this site.

Printed Name	Signature	Date

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

ATTACHMENT A
HASP AMENDMENT FORM

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

HASP AMENDMENT FORM

This form is to be used whenever there is an immediate change in the project scope that will require an amendment to the HASP. For project scope changes associated with "add-on" tasks, the changes must be made in the body of the HASP. Before changes can be made, a review of the potential hazards must be initiated by the Haley & Aldrich Project Manager.

This original form must remain on site with the original HASP. If additional copies of this HASP have been distributed, it is the Project Manager's responsibility to forward a signed copy of this amendment to those who have copies.

Amendment No.	
Site Name	
Work Assignment No.	
Date	
Type of Amendment	
Reason for Amendment	
Alternate Safeguard Procedures	
Required Changes in PPE	

Project Manager Name (Print)	Project Manager Signature	Date

Health & Safety Approver Name (Print)	Health & Safety Approver Signature	Date

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

ATTACHMENT B
TRAINING REQUIREMENTS

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

TRAINING REQUIREMENTS

Health and Safety Training Requirements

Personnel will not be permitted to supervise or participate in field activities until they have been trained to a level required by their job function and responsibility. Haley & Aldrich staff members, contractors, subcontractors, and consultants who have the potential to be exposed to contaminated materials or physical hazards must complete the training described in the following sections.

The Haley & Aldrich Project Manager/FSM will be responsible for maintaining and providing to the client/site manager documentation of Haley & Aldrich staff members' compliance with required training as requested. Records shall be maintained per OSHA requirements.

40-Hour Health and Safety Training

The 40-Hour Health and Safety Training course provides instruction on the nature of hazardous waste work, protective measures, proper use of personal protective equipment, recognition of signs and symptoms which might indicate exposure to hazardous substances, and decontamination procedures. It is required for all personnel working on-site, such as equipment operators, general laborers, and supervisors, who may be potentially exposed to hazardous substances, health hazards, or safety hazards consistent with 29 CFR 1910.120.

8-hour Annual Refresher Training

Personnel who complete the 40-hour health and safety training are subsequently required to attend an annual 8-hour refresher course to remain current in their training. When required, site personnel must be able to show proof of completion (i.e., certification) at an 8-hour refresher training course within the past 12 months.

8-Hour Supervisor Training

On-site managers and supervisors directly responsible for, or who supervise staff members engaged in hazardous waste operations, should have eight additional hours of Supervisor training in accordance with 29 CFR 1910.120. Supervisor Training includes, but is not limited to, accident reporting/investigation, regulatory compliance, work practice observations, auditing, and emergency response procedures.

Additional Training for Specific Projects

Haley & Aldrich personnel will ensure their personnel have received additional training on specific instrumentation, equipment, confined space entry, construction hazards, etc., as necessary to perform their duties. This specialized training will be provided to personnel before engaging in the specific work activities including:

- Client specific training or orientation
- Competent person excavations
- Confined space entry (entrant, supervisor, and attendant)
- Heavy equipment including aerial lifts and forklifts
- First aid/ CPR
- Use of fall protection
- Use of nuclear density gauges
- Asbestos awareness

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

ATTACHMENT C
ROLES AND RESPONSIBILITIES

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

SITE ROLES AND RESPONSIBILITIES

Haley & Aldrich Personnel

Field Safety Manager (FSM)

The Haley & Aldrich FSM is a full-time Haley & Aldrich staff member, trained as a safety and health professional, who is responsible for the interpretation and approval of this Safety Plan. Modifications to this Safety Plan cannot be undertaken by the PM or the SSO without the approval of the FSM.

Specific duties of the FSM include:

- Approving and amending the Safety Plan for this project
- Advising the PM and SHSOs on matter relating to health and safety
- Recommending appropriate personal protective equipment (PPE) and air monitoring instrumentation
- Maintaining regular contact with the PM and SSO to evaluate the conditions at the property and new information which might require modifications to the HASP and
- Reviewing and approving JSAs developed for the site-specific hazards.

Project Manager (PM)

The Haley & Aldrich PM is responsible for ensuring that the requirements of this HASP are implemented at that project location. Some of the PM´s specific responsibilities include:

- Assuring that all personnel to whom this HASP applies have received a copy of it;
- Providing the FSM with updated information regarding environmental conditions at the site and the scope of site work;
- Providing adequate authority and resources to the on-site SHSO to allow for the successful implementation of all necessary safety procedures;
- Supporting the decisions made by the SHSO;
- Maintaining regular communications with the SHSO and, if necessary, the FSM;
- Coordinating the activities of all subcontractors and ensuring that they are aware of the pertinent health and safety requirements for this project;
- Providing project scheduling and planning activities; and
- Providing guidance to field personnel in the development of appropriate Job Safety Analysis (JSA) relative to the site conditions and hazard assessment.

Site Health & Safety Officer (SHSO)

The SHSO is responsible for field implementation of this HASP and enforcement of safety rules and regulations. SHSO functions may include some or all of the following:

- Act as Haley & Aldrich´s liaison for health and safety issues with client, staff, subcontractors, and agencies.
- Verify that utility clearance has been performed by Haley & Aldrich subcontractors.
- Oversee day-to-day implementation of the Safety Plan by Haley & Aldrich personnel on site.

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

- Interact with subcontractor project personnel on health and safety matters.
- Verify use of required PPE as outlined in the safety plan.
- Inspect and maintain Haley & Aldrich safety equipment, including calibration of air monitoring instrumentation used by Haley & Aldrich.
- Perform changes to HASP and document in Appendix A of the HASP as needed and notify appropriate persons of changes.
- Investigate and report on-site accidents and incidents involving Haley & Aldrich and its subcontractors.
- Verify that site personnel are familiar with site safety requirements (e.g., the hospital route and emergency contact numbers).
- Report accidents, injuries, and near misses to the Haley & Aldrich PM and FSM as needed.

The SHSO will conduct initial site safety orientations with site personnel (including subcontractors) and conduct toolbox and safety meetings thereafter with Haley & Aldrich employees and Haley & Aldrich subcontractors at regular intervals and in accordance with Haley & Aldrich policy and contractual obligations. The SHSO will track the attendance of site personnel at Haley & Aldrich orientations, toolbox talks, and safety meetings.

Field Personnel

Haley & Aldrich personnel are responsible for following the health and safety procedures specified in this HASP and for performing their work in a safe and responsible manner. Some of the specific responsibilities of the field personnel are as follows:

- Reading the HASP in its entirety prior to the start of on-site work;
- Submitting a completed Safety Plan Acceptance Form and documentation of medical surveillance and training to the SHSO prior to the start of work;
- Attending the pre-entry briefing prior to beginning on-site work;
- Bringing forth any questions or concerns regarding the content of the Safety Plan to the PM or the SHSO prior to the start of work;
- Stopping work when it is not believed it can be performed safely;
- Reporting all accidents, injuries and illnesses, regardless of their severity, to the SHSO;
- Complying with the requirements of this safety plan and the requests of the SHSO; and
- Reviewing the established JSAs for the site-specific hazards on a daily basis and prior to each shift change, if applicable.

Visitors

Authorized visitors (e.g., Client Representatives, Regulators, Haley & Aldrich management staff, etc.) requiring entry to any work location on the site will be briefed by the Site Supervisor on the hazards present at that location. Visitors will be escorted at all times at the work location and will be responsible for compliance with their employer´s health and safety policies. In addition, this safety plan specifies the minimum acceptable qualifications, training and personal protective equipment which are required for entry to any controlled work area; visitors must comply with these

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

requirements at all times. Unauthorized visitors, and visitors not meeting the specified qualifications, will not be permitted within established controlled work areas.

SUBCONTRACTOR PERSONNEL

Subcontractor Site Representative

Each contractor and subcontractor shall designate a Contractor Site Representative. The Contractor Site Representative will interface directly with Insert Staff Name Here, the Subcontractor Site Safety Manager, with regards to all areas that relate to this safety plan and safety performance of work conducted by the contractor and/or subcontractor workforce. Contractor Site Representatives for this site are listed in the Contact Summary Table at the beginning of the Safety Plan.

Subcontractor Site Safety Manager

Each contractor / subcontractor will provide a qualified representative who will act as their Site Safety Manager (Sub-SSM). This person will be responsible for the planning, coordination, and safe execution of subcontractor tasks, including preparation of job hazard analyses (JHA), performing daily safety planning, and coordinating directly with the Haley & Aldrich SHSO for other site safety activities. This person will play a lead role in safety planning for Subcontractor tasks, and in ensuring that all their employees and lower tier subcontractors are in adherence with applicable local, state, and/or federal regulations, and/or industry and project specific safety standards or best management practices.

General contractors / subcontractors are responsible for preparing a site-specific HASP and/or other task specific safety documents (e.g., JHAs), which are, at a minimum, in compliance with local, state, and/or federal other regulations, and/or industry and project specific safety standards or best management practices. The contractor(s)/subcontractor(s) safety documentation will be at least as stringent as the health and safety requirements of the Haley & Aldrich Project specific HASP.

Safety requirements include, but are not limited to: legal requirements, contractual obligations and industry best practices. Contractors/subcontractors will identify a site safety representative during times when contractor/subcontractor personnel are on the Site. All contractor/subcontractor personnel will undergo a field safety orientation conducted by the Haley & Aldrich SHSO and/or PM prior to commencing site work activities. All contractors / subcontractors will participate in Haley & Aldrich site safety meetings and their personnel will be subject to training and monitoring requirements identified in this Safety Plan. If the contractors / subcontractors means and methods deviate from the scope of work described in Section 1 of this Safety Plan, the alternate means and methods must be submitted, reviewed and approved by the Haley & Aldrich SHSO and/or PM prior to the commencement of the work task. Once approved by the Haley & Aldrich SHSO and/or PM, the alternate means and methods submittal will be attached to this Safety Plan as an Addendum.

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

ATTACHMENT D
JOB SAFETY ANALYSES

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.



2916 ATLANTIC AVENUE

KEY TASK ENTER TASK NUMBER.: ENTER TASK NAME.

Subtask Category	Potential Hazards	Controls
Site Walk/GPR Survey/Drilling/Sampling	Slips, Trips, and Falls	• Take your time and pay attention to where you are going • Adjust your stride to a pace that is suitable for the walking surface and tasks you are doing • Check the work area to identify hazards – beware of trip hazards such as wet floors, slippery floors, and uneven surfaces or terrain • Establish and utilize a pathway free of slip and trip hazards • Choose a safer walking route • Carry loads you can see over • Keep work areas clean and free of clutter • Communicate hazards to on-site personnel – remove hazards as appropriate
Site Walk/GPR Survey/Drilling/Sampling	Work site access and controls	• Observe all work site access and controls before entering work area · • Use only routes that are designated for personnel · • Do not change or alter established work site access or controls
Site Walk/GPR Survey/Drilling/Sampling	Incident reporting	• Notify H&S and your PM and SM · • Complete Gensuite Report · • Call WorkCare
Site Walk/GPR Survey/Drilling/Sampling	General site hazards	• Be mindful of moving vehicles and where you are walking · • Notify field team of any observed hazards • Complete tailgate and discuss site hazards

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

Site Walk/GPR Survey/Drilling	Utility locators and underground hazards	• Observe work from a distance in case of utility strike
Site Walk/GPR Survey/Sampling	Insect bites/stings	• Do not approach biting/stinging insects • Check placement of exposed limbs
Site Walk/GPR Survey/Sampling	Vehicle traffic/safety	• Watch out for vehicular traffic in and around work area • Access work area along routes that are the least bus
Drilling	Utility locators and underground hazards	• Observe work from a distance in case of utility strike · • Immediately evacuate work area in the event of a utility strike
Drilling	Heavy equipment	• Personal protective equipment, licensed excavator/machine operators · • Maintain a safe distance from moving equipment and observe equipment swing radii
Drilling	Noise reduction	• Personal protective equipment, ear plugs or ear muffs
Site Walk/GPR Survey, Drilling/Sampling	Weather-related hazards	• Weather-related hazards

Note: This HASP is developed for Haley & Aldrich purposes only and not for use by others.

ATTACHMENT E
PROJECT SITE FORMS

Note: This HASP has been developed for Haley & Aldrich purposes only and is not for use by others.

Health & Safety Tailgate Meeting Form

Project:	Project No.:
Location:	Project Manager:
Subcontractor(s):	Date:
Site Safety & Health Officer (SSHO):	SSHO Contact Info:

Emergency Procedures

If an emergency occurs, follow procedure outlined in the HASP and contact numbers below. If non-life-threatening injury occurs, contact PM to report the incident. Seek first-aid treatment from the Occupational Health Center, as outlined in the HASP.

Emergency Dispatch phone number if other than 911:	
Local Hospital:	Local Hospital Phone #:
Evacuation/Muster Point:	Alt Evacuation/Muster Point:

Simultaneous Operations (SIMOPS)

SIMOPS or Multi-Crew Activity	☐ Yes	☐ No	If yes, describe SIMOPS:	
Has SIMOPS been communicated to all workforce?	☐ Yes	☐ No		
SIMOPS PIC:			**Phone Number:**	

Task Identification

Task	Responsible Company	Task Supervisor

Required Permits/Forms (*check all that apply*)

☐None	☐Lifting Plan	☐Other:
☐Confined Space Entry Permit	☐Hot Work Permit	☐Other:
☐Lock-out / Tag-out (LOTO)	☐Ground Disturbance Permit	☐Other:
☐Excavation Permit	☐Other:	☐Other:

Discussion of Work Hazards *(check all that apply)*

☐Chemical	☐Hazardous materials (lead, asbestos, etc.)	☐Radiological
☐Confined space	☐Hosting and rigging	☐Stored energy LOTO
☐Congested work area	☐Hot work	☐Traffic control
☐Elevated work	☐Material handling	☐Weather and/or temp extremes
☐Ergonomics	☐Noise pollution	☐Waste generation
☐Emergency egress	☐Oxygen deficiency	☐Other:

Required PPE *(check all that apply)*

										
☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Hearing Protection	Safety Eyewear	Hard Hat	Safety Toed Shoes	Leather or Palm Protective	Safety Vest	Protective Clothing	Respiratory Protection	PFD	Face Shield	Fall Protection

All information and content in this form is for information purposes only and is not medical advice, diagnosis, or treatment. Printed copies are not document controlled.

Tailgate Topic / Hazard Discussion

Item	Discussion

Management of Change (MoC)

Does the work activity require a MoC? If yes, has it been authorized by applicable management? ☐No ☐Yes
Has the safety information been updated to incorporate any change in product, equipment, material or process? This information should include how to investigate accidents, audit compliance with safety procedures, and plan for emergency responses. ☐No ☐Yes
Have the procedures for a MoC been reviewed and evaluated? ☐No ☐Yes
Have all affected staff been informed and trained on the new equipment, process, or other changes? Health and safety hazards must be emphasized including processes/procedures in an emergency. The training must occur before any staff is allowed to operate the equipment or perform the job relating to the changes. ☐No ☐Yes
Have written procedures been put into place for the next time there is a change in safety management? ☐No ☐Yes

Best Practice(s) Observed? ☐ Yes ☐ No If yes, describe:	**H&S Observations/ Near Misses/ Incidents Reported?** ☐ Yes ☐ No If yes, describe:
Safe Work Interventions? ☐ Yes ☐ No If yes, describe:	**Have additional hazards and risk controls been identified for future work?** ☐ Yes ☐ No If yes, update appropriate job hazard analysis (JHA).

Site Safety & Health Officer Acknowledgement

At the conclusion of the day, I certify that the work site has been inspected and is being left in a safe and clean condition and any incidents have been properly reported.

Signature Date

All information and content in this form is for information purposes only and is not medical advice, diagnosis, or treatment. Printed copies are not document controlled.

HALEY ALDRICH

Worker Acknowledgement

By signing here, you are stating the following:

1. You understand the hazards and risk control actions associated with each task you are about to perform.
2. You understand the permit to work requirements pertinent to the work you are about to perform (if applicable).
3. You are aware that no tasks or work that is not risk-assessed is to be performed.
4. You also are aware of your obligation to implement 'Safe Work'.
5. You arrived and departed fit for duty.
6. You are physically and mentally fit for duty.
7. You are not under the influence of any type of medication, drugs, or alcohol that could affect your ability to work safely.
8. You are aware of your responsibility to bring any illness, injury (regardless of where or when it occurred), or fatigue issue you may have to the attention of the SSHO.
9. You signed out uninjured unless you have otherwise informed the SSHO.

Name (print)	Company	Initials & Sign In/Out Time		COVID-19 Self-Declaration
		In & Fit	Out & Fit	On File

Visitor Log (*Site Visitors not involved in the work activities*)

Name (print)	Company	Initials & Sign In/Out Time		COVID-19 Self Declaration
		In & Fit	Out & Fit	On File

All information and content in this form is for information purposes only and is not medical advice, diagnosis, or treatment. Printed copies are not document controlled.

Subsurface Clearance Field Checklist

PROJECT INFORMATION

Site Name:		Project Manager:	
Location:		Client Leader/LSRP:	
Client Name:		Scope of Work:	
Project Number:		Date of SSC Event:	

PROJECT BASICS (Completed prior to the start of field activities)

Site Contact Person Identified? Circle one: Yes No			
Contact Person/Company Name/Phone Number:			
Subcontractor & On-Site Representatives:			
Have the subsurface activities been explained to the subcontractor? Circle one: Yes No			
Public utility mark-out completed? Circle one: Yes No			
Public Mark-out/called in by Company/Representative:		Date:	
Ticket Number:		Utilities Notified and Response received:	

PRE-CLEARANCE (Completed prior to breaking ground or determining final locations)

Private Utility Mark-out completed? Circle one: Yes No		Date:	
Work area and each intrusive location scanned for all utilities? Circle one: Yes No			
Private Mark-out completed by Subcontractor & Representative:			
Depth of accuracy (feet):		Limitations:	
Type of equipment used:			

Utility Identified & Marked-out	Depth (ft)	Yes	No	Utility Identified & Marked-out	Depth (ft)	Yes	No
Electricity (Red)				Sewer (Green)			
Gas (Yellow)				Telephone Data (Orange)			
Water (Blue)				Fuel/Oil			
Reclaimed H_2O/Irrigation (Purple)				Proposed excavation (white)			

SCOPE OF WORK

Scope of Work provided to subcontractors? Circle one: Yes No					
Number of intrusive locations:		Targeted depth (feet):		Diameter of Borehole (inches):	
Proposed intrusive locations within 10 feet of marked and/or known utility? Circle one: Yes No					
Final locations confirmed at least 10 feet away from all utilities? Circle one: Yes No					

FIELD OBSERVATIONS

Other Utilities & Visual Clues Observed	Yes	No	Other Utilities & Visual Clues Observed	Yes	No
Natural gas meters			Fire suppression		
Water meters			Fire hydrants		
Cable markers			Fire sprinkler lines		
Sewer drains/cleanouts			Sprinkler/irrigation systems		
Overhead lines (give 15' x 15' of clearance)			Utility poles with conduit leading to the ground		
Pipeline and pipeline markers			Utility boxes		
Underground storage tank (UST)			Manholes		
UST fill ports and vent pipes			Pavement scarring		
Lights			Remote buildings with no visible utilities		
Signage			Other (specify):		
Steam lines			Other (specify):		

Any mitigations taken if points cannot be obtained or site type was not listed:_____

_____

Mitigations taken by whom: _____

Subsurface Clearance Field Checklist

Utility Point System: Gain points to protect against utility strike

Site Description	Minimum Points Needed
Combination of 2 or more Site Types	5
Commercial/Office Park	5
Downtown/Urban Development	5
Manufacturing/Active	5
Manufacturing/Non-Active	5
Mine	5
Rail	5
Residential	5
Roadway (right-of-way, highway, and secondary routes)	5
Roadway (right-of-way, rural route)	5
Universities/Government Campus/Airports	5
Abandoned/Non-Active/Vacant	3
Remote (field, woods, undisturbed)	2
Work over water	2
Site Type Not Listed Above	Consult with the PM, Utility Specialist, and Project Team
Cannot Gain Minimum Points	Perform hand clearing/soft dig/vacuum excavation

1 Point Value (2 Maximum from this Category)
Facility/contact supplied information (GIS figure with photo overlay; extensive client records and drawings)
The utilities have been marked using GPS or surveyed (with minimum accuracy of 0.1 foot)
A review of the work scope with a knowledgeable site contact (client contact, site manager, maintenance manager or other site personnel) about the site's history and utility locations/conditions (with a utility site drawing). **A knowledgeable site contact is someone who has regular responsibilities for managing site infrastructure, construction activities, and/or retaining site drawings/figures.**
A visual inspection of the site to verify that the utilities match the drawings and figures (completed after the State One Call Subsurface Clearance Checklist)
Confirmation of the low density of subsurface utilities (based on site maps, previous private utility locates)
Shallow boring advancement (<2 feet below ground surface (bgs) with non-mechanical drilling techniques)

2 Point Values
As-built drawings (plot plans, as-builts, pipeline or facilities maps, and/or lease drawings), reviewed and verified by client for updated changes
Confirmation that utilities cut off at street and align with drawings and figures
Drawing/figure (measured to scale, shows site utilities as visually verified during site walk); includes any new or repaired lines that match site (e.g., pavement scarring); depth and diameter of utilities; and recent (includes any new construction activity)
Survey data and figures produced by Haley & Aldrich and/or Haley & Aldrich site utility experience with additional site inspection
Site drawing and figures from prior private utility locate created by Haley & Aldrich (drawing must include GPS coordinates and utilities are to scale)
GPR/EM Cable location by private utility locate directly above proposed ground disturbance/borehole location

3 Point Values	3 Point Values (Open Excavations Only)
Hand Clearing/Soft Dig/Vacuum Excavation to 5 feet bgs using the following soft dig clearance methods listed from least invasive to most: • Probing • Hand Digging • Hand Auguring • Vacuum Extraction • Air/Water Knife with Vacuum Extraction	Hand Clearing/Soft Dig/Vacuum Excavation using the following soft dig clearance methods to confirm location of known utilities prior to using mechanical excavation: • Probing • Hand Digging • Vacuum Extraction

APPENDIX I
NYSDOH CAMP Guidance Document

Appendix 1A
New York State Department of Health
Generic Community Air Monitoring Plan

Overview

A Community Air Monitoring Plan (CAMP) requires real-time monitoring for volatile organic compounds (VOCs) and particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress at contaminated sites. The CAMP is not intended for use in establishing action levels for worker respiratory protection. Rather, its intent is to provide a measure of protection for the downwind community (i.e., off-site receptors including residences and businesses and on-site workers not directly involved with the subject work activities) from potential airborne contaminant releases as a direct result of investigative and remedial work activities. The action levels specified herein require increased monitoring, corrective actions to abate emissions, and/or work shutdown. Additionally, the CAMP helps to confirm that work activities did not spread contamination off-site through the air.

The generic CAMP presented below will be sufficient to cover many, if not most, sites. Specific requirements should be reviewed for each situation in consultation with NYSDOH to ensure proper applicability. In some cases, a separate site-specific CAMP or supplement may be required. Depending upon the nature of contamination, chemical- specific monitoring with appropriately-sensitive methods may be required. Depending upon the proximity of potentially exposed individuals, more stringent monitoring or response levels than those presented below may be required. Special requirements will be necessary for work within 20 feet of potentially exposed individuals or structures and for indoor work with co-located residences or facilities. These requirements should be determined in consultation with NYSDOH.

Reliance on the CAMP should not preclude simple, common-sense measures to keep VOCs, dust, and odors at a minimum around the work areas.

Community Air Monitoring Plan

Depending upon the nature of known or potential contaminants at each site, real-time air monitoring for VOCs and/or particulate levels at the perimeter of the exclusion zone or work area will be necessary. Most sites will involve VOC and particulate monitoring; sites known to be contaminated with heavy metals alone may only require particulate monitoring. If radiological contamination is a concern, additional monitoring requirements may be necessary per consultation with appropriate DEC/NYSDOH staff.

Continuous monitoring will be required for all ground intrusive activities and during the demolition of contaminated or potentially contaminated structures. Ground intrusive activities include, but are not limited to, soil/waste excavation and handling, test pitting or trenching, and the installation of soil borings or monitoring wells.

Periodic monitoring for VOCs will be required during non-intrusive activities such as the collection of soil and sediment samples or the collection of groundwater samples from existing monitoring wells. “Periodic” monitoring during sample collection might reasonably consist of taking a reading upon arrival at a sample location, monitoring while opening a well cap or

overturning soil, monitoring during well baling/purging, and taking a reading prior to leaving a sample location. In some instances, depending upon the proximity of potentially exposed individuals, continuous monitoring may be required during sampling activities. Examples of such situations include groundwater sampling at wells on the curb of a busy urban street, in the midst of a public park, or adjacent to a school or residence.

VOC Monitoring, Response Levels, and Actions

Volatile organic compounds (VOCs) must be monitored at the downwind perimeter of the immediate work area (i.e., the exclusion zone) on a continuous basis or as otherwise specified. Upwind concentrations should be measured at the start of each workday and periodically thereafter to establish background conditions, particularly if wind direction changes. The monitoring work should be performed using equipment appropriate to measure the types of contaminants known or suspected to be present. The equipment should be calibrated at least daily for the contaminant(s) of concern or for an appropriate surrogate. The equipment should be capable of calculating 15-minute running average concentrations, which will be compared to the levels specified below.

1. If the ambient air concentration of total organic vapors at the downwind perimeter of the work area or exclusion zone exceeds 5 parts per million (ppm) above background for the 15-minute average, work activities must be temporarily halted and monitoring continued. If the total organic vapor level readily decreases (per instantaneous readings) below 5 ppm over background, work activities can resume with continued monitoring.

2. If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of 5 ppm over background but less than 25 ppm, work activities must be halted, the source of vapors identified, corrective actions taken to abate emissions, and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level 200 feet downwind of the exclusion zone or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less - but in no case less than 20 feet, is below 5 ppm over background for the 15-minute average.

3. If the organic vapor level is above 25 ppm at the perimeter of the work area, activities must be shutdown.

4. All 15-minute readings must be recorded and be available for State (DEC and NYSDOH) personnel to review. Instantaneous readings, if any, used for decision purposes should also be recorded.

Particulate Monitoring, Response Levels, and Actions

Particulate concentrations should be monitored continuously at the upwind and downwind perimeters of the exclusion zone at temporary particulate monitoring stations. The particulate monitoring should be performed using real-time monitoring equipment capable of measuring particulate matter less than 10 micrometers in size (PM-10) and capable of integrating over a period of 15 minutes (or less) for comparison to the airborne particulate action level. The equipment must be equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration should be visually assessed during all work activities.

1. If the downwind PM-10 particulate level is 100 micrograms per cubic meter (mcg/m^3) greater than background (upwind perimeter) for the 15-minute period or if airborne dust is observed leaving the work area, then dust suppression techniques must be employed. Work may continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed 150 mcg/m^3 above the upwind level and provided that no visible dust is migrating from the work area.

2. If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150 mcg/m^3 above the upwind level, work must be stopped and a re-evaluation of activities initiated. Work can resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150 mcg/m^3 of the upwind level and in preventing visible dust migration.

3. All readings must be recorded and be available for State (DEC and NYSDOH) and County Health personnel to review.

December 2009

Appendix 1B
Fugitive Dust and Particulate Monitoring

A program for suppressing fugitive dust and particulate matter monitoring at hazardous waste sites is a responsibility on the remedial party performing the work. These procedures must be incorporated into appropriate intrusive work plans. The following fugitive dust suppression and particulate monitoring program should be employed at sites during construction and other intrusive activities which warrant its use:

1. Reasonable fugitive dust suppression techniques must be employed during all site activities which may generate fugitive dust.

2. Particulate monitoring must be employed during the handling of waste or contaminated soil or when activities on site may generate fugitive dust from exposed waste or contaminated soil. Remedial activities may also include the excavation, grading, or placement of clean fill. These control measures should not be considered necessary for these activities.

3. Particulate monitoring must be performed using real-time particulate monitors and shall monitor particulate matter less than ten microns (PM10) with the following minimum performance standards:

(a) Objects to be measured: Dust, mists or aerosols;
(b) Measurement Ranges: 0.001 to 400 mg/m3 (1 to 400,000 :ug/m3);
(c) Precision (2-sigma) at constant temperature: +/- 10 :g/m3 for one second averaging; and +/- 1.5 g/m3 for sixty second averaging;
(d) Accuracy: +/- 5% of reading +/- precision (Referred to gravimetric calibration with SAE fine test dust (mmd= 2 to 3 :m, g= 2.5, as aerosolized);
(e) Resolution: 0.1% of reading or 1g/m3, whichever is larger;
(f) Particle Size Range of Maximum Response: 0.1-10;
(g) Total Number of Data Points in Memory: 10,000;
(h) Logged Data: Each data point with average concentration, time/date and data point number
(i) Run Summary: overall average, maximum concentrations, time/date of maximum, total number of logged points, start time/date, total elapsed time (run duration), STEL concentration and time/date occurrence, averaging (logging) period, calibration factor, and tag number;
(j) Alarm Averaging Time (user selectable): real-time (1-60 seconds) or STEL (15 minutes), alarms required;
(k) Operating Time: 48 hours (fully charged NiCd battery); continuously with charger;
(l) Operating Temperature: -10 to 50^{o} C (14 to 122^{o} F);
(m) Particulate levels will be monitored upwind and immediately downwind at the working site and integrated over a period not to exceed 15 minutes.

4. In order to ensure the validity of the fugitive dust measurements performed, there must be appropriate Quality Assurance/Quality Control (QA/QC). It is the responsibility of the remedial party to adequately supplement QA/QC Plans to include the following critical features: periodic instrument calibration, operator training, daily instrument performance (span) checks, and a record keeping plan.

5. The action level will be established at 150 ug/m3 (15 minutes average). While conservative,

this short-term interval will provide a real-time assessment of on-site air quality to assure both health and safety. If particulate levels are detected in excess of 150 ug/m3, the upwind background level must be confirmed immediately. If the working site particulate measurement is greater than 100 ug/m3 above the background level, additional dust suppression techniques must be implemented to reduce the generation of fugitive dust and corrective action taken to protect site personnel and reduce the potential for contaminant migration. Corrective measures may include increasing the level of personal protection for on-site personnel and implementing additional dust suppression techniques (see paragraph 7). Should the action level of 150 ug/m3 continue to be exceeded work must stop and DER must be notified as provided in the site design or remedial work plan. The notification shall include a description of the control measures implemented to prevent further exceedances.

6. It must be recognized that the generation of dust from waste or contaminated soil that migrates off-site, has the potential for transporting contaminants off-site. There may be situations when dust is being generated and leaving the site and the monitoring equipment does not measure PM10 at or above the action level. Since this situation has the potential to allow for the migration of contaminants off-site, it is unacceptable. While it is not practical to quantify total suspended particulates on a real-time basis, it is appropriate to rely on visual observation. If dust is observed leaving the working site, additional dust suppression techniques must be employed. Activities that have a high dusting potential--such as solidification and treatment involving materials like kiln dust and lime--will require the need for special measures to be considered.

7. The following techniques have been shown to be effective for the controlling of the generation and migration of dust during construction activities:

(a) Applying water on haul roads;
(b) Wetting equipment and excavation faces;
(c) Spraying water on buckets during excavation and dumping;
(d) Hauling materials in properly tarped or watertight containers;
(e) Restricting vehicle speeds to 10 mph;
(f) Covering excavated areas and material after excavation activity ceases; and
(g) Reducing the excavation size and/or number of excavations.

Experience has shown that the chance of exceeding the 150ug/m3 action level is remote when the above-mentioned techniques are used. When techniques involving water application are used, care must be taken not to use excess water, which can result in unacceptably wet conditions. Using atomizing sprays will prevent overly wet conditions, conserve water, and provide an effective means of suppressing the fugitive dust.

8. The evaluation of weather conditions is necessary for proper fugitive dust control. When extreme wind conditions make dust control ineffective, as a last resort remedial actions may need to be suspended. There may be situations that require fugitive dust suppression and particulate monitoring requirements with action levels more stringent than those provided above. Under some circumstances, the contaminant concentration and/or toxicity may require additional monitoring to protect site personnel and the public. Additional integrated sampling and chemical analysis of the dust may also be in order. This must be evaluated when a health and safety plan is developed and when appropriate suppression and monitoring requirements are established for protection of health and the environment.