

ENVIRONMENTAL SITE ASSESSMENT

PROPERTY LOCATED AT:

FLATLANDS AVE. & PENNSYLVANIA AVE.
BROOKLYN, NEW YORK

03-172



PREPARED FOR:

INTEGRITY DEVELOPMENT, INC.
700 GABESHEAD COURT
SOUTH LAKE, TX 76092

APRIL 2003

PREPARED BY:

SOIL MECHANICS ENVIRONMENTAL SERVICES
3770 MERRICK ROAD
SEAFORD, NEW YORK 11783
(516) 221-7500 FAX (516) 679-1900

TABLE OF CONTENTS

EXECUTIVE SUMMARY	2 – 4
1.0 PURPOSE	5 – 10
1.1 Introduction	
1.2 Site Location	
1.3 Scope of Work	
1.4 Previous Investigations	
2.0 SITE HISTORY	11 – 14
2.1 Review of Historical Topographic Maps	
2.2 Review of Historical Sanborn Maps	
2.3 History of Ownership	
3.0 SITE DESCRIPTION	14 – 16
3.1 Facility Overview	
3.2 Visual Inspection (interior)	
3.3 Visual Inspection (exterior)	
4.0 VISUAL DISTURBANCES	16
5.0 SITE OPERATIONS AND UTILITIES	17 – 18
5.1 Electrical Transformer(s)	
5.2 Aboveground Storage Tank(s)(AST's)	
5.3 Underground Storage Tank(s)(UST's)	
5.4 Utilities	
5.5 Chemicals, Hazardous Materials/Wastes Storage, and Disposal	
5.6 Water Supply/Monitoring Well(s)	
5.7 Interior Drainage Structures	
5.8 Exterior Drainage Structures	
6.0 SURROUNDING PROPERTY USE	18 – 20
7.0 AGENCY CONTACT	20 – 24
7.1 Federal Agencies	
7.2 State Agencies	
7.3 Local Agencies	
8.0 HYDROGEOLOGIC INFORMATION	24 – 26
8.1 Water Bodies	
9.0 RADON POTENTIAL	26 – 27

TABLE OF CONTENTS (Continued)

10.0	SUMMARY OF FINDINGS	27 – 29
11.0	DISCUSSIONS, CONCLUSIONS AND RECOMMENDATIONS	30 – 31
APPENDIX		

EXECUTIVE SUMMARY

The following is a summary of findings obtained during a "Phase I" Environmental Site Assessment conducted at the subject property located at 12020 Flatlands Avenue, in Brooklyn, County of Kings, State of New York.

The subject property (approximately 10.0 acres) currently consists of a two-story masonry and steel framed building, surrounded by concrete walkways and asphalt paved parking areas, and vacant land. The subject building, occupied by New York Christian Cultural Centre, was reportedly constructed between 1997-2000. Soil Mechanics was informed that a gas collection/venting system was installed beneath the subject building due to the presence of methane gas.

Information obtained from previous investigations conducted at the subject property revealed that the site was originally marshlands and was landfilled during the early 1900's. Ash and residue from a city solid waste incinerator were reportedly used as fill material.

Review of historical Sanborn fire insurance maps revealed that several sheds, a wagon house, a residence, a gasoline filling station, a masons materials storage yard and associated storage building, an auto wrecking facility, a small commercial building, and automobile junkyards were formerly located at the subject property dating back to 1908.

Review of ownership records revealed several names of concern, i.e., Socony Mobil Oil Co., London Servicenter, and Marvic Service Station, Inc., etc. listed for Block: 4434 – Lot: 1 prior to 1960. Further, London Servicenter was involved in a declaration transaction, dated 06/24/48, at Block: 4431 – Lot: 1, Block 4432 – Lot: 1, and Block: 4433 – Lot: 1.

The results of an environmental investigation conducted at the subject property by AKRF, Inc. (Draft Environmental Impact Statement, dated June 1991) revealed elevated concentrations of methane in the area of the former gasoline service station, elevated levels of total petroleum hydrocarbons and metals throughout the subject property, and elevated concentrations of semi-volatile organics at several surface and subsurface locations. Further, elevated levels of metals, volatile organics, and semi-volatile organics were detected within aqueous samples collected from the project site.

The western portion (approximately 6.0 acres) of the site is currently improved and contains the subject building, surrounded by concrete walkways and asphalt paved parking areas. Inspection of the subject building revealed it to be divided into a sanctuary, classrooms, offices, bathrooms, cafeteria, kitchen, bookstore, sound room, and storage rooms amongst the two (2) floors. Further, two (2) passenger elevators were identified within the subject building. The eastern portion (approximately 4.0 acres) consisted of several deciduous trees, exposed surface soils, and overgrown secondary vegetation. A small excavation was noted along the western portion of this area. Rubber tires, metal, and demolition debris were observed to be intermixed with surface soils. An abandoned crane and several piles of rubber tires, demolition debris, and common household trash were identified at various locations.

One (1) pad-mounted electrical transformer was identified outside the southwestern portion of the subject building. Floor drains were observed within the kitchen area and bathrooms of the subject building. Numerous open grate and solid covered manholes were observed throughout the parking fields. Reportedly, said structures are associated with the on-site drainage system which discharge to the municipal sewer system.

There was no visible evidence to indicate the presence of any aboveground storage tanks (AST's), underground storage tanks (UST's), storage of chemicals, hazardous materials/wastes and/or water supply/ground water monitoring wells at the subject property.

A review of surrounding property use revealed several businesses, i.e., Getty and Amoco/BP service stations, Flatlands Auto Sales, Kings County Auto Salvage, 2H1 Auto Sales, Inc., a junkyard, commercial/industrial businesses, and Kent Cleaners, situated in close proximity to the subject property which are known to us as being associated with the types of operations that historically represent a potential for adverse impact to the environment. Further, review of historical Sanborn maps indicated several filling stations north of the subject property.

A review of various federal and state regulatory databases revealed one (1) SHWS Site (Pennsylvania Avenue Landfill) within a one (1) mile radius; one (1) RCRIS SQG Site (Flat Gas, Inc.) and one (1) **NYSDEC Registered Underground Storage Tank (UST) Site** (Flat Gas, Inc.) adjacent to the subject property; and a total of sixty-four (64) **NYSDEC LTANK & SPILL Sites** within a one-half mile radius. Of the sixty-four (64) **NYSDEC LTANK & SPILL Sites**, thirty (30) are listed as "active" status, meaning the spill investigations are on-going. The remaining **LTANK & SPILL Sites** are listed as "closed" status, meaning the spills have been cleaned up, all paper work completed, and no further action required by the NYSDEC. Of the thirty (30) "active" status sites, only one (1) is documented as affecting the groundwater (see Section 7.2).

1.0 PURPOSE

The principal objectives of this "Phase I" Environmental Site Assessment were to identify and evaluate current site conditions, the visual presence or absence of contamination, possible sources of contamination, and potential environmental impairments at the subject property. The assessment was limited to historical research and site reconnaissance to evaluate the existence of any such conditions.

Consistent with generally accepted protocols, the "Phase I" Environmental Site Assessment did not include sampling or analysis of suspect materials which may have been observed on the subject property. The format of this assessment was predicated upon general guideline requirements established by individual lending institutions, American Society for Testing and Materials Standards (ASTM)(E 1527-00), various professional organizations, and our professional judgment.

1.1 Introduction

Soil Mechanics Environmental Services (SMES) was retained by Mr. James M. Halek of Integrity Development, Inc. to perform a "Phase I" Environmental Site Assessment at the referenced property. Reconnaissance of all accessible portions of the subject property and of any improvements was performed by SMES personnel on March 27, 2003. The site representatives included Mr. James M. Halek of Integrity Development, Inc. and Dan Aizer of Legacy General Contracting Corp.


1.2 Site Location

The subject property is located at 12020 Flatlands Avenue, north of Belt Parkway, south of Linden Boulevard (Route 27), and west of Pennsylvania Avenue in Brooklyn, County of Kings, State of New York (see Figure #1 – Project Location Plan). The subject property is currently designated as Block: 4430 – Lot: 1, Block: 4431 – Lot: 1, Block: 4432 – Lot: 1, Block: 4433 – Lot: 1, and Block: 4434 – Lots: 1 and 21 at the **Borough of Brooklyn Register's Office**. Further, the subject property consists of former beds of Malta, Alabama, Georgia, and Sheffield Avenues.

1.3 Scope of Work

Various items were identified during the scope of this investigation and included:

1. A thorough visual inspection ("walk-through") of the subject property.
2. A survey of the adjacent property for current land use.
3. Review of historical aerial photographs and/or Sanborn Maps in order to identify past and present land usage at the subject property.
4. Review of ownership history (title search) in an attempt to identify previous owners who may have impacted the environmental quality of the subject property.
5. Review latest information from federal, state, and local agencies, regarding environmental concerns at the subject property and any potential surrounding sites.
6. Evaluation of various factors obtained during the investigation.



SUBJECT PROPERTY



North

SOIL MECHANICS ENVIRONMENTAL SERVICES 3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500		
FIGURE #1 PROJECT LOCATION PLAN BROOKLYN, NEW YORK		
SCALE: N.T.S.	DATE: 04/07/03	JOB NO.: 03-172

1.4 Previous Investigations

Previous geotechnical and environmental related investigations have been conducted at the subject property or portions thereof. These reports were reviewed as part of this Phase I Environmental Site Assessment and are summarized below (see copies of reports (text only) in Appendix):

Fresh Creek Estates, Technical Memorandum to the Draft Environmental Impact Statement, dated June 1991; Prepared for: Department of Environmental Protection; Prepared by: AKRF, Inc.

This assessment was done as part of an overall environmental review under the New York City Environmental Quality Review (CEQR) process with Departments of City Planning (NYCDCP) and Environmental Protection (NYCDEP) acting as co-lead agencies.

The site was originally marshlands and was landfilled during the early 1900's. Ash and residue from a city solid waste incinerator were used as fill material. Prior to 1950, a gasoline station at the corner of Pennsylvania and Flatlands Avenues and two (2) small wooden stables occupied parts of the site. Automobile junkyards were also once located on portions of the site.

The objectives of this assessment were to establish baseline soil and groundwater quality conditions and to evaluate the potential impact posed by existing subsurface conditions on the planned building activities at the site.

An electromagnetic survey was conducted at the subject property. Results of this survey revealed two (2) anomalies near Flatlands Avenue and one (1) anomaly near the southern portion of the site near Vandalia Avenue. Test pits, each to a depth of 7.0 feet below grade surface, were excavated at these locations which revealed the following at test pit #3: auto parts, such as gasoline tanks and tire rims, and crushed drums. No metal objects were identified at test pits #1 and #2.

Results of a soil gas survey, conducted in the area of the former gasoline service station, did not indicate elevated non-methane volatile organic compounds. Methane concentrations were measured at relatively high levels, presumably resulting from organic material in the underlying marsh deposits and/or the fill material.

Results of soil sampling activities revealed elevated levels of total petroleum hydrocarbons and metals throughout the site and elevated concentrations of semi-volatile organics at several surface and subsurface locations. Elevated levels of metals, volatile organics, and semi-volatile organics were also detected within aqueous samples collected from the project site. AKRF states that the contaminants that are present at elevated levels are probably associated with the fill material or with suspended soil particles.

Based on the results of this investigation and their understanding of the project, AKRF recommended the following:

- The development and implementation of a health and safety plan (HASP). Air monitoring instruments should be operating during intrusive activities. After excavation and construction activities are completed, constituents within the site soils will, for the most part, remain separated from residents and the visiting population by coverage with buildings or pavement.
- The use of a soil barrier at portions of the site not built on or paved.
- Laboratory analyses of representative samples of the excavated soil will be required for off-site re-use or disposal.

Subsurface Investigation and Report, dated March 14 1994; Prepared for: McKissack & McKissak Architects, P.C.; Prepared by: SESI Consulting Engineers

The site is presently cleared, vacant and fenced parcel which was originally marshlands that were landfill during the early 1900's. SESI understands that ash and residue from a city solid waste incinerator were used as fill material. It also appears that some more recent miscellaneous fill has been dumped on the site. Reportedly, prior to 1950, a gasoline station existed at the corner of Pennsylvania and Flatlands Avenue and automobile junkyards were once located on portions of the property.

A total of eight (8) borings were drilled to depths varying from 26.0 to 51.5 feet below presently existing grade. All the borings encountered a miscellaneous fill to depths varying from 18.5 to 35.0 feet below presently existing grade. The fill has a high percentage of cinders and ashes mixed with sand, silt, gravel, and clay, with inclusions of various debris such as concrete, wood, rubble, metal, brick, glass, asphalt, etc. Groundwater was encountered in all of the borings at depths varying from 17.0 to 23.0 feet below presently existing grade.

Phase I Environmental Site Assessment, dated July 1997; Prepared for: Legacy General Contracting Corp. (Owner Representative); Prepared by: Soil Mechanics Environmental Services

During the time of this report, the subject property (approximately 6.0 acres) consisted of an approximate 100,000 square foot two-story building under construction. Level areas of exposed surface soils, numerous piles of soil, an office trailer, construction vehicles, and construction supplies were observed throughout the subject property.

2.0 SITE HISTORY

The subject property currently consists of a two-story building occupied by New York Christian Cultural Centre and associated improvements and approximately 4.0 acres of vacant land. Soil Mechanics was informed that the existing building was constructed between 1997-2000.

Information obtained from previous investigations conducted at the subject property revealed that the site was originally marshlands and was landfilled during the early 1900's. Ash and residue from a city solid waste incinerator were reportedly used as fill material.

Review of historical Sanborn fire insurance maps revealed that several sheds, a wagon house, a residence, a gasoline filling station, a masons materials storage yard and associated storage building, an auto wrecking facility, a small commercial building, and automobile junkyards were formerly located at the subject property dating back to 1908.

2.1 Historical Topographic Maps

Historical topographical maps are a valuable historical resource for documenting the prior use of a property and, due to their frequent availability, can be particularly helpful when other standard historical sources are not reasonably ascertainable. A review of historical topographic maps (obtained from EDR Inc., 3530 Post Road, Southport, CT), dated 1900, 1943, 1956, 1967, 1979, and 1995, revealed the following (see attached copies in Appendix):

1900 Topographic Map – The subject property appears to consist of marshlands and vacant land.

1943 Topographic Map – The subject property consisted of marshlands and vacant land. A road, likely former Sheffield Avenue, is shown running parallel to Pennsylvania Avenue at the eastern portion of the site.

1956 and 1967 Topographic Maps – The subject property consisted of two (2) structures located at the northeast portion and vacant land.

1979 and 1995 Topographic Maps – The subject property consisted of vacant land.

2.2 Review of Historical Sanborn Maps

Soil Mechanics personnel reviewed all available historical Sanborn fire insurance maps (obtained from EDR Inc., 3530 Post Road, Southport, CT), dated 1908, 1928, 1950, 1967, 1969, 1977, 1979, 1980, 1981, 1983, 1986, 1987, 1989, 1991, 1992, 1993, 1994, 1995, and 1996, to identify past land usage of the subject property and surrounding area. A review of these Sanborn maps revealed the following (see copies of Sanborn maps in Appendix):

1908 Sanborn Map – The subject property consisted predominately of vacant land. A small shed and wagon house were identified on Block: 4433, in between former Georgia and Sheffield Avenues. The surrounding land use consisted mostly of vacant land to the north, south, east, and west. Notably, a florist was identified northeast of the subject property.

1928 Sanborn Map – The subject property consisted predominately of vacant land. Two (2) vacant sheds were identified at Block: 4433 and two (2) sheds and a residence were identified at or near Block: 4431. The surrounding land use consisted of vacant land and scattered residential structures to the north, south, east, and west.

1950 Sanborn Map – The subject property consisted of a filling station, a masons materials storage yard and associated storage building, and vacant land. The surrounding land use consisted of four (4) filling stations, an egg farm, auto wrecking facility, and scattered residential structures to the north and vacant land to the south and east. Land usage to the west was not provided.

1967 and 1969 Sanborn Maps – The subject property consisted of an auto wrecking facility, a masons materials storage yard and associated storage building, and three (3) small office buildings. Notably, northern areas of the site were utilized as auto junk yards. The surrounding land use consisted of four (4) filling stations, an egg farm, auto junk yards, and industrial/commercial businesses to the north; vacant land to the south; and vacant land and baseball batting range, golf driving range, and miniature golf to the east. Land usage to the west was not provided.

1977, 1979, 1980, 1981, 1983, 1986, and 1987 Sanborn Maps – The subject property consisted of a small commercial building, an auto wrecking facility, a warehouse building, and three (3) small office buildings. Notably, portions of the northern areas of the site were utilized as auto junk yards. The surrounding land use consisted of multi-story apartments to the south and east. Land usage to the north and west was not provided.

1989, 1991, 1992, 1994, 1995, and 1996 Sanborn Maps – The subject property consisted of a small commercial building and vacant land. Notably, portions of the northern areas of the site were utilized as auto junk yards. The surrounding land use consisted of multi-story apartments to the south and east. Land usage to the north and west was not provided.

2.3 History of Ownership

The Borough of Brooklyn Register's Office (Brooklyn, N.Y.) was visited in order to review past and present ownership, from approximately 1950 to the present, of the subject property (Block: 4430 – Lot: 1, Block: 4431 – Lot: 1, Block: 4432 – Lot: 1, Block: 4433 – Lot: 1, Block: 4434 – Lots: 1 and 21, and the former beds of Malta, Alabama, Georgia, and Sheffield Avenues) which may have involved hazardous materials. Several names of concern, i.e., Socony Mobil Oil Co., London Servicenter, and Marvic Service Station, Inc., etc. were listed for Block: 4434 – Lot: 1 prior to 1960.

Further, London Servicenter was involved in a declaration transaction, dated 06/24/48, at Block: 4431 – Lot: 1, Block: 4432 – Lot: 1, and Block: 4433 – Lot: 1.

3.0 SITE DESCRIPTION

3.1 Facility Overview


During the time of this assessment, the subject property (approximately 10.0 acres) consisted of a two-story masonry and steel framed building, surrounded by concrete walkways and asphalt paved parking areas, and vacant land. Fencing surrounds the entire subject property (see Figure #2 – Site Plan)(see attached photolog in Appendix). Soil Mechanics was informed by the site representatives that a gas collection/venting system was installed beneath the subject building due to the presence of methane gas.

3.2 Visual Inspection (interior)

A visual inspection of the interior portions of the existing two-story masonry and steel framed building revealed it to be divided into a sanctuary, classrooms, offices, bathrooms, cafeteria, kitchen, bookstore, sound room, and storage rooms amongst the two (2) floors. Further, two (2) passenger elevators were identified within the subject building. Inspection of the elevator motor rooms revealed each motor unit to be in good condition with no visible signs of leakage or damage.

3.3 Visual Inspection (exterior)

A visual inspection of the exterior portions of the subject property revealed the following:



SOIL MECHANICS ENVIRONMENTAL SERVICES		
3770 MERRICK ROAD - SEAFORD, L.I., NEW YORK - (516) 221-7500		
SITE PLAN		
FIGURE #2		
BROOKLYN, NEW YORK		
SCALE: N.T.S.	DATE: APRIL 9, 2003	JOB NO. 03S172
REVISED:		JMR

BROOKLYN, NEW YORK

SCALE: N.T.S.	DATE: APRIL 9, 2003	JOB NO. 03S172
REVISED:		JMR

- The western portion (approximately 6.0 acres) of the site is currently improved and contains the subject building, surrounded by concrete walkways and asphalt parking areas. A wood-framed gazebo is located at the northwest portion of the site. One (1) pad-mounted electrical transformer, natural gas meters, and an emergency generator were identified outside the southwestern portion of the building. A garbage compactor unit, three (3) container boxes (containing building and landscaping equipment and supplies), a roll-off container (containing common trash), a bob cat, and miscellaneous storage of landscaping materials were identified outside the southeastern portion of the building. Numerous open grate and solid covered manholes were observed throughout the parking fields. Reportedly, said structures are associated with the on-site storm water drainage system which discharge to the municipal sewer system.
- The eastern portion (approximately 4.0 acres) of the subject property consists of vacant land comprised of several deciduous trees, exposed surface soils, and overgrown secondary vegetation. A small excavation was noted along the western portion of this area. Rubber tires, metal, and demolition debris were observed to be intermixed with surface soils. An abandoned crane and several piles of rubber tires, demolition debris, and common household trash were identified at various locations.

4.0 VISUAL DISTURBANCES

During this inspection, the subject property revealed no visible evidence that could be attributed to major spills or discharges of hazardous materials or hazardous wastes.

All existing vegetation, on or about the subject property, appeared in good condition and showed no sign of unusual stress being placed upon it relative to the environmental conditions at the subject property.

5.0 SITE OPERATIONS AND UTILITIES

5.1 Electrical Transformer(s)

One (1) pad mounted electrical transformer was identified outside the southwestern portion of the subject building. The aforementioned transformer is owned and maintained by **Consolidated Edison Company of New York, Inc. (Consolidated Edison)**. Inspection of the transformer revealed it to be in good condition, with no visible signs of leakage or damage. There were no pole mounted electrical transformers observed at the subject property.

5.2 Aboveground Storage Tank(s)(AST's)

There were no aboveground storage tanks (AST's) visually identified at the subject property.

5.3 Underground Storage Tank(s)(UST's)

There was no visible evidence, i.e., fill ports, vent pipes, to indicate the presence of underground storage tanks (UST's) at the subject property.

5.4 Utilities

Soil Mechanics was informed that the subject building is heated utilizing natural gas fired rooftop units. Natural gas and electricity are provided to the subject property by **Consolidated Edison**. The subject building is reportedly connected to the municipal sewer system for the disposal of sanitary wastes and provided with potable water by a municipal water company.

5.5 Chemicals, Hazardous Materials/Waste Storage, and Disposal

There were no chemicals, hazardous materials and/or hazardous wastes visually identified at the subject property.

5.6 Water Supply/Monitoring Well(s)

There was no visible evidence to indicate the presence of any water supply and/or ground water monitoring wells at the subject property.

5.7 Interior Drainage Structures

Floor drains were observed within the kitchen area and bathrooms of the subject building. Said structures are assumed to discharge to the municipal sewer system.

5.8 Exterior Drainage Structures

Numerous open grate and solid covered manholes were observed throughout the parking fields. Reportedly, said structures are associated with the on-site storm water drainage system which discharge to the municipal sewer system.

6.0 SURROUNDING PROPERTY USE


Adjacent land use surrounding the subject property consisted of the following (see Figure #3 - Surrounding Land Use Map):

North of the site: Getty service station, BP/Amoco service station/car wash/convenience store, a motel, Flatlands Auto Sales, Kings County Auto Salvage, 2H1 Auto Sales, Inc., junkyard, and commercial/industrial businesses.

South of the site: Multi-story apartment buildings (Vandalia Houses, Council Towers II, and Council Towers III).

East of the site: Multi-story apartment buildings (Starrett City).

West of the site: Retail shopping centers (including Pathmark Supermarket, liquors, Chinese kitchen, shoes, jewelry, barber shop, martial arts, card store, Dunkin Donuts, auto insurance, Baskin Robbins, OTB, Kent Cleaners, stationary, International Food, Affordable Optical, and Hot Bagels).



KEY:

- ① GETTY SERVICE STATION
- ② BP/ AMOCO SERVICE STATION/ CARWASH/ CONVENIENCE STORE
- ③ MOTEL
- ④ FLATLANDS AUTO SALES
- ⑤ RINGS AUTO SALES
- ⑥ 2H1 AUTO SALES
- ⑦ JUNKYARD

SOIL MECHANICS ENVIRONMENTAL SERVICES 3770 MERRICK ROAD - SEAFORD, L I, NEW YORK - (516) 221-7500			
SURROUNDING LAND USE MAP			
FIGURE #3			
BROOKLYN, NEW YORK			
SCALE:	N.T.S.	DATE:	APRIL 9, 2003
		JOB NO.	03S172
		REVISED:	JMR

A review of surrounding property use revealed several businesses, i.e., Getty and Amoco/BP service stations, Flatlands Auto Sales, Kings County Auto Salvage, 2H1 Auto Sales, Inc., a junkyard, commercial/industrial businesses, and Kent Cleaners, situated in close proximity to the subject property which are known to us as being associated with the types of operations that historically represent a potential for adverse impact to the environment.

7.0 AGENCY CONTACT

A review of various documentation, from appropriate federal, state, and local agencies, was conducted for the purpose of identifying any history of hazardous waste activity known to have occurred at the subject property or within a one mile radius. The standard environmental sources reviewed and approximate minimum search distances are pursuant to ASTM standards (see EDR-Radius Map report in Appendix).

7.1 Federal Agencies

NPL – National Priority List - a list compiled by the USEPA pursuant to CERCLA of properties with the highest priority for cleanup pursuant to EPA's Hazard Ranking System. The subject property did not appear as an **NPL Site**. There were no **NPL Sites** identified within a one mile radius.

CERCLIS – Comprehensive Environmental Response Compensation and Liability – Information System List – a list of sites compiled by the USEPA that they have investigated or are currently investigating for potential hazardous substance contamination for possible inclusion on the National Priorities List. The subject property did not appear as a **CERCLIS Site**. There were no **CERCLIS Sites** identified within a one-half mile radius.

CERCLIS NFRAP – CERCLIS No Further Remedial Action Planned – as of February 1995, CERCLLIS sites designated “No Further Remedial Action Planned” (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. The subject property or adjoining properties did not appear as a CERCLIS NFRAP Site.

CORRACTS Site – The Corrective Action Report is a list of hazardous waste handlers with **RCRA Corrective Action Activity**. The subject property did not appear as a **CORRACTS Site**. There were no **CORRACTS Sites** identified within a one mile radius.

RCRIS – Resource Conservation and Recovery Information System – RCRIS includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). The subject property did not appear as a **RCRIS TSD Site**. There were no **RCRIS TSD Sites** identified within a one (1) mile radius.

The subject property did not appear as a **RCRIS Large Quantity Generator (LQG)** or **Small Quantity Generator (SQG) Site**. There were no **RCRIS LQG Sites** identified adjacent to the subject property. The following **RCRIS SQG Site** was identified adjacent to the subject property:

- 1.) Flat Gas, Inc., located north of the subject property at 1130 Pennsylvania Avenue, in Brooklyn, N.Y. No violations were noted for this facility.

ERNS Database – USEPA's Emergency Response Notification System is a computer database containing information on release notifications of oil and hazardous substances that have occurred throughout the United States and have been reported to the **National Response Center (NRC)** and/or one of the ten (10) USEPA regions. The subject property did not appear within the **ERNS Database**.

7.2 State Agencies

SHWS – State Hazardous Waste Sites – State hazardous waste site records are the State's equivalent to CERCLIS. These sites may or may not be already listed on the Federal CERCLIS list. The subject property did not appear as an **NYSDEC Inactive Hazardous Waste Disposal Site**. The following **NYSDEC Inactive Hazardous Waste Disposal Site** was identified within a one mile radius:

1.) Pennsylvania Avenue Landfill, located approximately $\frac{3}{4}$ mile south of the subject property at Pennsylvania Avenue and Shore Parkway, in Brooklyn, N.Y. The site was operated by the New York City Department of Sanitation (NYCDOS) as a sanitary landfill from 1956 to 1962, with the final top soil cover placed in 1963. In 1972, the site was reactivated by the NYCDOS as a construction and demolition landfill. The site was deactivated and closed in 1985. The NYCDOS estimates that approximately 13 million gallons/year of hazardous wastes were disposed at this site. The shoreline was saturated with oil containing PCB's and heavy metals, which were leaching into Fresh Creek. The Record of Decision (ROD) was issued in February 1995. The selected remedy required capping, active leachate and product collection in the trench, and active gas collection. Air sampling on the landfill and at downwind locations indicates the landfill has not affected levels of volatile organic contaminants in ambient air. Groundwater in the area is not used as a source of potable water, but contaminated groundwater may discharge into Jamaica Bay tidal waters.

SWF/LF Sites – Solid Waste Facilities/Landfill Sites – SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The subject property was not listed as a **NYSDEC SWF/LF Site**. There were no **NYSDEC SWF/LF Sites** identified within a one-half mile radius.

NYSDEC UST List – Registered Underground Storage Tank List – UST's are regulated under Subtitle I of the RCRA and must be registered with the state department responsible for administrating the UST program. The subject property did not appear within the **NYSDEC Registered Underground Storage Tank (UST) Database**. The following **NYSDEC Registered UST Site** was identified adjacent to the subject property:

1.) Flat Gas, Inc., located north of the subject property at 1130 Pennsylvania Avenue, in Brooklyn, N.Y. This facility has a total of five (5) in-service 4,000-gallon unleaded gasoline underground storage tanks (UST's) and five (5) closed-removed or closed-in place 4,000-gallon UST's registered with the NYSDEC.

A review of the **NYSDEC Leaking Storage Tank (LTANKS) and Spill (SPILL) Sites Databases** revealed no **LTANKS & SPILL Sites** reported at the subject property (12020 Flatlands Avenue, Brooklyn, N.Y.). A total of sixty-four (64) **NYSDEC LTANK & SPILL Sites** were listed within a one-half mile radius of the subject property (see EDR Report in Appendix for complete listing). Of these sixty-four (64) **NYSDEC LTANK & SPILL Sites**, thirty (30) are listed as "active" status, meaning the spill investigations are on-going. The remaining **LTANK & SPILL Sites** are listed as "closed" status, meaning the spills have been cleaned up, all paper work completed, and no further action required by the NYSDEC. Of the thirty (30) "active" status sites, one (1) is documented as affecting the groundwater and the remaining affected the land or sewer.

The following preliminary information was available regarding the “active” status **NYSDEC LTANK & SPILL Site** documented as affecting the groundwater:

1.) LTANK #: 94-12264, located northwest of the subject property at 400 Stanley Avenue, in Brooklyn, N.Y. Spill date: 12/12/1994; spill closed date: not reported; spill cause: tank test failure; resource affected: groundwater; spill notifier: tank tester; material: diesel. DEC Remarks: not reported. Spill Cause: Ex invest suspect remote fill – NYCFD was at site.

7.3 Local Agencies

Since sufficient information was obtained regarding the historical use of the subject property, i.e., review of a city directory abstract, Sanborn fire insurance maps, and ownership records, the local building department search was excluded from this assessment. According to ASTM E-1527-00, Section 7.3.2.3, a standard historical source may be excluded (1) if the source is not reasonably ascertainable or (2) if past experience indicates that the source is not likely to be sufficiently useful, accurate, or complete in terms of satisfying 7.3.2.9 (uses of property).

8.0 HYDROGEOLOGIC INFORMATION

Information obtained from the 7.5 minute series, Brooklyn, NY Quadrangle Topographic Map, published by the US Department of the Interior, Geological Survey, revealed that the subject property is located approximately fifteen to twenty (15-20) feet above sea level (see Figure #4 - Topographic Map). Notably, the project site is identified as a junkyard and two (2) buildings were present at the northeastern portion of the property.



**SOIL MECHANICS
ENVIRONMENTAL SERVICES**
3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

**FIGURE #4
TOPOGRAPHIC MAP
BROOKLYN, NEW YORK**



SCALE: N.T.S.	DATE: 04/07/03	JOB NO.: 03-172
------------------	-------------------	--------------------

Information obtained from the Water Table on Long Island, New York, Mar. – Apr. 1984, prepared by the United States Department of Interior – Geological Survey, indicated an estimated depth to groundwater of approximately five to ten (5-10) feet below grade surface. This map indicates a southeasterly trending groundwater flow component towards local bodies of water. Notably, groundwater was encountered at depths varying from 17.0 to 23.0 feet below presently existing grade during the 1994 subsurface investigation completed by McKissak & McKissak Architects, P.C (see Section 1.4).

8.1 Surface Water Bodies

There was no visible evidence of any surface water bodies present on or contiguous to the subject property (i.e., rivers, streams, lakes, ponds, ditches, etc.). No runoff from surrounding areas was observed entering the subject property.

9.0 RADON POTENTIAL

According to the State of New York Department of Health's publication, Indoor Radon In New York State: Distribution, Sources, and Controls, "Long Island is part of the broader Atlantic Coastal Plain that stretches north and south along the east coast of the United States. Beneath the thick cover of glacial moraines and outwash, Long Island is underlain by flat-lying sedimentary rocks. Coarse, gravelly moraines extend the entire length of the island along the north coast and through the center. The rest of the island is covered by pebbly sand outwash with a few small areas of clay from former lakes. In general, the radium content of the soils is below average and their permeability is moderate to low. Based on these conditions, the entire island can be classified as having low indoor radon potential.

However, a number of the boulders in the moraines have been identified as emitting high levels of gamma radiation indicating the presence of uranium. These boulders are indicative of the sources for the sand and pebbles that cover most of the island. Isolated concentrations of uranium and radium may exist within the outwash deposited by way of the fluvial processes that deposited the sand. Homes, building on or into these concentrations, may possess elevated radon levels."

10.0 SUMMARY OF FINDINGS

- The subject property (approximately 10.0 acres) currently consists of a two-story masonry and steel framed building, surrounded by concrete walkways and asphalt paved parking areas, and vacant land. The subject building, occupied by New York Christian Cultural Centre, was reportedly constructed between 1997-2000. Soil Mechanics was informed that a gas collection/venting system was installed beneath the subject building due to the presence of methane gas.

- Information obtained from previous investigations conducted at the subject property revealed that the site was originally marshlands and was landfilled during the early 1900's. Ash and residue from a city solid waste incinerator were reportedly used as fill material.

- Review of historical Sanborn fire insurance maps revealed that several sheds, a wagon house, a residence, a gasoline filling station, a masons materials storage yard and associated storage building, an auto wrecking facility, a small commercial building, and automobile junkyards were formerly located at the subject property dating back to 1908.

- Review of ownership records revealed several names of concern, i.e., Socony Mobil Oil Co., London Servicenter, and Marvic Service Station, Inc., etc. listed for Block: 4434 – Lot: 1 prior to 1960. Further, London Servicenter was involved in a declaration transaction, dated 06/24/48, at Block: 4431 – Lot: 1, Block 4432 – Lot: 1, and Block: 4433 – Lot: 1.

- The results of an environmental investigation conducted at the subject property by AKRF, Inc. (Draft Environmental Impact Statement, dated June 1991) revealed elevated concentrations of methane in the area of the former gasoline service station, elevated levels of total petroleum hydrocarbons and metals throughout the subject property, and elevated concentrations of semi-volatile organics at several surface and subsurface locations. Further, elevated levels of metals, volatile organics, and semi-volatile organics were detected within aqueous samples collected from the project site.

- The western portion (approximately 6.0 acres) of the site is currently improved and contains the subject building, surrounded by concrete walkways and asphalt paved parking areas. Inspection of the subject building revealed it to be divided into a sanctuary, classrooms, offices, bathrooms, cafeteria, kitchen, bookstore, sound room, and storage rooms amongst the two (2) floors. Further, two (2) passenger elevators were identified within the subject building. The eastern portion (approximately 4.0 acres) consisted of several deciduous trees, exposed surface soils, and overgrown secondary vegetation. A small excavation was noted along the western portion of this area. Rubber tires, metal, and demolition debris were observed to be intermixed with surface soils. An abandoned crane and several piles of rubber tires, demolition debris, and common household trash were identified at various locations.

- One (1) pad-mounted electrical transformer was identified outside the southwestern portion of the subject building. Floor drains were observed within the kitchen area and bathrooms of the subject building. Numerous open grate and solid

covered manholes were observed throughout the parking fields. Reportedly, said structures are associated with the on-site drainage system which discharge to the municipal sewer system.

- There was no visible evidence to indicate the presence of any aboveground storage tanks (AST's), underground storage tanks (UST's), storage of chemicals, hazardous materials/wastes and/or water supply/ground water monitoring wells at the subject property.

- A review of surrounding property use revealed several businesses, i.e., Getty and Amoco/BP service stations, Flatlands Auto Sales, Kings County Auto Salvage, 2H1 Auto Sales, Inc., a junkyard, commercial/industrial businesses, and Kent Cleaners, situated in close proximity to the subject property which are known to us as being associated with the types of operations that historically represent a potential for adverse impact to the environment. Further, review of historical Sanborn maps indicated several filling stations north of the subject property.

- A review of various federal and state regulatory databases revealed one (1) SHWS Site (Pennsylvania Avenue Landfill) within a one (1) mile radius; one (1) RCRIS SQG Site (Flat Gas, Inc.) and one (1) **NYSDEC Registered Underground Storage Tank (UST) Site** (Flat Gas, Inc.) adjacent to the subject property; and a total of sixty-four (64) **NYSDEC LTANK & SPILL Sites** within a one-half mile radius. Of the sixty-four (64) **NYSDEC LTANK & SPILL Sites**, thirty (30) are listed as "active" status, meaning the spill investigations are on-going. The remaining **LTANK & SPILL Sites** are listed as "closed" status, meaning the spills have been cleaned up, all paper work completed, and no further action required by the **NYSDEC**. Of the thirty (30) "active" status sites, only one (1) is documented as affecting the groundwater (see Section 7.2).

11.0 DISCUSSIONS, CONCLUSIONS AND RECOMMENDATIONS

In our opinion, based upon the scope of this investigation, which included a thorough visual inspection of the subject property, a survey of adjacent land use, examination of publicly available records, review of historical Sanborn maps and/or historical aerial photographs, title search records, a review of various federal, state, and local documentation, and an evaluation of these factors, the following specific items are cited:

- 1.) With respect to the historic land usage of the subject property (i.e., auto junkyards, auto wrecking, gasoline filling station, etc.), the use of ash and residue from a city solid waste incinerator as fill material, and the documented presence of methane and soil and groundwater contamination, it is our opinion that the recommendations outlined in the Draft Environmental Impact Statement (dated June 1991) prepared by AKRF, Inc. be strictly followed. Further, a methane gas collection/venting system may be warranted in areas of proposed building(s). All future work activities should be conducted under the supervision of the NYCDEP and/or NYSDEC, as applicable. In the event that underground storage tanks (UST's) are encountered during development activities, we recommend that they be removed in accordance with local, state, and federal regulations.
- 2.) We recommend the proper removal and disposal of the abandoned crane and piles of rubber tires, demolition debris, and common household trash identified at the eastern portion of the site.
- 3.) In regard to the present and former surrounding property use of concern, adjacent **RCRIS SQG Site/NYSDEC Registered UST Site** (Flat Gas, Inc.), and "active" **NYSDEC LTANK/ SPILL Site** (LTANK #: 94-12264) documented as affecting the groundwater, most of these sites are located hydrodynamically upgradient in relation to the subject property and represent the potential for adverse impact to the groundwater quality beneath the subject property. Please be advised, however, that

groundwater in the area of the subject property is not utilized for potable purposes. Further, any **LTANK/SPILL Sites** listed at these sites would be under the jurisdiction of the **NYSDEC**, wherein corrective actions would be required. Notably, a definitive determination of the groundwater quality beneath the subject property relative to these sites would require an appropriate subsurface investigation.

4.) Based on the hydrodynamic downgradient positioning of the **SHWS Site** (Pennsylvania Landfill), it is our opinion that this site does not represent a significant threat to the groundwater quality beneath the subject property.

5.) Based on the status, resource affected, distance away and/or hydrodynamic positioning of the sixty-four (64) **NYSDEC LTANK & SPILL Sites** identified within a one-half (1/2) mile radius (with the exception of LTANK #: 94-12264 mentioned earlier), in our opinion, none of these sites appear to represent an environmental concern to the subject property.

Daren Murphy
Daren Murphy
Environmental Scientist

Robert J. Cardinale
Robert J. Cardinale, M.S., C.P.G, P.G.
Director of Environmental Services

Carl Vernick
Carl Vernick, P.E.
President

Disclaimer

The findings, conclusions, and recommendations presented in this report are based on information obtained within the scope of this investigation. The conclusions and recommendations represent our best judgment using the information presently available.

APPENDIX

PHOTOLOG



VIEW OF EXISTING TWO-STORY CHURCH BUILDING



VIEW OF EXISTING TWO-STORY CHURCH BUILDING



**VIEW OF SOUTH SIDE OF BUILDING AND
PARKING AREAS**




**VIEW OF WEST SIDE OF BUILDING AND
PARKING AREAS**



**VIEW OF NORTH SIDE OF BUILDING AND
PARKING AREAS**




VIEW OF GAZEBO




VIEW OF PAD-MOUNTED ELECTRICAL TRANSFORMER




VIEW OF TYPICAL OPEN-GRADE SUBSURFACE DRAINAGE STRUCTURE



**VIEW OF TYPICAL SOLID MANHOLE COVERS IN A
PARKING AREA**



VIEW OF NATURAL GAS METERS



VIEW OF BACKUP GENERATOR



VIEW OF GARBAGE COMPACTOR UNIT



VIEW OF ELEVATOR MOTOR UNIT



VIEW OF ELEVATOR MOTOR UNIT



VIEW OF EASTERN 4.0 ACRES - LOOKING WEST



VIEW OF EASTERN 4.0 ACRES - LOOKING SOUTHWEST



VIEW OF EASTERN 4.0 ACRES - LOOKING NORTHEAST



VIEW OF EASTERN 4.0 ACRES - LOOKING EAST




**VIEW OF PILE OF DEBRIS - LOCATED ON
EASTERN 4.0 ACRES**



**VIEW OF PILE OF DEBRIS - LOCATED ON
EASTERN 4.0 ACRES**

HISTORIC TOPOGRAPHIC MAPS



SUBJECT PROPERTY



**SOIL MECHANICS
ENVIRONMENTAL SERVICES**
3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

**1900 TOPOGRAPHIC MAP
BROOKLYN, NEW YORK**

SCALE:


N.T.S.

DATE:

04/07/03

JOB NO.:


03-172



SUBJECT PROPERTY



SOIL MECHANICS ENVIRONMENTAL SERVICES 3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500		
1943 TOPOGRAPHIC MAP BROOKLYN, NEW YORK		
SCALE: N.T.S.	DATE: 04/07/03	JOB NO.: 03-172



SUBJECT PROPERTY




SOIL MECHANICS
ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1956 TOPOGRAPHIC MAP
BROOKLYN, NEW YORK

SCALE: N.T.S.	DATE: 04/07/03	JOB NO.: 03-172
------------------	-------------------	--------------------



SUBJECT PROPERTY



**SOIL MECHANICS
ENVIRONMENTAL SERVICES**
3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

**1967 TOPOGRAPHIC MAP
BROOKLYN, NEW YORK**

SCALE:


N.T.S.

DATE:

04/07/03

JOB NO.:


03-172



SUBJECT PROPERTY

↑
North

SOIL MECHANICS ENVIRONMENTAL SERVICES 3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500		
1979 TOPOGRAPHIC MAP BROOKLYN, NEW YORK		
SCALE: N.T.S.	DATE: 04/07/03	JOB NO.: 03-172



SUBJECT PROPERTY



North

SOIL MECHANICS ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1995 TOPOGRAPHIC MAP BROOKLYN, NEW YORK

SCALE:

NTS

DATE: _____

E:

JOB NC

03-172

HISTORIC SANBORN MAPS



"Linking Technology with Tradition"

Sanborn® Map Report

Ship to: Daren Murphy

Soil Mechanics Environmental
3770 Merrick Road
Seaford, NY 11783

1012810MAS 516-221-7500

Order Date: 3/24/2003

Completion Date: 3/25/2003

Inquiry #: 0947163.4S

P.O. #: NA

Site Name: NY Christian Cultural Center

Address: 12020 Flatlands Avenue

City/State: Brooklyn, NY 11207

Cross Streets: Louisiana Avenue

Based on client-supplied information, fire insurance maps for the following years were identified

1908 - 1 - map	1981 - 1 - map	1994 - 1 - map
1928 - 1 - map	1983 - 1 - map	1995 - 1 - map
1950 - 1 - map	1986 - 1 - map	1996 - 1 - map
1967 - 1 - map	1987 - 1 - map	
1969 - 1 - map	1989 - 1 - map	
1977 - 1 - map	1991 - 1 - map	
1979 - 1 - map	1992 - 1 - map	
1980 - 1 - map	1993 - 1 - map	

Total Maps: 19

Limited Permission to Photocopy

Soil Mechanics Environmental (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

All maps provided pursuant to a Sanborn® Map Report are currently reproducible of fire insurance maps owned or licensed by Environmental Data Resources, Inc. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE WHATSOEVER. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, WARRANTIES AS TO ACCURACY, VALIDITY, COMPLETENESS, SUITABILITY, CONDITION, QUALITY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR USE OR PURPOSE WITH RESPECT TO THE REPORT, THE MAPS, THE INFORMATION CONTAINED THEREIN, OR THE RESULTS OF A SEARCH OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. Environmental Data Resources, Inc. assumes no liability to any party for any loss or damage whether arising out of errors or omissions, negligence, accident or any other cause. In no event shall Environmental Data Resources, Inc., its affiliates or agents, be liable to anyone for special, incidental, consequential or exemplary damages.

Copyright 2003, Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format of any map report or transmittal of Environmental Data Resources, Inc. (whether obtained as a result of a search or otherwise) may be prohibited without prior written permission from Environmental Data Resources, Inc. Sanborn and Sanborn Map are registered trademarks of EDR Sanborn, Inc.



"Linking Technology with Tradition"

Sanborn® Map Report

Ship to: Daren Murphy

Soil Mechanics Environmental
3770 Merrick Road
Seaford, NY 11783

1012810MAS

516-221-7500

Order Date: 4/1/2003

Completion Date: 4/1/2003

Inquiry #: 0952300.1S

P.O. #: 03-172

Site Name: Adj-NY Christain Cultural Center

Address: 12020 FLATLANDS AVE

City/State: Brooklyn, NY 11207

Cross Streets:

Based on client-supplied information, fire insurance maps for the following years were identified

1908 - 1 - map

1928 - 1 - map

1950 - 1 - map

1967 - 1 - map

1969 - 1 - map


Total Maps: 5

Limited Permission to Photocopy

Soil Mechanics Environmental (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

All maps provided pursuant to a Sanborn® Map Report are currently reproducible of fire insurance maps owned or licensed by Environmental Data Resources, Inc. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE WHATSOEVER. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, WARRANTIES AS TO ACCURACY, VALIDITY, COMPLETENESS, SUITABILITY, CONDITION, QUALITY, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR USE OR PURPOSE WITH RESPECT TO THE REPORT, THE MAPS, THE INFORMATION CONTAINED THEREIN, OR THE RESULTS OF A SEARCH OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. Environmental Data Resources, Inc. assumes no liability to any party for any loss or damage whether arising out of errors or omissions, negligence, accident or any other cause. In no event shall Environmental Data Resources, Inc., its affiliates or agents, be liable to anyone for special, incidental, consequential or exemplary damages.

Copyright 2003, Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format of any map report or transmittal of Environmental Data Resources, Inc. (whether obtained as a result of a search or otherwise) may be prohibited without prior written permission from Environmental Data Resources, Inc. Sanborn and Sanborn Map are registered trademarks of EDR Sanborn, Inc.



See Volume Seventeen, Borough of Brooklyn.



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500


1908 SANBORN MAP
LOUISIANA - GEORGIA AVE'S
BROOKLYN, NEW YORK

SCALE:

NTS

DATE:

JOB NO.: 03-172



See Volume Seventeen, Bc



North



SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500


1908 SANBORN MAP
GEORGIA - PENNSYLVANIA AVE'S
BROOKLYN, NEW YORK

SCALE:

N.T.S.

DATE:

JOB NO.: 03-172



.LC

Associate



North



SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1928 SANBORN MAP
LOUISIANA - GEORGIA AVE'S
BROOKLYN, NEW YORK

SCALE:


N.T.S.

DATE:

04/08/03

JOB NO.

03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1928 SANBORN MAP
GEORGIA - PENNSYLVANIA AVE'S
BROOKLYN, NEW YORK

SCALE:


N.T.S.

DATE:



04/08/03


JOB NO.:

03-172



 SOIL MECHANICS ENVIRONMENTAL SERVICES 3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500		
1950 SANBORN MAP LOUISIANA - GEORGIA AVE'S BROOKLYN, NEW YORK		
SCALE: N.T.S.	DATE: 04/08/03	JOB NO.: 03-172





, LLC

search Associate




**SOIL MECHANICS
ENVIRONMENTAL SERVICES**
3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

**1967 SANBORN MAP
LOUISIANA - GEORGIA AVE'S
BROOKLYN, NEW YORK**

SCALE: N.T.S.	DATE: 04/08/03	JOB NO.: 03-172
------------------	-------------------	--------------------

↑
North

North



SOIL MECHANICS

ENVIRONMENTAL SERVICES


3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1967 SANBORN MAP
GEORGIA - PENNSYLVANIA AVE'S
BROOKLYN, NEW YORK

SCALE:
N.T.S.

DATE:
04/08/03

JOB NO.:
03-172




**SOIL MECHANICS
ENVIRONMENTAL SERVICES**
3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

**1969 SANBORN MAP
LOUISIANA - GEORGIA AVE'S
BROOKLYN, NEW YORK**

SCALE:
N.T.S.

DATE:
04/08/03

JOB NO.:
03-172




SOIL MECHANICS
ENVIRONMENTAL SERVICES
3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1969 SANBORN MAP
GEORGIA - PENNSYLVANIA AVE'S
BROOKLYN, NEW YORK

SCALE:
N.T.S.

DATE:
04/08/03

JOB NO.:
03-172



North



SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500


1977 SANBORN MAP
BROOKLYN, NEW YORK

SCALE

NTS

DATE:

JOB NO.: 03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1979 SANBORN MAP
BROOKLYN, NEW YORK




SCALE

NTS

DATE:

JOB NO.:



SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1980 SANBORN MAP
BROOKLYN, NEW YORK

A blue arrow pointing upwards, indicating the direction of North.

North

SCALE:


N.T.S.

DATE:

04/08/03

JOB NO.:

03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500


1981 SANBORN MAP
BROOKLYN, NEW YORK

SCALE

N.T.S.

DATE:

JOB NO.: 03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1983 SANBORN MAP
BROOKLYN, NEW YORK

SCALE:


N.T.S.

DATE:

04/08/03


JOB NO.:

03-172



North

SOIL MECHANICS ENVIRONMENTAL SERVICES 3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500		
1986 SANBORN MAP BROOKLYN, NEW YORK		
SCALE: N.T.S.	DATE: 04/08/03	JOB NO.: 03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500


1987 SANBORN MAP
BROOKLYN, NEW YORK

SCALE:

N.T.S.

DATE:

JOB NO.: 03-172



SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEA福德, NEW YORK 11783 (516) 221-7500

1989 SANBORN MAP
BROOKLYN, NEW YORK

SCALE:


N.T.S.

DATE:

04/08/03

JOB NO.:

03-172



North



SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500


1991 SANBORN MAP
BROOKLYN, NEW YORK

SCALE:

NTS

DATE:

JOB NO.: 03-172



SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1992 SANBORN MAP
BROOKLYN, NEW YORK



North



SCALE:


N.T.S.

DATE:

04/08/03


JOB NO.:

03-172



↑
North

SOIL MECHANICS ENVIRONMENTAL SERVICES 3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500		
1993 SANBORN MAP BROOKLYN, NEW YORK		
SCALE: N.T.S.	DATE: 04/08/03	JOB NO.: 03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500


1994 SANBORN MAP
BROOKLYN, NEW YORK

SCALE:

N.T.S.

DATE:

JOB NO.:
03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES


3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1995 SANBORN MAP
BROOKLYN, NEW YORK

SCALE:

DATE:

JOB NO.:
03-172



North

SOIL MECHANICS

ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, NEW YORK 11783 (516) 221-7500

1996 SANBORN MAP
BROOKLYN, NEW YORK

SCALE:

N.T.S.

DATE:

JOB NO.: 03-172

DRAFT ENVIRONMENTAL IMPACT
STATEMENT – JUNE 1991

LEGACY GEN. CONT.
2341 HALYARD DR.
MERRICK, N.Y.
11566

ISSAC & STEPHEN ARCH.
P.D.H.M. ISSAC
212-724-4700

FRESH CREEK ESTATES
TECHNICAL MEMORANDUM
TO THE
DRAFT ENVIRONMENTAL IMPACT STATEMENT

June 1991

Prepared for: Department of Environmental Protection
Division of Hazardous Materials Program
2444 Municipal Building
New York, New York 10007
Contact: Stephen M. Schmaler
(212) 669-8930

Prepared by: AKRF, Inc.
117 East 29th Street
New York, New York 10016
(212) 340-9825

APPENDICES

Ex-Hg. Gas. Data

Construction and Soil Boring Logs

Test Data

Electromagnetic Survey Figures

Types of Analytical Results

Analytical Results of Total Petroleum Hydrocarbons in Soil Collected
at Fresh Creek Estates, New York.

Analytical Results of Target Analyte List (TAL) Metals in Soil Collected at Fresh Creek Estates, New York.

Analytical Results of PAHs in Soil Collected at Fresh Creek Estates, New York.

Analytical Results of Base Neutrals Collected at Fresh Creek Estates, New York.

Analytical Results of Acid Extractables in Soil Collected at Fresh Creek Estates, New York.

**Analytical Results of Volatile Organic Compounds in Soil collected
at Fresh Creek Estates, New York.**

Analytical Results of Total TAL Metals, Hexavalent Chromium, Chloride, and Total Dissolved Solids in Ground Water at Fresh Creek Estates, New York.

Analytical Results of Dissolved TAL Metals and Hexavalent Chromium in Ground Water at Fresh Creek Estates, New York.

Analytical Results of PAHs in Ground Water Collected at Fresh Creek Estates, New York.

Analytical Results of Base Neutral Compounds in Ground Water
Collected at Fresh Creek Estates, New York.

Analytical Results of Acid Extractable Compounds in Ground Water
Collected at Fresh Creek Estates, New York.

Analytical Results of Volatile Organic Compounds and TPH in Ground Water Collected at Fresh Creek, New York.

Analytical Results of Field And Trip Blanks at Fresh Creek Estates, New York.

Digitized by srujanika@gmail.com

INTRODUCTION

AKRF, Inc. was retained to conduct a comprehensive environmental assessment of the Fresh Creek Estates site in Brooklyn, New York. The location of the site is shown in Figure 1. This assessment is being conducted as part of an overall environmental review under the New York City Environmental Quality Review (CEQR) process with Departments of City Planning (NYCDCP) and Environmental Protection (NYCDEP) acting as co-lead agencies. DEP has technical responsibility for investigating the potential of contaminated materials on the site. The site was originally marshlands and was landfill during the early 1900's. Ash and residue from a city solid waste incinerator was used as fill material. Prior to 1950 a gasoline station at the corner of Pennsylvania and Flatlands Avenues and two small wooden stables occupied parts of the site. Automobile junkyards were also once located on portions of the site.

The objectives of this assessment were to establish baseline soil and ground-water quality conditions and to evaluate the potential impact posed by existing subsurface conditions on the planned building activities at the site. In order to meet these objectives, the assessment involved conducting a soil-gas investigation, an electromagnetic survey, excavation of three test pits, soil sampling at ten boring locations, installation and sampling of five monitoring wells, laboratory analysis of soil and ground-water samples, and slug tests to compute ground-water coefficients. In all, 24 soil samples and five ground-water samples were collected from the site. They were analyzed for volatile and semivolatile organic compounds, total petroleum hydrocarbons (TPH), and metals. In addition, water samples were analyzed for total dissolved solids, hexavalent chromium, and chloride. AKRF's role was to conduct these field activities and evaluate the analytical results from the field and laboratory.

Results of the sampling and analytical work are presented in this report with our conclusions regarding site conditions and their potential impact to the proposed project. All work and quality assurance/quality control (QA/QC) was performed in accordance with a protocol reviewed and approved by DEP. A DEP representative also conducted field visits during the sample collection.

METHODOLOGY

SOIL-GAS SAMPLING

A soil gas survey was performed at the site to determine the volatile organic compound (VOC) distribution in soil and to identify potential areas of VOC contamination. The survey was conducted over the former gas station portion of the site utilizing a 25-foot grid, which resulted in 34 sampling locations. These are shown in Figure 2. The investigation consisted of sampling and analysis of soil gas from the pore space of the unsaturated zone. These compounds originate from natural organic material such as plant material in the original marsh, or from contaminants with high volatile content, such as gasoline. Soil gas moves horizontally and vertically through the soil, eventually dissipating to the atmosphere, or in some cases, becoming trapped beneath an impermeable surface such as asphalt.

To allow for collection of representative soil gas samples, the probe was placed utilizing the following procedure.

- A hole was drilled through the surface asphalt and/or soil to approximately one foot below grade using a carbide bit with no lubricant. An organic vapor analyzer (OVA) and combustible gas indicator (CGI) were used to obtain background ambient readings which were recorded in the field notes.
- After drilling was completed, the sampling apparatus -- a 5/8 inch diameter stainless steel shaft with a hardened point and slotted intakes -- was driven with a manual slide hammer to a depth of approximately three feet below grade.
- A vacuum source was applied to the sampling probe head and the system purged for at least one minute to allow the collection and subsequent analysis of a representative sample of soil gas. The vacuum pressure and release time in the system was measured and recorded. Typically, the soil's permeability is indicated by the vacuum release time rather than the vacuum pressure. A short vacuum release time indicates that soil gas flows freely from the vadose zone to the sampling probe; a long vacuum release time indicates a high resistance to soil gas transport. The latter results in a VOC concentration reading below the actual level. After purging was complete, the vacuum source was removed.

The sampling probe was then attached directly to an organic vapor meter (OVM), which recorded the total non-methane organic vapor concentration.

Some organic vapors are explosive within specific concentration ranges in combination with oxygen content. Therefore, the CGI was utilized to record the explosivity potential (expressed as percentage of the lower explosive limit (%LEL)) of the soil gas, and to also determine the oxygen content of the vapor, which, if low, may affect organic vapor and %LEL readings.

The probe was then attached to the OVA in survey mode to obtain the total organic vapor reading. The OVA was then switched to the gas chromatograph (GC) mode, causing the air drawn through the probe to pass through the carbon filter which removes the non-methane component, to determine the methane content of the soil gas.

Finally, the concentration of hydrogen sulfide in the soil gas was analyzed using a Sensidyne gas sampling system with hydrogen sulfide detector tubes in the 1 to 240 parts per million (ppm) measuring range.

Results of all readings are shown in Appendix A and are discussed in the following section of this report.

Soil-Gas Quality Assurance

To prevent carry-over or cross-contamination of soil-gas samples, the sampling probe, tubing and pump were thoroughly purged and cleaned between samples by drawing atmospheric air through the system until concentrations of organic vapors were at ambient levels. Soil blockages of the slots and shaft were removed between each location. The probe was cleaned with distilled water and soap, and rinsed with distilled water if the soil was not readily removed by brushing or other physical means.

All sampling events were performed identically to the extent possible. Sample locations, dates, and values obtained were carefully noted and checked to avoid errors.


Temperature and weather conditions were also recorded because meteorological conditions can affect the flux of subsurface gases.

DRILLING/WELL CONSTRUCTION

The ground-water monitoring wells were drilled using a 6-inch hollow-stem auger. Each well consisted of two-inch inner diameter PVC casing. A 10-foot PVC screen was placed in the top eight feet of groundwater. The slot size was determined by the grain size of the soils encountered. Slot size 0.020 was used on the site. Construction logs for each well are provided in Appendix B.

A filter pack of sand was placed in the annular space around each screen and two feet above. A two-foot portion of the annular area around the well casing was sealed with bentonite pellets. A grout, consisting of a cement and bentonite mixture or an anti-shrink mixture, extends from the bentonite pellet seal to a level that is two feet below ground. The remaining annular space was sealed with a concrete cap and expanding cement well apron. The well was completed with a stand-pipe locking well cap for security purposes.

Fresh Creek Estates



Soil and Ground-Water Sampling Locations

Figure 3

QUALITY ASSURANCE/QUALITY CONTROL

A New York State Department of Environmental Conservation (NYSDEC) Contract Laboratory Program (CLP) laboratory was used for all laboratory analyses. These laboratories operate a QA/QC program that consists of proper laboratory practices, an internal quality control program, and external quality control audits by the NYSDEC.

A field blank and trip blank were included with each day's samples to check for possible contamination from sampling activities and during transport, respectively. Field blanks were analyzed for all sample parameters and trip blanks for volatile organics. This follows standard industry practice for trip blanks, as volatile organics are the only substances that can potentially cause contamination during travel.

Matrix spikes and matrix spike duplicates were performed for every 20 samples of volatile and semivolatile organic compounds from the overall project.

For metals, a reagent blank, a duplicate, and a spiked sample were analyzed with every set of 20 samples. Standard calibration curves consisting of a minimum of a reagent blank and three (3) standards for each element were analyzed.

ELECTROMAGNETIC SURVEY

An electromagnetic (EM) survey was conducted with a GEONICS EM 31 ground-conductivity meter. EM survey is a non-invasive remote sensing technique which measures subsurface conductivities from 0 to 1,000 millimhos and is capable of detecting conductance from 0 to approximately 20 feet below land surface in the vertical dipole mode. Subsurface conductivities may be determined by measuring either the quadrature phase component (90°) or the in-phase component (180°) component of the electromagnetic field. The quadrature phase component is linearly proportional to the earth's conductivity and measures the absolute conductance of the subsurface material within its zone of influence. The in-phase component is not directly related to earth's conductivity and measures relative conductance. However, this component is significantly altered by highly conductive objects and is, therefore, typically more sensitive to buried metals.

Survey lines were set up perpendicular to Pennsylvania Avenue at 50-foot intervals. Conductivity readings were recorded at 5 second intervals using an Omnidata Digital Polycorder. The EM 31 was operated in the vertical dipole mode, and both quadrature phase and in-phase readings were measured.

Three test pit locations were chosen based on the EM survey results. These locations were confirmed in the field on the day of excavation using the EM 31.

SLUG TESTS

Slug tests were conducted on the five newly-installed ground-water monitoring wells to determine a representative estimate of permeability or hydraulic conductivity (K) of the unconsolidated materials beneath the site. The

HYDROGEOLOGY

HYDROLOGIC SETTING

The major geologic units below the project site correspond to hydrologic units with specific water-bearing characteristics. These hydrologic units, their corresponding geologic names and depths relative to National Geodetic Vertical Datum (NGVD) are as follows:

<u>Depth Interval (relative to NGVD)</u>	<u>Geologic Unit</u>	<u>Hydrologic Unit</u>
-20 ft to -100 ft	Upper Pleistocene deposits	Upper Glacial aquifer
-100 ft to -150 ft	Gardiners Clay	Gardiners Clay
-150 ft to -250 ft	Jameco Gravel	Jameco aquifer
-250 ft to -400 ft	Magothy Formation	Magothy aquifer
-400 ft to -500 ft	Lloyd Sand	Lloyd aquifer
-500 ft and below	Crystalline Bedrock	Crystalline Bedrock

The unconsolidated materials underlying the site were found to comprise miscellaneous fill of unknown depth containing sand, gravel, clay, bricks, organic material, concrete, glass and asphalt. Boring logs, provided in Appendix B, indicate that the deepest well penetrated to 28 feet below land surface (-2.5 NGVD). Based on sample core log descriptions it cannot be determined whether any boring penetrated the underlying glacial aquifer. However, regional maps and reports indicate that ground water in the fill is most likely in direct contact with the glacial deposits because there is no significant confining bed reported to be in the upper geologic deposits in this area. Therefore the fill and underlying aquifer appear to be hydraulically connected.

Ground water occurs under unconfined (water-table) conditions between 12.67 and 22.82 feet below grade (2.79 ft to 4.00 ft above NGVD). The water-table configuration, based on data collected on May 8, 1991, is presented in Figure 4. The contour lines show that ground water generally flows south discharging into Fresh Creek. The direction of ground-water flow at the site is in general agreement with published water-table data provided by the U.S. Geological Survey (Doriski, 1984). The slightly lower water-level elevation in MW-1 as compared to MW-2 may be caused by the well screened in a slightly less permeable material. This theory is supported by the difference in calculated hydraulic conductivities in the following slug test section. Well EW adjacent to MW-4 was not installed by AKRF. Construction details were not available and the integrity of the well is unknown. Only water level data were collected from this well.

SLUG TEST RESULTS

The calculated values of hydraulic conductivity in feet per day from each monitoring well are as follows:

MW-1:	19	ft/day
MW-2:	62	
MW-3:	311	
MW-4:	24	
MW-5:	32	

Average K: 90 ft/day

In comparison, the estimated average hydraulic conductivity for the upper glacial aquifer on Long Island is 270 ft/day (Buxton and others, 1981), and generally ranges from 53 to 400 ft/day, (McClymonds and Franke, 1972). Therefore, the values obtained at the site are reasonable considering that the five wells may be screened in upper glacial deposits (mainly sand and gravel), or fill, or both, which could decrease K.

Ground-water gradients were calculated based on measured water elevations and horizontal distances between wells. The computed values range between 7.6×10^{-4} and 1.3×10^{-2} ft/ft with an average of 5×10^{-3} ft/ft. Using the above information, ground-water velocities were estimated using the equation $v = Kdh/ndl$ where v= average velocity, in ft/day, n= porosity (0.30), and dh/dl is the average hydraulic gradient. The computed value of the average horizontal rate of ground-water movement in the subsurface material is approximately 1.5 ft/day, the same as for published values of the upper glacial aquifer in Queens County (Soren, 1971).

determine whether the presence of a contaminant represents a significant threat to public health and the environment. Thus, they represent a screening tool in different situations. Detailed evaluation, including risk analysis, would use different criteria. For example, areas used as playgrounds are evaluated differently than areas that would be paved or used for industry. For this reason, the levels are generally set at conservatively low values, indicating a need for further consideration and not establishing a need for mitigation or remediation. The metals tables also include the typical background ranges of certain analytes as provided by the U.S. Geological Survey (USGS).

For the purposes of this report, the soil samples are discussed in terms of surface and subsurface findings. Based on the proposed project plan, all surface areas and many subsurface areas will be disturbed by grading and/or excavation during site preparation. Soil will be removed from the site due to a nearly site-wide decrease in elevation, according to construction plans. Site elevations obtained from a 1990 topographic survey were compared to the proposed project elevations to determine which subsurface areas would potentially be exposed during excavation and grading. Subtraction of proposed elevations from surveyed elevations and comparison with sample depths indicate that subsurface samples MW-1:4-6, MW-2:6-10, B-6:4-6, and B-7:4-8 are in areas which will be excavated based on current plans. Other subsurface samples were taken below the depth of proposed excavation or grading.

Total Petroleum Hydrocarbons

The most prevalent contaminant on the site is TPH, which exceeded the NYCDEP guidance value in all but one sample. Over half of the soil samples contained TPH concentrations one order of magnitude above the NYCDEP guidance value of 100 ppm. The concentrations covered a wide range -- from 91 to 25,900 ppm. As shown on Figure 5, elevated TPH values are randomly distributed and are presumably associated with the fill material placed on the site in the 1940's.

TAL Metals

The NYCDEP guidance values differ for specific metals. Guidance values and analytical results are shown in Table 2. Exceedances were found for arsenic, barium, chromium, copper, lead, mercury, and zinc. As with TPH, occurrences are random, although subsurface samples and the north-eastern and southern corner of the site appear to contain a greater extent of metals. This is not apparently related to any activities in the site history. As with TPH, the metals may be associated with the fill material.

Arsenic

Arsenic concentrations were, for the most part, below the NYCDEP guidance value of 9 ppm, except at four locations that exceeded this concentration by less than 4 ppm: MW-4:16-18 (11.8 ppm), B-8:18-23 (11.8 ppm), TP-2 (9.3 ppm), and TP-3 (11.5 ppm). These values are all within the background range for arsenic. The two test pit areas in the northern part of the site will be encountered during site preparation activities.

CDDEP guidance value for barium is 400 ppm. The samples from MW-0:2 and 16-18, B-7:4-8, B-8:18-23, TP-2, and TP-3 exceeded this. The highest concentration, of 1,610 ppm, was detected at MW-3:19-21, and these areas will not be exposed according to the proposed construction plans. All samples contained less than 1,000 ppm, with concentrations ranging from 546 to 1,610 ppm, which are areas that may be potentially encountered during site preparation.

CDDEP guidance value for chromium is 46 ppm. Elevated values were found at MW-2:0-2 (62 ppm), B-8:18-23 (67.4 ppm), and B-9:14-17 (111 ppm). These areas are in the northern area of potential exposure, however the reported concentration is only slightly above the guidance value and within the background range for chromium.

CDDEP guidance value for copper, 170 ppm, is exceeded by samples from MW-5:10-12, B-8:18-23, B-9:14-17, and TP-2. The highest concentration, of 1,580 ppm, was at MW-4. The remainder were below 520 ppm. The area in the northern area of potential exposure, contained 241 ppm of copper.

CDDEP guidance value for lead ranges from 500 to 1,000 ppm. Areas that may be in contact with site soils are viewed more conservatively. The sample from B-8, and all three test pit samples exceeded 500 ppm. The remaining samples with concentrations greater than 500 ppm are MW-3:19-21, B-8:18-23, with only the sample from B-6 potentially exposed. Lead concentrations ranged from 660 ppm in B-6. All of the locations are on the north-eastern corner of the site.

CDDEP guidance value for mercury is 1 ppm. A value of 1.02 ppm was detected at MW-3:19-21. Subsurface samples from MW-1 and B-8 contained 4.1 and 3.1 ppm respectively. The subsurface area at MW-1 in the northern corner of the site will be exposed during excavation.

CDDEP guidance value for zinc, 350 ppm, is exceeded at MW-2:6-10, MW-0:2, MW-4:16-18, MW-5:10-12, B-8:18-23, B-9:14-17, TP-2, and TP-3. Zinc concentrations in these areas ranged from 413 to 2,150 ppm. MW-2, TP-2 and TP-3 are located in the northern corner of the site, with concentrations of 1,330, 915, and 1,310 ppm respectively. These areas will be encountered during site preparation. MW-4 is located in the southern corner of the site, also showed elevated zinc concentration of 2,150 ppm. A subsurface sample, although not as high as samples obtained from MW-2, MW-4 and TP-3, was located in the southern corner of the site. The MW-4 subsurface area will not be exposed.

Semivolatiles are present at greater than guidance values at three subsurface locations, but are not associated with carcinogenic PAHs. According to proposed elevations shown on the project plans, these areas will not be exposed during grading.

CONTAMINANT ASSESSMENT: GROUND WATER

Ground-water samples were collected from the five monitoring wells installed by AKRF. The levels of analytes detected in ground-water samples have been compared with NYSDEC standards and guidance values for Class GA waters. These values are intended for potable water supplies but are generally applied to all non-saline ground water as an indicator of quality. Ground water is defined as saline if the chloride concentration is greater than 250 ppm or the total dissolved solids (TDS) concentrations exceeds 1,000 ppm. Class GA standards include compounds that may affect human health and non-toxic compounds that may decrease the aesthetic quality of the water. It should be noted that the ground water is not used as drinking water in the area, nor will excavations on the site reach the water table.

TAL Metals

Concentrations of metals in ground water were measured in filtered and unfiltered samples. The analyses of filtered samples determined the quantities of metals dissolved in the ground water. The analyses of the unfiltered samples determined the quantities of soluble and insoluble metals in the samples. Concentrations of metals in the soils are much greater than the dissolved concentrations in the ground water. Most metals do not readily dissolve in water, but will preferentially adsorb onto the soil particles. Therefore total (i.e., unfiltered) metals analyses result in much higher readings than concentrations actually dissolved in the ground water. It is important to note that solids (and their associated contaminants) do not move with the ground water. Nevertheless, DEC-regulated limits are established on the basis of total metals.


Concentrations of ten total metals exceeded GA standards or guidance values in one or more wells, as shown in Table 7. Iron, lead, and manganese were above their respective standards of 300, 25, and 300 parts per billion (ppb) in all five wells. Barium was in exceedance of the 1,000 ppb standard in all wells except MW-1. Zinc was elevated above the 5,000 ppb standard in MW-2, MW-4, and MW-5. Magnesium exceeded the 35,000 ppb guidance value in MW-3, MW-4, and MW-5. Arsenic, cadmium, and copper were in exceedance of their respective standards of 25, 10 and 1,000 ppb in MW-4 and MW-5. Beryllium exceeded the guidance value of 3 ppb in MW-3.

Concentrations of most metals in filtered water were significantly lower (Table 8). However, there were exceedances of GA standards. Manganese was elevated in all wells except MW-4. Magnesium was in exceedance of the guidance value in MW-3, MW-4, and MW-5. Iron was elevated in MW-3 and MW-5. Lead was in exceedance in MW-3. Barium was elevated to just above the standard in MW-4.

Summary

The ground water beneath the site is not used for human consumption nor will it be encountered during the construction. Contaminants that are present at elevated levels are probably associated with the fill material or with suspended soil particles. Most metals found in the filtered samples are naturally-occurring constituents in ground water. Manganese and phenols are in exceedance in MW-1, an upgradient well, which may indicate that these substances are originating off-site. Other semivolatile organic compounds that exceeded GA standards or guidance values are either present in method blanks or may be associated with suspended soil particles. Semivolatiles detected in MW-4 may be dissolved in the ground water. Volatile organic compounds were slightly elevated in only MW-4, and, based on soil analyses, do not appear to be associated with the fill material. There is no apparent source for the volatile compounds.

**SUBSURFACE INVESTIGATION AND
REPORT – MARCH 1994**



SES

soils consulting engineers

soils & foundations
land development
environmental

March 14, 1994
N-4177-93

Mr. Carl B. Counts, AIA
McKissack & McKissack Architects, P.C.
50 White Street
New York, NY 10013

Re: Subsurface Investigation and Report
The New York Christian Life Centre
Brooklyn, New York

Dear Mr. Counts:

We have completed our subsurface investigation and geotechnical report for the subject project. The report contains a description of our investigation, an evaluation of the geotechnical conditions at the site, and provides recommendations for foundation design and general site development.

If you have any questions regarding the report, please do not hesitate to contact us.

Very truly yours,

Soils Engineering Services, Inc.


William J. St. Pierre, P.E.

WSP:D4177RPT

96,070 - 2 Story

The presently proposed construction will consist of a 60,000+ square foot air-supported sanctuary structure with associated parking and driveway areas (see Fig. 1).

SUBSURFACE INVESTIGATION AND CONDITIONS

A total of 8 borings were drilled to depths varying from 26.0 to 51.5 feet below presently existing grade. Six of the borings were drilled around the perimeter of the proposed air-supported structure, one boring drilled in the parking area and one boring drilled in the area of the future residential tower. Three attempts were required at the location of B-3 before successfully penetrating an obstruction at 2.5 to 3.5 feet. The location of the borings and soil logs of the borings, which describe the materials encountered, are presented on Figure 3.

Soil samples suitable for identification purposes were extracted from the borings at closely spaced intervals in accordance with the procedures of the Standard Penetration test. For this test, a standard split-spoon sampler (2 inches outside diameter, one and three-eighths inches inside diameter) is driven into the soil by a 140 pound weight falling 30 inches. After discounting the initial six inches of penetration due to possible disturbance of the materials resulting from the drilling operation, the number of blows required to drive the sampler a distance of 12 inches is recorded and designated as the standard penetration resistance or "N" value. The "N" value is an indication of the relative compactness of the soil in-situ.

All field work was performed under the direct technical observation of an engineer from SESI Consulting Engineers, P.C. Our representative maintained continuous logs of the explorations as work proceeded and

Absent any special site preparation procedure or deep foundations, detrimental total and differential settlements would occur to any structures built over the miscellaneous fill in its present condition. The natural medium-dense medium to fine sands encountered beneath the miscellaneous fill are suitable for the support of the anticipated building loads.

We have evaluated three alternate foundation schemes to provide support for the proposed 60,000 square foot building.

Alternate I - Excavation of the existing uncontrolled fill, and construction of a controlled compacted fill.

Alternate II - Piled foundations with structural slab and grade beams; and,

Alternate III - Dynamic Compaction of existing fill, and construction of controlled, compacted fill.

These alternates are addressed individually in the following sections.

Alternate I - Excavation and Backfill

This procedure is typically viable when the depths of excavation required are less than 10 feet and a high percentage of the excavated soils are suitable for reuse in either the building area or parking areas. Because of the significantly greater depths of fill throughout the site and the nature of the fill, this alternate is not considered economically viable.

Alternate II - Piled Foundations and Structural Floor Slab

Friction piles driven sufficiently into the sands beneath the miscellaneous fill would provide suitable support for the building and floor slab. Treated timber piles designed for allowable loads of 25 tons
per lineal foot.

The primary goal of dynamic compaction is to change an uncontrolled fill into a controlled fill. This is done by providing sufficient energy at the ground surface to cause densification of the underlying unsuitable deposits, thereby reducing the compressibility of these deposits. Dynamic compaction is an exploration tool as well as a ground improvement tool. If weak deposits are present below the ground surface, they will be revealed during the impact process by a greater than normal lowering of the ground surface.

This procedure has been used on many projects throughout the United States and Europe, including several sites done by the New York and New Jersey Port Authority. Our office has been involved in over 25 projects which have been constructed in this manner. The process has been reviewed for projects and approved by the City of New York, the State of Connecticut, and by local building officials for use on numerous projects in New Jersey.

The dynamic compaction process transmits ground vibrations that will likely be felt in the nearby buildings. However, our experience indicates that at distances greater than 30 to 50 ft. from the impact point, no structural damage will occur. However, there is the potential for cracked plaster (both real and imagined) so that a pre-construction survey of existing buildings is advisable as well as occasional seismic monitoring of ground vibrations during construction.

To handle the worst conditions on this site, we estimate that a minimum 12-ton weight dropped from a height of approximately 80+ feet will be required. Two to three passes at 10 to 12+ feet on centers with approximately 5 drops per pass is anticipated in the building area. The

material should be accomplished as necessary to achieve the density requirements.

Foundation Design Criteria For Dynamic Compaction Alternate

After the dynamic compaction procedures have been satisfactorily completed, the structure may be constructed on conventional shallow spread/strip footings with a slab-on-grade. The footings may be designed for an allowable net soil bearing pressure of 1.5 tsf (3,000 psf). If organic refuse is encountered at the bottom of the footing excavation, the excavation should be carried a minimum of 12 inches deeper (or as directed by the soils engineer) and backfilled with clean 3/4 inch crushed stone or gravel.

Exterior footings, and footings in non-heated areas, should be founded at a minimum depth of 3.0 ft. for protection against frost uplift. Interior footings in heated areas may be founded at conventional depths below the floor slab. Regardless of the loads, the minimum plan dimension of isolated column footings should be 36 inches and the minimum plan width of continuous strip footings should be 24 inches.

Pavement Design

Site preparation procedures for paved areas and for pavement design details should be evaluated after a preliminary site grading plan is developed.

Utility Lines


It would be advisable to dynamically compact utility lines that are sensitive to settlement. The bottom of utility line excavations will likely fall within the existing miscellaneous fill. If any soft or organic soils are encountered at invert elevation, over-excavation and

THE NEW YORK CHRISTIAN LIFE CENTRE

BROOKLYN, NEW YORK

DR. A.R. BERNARD, SR., PASTOR

MCKISSACK & MCKISSACK ARCHITECTS, P.C.




PHASE I ENVIRONMENTAL SITE
ASSESSMENT – JULY 1997

ENVIRONMENTAL SITE ASSESSMENT

PROPERTY LOCATED AT:

SOUTHEAST CORNER OF
FLATLANDS & LOUISIANA AVENUES
BROOKLYN, NEW YORK

97-494



PREPARED FOR:

LEGACY GENERAL CONTRACTING CORP.
(OWNER REPRESENTATIVE)
2341 HALYARD DRIVE
MERRICK, NEW YORK 11566
ATTN: MR. DAN AIZER

JULY, 1997

PREPARED BY:

SOIL MECHANICS ENVIRONMENTAL SERVICES
3770 MERRICK ROAD
SEAFORD, NEW YORK 11783
(516) 221-7500 FAX (516) 679-1900

EXECUTIVE SUMMARY

The following is a summary of the findings obtained during the "Phase I" environmental site assessment conducted at the subject property located on the southeast corner of Flatlands Avenue and Louisiana Avenue, Borough of Brooklyn, State of New York.


The subject property is currently under construction for an approximately 100,000 square foot, two-story building.

A visual inspection revealed that the subject property consisted of areas of exposed surface soil and scattered soil piles. Two (2) 55 gallon drums of gasoline, temporally stored at the subject property for fueling construction vehicles, and two (2) trash dumpsters were identified on the property. Several construction vehicles, as well as an office trailer, were visually identified.

A review of historical Sanborn maps revealed that the subject property was vacant in 1908, 1928, and 1950 and consisted of an Auto Junk Yard in 1977, 1981, 1991, 1992, 1993, 1994, 1995, and 1996.

A review of federal and state information (obtained from the USEPA and NYSDEC) indicated there were no reported incidents concerning hazardous materials or wastes, major spills, or existing landfills at the subject property. The subject property was not listed as a **NYSDEC Inactive Hazardous Waste Disposal Site**, **NPL (Superfund)**, or **CERCLIS** site. The subject property (southeast corner of Flatlands and Louisiana Avenues, Brooklyn NY) did not appear within the **NYSDEC Leaking Storage Tank Sites and Spill Sites Databases**. There were no **NYSDEC Petroleum Storage Tank Sites** identified at the subject property.

Based on the information obtained during the scope of this assessment, several conclusions are cited within Section 11.0 of this report.



SUBJECT PROPERTY



**SOIL MECHANICS
ENVIRONMENTAL SERVICES**
3770 MERRICK ROAD SEAFORD, NEW YORK 11783 (516) 221-7500

**PROJECT LOCATION PLAN
FIGURE #1
BROOKLYN, NEW YORK**

SCALE:

N.T.S.

DATE:

07/16/97

JOB #:

97-494

The Brooklyn Building Department was visited in order to review any files they may have with respect to the subject property, however, no information was available. A review of historical Sanborn maps and a topographic map indicated that the entire subject property had been utilized as a junk yard from at least 1975 until at least 1981. The eastern portion of the subject property remained a junk yard until 1996.

2.1 Review of Historical Sanborn Maps

Soil Mechanics personnel reviewed historical Sanborn maps (obtained from EDR Sanborn, Inc., 3530 Post Road, Southport, CT) dated 1908, 1928, 1950, 1977, 1981, 1991, 1992, 1993, 1994, 1995, and 1996, to identify past land usage at the subject property and surrounding areas (see attached Sanborn maps within Appendix).


1908, 1928, and 1950 Sanborn Maps

The subject property consisted of a vacant parcel of land with no existing structures. The surrounding property usage consisted of vacant land and a residential dwelling to the north. However, a farm and a filling station were located to the northwest of the subject property on the 1950 Sanborn map.

1977, 1981, 1991, 1992, 1993, 1994, 1995, and 1996 Sanborn Maps

The subject property consisted of an auto junk yard with two (2) small office buildings in the 1977 and 1981 Sanborn maps. The 1991, 1992, 1993, 1994, 1995, and 1996 maps revealed an auto junk yard on the eastern portion of the property and the remaining section of the property was vacant. Surrounding land usage consists of a community center, parking garages and residential dwellings. An auto junk yard and an auto wrecking company were adjacent to the subject property on the 1977 and 1981 Sanborn maps.

Flatlands Avenue



Office

Fence line

Louisiana Avenue





2 55 GALLON DRUMS OF GASOLINE

LEVELED EXPOSED SURFACE SOILS

AREA OF CONSTRUCTION

CONSTRUCTION EQUIPMENT



SOIL PILES

Fence line

Fence line

SOIL MECHANICS
ENVIRONMENTAL SERVICES

3770 MERRICK ROAD - SEAFORD, L.I., NEW YORK - (616) 221-7500

SITE PLAN

FIGURE # 2

Brooklyn, New York

SCALE	Not to Scale	DATE	JULY 17, 1997	JOB No.	979494
REVIEWED					NAR

5.7 Drainage Structures

There were no subsurface drainage structures (i.e., storm drains, drywells) visually identified at the subject property.

6.0 SURROUNDING PROPERTY USE

Adjacent land use surrounding the subject property consisted of the following (see Figure #3 - Surrounding Land Use Map):

North of the site: Auto repair businesses and industrial businesses.

South of the site: Multi-story apartment buildings.

East of the site: Vacant/vegetated land, Sheffield Motel, and Amoco Gasoline Service Station.

West of the site: Retail properties, residential properties, and a park.

7.0 AGENCY CONTACT

A review of various documentation, from appropriate federal, state and local agencies, was conducted for the purpose of identifying any history of hazardous waste activity known to have occurred at the subject property or within a one mile radius.

7.1 Federal Agencies

The subject property did not appear within the federal publications, the National Priority List (NPL) or the Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS). There were no CERCLIS sites or NPL sites identified within a one mile radius.

A review of the federal database, EPA Emergency Response Notification Listing Report (ERNS), indicated no listings with respect to the subject property. There were no ERNS sites listed as adjoining the subject property.

A review of the federal database, **RCRA/TSD Site Report**, indicated no listings with respect to the subject property. There were no **RCRA-TSD Sites** identified within a one-half mile radius. There were no **RCRA Sites** identified as adjoining the subject property.

7.2 State Agencies

A review of the current **New York State Department of Environmental Conservation (NYSDEC)** publication, **Inactive Hazardous Waste Disposal Sites in New York State**, indicated no reported incidents concerning hazardous materials, wastes, or known landfill sites at the subject property. The following **NYSDEC Inactive Hazardous Waste Disposal Site** was identified within a one mile radius.

1) **Pennsylvania Avenue Landfill** -located southeast at Pennsylvania Avenue and Shore Parkway, Brooklyn, New York. The property is owned by the National Park Service and operated by the New York State Department of Sanitation. The site was used as an illegal dumping ground from 1974 to 1980 and approximately 13 million gallons/year of hazardous wastes were disposed at this site. The site is classified as a significant threat to public health or the environment. The Pennsylvania Avenue Landfill is located hydrodynamically down gradient from the subject property.

A review of the **Solid Waste Facility/Landfill Sites (SWF/LF) Database** revealed no listings with respect to the subject property. There were no **SWF/LF Sites** identified within a one-half mile radius.

A review of the **NYSDEC Petroleum Storage Tank (PST) Registration Database** revealed no listings with respect to the subject property. There were no **PST Sites** located adjacent to the subject property.

Spill #:95-00631.
Spill Date: 04/13/95
Site Location: 875 Williams Street
Facility Name: Unknown.
Cause of Spill: Tank Test Failure.
Source of Spill: Other Commercial/industrial.
Resource Affected: On Land.
Distance: $\frac{1}{4}$ to $\frac{1}{2}$ mi. NW.
Status: Active.

Spill #:94-12264.
Spill Date: 12/12/94
Site Location: 400 Stanley Ave.
Facility Name: Unknown.
Cause of Spill: Tank Test Failure.
Source of Spill: Other Commercial/industrial.
Resource Affected: Groundwater.
Distance: $\frac{1}{4}$ to $\frac{1}{2}$ mi. NNW.
Status: Active.

Spill #:92-10189.
Spill Date: 12/02/92
Site Location: 400 Stanley Ave.
Facility Name: Unknown.
Cause of Spill: Tank Test Failure.
Source of Spill: Other Commercial/industrial.
Resource Affected: Groundwater.
Distance: $\frac{1}{4}$ to $\frac{1}{2}$ mi. NNW.
Status: Active.

Spill #:91-11232.
Spill Date: 01/30/92
Site Location: 552 West 105th Street.
Facility Name: Unknown.
Cause of Spill: Tank Overfill.
Source of Spill: Private Dwelling.
Resource Affected: On Land.
Distance: $\frac{1}{4}$ to $\frac{1}{2}$ mi. West.
Status: Active.

7.3 Local Agencies

Record Search request forms were submitted to the **New York City Fire Department (NYCFD), Bureau of Fire Prevention** regarding fuel oil and/or vehicle storage tanks. No response has been received at this time. Any pertinent information will be forwarded if and when it becomes available.

The **Borough of Brooklyn Building Department** was visited to review any files they may have in regard to the subject property, however, there was no file available.

8.0 HYDROGEOLOGIC INFORMATION

Information obtained from the **7.5 minute series, Brooklyn, NY Quadrangle**, published by the US Department of the Interior, Geological Survey topographic map revealed the subject property is located approximately fifteen to twenty (15-20) feet above sea level (see Topographic Map - Figure #4).


Information obtained from the **Water Table on Long Island, New York**, prepared by the US Department of the Interior, Geological Survey, indicated an existing depth to ground water of approximately ten to fifteen (10-15) feet below existing grade. This map appears to indicate a southeasterly trending ground water flow component in this area (see Ground Water Contour Map - Figure #5).

8.1 Surface Water Bodies

There was no visible evidence of any surface water bodies present on the subject property (i.e., rivers, streams, lakes, ponds, wetlands, ditches, etc.). No runoff from surrounding areas was observed entering the subject property.

9.0 RADON POTENTIAL

According to the State of New York Department of Health's publication, **Indoor Radon In New York State: Distribution, Sources, and Controls**, "Long Island is part of the broader Atlantic Coastal Plain that stretches north and south along the east coast of the United States. Beneath the thick cover of glacial moraines



**SOIL MECHANICS
ENVIRONMENTAL SERVICES**
3770 MERRICK ROAD SEAFORD, NEW YORK 11783 (516) 221-7500

**GROUND CONTOUR MAP
FIGURE #5
BROOKLYN, N.Y.**

SCALE:

N.T.S.

DATE:

07/16/97

JOB #:

97-494

- One (1) **NYSDEC Inactive Hazardous Waste Disposal Site** was located within a one mile radius of the subject property. This site appears to be located at a hydrodynamically down gradient position.

- A previous Environmental Impact Assessment was conducted at the subject property in June of 1991. This investigation concluded that any contaminated soil that would remain exposed after construction activities should be addressed through removal or encapsulation.

11.0 DISCUSSIONS, CONCLUSIONS AND RECOMMENDATIONS

In our opinion, based upon the scope of this investigation conducted at the site, which included a thorough visual investigation of the subject property, a survey of adjacent land use, examination of publicly available records, review of historical Sanborn maps and/or historical aerial photographs, title search records, and an evaluation of these factors, the following specific items are cited:

1) With respect to the eleven (11) "active" status **Leaking Storage Tank Sites & Spill Sites** identified within a one-half mile radius of the subject property, three (3) of these appear to be situated hydrodynamically down and/or cross-gradient from the subject property and, in our opinion, do not represent a potential for adverse impact to the groundwater quality beneath the subject property. The remaining eight (8) sites are situated hydrodynamically up gradient from the subject property. The **New York State Department of Environmental Conservation (NYSDEC)** has responded and corrective action has been taken at all of these sites.

2) With respect to the **NYSDEC Inactive Hazardous Waste Disposal Site** identified within a one mile radius, based on its apparent hydrodynamically down-gradient positioning, it is our opinion that this site does not pose a threat to the groundwater quality beneath the subject property.

Disclaimer

The findings, conclusions, and recommendations presented in this report are based on information obtained within the scope of this investigation. The conclusions and recommendations represent our best judgment using the information presently available.



The EDR Radius Map with GeoCheck®

**NY Christian Cultural Center
12020 Flatlands Avenue
Brooklyn, NY 11207**

Inquiry Number: 0947163.3s

March 24, 2003

***The Source
For Environmental
Risk Management
Data***

**3530 Post Road
Southport, Connecticut 06890**

Nationwide Customer Service

**Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com**

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc. (EDR). The report meets the government records search requirements of ASTM Standard Practice for Environmental Site Assessments, E 1527-00. Search distances are per ASTM standard or custom distances requested by the user.

TARGET PROPERTY INFORMATION

ADDRESS

12020 FLATLANDS AVENUE
BROOKLYN, NY 11207

COORDINATES

Latitude (North): 40.651600 - 40° 39' 5.8"
Longitude (West): 73.887700 - 73° 53' 15.7"
Universal Tranverse Mercator: Zone 18
UTM X (Meters): 594040.4
UTM Y (Meters): 4500466.0

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property: 2440073-F8 BROOKLYN, NY
Source: USGS 7.5 min quad index

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable") government records either on the target property or within the ASTM E 1527-00 search radius around the target property for the following databases:

FEDERAL ASTM STANDARD

NPL.....	National Priority List
Proposed NPL.....	Proposed National Priority List Sites
CERCLIS.....	Comprehensive Environmental Response, Compensation, and Liability Information System
CERC-NFRAP.....	CERCLIS No Further Remedial Action Planned
CORRACTS.....	Corrective Action Report
RCRIS-TSD.....	Resource Conservation and Recovery Information System
RCRIS-LQG.....	Resource Conservation and Recovery Information System
ERNS.....	Emergency Response Notification System

STATE ASTM STANDARD

SHWS.....	Inactive Hazardous Waste Disposal Sites in New York State
SWF/LF.....	Facility Register
CBS UST.....	Chemical Bulk Storage Database
MOSF UST.....	Major Oil Storage Facilities Database
VCP.....	Voluntary Cleanup Agreements

EXECUTIVE SUMMARY

FEDERAL ASTM STANDARD

RCRIS: The Resource Conservation and Recovery Act database includes selected information on sites that generate, store, treat, or dispose of hazardous waste as defined by the Act. The source of this database is the U.S. EPA.

A review of the RCRIS-SQG list, as provided by EDR, and dated 09/09/2002 has revealed that there are 3 RCRIS-SQG sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FLAT GAS INC	1130 PENNSYLVANIA AVE	0 - 1/8 NNE A1		6
PENN MOTOR SALES & SERVICE	1118 PENNSYLVANIA AVE	0 - 1/8 NNE A3		15
PIVOT METAL WORKS INC	1000 ALABAMA AVE	0 - 1/8 NW B5		17

STATE ASTM STANDARD

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills


A review of the LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 26 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FLAT GAS INC	1130 PENNSYLVANIA AVE	0 - 1/8 NNE A1		6
26 WARD PLANT	12266 FLATLANDS AVE	1/8 - 1/4 WSW C9		21
NYCDEP 26TH WARD WPCP	12266 FLATLANDS AVE	1/8 - 1/4 WSW C10		22
VANDALIA	17 VANDALIA AVENUE	1/8 - 1/4 S 11		23
26TH WARD WATER POLLUTION	CONTROL -112-66 FLATLAN	1/8 - 1/4 WSW 16		28
NYC DOS 922 GEORGIA AVE	NYC DOS 922 GEORGIA AVE	1/8 - 1/4 NW 17		29
922 GEORGIA AVE.	922 GEORGIA AVE.	1/8 - 1/4 NNW D20		32
NYCDOS BROOKLYN EAST 16	922 GEORGIA AVE	1/8 - 1/4 NNW D21		33
922 GEORGIA AVENUE	922 GEORGIA AVENUE	1/8 - 1/4 NNW D22		34
PENN WORTMAN HOUSES	875 PENNSYLVANIA AVE	1/4 - 1/2 N E26		40
108-04 FLAT LANDS AVE	108-04 LAT LANDS AVE	1/4 - 1/2 SW 31		46
400 STANLEY AVE/SUNNYDALE	400 STANLEY AVE/SUNNYDA	1/4 - 1/2 NW F32		47
400 STANLEY AVE.	400 STANLEY AVE.	1/4 - 1/2 NW F33		48
400 STANLEY AVENUE	400 STANLEY AVENUE	1/4 - 1/2 NW F34		54
SUNNYDALE FARMS INC	400 STANLEY AVE	1/4 - 1/2 NW F35		56
BREUKELEN	618 E 108TH ST	1/4 - 1/2 W G38		65
BREUKELEN	618 EAST 108TH STREET	1/4 - 1/2 W G40		67
875 WILLIAMS STREET	875 WILLIAMS ST	1/4 - 1/2 WNW 42		77
HOWARD BERGER CO.	808 GEORGIA AVE	1/4 - 1/2 NNW 49		85
MERIT OIL CORP	810 PENNSYLVANIA AVE	1/4 - 1/2 NNW J51		87
810 PENNSYLVANIA AVENUE	810 PENNSYLVANIA AVENUE	1/4 - 1/2 NNW J52		92
810 PENNSYLVANIA AVE.	810 PENNSYLVANIA AVE.	1/4 - 1/2 NNW J53		93
810 PENNSYLVANIA AV/BKLYN	810 PENNSYLVANIA AVENUE	1/4 - 1/2 NNW J54		95
COCA COLA	1900 LINDEN BLVD	1/4 - 1/2 NW K60		103
1900 LINDEN BLV/COCA COLA	1900 LINDEN BLVD	1/4 - 1/2 NW K61		104
1935 LINDEN BLVD	1935 LINDEN BLVD	1/4 - 1/2 NNW L65		108

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MANHOLE 64157	GEORGIA AVE / LINDEN	1/4 - 1/2NNW 58		100
REEGAE IMPORTS	1900 LINDON BL	1/4 - 1/2NW K59		101
FORMER SHELL STATION AT SHELL OIL CO.	1940 LINDEN BLVD	1/4 - 1/2NNW L62		105
MALTA ST & DEWITT AV	1940 LINDEN BLVD	1/4 - 1/2NNW L63		106
	MALTA ST / DEWITT AV	1/4 - 1/2NW 64		107

OVERVIEW MAP - 0947163.3s - Soil Mechanics Environmental



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Coal Gasification Sites
- National Priority List Sites
- Landfill Sites

0 1/4 1/2 1 Miles

- ▲ Power transmission lines
- ▲ Oil & Gas pipelines
- Wetlands



TARGET PROPERTY: NY Christian Cultural Center
 ADDRESS: 12020 Flatlands Avenue
 CITY/STATE/ZIP: Brooklyn NY 11207
 LAT/LONG: 40.6516 / 73.8877

CUSTOMER: Soil Mechanics Environmental
 CONTACT: Daren Murphy
 INQUIRY #: 0947163.3s
 DATE: March 24, 2003 7:06 pm

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
<u>FEDERAL ASTM STANDARD</u>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL	TP	NR	NR	NR	NR	NR	NR	0
CERCLIS	0.500	0	0	0	NR	NR	NR	0
CERC-NFRAP	0.125	0	NR	NR	NR	NR	NR	0
CORRACTS	1.000	0	0	0	0	NR	NR	0
RCRIS-TSD	1.000	0	0	0	0	NR	NR	0
RCRIS Lg. Quan. Gen.	0.125	0	NR	NR	NR	NR	NR	0
RCRIS Sm. Quan. Gen.	0.125	3	NR	NR	NR	NR	NR	0
ERNS	0.250	0	0	NR	NR	NR	NR	3
<u>STATE ASTM STANDARD</u>								
State Haz. Waste		1.000	0	0	0	0	NR	0
State Landfill		0.500	0	0	0	NR	NR	0
LTANKS		0.500	1	8	17	NR	NR	26
UST		0.125	2	NR	NR	NR	NR	2
CBS UST		0.125	0	NR	NR	NR	NR	0
MOSF UST		0.125	0	NR	NR	NR	NR	0
VCP		0.500	0	0	0	NR	NR	0
SWTIRE	TP	NR	NR	NR	NR	NR	NR	0
SWRCY	TP	NR	NR	NR	NR	NR	NR	0
<u>FEDERAL ASTM SUPPLEMENTAL</u>								
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
Delisted NPL	TP	NR	NR	NR	NR	NR	NR	0
FINDS	TP	NR	NR	NR	NR	NR	NR	0
HMIRS	TP	NR	NR	NR	NR	NR	NR	0
MLTS	TP	NR	NR	NR	NR	NR	NR	0
MINES	TP	NR	NR	NR	NR	NR	NR	0
NPL Liens	TP	NR	NR	NR	NR	NR	NR	0
PADS	TP	NR	NR	NR	NR	NR	NR	0
RAATS	TP	NR	NR	NR	NR	NR	NR	0
TRIS	TP	NR	NR	NR	NR	NR	NR	0
TSCA	TP	NR	NR	NR	NR	NR	NR	0
SSTS	TP	NR	NR	NR	NR	NR	NR	0
FTTS	TP	NR	NR	NR	NR	NR	NR	0
<u>STATE OR LOCAL ASTM SUPPLEMENTAL</u>								
HSWDS	TP	NR	NR	NR	NR	NR	NR	0
AST	0.125	0	NR	NR	NR	NR	NR	0
CBS AST	0.125	0	NR	NR	NR	NR	NR	0
MOSF AST	0.125	0	NR	NR	NR	NR	NR	0
NY Spills	0.500	3	7	28	NR	NR	NR	38

MAP FINDINGS SUMMARY

<u>Database</u>	<u>Target Property</u>	<u>Search Distance (Miles)</u>	<u>< 1/8</u>	<u>1/8 - 1/4</u>	<u>1/4 - 1/2</u>	<u>1/2 - 1</u>	<u>> 1</u>	<u>Total Plotted</u>
<u>EDR PROPRIETARY HISTORICAL DATABASES</u>								
Coal Gas		1.000	0	0	0	0	NR	0
<u>BROWNFIELDS DATABASES</u>								
Brownfields	TP	NR	NR	NR	NR	NR	NR	0
VCP	0.500	0	0	0	NR	NR	NR	0

NOTES:

AQUIFLOW - see EDR Physical Setting Source Addendum

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

Coal Gas Site Search: No site was found in a search of Real Property Scan's ENVIROHAZ database.

A1	FLAT GAS INC 1130 PENNSYLVANIA AVE BROOKLYN, NY 11207	RCRIS-SQG 1000556257 FINDS NYD986988178 LTANKS																																																																																																												
NNE < 1/8 592 ft. Higher	Site 1 of 5 in cluster A																																																																																																													
<p>RCRIS:</p> <p>Owner: AMOCO OIL CO (203) 865-1910</p> <p>EPA ID: NYD986988178</p> <p>Contact: YEHUDA HERSHKOVICA (718) 257-3844</p> <p>Classification: Small Quantity Generator</p> <p>Used Oil Recyc: No</p> <p>TSDF Activities: Not reported</p> <p>Violation Status: No violations found</p>																																																																																																														
<p>NY MANIFEST</p> <p>Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.</p>																																																																																																														
<p>FINDS:</p> <p>Other Pertinent Environmental Activity Identified at Site:</p> <p>AIRS Facility System (AIRS/AFS) Facility Registry System (FRS) Resource Conservation and Recovery Act Information system (RCRAINFO)</p>																																																																																																														
<p>LTANKS:</p> <table border="0"><tr><td>Spill Number:</td><td>0103269</td><td>Region of Spill:</td><td>2</td></tr><tr><td>Facility Contact:</td><td>GEORGE</td><td>Facility Tele:</td><td>(646) 252-7103</td></tr><tr><td>Investigator:</td><td>DEMEO</td><td>SWIS:</td><td>61</td></tr><tr><td>Caller Name:</td><td>Not reported</td><td>Caller Agency:</td><td>Not reported</td></tr><tr><td>Caller Phone:</td><td>Not reported</td><td>Caller Extension:</td><td>Not reported</td></tr><tr><td>Notifier Name:</td><td>Not reported</td><td>Notifier Agency:</td><td>Not reported</td></tr><tr><td>Notifier Phone:</td><td>Not reported</td><td>Notifier Extension:</td><td>Not reported</td></tr><tr><td>Spiller Contact:</td><td>Not reported</td><td>Spiller Phone:</td><td>Not reported</td></tr><tr><td>Spiller:</td><td>SAME</td><td></td><td></td></tr><tr><td>Spiller Address:</td><td>Not reported</td><td></td><td></td></tr><tr><td>Spill Class:</td><td colspan="3">Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.</td></tr><tr><td>Spill Closed Dt:</td><td>Not reported</td><td></td><td></td></tr><tr><td>Spill Cause:</td><td>Tank Test Failure</td><td>Resource Affected:</td><td>On Land</td></tr><tr><td>Water Affected:</td><td>Not reported</td><td>Spill Source:</td><td>Other Non Commercial/Industrial</td></tr><tr><td>Spill Notifier:</td><td>Tank Tester</td><td>PBS Number:</td><td>2-580905</td></tr><tr><td>Spill Date:</td><td>06/25/2001 16:05</td><td>Reported to Dept:</td><td>06/25/2001 16:29</td></tr><tr><td>Cleanup Ceased:</td><td>Not reported</td><td></td><td></td></tr><tr><td>Last Inspection:</td><td>Not reported</td><td></td><td></td></tr><tr><td>Cleanup Meets Standard:</td><td>False</td><td></td><td></td></tr><tr><td>Recommended Penalty:</td><td>Penalty Not Recommended</td><td></td><td></td></tr><tr><td>Spiller Cleanup Date:</td><td>Not reported</td><td></td><td></td></tr><tr><td>Enforcement Date:</td><td>Not reported</td><td></td><td></td></tr><tr><td>Investigation Complete:</td><td>Not reported</td><td></td><td></td></tr><tr><td>UST Involvement:</td><td>False</td><td></td><td></td></tr><tr><td>Spill Record Last Update:</td><td>06/26/2001</td><td></td><td></td></tr><tr><td>Is Updated:</td><td>False</td><td></td><td></td></tr><tr><td>Corrective Action Plan Submitted:</td><td>Not reported</td><td></td><td></td></tr></table>			Spill Number:	0103269	Region of Spill:	2	Facility Contact:	GEORGE	Facility Tele:	(646) 252-7103	Investigator:	DEMEO	SWIS:	61	Caller Name:	Not reported	Caller Agency:	Not reported	Caller Phone:	Not reported	Caller Extension:	Not reported	Notifier Name:	Not reported	Notifier Agency:	Not reported	Notifier Phone:	Not reported	Notifier Extension:	Not reported	Spiller Contact:	Not reported	Spiller Phone:	Not reported	Spiller:	SAME			Spiller Address:	Not reported			Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.			Spill Closed Dt:	Not reported			Spill Cause:	Tank Test Failure	Resource Affected:	On Land	Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial	Spill Notifier:	Tank Tester	PBS Number:	2-580905	Spill Date:	06/25/2001 16:05	Reported to Dept:	06/25/2001 16:29	Cleanup Ceased:	Not reported			Last Inspection:	Not reported			Cleanup Meets Standard:	False			Recommended Penalty:	Penalty Not Recommended			Spiller Cleanup Date:	Not reported			Enforcement Date:	Not reported			Investigation Complete:	Not reported			UST Involvement:	False			Spill Record Last Update:	06/26/2001			Is Updated:	False			Corrective Action Plan Submitted:	Not reported		
Spill Number:	0103269	Region of Spill:	2																																																																																																											
Facility Contact:	GEORGE	Facility Tele:	(646) 252-7103																																																																																																											
Investigator:	DEMEO	SWIS:	61																																																																																																											
Caller Name:	Not reported	Caller Agency:	Not reported																																																																																																											
Caller Phone:	Not reported	Caller Extension:	Not reported																																																																																																											
Notifier Name:	Not reported	Notifier Agency:	Not reported																																																																																																											
Notifier Phone:	Not reported	Notifier Extension:	Not reported																																																																																																											
Spiller Contact:	Not reported	Spiller Phone:	Not reported																																																																																																											
Spiller:	SAME																																																																																																													
Spiller Address:	Not reported																																																																																																													
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.																																																																																																													
Spill Closed Dt:	Not reported																																																																																																													
Spill Cause:	Tank Test Failure	Resource Affected:	On Land																																																																																																											
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial																																																																																																											
Spill Notifier:	Tank Tester	PBS Number:	2-580905																																																																																																											
Spill Date:	06/25/2001 16:05	Reported to Dept:	06/25/2001 16:29																																																																																																											
Cleanup Ceased:	Not reported																																																																																																													
Last Inspection:	Not reported																																																																																																													
Cleanup Meets Standard:	False																																																																																																													
Recommended Penalty:	Penalty Not Recommended																																																																																																													
Spiller Cleanup Date:	Not reported																																																																																																													
Enforcement Date:	Not reported																																																																																																													
Investigation Complete:	Not reported																																																																																																													
UST Involvement:	False																																																																																																													
Spill Record Last Update:	06/26/2001																																																																																																													
Is Updated:	False																																																																																																													
Corrective Action Plan Submitted:	Not reported																																																																																																													

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
Database(s) EPA ID Number

FLAT GAS INC (Continued)

1000556257

Date Spill Entered In Computer Data File: 06/25/2001
Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: 1
 Test Method: Horner EZ Check
 Capacity of Failed Tank: 5000
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Tank Test Failures only pass or fail
Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: TANK TEST FAILURE AT ABOVE CHURCH. TANK TO BE UNCOVERED EVALUATED AND RE TESTED.

A2 FLAT GAS, INC.
NNE 1130 PENNSYLVANIA AVENUE
< 1/8 BKLYN, NY 11236
592 ft.
Higher Site 2 of 5 in cluster A

UST U001839103
N/A

PBS UST:
 PBS Number: 2-337749
 SPDES Number: Not reported
 Operator: MIKE YARDENI
 (718) 257-3844
 Emergency Contact: JAY SEMELMACHER
 (917) 246-2101
 Total Tanks: 5
 Owner: DAVID OIL CORP.
 1158 BROADWAY
 HEWLETT, NY 11557
 (516) 295-3400
 Owner Type: Corporate/Commercial
 Owner Mark: Second Owner
 Owner Subtype: Not reported
 Mailing Address: DAVID OIL CORP.
 ATTN: JAY SEMELMACHER
 1158 BROADWAY
 HEWLETT, NY 11557
 (516) 295-3400
 Tank Status: Closed - In Place
 Capacity (gals): 4000
 Tank Location: UNDERGROUND
 Tank Id: 001
 Install Date: 12/01/1972
 Tank Type: Steel/carbon steel
 Product Stored: UNLEADED GASOLINE
 Tank Internal: Not reported
 Pipe Internal: Not reported
 Pipe Location: 2
 Pipe Type: GALVANIZED STEEL
 Tank External: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

FLAT GAS, INC. (Continued)

U001839103

Missing Data for Tank: Minor Data Missing
Pipe External: Not reported
Second Containment: NONE
Leak Detection: NONE
Overfill Prot: 2 Dispenser: Suction
Date Tested: Not reported Next Test Date: Not reported
Date Closed: 06/01/1993 Test Method: Not reported
Deleted: False Updated: True
Dead Letter: False Owner Screen: No data missing
FAMT: Fiscal amount for registration fee is correct
Total Capacity: 20000 Renewal Date: Not reported
Tank Screen: No data missing Federal ID: Not reported
Renew Flag: Renewal has not been printed Facility Screen: No data missing
Certification Flag: False Certification Date: 07/28/2000
Old PBS Number: Not reported Expiration Date: 02/18/2004
Inspected Date: Not reported Inspector: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: RETAIL GASOLINE SALES
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 61
Region: 2

PBS OWNHIST
Operator: RUVEN BERENBLAT
Emergency: AMOCO OIL CO
Emergency Tel: (800) 892-6626 Old PBSNO: Not reported
Facility Type: RETAIL GASOLINE SALES
Facility Owner: AMOCO SERVICE STATION 571
Facility Address: 1130 PENNSYLVANIA AVENUE
1130 PENNSYLVANIA AVENUE
BKLYN, NY 11236
Inspector: Not reported Inspect Date: Not reported
Insp Result: Not reported Federal ID: Not reported
Owner: AMOCO OIL COMPANY - RAE ADAMS
Owner Tel: (973) 331-7012 Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mail Address: AMOCO OIL COMPANY - RAE ADAMS
MOORIS CORPORATE CENTER 1 - BLDG. C.
300 INTERPLACE PARKWAY
PARSIPPANY, NJ 07054
Not reported
(973) 331-7012
Owner Mark: First Owner
Certify Date: 10/29/2002 Expiration: 10/29/2002
Total Capacity (Gal): 20000
CBS Registration Num : Not reported
SPDES Number: Not reported
Lat/Long : Not reported
County Facility: 6101
Facility Phone : (718) 257-3844
Num of Active Tanks : 5
Facility Owner: AMOCO OIL COMPANY - RAE ADAMS
Facility Address: MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY
PARSIPPANY, NJ 07054
Owner Phone: (973) 331-7012

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

FLAT GAS, INC. (Continued)

U001839103

Facility Status:	1	CBS Number:	Not reported
Certificate Needs Printed :	False	SWIS ID:	6101
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	02/18/1999		
Facility Record Updated:	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	Closed - In Place		
Capacity (gals):	4000	Install Date:	12/01/1972
Tank Location:	UNDERGROUND	Product Stored:	UNLEADED GASOLINE
Tank Id:	002	Pipe Internal:	Not reported
Tank Type:	Steel/carbon steel	Pipe Type:	GALVANIZED STEEL
Tank Internal:	Not reported		
Pipe Location:	2		
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

FLAT GAS, INC. (Continued)

U001839103

Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626	Old PBSNO:	Not reported
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE 1130 PENNSYLVANIA AVENUE BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
	Not reported		
	(973) 331-7012		
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
	PARSIPPANY, NJ 07054		
Owner Phone:	(973) 331-7012		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	02/18/1999		
Facility Record Updated:	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

FLAT GAS, INC. (Continued)

U001839103

Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400	
Tank Status:	Closed - Removed	
Capacity (gals):	4000	
Tank Location:	UNDERGROUND	
Tank Id:	003	Install Date: 12/01/1978
Tank Type:	Steel/carbon steel	Product Stored: UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal: Not reported
Pipe Location:	2	Pipe Type: GALVANIZED STEEL
Tank External:	Not reported	
Missing Data for Tank:	Minor Data Missing	
Pipe External:	Not reported	
Second Containment:	NONE	
Leak Detection:	NONE	
Overfill Prot:	2	Dispenser: Suction
Date Tested:	Not reported	Next Test Date: Not reported
Date Closed:	06/01/1993	Test Method: Not reported
Deleted:	False	Updated: True
Dead Letter:	False	Owner Screen: No data missing
FAMT:	Fiscal amount for registration fee is correct	
Total Capacity:	20000	Renewal Date: Not reported
Tank Screen:	No data missing	Federal ID: Not reported
Renew Flag:	Renewal has not been printed	Facility Screen: No data missing
Certification Flag:	False	Certification Date: 07/28/2000
Old PBS Number:	Not reported	Expiration Date: 02/18/2004
Inspected Date:	Not reported	Inspector: Not reported
Inspection Result:	Not reported	
Lat/long:	Not reported	
Facility Type:	RETAIL GASOLINE SALES	
Town or City:	NEW YORK CITY	
Town or City Code:	01	
County Code:	61	
Region:	2	
PBS OWNHIST		
Operator:	RUVEN BERENBLAT	
Emergency:	AMOCO OIL CO	
Emergency Tel:	(800) 892-6626	Old PBSNO: Not reported
Facility Type:	RETAIL GASOLINE SALES	
Facility Owner:	AMOCO SERVICE STATION 571	
Facility Address:	1130 PENNSYLVANIA AVENUE	
	1130 PENNSYLVANIA AVENUE	
	BKLYN, NY 11236	
Inspector:	Not reported	Inspect Date: Not reported
Insp Result:	Not reported	Federal ID: Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS	
Owner Tel:	(973) 331-7012	Owner Type: Corporate/Commercial
Owner Subtype:	Not reported	
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054	
	Not reported	
	(973) 331-7012	
Owner Mark:	First Owner	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

FLAT GAS, INC. (Continued)

U001839103

Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
	PARSIPPANY, NJ 07054		
Owner Phone:	(973) 331-7012		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	02/18/1999		
Facility Record Updated:	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	004	Install Date:	12/01/1978
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
FLAT GAS, INC. (Continued)			U001839103
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626	Old PBSNO:	Not reported
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE 1130 PENNSYLVANIA AVENUE BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
Not reported			
(973) 331-7012			
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
	PARSIPPANY, NJ 07054		
Owner Phone:	(973) 331-7012		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	02/18/1999		
Facility Record Updated:	True		
PBS Number:	2-337749	CBS Number:	Not reported

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
FLAT GAS, INC. (Continued)								
SPDES Number:	Not reported					SWIS ID:	6101	
Operator:	MIKE YARDENI (718) 257-3844							
Emergency Contact:	JAY SEMELMACHER (917) 246-2101							
Total Tanks:	5							
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400							
Owner Type:	Corporate/Commercial							
Owner Mark:	Second Owner							
Owner Subtype:	Not reported							
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400							
Tank Status:	Closed - Removed							
Capacity (gals):	4000							
Tank Location:	UNDERGROUND							
Tank Id:	005					Install Date:	12/01/1978	
Tank Type:	Steel/carbon steel					Product Stored:	UNLEADED GASOLINE	
Tank Internal:	Not reported					Pipe Internal:	Not reported	
Pipe Location:	2					Pipe Type:	GALVANIZED STEEL	
Tank External:	Not reported							
Missing Data for Tank:	Minor Data Missing							
Pipe External:	Not reported							
Second Containment:	NONE							
Leak Detection:	NONE							
Overflow Prot:	2					Dispenser:	Suction	
Date Tested:	Not reported					Next Test Date:	Not reported	
Date Closed:	06/01/1993					Test Method:	Not reported	
Deleted:	False					Updated:	True	
Dead Letter:	False					Owner Screen:	No data missing	
FAMT:	Fiscal amount for registration fee is correct							
Total Capacity:	20000					Renewal Date:	Not reported	
Tank Screen:	No data missing					Federal ID:	Not reported	
Renew Flag:	Renwal has not been printed					Facility Screen:	No data missing	
Certification Flag:	False					Certification Date:	07/28/2000	
Old PBS Number:	Not reported					Expiration Date:	02/18/2004	
Inspected Date:	Not reported					Inspector:	Not reported	
Inspection Result:	Not reported							
Lat/long:	Not reported							
Facility Type:	RETAIL GASOLINE SALES							
Town or City:	NEW YORK CITY							
Town or City Code:	01							
County Code:	61							
Region:	2							
PBS OWNHIST								
Operator:	RUVEN BERENBLAT							
Emergency:	AMOCO OIL CO							
Emergency Tel:	(800) 892-6626					Old PBSNO:	Not reported	
Facility Type:	RETAIL GASOLINE SALES							
Facility Owner:	AMOCO SERVICE STATION 571							
Facility Address:	1130 PENNSYLVANIA AVENUE							
	1130 PENNSYLVANIA AVENUE							

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

FLAT GAS, INC. (Continued)

U001839103

BKLYN, NY 11236

Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
	Not reported		
	(973) 331-7012		
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
	PARSIPPANY, NJ 07054		
Owner Phone:	(973) 331-7012		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	02/18/1999		
Facility Record Updated:	True		

This is the most recent NY PBS data for this site.
The NY PBS database contains 5 additional records for this site.
Please contact your EDR Account Executive for more information.

A3 PENN MOTOR SALES & SERVICE
NNE 1118 PENNSYLVANIA AVE
< 1/8 BROOKYN, NY 11207

RCRIS-SQG 1000555136
FINDS NYD986976413

652 ft.
Higher Site 3 of 5 in cluster A

RCRIS:
Owner: PENN MOTOR SALES & SERVICES
 (212) 555-1212
EPA ID: NYD986976413
Contact: JOE GRECO
 (212) 555-1212
Classification: Small Quantity Generator
Used Oil Recyc: No
TSDF Activities: Not reported

Map ID	Site	MAP FINDINGS	EDR ID Number
Direction			EPA ID Number
Distance (ft.)			
Elevation			

PENN MOTOR SALES & SERVICE (Continued)

1000555136

Violation Status: No violations found

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

CT MANIFEST

Additional detail is available in CT MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:

Facility Registry System (FRS)

Resource Conservation and Recovery Act Information system (RCRAINFO)

B4	CROSS KOBREICK CORPORATION	UST	U003712129
NW	1000 ALABAMA AVENUE		N/A
< 1/8	BROOKLYN, NY 11207		
654 ft.			
Higher	Site 1 of 2 in cluster B		
PBS UST:			
PBS Number:	2-604281	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	SY MENDLOWITZ (718) 622-8054		
Emergency Contact:	AKIVA MENDLOWITZ (917) 224-5893		
Total Tanks:	0		
Owner:	MARVIN MENDLOWITZ - EEL REALTY LLC 1000 ALABAMA AVENUE BROOKLYN, NY 11207 (718) 338-3532		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	GKC ATTN: SY MENDLOWITZ 1000 ALABAMA AVENUE BROOKLYN, NY 11207 (718) 622-8054		
Tank Status:	Closed - In Place		
Capacity (gals):	2500		
Tank Location:	UNDERGROUND		
Tank Id:	001	Install Date:	Not reported
Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	Vent Whistle	Dispenser:	None
Date Tested:	10/01/1999	Next Test Date:	Not reported
Date Closed:	12/01/1999	Test Method:	HORNER
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

CROSS KOBRECK CORPORATION (Continued)

U003712129

Certification Flag: False
Old PBS Number: Not reported
Inspected Date: Not reported
Inspection Result: Not reported
Lat/long: Not reported
Facility Type: OTHER
Town or City: NEW YORK CITY
Town or City Code: 01
County Code: 61
Region: 2

Certification Date: 11/09/1999
Expiration Date: 11/09/2004
Inspector: Not reported

B5 PIVOT METAL WORKS INC
NW 1000 ALABAMA AVE
< 1/8 BROOKLYN, NY 11207
654 ft.
Higher Site 2 of 2 in cluster B

RCRIS-SQG 1000342643
FINDS NYD001382746

RCRIS:
Owner: PIVOT METAL WORKS INC
(212) 555-1212
EPA ID: NYD001382746
Contact: HENRY WOLF
(718) 649-5454
Classification: Small Quantity Generator
Used Oil Recyc: No
TSDF Activities: Not reported
Violation Status: Violations exist
Regulation Violated: Not reported
Area of Violation: GENERATOR-ALL REQUIREMENTS (OVERSIGHT)
Date Violation Determined: 11/14/1991
Actual Date Achieved Compliance: 03/30/1992
Enforcement Action: WRITTEN INFORMAL
Enforcement Action Date: 11/14/1991
Penalty Type: Not reported

There are 1 violation record(s) reported at this site:

Evaluation	Area of Violation	Date of Compliance
Compliance Evaluation Inspection	GENERATOR-ALL REQUIREMENTS (OVERSIGHT)	19920330

NY MANIFEST

Additional detail is available in NY MANIFEST. Please contact your EDR Account Executive for more information.

FINDS:

Other Pertinent Environmental Activity Identified at Site:
Facility Registry System (FRS)
Resource Conservation and Recovery Act Information system (RCRAINFO)

C6 FRESH CREEK
WSW FLATLANDS AVE/LOUISIANA
< 1/8 BROOKLYN, NY
660 ft.
Higher Site 1 of 3 in cluster C

NY Spills S104787878
N/A

SPILLS:
Spill Number: 0005213

Region of Spill: 2

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

FRESH CREEK (Continued)

S104787878

Facility Contact: RUDY FERRO Facility Tele: (212) 860-8250
 Investigator: SACCACIO SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: UNKNOWN
 Spiller Address: -
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Spill Cause: Unknown Resource Affected: Surface Water
 Water Affected: FRESH CREEK Spill Source: Unknown
 Spill Notifier: Local Agency PBS Number: Not reported
 Spill Date: 08/01/2000 10:35 Reported to Dept: 08/01/2000 11:14
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 08/01/2000
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 08/01/2000
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: Petroleum
 Chem Abstract Service Number: UNKNOWN PETROLEUM
 Last Date: 09/29/1994
 Num Times Material Entry In File: 16414
 Remark: NOTIFIER DISCOVERED ABOVE MATERIAL ON TOP OF ABOVE WATER AT ABOVE LOCATION. NYC DEP HAS CONTACTED S AND D ENVIRONMENTAL TO RESPOND TO LOCATION AND INVESTIGATE THE PROBLEM. NO CALL BACK REQUESTED.
 DEC Remarks: Not reported

A7 1121 PENNSYLVANIA AVE
 NNE 1121 PENNSYLVANIA AVE
 < 1/8 BROOKLYN, NY
 659 ft.
 Higher Site 4 of 5 in cluster A

NY Spills S103570001
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
Site EPA ID Number

1121 PENNSYLVANIA AVE (Continued)

S103570001

SPILLS:

Spill Number: 9609479 Region of Spill: 2
Facility Contact: MURALI SAGAR Facility Tele: (718) 331-5003
Investigator: TOMASELLO SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: 1883 NORSTROM AVE CORP
Spiller Address: -
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Other Resource Affected: On Land
Water Affected: Not reported Spill Source: Gas Station
Spill Notifier: Other PBS Number: Not reported
Spill Date: 10/29/1996 11:30 Reported to Dept: 10/29/1996 13:40
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/04/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/29/1996
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Remarks: CALLER WAS REMOVING TANKS FROM SITE AND FOUND CONTAMINATED SOIL
DEC Remarks: Not reported

A8 GETTY GAS STATION
NNE 1121 PENNSYLVANIA AV
< 1/8 BROOKLYN, NY
659 ft.
Higher Site 5 of 5 in cluster A

NY Spills S102662703
N/A

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

GETTY GAS STATION (Continued)

S102662703

SPILLS:

Spill Number: 9711920 Region of Spill: 2
 Facility Contact: ANWAR-UL-HASSAN Facility Tele: (718) 272-0874
 Investigator: O'DOWD SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: ANWAR-UL-HASSAN Spiller Phone: (718) 272-0872
 Spiller: GETTY GAS STATION
 Spiller Address: 1121 PENNSYLVANIA
 BROOKLYN, NY
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 04/23/1998
 Spill Cause: Equipment Failure Resource Affected: In Sewer
 Water Affected: Not reported Spill Source: Gas Station
 Spill Notifier: Fire Department PBS Number: Not reported
 Spill Date: 01/24/1998 12:20 Reported to Dept: 01/24/1998 13:33
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: 04/23/1998
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 01/24/1998
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 20
 Units: Gallons
 Unknown Qty Spilled: 20
 Quantity Recovered: 15
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 Remark: WORKER CHANGE A PIECE OF EQUIPMENT AND SPILLED GAS - 5 GALLONS WENT INTO SEWER
 DEC Remarks: AS PER C. TOMASELLO OFF-HOUR RESPONDER) OK TO CLOSE. FIRE DEPARTMENT FLUSHED SEWERS.

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
C9	WSW	1/8-1/4	739 ft.	Higher	26 WARD PLANT 12266 FLATLANDS AVE BROOKLYN, NY	LTANKS	S105135339 N/A	
					Site 2 of 3 in cluster C			
					LTANKS:			
					Spill Number: 0105192	Region of Spill: 2		
					Facility Contact: CHERELLE MAYFIELD	Facility Tele: (718) 595-6777		
					Investigator: DEMEO	SWIS: 61		
					Caller Name: Not reported	Caller Agency: Not reported		
					Caller Phone: Not reported	Caller Extension: Not reported		
					Notifier Name: Not reported	Notifier Agency: Not reported		
					Notifier Phone: Not reported	Notifier Extension: Not reported		
					Spiller Contact: UNK	Spiller Phone: (000) 000-0000		
					Spiller: UNK			
					Spiller Address: UNK			
					Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.			
					Spill Closed Dt: Not reported			
					Spill Cause: Tank Overfill	Resource Affected: On Land		
					Water Affected: Not reported	Spill Source: Unknown		
					Spill Notifier: Local Agency	PBS Number: Not reported		
					Spill Date: 08/13/2001 16:14	Reported to Dept: 08/13/2001 16:43		
					Cleanup Ceased: Not reported			
					Last Inspection: Not reported			
					Cleanup Meets Standard: False			
					Recommended Penalty: Penalty Not Recommended			
					Spiller Cleanup Date: Not reported			
					Enforcement Date: Not reported			
					Investigation Complete: Not reported			
					UST Involvement: False			
					Spill Record Last Update: 09/24/2001			
					Is Updated: False			
					Corrective Action Plan Submitted: Not reported			
					Date Spill Entered In Computer Data File: 08/13/2001			
					Date Region Sent Summary to Central Office: Not reported			
					Tank Test:			
					PBS Number: Not reported			
					Tank Number: Not reported			
					Test Method: Not reported			
					Capacity of Failed Tank: Not reported			
					Leak Rate Failed Tank: Not reported			
					Gross Leak Rate: Not reported			
					Material:			
					Material Class Type: 1			
					Quantity Spilled: 25			
					Units: Gallons			
					Unknown Qty Spilled: 25			
					Quantity Recovered: 0			
					Unknown Qty Recovered: True			
					Material: DIESEL			
					Class Type: Petroleum			
					Chem Abstract Service Number: DIESEL			
					Last Date: 07/28/1994			
					Num Times Material Entry In File: 10625			
					DEC Remarks: Not reported			
					Spill Cause: SPILL HAS OCCURED IN PARKING LOT AREA OF THE 26TH WARD PLANT WHICH WAS			

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

26 WARD PLANT (Continued)

S105135339

CAUSED BY AN OVERFLOW IN TANK

C10	NYCDEP 26TH WARD WPCP	LTANKS	S104782042
WSW	12266 FLATLANDS AVE		N/A
1/8-1/4	BROOKLYN, NY		
739 ft.			
Higher	Site 3 of 3 in cluster C		
LTANKS:			
Spill Number:	0005497	Region of Spill:	2
Facility Contact:	CHARLES GUDER	Facility Tele:	(516) 671-8440
Investigator:	KOLLEENY	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	ASHOK GABA	Spiller Phone:	(718) 595-4893
Spiller:	NYCDEP		
Spiller Address:	9605 HORACE HARDING EX ELMHURST, NY -		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Tank Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	08/08/2000 10:00	Reported to Dept:	08/08/2000 11:16
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	08/09/2000		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/08/2000		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	UNKNOWN PETROLEUM		
Class Type:	Petroleum		
Chem Abstract Service Number:	UNKNOWN PETROLEUM		
Last Date:	09/29/1994		
Num Times Material Entry In File:	16414		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

EDR ID Number
EPA ID Number
Database(s)

NYCDEP 26TH WARD WPCP (Continued)

S104782042

DEC Remarks: Not reported
Spill Cause: SOIL CONTAMINATION AT ABOVE LOCATION. CALLER HAS SPOKEN WITH JONATHAN KO LLEENY FROM DEC REGIONAL OFFICE 2 IN REFERENCE TO INCIDENT. CALLER WILL CONTACT REGIONAL OFFICE WITH ANY FURTHER INFORMATION.

11 VANDALIA
South 17 VANDALIA AVENUE
1/8-1/4 NEW YORK CITY, NY
791 ft.
Higher

LTANKS S102671636
N/A

LTANKS:

Spill Number: 9011231 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: HEALY SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (718) 388-8787
Spiller: NYCHA/RAD OIL
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/06/1993
Spill Cause: Tank Overfill Resource Affected: On Land
Water Affected: Not reported Spill Source: Tank Truck
Spill Notifier: Affected Persons PBS Number: 2-474088
Spill Date: 01/23/1991 11:00 Reported to Dept: 01/23/1991 11:46
Cleanup Ceased: 07/06/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 12/27/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/29/1991
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 15
Units: Gallons
Unknown Qty Spilled: 15
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

VANDALIA (Continued)

S102671636

Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Not reported
Spill Cause: SPILLAGE CAME OUT OF VENT ONTO SOIL, NYCHA PERSONNEL TO PICK UP SPOSE. DI

12 TELE MANHOLES VAPORS NY Spills S102144033
North PENNS.AVE / COZINE ST. N/A
1/8-1/4 NEW YORK CITY, NY

SPILLS:

Spill Number: 8602391 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: Not reported SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: UNK.
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 08/21/1987
Spill Cause: Unknown Resource Affected: In Sewer
Water Affected: SEWERS Spill Source: Unknown
Spill Notifier: Affected Persons PBS Number: Not reported
Spill Date: 07/10/1986 12:00 Reported to Dept: 07/11/1986 10:50
Cleanup Ceased: 08/21/1987
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/31/1987
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/11/1986
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

TELE MANHOLES VAPORS (Continued)

S102144033

Last Date: 09/29/1994
Num Times Material Entry In File: 16414
Remarks: CALLED TO REGION SULLIVAN) BY FRANK SCANDALE NYT CO. 718)330-6179
DEC Remarks: 10/10/95: This is additional information about material spilled from the
e translation of the old spill file: HYDROCARBON VAPORS.

13
North
1/8-1/4
909 ft.
Higher

PENNSYLVANIA / COZINE AVE
BROOKLYN, NY

NY Spills S104649372
N/A

SPILLS:

Spill Number: 9904544 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: ENGELHARDT SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: CON EDISON
Spiller Address: 4 IRVING PLACE
NEW YORK, NY 10003
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported Resource Affected: On Land
Spill Cause: Equipment Failure Spill Source: Commercial Vehicle
Water Affected: Not reported PBS Number: Not reported
Spill Notifier: Responsible Party Reported to Dept: 07/16/1999 18:14
Spill Date: 07/16/1999 17:11

Cleanup Ceased: Not reported

Last Inspection: Not reported

Cleanup Meets Standard: False

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: 01/04/2001

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 07/16/1999

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: TRANSMISSION FLUID

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

(Continued)

S104649372

Class Type: Petroleum
Chem Abstract Service Number: TRANSMISSION FLUID
Last Date: 07/28/1994
Num Times Material Entry In File: 295
Remark: caller states business vehicle leaked about 1 gal of transmission fluid
clean up is in the process no callback requested
DEC Remarks: Not reported

14 WILLIAMS & FLATLANDS AVS NY Spills S102142606
WSW WILLIAMS / FLATLANDS AVS N/A
1/8-1/4 BKLYN, NY
1063 ft.
Higher

SPILLS:

Spill Number: 9111763 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: ADELUGBA SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: Not reported
Spiller Address: Not reported
Spill Class: Not reported
Spill Closed Dt: 02/14/1992
Spill Cause: Equipment Failure Resource Affected: Surface Water
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Local Agency PBS Number: Not reported
Spill Date: 02/14/1992 14:30 Reported to Dept: 02/14/1992 16:20
Cleanup Ceased: 02/14/1992
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/20/1992
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 3
Quantity Spilled: 500000
Units: Gallons
Unknown Qty Spilled: 500000
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: RAW SEWAGE

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

WILLIAMS & FLATLANDS AVS (Continued)

S102142606

Class Type: Non Pet/Non Haz
 Chem Abstract Service Number: RAW SEWAGE
 Last Date: 07/28/1994
 Num Times Material Entry In File: 1993
 Remarks: REFERRED TO SPEDES.
 DEC Remarks: Not reported

15 1000 PENN. AVE QUEENS/OXI
 North 1000 PENNSYLVANIA AVE.
 1/8-1/4 NEW YORK CITY, NY
 1146 ft.
 Higher

NY Spills S102144255
N/A

SPILLS:

Spill Number: 8605876 Region of Spill: 2
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: Not reported SWIS: 62
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: UNK
 Spiller Address: Not reported Resource Affected: On Land
 Spill Class: Not reported Spill Source: Other Commercial/Industrial
 Spill Closed Dt: 12/16/1986 PBS Number: Not reported
 Spill Cause: Unknown Reported to Dept: 12/16/1986 14:48
 Water Affected: Not reported
 Spill Notifier: Police Department
 Spill Date: 12/16/1986 13:09
 Cleanup Ceased: 12/16/1986
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 09/01/1987
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 01/08/1987
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 4
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN MATERIAL
 Class Type: Unknown

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

1000 PENN. AVE QUEENS/OXI (Continued)

S102144255

Chem Abstract Service Number: UNKNOWN MATERIAL
Last Date: 11/09/1994
Num Times Material Entry In File: 9140
Remarks: @
DEC Remarks: Not reported

16 26TH WARD WATER POLLUTION LTANKS S102399516
WSW CONTROL -112-66 FLATLAND N/A
1/8-1/4 BROOKLYN, NY
1168 ft.
Higher

LTANKS:
Spill Number: 9608289 Region of Spill: 2
Facility Contact: SUNIL MODI Facility Tele: (718) 595-4887
Investigator: KOLLEENY SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: SUNIL MODI Spiller Phone: (718) 595-4887
Spiller: CITY OF NEW YORK
Spiller Address: WATER POLLUTION PLANT BROOKLYN, NY
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: 2-456489
Spill Date: 10/02/1996 15:00 Reported to Dept: 10/03/1996 10:23
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/30/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/03/1996
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 010
Test Method: Horner EZ Check
Capacity of Failed Tank: 10000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #4 FUEL OIL

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

26TH WARD WATER POLLUTION (Continued)

S102399516

Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751
DEC Remarks: Not reported
Spill Cause: Not reported

17 NYC DOS 922 GEORGIA AVE
NW NYC DOS 922 GEORGIA AVE
1/8-1/4 BROOKLYN, NEW YORK, NY
1231 ft.
Higher

LTANKS S101340941
N/A

LTANKS:
Spill Number: 9403700 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: KRIMGOLD SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: NYC DEPT OF SANITATION
Spiller Address: 922 GEORGIA AVENUE
BROOKLYN, NEW YORK
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Non Commercial/Industrial
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 06/15/1994 17:00 Reported to Dept: 06/16/1994 07:55
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 06/20/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/22/1994
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Not reported
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: True

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

NYC DOS 922 GEORGIA AVE (Continued)

S101340941

Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: TTF.
Spill Cause: SEE 9306849

D18
NNW 922 GEORGIA AVE
1/8-1/4 BROOKLYN, NY
1263 ft.
Higher

NY Spills S104650820
N/A

Site 1 of 5 in cluster D

SPILLS:

Spill Number: 0002542 Region of Spill: 2
Facility Contact: STEVE FRANK Facility Tele: (716) 759-0887
Investigator: KRIMGOLD SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: DEPT OF SANITATION
Spiller Address: BROOKLYN, NY
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Human Error Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 05/31/2000 10:00 Reported to Dept: 05/31/2000 11:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/31/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/31/2000
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 0

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

(Continued)

S104650820

Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Remark: ON 5/11/00 CALLER COMPANY DRILLED INTO A UST AND THAT MIGHT HAVE CAUSED
THE SPILL
DEC Remarks: Not reported

D19 NYC DEPT OF SANITATION NY Spills S104652729
NNW 922 GEORGIA AVE N/A
1/8-1/4 BROOKLYN, NY
1263 ft.
Higher Site 2 of 5 in cluster D

SPILLS:
Spill Number: 0001840 Region of Spill: 2
Facility Contact: UNK Facility Tele: (000) 000-0000
Investigator: KRIMGOLD SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: RON TRAMPOSCH Spiller Phone: (716) 759-0887
Spiller: LIRO-KASSNER ENGINEERING
Spiller Address: 10440 MAIN ST CLARENCE, NY 14031
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Human Error Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Other PBS Number: Not reported
Spill Date: 05/11/2000 09:50 Reported to Dept: 05/12/2000 16:38
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/15/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/12/2000
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

NYC DEPT OF SANITATION (Continued)

S104652729

Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Remark: CALLER STATES NYC DEPT OF SANITATION BROOKLYN EAST 16) WAS HAVING SOIL AND GROUND WATER REMEDIATION BEING DONE WHEN AN UNDERGROUND STORAGE WAS PUNCTURED WITH AN AUGER-PETROLEUM SPILLED INTO SURROUNDING SOIL-ACCORDIN G TO CALLER THIS INCIDENT WAS NOOT REPORTED
DEC Remarks: Not reported

D20 922 GEORGIA AVE. LTANKS S100782038
NNW 922 GEORGIA AVE. N/A
1/8-1/4 BROOKLYN, NY

1263 ft. Higher Site 3 of 5 in cluster D

LTANKS:
Spill Number: 9309468 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: KRIMGOLD SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: NYC DEPT OF SANITATION
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported Resource Affected: On Land
Spill Cause: Tank Failure Spill Source: Other Non Commercial/Industrial
Water Affected: Not reported PBS Number: Not reported
Spill Notifier: Responsible Party Spill Date: 11/04/1993 14:00 Reported to Dept: 11/04/1993 15:03
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 06/20/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/08/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)
Elevation S

Database(s) EDR ID Number
EPA ID Number

922 GEORGIA AVE. (Continued)

S100782038

Material Class Type: 1
Quantity Spilled: -1
Units: Not reported
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: POSSIBLE FUEL OIL.
Spill Cause: SOIL DISCOVERED IN TANKPULL - TO CONTINUE TO EXCAVATE. SEE 9306849

D21 NYCDO'S BROOKLYN EAST 16
NNW 922 GEORGIA AVE
1/8-1/4 BROOKLYN, NY
1263 ft.
Higher Site 4 of 5 in cluster D

LTANKS S104621535
N/A

Site 4 of 5 in cluster D

LTANKS:

Spill Number:	0001440	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KRIMGOLD	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	NYC DEPT. OF SANITATION		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Tank Test Failure	Spill Source:	Other Non Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Tank Tester	Reported to Dept:	05/04/2000 16:24
Spill Date:	05/04/2000 14:30		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	05/10/2000		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/04/2000		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	1		
Test Method:	Horner EZ Check		
Capacity of Failed Tank:	4000		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Not reported		

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

NYCDOS BROOKLYN EAST 16 (Continued)

\$104621535

PBS Number: Not reported
 Tank Number: 1
 Test Method: Horner EZ Check
 Capacity of Failed Tank: 4000
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: Not reported
 Quantity Spilled: Not reported
 Units: Not reported
 Unknown Qty Spilled: Not reported
 Quantity Recovered: Not reported
 Unknown Qty Recovered: Not reported
 Material: Not reported
 Class Type: Not reported
 Chem Abstract Service Number: Not reported
 Last Date: Not reported
 Num Times Material Entry In File: Not reported
 DEC Remarks: CM FOR SITE IS LIRO. THEY WILL FOLLOW UP WITH REPAIR/RETEST. TANK WILL ULTIMATELY BE REMOVED AND REPLACED. SAMPLING WILL BE DONE AT THAT TIME TO ASSESS IMPACT TO ENVIRONMENT.
 Spill Cause: GROSS FAIL TANK CONTAINED HOIST OIL

D22 922 GEORGIA AVENUE LTANKS \$100879115
 NNW 922 GEORGIA AVENUE NY Spills N/A
 1/8-1/4 BROOKLYN, NY

Site 5 of 5 in cluster D

SPILLS:
 Spill Number: 9309753 Region of Spill: 2
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: KRIMGOLD SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: NYC DO SANITATION
 Spiller Address: 44 BEAVER STREET
 MANHATTAN, NY
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported Resource Affected: On Land
 Spill Cause: Equipment Failure Spill Source: Other Non Commercial/Industrial
 Water Affected: Not reported PBS Number: Not reported
 Spill Notifier: Other Reported to Dept: 11/11/1993 15:33
 Spill Date: 11/11/1993 12:00
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 08/06/1996
 Is Updated: False
 Corrective Action Plan Submitted: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
Site EPA ID Number

922 GEORGIA AVENUE (Continued)

S100879115

Date Spill Entered In Computer Data File: 11/18/1993
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: -1
Units: Pounds
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: KEROSENE
Class Type: Petroleum
Chem Abstract Service Number: KEROSENE
Last Date: 09/29/1994
Num Times Material Entry In File: 2052

Remark: CONTAMINATED SOIL. REMOVED STOCK PILED AND COVERED. DOING BORINGS FOR SITE ASSESSMENT.

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: LUB OIL - HOIST OIL.

This is the most recent NY SPILLS record for this site.

The NY SPILLS database contains 1 additional record for this site.

Please contact your EDR Account Executive for more information.

LTANKS:

Spill Number:	9308251	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	KRIMGOLD	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	NYC DEP OF SANITATION		
Spiller Address:	Not reported		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Tank Test Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	10/07/1993 12:00	Reported to Dept:	10/07/1993 12:42
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	06/20/1995		
Is Updated:	False		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

922 GEORGIA AVENUE (Continued)

S100879115

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 10/08/1993
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: KEROSENE
Class Type: Petroleum
Chem Abstract Service Number: KEROSENE
Last Date: 09/29/1994
Num Times Material Entry In File: 2052

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: TTF.

Spill Cause: WILL FIND LEAK - NO CONTAM. FOUND YET. SEE 9306849

Spill Number:	9312491	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TANG	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNK		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	09/28/1995		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Local Agency	PBS Number:	Not reported
Spill Date:	01/22/1994 11:00	Reported to Dept:	01/24/1994 13:07
Cleanup Ceased:	09/28/1995		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	09/28/1995		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	01/25/1994		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

922 GEORGIA AVENUE (Continued)

S100879115

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: DIESEL
 Class Type: Petroleum
 Chem Abstract Service Number: DIESEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 10625
 DEC Remarks: Not reported
 Spill Cause: PROB. PROD. INTO WRONG TANK. CLEAN UP. REFER TO 9306849

23 INTERSECTION NY Spills S104789042
 NW WORKMAN / GEORGIA ST N/A
 1/4-1/2 BROOKLYN, NY
 1361 ft.
 Higher

SPILLS:

Spill Number: 0006548 Region of Spill: 2
 Facility Contact: BOBBI JO JOHNSON Facility Tele: (978) 568-1922
 Investigator: TIPPLE SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: N/A Spiller Phone: (330) 643-6905
 Spiller: ROADWAY EXPRESS
 Spiller Address: 1077 GEORGE BLVD
 AKRON, OH 44310
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 09/20/2000 Resource Affected: On Land
 Spill Cause: Traffic Accident Spill Source: Commercial Vehicle
 Water Affected: Not reported PBS Number: Not reported
 Spill Notifier: Other Reported to Dept: 09/01/2000 16:15
 Spill Date: 09/01/2000 14:15
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 12/15/2000
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 09/01/2000
 Date Region Sent Summary to Central Office: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
Site EPA ID Number

INTERSECTION (Continued)

S104789042

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 30
Units: Gallons
Unknown Qty Spilled: 30
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
Remarks: SPILL HAS BEEN CONTAINED AND IN PROCESS OF BEING CLEANED UP.
DEC Remarks: CLEANED BY RP

24 MANHOLE #65550
NNW WORTMAN AV / PENNSYLVANIA
1/4-1/2 BROOKLYN NY, NY
1395 ft.
Higher

NY Spills S103828826
N/A

SPILLS:
Spill Number: 9814623 Region of Spill: 2
Facility Contact: RICHARD ROACH Facility Tele: (212) 580-6763
Investigator: O'CONNELL SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: UNKNOWN
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/22/1999
Spill Cause: Unknown Resource Affected: On Land
Water Affected: Not reported Spill Source: Unknown
Spill Notifier: Affected Persons PBS Number: Not reported
Spill Date: 03/08/1999 15:45 Reported to Dept: 03/08/1999 17:24
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/04/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 03/08/1999
Date Region Sent Summary to Central Office: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

EDR ID Number
EPA ID Number

Database(s)

MANHOLE #65550 (Continued)

S103828826

Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
Remark: NOTIFIER FOUND AN UNKNOWN OIL ON 15 GALLONS OF WATER - ALL CONTAINED IN A MANHOLE - CLEAN UP PENDING TEST RESULTS
DEC Remarks: Con ed e2mis notes: Found 2 qts unknown oil on 15 gallons water in mh . Can t see sump in hole. Water not moving. <1.00ppm pcb, 3/9/99: cle anup complete and tag was removed.

25
NW
1/4-1/2
1415 ft.
Higher

MANHOLE 68023
WORTMAN AVE/MALTA ST
BROOKLYN, NY

NY Spills S104788615
N/A

SPILLS:

Spill Number: 0101272 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: FOLEY SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: UNKNOWN
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/19/2001
Spill Cause: Unknown Resource Affected: On Land
Water Affected: Not reported Spill Source: Unknown
Spill Notifier: Affected Persons PBS Number: Not reported
Spill Date: 05/02/2001 11:20 Reported to Dept: 05/02/2001 19:14
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 06/20/2001
Is Updated: False

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MANHOLE 68023 (Continued)

S104788615

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/02/2001
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414

Remark: 7 QUARTS OF UNK OIL ON 250 GALLONS OF WATER - CLEAN UP NOT GOING TO BE D
ONE WITHIN THE 24 HOUR RULE BECAUSE THE LAB RESULTS CAME BACK AS 6000 PP
M PCB - REF 136788

DEC Remarks: Not reported

This is the most recent NY SPILLS record for this site.
The NY SPILLS database contains 1 additional record for this site.
Please contact your EDR Account Executive for more information.

E26 **PENN WORTMAN HOUSES** LTANKS S102555812
North **875 PENNSYLVANIA AVE** N/A
1/4-1/2 **BROOKLYN, NY**
1803 ft. **Site 1 of 2 in cluster E**

LTANKS:

Spill Number:	9614567	Region of Spill:	2
Facility Contact:	ZEKE SEIFU	Facility Tele:	(718) 257-2717
Investigator:	SACCACIO	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	DAVE FORTE	Spiller Phone:	(212) 306-3223
Spiller:	NYC HOUSING AUTHORITY		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Tank Test Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	2-474061
Spill Date:	03/18/1997 12:00	Reported to Dept:	03/18/1997 12:30
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

PENN WORTMAN HOUSES (Continued)

S102555812

Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 04/09/1997
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/18/1997
 Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: 001RED
 Test Method: Horner EZ Check
 Capacity of Failed Tank: 20017
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
Material:
 Material Class Type: Not reported
 Quantity Spilled: Not reported
 Units: Not reported
 Unknown Qty Spilled: Not reported
 Quantity Recovered: Not reported
 Unknown Qty Recovered: Not reported
 Material: Not reported
 Class Type: Not reported
 Chem Abstract Service Number: Not reported
 Last Date: Not reported
 Num Times Material Entry In File: Not reported
 DEC Remarks: Not reported
 Spill Cause: Not reported

E27
North
1/4-1/2
1803 ft.
Higher
PENN WORTMAN HOUSING
875-881 PENNSYLVANIA AVE
BROOKLYN, NY

NY Spills S102240147
N/A

Site 2 of 2 in cluster E

SPILLS:
 Spill Number: 9603017
 Facility Contact: ZELECK SEIFU
 Investigator: HEALY
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: FRANK OCELLO
 Spiller: NYCHA
 Spiller Address: 250 BRAODWAY
 NEW YORK
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 06/17/1996
 Spill Cause: Human Error
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Spill Date: 06/03/1996 13:00
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Region of Spill: 2
 Facility Tele: (718) 257-2717
 SWIS: 61
 Caller Agency: Not reported
 Caller Extension: Not reported
 Notifier Agency: Not reported
 Notifier Extension: Not reported
 Spiller Phone: (212) 306-3229
 Resource Affected: On Land
 Spill Source: Other Non Commercial/Industrial
 PBS Number: Not reported
 Reported to Dept: 06/03/1996 13:25

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

PENN WORTMAN HOUSING (Continued)

S102240147

Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 06/17/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 06/03/1996
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 2
Quantity Spilled: 1
Units: Gallons
Unknown Qty Spilled: Yes
Quantity Recovered: 1
Unknown Qty Recovered: False
Material: MALATHION
Class Type: Hazardous
Chem Abstract Service Number: MALATHION
Last Date: Not reported
Num Times Material Entry In File: 0
Material Class Type: 3
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: PESTICIDES
Class Type: Non Pet/Non Haz
Chem Abstract Service Number: PESTICIDES
Last Date: 07/28/1994
Num Times Material Entry In File: 236
Remark: subj was cleaning and spilled 1/2 gal of concentrated product - spill
being cleaned up
DEC Remarks: WORKERS IN STORE ROOM SPILLED ONE GALLON OF MALATHION, WHICH MIXED WITH
SIMAZINE GRANULES. ONE EMPLOYEE WAS BURNED BY CONCENTRATED MALATHION. AN
EMS CREW RESPONDED AND CLEANED HIM UP, BUT THE AMBULANCE HAD TO BE TOWED
AWAY FOR DE-CONTAMINATION. WINSTTON CLEANED UP THE SPILL, OVERPACKED THE
MATERIAL. CLOSE OUT.

28
SSW
1/4-1/2
1898 ft.
Higher

E 108TH ST & AVE J/BKLYN
EAST 108TH ST / AVE J
NEW YORK CITY, NY

NY Spills S102145864
N/A

SPILLS:

Spill Number:	9003899	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TANG	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

E 108TH ST & AVE J/BKLYN (Continued)

S102145864

Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 Spiller: UNKNOWN
 Spiller Address: Not reported
 Spill Class: Not reported
 Spill Closed Dt: 07/10/1990
 Spill Cause: Unknown
 Water Affected: FRESH CREEK
 Spill Notifier: DEC
 Spill Date: 05/06/1990 12:00
 Cleanup Ceased: 07/10/1990
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: Not reported
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 07/11/1990
 Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
Material:
 Material Class Type: Not reported
 Quantity Spilled: Not reported
 Units: Not reported
 Unknown Qty Spilled: Not reported
 Quantity Recovered: Not reported
 Unknown Qty Recovered: Not reported
 Material: Not reported
 Class Type: Not reported
 Chem Abstract Service Number: Not reported
 Last Date: Not reported
 Num Times Material Entry In File: Not reported
 Remark: CITIZEN REPORTED BLACK GOOK FLOATING ON THE WATER, REPORTS DANK OD
 OR, NOTICED CHANGE IN WATER COLOR TWO MONTHS AGO, DEC TO INVE
 STIGATE.
 DEC Remarks: 07/10/90: DEC EXPALINED TO CITIZEN THAT THE CREEK WAS BEING USED AS AN
 EXPERIMENTAL SITIE FOR COMBINED SEWAGE OVERFLOW EXPERIMENT. 10/10/95:
 This is additional information about material spilled from the translati
 on of the old spill file: BBLACK SUBSTANCE.

29 MH 66549
 NNW SHEAPARD AVE/STANLEY AVE
 1/4-1/2 BROOKLYN, NY
 1960 ft.
 Higher

NY Spills \$104952137
N/A

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

MH 66549 (Continued)

S104952137

SPILLS:

Spill Number: 0011213 Region of Spill: 2
 Facility Contact: PETER MCGUIRE Facility Tele: (212) 580-6765
 Investigator: O'CONNELL SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: UNKNOWN
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 01/19/2001
 Spill Cause: Unknown Resource Affected: On Land
 Water Affected: Not reported Spill Source: Unknown
 Spill Notifier: Affected Persons PBS Number: Not reported
 Spill Date: 01/15/2001 08:35 Reported to Dept: 01/15/2001 09:57
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 01/19/2001
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 01/15/2001
 Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: 4
 Quantity Spilled: 8
 Units: Gallons
 Unknown Qty Spilled: 8
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN MATERIAL
 Class Type: Unknown
 Chem Abstract Service Number: UNKNOWN MATERIAL
 Last Date: 11/09/1994
 Num Times Material Entry In File: 9140

Remarks: 8 o on 200 gal of water...samples taken clean up pending.
 DEC Remarks: e2mis notes: 1/15/01, 0900 hrs - 8 o unknown oil on 200 gals water i
 n MH 66549. Spill was found while doing repairs to blown joint. No sewer
 connection or sump pump in structure. One liquid sample taken. 1/15/0
 1, 1655 hrs - lab sequence no. 011-00402: 16 ppm PCB 1/15/01, 1900 hr
 s - structure double washed with slix. Waste removed by vactor. No leaki
 ng equipment found.

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
30 ESE 1/4-1/2 2022 ft. Higher	APARTMENT COMPLEX 145 ELIMIRA LOOP BROOKLYN, NY	NY Spills	\$103828121 N/A
SPILLS:			
Spill Number:	9813768	Region of Spill:	2
Facility Contact:	SCOTT DOUGLAS	Facility Tele:	(201) 437-1017
Investigator:	TOMASELLO	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	CALLER	Spiller Phone:	(732) 750-7068
Spiller:	AMERADA HESS		
Spiller Address:	1 HESS PLAZA WOODBRIDGE, NJ		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Other	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party	PBS Number:	Not reported
Spill Date:	02/11/1999 18:20	Reported to Dept:	02/11/1999 18:42
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	02/12/1999		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	02/11/1999		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	2		
Units:	Gallons		
Unknown Qty Spilled:	2		
Quantity Recovered:	2		
Unknown Qty Recovered:	False		
Material:	#6 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#6 FUEL OIL		
Last Date:	07/28/1994		
Num Times Material Entry In File:	2190		
Remark:	A TANK TRUCK HIT A SPEED BUMP DISLODGING THE FILL HOSE AND SPILLING THE OIL TO THE GROUND - SPILL WAS ON THE PAVEMENT AND CLEANED UP IMMEDIATELY		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

EDR ID Number
EPA ID Number

Database(s)

APARTMENT COMPLEX (Continued)

S103828121

DEC Remarks: Not reported

31 108-04 FLAT LANDS AVE
SW 108-04 LAT LANDS AVE
1/4-1/2 BROOKLYN, NY
2053 ft.
Higher

LTANKS S100560035
N/A

LTANKS:

Spill Number: 9304648 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: ODOWD SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (516) 876-4663
Spiller: PATRICK LAMB
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/03/1993
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Gas Station
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 07/13/1993 15:00 Reported to Dept: 07/13/1993 15:43
Cleanup Ceased: 08/03/1993
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 08/03/1993
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/14/1993
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Not reported
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 08/03/93: ALVIN REPLACED GASKET RETESTED ON 7/23/93 AND PASSED. SENT IN

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	----------------	------	-------------	---------------	---------------

108-04 FLAT LANDS AVE (Continued)

S100560035

CLOSURE LETTER. 10/10/95: This is additional information about material spilled from the translation of the old spill file: REGULAR - NOLEAD.

Spill Cause: EX.- INVEST - RETEST

F32	400 STANLEY AVE/SUNNYDALE	LTANKS	S102671770
NW	400 STANLEY AVE/SUNNYDALE		N/A
1/4-1/2	BKLYN, NY		
2056 ft.			
Higher	Site 1 of 4 in cluster F		
LTANKS:			
Spill Number:	9109084	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TANG	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	Not reported		
Spiller Address:	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	11/25/1991		
Spill Cause:	Tank Overfill	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	11/25/1991 12:01	Reported to Dept:	11/25/1991 15:03
Cleanup Ceased:	11/25/1991		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	Not reported		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	11/27/1991		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	3		
Units:	Gallons		
Unknown Qty Spilled:	3		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	#2 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#2 FUEL OIL		
Last Date:	12/07/1994		
Num Times Material Entry In File:	24464		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
Database(s) EPA ID Number

400 STANLEY AVE/SUNNYDALE (Continued)

S102671770

DEC Remarks: Not reported
Spill Cause: SUSPECT STICK-LINE CLOGGED; FUEL LEAKED FROM VENT ONTO CONCRETE LOAD- IN G DOCK. DRIVER APPLIED SPEEDY-DRY. SPILL TEAM ENROUTE TO COMPLETE CLEA NUP.

F33 400 STANLEY AVE. CBS AST S100494428
NW 400 STANLEY AVE. LTANKS N/A
1/4-1/2 BROOKLYN, NY NY Spills
2056 ft.
Higher Site 2 of 4 in cluster F

SPILLS:

Spill Number: 9212536 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: CAMMISA SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: SUNNYDALE FARMS
Spiller Address: 400 STANLEY AVE
BROOKLYN
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/05/1993
Spill Cause: Equipment Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 02/05/1993 08:00 Reported to Dept: 02/05/1993 08:26
Cleanup Ceased: 02/05/1993

Last Inspection: Not reported

Cleanup Meets Standard: True

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: Not reported

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 02/08/1993

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 10
Units: Gallons
Unknown Qty Spilled: 10
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
400 STANLEY AVE. (Continued)			S100494428
Chem Abstract Service Number:	DIESEL		
Last Date:	07/28/1994		
Num Times Material Entry In File:	10625		
Remark:	TANK WAS AIRBOUND-APPLIED SPEEDI-DRI,P/U DISPOSED-CLOGGED VENT-SVCMNTO REPAIR VENT -OIL CAME OUT FILL		
DEC Remarks:	Not reported		
CBS AST:			
CBS Number:	2-000012	Telephone:	(718) 257-7600
Owner:	SUNNYDALE FARMS INC. 400 STANLEY AVE. BROOKLYN, NY 11207 (718) 257-7600		
Facility Status:	Active		
Total Tanks	5		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	Not reported		
Capacity (Gal):	850		
Tank Type:	Other		
Substance:	More than one Hazardous Substance on DEC List		
Extm Protection:	None		
Intml Protection:	None		
Tank Containment:	Double-Walled		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	19
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Nitric acid	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	6101
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	7697372
SPDES Number:	Not reported	ICS Number:	2-300992
Facility Type:	Other		
Operator:	BUTCH PASCALE	Facility Town:	NEW YORK CITY
Emrgnacy Contact:	LEE KRAUSS	Emrgnacy Phone:	(718) 257-7610
Certified Date:	01/17/2001	Expiration Date:	02/10/2003
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	SUNNYDALE FARMS INC.		
Mail Contact:	LEE KRAUSS 400 STANLEY AVE. BROOKLYN, NY 11207		
Mail Phone:	(718) 257-7600		
Tank Secret:	False	Date Entered:	01/19/1993 14:02:18
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	11/02/92	Date Expired:	02/10/95
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	4550		
Unique Tank Id Number:	004		

Map ID
Direction
Distance
Distance (ft.)
Elevation
Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

400 STANLEY AVE. (Continued)

S100494428

Date Pre-Printed Renewal App Form Was Last Printed: 11/07/2000

CBS Number:	2-000012	Telephone:	(718) 257-7600
Owner:	SUNNYDALE FARMS INC. 400 STANLEY AVE. BROOKLYN, NY 11207 (718) 257-7600		
Facility Status:	Active		
Total Tanks	5		
Tank Status:	In Service		
Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	01/97		
Capacity (Gal):	800		
Tank Type:	Other		
Substance:	More than one Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Double-Walled		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	10
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Sodium hydroxide	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	6101
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	1310732
SPDES Number:	Not reported	ICS Number:	2-300992
Facility Type:	Other		
Operator:	BUTCH PASCALE	Facility Town:	NEW YORK CITY
Emrgncy Contact:	LEE KRAUSS	Emrgncy Phone:	(718) 257-7610
Certified Date:	01/17/2001	Expiration Date:	02/10/2003
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	SUNNYDALE FARMS INC.		
Mail Contact:	LEE KRAUSS 400 STANLEY AVE. BROOKLYN, NY 11207		
Mail Phone:	(718) 257-7600		
Tank Secret:	False	Date Entered:	04/22/1997 08:08:09
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	11/02/92	Date Expired:	02/10/95
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	4550		
Unique Tank Id Number:	005		
Date Pre-Printed Renewal App Form Was Last Printed:	11/07/2000		
CBS Number:	2-000012	Telephone:	(718) 257-7600
Owner:	SUNNYDALE FARMS INC. 400 STANLEY AVE.		

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number	EPA ID Number
Direction				
Distance				
Distance (ft.)				
Elevation				
400 STANLEY AVE. (Continued)			S100494428	
	BROOKLYN, NY 11207 (718) 257-7600			
Facility Status:	Active			
Total Tanks	5			
Tank Status:	In Service			
Tank Error Status:	No Missing Data			
Tank Location:	Aboveground			
Install Date:	Not reported			
Capacity (Gal):	800			
Tank Type:	Other			
Substance:	More than one Hazardous Substance on DEC List			
Extrnl Protection:	None			
Intrnl Protection:	None			
Tank Containment:	Diking			
Pipe Type:	PLASTIC	Pipe Location:	Aboveground	
Pipe Internal:	None			
Pipe External:	None			
Pipe Containment:	Diking	Haz Percent:	16	
Leak Detection:	None			
Overfill Protection:	Not reported			
Chemical:	Nitric acid	Tank Closed:	Not reported	
PBS Number:	Not reported	SWIS Code:	6101	
Federal ID:	Not reported			
MOSF Number:	Not reported	CAS Number:	7697372	
SPDES Number:	Not reported	ICS Number:	2-300992	
Facility Type:	Other			
Operator:	BUTCH PASCALE	Facility Town:	NEW YORK CITY	
Emrgnacy Contact:	LEE KRAUSS	Emrgnacy Phone:	(718) 257-7610	
Certified Date:	01/17/2001	Expiration Date:	02/10/2003	
Owner type:	Corporate/Commercial			
Owner Sub Type:	Not reported			
Mail Name:	SUNNYDALE FARMS INC.			
Mail Contact:	LEE KRAUSS 400 STANLEY AVE. BROOKLYN, NY 11207 (718) 257-7600			
Mail Phone:		Date Entered:	02/10/1989 08:23:43	
Tank Secret:	False	Due Date:	Not reported	
Last Test:	Not reported	Owner Mark:	1	
Pipe Flag:	False	Date Expired:	02/10/95	
Renew Date:	11/02/92	Is Updated:	False	
Is it There:	False			
Owner Status:	F			
Certificate Needs to be Printed:	False			
Fiscal Amt for Registration Fee Correct:	True			
Renewal Has Been Printed for Facility:	True			
Total Capacity of All Active Tanks(gal):	4550			
Unique Tank Id Number:	001			
Date Pre-Printed Renewal App Form Was Last Printed:			11/07/2000	
CBS Number:	2-000012	Telephone:	(718) 257-7600	
Owner:	SUNNYDALE FARMS INC. 400 STANLEY AVE. BROOKLYN, NY 11207 (718) 257-7600			
Facility Status:	Active			
Total Tanks	5			
Tank Status:	In Service			

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

400 STANLEY AVE. (Continued)

S100494428

Tank Error Status:	No Missing Data		
Tank Location:	Aboveground		
Install Date:	Not reported		
Capacity (Gal):	800		
Tank Type:	Other		
Substance:	Single Hazardous Substance on DEC List		
Extrnl Protection:	None		
Intrnl Protection:	None		
Tank Containment:	Diking		
Pipe Type:	PLASTIC	Pipe Location:	Aboveground
Pipe Internal:	None		
Pipe External:	None		
Pipe Containment:	Diking	Haz Percent:	18
Leak Detection:	None		
Overfill Protection:	Not reported		
Chemical:	Phosphoric acid	Tank Closed:	Not reported
PBS Number:	Not reported	SWIS Code:	6101
Federal ID:	Not reported		
MOSF Number:	Not reported	CAS Number:	7664382
SPDES Number:	Not reported	ICS Number:	2-300992
Facility Type:	Other		
Operator:	BUTCH PASCALE	Facility Town:	NEW YORK CITY
Emrgnacy Contact:	LEE KRAUSS	Emrgnacy Phone:	(718) 257-7610
Certified Date:	01/17/2001	Expiration Date:	02/10/2003
Owner type:	Corporate/Commercial		
Owner Sub Type:	Not reported		
Mail Name:	SUNNYDALE FARMS INC.		
Mail Contact:	LEE KRAUSS 400 STANLEY AVE. BROOKLYN, NY 11207		
Mail Phone:	(718) 257-7600		
Tank Secret:	False	Date Entered:	05/01/1991 09:00:52
Last Test:	Not reported	Due Date:	Not reported
Pipe Flag:	False	Owner Mark:	1
Renew Date:	11/02/92	Date Expired:	02/10/95
Is it There:	False	Is Updated:	False
Owner Status:	F		
Certificate Needs to be Printed:	False		
Fiscal Amt for Registration Fee Correct:	True		
Renewal Has Been Printed for Facility:	True		
Total Capacity of All Active Tanks(gal):	4550		
Unique Tank Id Number:	002		
Date Pre-Printed Renewal App Form Was Last Printed:	11/07/2000		
LTANKS:			
Spill Number:	9206077	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	TANG	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	ULCO OIL CO.		
Spiller Address:	1 COFFEY ST. BRROKLYN, NY 11231		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
400 STANLEY AVE. (Continued)							
							S100494428
Spill Closed Dt:	08/26/1992	Resource Affected:	On Land				
Spill Cause:	Tank Overfill	Spill Source:	Other Commercial/Industrial				
Water Affected:	Not reported	PBS Number:	Not reported				
Spill Notifier:	Responsible Party	Reported to Dept:	08/26/1992 10:26				
Spill Date:	08/26/1992 08:30						
Cleanup Ceased:	08/26/1992						
Last Inspection:	Not reported						
Cleanup Meets Standard:	True						
Recommended Penalty:	Penalty Not Recommended						
Spiller Cleanup Date:	Not reported						
Enforcement Date:	Not reported						
Investigation Complete:	Not reported						
UST Involvement:	False						
Spill Record Last Update:	Not reported						
Is Updated:	False						
Corrective Action Plan Submitted:	Not reported						
Date Spill Entered In Computer Data File:	09/02/1992						
Date Region Sent Summary to Central Office:	Not reported						
Tank Test:							
PBS Number:	Not reported						
Tank Number:	Not reported						
Test Method:	Not reported						
Capacity of Failed Tank:	Not reported						
Leak Rate Failed Tank:	Not reported						
Gross Leak Rate:	Not reported						
Material:							
Material Class Type:	1						
Quantity Spilled:	5						
Units:	Gallons						
Unknown Qty Spilled:	5						
Quantity Recovered:	0						
Unknown Qty Recovered:	False						
Material:	DIESEL						
Class Type:	Petroleum						
Chem Abstract Service Number:	DIESEL						
Last Date:	07/28/1994						
Num Times Material Entry In File:	10625						
DEC Remarks:	10/10/95: This is additional information about material spilled from the translation of the old spill file: 4-4K TANK.						
Spill Cause:	CREW INYARD PICKED UP WITH DRI-SOL						
Spill Number:	9210189	Region of Spill:	2				
Facility Contact:	Not reported	Facility Tele:	Not reported				
Investigator:	SULLIVAN	SWIS:	61				
Caller Name:	Not reported	Caller Agency:	Not reported				
Caller Phone:	Not reported	Caller Extension:	Not reported				
Notifier Name:	Not reported	Notifier Agency:	Not reported				
Notifier Phone:	Not reported	Notifier Extension:	Not reported				
Spiller Contact:	Not reported	Spiller Phone:	Not reported				
Spiller:	Not reported						
Spiller Address:	Not reported						
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.						
Spill Closed Dt:	Not reported	Resource Affected:	Groundwater				
Spill Cause:	Tank Test Failure	Spill Source:	Other Commercial/Industrial				
Water Affected:	Not reported	PBS Number:	Not reported				
Spill Notifier:	Tank Tester						

MAP FINDINGS

Map ID	Site	EDR ID Number
Direction		EPA ID Number
Distance		
Distance (ft.)		

400 STANLEY AVE. (Continued)

S100494428

Spill Date: 12/02/1992 16:00 Reported to Dept: 12/02/1992 13:35
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: Not reported
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 12/03/1992
 Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: Not reported
 Spill Cause: EIR

F34 **400 STANLEY AVENUE** **LTANKS** **S101341248**
NW **400 STANLEY AVENUE** **NY Spills** **N/A**
1/4-1/2
2056 ft.
Higher **Site 3 of 4 in cluster F**

SPIFFS:
 Spill Number: 9305358 Region of Spill: 2
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: MILLER SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: WHALECO
 Spiller Address: Not reported
 Spill Class: Possible release with minimal potential for fire or hazard or Known
 release with no damage.
 Spill Closed Dt: 07/30/1993 Resource Affected: On Land
 Spill Cause: Equipment Failure Spill Source: Other Commercial/Industrial
 Water Affected: Not reported PBS Number: Not reported
 Spill Notifier: Responsible Party

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
400 STANLEY AVENUE (Continued)			S101341248
Spill Date:	07/30/1993 10:30	Reported to Dept:	07/30/1993 13:43
Cleanup Ceased:	07/30/1993		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	04/06/1999		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/02/1993		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	5		
Units:	Gallons		
Unknown Qty Spilled:	5		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	#2 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#2 FUEL OIL		
Last Date:	12/07/1994		
Num Times Material Entry In File:	24464		
Remark:	SPILL ON CONCRETE PAVIMENT - LOAPING DOCK - HOSE DISCONNECTED DUE TOWORN OUT THREHUG ON CONNECT CLEANED UP BY WHALECO.		
DEC Remarks:	Not reported		
LTANKS:			
Spill Number:	9412264	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SIGONA	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SUNNYDALE FARMS		
Spiller Address:	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	Not reported		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Other Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	Not reported
Spill Date:	12/12/1994 15:00	Reported to Dept:	12/13/1994 16:10
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

400 STANLEY AVENUE (Continued)

S101341248

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/30/1995
Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: DIESEL
 Class Type: Petroleum
 Chem Abstract Service Number: DIESEL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 10625
DEC Remarks: Not reported
Spill Cause: EX INVEST SUSPECT REMOTE FILL- NYCFD WAS AT SITE

F35 SUNNYDALE FARMS INC UST U001838887
NW 400 STANLEY AVE AST N/A
1/4-1/2 BROOKLYN, NY 11207 LTANKS
2056 ft.
Higher Site 4 of 4 in cluster F

LTANKS:
 Spill Number: 9516361
 Facility Contact: Not reported
 Investigator: KRIMGOLD
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 Spiller: SUNNYDALE FARMS
 Spiller Address: 400 STANLEY AVENUE
 BROOKLYN, NY
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 03/20/1996
 Spill Cause: Tank Overfill
 Water Affected: Not reported
 Spill Notifier: Other
 Spill Date: 03/20/1996 12:00
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Region of Spill: 2
 Facility Tele: (718) 257-7618
 SWIS: 61
 Caller Agency: Not reported
 Caller Extension: Not reported
 Notifier Agency: Not reported
 Notifier Extension: Not reported
 Spiller Phone: (718) 257-7618
 Resource Affected: On Land
 Spill Source: Other Commercial/Industrial
 PBS Number: Not reported
 Reported to Dept: 03/20/1996 12:47

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

SUNNYDALE FARMS INC (Continued)

U001838887

Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 04/01/1996
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/20/1996
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 2
 Units: Gallons
 Unknown Qty Spilled: 2
 Quantity Recovered: 2
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 DEC Remarks: Not reported
 Spill Cause: CUSTOMER ORDERED TOO MUCH OIL. ONTO CONCRETE. CLEANED UP.
 PBS UST:
 PBS Number: 2-032999 CBS Number: Not reported
 SPDES Number: Not reported SWIS ID: 6101
 Operator: RAYMOND KEARNEY
 (718) 257-7600
 Emergency Contact: RAYMOND KEARNEY
 (718) 257-7600
 Total Tanks: 2
 Owner: SUNNYDALE FARMS INC
 400 STANLEY AVE
 BROOKLYN, NY 11207
 (718) 257-7600
 Owner Type: Corporate/Commercial
 Owner Mark: First Owner
 Owner Subtype: Not reported
 Mailing Address: SUNNYDALE FARMS INC
 ATTN: RAYMOND KEARNEY
 400 STANLEY AVE
 BROOKLYN, NY 11207
 (718) 257-7600
 Tank Status: In Service
 Capacity (gals): 10000
 Tank Location: UNDERGROUND
 Tank Id: 001
 Install Date: 12/01/1976
 Tank Type: Steel/carbon steel
 Product Stored: DIESEL
 Tank Internal: Not reported
 Pipe Internal: Not reported

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

SUNNYDALE FARMS INC (Continued)

U001838887

Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	11/04/1998	Next Test Date:	11/04/2003
Date Closed:	11/01/1998	Test Method:	HORNER
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	10250	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	05/15/2000
Old PBS Number:	Not reported	Expiration Date:	10/23/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-032999	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	RAYMOND KEARNEY (718) 257-7600		
Emergency Contact:	RAYMOND KEARNEY (718) 257-7600		
Total Tanks:	2		
Owner:	SUNNYDALE FARMS INC 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	SUNNYDALE FARMS INC ATTN: RAYMOND KEARNEY 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600		
Tank Status:	Closed - In Place		
Capacity (gals):	10000		
Tank Location:	UNDERGROUND		
Tank Id:	002	Install Date:	12/01/1976
Tank Type:	Steel/carbon steel	Product Stored:	DIESEL
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
SUNNYDALE FARMS INC (Continued)								U001838887
Overflow Prot:	2					Dispenser:	Suction	
Date Tested:	Not reported					Next Test Date:	Not reported	
Date Closed:	12/01/1998					Test Method:	Not reported	
Deleted:	False					Updated:	True	
Dead Letter:	False					Owner Screen:	No data missing	
FAMT:	Fiscal amount for registration fee is correct							
Total Capacity:	10250					Renewal Date:	Not reported	
Tank Screen:	Minor data missing					Federal ID:	Not reported	
Renew Flag:	Renwal has not been printed					Facility Screen:	No data missing	
Certification Flag:	False					Certification Date:	05/15/2000	
Old PBS Number:	Not reported					Expiration Date:	10/23/2002	
Inspected Date:	Not reported					Inspector:	Not reported	
Inspection Result:	Not reported							
Lat/long:	Not reported							
Facility Type:	MANUFACTURING							
Town or City:	NEW YORK CITY							
Town or City Code:	01							
County Code:	61							
Region:	2							
PBS Number:	2-032999					CBS Number:	Not reported	
SPDES Number:	Not reported					SWIS ID:	6101	
Operator:	RAYMOND KEARNEY (718) 257-7600							
Emergency Contact:	RAYMOND KEARNEY (718) 257-7600							
Total Tanks:	2							
Owner:	SUNNYDALE FARMS INC 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600							
Owner Type:	Corporate/Commercial							
Owner Mark:	First Owner							
Owner Subtype:	Not reported							
Mailing Address:	SUNNYDALE FARMS INC ATTN: RAYMOND KEARNEY 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600							
Tank Status:	Closed - In Place							
Capacity (gals):	10000							
Tank Location:	UNDERGROUND							
Tank Id:	003					Install Date:	12/01/1976	
Tank Type:	Steel/carbon steel					Product Stored:	DIESEL	
Tank Internal:	Not reported					Pipe Internal:	Not reported	
Pipe Location:	2					Pipe Type:	GALVANIZED STEEL	
Tank External:	Not reported							
Missing Data for Tank:	Minor Data Missing							
Pipe External:	Not reported							
Second Containment:	NONE							
Leak Detection:	NONE							
Overflow Prot:	2					Dispenser:	Suction	
Date Tested:	Not reported					Next Test Date:	Not reported	
Date Closed:	12/01/1998					Test Method:	Not reported	
Deleted:	False					Updated:	True	
Dead Letter:	False					Owner Screen:	No data missing	
FAMT:	Fiscal amount for registration fee is correct							

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
SUNNYDALE FARMS INC (Continued)			U001838887
Total Capacity:	10250	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	05/15/2000
Old PBS Number:	Not reported	Expiration Date:	10/23/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-032999	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	RAYMOND KEARNEY (718) 257-7600		
Emergency Contact:	RAYMOND KEARNEY (718) 257-7600		
Total Tanks:	2		
Owner:	SUNNYDALE FARMS INC 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	SUNNYDALE FARMS INC ATTN: RAYMOND KEARNEY 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600		
Tank Status:	Closed - In Place		
Capacity (gals):	10000		
Tank Location:	UNDERGROUND		
Tank Id:	004	Install Date:	12/01/1976
Tank Type:	Steel/carbon steel	Product Stored:	DIESEL
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	12/01/1998	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	10250	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	05/15/2000
Old PBS Number:	Not reported	Expiration Date:	10/23/2002
Inspected Date:	Not reported	Inspector:	Not reported

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
SUNNYDALE FARMS INC (Continued)			U001838887
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-032999	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	RAYMOND KEARNEY (718) 257-7600		
Emergency Contact:	RAYMOND KEARNEY (718) 257-7600		
Total Tanks:	2		
Owner:	SUNNYDALE FARMS INC 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	SUNNYDALE FARMS INC ATTN: RAYMOND KEARNEY 400 STANLEY AVE BROOKLYN, NY 11207 (718) 257-7600		
Tank Status:	Closed - In Place		
Capacity (gals):	5000	Install Date:	12/01/1976
Tank Location:	UNDERGROUND	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Id:	005	Pipe Internal:	Not reported
Tank Type:	Steel/carbon steel	Pipe Type:	GALVANIZED STEEL
Tank Internal:	Not reported		
Pipe Location:	2		
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overflow Prot:	Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	12/01/1998	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	10250	Renewal Date:	Not reported
Tank Screen:	Minor data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	05/15/2000
Old PBS Number:	Not reported	Expiration Date:	10/23/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	MANUFACTURING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		

MAP FINDINGS

Map ID	Database(s)	EDR ID Number
Direction		EPA ID Number
Distance		
Distance (ft.)		
Elevation		
Site		

SUNNYDALE FARMS INC (Continued)

Region: 2

This is the most recent NY PBS data for this site.
 The NY PBS database contains 6 additional records for this site.
 Please contact your EDR Account Executive for more information.

PBS AST:		
PBS Number:	2-032999	CBS Number: Not reported
SPDES Number:	Not reported	SWIS Code: 6101
Federal ID:	Not reported	Previous PBS#: Not reported
Facility Status:	1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.	
Facility Type:	MANUFACTURING	
Owner Type:	Corporate/Commercial	
Owner Sub Type:	Not reported	
Owner:	SUNNYDALE FARMS INC 400 STANLEY AVE BROOKLYN, NY 11207	
Owner Phone:	(718) 257-7600	
Facility Phone:	(718) 257-7600	
Operator:	RAYMOND KEARMEY	
Emergency Name:	RAYMOND KEARNEY	
Emergency Phone:	(718) 257-7600	
Total Tanks:	2	
Total Capacity:	10250	
Tank ID:	01W	
Capacity (Gal):	250	
Missing Data for Tank :	Minor data missing	
Tank Location:	ABOVEGROUND	
Product Stored:	USED OIL	
Tank Type:	Stainless steel alloy	
Install Date:	//	
Tank Internal:	Not reported	
Tank External:	Not reported	
Tank Containment:	NONE/NONE	
Pipe Type:	Not reported	
Pipe Location:	Not reported	
Pipe Internal:	Not reported	
Pipe External:	Not reported	
Leak Detection:	NONE/NONE	
Overfill Protection:	None	
Dispenser Method:	Not reported	
Date Tested:	//	Next Test Date: //
Date Closed:	//	Test Method: Not reported
Updated:	True	Deleted: False
Date Inspected:	Not reported	Inspector: Not reported
Result of Inspection:	Not reported	
Mailing Name:	SUNNYDALE FARMS INC	
Mailing Address:	400 STANLEY AVE BROOKLYN, NY 11207	
Mailing Contact:	RAYMOND KEARNEY	
Mailing Telephone:	(718) 257-7600	Expiration Date: 10/23/2002
Owner Mark:	First Owner	Certification Date: 05/15/2000
Certification Flag:	False	Renew Date: //
Renew Flag:	False	
Lat/Long:	Not reported	
Dead Letter:	False	
Facility Screen:	No data missing	

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	----------------	------	-------------	---------------	---------------

SUNNYDALE FARMS INC (Continued)
U001838887

Owner Screen: No data missing
 Tank Screen: Minor data missing
 Town or City: NEW YORK CITY
 Town or City Code: 01
 County Code: 61
 Region: 2
 Fiscal Amount for Registration Fee is Correct: True

36 MANHOLE 62128 NY Spills S104952739
 NNW 833 SHEPARD AVE N/A
 1/4-1/2 BROOKLYN, NY
 2147 ft.
 Higher

SPILLS:

Spill Number: 0012163 Region of Spill: 2
 Facility Contact: CHARLIE McCARTHY Facility Tele: (212) 580-6763
 Investigator: FOLEY SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: UNKNOWN
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 07/11/2001 Resource Affected: On Land
 Spill Cause: Unknown Spill Source: Unknown
 Water Affected: Not reported PBS Number: Not reported
 Spill Notifier: Other Reported to Dept: 02/12/2001 13:00
 Spill Date: 02/12/2001 11:10
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 07/23/2001
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 02/12/2001
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 1
 Units: Gallons
 Unknown Qty Spilled: Yes
 Quantity Recovered: 0
 Unknown Qty Recovered: False

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

MANHOLE 62128 (Continued)

S104952739

Material: UNKNOWN PETROLEUM
Class Type: Petroleum
Chem Abstract Service Number: UNKNOWN PETROLEUM
Last Date: 09/29/1994
Num Times Material Entry In File: 16414
Remark: spill on 50 gals of water contained in manhole. clean up pending trst re
sults. con ed 135-488.
DEC Remarks: DEC INSPECTOR S NOTES No leaking equipment. CON ED E2MIS REPORT
2-12-01 Found approx. 1gal. of unknown oil on approx. 50gals. of water
. Spill appears contained, no environmental impact. No oil filled equipm
ent in structure, tag placed, noknown sump or sewer connection. Two samp
les taken marked priority, cleanup pending test results. Update 2-15-0
1 12:52hrs. LSN 01-01500 <1ppm PCB 2-16-01 14:50hrs. Cleanup comp
leted by double washing structure with slix. Liquids were removedby tank
er and solids by vactor. Incident closed.

37 1552 VAN SICKLEN ST.
NE 1552 VAN SICKLEN
1/4-1/2 BROOKLYN, NY
2153 ft.
Higher

NY Spills \$102150544
N/A

SPILLS:

Spill Number: 9505441 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: TIBBE SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (302) 764-5876
Spiller: EAGLE BROOK, INC
Spiller Address: 1150 JUNCTION AVE
SCHERRERVILLE, IN 46375
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Equipment Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Other Commercial/Industrial
Spill Notifier: Local Agency PBS Number: Not reported
Spill Date: 08/02/1995 12:00 Reported to Dept: 08/02/1995 13:59
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: Not reported
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/25/1995
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

1552 VAN SICKLEN ST. (Continued)

S102150544

Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: 2000
 Units: Gallons
 Unknown Qty Spilled: 2000
 Quantity Recovered: 2000
 Unknown Qty Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: Petroleum
 Chem Abstract Service Number: UNKNOWN PETROLEUM
 Last Date: 09/29/1994
 Num Times Material Entry In File: 16414
Remark: IN CONTAINMENT AREA OF TANK FROM WHICH IT SPILLED - LEAK HOSE FROM TOP OF
 F HOLDING TANK.
DEC Remarks: Not reported

G38 BREUKELEN
West 618 E 108TH ST
1/4-1/2 NEW YORK CITY, NY
2179 ft.
Higher

LTANKS S100177049
N/A

Site 1 of 3 in cluster G

LTANKS:
 Spill Number: 9107005
 Facility Contact: Not reported
 Investigator: HEALY
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: FRANK OCELLO
 Spiller: NYCHA
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 11/03/1995
 Spill Cause: Tank Test Failure
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Spill Date: 09/30/1991 11:30
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 11/03/1995
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 10/03/1991
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: 002
 Test Method: Horner EZ Check

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

BREUKELEN (Continued)

S100177049

Capacity of Failed Tank: 35000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
PBS Number: Not reported
Tank Number: 003
Test Method: Horner EZ Check
Capacity of Failed Tank: 35000
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: -1
Units: Gallons
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: Site investigation conducted by TRC found no soil or groundwater contamination. Tanks subsequently passed precision tests. close out as of 11/3/95. JNH
Spill Cause: E, I R

G39	BREUKLEN HOUSES	NY Spills	S103828588
West	618 EAST 108TH ST		N/A
1/4-1/2	BROOKLYN, NY		
2179 ft.			
Higher	Site 2 of 3 in cluster G		
SPILLS:			
Spill Number:	9814335	Region of Spill:	2
Facility Contact:	MARIO MANDALONE	Facility Tele:	(718) 649-7017
Investigator:	SACCACIO	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	NYC HOUSING AUTHORITY		
Spiller Address:	250 BROADWAY NEW YORK, NY 10007		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Affected Persons	PBS Number:	-473855
Spill Date:	03/01/1999 08:35	Reported to Dept:	03/01/1999 11:03
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		

MAP FINDINGS

Map ID	Site	EDR ID Number
Direction		EPA ID Number
Distance		
Distance (ft.)		
Elevation		

BREUKLEN HOUSES (Continued)

S103828588

Spill Record Last Update: 06/02/1999
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/01/1999
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 50
 Units: Gallons
 Unknown Qty Spilled: 50
 Quantity Recovered: 50
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 Remarks: VALUE FAILED ON REFILL OF TANK 1
 DEC Remarks: 6/2/99 - Saccacio - According to the Housing Authority, one of the motor
 i ed mechanical valves that switched between tanks did not engage. This
 caused the deposit of unburned oil into both tanks one of which was not
 being used and 90 full after three days the tank overflowed. The Hous
 ing Authority removed the contaminated soil. Back end samples need to b
 e submitted for the spill to be closed out.

G40 BREUKLEN UST U001840686
 West 618 EAST 108TH STREET LTANKS N/A
 1/4-1/2 BROOKLYN, NY 11236
 2179 ft.
 Higher Site 3 of 3 in cluster G

LTANKS:
 Spill Number: 9306985 Region of Spill: 2
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: JANE HEALY SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: (212) 306-3142
 Spiller: NYCHA
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 07/08/1996 Resource Affected: On Land
 Spill Cause: Tank Test Failure Spill Source: Other Commercial/Industrial
 Water Affected: Not reported PBS Number: 2-473855
 Spill Notifier: Tank Tester Reported to Dept: 09/08/1993 11:33
 Spill Date: 09/08/1993 11:30
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

BREUKELEN (Continued)

U001840686

Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 07/08/1996
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/08/1993
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: 002
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Pounds
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #2 FUEL OIL
Last Date: 12/07/1994
Num Times Material Entry In File: 24464
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: TTF. 7/8/96: Site investigation conducted by TRC found no significant contamination. Tank subsequently passed precision test. Close out. JNH
Spill Cause: EMPTY OUT - CHECK TO SEE IF LEAKING.
Spill Number: 9315459 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: HEALY SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: (212) 306-3142
Spiller: NYCHA - JOE MONTELLA
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/08/1996 Resource Affected: Groundwater
Spill Cause: Tank Test Failure Spill Source: Other Non Commercial/Industrial
Water Affected: Not reported PBS Number: 2-473855
Spill Notifier: DEC Reported to Dept: 03/30/1994 14:54
Spill Date: 01/15/1991 12:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

BREUKELEN (Continued)

U001840686

Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 07/08/1996
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 04/05/1994
 Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: 001
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Pounds
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
DEC Remarks: 7/8/96: Site investigation by TRC found no significant contamination. Tank subsequently passed precision test. Close out. JNH
Spill Cause: LEAK RATE OF 0.09 GPH - REPORTED AS PASSED BY TESTER.

 Spill Number: 9406297 Region of Spill: 2
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: HEALY SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: (212) 306-3142
 Spiller: NYC HOUSING AUTHORITY
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 08/26/1994 Resource Affected: On Land
 Spill Cause: Tank Overfill Spill Source: Other Non Commercial/Industrial
 Water Affected: Not reported PBS Number: 2-473855
 Spill Notifier: Responsible Party Reported to Dept: 08/09/1994 10:06
 Spill Date: 08/09/1994 09:00
 Cleanup Ceased: 08/26/1994
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 08/26/1994

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	MAP FINDINGS	EDR ID Number	Database(s)	EPA ID Number
--------	-----------	----------	----------------	-----------	------	--------------	---------------	-------------	---------------

BREUKELEN (Continued)

U001840686

Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/09/1994
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Gross Materials

Material: Material Class Type: 1
Quantity Spilled: 90
Units: Gallons
Unknown Qty Spilled: 90

Unknown Qty Spilled: 0
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #2 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number:
Last Date:
Num Times Material Entry In File:

REC Remarks: Not reported

DEC Remarks: Not reported
Spill Cause: SPILL CONTAINED IN TANK 1 VAULT - WINSTON ENROUTE - TO PUMP OUT. MANHO
LE COVER LEFT OFF TANK IN VAULT AREA.

Spill Number:	9713569	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	SACCACIO	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	NYC HOUSING AUTHORITY		
Spiller Address:	250 BROADWAY NEW YORK, NY 10007		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Tank Failure	Spill Source:	Other Non Commercial/Industrial
Water Affected:	Not reported	PBS Number:	-473855
Spill Notifier:	Responsible Party	Reported to Dept:	03/06/1998 14:42
Spill Date:	03/06/1998 11:30		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	05/25/1999		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	03/06/1998		

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)
Elevation

Site

Database(s) EDR ID Number
EPA ID Number

BREUKELEN (Continued)

U001840686

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #4 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #4 FUEL OIL
Last Date: 12/05/1994
Num Times Material Entry In File: 1751
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: #6 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #6 FUEL OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 2190

DEC Remarks: Not reported

Spill Cause: DURING TANK REMOVAL - CONTAMINATED SOIL FOUND - SOIL BEING STOCKPILED -
CONTRACTOR IS AQUA X

PBS UST:

PBS Number: 2-473855 CBS Number: Not reported
SPDES Number: Not reported SWIS ID: 6101

Operator: RAFAEL VELEZ
(212) 306-3142

Emergency Contact: EMERGENCY SERVICE SQUAD
(212) 289-3940

Total Tanks: 2

Owner: NYC HOUSING AUTHORITY
250 BROADWAY
NEW YORK, NY 10007
(212) 306-3142

Owner Type: Local Government

Owner Mark: First Owner

Owner Subtype: 51

Mailing Address: REMEDIATION SECTION
ATTN: FRANK OCELLO
NEW YORK HOUSING AUTHORITY
16TH FLOOR
NEW YORK, NY 10007
(212) 306-3142

Tank Status: Closed - Removed

Capacity (gals): 35000

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
BREUKELEN (Continued)			U001840686
Tank Location:	UNDERGROUND		
Tank Id:	001	Install Date:	06/01/1998
Tank Type:	3	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	STEEL/IRON
Tank External:	NONE/NONE		
Missing Data for Tank:	Major Data Missing (which is on the certificate)		
Pipe External:	NONE/WRAPPED [PIPING]		
Second Containment:	NONE/NONE		
Leak Detection:	NONE/NONE		
Overfill Prot:	None	Dispenser:	Suction
Date Tested:	02/01/1995	Next Test Date:	Not reported
Date Closed:	04/01/1998	Test Method:	HORNER
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	50000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	10/29/1999
Old PBS Number:	Not reported	Expiration Date:	03/28/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	APARTMENT BUILDING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-473855	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	RAFAEL VELEZ (212) 306-3142		
Emergency Contact:	EMERGENCY SERVICE SQUAD (212) 289-3940		
Total Tanks:	2		
Owner:	NYC HOUSING AUTHORITY 250 BROADWAY NEW YORK, NY 10007 (212) 306-3142		
Owner Type:	Local Government		
Owner Mark:	First Owner		
Owner Subtype:	51		
Mailing Address:	REMEDIATION SECTION ATTN: FRANK OCELLO NEW YORK HOUSING AUTHORITY 16TH FLOOR NEW YORK, NY 10007 (212) 306-3142		
Tank Status:	Closed - Removed		
Capacity (gals):	35000		
Tank Location:	UNDERGROUND		
Tank Id:	002	Install Date:	06/01/1998
Tank Type:	Steel/carbon steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	GLASS LINER	Pipe Internal:	OTHER
Pipe Location:	Underground	Pipe Type:	NOT DEFINED

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

BREUKELEN (Continued)

U001840686

Tank External:	NONE/FIBERGLASS	Dispenser:	Suction
Missing Data for Tank:	No Missing Data	Next Test Date:	Not reported
Pipe External:	NONE/OTHER	Test Method:	HORNER
Second Containment:	NONE/DOUBLED-WALLED TANK	Updated:	True
Leak Detection:	NONE/INTERSTITIAL MONITORING	Owner Screen:	Minor data missing
Overfill Prot:	High Level Alarm, Product Level Gauge	Renewal Date:	Not reported
Date Tested:	06/01/1995	Federal ID:	Not reported
Date Closed:	04/01/1998	Facility Screen:	No data missing
Deleted:	False	Certification Date:	10/29/1999
Dead Letter:	False	Expiration Date:	03/28/2004
FAMT:	Fiscal amount for registration fee is correct	Inspector:	Not reported
Total Capacity:	50000	CBS Number:	Not reported
Tank Screen:	No data missing	SWIS ID:	6101
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	APARTMENT BUILDING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-473855	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	RAFAEL VELEZ (212) 306-3142		
Emergency Contact:	EMERGENCY SERVICE SQUAD (212) 289-3940		
Total Tanks:	2		
Owner:	NYC HOUSING AUTHORITY 250 BROADWAY NEW YORK, NY 10007 (212) 306-3142		
Owner Type:	Local Government		
Owner Mark:	First Owner		
Owner Subtype:	51		
Mailing Address:	REMEDIATION SECTION ATTN: FRANK OCELLO NEW YORK HOUSING AUTHORITY 16TH FLOOR NEW YORK, NY 10007 (212) 306-3142		
Tank Status:	Closed - Removed	Install Date:	10/01/1952
Capacity (gals):	35000	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Location:	UNDERGROUND	Pipe Internal:	Not reported
Tank Id:	003	Pipe Type:	STEEL/IRON
Tank Type:	Steel/carbon steel		
Tank Internal:	Not reported		
Pipe Location:	Underground		
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	WRAPPED [PIPING]		
Second Containment:	Not reported		
Leak Detection:	Not reported		

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			
BREUKELEN (Continued)			U001840686
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	06/01/1995	Next Test Date:	Not reported
Date Closed:	04/01/1998	Test Method:	HORNER
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	50000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	10/29/1999
Old PBS Number:	Not reported	Expiration Date:	03/28/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	APARTMENT BUILDING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-473855	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	RAFAEL VELEZ (212) 306-3142		
Emergency Contact:	EMERGENCY SERVICE SQUAD (212) 289-3940		
Total Tanks:	2		
Owner:	NYC HOUSING AUTHORITY 250 BROADWAY NEW YORK, NY 10007 (212) 306-3142		
Owner Type:	Local Government		
Owner Mark:	First Owner		
Owner Subtype:	51		
Mailing Address:	REMEDIATION SECTION ATTN: FRANK OCELLO NEW YORK HOUSING AUTHORITY 16TH FLOOR NEW YORK, NY 10007 (212) 306-3142		
Tank Status:	In Service		
Capacity (gals):	25000		
Tank Location:	UNDERGROUND		
Tank Id:	1	Install Date:	06/01/1998
Tank Type:	Fiberglass coated steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	NONE	Pipe Internal:	OTHER
Pipe Location:	Underground	Pipe Type:	NOT DEFINED
Tank External:	NONE/FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/OTHER		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

BREUKELEN (Continued)

U001840686

FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	50000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	10/29/1999
Old PBS Number:	Not reported	Expiration Date:	03/28/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	APARTMENT BUILDING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-473855	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	RAFAEL VELEZ (212) 306-3142		
Emergency Contact:	EMERGENCY SERVICE SQUAD (212) 289-3940		
Total Tanks:	2		
Owner:	NYC HOUSING AUTHORITY 250 BROADWAY NEW YORK, NY 10007 (212) 306-3142		
Owner Type:	Local Government		
Owner Mark:	First Owner		
Owner Subtype:	51		
Mailing Address:	REMEDIATION SECTION ATTN: FRANK OCELLO NEW YORK HOUSING AUTHORITY 16TH FLOOR NEW YORK, NY 10007 (212) 306-3142		
Tank Status:	In Service		
Capacity (gals):	25000		
Tank Location:	UNDERGROUND		
Tank Id:	2	Install Date:	06/01/1998
Tank Type:	Fiberglass coated steel	Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Internal:	NONE	Pipe Internal:	OTHER
Pipe Location:	Underground	Pipe Type:	NOT DEFINED
Tank External:	NONE/FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/OTHER		
Second Containment:	NONE/DOUBLE-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Product Level Gauge	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	Minor data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	50000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	10/29/1999

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

BREUKELEN (Continued)

Old PBS Number:	Not reported	Expiration Date:	03/28/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	APARTMENT BUILDING		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		

U001840686

41
SW
1/4-1/2
2193 ft.
Higher

FLATLANDS AVE/E 106TH ST
BROOKLYN, NY

NY Spills S104650321
N/A

SPILLS:

Spill Number:	9913145	Region of Spill:	2
Facility Contact:	RIHCARD ROACH	Facility Tele:	(212) 580-6763
Investigator:	O'CONNELL	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	SAME	Spiller Phone:	Not reported
Spiller:	CON EDISON		
Spiller Address:	4 IRVING PLACE NEW YORK, NY 10003		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported	Resource Affected:	On Land
Spill Cause:	Equipment Failure	Spill Source:	Other Commercial/Industrial
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Responsible Party	Reported to Dept:	02/18/2000 13:38
Spill Date:	02/18/2000 12:55		

Cleanup Ceased:	Not reported
Last Inspection:	Not reported
Cleanup Meets Standard:	False
Recommended Penalty:	Penalty Not Recommended
Spiller Cleanup Date:	Not reported
Enforcement Date:	Not reported
Investigation Complete:	Not reported
UST Involvement:	False
Spill Record Last Update:	02/18/2000
Is Updated:	False
Corrective Action Plan Submitted:	Not reported
Date Spill Entered In Computer Data File:	02/18/2000
Date Region Sent Summary to Central Office:	Not reported

Tank Test:

PBS Number:	Not reported
Tank Number:	Not reported
Test Method:	Not reported
Capacity of Failed Tank:	Not reported
Leak Rate Failed Tank:	Not reported
Gross Leak Rate:	Not reported

Material:

Material Class Type:	1
Quantity Spilled:	1
Units:	Gallons

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

(Continued)

S104650321

Unknown Qty Spilled: Yes
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: TRANSFORMER OIL
 Class Type: Petroleum
 Chem Abstract Service Number: TRANSFORMER OIL
 Last Date: 09/26/1994
 Num Times Material Entry In File: 533
 Remark: OVERHEAD TRANSFORMER LEAKED AT ABOVE LOCATION. MATERIAL REPORTED 1/2 PI
 NT. MATERIAL HAS BEEN CONTAINED BY PADS. SOME MATERIAL MAY HAVE GONE DO
 WN STORM SEWER AT ABOVE LOCATION. CLEANUP CREW RESPONDING AT TIME OF CA
 LL. NO CALL BACK REQUESTED.
 DEC Remarks: Not reported

42 875 WILLIAMS STREET LTANKS S101509048
 WNW 875 WILLIAMS ST N/A
 1/4-1/2 BROOKLYN, NY

LTANKS:

Spill Number: 9500631 Region of Spill: 2
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: SIGONA SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: (718) 649-0442
 Spiller: SAME
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Spill Cause: Tank Test Failure Resource Affected: On Land
 Water Affected: Not reported Spill Source: Other Commercial/Industrial
 Spill Notifier: Tank Tester PBS Number: Not reported
 Spill Date: 04/13/1995 10:00 Reported to Dept: 04/17/1995 10:01
 Cleanup Ceased: Not reported
 Last Inspection: Not reported

Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 08/09/1995
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 05/15/1995
 Date Region Sent Summary to Central Office: Not reported

Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported

Material:

MAP FINDINGS

Map ID	EDR ID Number
Direction	EPA ID Number
Distance	
Distance (ft.)	
Elevation	Database(s)
Site	

875 WILLIAMS STREET (Continued)

S101509048

Material Class Type: 1
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #4 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #4 FUEL OIL
 Last Date: 12/05/1994
 Num Times Material Entry In File: 1751
 DEC Remarks: Not reported
 Spill Cause: ATTEMPTED TO CONTACT FLOYD LIVERMONE, N/A 4/17/95 1:30 P.M., MIKE GIUSTI
 NIANI - STATE ENVIRONMENT - TANKS TO BE PUMPED OUT -

H43	RENCO CAR SHOP	NY Spills	S104790361
NW	806 ALABAMA BLVD		N/A
1/4-1/2	BROOKLYN, NY		
2276 ft.			
Higher	Site 1 of 2 in cluster H		

SPILLS:
 Spill Number: 0007992 Region of Spill: 2
 Facility Contact: N/A Facility Tele: (718) 346-9068
 Investigator: SACCACIO SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: N/A Spiller Phone: (718) 346-9068
 Spiller: RENCO CAR SHOP
 Spiller Address: 806 ALABAMA BLVD
 BROOKLYN, NY
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Spill Cause: Deliberate Resource Affected: On Land
 Water Affected: Not reported Spill Source: Other Commercial/Industrial
 Spill Notifier: Federal Government PBS Number: Not reported
 Spill Date: 10/06/2000 12:00 Reported to Dept: 10/06/2000 17:21
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 12/04/2000
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 10/06/2000
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

RENCO CAR SHOP (Continued)

S104790361

Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: MOTOR OIL
 Class Type: Petroleum
 Chem Abstract Service Number: MOTOR OIL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 508
 Material Class Type: 2
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: ETHYLENE GLYCOL
 Class Type: Hazardous
 Chem Abstract Service Number: ETHYLENE GLYCOL
 Last Date: Not reported
 Num Times Material Entry In File: 0
 Remark: COAST GUARD GOT A CALL FROM THE NRC WHO GOT A CALL FROM AN ANONYMOUS PERSON STATING THAT THE CAR SHOP IS SPILLING OIL AND ANTIFREEZE ON THE GROUND AND DRILLING HOLES IN THE GROUND TO GET RID OF THE SPILL. NRC REPORT NUMBER IS-544431.
 DEC Remarks: Notifier claimed that this shop dismantals transmissions. He claims that the transmission oil is directed to an area where holes in the concrete were drilled so the oil can absorb into the ground beneath. Filled out and submitted an ivesigationrequest to ECO on duty.

I44 STARRETT POWER STATION NY Spills S104788864
 ESE 165 ELMIRE LOOP N/A
 1/4-1/2 BROOKLYN, NY
 2314 ft.
 Higher Site 1 of 4 in cluster I

SPILLS:
 Spill Number: 0006298 Region of Spill: 2
 Facility Contact: JOE OLDACK Facility Tele: (718) 946-0433
 Investigator: ROMMEL SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: JOE OLDACK Spiller Phone: (718) 946-0433
 Spiller: STARRETT POWER STATION
 Spiller Address: 165 ELMIRE LOOP
 BROOKLYN, NY
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Spill Cause: Unknown Resource Affected: On Land
 Water Affected: Not reported Spill Source: Other Commercial/Industrial
 Spill Notifier: Affected Persons PBS Number: Not reported
 Spill Date: 08/26/2000 09:00 Reported to Dept: 08/28/2000 09:28
 Cleanup Ceased: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

STARRETT POWER STATION (Continued)

S104788864

Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 08/28/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 08/28/2000
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: True
Material: #6 FUEL OIL
Class Type: Petroleum
Chem Abstract Service Number: #6 FUEL OIL
Last Date: 07/28/1994
Num Times Material Entry In File: 2190

Remark: caller states that a contractor has put 6 oil into the city drinking water system. oil was coming out of the faucets at a kennel next door also. caller states that the entire water system at plat has been shut down also. caller very concerned and says that dec needs to get there and look into the matter

DEC Remarks: Not reported

I45 165 ELMIRA LOOP/BKLYN
ESE 165 ELMIRA LOOP
1/4-1/2 BROOKLYN, NY
2314 ft.
Higher Site 2 of 4 in cluster I

NY Spills S103560348
N/A

SPILLS:

Spill Number:	9812825	Region of Spill:	2
Facility Contact:	CALLER	Facility Tele:	() -
Investigator:	MULQUEEN	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(800) 437-7872
Spiller:	HESS OIL CO		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Unknown	Resource Affected:	On Land

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

165 ELMIRA LOOP/BKLYN (Continued)

S103560348

Water Affected: Not reported
Spill Notifier: Affected Persons
Spill Date: 01/18/1999 19:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/20/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 01/19/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: 5
 Units: Gallons
 Unknown Qty Spilled: 5
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #6 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #6 FUEL OIL
 Last Date: 07/28/1994
 Num Times Material Entry In File: 2190
Remark: CALLER REPORTED SPILL THAT HAPPEN LAST NIGHT. UNK HOW IT HAPPENED. HESS DIDN T NOTIFY ANYONE ON SITE. HESS ENROUTE TODAY FOR CLEANUP.
DEC Remarks: Not reported

This is the most recent NY SPILLS record for this site.
The NY SPILLS database contains 1 additional record for this site.
Please contact your EDR Account Executive for more information.

I46 STTARRETT CITY POWER ST.
ESE 165 ELMIRA LOOP
1/4-1/2 BROOKLYN, NY
2314 ft.
Higher Site 3 of 4 in cluster I

NY Spills S104284046
N/A

SPILLS:

Spill Number: 9909916
Facility Contact: CALLER
Investigator: SIGONA
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: CALLER
Spiller: STTARRETT CITY POWER ST.

Region of Spill: 2
Facility Tele: () -
SWIS: 61
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
--------	-----------	----------	----------------	-----------	------	-------------	---------------	---------------

STTARRETT CITY POWER ST. (Continued)

\$104284046

Spiller Address: 165 ELMIRA LOOP
 BROOKLYN, NY
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/08/1999
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Spill Date: 11/16/1999 08:00
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 12/08/1999
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 11/16/1999
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 3
 Quantity Spilled: 10
 Units: Gallons
 Unknown Qty Spilled: 10
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: CORROSION INHIBITOR
 Class Type: Non Pet/Non Haz
 Chem Abstract Service Number: CORROSION INHIBITOR
 Last Date: Not reported
 Num Times Material Entry In File: 2
 Remarks: Losse fitting was found product is in a containment area
 DEC Remarks: On 11/16/99, DEC Sigona responded to site and met with Chaing Wei at 1:00 P.M.. The facility operators flushed the material sodium nitrate and boric acid mixture down the sewer. The mixture was a treatment used for the boiler and spilled on the ground. DEC Sigona notified DEP Thomas at IWCS who would follow-up with investigation.

147	STARRETT CITY POWER PLANT	NY Spills	\$102239579
ESE	165 ELMIRA LOOP		N/A
1/4-1/2	BROOKLYN, NY		
2314 ft.			
Higher	Site 4 of 4 in cluster I		
	SPILLS:		
	Spill Number: 9607764	Region of Spill:	2
	Facility Contact: CALLER	Facility Tele:	(718) 942-0433
	Investigator: MULQUEEN	SWIS:	61
	Caller Name: Not reported	Caller Agency:	Not reported

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

STARRETT CITY POWER PLANT (Continued)

S102239579

Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: CALLER
 Spiller: STARRETT CITY POWER PLANT
 Spiller Address: 165 ELMIRA LOOP
 BROOKLYN, NY
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/10/1996
 Spill Cause: Human Error
 Water Affected: Not reported
 Spill Notifier: Affected Persons
 Spill Date: 09/20/1996 11:30
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 12/10/1996
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 09/20/1996
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 200
 Units: Gallons
 Unknown Qty Spilled: 200
 Quantity Recovered: 0
 Unknown Qty Recovered: True
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464
 Remarks: emp did not slow down pumping procedure
 DEC Remarks: MULQUEEN INSPACETED CLEANUP. SPILL IN BACK OF BLDG, IN AREA WHERE THERE ARE ALREADY EXISTING MONITORING WELLS.

This is the most recent NY SPILLS record for this site.
 The NY SPILLS database contains 1 additional record for this site.
 Please contact your EDR Account Executive for more information.

H48
 NW 800 ALABAMA AVE
 1/4-1/2 BROOKLYN, NY
 2338 ft.
 Higher Site 2 of 2 in cluster H

NY Spills S104647162
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

(Continued)

S104647162

SPILLS:

Spill Number: 9803958 Region of Spill: 2
Facility Contact: ALDO VASAPOLI Facility Tele: (718) 649-4982
Investigator: TIBBE SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: ALDO VASPOLI Spiller Phone: (718) 649-4982
Spiller: ALDO VASAPOLI
Spiller Address: 908 PINE ST BROOKLYN, NY 11208
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported Resource Affected: On Land
Spill Cause: Unknown Spill Source: Other Commercial/Industrial
Water Affected: Not reported PBS Number: Not reported
Spill Notifier: Local Agency Reported to Dept: 06/29/1998 10:13
Spill Date: 06/29/1998 10:00

Cleanup Ceased: Not reported

Last Inspection: Not reported

Cleanup Meets Standard: False Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported

Enforcement Date: Not reported

Investigation Complete: Not reported

UST Involvement: False

Spill Record Last Update: 06/30/1998

Is Updated: False

Corrective Action Plan Submitted: Not reported

Date Spill Entered In Computer Data File: 06/29/1998

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False

Material: UNKNOWN PETROLEUM

Class Type: Petroleum

Chem Abstract Service Number: UNKNOWN PETROLEUM

Last Date: 09/29/1994

Num Times Material Entry In File: 16414

Remark: WHILE GEO PROBING CONTAMINATED SOIL ENCOUNTERED, APPEARS TO BE AN UNK PETROLEUM PRODUCT. BUILDING IS A PRIVATELY OWNED WAREHOUSE OWNED BY THE SPILLER.

DEC Remarks: Not reported

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
49 NNW 1/4-1/2 2347 ft. Higher					HOWARD BERGER CO. 808 GEORGIA AVE BROOKLYN, NY	LTANKS	1001749937 N/A	

LTANKS:

Spill Number: 9906439 Region of Spill: 2
 Facility Contact: Not reported Facility Tele: Not reported
 Investigator: SANGESLAND SWIS: 61
 Caller Name: Not reported Caller Agency: Not reported
 Caller Phone: Not reported Caller Extension: Not reported
 Notifier Name: Not reported Notifier Agency: Not reported
 Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: TONY FAVALE Spiller Phone: (718) 345-9800
 Spiller: HOWARD BERGER CO.
 Spiller Address: 808 GEORGIA AVE
 BROOKLYN, NY
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported Resource Affected: On Land
 Spill Cause: Tank Test Failure Spill Source: Other Commercial/Industrial
 Water Affected: Not reported PBS Number: Not reported
 Spill Notifier: Tank Tester Reported to Dept: 08/30/1999 17:03
 Spill Date: 08/30/1999 14:30
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 02/08/2000
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 08/30/1999
 Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: 2
 Test Method: Horner EZ Check
 Capacity of Failed Tank: 3000
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 0
 Units: Gallons
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: #2 FUEL OIL
 Class Type: Petroleum
 Chem Abstract Service Number: #2 FUEL OIL
 Last Date: 12/07/1994
 Num Times Material Entry In File: 24464

DEC Remarks: Not reported
 Spill Cause: u/g tank failed test property owner has been advised the tank is

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number
Database(s)

1001749937

HOWARD BERGER CO. (Continued)

under a concrete floor caller not sure what they plan to do at this time

50 FLATLANDS AV&HENDRICKS ST
NE FLATLANDS AV / HENDRICKS ST
1/4-1/2 NEW YORK CITY, NY
2364 ft.
Higher

NY Spills S102141619
N/A

SPILLS:

Spill Number: 9004429 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: MANDALA SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: NYCDEP
Spiller Address: Not reported
Spill Class: Possible release with minimal potential for fire or hazard or Known
release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.
Spill Closed Dt: 02/15/1995
Spill Cause: Equipment Failure Resource Affected: Surface Water
Water Affected: JAMAICA BAY Spill Source: Other Non Commercial/Industrial
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 07/21/1990 18:00 Reported to Dept: 07/22/1990 11:24
Cleanup Ceased: 02/15/1995
Last Inspection: Not reported

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 02/16/1995
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 07/25/1990
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 3
Quantity Spilled: -1
Units: Not reported
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: RAW SEWAGE
Class Type: Non Pet/Non Haz
Chem Abstract Service Number: RAW SEWAGE
Last Date: 07/28/1994

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

FLATLANDS AV&HENDRICKS ST (Continued)

S102141619

Num Times Material Entry In File: 1993
Remark: LOST 2) MULTIPLE SERVICE PUMPS, CURRENTLY REPAIRING PUMPS
INDUCTING A BYPASS.
DEC Remarks: Not reported

CO

J51	MERIT OIL CORP	RCRIS-SQG	1000263779
NNW	810 PENNSYLVANIA AVE	FINDS	NYD982185746
1/4-1/2	BROOKLYN, NY 11207	UST	
2405 ft.		LTANKS	
Higher	Site 1 of 5 in cluster J		

RCRIS:

Owner: MERIT OIL CORP
(212) 555-1212
EPA ID: NYD982185746
Contact: DOM DEBENEDICTIS
(516) 731-0036

Classification: Small Quantity Generator

Used Oil Recyc: No

TSDF Activities: Not reported

Violation Status: No violations found

FINDS:

Other Pertinent Environmental Activity Identified at Site:

AIRS Facility System (AIRS/AFS)

Facility Registry System (FRS)

Resource Conservation and Recovery Act Information system (RCRAINFO)

LTANKS:

Spill Number:	8801651	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	GRATHWOL	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	(516) 731-4100
Spiller:	CEREDO(CONTACT)		
Spiller Address:	Not reported		
Spill Class:	Not reported		
Spill Closed Dt:	11/02/1988		
Spill Cause:	Tank Test Failure	Resource Affected:	Groundwater
Water Affected:	Not reported	Spill Source:	Gas Station
Spill Notifier:	Tank Tester	PBS Number:	2-297372
Spill Date:	05/23/1988 16:32	Reported to Dept:	05/23/1988 16:42
Cleanup Ceased:	11/02/1988		
Last Inspection:	Not reported		
Cleanup Meets Standard:	True		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	05/05/1989		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	05/25/1988		

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
MAP FINDINGS							
MERIT OIL CORP (Continued)							1000263779
Date Region Sent Summary to Central Office: Not reported							
Tank Test:							
PBS Number:	Not reported						
Tank Number:	Not reported						
Test Method:	Not reported						
Capacity of Failed Tank:	0						
Leak Rate Failed Tank:	0.00						
Gross Leak Rate:	Not reported						
Material:							
Material Class Type:	1						
Quantity Spilled:	-1						
Units:	Gallons						
Unknown Qty Spilled:	-1						
Quantity Recovered:	0						
Unknown Qty Recovered:	False						
Material:	GASOLINE						
Class Type:	Petroleum						
Chem Abstract Service Number:	GASOLINE						
Last Date:	09/29/1994						
Num Times Material Entry In File:	21329						
DEC Remarks:	Not reported						
Spill Cause:	L R = -0.544 GPH.						
PBS UST:							
PBS Number:	2-297372				CBS Number:	Not reported	
SPDES Number:	Not reported				SWIS ID:	6101	
Operator:	MERIT OIL OF NEW YORK INC. (718) 257-9406						
Emergency Contact:	G STEININGER-DIV MNGR (516) 731-4100						
Total Tanks:	0						
Owner:	MERIT OIL OF NEW YORK INC 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900						
Owner Type:	Corporate/Commercial						
Owner Mark:	First Owner						
Owner Subtype:	Not reported						
Mailing Address:	MERIT OIL OF NEW YORK,INC ATTN: ENGINEERING DEPT. 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900						
Tank Status:	Closed - Removed						
Capacity (gals):	2000						
Tank Location:	UNDERGROUND						
Tank Id:	1				Install Date:	02/01/1998	
Tank Type:	Steel/carbon steel				Product Stored:	UNLEADED GASOLINE	
Tank Internal:	NONE				Pipe Internal:	NONE	
Pipe Location:	Underground				Pipe Type:	GALVANIZED STEEL	
Tank External:	NONE/NONE						
Missing Data for Tank:	No Missing Data						
Pipe External:	NONE/NONE						
Second Containment:	NONE						
Leak Detection:	OTHER						
Overflow Prot:	Float Vent Valve				Dispenser:	Suction	
Date Tested:	04/01/1997				Next Test Date:	Not reported	
Date Closed:	02/01/1998				Test Method:	USTest 2000	

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

MERIT OIL CORP (Continued)

1000263779

Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/17/1997
Old PBS Number:	Not reported	Expiration Date:	07/14/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-297372	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MERIT OIL OF NEW YORK INC. (718) 257-9406		
Emergency Contact:	G STEININGER-DIV MNGR (516) 731-4100		
Total Tanks:	0		
Owner:	MERIT OIL OF NEW YORK INC 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	MERIT OIL OF NEW YORK,INC ATTN: ENGINEERING DEPT. 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	2	Install Date:	02/01/1998
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	OTHER		
Overfill Prot:	Float Vent Valve	Dispenser:	Suction
Date Tested:	04/01/1997	Next Test Date:	Not reported
Date Closed:	02/01/1998	Test Method:	USTest 2000
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance (ft.)			
Elevation			
MERIT OIL CORP (Continued)			1000263779
Certification Flag:	False	Certification Date:	07/17/1997
Old PBS Number:	Not reported	Expiration Date:	07/14/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS Number:	2-297372	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MERIT OIL OF NEW YORK INC. (718) 257-9406		
Emergency Contact:	G STEININGER-DIV MNGR (516) 731-4100		
Total Tanks:	0		
Owner:	MERIT OIL OF NEW YORK INC 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	MERIT OIL OF NEW YORK,INC ATTN: ENGINEERING DEPT. 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900		
Tank Status:	Closed - In Place		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	0U3	Install Date:	04/01/1970
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	01/01/1991	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/17/1997
Old PBS Number:	Not reported	Expiration Date:	07/14/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site	Database(s)	EDR ID Number EPA ID Number
MERIT OIL CORP (Continued)		1000263779
Town or City:	NEW YORK CITY	
Town or City Code:	01	
County Code:	61	
Region:	2	
PBS Number:	2-297372	CBS Number: Not reported
SPDES Number:	Not reported	SWIS ID: 6101
Operator:	MERIT OIL OF NEW YORK INC. (718) 257-9406	
Emergency Contact:	G STEININGER-DIV MNGR (516) 731-4100	
Total Tanks:	0	
Owner:	MERIT OIL OF NEW YORK INC 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900	
Owner Type:	Corporate/Commercial	
Owner Mark:	First Owner	
Owner Subtype:	Not reported	
Mailing Address:	MERIT OIL OF NEW YORK,INC ATTN: ENGINEERING DEPT. 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900	
Tank Status:	Closed - Removed	
Capacity (gals):	4000	
Tank Location:	UNDERGROUND	
Tank Id:	4	Install Date: 02/01/1998
Tank Type:	Steel/carbon steel	Product Stored: UNLEADED GASOLINE
Tank Internal:	NONE	Pipe Internal: NONE
Pipe Location:	Underground	Pipe Type: GALVANIZED STEEL
Tank External:	NONE/NONE	
Missing Data for Tank:	No Missing Data	
Pipe External:	NONE/NONE	
Second Containment:	NONE/NONE	
Leak Detection:	OTHER	
Overfill Prot:	Float Vent Valve	Dispenser: Suction
Date Tested:	04/01/1997	Next Test Date: Not reported
Date Closed:	02/01/1998	Test Method: USTest 2000
Deleted:	False	Updated: True
Dead Letter:	False	Owner Screen: No data missing
FAMT:	Fiscal amount for registration fee is correct	
Total Capacity:	0	Renewal Date: Not reported
Tank Screen:	0	Federal ID: Not reported
Renew Flag:	Renwal has not been printed	Facility Screen: No data missing
Certification Flag:	False	Certification Date: 07/17/1997
Old PBS Number:	Not reported	Expiration Date: 07/14/2002
Inspected Date:	Not reported	Inspector: Not reported
Inspection Result:	Not reported	
Lat/long:	Not reported	
Facility Type:	RETAIL GASOLINE SALES	
Town or City:	NEW YORK CITY	
Town or City Code:	01	
County Code:	61	
Region:	2	
PBS Number:	2-297372	CBS Number: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

MERIT OIL CORP (Continued)

1000263779

SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MERIT OIL OF NEW YORK INC. (718) 257-9406		
Emergency Contact:	G STEININGER-DIV MNGR (516) 731-4100		
Total Tanks:	0		
Owner:	MERIT OIL OF NEW YORK INC 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900		
Owner Type:	Corporate/Commercial		
Owner Mark:	First Owner		
Owner Subtype:	Not reported		
Mailing Address:	MERIT OIL OF NEW YORK,INC ATTN: ENGINEERING DEPT. 551 WEST LANCASTER AVE HAVERFORD, PA 19041 (215) 527-7900		
Tank Status:	Closed - Removed		
Capacity (gals):	2000		
Tank Location:	UNDERGROUND		
Tank Id:	5	Install Date:	02/01/1998
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	NONE	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	GALVANIZED STEEL
Tank External:	NONE/NONE		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/NONE		
Second Containment:	NONE/NONE		
Leak Detection:	OTHER		
Overfill Prot:	Float Vent Valve	Dispenser:	Suction
Date Tested:	04/01/1997	Next Test Date:	Not reported
Date Closed:	02/01/1998	Test Method:	USTest 2000
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	0	Renewal Date:	Not reported
Tank Screen:	0	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/17/1997
Old PBS Number:	Not reported	Expiration Date:	07/14/2002
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		

This is the most recent NY PBS data for this site.

The NY PBS database contains 4 additional records for this site.

Please contact your EDR Account Executive for more information.

J52 810 PENNSYLVANIA AVENUE
NNW 810 PENNSYLVANIA AVENUE
1/4-1/2 BROOKLYN, NY
2405 ft.
Higher Site 2 of 5 in cluster J

LTANKS S103478415
N/A

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

810 PENNSYLVANIA AVENUE (Continued)

S103478415

LTANKS:

Spill Number: 9309012
 Facility Contact: Not reported
 Investigator: SANGESLAND
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 Spiller: Not reported
 Spiller Address: Not reported
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Spill Cause: Tank Failure
 Water Affected: Not reported
 Spill Notifier: Other
 Spill Date: 10/21/1993 08:00
 Cleanup Ceased: 03/29/1995
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: 01/26/2000
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 10/26/1993
 Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: 0
 Units: Pounds
 Unknown Qty Spilled: No
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: Not reported
 Spill Cause: TANK REMOVALS - LEAKING UNDERGR. STOR, TANK - 9 TANKS WERE REMOVED - DEC WAS NOTIFIED - NEVER SHAWED UP - GOING TO BATCH SOIL.

J53 810 PENNSYLVANIA AVE.
 NNW 810 PENNSYLVANIA AVE.
 1/4-1/2 BROOKLYN, NY
 2405 ft.
 Higher Site 3 of 5 in cluster J

LTANKS S100494961
N/A

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

810 PENNSYLVANIA AVE. (Continued)

S100494961

LTANKS:

Spill Number: 9214515 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: SANGESLAND SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: MERIT
Spiller Address: Not reported
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Tank Test Failure Resource Affected: On Land
Water Affected: Not reported Spill Source: Gas Station
Spill Notifier: Tank Tester PBS Number: Not reported
Spill Date: 03/31/1993 14:15 Reported to Dept: 03/31/1993 15:02
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 01/26/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 04/01/1993
Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: 0
Units: Pounds
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329

DEC Remarks: 10/08/93: REPLACED ELBOW RETESTED AND PASSED 4/19/93 NO CONTAMINATION FO
UND.
Spill Cause: EX ISO RETEST.

Spill Number: 9301033 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: SULLIVAN SWIS: 61

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

810 PENNSYLVANIA AVE. (Continued)

S100494961

Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: Not reported
 Spiller: IS TRANSPORTATION
 Spiller Address: Not reported
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 05/24/1993
 Spill Cause: Tank Overfill
 Water Affected: Not reported
 Spill Notifier: Fire Department
 Spill Date: 04/21/1993 12:30
 Cleanup Ceased: 05/24/1993
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: 07/20/1993
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 04/27/1993
 Date Region Sent Summary to Central Office: Not reported
 Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported
 Material:
 Material Class Type: 1
 Quantity Spilled: 200
 Units: Gallons
 Unknown Qty Spilled: 200
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: Not reported
 Spill Cause: DELIV DRIVER CONNECTED SPPEDI-DRI USED TO CONTAIN SPILL-MR SCEIWINGER-ME
 RIT CO-SENDING CREW TO CLEAN SPILL

J54 810 PENNSYLVANIA AV/BKLYN
 NNW 810 PENNSYLVANIA AVENUE
 1/4-1/2 NEW YORK CITY, NY
 2405 ft.
 Higher Site 4 of 5 in cluster J

LTANKS S100142397
N/A

LTANKS:
 Spill Number: 8801521
 Facility Contact: Not reported

Region of Spill: 2
 Facility Tele: Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

810 PENNSYLVANIA AV/BKLYN (Continued)

S100142397

Investigator: SULLIVAN SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: ISLAND TRANSPORTATION COR
Spiller Address: 810 PENNSYLVANIA AVENUE
BROOKLYN, NY
Spill Class: Not reported
Spill Closed Dt: 09/30/1988
Spill Cause: Tank Overfill Resource Affected: In Sewer
Water Affected: Not reported Spill Source: Tank Truck
Spill Notifier: Responsible Party PBS Number: Not reported
Spill Date: 05/18/1988 22:00 Reported to Dept: 05/19/1988 10:18
Cleanup Ceased: 09/30/1988
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 04/07/1989
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/20/1988
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 150
Units: Gallons
Unknown Qty Spilled: 150
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
DEC Remarks: Not reported
Spill Cause: SPILLER PERSONNEL UNSEEN, APPEARS TO HAVE FLUSHED INTO SEWER SYSTEM, MA
RINE POLLUTION IS UNSEEN AND THERE IS NO RESIDUE IN SEWER.
Spill Number: 9010161 Region of Spill: 2
Facility Contact: Not reported Facility Tele: Not reported
Investigator: TIBBE SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported

MAP FINDINGS

Map ID	Site	EDR ID Number
Direction		EPA ID Number
Distance		
Distance (ft.)		
Elevation		

810 PENNSYLVANIA AV/BKLYN (Continued)

S100142397

Notifier Phone: Not reported Notifier Extension: Not reported
 Spiller Contact: Not reported Spiller Phone: Not reported
 Spiller: MERIT
 Spiller Address: Not reported
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 07/22/1994
 Spill Cause: Tank Test Failure Resource Affected: Groundwater
 Water Affected: Not reported Spill Source: Gas Station
 Spill Notifier: Tank Tester PBS Number: Not reported
 Spill Date: 12/18/1990 21:80 Reported to Dept: 12/18/1990 21:30
 Cleanup Ceased: 07/22/1994
 Last Inspection: Not reported
 Cleanup Meets Standard: True
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: True
 Spill Record Last Update: 08/02/1994
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 03/15/1991
 Date Region Sent Summary to Central Office: Not reported
Tank Test:
 PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: 0
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported
Material:
 Material Class Type: 1
 Quantity Spilled: -1
 Units: Not reported
 Unknown Qty Spilled: -1
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: 08/02/94: CROSS REFERENCE TO SPILL 9214515.
 Spill Cause: 2K 4K TANK SYSTEM FAILED PETRO TITE WITH A LEAK RATE OF -.340GPH, WILL EXCAVATE, ISOLATE RETEST.

J55	MERRITT STATION	NY Spills	S103574868
NNW	810 PENNSYLVANIA AV		N/A
1/4-1/2	BROOKLYN, NY		
2405 ft.			
Higher	Site 5 of 5 in cluster J		
	SPILLS:		
	Spill Number: 9810899	Region of Spill:	2
	Facility Contact: STEVE CAPONE	Facility Tele:	(718) 444-6566
	Investigator: SANGESLAND	SWIS:	61
	Caller Name: Not reported	Caller Agency:	Not reported
	Caller Phone: Not reported	Caller Extension:	Not reported

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

EDR ID Number
EPA ID Number

Database(s)

MERITT STATION (Continued)

S103574868

Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: STEVE CAPONE Spiller Phone: (718) 444-6566
Spiller: MERITT STATION
Spiller Address: 810 PENNSYLVANIA AV BROOKLYN
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Spill Cause: Unknown Resource Affected: On Land
Water Affected: Not reported Spill Source: Gas Station
Spill Notifier: Other PBS Number: Not reported
Spill Date: 11/30/1998 14:10 Reported to Dept: 11/30/1998 15:13
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 01/26/2000
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 11/30/1998
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 0
Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Remark: WHILE DIGGING FOR A FOUNDATION, CONTAMINATED SOIL WAS DISCOVERED. SOIL I
S BEING STOCK PILED.
DEC Remarks: Not reported

56 ANNA CT/
NW WILL PL
1/4-1/2 BROOKLYN, NY
2490 ft.
Higher

NY Spills S104953094
N/A

SPILLS:

Spill Number: 0012655
Facility Contact: CALLER
Investigator: DEMEO

Region of Spill: 2
Facility Tele: () -
SWIS: 61

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

ANNA CT/ (Continued)

S104953094

Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: UNKNOWN
Spiller Address: -
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/15/2001
Spill Cause: Abandoned Drums
Water Affected: Not reported
Spill Notifier: Affected Persons
Spill Date: 02/21/2001 12:00
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/15/2001
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/27/2001
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 55
Units: Gallons
Unknown Qty Spilled: 55
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
Remarks: abandoned drum.
DEC Remarks: 5/15/2001 TJD No Drum Found

57 SHELL S/S
NNW 1940 LINDEN BLVD
1/4-1/2 NBROOKLYN, NY
2538 ft.
Higher

NY Spills S103271740
N/A

SPILLS:

Spill Number: 8905229
Facility Contact: Not reported
Investigator: SULLIVAN
Region of Spill: 2
Facility Tele: Not reported
SWIS: 61

Map ID
Direction
Distance
Distance (ft.)
Elevation Site

MAP FINDINGS

Database(s) EDR ID Number
EPA ID Number

SHELL S/S (Continued)

S103271740

Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: ISLAND TRANSPORTATION
Spiller Address: 500 47TH STREET
QUEENS, NY
Spill Class: Not reported
Spill Closed Dt: 09/11/1989
Spill Cause: Human Error
Water Affected: Not reported
Spill Notifier: Responsible Party
Spill Date: 08/26/1989 09:00
Cleanup Ceased: 09/11/1989
Last Inspection: Not reported
Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 05/06/1998
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 09/11/1989
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1
Quantity Spilled: 50
Units: Gallons
Unknown Qty Spilled: 50
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Remarks: TANK OVERFILL, FLUSHED BY NYCDF, DEC GEORGE JAMES) DID FOLLOW UP.
DEC Remarks: Not reported

58
NNW
1/4-1/2
2590 ft.
Higher

MANHOLE 64157
GEORGIA AVE / LINDEN BLVD
BROOKLYN, NY

NY Spills S103936508
N/A

SPILLS:

Spill Number: 9900843
Facility Contact: CALLER
Investigator: O'CONNELL

Region of Spill: 2
Facility Tele: () -
SWIS: 61

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

MANHOLE 64157 (Continued)

S103936508

Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	UNKNOWN		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	05/05/1999		
Spill Cause:	Unknown	Resource Affected:	In Sewer
Water Affected:	Not reported	Spill Source:	Unknown
Spill Notifier:	Affected Persons	PBS Number:	Not reported
Spill Date:	04/22/1999 11:45	Reported to Dept:	04/22/1999 12:35
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	06/14/2000		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	04/22/1999		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	3		
Units:	Gallons		
Unknown Qty Spilled:	3		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	UNKNOWN PETROLEUM		
Class Type:	Petroleum		
Chem Abstract Service Number:	UNKNOWN PETROLEUM		
Last Date:	09/29/1994		
Num Times Material Entry In File:	16414		
Remarks:	con ed 124384. spill on 500 gallons of water.		
DEC Remarks:	Con ed e2mis notes: Found 3 gal of unknown oil in 500 gal of water in m h. Joint regulator in hole, can not determine if its leaking at this ti e unable to go in hole, to much water. <1ppm Reports <1.0 ppm cleanup complete and tag removed.		

K59 REEGAE IMPORTS
 NW 1900 LINDON BL
 1/4-1/2 BROOKLYN, NY
 2597 ft.
 Higher Site 1 of 3 in cluster K

NY Spills S102401966
 N/A

MAP FINDINGS

Map ID	Site	Database(s)	EDR ID Number
Direction			EPA ID Number
Distance			
Distance (ft.)			
Elevation			

REEGAE IMPORTS (Continued)

S102401966

SPILLS:

Spill Number: 9606844
 Facility Contact: Not reported
 Investigator: MARTINKAT
 Caller Name: Not reported
 Caller Phone: Not reported
 Notifier Name: Not reported
 Notifier Phone: Not reported
 Spiller Contact: JEFF JAGER
 Spiller: SAFETY KLEEN
 Spiller Address: 58-05 52ND AV
 WOODSIDE, NY 11377
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 08/28/1996
 Spill Cause: Human Error
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Spill Date: 08/28/1996 12:30
 Cleanup Ceased: Not reported
 Last Inspection: Not reported
 Cleanup Meets Standard: False
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Date: Not reported
 Enforcement Date: Not reported
 Investigation Complete: Not reported
 UST Involvement: False
 Spill Record Last Update: 09/23/1996
 Is Updated: False
 Corrective Action Plan Submitted: Not reported
 Date Spill Entered In Computer Data File: 08/28/1996
 Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 20
 Units: Gallons
 Unknown Qty Spilled: 20
 Quantity Recovered: 20
 Unknown Qty Recovered: False
 Material: WASTE OIL
 Class Type: Petroleum
 Chem Abstract Service Number: WASTE OIL
 Last Date: 09/27/1994
 Num Times Material Entry In File: 9509

Remarks: hatch was not closed - truck went up incline spilling product

DEC Remarks: SPOKE TO JEFF AT 2:55 - SPILL IN DRIVEWAY, NONE IN SEWER - DRIVER CLEANE
D UP

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EDR ID Number	EPA ID Number
K60	COCA COLA				LTANKS	S103238196	
NW	1900 LINDEN BLVD					N/A	
1/4-1/2	BROOKLYN, NY						
2597 ft.							
Higher	Site 2 of 3 in cluster K						
	LTANKS:						
	Spill Number:	8808120			Region of Spill:	2	
	Facility Contact:	Not reported			Facility Tele:	Not reported	
	Investigator:	MARTINKAT			SWIS:	61	
	Caller Name:	Not reported			Caller Agency:	Not reported	
	Caller Phone:	Not reported			Caller Extension:	Not reported	
	Notifier Name:	Not reported			Notifier Agency:	Not reported	
	Notifier Phone:	Not reported			Notifier Extension:	Not reported	
	Spiller Contact:	Not reported			Spiller Phone:	(718) 649-5500	
	Spiller:	COCA COLA					
	Spiller Address:	Not reported					
	Spill Class:	Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.					
	Spill Closed Dt:	03/24/2000					
	Spill Cause:	Tank Test Failure			Resource Affected:	Groundwater	
	Water Affected:	Not reported			Spill Source:	Other Commercial/Industrial	
	Spill Notifier:	Tank Tester			PBS Number:	2-044148	
	Spill Date:	01/11/1989 12:00			Reported to Dept:	01/11/1989 12:13	
	Cleanup Ceased:	Not reported					
	Last Inspection:	Not reported					
	Cleanup Meets Standard:	False					
	Recommended Penalty:	Penalty Not Recommended					
	Spiller Cleanup Date:	Not reported					
	Enforcement Date:	Not reported					
	Investigation Complete:	Not reported					
	UST Involvement:	True					
	Spill Record Last Update:	03/27/2000					
	Is Updated:	False					
	Corrective Action Plan Submitted:	Not reported					
	Date Spill Entered In Computer Data File:	01/19/1989					
	Date Region Sent Summary to Central Office:	Not reported					
	Tank Test:						
	PBS Number:	Not reported					
	Tank Number:	Not reported					
	Test Method:	Not reported					
	Capacity of Failed Tank:	0					
	Leak Rate Failed Tank:	0.00					
	Gross Leak Rate:	Not reported					
	Material:						
	Material Class Type:	1					
	Quantity Spilled:	-1					
	Units:	Pounds					
	Unknown Qty Spilled:	-1					
	Quantity Recovered:	0					
	Unknown Qty Recovered:	False					
	Material:	DIESEL					
	Class Type:	Petroleum					
	Chem Abstract Service Number:	DIESEL					
	Last Date:	07/28/1994					
	Num Times Material Entry In File:	10625					
	DEC Remarks:	SEE SPILL NUMBER 8808741.					
	Spill Cause:	4) 550 GALLON TANK SYSTEM FAILED PETRO TITE, AFTER FILLING TANKS, DIS COVERED SYPHON PIPE LEAKING IN FILL BOX, SO TEST WAS HALTED, WILL FIX P					

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

COCA COLA (Continued)

S103238196

IPING TOMORROW.

K61 1900 LINDEN BLV/COCA COLA
NW 1900 LINDEN BLVD
1/4-1/2 BROOKLYN, NY
2597 ft.

Higher Site 3 of 3 in cluster K

LTANKS S100142622
N/A

LTANKS:

Spill Number: 8808741
Facility Contact: Not reported
Investigator: SULLIVAN
Caller Name: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Phone: Not reported
Spiller Contact: Not reported
Spiller: COCA COLA PLANT
Spiller Address: 1900 LINDEN BLVD
BROOKLYN, NY

Region of Spill: 2
Facility Tele: Not reported
SWIS: 61
Caller Agency: Not reported
Caller Extension: Not reported
Notifier Agency: Not reported
Notifier Extension: Not reported
Spiller Phone: Not reported

Spill Class: Not reported
Spill Closed Dt: 04/25/1989
Spill Cause: Tank Test Failure
Water Affected: Not reported
Spill Notifier: Tank Tester
Spill Date: 02/07/1989 18:30

Resource Affected: Groundwater
Spill Source: Other Commercial/Industrial
PBS Number: 2-044148
Reported to Dept: 02/07/1989 06:41

Cleanup Ceased: 04/25/1989

Last Inspection: Not reported

Cleanup Meets Standard: True
Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: True
Spill Record Last Update: 05/06/1998

Is Updated: False

Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 02/08/1989

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: 0
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: 1
Quantity Spilled: -1
Units: Pounds
Unknown Qty Spilled: -1
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: DIESEL
Class Type: Petroleum
Chem Abstract Service Number: DIESEL
Last Date: 07/28/1994
Num Times Material Entry In File: 10625
DEC Remarks: SEE ALSO 88-08120.

MAP FINDINGS

Map ID	Site	EDR ID Number
Direction		EPA ID Number
Distance		
Distance (ft.)		
Elevation		Database(s)

1900 LINDEN BLV/COCA COLA (Continued)

S100142622

Spill Cause: 4) 550 GALLON TANK SYSTEM FAILED PRECISION TEST. L R =.121GPH, WILL EXC AVATE, ISOLATE RETEST. TANKS TO BE ABANDONED, MAY BE REPLACED AFTER MAY 1ST.

L62	FORMER SHELL STATION AT	NY Spills	S103484046
NNW	1940 LINDEN BLVD		N/A
1/4-1/2	BROOKLYN, NY		
2604 ft.			
Higher	Site 1 of 3 in cluster L		
SPILLS:			
Spill Number:	9806492	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	MULQUEEN	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SHELL OIL COMPANY		
Spiller Address:	30 JERICHO TURNPIKE JERICHO, NY		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	08/26/1998	Resource Affected:	Groundwater
Spill Cause:	Equipment Failure	Spill Source:	Gas Station
Water Affected:	Not reported	PBS Number:	Not reported
Spill Notifier:	Affected Persons	Reported to Dept:	08/26/1998 10:44
Spill Date:	08/10/1998 15:00		
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	10/07/1998		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/26/1998		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	GASOLINE		
Class Type:	Petroleum		
Chem Abstract Service Number:	GASOLINE		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

EDR ID Number
EPA ID Number

Database(s)

FORMER SHELL STATION AT (Continued)

S103484046

Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Remark: CALLER IS WITH ENVIRONMENTAL CONSULTING FIRM THAT WAS SAMPLING AREA FOR THE NYC FIRE DEPT. PREMISE IS AN OLD GAS STATION AND TANKS WERE PREVIOUSLY REMOVED. PROPERTY OWNER INFO NOT AVAILABLE AT TIME OF CALL
DEC Remarks: 8/26/98 mmm: SPOKE TO NICK RECHIA AND TOLD HIM THAT SHELL WAS RESPONSIBLE FOR CONTAMINATION SINCE THEY OPERATED THE PROPERTY AND OWNED THE TANKS. FDNY LOOKING AT SITE FOR POSSIBLE AMBULANCE STATION. REFER TO SPILL 9 705467 FOR ADDITIONAL INFORMATION. 10/7/97: LEFT MESSAGE FOR KEVIN Mc CALLISTER, FDNY REGARDING PROPERTY.

L63
NNW
1/4-1/2
2604 ft.
Higher

SHELL OIL CO.
1940 LINDEN BLVD
BROOKLYN, NY

NY Spills S102663435
N/A

Site 2 of 3 in cluster L

SPILLS:

Spill Number:	9705467	Region of Spill:	2
Facility Contact:	Not reported	Facility Tele:	Not reported
Investigator:	MULQUEEN	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	DAVE MCNEIL	Spiller Phone:	(516) 365-7240
Spiller:	SHELL OIL CO.		
Spiller Address:	30 JERICHO TRPK JERICHO, NY 11753		
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Equipment Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Gas Station
Spill Notifier:	Other	PBS Number:	Not reported
Spill Date:	01/12/1996 08:00	Reported to Dept:	08/05/1997 16:57
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	True		
Spill Record Last Update:	08/07/1997		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	08/05/1997		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	Not reported		
Test Method:	Not reported		
Capacity of Failed Tank:	Not reported		
Leak Rate Failed Tank:	Not reported		
Gross Leak Rate:	Not reported		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		

Map ID
Direction
Distance
Distance (ft.)
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

SHELL OIL CO. (Continued)

S102663435

Units: Gallons
Unknown Qty Spilled: No
Quantity Recovered: 0
Unknown Qty Recovered: False
Material: GASOLINE
Class Type: Petroleum
Chem Abstract Service Number: GASOLINE
Last Date: 09/29/1994
Num Times Material Entry In File: 21329
Remark: WHILE REMOVING OLD TANK, ENCOUNTERED CONTAMINATED SOIL. NO ARRANGEMENT FOR CLEAN UP HAS BEEN MADE.
DEC Remarks: Not reported

64
NW
1/4-1/2
2605 ft.
Higher

MALTA ST & DEWITT AV
MALTA ST / DEWITT AV
BROOKLYN, NY

NY Spills S103937612
N/A

SPILLS:

Spill Number: 9902125 Region of Spill: 2
Facility Contact: CALLER Facility Tele: () -
Investigator: SANGESLAND SWIS: 61
Caller Name: Not reported Caller Agency: Not reported
Caller Phone: Not reported Caller Extension: Not reported
Notifier Name: Not reported Notifier Agency: Not reported
Notifier Phone: Not reported Notifier Extension: Not reported
Spiller Contact: Not reported Spiller Phone: Not reported
Spiller: UNKNOWN
Spiller Address: Not reported
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/25/1999
Spill Cause: Abandoned Drums Resource Affected: On Land
Water Affected: Not reported Spill Source: Tank Truck
Spill Notifier: Fire Department PBS Number: Not reported
Spill Date: 05/25/1999 09:49 Reported to Dept: 05/25/1999 09:49
Cleanup Ceased: Not reported
Last Inspection: Not reported
Cleanup Meets Standard: False
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Date: Not reported
Enforcement Date: Not reported
Investigation Complete: Not reported
UST Involvement: False
Spill Record Last Update: 09/07/1999
Is Updated: False
Corrective Action Plan Submitted: Not reported
Date Spill Entered In Computer Data File: 05/25/1999
Date Region Sent Summary to Central Office: Not reported
Tank Test:
PBS Number: Not reported
Tank Number: Not reported
Test Method: Not reported
Capacity of Failed Tank: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: 1

MAP FINDINGS

Map ID	Site	EDR ID Number
Direction		EPA ID Number
Distance		
Distance (ft.)		
Elevation		Database(s)

MALTA ST & DEWITT AV (Continued)

S103937612

Quantity Spilled: 5
 Units: Gallons
 Unknown Qty Spilled: 5
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: UNKNOWN PETROLEUM
 Class Type: Petroleum
 Chem Abstract Service Number: UNKNOWN PETROLEUM
 Last Date: 09/29/1994
 Num Times Material Entry In File: 16414
 Remark: CALLER REPORTED ABANDONED FUEL DELIVERY TRUCK. LEAK TO GROUND. CONTAINED . SOME TO SEWER. HAZMAT ON SCENE.
 DEC Remarks: 10:45 AM - SANGESLAND SPOKE WITH MR. BALDWIN DEP-HAZMAT- 718-595-6700) ON THE SCENE. TANKER TRUCK WAS PARKED IN FRONT OF A USED TRUCK SALES YA RD. HATCH ON TRUCK WAS OPENED DIRECTLY OVER A SEWER CATCH BASIN. TRUCK TANK IS NOW EMPTY EXCEPT FOR SOME OIL RESIDUE. NYC-FD HAZMAT RESPONDED AND PUMPED OUT CATCH BASIN INTO A 55 GALLON DRUM. DRUM IS SEALED AND SI TTING ON THE SIDEWALK ON SOUTH EAST CORNER OF MALTA ST. DEWITT AVE. D EC MUST PICK UP) NYPD IS TRYING TO TRACE THE OWNERSHIP OF THE TRUCK TO GET A RESPONSIBLE PARTY. NYFD SPREAD SPEEDIE DRY ON SOME OIL IN STREET. NYC-SANITATION IS ON THE WAY TO THE SCENE TO SWEEP STREET AND REMOVE ABA NDONED TRUCK. 1 PM - NYCDEP CALLED TO SAY A RESPONSIBLE PARTY WAS FO UND AND NO DEC PICK UP ISS NEEDED FOR THE DRUM.

L65 NNW 1/4-1/2 2636 ft. Higher	1935 LINDEN BLVD 1935 LINDEN BLVD BROOKLYN, NY	Site 3 of 3 in cluster L	LTANKS S102672574 N/A
LTANKS:			
Spill Number: 9406497 Facility Contact: Not reported Investigator: MARTINKAT Caller Name: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Phone: Not reported Spiller Contact: Not reported Spiller: MOBIL STATION Spiller Address: 1935 LINDEN BLVD BROOKLYN, NEW YORK Spill Class: Not reported Spill Closed Dt: 08/12/1994 Spill Cause: Tank Overfill Water Affected: Not reported Spill Notifier: Responsible Party Spill Date: 08/12/1994 14:10 Cleanup Ceased: 08/12/1994 Last Inspection: Not reported Cleanup Meets Standard: True Recommended Penalty: Penalty Not Recommended Spiller Cleanup Date: Not reported Enforcement Date: Not reported Investigation Complete: Not reported UST Involvement: True Spill Record Last Update: Not reported Is Updated: False Corrective Action Plan Submitted: Not reported	Region of Spill: 2 Facility Tele: Not reported SWIS: 61 Caller Agency: Not reported Caller Extension: Not reported Notifier Agency: Not reported Notifier Extension: Not reported Spiller Phone: Not reported	Resource Affected: On Land Spill Source: Gas Station PBS Number: Not reported Reported to Dept: 08/12/1994 15:07	

MAP FINDINGS

Map ID			
Direction			
Distance			
Distance (ft.)			
Elevation	Site		
		Database(s)	EDR ID Number EPA ID Number

1935 LINDEN BLVD (Continued)

S102672574

Date Spill Entered In Computer Data File: 10/20/1994

Date Region Sent Summary to Central Office: Not reported

Tank Test:

PBS Number: Not reported
 Tank Number: Not reported
 Test Method: Not reported
 Capacity of Failed Tank: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: 1
 Quantity Spilled: 10
 Units: Gallons
 Unknown Qty Spilled: 10
 Quantity Recovered: 0
 Unknown Qty Recovered: False
 Material: GASOLINE
 Class Type: Petroleum
 Chem Abstract Service Number: GASOLINE
 Last Date: 09/29/1994
 Num Times Material Entry In File: 21329
 DEC Remarks: Not reported
 Spill Cause: SPILL ON PAVEMENT INTO STATION CATCH BASIN-CONTAINED IN CATCH BASIN-UNK CONTRACTOR ENROUTE-TYREE IS PRIMARY CONTACT

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BROOKLYN	S105057983	VAULT 6174	ALABAMA AVE-SUTTER AVE		NY Spills
BROOKLYN	S103828841	SAMS DIAGNOSTIC CENTER	AREA OF 25TH STREET		NY Spills
BROOKLYN	S104192617	IN THE AREA OF NY HARBOR	ATLANTIC AVE		NY Spills
BROOKLYN	S102143951	SHEEN IN UPPER NY BAY	BAY RIDGE / STAPLETON ANCHR		NY Spills
BROOKLYN	S104283041	MANHOLE # 66301	BELMONT AVE / SHEFFIELD A		NY Spills
BROOKLYN	S10172889	BELT PARKWAY NY HARBOR	BELT PARKWAY NY HARBOR		ERNS
BROOKLYN	S1021477863	BET LOUISIANA & MALTA AVE	BET LOUISIANA / MALTA AVE		NY Spills
BROOKLYN	92274247	BROADWAY EAST NY JUNCTION ON THE AC LINE	BROADWAY EAST NY JUNCTION ON THE AC LINE		ERNS
BROOKLYN	S1029672904	1633 CENTER ST	1633 CENTER ST		LTANKS
BROOKLYN	S1029604844	CHASE METROTECH CENTER	CHASE METROTECH CENTER		LTANKS
BROOKLYN	S102150670	4 CHASE METRO CENTER	4 CHASE METRO CENTER		NY Spills
BROOKLYN	2000526856	CLEVELAND ST SERVICE CENTER	CLEVELAND ST SERVICE CENTER		ERNS
BROOKLYN	S102146797	CONEY IS PIER TOWARDS NY	CONEY IS PIER TOWARDS NY		NY Spills
BROOKLYN	91235409	CORNER OF SMITH AND CENTER STREETS	CORNER OF SMITH AND CENTER STREETS		ERNS
BROOKLYN	S103828113	WYCKOFF AVE	25 FT EAST OF STARR SR		NY Spills
BROOKLYN	S1035736126	CITYWIDE CESSPOOL COMPANY	FLATLANDS AVENUE		NY Spills
BROOKLYN	S108142251	PAERDEGAT PUMPING STATION	FLATLANDS AVE		NY Spills
BROOKLYN	S102872770	FOUNTAIN AVENUE LANDFILL	FOUNTAIN AVENUE AND SHORE PARKWAY	11208	SHWS
BROOKLYN	S103937899	MANHOLE 19758	FULTON ST-SOUTH OXFORD SR		NY Spills
BROOKLYN	S104789756	MANHOLE 65885	GEORGIA AVE/NEW WATTS AVE		NY Spills
BROOKLYN	S102663359	GOWANIS HWY BY 65TH ST	GOWANIS HWY BY 65TH ST		NY Spills
BROOKLYN	S102141301	NY HARBOR/BKLYN FLATS	NY HARBOR/BKLYN FLATS		NY Spills
BROOKLYN	S103574004	NYCDEP 26TH WARD W/PC	HENDRICK / FLATLANDS ST		NY Spills
BROOKLYN	S102146481	ON HWY KENT AVE-EXIT OF	ON HWY KENT AVE, EXIT OF.		NY Spills
BROOKLYN	S105057314	MANHOLE #1399	KINGS HWY @ E 19 TH ST		NY Spills
BROOKLYN	S103938400	BOX 38486	KINGS HIGHWAYROCKAWAY PK		NY Spills
BROOKLYN	S102141479	5055 MESSEROLE ST/NY TEL	5055 MESSEROLE ST/NY TEL		NY Spills
BROOKLYN	S102560407	4 CHASE METROTEK CENTER	MYRTLE/GOLD STS		NY Spills
BROOKLYN	8716759	NEW YORK HARBOR & COASTAL NY WATERS	NEW YORK HARBOR & COASTAL NY WATERS		ERNS
BROOKLYN	S103573933	MH #65886	NEW LOT AVE / ALABAMA AVE		NY Spills
BROOKLYN	S1023238782	VAULT #3122 FEEDER 9811	WEST OF SHEFFIELD AVE		NY Spills
BROOKLYN	S103936168	BEHIND WHITMAN DR	OHIO STATE WALKIE 86TH ST		NY Spills
BROOKLYN	S105265264	PEREZ INTERBORO ASPHALT C	99 PAIDGE AVENUE		SWFLF
BROOKLYN	S102150235	W. SIDE PENNSYLVANIA AVE	W. PENNSYLVANIA AVE		NY Spills
BROOKLYN	S100781980	PENNSYLVANIA AVENUE	PENNSYLVANIA AVENUE		NY Spills
BROOKLYN	S105114240	PENNSYLVANIA AVENUE LANDFILL	PENNSYLVANIA AVENUE / SHORE PARKWAY	11239	SHWS
BROOKLYN	S103573460	VERRAZANO BRIDGE	RT.278		NY Spills
BROOKLYN	99626974	SHELL BANK CREEK PARKWAY FISHING CENT	SHELL BANK CREEK PARKWAY FISHING CENT		SWFLF, NY Spills
BROOKLYN	S102143752	SMITH STREET	SMITH STREET		NY Spills
BROOKLYN	S104650151		SUTTER AV E OF ALABAMA AV		NY Spills
BROOKLYN	S103482634	NY HARBOR	VERRAZANO BRIDGE		ERNS
BROOKLYN	99648632	VICINITY OF 52ND ST UPPER NY BAY	VICINITY OF 52ND ST UPPER NY BAY		NY Spills
BROOKLYN	S104194939	TM 2470	YORK STATE / HUDSON AVE		NY Spills



EDR Site Report™

FLAT GAS INC
1130 PENNSYLVANIA AVE
BROOKLYN, NY 11207

Inquiry Number:

April 4, 2003

The Source
For Environmental
Risk Management
Data

3530 Post Road
Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

The EDR-Site Report™ is a comprehensive presentation of government filings on a facility identified in a search of over 4 million government records from more than 600 federal, state and local environmental databases. The report is divided into three sections:

Section 1: Facility Summary Page 3

Summary of facility filings including a review of the following areas: waste management, waste disposal, multi-media issues, and Superfund liability.

Section 2: Facility Detail Reports Page 4

All available detailed information from databases where sites are identified.

Section 3: Databases Searched and Update Information. Page 7

Name, source, update dates, contact phone number and description of each of the databases searched for this report.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2001 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SECTION 1: FACILITY SUMMARY

FACILITY	FACILITY 1 FLAT GAS INC 1130 PENNSYLVANIA AVE BROOKLYN, NY 11207 EDR ID #1000556257 EPA #NYD986988178
AREA	
WASTE MANAGEMENT Facility generates hazardous waste (RCRIS)	YES - p4
Facility treats, stores, or disposes of hazardous waste on-site (RCRIS/TSDF)	NO
Facility has received Notices of Violations (RCRIS/VIOL)	NO
Facility has been subject to RCRA administrative actions (RAATS)	NO
Facility has been subject to corrective actions (CORRACTS)	NO
Facility handles PCBs (PADS)	NO
Facility uses radioactive materials (MLTS)	NO
Facility manages registered aboveground storage tanks (AST)	NO
Facility manages registered underground storage tanks (UST)	NO
Facility has reported leaking underground storage tank incidents (LUST)	NO
Facility has reported emergency releases to the soil (ERNS)	NO
Facility has reported hazardous material incidents to DOT (HMIRS)	NO
WASTE DISPOSAL Facility is a Superfund Site (NPL)	NO
Facility has a known or suspect abandoned, inactive or uncontrolled hazardous waste site (CERCLIS)	NO
Facility has a reported Superfund Lien on it (LIENS)	NO
Facility is listed as a state hazardous waste site (SHWS)	NO
Facility has disposed of solid waste on-site (SWF/LF)	NO
MULTIMEDIA Facility uses toxic chemicals and has notified EPA under SARA Title III, Section 313 (TRIS)	NO
Facility produces pesticides and has notified EPA under Section 7 of FIFRA (SSTS)	NO
Facility manufactures or imports toxic chemicals on the TSCA list (TSCA)	NO
Facility has inspections under FIFRA, TSCA or EPCRA (FTTS)	NO
Facility is listed in EPA's index system (FINDS)	YES - p5
Facility is listed in a county/local unique database (LOCAL)	YES - p6
POTENTIAL SUPERFUND LIABILITY Facility has a list of potentially responsible parties PRP	NO
TOTAL (YES)	3

SECTION 2: FACILITY DETAIL REPORTS

WASTE MANAGEMENT

Facility generates hazardous waste

DATABASE: Resource Conservation and Recovery Information System (RCRIS)

FLAT GAS INC
1130 PENNSYLVANIA AVE
BROOKLYN, NY 11207
EDR ID #1000556257

Facility Name: FLAT GAS INC
1130 PENNSYLVANIA AVE
BROOKLYN, NY 11207 - 9008

Mailing Address: PENNSYLVANIA AVE
BROOKLYN, NY 11207

Contact: YEHUDA HERSHKOVICA, MGR
(718) 257-3844

EPA-ID: NYD986988178

Rank Date: Not reported
Rank Status: Not reported

Classification: Small Quantity Generator

Description: Handler:
- generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or
- generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Legal Status: Private

Owner: AMOCO OIL CO
555 LONG WHARF DR
NEW HAVEN, CT 20386 - 5191
(203) 865-1910

NY MANIFEST DATA

Document ID:	NJA2117112	Manifest Status:	C
Trans1 State ID:	S50078	Trans2 State ID:	Not reported
Generator Ship Date:	06/21/95	Trans1 Recv Date:	06/21/95
Trans2 Recv Date:	Not reported	TSD Site Recv Date:	06/21/95
Part A Recv Date:	Not reported	Part B Recv Date:	06/30/95
Generator EPA ID:	NYD986988178	Trans1 EPA ID:	NYD006801245
Trans2 EPA ID:	Not reported	TSDF ID:	NJD991291105
Facility Type:	GEN		
Facility Name :	FLAT GAS		
Facility Address :	1130 PENNSYLVANIA AVE BROOKLYN, NY 11240		
Country :	Not reported	Code :	61
County :	Not reported		
Mailing Name :	FLAT GAS		
Mailing Contact :	Not reported		
Mailing Address :	MORRIS CORP CTR 1 BLDG C 300 PARSIPPANY, NY 07054		
Mailing Country :	Not reported		

Waste Code	Quantity	Num of Containers	Container Type	Handling Method	Specific Gravity
D001	00110 Gallons	002	Metal drums, barrels	Burn	100

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

MULTIMEDIA

Facility is listed in EPA's index system

DATABASE: Facility Index System (FINDS)

FLAT GAS INC
1130 PENNSYLVANIA AVE
BROOKLYN, NY 11207
EDR ID #1000556257

This site is listed in the Federal FINDS database. The FINDS database may contain references to records from government databases included elsewhere in the report. Please note: the FINDS database may also contain references to out of date records formerly associated with the site.

EPA-ID: 110001572414

EPA Records Indicate Facility Is Listed In: AIRS Facility System (AIRS/AFS)

System ID: NY0009086
Facility Name: AMOCO-57130126005
Facility Address: 1130 PENNSYLVANIA AVE
BROOKLYN, NY 11207
DUNS Number: Not reported
US Fed Gov Facility: No
Indian Tribal Land: Not reported
Sic Code(s): 9999
Date Reported to Government: 200201151817

EPA-ID: 110001572414

EPA Records Indicate Facility Is Listed In: Facility Registry System (FRS)

System ID: 110001572414
Facility Name: FLAG GAS
Facility Address: 1130 PENNSYLVANIA AV
BROOKLYN, NY 11236
DUNS Number: Not reported
US Fed Gov Facility: No
Indian Tribal Land: Not reported
Sic Code(s): Not reported
Date Reported to Government: 200011131548

EPA-ID: 110001572414

EPA Records Indicate Facility Is Listed In: Resource Conservation and Recovery Act Information system (RCRAINFO)

System ID: NYD986988178
Facility Name: FLAT GAS INC
Facility Address: 1130 PENNSYLVANIA AVE
BROOKLYN, NY 11207 - 9008
DUNS Number: Not reported
US Fed Gov Facility: No
Indian Tribal Land: No
Sic Code(s): Not reported
Date Reported to Government: 200205021209

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

MULTIMEDIA

Facility is listed in a county/local unique database

DATABASE: State/County (LOCAL)

FLAT GAS INC
1130 PENNSYLVANIA AVE
BROOKLYN, NY 11207
EDR ID #1000556257

Database: LTANKS

LTANKS:

Spill Number:	0103269	Region of Spill:	2
Facility Contact:	GEORGE	Facility Tele:	(646) 252-7103
Investigator:	DEMEO	SWIS:	61
Caller Name:	Not reported	Caller Agency:	Not reported
Caller Phone:	Not reported	Caller Extension:	Not reported
Notifier Name:	Not reported	Notifier Agency:	Not reported
Notifier Phone:	Not reported	Notifier Extension:	Not reported
Spiller Contact:	Not reported	Spiller Phone:	Not reported
Spiller:	SAME		
Spiller Address:	Not reported		
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.		
Spill Closed Dt:	Not reported		
Spill Cause:	Tank Test Failure	Resource Affected:	On Land
Water Affected:	Not reported	Spill Source:	Other Non Commercial/Industrial
Spill Notifier:	Tank Tester	PBS Number:	2-580905
Spill Date:	06/25/2001 16:05	Reported to Dept:	06/25/2001 16:29
Cleanup Ceased:	Not reported		
Last Inspection:	Not reported		
Cleanup Meets Standard:	False		
Recommended Penalty:	Penalty Not Recommended		
Spiller Cleanup Date:	Not reported		
Enforcement Date:	Not reported		
Investigation Complete:	Not reported		
UST Involvement:	False		
Spill Record Last Update:	06/26/2001		
Is Updated:	False		
Corrective Action Plan Submitted:	Not reported		
Date Spill Entered In Computer Data File:	06/25/2001		
Date Region Sent Summary to Central Office:	Not reported		
Tank Test:			
PBS Number:	Not reported		
Tank Number:	1		
Test Method:	Horner EZ Check		
Capacity of Failed Tank:	5000		
Leak Rate Failed Tank:	0.00		
Gross Leak Rate:	Tank Test Failures only pass or fail		
Material:			
Material Class Type:	1		
Quantity Spilled:	0		
Units:	Gallons		
Unknown Qty Spilled:	No		
Quantity Recovered:	0		
Unknown Qty Recovered:	False		
Material:	#2 FUEL OIL		
Class Type:	Petroleum		
Chem Abstract Service Number:	#2 FUEL OIL		
Last Date:	12/07/1994		
Num Times Material Entry In File:	24464		
DEC Remarks:	Not reported		
Spill Cause:	TANK TEST FAILURE AT ABOVE CHURCH. TANK TO BE UNCOVERED EVALUATED AND RE TESTED.		



EDR Site Report™

FLAT GAS, INC.
1130 PENNSYLVANIA AVENUE
BKLYN, NY 11236

Inquiry Number:

April 4, 2003

The Source
For Environmental
Risk Management
Data

3530 Post Road
Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

The EDR-Site Report™ is a comprehensive presentation of government filings on a facility identified in a search of over 4 million government records from more than 600 federal, state and local environmental databases. The report is divided into three sections:

Section 1: Facility Summary Page 3

Summary of facility filings including a review of the following areas: waste management, waste disposal, multi-media issues, and Superfund liability.

Section 2: Facility Detail Reports Page 4

All available detailed information from databases where sites are identified.

Section 3: Databases Searched and Update Information. Page 16

Name, source, update dates, contact phone number and description of each of the databases searched for this report.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2001 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SECTION 1: FACILITY SUMMARY

FACILITY	FACILITY 1 FLAT GAS, INC. 1130 PENNSYLVANIA AVENUE BKLYN, NY 11236 EDR ID #U001839103
AREA	
WASTE MANAGEMENT Facility generates hazardous waste (RCRIS)	NO
Facility treats, stores, or disposes of hazardous waste on-site (RCRIS/TSDF)	NO
Facility has received Notices of Violations (RCRIS/VIOL)	NO
Facility has been subject to RCRA administrative actions (RAATS)	NO
Facility has been subject to corrective actions (CORRACTS)	NO
Facility handles PCBs (PADS)	NO
Facility uses radioactive materials (MLTS)	NO
Facility manages registered aboveground storage tanks (AST)	NO
Facility manages registered underground storage tanks (UST)	YES - p4
Facility has reported leaking underground storage tank incidents (LUST)	NO
Facility has reported emergency releases to the soil (ERNS)	NO
Facility has reported hazardous material incidents to DOT (HMIRS)	NO
WASTE DISPOSAL Facility is a Superfund Site (NPL)	NO
Facility has a known or suspect abandoned, inactive or uncontrolled hazardous waste site (CERCLIS)	NO
Facility has a reported Superfund Lien on it (LIENS)	NO
Facility is listed as a state hazardous waste site (SHWS)	NO
Facility has disposed of solid waste on-site (SWF/LF)	NO
MULTIMEDIA Facility uses toxic chemicals and has notified EPA under SARA Title III, Section 313 (TRIS)	NO
Facility produces pesticides and has notified EPA under Section 7 of FIFRA (SSTS)	NO
Facility manufactures or imports toxic chemicals on the TSCA list (TSCA)	NO
Facility has inspections under FIFRA, TSCA or EPCRA (FTTS)	NO
Facility is listed in EPA's index system (FINDS)	NO
Facility is listed in a county/local unique database (LOCAL)	NO
POTENTIAL SUPERFUND LIABILITY Facility has a list of potentially responsible parties PRP	NO
TOTAL (YES)	1

SECTION 2: FACILITY DETAIL REPORTS

WASTE MANAGEMENT

Facility manages registered underground storage tanks

DATABASE: Petroleum Storage Tank Database (UST)

FLAT GAS, INC.
1130 PENNSYLVANIA AVENUE
BKLYN, NY 11236
EDR ID #U001839103

PBS UST:			
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	Closed - In Place		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	001	Install Date:	12/01/1972
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626	Old PBSNO:	Not reported
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE		
	1130 PENNSYLVANIA AVENUE		
	BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Owner Mark:	Not reported (973) 331-7012	First Owner	
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054		
Facility Status:	(973) 331-7012		
Certificate Needs Printed :	1		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	False		
Fiscal Amt For Registration Fee Pbsrect:	Not reported		
Dt Ownership Transfer Occur in Computer :	True		
Facility Record Updated:	02/18/1999		
Facility Record Updated:	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	Closed - In Place		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	002	Install Date:	12/01/1972
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626	Old PBSNO:	Not reported
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571 1130 PENNSYLVANIA AVENUE		
Facility Address:	1130 PENNSYLVANIA AVENUE BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS	Owner Type:	Corporate/Commercial
Owner Tel:	(973) 331-7012		
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054 Not reported (973) 331-7012		
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054 (973) 331-7012		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occur in Computer :	02/18/1999		
Facility Record Updated:	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	003	Install Date:	12/01/1978
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Emergency:	AMOCO OIL CO	Old PBSNO:	Not reported
Emergency Tel:	(800) 892-6626		
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE		
	1130 PENNSYLVANIA AVENUE		
	BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
	Not reported		
	(973) 331-7012		
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054		
Facility Status:	(973) 331-7012		
Certificate Needs Printed :	1		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	False		
Fiscal Amt For Registration Fee Pbsrect:	Not reported		
Dt Ownership Transfer Occur in Computer :	True		
Facility Record Updated:	02/18/1999		
True			
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI		
	(718) 257-3844		
Emergency Contact:	JAY SEMELMACHER		
	(917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP.		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP.		
	ATTN: JAY SEMELMACHER		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	004	Install Date:	12/01/1978
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626		
Facility Type:	Old PBSNO: Not reported		
Facility Owner:	RETAIL GASOLINE SALES		
Facility Address:	AMOCO SERVICE STATION 571 1130 PENNSYLVANIA AVENUE 1130 PENNSYLVANIA AVENUE BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS	Owner Type:	Corporate/Commercial
Owner Tel:	(973) 331-7012		
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
Owner Mark:	Not reported		
Certify Date:	First Owner 10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054		
Facility Status:	(973) 331-7012		
Certificate Needs Printed :	1		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	False		
Fiscal Amt For Registration Fee Pbsrect:	Not reported		
Dt Ownership Transfer Occur in Computer :	True		
Facility Record Updated:	02/18/1999		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	Closed - Removed		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	005	Install Date:	12/01/1978
Tank Type:	Steel/carbon steel	Product Stored:	UNLEADED GASOLINE
Tank Internal:	Not reported	Pipe Internal:	Not reported
Pipe Location:	2	Pipe Type:	GALVANIZED STEEL
Tank External:	Not reported		
Missing Data for Tank:	Minor Data Missing		
Pipe External:	Not reported		
Second Containment:	NONE		
Leak Detection:	NONE		
Overfill Prot:	2	Dispenser:	Suction
Date Tested:	Not reported	Next Test Date:	Not reported
Date Closed:	06/01/1993	Test Method:	Not reported
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626	Old PBSNO:	Not reported
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE		
	1130 PENNSYLVANIA AVENUE		
	BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS		
	MOORIS CORPORATE CENTER 1 - BLDG. C.		
	300 INTERPLACE PARKWAY		
	PARSIPPANY, NJ 07054		
	Not reported		
	(973) 331-7012		
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :			
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	Not reported		
Facility Phone :	6101		
Num of Active Tanks :	(718) 257-3844		
Facility Owner:	5		
Facility Address:	AMOCO OIL COMPANY - RAE ADAMS		
	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054		
Facility Status:	(973) 331-7012		
Certificate Needs Printed :	1		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	False		
Fiscal Amt For Registration Fee Pbsrect:	Not reported		
Dt Ownership Transfer Occur in Computer :	True		
Facility Record Updated:	02/18/1999		
	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI		
	(718) 257-3844		
Emergency Contact:	JAY SEMELMACHER		
	(917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP.		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP.		
	ATTN: JAY SEMELMACHER		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
Tank Status:	In Service		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	101	Install Date:	06/01/1993
Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	UNLEADED GASOLINE
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	NONE/FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Catch Basin	Dispenser:	Submersible
Date Tested:	06/28/2000	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	PROECO SEWER TEST
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renwal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626		
Facility Type:	Old PBSNO: Not reported		
Facility Owner:	RETAIL GASOLINE SALES		
Facility Address:	AMOCO SERVICE STATION 571 1130 PENNSYLVANIA AVENUE 1130 PENNSYLVANIA AVENUE BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012		
Owner Subtype:	Not reported	Owner Type:	Corporate/Commercial
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
Not reported			
(973) 331-7012			
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
PARSIPPANY, NJ 07054			
Owner Phone:	(973) 331-7012		
Facility Status:	1		
Certificate Needs Printed :	False		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	Not reported		
Fiscal Amt For Registration Fee Pbsrect:	True		
Dt Ownership Transfer Occurr in Computer :	02/18/1999		
Facility Record Updated:	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI		
	(718) 257-3844		
Emergency Contact:	JAY SEMELMACHER		
	(917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP.		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP.		
	ATTN: JAY SEMELMACHER		
	1158 BROADWAY		
	HEWLETT, NY 11557		
	(516) 295-3400		
Tank Status:	In Service		
Capacity (gals):	4000		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Tank Location:	UNDERGROUND	Install Date:	06/01/1993
Tank Id:	102	Product Stored:	UNLEADED GASOLINE
Tank Type:	Fiberglass reinforced plastic [FRP]	Pipe Internal:	NONE
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Type:	FIBERGLASS [FRP]
Pipe Location:	Underground		
Tank External:	NONE/FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Catch Basin	Dispenser:	Submersible
Date Tested:	06/28/2000	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	PROECO SEWER TEST
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626	Old PBSNO:	Not reported
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE		
	1130 PENNSYLVANIA AVENUE		
	BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
	Not reported		
	(973) 331-7012		
Owner Mark:	First Owner		
Certify Date:	10/29/2002	Expiration:	10/29/2002
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054		
Facility Status:	(973) 331-7012		
Certificate Needs Printed :	1		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	False		
Fiscal Amt For Registration Fee Pbsrect:	Not reported		
Dt Ownership Transfer Occur in Computer :	True		
Facility Record Updated:	02/18/1999		
	True		
PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI		
	(718) 257-3844		
Emergency Contact:	JAY SEMELMACHER		
	(917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP.		
	1158 BROADWAY		
	HEWLETT, NY 11557		
Owner Type:	(516) 295-3400		
Owner Mark:	Corporate/Commercial		
	Second Owner		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	In Service		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	103		
Tank Type:	Fiberglass reinforced plastic [FRP]		
Tank Internal:	FIBERGLASS LINER [FRP]		
Pipe Location:	Underground		
Tank External:	NONE/FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Catch Basin		
Date Tested:	06/28/2000		
Date Closed:	Not reported		
Deleted:	False		
Dead Letter:	False		
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000		
Tank Screen:	No data missing		
Renew Flag:	Renwal has not been printed		
Certification Flag:	False		
Old PBS Number:	Not reported		
Inspected Date:	Not reported		
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626		
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE 1130 PENNSYLVANIA AVENUE BKLYN, NY 11236		
Inspector:	Not reported		
Insp Result:	Not reported		
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012		
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054 Not reported (973) 331-7012		
Owner Mark:	First Owner		
Certify Date:	10/29/2002		
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054		
Facility Status:	(973) 331-7012		
Certificate Needs Printed :	1		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	False		
Fiscal Amt For Registration Fee Pbsrect:	Not reported		
Dt Ownership Transfer Occurr in Computer :	True		
Facility Record Updated:	02/18/1999		
PBS Number:	2-337749		
SPDES Number:	Not reported		
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER		
CBS Number:	Not reported		
SWIS ID:	6101		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Total Tanks:	(917) 246-2101		
Owner:	5 DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	In Service		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	104	Install Date:	06/01/1993
Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	UNLEADED GASOLINE
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	NONE/FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Catch Basin	Dispenser:	Submersible
Date Tested:	06/28/2000	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	PROECO SEWER TEST
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626		
Facility Type:	Old PBSNO: Not reported		
Facility Owner:	RETAIL GASOLINE SALES		
Facility Address:	AMOCO SERVICE STATION 571 1130 PENNSYLVANIA AVENUE 1130 PENNSYLVANIA AVENUE BKLYN, NY 11236		
Inspector:	Inspect Date: Not reported		
Insp Result:	Federal ID: Not reported		
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012		
Owner Subtype:	Owner Type: Corporate/Commercial		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS MOORIS CORPORATE CENTER 1 - BLDG. C. 300 INTERPLACE PARKWAY PARSIPPANY, NJ 07054		
Owner Mark:	Not reported		
Certify Date:	(973) 331-7012		
Total Capacity (Gal):	20000	Expiration:	10/29/2002
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		
Owner Phone:	PARSIPPANY, NJ 07054		
Facility Status:	(973) 331-7012		
Certificate Needs Printed :	1		
Renewal Printed :	False		
Pre-printed Renewal Form Last Printed :	False		
Fiscal Amt For Registration Fee Pbsrect:	Not reported		
	True		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Dt Ownership Transfer Occur in Computer : 02/18/1999
 Facility Record Updated: True

PBS Number:	2-337749	CBS Number:	Not reported
SPDES Number:	Not reported	SWIS ID:	6101
Operator:	MIKE YARDENI (718) 257-3844		
Emergency Contact:	JAY SEMELMACHER (917) 246-2101		
Total Tanks:	5		
Owner:	DAVID OIL CORP. 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Owner Type:	Corporate/Commercial		
Owner Mark:	Second Owner		
Owner Subtype:	Not reported		
Mailing Address:	DAVID OIL CORP. ATTN: JAY SEMELMACHER 1158 BROADWAY HEWLETT, NY 11557 (516) 295-3400		
Tank Status:	In Service		
Capacity (gals):	4000		
Tank Location:	UNDERGROUND		
Tank Id:	105	Install Date:	06/01/1993
Tank Type:	Fiberglass reinforced plastic [FRP]	Product Stored:	UNLEADED GASOLINE
Tank Internal:	FIBERGLASS LINER [FRP]	Pipe Internal:	NONE
Pipe Location:	Underground	Pipe Type:	FIBERGLASS [FRP]
Tank External:	NONE/FIBERGLASS		
Missing Data for Tank:	No Missing Data		
Pipe External:	NONE/FIBERGLASS		
Second Containment:	NONE/DOUBLED-WALLED TANK		
Leak Detection:	NONE/INTERSTITIAL MONITORING		
Overfill Prot:	High Level Alarm, Catch Basin	Dispenser:	Submersible
Date Tested:	06/28/2000	Next Test Date:	Not reported
Date Closed:	Not reported	Test Method:	PROECO SEWER TEST
Deleted:	False	Updated:	True
Dead Letter:	False	Owner Screen:	No data missing
FAMT:	Fiscal amount for registration fee is correct		
Total Capacity:	20000	Renewal Date:	Not reported
Tank Screen:	No data missing	Federal ID:	Not reported
Renew Flag:	Renewal has not been printed	Facility Screen:	No data missing
Certification Flag:	False	Certification Date:	07/28/2000
Old PBS Number:	Not reported	Expiration Date:	02/18/2004
Inspected Date:	Not reported	Inspector:	Not reported
Inspection Result:	Not reported		
Lat/long:	Not reported		
Facility Type:	RETAIL GASOLINE SALES		
Town or City:	NEW YORK CITY		
Town or City Code:	01		
County Code:	61		
Region:	2		
PBS OWNHIST			
Operator:	RUVEN BERENBLAT		
Emergency:	AMOCO OIL CO		
Emergency Tel:	(800) 892-6626	Old PBSNO:	Not reported
Facility Type:	RETAIL GASOLINE SALES		
Facility Owner:	AMOCO SERVICE STATION 571		
Facility Address:	1130 PENNSYLVANIA AVENUE		
	1130 PENNSYLVANIA AVENUE		
	BKLYN, NY 11236		
Inspector:	Not reported	Inspect Date:	Not reported
Insp Result:	Not reported	Federal ID:	Not reported
Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Owner Tel:	(973) 331-7012	Owner Type:	Corporate/Commercial
Owner Subtype:	Not reported		
Mail Address:	AMOCO OIL COMPANY - RAE ADAMS		
	MOORIS CORPORATE CENTER 1 - BLDG. C.		
	300 INTERPLACE PARKWAY		
	PARSIPPANY, NJ 07054		
	Not reported		
	(973) 331-7012		
Owner Mark:	First Owner	Expiration:	10/29/2002
Certify Date:	10/29/2002		
Total Capacity (Gal):	20000		
CBS Registration Num :	Not reported		
SPDES Number:	Not reported		
Lat/Long :	Not reported		
County Facility:	6101		
Facility Phone :	(718) 257-3844		
Num of Active Tanks :	5		
Facility Owner:	AMOCO OIL COMPANY - RAE ADAMS		
Facility Address:	MORRIS CORP.CTER.1-BLDG.C/300 INTPL. PKY		

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

Owner Phone:	PARSIPPANY, NJ 07054
Facility Status:	(973) 331-7012
Certificate Needs Printed :	1
Renewal Printed :	False
Pre-printed Renewal Form Last Printed :	False
Fiscal Amt For Registration Fee Pbsrect:	Not reported
Dt Ownership Transfer Occurr in Computer :	True
Facility Record Updated:	02/18/1999



EDR Site Report™

PENNSYLVANIA AVENUE LANDFILL
PENNSYLVANIA AVENUE / SHORE PARKWAY
BROOKLYN, NY 11239

Inquiry Number:

April 4, 2003

The Source
For Environmental
Risk Management
Data

3530 Post Road
Southport, Connecticut 06490

Nationwide Customer Service

Telephone: 1-800-352-0050
Fax: 1-800-231-6802
Internet: www.edrnet.com

TABLE OF CONTENTS

The EDR-Site Report™ is a comprehensive presentation of government filings on a facility identified in a search of over 4 million government records from more than 600 federal, state and local environmental databases. The report is divided into three sections:

Section 1: Facility Summary Page 3

Summary of facility filings including a review of the following areas: waste management, waste disposal, multi-media issues, and Superfund liability.

Section 2: Facility Detail Reports Page 4

All available detailed information from databases where sites are identified.

Section 3: Databases Searched and Update Information. Page 6

Name, source, update dates, contact phone number and description of each of the databases searched for this report.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer

Copyright and Trademark Notice

This report contains information obtained from a variety of public and other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL EDR BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES.

Entire contents copyright 2001 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and the edr logos are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

SECTION 1: FACILITY SUMMARY

AREA	FACILITY	FACILITY 1 PENNSYLVANIA AVENUE LANDFILL PENNSYLVANIA AVENUE / SHORE PARKWAY BROOKLYN, NY 11239 EDR ID #S105114240
WASTE MANAGEMENT Facility generates hazardous waste (RCRIS)	NO	
Facility treats, stores, or disposes of hazardous waste on-site (RCRIS/TSDF)	NO	
Facility has received Notices of Violations (RCRIS/VIOL)	NO	
Facility has been subject to RCRA administrative actions (RAATS)	NO	
Facility has been subject to corrective actions (CORRACTS)	NO	
Facility handles PCBs (PADS)	NO	
Facility uses radioactive materials (MLTS)	NO	
Facility manages registered aboveground storage tanks (AST)	NO	
Facility manages registered underground storage tanks (UST)	NO	
Facility has reported leaking underground storage tank incidents (LUST)	NO	
Facility has reported emergency releases to the soil (ERNS)	NO	
Facility has reported hazardous material incidents to DOT (HMIRS)	NO	
WASTE DISPOSAL Facility is a Superfund Site (NPL)	NO	
Facility has a known or suspect abandoned, inactive or uncontrolled hazardous waste site (CERCLIS)	NO	
Facility has a reported Superfund Lien on it (LIENS)	NO	
Facility is listed as a state hazardous waste site (SHWS)	YES - p4	
Facility has disposed of solid waste on-site (SWF/LF)	NO	
MULTIMEDIA Facility uses toxic chemicals and has notified EPA under SARA Title III, Section 313 (TRIS)	NO	
Facility produces pesticides and has notified EPA under Section 7 of FIFRA (SSTS)	NO	
Facility manufactures or imports toxic chemicals on the TSCA list (TSCA)	NO	
Facility has inspections under FIFRA, TSCA or EPCRA (FTTS)	NO	
Facility is listed in EPA's index system (FINDS)	NO	
Facility is listed in a county/local unique database (LOCAL)	NO	
POTENTIAL SUPERFUND LIABILITY Facility has a list of potentially responsible parties PRP	NO	
TOTAL (YES)	1	

SECTION 2: FACILITY DETAIL REPORTS

WASTE DISPOSAL

Facility is listed as a state hazardous waste site

DATABASE: State Hazardous Waste Sites (SHWS)

PENNSYLVANIA AVENUE LANDFILL
PENNSYLVANIA AVENUE / SHORE PARKWAY
BROOKLYN, NY 11239
EDR ID #S105114240

SHWS:
EPA ID: NYD980641047 Region: 2
Acres: 110 User: City of New York
Owner: National Park Service
900 Ohio Drive Southwest
Washington, DC 202
Owner Type: OW
Operator: NYC Sanitation Department
125 Worth Street
New York, NY 10013
Operator Type: OP
Classification: SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR ENVIRONMENT - ACTION REQUIRED.
Depth to Groundwater: Range: 5 to 10 feet.
Legal Action Type: Consent Order
Legal NY State: X
Legal Federal: Not reported
Legal state: OS
Facility ID Number: 224002
Dump: Not reported
Pond: Not reported
Structure: Not reported
Lagoon: Not reported
Landfill: Yes
Lat/Long: 40° 38' 27" / 73° 52' 28"
Disposal Start: 1974
Disposal Term: 1979
Air Data: Yes
Air Violation: Yes
Ground Water Data: Not reported
Surface Water Data: Yes
SW Violation: Yes
Sediment Data: Yes
Soil Data: Yes
Soil Type: Sand and marsh sediments.
Remediation Proposed: Not reported
Remediation Active: Yes
Remediation Design: Not reported
Remediation Type: Cap with gas control, IRM-Containment.
Quantity: Estimated 13 million
gals/yr.
NPL Status: ---
Hazardous Waste: oil sludge, solvents.
PCB
cadmium
lead
mercury
phenols
methylene chloride
Site Description: The Pennsylvania Avenue Landfill is located on property owned by the City of New York and the National Park Service, south of the Belt Parkway between Fresh Creek and Hendrix Creek. The site was operated by the New York City Department of Sanitation (NYCDO) as a sanitary landfill from 1956 to 1962, with the final top soil cover placed in 1963. In 1972, the site was reactivated by the NYCDO as a construction and demolition debris landfill. The site was deactivated in 1979 and closed in 1985. Testimony from a driver/dispatcher for Hudson Oil Refining Co. on May 6, 1982 before the Senate Committee on Crime indicated that from 1974 to 1980, waste oil sludges, metal plating shavings, lacquer and solvents were illegally dumped at several NYC Landfills, including Pennsylvania Avenue. The NYCDO estimates that approximately 13 million gallons/year of hazardous wastes were disposed at this site. The shoreline was saturated with oil containing PCBs and heavy metals, which were leaching into Fresh Creek. An outer containment boom and inner absorbent boom were installed at the oil outbreak to minimize the entry of contamination into Jamaica Bay. The Record of Decision (ROD) was issued in February 1995. The selected remedy required capping, active leachate and product collection in the trench, and active gas collection. The

SECTION 2: FACILITY DETAIL REPORTS

...Continued...

design of the selected remedy was completed in 2000. Remedial construction activities started in 2000. The following Remedial Activities: 1) Lengthening and deepening of the leachate/oil collection trench, 2) Construction of a package treatment plant, 3) Dredging of sediment in Fresh Creek, and 4) Construction of a force-main from the site to the 26th Ward POTW began in December 2000 and are scheduled for completion in June 2002. The landfill cap contract has been awarded and work is scheduled to begin in the spring of 2002. The reconstruction of the pier is almost completed and it is operational.

Environmental Problems: The shoreline along Fresh Creek was saturated with oil that is contaminated with PCBs and heavy metals. This contamination leached into Jamaica Bay.

Health Problems: Air sampling on the landfill and at downwind locations indicates the landfill has not affected levels of volatile organic contaminants in ambient air. Groundwater in the area is not used as a source of potable water, but contaminated groundwater may discharge into Jamaica Bay tidal waters. PCB-contaminated oil/leachate from the landfill discharges into Jamaica Bay. A containment boom and a collection trench around the leachate discharge reduce the amount of PCBs oils entering the Bay. PCB levels in samples of fish and shellfish collected from areas adjacent to the landfill and from several areas in Jamaica Bay were well below the FDA tolerance level of 2.0 ppm. Shell fishing and swimming are prohibited due to bacteriological contamination. The site is fenced and guarded, limiting on-site exposure.

