

Appendix K
Fish and Wildlife Resource Impact
Analysis Keys

Fish and Wildlife Resources Impact Analysis Decision Key

	If YES Go to:	If NO Go to:
1. Is the site or area of concern a discharge or spill event?	13.	2.
2. Is the site or area of concern a point source of contamination to the groundwater which will be prevented from discharging to surface water? Soil contamination is not widespread, or if widespread, is confined under buildings and paved areas.	13.	3
3. Is the site and all adjacent property a developed area with buildings, paved surfaces and little or no vegetation?	4.	9.
4. Does the site contain habitat of an endangered, threatened or special concern species?	Section 3.10.1	5.
5. Has the contamination gone off site?	6.	14.
6. Is there any discharge or erosion of contamination to surface water or the potential for discharge or erosion of contamination?	7.	14.
7. Are the site contaminants PCBs, pesticides or other persistent, bioaccumulable substances?	Section 3.10.1	8.
8. Does contamination exist at concentrations that could exceed SCGs or be toxic to aquatic life if discharged to surface water?	Section 3.10.1	14.
9. Does the site or any adjacent or downgradient property contain any of the following resources? a. Any endangered, threatened or special concern species or rare plants or their habitat b. Any NYSDEC designated significant habitats or rare NYS Ecological Communities c. Tidal or freshwater wetlands d. Stream, creek or river e. Pond, lake, lagoon f. Drainage ditch or channel g. Other surface water feature h. Other marine or freshwater habitat i. Forest j. Grassland or grassy field k. Parkland or woodland l. Shrubby area m. Urban wildlife habitat n. Other terrestrial habitat	11.	10.
10. Is the lack of resources due to the contamination?	Section 3.10.1	14.
11. Is the contamination a localized source which has not migrated and will not migrate from the source to impact any on-site or off-site resources?	14.	12.
12. Does the site have widespread soil contamination that is not confined under and around buildings or paved areas?	Section 3.10.1	13.
13. Does the contamination at the site or area of concern have the potential to migrate to, erode into or otherwise impact any on-site or off-site habitat of endangered, threatened or special concern species or other fish and wildlife resource? (See #9 for list of potential resources. Contact NYSDEC for information regarding endangered species.)	Section 3.10.1	14.
14. No Fish and Wildlife Resources Impact Analysis needed.		

Fish and Wildlife Resources Impact Analysis Decision Key

	If YES Go to:	If NO Go to:
1. Is the site or area of concern a discharge or spill event?	13.	2.
2. Is the site or area of concern a point source of contamination to the groundwater which will be prevented from discharging to surface water? Soil contamination is not widespread, or if widespread, is confined under buildings and paved areas.	13.	3.
3. Is the site and all adjacent property a developed area with buildings, paved surfaces and little or no vegetation?	4.	9.
4. Does the site contain habitat of an endangered, threatened or special concern species?	Section 3.10.1	5.
5. Has the contamination gone off site?	possibly 2 → 6.	14.
6. Is there any discharge or erosion of contamination to surface water or the potential for discharge or erosion of contamination?	7.	14.
7. Are the site contaminants PCBs, pesticides or other persistent, bioaccumulable substances?	Section 3.10.1	8.
8. Does contamination exist at concentrations that could exceed SCGs or be toxic to aquatic life if discharged to surface water?	Section 3.10.1	14.
9. Does the site or any adjacent or downgradient property contain any of the following resources? a. Any endangered, threatened or special concern species or rare plants or their habitat b. Any NYSDEC designated significant habitats or rare NYS Ecological Communities c. Tidal or freshwater wetlands d. Stream, creek or river e. Pond, lake, lagoon f. Drainage ditch or channel g. Other surface water feature h. Other marine or freshwater habitat i. Forest j. Grassland or grassy field k. Parkland or woodland l. Shrubby area m. Urban wildlife habitat n. Other terrestrial habitat	11.	10.
10. Is the lack of resources due to the contamination?	Section 3.10.1	14.
11. Is the contamination a localized source which has not migrated and will not migrate from the source to impact any on-site or off-site resources?	14.	12.
12. Does the site have widespread soil contamination that is not confined under and around buildings or paved areas?	Section 3.10.1	13.
13. Does the contamination at the site or area of concern have the potential to migrate to, erode into or otherwise impact any on-site or off-site habitat of endangered, threatened or special concern species or other fish and wildlife resource? (See #9 for list of potential resources. Contact NYSDEC for information regarding endangered species.)	Section 3.10.1	14.
14. No Fish and Wildlife Resources Impact Analysis needed.		

Appendix L

Air Monitoring Data (particulate and Volatiles)

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 1
Test Abbreviation:
Start Date: 8/27/2007
Start Time: 7:00:48
Duration (dd:hh:mm:ss): 00:08:15:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 33
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minir 7:30:48
Date of Minir 8/27/2007
Maximum: 0.001
Time of Maxir 7:15:48
Date of Maxir 8/27/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
8/27/2007	7:15:48	0.001
8/27/2007	7:30:48	0
8/27/2007	7:45:48	0
8/27/2007	8:00:48	0
8/27/2007	8:15:48	0
8/27/2007	8:30:48	0
8/27/2007	8:45:48	0
8/27/2007	9:00:48	0
8/27/2007	9:15:48	0
8/27/2007	9:30:48	0
8/27/2007	9:45:48	0
8/27/2007	10:00:48	0
8/27/2007	10:15:48	0
8/27/2007	10:30:48	0
8/27/2007	10:45:48	0
8/27/2007	11:00:48	0
8/27/2007	11:15:48	0
8/27/2007	11:30:48	0
8/27/2007	11:45:48	0
8/27/2007	12:00:48	0
8/27/2007	12:15:48	0
8/27/2007	12:30:48	0
8/27/2007	12:45:48	0
8/27/2007	13:00:48	0
8/27/2007	13:15:48	0
8/27/2007	13:30:48	0
8/27/2007	13:45:48	0
8/27/2007	14:00:48	0
8/27/2007	14:15:48	0
8/27/2007	14:30:48	0
8/27/2007	14:45:48	0
8/27/2007	15:00:48	0
8/27/2007	15:15:48	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 2
Test Abbreviation:
Start Date: 8/28/2007
Start Time: 5:41:12
Duration (d 00:07:45:00
Time const 10
Log Interva 15:00
Number of 31
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mii 5:56:12
Date of Mir 8/28/2007
Maximum: 0.002
Time of Ma 7:11:12
Date of Ma 8/28/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
8/28/2007	5:56:12	0
8/28/2007	6:11:12	0
8/28/2007	6:26:12	0
8/28/2007	6:41:12	0
8/28/2007	6:56:12	0
8/28/2007	7:11:12	0.002
8/28/2007	7:26:12	0
8/28/2007	7:41:12	0
8/28/2007	7:56:12	0
8/28/2007	8:11:12	0
8/28/2007	8:26:12	0
8/28/2007	8:41:12	0
8/28/2007	8:56:12	0
8/28/2007	9:11:12	0
8/28/2007	9:26:12	0
8/28/2007	9:41:12	0
8/28/2007	9:56:12	0
8/28/2007	10:11:12	0
8/28/2007	10:26:12	0
8/28/2007	10:41:12	0
8/28/2007	10:56:12	0
8/28/2007	11:11:12	0
8/28/2007	11:26:12	0
8/28/2007	11:41:12	0
8/28/2007	11:56:12	0.001
8/28/2007	12:11:12	0
8/28/2007	12:26:12	0
8/28/2007	12:41:12	0.002
8/28/2007	12:56:12	0
8/28/2007	13:11:12	0
8/28/2007	13:26:12	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 3
Test Abbreviation:
Start Date: 8/29/2007
Start Time: 11:46:49
Duration (d 00:01:30:00
Time const 10
Log Interva 15:00
Number of 6

Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mir 12:01:49
Date of Mir 8/29/2007
Maximum: 0
Time of Ma 12:01:49
Date of Ma 8/29/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yy	hh:mm:ss	mg/m^3
8/29/2007	12:01:49	0
8/29/2007	12:16:49	0
8/29/2007	12:31:49	0
8/29/2007	12:46:49	0
8/29/2007	13:01:49	0
8/29/2007	13:16:49	0
	1330	0.000
	1400	0.000
	1430	0.000
	1500	0.000

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 1
Test Abbreviation:
Start Date: 8/30/2007
Start Time: 5:15:56
Duration (c 00:08:00:00
Time const 10
Log Intervz 15:00
Number of 32
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Min 5:45:56
Date of Min 8/30/2007
Maximum: 0.001
Time of Max 5:30:56
Date of Max 8/30/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
8/30/2007	5:30:56	0.001
8/30/2007	5:45:56	0
8/30/2007	6:00:56	0
8/30/2007	6:15:56	0
8/30/2007	6:30:56	0
8/30/2007	6:45:56	0
8/30/2007	7:00:56	0
8/30/2007	7:15:56	0
8/30/2007	7:30:56	0
8/30/2007	7:45:56	0
8/30/2007	8:00:56	0
8/30/2007	8:15:56	0
8/30/2007	8:30:56	0
8/30/2007	8:45:56	0
8/30/2007	9:00:56	0
8/30/2007	9:15:56	0
8/30/2007	9:30:56	0
8/30/2007	9:45:56	0
8/30/2007	10:00:56	0
8/30/2007	10:15:56	0
8/30/2007	10:30:56	0
8/30/2007	10:45:56	0
8/30/2007	11:00:56	0
8/30/2007	11:15:56	0
8/30/2007	11:30:56	0
8/30/2007	11:45:56	0
8/30/2007	12:00:56	0
8/30/2007	12:15:56	0
8/30/2007	12:30:56	0
8/30/2007	12:45:56	0.001
8/30/2007	13:00:56	0
8/30/2007	13:15:56	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 1

Test Abbreviation:

Start Date: 8/31/2007

Start Time: 5:09:46

Duration (d 00:07:15:00

Time const 10

Log Interva 15:00

Number of 29

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 5:24:46
Date of Mir 8/31/2007
Maximum: 0
Time of Ma 5:24:46
Date of Ma 8/31/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
8/31/2007	5:24:46	0
8/31/2007	5:39:46	0
8/31/2007	5:54:46	0
8/31/2007	6:09:46	0
8/31/2007	6:24:46	0
8/31/2007	6:39:46	0
8/31/2007	6:54:46	0
8/31/2007	7:09:46	0
8/31/2007	7:24:46	0
8/31/2007	7:39:46	0
8/31/2007	7:54:46	0
8/31/2007	8:09:46	0
8/31/2007	8:24:46	0
8/31/2007	8:39:46	0
8/31/2007	8:54:46	0
8/31/2007	9:09:46	0
8/31/2007	9:24:46	0
8/31/2007	9:39:46	0
8/31/2007	9:54:46	0
8/31/2007	10:09:46	0
8/31/2007	10:24:46	0
8/31/2007	10:39:46	0
8/31/2007	10:54:46	0
8/31/2007	11:09:46	0
8/31/2007	11:24:46	0
8/31/2007	11:39:46	0
8/31/2007	11:54:46	0
8/31/2007	12:09:46	0
8/31/2007	12:24:46	0

	ppm	
8/27/2007	700	0.0
8/27/2007	730	0.0
8/27/2007	800	0.0
8/27/2007	830	0.0
8/27/2007	900	0.0
8/27/2007	930	0.0
8/27/2007	1000	0.0
8/27/2007	1030	0.0
8/27/2007	1100	0.0
8/27/2007	1130	0.0
8/27/2007	1200	0.0
8/27/2007	1230	0.0
8/27/2007	1300	0.0
8/27/2007	1330	0.0
8/27/2007	1400	0.0
8/27/2007	1430	0.0
8/27/2007	1500	0.0
8/27/2007	1530	0.0
8/27/2007	1600	0.0
8/27/2007	1630	0.0
8/27/2007	1700	0.0
8/27/2007	1715	0.0

	ppm	
8/28/2007	700	0.0
8/28/2007	730	0.0
8/28/2007	800	0.0
8/28/2007	830	0.0
8/28/2007	900	0.0
8/28/2007	930	0.0
8/28/2007	1000	0.0
8/28/2007	1030	0.0
8/28/2007	1100	0.0
8/28/2007	1130	0.0
8/28/2007	1200	0.0
8/28/2007	1230	0.0
8/28/2007	1300	0.0
8/28/2007	1330	0.0
8/28/2007	1400	0.0
8/28/2007	1430	0.0
8/28/2007	1500	0.0
8/28/2007	1515	0.0

	ppm	
8/29/2007	700	0.0
8/29/2007	730	0.0
8/29/2007	800	0.0
8/29/2007	830	0.0
8/29/2007	900	0.0
8/29/2007	930	0.0
8/29/2007	1000	0.0
8/29/2007	1030	0.0
8/29/2007	1100	0.0
8/29/2007	1130	0.0
8/29/2007	1200	0.0
8/29/2007	1230	0.0
8/29/2007	1300	0.0
8/29/2007	1330	0.0
8/29/2007	1400	0.0
8/29/2007	1430	0.0
8/29/2007	1500	0.0
8/29/2007	1515	0.0

	ppm	
8/30/2007	700	0.0
8/30/2007	730	0.0
8/30/2007	800	0.0
8/30/2007	830	0.0
8/30/2007	900	0.0
8/30/2007	930	0.0
8/30/2007	1000	0.0
8/30/2007	1030	0.0
8/30/2007	1100	0.0
8/30/2007	1130	0.0
8/30/2007	1200	0.0
8/30/2007	1230	0.0
8/30/2007	1300	0.0
8/30/2007	1330	0.0
8/30/2007	1400	0.0
8/30/2007	1430	0.0
8/30/2007	1500	0.0
8/30/2007	1515	0.0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000012
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 08/29/2007 06:29

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/31/2007 6:12			0		0.1	
2	8/31/2007 6:27			0		0.2	
3	8/31/2007 6:42			0.3		9.3	
4	8/31/2007 6:57			0.1		0.4	
5	8/31/2007 7:12			0.1		0.5	
6	8/31/2007 7:27			0.1		0.7	
7	8/31/2007 7:42			0.1		0.3	
8	8/31/2007 7:57			0.1		0.5	
9	8/31/2007 8:12			0.1		1	
10	8/31/2007 8:27			0.2		0.5	
11	8/31/2007 8:42			0.2		1.2	
12	8/31/2007 8:57			0.2		0.5	
13	8/31/2007 9:12			0.3		1.1	
14	8/31/2007 9:27			0.2		0.9	
15	8/31/2007 9:42			0.2		0.6	
16	8/31/2007 9:57			0.3		0.6	
17	8/31/2007 10:12			0.2		0.4	
18	8/31/2007 10:27			0.2		0.4	
19	8/31/2007 10:42			0.3		1.5	
20	8/31/2007 10:57			0.2		0.3	
21	8/31/2007 11:12			0.2		0.3	
22	8/31/2007 11:27			0.2		0.6	
23	8/31/2007 11:42			0.2		0.4	
24	8/31/2007 11:57			0.2		0.3	
25	8/31/2007 12:12			0.2		0.9	
26	8/31/2007 12:27			0.2		0.3	
27	8/31/2007 12:42			0.2		0.3	

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
8/27/2007	700	0.000
8/27/2007	730	0.000
8/27/2007	800	0.000
8/27/2007	900	0.000
8/27/2007	1000	0.000
8/27/2007	1030	0.000
8/27/2007	1100	0.000
8/27/2007	1130	0.000
8/27/2007	1200	0.000
8/27/2007	1300	0.000
8/27/2007	1330	0.000
8/27/2007	1400	0.000
8/27/2007	1430	0.000
8/27/2007	1500	0.000
8/27/2007	1530	0.000
8/27/2007	1600	0.000
8/27/2007	1630	0.000
8/27/2007	1700	0.000
8/27/2007	1715	0.000

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85200853
Test ID: 1
Test Abbreviation:
Start Date: 8/28/2007
Start Time: 7:29:44
Duration (d 00:03:00:00
Time const 10
Log Interval 15:00
Number of 12
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.085
Minimum: 0.061
Time of Min 8:59:44
Date of Min 8/28/2007
Maximum: 0.13
Time of Max 7:44:44
Date of Max 8/28/2007

Calibration Sensor: Aerosol
Cal. date 5/8/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
8/28/2007	7:44:44	0.13
8/28/2007	7:59:44	0.129
8/28/2007	8:14:44	0.087
8/28/2007	8:29:44	0.088
8/28/2007	8:44:44	0.074
8/28/2007	8:59:44	0.061
8/28/2007	9:14:44	0.069
8/28/2007	9:29:44	0.067
8/28/2007	9:44:44	0.063
8/28/2007	9:59:44	0.063
8/28/2007	10:14:44	0.078
8/28/2007	10:29:44	0.107

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85200853
Test ID: 2
Test Abbreviation:
Start Date: 8/29/2007
Start Time: 7:07:53
Duration (d 00:04:53:00
Time const 10
Log Interval 1:00
Number of 293

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.23
Minimum: 0.103
Time of Min 9:03:53
Date of Min 8/29/2007
Maximum: 1.548
Time of Max 10:04:53
Date of Max 8/29/2007

Calibration Sensor: Aerosol
Cal. date 5/8/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
8/29/2007	7:08:53	0.186
8/29/2007	7:09:53	0.374
8/29/2007	7:10:53	0.224
8/29/2007	7:11:53	1.289
8/29/2007	7:12:53	0.182
8/29/2007	7:13:53	0.179
8/29/2007	7:14:53	0.246
8/29/2007	7:15:53	0.251
8/29/2007	7:16:53	0.178
8/29/2007	7:17:53	0.33
8/29/2007	7:18:53	0.3
8/29/2007	7:19:53	0.204
8/29/2007	7:20:53	0.385
8/29/2007	7:21:53	0.265
8/29/2007	7:22:53	0.319
8/29/2007	7:23:53	0.369
8/29/2007	7:24:53	0.193
8/29/2007	7:25:53	0.237
8/29/2007	7:26:53	0.456
8/29/2007	7:27:53	0.227
8/29/2007	7:28:53	0.245
8/29/2007	7:29:53	0.181
8/29/2007	7:30:53	0.182

8/29/2007	7:31:53	0.363
8/29/2007	7:32:53	0.188
8/29/2007	7:33:53	0.452
8/29/2007	7:34:53	0.3
8/29/2007	7:35:53	0.167
8/29/2007	7:36:53	0.364
8/29/2007	7:37:53	0.222
8/29/2007	7:38:53	0.192
8/29/2007	7:39:53	0.394
8/29/2007	7:40:53	0.447
8/29/2007	7:41:53	0.397
8/29/2007	7:42:53	0.23
8/29/2007	7:43:53	0.22
8/29/2007	7:44:53	0.174
8/29/2007	7:45:53	0.16
8/29/2007	7:46:53	0.158
8/29/2007	7:47:53	0.248
8/29/2007	7:48:53	0.18
8/29/2007	7:49:53	0.142
8/29/2007	7:50:53	0.165
8/29/2007	7:51:53	0.205
8/29/2007	7:52:53	0.226
8/29/2007	7:53:53	0.409
8/29/2007	7:54:53	0.313
8/29/2007	7:55:53	0.231
8/29/2007	7:56:53	0.255
8/29/2007	7:57:53	0.214
8/29/2007	7:58:53	0.255
8/29/2007	7:59:53	0.676
8/29/2007	8:00:53	0.507
8/29/2007	8:01:53	0.507
8/29/2007	8:02:53	0.704
8/29/2007	8:03:53	0.2
8/29/2007	8:04:53	0.15
8/29/2007	8:05:53	0.17
8/29/2007	8:06:53	0.202
8/29/2007	8:07:53	0.253
8/29/2007	8:08:53	0.261
8/29/2007	8:09:53	0.223
8/29/2007	8:10:53	0.208
8/29/2007	8:11:53	0.271
8/29/2007	8:12:53	0.301
8/29/2007	8:13:53	0.622
8/29/2007	8:14:53	0.193
8/29/2007	8:15:53	0.135
8/29/2007	8:16:53	0.144
8/29/2007	8:17:53	0.143
8/29/2007	8:18:53	0.15
8/29/2007	8:19:53	0.171
8/29/2007	8:20:53	0.165
8/29/2007	8:21:53	0.138

8/29/2007	8:22:53	0.135
8/29/2007	8:23:53	0.146
8/29/2007	8:24:53	0.154
8/29/2007	8:25:53	0.16
8/29/2007	8:26:53	0.151
8/29/2007	8:27:53	0.165
8/29/2007	8:28:53	0.175
8/29/2007	8:29:53	0.158
8/29/2007	8:30:53	0.171
8/29/2007	8:31:53	0.158
8/29/2007	8:32:53	0.155
8/29/2007	8:33:53	0.144
8/29/2007	8:34:53	0.172
8/29/2007	8:35:53	0.178
8/29/2007	8:36:53	0.186
8/29/2007	8:37:53	0.211
8/29/2007	8:38:53	0.199
8/29/2007	8:39:53	0.26
8/29/2007	8:40:53	0.212
8/29/2007	8:41:53	0.2
8/29/2007	8:42:53	0.245
8/29/2007	8:43:53	0.187
8/29/2007	8:44:53	0.155
8/29/2007	8:45:53	0.15
8/29/2007	8:46:53	0.141
8/29/2007	8:47:53	0.225
8/29/2007	8:48:53	0.205
8/29/2007	8:49:53	0.17
8/29/2007	8:50:53	0.207
8/29/2007	8:51:53	0.24
8/29/2007	8:52:53	0.433
8/29/2007	8:53:53	0.177
8/29/2007	8:54:53	0.189
8/29/2007	8:55:53	0.15
8/29/2007	8:56:53	0.182
8/29/2007	8:57:53	0.149
8/29/2007	8:58:53	0.148
8/29/2007	8:59:53	0.135
8/29/2007	9:00:53	0.165
8/29/2007	9:01:53	0.128
8/29/2007	9:02:53	0.125
8/29/2007	9:03:53	0.103
8/29/2007	9:04:53	0.127
8/29/2007	9:05:53	0.139
8/29/2007	9:06:53	0.182
8/29/2007	9:07:53	0.164
8/29/2007	9:08:53	0.172
8/29/2007	9:09:53	0.155
8/29/2007	9:10:53	0.138
8/29/2007	9:11:53	0.211
8/29/2007	9:12:53	0.155

8/29/2007	9:13:53	0.106
8/29/2007	9:14:53	0.173
8/29/2007	9:15:53	0.216
8/29/2007	9:16:53	0.385
8/29/2007	9:17:53	0.402
8/29/2007	9:18:53	0.311
8/29/2007	9:19:53	0.25
8/29/2007	9:20:53	0.153
8/29/2007	9:21:53	0.154
8/29/2007	9:22:53	0.126
8/29/2007	9:23:53	0.232
8/29/2007	9:24:53	0.215
8/29/2007	9:25:53	0.267
8/29/2007	9:26:53	0.23
8/29/2007	9:27:53	0.196
8/29/2007	9:28:53	0.182
8/29/2007	9:29:53	0.377
8/29/2007	9:30:53	0.136
8/29/2007	9:31:53	0.15
8/29/2007	9:32:53	0.139
8/29/2007	9:33:53	0.142
8/29/2007	9:34:53	0.108
8/29/2007	9:35:53	0.113
8/29/2007	9:36:53	0.127
8/29/2007	9:37:53	0.113
8/29/2007	9:38:53	0.119
8/29/2007	9:39:53	0.113
8/29/2007	9:40:53	0.109
8/29/2007	9:41:53	0.116
8/29/2007	9:42:53	0.109
8/29/2007	9:43:53	0.118
8/29/2007	9:44:53	0.118
8/29/2007	9:45:53	0.165
8/29/2007	9:46:53	0.148
8/29/2007	9:47:53	0.129
8/29/2007	9:48:53	0.184
8/29/2007	9:49:53	0.159
8/29/2007	9:50:53	0.142
8/29/2007	9:51:53	0.271
8/29/2007	9:52:53	0.192
8/29/2007	9:53:53	0.154
8/29/2007	9:54:53	0.143
8/29/2007	9:55:53	0.121
8/29/2007	9:56:53	0.147
8/29/2007	9:57:53	0.138
8/29/2007	9:58:53	0.171
8/29/2007	9:59:53	0.185
8/29/2007	10:00:53	0.137
8/29/2007	10:01:53	0.136
8/29/2007	10:02:53	0.2
8/29/2007	10:03:53	0.586

8/29/2007	10:04:53	1.548
8/29/2007	10:05:53	0.6
8/29/2007	10:06:53	0.233
8/29/2007	10:07:53	0.612
8/29/2007	10:08:53	1.051
8/29/2007	10:09:53	0.309
8/29/2007	10:10:53	0.592
8/29/2007	10:11:53	0.348
8/29/2007	10:12:53	0.138
8/29/2007	10:13:53	0.149
8/29/2007	10:14:53	0.196
8/29/2007	10:15:53	0.15
8/29/2007	10:16:53	0.128
8/29/2007	10:17:53	0.152
8/29/2007	10:18:53	0.105
8/29/2007	10:19:53	0.148
8/29/2007	10:20:53	0.142
8/29/2007	10:21:53	0.142
8/29/2007	10:22:53	0.178
8/29/2007	10:23:53	0.152
8/29/2007	10:24:53	0.186
8/29/2007	10:25:53	0.13
8/29/2007	10:26:53	0.187
8/29/2007	10:27:53	0.144
8/29/2007	10:28:53	0.324
8/29/2007	10:29:53	0.246
8/29/2007	10:30:53	0.18
8/29/2007	10:31:53	0.141
8/29/2007	10:32:53	0.145
8/29/2007	10:33:53	0.176
8/29/2007	10:34:53	0.174
8/29/2007	10:35:53	0.192
8/29/2007	10:36:53	0.43
8/29/2007	10:37:53	0.189
8/29/2007	10:38:53	0.142
8/29/2007	10:39:53	0.212
8/29/2007	10:40:53	0.265
8/29/2007	10:41:53	0.239
8/29/2007	10:42:53	0.16
8/29/2007	10:43:53	0.147
8/29/2007	10:44:53	0.186
8/29/2007	10:45:53	0.242
8/29/2007	10:46:53	0.397
8/29/2007	10:47:53	0.175
8/29/2007	10:48:53	0.142
8/29/2007	10:49:53	0.138
8/29/2007	10:50:53	0.143
8/29/2007	10:51:53	0.151
8/29/2007	10:52:53	0.155
8/29/2007	10:53:53	0.137
8/29/2007	10:54:53	0.129

8/29/2007	10:55:53	0.286
8/29/2007	10:56:53	0.189
8/29/2007	10:57:53	0.148
8/29/2007	10:58:53	0.143
8/29/2007	10:59:53	0.157
8/29/2007	11:00:53	0.181
8/29/2007	11:01:53	0.169
8/29/2007	11:02:53	0.201
8/29/2007	11:03:53	0.172
8/29/2007	11:04:53	0.207
8/29/2007	11:05:53	0.188
8/29/2007	11:06:53	0.169
8/29/2007	11:07:53	0.157
8/29/2007	11:08:53	0.146
8/29/2007	11:09:53	0.135
8/29/2007	11:10:53	0.137
8/29/2007	11:11:53	0.166
8/29/2007	11:12:53	0.153
8/29/2007	11:13:53	0.161
8/29/2007	11:14:53	0.287
8/29/2007	11:15:53	0.438
8/29/2007	11:16:53	0.303
8/29/2007	11:17:53	0.238
8/29/2007	11:18:53	0.418
8/29/2007	11:19:53	0.238
8/29/2007	11:20:53	0.226
8/29/2007	11:21:53	0.188
8/29/2007	11:22:53	0.165
8/29/2007	11:23:53	0.189
8/29/2007	11:24:53	0.256
8/29/2007	11:25:53	0.259
8/29/2007	11:26:53	0.194
8/29/2007	11:27:53	0.167
8/29/2007	11:28:53	0.156
8/29/2007	11:29:53	0.143
8/29/2007	11:30:53	0.179
8/29/2007	11:31:53	0.241
8/29/2007	11:32:53	0.313
8/29/2007	11:33:53	0.28
8/29/2007	11:34:53	0.215
8/29/2007	11:35:53	0.201
8/29/2007	11:36:53	0.2
8/29/2007	11:37:53	0.213
8/29/2007	11:38:53	0.222
8/29/2007	11:39:53	0.36
8/29/2007	11:40:53	0.304
8/29/2007	11:41:53	0.314
8/29/2007	11:42:53	0.278
8/29/2007	11:43:53	0.237
8/29/2007	11:44:53	0.235
8/29/2007	11:45:53	0.303

8/29/2007	11:46:53	0.242
8/29/2007	11:47:53	0.293
8/29/2007	11:48:53	0.253
8/29/2007	11:49:53	0.426
8/29/2007	11:50:53	0.215
8/29/2007	11:51:53	0.707
8/29/2007	11:52:53	0.302
8/29/2007	11:53:53	0.224
8/29/2007	11:54:53	0.214
8/29/2007	11:55:53	0.213
8/29/2007	11:56:53	0.206
8/29/2007	11:57:53	0.209
8/29/2007	11:58:53	0.246
8/29/2007	11:59:53	0.224
8/29/2007	12:00:53	0.205

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85200853
Test ID: 1
Test Abbreviation:
Start Date: 8/30/2007
Start Time: 7:01:31
Duration (d00:06:00:00
Time const 10
Log Interva 15:00
Number of 24

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.251
Minimum: 0.151
Time of Mir 7:16:31
Date of Mir 8/30/2007
Maximum: 0.452
Time of Ma 11:31:31
Date of Ma 8/30/2007

Calibration Sensor: Aerosol
Cal. date 5/8/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
8/30/2007	7:16:31	0.151
8/30/2007	7:31:31	0.161
8/30/2007	7:46:31	0.172
8/30/2007	8:01:31	0.164
8/30/2007	8:16:31	0.314
8/30/2007	8:31:31	0.211
8/30/2007	8:46:31	0.207
8/30/2007	9:01:31	0.201
8/30/2007	9:16:31	0.199
8/30/2007	9:31:31	0.244
8/30/2007	9:46:31	0.265
8/30/2007	10:01:31	0.276
8/30/2007	10:16:31	0.321
8/30/2007	10:31:31	0.297
8/30/2007	10:46:31	0.265
8/30/2007	11:01:31	0.27
8/30/2007	11:16:31	0.262
8/30/2007	11:31:31	0.452
8/30/2007	11:46:31	0.245
8/30/2007	12:01:31	0.272
8/30/2007	12:16:31	0.265
8/30/2007	12:31:31	0.259
8/30/2007	12:46:31	0.263
8/30/2007	13:01:31	0.28

Aug 31 Upwind dust monitor is not functioning

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 08/27/2007 08:53

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/27/2007 9:12			0		0	
2	8/27/2007 9:27			0		0	
3	8/27/2007 9:42			0		0	
4	8/27/2007 9:57			0		0	
5	8/27/2007 10:12			0		0	
6	8/27/2007 10:27			0		0	
7	8/27/2007 10:42			0		0	
8	8/27/2007 10:57			0		0	
9	8/27/2007 11:12			0		0	
10	8/27/2007 11:27			0		0	
11	8/27/2007 11:42			0		0	
12	8/27/2007 11:57			0		0	
13	8/27/2007 12:12			0		0	
14	8/27/2007 12:27			0		0	
15	8/27/2007 12:42			0		0	
16	8/27/2007 12:57			0		0	
17	8/27/2007 13:12			0		0	
18	8/27/2007 13:27			0		0	
19	8/27/2007 13:42			0		0	
20	8/27/2007 13:57			0		0	
21	8/27/2007 14:12			0		0	
22	8/27/2007 14:27			0		0	
23	8/27/2007 14:42			0		0	
24	8/27/2007 14:57			0		0	
25	8/27/2007 15:12			0		0	
26	8/27/2007 15:27			0		0	
27	8/27/2007 15:42			0		0	
28	8/27/2007 15:57			0		0	
29	8/27/2007 16:12			0		0	
30	8/27/2007 16:27			0		0	
31	8/27/2007 16:42			0		0	
32	8/27/2007 16:57			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 08/28/2007 07:46

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/28/2007 8:02			0		0	
2	8/28/2007 8:17			0		0	
3	8/28/2007 8:32			0		0	
4	8/28/2007 8:47			0		0.2	
5	8/28/2007 9:02			0		0	
6	8/28/2007 9:17			0		0	
7	8/28/2007 9:32			0		0	
8	8/28/2007 9:47			0		0	
9	8/28/2007 10:02			0		0	
1	8/28/2007 10:46			0		0.7	
2	8/28/2007 11:01			0		0	
3	8/28/2007 11:16			0		0	
4	8/28/2007 11:31			0		0	
5	8/28/2007 11:46			0		0	
6	8/28/2007 12:01			0		0	
7	8/28/2007 12:16			0		0	
8	8/28/2007 12:31			0		0.4	
9	8/28/2007 12:46			0		0	
10	8/28/2007 13:01			0		0	
11	8/28/2007 13:16			0		0	
12	8/28/2007 13:31			0		0.5	
13	8/28/2007 13:46			0		0.5	
14	8/28/2007 14:01			0		0	
15	8/28/2007 14:16			0		0.5	
16	8/28/2007 14:31			0		0	
17	8/28/2007 14:46			0		0	
18	8/28/2007 15:01			0		1.8	
19	8/28/2007 15:16			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 08/29/2007 07:20

```

=====
Measurement Type:                Min(ppm)          Avg(ppm)          Max(ppm)
High Alarm Levels:                100              100              100
Low Alarm Levels:                 50               50               50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       8/29/2007 7:36           0       0       0       0
2       8/29/2007 7:51           0       0       0       0
3       8/29/2007 8:06           0       0       0       0
4       8/29/2007 8:21           0       0       0       0
5       8/29/2007 8:36           0       0       0       0
6       8/29/2007 8:51           0       0       0       0
7       8/29/2007 9:06           0       0       0       0
8       8/29/2007 9:21           0       0       0       0.3
9       8/29/2007 9:36           0       0       0       0
10      8/29/2007 9:51           0       0       0       1.9
11      8/29/2007 10:06          0       0       0       0
12      8/29/2007 10:21          0       0       0       0
13      8/29/2007 10:36          0       0       0       0
14      8/29/2007 10:51          0       0       0       0
15      8/29/2007 11:06          0       0       0       0
16      8/29/2007 11:21          0       0       0       0
17      8/29/2007 11:36          0       0       0       0
18      8/29/2007 11:51          0       0       0       0
19      8/29/2007 12:06          0       0       0       0
20      8/29/2007 12:21          0       0       0       0
21      8/29/2007 12:36          0       0       0       0
22      8/29/2007 12:51          0       0       0       0
23      8/29/2007 13:06          0       0       0       0
24      8/29/2007 13:21          0       0       0       0.6
25      8/29/2007 13:36          0       0       0       0.2
26      8/29/2007 13:51          0       0       0       0.2
27      8/29/2007 14:06          0       0       0       0
28      8/29/2007 14:21          0       0       0       0
29      8/29/2007 14:36          0       0       0       0
30      8/29/2007 14:51          0       0       0       0.3
31      8/29/2007 15:06          0       0       0       3.2
32      8/29/2007 15:21          0       0       0       10.4
33      8/29/2007 15:36          0       0       0       0.5
34      8/29/2007 15:51          0       0       0       0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 08/29/2007 07:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/30/2007 7:21			0		0	
2	8/30/2007 7:36			0		0	
3	8/30/2007 7:51			0		0	
4	8/30/2007 8:06			0		0	
5	8/30/2007 8:21			0		0	
6	8/30/2007 8:36			0		0	
7	8/30/2007 8:51			0		0	
8	8/30/2007 9:06			0		0	
9	8/30/2007 9:21			0		0	
10	8/30/2007 9:36			0		0	
11	8/30/2007 9:51			0		0	
12	8/30/2007 10:06			0		0	
13	8/30/2007 10:21			0		0	
14	8/30/2007 10:36			0		0	
15	8/30/2007 10:51			0		0	
16	8/30/2007 11:06			0		0	
17	8/30/2007 11:21			0		0	
18	8/30/2007 11:36			0		0	
19	8/30/2007 11:51			0		0	
20	8/30/2007 12:06			0		0	
21	8/30/2007 12:21			0		0	
22	8/30/2007 12:36			0		0	
23	8/30/2007 12:51			0		0	
24	8/30/2007 13:06			0		0	
25	8/30/2007 13:21			0		0	
26	8/30/2007 13:36			0		0	
27	8/30/2007 13:51			0		0	
28	8/30/2007 14:06			0		0	
29	8/30/2007 14:21			0		0.2	
30	8/30/2007 14:36			0		0	
31	8/30/2007 14:51			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 08/29/2007 07:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	8/31/2007 7:19			0		0.2	
2	8/31/2007 7:34			0.2		0.5	
3	8/31/2007 7:49			0.5		0.7	
4	8/31/2007 8:04			0.6		0.8	
5	8/31/2007 8:19			0.5		0.7	
6	8/31/2007 8:34			0.3		0.5	
7	8/31/2007 8:49			0.1		0.4	
8	8/31/2007 9:04			0		0.2	
9	8/31/2007 9:19			0		0.1	
10	8/31/2007 9:34			0		0	
11	8/31/2007 9:49			0		0	
12	8/31/2007 10:04			0		0	
13	8/31/2007 10:19			0		0	
14	8/31/2007 10:34			0		0	
15	8/31/2007 10:49			0		0	
16	8/31/2007 11:04			0		0	
17	8/31/2007 11:19			0		0	
18	8/31/2007 11:34			0		0	
19	8/31/2007 11:49			0		0	
20	8/31/2007 12:04			0		0	
21	8/31/2007 12:19			0		0	
22	8/31/2007 12:34			0		0	
23	8/31/2007 12:49			0		0	
24	8/31/2007 13:04			0		0	
25	8/31/2007 13:19			0		0	
26	8/31/2007 13:34			0		0	
27	8/31/2007 13:49			0		0	

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 2
Test Abbreviation:
Start Date: 9/4/2007
Start Time: 5:24:48
Duration (c 00:08:00:00
Time const 10
Log Intervε 15:00
Number of 32
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0.001
Minimum: 0
Time of Mii 5:39:48
Date of Mir 9/4/2007
Maximum: 0.017
Time of Mε 6:09:48
Date of Ma 9/4/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/4/2007	5:39:48	0
9/4/2007	5:54:48	0.002
9/4/2007	6:09:48	0.017
9/4/2007	6:24:48	0
9/4/2007	6:39:48	0
9/4/2007	6:54:48	0
9/4/2007	7:09:48	0
9/4/2007	7:24:48	0
9/4/2007	7:39:48	0
9/4/2007	7:54:48	0
9/4/2007	8:09:48	0
9/4/2007	8:24:48	0
9/4/2007	8:39:48	0
9/4/2007	8:54:48	0
9/4/2007	9:09:48	0
9/4/2007	9:24:48	0
9/4/2007	9:39:48	0
9/4/2007	9:54:48	0
9/4/2007	10:09:48	0
9/4/2007	10:24:48	0
9/4/2007	10:39:48	0
9/4/2007	10:54:48	0
9/4/2007	11:09:48	0
9/4/2007	11:24:48	0
9/4/2007	11:39:48	0
9/4/2007	11:54:48	0
9/4/2007	12:09:48	0
9/4/2007	12:24:48	0
9/4/2007	12:39:48	0
9/4/2007	12:54:48	0
9/4/2007	13:09:48	0
9/4/2007	13:24:48	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 3

Test Abbreviation:

Start Date: 9/5/2007

Start Time: 5:22:51

Duration (c 00:07:30:00

Time const 10

Log Intervæ 15:00

Number of 30

Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mii 5:37:51
Date of Mir 9/5/2007
Maximum: 0
Time of Mæ 5:37:51
Date of Ma 9/5/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/5/2007	5:37:51	0
9/5/2007	5:52:51	0
9/5/2007	6:07:51	0
9/5/2007	6:22:51	0
9/5/2007	6:37:51	0
9/5/2007	6:52:51	0
9/5/2007	7:07:51	0
9/5/2007	7:22:51	0
9/5/2007	7:37:51	0
9/5/2007	7:52:51	0
9/5/2007	8:07:51	0
9/5/2007	8:22:51	0
9/5/2007	8:37:51	0
9/5/2007	8:52:51	0
9/5/2007	9:07:51	0
9/5/2007	9:22:51	0
9/5/2007	9:37:51	0
9/5/2007	9:52:51	0
9/5/2007	10:07:51	0
9/5/2007	10:22:51	0
9/5/2007	10:37:51	0
9/5/2007	10:52:51	0
9/5/2007	11:07:51	0
9/5/2007	11:22:51	0
9/5/2007	11:37:51	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 4
Test Abbreviation:
Start Date: 9/6/2007
Start Time: 5:19:04
Duration (d 00:10:00:00
Time const 10
Log Interva 15:00
Number of 40
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mir 5:34:04
Date of Mir 9/6/2007
Maximum: 0
Time of Ma 5:34:04
Date of Ma 9/6/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/6/2007	5:34:04	0
9/6/2007	5:49:04	0
9/6/2007	6:04:04	0
9/6/2007	6:19:04	0
9/6/2007	6:34:04	0
9/6/2007	6:49:04	0
9/6/2007	7:04:04	0
9/6/2007	7:19:04	0
9/6/2007	7:34:04	0
9/6/2007	7:49:04	0
9/6/2007	8:04:04	0
9/6/2007	8:19:04	0
9/6/2007	8:34:04	0
9/6/2007	8:49:04	0
9/6/2007	9:04:04	0
9/6/2007	9:19:04	0
9/6/2007	9:34:04	0
9/6/2007	9:49:04	0
9/6/2007	10:04:04	0
9/6/2007	10:19:04	0
9/6/2007	10:34:04	0
9/6/2007	10:49:04	0
9/6/2007	11:04:04	0
9/6/2007	11:19:04	0
9/6/2007	11:34:04	0
9/6/2007	11:49:04	0
9/6/2007	12:04:04	0
9/6/2007	12:19:04	0
9/6/2007	12:34:04	0
9/6/2007	12:49:04	0
9/6/2007	13:04:04	0
9/6/2007	13:19:04	0
9/6/2007	13:34:04	0
9/6/2007	13:49:04	0
9/6/2007	14:04:04	0
9/6/2007	14:19:04	0
9/6/2007	14:34:04	0
9/6/2007	14:49:04	0
9/6/2007	15:04:04	0
9/6/2007	15:19:04	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 5

Test Abbreviation:

Start Date: 9/7/2007

Start Time: 5:13:29

Duration (d 00:09:45:00

Time const 10

Log Interva 15:00

Number of 39

Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mir 5:28:29
Date of Mir 9/7/2007
Maximum: 0
Time of Ma 5:28:29
Date of Ma 9/7/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/7/2007	5:28:29	0
9/7/2007	5:43:29	0
9/7/2007	5:58:29	0
9/7/2007	6:13:29	0
9/7/2007	6:28:29	0
9/7/2007	6:43:29	0
9/7/2007	6:58:29	0
9/7/2007	7:13:29	0
9/7/2007	7:28:29	0
9/7/2007	7:43:29	0
9/7/2007	7:58:29	0
9/7/2007	8:13:29	0
9/7/2007	8:28:29	0
9/7/2007	8:43:29	0
9/7/2007	8:58:29	0
9/7/2007	9:13:29	0
9/7/2007	9:28:29	0
9/7/2007	9:43:29	0
9/7/2007	9:58:29	0
9/7/2007	10:13:29	0
9/7/2007	10:28:29	0
9/7/2007	10:43:29	0
9/7/2007	10:58:29	0
9/7/2007	11:13:29	0
9/7/2007	11:28:29	0
9/7/2007	11:43:29	0
9/7/2007	11:58:29	0
9/7/2007	12:13:29	0
9/7/2007	12:28:29	0
9/7/2007	12:43:29	0
9/7/2007	12:58:29	0
9/7/2007	13:13:29	0
9/7/2007	13:28:29	0
9/7/2007	13:43:29	0
9/7/2007	13:58:29	0
9/7/2007	14:13:29	0
9/7/2007	14:28:29	0
9/7/2007	14:43:29	0
9/7/2007	14:58:29	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 6
Test Abbreviation:
Start Date: 9/10/2007
Start Time: 5:09:13
Duration (d00:10:00:00
Time const 10
Log Interva 15:00
Number of 40
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mir 5:24:13
Date of Mir 9/10/2007
Maximum: 0
Time of Ma 5:24:13
Date of Ma 9/10/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/10/2007	5:24:13	0
9/10/2007	5:39:13	0
9/10/2007	5:54:13	0
9/10/2007	6:09:13	0
9/10/2007	6:24:13	0
9/10/2007	6:39:13	0
9/10/2007	6:54:13	0
9/10/2007	7:09:13	0
9/10/2007	7:24:13	0
9/10/2007	7:39:13	0
9/10/2007	7:54:13	0
9/10/2007	8:09:13	0
9/10/2007	8:24:13	0
9/10/2007	8:39:13	0
9/10/2007	8:54:13	0
9/10/2007	9:09:13	0
9/10/2007	9:24:13	0
9/10/2007	9:39:13	0
9/10/2007	9:54:13	0
9/10/2007	10:09:13	0
9/10/2007	10:24:13	0
9/10/2007	10:39:13	0
9/10/2007	10:54:13	0
9/10/2007	11:09:13	0
9/10/2007	11:24:13	0
9/10/2007	11:39:13	0
9/10/2007	11:54:13	0
9/10/2007	12:09:13	0
9/10/2007	12:24:13	0
9/10/2007	12:39:13	0
9/10/2007	12:54:13	0
9/10/2007	13:09:13	0
9/10/2007	13:24:13	0
9/10/2007	13:39:13	0
9/10/2007	13:54:13	0
9/10/2007	14:09:13	0
9/10/2007	14:24:13	0
9/10/2007	14:39:13	0
9/10/2007	14:54:13	0
9/10/2007	15:09:13	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 6
Test Abbreviation:
Start Date: 9/11/2007
Start Time: 5:09:13
Duration (d 00:10:00:00
Time const 10
Log Interva 15:00
Number of 40

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 5:24:13
Date of Mir 9/10/2007
Maximum: 0
Time of Ma 5:24:13
Date of Ma 9/10/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
9/11/2007	700	0
9/11/2007	730	0
9/11/2007	800	0
9/11/2007	830	0
9/11/2007	900	0
9/11/2007	930	0
9/11/2007	1000	0
9/11/2007	1030	0
9/11/2007	1100	0
9/11/2007	1130	0
9/11/2007	1200	0
9/11/2007	1230	0
9/11/2007	1300	0
9/11/2007	1330	0
9/11/2007	1400	0
9/11/2007	1430	0
9/11/2007	1500	0
9/11/2007	1530	0
9/11/2007	1600	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 1
Test Abbreviation:
Start Date: 9/12/2007
Start Time: 5:13:42
Duration (d00:08:15:00
Time const 10
Log Interva 15:00
Number of 33
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mir 5:28:42
Date of Mir 9/12/2007
Maximum: 0
Time of Ma 5:28:42
Date of Ma 9/12/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/12/2007	5:28:42	0
9/12/2007	5:43:42	0
9/12/2007	5:58:42	0
9/12/2007	6:13:42	0
9/12/2007	6:28:42	0
9/12/2007	6:43:42	0
9/12/2007	6:58:42	0
9/12/2007	7:13:42	0
9/12/2007	7:28:42	0
9/12/2007	7:43:42	0
9/12/2007	7:58:42	0
9/12/2007	8:13:42	0
9/12/2007	8:28:42	0
9/12/2007	8:43:42	0
9/12/2007	8:58:42	0
9/12/2007	9:13:42	0
9/12/2007	9:28:42	0
9/12/2007	9:43:42	0
9/12/2007	9:58:42	0
9/12/2007	10:13:42	0
9/12/2007	10:28:42	0
9/12/2007	10:43:42	0
9/12/2007	10:58:42	0
9/12/2007	11:13:42	0
9/12/2007	11:28:42	0
9/12/2007	11:43:42	0
9/12/2007	11:58:42	0
9/12/2007	12:13:42	0
9/12/2007	12:28:42	0
9/12/2007	12:43:42	0
9/12/2007	12:58:42	0
9/12/2007	13:13:42	0
9/12/2007	13:28:42	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 1

Test Abbreviation:

Start Date: 9/13/2007

Start Time: 5:10:37

Duration (d 00:08:00:00

Time const 10

Log Interva 15:00

Number of 32

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 5:25:37
Date of Mir 9/13/2007
Maximum: 0
Time of Ma 5:25:37
Date of Ma 9/13/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/13/2007	5:25:37	0
9/13/2007	5:40:37	0
9/13/2007	5:55:37	0
9/13/2007	6:10:37	0
9/13/2007	6:25:37	0
9/13/2007	6:40:37	0
9/13/2007	6:55:37	0
9/13/2007	7:10:37	0
9/13/2007	7:25:37	0
9/13/2007	7:40:37	0
9/13/2007	7:55:37	0
9/13/2007	8:10:37	0
9/13/2007	8:25:37	0
9/13/2007	8:40:37	0
9/13/2007	8:55:37	0
9/13/2007	9:10:37	0
9/13/2007	9:25:37	0
9/13/2007	9:40:37	0
9/13/2007	9:55:37	0
9/13/2007	10:10:37	0
9/13/2007	10:25:37	0
9/13/2007	10:40:37	0
9/13/2007	10:55:37	0
9/13/2007	11:10:37	0
9/13/2007	11:25:37	0
9/13/2007	11:40:37	0
9/13/2007	11:55:37	0
9/13/2007	12:10:37	0
9/13/2007	12:25:37	0
9/13/2007	12:40:37	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 2
Test Abbreviation:
Start Date: 9/14/2007
Start Time: 5:19:16
Duration (c 00:06:15:00
Time const 10
Log Intervæ 15:00
Number of 25

Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mii 5:34:16
Date of Mir 9/14/2007
Maximum: 0
Time of Mæ 5:34:16
Date of Ma 9/14/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/14/2007	5:34:16	0
9/14/2007	5:49:16	0
9/14/2007	6:04:16	0
9/14/2007	6:19:16	0
9/14/2007	6:34:16	0
9/14/2007	6:49:16	0
9/14/2007	7:04:16	0
9/14/2007	7:19:16	0
9/14/2007	7:34:16	0
9/14/2007	7:49:16	0
9/14/2007	8:04:16	0
9/14/2007	8:19:16	0
9/14/2007	8:34:16	0
9/14/2007	8:49:16	0
9/14/2007	9:04:16	0
9/14/2007	9:19:16	0
9/14/2007	9:34:16	0
9/14/2007	9:49:16	0
9/14/2007	10:04:16	0
9/14/2007	10:19:16	0
9/14/2007	10:34:16	0
9/14/2007	10:49:16	0
9/14/2007	11:04:16	0
9/14/2007	11:19:16	0
9/14/2007	11:34:16	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 3
Test Abbreviation:
Start Date: 9/17/2007
Start Time: 5:57:49
Duration (d00:06:45:00
Time const 10
Log Interva 15:00
Number of 27
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 6:12:49
Date of Mir 9/17/2007
Maximum: 0
Time of Ma 6:12:49
Date of Ma 9/17/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/17/2007	6:12:49	0
9/17/2007	6:27:49	0
9/17/2007	6:42:49	0
9/17/2007	6:57:49	0
9/17/2007	7:12:49	0
9/17/2007	7:27:49	0
9/17/2007	7:42:49	0
9/17/2007	7:57:49	0
9/17/2007	8:12:49	0
9/17/2007	8:27:49	0
9/17/2007	8:42:49	0
9/17/2007	8:57:49	0
9/17/2007	9:12:49	0
9/17/2007	9:27:49	0
9/17/2007	9:42:49	0
9/17/2007	9:57:49	0
9/17/2007	10:12:49	0
9/17/2007	10:27:49	0
9/17/2007	10:42:49	0
9/17/2007	10:57:49	0
9/17/2007	11:12:49	0
9/17/2007	11:27:49	0
9/17/2007	11:42:49	0
9/17/2007	11:57:49	0
9/17/2007	12:12:49	0
9/17/2007	12:27:49	0
9/17/2007	12:42:49	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 4

Test Abbreviation:

Start Date: 9/18/2007

Start Time: 5:33:55

Duration (d 00:07:30:00

Time const 10

Log Interva 15:00

Number of 30

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 5:48:55
Date of Mir 9/18/2007
Maximum: 0.001
Time of Ma 6:48:55
Date of Ma 9/18/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/18/2007	5:48:55	0
9/18/2007	6:03:55	0
9/18/2007	6:18:55	0
9/18/2007	6:33:55	0
9/18/2007	6:48:55	0.001
9/18/2007	7:03:55	0
9/18/2007	7:18:55	0
9/18/2007	7:33:55	0
9/18/2007	7:48:55	0.001
9/18/2007	8:03:55	0
9/18/2007	8:18:55	0
9/18/2007	8:33:55	0
9/18/2007	8:48:55	0
9/18/2007	9:03:55	0
9/18/2007	9:18:55	0
9/18/2007	9:33:55	0
9/18/2007	9:48:55	0
9/18/2007	10:03:55	0
9/18/2007	10:18:55	0
9/18/2007	10:33:55	0
9/18/2007	10:48:55	0
9/18/2007	11:03:55	0
9/18/2007	11:18:55	0
9/18/2007	11:33:55	0
9/18/2007	11:48:55	0
9/18/2007	12:03:55	0
9/18/2007	12:18:55	0
9/18/2007	12:33:55	0
9/18/2007	12:48:55	0
9/18/2007	13:03:55	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 5

Test Abbreviation:

Start Date: 9/19/2007

Start Time: 5:40:56

Duration (d 00:07:45:00

Time const 10

Log Interv 15:00

Number of 31

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Min 5:55:56
Date of Min 9/19/2007
Maximum: 0
Time of Max 5:55:56
Date of Max 9/19/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/19/2007	5:55:56	0
9/19/2007	6:10:56	0
9/19/2007	6:25:56	0
9/19/2007	6:40:56	0
9/19/2007	6:55:56	0
9/19/2007	7:10:56	0
9/19/2007	7:25:56	0
9/19/2007	7:40:56	0
9/19/2007	7:55:56	0
9/19/2007	8:10:56	0
9/19/2007	8:25:56	0
9/19/2007	8:40:56	0
9/19/2007	8:55:56	0
9/19/2007	9:10:56	0
9/19/2007	9:25:56	0
9/19/2007	9:40:56	0
9/19/2007	9:55:56	0
9/19/2007	10:10:56	0
9/19/2007	10:25:56	0
9/19/2007	10:40:56	0
9/19/2007	10:55:56	0
9/19/2007	11:10:56	0
9/19/2007	11:25:56	0
9/19/2007	11:40:56	0
9/19/2007	11:55:56	0
9/19/2007	12:10:56	0
9/19/2007	12:25:56	0
9/19/2007	12:40:56	0
9/19/2007	12:55:56	0
9/19/2007	13:10:56	0
9/19/2007	13:25:56	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 6
Test Abbreviation:
Start Date: 9/20/2007
Start Time: 5:27:30
Duration (c 00:08:00:00
Time const 10
Log Intervæ 15:00
Number of 32
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Mii 5:42:30
Date of Mir 9/20/2007
Maximum: 0
Time of Mæ 5:42:30
Date of Ma 9/20/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
9/20/2007	5:42:30	0
9/20/2007	5:57:30	0
9/20/2007	6:12:30	0
9/20/2007	6:27:30	0
9/20/2007	6:42:30	0
9/20/2007	6:57:30	0
9/20/2007	7:12:30	0
9/20/2007	7:27:30	0
9/20/2007	7:42:30	0
9/20/2007	7:57:30	0
9/20/2007	8:12:30	0
9/20/2007	8:27:30	0
9/20/2007	8:42:30	0
9/20/2007	8:57:30	0
9/20/2007	9:12:30	0
9/20/2007	9:27:30	0
9/20/2007	9:42:30	0
9/20/2007	9:57:30	0
9/20/2007	10:12:30	0
9/20/2007	10:27:30	0
9/20/2007	10:42:30	0
9/20/2007	10:57:30	0
9/20/2007	11:12:30	0
9/20/2007	11:27:30	0
9/20/2007	11:42:30	0
9/20/2007	11:57:30	0
9/20/2007	12:12:30	0
9/20/2007	12:27:30	0
9/20/2007	12:42:30	0
9/20/2007	12:57:30	0
9/20/2007	13:12:30	0
9/20/2007	13:27:30	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 1
Test Abbreviation:
Start Date: 9/21/2007
Start Time: 5:49:40
Duration (d00:06:30:00
Time const 10
Log Interva 15:00
Number of 26
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 6:04:40
Date of Mir 9/21/2007
Maximum: 0
Time of Ma 6:04:40
Date of Ma 9/21/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/21/2007	6:04:40	0
9/21/2007	6:19:40	0
9/21/2007	6:34:40	0
9/21/2007	6:49:40	0
9/21/2007	7:04:40	0
9/21/2007	7:19:40	0
9/21/2007	7:34:40	0
9/21/2007	7:49:40	0
9/21/2007	8:04:40	0
9/21/2007	8:19:40	0
9/21/2007	8:34:40	0
9/21/2007	8:49:40	0
9/21/2007	9:04:40	0
9/21/2007	9:19:40	0
9/21/2007	9:34:40	0
9/21/2007	9:49:40	0
9/21/2007	10:04:40	0
9/21/2007	10:19:40	0
9/21/2007	10:34:40	0
9/21/2007	10:49:40	0
9/21/2007	11:04:40	0
9/21/2007	11:19:40	0
9/21/2007	11:34:40	0
9/21/2007	11:49:40	0
9/21/2007	12:04:40	0
9/21/2007	12:19:40	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 2

Test Abbreviation:

Start Date: 9/24/2007

Start Time: 5:25:44

Duration (d 00:07:30:00

Time const 10

Log Interva 15:00

Number of 30

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 5:40:44
Date of Mir 9/24/2007
Maximum: 0
Time of Ma 5:40:44
Date of Ma 9/24/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/24/2007	5:40:44	0
9/24/2007	5:55:44	0
9/24/2007	6:10:44	0
9/24/2007	6:25:44	0
9/24/2007	6:40:44	0
9/24/2007	6:55:44	0
9/24/2007	7:10:44	0
9/24/2007	7:25:44	0
9/24/2007	7:40:44	0
9/24/2007	7:55:44	0
9/24/2007	8:10:44	0
9/24/2007	8:25:44	0
9/24/2007	8:40:44	0
9/24/2007	8:55:44	0
9/24/2007	9:10:44	0
9/24/2007	9:25:44	0
9/24/2007	9:40:44	0
9/24/2007	9:55:44	0
9/24/2007	10:10:44	0
9/24/2007	10:25:44	0
9/24/2007	10:40:44	0
9/24/2007	10:55:44	0
9/24/2007	11:10:44	0
9/24/2007	11:25:44	0
9/24/2007	11:40:44	0
9/24/2007	11:55:44	0
9/24/2007	12:10:44	0
9/24/2007	12:25:44	0
9/24/2007	12:40:44	0
9/24/2007	12:55:44	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak

Serial Num 85201469

Test ID: 1

Test Abbreviation:

Start Date: 9/25/2007

Start Time: 5:18:30

Duration (d 00:07:30:00

Time const 10

Log Interva 15:00

Number of 30

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 5:33:30
Date of Mir 9/25/2007
Maximum: 0
Time of Ma 5:33:30
Date of Ma 9/25/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/25/2007	5:33:30	0
9/25/2007	5:48:30	0
9/25/2007	6:03:30	0
9/25/2007	6:18:30	0
9/25/2007	6:33:30	0
9/25/2007	6:48:30	0
9/25/2007	7:03:30	0
9/25/2007	7:18:30	0
9/25/2007	7:33:30	0
9/25/2007	7:48:30	0
9/25/2007	8:03:30	0
9/25/2007	8:18:30	0
9/25/2007	8:33:30	0
9/25/2007	8:48:30	0
9/25/2007	9:03:30	0
9/25/2007	9:18:30	0
9/25/2007	9:33:30	0
9/25/2007	9:48:30	0
9/25/2007	10:03:30	0
9/25/2007	10:18:30	0
9/25/2007	10:33:30	0
9/25/2007	10:48:30	0
9/25/2007	11:03:30	0
9/25/2007	11:18:30	0
9/25/2007	11:33:30	0
9/25/2007	11:48:30	0
9/25/2007	12:03:30	0
9/25/2007	12:18:30	0
9/25/2007	12:33:30	0
9/25/2007	12:48:30	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 2
Test Abbreviation:
Start Date: 9/26/2007
Start Time: 5:36:50
Duration (d00:06:45:00
Time const 10
Log Interva 15:00
Number of 27

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 5:51:50
Date of Mir 9/26/2007
Maximum: 0
Time of Ma 5:51:50
Date of Ma 9/26/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/26/2007	5:51:50	0
9/26/2007	6:06:50	0
9/26/2007	6:21:50	0
9/26/2007	6:36:50	0
9/26/2007	6:51:50	0
9/26/2007	7:06:50	0
9/26/2007	7:21:50	0
9/26/2007	7:36:50	0
9/26/2007	7:51:50	0
9/26/2007	8:06:50	0
9/26/2007	8:21:50	0
9/26/2007	8:36:50	0
9/26/2007	8:51:50	0
9/26/2007	9:06:50	0
9/26/2007	9:21:50	0
9/26/2007	9:36:50	0
9/26/2007	9:51:50	0
9/26/2007	10:06:50	0
9/26/2007	10:21:50	0
9/26/2007	10:36:50	0
9/26/2007	10:51:50	0
9/26/2007	11:06:50	0
9/26/2007	11:21:50	0
9/26/2007	11:36:50	0
9/26/2007	11:51:50	0
9/26/2007	12:06:50	0
9/26/2007	12:21:50	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 3
Test Abbreviation:
Start Date: 9/27/2007
Start Time: 6:24:47
Duration (d00:06:30:00
Time const 10
Log Interva 15:00
Number of 26

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 6:39:47
Date of Mir 9/27/2007
Maximum: 0
Time of Ma 6:39:47
Date of Ma 9/27/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/27/2007	6:39:47	0
9/27/2007	6:54:47	0
9/27/2007	7:09:47	0
9/27/2007	7:24:47	0
9/27/2007	7:39:47	0
9/27/2007	7:54:47	0
9/27/2007	8:09:47	0
9/27/2007	8:24:47	0
9/27/2007	8:39:47	0
9/27/2007	8:54:47	0
9/27/2007	9:09:47	0
9/27/2007	9:24:47	0
9/27/2007	9:39:47	0
9/27/2007	9:54:47	0
9/27/2007	10:09:47	0
9/27/2007	10:24:47	0
9/27/2007	10:39:47	0
9/27/2007	10:54:47	0
9/27/2007	11:09:47	0
9/27/2007	11:24:47	0
9/27/2007	11:39:47	0
9/27/2007	11:54:47	0
9/27/2007	12:09:47	0
9/27/2007	12:24:47	0
9/27/2007	12:39:47	0
9/27/2007	12:54:47	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Num 85201469
Test ID: 3
Test Abbreviation:
Start Date: 9/28/2007
Start Time: 6:24:47
Duration (d 00:06:30:00
Time const 10
Log Interva 15:00
Number of 26

Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Mir 6:39:47
Date of Mir 9/27/2007
Maximum: 0
Time of Ma 6:39:47
Date of Ma 9/27/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/28/2007	700	0
9/28/2007	730	0.001
9/28/2007	800	0.001
9/28/2007	830	0
9/28/2007	900	0
9/28/2007	930	0
9/28/2007	1000	0
9/28/2007	1030	0
9/28/2007	1100	0
9/28/2007	1130	0
9/28/2007	1200	0
9/28/2007	1230	0
9/28/2007	1300	0
9/28/2007	1330	0
9/28/2007	1400	0
9/28/2007	1430	0
9/28/2007	1500	0
9/28/2007	1530	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 9 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 08/29/2007 07:20

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/4/2007 7:29			0		0	
2	9/4/2007 7:44			0		0	
3	9/4/2007 7:59			0		0	
4	9/4/2007 8:14			0		0	
5	9/4/2007 8:29			0		0	
6	9/4/2007 8:44			0		0	
7	9/4/2007 8:59			0		0	
8	9/4/2007 9:14			0		0	
9	9/4/2007 9:29			0		0	
9/4/2007		1000		0			
9/4/2007		1030		0			
9/4/2007		1100		0			
9/4/2007		1130		0			
9/4/2007		1200		0			
9/4/2007		1230		0			
9/4/2007		1300		0			
9/4/2007		1330		0			
9/4/2007		1400		0			
9/4/2007		1430		0			
9/4/2007		1500		0			
9/4/2007		1530		0			

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/05/2007 07:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/5/2007 7:27			0		0	
2	9/5/2007 7:42			0		0	
3	9/5/2007 7:57			0		0.6	
4	9/5/2007 8:12			0		0.3	
5	9/5/2007 8:27			0		0	
6	9/5/2007 8:42			0		0.1	
7	9/5/2007 8:57			0		0	
8	9/5/2007 9:12			0		0	
9	9/5/2007 9:27			0		0	
10	9/5/2007 9:42			0		0	
11	9/5/2007 9:57			0		0	
12	9/5/2007 10:12			0		0	
13	9/5/2007 10:27			0		0	
14	9/5/2007 10:42			0		0	
15	9/5/2007 10:57			0		0	
16	9/5/2007 11:12			0		0	
17	9/5/2007 11:27			0		0	
18	9/5/2007 11:42			0		0	
19	9/5/2007 11:57			0		0	
20	9/5/2007 12:12			0		0	
21	9/5/2007 12:27			0		0	
22	9/5/2007 12:42			0		0	
23	9/5/2007 12:57			0		0	
24	9/5/2007 13:12			0		0	
25	9/5/2007 13:27			0		0	
26	9/5/2007 13:42			0		0	
27	9/5/2007 13:57			0		0	
28	9/5/2007 14:12			0		0	
29	9/5/2007 14:27			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/05/2007 07:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/6/2007 7:20			0		0	
2	9/6/2007 7:35			0		0	
3	9/6/2007 7:50			0		0	
4	9/6/2007 8:05			0		0	
5	9/6/2007 8:20			0		0	
6	9/6/2007 8:35			0		0	
7	9/6/2007 8:50			0		0	
8	9/6/2007 9:05			0		0	
9	9/6/2007 9:20			0		0	
10	9/6/2007 9:35			0		0	
11	9/6/2007 9:50			0		0	
12	9/6/2007 10:05			0		0	
13	9/6/2007 10:20			0		0	
14	9/6/2007 10:35			0		0	
15	9/6/2007 10:50			0		0	
16	9/6/2007 11:05			0		0	
17	9/6/2007 11:20			0		0	
18	9/6/2007 11:35			0		0.8	
19	9/6/2007 11:50			0		0	
20	9/6/2007 12:05			0		0	
21	9/6/2007 12:20			0		0	
22	9/6/2007 12:35			0		0	
23	9/6/2007 12:50			0		0	
24	9/6/2007 13:05			0		0	
25	9/6/2007 13:20			0		0	
26	9/6/2007 13:35			0		0	
27	9/6/2007 13:50			0		0	
28	9/6/2007 14:05			0		0	
29	9/6/2007 14:20			0		0	
30	9/6/2007 14:35			0		0.3	
31	9/6/2007 14:50			0		0	
32	9/6/2007 15:05			0		0	
33	9/6/2007 15:20			0		0	
34	9/6/2007 15:35			0		0	
35	9/6/2007 15:50			0		0	
36	9/6/2007 16:05			0		0	
37	9/6/2007 16:20			0		0	
38	9/6/2007 16:35			0		0	
39	9/6/2007 16:50			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000021
 Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/05/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/7/2007 6:16			0		0	
2	9/7/2007 6:31			0		0	
3	9/7/2007 6:46			0		0	
4	9/7/2007 7:01			0		0	
5	9/7/2007 7:16			0		0	
6	9/7/2007 7:31			0		0.1	
7	9/7/2007 7:46			0		0.1	
8	9/7/2007 8:01			0		0.1	
9	9/7/2007 8:16			0		0.1	
10	9/7/2007 8:31			0		0.1	
11	9/7/2007 8:46			0		0.1	
12	9/7/2007 9:01			0		0.1	
13	9/7/2007 9:16			0		0.1	
14	9/7/2007 9:31			0		0.1	
15	9/7/2007 9:46			0		0.1	
16	9/7/2007 10:01			0		0.1	
17	9/7/2007 10:16			0		0.1	
18	9/7/2007 10:31			0		0	
19	9/7/2007 10:46			0		0.1	
20	9/7/2007 11:01			0		0	
21	9/7/2007 11:16			0		0	
22	9/7/2007 11:31			0		0	
23	9/7/2007 11:46			0		0	
24	9/7/2007 12:01			0		0	
25	9/7/2007 12:16			0		0.1	
26	9/7/2007 12:31			0		0	
27	9/7/2007 12:46			0		0	
28	9/7/2007 13:01			0		0	
29	9/7/2007 13:16			0		0	
30	9/7/2007 13:31			0		0	
31	9/7/2007 13:46			0		0	
32	9/7/2007 14:01			0		0	
33	9/7/2007 14:16			0		0	
34	9/7/2007 14:31			0		0	
35	9/7/2007 14:46			0		0	
36	9/7/2007 15:01			0		0	
37	9/7/2007 15:16			0		0	
38	9/7/2007 15:31			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000022
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:50

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50                50                 50
=====
  
```

```

=====
Line#      Date Time      Min(ppm) Alarm  Avg(ppm) Alarm  Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/10/2007 6:08			0		0	
2	9/10/2007 6:23			0		0	
3	9/10/2007 6:38			0		0	
4	9/10/2007 6:53			0		0.1	
5	9/10/2007 7:08			0		0.1	
6	9/10/2007 7:23			0		0.1	
7	9/10/2007 7:38			0		0.1	
8	9/10/2007 7:53			0.1		0.1	
9	9/10/2007 8:08			0.1		0.1	
10	9/10/2007 8:23			0.1		0.1	
11	9/10/2007 8:38			0.1		0.1	
12	9/10/2007 8:53			0.1		0.1	
13	9/10/2007 9:08			0.1		0.2	
14	9/10/2007 9:23			0.1		0.2	
15	9/10/2007 9:38			0.1		0.2	
16	9/10/2007 9:53			0.1		0.2	
17	9/10/2007 10:08			0.1		0.2	
18	9/10/2007 10:23			0.2		0.2	
19	9/10/2007 10:38			0.2		0.2	
20	9/10/2007 10:53			0.2		0.2	
21	9/10/2007 11:08			0.1		0.2	
22	9/10/2007 11:23			0.1		0.2	
23	9/10/2007 11:38			0.1		0.2	
24	9/10/2007 11:53			0.2		0.2	
25	9/10/2007 12:08			0.2		0.2	
26	9/10/2007 12:23			0.1		0.2	
27	9/10/2007 12:38			0.1		0.2	
28	9/10/2007 12:53			0.1		0.2	
29	9/10/2007 13:08			0.1		0.2	
30	9/10/2007 13:23			0.2		0.2	
31	9/10/2007 13:38			0.2		0.3	
32	9/10/2007 13:53			0.2		0.3	
33	9/10/2007 14:08			0.2		0.4	
34	9/10/2007 14:23			0.2		0.2	
35	9/10/2007 14:38			0.2		0.2	
36	9/10/2007 14:53			0.2		0.2	
37	9/10/2007 15:08			0.2		0.2	
38	9/10/2007 15:23			0.1		0.2	
39	9/10/2007 15:38			0.1		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000023
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/11/2007 6:14			0		0	
2	9/11/2007 6:29			0		0	
3	9/11/2007 6:44			0		0	
4	9/11/2007 6:59			0		0	
5	9/11/2007 7:14			0		0	
6	9/11/2007 7:29			0		0	
7	9/11/2007 7:44			0		0.1	
8	9/11/2007 7:59			0		0.1	
9	9/11/2007 8:14			0		0.1	
10	9/11/2007 8:29			0		0.1	
11	9/11/2007 8:44			0		0.1	
12	9/11/2007 8:59			0		0.1	
13	9/11/2007 9:14			0		0.1	
14	9/11/2007 9:29			0		0.1	
15	9/11/2007 9:44			0		0.1	
16	9/11/2007 9:59			0		0.1	
17	9/11/2007 10:14			0		0.1	
18	9/11/2007 10:29			0		0.1	
19	9/11/2007 10:44			0.1		0.1	
20	9/11/2007 10:59			0.1		0.5	
21	9/11/2007 11:14			0.1		0.1	
22	9/11/2007 11:29			0.1		0.1	
23	9/11/2007 11:44			0.1		1.1	
24	9/11/2007 11:59			0.1		0.2	
25	9/11/2007 12:14			0.1		0.1	
26	9/11/2007 12:29			0.1		0.2	
27	9/11/2007 12:44			0.1		0.2	
28	9/11/2007 12:59			0.1		0.1	
29	9/11/2007 13:14			0.1		0.2	
30	9/11/2007 13:29			0.1		0.2	
31	9/11/2007 13:44			0.1		0.2	
32	9/11/2007 13:59			0.1		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000024
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:50

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100              100
Low Alarm Levels:          50               50               50
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/12/2007 6:16			0		0	
2	9/12/2007 6:31			0		0.1	
3	9/12/2007 6:46			0		0.1	
4	9/12/2007 7:01			0		0.2	
5	9/12/2007 7:16			0		0.2	
6	9/12/2007 7:31			0		0.2	
7	9/12/2007 7:46			0		0.3	
8	9/12/2007 8:01			0		0.1	
9	9/12/2007 8:16			0.1		0.2	
10	9/12/2007 8:31			0.1		0.1	
11	9/12/2007 8:46			0.1		0.1	
12	9/12/2007 9:01			0.1		0.1	
13	9/12/2007 9:16			0.1		0.2	
14	9/12/2007 9:31			0.1		0.8	
15	9/12/2007 9:46			0.1		0.2	
16	9/12/2007 10:01			0.1		0.2	
17	9/12/2007 10:16			0.1		0.5	
18	9/12/2007 10:31			0.1		0.2	
19	9/12/2007 10:46			0.1		0.3	
20	9/12/2007 11:01			0.1		0.2	
21	9/12/2007 11:16			0.1		0.2	
22	9/12/2007 11:31			0.1		0.2	
23	9/12/2007 11:46			0.2		0.4	
24	9/12/2007 12:01			0.2		0.5	
25	9/12/2007 12:16			0.2		0.4	
26	9/12/2007 12:31			0.2		0.3	
27	9/12/2007 12:46			0.2		0.3	
28	9/12/2007 13:01			0.2		0.3	
29	9/12/2007 13:16			0.2		0.2	
30	9/12/2007 13:31			0.2		0.3	
31	9/12/2007 13:46			0.2		0.3	
32	9/12/2007 14:01			0.2		0.3	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000024
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:50

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/13/2007	700		0			
2		730		0			
3		800		0			
4		830		0.2			
5		900		0.2			
6		930		0.2			
7		1000		0.2			
8		1030		0.2			
9		1100		0.2			
10		1130		0.2			
11		1200		0.2			
12		1230		0.3			
13		1300		0.3			
14		1330		0.2			
15		1400		0.2			
16		1430		0.3			
17		1500		0.3			

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/13/2007 06:54

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/14/2007 7:22			0.2		0.6	
2	9/14/2007 7:37			0.2		0.4	
3	9/14/2007 7:52			0.2		0.4	
4	9/14/2007 8:07			0.2		0.4	
5	9/14/2007 8:22			0.2		0.4	
6	9/14/2007 8:37			0.2		2.2	
7	9/14/2007 8:52			0.2		0.9	
8	9/14/2007 9:07			0.2		0.3	
9	9/14/2007 9:22			0.1		0.4	
10	9/14/2007 9:37			0.1		0.3	
11	9/14/2007 9:52			0.1		0.4	
12	9/14/2007 10:07			0.2		0.3	
13	9/14/2007 10:22			0.2		0.8	
14	9/14/2007 10:37			0.2		0.5	
15	9/14/2007 10:52			0.2		0.6	
16	9/14/2007 11:07			0.2		0.6	
17	9/14/2007 11:22			0.3		0.5	
18	9/14/2007 11:37			0.2		0.4	
19	9/14/2007 11:52			0.2		0.4	
20	9/14/2007 12:07			0.2		0.3	
21	9/14/2007 12:22			0.2		0.3	
22	9/14/2007 12:37			0.2		0.4	
23	9/14/2007 12:52			0.2		0.5	
24	9/14/2007 13:07			0.2		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/13/2007 06:54

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       9/17/2007 8:02           0           0           0.2
2       9/17/2007 8:17           0           0           0.2
3       9/17/2007 8:32           0           0           0.2
4       9/17/2007 8:47           0           0           0.2
5       9/17/2007 9:02           0           0           0.2
6       9/17/2007 9:17           0           0           0.2
7       9/17/2007 9:32           0           0           0.2
8       9/17/2007 9:47           0           0           0.6
9       9/17/2007 10:02          0           0           0.2
10      9/17/2007 10:17          0           0           0.2
11      9/17/2007 10:32          0           0           0.1
12      9/17/2007 10:47          0           0           0.1
13      9/17/2007 11:02          0           0           0.1
14      9/17/2007 11:17          0           0           0.1
15      9/17/2007 11:32          0           0           0.1
16      9/17/2007 11:47          0           0           0.1
17      9/17/2007 12:02          0           0           0.1
18      9/17/2007 12:17          0           0           0.2
19      9/17/2007 12:32          0           0           0.2
20      9/17/2007 12:47          0           0           0.5
21      9/17/2007 13:02          0           0           0.2
22      9/17/2007 13:17          0           0           0.2
23      9/17/2007 13:32          0           0           0.1
24      9/17/2007 13:47          0           0           0.2
25      9/17/2007 14:02          0           0           0.2
26      9/17/2007 14:17          0           0           0.2
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000028
 Data Points: 6 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/18/2007 06:08

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100             100
Low Alarm Levels:          50              50              50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/18/2007 6:33			0		0	
2	9/18/2007 6:48			0		0.1	
3	9/18/2007 7:03			0		0.1	
4	9/18/2007 7:18			0.1		0.1	
5	9/18/2007 7:33			0.1		0.1	
6	9/18/2007 7:48			0.1		0.1	
1	9/18/2007 8:22			0.2		0.2	
2	9/18/2007 8:37			0.2		0.3	
3	9/18/2007 8:52			0.2		0.2	
4	9/18/2007 9:07			0.2		0.2	
5	9/18/2007 9:22			0.2		0.3	
6	9/18/2007 9:37			0.2		0.2	
7	9/18/2007 9:52			0.2		0.2	
8	9/18/2007 10:07			0.2		0.2	
9	9/18/2007 10:22			0.2		0.2	
10	9/18/2007 10:37			0.2		0.3	
11	9/18/2007 10:52			0.2		0.2	
12	9/18/2007 11:07			0.2		0.5	
13	9/18/2007 11:22			0.2		0.3	
14	9/18/2007 11:37			0.2		0.3	
15	9/18/2007 11:52			0.2		0.3	
16	9/18/2007 12:07			0.2		0.2	
17	9/18/2007 12:22			0.2		0.3	
18	9/18/2007 12:37			0.2		0.3	
19	9/18/2007 12:52			0.2		0.5	
20	9/18/2007 13:07			0.2		0.3	
21	9/18/2007 13:22			0.2		0.3	
22	9/18/2007 13:37			0.2		0.3	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000030
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/18/2007 06:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/19/2007 6:42			0		0	
2	9/19/2007 6:57			0		0.1	
3	9/19/2007 7:12			0		0.1	
4	9/19/2007 7:27			0.1		0.2	
5	9/19/2007 7:42			0.1		0.2	
6	9/19/2007 7:57			0.1		0.2	
7	9/19/2007 8:12			0.1		0.2	
8	9/19/2007 8:27			0.1		0.2	
9	9/19/2007 8:42			0.1		0.2	
10	9/19/2007 8:57			0.1		0.2	
11	9/19/2007 9:12			0.1		0.2	
12	9/19/2007 9:27			0.1		0.2	
13	9/19/2007 9:42			0.1		0.2	
14	9/19/2007 9:57			0.2		0.2	
15	9/19/2007 10:12			0.2		0.2	
16	9/19/2007 10:27			0.2		0.3	
17	9/19/2007 10:42			0.2		0.2	
18	9/19/2007 10:57			0.2		0.3	
19	9/19/2007 11:12			0.2		0.3	
20	9/19/2007 11:27			0.2		0.3	
21	9/19/2007 11:42			0.2		0.3	
22	9/19/2007 11:57			0.2		0.3	
23	9/19/2007 12:12			0.2		0.3	
24	9/19/2007 12:27			0.2		0.3	
25	9/19/2007 12:42			0.2		0.3	
26	9/19/2007 12:57			0.2		0.3	
27	9/19/2007 13:12			0.2		0.2	
28	9/19/2007 13:27			0.2		0.2	
29	9/19/2007 13:42			0.2		0.2	
30	9/19/2007 13:57			0.2		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000031
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/18/2007 06:08

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/20/2007 6:28			0		0.1	
2	9/20/2007 6:43			0		0.1	
3	9/20/2007 6:58			0.1		0.2	
4	9/20/2007 7:13			0.1		0.2	
5	9/20/2007 7:28			0.2		0.2	
6	9/20/2007 7:43			0.2		0.3	
7	9/20/2007 7:58			0.2		0.3	
8	9/20/2007 8:13			0.2		0.2	
9	9/20/2007 8:28			0.1		0.2	
10	9/20/2007 8:43			0.2		0.2	
11	9/20/2007 8:58			0.2		0.2	
12	9/20/2007 9:13			0.1		0.2	
13	9/20/2007 9:28			0.1		0.2	
14	9/20/2007 9:43			0.1		0.2	
15	9/20/2007 9:58			0.1		0.3	
16	9/20/2007 10:13			0.2		0.4	
17	9/20/2007 10:28			0.2		0.3	
18	9/20/2007 10:43			0.1		0.2	
19	9/20/2007 10:58			0.1		0.2	
20	9/20/2007 11:13			0.1		0.2	
21	9/20/2007 11:28			0.1		0.2	
22	9/20/2007 11:43			0.1		0.2	
23	9/20/2007 11:58			0.1		0.2	
24	9/20/2007 12:13			0.1		0.2	
25	9/20/2007 12:28			0.1		0.2	
26	9/20/2007 12:43			0		0.1	
27	9/20/2007 12:58			0		0.1	
28	9/20/2007 13:13			0		0.1	
29	9/20/2007 13:28			0		0.1	
30	9/20/2007 13:43			0		0.1	
31	9/20/2007 13:58			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000032
 Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/18/2007 06:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/21/2007 6:49			0		0.1	
2	9/21/2007 7:04			0		0.2	
3	9/21/2007 7:19			0.1		0.2	
4	9/21/2007 7:34			0.1		0.3	
5	9/21/2007 7:49			0.2		0.3	
6	9/21/2007 8:04			0.2		0.4	
7	9/21/2007 8:19			0.3		0.4	
8	9/21/2007 8:34			0.3		1.2	
9	9/21/2007 8:49			0.3		0.5	
10	9/21/2007 9:04			0.3		0.5	
11	9/21/2007 9:19			0.4		0.6	
12	9/21/2007 9:34			0.4		0.6	
13	9/21/2007 9:49			0.4		0.6	
14	9/21/2007 10:04			0.5		0.6	
15	9/21/2007 10:19			0.4		0.6	
16	9/21/2007 10:34			0.3		0.6	
17	9/21/2007 10:49			0.2		0.4	
18	9/21/2007 11:04			0.3		0.5	
19	9/21/2007 11:19			0.3		0.5	
20	9/21/2007 11:34			0.4		0.6	
21	9/21/2007 11:49			0.4		0.6	
22	9/21/2007 12:04			0.3		0.5	
23	9/21/2007 12:19			0.3		0.6	
24	9/21/2007 12:34			0.4		0.7	
25	9/21/2007 12:49			0.5		0.7	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000033
 Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/24/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/24/2007 6:26			0		0	
2	9/24/2007 6:41			0		0	
3	9/24/2007 6:56			0		0.1	
4	9/24/2007 7:11			0.1		0.1	
5	9/24/2007 7:26			0.1		0.1	
6	9/24/2007 7:41			0.1		0.1	
7	9/24/2007 7:56			0.1		0.1	
8	9/24/2007 8:11			0.1		0.1	
9	9/24/2007 8:26			0.1		0.1	
10	9/24/2007 8:41			0.1		0.1	
11	9/24/2007 8:56			0		0.1	
12	9/24/2007 9:11			0		0.1	
13	9/24/2007 9:26			0		0.1	
14	9/24/2007 9:41			0		0.1	
15	9/24/2007 9:56			0		0.1	
16	9/24/2007 10:11			0		0.1	
17	9/24/2007 10:26			0		0	
18	9/24/2007 10:41			0		0.1	
19	9/24/2007 10:56			0		0	
20	9/24/2007 11:11			0		0	
21	9/24/2007 11:26			0		0	
22	9/24/2007 11:41			0		0	
23	9/24/2007 11:56			0		0	
24	9/24/2007 12:11			0		0	
25	9/24/2007 12:26			0		0	
26	9/24/2007 12:41			0		0	
27	9/24/2007 12:56			0		0	
28	9/24/2007 13:11			0		0.1	
29	9/24/2007 13:26			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000034
 Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/24/2007 06:07

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/25/2007 6:19			0		0.1	
2	9/25/2007 6:34			0		0.1	
3	9/25/2007 6:49			0.1		0.2	
4	9/25/2007 7:04			0.1		0.2	
5	9/25/2007 7:19			0.2		0.3	
6	9/25/2007 7:34			0.2		0.3	
7	9/25/2007 7:49			0.2		0.3	
8	9/25/2007 8:04			0.2		0.2	
9	9/25/2007 8:19			0.2		0.2	
10	9/25/2007 8:34			0.1		0.2	
11	9/25/2007 8:49			0.1		0.2	
12	9/25/2007 9:04			0.1		0.2	
13	9/25/2007 9:19			0.1		0.2	
14	9/25/2007 9:34			0.1		0.2	
15	9/25/2007 9:49			0.1		0.2	
16	9/25/2007 10:04			0.1		0.2	
17	9/25/2007 10:19			0.1		0.2	
18	9/25/2007 10:34			0.1		0.2	
19	9/25/2007 10:49			0.1		0.1	
20	9/25/2007 11:04			0.1		0.1	
21	9/25/2007 11:19			0.1		0.1	
22	9/25/2007 11:34			0		0.1	
23	9/25/2007 11:49			0.1		0.1	
24	9/25/2007 12:04			0.1		0.2	
25	9/25/2007 12:19			0		0.1	
26	9/25/2007 12:34			0		0.1	
27	9/25/2007 12:49			0		0.1	
28	9/25/2007 13:04			0		0.1	
29	9/25/2007 13:19			0		0.1	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000035
 Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/24/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/26/2007 6:33			0		0	
2	9/26/2007 6:48			0		0.1	
3	9/26/2007 7:03			0		0.1	
4	9/26/2007 7:18			0		0.1	
5	9/26/2007 7:33			0.1		0.2	
6	9/26/2007 7:48			0.1		0.1	
7	9/26/2007 8:03			0.1		0.2	
8	9/26/2007 8:18			0.1		0.2	
9	9/26/2007 8:33			0.1		0.1	
10	9/26/2007 8:48			0.1		0.1	
11	9/26/2007 9:03			0.1		0.1	
12	9/26/2007 9:18			0		0.1	
13	9/26/2007 9:33			0		0.1	
14	9/26/2007 9:48			0		0.1	
15	9/26/2007 10:03			0		0.1	
16	9/26/2007 10:18			0		0.1	
17	9/26/2007 10:33			0		0.1	
18	9/26/2007 10:48			0		0.1	
19	9/26/2007 11:03			0		0.1	
20	9/26/2007 11:18			0		0.1	
21	9/26/2007 11:33			0		0.1	
22	9/26/2007 11:48			0		0	
23	9/26/2007 12:03			0		0	
24	9/26/2007 12:18			0		0	
25	9/26/2007 12:33			0		0	
26	9/26/2007 12:48			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000036
 Data Points: 25 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/24/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/27/2007 7:25			0		0	
2	9/27/2007 7:40			0		0	
3	9/27/2007 7:55			0		0.1	
4	9/27/2007 8:10			0		0.1	
5	9/27/2007 8:25			0		0.1	
6	9/27/2007 8:40			0		0.1	
7	9/27/2007 8:55			0.1		0.1	
8	9/27/2007 9:10			0		0.1	
9	9/27/2007 9:25			0		0.1	
10	9/27/2007 9:40			0		0.1	
11	9/27/2007 9:55			0		0.1	
12	9/27/2007 10:10			0		0.1	
13	9/27/2007 10:25			0		0.1	
14	9/27/2007 10:40			0		0.1	
15	9/27/2007 10:55			0		0.1	
16	9/27/2007 11:10			0		0.1	
17	9/27/2007 11:25			0		0.1	
18	9/27/2007 11:40			0		0.1	
19	9/27/2007 11:55			0		0.1	
20	9/27/2007 12:10			0		0.2	
21	9/27/2007 12:25			0		0.2	
22	9/27/2007 12:40			0		0.2	
23	9/27/2007 12:55			0		0.1	
24	9/27/2007 13:10			0		0.1	
25	9/27/2007 13:25			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000037
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/24/2007 06:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/28/2007 6:22			0		0	
2	9/28/2007 6:37			0		0.1	
3	9/28/2007 6:52			0		0.1	
4	9/28/2007 7:07			0		0.1	
5	9/28/2007 7:22			0.1		0.1	
6	9/28/2007 7:37			0.1		0.2	
7	9/28/2007 7:52			0.1		0.2	
8	9/28/2007 8:07			0.1		0.2	
9	9/28/2007 8:22			0.1		0.2	
10	9/28/2007 8:37			0.1		0.2	
11	9/28/2007 8:52			0.1		0.1	
12	9/28/2007 9:07			0.1		0.2	
13	9/28/2007 9:22			0.1		0.2	
14	9/28/2007 9:37			0.1		0.2	
15	9/28/2007 9:52			0.1		0.2	
16	9/28/2007 10:07			0.1		0.3	
17	9/28/2007 10:22			0.1		0.2	
18	9/28/2007 10:37			0.1		0.2	
19	9/28/2007 10:52			0.1		0.3	
20	9/28/2007 11:07			0.1		0.2	
21	9/28/2007 11:22			0.1		0.2	
22	9/28/2007 11:37			0.1		0.2	
23	9/28/2007 11:52			0.1		0.2	
24	9/28/2007 12:07			0.1		0.2	
25	9/28/2007 12:22			0		0.2	
26	9/28/2007 12:37			0		0.1	
27	9/28/2007 12:52			0		0.1	
28	9/28/2007 13:07			0		0.1	
29	9/28/2007 13:22			0		0.2	
30	9/28/2007 13:37			0		0.2	
31	9/28/2007 13:52			0.1		0.2	
32	9/28/2007 14:07			0.1		0.2	

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85200853
Test ID: 1
Test Abbreviation:
Start Date: 9/4/2007
Start Time: 7:19:01
Duration (dd:hh:mm:ss): 00:00:01:00
Time constant (seconds): 10
Log Interval (mm:ss): 1:00
Number of points: 1
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.263
Minimum: 0.263
Time of Minimum: 7:20:01
Date of Minimum: 9/4/2007
Maximum: 0.263
Time of Maximum: 7:20:01
Date of Maximum: 9/4/2007

Calibration Sensor: Aerosol
Cal. date 5/8/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/4/2007	7:20:01	0.263
9/4/2007	11:33:37	0.159
9/4/2007	11:34:37	2.345
9/4/2007	11:35:37	0.154
9/4/2007	11:36:37	0.156
9/4/2007	11:37:37	0.15
9/4/2007	11:38:37	0.122
9/4/2007	11:39:37	0.112
9/4/2007	11:40:37	0.103
9/4/2007	11:41:37	0.131
9/4/2007	11:42:37	0.143
9/4/2007	11:43:37	0.14
9/4/2007	11:44:37	0.129
9/4/2007	11:45:37	0.113
9/4/2007	11:46:37	0.111
9/4/2007	11:47:37	0.103
9/4/2007	11:48:37	0.115
9/4/2007	11:49:37	0.125
9/4/2007	11:50:37	0.11
9/4/2007	11:51:37	0.109
9/4/2007	11:52:37	0.112
9/4/2007	11:53:37	0.105
9/4/2007	11:54:37	0.108

9/4/2007	11:55:37	0.127
9/4/2007	11:56:37	0.106
9/4/2007	11:57:37	0.1
9/4/2007	11:58:37	0.13
9/4/2007	11:59:37	0.145
9/4/2007	12:00:37	0.114
9/4/2007	12:01:37	0.111
9/4/2007	12:02:37	0.104
9/4/2007	12:03:37	0.089
9/4/2007	12:04:37	0.109
9/4/2007	12:05:37	0.098
9/4/2007	12:06:37	0.102
9/4/2007	12:07:37	0.105
9/4/2007	12:08:37	0.09
9/4/2007	12:09:37	0.1
9/4/2007	12:10:37	0.124
9/4/2007	12:11:37	0.128
9/4/2007	12:12:37	0.097
9/4/2007	12:13:37	0.092
9/4/2007	12:14:37	0.085
9/4/2007	12:15:37	0.111
9/4/2007	12:16:37	0.078
9/4/2007	12:17:37	0.08
9/4/2007	12:18:37	0.098
9/4/2007	12:19:37	0.11
9/4/2007	12:20:37	0.113
9/4/2007	12:21:37	0.098
9/4/2007	12:22:37	0.097
9/4/2007	12:23:37	0.084
9/4/2007	12:24:37	0.082
9/4/2007	12:25:37	0.095
9/4/2007	12:26:37	0.116
9/4/2007	12:27:37	0.1
9/4/2007	12:28:37	0.083
9/4/2007	12:29:37	0.085
9/4/2007	12:30:37	0.119
9/4/2007	12:31:37	0.104
9/4/2007	12:32:37	0.087
9/4/2007	12:33:37	0.076
9/4/2007	12:34:37	0.07
9/4/2007	12:35:37	0.07
9/4/2007	12:36:37	0.085
9/4/2007	12:37:37	0.119
9/4/2007	12:38:37	0.079
9/4/2007	12:39:37	0.11
9/4/2007	12:40:37	0.094
9/4/2007	12:41:37	0.082
9/4/2007	12:42:37	0.359
9/4/2007	12:43:37	0.113
9/4/2007	12:44:37	0.085
9/4/2007	12:45:37	0.083

9/4/2007	12:46:37	0.092
9/4/2007	12:47:37	0.091
9/4/2007	12:48:37	0.074
9/4/2007	12:49:37	0.076
9/4/2007	12:50:37	0.075
9/4/2007	12:51:37	0.086
9/4/2007	12:52:37	0.126
9/4/2007	12:53:37	0.108
9/4/2007	12:54:37	0.085
9/4/2007	12:55:37	0.116
9/4/2007	12:56:37	0.26
9/4/2007	12:57:37	0.132
9/4/2007	12:58:37	0.146
9/4/2007	12:59:37	0.105
9/4/2007	13:00:37	0.089
9/4/2007	13:01:37	0.108
9/4/2007	13:02:37	0.114
9/4/2007	13:03:37	0.075
9/4/2007	13:04:37	0.08
9/4/2007	13:05:37	0.09
9/4/2007	13:06:37	0.076
9/4/2007	13:07:37	0.095
9/4/2007	13:08:37	0.075
9/4/2007	13:09:37	0.083
9/4/2007	13:10:37	0.175
9/4/2007	13:11:37	0.139
9/4/2007	13:12:37	1.021
9/4/2007	13:13:37	0.178
9/4/2007	13:14:37	0.129
9/4/2007	13:15:37	0.07
9/4/2007	13:16:37	0.079
9/4/2007	13:17:37	0.096
9/4/2007	13:18:37	0.097
9/4/2007	13:19:37	0.109
9/4/2007	13:20:37	0.158
9/4/2007	13:21:37	0.073
9/4/2007	13:22:37	0.1
9/4/2007	13:23:37	0.068
9/4/2007	13:24:37	0.078
9/4/2007	13:25:37	0.482
9/4/2007	13:26:37	0.126
9/4/2007	13:27:37	0.157
9/4/2007	13:28:37	0.121
9/4/2007	13:29:37	0.076
9/4/2007	13:30:37	0.081
9/4/2007	13:31:37	0.061
9/4/2007	13:32:37	0.078
9/4/2007	13:33:37	0.061
9/4/2007	13:34:37	0.078
9/4/2007	13:35:37	0.082
9/4/2007	13:36:37	0.141

9/4/2007	13:37:37	0.069
9/4/2007	13:38:52	0.079
9/4/2007	13:39:52	0.077
9/4/2007	13:40:52	0.195
9/4/2007	13:41:52	0.173
9/4/2007	13:42:52	0.101
9/4/2007	13:43:52	0.097
9/4/2007	13:44:52	0.075
9/4/2007	13:45:52	0.067
9/4/2007	13:46:52	0.071
9/4/2007	13:47:52	0.073
9/4/2007	13:48:52	0.084
9/4/2007	13:49:52	0.07
9/4/2007	13:50:52	0.098
9/4/2007	13:51:52	0.137
9/4/2007	13:52:52	0.112
9/4/2007	13:53:52	0.088
9/4/2007	13:54:52	0.066
9/4/2007	13:55:52	0.072
9/4/2007	13:56:52	0.065
9/4/2007	13:57:52	0.057
9/4/2007	13:58:52	0.069
9/4/2007	13:59:52	0.096
9/4/2007	14:00:52	0.121
9/4/2007	14:01:52	0.427
9/4/2007	14:02:52	0.139
9/4/2007	14:03:52	0.104
9/4/2007	14:04:52	0.105
9/4/2007	14:05:52	0.144
9/4/2007	14:06:52	0.172
9/4/2007	14:07:52	0.253
9/4/2007	14:08:52	0.109
9/4/2007	14:09:52	0.107
9/4/2007	14:10:52	0.072
9/4/2007	14:11:52	0.069
9/4/2007	14:12:52	0.067
9/4/2007	14:13:52	0.063
9/4/2007	14:14:52	0.064
9/4/2007	14:15:52	0.097
9/4/2007	14:16:52	0.11
9/4/2007	14:17:52	0.067
9/4/2007	14:18:52	0.088
9/4/2007	14:19:52	0.066
9/4/2007	14:20:52	0.061
9/4/2007	14:21:52	0.111
9/4/2007	14:22:52	0.072
9/4/2007	14:23:52	0.058
9/4/2007	14:24:52	0.071
9/4/2007	14:25:52	0.068
9/4/2007	14:26:52	0.063
9/4/2007	14:27:52	0.082

9/4/2007	14:28:52	0.158
9/4/2007	14:29:52	0.083
9/4/2007	14:30:52	0.06
9/4/2007	14:31:52	0.073
9/4/2007	14:32:52	0.07
9/4/2007	14:33:52	0.07
9/4/2007	14:34:52	0.062
9/4/2007	14:35:52	0.066
9/4/2007	14:36:52	0.075
9/4/2007	14:37:52	0.064
9/4/2007	14:38:52	0.072
9/4/2007	14:39:52	0.078
9/4/2007	14:40:52	0.063
9/4/2007	14:41:52	0.093
9/4/2007	14:42:52	0.084
9/4/2007	14:43:52	0.065
9/4/2007	14:44:52	0.067
9/4/2007	14:45:52	0.069
9/4/2007	14:46:52	0.091
9/4/2007	14:47:52	0.068
9/4/2007	14:48:52	0.06
9/4/2007	14:49:52	0.08
9/4/2007	14:50:52	0.073
9/4/2007	14:51:52	0.071
9/4/2007	14:52:52	0.083
9/4/2007	14:53:52	0.075
9/4/2007	14:54:52	0.053
9/4/2007	14:55:52	0.066
9/4/2007	14:56:52	0.064
9/4/2007	14:57:52	0.071
9/4/2007	14:58:52	0.063
9/4/2007	14:59:52	0.07
9/4/2007	15:00:52	0.073
9/4/2007	15:01:52	0.078
9/4/2007	15:02:52	0.068
9/4/2007	15:03:52	0.058
9/4/2007	15:04:52	0.061
9/4/2007	15:05:52	0.059
9/4/2007	15:06:52	0.069
9/4/2007	15:07:52	0.072
9/4/2007	15:08:52	0.074
9/4/2007	15:09:52	0.073
9/4/2007	15:10:52	0.076
9/4/2007	15:11:52	0.115
9/4/2007	15:12:52	0.105
9/4/2007	15:13:52	0.069
9/4/2007	15:14:52	0.087
9/4/2007	15:15:52	0.153
9/4/2007	15:16:52	0.076
9/4/2007	15:17:52	0.151
9/4/2007	15:18:52	0.16

9/4/2007	15:19:52	0.077
9/4/2007	15:20:52	0.094
9/4/2007	15:21:52	0.09
9/4/2007	15:22:52	0.069

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 3
Test Abbreviation:
Start Date: 9/5/2007
Start Time: 5:22:51
Duration (dd:hh:mm:ss): 00:07:30:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 30
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 5:37:51
Date of Minimum: 9/5/2007
Maximum: 0
Time of Maximum: 5:37:51
Date of Maximum: 9/5/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/5/2007	5:37:51	0
9/5/2007	5:52:51	0
9/5/2007	6:07:51	0
9/5/2007	6:22:51	0
9/5/2007	6:37:51	0
9/5/2007	6:52:51	0
9/5/2007	7:07:51	0
9/5/2007	7:22:51	0
9/5/2007	7:37:51	0
9/5/2007	7:52:51	0
9/5/2007	8:07:51	0
9/5/2007	8:22:51	0
9/5/2007	8:37:51	0
9/5/2007	8:52:51	0
9/5/2007	9:07:51	0
9/5/2007	9:22:51	0
9/5/2007	9:37:51	0
9/5/2007	9:52:51	0
9/5/2007	10:07:51	0
9/5/2007	10:22:51	0
9/5/2007	10:37:51	0
9/5/2007	10:52:51	0
9/5/2007	11:07:51	0

9/5/2007	11:22:51	0
9/5/2007	11:37:51	0
9/5/2007	11:52:51	0
9/5/2007	12:07:51	0
9/5/2007	12:22:51	0
9/5/2007	12:37:51	0
9/5/2007	12:52:51	0

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/6/2007	700	0.001
9/6/2007	730	0.001
9/6/2007	800	0.001
9/6/2007	830	0.001
9/6/2007	900	0.001
9/6/2007	930	0.001
9/6/2007	1000	0.001
9/6/2007	1030	0.001
9/6/2007	1100	0.001
9/6/2007	1130	0.001
9/6/2007	1200	0.001
9/6/2007	1230	0.001
9/6/2007	1300	0.001
9/6/2007	1330	0.001
9/6/2007	1400	0.001
9/6/2007	1430	0.001
9/6/2007	1500	0.001
9/6/2007	1530	0.001
9/6/2007	1600	0.001
9/6/2007	1630	0.001
9/6/2007	1700	0.001
9/6/2007	1730	0.001

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 2
Test Abbreviation:
Start Date: 9/7/2007
Start Time: 6:58:22
Duration (dd:hh:mm:ss): 00:04:19:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 259
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.04
Minimum: 0.026
Time of Minimum: 10:42:22
Date of Minimum: 9/7/2007
Maximum: 0.071
Time of Maximum: 7:19:22
Date of Maximum: 9/7/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/7/2007	6:59:22	0.054
9/7/2007	7:00:22	0.051
9/7/2007	7:01:22	0.049
9/7/2007	7:02:22	0.049
9/7/2007	7:03:22	0.052
9/7/2007	7:04:22	0.051
9/7/2007	7:05:22	0.053
9/7/2007	7:06:22	0.054
9/7/2007	7:07:22	0.054
9/7/2007	7:08:22	0.059
9/7/2007	7:09:22	0.057
9/7/2007	7:10:22	0.057
9/7/2007	7:11:22	0.051
9/7/2007	7:12:22	0.053
9/7/2007	7:13:22	0.056
9/7/2007	7:14:22	0.055
9/7/2007	7:15:22	0.055
9/7/2007	7:16:22	0.053
9/7/2007	7:17:22	0.056
9/7/2007	7:18:22	0.056
9/7/2007	7:19:22	0.071
9/7/2007	7:20:22	0.062
9/7/2007	7:21:22	0.058

9/7/2007	7:22:22	0.057
9/7/2007	7:23:22	0.057
9/7/2007	7:24:22	0.056
9/7/2007	7:25:22	0.055
9/7/2007	7:26:22	0.051
9/7/2007	7:27:22	0.052
9/7/2007	7:28:22	0.05
9/7/2007	7:29:22	0.053
9/7/2007	7:30:22	0.052
9/7/2007	7:31:22	0.052
9/7/2007	7:32:22	0.048
9/7/2007	7:33:22	0.05
9/7/2007	7:34:22	0.051
9/7/2007	7:35:22	0.053
9/7/2007	7:36:22	0.056
9/7/2007	7:37:22	0.05
9/7/2007	7:38:22	0.046
9/7/2007	7:39:22	0.05
9/7/2007	7:40:22	0.052
9/7/2007	7:41:22	0.055
9/7/2007	7:42:22	0.048
9/7/2007	7:43:22	0.049
9/7/2007	7:44:22	0.05
9/7/2007	7:45:22	0.05
9/7/2007	7:46:22	0.049
9/7/2007	7:47:22	0.048
9/7/2007	7:48:22	0.053
9/7/2007	7:49:22	0.05
9/7/2007	7:50:22	0.045
9/7/2007	7:51:22	0.05
9/7/2007	7:52:22	0.048
9/7/2007	7:53:22	0.048
9/7/2007	7:54:22	0.051
9/7/2007	7:55:22	0.05
9/7/2007	7:56:22	0.047
9/7/2007	7:57:22	0.047
9/7/2007	7:58:22	0.049
9/7/2007	7:59:22	0.048
9/7/2007	8:00:22	0.047
9/7/2007	8:01:22	0.045
9/7/2007	8:02:22	0.047
9/7/2007	8:03:22	0.046
9/7/2007	8:04:22	0.046
9/7/2007	8:05:22	0.048
9/7/2007	8:06:22	0.048
9/7/2007	8:07:22	0.049
9/7/2007	8:08:22	0.049
9/7/2007	8:09:22	0.048
9/7/2007	8:10:22	0.048
9/7/2007	8:11:22	0.049
9/7/2007	8:12:22	0.049

9/7/2007	8:13:22	0.048
9/7/2007	8:14:22	0.047
9/7/2007	8:15:22	0.043
9/7/2007	8:16:22	0.045
9/7/2007	8:17:22	0.043
9/7/2007	8:18:22	0.043
9/7/2007	8:19:22	0.044
9/7/2007	8:20:22	0.046
9/7/2007	8:21:22	0.046
9/7/2007	8:22:22	0.047
9/7/2007	8:23:22	0.043
9/7/2007	8:24:22	0.045
9/7/2007	8:25:22	0.045
9/7/2007	8:26:22	0.046
9/7/2007	8:27:22	0.044
9/7/2007	8:28:22	0.044
9/7/2007	8:29:22	0.045
9/7/2007	8:30:22	0.043
9/7/2007	8:31:22	0.041
9/7/2007	8:32:22	0.041
9/7/2007	8:33:22	0.043
9/7/2007	8:34:22	0.045
9/7/2007	8:35:22	0.042
9/7/2007	8:36:22	0.05
9/7/2007	8:37:22	0.044
9/7/2007	8:38:22	0.042
9/7/2007	8:39:22	0.043
9/7/2007	8:40:22	0.043
9/7/2007	8:41:22	0.044
9/7/2007	8:42:22	0.043
9/7/2007	8:43:22	0.042
9/7/2007	8:44:22	0.044
9/7/2007	8:45:22	0.04
9/7/2007	8:46:22	0.043
9/7/2007	8:47:22	0.041
9/7/2007	8:48:22	0.039
9/7/2007	8:49:22	0.042
9/7/2007	8:50:22	0.039
9/7/2007	8:51:22	0.041
9/7/2007	8:52:22	0.04
9/7/2007	8:53:22	0.039
9/7/2007	8:54:22	0.038
9/7/2007	8:55:22	0.039
9/7/2007	8:56:22	0.039
9/7/2007	8:57:22	0.039
9/7/2007	8:58:22	0.041
9/7/2007	8:59:22	0.04
9/7/2007	9:00:22	0.039
9/7/2007	9:01:22	0.038
9/7/2007	9:02:22	0.039
9/7/2007	9:03:22	0.041

9/7/2007	9:04:22	0.038
9/7/2007	9:05:22	0.039
9/7/2007	9:06:22	0.039
9/7/2007	9:07:22	0.038
9/7/2007	9:08:22	0.042
9/7/2007	9:09:22	0.038
9/7/2007	9:10:22	0.036
9/7/2007	9:11:22	0.036
9/7/2007	9:12:22	0.036
9/7/2007	9:13:22	0.036
9/7/2007	9:14:22	0.037
9/7/2007	9:15:22	0.036
9/7/2007	9:16:22	0.036
9/7/2007	9:17:22	0.036
9/7/2007	9:18:22	0.036
9/7/2007	9:19:22	0.037
9/7/2007	9:20:22	0.037
9/7/2007	9:21:22	0.038
9/7/2007	9:22:22	0.038
9/7/2007	9:23:22	0.038
9/7/2007	9:24:22	0.038
9/7/2007	9:25:22	0.038
9/7/2007	9:26:22	0.037
9/7/2007	9:27:22	0.041
9/7/2007	9:28:22	0.04
9/7/2007	9:29:22	0.036
9/7/2007	9:30:22	0.037
9/7/2007	9:31:22	0.039
9/7/2007	9:32:22	0.035
9/7/2007	9:33:22	0.032
9/7/2007	9:34:22	0.033
9/7/2007	9:35:22	0.035
9/7/2007	9:36:22	0.038
9/7/2007	9:37:22	0.037
9/7/2007	9:38:22	0.042
9/7/2007	9:39:22	0.039
9/7/2007	9:40:22	0.035
9/7/2007	9:41:22	0.034
9/7/2007	9:42:22	0.037
9/7/2007	9:43:22	0.036
9/7/2007	9:44:22	0.038
9/7/2007	9:45:22	0.035
9/7/2007	9:46:22	0.035
9/7/2007	9:47:22	0.033
9/7/2007	9:48:22	0.036
9/7/2007	9:49:22	0.037
9/7/2007	9:50:22	0.037
9/7/2007	9:51:22	0.036
9/7/2007	9:52:22	0.041
9/7/2007	9:53:22	0.042
9/7/2007	9:54:22	0.036

9/7/2007	9:55:22	0.032
9/7/2007	9:56:22	0.032
9/7/2007	9:57:22	0.033
9/7/2007	9:58:22	0.031
9/7/2007	9:59:22	0.034
9/7/2007	10:00:22	0.037
9/7/2007	10:01:22	0.037
9/7/2007	10:02:22	0.031
9/7/2007	10:03:22	0.029
9/7/2007	10:04:22	0.032
9/7/2007	10:05:22	0.031
9/7/2007	10:06:22	0.034
9/7/2007	10:07:22	0.034
9/7/2007	10:08:22	0.03
9/7/2007	10:09:22	0.032
9/7/2007	10:10:22	0.033
9/7/2007	10:11:22	0.033
9/7/2007	10:12:22	0.031
9/7/2007	10:13:22	0.037
9/7/2007	10:14:22	0.037
9/7/2007	10:15:22	0.032
9/7/2007	10:16:22	0.031
9/7/2007	10:17:22	0.028
9/7/2007	10:18:22	0.034
9/7/2007	10:19:22	0.042
9/7/2007	10:20:22	0.033
9/7/2007	10:21:22	0.031
9/7/2007	10:22:22	0.032
9/7/2007	10:23:22	0.031
9/7/2007	10:24:22	0.028
9/7/2007	10:25:22	0.031
9/7/2007	10:26:22	0.029
9/7/2007	10:27:22	0.027
9/7/2007	10:28:22	0.028
9/7/2007	10:29:22	0.03
9/7/2007	10:30:22	0.029
9/7/2007	10:31:22	0.027
9/7/2007	10:32:22	0.03
9/7/2007	10:33:22	0.029
9/7/2007	10:34:22	0.029
9/7/2007	10:35:22	0.029
9/7/2007	10:36:22	0.031
9/7/2007	10:37:22	0.034
9/7/2007	10:38:22	0.03
9/7/2007	10:39:22	0.029
9/7/2007	10:40:22	0.03
9/7/2007	10:41:22	0.03
9/7/2007	10:42:22	0.026
9/7/2007	10:43:22	0.029
9/7/2007	10:44:22	0.027
9/7/2007	10:45:22	0.028

9/7/2007	10:46:22	0.028
9/7/2007	10:47:22	0.027
9/7/2007	10:48:22	0.028
9/7/2007	10:49:22	0.031
9/7/2007	10:50:22	0.034
9/7/2007	10:51:22	0.031
9/7/2007	10:52:22	0.034
9/7/2007	10:53:22	0.032
9/7/2007	10:54:22	0.03
9/7/2007	10:55:22	0.031
9/7/2007	10:56:22	0.033
9/7/2007	10:57:22	0.028
9/7/2007	10:58:22	0.029
9/7/2007	10:59:22	0.028
9/7/2007	11:00:22	0.028
9/7/2007	11:01:22	0.03
9/7/2007	11:02:22	0.029
9/7/2007	11:03:22	0.035
9/7/2007	11:04:22	0.027
9/7/2007	11:05:22	0.03
9/7/2007	11:06:22	0.031
9/7/2007	11:07:22	0.029
9/7/2007	11:08:22	0.031
9/7/2007	11:09:22	0.031
9/7/2007	11:10:22	0.029
9/7/2007	11:11:22	0.029
9/7/2007	11:12:22	0.031
9/7/2007	11:13:22	0.029
9/7/2007	11:14:22	0.028
9/7/2007	11:15:22	0.028
9/7/2007	11:16:22	0.034
9/7/2007	11:17:22	0.03
9/7/2007	11:19:01	0.034
9/7/2007	11:20:01	0.031
9/7/2007	11:21:01	0.033
9/7/2007	11:22:01	0.035
9/7/2007	11:23:01	0.032
9/7/2007	11:24:01	0.032
9/7/2007	11:25:01	0.03
9/7/2007	11:26:01	0.033
9/7/2007	11:27:01	0.048
9/7/2007	11:28:01	0.034
9/7/2007	11:29:01	0.03
9/7/2007	11:30:01	0.038
9/7/2007	11:31:01	0.026
9/7/2007	11:32:01	0.029
9/7/2007	11:33:01	0.029
9/7/2007	11:34:01	0.03
9/7/2007	11:35:01	0.028
9/7/2007	11:36:01	0.032
9/7/2007	11:37:01	0.028

9/7/2007	11:38:01	0.027
9/7/2007	11:39:01	0.026
9/7/2007	11:40:01	0.027
9/7/2007	11:41:01	0.027
9/7/2007	11:42:01	0.031
9/7/2007	11:43:01	0.028
9/7/2007	11:44:01	0.03
9/7/2007	11:45:01	0.027
9/7/2007	11:46:01	0.029
9/7/2007	11:47:01	0.03
9/7/2007	11:48:01	0.03
9/7/2007	11:49:01	0.033
9/7/2007	11:50:01	0.029
9/7/2007	11:51:01	0.028
9/7/2007	11:52:01	0.029
9/7/2007	11:53:01	0.04
9/7/2007	11:54:01	0.032
9/7/2007	11:55:01	0.031
9/7/2007	11:56:01	0.035
9/7/2007	11:57:01	0.03
9/7/2007	11:58:01	0.037
9/7/2007	11:59:01	0.033
9/7/2007	12:00:01	0.031
9/7/2007	12:01:01	0.029
9/7/2007	12:02:01	0.036
9/7/2007	12:03:01	0.029
9/7/2007	12:04:01	0.029
9/7/2007	12:05:01	0.026
9/7/2007	12:06:01	0.028
9/7/2007	12:07:01	0.032
9/7/2007	12:08:01	0.032
9/7/2007	12:09:01	0.029
9/7/2007	12:10:01	0.028
9/7/2007	12:11:01	0.029
9/7/2007	12:12:01	0.031
9/7/2007	12:13:01	0.031
9/7/2007	12:14:01	0.029
9/7/2007	12:15:01	0.03
9/7/2007	12:16:01	0.029
9/7/2007	12:17:01	0.031
9/7/2007	12:18:01	0.033
9/7/2007	12:19:01	0.029
9/7/2007	12:20:01	0.028
9/7/2007	12:21:01	0.034
9/7/2007	12:22:01	0.039
9/7/2007	12:23:01	0.031
9/7/2007	12:24:01	0.034
9/7/2007	12:25:01	0.032
9/7/2007	12:26:01	0.032
9/7/2007	12:27:01	0.03
9/7/2007	12:28:01	0.03

9/7/2007	12:29:01	0.05
9/7/2007	12:30:01	0.03
9/7/2007	12:31:01	0.028
9/7/2007	12:32:01	0.031
9/7/2007	12:33:01	0.029
9/7/2007	12:34:01	0.031
9/7/2007	12:35:01	0.03
9/7/2007	12:36:01	0.03
9/7/2007	12:37:01	0.029
9/7/2007	12:38:01	0.029
9/7/2007	12:39:01	0.031
9/7/2007	12:40:01	0.03
9/7/2007	12:41:01	0.037
9/7/2007	12:42:01	0.03
9/7/2007	12:43:01	0.032
9/7/2007	12:44:01	0.03
9/7/2007	12:45:01	0.031
9/7/2007	12:46:01	0.033
9/7/2007	12:47:01	0.033
9/7/2007	12:48:01	0.03
9/7/2007	12:49:01	0.029
9/7/2007	12:50:01	0.03
9/7/2007	12:51:01	0.033
9/7/2007	12:52:01	0.031
9/7/2007	12:53:01	0.032
9/7/2007	12:54:01	0.03
9/7/2007	12:55:01	0.03
9/7/2007	12:56:01	0.034
9/7/2007	12:57:01	0.032
9/7/2007	12:58:01	0.035
9/7/2007	12:59:01	0.029
9/7/2007	13:00:01	0.031
9/7/2007	13:01:01	0.035
9/7/2007	13:02:01	0.034
9/7/2007	13:03:01	0.032
9/7/2007	13:04:01	0.034
9/7/2007	13:05:01	0.031
9/7/2007	13:06:01	0.031
9/7/2007	13:07:01	0.032
9/7/2007	13:08:01	0.037
9/7/2007	13:09:01	0.034
9/7/2007	13:10:01	0.034
9/7/2007	13:11:01	0.032
9/7/2007	13:12:01	0.033
9/7/2007	13:13:01	0.032
9/7/2007	13:14:01	0.032
9/7/2007	13:15:01	0.034
9/7/2007	13:16:01	0.033
9/7/2007	13:17:01	0.048
9/7/2007	13:18:01	0.039
9/7/2007	13:19:01	0.035

9/7/2007	13:20:01	0.032
9/7/2007	13:21:01	0.035
9/7/2007	13:22:01	0.035
9/7/2007	13:23:01	0.036
9/7/2007	13:24:01	0.033
9/7/2007	13:25:01	0.036
9/7/2007	13:26:01	0.032
9/7/2007	13:27:01	0.033
9/7/2007	13:28:01	0.035
9/7/2007	13:29:01	0.039
9/7/2007	13:30:01	0.033
9/7/2007	13:31:01	0.036
9/7/2007	13:32:01	0.033
9/7/2007	13:33:01	0.032
9/7/2007	13:34:01	0.032
9/7/2007	13:35:01	0.034
9/7/2007	13:36:01	0.039
9/7/2007	13:37:01	0.033
9/7/2007	13:38:01	0.035
9/7/2007	13:39:01	0.031
9/7/2007	13:40:01	0.033
9/7/2007	13:41:01	0.033
9/7/2007	13:42:01	0.033
9/7/2007	13:43:01	0.034
9/7/2007	13:44:01	0.034
9/7/2007	13:45:01	0.033
9/7/2007	13:46:01	0.033
9/7/2007	13:47:01	0.037
9/7/2007	13:48:01	0.036
9/7/2007	13:49:01	0.035
9/7/2007	13:50:01	0.038
9/7/2007	13:51:01	0.036
9/7/2007	13:52:01	0.035
9/7/2007	13:53:01	0.037
9/7/2007	13:54:01	0.038
9/7/2007	13:55:01	0.043
9/7/2007	13:56:01	0.034
9/7/2007	13:57:01	0.033
9/7/2007	13:58:01	0.037
9/7/2007	13:59:01	0.038
9/7/2007	14:00:01	0.035
9/7/2007	14:01:01	0.035
9/7/2007	14:02:01	0.038
9/7/2007	14:03:01	0.037
9/7/2007	14:04:01	0.037
9/7/2007	14:05:01	0.035
9/7/2007	14:06:01	0.038
9/7/2007	14:07:01	0.041
9/7/2007	14:08:01	0.039
9/7/2007	14:09:01	0.035
9/7/2007	14:10:01	0.038

9/7/2007	14:11:01	0.034
9/7/2007	14:12:01	0.035
9/7/2007	14:13:01	0.037
9/7/2007	14:14:01	0.035
9/7/2007	14:15:01	0.038
9/7/2007	14:16:01	0.037
9/7/2007	14:17:01	0.036
9/7/2007	14:18:01	0.038
9/7/2007	14:19:01	0.035
9/7/2007	14:20:01	0.036
9/7/2007	14:21:01	0.038
9/7/2007	14:22:01	0.039
9/7/2007	14:23:01	0.039
9/7/2007	14:24:01	0.036
9/7/2007	14:25:01	0.038
9/7/2007	14:26:01	0.035
9/7/2007	14:27:01	0.039
9/7/2007	14:28:01	0.054
9/7/2007	14:29:01	0.039
9/7/2007	14:30:01	0.038
9/7/2007	14:31:01	0.036
9/7/2007	14:32:01	0.038
9/7/2007	14:33:01	0.039
9/7/2007	14:34:01	0.036
9/7/2007	14:35:01	0.037
9/7/2007	14:36:01	0.035
9/7/2007	14:37:01	0.035
9/7/2007	14:38:01	0.041
9/7/2007	14:39:01	0.04
9/7/2007	14:40:01	0.037
9/7/2007	14:41:01	0.042
9/7/2007	14:42:01	0.036
9/7/2007	14:43:01	0.039
9/7/2007	14:44:01	0.043
9/7/2007	14:45:01	0.036
9/7/2007	14:46:01	0.035
9/7/2007	14:47:01	0.037
9/7/2007	14:48:01	0.035
9/7/2007	14:49:01	0.038
9/7/2007	14:50:01	0.036
9/7/2007	14:51:01	0.038
9/7/2007	14:52:01	0.036
9/7/2007	14:53:01	0.036
9/7/2007	14:54:01	0.034
9/7/2007	14:55:01	0.034
9/7/2007	14:56:01	0.034
9/7/2007	14:57:01	0.034
9/7/2007	14:58:01	0.034
9/7/2007	14:59:01	0.035
9/7/2007	15:00:01	0.034
9/7/2007	15:01:01	0.035

9/7/2007	15:02:01	0.056
9/7/2007	15:03:01	0.041
9/7/2007	15:04:01	0.037
9/7/2007	15:05:01	0.042
9/7/2007	15:06:01	0.035
9/7/2007	15:07:01	0.032
9/7/2007	15:08:01	0.031
9/7/2007	15:09:01	0.033
9/7/2007	15:10:01	0.033
9/7/2007	15:11:01	0.035
9/7/2007	15:12:01	0.036
9/7/2007	15:13:01	0.036
9/7/2007	15:14:01	0.037
9/7/2007	15:15:01	0.034
9/7/2007	15:16:01	0.035
9/7/2007	15:17:01	0.036
9/7/2007	15:18:01	0.038
9/7/2007	15:19:01	0.034
9/7/2007	15:20:01	0.033
9/7/2007	15:21:01	0.035
9/7/2007	15:22:01	0.034
9/7/2007	15:23:01	0.033
9/7/2007	15:24:01	0.033
9/7/2007	15:25:01	0.032
9/7/2007	15:26:01	0.034
9/7/2007	15:27:01	0.033
9/7/2007	15:28:01	0.032
9/7/2007	15:29:01	0.031
9/7/2007	15:30:01	0.035
9/7/2007	15:31:01	0.031
9/7/2007	15:32:01	0.032
9/7/2007	15:33:01	0.031
9/7/2007	15:34:01	0.032
9/7/2007	15:35:01	0.033
9/7/2007	15:36:01	0.031
9/7/2007	15:37:01	0.03
9/7/2007	15:38:01	0.031
9/7/2007	15:39:01	0.03
9/7/2007	15:40:01	0.031
9/7/2007	15:41:01	0.036
9/7/2007	15:42:01	0.032
9/7/2007	15:43:01	0.033
9/7/2007	15:44:01	0.029
9/7/2007	15:45:01	0.031
9/7/2007	15:46:01	0.034
9/7/2007	15:47:01	0.032
9/7/2007	15:48:01	0.032
9/7/2007	15:49:01	0.031
9/7/2007	15:50:01	0.035
9/7/2007	15:51:01	0.035
9/7/2007	15:52:01	0.032

9/7/2007	15:53:01	0.031
9/7/2007	15:54:01	0.033
9/7/2007	15:55:01	0.032
9/7/2007	15:56:01	0.036
9/7/2007	15:57:01	0.033
9/7/2007	15:58:01	0.031
9/7/2007	15:59:01	0.034
9/7/2007	16:00:01	0.035
9/7/2007	16:01:01	0.036
9/7/2007	16:02:01	0.031
9/7/2007	16:03:01	0.031
9/7/2007	16:04:01	0.033
9/7/2007	16:05:01	0.035
9/7/2007	16:06:01	0.033
9/7/2007	16:07:01	0.033
9/7/2007	16:08:01	0.03
9/7/2007	16:09:01	0.032
9/7/2007	16:10:01	0.032
9/7/2007	16:11:01	0.031
9/7/2007	16:12:01	0.03
9/7/2007	16:13:01	0.031
9/7/2007	16:14:01	0.031
9/7/2007	16:15:01	0.03
9/7/2007	16:16:01	0.03
9/7/2007	16:17:01	0.031
9/7/2007	16:18:01	0.031
9/7/2007	16:19:01	0.032
9/7/2007	16:20:01	0.028
9/7/2007	16:21:01	0.028
9/7/2007	16:22:01	0.031
9/7/2007	16:23:01	0.035
9/7/2007	16:24:01	0.031
9/7/2007	16:25:01	0.029
9/7/2007	16:26:01	0.03
9/7/2007	16:27:01	0.031
9/7/2007	16:28:01	0.031
9/7/2007	16:29:01	0.031
9/7/2007	16:30:01	0.037
9/7/2007	16:31:01	0.05
9/7/2007	16:32:01	0.043
9/7/2007	16:33:01	0.029
9/7/2007	16:34:01	0.03
9/7/2007	16:35:01	0.031
9/7/2007	16:36:01	0.034
9/7/2007	16:37:01	0.035
9/7/2007	16:38:01	0.03
9/7/2007	16:39:01	0.03
9/7/2007	16:40:01	0.03
9/7/2007	16:41:01	0.031
9/7/2007	16:42:01	0.03
9/7/2007	16:43:01	0.032

9/7/2007	16:44:01	0.03
9/7/2007	16:45:01	0.03
9/7/2007	16:46:01	0.028
9/7/2007	16:47:01	0.03
9/7/2007	16:48:01	0.036
9/7/2007	16:49:01	0.03
9/7/2007	16:50:01	0.032
9/7/2007	16:51:01	0.032
9/7/2007	16:52:01	0.034
9/7/2007	16:53:01	0.029
9/7/2007	16:54:01	0.03

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 4
Test Abbreviation:
Start Date: 9/10/2007
Start Time: 6:56:29
Duration (dd:hh:mm:ss): 00:10:03:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 603
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.07
Minimum: 0.025
Time of Minimum: 7:00:29
Date of Minimum: 9/10/2007
Maximum: 2.309
Time of Maximum: 12:36:29
Date of Maximum: 9/10/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/10/2007	6:57:29	0.027
9/10/2007	6:58:29	0.027
9/10/2007	6:59:29	0.027
9/10/2007	7:00:29	0.025
9/10/2007	7:01:29	0.025
9/10/2007	7:02:29	0.027
9/10/2007	7:03:29	0.028
9/10/2007	7:04:29	0.028
9/10/2007	7:05:29	0.029
9/10/2007	7:06:29	0.033
9/10/2007	7:07:29	0.042
9/10/2007	7:08:29	0.032
9/10/2007	7:09:29	0.041
9/10/2007	7:10:29	0.028
9/10/2007	7:11:29	0.027
9/10/2007	7:12:29	0.028
9/10/2007	7:13:29	0.032
9/10/2007	7:14:29	0.041
9/10/2007	7:15:29	0.036
9/10/2007	7:16:29	0.044
9/10/2007	7:17:29	0.043
9/10/2007	7:18:29	0.115
9/10/2007	7:19:29	0.116

9/10/2007	7:20:29	0.159
9/10/2007	7:21:29	0.153
9/10/2007	7:22:29	0.21
9/10/2007	7:23:29	0.049
9/10/2007	7:24:29	0.041
9/10/2007	7:25:29	0.05
9/10/2007	7:26:29	0.043
9/10/2007	7:27:29	0.048
9/10/2007	7:28:29	0.046
9/10/2007	7:29:29	0.045
9/10/2007	7:30:29	0.043
9/10/2007	7:31:29	0.043
9/10/2007	7:32:29	0.069
9/10/2007	7:33:29	0.054
9/10/2007	7:34:29	0.107
9/10/2007	7:35:29	0.205
9/10/2007	7:36:29	1.315
9/10/2007	7:37:29	0.091
9/10/2007	7:38:29	0.087
9/10/2007	7:39:29	0.055
9/10/2007	7:40:29	0.047
9/10/2007	7:41:29	0.049
9/10/2007	7:42:29	0.053
9/10/2007	7:43:29	0.057
9/10/2007	7:44:29	0.061
9/10/2007	7:45:29	0.055
9/10/2007	7:46:29	0.047
9/10/2007	7:47:29	0.054
9/10/2007	7:48:29	0.055
9/10/2007	7:49:29	0.055
9/10/2007	7:50:29	0.082
9/10/2007	7:51:29	0.063
9/10/2007	7:52:29	0.063
9/10/2007	7:53:29	0.071
9/10/2007	7:54:29	0.057
9/10/2007	7:55:29	0.063
9/10/2007	7:56:29	0.054
9/10/2007	7:57:29	0.052
9/10/2007	7:58:29	0.048
9/10/2007	7:59:29	0.046
9/10/2007	8:00:29	0.05
9/10/2007	8:01:29	0.048
9/10/2007	8:02:29	0.047
9/10/2007	8:03:29	0.056
9/10/2007	8:04:29	0.061
9/10/2007	8:05:29	0.054
9/10/2007	8:06:29	0.052
9/10/2007	8:07:29	0.051
9/10/2007	8:08:29	0.051
9/10/2007	8:09:29	0.055
9/10/2007	8:10:29	0.053

9/10/2007	8:11:29	0.059
9/10/2007	8:12:29	0.056
9/10/2007	8:13:29	0.049
9/10/2007	8:14:29	0.06
9/10/2007	8:15:29	0.059
9/10/2007	8:16:29	0.069
9/10/2007	8:17:29	0.094
9/10/2007	8:18:29	0.263
9/10/2007	8:19:29	0.492
9/10/2007	8:20:29	0.541
9/10/2007	8:21:29	0.363
9/10/2007	8:22:29	0.064
9/10/2007	8:23:29	0.081
9/10/2007	8:24:29	0.076
9/10/2007	8:25:29	0.071
9/10/2007	8:26:29	0.08
9/10/2007	8:27:29	0.091
9/10/2007	8:28:29	0.073
9/10/2007	8:29:29	0.068
9/10/2007	8:30:29	0.063
9/10/2007	8:31:29	0.063
9/10/2007	8:32:29	0.062
9/10/2007	8:33:29	0.069
9/10/2007	8:34:29	0.069
9/10/2007	8:35:29	0.067
9/10/2007	8:36:29	0.073
9/10/2007	8:37:29	0.064
9/10/2007	8:38:29	0.078
9/10/2007	8:39:29	0.065
9/10/2007	8:40:29	0.066
9/10/2007	8:41:29	0.066
9/10/2007	8:42:29	0.06
9/10/2007	8:43:29	0.058
9/10/2007	8:44:29	0.055
9/10/2007	8:45:29	0.052
9/10/2007	8:46:29	0.051
9/10/2007	8:47:29	0.051
9/10/2007	8:48:29	0.103
9/10/2007	8:49:29	0.08
9/10/2007	8:50:29	0.057
9/10/2007	8:51:29	0.063
9/10/2007	8:52:29	0.378
9/10/2007	8:53:29	1.536
9/10/2007	8:54:29	0.073
9/10/2007	8:55:29	0.063
9/10/2007	8:56:29	0.063
9/10/2007	8:57:29	0.166
9/10/2007	8:58:29	0.603
9/10/2007	8:59:29	0.09
9/10/2007	9:00:29	0.054
9/10/2007	9:01:29	0.066

9/10/2007	9:02:29	0.06
9/10/2007	9:03:29	0.056
9/10/2007	9:04:29	0.055
9/10/2007	9:05:29	0.058
9/10/2007	9:06:29	0.061
9/10/2007	9:07:29	0.084
9/10/2007	9:08:29	0.101
9/10/2007	9:09:29	0.069
9/10/2007	9:10:29	0.059
9/10/2007	9:11:29	0.057
9/10/2007	9:12:29	0.056
9/10/2007	9:13:29	0.056
9/10/2007	9:14:29	0.054
9/10/2007	9:15:29	0.052
9/10/2007	9:16:29	0.056
9/10/2007	9:17:29	0.053
9/10/2007	9:18:29	0.051
9/10/2007	9:19:29	0.053
9/10/2007	9:20:29	0.053
9/10/2007	9:21:29	0.054
9/10/2007	9:22:29	0.05
9/10/2007	9:23:29	0.052
9/10/2007	9:24:29	0.055
9/10/2007	9:25:29	0.062
9/10/2007	9:26:29	0.063
9/10/2007	9:27:29	0.06
9/10/2007	9:28:29	0.068
9/10/2007	9:29:29	0.07
9/10/2007	9:30:29	0.06
9/10/2007	9:31:29	0.056
9/10/2007	9:32:29	0.058
9/10/2007	9:33:29	0.051
9/10/2007	9:34:29	0.051
9/10/2007	9:35:29	0.047
9/10/2007	9:36:29	0.046
9/10/2007	9:37:29	0.052
9/10/2007	9:38:29	0.05
9/10/2007	9:39:29	0.066
9/10/2007	9:40:29	0.054
9/10/2007	9:41:29	0.052
9/10/2007	9:42:29	0.055
9/10/2007	9:43:29	0.058
9/10/2007	9:44:29	0.054
9/10/2007	9:45:29	0.051
9/10/2007	9:46:29	0.053
9/10/2007	9:47:29	0.063
9/10/2007	9:48:29	0.05
9/10/2007	9:49:29	0.062
9/10/2007	9:50:29	0.075
9/10/2007	9:51:29	0.057
9/10/2007	9:52:29	0.063

9/10/2007	9:53:29	0.058
9/10/2007	9:54:29	0.373
9/10/2007	9:55:29	0.141
9/10/2007	9:56:29	0.079
9/10/2007	9:57:29	0.144
9/10/2007	9:58:29	0.091
9/10/2007	9:59:29	0.069
9/10/2007	10:00:29	0.056
9/10/2007	10:01:29	0.054
9/10/2007	10:02:29	0.054
9/10/2007	10:03:29	0.055
9/10/2007	10:04:29	0.057
9/10/2007	10:05:29	0.055
9/10/2007	10:06:29	0.052
9/10/2007	10:07:29	0.051
9/10/2007	10:08:29	0.057
9/10/2007	10:09:29	0.067
9/10/2007	10:10:29	0.07
9/10/2007	10:11:29	0.066
9/10/2007	10:12:29	0.059
9/10/2007	10:13:29	0.058
9/10/2007	10:14:29	0.059
9/10/2007	10:15:29	0.061
9/10/2007	10:16:29	0.059
9/10/2007	10:17:29	0.056
9/10/2007	10:18:29	0.052
9/10/2007	10:19:29	0.055
9/10/2007	10:20:29	0.058
9/10/2007	10:21:29	0.064
9/10/2007	10:22:29	0.064
9/10/2007	10:23:29	0.06
9/10/2007	10:24:29	0.075
9/10/2007	10:25:29	0.214
9/10/2007	10:26:29	0.135
9/10/2007	10:27:29	0.103
9/10/2007	10:28:29	0.061
9/10/2007	10:29:29	0.073
9/10/2007	10:30:29	0.065
9/10/2007	10:31:29	0.061
9/10/2007	10:32:29	0.059
9/10/2007	10:33:29	0.058
9/10/2007	10:34:29	0.051
9/10/2007	10:35:29	0.05
9/10/2007	10:36:29	0.052
9/10/2007	10:37:29	0.054
9/10/2007	10:38:29	0.057
9/10/2007	10:39:29	0.058
9/10/2007	10:40:29	0.062
9/10/2007	10:41:29	0.056
9/10/2007	10:42:29	0.052
9/10/2007	10:43:29	0.052

9/10/2007	10:44:29	0.054
9/10/2007	10:45:29	0.059
9/10/2007	10:46:29	0.06
9/10/2007	10:47:29	0.057
9/10/2007	10:48:29	0.053
9/10/2007	10:49:29	0.058
9/10/2007	10:50:29	0.054
9/10/2007	10:51:29	0.059
9/10/2007	10:52:29	0.054
9/10/2007	10:53:29	0.056
9/10/2007	10:54:29	0.053
9/10/2007	10:55:29	0.064
9/10/2007	10:56:29	0.594
9/10/2007	10:57:29	0.714
9/10/2007	10:58:29	0.128
9/10/2007	10:59:29	0.059
9/10/2007	11:00:29	0.085
9/10/2007	11:01:29	0.195
9/10/2007	11:02:29	0.072
9/10/2007	11:03:29	0.063
9/10/2007	11:04:29	0.081
9/10/2007	11:05:29	0.064
9/10/2007	11:06:29	0.055
9/10/2007	11:07:29	0.052
9/10/2007	11:08:29	0.046
9/10/2007	11:09:29	0.042
9/10/2007	11:10:29	0.043
9/10/2007	11:11:29	0.044
9/10/2007	11:12:29	0.047
9/10/2007	11:13:29	0.048
9/10/2007	11:14:29	0.046
9/10/2007	11:15:29	0.046
9/10/2007	11:16:29	0.053
9/10/2007	11:17:29	0.041
9/10/2007	11:18:29	0.038
9/10/2007	11:19:29	0.038
9/10/2007	11:20:29	0.044
9/10/2007	11:21:29	0.039
9/10/2007	11:22:29	0.041
9/10/2007	11:23:29	0.043
9/10/2007	11:24:29	0.048
9/10/2007	11:25:29	0.051
9/10/2007	11:26:29	0.047
9/10/2007	11:27:29	0.051
9/10/2007	11:28:29	0.072
9/10/2007	11:29:29	0.069
9/10/2007	11:30:29	0.077
9/10/2007	11:31:29	0.076
9/10/2007	11:32:29	0.062
9/10/2007	11:33:29	0.051
9/10/2007	11:34:29	0.073

9/10/2007	11:35:29	0.056
9/10/2007	11:36:29	0.093
9/10/2007	11:37:29	0.104
9/10/2007	11:38:29	0.067
9/10/2007	11:39:29	0.047
9/10/2007	11:40:29	0.041
9/10/2007	11:41:29	0.041
9/10/2007	11:42:29	0.045
9/10/2007	11:43:29	0.045
9/10/2007	11:44:29	0.045
9/10/2007	11:45:29	0.047
9/10/2007	11:46:29	0.043
9/10/2007	11:47:29	0.042
9/10/2007	11:48:29	0.043
9/10/2007	11:49:29	0.045
9/10/2007	11:50:29	0.045
9/10/2007	11:51:29	0.054
9/10/2007	11:52:29	0.046
9/10/2007	11:53:29	0.044
9/10/2007	11:54:29	0.043
9/10/2007	11:55:29	0.047
9/10/2007	11:56:29	0.047
9/10/2007	11:57:29	0.047
9/10/2007	11:58:29	0.044
9/10/2007	11:59:29	0.044
9/10/2007	12:00:29	0.043
9/10/2007	12:01:29	0.045
9/10/2007	12:02:29	0.044
9/10/2007	12:03:29	0.045
9/10/2007	12:04:29	0.045
9/10/2007	12:05:29	0.044
9/10/2007	12:06:29	0.046
9/10/2007	12:07:29	0.045
9/10/2007	12:08:29	0.042
9/10/2007	12:09:29	0.041
9/10/2007	12:10:29	0.042
9/10/2007	12:11:29	0.042
9/10/2007	12:12:29	0.041
9/10/2007	12:13:29	0.041
9/10/2007	12:14:29	0.042
9/10/2007	12:15:29	0.042
9/10/2007	12:16:29	0.042
9/10/2007	12:17:29	0.043
9/10/2007	12:18:29	0.041
9/10/2007	12:19:29	0.042
9/10/2007	12:20:29	0.044
9/10/2007	12:21:29	0.043
9/10/2007	12:22:29	0.048
9/10/2007	12:23:29	0.042
9/10/2007	12:24:29	0.043
9/10/2007	12:25:29	0.04

9/10/2007	12:26:29	0.044
9/10/2007	12:27:29	0.041
9/10/2007	12:28:29	0.043
9/10/2007	12:29:29	0.04
9/10/2007	12:30:29	0.044
9/10/2007	12:31:29	0.044
9/10/2007	12:32:29	0.041
9/10/2007	12:33:29	0.044
9/10/2007	12:34:29	0.042
9/10/2007	12:35:29	0.162
9/10/2007	12:36:29	2.309
9/10/2007	12:37:29	0.056
9/10/2007	12:38:29	0.097
9/10/2007	12:39:29	0.068
9/10/2007	12:40:29	0.074
9/10/2007	12:41:29	0.081
9/10/2007	12:42:29	0.057
9/10/2007	12:43:29	0.07
9/10/2007	12:44:29	0.042
9/10/2007	12:45:29	0.049
9/10/2007	12:46:29	0.045
9/10/2007	12:47:29	0.042
9/10/2007	12:48:29	0.041
9/10/2007	12:49:29	0.04
9/10/2007	12:50:29	0.037
9/10/2007	12:51:29	0.043
9/10/2007	12:52:29	0.039
9/10/2007	12:53:29	0.037
9/10/2007	12:54:29	0.039
9/10/2007	12:55:29	0.038
9/10/2007	12:56:29	0.044
9/10/2007	12:57:29	0.047
9/10/2007	12:58:29	0.046
9/10/2007	12:59:29	0.039
9/10/2007	13:00:29	0.041
9/10/2007	13:01:29	0.045
9/10/2007	13:02:29	0.053
9/10/2007	13:03:29	0.251
9/10/2007	13:04:29	0.3
9/10/2007	13:05:29	0.079
9/10/2007	13:06:29	0.109
9/10/2007	13:07:29	0.11
9/10/2007	13:08:29	0.075
9/10/2007	13:09:29	0.058
9/10/2007	13:10:29	0.043
9/10/2007	13:11:29	0.046
9/10/2007	13:12:29	0.044
9/10/2007	13:13:29	0.042
9/10/2007	13:14:29	0.042
9/10/2007	13:15:29	0.043
9/10/2007	13:16:29	0.042

9/10/2007	13:17:29	0.043
9/10/2007	13:18:29	0.043
9/10/2007	13:19:29	0.044
9/10/2007	13:20:29	0.043
9/10/2007	13:21:29	0.041
9/10/2007	13:22:29	0.047
9/10/2007	13:23:29	0.047
9/10/2007	13:24:29	0.044
9/10/2007	13:25:29	0.044
9/10/2007	13:26:29	0.041
9/10/2007	13:27:29	0.064
9/10/2007	13:28:29	0.052
9/10/2007	13:29:29	0.053
9/10/2007	13:30:29	0.049
9/10/2007	13:31:29	0.079
9/10/2007	13:32:29	0.046
9/10/2007	13:33:29	0.036
9/10/2007	13:34:29	0.04
9/10/2007	13:35:29	0.079
9/10/2007	13:36:29	0.049
9/10/2007	13:37:29	0.041
9/10/2007	13:38:29	0.036
9/10/2007	13:39:29	0.039
9/10/2007	13:40:29	0.041
9/10/2007	13:41:29	0.045
9/10/2007	13:42:29	0.045
9/10/2007	13:43:29	0.044
9/10/2007	13:44:29	0.043
9/10/2007	13:45:29	0.043
9/10/2007	13:46:29	0.046
9/10/2007	13:47:29	0.054
9/10/2007	13:48:29	0.055
9/10/2007	13:49:29	0.054
9/10/2007	13:50:29	0.054
9/10/2007	13:51:29	0.057
9/10/2007	13:52:29	0.062
9/10/2007	13:53:29	0.056
9/10/2007	13:54:29	0.05
9/10/2007	13:55:29	0.053
9/10/2007	13:56:29	0.066
9/10/2007	13:57:29	0.046
9/10/2007	13:58:29	0.044
9/10/2007	13:59:29	0.047
9/10/2007	14:00:29	0.098
9/10/2007	14:01:29	0.056
9/10/2007	14:02:29	0.057
9/10/2007	14:03:29	0.064
9/10/2007	14:04:29	0.081
9/10/2007	14:05:29	0.06
9/10/2007	14:06:29	0.057
9/10/2007	14:07:29	0.06

9/10/2007	14:08:29	0.06
9/10/2007	14:09:29	0.053
9/10/2007	14:10:29	0.042
9/10/2007	14:11:29	0.042
9/10/2007	14:12:29	0.034
9/10/2007	14:13:29	0.032
9/10/2007	14:14:29	0.034
9/10/2007	14:15:29	0.051
9/10/2007	14:16:29	0.052
9/10/2007	14:17:29	0.056
9/10/2007	14:18:29	0.05
9/10/2007	14:19:29	0.056
9/10/2007	14:20:29	0.047
9/10/2007	14:21:29	0.044
9/10/2007	14:22:29	0.047
9/10/2007	14:23:29	0.045
9/10/2007	14:24:29	0.043
9/10/2007	14:25:29	0.047
9/10/2007	14:26:29	0.051
9/10/2007	14:27:29	0.051
9/10/2007	14:28:29	0.051
9/10/2007	14:29:29	0.048
9/10/2007	14:30:29	0.053
9/10/2007	14:31:29	0.05
9/10/2007	14:32:29	0.057
9/10/2007	14:33:29	0.054
9/10/2007	14:34:29	0.047
9/10/2007	14:35:29	0.054
9/10/2007	14:36:29	0.056
9/10/2007	14:37:29	0.051
9/10/2007	14:38:29	0.054
9/10/2007	14:39:29	0.054
9/10/2007	14:40:29	0.052
9/10/2007	14:41:29	0.05
9/10/2007	14:42:29	0.054
9/10/2007	14:43:29	0.048
9/10/2007	14:44:29	0.05
9/10/2007	14:45:29	0.044
9/10/2007	14:46:29	0.048
9/10/2007	14:47:29	0.044
9/10/2007	14:48:29	0.04
9/10/2007	14:49:29	0.04
9/10/2007	14:50:29	0.034
9/10/2007	14:51:29	0.04
9/10/2007	14:52:29	0.037
9/10/2007	14:53:29	0.036
9/10/2007	14:54:29	0.036
9/10/2007	14:55:29	0.039
9/10/2007	14:56:29	0.037
9/10/2007	14:57:29	0.036
9/10/2007	14:58:29	0.035

9/10/2007	14:59:29	0.034
9/10/2007	15:00:29	0.036
9/10/2007	15:01:29	0.033
9/10/2007	15:02:29	0.036
9/10/2007	15:03:29	0.036
9/10/2007	15:04:29	0.035
9/10/2007	15:05:29	0.043
9/10/2007	15:06:29	0.045
9/10/2007	15:07:29	0.042
9/10/2007	15:08:29	0.041
9/10/2007	15:09:29	0.042
9/10/2007	15:10:29	0.046
9/10/2007	15:11:29	0.049
9/10/2007	15:12:29	0.046
9/10/2007	15:13:29	0.043
9/10/2007	15:14:29	0.047
9/10/2007	15:15:29	0.048
9/10/2007	15:16:29	0.048
9/10/2007	15:17:29	0.045
9/10/2007	15:18:29	0.107
9/10/2007	15:19:29	0.068
9/10/2007	15:20:29	0.043
9/10/2007	15:21:29	0.043
9/10/2007	15:22:29	0.038
9/10/2007	15:23:29	0.041
9/10/2007	15:24:29	0.039
9/10/2007	15:25:29	0.04
9/10/2007	15:26:29	0.041
9/10/2007	15:27:29	0.041
9/10/2007	15:28:29	0.041
9/10/2007	15:29:29	0.041
9/10/2007	15:30:29	0.04
9/10/2007	15:31:29	0.038
9/10/2007	15:32:29	0.041
9/10/2007	15:33:29	0.041
9/10/2007	15:34:29	0.043
9/10/2007	15:35:29	0.04
9/10/2007	15:36:29	0.036
9/10/2007	15:37:29	0.037
9/10/2007	15:38:29	0.032
9/10/2007	15:39:29	0.032
9/10/2007	15:40:29	0.032
9/10/2007	15:41:29	0.035
9/10/2007	15:42:29	0.038
9/10/2007	15:43:29	0.038
9/10/2007	15:44:29	0.041
9/10/2007	15:45:29	0.042
9/10/2007	15:46:29	0.04
9/10/2007	15:47:29	0.044
9/10/2007	15:48:29	0.039
9/10/2007	15:49:29	0.04

9/10/2007	15:50:29	0.035
9/10/2007	15:51:29	0.034
9/10/2007	15:52:29	0.038
9/10/2007	15:53:29	0.037
9/10/2007	15:54:29	0.042
9/10/2007	15:55:29	0.101
9/10/2007	15:56:29	0.061
9/10/2007	15:57:29	0.046
9/10/2007	15:58:29	0.041
9/10/2007	15:59:29	0.085
9/10/2007	16:00:29	0.055
9/10/2007	16:01:29	0.049
9/10/2007	16:02:29	0.05
9/10/2007	16:03:29	0.038
9/10/2007	16:04:29	0.042
9/10/2007	16:05:29	0.093
9/10/2007	16:06:29	0.044
9/10/2007	16:07:29	0.047
9/10/2007	16:08:29	0.06
9/10/2007	16:09:29	0.043
9/10/2007	16:10:29	0.057
9/10/2007	16:11:29	0.089
9/10/2007	16:12:29	0.081
9/10/2007	16:13:29	0.068
9/10/2007	16:14:29	0.075
9/10/2007	16:15:29	0.059
9/10/2007	16:16:29	0.069
9/10/2007	16:17:29	0.045
9/10/2007	16:18:29	0.058
9/10/2007	16:19:29	0.072
9/10/2007	16:20:29	0.054
9/10/2007	16:21:29	0.053
9/10/2007	16:22:29	0.07
9/10/2007	16:23:29	0.073
9/10/2007	16:24:29	0.073
9/10/2007	16:25:29	0.065
9/10/2007	16:26:29	0.044
9/10/2007	16:27:29	0.042
9/10/2007	16:28:29	0.13
9/10/2007	16:29:29	0.047
9/10/2007	16:30:29	0.038
9/10/2007	16:31:29	0.045
9/10/2007	16:32:29	0.052
9/10/2007	16:33:29	0.067
9/10/2007	16:34:29	0.044
9/10/2007	16:35:29	0.041
9/10/2007	16:36:29	0.038
9/10/2007	16:37:29	0.034
9/10/2007	16:38:29	0.033
9/10/2007	16:39:29	0.041
9/10/2007	16:40:29	0.035

9/10/2007	16:41:29	0.035
9/10/2007	16:42:29	0.04
9/10/2007	16:43:29	0.044
9/10/2007	16:44:29	0.04
9/10/2007	16:45:29	0.04
9/10/2007	16:46:29	0.042
9/10/2007	16:47:29	0.043
9/10/2007	16:48:29	0.09
9/10/2007	16:49:29	0.059
9/10/2007	16:50:29	0.061
9/10/2007	16:51:29	0.113
9/10/2007	16:52:29	0.045
9/10/2007	16:53:29	0.043
9/10/2007	16:54:29	0.042
9/10/2007	16:55:29	0.043
9/10/2007	16:56:29	0.04
9/10/2007	16:57:29	0.037
9/10/2007	16:58:29	0.042
9/10/2007	16:59:29	0.038

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 5
Test Abbreviation:
Start Date: 9/11/2007
Start Time: 7:01:00
Duration (dd:hh:mm:ss): 00:08:15:00
Time constant (seconds): 1
Log Interval (mm:ss): 15:00
Number of points: 33
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.053
Minimum: 0.02
Time of Minimum: 14:16:00
Date of Minimum: 9/11/2007
Maximum: 0.077
Time of Maximum: 9:46:00
Date of Maximum: 9/11/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/11/2007	7:16:00	0.042
9/11/2007	7:31:00	0.039
9/11/2007	7:46:00	0.045
9/11/2007	8:01:00	0.047
9/11/2007	8:16:00	0.044
9/11/2007	8:31:00	0.048
9/11/2007	8:46:00	0.056
9/11/2007	9:01:00	0.059
9/11/2007	9:16:00	0.051
9/11/2007	9:31:00	0.067
9/11/2007	9:46:00	0.077
9/11/2007	10:01:00	0.061
9/11/2007	10:16:00	0.063
9/11/2007	10:31:00	0.072
9/11/2007	10:46:00	0.074
9/11/2007	11:01:00	0.07
9/11/2007	11:16:00	0.067
9/11/2007	11:31:00	0.066
9/11/2007	11:46:00	0.067
9/11/2007	12:01:00	0.055
9/11/2007	12:16:00	0.052
9/11/2007	12:31:00	0.055
9/11/2007	12:46:00	0.077

9/11/2007	13:01:00	0.074
9/11/2007	13:16:00	0.066
9/11/2007	13:31:00	0.024
9/11/2007	13:46:00	0.032
9/11/2007	14:01:00	0.03
9/11/2007	14:16:00	0.02
9/11/2007	14:31:00	0.029
9/11/2007	14:46:00	0.038
9/11/2007	15:01:00	0.039
9/11/2007	15:16:00	0.031

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 6
 Test Abbreviation:
 Start Date: 9/12/2007
 Start Time: 6:56:39
 Duration (dd:hh:mm:ss): 00:01:55:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 1:00
 Number of points: 115
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.041
 Minimum: 0.012
 Time of Minimum: 8:30:39
 Date of Minimum: 9/12/2007
 Maximum: 0.487
 Time of Maximum: 7:45:39
 Date of Maximum: 9/12/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/12/2007	6:57:39	0.017
9/12/2007	6:58:39	0.016
9/12/2007	6:59:39	0.016
9/12/2007	7:00:39	0.016
9/12/2007	7:01:39	0.015
9/12/2007	7:02:39	0.016
9/12/2007	7:03:39	0.017
9/12/2007	7:04:39	0.02
9/12/2007	7:05:39	0.021
9/12/2007	7:06:39	0.017
9/12/2007	7:07:39	0.016
9/12/2007	7:08:39	0.016
9/12/2007	7:09:39	0.017
9/12/2007	7:10:39	0.016
9/12/2007	7:11:39	0.016
9/12/2007	7:12:39	0.017
9/12/2007	7:13:39	0.016
9/12/2007	7:14:39	0.015
9/12/2007	7:15:39	0.019
9/12/2007	7:16:39	0.02
9/12/2007	7:17:39	0.022
9/12/2007	7:18:39	0.024
9/12/2007	7:19:39	0.022

9/12/2007	7:20:39	0.018
9/12/2007	7:21:39	0.02
9/12/2007	7:22:39	0.048
9/12/2007	7:23:39	0.035
9/12/2007	7:24:39	0.026
9/12/2007	7:25:39	0.062
9/12/2007	7:26:39	0.045
9/12/2007	7:27:39	0.033
9/12/2007	7:28:39	0.021
9/12/2007	7:29:39	0.014
9/12/2007	7:30:39	0.017
9/12/2007	7:31:39	0.029
9/12/2007	7:32:39	0.075
9/12/2007	7:33:39	0.016
9/12/2007	7:34:39	0.024
9/12/2007	7:35:39	0.073
9/12/2007	7:36:39	0.035
9/12/2007	7:37:39	0.016
9/12/2007	7:38:39	0.022
9/12/2007	7:39:39	0.025
9/12/2007	7:40:39	0.027
9/12/2007	7:41:39	0.038
9/12/2007	7:42:39	0.062
9/12/2007	7:43:39	0.052
9/12/2007	7:44:39	0.047
9/12/2007	7:45:39	0.487
9/12/2007	7:46:39	0.051
9/12/2007	7:47:39	0.046
9/12/2007	7:48:39	0.088
9/12/2007	7:49:39	0.101
9/12/2007	7:50:39	0.07
9/12/2007	7:51:39	0.043
9/12/2007	7:52:39	0.141
9/12/2007	7:53:39	0.055
9/12/2007	7:54:39	0.073
9/12/2007	7:55:39	0.055
9/12/2007	7:56:39	0.056
9/12/2007	7:57:39	0.048
9/12/2007	7:58:39	0.041
9/12/2007	7:59:39	0.046
9/12/2007	8:00:39	0.058
9/12/2007	8:01:39	0.049
9/12/2007	8:02:39	0.042
9/12/2007	8:03:39	0.027
9/12/2007	8:04:39	0.016
9/12/2007	8:05:39	0.029
9/12/2007	8:06:39	0.028
9/12/2007	8:07:39	0.019
9/12/2007	8:08:39	0.028
9/12/2007	8:09:39	0.029
9/12/2007	8:10:39	0.058

9/12/2007	8:11:39	0.041
9/12/2007	8:12:39	0.02
9/12/2007	8:13:39	0.029
9/12/2007	8:14:39	0.024
9/12/2007	8:15:39	0.02
9/12/2007	8:16:39	0.017
9/12/2007	8:17:39	0.064
9/12/2007	8:18:39	0.037
9/12/2007	8:19:39	0.068
9/12/2007	8:20:39	0.067
9/12/2007	8:21:39	0.401
9/12/2007	8:22:39	0.091
9/12/2007	8:23:39	0.027
9/12/2007	8:24:39	0.058
9/12/2007	8:25:39	0.046
9/12/2007	8:26:39	0.018
9/12/2007	8:27:39	0.044
9/12/2007	8:28:39	0.019
9/12/2007	8:29:39	0.014
9/12/2007	8:30:39	0.012
9/12/2007	8:31:39	0.022
9/12/2007	8:32:39	0.019
9/12/2007	8:33:39	0.025
9/12/2007	8:34:39	0.026
9/12/2007	8:35:39	0.024
9/12/2007	8:36:39	0.025
9/12/2007	8:37:39	0.024
9/12/2007	8:38:39	0.021
9/12/2007	8:39:39	0.033
9/12/2007	8:40:39	0.069
9/12/2007	8:41:39	0.023
9/12/2007	8:42:39	0.018
9/12/2007	8:43:39	0.016
9/12/2007	8:44:39	0.015
9/12/2007	8:45:39	0.012
9/12/2007	8:46:39	0.014
9/12/2007	8:47:39	0.022
9/12/2007	8:48:39	0.024
9/12/2007	8:49:39	0.026
9/12/2007	8:50:39	0.019
9/12/2007	8:51:39	0.022
9/12/2007	8:53:37	0.016
9/12/2007	8:54:37	0.011
9/12/2007	8:55:37	0.011
9/12/2007	8:56:37	0.016
9/12/2007	8:57:37	0.017
9/12/2007	8:58:37	0.021
9/12/2007	8:59:37	0.01
9/12/2007	9:00:37	0.008
9/12/2007	9:01:37	0.013
9/12/2007	9:02:37	0.033

9/12/2007	9:03:37	0.017
9/12/2007	9:04:37	0.02
9/12/2007	9:05:37	0.015
9/12/2007	9:06:37	0.013
9/12/2007	9:07:37	0.032
9/12/2007	9:08:37	0.119
9/12/2007	9:09:37	0.035
9/12/2007	9:10:37	0.074
9/12/2007	9:11:37	0.018
9/12/2007	9:12:37	0.015
9/12/2007	9:13:37	0.015
9/12/2007	9:14:37	0.013
9/12/2007	9:15:37	0.011
9/12/2007	9:16:37	0.014
9/12/2007	9:17:37	0.036
9/12/2007	9:18:37	0.02
9/12/2007	9:19:37	0.029
9/12/2007	9:20:37	0.043
9/12/2007	9:21:37	0.021
9/12/2007	9:22:37	0.049
9/12/2007	9:23:37	0.057
9/12/2007	9:24:37	0.036
9/12/2007	9:25:37	0.035
9/12/2007	9:26:37	0.046
9/12/2007	9:27:37	0.027
9/12/2007	9:28:37	0.022
9/12/2007	9:29:37	0.018
9/12/2007	9:30:37	0.013
9/12/2007	9:31:37	0.015
9/12/2007	9:32:37	0.014
9/12/2007	9:33:37	0.012
9/12/2007	9:34:37	0.013
9/12/2007	9:35:37	0.015
9/12/2007	9:36:37	0.014
9/12/2007	9:37:37	0.021
9/12/2007	9:38:37	0.013
9/12/2007	9:39:37	0.013
9/12/2007	9:40:37	0.01
9/12/2007	9:41:37	0.008
9/12/2007	9:42:37	0.008
9/12/2007	9:43:37	0.009
9/12/2007	9:44:37	0.008
9/12/2007	9:45:37	0.009
9/12/2007	9:46:37	0.165
9/12/2007	9:47:37	0.082
9/12/2007	9:48:37	0.07
9/12/2007	9:49:37	0.018
9/12/2007	9:50:37	0.013
9/12/2007	9:51:37	0.013
9/12/2007	9:52:37	0.012
9/12/2007	9:53:37	0.029

9/12/2007	9:54:37	0.013
9/12/2007	9:55:37	0.01
9/12/2007	9:56:37	0.014
9/12/2007	9:57:37	0.072
9/12/2007	9:58:37	0.082
9/12/2007	9:59:37	0.102
9/12/2007	10:00:37	0.038
9/12/2007	10:01:37	0.149
9/12/2007	10:02:37	0.136
9/12/2007	10:03:37	0.019
9/12/2007	10:04:37	0.02
9/12/2007	10:05:37	0.01
9/12/2007	10:06:37	0.018
9/12/2007	10:07:37	0.018
9/12/2007	10:08:37	0.023
9/12/2007	10:09:37	0.015
9/12/2007	10:10:37	0.009
9/12/2007	10:11:37	0.008
9/12/2007	10:12:37	0.009
9/12/2007	10:13:37	0.007
9/12/2007	10:14:37	0.014
9/12/2007	10:15:37	0.012
9/12/2007	10:16:37	0.007
9/12/2007	10:17:37	0.01
9/12/2007	10:18:37	0.089
9/12/2007	10:19:37	0.014
9/12/2007	10:20:37	0.01
9/12/2007	10:21:37	0.011
9/12/2007	10:22:37	0.035
9/12/2007	10:23:37	0.009
9/12/2007	10:24:37	0.034
9/12/2007	10:25:37	0.027
9/12/2007	10:26:37	0.019
9/12/2007	10:27:37	0.033
9/12/2007	10:28:37	0.031
9/12/2007	10:29:37	0.022
9/12/2007	10:30:37	0.032
9/12/2007	10:31:37	0.009
9/12/2007	10:32:37	0.018
9/12/2007	10:33:37	0.022
9/12/2007	10:34:37	0.019
9/12/2007	10:35:37	0.009
9/12/2007	10:36:37	0.02
9/12/2007	10:37:37	0.021
9/12/2007	10:38:37	0.026
9/12/2007	10:39:37	0.026
9/12/2007	10:40:37	0.016
9/12/2007	10:41:37	0.016
9/12/2007	10:42:37	0.021
9/12/2007	10:43:37	0.009
9/12/2007	10:44:37	0.022

9/12/2007	10:45:37	0.011
9/12/2007	10:46:37	0.017
9/12/2007	10:47:37	0.022
9/12/2007	10:48:37	0.016
9/12/2007	10:49:37	0.018
9/12/2007	10:50:37	0.015
9/12/2007	10:51:37	0.019
9/12/2007	10:52:37	0.021
9/12/2007	10:53:37	0.018
9/12/2007	10:54:37	0.029
9/12/2007	10:55:37	0.037
9/12/2007	10:56:37	0.022
9/12/2007	10:57:37	0.016
9/12/2007	10:58:37	0.015
9/12/2007	10:59:37	0.013
9/12/2007	11:00:37	0.021
9/12/2007	11:01:37	0.019
9/12/2007	11:02:37	0.009
9/12/2007	11:03:37	0.032
9/12/2007	11:04:37	0.078
9/12/2007	11:05:37	0.019
9/12/2007	11:06:37	0.131
9/12/2007	11:07:37	0.064
9/12/2007	11:08:37	0.015
9/12/2007	11:09:37	0.044
9/12/2007	11:10:37	0.088
9/12/2007	11:11:37	0.03
9/12/2007	11:12:37	0.019
9/12/2007	11:13:37	0.015
9/12/2007	11:14:37	0.03
9/12/2007	11:15:37	0.021
9/12/2007	11:16:37	0.02
9/12/2007	11:17:37	0.022
9/12/2007	11:18:37	0.059
9/12/2007	11:19:37	0.013
9/12/2007	11:20:37	0.013
9/12/2007	11:21:37	0.025
9/12/2007	11:22:37	0.013
9/12/2007	11:23:37	0.007
9/12/2007	11:24:37	0.01
9/12/2007	11:25:37	0.009
9/12/2007	11:26:37	0.013
9/12/2007	11:27:37	0.025
9/12/2007	11:28:37	0.015
9/12/2007	11:29:37	0.041
9/12/2007	11:30:37	0.016
9/12/2007	11:31:37	0.025
9/12/2007	11:32:37	0.021
9/12/2007	11:33:37	0.018
9/12/2007	11:34:37	0.011
9/12/2007	11:35:37	0.022

9/12/2007	11:36:37	0.019
9/12/2007	11:37:37	0.04
9/12/2007	11:38:37	0.03
9/12/2007	11:39:37	0.02
9/12/2007	11:40:37	0.012
9/12/2007	11:41:37	0.008
9/12/2007	11:42:37	0.009
9/12/2007	11:43:37	0.031
9/12/2007	11:44:37	0.011
9/12/2007	11:45:37	0.014
9/12/2007	11:46:37	0.03
9/12/2007	11:47:37	0.053
9/12/2007	11:48:37	0.025
9/12/2007	11:49:37	0.022
9/12/2007	11:50:37	0.014
9/12/2007	11:51:37	0.032
9/12/2007	11:52:37	0.014
9/12/2007	11:53:37	0.113
9/12/2007	11:54:37	0.023
9/12/2007	11:55:37	0.006
9/12/2007	11:56:37	0.006
9/12/2007	11:57:37	0.007
9/12/2007	11:58:37	0.007
9/12/2007	11:59:37	0.008
9/12/2007	12:00:37	0.007
9/12/2007	12:01:37	0.006
9/12/2007	12:02:37	0.007
9/12/2007	12:03:37	0.006
9/12/2007	12:04:37	0.006
9/12/2007	12:05:37	0.006
9/12/2007	12:06:37	0.008
9/12/2007	12:07:37	0.006
9/12/2007	12:08:37	0.006
9/12/2007	12:09:37	0.006
9/12/2007	12:10:37	0.007
9/12/2007	12:11:37	0.007
9/12/2007	12:12:37	0.007
9/12/2007	12:13:37	0.006
9/12/2007	12:14:37	0.006
9/12/2007	12:15:37	0.007
9/12/2007	12:16:37	0.005
9/12/2007	12:17:37	0.007
9/12/2007	12:18:37	0.008
9/12/2007	12:19:37	0.009
9/12/2007	12:20:37	0.007
9/12/2007	12:21:37	0.008
9/12/2007	12:22:37	0.007
9/12/2007	12:23:37	0.006
9/12/2007	12:24:37	0.006
9/12/2007	12:25:37	0.006
9/12/2007	12:26:37	0.006

9/12/2007	12:27:37	0.006
9/12/2007	12:28:37	0.006
9/12/2007	12:29:37	0.007
9/12/2007	12:30:37	0.007
9/12/2007	12:31:37	0.007
9/12/2007	12:32:37	0.007
9/12/2007	12:33:37	0.006
9/12/2007	12:34:37	0.006
9/12/2007	12:35:37	0.005
9/12/2007	12:36:37	0.016
9/12/2007	12:37:37	0.012
9/12/2007	12:38:37	0.02
9/12/2007	12:39:37	0.011
9/12/2007	12:40:37	0.007
9/12/2007	12:41:37	0.022
9/12/2007	12:42:37	0.019
9/12/2007	12:43:37	0.04
9/12/2007	12:44:37	0.018
9/12/2007	12:45:37	0.016
9/12/2007	12:46:37	0.029
9/12/2007	12:47:37	0.025
9/12/2007	12:48:37	0.033
9/12/2007	12:49:37	0.024
9/12/2007	12:50:37	0.033
9/12/2007	12:51:37	0.021
9/12/2007	12:52:37	0.016
9/12/2007	12:53:37	0.013
9/12/2007	12:54:37	0.01
9/12/2007	12:55:37	0.012
9/12/2007	12:56:37	0.033
9/12/2007	12:57:37	0.018
9/12/2007	12:58:37	0.041
9/12/2007	12:59:37	0.03
9/12/2007	13:00:37	0.021
9/12/2007	13:01:37	0.017
9/12/2007	13:02:37	0.02
9/12/2007	13:03:37	0.009
9/12/2007	13:04:37	0.017
9/12/2007	13:05:37	0.012
9/12/2007	13:06:37	0.01
9/12/2007	13:07:37	0.007
9/12/2007	13:08:37	0.033
9/12/2007	13:09:37	0.008
9/12/2007	13:10:37	0.009
9/12/2007	13:11:37	0.007
9/12/2007	13:12:37	0.007
9/12/2007	13:13:37	0.009
9/12/2007	13:14:37	0.007
9/12/2007	13:15:37	0.007
9/12/2007	13:16:37	0.012
9/12/2007	13:17:37	0.016

9/12/2007	13:18:37	0.019
9/12/2007	13:19:37	0.021
9/12/2007	13:20:37	0.023
9/12/2007	13:21:37	0.019
9/12/2007	13:22:37	0.118
9/12/2007	13:23:37	0.035
9/12/2007	13:24:37	0.021
9/12/2007	13:25:37	0.023
9/12/2007	13:26:37	0.022
9/12/2007	13:27:37	0.014
9/12/2007	13:28:37	0.02
9/12/2007	13:29:37	0.033
9/12/2007	13:30:37	0.016
9/12/2007	13:31:37	0.023
9/12/2007	13:32:37	0.028
9/12/2007	13:33:37	0.026
9/12/2007	13:34:37	0.029
9/12/2007	13:35:37	0.016
9/12/2007	13:36:37	0.013
9/12/2007	13:37:37	0.011
9/12/2007	13:38:37	0.021
9/12/2007	13:39:37	0.033
9/12/2007	13:40:37	0.012
9/12/2007	13:41:37	0.009
9/12/2007	13:42:37	0.011
9/12/2007	13:43:37	0.012
9/12/2007	13:44:37	0.027
9/12/2007	13:45:37	0.019
9/12/2007	13:46:37	0.008
9/12/2007	13:47:37	0.007
9/12/2007	13:48:37	0.008
9/12/2007	13:49:37	0.015
9/12/2007	13:50:37	0.013
9/12/2007	13:51:37	0.009
9/12/2007	13:52:37	0.009
9/12/2007	13:53:37	0.013
9/12/2007	13:54:37	0.02
9/12/2007	13:55:37	0.02
9/12/2007	13:56:37	0.008
9/12/2007	13:57:37	0.012
9/12/2007	13:58:37	0.015
9/12/2007	13:59:37	0.016
9/12/2007	14:00:37	0.012
9/12/2007	14:01:37	0.035
9/12/2007	14:02:37	0.025
9/12/2007	14:03:37	0.007
9/12/2007	14:04:37	0.009
9/12/2007	14:05:37	0.01
9/12/2007	14:06:37	0.008
9/12/2007	14:07:37	0.007
9/12/2007	14:08:37	0.008

9/12/2007	14:09:37	0.009
9/12/2007	14:10:37	0.014
9/12/2007	14:11:37	0.014
9/12/2007	14:12:37	0.012
9/12/2007	14:13:37	0.012
9/12/2007	14:14:37	0.016
9/12/2007	14:15:37	0.012
9/12/2007	14:16:37	0.016
9/12/2007	14:17:37	0.024
9/12/2007	14:18:37	0.019
9/12/2007	14:19:37	0.013
9/12/2007	14:20:37	0.021
9/12/2007	14:21:37	0.008
9/12/2007	14:22:37	0.013
9/12/2007	14:23:37	0.012
9/12/2007	14:24:37	0.019
9/12/2007	14:25:37	0.008
9/12/2007	14:26:37	0.012
9/12/2007	14:27:37	0.022
9/12/2007	14:28:37	0.042
9/12/2007	14:29:37	0.018
9/12/2007	14:30:37	0.008
9/12/2007	14:31:37	0.007
9/12/2007	14:32:37	0.014
9/12/2007	14:33:37	0.036
9/12/2007	14:34:37	0.032
9/12/2007	14:35:37	0.022
9/12/2007	14:36:37	0.023
9/12/2007	14:37:37	0.024
9/12/2007	14:38:37	0.033
9/12/2007	14:39:37	0.032
9/12/2007	14:40:37	0.011
9/12/2007	14:41:37	0.014
9/12/2007	14:42:37	0.011
9/12/2007	14:43:37	0.024
9/12/2007	14:44:37	0.02
9/12/2007	14:45:37	0.018
9/12/2007	14:46:37	0.036
9/12/2007	14:47:37	0.032
9/12/2007	14:48:37	0.019
9/12/2007	14:49:37	0.021
9/12/2007	14:50:37	0.021
9/12/2007	14:51:37	0.025
9/12/2007	14:52:37	0.02
9/12/2007	14:53:37	0.009
9/12/2007	14:54:37	0.033
9/12/2007	14:55:37	0.012
9/12/2007	14:56:37	0.009
9/12/2007	14:57:37	0.014
9/12/2007	14:58:37	0.013
9/12/2007	14:59:37	0.019

9/12/2007	15:00:37	0.015
9/12/2007	15:01:37	0.024
9/12/2007	15:02:37	0.017
9/12/2007	15:03:37	0.031
9/12/2007	15:04:37	0.024
9/12/2007	15:05:37	0.015
9/12/2007	15:06:37	0.007
9/12/2007	15:07:37	0.006
9/12/2007	15:08:37	0.006
9/12/2007	15:09:37	0.007
9/12/2007	15:10:37	0.006
9/12/2007	15:11:37	0.007
9/12/2007	15:12:37	0.006
9/12/2007	15:13:37	0.006
9/12/2007	15:14:37	0.008

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 8
Test Abbreviation:
Start Date: 9/13/2007
Start Time: 6:55:50
Duration (dd:hh:mm:ss): 00:08:00:00
Time constant (seconds): 1
Log Interval (mm:ss): 15:00
Number of points: 32
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.021
Minimum: 0.009
Time of Minimum: 14:25:50
Date of Minimum: 9/13/2007
Maximum: 0.041
Time of Maximum: 9:40:50
Date of Maximum: 9/13/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/13/2007	7:10:50	0.013
9/13/2007	7:25:50	0.018
9/13/2007	7:40:50	0.017
9/13/2007	7:55:50	0.017
9/13/2007	8:10:50	0.014
9/13/2007	8:25:50	0.022
9/13/2007	8:40:50	0.034
9/13/2007	8:55:50	0.033
9/13/2007	9:10:50	0.029
9/13/2007	9:25:50	0.027
9/13/2007	9:40:50	0.041
9/13/2007	9:55:50	0.028
9/13/2007	10:10:50	0.015
9/13/2007	10:25:50	0.015
9/13/2007	10:40:50	0.015
9/13/2007	10:55:50	0.013
9/13/2007	11:10:50	0.012
9/13/2007	11:25:50	0.02
9/13/2007	11:40:50	0.021
9/13/2007	11:55:50	0.012
9/13/2007	12:10:50	0.013
9/13/2007	12:25:50	0.013
9/13/2007	12:40:50	0.03

9/13/2007	12:55:50	0.03
9/13/2007	13:10:50	0.035
9/13/2007	13:25:50	0.034
9/13/2007	13:40:50	0.026
9/13/2007	13:55:50	0.027
9/13/2007	14:10:50	0.023
9/13/2007	14:25:50	0.009
9/13/2007	14:40:50	0.009
9/13/2007	14:55:50	0.009

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 9
Test Abbreviation:
Start Date: 9/14/2007
Start Time: 7:02:59
Duration (dd:hh:mm:ss): 00:06:25:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 385
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.027
Minimum: 0.009
Time of Minimum: 7:06:59
Date of Minimum: 9/14/2007
Maximum: 0.406
Time of Maximum: 11:15:59
Date of Maximum: 9/14/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/14/2007	7:03:59	0.019
9/14/2007	7:04:59	0.01
9/14/2007	7:05:59	0.011
9/14/2007	7:06:59	0.009
9/14/2007	7:07:59	0.01
9/14/2007	7:08:59	0.01
9/14/2007	7:09:59	0.012
9/14/2007	7:10:59	0.013
9/14/2007	7:11:59	0.02
9/14/2007	7:12:59	0.015
9/14/2007	7:13:59	0.01
9/14/2007	7:14:59	0.01
9/14/2007	7:15:59	0.01
9/14/2007	7:16:59	0.009
9/14/2007	7:17:59	0.009
9/14/2007	7:18:59	0.009
9/14/2007	7:19:59	0.01
9/14/2007	7:20:59	0.013
9/14/2007	7:21:59	0.01
9/14/2007	7:22:59	0.01
9/14/2007	7:23:59	0.011
9/14/2007	7:24:59	0.011
9/14/2007	7:25:59	0.084

9/14/2007	7:26:59	0.015
9/14/2007	7:27:59	0.011
9/14/2007	7:28:59	0.024
9/14/2007	7:29:59	0.028
9/14/2007	7:30:59	0.009
9/14/2007	7:31:59	0.012
9/14/2007	7:32:59	0.01
9/14/2007	7:33:59	0.009
9/14/2007	7:34:59	0.012
9/14/2007	7:35:59	0.024
9/14/2007	7:36:59	0.017
9/14/2007	7:37:59	0.013
9/14/2007	7:38:59	0.016
9/14/2007	7:39:59	0.028
9/14/2007	7:40:59	0.019
9/14/2007	7:41:59	0.03
9/14/2007	7:42:59	0.019
9/14/2007	7:43:59	0.014
9/14/2007	7:44:59	0.012
9/14/2007	7:45:59	0.011
9/14/2007	7:46:59	0.012
9/14/2007	7:47:59	0.012
9/14/2007	7:48:59	0.009
9/14/2007	7:49:59	0.01
9/14/2007	7:50:59	0.015
9/14/2007	7:51:59	0.013
9/14/2007	7:52:59	0.016
9/14/2007	7:53:59	0.013
9/14/2007	7:54:59	0.012
9/14/2007	7:55:59	0.011
9/14/2007	7:56:59	0.014
9/14/2007	7:57:59	0.015
9/14/2007	7:58:59	0.011
9/14/2007	7:59:59	0.013
9/14/2007	8:00:59	0.016
9/14/2007	8:01:59	0.014
9/14/2007	8:02:59	0.012
9/14/2007	8:03:59	0.011
9/14/2007	8:04:59	0.021
9/14/2007	8:05:59	0.026
9/14/2007	8:06:59	0.037
9/14/2007	8:07:59	0.019
9/14/2007	8:08:59	0.012
9/14/2007	8:09:59	0.011
9/14/2007	8:10:59	0.012
9/14/2007	8:11:59	0.015
9/14/2007	8:12:59	0.017
9/14/2007	8:13:59	0.035
9/14/2007	8:14:59	0.026
9/14/2007	8:15:59	0.017
9/14/2007	8:16:59	0.021

9/14/2007	8:17:59	0.033
9/14/2007	8:18:59	0.017
9/14/2007	8:19:59	0.014
9/14/2007	8:20:59	0.014
9/14/2007	8:21:59	0.041
9/14/2007	8:22:59	0.133
9/14/2007	8:23:59	0.038
9/14/2007	8:24:59	0.013
9/14/2007	8:25:59	0.016
9/14/2007	8:26:59	0.025
9/14/2007	8:27:59	0.018
9/14/2007	8:28:59	0.025
9/14/2007	8:29:59	0.025
9/14/2007	8:30:59	0.017
9/14/2007	8:31:59	0.018
9/14/2007	8:32:59	0.012
9/14/2007	8:33:59	0.01
9/14/2007	8:34:59	0.012
9/14/2007	8:35:59	0.012
9/14/2007	8:36:59	0.028
9/14/2007	8:37:59	0.046
9/14/2007	8:38:59	0.132
9/14/2007	8:39:59	0.043
9/14/2007	8:40:59	0.025
9/14/2007	8:41:59	0.018
9/14/2007	8:42:59	0.022
9/14/2007	8:43:59	0.036
9/14/2007	8:44:59	0.043
9/14/2007	8:45:59	0.051
9/14/2007	8:46:59	0.057
9/14/2007	8:47:59	0.044
9/14/2007	8:48:59	0.032
9/14/2007	8:49:59	0.036
9/14/2007	8:50:59	0.039
9/14/2007	8:51:59	0.047
9/14/2007	8:52:59	0.046
9/14/2007	8:53:59	0.019
9/14/2007	8:54:59	0.021
9/14/2007	8:55:59	0.014
9/14/2007	8:56:59	0.018
9/14/2007	8:57:59	0.02
9/14/2007	8:58:59	0.023
9/14/2007	8:59:59	0.03
9/14/2007	9:00:59	0.058
9/14/2007	9:01:59	0.041
9/14/2007	9:02:59	0.028
9/14/2007	9:03:59	0.031
9/14/2007	9:04:59	0.024
9/14/2007	9:05:59	0.019
9/14/2007	9:06:59	0.016
9/14/2007	9:07:59	0.019

9/14/2007	9:08:59	0.026
9/14/2007	9:09:59	0.023
9/14/2007	9:10:59	0.024
9/14/2007	9:11:59	0.021
9/14/2007	9:12:59	0.016
9/14/2007	9:13:59	0.021
9/14/2007	9:14:59	0.019
9/14/2007	9:15:59	0.021
9/14/2007	9:16:59	0.019
9/14/2007	9:17:59	0.028
9/14/2007	9:18:59	0.03
9/14/2007	9:19:59	0.039
9/14/2007	9:20:59	0.017
9/14/2007	9:21:59	0.015
9/14/2007	9:22:59	0.012
9/14/2007	9:23:59	0.017
9/14/2007	9:24:59	0.021
9/14/2007	9:25:59	0.018
9/14/2007	9:26:59	0.037
9/14/2007	9:27:59	0.032
9/14/2007	9:28:59	0.02
9/14/2007	9:29:59	0.02
9/14/2007	9:30:59	0.023
9/14/2007	9:31:59	0.022
9/14/2007	9:32:59	0.018
9/14/2007	9:33:59	0.019
9/14/2007	9:34:59	0.02
9/14/2007	9:35:59	0.024
9/14/2007	9:36:59	0.021
9/14/2007	9:37:59	0.014
9/14/2007	9:38:59	0.021
9/14/2007	9:39:59	0.017
9/14/2007	9:40:59	0.038
9/14/2007	9:41:59	0.014
9/14/2007	9:42:59	0.015
9/14/2007	9:43:59	0.016
9/14/2007	9:44:59	0.02
9/14/2007	9:45:59	0.02
9/14/2007	9:46:59	0.03
9/14/2007	9:47:59	0.019
9/14/2007	9:48:59	0.023
9/14/2007	9:49:59	0.021
9/14/2007	9:50:59	0.017
9/14/2007	9:51:59	0.023
9/14/2007	9:52:59	0.016
9/14/2007	9:53:59	0.013
9/14/2007	9:54:59	0.011
9/14/2007	9:55:59	0.011
9/14/2007	9:56:59	0.018
9/14/2007	9:57:59	0.011
9/14/2007	9:58:59	0.014

9/14/2007	9:59:59	0.011
9/14/2007	10:00:59	0.012
9/14/2007	10:01:59	0.012
9/14/2007	10:02:59	0.011
9/14/2007	10:03:59	0.011
9/14/2007	10:04:59	0.013
9/14/2007	10:05:59	0.011
9/14/2007	10:06:59	0.011
9/14/2007	10:07:59	0.034
9/14/2007	10:08:59	0.022
9/14/2007	10:09:59	0.013
9/14/2007	10:10:59	0.014
9/14/2007	10:11:59	0.017
9/14/2007	10:12:59	0.02
9/14/2007	10:13:59	0.037
9/14/2007	10:14:59	0.03
9/14/2007	10:15:59	0.034
9/14/2007	10:16:59	0.031
9/14/2007	10:17:59	0.017
9/14/2007	10:18:59	0.023
9/14/2007	10:19:59	0.051
9/14/2007	10:20:59	0.034
9/14/2007	10:21:59	0.047
9/14/2007	10:22:59	0.065
9/14/2007	10:23:59	0.038
9/14/2007	10:24:59	0.048
9/14/2007	10:25:59	0.087
9/14/2007	10:26:59	0.022
9/14/2007	10:27:59	0.023
9/14/2007	10:28:59	0.024
9/14/2007	10:29:59	0.02
9/14/2007	10:30:59	0.031
9/14/2007	10:31:59	0.028
9/14/2007	10:32:59	0.019
9/14/2007	10:33:59	0.012
9/14/2007	10:34:59	0.025
9/14/2007	10:35:59	0.026
9/14/2007	10:36:59	0.017
9/14/2007	10:37:59	0.017
9/14/2007	10:38:59	0.019
9/14/2007	10:39:59	0.014
9/14/2007	10:40:59	0.024
9/14/2007	10:41:59	0.018
9/14/2007	10:42:59	0.019
9/14/2007	10:43:59	0.023
9/14/2007	10:44:59	0.023
9/14/2007	10:45:59	0.087
9/14/2007	10:46:59	0.104
9/14/2007	10:47:59	0.021
9/14/2007	10:48:59	0.015
9/14/2007	10:49:59	0.016

9/14/2007	10:50:59	0.026
9/14/2007	10:51:59	0.015
9/14/2007	10:52:59	0.029
9/14/2007	10:53:59	0.035
9/14/2007	10:54:59	0.035
9/14/2007	10:55:59	0.024
9/14/2007	10:56:59	0.024
9/14/2007	10:57:59	0.022
9/14/2007	10:58:59	0.276
9/14/2007	10:59:59	0.05
9/14/2007	11:00:59	0.02
9/14/2007	11:01:59	0.017
9/14/2007	11:02:59	0.016
9/14/2007	11:03:59	0.018
9/14/2007	11:04:59	0.038
9/14/2007	11:05:59	0.054
9/14/2007	11:06:59	0.05
9/14/2007	11:07:59	0.018
9/14/2007	11:08:59	0.015
9/14/2007	11:09:59	0.015
9/14/2007	11:10:59	0.015
9/14/2007	11:11:59	0.015
9/14/2007	11:12:59	0.017
9/14/2007	11:13:59	0.079
9/14/2007	11:14:59	0.019
9/14/2007	11:15:59	0.406
9/14/2007	11:16:59	0.242
9/14/2007	11:17:59	0.064
9/14/2007	11:18:59	0.046
9/14/2007	11:19:59	0.03
9/14/2007	11:20:59	0.036
9/14/2007	11:21:59	0.044
9/14/2007	11:22:59	0.043
9/14/2007	11:23:59	0.028
9/14/2007	11:24:59	0.025
9/14/2007	11:25:59	0.016
9/14/2007	11:26:59	0.018
9/14/2007	11:27:59	0.015
9/14/2007	11:28:59	0.015
9/14/2007	11:29:59	0.015
9/14/2007	11:30:59	0.017
9/14/2007	11:31:59	0.02
9/14/2007	11:32:59	0.018
9/14/2007	11:33:59	0.017
9/14/2007	11:34:59	0.014
9/14/2007	11:35:59	0.02
9/14/2007	11:36:59	0.018
9/14/2007	11:37:59	0.017
9/14/2007	11:38:59	0.022
9/14/2007	11:39:59	0.04
9/14/2007	11:40:59	0.042

9/14/2007	11:41:59	0.05
9/14/2007	11:42:59	0.041
9/14/2007	11:43:59	0.027
9/14/2007	11:44:59	0.018
9/14/2007	11:45:59	0.025
9/14/2007	11:46:59	0.036
9/14/2007	11:47:59	0.037
9/14/2007	11:48:59	0.035
9/14/2007	11:49:59	0.031
9/14/2007	11:50:59	0.026
9/14/2007	11:51:59	0.062
9/14/2007	11:52:59	0.047
9/14/2007	11:53:59	0.019
9/14/2007	11:54:59	0.033
9/14/2007	11:55:59	0.033
9/14/2007	11:56:59	0.036
9/14/2007	11:57:59	0.023
9/14/2007	11:58:59	0.02
9/14/2007	11:59:59	0.018
9/14/2007	12:00:59	0.036
9/14/2007	12:01:59	0.062
9/14/2007	12:02:59	0.014
9/14/2007	12:03:59	0.014
9/14/2007	12:04:59	0.015
9/14/2007	12:05:59	0.016
9/14/2007	12:06:59	0.015
9/14/2007	12:07:59	0.021
9/14/2007	12:08:59	0.025
9/14/2007	12:09:59	0.016
9/14/2007	12:10:59	0.016
9/14/2007	12:11:59	0.013
9/14/2007	12:12:59	0.013
9/14/2007	12:13:59	0.013
9/14/2007	12:14:59	0.012
9/14/2007	12:15:59	0.013
9/14/2007	12:16:59	0.013
9/14/2007	12:17:59	0.013
9/14/2007	12:18:59	0.014
9/14/2007	12:19:59	0.013
9/14/2007	12:20:59	0.014
9/14/2007	12:21:59	0.014
9/14/2007	12:22:59	0.014
9/14/2007	12:23:59	0.014
9/14/2007	12:24:59	0.015
9/14/2007	12:25:59	0.014
9/14/2007	12:26:59	0.015
9/14/2007	12:27:59	0.014
9/14/2007	12:28:59	0.014
9/14/2007	12:29:59	0.014
9/14/2007	12:30:59	0.014
9/14/2007	12:31:59	0.014

9/14/2007	12:32:59	0.019
9/14/2007	12:33:59	0.024
9/14/2007	12:34:59	0.027
9/14/2007	12:35:59	0.022
9/14/2007	12:36:59	0.024
9/14/2007	12:37:59	0.022
9/14/2007	12:38:59	0.021
9/14/2007	12:39:59	0.044
9/14/2007	12:40:59	0.038
9/14/2007	12:41:59	0.057
9/14/2007	12:42:59	0.034
9/14/2007	12:43:59	0.044
9/14/2007	12:44:59	0.086
9/14/2007	12:45:59	0.037
9/14/2007	12:46:59	0.024
9/14/2007	12:47:59	0.039
9/14/2007	12:48:59	0.032
9/14/2007	12:49:59	0.025
9/14/2007	12:50:59	0.039
9/14/2007	12:51:59	0.053
9/14/2007	12:52:59	0.03
9/14/2007	12:53:59	0.033
9/14/2007	12:54:59	0.033
9/14/2007	12:55:59	0.022
9/14/2007	12:56:59	0.037
9/14/2007	12:57:59	0.028
9/14/2007	12:58:59	0.018
9/14/2007	12:59:59	0.043
9/14/2007	13:00:59	0.051
9/14/2007	13:01:59	0.032
9/14/2007	13:02:59	0.029
9/14/2007	13:03:59	0.038
9/14/2007	13:04:59	0.024
9/14/2007	13:05:59	0.021
9/14/2007	13:06:59	0.038
9/14/2007	13:07:59	0.071
9/14/2007	13:08:59	0.043
9/14/2007	13:09:59	0.039
9/14/2007	13:10:59	0.021
9/14/2007	13:11:59	0.035
9/14/2007	13:12:59	0.036
9/14/2007	13:13:59	0.019
9/14/2007	13:14:59	0.027
9/14/2007	13:15:59	0.023
9/14/2007	13:16:59	0.026
9/14/2007	13:17:59	0.041
9/14/2007	13:18:59	0.029
9/14/2007	13:19:59	0.147
9/14/2007	13:20:59	0.037
9/14/2007	13:21:59	0.052
9/14/2007	13:22:59	0.023

9/14/2007	13:23:59	0.029
9/14/2007	13:24:59	0.029
9/14/2007	13:25:59	0.022
9/14/2007	13:26:59	0.013
9/14/2007	13:27:59	0.022

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 1
 Test Abbreviation:
 Start Date: 9/17/2007
 Start Time: 7:40:48
 Duration (dd:hh:mm:ss): 00:06:45:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 27
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.011
 Minimum: 0.006
 Time of Minimum: 12:25:48
 Date of Minimum: 9/17/2007
 Maximum: 0.037
 Time of Maximum: 11:40:48
 Date of Maximum: 9/17/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/17/2007	7:55:48	0.015
9/17/2007	8:10:48	0.014
9/17/2007	8:25:48	0.013
9/17/2007	8:40:48	0.011
9/17/2007	8:55:48	0.011
9/17/2007	9:10:48	0.01
9/17/2007	9:25:48	0.01
9/17/2007	9:40:48	0.011
9/17/2007	9:55:48	0.009
9/17/2007	10:10:48	0.008
9/17/2007	10:25:48	0.008
9/17/2007	10:40:48	0.009
9/17/2007	10:55:48	0.01
9/17/2007	11:10:48	0.009
9/17/2007	11:25:48	0.009
9/17/2007	11:40:48	0.037
9/17/2007	11:55:48	0.011
9/17/2007	12:10:48	0.008
9/17/2007	12:25:48	0.006
9/17/2007	12:40:48	0.006
9/17/2007	12:55:48	0.01
9/17/2007	13:10:48	0.01
9/17/2007	13:25:48	0.009

9/17/2007	13:40:48	0.01
9/17/2007	13:55:48	0.011
9/17/2007	14:10:48	0.01
9/17/2007	14:25:48	0.012

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 2
Test Abbreviation:
Start Date: 9/18/2007
Start Time: 7:14:09
Duration (dd:hh:mm:ss): 00:07:30:00
Time constant (seconds): 1
Log Interval (mm:ss): 15:00
Number of points: 30
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.017
Minimum: 0.011
Time of Minimum: 10:44:09
Date of Minimum: 9/18/2007
Maximum: 0.038
Time of Maximum: 7:29:09
Date of Maximum: 9/18/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/18/2007	7:29:09	0.038
9/18/2007	7:44:09	0.016
9/18/2007	7:59:09	0.018
9/18/2007	8:14:09	0.018
9/18/2007	8:29:09	0.018
9/18/2007	8:44:09	0.018
9/18/2007	8:59:09	0.02
9/18/2007	9:14:09	0.02
9/18/2007	9:29:09	0.02
9/18/2007	9:44:09	0.019
9/18/2007	9:59:09	0.021
9/18/2007	10:14:09	0.014
9/18/2007	10:29:09	0.015
9/18/2007	10:44:09	0.011
9/18/2007	10:59:09	0.011
9/18/2007	11:14:09	0.012
9/18/2007	11:29:09	0.011
9/18/2007	11:44:09	0.012
9/18/2007	11:59:09	0.011
9/18/2007	12:14:09	0.011
9/18/2007	12:29:09	0.018
9/18/2007	12:44:09	0.014
9/18/2007	12:59:09	0.022

9/18/2007	13:14:09	0.018
9/18/2007	13:29:09	0.016
9/18/2007	13:44:09	0.019
9/18/2007	13:59:09	0.017
9/18/2007	14:14:09	0.015
9/18/2007	14:29:09	0.016
9/18/2007	14:44:09	0.017

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 3
 Test Abbreviation:
 Start Date: 9/19/2007
 Start Time: 7:26:22
 Duration (dd:hh:mm:ss): 00:07:45:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 31
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.025
 Minimum: 0.018
 Time of Minimum: 8:26:22
 Date of Minimum: 9/19/2007
 Maximum: 0.074
 Time of Maximum: 13:56:22
 Date of Maximum: 9/19/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/19/2007	7:41:22	0.025
9/19/2007	7:56:22	0.022
9/19/2007	8:11:22	0.022
9/19/2007	8:26:22	0.018
9/19/2007	8:41:22	0.023
9/19/2007	8:56:22	0.021
9/19/2007	9:11:22	0.023
9/19/2007	9:26:22	0.019
9/19/2007	9:41:22	0.022
9/19/2007	9:56:22	0.02
9/19/2007	10:11:22	0.02
9/19/2007	10:26:22	0.02
9/19/2007	10:41:22	0.02
9/19/2007	10:56:22	0.02
9/19/2007	11:11:22	0.022
9/19/2007	11:26:22	0.019
9/19/2007	11:41:22	0.019
9/19/2007	11:56:22	0.02
9/19/2007	12:11:22	0.018
9/19/2007	12:26:22	0.018
9/19/2007	12:41:22	0.022
9/19/2007	12:56:22	0.024
9/19/2007	13:11:22	0.023

9/19/2007	13:26:22	0.037
9/19/2007	13:41:22	0.029
9/19/2007	13:56:22	0.074
9/19/2007	14:11:22	0.029
9/19/2007	14:26:22	0.027
9/19/2007	14:41:22	0.028
9/19/2007	14:56:22	0.032
9/19/2007	15:11:22	0.035

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 4
Test Abbreviation:
Start Date: 9/20/2007
Start Time: 7:11:48
Duration (dd:hh:mm:ss): 00:08:05:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 485
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.048
Minimum: 0.018
Time of Minimum: 8:07:48
Date of Minimum: 9/20/2007
Maximum: 3.012
Time of Maximum: 10:53:48
Date of Maximum: 9/20/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/20/2007	7:12:48	0.029
9/20/2007	7:13:48	0.023
9/20/2007	7:14:48	0.021
9/20/2007	7:15:48	0.021
9/20/2007	7:16:48	0.022
9/20/2007	7:17:48	0.019
9/20/2007	7:18:48	0.021
9/20/2007	7:19:48	0.02
9/20/2007	7:20:48	0.02
9/20/2007	7:21:48	0.02
9/20/2007	7:22:48	0.021
9/20/2007	7:23:48	0.022
9/20/2007	7:24:48	0.02
9/20/2007	7:25:48	0.02
9/20/2007	7:26:48	0.021
9/20/2007	7:27:48	0.02
9/20/2007	7:28:48	0.02
9/20/2007	7:29:48	0.02
9/20/2007	7:30:48	0.022
9/20/2007	7:31:48	0.022
9/20/2007	7:32:48	0.021
9/20/2007	7:33:48	0.02
9/20/2007	7:34:48	0.02

9/20/2007	7:35:48	0.02
9/20/2007	7:36:48	0.021
9/20/2007	7:37:48	0.02
9/20/2007	7:38:48	0.02
9/20/2007	7:39:48	0.02
9/20/2007	7:40:48	0.02
9/20/2007	7:41:48	0.022
9/20/2007	7:42:48	0.023
9/20/2007	7:43:48	0.026
9/20/2007	7:44:48	0.023
9/20/2007	7:45:48	0.021
9/20/2007	7:46:48	0.022
9/20/2007	7:47:48	0.022
9/20/2007	7:48:48	0.023
9/20/2007	7:49:48	0.022
9/20/2007	7:50:48	0.023
9/20/2007	7:51:48	0.024
9/20/2007	7:52:48	0.033
9/20/2007	7:53:48	0.028
9/20/2007	7:54:48	0.022
9/20/2007	7:55:48	0.022
9/20/2007	7:56:48	0.023
9/20/2007	7:57:48	0.022
9/20/2007	7:58:48	0.022
9/20/2007	7:59:48	0.022
9/20/2007	8:00:48	0.023
9/20/2007	8:01:48	0.023
9/20/2007	8:02:48	0.022
9/20/2007	8:03:48	0.021
9/20/2007	8:04:48	0.022
9/20/2007	8:05:48	0.022
9/20/2007	8:06:48	0.021
9/20/2007	8:07:48	0.018
9/20/2007	8:08:48	0.021
9/20/2007	8:09:48	0.021
9/20/2007	8:10:48	0.022
9/20/2007	8:11:48	0.022
9/20/2007	8:12:48	0.021
9/20/2007	8:13:48	0.021
9/20/2007	8:14:48	0.021
9/20/2007	8:15:48	0.025
9/20/2007	8:16:48	0.022
9/20/2007	8:17:48	0.021
9/20/2007	8:18:48	0.023
9/20/2007	8:19:48	0.022
9/20/2007	8:20:48	0.022
9/20/2007	8:21:48	0.022
9/20/2007	8:22:48	0.023
9/20/2007	8:23:48	0.021
9/20/2007	8:24:48	0.022
9/20/2007	8:25:48	0.023

9/20/2007	8:26:48	0.024
9/20/2007	8:27:48	0.025
9/20/2007	8:28:48	0.025
9/20/2007	8:29:48	0.025
9/20/2007	8:30:48	0.024
9/20/2007	8:31:48	0.024
9/20/2007	8:32:48	0.023
9/20/2007	8:33:48	0.024
9/20/2007	8:34:48	0.026
9/20/2007	8:35:48	0.026
9/20/2007	8:36:48	0.024
9/20/2007	8:37:48	0.025
9/20/2007	8:38:48	0.025
9/20/2007	8:39:48	0.025
9/20/2007	8:40:48	0.026
9/20/2007	8:41:48	0.026
9/20/2007	8:42:48	0.025
9/20/2007	8:43:48	0.026
9/20/2007	8:44:48	0.029
9/20/2007	8:45:48	0.029
9/20/2007	8:46:48	0.028
9/20/2007	8:47:48	0.027
9/20/2007	8:48:48	0.027
9/20/2007	8:49:48	0.028
9/20/2007	8:50:48	0.027
9/20/2007	8:51:48	0.026
9/20/2007	8:52:48	0.027
9/20/2007	8:53:48	0.031
9/20/2007	8:54:48	0.028
9/20/2007	8:55:48	0.029
9/20/2007	8:56:48	0.027
9/20/2007	8:57:48	0.028
9/20/2007	8:58:48	0.027
9/20/2007	8:59:48	0.027
9/20/2007	9:00:48	0.027
9/20/2007	9:01:48	0.027
9/20/2007	9:02:48	0.027
9/20/2007	9:03:48	0.026
9/20/2007	9:04:48	0.027
9/20/2007	9:05:48	0.027
9/20/2007	9:06:48	0.029
9/20/2007	9:07:48	0.029
9/20/2007	9:08:48	0.027
9/20/2007	9:09:48	0.029
9/20/2007	9:10:48	0.03
9/20/2007	9:11:48	0.028
9/20/2007	9:12:48	0.028
9/20/2007	9:13:48	0.03
9/20/2007	9:14:48	0.031
9/20/2007	9:15:48	0.071
9/20/2007	9:16:48	0.045

9/20/2007	9:17:48	0.041
9/20/2007	9:18:48	0.041
9/20/2007	9:19:48	0.044
9/20/2007	9:20:48	0.042
9/20/2007	9:21:48	0.043
9/20/2007	9:22:48	0.041
9/20/2007	9:23:48	0.042
9/20/2007	9:24:48	0.043
9/20/2007	9:25:48	0.042
9/20/2007	9:26:48	0.041
9/20/2007	9:27:48	0.042
9/20/2007	9:28:48	0.042
9/20/2007	9:29:48	0.042
9/20/2007	9:30:48	0.041
9/20/2007	9:31:48	0.041
9/20/2007	9:32:48	0.04
9/20/2007	9:33:48	0.041
9/20/2007	9:34:48	0.04
9/20/2007	9:35:48	0.04
9/20/2007	9:36:48	0.042
9/20/2007	9:37:48	0.041
9/20/2007	9:38:48	0.041
9/20/2007	9:39:48	0.046
9/20/2007	9:40:48	0.051
9/20/2007	9:41:48	0.044
9/20/2007	9:42:48	0.042
9/20/2007	9:43:48	0.043
9/20/2007	9:44:48	0.043
9/20/2007	9:45:48	0.044
9/20/2007	9:46:48	0.04
9/20/2007	9:47:48	0.042
9/20/2007	9:48:48	0.043
9/20/2007	9:49:48	0.046
9/20/2007	9:50:48	0.044
9/20/2007	9:51:48	0.044
9/20/2007	9:52:48	0.043
9/20/2007	9:53:48	0.045
9/20/2007	9:54:48	0.043
9/20/2007	9:55:48	0.045
9/20/2007	9:56:48	0.047
9/20/2007	9:57:48	0.044
9/20/2007	9:58:48	0.046
9/20/2007	9:59:48	0.044
9/20/2007	10:00:48	0.044
9/20/2007	10:01:48	0.042
9/20/2007	10:02:48	0.043
9/20/2007	10:03:48	0.043
9/20/2007	10:04:48	0.043
9/20/2007	10:05:48	0.044
9/20/2007	10:06:48	0.042
9/20/2007	10:07:48	0.04

9/20/2007	10:08:48	0.041
9/20/2007	10:09:48	0.041
9/20/2007	10:10:48	0.041
9/20/2007	10:11:48	0.041
9/20/2007	10:12:48	0.041
9/20/2007	10:13:48	0.044
9/20/2007	10:14:48	0.043
9/20/2007	10:15:48	0.043
9/20/2007	10:16:48	0.041
9/20/2007	10:17:48	0.044
9/20/2007	10:18:48	0.046
9/20/2007	10:19:48	0.047
9/20/2007	10:20:48	0.052
9/20/2007	10:21:48	0.04
9/20/2007	10:22:48	0.037
9/20/2007	10:23:48	0.045
9/20/2007	10:24:48	0.042
9/20/2007	10:25:48	0.039
9/20/2007	10:26:48	0.04
9/20/2007	10:27:48	0.039
9/20/2007	10:28:48	0.038
9/20/2007	10:29:48	0.038
9/20/2007	10:30:48	0.039
9/20/2007	10:31:48	0.041
9/20/2007	10:32:48	0.04
9/20/2007	10:33:48	0.04
9/20/2007	10:34:48	0.04
9/20/2007	10:35:48	0.041
9/20/2007	10:36:48	0.043
9/20/2007	10:37:48	0.04
9/20/2007	10:38:48	0.039
9/20/2007	10:39:48	0.038
9/20/2007	10:40:48	0.037
9/20/2007	10:41:48	0.039
9/20/2007	10:42:48	0.041
9/20/2007	10:43:48	0.04
9/20/2007	10:44:48	0.037
9/20/2007	10:45:48	0.041
9/20/2007	10:46:48	0.042
9/20/2007	10:47:48	0.04
9/20/2007	10:48:48	0.039
9/20/2007	10:49:48	0.039
9/20/2007	10:50:48	0.999
9/20/2007	10:51:48	0.241
9/20/2007	10:52:48	1.056
9/20/2007	10:53:48	3.012
9/20/2007	10:54:48	0.472
9/20/2007	10:55:48	0.643
9/20/2007	10:56:48	0.137
9/20/2007	10:57:48	0.051
9/20/2007	10:58:48	0.039

9/20/2007	10:59:48	0.039
9/20/2007	11:00:48	0.037
9/20/2007	11:01:48	0.039
9/20/2007	11:02:48	0.2
9/20/2007	11:03:48	0.041
9/20/2007	11:04:48	0.093
9/20/2007	11:05:48	0.108
9/20/2007	11:06:48	0.626
9/20/2007	11:07:48	0.499
9/20/2007	11:08:48	0.059
9/20/2007	11:09:48	0.036
9/20/2007	11:10:48	0.044
9/20/2007	11:11:48	0.038
9/20/2007	11:12:48	0.037
9/20/2007	11:13:48	0.046
9/20/2007	11:14:48	0.072
9/20/2007	11:15:48	0.715
9/20/2007	11:16:48	0.066
9/20/2007	11:17:48	0.035
9/20/2007	11:18:48	0.036
9/20/2007	11:19:48	0.035
9/20/2007	11:20:48	0.037
9/20/2007	11:21:48	0.12
9/20/2007	11:22:48	0.033
9/20/2007	11:23:48	0.033
9/20/2007	11:24:48	0.034
9/20/2007	11:25:48	0.035
9/20/2007	11:26:48	0.031
9/20/2007	11:27:48	0.032
9/20/2007	11:28:48	0.034
9/20/2007	11:29:48	0.033
9/20/2007	11:30:48	0.142
9/20/2007	11:31:48	0.055
9/20/2007	11:32:48	0.052
9/20/2007	11:33:48	0.031
9/20/2007	11:34:48	0.029
9/20/2007	11:35:48	0.04
9/20/2007	11:36:48	0.046
9/20/2007	11:37:48	0.051
9/20/2007	11:38:48	0.034
9/20/2007	11:39:48	0.03
9/20/2007	11:40:48	0.033
9/20/2007	11:41:48	0.034
9/20/2007	11:42:48	0.035
9/20/2007	11:43:48	0.031
9/20/2007	11:44:48	0.029
9/20/2007	11:45:48	0.033
9/20/2007	11:46:48	0.034
9/20/2007	11:47:48	0.029
9/20/2007	11:48:48	0.025
9/20/2007	11:49:48	0.028

9/20/2007	11:50:48	0.029
9/20/2007	11:51:48	0.028
9/20/2007	11:52:48	0.029
9/20/2007	11:53:48	0.029
9/20/2007	11:54:48	0.027
9/20/2007	11:55:48	0.027
9/20/2007	11:56:48	0.027
9/20/2007	11:57:48	0.026
9/20/2007	11:58:48	0.028
9/20/2007	11:59:48	0.026
9/20/2007	12:00:48	0.025
9/20/2007	12:01:48	0.024
9/20/2007	12:02:48	0.026
9/20/2007	12:03:48	0.025
9/20/2007	12:04:48	0.025
9/20/2007	12:05:48	0.026
9/20/2007	12:06:48	0.027
9/20/2007	12:07:48	0.028
9/20/2007	12:08:48	0.028
9/20/2007	12:09:48	0.028
9/20/2007	12:10:48	0.027
9/20/2007	12:11:48	0.027
9/20/2007	12:12:48	0.028
9/20/2007	12:13:48	0.03
9/20/2007	12:14:48	0.028
9/20/2007	12:15:48	0.027
9/20/2007	12:16:48	0.029
9/20/2007	12:17:48	0.029
9/20/2007	12:18:48	0.029
9/20/2007	12:19:48	0.03
9/20/2007	12:20:48	0.03
9/20/2007	12:21:48	0.028
9/20/2007	12:22:48	0.027
9/20/2007	12:23:48	0.027
9/20/2007	12:24:48	0.028
9/20/2007	12:25:48	0.027
9/20/2007	12:26:48	0.027
9/20/2007	12:27:48	0.027
9/20/2007	12:28:48	0.027
9/20/2007	12:29:48	0.027
9/20/2007	12:30:48	0.027
9/20/2007	12:31:48	0.026
9/20/2007	12:32:48	0.026
9/20/2007	12:33:48	0.025
9/20/2007	12:34:48	0.027
9/20/2007	12:35:48	0.026
9/20/2007	12:36:48	0.024
9/20/2007	12:37:48	0.024
9/20/2007	12:38:48	0.025
9/20/2007	12:39:48	0.022
9/20/2007	12:40:48	0.021

9/20/2007	12:41:48	0.021
9/20/2007	12:42:48	0.023
9/20/2007	12:43:48	0.025
9/20/2007	12:44:48	0.038
9/20/2007	12:45:48	0.025
9/20/2007	12:46:48	0.025
9/20/2007	12:47:48	0.03
9/20/2007	12:48:48	0.032
9/20/2007	12:49:48	0.04
9/20/2007	12:50:48	0.023
9/20/2007	12:51:48	0.022
9/20/2007	12:52:48	0.022
9/20/2007	12:53:48	0.022
9/20/2007	12:54:48	0.022
9/20/2007	12:55:48	0.022
9/20/2007	12:56:48	0.023
9/20/2007	12:57:48	0.021
9/20/2007	12:58:48	0.021
9/20/2007	12:59:48	0.022
9/20/2007	13:00:48	0.022
9/20/2007	13:01:48	0.024
9/20/2007	13:02:48	0.035
9/20/2007	13:03:48	0.03
9/20/2007	13:04:48	0.022
9/20/2007	13:05:48	0.021
9/20/2007	13:06:48	0.02
9/20/2007	13:07:48	0.019
9/20/2007	13:08:48	0.025
9/20/2007	13:09:48	0.069
9/20/2007	13:10:48	0.023
9/20/2007	13:11:48	0.021
9/20/2007	13:12:48	0.019
9/20/2007	13:13:48	0.02
9/20/2007	13:14:48	0.02
9/20/2007	13:15:48	0.021
9/20/2007	13:16:48	0.029
9/20/2007	13:17:48	0.026
9/20/2007	13:18:48	0.027
9/20/2007	13:19:48	0.131
9/20/2007	13:20:48	0.031
9/20/2007	13:21:48	0.02
9/20/2007	13:22:48	0.019
9/20/2007	13:23:48	0.02
9/20/2007	13:24:48	0.019
9/20/2007	13:25:48	0.02
9/20/2007	13:26:48	0.021
9/20/2007	13:27:48	0.022
9/20/2007	13:28:48	0.021
9/20/2007	13:29:48	0.019
9/20/2007	13:30:48	0.019
9/20/2007	13:31:48	0.019

9/20/2007	13:32:48	0.021
9/20/2007	13:33:48	0.022
9/20/2007	13:34:48	0.027
9/20/2007	13:35:48	0.02
9/20/2007	13:36:48	0.02
9/20/2007	13:37:48	0.028
9/20/2007	13:38:48	0.02
9/20/2007	13:39:48	0.02
9/20/2007	13:40:48	0.02
9/20/2007	13:41:48	0.021
9/20/2007	13:42:48	0.02
9/20/2007	13:43:48	0.02
9/20/2007	13:44:48	0.02
9/20/2007	13:45:48	0.02
9/20/2007	13:46:48	0.019
9/20/2007	13:47:48	0.019
9/20/2007	13:48:48	0.018
9/20/2007	13:49:48	0.018
9/20/2007	13:50:48	0.018
9/20/2007	13:51:48	0.019
9/20/2007	13:52:48	0.021
9/20/2007	13:53:48	0.021
9/20/2007	13:54:48	0.022
9/20/2007	13:55:48	0.02
9/20/2007	13:56:48	0.019
9/20/2007	13:57:48	0.026
9/20/2007	13:58:48	0.044
9/20/2007	13:59:48	0.033
9/20/2007	14:00:48	0.03
9/20/2007	14:01:48	0.02
9/20/2007	14:02:48	0.033
9/20/2007	14:03:48	0.041
9/20/2007	14:04:48	0.033
9/20/2007	14:05:48	0.025
9/20/2007	14:06:48	0.019
9/20/2007	14:07:48	0.02
9/20/2007	14:08:48	0.028
9/20/2007	14:09:48	0.02
9/20/2007	14:10:48	0.021
9/20/2007	14:11:48	0.022
9/20/2007	14:12:48	0.021
9/20/2007	14:13:48	0.021
9/20/2007	14:14:48	0.02
9/20/2007	14:15:48	0.022
9/20/2007	14:16:48	0.025
9/20/2007	14:17:48	0.021
9/20/2007	14:18:48	0.02
9/20/2007	14:19:48	0.02
9/20/2007	14:20:48	0.019
9/20/2007	14:21:48	0.019
9/20/2007	14:22:48	0.02

9/20/2007	14:23:48	0.02
9/20/2007	14:24:48	0.019
9/20/2007	14:25:48	0.019
9/20/2007	14:26:48	0.021
9/20/2007	14:27:48	0.019
9/20/2007	14:28:48	0.021
9/20/2007	14:29:48	0.022
9/20/2007	14:30:48	0.02
9/20/2007	14:31:48	0.019
9/20/2007	14:32:48	0.019
9/20/2007	14:33:48	0.019
9/20/2007	14:34:48	0.071
9/20/2007	14:35:48	0.081
9/20/2007	14:36:48	0.181
9/20/2007	14:37:48	0.047
9/20/2007	14:38:48	0.023
9/20/2007	14:39:48	0.024
9/20/2007	14:40:48	0.024
9/20/2007	14:41:48	0.021
9/20/2007	14:42:48	0.022
9/20/2007	14:43:48	0.023
9/20/2007	14:44:48	0.022
9/20/2007	14:45:48	0.02
9/20/2007	14:46:48	0.021
9/20/2007	14:47:48	0.02
9/20/2007	14:48:48	0.019
9/20/2007	14:49:48	0.019
9/20/2007	14:50:48	0.019
9/20/2007	14:51:48	0.02
9/20/2007	14:52:48	0.02
9/20/2007	14:53:48	0.02
9/20/2007	14:54:48	0.022
9/20/2007	14:55:48	0.022
9/20/2007	14:56:48	0.02
9/20/2007	14:57:48	0.023
9/20/2007	14:58:48	0.023
9/20/2007	14:59:48	0.029
9/20/2007	15:00:48	0.035
9/20/2007	15:01:48	0.036
9/20/2007	15:02:48	0.024
9/20/2007	15:03:48	0.021
9/20/2007	15:04:48	0.02
9/20/2007	15:05:48	0.026
9/20/2007	15:06:48	0.02
9/20/2007	15:07:48	0.021
9/20/2007	15:08:48	0.021
9/20/2007	15:09:48	0.02
9/20/2007	15:10:48	0.022
9/20/2007	15:11:48	0.024
9/20/2007	15:12:48	0.02
9/20/2007	15:13:48	0.021

9/20/2007	15:14:48	0.021
9/20/2007	15:15:48	0.02
9/20/2007	15:16:48	0.021

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 5
Test Abbreviation:
Start Date: 9/21/2007
Start Time: 7:33:45
Duration (dd:hh:mm:ss): 00:06:30:00
Time constant (seconds): 1
Log Interval (mm:ss): 15:00
Number of points: 26
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.084
Minimum: 0.037
Time of Minimum: 14:03:45
Date of Minimum: 9/21/2007
Maximum: 0.12
Time of Maximum: 11:48:45
Date of Maximum: 9/21/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/21/2007	7:48:45	0.075
9/21/2007	8:03:45	0.086
9/21/2007	8:18:45	0.088
9/21/2007	8:33:45	0.093
9/21/2007	8:48:45	0.092
9/21/2007	9:03:45	0.088
9/21/2007	9:18:45	0.087
9/21/2007	9:33:45	0.084
9/21/2007	9:48:45	0.084
9/21/2007	10:03:45	0.083
9/21/2007	10:18:45	0.087
9/21/2007	10:33:45	0.095
9/21/2007	10:48:45	0.096
9/21/2007	11:03:45	0.1
9/21/2007	11:18:45	0.113
9/21/2007	11:33:45	0.117
9/21/2007	11:48:45	0.12
9/21/2007	12:03:45	0.104
9/21/2007	12:18:45	0.096
9/21/2007	12:33:45	0.083
9/21/2007	12:48:45	0.08
9/21/2007	13:03:45	0.066
9/21/2007	13:18:45	0.047

9/21/2007	13:33:45	0.042
9/21/2007	13:48:45	0.043
9/21/2007	14:03:45	0.037

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 6
Test Abbreviation:
Start Date: 9/24/2007
Start Time: 7:11:01
Duration (dd:hh:mm:ss): 00:07:44:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 464
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.014
Minimum: 0.007
Time of Minimum: 14:24:01
Date of Minimum: 9/24/2007
Maximum: 0.031
Time of Maximum: 8:47:01
Date of Maximum: 9/24/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/24/2007	7:12:01	0.015
9/24/2007	7:13:01	0.012
9/24/2007	7:14:01	0.012
9/24/2007	7:15:01	0.013
9/24/2007	7:16:01	0.013
9/24/2007	7:17:01	0.013
9/24/2007	7:18:01	0.012
9/24/2007	7:19:01	0.011
9/24/2007	7:20:01	0.011
9/24/2007	7:21:01	0.012
9/24/2007	7:22:01	0.011
9/24/2007	7:23:01	0.011
9/24/2007	7:24:01	0.01
9/24/2007	7:25:01	0.012
9/24/2007	7:26:01	0.013
9/24/2007	7:27:01	0.013
9/24/2007	7:28:01	0.012
9/24/2007	7:29:01	0.012
9/24/2007	7:30:01	0.012
9/24/2007	7:31:01	0.012
9/24/2007	7:32:01	0.011
9/24/2007	7:33:01	0.011
9/24/2007	7:34:01	0.011

9/24/2007	7:35:01	0.012
9/24/2007	7:36:01	0.012
9/24/2007	7:37:01	0.011
9/24/2007	7:38:01	0.011
9/24/2007	7:39:01	0.01
9/24/2007	7:40:01	0.012
9/24/2007	7:41:01	0.011
9/24/2007	7:42:01	0.011
9/24/2007	7:43:01	0.011
9/24/2007	7:44:01	0.01
9/24/2007	7:45:01	0.01
9/24/2007	7:46:01	0.011
9/24/2007	7:47:01	0.01
9/24/2007	7:48:01	0.01
9/24/2007	7:49:01	0.011
9/24/2007	7:50:01	0.012
9/24/2007	7:51:01	0.012
9/24/2007	7:52:01	0.012
9/24/2007	7:53:01	0.011
9/24/2007	7:54:01	0.011
9/24/2007	7:55:01	0.011
9/24/2007	7:56:01	0.011
9/24/2007	7:57:01	0.015
9/24/2007	7:58:01	0.013
9/24/2007	7:59:01	0.012
9/24/2007	8:00:01	0.013
9/24/2007	8:01:01	0.012
9/24/2007	8:02:01	0.013
9/24/2007	8:03:01	0.012
9/24/2007	8:04:01	0.013
9/24/2007	8:05:01	0.012
9/24/2007	8:06:01	0.012
9/24/2007	8:07:01	0.012
9/24/2007	8:08:01	0.011
9/24/2007	8:09:01	0.01
9/24/2007	8:10:01	0.01
9/24/2007	8:11:01	0.013
9/24/2007	8:12:01	0.013
9/24/2007	8:13:01	0.012
9/24/2007	8:14:01	0.013
9/24/2007	8:15:01	0.011
9/24/2007	8:16:01	0.012
9/24/2007	8:17:01	0.013
9/24/2007	8:18:01	0.014
9/24/2007	8:19:01	0.013
9/24/2007	8:20:01	0.012
9/24/2007	8:21:01	0.012
9/24/2007	8:22:01	0.016
9/24/2007	8:23:01	0.02
9/24/2007	8:24:01	0.018
9/24/2007	8:25:01	0.017

9/24/2007	8:26:01	0.017
9/24/2007	8:27:01	0.016
9/24/2007	8:28:01	0.015
9/24/2007	8:29:01	0.021
9/24/2007	8:30:01	0.019
9/24/2007	8:31:01	0.015
9/24/2007	8:32:01	0.016
9/24/2007	8:33:01	0.014
9/24/2007	8:34:01	0.015
9/24/2007	8:35:01	0.016
9/24/2007	8:36:01	0.018
9/24/2007	8:37:01	0.017
9/24/2007	8:38:01	0.015
9/24/2007	8:39:01	0.015
9/24/2007	8:40:01	0.017
9/24/2007	8:41:01	0.019
9/24/2007	8:42:01	0.018
9/24/2007	8:43:01	0.018
9/24/2007	8:44:01	0.018
9/24/2007	8:45:01	0.017
9/24/2007	8:46:01	0.015
9/24/2007	8:47:01	0.031
9/24/2007	8:48:01	0.017
9/24/2007	8:49:01	0.015
9/24/2007	8:50:01	0.015
9/24/2007	8:51:01	0.015
9/24/2007	8:52:01	0.015
9/24/2007	8:53:01	0.017
9/24/2007	8:54:01	0.016
9/24/2007	8:55:01	0.016
9/24/2007	8:56:01	0.017
9/24/2007	8:57:01	0.016
9/24/2007	8:58:01	0.017
9/24/2007	8:59:01	0.016
9/24/2007	9:00:01	0.015
9/24/2007	9:01:01	0.015
9/24/2007	9:02:01	0.013
9/24/2007	9:03:01	0.014
9/24/2007	9:04:01	0.015
9/24/2007	9:05:01	0.016
9/24/2007	9:06:01	0.015
9/24/2007	9:07:01	0.016
9/24/2007	9:08:01	0.017
9/24/2007	9:09:01	0.015
9/24/2007	9:10:01	0.015
9/24/2007	9:11:01	0.016
9/24/2007	9:12:01	0.016
9/24/2007	9:13:01	0.017
9/24/2007	9:14:01	0.015
9/24/2007	9:15:01	0.014
9/24/2007	9:16:01	0.013

9/24/2007	9:17:01	0.015
9/24/2007	9:18:01	0.016
9/24/2007	9:19:01	0.015
9/24/2007	9:20:01	0.015
9/24/2007	9:21:01	0.015
9/24/2007	9:22:01	0.017
9/24/2007	9:23:01	0.018
9/24/2007	9:24:01	0.017
9/24/2007	9:25:01	0.017
9/24/2007	9:26:01	0.016
9/24/2007	9:27:01	0.017
9/24/2007	9:28:01	0.017
9/24/2007	9:29:01	0.017
9/24/2007	9:30:01	0.017
9/24/2007	9:31:01	0.017
9/24/2007	9:32:01	0.019
9/24/2007	9:33:01	0.018
9/24/2007	9:34:01	0.018
9/24/2007	9:35:01	0.017
9/24/2007	9:36:01	0.019
9/24/2007	9:37:01	0.019
9/24/2007	9:38:01	0.019
9/24/2007	9:39:01	0.019
9/24/2007	9:40:01	0.02
9/24/2007	9:41:01	0.019
9/24/2007	9:42:01	0.019
9/24/2007	9:43:01	0.021
9/24/2007	9:44:01	0.023
9/24/2007	9:45:01	0.021
9/24/2007	9:46:01	0.021
9/24/2007	9:47:01	0.021
9/24/2007	9:48:01	0.022
9/24/2007	9:49:01	0.022
9/24/2007	9:50:01	0.021
9/24/2007	9:51:01	0.02
9/24/2007	9:52:01	0.02
9/24/2007	9:53:01	0.021
9/24/2007	9:54:01	0.022
9/24/2007	9:55:01	0.02
9/24/2007	9:56:01	0.02
9/24/2007	9:57:01	0.02
9/24/2007	9:58:01	0.019
9/24/2007	9:59:01	0.018
9/24/2007	10:00:01	0.018
9/24/2007	10:01:01	0.019
9/24/2007	10:02:01	0.018
9/24/2007	10:03:01	0.017
9/24/2007	10:04:01	0.017
9/24/2007	10:05:01	0.017
9/24/2007	10:06:01	0.017
9/24/2007	10:07:01	0.018

9/24/2007	10:08:01	0.017
9/24/2007	10:09:01	0.017
9/24/2007	10:10:01	0.019
9/24/2007	10:11:01	0.016
9/24/2007	10:12:01	0.016
9/24/2007	10:13:01	0.016
9/24/2007	10:14:01	0.017
9/24/2007	10:15:01	0.017
9/24/2007	10:16:01	0.015
9/24/2007	10:17:01	0.017
9/24/2007	10:18:01	0.016
9/24/2007	10:19:01	0.016
9/24/2007	10:20:01	0.017
9/24/2007	10:21:01	0.019
9/24/2007	10:22:01	0.018
9/24/2007	10:23:01	0.018
9/24/2007	10:24:01	0.02
9/24/2007	10:25:01	0.02
9/24/2007	10:26:01	0.018
9/24/2007	10:27:01	0.018
9/24/2007	10:28:01	0.021
9/24/2007	10:29:01	0.02
9/24/2007	10:30:01	0.02
9/24/2007	10:31:01	0.019
9/24/2007	10:32:01	0.019
9/24/2007	10:33:01	0.017
9/24/2007	10:34:01	0.016
9/24/2007	10:35:01	0.014
9/24/2007	10:36:01	0.015
9/24/2007	10:37:01	0.015
9/24/2007	10:38:01	0.015
9/24/2007	10:39:01	0.016
9/24/2007	10:40:01	0.016
9/24/2007	10:41:01	0.019
9/24/2007	10:42:01	0.021
9/24/2007	10:43:01	0.018
9/24/2007	10:44:01	0.016
9/24/2007	10:45:01	0.015
9/24/2007	10:46:01	0.014
9/24/2007	10:47:01	0.013
9/24/2007	10:48:01	0.014
9/24/2007	10:49:01	0.014
9/24/2007	10:50:01	0.013
9/24/2007	10:51:01	0.015
9/24/2007	10:52:01	0.016
9/24/2007	10:53:01	0.016
9/24/2007	10:54:01	0.016
9/24/2007	10:55:01	0.015
9/24/2007	10:56:01	0.015
9/24/2007	10:57:01	0.015
9/24/2007	10:58:01	0.015

9/24/2007	10:59:01	0.014
9/24/2007	11:00:01	0.014
9/24/2007	11:01:01	0.014
9/24/2007	11:02:01	0.016
9/24/2007	11:03:01	0.014
9/24/2007	11:04:01	0.015
9/24/2007	11:05:01	0.014
9/24/2007	11:06:01	0.013
9/24/2007	11:07:01	0.014
9/24/2007	11:08:01	0.015
9/24/2007	11:09:01	0.013
9/24/2007	11:10:01	0.014
9/24/2007	11:11:01	0.013
9/24/2007	11:12:01	0.015
9/24/2007	11:13:01	0.015
9/24/2007	11:14:01	0.015
9/24/2007	11:15:01	0.015
9/24/2007	11:16:01	0.015
9/24/2007	11:17:01	0.014
9/24/2007	11:18:01	0.014
9/24/2007	11:19:01	0.014
9/24/2007	11:20:01	0.015
9/24/2007	11:21:01	0.016
9/24/2007	11:22:01	0.017
9/24/2007	11:23:01	0.016
9/24/2007	11:24:01	0.015
9/24/2007	11:25:01	0.014
9/24/2007	11:26:01	0.015
9/24/2007	11:27:01	0.014
9/24/2007	11:28:01	0.014
9/24/2007	11:29:01	0.014
9/24/2007	11:30:01	0.014
9/24/2007	11:31:01	0.013
9/24/2007	11:32:01	0.014
9/24/2007	11:33:01	0.014
9/24/2007	11:34:01	0.014
9/24/2007	11:35:01	0.015
9/24/2007	11:36:01	0.014
9/24/2007	11:37:01	0.013
9/24/2007	11:38:01	0.013
9/24/2007	11:39:01	0.017
9/24/2007	11:40:01	0.014
9/24/2007	11:41:01	0.012
9/24/2007	11:42:01	0.012
9/24/2007	11:43:01	0.013
9/24/2007	11:44:01	0.014
9/24/2007	11:45:01	0.017
9/24/2007	11:46:01	0.014
9/24/2007	11:47:01	0.017
9/24/2007	11:48:01	0.015
9/24/2007	11:49:01	0.014

9/24/2007	11:50:01	0.014
9/24/2007	11:51:01	0.015
9/24/2007	11:52:01	0.015
9/24/2007	11:53:01	0.013
9/24/2007	11:54:01	0.014
9/24/2007	11:55:01	0.015
9/24/2007	11:56:01	0.013
9/24/2007	11:57:01	0.014
9/24/2007	11:58:01	0.015
9/24/2007	11:59:01	0.014
9/24/2007	12:00:01	0.014
9/24/2007	12:01:01	0.014
9/24/2007	12:02:01	0.013
9/24/2007	12:03:01	0.013
9/24/2007	12:04:01	0.014
9/24/2007	12:05:01	0.015
9/24/2007	12:06:01	0.014
9/24/2007	12:07:01	0.016
9/24/2007	12:08:01	0.015
9/24/2007	12:09:01	0.014
9/24/2007	12:10:01	0.013
9/24/2007	12:11:01	0.021
9/24/2007	12:12:01	0.016
9/24/2007	12:13:01	0.014
9/24/2007	12:14:01	0.014
9/24/2007	12:15:01	0.013
9/24/2007	12:16:01	0.012
9/24/2007	12:17:01	0.013
9/24/2007	12:18:01	0.013
9/24/2007	12:19:01	0.013
9/24/2007	12:20:01	0.012
9/24/2007	12:21:01	0.014
9/24/2007	12:22:01	0.014
9/24/2007	12:23:01	0.013
9/24/2007	12:24:01	0.012
9/24/2007	12:25:01	0.013
9/24/2007	12:26:01	0.012
9/24/2007	12:27:01	0.012
9/24/2007	12:28:01	0.012
9/24/2007	12:29:01	0.014
9/24/2007	12:30:01	0.013
9/24/2007	12:31:01	0.014
9/24/2007	12:32:01	0.013
9/24/2007	12:33:01	0.013
9/24/2007	12:34:01	0.013
9/24/2007	12:35:01	0.015
9/24/2007	12:36:01	0.014
9/24/2007	12:37:01	0.014
9/24/2007	12:38:01	0.013
9/24/2007	12:39:01	0.013
9/24/2007	12:40:01	0.013

9/24/2007	12:41:01	0.014
9/24/2007	12:42:01	0.013
9/24/2007	12:43:01	0.013
9/24/2007	12:44:01	0.012
9/24/2007	12:45:01	0.012
9/24/2007	12:46:01	0.011
9/24/2007	12:47:01	0.012
9/24/2007	12:48:01	0.012
9/24/2007	12:49:01	0.013
9/24/2007	12:50:01	0.015
9/24/2007	12:51:01	0.014
9/24/2007	12:52:01	0.014
9/24/2007	12:53:01	0.013
9/24/2007	12:54:01	0.013
9/24/2007	12:55:01	0.013
9/24/2007	12:56:01	0.013
9/24/2007	12:57:01	0.013
9/24/2007	12:58:01	0.013
9/24/2007	12:59:01	0.012
9/24/2007	13:00:01	0.012
9/24/2007	13:01:01	0.012
9/24/2007	13:02:01	0.011
9/24/2007	13:03:01	0.011
9/24/2007	13:04:01	0.011
9/24/2007	13:05:01	0.011
9/24/2007	13:06:01	0.011
9/24/2007	13:07:01	0.011
9/24/2007	13:08:01	0.012
9/24/2007	13:09:01	0.01
9/24/2007	13:10:01	0.011
9/24/2007	13:11:01	0.012
9/24/2007	13:12:01	0.01
9/24/2007	13:13:01	0.014
9/24/2007	13:14:01	0.015
9/24/2007	13:15:01	0.01
9/24/2007	13:16:01	0.01
9/24/2007	13:17:01	0.011
9/24/2007	13:18:01	0.011
9/24/2007	13:19:01	0.012
9/24/2007	13:20:01	0.011
9/24/2007	13:21:01	0.01
9/24/2007	13:22:01	0.01
9/24/2007	13:23:01	0.009
9/24/2007	13:24:01	0.011
9/24/2007	13:25:01	0.009
9/24/2007	13:26:01	0.01
9/24/2007	13:27:01	0.01
9/24/2007	13:28:01	0.017
9/24/2007	13:29:01	0.009
9/24/2007	13:30:01	0.009
9/24/2007	13:31:01	0.009

9/24/2007	13:32:01	0.01
9/24/2007	13:33:01	0.008
9/24/2007	13:34:01	0.008
9/24/2007	13:35:01	0.009
9/24/2007	13:36:01	0.008
9/24/2007	13:37:01	0.008
9/24/2007	13:38:01	0.009
9/24/2007	13:39:01	0.009
9/24/2007	13:40:01	0.009
9/24/2007	13:41:01	0.01
9/24/2007	13:42:01	0.009
9/24/2007	13:43:01	0.01
9/24/2007	13:44:01	0.009
9/24/2007	13:45:01	0.009
9/24/2007	13:46:01	0.009
9/24/2007	13:47:01	0.008
9/24/2007	13:48:01	0.01
9/24/2007	13:49:01	0.008
9/24/2007	13:50:01	0.008
9/24/2007	13:51:01	0.008
9/24/2007	13:52:01	0.008
9/24/2007	13:53:01	0.008
9/24/2007	13:54:01	0.008
9/24/2007	13:55:01	0.008
9/24/2007	13:56:01	0.008
9/24/2007	13:57:01	0.008
9/24/2007	13:58:01	0.009
9/24/2007	13:59:01	0.008
9/24/2007	14:00:01	0.009
9/24/2007	14:01:01	0.01
9/24/2007	14:02:01	0.008
9/24/2007	14:03:01	0.01
9/24/2007	14:04:01	0.008
9/24/2007	14:05:01	0.008
9/24/2007	14:06:01	0.008
9/24/2007	14:07:01	0.009
9/24/2007	14:08:01	0.009
9/24/2007	14:09:01	0.016
9/24/2007	14:10:01	0.011
9/24/2007	14:11:01	0.01
9/24/2007	14:12:01	0.009
9/24/2007	14:13:01	0.01
9/24/2007	14:14:01	0.009
9/24/2007	14:15:01	0.009
9/24/2007	14:16:01	0.01
9/24/2007	14:17:01	0.01
9/24/2007	14:18:01	0.009
9/24/2007	14:19:01	0.01
9/24/2007	14:20:01	0.008
9/24/2007	14:21:01	0.01
9/24/2007	14:22:01	0.008

9/24/2007	14:23:01	0.008
9/24/2007	14:24:01	0.007
9/24/2007	14:25:01	0.007
9/24/2007	14:26:01	0.008
9/24/2007	14:27:01	0.008
9/24/2007	14:28:01	0.014
9/24/2007	14:29:01	0.008
9/24/2007	14:30:01	0.008
9/24/2007	14:31:01	0.009
9/24/2007	14:32:01	0.008
9/24/2007	14:33:01	0.007
9/24/2007	14:34:01	0.007
9/24/2007	14:35:01	0.008
9/24/2007	14:36:01	0.007
9/24/2007	14:37:01	0.012
9/24/2007	14:38:01	0.008
9/24/2007	14:39:01	0.01
9/24/2007	14:40:01	0.01
9/24/2007	14:41:01	0.008
9/24/2007	14:42:01	0.008
9/24/2007	14:43:01	0.01
9/24/2007	14:44:01	0.008
9/24/2007	14:45:01	0.01
9/24/2007	14:46:01	0.009
9/24/2007	14:47:01	0.009
9/24/2007	14:48:01	0.008
9/24/2007	14:49:01	0.008
9/24/2007	14:50:01	0.007
9/24/2007	14:51:01	0.008
9/24/2007	14:52:01	0.01
9/24/2007	14:53:01	0.009
9/24/2007	14:54:01	0.007
9/24/2007	14:55:01	0.009

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 6
Test Abbreviation:
Start Date: 9/24/2007
Start Time: 7:11:01
Duration (dd:hh:mm:ss): 00:07:44:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 464
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.014
Minimum: 0.007
Time of Minimum: 14:24:01
Date of Minimum: 9/24/2007
Maximum: 0.031
Time of Maximum: 8:47:01
Date of Maximum: 9/24/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/24/2007	7:12:01	0.015
9/24/2007	7:13:01	0.012
9/24/2007	7:14:01	0.012
9/24/2007	7:15:01	0.013
9/24/2007	7:16:01	0.013
9/24/2007	7:17:01	0.013
9/24/2007	7:18:01	0.012
9/24/2007	7:19:01	0.011
9/24/2007	7:20:01	0.011
9/24/2007	7:21:01	0.012
9/24/2007	7:22:01	0.011
9/24/2007	7:23:01	0.011
9/24/2007	7:24:01	0.01
9/24/2007	7:25:01	0.012
9/24/2007	7:26:01	0.013
9/24/2007	7:27:01	0.013
9/24/2007	7:28:01	0.012
9/24/2007	7:29:01	0.012
9/24/2007	7:30:01	0.012
9/24/2007	7:31:01	0.012
9/24/2007	7:32:01	0.011
9/24/2007	7:33:01	0.011
9/24/2007	7:34:01	0.011

9/24/2007	7:35:01	0.012
9/24/2007	7:36:01	0.012
9/24/2007	7:37:01	0.011
9/24/2007	7:38:01	0.011
9/24/2007	7:39:01	0.01
9/24/2007	7:40:01	0.012
9/24/2007	7:41:01	0.011
9/24/2007	7:42:01	0.011
9/24/2007	7:43:01	0.011
9/24/2007	7:44:01	0.01
9/24/2007	7:45:01	0.01
9/24/2007	7:46:01	0.011
9/24/2007	7:47:01	0.01
9/24/2007	7:48:01	0.01
9/24/2007	7:49:01	0.011
9/24/2007	7:50:01	0.012
9/24/2007	7:51:01	0.012
9/24/2007	7:52:01	0.012
9/24/2007	7:53:01	0.011
9/24/2007	7:54:01	0.011
9/24/2007	7:55:01	0.011
9/24/2007	7:56:01	0.011
9/24/2007	7:57:01	0.015
9/24/2007	7:58:01	0.013
9/24/2007	7:59:01	0.012
9/24/2007	8:00:01	0.013
9/24/2007	8:01:01	0.012
9/24/2007	8:02:01	0.013
9/24/2007	8:03:01	0.012
9/24/2007	8:04:01	0.013
9/24/2007	8:05:01	0.012
9/24/2007	8:06:01	0.012
9/24/2007	8:07:01	0.012
9/24/2007	8:08:01	0.011
9/24/2007	8:09:01	0.01
9/24/2007	8:10:01	0.01
9/24/2007	8:11:01	0.013
9/24/2007	8:12:01	0.013
9/24/2007	8:13:01	0.012
9/24/2007	8:14:01	0.013
9/24/2007	8:15:01	0.011
9/24/2007	8:16:01	0.012
9/24/2007	8:17:01	0.013
9/24/2007	8:18:01	0.014
9/24/2007	8:19:01	0.013
9/24/2007	8:20:01	0.012
9/24/2007	8:21:01	0.012
9/24/2007	8:22:01	0.016
9/24/2007	8:23:01	0.02
9/24/2007	8:24:01	0.018
9/24/2007	8:25:01	0.017

9/24/2007	8:26:01	0.017
9/24/2007	8:27:01	0.016
9/24/2007	8:28:01	0.015
9/24/2007	8:29:01	0.021
9/24/2007	8:30:01	0.019
9/24/2007	8:31:01	0.015
9/24/2007	8:32:01	0.016
9/24/2007	8:33:01	0.014
9/24/2007	8:34:01	0.015
9/24/2007	8:35:01	0.016
9/24/2007	8:36:01	0.018
9/24/2007	8:37:01	0.017
9/24/2007	8:38:01	0.015
9/24/2007	8:39:01	0.015
9/24/2007	8:40:01	0.017
9/24/2007	8:41:01	0.019
9/24/2007	8:42:01	0.018
9/24/2007	8:43:01	0.018
9/24/2007	8:44:01	0.018
9/24/2007	8:45:01	0.017
9/24/2007	8:46:01	0.015
9/24/2007	8:47:01	0.031
9/24/2007	8:48:01	0.017
9/24/2007	8:49:01	0.015
9/24/2007	8:50:01	0.015
9/24/2007	8:51:01	0.015
9/24/2007	8:52:01	0.015
9/24/2007	8:53:01	0.017
9/24/2007	8:54:01	0.016
9/24/2007	8:55:01	0.016
9/24/2007	8:56:01	0.017
9/24/2007	8:57:01	0.016
9/24/2007	8:58:01	0.017
9/24/2007	8:59:01	0.016
9/24/2007	9:00:01	0.015
9/24/2007	9:01:01	0.015
9/24/2007	9:02:01	0.013
9/24/2007	9:03:01	0.014
9/24/2007	9:04:01	0.015
9/24/2007	9:05:01	0.016
9/24/2007	9:06:01	0.015
9/24/2007	9:07:01	0.016
9/24/2007	9:08:01	0.017
9/24/2007	9:09:01	0.015
9/24/2007	9:10:01	0.015
9/24/2007	9:11:01	0.016
9/24/2007	9:12:01	0.016
9/24/2007	9:13:01	0.017
9/24/2007	9:14:01	0.015
9/24/2007	9:15:01	0.014
9/24/2007	9:16:01	0.013

9/24/2007	9:17:01	0.015
9/24/2007	9:18:01	0.016
9/24/2007	9:19:01	0.015
9/24/2007	9:20:01	0.015
9/24/2007	9:21:01	0.015
9/24/2007	9:22:01	0.017
9/24/2007	9:23:01	0.018
9/24/2007	9:24:01	0.017
9/24/2007	9:25:01	0.017
9/24/2007	9:26:01	0.016
9/24/2007	9:27:01	0.017
9/24/2007	9:28:01	0.017
9/24/2007	9:29:01	0.017
9/24/2007	9:30:01	0.017
9/24/2007	9:31:01	0.017
9/24/2007	9:32:01	0.019
9/24/2007	9:33:01	0.018
9/24/2007	9:34:01	0.018
9/24/2007	9:35:01	0.017
9/24/2007	9:36:01	0.019
9/24/2007	9:37:01	0.019
9/24/2007	9:38:01	0.019
9/24/2007	9:39:01	0.019
9/24/2007	9:40:01	0.02
9/24/2007	9:41:01	0.019
9/24/2007	9:42:01	0.019
9/24/2007	9:43:01	0.021
9/24/2007	9:44:01	0.023
9/24/2007	9:45:01	0.021
9/24/2007	9:46:01	0.021
9/24/2007	9:47:01	0.021
9/24/2007	9:48:01	0.022
9/24/2007	9:49:01	0.022
9/24/2007	9:50:01	0.021
9/24/2007	9:51:01	0.02
9/24/2007	9:52:01	0.02
9/24/2007	9:53:01	0.021
9/24/2007	9:54:01	0.022
9/24/2007	9:55:01	0.02
9/24/2007	9:56:01	0.02
9/24/2007	9:57:01	0.02
9/24/2007	9:58:01	0.019
9/24/2007	9:59:01	0.018
9/24/2007	10:00:01	0.018
9/24/2007	10:01:01	0.019
9/24/2007	10:02:01	0.018
9/24/2007	10:03:01	0.017
9/24/2007	10:04:01	0.017
9/24/2007	10:05:01	0.017
9/24/2007	10:06:01	0.017
9/24/2007	10:07:01	0.018

9/24/2007	10:08:01	0.017
9/24/2007	10:09:01	0.017
9/24/2007	10:10:01	0.019
9/24/2007	10:11:01	0.016
9/24/2007	10:12:01	0.016
9/24/2007	10:13:01	0.016
9/24/2007	10:14:01	0.017
9/24/2007	10:15:01	0.017
9/24/2007	10:16:01	0.015
9/24/2007	10:17:01	0.017
9/24/2007	10:18:01	0.016
9/24/2007	10:19:01	0.016
9/24/2007	10:20:01	0.017
9/24/2007	10:21:01	0.019
9/24/2007	10:22:01	0.018
9/24/2007	10:23:01	0.018
9/24/2007	10:24:01	0.02
9/24/2007	10:25:01	0.02
9/24/2007	10:26:01	0.018
9/24/2007	10:27:01	0.018
9/24/2007	10:28:01	0.021
9/24/2007	10:29:01	0.02
9/24/2007	10:30:01	0.02
9/24/2007	10:31:01	0.019
9/24/2007	10:32:01	0.019
9/24/2007	10:33:01	0.017
9/24/2007	10:34:01	0.016
9/24/2007	10:35:01	0.014
9/24/2007	10:36:01	0.015
9/24/2007	10:37:01	0.015
9/24/2007	10:38:01	0.015
9/24/2007	10:39:01	0.016
9/24/2007	10:40:01	0.016
9/24/2007	10:41:01	0.019
9/24/2007	10:42:01	0.021
9/24/2007	10:43:01	0.018
9/24/2007	10:44:01	0.016
9/24/2007	10:45:01	0.015
9/24/2007	10:46:01	0.014
9/24/2007	10:47:01	0.013
9/24/2007	10:48:01	0.014
9/24/2007	10:49:01	0.014
9/24/2007	10:50:01	0.013
9/24/2007	10:51:01	0.015
9/24/2007	10:52:01	0.016
9/24/2007	10:53:01	0.016
9/24/2007	10:54:01	0.016
9/24/2007	10:55:01	0.015
9/24/2007	10:56:01	0.015
9/24/2007	10:57:01	0.015
9/24/2007	10:58:01	0.015

9/24/2007	10:59:01	0.014
9/24/2007	11:00:01	0.014
9/24/2007	11:01:01	0.014
9/24/2007	11:02:01	0.016
9/24/2007	11:03:01	0.014
9/24/2007	11:04:01	0.015
9/24/2007	11:05:01	0.014
9/24/2007	11:06:01	0.013
9/24/2007	11:07:01	0.014
9/24/2007	11:08:01	0.015
9/24/2007	11:09:01	0.013
9/24/2007	11:10:01	0.014
9/24/2007	11:11:01	0.013
9/24/2007	11:12:01	0.015
9/24/2007	11:13:01	0.015
9/24/2007	11:14:01	0.015
9/24/2007	11:15:01	0.015
9/24/2007	11:16:01	0.015
9/24/2007	11:17:01	0.014
9/24/2007	11:18:01	0.014
9/24/2007	11:19:01	0.014
9/24/2007	11:20:01	0.015
9/24/2007	11:21:01	0.016
9/24/2007	11:22:01	0.017
9/24/2007	11:23:01	0.016
9/24/2007	11:24:01	0.015
9/24/2007	11:25:01	0.014
9/24/2007	11:26:01	0.015
9/24/2007	11:27:01	0.014
9/24/2007	11:28:01	0.014
9/24/2007	11:29:01	0.014
9/24/2007	11:30:01	0.014
9/24/2007	11:31:01	0.013
9/24/2007	11:32:01	0.014
9/24/2007	11:33:01	0.014
9/24/2007	11:34:01	0.014
9/24/2007	11:35:01	0.015
9/24/2007	11:36:01	0.014
9/24/2007	11:37:01	0.013
9/24/2007	11:38:01	0.013
9/24/2007	11:39:01	0.017
9/24/2007	11:40:01	0.014
9/24/2007	11:41:01	0.012
9/24/2007	11:42:01	0.012
9/24/2007	11:43:01	0.013
9/24/2007	11:44:01	0.014
9/24/2007	11:45:01	0.017
9/24/2007	11:46:01	0.014
9/24/2007	11:47:01	0.017
9/24/2007	11:48:01	0.015
9/24/2007	11:49:01	0.014

9/24/2007	11:50:01	0.014
9/24/2007	11:51:01	0.015
9/24/2007	11:52:01	0.015
9/24/2007	11:53:01	0.013
9/24/2007	11:54:01	0.014
9/24/2007	11:55:01	0.015
9/24/2007	11:56:01	0.013
9/24/2007	11:57:01	0.014
9/24/2007	11:58:01	0.015
9/24/2007	11:59:01	0.014
9/24/2007	12:00:01	0.014
9/24/2007	12:01:01	0.014
9/24/2007	12:02:01	0.013
9/24/2007	12:03:01	0.013
9/24/2007	12:04:01	0.014
9/24/2007	12:05:01	0.015
9/24/2007	12:06:01	0.014
9/24/2007	12:07:01	0.016
9/24/2007	12:08:01	0.015
9/24/2007	12:09:01	0.014
9/24/2007	12:10:01	0.013
9/24/2007	12:11:01	0.021
9/24/2007	12:12:01	0.016
9/24/2007	12:13:01	0.014
9/24/2007	12:14:01	0.014
9/24/2007	12:15:01	0.013
9/24/2007	12:16:01	0.012
9/24/2007	12:17:01	0.013
9/24/2007	12:18:01	0.013
9/24/2007	12:19:01	0.013
9/24/2007	12:20:01	0.012
9/24/2007	12:21:01	0.014
9/24/2007	12:22:01	0.014
9/24/2007	12:23:01	0.013
9/24/2007	12:24:01	0.012
9/24/2007	12:25:01	0.013
9/24/2007	12:26:01	0.012
9/24/2007	12:27:01	0.012
9/24/2007	12:28:01	0.012
9/24/2007	12:29:01	0.014
9/24/2007	12:30:01	0.013
9/24/2007	12:31:01	0.014
9/24/2007	12:32:01	0.013
9/24/2007	12:33:01	0.013
9/24/2007	12:34:01	0.013
9/24/2007	12:35:01	0.015
9/24/2007	12:36:01	0.014
9/24/2007	12:37:01	0.014
9/24/2007	12:38:01	0.013
9/24/2007	12:39:01	0.013
9/24/2007	12:40:01	0.013

9/24/2007	12:41:01	0.014
9/24/2007	12:42:01	0.013
9/24/2007	12:43:01	0.013
9/24/2007	12:44:01	0.012
9/24/2007	12:45:01	0.012
9/24/2007	12:46:01	0.011
9/24/2007	12:47:01	0.012
9/24/2007	12:48:01	0.012
9/24/2007	12:49:01	0.013
9/24/2007	12:50:01	0.015
9/24/2007	12:51:01	0.014
9/24/2007	12:52:01	0.014
9/24/2007	12:53:01	0.013
9/24/2007	12:54:01	0.013
9/24/2007	12:55:01	0.013
9/24/2007	12:56:01	0.013
9/24/2007	12:57:01	0.013
9/24/2007	12:58:01	0.013
9/24/2007	12:59:01	0.012
9/24/2007	13:00:01	0.012
9/24/2007	13:01:01	0.012
9/24/2007	13:02:01	0.011
9/24/2007	13:03:01	0.011
9/24/2007	13:04:01	0.011
9/24/2007	13:05:01	0.011
9/24/2007	13:06:01	0.011
9/24/2007	13:07:01	0.011
9/24/2007	13:08:01	0.012
9/24/2007	13:09:01	0.01
9/24/2007	13:10:01	0.011
9/24/2007	13:11:01	0.012
9/24/2007	13:12:01	0.01
9/24/2007	13:13:01	0.014
9/24/2007	13:14:01	0.015
9/24/2007	13:15:01	0.01
9/24/2007	13:16:01	0.01
9/24/2007	13:17:01	0.011
9/24/2007	13:18:01	0.011
9/24/2007	13:19:01	0.012
9/24/2007	13:20:01	0.011
9/24/2007	13:21:01	0.01
9/24/2007	13:22:01	0.01
9/24/2007	13:23:01	0.009
9/24/2007	13:24:01	0.011
9/24/2007	13:25:01	0.009
9/24/2007	13:26:01	0.01
9/24/2007	13:27:01	0.01
9/24/2007	13:28:01	0.017
9/24/2007	13:29:01	0.009
9/24/2007	13:30:01	0.009
9/24/2007	13:31:01	0.009

9/24/2007	13:32:01	0.01
9/24/2007	13:33:01	0.008
9/24/2007	13:34:01	0.008
9/24/2007	13:35:01	0.009
9/24/2007	13:36:01	0.008
9/24/2007	13:37:01	0.008
9/24/2007	13:38:01	0.009
9/24/2007	13:39:01	0.009
9/24/2007	13:40:01	0.009
9/24/2007	13:41:01	0.01
9/24/2007	13:42:01	0.009
9/24/2007	13:43:01	0.01
9/24/2007	13:44:01	0.009
9/24/2007	13:45:01	0.009
9/24/2007	13:46:01	0.009
9/24/2007	13:47:01	0.008
9/24/2007	13:48:01	0.01
9/24/2007	13:49:01	0.008
9/24/2007	13:50:01	0.008
9/24/2007	13:51:01	0.008
9/24/2007	13:52:01	0.008
9/24/2007	13:53:01	0.008
9/24/2007	13:54:01	0.008
9/24/2007	13:55:01	0.008
9/24/2007	13:56:01	0.008
9/24/2007	13:57:01	0.008
9/24/2007	13:58:01	0.009
9/24/2007	13:59:01	0.008
9/24/2007	14:00:01	0.009
9/24/2007	14:01:01	0.01
9/24/2007	14:02:01	0.008
9/24/2007	14:03:01	0.01
9/24/2007	14:04:01	0.008
9/24/2007	14:05:01	0.008
9/24/2007	14:06:01	0.008
9/24/2007	14:07:01	0.009
9/24/2007	14:08:01	0.009
9/24/2007	14:09:01	0.016
9/24/2007	14:10:01	0.011
9/24/2007	14:11:01	0.01
9/24/2007	14:12:01	0.009
9/24/2007	14:13:01	0.01
9/24/2007	14:14:01	0.009
9/24/2007	14:15:01	0.009
9/24/2007	14:16:01	0.01
9/24/2007	14:17:01	0.01
9/24/2007	14:18:01	0.009
9/24/2007	14:19:01	0.01
9/24/2007	14:20:01	0.008
9/24/2007	14:21:01	0.01
9/24/2007	14:22:01	0.008

9/24/2007	14:23:01	0.008
9/24/2007	14:24:01	0.007
9/24/2007	14:25:01	0.007
9/24/2007	14:26:01	0.008
9/24/2007	14:27:01	0.008
9/24/2007	14:28:01	0.014
9/24/2007	14:29:01	0.008
9/24/2007	14:30:01	0.008
9/24/2007	14:31:01	0.009
9/24/2007	14:32:01	0.008
9/24/2007	14:33:01	0.007
9/24/2007	14:34:01	0.007
9/24/2007	14:35:01	0.008
9/24/2007	14:36:01	0.007
9/24/2007	14:37:01	0.012
9/24/2007	14:38:01	0.008
9/24/2007	14:39:01	0.01
9/24/2007	14:40:01	0.01
9/24/2007	14:41:01	0.008
9/24/2007	14:42:01	0.008
9/24/2007	14:43:01	0.01
9/24/2007	14:44:01	0.008
9/24/2007	14:45:01	0.01
9/24/2007	14:46:01	0.009
9/24/2007	14:47:01	0.009
9/24/2007	14:48:01	0.008
9/24/2007	14:49:01	0.008
9/24/2007	14:50:01	0.007
9/24/2007	14:51:01	0.008
9/24/2007	14:52:01	0.01
9/24/2007	14:53:01	0.009
9/24/2007	14:54:01	0.007
9/24/2007	14:55:01	0.009

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 2
Test Abbreviation:
Start Date: 9/26/2007
Start Time: 5:36:50
Duration (dd:hh:mm:ss): 00:06:45:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 27
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 5:51:50
Date of Minimum: 9/26/2007
Maximum: 0
Time of Maximum: 5:51:50
Date of Maximum: 9/26/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/26/2007	5:51:50	0
9/26/2007	6:06:50	0
9/26/2007	6:21:50	0
9/26/2007	6:36:50	0
9/26/2007	6:51:50	0
9/26/2007	7:06:50	0
9/26/2007	7:21:50	0
9/26/2007	7:36:50	0
9/26/2007	7:51:50	0
9/26/2007	8:06:50	0
9/26/2007	8:21:50	0
9/26/2007	8:36:50	0
9/26/2007	8:51:50	0
9/26/2007	9:06:50	0
9/26/2007	9:21:50	0
9/26/2007	9:36:50	0
9/26/2007	9:51:50	0
9/26/2007	10:06:50	0
9/26/2007	10:21:50	0
9/26/2007	10:36:50	0
9/26/2007	10:51:50	0
9/26/2007	11:06:50	0
9/26/2007	11:21:50	0

9/26/2007	11:36:50	0
9/26/2007	11:51:50	0
9/26/2007	12:06:50	0
9/26/2007	12:21:50	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 2
Test Abbreviation:
Start Date: 9/27/2007
Start Time: 8:08:19
Duration (dd:hh:mm:ss): 00:00:53:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 53
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.054
Minimum: 0.048
Time of Minimum: 8:09:19
Date of Minimum: 9/27/2007
Maximum: 0.138
Time of Maximum: 8:44:19
Date of Maximum: 9/27/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
9/27/2007	8:09:19	0.048
9/27/2007	8:10:19	0.052
9/27/2007	8:11:19	0.053
9/27/2007	8:12:19	0.054
9/27/2007	8:13:19	0.051
9/27/2007	8:14:19	0.05
9/27/2007	8:15:19	0.051
9/27/2007	8:16:19	0.05
9/27/2007	8:17:19	0.049
9/27/2007	8:18:19	0.051
9/27/2007	8:19:19	0.051
9/27/2007	8:20:19	0.051
9/27/2007	8:21:19	0.051
9/27/2007	8:22:19	0.051
9/27/2007	8:23:19	0.051
9/27/2007	8:24:19	0.051
9/27/2007	8:25:19	0.05
9/27/2007	8:26:19	0.051
9/27/2007	8:27:19	0.056
9/27/2007	8:28:19	0.053
9/27/2007	8:29:19	0.052
9/27/2007	8:30:19	0.052
9/27/2007	8:31:19	0.051

9/27/2007	8:32:19	0.05
9/27/2007	8:33:19	0.051
9/27/2007	8:34:19	0.051
9/27/2007	8:35:19	0.051
9/27/2007	8:36:19	0.051
9/27/2007	8:37:19	0.051
9/27/2007	8:38:19	0.051
9/27/2007	8:39:19	0.051
9/27/2007	8:40:19	0.051
9/27/2007	8:41:19	0.051
9/27/2007	8:42:19	0.053
9/27/2007	8:43:19	0.052
9/27/2007	8:44:19	0.138
9/27/2007	8:45:19	0.065
9/27/2007	8:46:19	0.061
9/27/2007	8:47:19	0.052
9/27/2007	8:48:19	0.057
9/27/2007	8:49:19	0.054
9/27/2007	8:50:19	0.051
9/27/2007	8:51:19	0.052
9/27/2007	8:52:19	0.052
9/27/2007	8:53:19	0.052
9/27/2007	8:54:19	0.053
9/27/2007	8:55:19	0.053
9/27/2007	8:56:19	0.054
9/27/2007	8:57:19	0.053
9/27/2007	8:58:19	0.052
9/27/2007	8:59:19	0.054
9/27/2007	9:00:19	0.054
9/27/2007	9:01:19	0.054
9/27/2007	10:56:23	0.051
9/27/2007	11:11:23	0.051
9/27/2007	11:26:23	0.054
9/27/2007	11:41:23	0.051
9/27/2007	11:56:23	0.055
9/27/2007	12:11:23	0.054
9/27/2007	12:26:23	0.055
9/27/2007	12:41:23	0.057
9/27/2007	12:56:23	0.054
9/27/2007	13:11:23	0.051
9/27/2007	13:26:23	0.045
9/27/2007	13:41:23	0.039
9/27/2007	13:56:23	0.045
9/27/2007	14:11:23	0.043
9/27/2007	14:26:23	0.044
9/27/2007	14:41:23	0.045

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 2
Test Abbreviation:
Start Date: 9/27/2007
Start Time: 8:08:19
Duration (dd:hh:mm:ss): 00:00:53:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 53
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.054
Minimum: 0.048
Time of Minimum: 8:09:19
Date of Minimum: 9/28/2007
Maximum: 0.138
Time of Maximum: 8:44:19
Date of Maximum: 9/27/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
9/28/2007	700	0.018
	730	0.02
	800	0.021
	830	0.023
	900	0.021
	930	0.018
	1000	0.019
	1030	0.018
	1100	0.018
	1130	0.017
	1200	0.018
	1230	0.018
	1300	0.017
	1330	0.018
	1400	0.019
	1430	0.019
	1500	0.018
	1530	0.018

Upwind Vapor Monitor not functioning.

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000014
 Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/05/2007 06:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50                50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       9/5/2007 6:22           0              0.1
2       9/5/2007 6:37           0.1            0.1
3       9/5/2007 6:52           0.1            0.2
4       9/5/2007 7:07           0.1            0.2
5       9/5/2007 7:22           0.2            5.3
6       9/5/2007 7:37           0.1            0.4
7       9/5/2007 7:52           0.2            0.4
8       9/5/2007 8:07           0.2            0.3
9       9/5/2007 8:22           0.3            19.8
10      9/5/2007 8:37           0.2            0.3
11      9/5/2007 8:52           0.2            0.3
=====
  
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000020
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/05/2007 06:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/6/2007 6:20			0		0	
2	9/6/2007 6:35			0		0	
3	9/6/2007 6:50			0		0	
4	9/6/2007 7:05			0		0	
5	9/6/2007 7:20			0		0.1	
6	9/6/2007 7:35			0		0.1	
7	9/6/2007 7:50			0		0.1	
8	9/6/2007 8:05			0		0	
9	9/6/2007 8:20			0		0	
10	9/6/2007 8:35			0		0	
11	9/6/2007 8:50			0		0	
12	9/6/2007 9:05			0		0	
13	9/6/2007 9:20			0		0	
14	9/6/2007 9:35			0		0	
15	9/6/2007 9:50			0		0	
16	9/6/2007 10:05			0		0	
17	9/6/2007 10:20			0.1		7.2	
18	9/6/2007 10:35			0		1.3	
19	9/6/2007 10:50			0		0	
20	9/6/2007 11:05			0		0	
21	9/6/2007 11:20			0		0	
22	9/6/2007 11:35			0		0	
23	9/6/2007 11:50			0		0	
24	9/6/2007 12:05			0		0	
25	9/6/2007 12:20			0		0	
26	9/6/2007 12:35			0		0	
27	9/6/2007 12:50			0		0	
28	9/6/2007 13:05			0		0	
29	9/6/2007 13:20			0		0	
30	9/6/2007 13:35			0		0	
31	9/6/2007 13:50			0		0	
32	9/6/2007 14:05			0		0	
33	9/6/2007 14:20			0		0	
34	9/6/2007 14:35			0		0	
35	9/6/2007 14:50			0		0	
36	9/6/2007 15:05			0		0	
37	9/6/2007 15:20			0		0	
38	9/6/2007 15:35			0		0	
39	9/6/2007 15:50			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 38 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/05/2007 07:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/7/2007 7:17			0.4		0.8	
2	9/7/2007 7:32			0.3		0.9	
3	9/7/2007 7:47			0		0.3	
4	9/7/2007 8:02			1.1		1.8	
5	9/7/2007 8:17			1.3		1.9	
6	9/7/2007 8:32			0.4		1	
7	9/7/2007 8:47			0		0.3	
8	9/7/2007 9:02			0		0	
9	9/7/2007 9:17			0		0	
10	9/7/2007 9:32			0		0	
11	9/7/2007 9:47			0		0	
12	9/7/2007 10:02			0		0	
13	9/7/2007 10:17			0		0	
14	9/7/2007 10:32			0		0	
15	9/7/2007 10:47			0		0	
16	9/7/2007 11:02			0		0	
17	9/7/2007 11:17			0		0	
18	9/7/2007 11:32			0		0	
19	9/7/2007 11:47			0		0	
20	9/7/2007 12:02			0		0	
21	9/7/2007 12:17			0		0	
22	9/7/2007 12:32			0		0	
23	9/7/2007 12:47			0		0	
24	9/7/2007 13:02			0		0	
25	9/7/2007 13:17			0		0	
26	9/7/2007 13:32			0		0	
27	9/7/2007 13:47			0		0	
28	9/7/2007 14:02			0		0	
29	9/7/2007 14:17			0		0	
30	9/7/2007 14:32			0		0	
31	9/7/2007 14:47			0		0	
32	9/7/2007 15:02			0		0	
33	9/7/2007 15:17			0		0	
34	9/7/2007 15:32			0		0	
35	9/7/2007 15:47			0		0	
36	9/7/2007 16:02			0		0	
37	9/7/2007 16:17			0		0	
38	9/7/2007 16:32			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013365
 User ID: 00000001 Site ID: 00000004
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	95	95	95
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/10/2007 6:19			0		1.9	
2	9/10/2007 6:34			0		0.3	
3	9/10/2007 6:49			0		0.2	
4	9/10/2007 7:04			0		0.1	
5	9/10/2007 7:19			0		0.4	
6	9/10/2007 7:34			0.1		0.3	
7	9/10/2007 7:49			0		0.2	
8	9/10/2007 8:04			0.1		2	
9	9/10/2007 8:19			0.1		0.3	
10	9/10/2007 8:34			0.1		0.4	
11	9/10/2007 8:49			0.1		0.3	
12	9/10/2007 9:04			0.1		1.5	
13	9/10/2007 9:19			0.1		0.3	
14	9/10/2007 9:34			0.1		0.4	
15	9/10/2007 9:49			0		0.4	
16	9/10/2007 10:04			0		0.3	
17	9/10/2007 10:19			0		0.2	
18	9/10/2007 10:34			0.1		0.9	
19	9/10/2007 10:49			0.1		0.3	
20	9/10/2007 11:04			0.1		0.3	
21	9/10/2007 11:19			0.1		0.3	
22	9/10/2007 11:34			0.1		0.3	
23	9/10/2007 11:49			0.1		0.3	
24	9/10/2007 12:04			0.1		0.8	
25	9/10/2007 12:19			0.1		0.2	
26	9/10/2007 12:34			0		0.3	
27	9/10/2007 12:49			0		0.2	
28	9/10/2007 13:04			0.1		0.6	
29	9/10/2007 13:19			0		0.2	
30	9/10/2007 13:34			0		0.3	
31	9/10/2007 13:49			0.1		0.2	
32	9/10/2007 14:04			0		0.2	
33	9/10/2007 14:19			0		0.2	
34	9/10/2007 14:34			0		0	
35	9/10/2007 14:49			0		0	
36	9/10/2007 15:04			0		0	
37	9/10/2007 15:19			0		0	
38	9/10/2007 15:34			0		0	
39	9/10/2007 15:49			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013365
 User ID: 00000001 Site ID: 00000004
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:56

```

=====
Measurement Type:                               Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:                             95                 95                 95
Low Alarm Levels:                              50                 50                 50
=====
  
```

```

=====
Line#   Date       Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
   1    9/11/2007   700           0
   2    9/11/2007   730           0
   3    9/11/2007   800           0
   4    9/11/2007   830           0
   5    9/11/2007   900           0
   6    9/11/2007   930           0
   7    9/11/2007  1000          0
   8    9/11/2007  1030          0
   9    9/11/2007  1100          0
  10    9/11/2007  1130          0
  11    9/11/2007  1200          0
  12    9/11/2007  1230          0
  13    9/11/2007  1300          0
  14    9/11/2007  1330          0
  15    9/11/2007  1400          0
  16    9/11/2007  1430          0
  17    9/11/2007  1500          0
  18    9/11/2007  1530          0
=====
  
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 07:02

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/12/2007 7:15			0		0	
2	9/12/2007 7:30			0		0	
3	9/12/2007 7:45			0		0	
4	9/12/2007 8:00			0		0	
5	9/12/2007 8:15			0		0	
6	9/12/2007 8:30			0		0	
7	9/12/2007 8:45			0		0	
8	9/12/2007 9:00			0		0	
9	9/12/2007 9:15			0		0	
10	9/12/2007 9:30			0		0	
11	9/12/2007 9:45			0		0	
12	9/12/2007 10:00			0		0	
13	9/12/2007 10:15			0		0	
14	9/12/2007 10:30			0		0	
15	9/12/2007 10:45			0		0	
16	9/12/2007 11:00			0		0	
17	9/12/2007 11:15			0		0	
18	9/12/2007 11:30			0		0	
19	9/12/2007 11:45			0		0	
20	9/12/2007 12:00			0		0	
21	9/12/2007 12:15			0		0	
22	9/12/2007 12:30			0		0	
23	9/12/2007 12:45			0		0	
24	9/12/2007 13:00			0		0	
25	9/12/2007 13:15			0		0	
26	9/12/2007 13:30			0		0	
27	9/12/2007 13:45			0		0	
28	9/12/2007 14:00			0		0	
29	9/12/2007 14:15			0		0	
30	9/12/2007 14:30			0		0	
31	9/12/2007 14:45			0		0	
32	9/12/2007 15:00			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000025
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/13/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/13/2007 6:12			0		0.1	
2	9/13/2007 6:27			0.1		0.1	
3	9/13/2007 6:42			0.1		0.2	
4	9/13/2007 6:57			0.2		0.2	
5	9/13/2007 7:12			0.2		0.2	
6	9/13/2007 7:27			0.2		0.3	
7	9/13/2007 7:42			0.2		0.3	
8	9/13/2007 7:57			0.2		0.2	
9	9/13/2007 8:12			0.2		0.2	
10	9/13/2007 8:27			0.2		0.2	
11	9/13/2007 8:42			0.2		0.2	
12	9/13/2007 8:57			0.2		0.3	
13	9/13/2007 9:12			0.2		0.3	
14	9/13/2007 9:27			0.2		0.3	
15	9/13/2007 9:42			0.1		0.2	
16	9/13/2007 9:57			0.1		0.2	
17	9/13/2007 10:12			0.1		0.2	
18	9/13/2007 10:27			0.1		0.2	
19	9/13/2007 10:42			0.1		0.3	
20	9/13/2007 10:57			0.1		0.3	
21	9/13/2007 11:12			0.1		0.3	
22	9/13/2007 11:27			0.2		0.3	
23	9/13/2007 11:42			0.2		0.3	
24	9/13/2007 11:57			0.2		0.3	
25	9/13/2007 12:12			0.2		0.2	
26	9/13/2007 12:27			0.1		0.2	
27	9/13/2007 12:42			0.2		0.3	
28	9/13/2007 12:57			0.2		0.3	
29	9/13/2007 13:12			0.2		0.3	
30	9/13/2007 13:27			0.2		0.3	
31	9/13/2007 13:42			0.2		0.3	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000026
 Data Points: 24 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/13/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/14/2007 6:22			0.1		0.2	
2	9/14/2007 6:37			0.1		0.2	
3	9/14/2007 6:52			0.2		0.3	
4	9/14/2007 7:07			0.2		0.3	
5	9/14/2007 7:22			0.2		0.3	
6	9/14/2007 7:37			0.3		0.4	
7	9/14/2007 7:52			0.3		0.4	
8	9/14/2007 8:07			0.3		0.5	
9	9/14/2007 8:22			0.3		0.4	
10	9/14/2007 8:37			0.3		0.4	
11	9/14/2007 8:52			0.3		0.4	
12	9/14/2007 9:07			0.3		0.4	
13	9/14/2007 9:22			0.3		0.4	
14	9/14/2007 9:37			0.4		0.7	
15	9/14/2007 9:52			0.4		0.5	
16	9/14/2007 10:07			0.4		0.8	
17	9/14/2007 10:22			0.4		0.5	
18	9/14/2007 10:37			0.3		0.4	
19	9/14/2007 10:52			0.3		0.4	
20	9/14/2007 11:07			0.3		0.4	
21	9/14/2007 11:22			0.3		0.4	
22	9/14/2007 11:37			0.3		0.3	
23	9/14/2007 11:52			0.3		0.3	
24	9/14/2007 12:07			0.3		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000027
 Data Points: 26 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/13/2007 05:51

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/17/2007 6:57			0		0	
2	9/17/2007 7:12			0		0	
3	9/17/2007 7:27			0		0.2	
4	9/17/2007 7:42			0		0.4	
5	9/17/2007 7:57			0		0.1	
6	9/17/2007 8:12			0.1		0.1	
7	9/17/2007 8:27			0.1		0.2	
8	9/17/2007 8:42			0.1		0.1	
9	9/17/2007 8:57			0.1		0.1	
10	9/17/2007 9:12			0.1		0.2	
11	9/17/2007 9:27			0.1		0.2	
12	9/17/2007 9:42			0.1		0.2	
13	9/17/2007 9:57			0.1		0.2	
14	9/17/2007 10:12			0.1		0.2	
15	9/17/2007 10:27			0.1		0.8	
16	9/17/2007 10:42			0.2		0.5	
17	9/17/2007 10:57			0.2		0.3	
18	9/17/2007 11:12			0.2		0.3	
19	9/17/2007 11:27			0.2		0.2	
20	9/17/2007 11:42			0.2		0.2	
21	9/17/2007 11:57			0.2		0.2	
22	9/17/2007 12:12			0.2		0.3	
23	9/17/2007 12:27			0.2		0.2	
24	9/17/2007 12:42			0.2		0.2	
25	9/17/2007 12:57			0.2		0.2	
26	9/17/2007 13:12			0.2		0.3	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/18/2007 07:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/18/2007 7:37			0		0.3	
2	9/18/2007 7:52			0.3		2.9	
3	9/18/2007 8:07			0.1		0.4	
4	9/18/2007 8:22			0.1		0.9	
5	9/18/2007 8:37			0		0.2	
6	9/18/2007 8:52			0		0.2	
7	9/18/2007 9:07			0		0.1	
8	9/18/2007 9:22			0		1.2	
9	9/18/2007 9:37			0		0.4	
10	9/18/2007 9:52			0		0.1	
11	9/18/2007 10:07			0		0.1	
12	9/18/2007 10:22			0		0.1	
13	9/18/2007 10:37			0		0	
14	9/18/2007 10:52			0		0.1	
15	9/18/2007 11:07			0		0	
16	9/18/2007 11:22			0		0	
17	9/18/2007 11:37			0		0	
18	9/18/2007 11:52			0		0	
19	9/18/2007 12:07			0		0	
20	9/18/2007 12:22			0		0.1	
21	9/18/2007 12:37			0		0.1	
22	9/18/2007 12:52			0		0	
23	9/18/2007 13:07			0		0.1	
24	9/18/2007 13:22			0		0.1	
25	9/18/2007 13:37			0		0.1	
26	9/18/2007 13:52			0		0.1	
27	9/18/2007 14:07			0		0.1	
28	9/18/2007 14:22			0		0.1	
29	9/18/2007 14:37			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/18/2007 07:16

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/19/2007 7:41			0.1		0.3	
2	9/19/2007 7:56			0.2		0.3	
3	9/19/2007 8:11			0.2		0.4	
4	9/19/2007 8:26			0.3		0.5	
5	9/19/2007 8:41			0.3		0.5	
6	9/19/2007 8:56			0.3		0.5	
7	9/19/2007 9:11			0.3		0.5	
8	9/19/2007 9:26			0.2		0.4	
9	9/19/2007 9:41			0.2		0.4	
10	9/19/2007 9:56			0.1		0.3	
11	9/19/2007 10:11			0.1		0.3	
12	9/19/2007 10:26			0.1		0.3	
13	9/19/2007 10:41			0.1		0.2	
14	9/19/2007 10:56			0		0.2	
15	9/19/2007 11:11			0		0.2	
16	9/19/2007 11:26			0		0.2	
1	9/19/2007 11:56			0		0.1	
2	9/19/2007 12:11			0		0.1	
3	9/19/2007 12:26			0		0.1	
4	9/19/2007 12:41			0		0.1	
5	9/19/2007 12:56			0		0.1	
6	9/19/2007 13:11			0		0.1	
7	9/19/2007 13:26			0		0.1	
8	9/19/2007 13:41			0		0.2	
9	9/19/2007 13:56			0		0.3	
10	9/19/2007 14:11			0		0.5	
11	9/19/2007 14:26			0		0.5	
12	9/19/2007 14:41			0		0.4	
13	9/19/2007 14:56			0		0.3	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/18/2007 07:16

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50                50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/20/2007 7:24			0.1		0.3	
2	9/20/2007 7:39			0.2		0.3	
3	9/20/2007 7:54			0.2		0.4	
4	9/20/2007 8:09			0.3		0.4	
5	9/20/2007 8:24			0.2		0.4	
6	9/20/2007 8:39			0.1		0.4	
7	9/20/2007 8:54			0.1		0.3	
8	9/20/2007 9:09			0.1		1	
9	9/20/2007 9:24			0.1		0.3	
10	9/20/2007 9:39			0.1		0.2	
11	9/20/2007 9:54			0.1		0.2	
12	9/20/2007 10:09			0		0.8	
13	9/20/2007 10:24			0		0.2	
14	9/20/2007 10:39			0		0.4	
15	9/20/2007 10:54			0.1		0.2	
16	9/20/2007 11:09			0.1		0.2	
17	9/20/2007 11:24			0.1		0.2	
18	9/20/2007 11:39			0.1		0.2	
19	9/20/2007 11:54			0.1		0.2	
20	9/20/2007 12:09			0.1		0.2	
21	9/20/2007 12:24			0.1		0.2	
22	9/20/2007 12:39			0.1		0.3	
23	9/20/2007 12:54			0.1		0.3	
24	9/20/2007 13:09			0.1		0.3	
25	9/20/2007 13:24			0.1		0.3	
26	9/20/2007 13:39			0.1		0.3	
27	9/20/2007 13:54			0.1		0.3	
28	9/20/2007 14:09			0.1		0.3	
29	9/20/2007 14:24			0.1		0.3	
30	9/20/2007 14:39			0.1		0.3	
31	9/20/2007 14:54			0.1		0.3	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/24/2007 07:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/24/2007 7:29			0		0	
2	9/24/2007 7:44			0		0	
3	9/24/2007 7:59			0		0	
4	9/24/2007 8:14			0		0	
5	9/24/2007 8:29			0		0	
6	9/24/2007 8:44			0		0.9	
7	9/24/2007 8:59			0		0	
8	9/24/2007 9:14			0		0	
9	9/24/2007 9:29			0		0.3	
10	9/24/2007 9:44			0		0	
11	9/24/2007 9:59			0		0	
12	9/24/2007 10:14			0		0	
13	9/24/2007 10:29			0		0	
14	9/24/2007 10:44			0		0	
15	9/24/2007 10:59			0		0	
16	9/24/2007 11:14			0		0	
17	9/24/2007 11:29			0		0	
18	9/24/2007 11:44			0		0	
19	9/24/2007 11:59			0		0	
20	9/24/2007 12:14			0		0	
21	9/24/2007 12:29			0		0	
22	9/24/2007 12:44			0		0	
23	9/24/2007 12:59			0		0	
24	9/24/2007 13:14			0		0	
25	9/24/2007 13:29			0		0	
26	9/24/2007 13:44			0		0	
27	9/24/2007 13:59			0		0	
28	9/24/2007 14:14			0		0	
29	9/24/2007 14:29			0		0	
30	9/24/2007 14:44			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013365
 User ID: 00000001 Site ID: 00000004
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	95	95	95
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/25/2007		700		0.1			
2	9/25/2007		730		0.1			
3	9/25/2007		800		0			
4	9/25/2007		830		0			
5	9/25/2007		900		0			
6	9/25/2007		930		0.1			
7	9/25/2007		1000		0.1			
8	9/25/2007		1030		0.2			
9	9/25/2007		1100		0.1			
10	9/25/2007		1130		0.1			
11	9/25/2007		1200		0			
12	9/25/2007		1230		0			
13	9/25/2007		1300		0.1			
14	9/25/2007		1330		0.1			
15	9/25/2007		1400		0.1			
16	9/25/2007		1430		0.1			

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013365
 User ID: 00000001 Site ID: 00000004
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:56

```

=====
Measurement Type:                               Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:                             95                 95                 95
Low Alarm Levels:                              50                 50                 50
=====

```

```

=====
Line#   Date       Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       9/26/2007           700                2.3
2       9/26/2007           730                2.5
3       9/26/2007           800                2.9
4       9/26/2007           830                 5
5       9/26/2007           900                5.3
6       9/26/2007           930                 0
7       9/26/2007          1000                0
8       9/26/2007          1030                0
9       9/26/2007          1100                0
10      9/26/2007          1130                0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 013365
 User ID: 00000001 Site ID: 00000004
 Data Points: 39 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/10/2007 05:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	95	95	95
Low Alarm Levels:	50	50	50

Line#	Date	Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/27/2007		700			0		
2	9/27/2007		730			0		
3	9/27/2007		800			0		
4	9/27/2007		830			0		
5	9/27/2007		900			0		
6	9/27/2007		930			0		
7	9/27/2007		1000			0		
8	9/27/2007		1030			0		
9	9/27/2007		1100			0		
10	9/27/2007		1130			0		
11	9/27/2007		1200			0		
12	9/27/2007		1230			0		
13	9/27/2007		1300			0		
14	9/27/2007		1330			0		
15	9/27/2007		1400			0		
16	9/27/2007		1430			0		
17	9/27/2007		1500			0		
18	9/27/2007		1530			0		

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 09/26/2007 07:24

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	9/28/2007 7:23			0		0	
2	9/28/2007 7:38			0		0	
3	9/28/2007 7:53			0		0	
4	9/28/2007 8:08			0		0	
5	9/28/2007 8:23			0		0	
6	9/28/2007 8:38			0		0	
7	9/28/2007 8:53			0		0	
8	9/28/2007 9:08			0		0	
9	9/28/2007 9:23			0		0	
10	9/28/2007 9:38			0		0	
11	9/28/2007 9:53			0		0	
12	9/28/2007 10:08			0		0	
13	9/28/2007 10:23			0		0	
14	9/28/2007 10:38			0		0	
15	9/28/2007 10:53			0		0	
16	9/28/2007 11:08			0		0	
17	9/28/2007 11:23			0		0	
18	9/28/2007 11:38			0		0	
19	9/28/2007 11:53			0		0	
20	9/28/2007 12:08			0		0	
21	9/28/2007 12:23			0		0	
22	9/28/2007 12:38			0		0	
23	9/28/2007 12:53			0		0	
24	9/28/2007 13:08			0		0	
25	9/28/2007 13:23			0		0	
26	9/28/2007 13:38			0		0	
27	9/28/2007 13:53			0		0	
28	9/28/2007 14:08			0		0	
29	9/28/2007 14:23			0		0	
30	9/28/2007 14:38			0		0	
31	9/28/2007 14:53			0		0	
32	9/28/2007 15:08			0		0	

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/1/2007	700	0.001
10/1/2007	730	0.001
10/1/2007	800	0.001
10/1/2007	830	0.001
10/1/2007	900	0.001
10/1/2007	930	0.000
10/1/2007	1000	0.000
10/1/2007	1030	0.000
10/1/2007	1100	0.000
10/1/2007	1130	0.000
10/1/2007	1200	0.000
10/1/2007	1230	0.000
10/1/2007	1300	0.000
10/1/2007	1330	0.000
10/1/2007	1400	0.000
10/1/2007	1430	0.000
10/1/2007	1500	0.000
10/1/2007	1530	0.000
10/1/2007	1600	0.000

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 3
 Test Abbreviation:
 Start Date: 10/2/2007
 Start Time: 5:25:05
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m^3
 Average: 0
 Minimum: 0
 Time of Minimum: 5:40:05
 Date of Minimum: 10/2/2007
 Maximum: 0.001
 Time of Maximum: 6:40:05
 Date of Maximum: 10/2/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
10/2/2007	5:40:05	0
10/2/2007	5:55:05	0
10/2/2007	6:10:05	0
10/2/2007	6:25:05	0
10/2/2007	6:40:05	0.001
10/2/2007	6:55:05	0
10/2/2007	7:10:05	0
10/2/2007	7:25:05	0
10/2/2007	7:40:05	0
10/2/2007	7:55:05	0
10/2/2007	8:10:05	0
10/2/2007	8:25:05	0
10/2/2007	8:40:05	0
10/2/2007	8:55:05	0
10/2/2007	9:10:05	0
10/2/2007	9:25:05	0
10/2/2007	9:40:05	0
10/2/2007	9:55:05	0
10/2/2007	10:10:05	0
10/2/2007	10:25:05	0
10/2/2007	10:40:05	0
10/2/2007	10:55:05	0
10/2/2007	11:10:05	0
10/2/2007	11:25:05	0
10/2/2007	11:40:05	0
10/2/2007	11:55:05	0
10/2/2007	12:10:05	0
10/2/2007	12:25:05	0
10/2/2007	12:40:05	0
10/2/2007	12:55:05	0
10/2/2007	13:10:05	0
10/2/2007	13:25:05	0
10/2/2007	13:40:05	0
10/2/2007	13:55:05	0
10/2/2007	14:10:05	0
10/2/2007	14:25:05	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 4
 Test Abbreviation:
 Start Date: 10/3/2007
 Start Time: 5:23:55
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:38:55
 Date of Minimum: 10/3/2007
 Maximum: 0.002
 Time of Maximum: 9:23:55
 Date of Maximum: 10/3/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/3/2007	5:38:55	0
10/3/2007	5:53:55	0
10/3/2007	6:08:55	0
10/3/2007	6:23:55	0
10/3/2007	6:38:55	0
10/3/2007	6:53:55	0
10/3/2007	7:08:55	0
10/3/2007	7:23:55	0
10/3/2007	7:38:55	0
10/3/2007	7:53:55	0
10/3/2007	8:08:55	0
10/3/2007	8:23:55	0
10/3/2007	8:38:55	0
10/3/2007	8:53:55	0
10/3/2007	9:08:55	0
10/3/2007	9:23:55	0.002
10/3/2007	9:38:55	0.001
10/3/2007	9:53:55	0
10/3/2007	10:08:55	0
10/3/2007	10:23:55	0
10/3/2007	10:38:55	0
10/3/2007	10:53:55	0
10/3/2007	11:08:55	0
10/3/2007	11:23:55	0
10/3/2007	11:38:55	0
10/3/2007	11:53:55	0
10/3/2007	12:08:55	0
10/3/2007	12:23:55	0
10/3/2007	12:38:55	0
10/3/2007	12:53:55	0
10/3/2007	13:08:55	0
10/3/2007	13:23:55	0
10/3/2007	13:38:55	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 5
 Test Abbreviation:
 Start Date: 10/4/2007
 Start Time: 5:23:22
 Duration (dd:hh:mm:ss): 00:09:15:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 37
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:38:22
 Date of Minimum: 10/4/2007
 Maximum: 0.002
 Time of Maximum: 7:53:22
 Date of Maximum: 10/4/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/4/2007	5:38:22	0
10/4/2007	5:53:22	0
10/4/2007	6:08:22	0
10/4/2007	6:23:22	0
10/4/2007	6:38:22	0.001
10/4/2007	6:53:22	0
10/4/2007	7:08:22	0
10/4/2007	7:23:22	0
10/4/2007	7:38:22	0
10/4/2007	7:53:22	0.002
10/4/2007	8:08:22	0
10/4/2007	8:23:22	0
10/4/2007	8:38:22	0
10/4/2007	8:53:22	0
10/4/2007	9:08:22	0
10/4/2007	9:23:22	0
10/4/2007	9:38:22	0
10/4/2007	9:53:22	0
10/4/2007	10:08:22	0
10/4/2007	10:23:22	0
10/4/2007	10:38:22	0
10/4/2007	10:53:22	0
10/4/2007	11:08:22	0
10/4/2007	11:23:22	0
10/4/2007	11:38:22	0
10/4/2007	11:53:22	0
10/4/2007	12:08:22	0
10/4/2007	12:23:22	0
10/4/2007	12:38:22	0
10/4/2007	12:53:22	0
10/4/2007	13:08:22	0
10/4/2007	13:23:22	0
10/4/2007	13:38:22	0
10/4/2007	13:53:22	0
10/4/2007	14:08:22	0
10/4/2007	14:23:22	0
10/4/2007	14:38:22	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 6
 Test Abbreviation:
 Start Date: 10/5/2007
 Start Time: 5:18:54
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:33:54
 Date of Minimum: 10/5/2007
 Maximum: 0.001
 Time of Maximum: 6:33:54
 Date of Maximum: 10/5/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/5/2007	5:33:54	0
10/5/2007	5:48:54	0
10/5/2007	6:03:54	0
10/5/2007	6:18:54	0
10/5/2007	6:33:54	0.001
10/5/2007	6:48:54	0.001
10/5/2007	7:03:54	0
10/5/2007	7:18:54	0
10/5/2007	7:33:54	0
10/5/2007	7:48:54	0
10/5/2007	8:03:54	0
10/5/2007	8:18:54	0
10/5/2007	8:33:54	0.001
10/5/2007	8:48:54	0
10/5/2007	9:03:54	0
10/5/2007	9:18:54	0
10/5/2007	9:33:54	0
10/5/2007	9:48:54	0
10/5/2007	10:03:54	0
10/5/2007	10:18:54	0
10/5/2007	10:33:54	0
10/5/2007	10:48:54	0
10/5/2007	11:03:54	0
10/5/2007	11:18:54	0
10/5/2007	11:33:54	0
10/5/2007	11:48:54	0
10/5/2007	12:03:54	0
10/5/2007	12:18:54	0
10/5/2007	12:33:54	0
10/5/2007	12:48:54	0
10/5/2007	13:03:54	0
10/5/2007	13:18:54	0
10/5/2007	13:33:54	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 7
 Test Abbreviation:
 Start Date: 10/6/2007
 Start Time: 5:10:17
 Duration (dd:hh:mm:ss): 00:10:00:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 40
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:25:17
 Date of Minimum: 10/6/2007
 Maximum: 0.001
 Time of Maximum: 11:25:17
 Date of Maximum: 10/6/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/6/2007	5:25:17	0
10/6/2007	5:40:17	0
10/6/2007	5:55:17	0
10/6/2007	6:10:17	0
10/6/2007	6:25:17	0
10/6/2007	6:40:17	0
10/6/2007	6:55:17	0
10/6/2007	7:10:17	0
10/6/2007	7:25:17	0
10/6/2007	7:40:17	0
10/6/2007	7:55:17	0
10/6/2007	8:10:17	0
10/6/2007	8:25:17	0
10/6/2007	8:40:17	0
10/6/2007	8:55:17	0
10/6/2007	9:10:17	0
10/6/2007	9:25:17	0
10/6/2007	9:40:17	0
10/6/2007	9:55:17	0
10/6/2007	10:10:17	0
10/6/2007	10:25:17	0
10/6/2007	10:40:17	0
10/6/2007	10:55:17	0
10/6/2007	11:10:17	0
10/6/2007	11:25:17	0.001
10/6/2007	11:40:17	0.001
10/6/2007	11:55:17	0
10/6/2007	12:10:17	0
10/6/2007	12:25:17	0
10/6/2007	12:40:17	0
10/6/2007	12:55:17	0
10/6/2007	13:10:17	0
10/6/2007	13:25:17	0
10/6/2007	13:40:17	0
10/6/2007	13:55:17	0
10/6/2007	14:10:17	0
10/6/2007	14:25:17	0
10/6/2007	14:40:17	0
10/6/2007	14:55:17	0
10/6/2007	15:10:17	0

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/8/2007	700	0.005
10/8/2007	730	0.005
10/8/2007	800	0.005
10/8/2007	830	0.005
10/8/2007	900	0.005
10/8/2007	930	0.005
10/8/2007	1000	0.005
10/8/2007	1030	0.005
10/8/2007	1100	0.005
10/8/2007	1130	0.005
10/8/2007	1200	0.005
10/8/2007	1230	0.005
10/8/2007	1300	0.005
10/8/2007	1330	0.005
10/8/2007	1400	0.005
10/8/2007	1430	0.005
10/8/2007	1500	0.005
10/8/2007	1530	0.005
10/8/2007	1600	0.005

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/9/2007	700	0.000
10/9/2007	730	0.005
10/9/2007	800	0.001
10/9/2007	830	0.002
10/9/2007	900	0.005
10/9/2007	930	0.005
10/9/2007	1000	0.005
10/9/2007	1030	0.005
10/9/2007	1100	0.005
10/9/2007	1130	0.003
10/9/2007	1200	0.005
10/9/2007	1230	0.005
10/9/2007	1300	0.005
10/9/2007	1330	0.005
10/9/2007	1400	0.005
10/9/2007	1430	0.005
10/9/2007	1500	0.005
10/9/2007	1530	0.005
10/9/2007	1600	0.005

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/10/2007	700	0.000
10/10/2007	730	0.000
10/10/2007	800	0.000
10/10/2007	830	0.000
10/10/2007	900	0.000
10/10/2007	930	0.000
10/10/2007	1000	0.000
10/10/2007	1030	0.000
10/10/2007	1100	0.000
10/10/2007	1130	0.000
10/10/2007	1200	0.000
10/10/2007	1230	0.000
10/10/2007	1300	0.000
10/10/2007	1330	0.000
10/10/2007	1400	0.000
10/10/2007	1430	0.000
10/10/2007	1500	0.000
10/10/2007	1530	0.000
10/10/2007	1600	0.000

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 3
Test Abbreviation:
Start Date: 10/11/2007
Start Time: 5:19:38
Duration (dd:hh:mm:ss): 00:08:45:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 35
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Minimum: 5:34:38
Date of Minimum: 10/11/2007
Maximum: 0
Time of Maximum: 5:34:38
Date of Maximum: 10/11/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
10/11/2007	5:34:38	0
10/11/2007	5:49:38	0
10/11/2007	6:04:38	0
10/11/2007	6:19:38	0
10/11/2007	6:34:38	0
10/11/2007	6:49:38	0
10/11/2007	7:04:38	0
10/11/2007	7:19:38	0
10/11/2007	7:34:38	0
10/11/2007	7:49:38	0
10/11/2007	8:04:38	0
10/11/2007	8:19:38	0
10/11/2007	8:34:38	0
10/11/2007	8:49:38	0
10/11/2007	9:04:38	0
10/11/2007	9:19:38	0
10/11/2007	9:34:38	0
10/11/2007	9:49:38	0
10/11/2007	10:04:38	0
10/11/2007	10:19:38	0
10/11/2007	10:34:38	0
10/11/2007	10:49:38	0
10/11/2007	11:04:38	0
10/11/2007	11:19:38	0
10/11/2007	11:34:38	0
10/11/2007	11:49:38	0
10/11/2007	12:04:38	0
10/11/2007	12:19:38	0
10/11/2007	12:34:38	0
10/11/2007	12:49:38	0
10/11/2007	13:04:38	0
10/11/2007	13:19:38	0
10/11/2007	13:34:38	0
10/11/2007	13:49:38	0
10/11/2007	14:04:38	0

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/12/2007	700	0.000
10/12/2007	730	0.001
10/12/2007	800	0.001
10/12/2007	830	0.001
10/12/2007	900	0.001
10/12/2007	930	0.001
10/12/2007	1000	0.001
10/12/2007	1030	0.001
10/12/2007	1100	0.001
10/12/2007	1130	0.000
10/12/2007	1200	0.000
10/12/2007	1230	0.000
10/12/2007	1300	0.000
10/12/2007	1330	0.000
10/12/2007	1400	0.000
10/12/2007	1430	0.000
10/12/2007	1500	0.001
10/12/2007	1530	0.001
10/12/2007	1600	0.001
10/12/2007	1630	0.001

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 4
Test Abbreviation:
Start Date: 10/13/2007
Start Time: 7:29:46
Duration (dd:hh:mm:ss): 00:07:15:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 29
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.001
Minimum: 0
Time of Minimum: 7:59:46
Date of Minimum: 10/13/2007
Maximum: 0.003
Time of Maximum: 8:29:46
Date of Maximum: 10/13/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/13/2007	7:44:46	0.001
10/13/2007	7:59:46	0
10/13/2007	8:14:46	0.001
10/13/2007	8:29:46	0.003
10/13/2007	8:44:46	0.001
10/13/2007	8:59:46	0.001
10/13/2007	9:14:46	0.001
10/13/2007	9:29:46	0.002
10/13/2007	9:44:46	0.002
10/13/2007	9:59:46	0.001
10/13/2007	10:14:46	0.001
10/13/2007	10:29:46	0
10/13/2007	10:44:46	0.001
10/13/2007	10:59:46	0
10/13/2007	11:14:46	0.001
10/13/2007	11:29:46	0
10/13/2007	11:44:46	0
10/13/2007	11:59:46	0
10/13/2007	12:14:46	0
10/13/2007	12:29:46	0
10/13/2007	12:44:46	0.003
10/13/2007	12:59:46	0.002
10/13/2007	13:14:46	0.003
10/13/2007	13:29:46	0.002
10/13/2007	13:44:46	0
10/13/2007	13:59:46	0
10/13/2007	14:14:46	0
10/13/2007	14:29:46	0.001
10/13/2007	14:44:46	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 5
 Test Abbreviation:
 Start Date: 10/15/2007
 Start Time: 5:17:59
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:32:59
 Date of Minimum: 10/15/2007
 Maximum: 0.001
 Time of Maximum: 11:32:59
 Date of Maximum: 10/15/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/15/2007	5:32:59	0
10/15/2007	5:47:59	0
10/15/2007	6:02:59	0
10/15/2007	6:17:59	0
10/15/2007	6:32:59	0
10/15/2007	6:47:59	0
10/15/2007	7:02:59	0
10/15/2007	7:17:59	0
10/15/2007	7:32:59	0
10/15/2007	7:47:59	0
10/15/2007	8:02:59	0
10/15/2007	8:17:59	0
10/15/2007	8:32:59	0
10/15/2007	8:47:59	0
10/15/2007	9:02:59	0
10/15/2007	9:17:59	0
10/15/2007	9:32:59	0
10/15/2007	9:47:59	0
10/15/2007	10:02:59	0
10/15/2007	10:17:59	0
10/15/2007	10:32:59	0
10/15/2007	10:47:59	0
10/15/2007	11:02:59	0
10/15/2007	11:17:59	0
10/15/2007	11:32:59	0.001
10/15/2007	11:47:59	0
10/15/2007	12:02:59	0
10/15/2007	12:17:59	0
10/15/2007	12:32:59	0
10/15/2007	12:47:59	0.001
10/15/2007	13:02:59	0.001
10/15/2007	13:17:59	0
10/15/2007	13:32:59	0.001

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 6
 Test Abbreviation:
 Start Date: 10/16/2007
 Start Time: 5:19:13
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:34:13
 Date of Minimum: 10/16/2007
 Maximum: 0.002
 Time of Maximum: 6:19:13
 Date of Maximum: 10/16/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/16/2007	5:34:13	0
10/16/2007	5:49:13	0
10/16/2007	6:04:13	0
10/16/2007	6:19:13	0.002
10/16/2007	6:34:13	0
10/16/2007	6:49:13	0
10/16/2007	7:04:13	0
10/16/2007	7:19:13	0
10/16/2007	7:34:13	0
10/16/2007	7:49:13	0
10/16/2007	8:04:13	0
10/16/2007	8:19:13	0
10/16/2007	8:34:13	0
10/16/2007	8:49:13	0
10/16/2007	9:04:13	0
10/16/2007	9:19:13	0
10/16/2007	9:34:13	0
10/16/2007	9:49:13	0
10/16/2007	10:04:13	0
10/16/2007	10:19:13	0
10/16/2007	10:34:13	0
10/16/2007	10:49:13	0
10/16/2007	11:04:13	0
10/16/2007	11:19:13	0
10/16/2007	11:34:13	0
10/16/2007	11:49:13	0
10/16/2007	12:04:13	0
10/16/2007	12:19:13	0
10/16/2007	12:34:13	0
10/16/2007	12:49:13	0
10/16/2007	13:04:13	0
10/16/2007	13:19:13	0
10/16/2007	13:34:13	0
10/16/2007	13:49:13	0
10/16/2007	14:04:13	0
10/16/2007	14:19:13	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 7
 Test Abbreviation:
 Start Date: 10/17/2007
 Start Time: 5:17:52
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:32:52
 Date of Minimum: 10/17/2007
 Maximum: 0
 Time of Maximum: 5:32:52
 Date of Maximum: 10/17/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/17/2007	5:32:52	0
10/17/2007	5:47:52	0
10/17/2007	6:02:52	0
10/17/2007	6:17:52	0
10/17/2007	6:32:52	0
10/17/2007	6:47:52	0
10/17/2007	7:02:52	0
10/17/2007	7:17:52	0
10/17/2007	7:32:52	0
10/17/2007	7:47:52	0
10/17/2007	8:02:52	0
10/17/2007	8:17:52	0
10/17/2007	8:32:52	0
10/17/2007	8:47:52	0
10/17/2007	9:02:52	0
10/17/2007	9:17:52	0
10/17/2007	9:32:52	0
10/17/2007	9:47:52	0
10/17/2007	10:02:52	0
10/17/2007	10:17:52	0
10/17/2007	10:32:52	0
10/17/2007	10:47:52	0
10/17/2007	11:02:52	0
10/17/2007	11:17:52	0
10/17/2007	11:32:52	0
10/17/2007	11:47:52	0
10/17/2007	12:02:52	0
10/17/2007	12:17:52	0
10/17/2007	12:32:52	0
10/17/2007	12:47:52	0
10/17/2007	13:02:52	0
10/17/2007	13:17:52	0
10/17/2007	13:32:52	0
10/17/2007	13:47:52	0
10/17/2007	14:02:52	0
10/17/2007	14:17:52	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 1
 Test Abbreviation:
 Start Date: 10/18/2007
 Start Time: 5:37:26
 Duration (dd:hh:mm:ss): 00:08:45:00
 Time constant (seconds): 10
 Log Interval (mm:ss): 15:00
 Number of points: 35
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:52:26
 Date of Minimum: 10/18/2007
 Maximum: 0.001
 Time of Maximum: 7:07:26
 Date of Maximum: 10/18/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/18/2007	5:52:26	0
10/18/2007	6:07:26	0
10/18/2007	6:22:26	0
10/18/2007	6:37:26	0
10/18/2007	6:52:26	0
10/18/2007	7:07:26	0.001
10/18/2007	7:22:26	0
10/18/2007	7:37:26	0
10/18/2007	7:52:26	0
10/18/2007	8:07:26	0
10/18/2007	8:22:26	0
10/18/2007	8:37:26	0
10/18/2007	8:52:26	0
10/18/2007	9:07:26	0
10/18/2007	9:22:26	0
10/18/2007	9:37:26	0
10/18/2007	9:52:26	0
10/18/2007	10:07:26	0
10/18/2007	10:22:26	0
10/18/2007	10:37:26	0
10/18/2007	10:52:26	0
10/18/2007	11:07:26	0
10/18/2007	11:22:26	0
10/18/2007	11:37:26	0
10/18/2007	11:52:26	0
10/18/2007	12:07:26	0
10/18/2007	12:22:26	0
10/18/2007	12:37:26	0
10/18/2007	12:52:26	0
10/18/2007	13:07:26	0
10/18/2007	13:22:26	0
10/18/2007	13:37:26	0
10/18/2007	13:52:26	0
10/18/2007	14:07:26	0
10/18/2007	14:22:26	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 2
Test Abbreviation:
Start Date: 10/19/2007
Start Time: 5:27:02
Duration (dd:hh:mm:ss): 00:08:00:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 32
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 5:42:02
Date of Minimum: 10/19/2007
Maximum: 0.001
Time of Maximum: 6:57:02
Date of Maximum: 10/19/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/19/2007	5:42:02	0
10/19/2007	5:57:02	0
10/19/2007	6:12:02	0
10/19/2007	6:27:02	0
10/19/2007	6:42:02	0
10/19/2007	6:57:02	0.001
10/19/2007	7:12:02	0
10/19/2007	7:27:02	0
10/19/2007	7:42:02	0
10/19/2007	7:57:02	0
10/19/2007	8:12:02	0
10/19/2007	8:27:02	0
10/19/2007	8:42:02	0
10/19/2007	8:57:02	0
10/19/2007	9:12:02	0
10/19/2007	9:27:02	0
10/19/2007	9:42:02	0
10/19/2007	9:57:02	0
10/19/2007	10:12:02	0
10/19/2007	10:27:02	0
10/19/2007	10:42:02	0
10/19/2007	10:57:02	0
10/19/2007	11:12:02	0
10/19/2007	11:27:02	0
10/19/2007	11:42:02	0
10/19/2007	11:57:02	0
10/19/2007	12:12:02	0
10/19/2007	12:27:02	0
10/19/2007	12:42:02	0
10/19/2007	12:57:02	0
10/19/2007	13:12:02	0
10/19/2007	13:27:02	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 3
Test Abbreviation:
Start Date: 10/20/2007
Start Time: 7:55:28
Duration (dd:hh:mm:ss): 00:00:45:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 3
Notes:

Statistics

Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 8:25:28
Date of Minimum: 10/20/2007
Maximum: 0.001
Time of Maximum: 8:10:28
Date of Maximum: 10/20/2007

Calibration

Sensor: Aerosol
Cal. date: 6/20/2007

Date
MM/dd/yyyy

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
10/20/2007	8:10:28	0.001
10/20/2007	8:25:28	0
10/20/2007	8:40:28	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 4
Test Abbreviation:
Start Date: 10/22/2007
Start Time: 5:51:37
Duration (dd:hh:mm:ss): 00:08:45:00
Time constant (seconds): 10
Log Interval (mm:ss): 15:00
Number of points: 35
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:06:37
Date of Minimum: 10/22/2007
Maximum: 0.003
Time of Maximum: 6:36:37
Date of Maximum: 10/22/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/22/2007	6:06:37	0
10/22/2007	6:21:37	0
10/22/2007	6:36:37	0.003
10/22/2007	6:51:37	0.001
10/22/2007	7:06:37	0
10/22/2007	7:21:37	0.001
10/22/2007	7:36:37	0
10/22/2007	7:51:37	0
10/22/2007	8:06:37	0
10/22/2007	8:21:37	0
10/22/2007	8:36:37	0
10/22/2007	8:51:37	0
10/22/2007	9:06:37	0
10/22/2007	9:21:37	0
10/22/2007	9:36:37	0
10/22/2007	9:51:37	0
10/22/2007	10:06:37	0
10/22/2007	10:21:37	0
10/22/2007	10:36:37	0
10/22/2007	10:51:37	0
10/22/2007	11:06:37	0
10/22/2007	11:21:37	0
10/22/2007	11:36:37	0
10/22/2007	11:51:37	0
10/22/2007	12:06:37	0
10/22/2007	12:21:37	0
10/22/2007	12:36:37	0
10/22/2007	12:51:37	0
10/22/2007	13:06:37	0
10/22/2007	13:21:37	0
10/22/2007	13:36:37	0
10/22/2007	13:51:37	0
10/22/2007	14:06:37	0
10/22/2007	14:21:37	0
10/22/2007	14:36:37	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 6
 Test Abbreviation:
 Start Date: 10/24/2007
 Start Time: 7:16:58
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.011
 Minimum: 0.006
 Time of Minimum: 7:31:58
 Date of Minimum: 10/24/2007
 Maximum: 0.041
 Time of Maximum: 10:01:58
 Date of Maximum: 10/24/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/24/2007	7:31:58	0.006
10/24/2007	7:46:58	0.007
10/24/2007	8:01:58	0.007
10/24/2007	8:16:58	0.007
10/24/2007	8:31:58	0.016
10/24/2007	8:46:58	0.01
10/24/2007	9:01:58	0.01
10/24/2007	9:16:58	0.011
10/24/2007	9:31:58	0.01
10/24/2007	9:46:58	0.015
10/24/2007	10:01:58	0.041
10/24/2007	10:16:58	0.027
10/24/2007	10:31:58	0.013
10/24/2007	10:46:58	0.029
10/24/2007	11:01:58	0.009
10/24/2007	11:16:58	0.011
10/24/2007	11:31:58	0.008
10/24/2007	11:46:58	0.011
10/24/2007	12:01:58	0.011
10/24/2007	12:16:58	0.008
10/24/2007	12:31:58	0.01
10/24/2007	12:46:58	0.01
10/24/2007	13:01:58	0.01
10/24/2007	13:16:58	0.007
10/24/2007	13:31:58	0.009
10/24/2007	13:46:58	0.008
10/24/2007	14:01:58	0.009
10/24/2007	14:16:58	0.009
10/24/2007	14:31:58	0.01
10/24/2007	14:46:58	0.008
10/24/2007	15:01:58	0.007
10/24/2007	15:16:58	0.009
10/24/2007	15:31:58	0.01
10/24/2007	15:46:58	0.008
10/24/2007	16:01:58	0.008
10/24/2007	16:16:58	0.008

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 7
 Test Abbreviation:
 Start Date: 10/25/2007
 Start Time: 8:14:57
 Duration (dd:hh:mm:ss): 00:07:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 28
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.016
 Minimum: 0.011
 Time of Minimum: 9:14:57
 Date of Minimum: 10/25/2007
 Maximum: 0.023
 Time of Maximum: 14:44:57
 Date of Maximum: 10/25/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/25/2007	8:29:57	0.016
10/25/2007	8:44:57	0.014
10/25/2007	8:59:57	0.013
10/25/2007	9:14:57	0.011
10/25/2007	9:29:57	0.013
10/25/2007	9:44:57	0.012
10/25/2007	9:59:57	0.013
10/25/2007	10:14:57	0.013
10/25/2007	10:29:57	0.015
10/25/2007	10:44:57	0.014
10/25/2007	10:59:57	0.015
10/25/2007	11:14:57	0.017
10/25/2007	11:29:57	0.014
10/25/2007	11:44:57	0.015
10/25/2007	11:59:57	0.017
10/25/2007	12:14:57	0.015
10/25/2007	12:29:57	0.015
10/25/2007	12:44:57	0.016
10/25/2007	12:59:57	0.016
10/25/2007	13:14:57	0.017
10/25/2007	13:29:57	0.02
10/25/2007	13:44:57	0.016
10/25/2007	13:59:57	0.018
10/25/2007	14:14:57	0.022
10/25/2007	14:29:57	0.02
10/25/2007	14:44:57	0.023
10/25/2007	14:59:57	0.016
10/25/2007	15:14:57	0.016

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 8
 Test Abbreviation:
 Start Date: 10/26/2007
 Start Time: 7:35:08
 Duration (dd:hh:mm:ss): 00:07:45:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 31
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.024
 Minimum: 0.018
 Time of Minimum: 8:05:08
 Date of Minimum: 10/26/2007
 Maximum: 0.05
 Time of Maximum: 13:05:08
 Date of Maximum: 10/26/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/26/2007	7:50:08	0.02
10/26/2007	8:05:08	0.018
10/26/2007	8:20:08	0.019
10/26/2007	8:35:08	0.02
10/26/2007	8:50:08	0.019
10/26/2007	9:05:08	0.019
10/26/2007	9:20:08	0.019
10/26/2007	9:35:08	0.018
10/26/2007	9:50:08	0.018
10/26/2007	10:05:08	0.021
10/26/2007	10:20:08	0.022
10/26/2007	10:35:08	0.019
10/26/2007	10:50:08	0.021
10/26/2007	11:05:08	0.021
10/26/2007	11:20:08	0.021
10/26/2007	11:35:08	0.023
10/26/2007	11:50:08	0.024
10/26/2007	12:05:08	0.03
10/26/2007	12:20:08	0.022
10/26/2007	12:35:08	0.024
10/26/2007	12:50:08	0.029
10/26/2007	13:05:08	0.05
10/26/2007	13:20:08	0.031
10/26/2007	13:35:08	0.031
10/26/2007	13:50:08	0.031
10/26/2007	14:05:08	0.036
10/26/2007	14:20:08	0.026
10/26/2007	14:35:08	0.021
10/26/2007	14:50:08	0.021
10/26/2007	15:05:08	0.027
10/26/2007	15:20:08	0.025

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 9
 Test Abbreviation:
 Start Date: 10/29/2007
 Start Time: 7:21:13
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.025
 Minimum: 0.005
 Time of Minimum: 12:06:13
 Date of Minimum: 10/29/2007
 Maximum: 0.188
 Time of Maximum: 13:51:13
 Date of Maximum: 10/29/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/29/2007	7:36:13	0.023
10/29/2007	7:51:13	0.023
10/29/2007	8:06:13	0.023
10/29/2007	8:21:13	0.031
10/29/2007	8:36:13	0.026
10/29/2007	8:51:13	0.016
10/29/2007	9:06:13	0.012
10/29/2007	9:21:13	0.011
10/29/2007	9:36:13	0.013
10/29/2007	9:51:13	0.022
10/29/2007	10:06:13	0.03
10/29/2007	10:21:13	0.042
10/29/2007	10:36:13	0.024
10/29/2007	10:51:13	0.012
10/29/2007	11:06:13	0.031
10/29/2007	11:21:13	0.014
10/29/2007	11:36:13	0.02
10/29/2007	11:51:13	0.009
10/29/2007	12:06:13	0.005
10/29/2007	12:21:13	0.016
10/29/2007	12:36:13	0.008
10/29/2007	12:51:13	0.007
10/29/2007	13:06:13	0.016
10/29/2007	13:21:13	0.026
10/29/2007	13:36:13	0.03
10/29/2007	13:51:13	0.188
10/29/2007	14:06:13	0.055
10/29/2007	14:21:13	0.025
10/29/2007	14:36:13	0.02
10/29/2007	14:51:13	0.01
10/29/2007	15:06:13	0.01
10/29/2007	15:21:13	0.01
10/29/2007	15:36:13	0.018
10/29/2007	15:51:13	0.007

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 10
 Test Abbreviation:
 Start Date: 10/30/2007
 Start Time: 7:12:06
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.04
 Minimum: 0.024
 Time of Minimum: 12:42:06
 Date of Minimum: 10/30/2007
 Maximum: 0.06
 Time of Maximum: 10:27:06
 Date of Maximum: 10/30/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/30/2007	7:27:06	0.03
10/30/2007	7:42:06	0.03
10/30/2007	7:57:06	0.036
10/30/2007	8:12:06	0.037
10/30/2007	8:27:06	0.046
10/30/2007	8:42:06	0.041
10/30/2007	8:57:06	0.037
10/30/2007	9:12:06	0.037
10/30/2007	9:27:06	0.053
10/30/2007	9:42:06	0.036
10/30/2007	9:57:06	0.031
10/30/2007	10:12:06	0.056
10/30/2007	10:27:06	0.06
10/30/2007	10:42:06	0.04
10/30/2007	10:57:06	0.03
10/30/2007	11:12:06	0.046
10/30/2007	11:27:06	0.045
10/30/2007	11:42:06	0.035
10/30/2007	11:57:06	0.047
10/30/2007	12:12:06	0.041
10/30/2007	12:27:06	0.025
10/30/2007	12:42:06	0.024
10/30/2007	12:57:06	0.058
10/30/2007	13:12:06	0.06
10/30/2007	13:27:06	0.056
10/30/2007	13:42:06	0.044
10/30/2007	13:57:06	0.037
10/30/2007	14:12:06	0.043
10/30/2007	14:27:06	0.037
10/30/2007	14:42:06	0.031
10/30/2007	14:57:06	0.028
10/30/2007	15:12:06	0.029
10/30/2007	15:27:06	0.031
10/30/2007	15:42:06	0.028

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/31/2007	700	0.041
10/31/2007	730	0.042
10/31/2007	800	0.038
10/31/2007	830	0.045
10/31/2007	900	0.048
10/31/2007	930	0.053
10/31/2007	1000	0.052
10/31/2007	1030	0.053
10/31/2007	1100	0.053
10/31/2007	1200	0.040
10/31/2007	1230	0.036
10/31/2007	1300	0.038
10/31/2007	1330	0.042
10/31/2007	1400	0.051
10/31/2007	1430	0.050
10/31/2007	1500	0.045
10/31/2007	1530	0.042
10/31/2007	1600	0.038
10/31/2007	1630	0.038

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000038
 Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/1/2007 6:25			0		0	
2	10/1/2007 6:40			0		0.1	
3	10/1/2007 6:55			0		0.1	
4	10/1/2007 7:10			0		0.1	
5	10/1/2007 7:25			0.1		0.2	
6	10/1/2007 7:40			0.1		0.2	
7	10/1/2007 7:55			0.1		0.2	
8	10/1/2007 8:10			0.1		0.2	
9	10/1/2007 8:25			0.1		0.2	
10	10/1/2007 8:40			0.1		0.2	
11	10/1/2007 8:55			0.1		0.2	
12	10/1/2007 9:10			0.1		0.2	
13	10/1/2007 9:25			0.1		0.2	
14	10/1/2007 9:40			0.1		0.2	
15	10/1/2007 9:55			0.1		0.2	
16	10/1/2007 10:10			0.1		0.2	
17	10/1/2007 10:25			0.1		0.2	
18	10/1/2007 10:40			0.1		0.2	
19	10/1/2007 10:55			0.1		0.2	
20	10/1/2007 11:10			0.1		0.2	
21	10/1/2007 11:25			0.1		0.2	
22	10/1/2007 11:40			0.2		0.3	
23	10/1/2007 11:55			0.2		0.4	
24	10/1/2007 12:10			0.2		0.4	
25	10/1/2007 12:25			0.2		0.3	
26	10/1/2007 12:40			0.2		0.4	
27	10/1/2007 12:55			0.2		0.3	
28	10/1/2007 13:10			0.2		0.4	
29	10/1/2007 13:25			0.2		0.6	
30	10/1/2007 13:40			0.2		0.5	
31	10/1/2007 13:55			0.2		0.4	
32	10/1/2007 14:10			0.2		0.6	
33	10/1/2007 14:25			0.2		0.3	
34	10/1/2007 14:40			0.2		0.5	
35	10/1/2007 14:55			0.2		0.5	
36	10/1/2007 15:10			0.2		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000039
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/2/2007 6:25			0		0.1	
2	10/2/2007 6:40			0.1		0.1	
3	10/2/2007 6:55			0.1		0.2	
4	10/2/2007 7:10			0.1		0.3	
5	10/2/2007 7:25			0.2		0.3	
6	10/2/2007 7:40			0.2		0.2	
7	10/2/2007 7:55			0.2		0.6	
8	10/2/2007 8:10			0.2		0.5	
9	10/2/2007 8:25			0.2		1	
10	10/2/2007 8:40			0.2		0.4	
11	10/2/2007 8:55			0.2		0.4	
12	10/2/2007 9:10			0.2		0.2	
13	10/2/2007 9:25			0.2		0.3	
14	10/2/2007 9:40			0.2		0.2	
15	10/2/2007 9:55			0.2		0.3	
16	10/2/2007 10:10			0.2		0.2	
17	10/2/2007 10:25			0.2		0.2	
18	10/2/2007 10:40			0.2		0.2	
19	10/2/2007 10:55			0.2		0.2	
20	10/2/2007 11:10			0.2		0.2	
21	10/2/2007 11:25			0.2		0.2	
22	10/2/2007 11:40			0.2		0.2	
23	10/2/2007 11:55			0.2		0.2	
24	10/2/2007 12:10			0.2		0.2	
25	10/2/2007 12:25			0.2		0.2	
26	10/2/2007 12:40			0.2		0.2	
27	10/2/2007 12:55			0.2		0.2	
28	10/2/2007 13:10			0.2		0.2	
29	10/2/2007 13:25			0.2		0.2	
30	10/2/2007 13:40			0.2		0.3	
31	10/2/2007 13:55			0.2		0.3	
32	10/2/2007 14:10			0.2		0.3	
33	10/2/2007 14:25			0.2		0.3	
34	10/2/2007 14:40			0.2		0.3	
35	10/2/2007 14:55			0.2		0.3	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000040
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     10/3/2007 6:25           0           0.1
  2     10/3/2007 6:40           0           0.2
  3     10/3/2007 6:55           0.1          0.2
  4     10/3/2007 7:10           0.1          0.2
  5     10/3/2007 7:25           0.1          0.2
  6     10/3/2007 7:40           0.1          0.2
  7     10/3/2007 7:55           0.2          0.2
  8     10/3/2007 8:10           0.2          0.2
  9     10/3/2007 8:25           0.2          0.3
 10     10/3/2007 8:40           0.2          0.3
 11     10/3/2007 8:55           0.2          0.3
 12     10/3/2007 9:10           0.2          0.3
 13     10/3/2007 9:25           0.2          0.3
 14     10/3/2007 9:40           0.2          0.3
 15     10/3/2007 9:55           0.2          0.3
 16     10/3/2007 10:10          0.3          0.3
 17     10/3/2007 10:25          0.3          0.3
 18     10/3/2007 10:40          0.3          0.4
 19     10/3/2007 10:55          0.3          0.3
 20     10/3/2007 11:10          0.3          0.4
 21     10/3/2007 11:25          0.2          0.3
 22     10/3/2007 11:40          0.3          0.4
 23     10/3/2007 11:55          0.2          0.4
 24     10/3/2007 12:10          0.2          0.7
 25     10/3/2007 12:25          0.3          0.8
 26     10/3/2007 12:40          0.2          0.4
 27     10/3/2007 12:55          0.2          0.4
 28     10/3/2007 13:10          0.3          0.4
 29     10/3/2007 13:25          0.3          0.4
 30     10/3/2007 13:40          0.2          0.4
 31     10/3/2007 13:55          0.1          0.2
 32     10/3/2007 14:10          0           0.1
 33     10/3/2007 14:25          0           0.1
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000041
 Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/4/2007 6:24			0		0.1	
2	10/4/2007 6:39			0		0.1	
3	10/4/2007 6:54			0		0.1	
4	10/4/2007 7:09			0		0.2	
5	10/4/2007 7:24			0.1		0.2	
6	10/4/2007 7:39			0.1		0.2	
7	10/4/2007 7:54			0.1		0.1	
8	10/4/2007 8:09			0.1		0.2	
9	10/4/2007 8:24			0.1		0.2	
10	10/4/2007 8:39			0.1		0.2	
11	10/4/2007 8:54			0.1		0.4	
12	10/4/2007 9:09			0.1		0.3	
13	10/4/2007 9:24			0.1		0.5	
14	10/4/2007 9:39			0.1		0.3	
15	10/4/2007 9:54			0		0.8	
16	10/4/2007 10:09			0		0.2	
17	10/4/2007 10:24			0		0.4	
18	10/4/2007 10:39			0		0.1	
19	10/4/2007 10:54			0		0	
20	10/4/2007 11:09			0		0	
21	10/4/2007 11:24			0		0	
22	10/4/2007 11:39			0		0.3	
23	10/4/2007 11:54			0		0.2	
24	10/4/2007 12:09			0		0	
25	10/4/2007 12:24			0		0.6	
26	10/4/2007 12:39			0		0	
27	10/4/2007 12:54			0		0.2	
28	10/4/2007 13:09			0		0.2	
29	10/4/2007 13:24			0		0	
30	10/4/2007 13:39			0		0.1	
31	10/4/2007 13:54			0		0	
32	10/4/2007 14:09			0		0	
33	10/4/2007 14:24			0		0	
34	10/4/2007 14:39			0		0	
35	10/4/2007 14:54			0		0	
36	10/4/2007 15:09			0		0	

```

=====

```

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000042
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/5/2007 6:19			0		0.1	
2	10/5/2007 6:34			0		0.9	
3	10/5/2007 6:49			0.1		0.3	
4	10/5/2007 7:04			0.2		0.5	
5	10/5/2007 7:19			0.3		0.8	
6	10/5/2007 7:34			0.3		1.7	
7	10/5/2007 7:49			0.2		0.6	
8	10/5/2007 8:04			0.2		0.9	
9	10/5/2007 8:19			0.2		0.6	
10	10/5/2007 8:34			0.1		0.2	
11	10/5/2007 8:49			0.1		0.2	
12	10/5/2007 9:04			0.2		1.2	
13	10/5/2007 9:19			0.2		2.9	
14	10/5/2007 9:34			0.1		0.7	
15	10/5/2007 9:49			0.1		0.6	
16	10/5/2007 10:04			0.1		2	
17	10/5/2007 10:19			0		0.2	
18	10/5/2007 10:34			0		0.6	
19	10/5/2007 10:49			0		0.4	
20	10/5/2007 11:04			0		0.1	
21	10/5/2007 11:19			0		0.1	
22	10/5/2007 11:34			0		0.1	
23	10/5/2007 11:49			0		1	
24	10/5/2007 12:04			0		0.5	
25	10/5/2007 12:19			0		0.1	
26	10/5/2007 12:34			0		0	
27	10/5/2007 12:49			0		0.9	
28	10/5/2007 13:04			0		0.3	
29	10/5/2007 13:19			0		0.4	
30	10/5/2007 13:34			0		0.2	
31	10/5/2007 13:49			0		0.5	
32	10/5/2007 14:04			0		0.1	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000043
 Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/6/2007 6:11			0		0.1	
2	10/6/2007 6:26			0		0.2	
3	10/6/2007 6:41			0.1		0.2	
4	10/6/2007 6:56			0.1		0.2	
5	10/6/2007 7:11			0.1		0.2	
6	10/6/2007 7:26			0.1		0.2	
7	10/6/2007 7:41			0.1		0.2	
8	10/6/2007 7:56			0.2		0.3	
9	10/6/2007 8:11			0.2		1.5	
10	10/6/2007 8:26			0.2		0.5	
11	10/6/2007 8:41			0.2		0.4	
12	10/6/2007 8:56			0.2		0.5	
13	10/6/2007 9:11			0.2		0.9	
14	10/6/2007 9:26			0.4		3.2	
15	10/6/2007 9:41			0.2		0.5	
16	10/6/2007 9:56			0.1		0.4	
17	10/6/2007 10:11			0.3		4.2	
18	10/6/2007 10:26			0.1		0.5	
19	10/6/2007 10:41			0.1		0.7	
20	10/6/2007 10:56			0.1		0.7	
21	10/6/2007 11:11			0		0.4	
22	10/6/2007 11:26			0		0.6	
23	10/6/2007 11:41			0.1		0.8	
24	10/6/2007 11:56			0.2		1	
25	10/6/2007 12:11			0.4		1	
26	10/6/2007 12:26			0.2		0.7	
27	10/6/2007 12:41			0.2		0.9	
28	10/6/2007 12:56			0.1		0.3	
29	10/6/2007 13:11			0.2		0.4	
30	10/6/2007 13:26			0.2		1.6	
31	10/6/2007 13:41			0.1		0.5	
32	10/6/2007 13:56			0.2		0.6	
33	10/6/2007 14:11			0.3		1.7	
34	10/6/2007 14:26			0.4		16.5	
35	10/6/2007 14:41			0.2		1.5	
36	10/6/2007 14:56			0.1		0.8	
37	10/6/2007 15:11			0		0.3	

10/8/2007	700	0
10/8/2007	730	0
10/8/2007	800	0.2
10/8/2007	830	0.2
10/8/2007	900	0.2
10/8/2007	930	0.2
10/8/2007	1000	0.2
10/8/2007	1030	0.2
10/8/2007	1100	0.2
10/8/2007	1130	0.2
10/8/2007	1200	-
10/8/2007	1230	-
10/8/2007	1300	-
10/8/2007	1330	-
10/8/2007	1400	-
10/8/2007	1430	-
10/8/2007	1500	-

"- " PID out of charge

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000044
 Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
      1   10/9/2007 6:07           0.1           0.2
      2   10/9/2007 6:22           0.1           0.2
      3   10/9/2007 6:37           0.1           0.2
      4   10/9/2007 6:52           0.1           0.2
      5   10/9/2007 7:07           0.2           0.2
      6   10/9/2007 7:22           0.2           3.1
      7   10/9/2007 7:37           0.2           0.4
      8   10/9/2007 7:52           0.2           0.2
      9   10/9/2007 8:07           0.2           0.2
     10   10/9/2007 8:22           0.1           0.2
     11   10/9/2007 8:37           0.1           0.2
     12   10/9/2007 8:52           0.1           0.2
     13   10/9/2007 9:07           0.2           0.2
     14   10/9/2007 9:22           0.2           0.2
     15   10/9/2007 9:37           0.2           0.3
     16   10/9/2007 9:52           0.3           0.4
     17   10/9/2007 10:07          0.3           0.3
10/9/2007           1030           0.0
10/9/2007           1100           0.0
10/9/2007           1130           0.0
10/9/2007           1200           0.0
10/9/2007           1230           0.0
10/9/2007           1300           0.0
10/9/2007           1330           0.0
10/9/2007           1400           0.0
10/9/2007           1430           0.0
10/9/2007           1500           0.0
10/9/2007           1530           0.0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000047
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       10/10/2007 6:58           0              0.1
2       10/10/2007 7:13           0              0.1
3       10/10/2007 7:28           0.1            0.1
4       10/10/2007 7:43           0.1            0.2
5       10/10/2007 7:58           0.1            0.2
6       10/10/2007 8:13           0.1            0.2
7       10/10/2007 8:28           0.1            0.2
8       10/10/2007 8:43           0.2            0.2
9       10/10/2007 8:58           0.2            0.3
10      10/10/2007 9:13           0.2            0.2
11      10/10/2007 9:28           0.2            0.3
12      10/10/2007 9:43           0.2            0.3
13      10/10/2007 9:58           0.2            0.3
14      10/10/2007 10:13          0.2            0.3
15      10/10/2007 10:28          0.2            0.2
16      10/10/2007 10:43          0.2            0.3
17      10/10/2007 10:58          0.2            0.3
18      10/10/2007 11:13          0.2            0.3
19      10/10/2007 11:28          0.2            0.3
20      10/10/2007 11:43          0.3            0.6
21      10/10/2007 11:58          0.3            0.4
22      10/10/2007 12:13          0.3            0.4
23      10/10/2007 12:28          0.3            0.3
24      10/10/2007 12:43          0.3            0.3
25      10/10/2007 12:58          0.2            0.3
26      10/10/2007 13:13          0.5            4
27      10/10/2007 13:28          0.4            1.1
28      10/10/2007 13:43          0.3            1
29      10/10/2007 13:58          0.3            1.3
30      10/10/2007 14:13          0.2            0.4
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000049
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 06:09

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/11/2007 6:20			0		0.1	
2	10/11/2007 6:35			0		0.2	
3	10/11/2007 6:50			0.1		0.2	
4	10/11/2007 7:05			0.1		0.2	
5	10/11/2007 7:20			0.2		0.3	
6	10/11/2007 7:35			0.2		0.3	
7	10/11/2007 7:50			0.2		0.6	
8	10/11/2007 8:05			0.2		0.4	
9	10/11/2007 8:20			0.2		0.3	
10	10/11/2007 8:35			0.2		0.3	
11	10/11/2007 8:50			0.2		0.3	
12	10/11/2007 9:05			0.3		0.4	
13	10/11/2007 9:20			0.3		0.4	
14	10/11/2007 9:35			0.3		0.4	
15	10/11/2007 9:50			0.3		0.4	
16	10/11/2007 10:05			0.3		0.3	
17	10/11/2007 10:20			0.3		0.4	
18	10/11/2007 10:35			0.3		0.4	
19	10/11/2007 10:50			0.3		0.4	
20	10/11/2007 11:05			0.3		0.4	
21	10/11/2007 11:20			0.3		0.4	
22	10/11/2007 11:35			0.3		0.4	
23	10/11/2007 11:50			0.3		0.4	
24	10/11/2007 12:05			0.3		0.4	
25	10/11/2007 12:20			0.3		0.9	
26	10/11/2007 12:35			0.3		0.8	
27	10/11/2007 12:50			0.3		0.4	
28	10/11/2007 13:05			0.3		0.4	
29	10/11/2007 13:20			0.3		0.4	
30	10/11/2007 13:35			0.3		0.5	
31	10/11/2007 13:50			0.3		0.5	
32	10/11/2007 14:05			0.3		0.5	
33	10/11/2007 14:20			0.3		0.4	
34	10/11/2007 14:35			0.3		0.4	

```

=====
  
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000050
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/12/2007 6:21			0.1		0.2	
2	10/12/2007 6:36			0.1		0.2	
3	10/12/2007 6:51			0.2		0.5	
4	10/12/2007 7:06			0.2		0.3	
5	10/12/2007 7:21			0.2		0.3	
6	10/12/2007 7:36			0.2		0.4	
7	10/12/2007 7:51			0.3		0.3	
8	10/12/2007 8:06			0.3		0.4	
9	10/12/2007 8:21			0.3		0.4	
10	10/12/2007 8:36			0.3		0.4	
11	10/12/2007 8:51			0.3		0.4	
12	10/12/2007 9:06			0.3		0.5	
13	10/12/2007 9:21			0.4		0.5	
14	10/12/2007 9:36			0.4		0.5	
15	10/12/2007 9:51			0.3		0.4	
16	10/12/2007 10:06			0.3		0.4	
17	10/12/2007 10:21			0.3		0.4	
18	10/12/2007 10:36			0.3		0.5	
19	10/12/2007 10:51			0.3		0.5	
20	10/12/2007 11:06			0.4		0.5	
21	10/12/2007 11:21			0.4		0.5	
22	10/12/2007 11:36			0.3		0.5	
23	10/12/2007 11:51			0.4		0.9	
24	10/12/2007 12:06			0.4		1.3	
25	10/12/2007 12:21			0.4		0.7	
26	10/12/2007 12:36			0.4		0.5	
27	10/12/2007 12:51			0.4		0.9	
28	10/12/2007 13:06			0.4		1.1	
29	10/12/2007 13:21			0.4		0.9	
30	10/12/2007 13:36			1		4.5	
31	10/12/2007 13:51			0.7		1.7	
32	10/12/2007 14:06			0.7		3	
33	10/12/2007 14:21			0.9		4.9	
34	10/12/2007 14:36			0.5		0.9	
35	10/12/2007 14:51			0.6		1.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000051
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 06:03

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100              100
Low Alarm Levels:          50               50               50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/13/2007 8:28			0.1		0.9	
2	10/13/2007 8:43			0.6		5.7	
3	10/13/2007 8:58			1.7		10	
4	10/13/2007 9:13			0.9		3.2	
5	10/13/2007 9:28			0.6		3	
6	10/13/2007 9:43			0.3		1	
7	10/13/2007 9:58			0.3		0.7	
8	10/13/2007 10:13			0.3		0.6	
9	10/13/2007 10:28			0.2		0.4	
10	10/13/2007 10:43			0.2		0.3	
11	10/13/2007 10:58			0.2		0.4	
12	10/13/2007 11:13			0.2		0.4	
13	10/13/2007 11:28			0.2		0.4	
14	10/13/2007 11:43			0.2		0.3	
15	10/13/2007 11:58			0.2		0.4	
16	10/13/2007 12:13			0.3		0.8	
17	10/13/2007 12:28			0.3		0.5	
18	10/13/2007 12:43			0.3		0.5	
19	10/13/2007 12:58			0.3		0.5	
20	10/13/2007 13:13			0.4		0.7	
21	10/13/2007 13:28			0.4		0.6	
22	10/13/2007 13:43			0.3		0.6	
23	10/13/2007 13:58			0.3		0.6	
24	10/13/2007 14:13			0.3		0.5	
25	10/13/2007 14:28			0.4		0.5	
26	10/13/2007 14:43			0.4		0.6	
27	10/13/2007 14:58			0.4		0.5	
28	10/13/2007 15:13			0.3		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000052
 Data Points: 18 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 06:03

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#      Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
   1      10/15/2007 6:17           0.1           0.4
   2      10/15/2007 6:32           0.1           0.3
   3      10/15/2007 6:47           0.1           0.3
   4      10/15/2007 7:02           0.2           0.4
   5      10/15/2007 7:17           0.2           0.3
   6      10/15/2007 7:32           0.2           0.4
   7      10/15/2007 7:47           0.3           0.7
   8      10/15/2007 8:02           0.3           0.4
   9      10/15/2007 8:17           0.3           0.4
  10      10/15/2007 8:32           0.3           0.4
  11      10/15/2007 8:47           0.3           0.4
  12      10/15/2007 9:02           0.3           0.4
  13      10/15/2007 9:17           0.3           0.5
  14      10/15/2007 9:32           0.3           0.5
  15      10/15/2007 9:47           0.4           0.7
  16      10/15/2007 10:02          0.3           0.4
  17      10/15/2007 10:17          0.4           0.5
  18      10/15/2007 10:32          0.4           0.6
10/15/2007           1100           0.6
10/15/2007           1130           0.6
10/15/2007           1200           0.5
10/15/2007           1230           0.5
10/15/2007           1300           0.3
10/15/2007           1330           0.3
10/15/2007           1400           0.1
10/15/2007           1430           0.1
10/15/2007           1500           0.1
10/15/2007           1530           0.1
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000053
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/16/2007 6:17			0.1		0.2	
2	10/16/2007 6:32			0.2		0.3	
3	10/16/2007 6:47			0.2		0.3	
4	10/16/2007 7:02			0.2		0.3	
5	10/16/2007 7:17			0.2		0.3	
6	10/16/2007 7:32			0.3		0.3	
7	10/16/2007 7:47			0.3		0.4	
8	10/16/2007 8:02			0.3		0.5	
9	10/16/2007 8:17			0.3		0.4	
10	10/16/2007 8:32			0.4		0.5	
11	10/16/2007 8:47			0.4		0.5	
12	10/16/2007 9:02			0.5		0.5	
13	10/16/2007 9:17			0.5		0.6	
14	10/16/2007 9:32			0.5		0.6	
15	10/16/2007 9:47			0.5		1	
16	10/16/2007 10:02			0.5		0.6	
17	10/16/2007 10:17			0.5		0.6	
18	10/16/2007 10:32			0.5		0.7	
19	10/16/2007 10:47			0.5		0.7	
20	10/16/2007 11:02			0.5		0.7	
21	10/16/2007 11:17			0.5		0.6	
22	10/16/2007 11:32			0.5		0.6	
23	10/16/2007 11:47			0.5		0.7	
24	10/16/2007 12:02			0.5		0.7	
25	10/16/2007 12:17			0.5		0.7	
26	10/16/2007 12:32			0.5		0.7	
27	10/16/2007 12:47			0.5		0.7	
28	10/16/2007 13:02			0.6		0.8	
29	10/16/2007 13:17			0.5		0.7	
30	10/16/2007 13:32			0.5		0.6	
31	10/16/2007 13:47			0.5		0.7	
32	10/16/2007 14:02			0.4		0.6	
33	10/16/2007 14:17			0.4		0.6	
34	10/16/2007 14:32			0.3		0.4	
35	10/16/2007 14:47			0.3		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000054
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 06:03

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/17/2007 6:16			0		0	
2	10/17/2007 6:31			0		0.1	
3	10/17/2007 6:46			0.1		0.2	
4	10/17/2007 7:01			0.1		0.2	
5	10/17/2007 7:16			0.1		0.2	
6	10/17/2007 7:31			0.1		0.2	
7	10/17/2007 7:46			0.1		0.2	
8	10/17/2007 8:01			0.1		0.2	
9	10/17/2007 8:16			0.2		0.2	
10	10/17/2007 8:31			0.1		0.2	
11	10/17/2007 8:46			0.2		0.2	
12	10/17/2007 9:01			0.2		0.2	
13	10/17/2007 9:16			0.2		1.3	
14	10/17/2007 9:31			0.3		3.9	
15	10/17/2007 9:46			0.3		0.5	
16	10/17/2007 10:01			0.3		0.4	
17	10/17/2007 10:16			0.3		0.4	
18	10/17/2007 10:31			0.2		1.2	
19	10/17/2007 10:46			0.2		0.3	
20	10/17/2007 11:01			0.2		0.4	
21	10/17/2007 11:16			0.2		0.3	
22	10/17/2007 11:31			0.2		0.3	
23	10/17/2007 11:46			0.2		0.4	
24	10/17/2007 12:01			0.2		0.4	
25	10/17/2007 12:16			0.2		0.4	
26	10/17/2007 12:31			0.2		0.4	
27	10/17/2007 12:46			0.2		0.3	
28	10/17/2007 13:01			0.2		0.4	
29	10/17/2007 13:16			0.2		0.3	
30	10/17/2007 13:31			0.2		0.5	
31	10/17/2007 13:46			0.2		0.4	
32	10/17/2007 14:01			0.2		0.5	
33	10/17/2007 14:16			0.2		0.3	
34	10/17/2007 14:31			0.2		0.3	
35	10/17/2007 14:46			0.1		0.2	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000055
 Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/18/2007 6:36			0		0.1	
2	10/18/2007 6:51			0.1		0.2	
3	10/18/2007 7:06			0.1		0.2	
4	10/18/2007 7:21			0.2		0.3	
5	10/18/2007 7:36			0.3		1.8	
6	10/18/2007 7:51			0.2		0.7	
7	10/18/2007 8:06			0.4		2	
8	10/18/2007 8:21			0.6		3.7	
9	10/18/2007 8:36			0.3		0.8	
10	10/18/2007 8:51			0.3		0.7	
11	10/18/2007 9:06			0.4		0.6	
12	10/18/2007 9:21			0.4		1.1	
13	10/18/2007 9:36			0.4		0.7	
14	10/18/2007 9:51			0.3		0.6	
15	10/18/2007 10:06			0.4		5.4	
16	10/18/2007 10:21			0.4		1.5	
17	10/18/2007 10:36			0.4		0.6	
18	10/18/2007 10:51			0.3		0.5	
19	10/18/2007 11:06			0.4		0.6	
20	10/18/2007 11:21			0.3		0.4	
21	10/18/2007 11:36			0.3		0.4	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000056
 Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/19/2007 6:25			0		0	
2	10/19/2007 6:40			0		0.1	
3	10/19/2007 6:55			0.1		0.2	
4	10/19/2007 7:10			0.1		0.2	
5	10/19/2007 7:25			0.1		0.3	
6	10/19/2007 7:40			0.1		0.3	
7	10/19/2007 7:55			0.1		0.2	
8	10/19/2007 8:10			0.1		0.3	
9	10/19/2007 8:25			0.1		0.2	
10	10/19/2007 8:40			0.1		0.5	
11	10/19/2007 8:55			0.1		0.3	
12	10/19/2007 9:10			0.2		0.4	
13	10/19/2007 9:25			0.1		0.3	
14	10/19/2007 9:40			0.1		0.2	
15	10/19/2007 9:55			0.1		0.2	
16	10/19/2007 10:10			0.1		0.2	
17	10/19/2007 10:25			0.1		0.2	
18	10/19/2007 10:40			0.1		0.2	
19	10/19/2007 10:55			0.1		0.3	
20	10/19/2007 11:10			0.1		0.3	
21	10/19/2007 11:25			0.1		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000057
 Data Points: 2 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
      1   10/20/2007 8:53           0              0.2
      2   10/20/2007 9:08           0.1            0.5
=====
  
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000058
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

```

=====
Measurement Type:                Min(ppm)          Avg(ppm)          Max(ppm)
High Alarm Levels:                100              100              100
Low Alarm Levels:                 50               50               50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/22/2007 6:42			0.1		0.3	
2	10/22/2007 6:57			0.2		0.5	
3	10/22/2007 7:12			0.2		0.6	
4	10/22/2007 7:27			0.2		0.9	
5	10/22/2007 7:42			0.2		0.7	
6	10/22/2007 7:57			0.2		0.3	
7	10/22/2007 8:12			0.2		0.3	
8	10/22/2007 8:27			0.2		0.3	
9	10/22/2007 8:42			0.2		0.5	
10	10/22/2007 8:57			0.2		2.4	
11	10/22/2007 9:12			0.2		1	
12	10/22/2007 9:27			0.2		0.6	
13	10/22/2007 9:42			0.1		0.6	
14	10/22/2007 9:57			0.1		0.7	
15	10/22/2007 10:12			0.1		0.7	
16	10/22/2007 10:27			0.1		4.8	
17	10/22/2007 10:42			0.1		0.5	
18	10/22/2007 10:57			0.1		0.9	
19	10/22/2007 11:12			0.1		0.5	
20	10/22/2007 11:27			0.1		0.3	
21	10/22/2007 11:42			0.2		0.5	
22	10/22/2007 11:57			0.2		0.6	
23	10/22/2007 12:12			0.2		0.5	
24	10/22/2007 12:27			0.1		0.3	
25	10/22/2007 12:42			0.1		0.2	
26	10/22/2007 12:57			0.1		0.2	
27	10/22/2007 13:12			0.1		0.3	
28	10/22/2007 13:27			0.1		0.2	
29	10/22/2007 13:42			0		0.1	
30	10/22/2007 13:57			0.1		0.2	
31	10/22/2007 14:12			0.1		0.2	
32	10/22/2007 14:27			0.1		0.2	
33	10/22/2007 14:42			0.1		0.2	
34	10/22/2007 14:57			0.1		0.2	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000060
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/23/2007 7:50			0		0.2	
2	10/23/2007 8:05			0		0.3	
3	10/23/2007 8:20			0		0.2	
4	10/23/2007 8:35			0.1		0.3	
5	10/23/2007 8:50			0		0.1	
6	10/23/2007 9:05			0.1		0.2	
7	10/23/2007 9:20			0		0.1	
8	10/23/2007 9:35			0		0.2	
9	10/23/2007 9:50			0		0.1	
10	10/23/2007 10:05			0		0.2	
11	10/23/2007 10:20			0		0.1	
12	10/23/2007 10:35			0		0.1	
13	10/23/2007 10:50			0		0.1	
14	10/23/2007 11:05			0		0.2	
15	10/23/2007 11:20			0		0.1	
16	10/23/2007 11:35			0		0.1	
17	10/23/2007 11:50			0.1		0.2	
18	10/23/2007 12:05			0		0.1	
19	10/23/2007 12:20			0		0.2	
20	10/23/2007 12:35			0		0.1	
21	10/23/2007 12:50			0		0.1	
22	10/23/2007 13:05			0		0.1	
23	10/23/2007 13:20			0		0.1	
24	10/23/2007 13:35			0		0.2	
25	10/23/2007 13:50			0		0.1	
26	10/23/2007 14:05			0		0.1	
27	10/23/2007 14:20			0		0.2	
28	10/23/2007 14:35			0		0.2	
29	10/23/2007 14:50			0		0.2	
30	10/23/2007 15:05			0.1		0.2	
31	10/23/2007 15:20			0.1		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000062
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/24/2007 6:33			0		0.1	
2	10/24/2007 6:48			0		0.1	
3	10/24/2007 7:03			0		0.1	
4	10/24/2007 7:18			0.1		0.2	
5	10/24/2007 7:33			0.1		0.3	
6	10/24/2007 7:48			0.1		0.2	
7	10/24/2007 8:03			0.1		0.2	
8	10/24/2007 8:18			0.1		0.2	
9	10/24/2007 8:33			0.2		0.5	
10	10/24/2007 8:48			0.2		0.6	
11	10/24/2007 9:03			0.2		0.3	
12	10/24/2007 9:18			0.2		0.3	
13	10/24/2007 9:33			0.2		0.6	
14	10/24/2007 9:48			0.2		0.3	
15	10/24/2007 10:03			0.2		0.3	
16	10/24/2007 10:18			0.2		0.3	
17	10/24/2007 10:33			0.2		0.3	
18	10/24/2007 10:48			0.2		0.3	
19	10/24/2007 11:03			0.2		0.4	
20	10/24/2007 11:18			0.3		0.4	
21	10/24/2007 11:33			0.3		0.3	
22	10/24/2007 11:48			0.3		0.3	
23	10/24/2007 12:03			0.2		0.3	
24	10/24/2007 12:18			0		0.1	
25	10/24/2007 12:33			0.1		0.2	
26	10/24/2007 12:48			0.1		0.2	
27	10/24/2007 13:03			0		0.2	
28	10/24/2007 13:18			0		0	
29	10/24/2007 13:33			0		0.1	
30	10/24/2007 13:48			0.1		0.1	
31	10/24/2007 14:03			0.1		0.5	
32	10/24/2007 14:18			0.2		0.2	
33	10/24/2007 14:33			0.2		0.2	
34	10/24/2007 14:48			0.2		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000064
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/25/2007 7:17			0		0.1	
2	10/25/2007 7:32			0.1		0.2	
3	10/25/2007 7:47			0.1		0.2	
4	10/25/2007 8:02			0.1		0.8	
5	10/25/2007 8:17			0.1		0.2	
6	10/25/2007 8:32			0.2		0.2	
7	10/25/2007 8:47			0.2		0.2	
8	10/25/2007 9:02			0.2		0.2	
9	10/25/2007 9:17			0.2		0.3	
10	10/25/2007 9:32			0.2		0.3	
11	10/25/2007 9:47			0.2		0.3	
12	10/25/2007 10:02			0.2		0.3	
13	10/25/2007 10:17			0.2		0.3	
14	10/25/2007 10:32			0.2		0.3	
15	10/25/2007 10:47			0.2		0.3	
16	10/25/2007 11:02			0.2		0.3	
17	10/25/2007 11:17			0.2		0.4	
18	10/25/2007 11:32			0.2		0.4	
19	10/25/2007 11:47			0.2		0.3	
20	10/25/2007 12:02			0.3		0.3	
21	10/25/2007 12:17			0.3		0.3	
22	10/25/2007 12:32			0.3		0.3	
23	10/25/2007 12:47			0.3		0.3	
24	10/25/2007 13:02			0.3		0.4	
25	10/25/2007 13:17			0.3		0.3	
26	10/25/2007 13:32			0.3		0.3	
27	10/25/2007 13:47			0.3		0.4	
28	10/25/2007 14:02			0.3		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000065
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/26/2007 6:34			0		0	
2	10/26/2007 6:49			0		0.1	
3	10/26/2007 7:04			0		0.1	
4	10/26/2007 7:19			0.1		0.8	
5	10/26/2007 7:34			0.1		0.2	
6	10/26/2007 7:49			0.1		0.7	
7	10/26/2007 8:04			0.1		0.3	
8	10/26/2007 8:19			0.1		0.2	
9	10/26/2007 8:34			0.1		0.2	
10	10/26/2007 8:49			0.1		0.2	
11	10/26/2007 9:04			0.1		0.4	
12	10/26/2007 9:19			0.1		0.2	
13	10/26/2007 9:34			0.1		0.5	
14	10/26/2007 9:49			0.1		0.2	
15	10/26/2007 10:04			0.1		0.2	
16	10/26/2007 10:19			0.2		0.3	
17	10/26/2007 10:34			0.2		0.3	
18	10/26/2007 10:49			0.2		0.3	
19	10/26/2007 11:04			0.2		0.3	
20	10/26/2007 11:19			0.2		0.2	
21	10/26/2007 11:34			0.2		0.3	
22	10/26/2007 11:49			0.2		0.3	
23	10/26/2007 12:04			0.2		0.2	
24	10/26/2007 12:19			0.2		0.3	
25	10/26/2007 12:34			0.2		0.3	
26	10/26/2007 12:49			0.2		0.3	
27	10/26/2007 13:04			0.2		0.2	
28	10/26/2007 13:19			0.2		0.2	
29	10/26/2007 13:34			0.2		0.2	
30	10/26/2007 13:49			0.2		0.2	
31	10/26/2007 14:04			0.2		0.2	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000066
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/29/2007 6:29			0		0	
2	10/29/2007 6:44			0		0.1	
3	10/29/2007 6:59			0		1.5	
4	10/29/2007 7:14			0		0.2	
5	10/29/2007 7:29			0.1		1	
6	10/29/2007 7:44			0.1		0.7	
7	10/29/2007 7:59			0.2		0.6	
8	10/29/2007 8:14			0.1		0.2	
9	10/29/2007 8:29			0.1		0.7	
10	10/29/2007 8:44			0.2		0.6	
11	10/29/2007 8:59			0.2		1.2	
12	10/29/2007 9:14			0.1		0.5	
13	10/29/2007 9:29			0.2		0.7	
14	10/29/2007 9:44			0.1		0.4	
15	10/29/2007 9:59			0.2		1.1	
16	10/29/2007 10:14			0.3		1.7	
17	10/29/2007 10:29			0.2		0.9	
18	10/29/2007 10:44			0.2		0.5	
19	10/29/2007 10:59			0.1		0.4	
20	10/29/2007 11:14			0.1		0.4	
21	10/29/2007 11:29			0.2		1.5	
22	10/29/2007 11:44			0.4		1.1	
23	10/29/2007 11:59			0.3		0.7	
24	10/29/2007 12:14			0.2		0.5	
25	10/29/2007 12:29			0.1		0.7	
26	10/29/2007 12:44			0.4		1.7	
27	10/29/2007 12:59			0.5		1.2	
28	10/29/2007 13:14			0.5		1.1	
29	10/29/2007 13:29			0.3		1.3	
30	10/29/2007 13:44			0.5		0.9	
31	10/29/2007 13:59			0.7		2.7	
32	10/29/2007 14:14			0.8		2.4	
33	10/29/2007 14:29			0.8		1.9	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000067
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 06:11

```

=====
Measurement Type:                Min(ppm)          Avg(ppm)          Max(ppm)
High Alarm Levels:                100              100              100
Low Alarm Levels:                 50               50               50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/30/2007 6:26			0.2		0.8	
2	10/30/2007 6:41			0.2		1.1	
3	10/30/2007 6:56			0.3		0.7	
4	10/30/2007 7:11			0.5		1	
5	10/30/2007 7:26			0.5		0.9	
6	10/30/2007 7:41			0.5		1.9	
7	10/30/2007 7:56			0.6		1.1	
8	10/30/2007 8:11			0.5		1.4	
9	10/30/2007 8:26			0.5		1	
10	10/30/2007 8:41			0.5		0.9	
11	10/30/2007 8:56			0.7		1.3	
12	10/30/2007 9:11			0.8		1.4	
13	10/30/2007 9:26			0.6		1.4	
14	10/30/2007 9:41			0.6		1.4	
15	10/30/2007 9:56			0.6		1.1	
16	10/30/2007 10:11			0.6		1	
17	10/30/2007 10:26			0.6		1.5	
18	10/30/2007 10:41			0.7		1.2	
19	10/30/2007 10:56			0.6		1.1	
20	10/30/2007 11:11			0.5		0.8	
21	10/30/2007 11:26			0.5		0.8	
22	10/30/2007 11:41			0.7		1.1	
23	10/30/2007 11:56			0.7		1.9	
24	10/30/2007 12:11			0.8		2	
25	10/30/2007 12:26			0.8		3.2	
26	10/30/2007 12:41			0.6		1	
27	10/30/2007 12:56			0.6		1.8	
28	10/30/2007 13:11			0.7		1.1	
29	10/30/2007 13:26			0.6		1	
30	10/30/2007 13:41			0.5		0.8	
31	10/30/2007 13:56			0.5		0.8	
32	10/30/2007 14:11			0.4		1.9	
33	10/30/2007 14:26			0.4		0.9	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000068
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/31/2007 7:34			0		0.2	
2	10/31/2007 7:49			0		0.1	
3	10/31/2007 8:04			0		0.2	
4	10/31/2007 8:19			0		0.2	
5	10/31/2007 8:34			0		0.5	
6	10/31/2007 8:49			0		0.3	
7	10/31/2007 9:04			0		0.2	
8	10/31/2007 9:19			0.1		0.2	
9	10/31/2007 9:34			0.1		0.2	
10	10/31/2007 9:49			0.1		0.6	
11	10/31/2007 10:04			0.1		0.5	
12	10/31/2007 10:19			0.1		0.3	
13	10/31/2007 10:34			0.1		0.3	
14	10/31/2007 10:49			0.1		0.3	
15	10/31/2007 11:04			0.1		0.3	
16	10/31/2007 11:19			0		0.2	
17	10/31/2007 11:34			0		0.1	
18	10/31/2007 11:49			0.1		1.4	
19	10/31/2007 12:04			0.1		0.1	
20	10/31/2007 12:19			0.1		0.3	
21	10/31/2007 12:34			0.1		0.5	
22	10/31/2007 12:49			0.1		0.2	
23	10/31/2007 13:04			0		0.2	
24	10/31/2007 13:19			0		0.1	
25	10/31/2007 13:34			0		0.1	
26	10/31/2007 13:49			0		0.3	
27	10/31/2007 14:04			0		2.9	
28	10/31/2007 14:19			0		0.1	
29	10/31/2007 14:34			0		0.1	
30	10/31/2007 14:49			0		0.2	
31	10/31/2007 15:04			0		0.3	
32	10/31/2007 15:19			0		0.7	
33	10/31/2007 15:34			0		0.5	
34	10/31/2007 15:49			0		0.1	
35	10/31/2007 16:04			0		0.2	

=====

=====

=====

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/1/2007	700	0.031
10/1/2007	730	0.028
10/1/2007	800	0.023
10/1/2007	830	0.021
10/1/2007	900	0.023
10/1/2007	930	0.025
10/1/2007	1000	0.019
10/1/2007	1030	0.019
10/1/2007	1100	0.018
10/1/2007	1130	0.018
10/1/2007	1200	0.015
10/1/2007	1230	0.013
10/1/2007	1300	0.019
10/1/2007	1330	0.019
10/1/2007	1400	0.019
10/1/2007	1430	0.019
10/1/2007	1500	0.013
10/1/2007	1530	0.014
10/1/2007	1600	0.014

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 3
 Test Abbreviation:
 Start Date: 10/2/2007
 Start Time: 7:10:09
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.019
 Minimum: 0.011
 Time of Minimum: 11:55:09
 Date of Minimum: 10/2/2007
 Maximum: 0.071
 Time of Maximum: 16:10:09
 Date of Maximum: 10/2/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/2/2007	7:25:09	0.015
10/2/2007	7:40:09	0.017
10/2/2007	7:55:09	0.016
10/2/2007	8:10:09	0.019
10/2/2007	8:25:09	0.02
10/2/2007	8:40:09	0.018
10/2/2007	8:55:09	0.019
10/2/2007	9:10:09	0.019
10/2/2007	9:25:09	0.02
10/2/2007	9:40:09	0.017
10/2/2007	9:55:09	0.02
10/2/2007	10:10:09	0.018
10/2/2007	10:25:09	0.023
10/2/2007	10:40:09	0.021
10/2/2007	10:55:09	0.018
10/2/2007	11:10:09	0.015
10/2/2007	11:25:09	0.017
10/2/2007	11:40:09	0.012
10/2/2007	11:55:09	0.011
10/2/2007	12:10:09	0.013
10/2/2007	12:25:09	0.012
10/2/2007	12:40:09	0.013
10/2/2007	12:55:09	0.012
10/2/2007	13:10:09	0.014
10/2/2007	13:25:09	0.015
10/2/2007	13:40:09	0.021
10/2/2007	13:55:09	0.016
10/2/2007	14:10:09	0.023
10/2/2007	14:25:09	0.02
10/2/2007	14:40:09	0.02
10/2/2007	14:55:09	0.012
10/2/2007	15:10:09	0.016
10/2/2007	15:25:09	0.029
10/2/2007	15:40:09	0.031
10/2/2007	15:55:09	0.024
10/2/2007	16:10:09	0.071

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 4
Test Abbreviation:
Start Date: 10/3/2007
Start Time: 7:08:00
Duration (dd:hh:mm:ss): 00:08:43:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 523
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.032
Minimum: 0.012
Time of Minimum: 13:48:00
Date of Minimum: 10/3/2007
Maximum: 0.085
Time of Maximum: 15:29:00
Date of Maximum: 10/3/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/3/2007	7:09:00	0.02
10/3/2007	7:10:00	0.019
10/3/2007	7:11:00	0.018
10/3/2007	7:12:00	0.026
10/3/2007	7:13:00	0.018
10/3/2007	7:14:00	0.021
10/3/2007	7:15:00	0.028
10/3/2007	7:16:00	0.037
10/3/2007	7:17:00	0.032
10/3/2007	7:18:00	0.044
10/3/2007	7:19:00	0.029
10/3/2007	7:20:00	0.028
10/3/2007	7:21:00	0.023
10/3/2007	7:22:00	0.023
10/3/2007	7:23:00	0.027
10/3/2007	7:24:00	0.021
10/3/2007	7:25:00	0.021
10/3/2007	7:26:00	0.024
10/3/2007	7:27:00	0.034
10/3/2007	7:28:00	0.022
10/3/2007	7:29:00	0.022
10/3/2007	7:30:00	0.023
10/3/2007	7:31:00	0.019

10/3/2007	7:32:00	0.019
10/3/2007	7:33:00	0.02
10/3/2007	7:34:00	0.02
10/3/2007	7:35:00	0.024
10/3/2007	7:36:00	0.026
10/3/2007	7:37:00	0.026
10/3/2007	7:38:00	0.029
10/3/2007	7:39:00	0.031
10/3/2007	7:40:00	0.024
10/3/2007	7:41:00	0.022
10/3/2007	7:42:00	0.026
10/3/2007	7:43:00	0.024
10/3/2007	7:44:00	0.03
10/3/2007	7:45:00	0.039
10/3/2007	7:46:00	0.028
10/3/2007	7:47:00	0.028
10/3/2007	7:48:00	0.026
10/3/2007	7:49:00	0.028
10/3/2007	7:50:00	0.038
10/3/2007	7:51:00	0.066
10/3/2007	7:52:00	0.067
10/3/2007	7:53:00	0.05
10/3/2007	7:54:00	0.041
10/3/2007	7:55:00	0.045
10/3/2007	7:56:00	0.039
10/3/2007	7:57:00	0.036
10/3/2007	7:58:00	0.036
10/3/2007	7:59:00	0.031
10/3/2007	8:00:00	0.03
10/3/2007	8:01:00	0.03
10/3/2007	8:02:00	0.026
10/3/2007	8:03:00	0.029
10/3/2007	8:04:00	0.035
10/3/2007	8:05:00	0.03
10/3/2007	8:06:00	0.033
10/3/2007	8:07:00	0.031
10/3/2007	8:08:00	0.034
10/3/2007	8:09:00	0.027
10/3/2007	8:10:00	0.024
10/3/2007	8:11:00	0.022
10/3/2007	8:12:00	0.023
10/3/2007	8:13:00	0.037
10/3/2007	8:14:00	0.024
10/3/2007	8:15:00	0.024
10/3/2007	8:16:00	0.034
10/3/2007	8:17:00	0.025
10/3/2007	8:18:00	0.028
10/3/2007	8:19:00	0.028
10/3/2007	8:20:00	0.027
10/3/2007	8:21:00	0.029
10/3/2007	8:22:00	0.028

10/3/2007	8:23:00	0.032
10/3/2007	8:24:00	0.039
10/3/2007	8:25:00	0.027
10/3/2007	8:26:00	0.028
10/3/2007	8:27:00	0.027
10/3/2007	8:28:00	0.026
10/3/2007	8:29:00	0.027
10/3/2007	8:30:00	0.027
10/3/2007	8:31:00	0.027
10/3/2007	8:32:00	0.028
10/3/2007	8:33:00	0.034
10/3/2007	8:34:00	0.03
10/3/2007	8:35:00	0.029
10/3/2007	8:36:00	0.032
10/3/2007	8:37:00	0.037
10/3/2007	8:38:00	0.039
10/3/2007	8:39:00	0.041
10/3/2007	8:40:00	0.037
10/3/2007	8:41:00	0.033
10/3/2007	8:42:00	0.028
10/3/2007	8:43:00	0.029
10/3/2007	8:44:00	0.029
10/3/2007	8:45:00	0.029
10/3/2007	8:46:00	0.03
10/3/2007	8:47:00	0.06
10/3/2007	8:48:00	0.057
10/3/2007	8:49:00	0.025
10/3/2007	8:50:00	0.023
10/3/2007	8:51:00	0.051
10/3/2007	8:52:00	0.066
10/3/2007	8:53:00	0.033
10/3/2007	8:54:00	0.03
10/3/2007	8:55:00	0.038
10/3/2007	8:56:00	0.035
10/3/2007	8:57:00	0.044
10/3/2007	8:58:00	0.064
10/3/2007	8:59:00	0.052
10/3/2007	9:00:00	0.059
10/3/2007	9:01:00	0.054
10/3/2007	9:02:00	0.058
10/3/2007	9:03:00	0.046
10/3/2007	9:04:00	0.045
10/3/2007	9:05:00	0.04
10/3/2007	9:06:00	0.038
10/3/2007	9:07:00	0.04
10/3/2007	9:08:00	0.04
10/3/2007	9:09:00	0.041
10/3/2007	9:10:00	0.039
10/3/2007	9:11:00	0.039
10/3/2007	9:12:00	0.04
10/3/2007	9:13:00	0.039

10/3/2007	9:14:00	0.039
10/3/2007	9:15:00	0.04
10/3/2007	9:16:00	0.041
10/3/2007	9:17:00	0.042
10/3/2007	9:18:00	0.049
10/3/2007	9:19:00	0.04
10/3/2007	9:20:00	0.048
10/3/2007	9:21:00	0.058
10/3/2007	9:22:00	0.049
10/3/2007	9:23:00	0.053
10/3/2007	9:24:00	0.047
10/3/2007	9:25:00	0.042
10/3/2007	9:26:00	0.041
10/3/2007	9:27:00	0.042
10/3/2007	9:28:00	0.041
10/3/2007	9:29:00	0.042
10/3/2007	9:30:00	0.046
10/3/2007	9:31:00	0.046
10/3/2007	9:32:00	0.05
10/3/2007	9:33:00	0.047
10/3/2007	9:34:00	0.044
10/3/2007	9:35:00	0.042
10/3/2007	9:36:00	0.041
10/3/2007	9:37:00	0.041
10/3/2007	9:38:00	0.044
10/3/2007	9:39:00	0.044
10/3/2007	9:40:00	0.043
10/3/2007	9:41:00	0.043
10/3/2007	9:42:00	0.043
10/3/2007	9:43:00	0.043
10/3/2007	9:44:00	0.044
10/3/2007	9:45:00	0.043
10/3/2007	9:46:00	0.045
10/3/2007	9:47:00	0.044
10/3/2007	9:48:00	0.042
10/3/2007	9:49:00	0.043
10/3/2007	9:50:00	0.043
10/3/2007	9:51:00	0.044
10/3/2007	9:52:00	0.043
10/3/2007	9:53:00	0.042
10/3/2007	9:54:00	0.042
10/3/2007	9:55:00	0.042
10/3/2007	9:56:00	0.042
10/3/2007	9:57:00	0.042
10/3/2007	9:58:00	0.042
10/3/2007	9:59:00	0.042
10/3/2007	10:00:00	0.041
10/3/2007	10:01:00	0.04
10/3/2007	10:02:00	0.042
10/3/2007	10:03:00	0.041
10/3/2007	10:04:00	0.04

10/3/2007	10:05:00	0.042
10/3/2007	10:06:00	0.043
10/3/2007	10:07:00	0.041
10/3/2007	10:08:00	0.041
10/3/2007	10:09:00	0.04
10/3/2007	10:10:00	0.039
10/3/2007	10:11:00	0.039
10/3/2007	10:12:00	0.039
10/3/2007	10:13:00	0.038
10/3/2007	10:14:00	0.038
10/3/2007	10:15:00	0.038
10/3/2007	10:16:00	0.039
10/3/2007	10:17:00	0.038
10/3/2007	10:18:00	0.039
10/3/2007	10:19:00	0.04
10/3/2007	10:20:00	0.04
10/3/2007	10:21:00	0.04
10/3/2007	10:22:00	0.04
10/3/2007	10:23:00	0.041
10/3/2007	10:24:00	0.047
10/3/2007	10:25:00	0.044
10/3/2007	10:26:00	0.042
10/3/2007	10:27:00	0.04
10/3/2007	10:28:00	0.038
10/3/2007	10:29:00	0.037
10/3/2007	10:30:00	0.037
10/3/2007	10:31:00	0.038
10/3/2007	10:32:00	0.036
10/3/2007	10:33:00	0.036
10/3/2007	10:34:00	0.035
10/3/2007	10:35:00	0.035
10/3/2007	10:36:00	0.035
10/3/2007	10:37:00	0.035
10/3/2007	10:38:00	0.034
10/3/2007	10:39:00	0.034
10/3/2007	10:40:00	0.037
10/3/2007	10:41:00	0.038
10/3/2007	10:42:00	0.038
10/3/2007	10:43:00	0.036
10/3/2007	10:44:00	0.038
10/3/2007	10:45:00	0.037
10/3/2007	10:46:00	0.038
10/3/2007	10:47:00	0.038
10/3/2007	10:48:00	0.037
10/3/2007	10:49:00	0.037
10/3/2007	10:50:00	0.036
10/3/2007	10:51:00	0.035
10/3/2007	10:52:00	0.037
10/3/2007	10:53:00	0.036
10/3/2007	10:54:00	0.037
10/3/2007	10:55:00	0.037

10/3/2007	10:56:00	0.038
10/3/2007	10:57:00	0.04
10/3/2007	10:58:00	0.038
10/3/2007	10:59:00	0.039
10/3/2007	11:00:00	0.038
10/3/2007	11:01:00	0.04
10/3/2007	11:02:00	0.04
10/3/2007	11:03:00	0.051
10/3/2007	11:04:00	0.047
10/3/2007	11:05:00	0.05
10/3/2007	11:06:00	0.049
10/3/2007	11:07:00	0.045
10/3/2007	11:08:00	0.052
10/3/2007	11:09:00	0.052
10/3/2007	11:10:00	0.044
10/3/2007	11:11:00	0.052
10/3/2007	11:12:00	0.048
10/3/2007	11:13:00	0.053
10/3/2007	11:14:00	0.055
10/3/2007	11:15:00	0.054
10/3/2007	11:16:00	0.049
10/3/2007	11:17:00	0.047
10/3/2007	11:18:00	0.046
10/3/2007	11:19:00	0.046
10/3/2007	11:20:00	0.045
10/3/2007	11:21:00	0.045
10/3/2007	11:22:00	0.046
10/3/2007	11:23:00	0.044
10/3/2007	11:24:00	0.044
10/3/2007	11:25:00	0.045
10/3/2007	11:26:00	0.045
10/3/2007	11:27:00	0.046
10/3/2007	11:28:00	0.047
10/3/2007	11:29:00	0.048
10/3/2007	11:30:00	0.048
10/3/2007	11:31:00	0.046
10/3/2007	11:32:00	0.048
10/3/2007	11:33:00	0.05
10/3/2007	11:34:00	0.061
10/3/2007	11:35:00	0.053
10/3/2007	11:36:00	0.047
10/3/2007	11:37:00	0.047
10/3/2007	11:38:00	0.047
10/3/2007	11:39:00	0.046
10/3/2007	11:40:00	0.046
10/3/2007	11:41:00	0.047
10/3/2007	11:42:00	0.047
10/3/2007	11:43:00	0.046
10/3/2007	11:44:00	0.046
10/3/2007	11:45:00	0.046
10/3/2007	11:46:00	0.048

10/3/2007	11:47:00	0.047
10/3/2007	11:48:00	0.049
10/3/2007	11:49:00	0.047
10/3/2007	11:50:00	0.041
10/3/2007	11:51:00	0.033
10/3/2007	11:52:00	0.031
10/3/2007	11:53:00	0.03
10/3/2007	11:54:00	0.032
10/3/2007	11:55:00	0.032
10/3/2007	11:56:00	0.033
10/3/2007	11:57:00	0.035
10/3/2007	11:58:00	0.034
10/3/2007	11:59:00	0.035
10/3/2007	12:00:00	0.032
10/3/2007	12:01:00	0.031
10/3/2007	12:02:00	0.032
10/3/2007	12:03:00	0.034
10/3/2007	12:04:00	0.033
10/3/2007	12:05:00	0.033
10/3/2007	12:06:00	0.033
10/3/2007	12:07:00	0.033
10/3/2007	12:08:00	0.031
10/3/2007	12:09:00	0.033
10/3/2007	12:10:00	0.033
10/3/2007	12:11:00	0.034
10/3/2007	12:12:00	0.034
10/3/2007	12:13:00	0.032
10/3/2007	12:14:00	0.046
10/3/2007	12:15:00	0.034
10/3/2007	12:16:00	0.034
10/3/2007	12:17:00	0.032
10/3/2007	12:18:00	0.032
10/3/2007	12:19:00	0.037
10/3/2007	12:20:00	0.029
10/3/2007	12:21:00	0.027
10/3/2007	12:22:00	0.028
10/3/2007	12:23:00	0.028
10/3/2007	12:24:00	0.027
10/3/2007	12:25:00	0.026
10/3/2007	12:26:00	0.025
10/3/2007	12:27:00	0.025
10/3/2007	12:28:00	0.028
10/3/2007	12:29:00	0.026
10/3/2007	12:30:00	0.027
10/3/2007	12:31:00	0.026
10/3/2007	12:32:00	0.025
10/3/2007	12:33:00	0.026
10/3/2007	12:34:00	0.024
10/3/2007	12:35:00	0.024
10/3/2007	12:36:00	0.024
10/3/2007	12:37:00	0.025

10/3/2007	12:38:00	0.025
10/3/2007	12:39:00	0.027
10/3/2007	12:40:00	0.025
10/3/2007	12:41:00	0.025
10/3/2007	12:42:00	0.041
10/3/2007	12:43:00	0.035
10/3/2007	12:44:00	0.042
10/3/2007	12:45:00	0.039
10/3/2007	12:46:00	0.029
10/3/2007	12:47:00	0.03
10/3/2007	12:48:00	0.028
10/3/2007	12:49:00	0.03
10/3/2007	12:50:00	0.027
10/3/2007	12:51:00	0.031
10/3/2007	12:52:00	0.038
10/3/2007	12:53:00	0.032
10/3/2007	12:54:00	0.034
10/3/2007	12:55:00	0.032
10/3/2007	12:56:00	0.028
10/3/2007	12:57:00	0.045
10/3/2007	12:58:00	0.023
10/3/2007	12:59:00	0.025
10/3/2007	13:00:00	0.026
10/3/2007	13:01:00	0.027
10/3/2007	13:02:00	0.024
10/3/2007	13:03:00	0.025
10/3/2007	13:04:00	0.027
10/3/2007	13:05:00	0.029
10/3/2007	13:06:00	0.034
10/3/2007	13:07:00	0.023
10/3/2007	13:08:00	0.027
10/3/2007	13:09:00	0.024
10/3/2007	13:10:00	0.02
10/3/2007	13:11:00	0.025
10/3/2007	13:12:00	0.022
10/3/2007	13:13:00	0.071
10/3/2007	13:14:00	0.027
10/3/2007	13:15:00	0.022
10/3/2007	13:16:00	0.022
10/3/2007	13:17:00	0.03
10/3/2007	13:18:00	0.027
10/3/2007	13:19:00	0.025
10/3/2007	13:20:00	0.023
10/3/2007	13:21:00	0.024
10/3/2007	13:22:00	0.025
10/3/2007	13:23:00	0.023
10/3/2007	13:24:00	0.023
10/3/2007	13:25:00	0.022
10/3/2007	13:26:00	0.021
10/3/2007	13:27:00	0.022
10/3/2007	13:28:00	0.024

10/3/2007	13:29:00	0.025
10/3/2007	13:30:00	0.025
10/3/2007	13:31:00	0.025
10/3/2007	13:32:00	0.026
10/3/2007	13:33:00	0.023
10/3/2007	13:34:00	0.023
10/3/2007	13:35:00	0.022
10/3/2007	13:36:00	0.018
10/3/2007	13:37:00	0.017
10/3/2007	13:38:00	0.018
10/3/2007	13:39:00	0.017
10/3/2007	13:40:00	0.017
10/3/2007	13:41:00	0.017
10/3/2007	13:42:00	0.016
10/3/2007	13:43:00	0.015
10/3/2007	13:44:00	0.016
10/3/2007	13:45:00	0.018
10/3/2007	13:46:00	0.016
10/3/2007	13:47:00	0.014
10/3/2007	13:48:00	0.012
10/3/2007	13:49:00	0.013
10/3/2007	13:50:00	0.016
10/3/2007	13:51:00	0.016
10/3/2007	13:52:00	0.018
10/3/2007	13:53:00	0.026
10/3/2007	13:54:00	0.02
10/3/2007	13:55:00	0.017
10/3/2007	13:56:00	0.018
10/3/2007	13:57:00	0.024
10/3/2007	13:58:00	0.017
10/3/2007	13:59:00	0.018
10/3/2007	14:00:00	0.019
10/3/2007	14:01:00	0.018
10/3/2007	14:02:00	0.019
10/3/2007	14:03:00	0.018
10/3/2007	14:04:00	0.018
10/3/2007	14:05:00	0.022
10/3/2007	14:06:00	0.024
10/3/2007	14:07:00	0.019
10/3/2007	14:08:00	0.021
10/3/2007	14:09:00	0.02
10/3/2007	14:10:00	0.018
10/3/2007	14:11:00	0.02
10/3/2007	14:12:00	0.019
10/3/2007	14:13:00	0.018
10/3/2007	14:14:00	0.015
10/3/2007	14:15:00	0.016
10/3/2007	14:16:00	0.018
10/3/2007	14:17:00	0.019
10/3/2007	14:18:00	0.016
10/3/2007	14:19:00	0.016

10/3/2007	14:20:00	0.027
10/3/2007	14:21:00	0.017
10/3/2007	14:22:00	0.028
10/3/2007	14:23:00	0.021
10/3/2007	14:24:00	0.031
10/3/2007	14:25:00	0.029
10/3/2007	14:26:00	0.02
10/3/2007	14:27:00	0.025
10/3/2007	14:28:00	0.023
10/3/2007	14:29:00	0.023
10/3/2007	14:30:00	0.018
10/3/2007	14:31:00	0.025
10/3/2007	14:32:00	0.025
10/3/2007	14:33:00	0.029
10/3/2007	14:34:00	0.019
10/3/2007	14:35:00	0.02
10/3/2007	14:36:00	0.024
10/3/2007	14:37:00	0.016
10/3/2007	14:38:00	0.013
10/3/2007	14:39:00	0.012
10/3/2007	14:40:00	0.012
10/3/2007	14:41:00	0.016
10/3/2007	14:42:00	0.014
10/3/2007	14:43:00	0.015
10/3/2007	14:44:00	0.013
10/3/2007	14:45:00	0.014
10/3/2007	14:46:00	0.015
10/3/2007	14:47:00	0.013
10/3/2007	14:48:00	0.014
10/3/2007	14:49:00	0.014
10/3/2007	14:50:00	0.013
10/3/2007	14:51:00	0.014
10/3/2007	14:52:00	0.016
10/3/2007	14:53:00	0.031
10/3/2007	14:54:00	0.02
10/3/2007	14:55:00	0.055
10/3/2007	14:56:00	0.014
10/3/2007	14:57:00	0.013
10/3/2007	14:58:00	0.014
10/3/2007	14:59:00	0.013
10/3/2007	15:00:00	0.012
10/3/2007	15:01:00	0.018
10/3/2007	15:02:00	0.026
10/3/2007	15:03:00	0.014
10/3/2007	15:04:00	0.026
10/3/2007	15:05:00	0.039
10/3/2007	15:06:00	0.015
10/3/2007	15:07:00	0.035
10/3/2007	15:08:00	0.016
10/3/2007	15:09:00	0.016
10/3/2007	15:10:00	0.018

10/3/2007	15:11:00	0.018
10/3/2007	15:12:00	0.028
10/3/2007	15:13:00	0.024
10/3/2007	15:14:00	0.023
10/3/2007	15:15:00	0.016
10/3/2007	15:16:00	0.016
10/3/2007	15:17:00	0.014
10/3/2007	15:18:00	0.015
10/3/2007	15:19:00	0.018
10/3/2007	15:20:00	0.017
10/3/2007	15:21:00	0.014
10/3/2007	15:22:00	0.014
10/3/2007	15:23:00	0.013
10/3/2007	15:24:00	0.016
10/3/2007	15:25:00	0.019
10/3/2007	15:26:00	0.018
10/3/2007	15:27:00	0.021
10/3/2007	15:28:00	0.023
10/3/2007	15:29:00	0.085
10/3/2007	15:30:00	0.017
10/3/2007	15:31:00	0.014
10/3/2007	15:32:00	0.014
10/3/2007	15:33:00	0.02
10/3/2007	15:34:00	0.013
10/3/2007	15:35:00	0.025
10/3/2007	15:36:00	0.02
10/3/2007	15:37:00	0.034
10/3/2007	15:38:00	0.027
10/3/2007	15:39:00	0.017
10/3/2007	15:40:00	0.018
10/3/2007	15:41:00	0.013
10/3/2007	15:42:00	0.015
10/3/2007	15:43:00	0.013
10/3/2007	15:44:00	0.014
10/3/2007	15:45:00	0.026
10/3/2007	15:46:00	0.022
10/3/2007	15:47:00	0.015
10/3/2007	15:48:00	0.017
10/3/2007	15:49:00	0.021
10/3/2007	15:50:00	0.021
10/3/2007	15:51:00	0.023

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 5
 Test Abbreviation:
 Start Date: 10/4/2007
 Start Time: 7:08:32
 Duration (dd:hh:mm:ss): 00:09:23:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 1:00
 Number of points: 563
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.069
 Minimum: 0.03
 Time of Minimum: 14:28:32
 Date of Minimum: 10/4/2007
 Maximum: 0.398
 Time of Maximum: 16:01:32
 Date of Maximum: 10/4/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/4/2007	7:09:32	0.05
10/4/2007	7:10:32	0.047
10/4/2007	7:11:32	0.053
10/4/2007	7:12:32	0.04
10/4/2007	7:13:32	0.047
10/4/2007	7:14:32	0.046
10/4/2007	7:15:32	0.047
10/4/2007	7:16:32	0.064
10/4/2007	7:17:32	0.049
10/4/2007	7:18:32	0.042
10/4/2007	7:19:32	0.042
10/4/2007	7:20:32	0.041
10/4/2007	7:21:32	0.04
10/4/2007	7:22:32	0.044
10/4/2007	7:23:32	0.045
10/4/2007	7:24:32	0.05
10/4/2007	7:25:32	0.048
10/4/2007	7:26:32	0.051
10/4/2007	7:27:32	0.051
10/4/2007	7:28:32	0.065
10/4/2007	7:29:32	0.099
10/4/2007	7:30:32	0.06
10/4/2007	7:31:32	0.055

10/4/2007	7:32:32	0.045
10/4/2007	7:33:32	0.046
10/4/2007	7:34:32	0.046
10/4/2007	7:35:32	0.051
10/4/2007	7:36:32	0.054
10/4/2007	7:37:32	0.051
10/4/2007	7:38:32	0.051
10/4/2007	7:39:32	0.047
10/4/2007	7:40:32	0.05
10/4/2007	7:41:32	0.058
10/4/2007	7:42:32	0.056
10/4/2007	7:43:32	0.055
10/4/2007	7:44:32	0.046
10/4/2007	7:45:32	0.048
10/4/2007	7:46:32	0.049
10/4/2007	7:47:32	0.046
10/4/2007	7:48:32	0.061
10/4/2007	7:49:32	0.054
10/4/2007	7:50:32	0.053
10/4/2007	7:51:32	0.049
10/4/2007	7:52:32	0.125
10/4/2007	7:53:32	0.058
10/4/2007	7:54:32	0.055
10/4/2007	7:55:32	0.055
10/4/2007	7:56:32	0.05
10/4/2007	7:57:32	0.048
10/4/2007	7:58:32	0.05
10/4/2007	7:59:32	0.044
10/4/2007	8:00:32	0.047
10/4/2007	8:01:32	0.059
10/4/2007	8:02:32	0.058
10/4/2007	8:03:32	0.046
10/4/2007	8:04:32	0.053
10/4/2007	8:05:32	0.052
10/4/2007	8:06:32	0.049
10/4/2007	8:07:32	0.047
10/4/2007	8:08:32	0.047
10/4/2007	8:09:32	0.048
10/4/2007	8:10:32	0.045
10/4/2007	8:11:32	0.047
10/4/2007	8:12:32	0.062
10/4/2007	8:13:32	0.072
10/4/2007	8:14:32	0.065
10/4/2007	8:15:32	0.046
10/4/2007	8:16:32	0.048
10/4/2007	8:17:32	0.051
10/4/2007	8:18:32	0.052
10/4/2007	8:19:32	0.043
10/4/2007	8:20:32	0.055
10/4/2007	8:21:32	0.056
10/4/2007	8:22:32	0.058

10/4/2007	8:23:32	0.049
10/4/2007	8:24:32	0.05
10/4/2007	8:25:32	0.047
10/4/2007	8:26:32	0.053
10/4/2007	8:27:32	0.062
10/4/2007	8:28:32	0.051
10/4/2007	8:29:32	0.051
10/4/2007	8:30:32	0.056
10/4/2007	8:31:32	0.053
10/4/2007	8:32:32	0.05
10/4/2007	8:33:32	0.058
10/4/2007	8:34:32	0.064
10/4/2007	8:35:32	0.054
10/4/2007	8:36:32	0.049
10/4/2007	8:37:32	0.048
10/4/2007	8:38:32	0.057
10/4/2007	8:39:32	0.085
10/4/2007	8:40:32	0.079
10/4/2007	8:41:32	0.078
10/4/2007	8:42:32	0.06
10/4/2007	8:43:32	0.077
10/4/2007	8:44:32	0.059
10/4/2007	8:45:32	0.077
10/4/2007	8:46:32	0.135
10/4/2007	8:47:32	0.095
10/4/2007	8:48:32	0.064
10/4/2007	8:49:32	0.069
10/4/2007	8:50:32	0.075
10/4/2007	8:51:32	0.065
10/4/2007	8:52:32	0.065
10/4/2007	8:53:32	0.087
10/4/2007	8:54:32	0.104
10/4/2007	8:55:32	0.073
10/4/2007	8:56:32	0.07
10/4/2007	8:57:32	0.061
10/4/2007	8:58:32	0.056
10/4/2007	8:59:32	0.061
10/4/2007	9:00:32	0.065
10/4/2007	9:01:32	0.058
10/4/2007	9:02:32	0.055
10/4/2007	9:03:32	0.047
10/4/2007	9:04:32	0.053
10/4/2007	9:05:32	0.044
10/4/2007	9:06:32	0.051
10/4/2007	9:07:32	0.04
10/4/2007	9:08:32	0.053
10/4/2007	9:09:32	0.046
10/4/2007	9:10:32	0.055
10/4/2007	9:11:32	0.049
10/4/2007	9:12:32	0.039
10/4/2007	9:13:32	0.042

10/4/2007	9:14:32	0.047
10/4/2007	9:15:32	0.053
10/4/2007	9:16:32	0.056
10/4/2007	9:17:32	0.076
10/4/2007	9:18:32	0.051
10/4/2007	9:19:32	0.052
10/4/2007	9:20:32	0.057
10/4/2007	9:21:32	0.05
10/4/2007	9:22:32	0.057
10/4/2007	9:23:32	0.064
10/4/2007	9:24:32	0.091
10/4/2007	9:25:32	0.076
10/4/2007	9:26:32	0.065
10/4/2007	9:27:32	0.053
10/4/2007	9:28:32	0.049
10/4/2007	9:29:32	0.073
10/4/2007	9:30:32	0.046
10/4/2007	9:31:32	0.043
10/4/2007	9:32:32	0.045
10/4/2007	9:33:32	0.048
10/4/2007	9:34:32	0.053
10/4/2007	9:35:32	0.041
10/4/2007	9:36:32	0.052
10/4/2007	9:37:32	0.044
10/4/2007	9:38:32	0.044
10/4/2007	9:39:32	0.046
10/4/2007	9:40:32	0.043
10/4/2007	9:41:32	0.061
10/4/2007	9:42:32	0.06
10/4/2007	9:43:32	0.045
10/4/2007	9:44:32	0.043
10/4/2007	9:45:32	0.065
10/4/2007	9:46:32	0.05
10/4/2007	9:47:32	0.045
10/4/2007	9:48:32	0.055
10/4/2007	9:49:32	0.048
10/4/2007	9:50:32	0.07
10/4/2007	9:51:32	0.051
10/4/2007	9:52:32	0.046
10/4/2007	9:53:32	0.056
10/4/2007	9:54:32	0.067
10/4/2007	9:55:32	0.073
10/4/2007	9:56:32	0.099
10/4/2007	9:57:32	0.086
10/4/2007	9:58:32	0.199
10/4/2007	9:59:32	0.154
10/4/2007	10:00:32	0.121
10/4/2007	10:01:32	0.187
10/4/2007	10:02:32	0.08
10/4/2007	10:03:32	0.067
10/4/2007	10:04:32	0.089

10/4/2007	10:05:32	0.139
10/4/2007	10:06:32	0.204
10/4/2007	10:07:32	0.083
10/4/2007	10:08:32	0.055
10/4/2007	10:09:32	0.052
10/4/2007	10:10:32	0.058
10/4/2007	10:11:32	0.052
10/4/2007	10:12:32	0.053
10/4/2007	10:13:32	0.049
10/4/2007	10:14:32	0.059
10/4/2007	10:15:32	0.108
10/4/2007	10:16:32	0.065
10/4/2007	10:17:32	0.057
10/4/2007	10:18:32	0.066
10/4/2007	10:19:32	0.085
10/4/2007	10:20:32	0.062
10/4/2007	10:21:32	0.06
10/4/2007	10:22:32	0.061
10/4/2007	10:23:32	0.059
10/4/2007	10:24:32	0.063
10/4/2007	10:25:32	0.064
10/4/2007	10:26:32	0.061
10/4/2007	10:27:32	0.062
10/4/2007	10:28:32	0.052
10/4/2007	10:29:32	0.053
10/4/2007	10:30:32	0.049
10/4/2007	10:31:32	0.051
10/4/2007	10:32:32	0.053
10/4/2007	10:33:32	0.059
10/4/2007	10:34:32	0.056
10/4/2007	10:35:32	0.138
10/4/2007	10:36:32	0.116
10/4/2007	10:37:32	0.085
10/4/2007	10:38:32	0.115
10/4/2007	10:39:32	0.057
10/4/2007	10:40:32	0.062
10/4/2007	10:41:32	0.054
10/4/2007	10:42:32	0.057
10/4/2007	10:43:32	0.081
10/4/2007	10:44:32	0.1
10/4/2007	10:45:32	0.093
10/4/2007	10:46:32	0.071
10/4/2007	10:47:32	0.068
10/4/2007	10:48:32	0.114
10/4/2007	10:49:32	0.116
10/4/2007	10:50:32	0.052
10/4/2007	10:51:32	0.051
10/4/2007	10:52:32	0.048
10/4/2007	10:53:32	0.057
10/4/2007	10:54:32	0.048
10/4/2007	10:55:32	0.049

10/4/2007	10:56:32	0.048
10/4/2007	10:57:32	0.06
10/4/2007	10:58:32	0.05
10/4/2007	10:59:32	0.088
10/4/2007	11:00:32	0.115
10/4/2007	11:01:32	0.144
10/4/2007	11:02:32	0.169
10/4/2007	11:03:32	0.052
10/4/2007	11:04:32	0.114
10/4/2007	11:05:32	0.09
10/4/2007	11:06:32	0.044
10/4/2007	11:07:32	0.046
10/4/2007	11:08:32	0.054
10/4/2007	11:09:32	0.046
10/4/2007	11:10:32	0.047
10/4/2007	11:11:32	0.046
10/4/2007	11:12:32	0.045
10/4/2007	11:13:32	0.046
10/4/2007	11:14:32	0.044
10/4/2007	11:15:32	0.046
10/4/2007	11:16:32	0.045
10/4/2007	11:17:32	0.044
10/4/2007	11:18:32	0.044
10/4/2007	11:19:32	0.071
10/4/2007	11:20:32	0.064
10/4/2007	11:21:32	0.05
10/4/2007	11:22:32	0.048
10/4/2007	11:23:32	0.046
10/4/2007	11:24:32	0.065
10/4/2007	11:25:32	0.058
10/4/2007	11:26:32	0.047
10/4/2007	11:27:32	0.047
10/4/2007	11:28:32	0.117
10/4/2007	11:29:32	0.083
10/4/2007	11:30:32	0.052
10/4/2007	11:31:32	0.055
10/4/2007	11:32:32	0.052
10/4/2007	11:33:32	0.06
10/4/2007	11:34:32	0.072
10/4/2007	11:35:32	0.059
10/4/2007	11:36:32	0.097
10/4/2007	11:37:32	0.046
10/4/2007	11:38:32	0.048
10/4/2007	11:39:32	0.05
10/4/2007	11:40:32	0.065
10/4/2007	11:41:32	0.064
10/4/2007	11:42:32	0.054
10/4/2007	11:43:32	0.056
10/4/2007	11:44:32	0.044
10/4/2007	11:45:32	0.045
10/4/2007	11:46:32	0.048

10/4/2007	11:47:32	0.047
10/4/2007	11:48:32	0.045
10/4/2007	11:49:32	0.044
10/4/2007	11:50:32	0.045
10/4/2007	11:51:32	0.043
10/4/2007	11:52:32	0.044
10/4/2007	11:53:32	0.045
10/4/2007	11:54:32	0.046
10/4/2007	11:55:32	0.041
10/4/2007	11:56:32	0.041
10/4/2007	11:57:32	0.041
10/4/2007	11:58:32	0.041
10/4/2007	11:59:32	0.064
10/4/2007	12:00:32	0.071
10/4/2007	12:01:32	0.043
10/4/2007	12:02:32	0.041
10/4/2007	12:03:32	0.04
10/4/2007	12:04:32	0.041
10/4/2007	12:05:32	0.04
10/4/2007	12:06:32	0.041
10/4/2007	12:07:32	0.04
10/4/2007	12:08:32	0.038
10/4/2007	12:09:32	0.043
10/4/2007	12:10:32	0.101
10/4/2007	12:11:32	0.078
10/4/2007	12:12:32	0.055
10/4/2007	12:13:32	0.043
10/4/2007	12:14:32	0.041
10/4/2007	12:15:32	0.039
10/4/2007	12:16:32	0.039
10/4/2007	12:17:32	0.04
10/4/2007	12:18:32	0.04
10/4/2007	12:19:32	0.043
10/4/2007	12:20:32	0.052
10/4/2007	12:21:32	0.049
10/4/2007	12:22:32	0.047
10/4/2007	12:23:32	0.107
10/4/2007	12:24:32	0.052
10/4/2007	12:25:32	0.051
10/4/2007	12:26:32	0.039
10/4/2007	12:27:32	0.041
10/4/2007	12:28:32	0.039
10/4/2007	12:29:32	0.04
10/4/2007	12:30:32	0.04
10/4/2007	12:31:32	0.042
10/4/2007	12:32:32	0.037
10/4/2007	12:33:32	0.04
10/4/2007	12:34:32	0.039
10/4/2007	12:35:32	0.039
10/4/2007	12:36:32	0.071
10/4/2007	12:37:32	0.135

10/4/2007	12:38:32	0.061
10/4/2007	12:39:32	0.148
10/4/2007	12:40:32	0.166
10/4/2007	12:41:32	0.117
10/4/2007	12:42:32	0.24
10/4/2007	12:43:32	0.084
10/4/2007	12:44:32	0.046
10/4/2007	12:45:32	0.069
10/4/2007	12:46:32	0.067
10/4/2007	12:47:32	0.076
10/4/2007	12:48:32	0.055
10/4/2007	12:49:32	0.042
10/4/2007	12:50:32	0.055
10/4/2007	12:51:32	0.114
10/4/2007	12:52:32	0.06
10/4/2007	12:53:32	0.065
10/4/2007	12:54:32	0.105
10/4/2007	12:55:32	0.084
10/4/2007	12:56:32	0.06
10/4/2007	12:57:32	0.064
10/4/2007	12:58:32	0.067
10/4/2007	12:59:32	0.051
10/4/2007	13:00:32	0.073
10/4/2007	13:01:32	0.097
10/4/2007	13:02:32	0.057
10/4/2007	13:03:32	0.07
10/4/2007	13:04:32	0.135
10/4/2007	13:05:32	0.085
10/4/2007	13:06:32	0.145
10/4/2007	13:07:32	0.301
10/4/2007	13:08:32	0.066
10/4/2007	13:09:32	0.101
10/4/2007	13:10:32	0.054
10/4/2007	13:11:32	0.051
10/4/2007	13:12:32	0.04
10/4/2007	13:13:32	0.153
10/4/2007	13:14:32	0.109
10/4/2007	13:15:32	0.053
10/4/2007	13:16:32	0.092
10/4/2007	13:17:32	0.112
10/4/2007	13:18:32	0.058
10/4/2007	13:19:32	0.058
10/4/2007	13:20:32	0.055
10/4/2007	13:21:32	0.081
10/4/2007	13:22:32	0.072
10/4/2007	13:23:32	0.09
10/4/2007	13:24:32	0.074
10/4/2007	13:25:32	0.086
10/4/2007	13:26:32	0.053
10/4/2007	13:27:32	0.053
10/4/2007	13:28:32	0.042

10/4/2007	13:29:32	0.052
10/4/2007	13:30:32	0.056
10/4/2007	13:31:32	0.038
10/4/2007	13:32:32	0.049
10/4/2007	13:33:32	0.055
10/4/2007	13:34:32	0.047
10/4/2007	13:35:32	0.046
10/4/2007	13:36:32	0.062
10/4/2007	13:37:32	0.115
10/4/2007	13:38:32	0.072
10/4/2007	13:39:32	0.081
10/4/2007	13:40:32	0.049
10/4/2007	13:41:32	0.034
10/4/2007	13:42:32	0.046
10/4/2007	13:43:32	0.107
10/4/2007	13:44:32	0.051
10/4/2007	13:45:32	0.045
10/4/2007	13:46:32	0.09
10/4/2007	13:47:32	0.092
10/4/2007	13:48:32	0.043
10/4/2007	13:49:32	0.046
10/4/2007	13:50:32	0.08
10/4/2007	13:51:32	0.052
10/4/2007	13:52:32	0.047
10/4/2007	13:53:32	0.051
10/4/2007	13:54:32	0.046
10/4/2007	13:55:32	0.052
10/4/2007	13:56:32	0.079
10/4/2007	13:57:32	0.053
10/4/2007	13:58:32	0.044
10/4/2007	13:59:32	0.04
10/4/2007	14:00:32	0.054
10/4/2007	14:01:32	0.041
10/4/2007	14:02:32	0.063
10/4/2007	14:03:32	0.055
10/4/2007	14:04:32	0.043
10/4/2007	14:05:32	0.038
10/4/2007	14:06:32	0.058
10/4/2007	14:07:32	0.036
10/4/2007	14:08:32	0.043
10/4/2007	14:09:32	0.041
10/4/2007	14:10:32	0.043
10/4/2007	14:11:32	0.034
10/4/2007	14:12:32	0.046
10/4/2007	14:13:32	0.053
10/4/2007	14:14:32	0.039
10/4/2007	14:15:32	0.033
10/4/2007	14:16:32	0.033
10/4/2007	14:17:32	0.033
10/4/2007	14:18:32	0.034
10/4/2007	14:19:32	0.033

10/4/2007	14:20:32	0.031
10/4/2007	14:21:32	0.032
10/4/2007	14:22:32	0.034
10/4/2007	14:23:32	0.031
10/4/2007	14:24:32	0.031
10/4/2007	14:25:32	0.031
10/4/2007	14:26:32	0.031
10/4/2007	14:27:32	0.031
10/4/2007	14:28:32	0.03
10/4/2007	14:29:32	0.031
10/4/2007	14:30:32	0.031
10/4/2007	14:31:32	0.032
10/4/2007	14:32:32	0.032
10/4/2007	14:33:32	0.033
10/4/2007	14:34:32	0.054
10/4/2007	14:35:32	0.037
10/4/2007	14:36:32	0.045
10/4/2007	14:37:32	0.044
10/4/2007	14:38:32	0.036
10/4/2007	14:39:32	0.033
10/4/2007	14:40:32	0.057
10/4/2007	14:41:32	0.043
10/4/2007	14:42:32	0.042
10/4/2007	14:43:32	0.035
10/4/2007	14:44:32	0.042
10/4/2007	14:45:32	0.031
10/4/2007	14:46:32	0.036
10/4/2007	14:47:32	0.041
10/4/2007	14:48:32	0.055
10/4/2007	14:49:32	0.051
10/4/2007	14:50:32	0.053
10/4/2007	14:51:32	0.036
10/4/2007	14:52:32	0.034
10/4/2007	14:53:32	0.055
10/4/2007	14:54:32	0.035
10/4/2007	14:55:32	0.033
10/4/2007	14:56:32	0.044
10/4/2007	14:57:32	0.135
10/4/2007	14:58:32	0.11
10/4/2007	14:59:32	0.048
10/4/2007	15:00:32	0.066
10/4/2007	15:01:32	0.169
10/4/2007	15:02:32	0.118
10/4/2007	15:03:32	0.13
10/4/2007	15:04:32	0.09
10/4/2007	15:05:32	0.106
10/4/2007	15:06:32	0.086
10/4/2007	15:07:32	0.083
10/4/2007	15:08:32	0.154
10/4/2007	15:09:32	0.314
10/4/2007	15:10:32	0.136

10/4/2007	15:11:32	0.101
10/4/2007	15:12:32	0.071
10/4/2007	15:13:32	0.057
10/4/2007	15:14:32	0.086
10/4/2007	15:15:32	0.048
10/4/2007	15:16:32	0.065
10/4/2007	15:17:32	0.055
10/4/2007	15:18:32	0.085
10/4/2007	15:19:32	0.081
10/4/2007	15:20:32	0.045
10/4/2007	15:21:32	0.059
10/4/2007	15:22:32	0.054
10/4/2007	15:23:32	0.077
10/4/2007	15:24:32	0.054
10/4/2007	15:25:32	0.084
10/4/2007	15:26:32	0.048
10/4/2007	15:27:32	0.036
10/4/2007	15:28:32	0.041
10/4/2007	15:29:32	0.036
10/4/2007	15:30:32	0.046
10/4/2007	15:31:32	0.054
10/4/2007	15:32:32	0.043
10/4/2007	15:33:32	0.035
10/4/2007	15:34:32	0.057
10/4/2007	15:35:32	0.046
10/4/2007	15:36:32	0.083
10/4/2007	15:37:32	0.115
10/4/2007	15:38:32	0.034
10/4/2007	15:39:32	0.066
10/4/2007	15:40:32	0.126
10/4/2007	15:41:32	0.035
10/4/2007	15:42:32	0.048
10/4/2007	15:43:32	0.036
10/4/2007	15:44:32	0.043
10/4/2007	15:45:32	0.354
10/4/2007	15:46:32	0.081
10/4/2007	15:47:32	0.062
10/4/2007	15:48:32	0.213
10/4/2007	15:49:32	0.083
10/4/2007	15:50:32	0.07
10/4/2007	15:51:32	0.124
10/4/2007	15:52:32	0.035
10/4/2007	15:53:32	0.038
10/4/2007	15:54:32	0.068
10/4/2007	15:55:32	0.076
10/4/2007	15:56:32	0.069
10/4/2007	15:57:32	0.058
10/4/2007	15:58:32	0.086
10/4/2007	15:59:32	0.103
10/4/2007	16:00:32	0.269
10/4/2007	16:01:32	0.398

10/4/2007	16:02:32	0.187
10/4/2007	16:03:32	0.208
10/4/2007	16:04:32	0.295
10/4/2007	16:05:32	0.219
10/4/2007	16:06:32	0.106
10/4/2007	16:07:32	0.231
10/4/2007	16:08:32	0.108
10/4/2007	16:09:32	0.115
10/4/2007	16:10:32	0.107
10/4/2007	16:11:32	0.055
10/4/2007	16:12:32	0.097
10/4/2007	16:13:32	0.118
10/4/2007	16:14:32	0.175
10/4/2007	16:15:32	0.056
10/4/2007	16:16:32	0.192
10/4/2007	16:17:32	0.094
10/4/2007	16:18:32	0.11
10/4/2007	16:19:32	0.119
10/4/2007	16:20:32	0.273
10/4/2007	16:21:32	0.205
10/4/2007	16:22:32	0.139
10/4/2007	16:23:32	0.074
10/4/2007	16:24:32	0.142
10/4/2007	16:25:32	0.194
10/4/2007	16:26:32	0.144
10/4/2007	16:27:32	0.249
10/4/2007	16:28:32	0.134
10/4/2007	16:29:32	0.08
10/4/2007	16:30:32	0.043
10/4/2007	16:31:32	0.043

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 6
Test Abbreviation:
Start Date: 10/5/2007
Start Time: 7:09:51
Duration (dd:hh:mm:ss): 00:08:15:00
Time constant (seconds): 1
Log Interval (mm:ss): 15:00
Number of points: 33
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.093
Minimum: 0.063
Time of Minimum: 14:39:51
Date of Minimum: 10/5/2007
Maximum: 0.139
Time of Maximum: 7:39:51
Date of Maximum: 10/5/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/5/2007	7:24:51	0.101
10/5/2007	7:39:51	0.139
10/5/2007	7:54:51	0.126
10/5/2007	8:09:51	0.1
10/5/2007	8:24:51	0.103
10/5/2007	8:39:51	0.109
10/5/2007	8:54:51	0.1
10/5/2007	9:09:51	0.089
10/5/2007	9:24:51	0.099
10/5/2007	9:39:51	0.084
10/5/2007	9:54:51	0.088
10/5/2007	10:09:51	0.089
10/5/2007	10:24:51	0.093
10/5/2007	10:39:51	0.095
10/5/2007	10:54:51	0.118
10/5/2007	11:09:51	0.097
10/5/2007	11:24:51	0.091
10/5/2007	11:39:51	0.096
10/5/2007	11:54:51	0.096
10/5/2007	12:09:51	0.09
10/5/2007	12:24:51	0.084
10/5/2007	12:39:51	0.075
10/5/2007	12:54:51	0.086
10/5/2007	13:09:51	0.09
10/5/2007	13:24:51	0.097
10/5/2007	13:39:51	0.094
10/5/2007	13:54:51	0.106
10/5/2007	14:09:51	0.085
10/5/2007	14:24:51	0.079
10/5/2007	14:39:51	0.063
10/5/2007	14:54:51	0.074
10/5/2007	15:09:51	0.073
10/5/2007	15:24:51	0.066

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 7
 Test Abbreviation:
 Start Date: 10/6/2007
 Start Time: 6:58:48
 Duration (dd:hh:mm:ss): 00:10:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 40
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.069
 Minimum: 0.028
 Time of Minimum: 16:28:48
 Date of Minimum: 10/6/2007
 Maximum: 0.125
 Time of Maximum: 9:58:48
 Date of Maximum: 10/6/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/6/2007	7:13:48	0.068
10/6/2007	7:28:48	0.074
10/6/2007	7:43:48	0.076
10/6/2007	7:58:48	0.074
10/6/2007	8:13:48	0.077
10/6/2007	8:28:48	0.079
10/6/2007	8:43:48	0.081
10/6/2007	8:58:48	0.08
10/6/2007	9:13:48	0.082
10/6/2007	9:28:48	0.091
10/6/2007	9:43:48	0.095
10/6/2007	9:58:48	0.125
10/6/2007	10:13:48	0.097
10/6/2007	10:28:48	0.094
10/6/2007	10:43:48	0.094
10/6/2007	10:58:48	0.1
10/6/2007	11:13:48	0.08
10/6/2007	11:28:48	0.092
10/6/2007	11:43:48	0.085
10/6/2007	11:58:48	0.066
10/6/2007	12:13:48	0.064
10/6/2007	12:28:48	0.074
10/6/2007	12:43:48	0.074
10/6/2007	12:58:48	0.069
10/6/2007	13:13:48	0.064
10/6/2007	13:28:48	0.074
10/6/2007	13:43:48	0.069
10/6/2007	13:58:48	0.065
10/6/2007	14:13:48	0.05
10/6/2007	14:28:48	0.042
10/6/2007	14:43:48	0.043
10/6/2007	14:58:48	0.047
10/6/2007	15:13:48	0.035
10/6/2007	15:28:48	0.036
10/6/2007	15:43:48	0.037
10/6/2007	15:58:48	0.056
10/6/2007	16:13:48	0.038
10/6/2007	16:28:48	0.028
10/6/2007	16:43:48	0.031
10/6/2007	16:58:48	0.04

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/8/2007	700	0.056
10/8/2007	730	0.064
10/8/2007	800	0.063
10/8/2007	830	0.061
10/8/2007	900	0.058
10/8/2007	930	0.052
10/8/2007	1000	0.048
10/8/2007	1030	0.045
10/8/2007	1100	0.043
10/8/2007	1130	0.044
10/8/2007	1200	0.044
10/8/2007	1230	0.042
10/8/2007	1300	0.042
10/8/2007	1330	0.041
10/8/2007	1400	0.041
10/8/2007	1430	0.043
10/8/2007	1500	0.044
10/8/2007	1530	0.042
10/8/2007	1600	0.043

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/9/2007	700	0.011
10/9/2007	730	0.015
10/9/2007	800	0.018
10/9/2007	830	0.021
10/9/2007	900	0.024
10/9/2007	930	0.026
10/9/2007	1000	0.029
10/9/2007	1030	0.031
10/9/2007	1100	0.031
10/9/2007	1130	0.033
10/9/2007	1200	0.033
10/9/2007	1230	0.033
10/9/2007	1300	0.033
10/9/2007	1330	0.033
10/9/2007	1400	0.033
10/9/2007	1430	0.033
10/9/2007	1500	0.033
10/9/2007	1530	0.033
10/9/2007	1600	0.033

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/11/2007	700	0.016
10/11/2007	730	0.014
10/11/2007	800	0.018
10/11/2007	830	0.02
10/11/2007	900	0.016
10/11/2007	930	0.023
10/11/2007	1000	0.018
10/11/2007	1030	0.019
10/11/2007	1100	0.026
10/11/2007	1130	0.007
10/11/2007	1200	0.006
10/11/2007	1230	0.010
10/11/2007	1300	0.006
10/11/2007	1330	0.008
10/11/2007	1400	0.014
10/11/2007	1430	0.082
10/11/2007	1500	0.048
10/11/2007	1530	0.002
10/11/2007	1600	0.013
10/11/2007	1630	0.042

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 4
 Test Abbreviation:
 Start Date: 10/12/2007
 Start Time: 7:09:19
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.016
 Minimum: 0.007
 Time of Minimum: 10:39:19
 Date of Minimum: 10/12/2007
 Maximum: 0.047
 Time of Maximum: 11:24:19
 Date of Maximum: 10/12/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/12/2007	7:24:19	0.011
10/12/2007	7:39:19	0.017
10/12/2007	7:54:19	0.017
10/12/2007	8:09:19	0.009
10/12/2007	8:24:19	0.014
10/12/2007	8:39:19	0.018
10/12/2007	8:54:19	0.015
10/12/2007	9:09:19	0.015
10/12/2007	9:24:19	0.011
10/12/2007	9:39:19	0.013
10/12/2007	9:54:19	0.016
10/12/2007	10:09:19	0.01
10/12/2007	10:24:19	0.01
10/12/2007	10:39:19	0.007
10/12/2007	10:54:19	0.007
10/12/2007	11:09:19	0.007
10/12/2007	11:24:19	0.047
10/12/2007	11:39:19	0.024
10/12/2007	11:54:19	0.017
10/12/2007	12:09:19	0.014
10/12/2007	12:24:19	0.01
10/12/2007	12:39:19	0.007
10/12/2007	12:54:19	0.018
10/12/2007	13:09:19	0.017
10/12/2007	13:24:19	0.02
10/12/2007	13:39:19	0.02
10/12/2007	13:54:19	0.042
10/12/2007	14:09:19	0.014
10/12/2007	14:24:19	0.015
10/12/2007	14:39:19	0.02
10/12/2007	14:54:19	0.022
10/12/2007	15:09:19	0.024
10/12/2007	15:24:19	0.009
10/12/2007	15:39:19	0.009
10/12/2007	15:54:19	0.007
10/12/2007	16:09:19	0.008

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 5
Test Abbreviation:
Start Date: 10/13/2007
Start Time: 9:16:21
Duration (dd:hh:mm:ss): 00:07:15:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 435
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.04
Minimum: 0.008
Time of Minimum: 13:33:21
Date of Minimum: 10/13/2007
Maximum: 0.466
Time of Maximum: 15:31:21
Date of Maximum: 10/13/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/13/2007	9:17:21	0.03
10/13/2007	9:18:21	0.021
10/13/2007	9:19:21	0.016
10/13/2007	9:20:21	0.027
10/13/2007	9:21:21	0.057
10/13/2007	9:22:21	0.023
10/13/2007	9:23:21	0.015
10/13/2007	9:24:21	0.014
10/13/2007	9:25:21	0.024
10/13/2007	9:26:21	0.022
10/13/2007	9:27:21	0.045
10/13/2007	9:28:21	0.026
10/13/2007	9:29:21	0.021
10/13/2007	9:30:21	0.02
10/13/2007	9:31:21	0.012
10/13/2007	9:32:21	0.016
10/13/2007	9:33:21	0.021
10/13/2007	9:34:21	0.012
10/13/2007	9:35:21	0.021
10/13/2007	9:36:21	0.012
10/13/2007	9:37:21	0.011
10/13/2007	9:38:21	0.016
10/13/2007	9:39:21	0.019

10/13/2007	9:40:21	0.031
10/13/2007	9:41:21	0.029
10/13/2007	9:42:21	0.014
10/13/2007	9:43:21	0.012
10/13/2007	9:44:21	0.013
10/13/2007	9:45:21	0.013
10/13/2007	9:46:21	0.012
10/13/2007	9:47:21	0.015
10/13/2007	9:48:21	0.014
10/13/2007	9:49:21	0.015
10/13/2007	9:50:21	0.028
10/13/2007	9:51:21	0.029
10/13/2007	9:52:21	0.018
10/13/2007	9:53:21	0.021
10/13/2007	9:54:21	0.028
10/13/2007	9:55:21	0.018
10/13/2007	9:56:21	0.014
10/13/2007	9:57:21	0.016
10/13/2007	9:58:21	0.019
10/13/2007	9:59:21	0.017
10/13/2007	10:00:21	0.035
10/13/2007	10:01:21	0.044
10/13/2007	10:02:21	0.027
10/13/2007	10:03:21	0.052
10/13/2007	10:04:21	0.034
10/13/2007	10:05:21	0.024
10/13/2007	10:06:21	0.025
10/13/2007	10:07:21	0.016
10/13/2007	10:08:21	0.013
10/13/2007	10:09:21	0.023
10/13/2007	10:10:21	0.016
10/13/2007	10:11:21	0.014
10/13/2007	10:12:21	0.011
10/13/2007	10:13:21	0.011
10/13/2007	10:14:21	0.013
10/13/2007	10:15:21	0.015
10/13/2007	10:16:21	0.012
10/13/2007	10:17:21	0.015
10/13/2007	10:18:21	0.023
10/13/2007	10:19:21	0.035
10/13/2007	10:20:21	0.041
10/13/2007	10:21:21	0.045
10/13/2007	10:22:21	0.032
10/13/2007	10:23:21	0.014
10/13/2007	10:24:21	0.015
10/13/2007	10:25:21	0.016
10/13/2007	10:26:21	0.018
10/13/2007	10:27:21	0.026
10/13/2007	10:28:21	0.021
10/13/2007	10:29:21	0.016
10/13/2007	10:30:21	0.011

10/13/2007	10:31:21	0.014
10/13/2007	10:32:21	0.024
10/13/2007	10:33:21	0.022
10/13/2007	10:34:21	0.023
10/13/2007	10:35:21	0.02
10/13/2007	10:36:21	0.011
10/13/2007	10:37:21	0.012
10/13/2007	10:38:21	0.023
10/13/2007	10:39:21	0.036
10/13/2007	10:40:21	0.031
10/13/2007	10:41:21	0.033
10/13/2007	10:42:21	0.02
10/13/2007	10:43:21	0.018
10/13/2007	10:44:21	0.034
10/13/2007	10:45:21	0.194
10/13/2007	10:46:21	0.058
10/13/2007	10:47:21	0.024
10/13/2007	10:48:21	0.012
10/13/2007	10:49:21	0.015
10/13/2007	10:50:21	0.021
10/13/2007	10:51:21	0.012
10/13/2007	10:52:21	0.01
10/13/2007	10:53:21	0.172
10/13/2007	10:54:21	0.096
10/13/2007	10:55:21	0.046
10/13/2007	10:56:21	0.012
10/13/2007	10:57:21	0.036
10/13/2007	10:58:21	0.028
10/13/2007	10:59:21	0.083
10/13/2007	11:00:21	0.075
10/13/2007	11:01:21	0.065
10/13/2007	11:02:21	0.052
10/13/2007	11:03:21	0.014
10/13/2007	11:04:21	0.095
10/13/2007	11:05:21	0.051
10/13/2007	11:06:21	0.077
10/13/2007	11:07:21	0.029
10/13/2007	11:08:21	0.035
10/13/2007	11:09:21	0.019
10/13/2007	11:10:21	0.012
10/13/2007	11:11:21	0.016
10/13/2007	11:12:21	0.021
10/13/2007	11:13:21	0.012
10/13/2007	11:14:21	0.02
10/13/2007	11:15:21	0.013
10/13/2007	11:16:21	0.066
10/13/2007	11:17:21	0.026
10/13/2007	11:18:21	0.037
10/13/2007	11:19:21	0.071
10/13/2007	11:20:21	0.013
10/13/2007	11:21:21	0.013

10/13/2007	11:22:21	0.009
10/13/2007	11:23:21	0.01
10/13/2007	11:24:21	0.009
10/13/2007	11:25:21	0.014
10/13/2007	11:26:21	0.018
10/13/2007	11:27:21	0.061
10/13/2007	11:28:21	0.064
10/13/2007	11:29:21	0.09
10/13/2007	11:30:21	0.039
10/13/2007	11:31:21	0.012
10/13/2007	11:32:21	0.01
10/13/2007	11:33:21	0.01
10/13/2007	11:34:21	0.01
10/13/2007	11:35:21	0.011
10/13/2007	11:36:21	0.011
10/13/2007	11:37:21	0.011
10/13/2007	11:38:21	0.012
10/13/2007	11:39:21	0.014
10/13/2007	11:40:21	0.032
10/13/2007	11:41:21	0.116
10/13/2007	11:42:21	0.101
10/13/2007	11:43:21	0.033
10/13/2007	11:44:21	0.058
10/13/2007	11:45:21	0.036
10/13/2007	11:46:21	0.019
10/13/2007	11:47:21	0.066
10/13/2007	11:48:21	0.015
10/13/2007	11:49:21	0.036
10/13/2007	11:50:21	0.047
10/13/2007	11:51:21	0.035
10/13/2007	11:52:21	0.055
10/13/2007	11:53:21	0.042
10/13/2007	11:54:21	0.072
10/13/2007	11:55:21	0.094
10/13/2007	11:56:21	0.012
10/13/2007	11:57:21	0.01
10/13/2007	11:58:21	0.013
10/13/2007	11:59:21	0.01
10/13/2007	12:00:21	0.034
10/13/2007	12:01:21	0.016
10/13/2007	12:02:21	0.017
10/13/2007	12:03:21	0.012
10/13/2007	12:04:21	0.104
10/13/2007	12:05:21	0.123
10/13/2007	12:06:21	0.027
10/13/2007	12:07:21	0.011
10/13/2007	12:08:21	0.037
10/13/2007	12:09:21	0.055
10/13/2007	12:10:21	0.034
10/13/2007	12:11:21	0.024
10/13/2007	12:12:21	0.031

10/13/2007	12:13:21	0.038
10/13/2007	12:14:21	0.019
10/13/2007	12:15:21	0.034
10/13/2007	12:16:21	0.038
10/13/2007	12:17:21	0.114
10/13/2007	12:18:21	0.028
10/13/2007	12:19:21	0.038
10/13/2007	12:20:21	0.037
10/13/2007	12:21:21	0.046
10/13/2007	12:22:21	0.015
10/13/2007	12:23:21	0.018
10/13/2007	12:24:21	0.036
10/13/2007	12:25:21	0.045
10/13/2007	12:26:21	0.044
10/13/2007	12:27:21	0.048
10/13/2007	12:28:21	0.014
10/13/2007	12:29:21	0.037
10/13/2007	12:30:21	0.025
10/13/2007	12:31:21	0.061
10/13/2007	12:32:21	0.071
10/13/2007	12:33:21	0.049
10/13/2007	12:34:21	0.045
10/13/2007	12:35:21	0.028
10/13/2007	12:36:21	0.04
10/13/2007	12:37:21	0.02
10/13/2007	12:38:21	0.013
10/13/2007	12:39:21	0.015
10/13/2007	12:40:21	0.017
10/13/2007	12:41:21	0.025
10/13/2007	12:42:21	0.031
10/13/2007	12:43:21	0.037
10/13/2007	12:44:21	0.012
10/13/2007	12:45:21	0.013
10/13/2007	12:46:21	0.012
10/13/2007	12:47:21	0.014
10/13/2007	12:48:21	0.158
10/13/2007	12:49:21	0.021
10/13/2007	12:50:21	0.028
10/13/2007	12:51:21	0.054
10/13/2007	12:52:21	0.052
10/13/2007	12:53:21	0.017
10/13/2007	12:54:21	0.015
10/13/2007	12:55:21	0.015
10/13/2007	12:56:21	0.016
10/13/2007	12:57:21	0.02
10/13/2007	12:58:21	0.062
10/13/2007	12:59:21	0.016
10/13/2007	13:00:21	0.01
10/13/2007	13:01:21	0.018
10/13/2007	13:02:21	0.018
10/13/2007	13:03:21	0.014

10/13/2007	13:04:21	0.032
10/13/2007	13:05:21	0.017
10/13/2007	13:06:21	0.016
10/13/2007	13:07:21	0.011
10/13/2007	13:08:21	0.01
10/13/2007	13:09:21	0.01
10/13/2007	13:10:21	0.009
10/13/2007	13:11:21	0.012
10/13/2007	13:12:21	0.01
10/13/2007	13:13:21	0.011
10/13/2007	13:14:21	0.012
10/13/2007	13:15:21	0.009
10/13/2007	13:16:21	0.01
10/13/2007	13:17:21	0.018
10/13/2007	13:18:21	0.018
10/13/2007	13:19:21	0.026
10/13/2007	13:20:21	0.009
10/13/2007	13:21:21	0.01
10/13/2007	13:22:21	0.03
10/13/2007	13:23:21	0.017
10/13/2007	13:24:21	0.01
10/13/2007	13:25:21	0.014
10/13/2007	13:26:21	0.01
10/13/2007	13:27:21	0.026
10/13/2007	13:28:21	0.085
10/13/2007	13:29:21	0.021
10/13/2007	13:30:21	0.009
10/13/2007	13:31:21	0.013
10/13/2007	13:32:21	0.011
10/13/2007	13:33:21	0.008
10/13/2007	13:34:21	0.01
10/13/2007	13:35:21	0.012
10/13/2007	13:36:21	0.013
10/13/2007	13:37:21	0.013
10/13/2007	13:38:21	0.012
10/13/2007	13:39:21	0.013
10/13/2007	13:40:21	0.013
10/13/2007	13:41:21	0.012
10/13/2007	13:42:21	0.02
10/13/2007	13:43:21	0.014
10/13/2007	13:44:21	0.012
10/13/2007	13:45:21	0.017
10/13/2007	13:46:21	0.013
10/13/2007	13:47:21	0.01
10/13/2007	13:48:21	0.011
10/13/2007	13:49:21	0.011
10/13/2007	13:50:21	0.013
10/13/2007	13:51:21	0.017
10/13/2007	13:52:21	0.013
10/13/2007	13:53:21	0.013
10/13/2007	13:54:21	0.011

10/13/2007	13:55:21	0.009
10/13/2007	13:56:21	0.012
10/13/2007	13:57:21	0.019
10/13/2007	13:58:21	0.011
10/13/2007	13:59:21	0.012
10/13/2007	14:00:21	0.013
10/13/2007	14:01:21	0.011
10/13/2007	14:02:21	0.01
10/13/2007	14:03:21	0.009
10/13/2007	14:04:21	0.009
10/13/2007	14:05:21	0.009
10/13/2007	14:06:21	0.008
10/13/2007	14:07:21	0.009
10/13/2007	14:08:21	0.011
10/13/2007	14:09:21	0.012
10/13/2007	14:10:21	0.01
10/13/2007	14:11:21	0.023
10/13/2007	14:12:21	0.027
10/13/2007	14:13:21	0.057
10/13/2007	14:14:21	0.041
10/13/2007	14:15:21	0.027
10/13/2007	14:16:21	0.046
10/13/2007	14:17:21	0.042
10/13/2007	14:18:21	0.034
10/13/2007	14:19:21	0.041
10/13/2007	14:20:21	0.04
10/13/2007	14:21:21	0.03
10/13/2007	14:22:21	0.056
10/13/2007	14:23:21	0.026
10/13/2007	14:24:21	0.025
10/13/2007	14:25:21	0.02
10/13/2007	14:26:21	0.036
10/13/2007	14:27:21	0.018
10/13/2007	14:28:21	0.032
10/13/2007	14:29:21	0.044
10/13/2007	14:30:21	0.034
10/13/2007	14:31:21	0.044
10/13/2007	14:32:21	0.033
10/13/2007	14:33:21	0.025
10/13/2007	14:34:21	0.08
10/13/2007	14:35:21	0.043
10/13/2007	14:36:21	0.057
10/13/2007	14:37:21	0.035
10/13/2007	14:38:21	0.047
10/13/2007	14:39:21	0.052
10/13/2007	14:40:21	0.039
10/13/2007	14:41:21	0.073
10/13/2007	14:42:21	0.077
10/13/2007	14:43:21	0.057
10/13/2007	14:44:21	0.061
10/13/2007	14:45:21	0.032

10/13/2007	14:46:21	0.035
10/13/2007	14:47:21	0.055
10/13/2007	14:48:21	0.054
10/13/2007	14:49:21	0.043
10/13/2007	14:50:21	0.057
10/13/2007	14:51:21	0.048
10/13/2007	14:52:21	0.038
10/13/2007	14:53:21	0.043
10/13/2007	14:54:21	0.05
10/13/2007	14:55:21	0.042
10/13/2007	14:56:21	0.043
10/13/2007	14:57:21	0.056
10/13/2007	14:58:21	0.053
10/13/2007	14:59:21	0.045
10/13/2007	15:00:21	0.041
10/13/2007	15:01:21	0.032
10/13/2007	15:02:21	0.035
10/13/2007	15:03:21	0.031
10/13/2007	15:04:21	0.04
10/13/2007	15:05:21	0.044
10/13/2007	15:06:21	0.035
10/13/2007	15:07:21	0.052
10/13/2007	15:08:21	0.027
10/13/2007	15:09:21	0.037
10/13/2007	15:10:21	0.078
10/13/2007	15:11:21	0.052
10/13/2007	15:12:21	0.061
10/13/2007	15:13:21	0.063
10/13/2007	15:14:21	0.043
10/13/2007	15:15:21	0.046
10/13/2007	15:16:21	0.044
10/13/2007	15:17:21	0.045
10/13/2007	15:18:21	0.096
10/13/2007	15:19:21	0.068
10/13/2007	15:20:21	0.064
10/13/2007	15:21:21	0.199
10/13/2007	15:22:21	0.128
10/13/2007	15:23:21	0.1
10/13/2007	15:24:21	0.095
10/13/2007	15:25:21	0.043
10/13/2007	15:26:21	0.11
10/13/2007	15:27:21	0.181
10/13/2007	15:28:21	0.027
10/13/2007	15:29:21	0.186
10/13/2007	15:30:21	0.101
10/13/2007	15:31:21	0.466
10/13/2007	15:32:21	0.076
10/13/2007	15:33:21	0.078
10/13/2007	15:34:21	0.201
10/13/2007	15:35:21	0.101
10/13/2007	15:36:21	0.059

10/13/2007	15:37:21	0.283
10/13/2007	15:38:21	0.275
10/13/2007	15:39:21	0.194
10/13/2007	15:40:21	0.086
10/13/2007	15:41:21	0.101
10/13/2007	15:42:21	0.055
10/13/2007	15:43:21	0.185
10/13/2007	15:44:21	0.15
10/13/2007	15:45:21	0.09
10/13/2007	15:46:21	0.068
10/13/2007	15:47:21	0.075
10/13/2007	15:48:21	0.134
10/13/2007	15:49:21	0.165
10/13/2007	15:50:21	0.138
10/13/2007	15:51:21	0.078
10/13/2007	15:52:21	0.138
10/13/2007	15:53:21	0.078
10/13/2007	15:54:21	0.245
10/13/2007	15:55:21	0.202
10/13/2007	15:56:21	0.095
10/13/2007	15:57:21	0.053
10/13/2007	15:58:21	0.039
10/13/2007	15:59:21	0.046
10/13/2007	16:00:21	0.049
10/13/2007	16:01:21	0.063
10/13/2007	16:02:21	0.039
10/13/2007	16:03:21	0.018
10/13/2007	16:04:21	0.029
10/13/2007	16:05:21	0.044
10/13/2007	16:06:21	0.032
10/13/2007	16:07:21	0.035
10/13/2007	16:08:21	0.047
10/13/2007	16:09:21	0.038
10/13/2007	16:10:21	0.026
10/13/2007	16:11:21	0.041
10/13/2007	16:12:21	0.044
10/13/2007	16:13:21	0.033
10/13/2007	16:14:21	0.02
10/13/2007	16:15:21	0.029
10/13/2007	16:16:21	0.034
10/13/2007	16:17:21	0.036
10/13/2007	16:18:21	0.035
10/13/2007	16:19:21	0.029
10/13/2007	16:20:21	0.039
10/13/2007	16:21:21	0.032
10/13/2007	16:22:21	0.026
10/13/2007	16:23:21	0.032
10/13/2007	16:24:21	0.033
10/13/2007	16:25:21	0.018
10/13/2007	16:26:21	0.015
10/13/2007	16:27:21	0.014

10/13/2007	16:28:21	0.014
10/13/2007	16:29:21	0.018
10/13/2007	16:30:21	0.017
10/13/2007	16:31:21	0.012

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 6
 Test Abbreviation:
 Start Date: 10/15/2007
 Start Time: 7:13:27
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.025
 Minimum: 0.014
 Time of Minimum: 13:13:27
 Date of Minimum: 10/15/2007
 Maximum: 0.081
 Time of Maximum: 8:58:27
 Date of Maximum: 10/15/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/15/2007	7:28:27	0.038
10/15/2007	7:43:27	0.051
10/15/2007	7:58:27	0.024
10/15/2007	8:13:27	0.032
10/15/2007	8:28:27	0.027
10/15/2007	8:43:27	0.027
10/15/2007	8:58:27	0.081
10/15/2007	9:13:27	0.027
10/15/2007	9:28:27	0.021
10/15/2007	9:43:27	0.019
10/15/2007	9:58:27	0.027
10/15/2007	10:13:27	0.026
10/15/2007	10:28:27	0.025
10/15/2007	10:43:27	0.025
10/15/2007	10:58:27	0.028
10/15/2007	11:13:27	0.035
10/15/2007	11:28:27	0.022
10/15/2007	11:43:27	0.025
10/15/2007	11:58:27	0.021
10/15/2007	12:13:27	0.015
10/15/2007	12:28:27	0.017
10/15/2007	12:43:27	0.017
10/15/2007	12:58:27	0.016
10/15/2007	13:13:27	0.014
10/15/2007	13:28:27	0.02
10/15/2007	13:43:27	0.016
10/15/2007	13:58:27	0.027
10/15/2007	14:13:27	0.019
10/15/2007	14:28:27	0.019
10/15/2007	14:43:27	0.017
10/15/2007	14:58:27	0.019
10/15/2007	15:13:27	0.017
10/15/2007	15:28:27	0.023

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 7
 Test Abbreviation:
 Start Date: 10/16/2007
 Start Time: 7:07:49
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.025
 Minimum: 0.011
 Time of Minimum: 12:37:49
 Date of Minimum: 10/16/2007
 Maximum: 0.068
 Time of Maximum: 13:07:49
 Date of Maximum: 10/16/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/16/2007	7:22:49	0.014
10/16/2007	7:37:49	0.018
10/16/2007	7:52:49	0.019
10/16/2007	8:07:49	0.027
10/16/2007	8:22:49	0.021
10/16/2007	8:37:49	0.015
10/16/2007	8:52:49	0.016
10/16/2007	9:07:49	0.017
10/16/2007	9:22:49	0.019
10/16/2007	9:37:49	0.019
10/16/2007	9:52:49	0.02
10/16/2007	10:07:49	0.016
10/16/2007	10:22:49	0.017
10/16/2007	10:37:49	0.016
10/16/2007	10:52:49	0.015
10/16/2007	11:07:49	0.015
10/16/2007	11:22:49	0.016
10/16/2007	11:37:49	0.015
10/16/2007	11:52:49	0.017
10/16/2007	12:07:49	0.013
10/16/2007	12:22:49	0.013
10/16/2007	12:37:49	0.011
10/16/2007	12:52:49	0.025
10/16/2007	13:07:49	0.068
10/16/2007	13:22:49	0.03
10/16/2007	13:37:49	0.019
10/16/2007	13:52:49	0.023
10/16/2007	14:07:49	0.026
10/16/2007	14:22:49	0.028
10/16/2007	14:37:49	0.033
10/16/2007	14:52:49	0.035
10/16/2007	15:07:49	0.038
10/16/2007	15:22:49	0.038
10/16/2007	15:37:49	0.054
10/16/2007	15:52:49	0.058
10/16/2007	16:07:49	0.045

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 8
 Test Abbreviation:
 Start Date: 10/17/2007
 Start Time: 6:59:02
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.07
 Minimum: 0.031
 Time of Minimum: 7:29:02
 Date of Minimum: 10/17/2007
 Maximum: 0.151
 Time of Maximum: 8:44:02
 Date of Maximum: 10/17/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/17/2007	7:14:02	0.034
10/17/2007	7:29:02	0.031
10/17/2007	7:44:02	0.044
10/17/2007	7:59:02	0.071
10/17/2007	8:14:02	0.057
10/17/2007	8:29:02	0.096
10/17/2007	8:44:02	0.151
10/17/2007	8:59:02	0.106
10/17/2007	9:14:02	0.127
10/17/2007	9:29:02	0.063
10/17/2007	9:44:02	0.061
10/17/2007	9:59:02	0.059
10/17/2007	10:14:02	0.059
10/17/2007	10:29:02	0.059
10/17/2007	10:44:02	0.064
10/17/2007	10:59:02	0.069
10/17/2007	11:14:02	0.069
10/17/2007	11:29:02	0.061
10/17/2007	11:44:02	0.073
10/17/2007	11:59:02	0.062
10/17/2007	12:14:02	0.059
10/17/2007	12:29:02	0.056
10/17/2007	12:44:02	0.068
10/17/2007	12:59:02	0.08
10/17/2007	13:14:02	0.074
10/17/2007	13:29:02	0.078
10/17/2007	13:44:02	0.082
10/17/2007	13:59:02	0.078
10/17/2007	14:14:02	0.078
10/17/2007	14:29:02	0.076
10/17/2007	14:44:02	0.068
10/17/2007	14:59:02	0.056
10/17/2007	15:14:02	0.067
10/17/2007	15:29:02	0.074
10/17/2007	15:44:02	0.054
10/17/2007	15:59:02	0.065

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 1
 Test Abbreviation:
 Start Date: 10/18/2007
 Start Time: 7:18:29
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.072
 Minimum: 0.032
 Time of Minimum: 16:03:29
 Date of Minimum: 10/18/2007
 Maximum: 0.121
 Time of Maximum: 8:18:29
 Date of Maximum: 10/18/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/18/2007	7:33:29	0.093
10/18/2007	7:48:29	0.104
10/18/2007	8:03:29	0.104
10/18/2007	8:18:29	0.121
10/18/2007	8:33:29	0.104
10/18/2007	8:48:29	0.091
10/18/2007	9:03:29	0.092
10/18/2007	9:18:29	0.08
10/18/2007	9:33:29	0.095
10/18/2007	9:48:29	0.098
10/18/2007	10:03:29	0.089
10/18/2007	10:18:29	0.09
10/18/2007	10:33:29	0.083
10/18/2007	10:48:29	0.086
10/18/2007	11:03:29	0.073
10/18/2007	11:18:29	0.098
10/18/2007	11:33:29	0.068
10/18/2007	11:48:29	0.078
10/18/2007	12:03:29	0.055
10/18/2007	12:18:29	0.049
10/18/2007	12:33:29	0.048
10/18/2007	12:48:29	0.053
10/18/2007	13:03:29	0.062
10/18/2007	13:18:29	0.064
10/18/2007	13:33:29	0.069
10/18/2007	13:48:29	0.057
10/18/2007	14:03:29	0.07
10/18/2007	14:18:29	0.069
10/18/2007	14:33:29	0.049
10/18/2007	14:48:29	0.059
10/18/2007	15:03:29	0.053
10/18/2007	15:18:29	0.049
10/18/2007	15:33:29	0.039
10/18/2007	15:48:29	0.033
10/18/2007	16:03:29	0.032
10/18/2007	16:18:29	0.035

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 2
 Test Abbreviation:
 Start Date: 10/19/2007
 Start Time: 7:12:17
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.039
 Minimum: 0.014
 Time of Minimum: 15:27:17
 Date of Minimum: 10/19/2007
 Maximum: 0.075
 Time of Maximum: 9:12:17
 Date of Maximum: 10/19/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/19/2007	7:27:17	0.036
10/19/2007	7:42:17	0.045
10/19/2007	7:57:17	0.053
10/19/2007	8:12:17	0.065
10/19/2007	8:27:17	0.062
10/19/2007	8:42:17	0.047
10/19/2007	8:57:17	0.039
10/19/2007	9:12:17	0.075
10/19/2007	9:27:17	0.049
10/19/2007	9:42:17	0.05
10/19/2007	9:57:17	0.047
10/19/2007	10:12:17	0.045
10/19/2007	10:27:17	0.038
10/19/2007	10:42:17	0.047
10/19/2007	10:57:17	0.049
10/19/2007	11:12:17	0.044
10/19/2007	11:27:17	0.042
10/19/2007	11:42:17	0.03
10/19/2007	11:57:17	0.032
10/19/2007	12:12:17	0.027
10/19/2007	12:27:17	0.024
10/19/2007	12:42:17	0.025
10/19/2007	12:57:17	0.039
10/19/2007	13:12:17	0.037
10/19/2007	13:27:17	0.033
10/19/2007	13:42:17	0.035
10/19/2007	13:57:17	0.032
10/19/2007	14:12:17	0.029
10/19/2007	14:27:17	0.036
10/19/2007	14:42:17	0.027
10/19/2007	14:57:17	0.023
10/19/2007	15:12:17	0.017
10/19/2007	15:27:17	0.014

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 0
Test ID: 3
Test Abbreviation:
Start Date: 10/20/2007
Start Time: 9:43:21
Duration (dd:hh:mm:ss): 00:00:51:00
Time constant (seconds): 1
Log Interval (mm:ss): 1:00
Number of points: 51
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.021
Minimum: 0.015
Time of Minimum: 10:06:21
Date of Minimum: 10/20/2007
Maximum: 0.038
Time of Maximum: 9:44:21
Date of Maximum: 10/20/2007

Calibration Sensor: Aerosol
Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/20/2007	9:44:21	0.038
10/20/2007	9:45:21	0.032
10/20/2007	9:46:21	0.029
10/20/2007	9:47:21	0.024
10/20/2007	9:48:21	0.032
10/20/2007	9:49:21	0.032
10/20/2007	9:50:21	0.024
10/20/2007	9:51:21	0.025
10/20/2007	9:52:21	0.03
10/20/2007	9:53:21	0.034
10/20/2007	9:54:21	0.02
10/20/2007	9:55:21	0.02
10/20/2007	9:56:21	0.021
10/20/2007	9:57:21	0.022
10/20/2007	9:58:21	0.023
10/20/2007	9:59:21	0.023
10/20/2007	10:00:21	0.025
10/20/2007	10:01:21	0.023
10/20/2007	10:02:21	0.019
10/20/2007	10:03:21	0.017
10/20/2007	10:04:21	0.017
10/20/2007	10:05:21	0.017
10/20/2007	10:06:21	0.015

10/20/2007	10:07:21	0.017
10/20/2007	10:08:21	0.016
10/20/2007	10:09:21	0.017
10/20/2007	10:10:21	0.018
10/20/2007	10:11:21	0.019
10/20/2007	10:12:21	0.02
10/20/2007	10:13:21	0.022
10/20/2007	10:14:21	0.017
10/20/2007	10:15:21	0.016
10/20/2007	10:16:21	0.017
10/20/2007	10:17:21	0.017
10/20/2007	10:18:21	0.017
10/20/2007	10:19:21	0.016
10/20/2007	10:20:21	0.016
10/20/2007	10:21:21	0.016
10/20/2007	10:22:21	0.019
10/20/2007	10:23:21	0.018
10/20/2007	10:24:21	0.017
10/20/2007	10:25:21	0.016
10/20/2007	10:26:21	0.03
10/20/2007	10:27:21	0.018
10/20/2007	10:28:21	0.015
10/20/2007	10:29:21	0.017
10/20/2007	10:30:21	0.015
10/20/2007	10:31:21	0.016
10/20/2007	10:32:21	0.015
10/20/2007	10:33:21	0.016
10/20/2007	10:34:21	0.015

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 4
 Test Abbreviation:
 Start Date: 10/22/2007
 Start Time: 7:43:22
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.059
 Minimum: 0.031
 Time of Minimum: 15:43:22
 Date of Minimum: 10/22/2007
 Maximum: 0.111
 Time of Maximum: 8:28:22
 Date of Maximum: 10/22/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/22/2007	7:58:22	0.051
10/22/2007	8:13:22	0.054
10/22/2007	8:28:22	0.111
10/22/2007	8:43:22	0.069
10/22/2007	8:58:22	0.076
10/22/2007	9:13:22	0.067
10/22/2007	9:28:22	0.054
10/22/2007	9:43:22	0.097
10/22/2007	9:58:22	0.1
10/22/2007	10:13:22	0.074
10/22/2007	10:28:22	0.09
10/22/2007	10:43:22	0.069
10/22/2007	10:58:22	0.08
10/22/2007	11:13:22	0.075
10/22/2007	11:28:22	0.08
10/22/2007	11:43:22	0.087
10/22/2007	11:58:22	0.076
10/22/2007	12:13:22	0.04
10/22/2007	12:28:22	0.037
10/22/2007	12:43:22	0.042
10/22/2007	12:58:22	0.045
10/22/2007	13:13:22	0.048
10/22/2007	13:28:22	0.039
10/22/2007	13:43:22	0.039
10/22/2007	13:58:22	0.052
10/22/2007	14:13:22	0.055
10/22/2007	14:28:22	0.046
10/22/2007	14:43:22	0.042
10/22/2007	14:58:22	0.04
10/22/2007	15:13:22	0.051
10/22/2007	15:28:22	0.041
10/22/2007	15:43:22	0.031
10/22/2007	15:58:22	0.031
10/22/2007	16:13:22	0.031

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 5
 Test Abbreviation:
 Start Date: 10/23/2007
 Start Time: 7:07:19
 Duration (dd:hh:mm:ss): 00:09:15:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 37
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.039
 Minimum: 0.02
 Time of Minimum: 12:37:19
 Date of Minimum: 10/23/2007
 Maximum: 0.159
 Time of Maximum: 7:52:19
 Date of Maximum: 10/23/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/23/2007	7:22:19	0.036
10/23/2007	7:37:19	0.04
10/23/2007	7:52:19	0.159
10/23/2007	8:07:19	0.045
10/23/2007	8:22:19	0.043
10/23/2007	8:37:19	0.042
10/23/2007	8:52:19	0.045
10/23/2007	9:07:19	0.039
10/23/2007	9:22:19	0.038
10/23/2007	9:37:19	0.037
10/23/2007	9:52:19	0.04
10/23/2007	10:07:19	0.036
10/23/2007	10:22:19	0.036
10/23/2007	10:37:19	0.031
10/23/2007	10:52:19	0.034
10/23/2007	11:07:19	0.043
10/23/2007	11:22:19	0.05
10/23/2007	11:37:19	0.046
10/23/2007	11:52:19	0.038
10/23/2007	12:07:19	0.027
10/23/2007	12:22:19	0.022
10/23/2007	12:37:19	0.02
10/23/2007	12:52:19	0.029
10/23/2007	13:07:19	0.035
10/23/2007	13:22:19	0.043
10/23/2007	13:37:19	0.037
10/23/2007	13:52:19	0.044
10/23/2007	14:07:19	0.036
10/23/2007	14:22:19	0.032
10/23/2007	14:37:19	0.04
10/23/2007	14:52:19	0.05
10/23/2007	15:07:19	0.031
10/23/2007	15:22:19	0.035
10/23/2007	15:37:19	0.025
10/23/2007	15:52:19	0.021
10/23/2007	16:07:19	0.02
10/23/2007	16:22:19	0.02

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 1
 Test Abbreviation:
 Start Date: 10/24/2007
 Start Time: 5:25:50
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:40:50
 Date of Minimum: 10/24/2007
 Maximum: 0
 Time of Maximum: 5:40:50
 Date of Maximum: 10/24/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/24/2007	5:40:50	0
10/24/2007	5:55:50	0
10/24/2007	6:10:50	0
10/24/2007	6:25:50	0
10/24/2007	6:40:50	0
10/24/2007	6:55:50	0
10/24/2007	7:10:50	0
10/24/2007	7:25:50	0
10/24/2007	7:40:50	0
10/24/2007	7:55:50	0
10/24/2007	8:10:50	0
10/24/2007	8:25:50	0
10/24/2007	8:40:50	0
10/24/2007	8:55:50	0
10/24/2007	9:10:50	0
10/24/2007	9:25:50	0
10/24/2007	9:40:50	0
10/24/2007	9:55:50	0
10/24/2007	10:10:50	0
10/24/2007	10:25:50	0
10/24/2007	10:40:50	0
10/24/2007	10:55:50	0
10/24/2007	11:10:50	0
10/24/2007	11:25:50	0
10/24/2007	11:40:50	0
10/24/2007	11:55:50	0
10/24/2007	12:10:50	0
10/24/2007	12:25:50	0
10/24/2007	12:40:50	0
10/24/2007	12:55:50	0
10/24/2007	13:10:50	0
10/24/2007	13:25:50	0
10/24/2007	13:40:50	0
10/24/2007	13:55:50	0
10/24/2007	14:10:50	0
10/24/2007	14:25:50	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 2
Test Abbreviation:
Start Date: 10/25/2007
Start Time: 6:24:24
Duration (dd:hh:mm:ss): 00:07:15:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 29
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:39:24
Date of Minimum: 10/25/2007
Maximum: 0
Time of Maximum: 6:39:24
Date of Maximum: 10/25/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/25/2007	6:39:24	0
10/25/2007	6:54:24	0
10/25/2007	7:09:24	0
10/25/2007	7:24:24	0
10/25/2007	7:39:24	0
10/25/2007	7:54:24	0
10/25/2007	8:09:24	0
10/25/2007	8:24:24	0
10/25/2007	8:39:24	0
10/25/2007	8:54:24	0
10/25/2007	9:09:24	0
10/25/2007	9:24:24	0
10/25/2007	9:39:24	0
10/25/2007	9:54:24	0
10/25/2007	10:09:24	0
10/25/2007	10:24:24	0
10/25/2007	10:39:24	0
10/25/2007	10:54:24	0
10/25/2007	11:09:24	0
10/25/2007	11:24:24	0
10/25/2007	11:39:24	0
10/25/2007	11:54:24	0
10/25/2007	12:09:24	0
10/25/2007	12:24:24	0
10/25/2007	12:39:24	0
10/25/2007	12:54:24	0
10/25/2007	13:09:24	0
10/25/2007	13:24:24	0
10/25/2007	13:39:24	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 3
 Test Abbreviation:
 Start Date: 10/26/2007
 Start Time: 5:37:20
 Duration (dd:hh:mm:ss): 00:08:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 32
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:52:20
 Date of Minimum: 10/26/2007
 Maximum: 0
 Time of Maximum: 5:52:20
 Date of Maximum: 10/26/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/26/2007	5:52:20	0
10/26/2007	6:07:20	0
10/26/2007	6:22:20	0
10/26/2007	6:37:20	0
10/26/2007	6:52:20	0
10/26/2007	7:07:20	0
10/26/2007	7:22:20	0
10/26/2007	7:37:20	0
10/26/2007	7:52:20	0
10/26/2007	8:07:20	0
10/26/2007	8:22:20	0
10/26/2007	8:37:20	0
10/26/2007	8:52:20	0
10/26/2007	9:07:20	0
10/26/2007	9:22:20	0
10/26/2007	9:37:20	0
10/26/2007	9:52:20	0
10/26/2007	10:07:20	0
10/26/2007	10:22:20	0
10/26/2007	10:37:20	0
10/26/2007	10:52:20	0
10/26/2007	11:07:20	0
10/26/2007	11:22:20	0
10/26/2007	11:37:20	0
10/26/2007	11:52:20	0
10/26/2007	12:07:20	0
10/26/2007	12:22:20	0
10/26/2007	12:37:20	0
10/26/2007	12:52:20	0
10/26/2007	13:07:20	0
10/26/2007	13:22:20	0
10/26/2007	13:37:20	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 4
 Test Abbreviation:
 Start Date: 10/29/2007
 Start Time: 5:30:27
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:45:27
 Date of Minimum: 10/29/2007
 Maximum: 0.002
 Time of Maximum: 8:15:27
 Date of Maximum: 10/29/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
10/29/2007	5:45:27	0
10/29/2007	6:00:27	0
10/29/2007	6:15:27	0
10/29/2007	6:30:27	0
10/29/2007	6:45:27	0
10/29/2007	7:00:27	0
10/29/2007	7:15:27	0
10/29/2007	7:30:27	0
10/29/2007	7:45:27	0
10/29/2007	8:00:27	0
10/29/2007	8:15:27	0.002
10/29/2007	8:30:27	0.001
10/29/2007	8:45:27	0.001
10/29/2007	9:00:27	0.001
10/29/2007	9:15:27	0.001
10/29/2007	9:30:27	0.001
10/29/2007	9:45:27	0.001
10/29/2007	10:00:27	0
10/29/2007	10:15:27	0
10/29/2007	10:30:27	0
10/29/2007	10:45:27	0
10/29/2007	11:00:27	0
10/29/2007	11:15:27	0
10/29/2007	11:30:27	0
10/29/2007	11:45:27	0
10/29/2007	12:00:27	0
10/29/2007	12:15:27	0
10/29/2007	12:30:27	0
10/29/2007	12:45:27	0
10/29/2007	13:00:27	0
10/29/2007	13:15:27	0
10/29/2007	13:30:27	0
10/29/2007	13:45:27	0
10/29/2007	14:00:27	0

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/30/2007	700	0.081
10/30/2007	730	0.028
10/30/2007	800	0.014
10/30/2007	830	0.022
10/30/2007	900	0.027
10/30/2007	930	0.032
10/30/2007	1000	0.031
10/30/2007	1030	0.016
10/30/2007	1100	0.029
10/30/2007	1130	0.031
10/30/2007	1200	0.037
10/30/2007	1230	0.040
10/30/2007	1300	0.041
10/30/2007	1330	0.035
10/30/2007	1400	0.034
10/30/2007	1430	0.045
10/30/2007	1500	0.042
10/30/2007	1530	0.039
10/30/2007	1600	0.041

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
10/31/2007	700	0.000
10/31/2007	730	0.000
10/31/2007	800	0.000
10/31/2007	830	0.000
10/31/2007	900	0.000
10/31/2007	930	0.000
10/31/2007	1000	0.000
10/31/2007	1030	0.000
10/31/2007	1100	0.000
10/31/2007	1130	0.000
10/31/2007	1200	0.000
10/31/2007	1230	0.000
10/31/2007	1300	0.000
10/31/2007	1330	0.000
10/31/2007	1400	0.000
10/31/2007	1430	0.000
10/31/2007	1500	0.000
10/31/2007	1530	0.000
10/31/2007	1600	0.000

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 07:11

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/1/2007 7:28			0.3		0.5	
2	10/1/2007 7:43			0.3		0.5	
3	10/1/2007 7:58			0.3		0.6	
4	10/1/2007 8:13			0.3		0.5	
5	10/1/2007 8:28			0.3		0.5	
6	10/1/2007 8:43			0.3		0.6	
7	10/1/2007 8:58			0.3		0.5	
8	10/1/2007 9:13			0.3		0.5	
9	10/1/2007 9:28			0.2		0.4	
10	10/1/2007 9:43			0.1		0.3	
11	10/1/2007 9:58			0.2		0.3	
12	10/1/2007 10:13			0.2		0.6	
13	10/1/2007 10:28			0.2		0.3	
14	10/1/2007 10:43			0.2		0.3	
15	10/1/2007 10:58			0.2		0.3	
16	10/1/2007 11:13			0.2		0.3	
17	10/1/2007 11:28			0.1		0.3	
18	10/1/2007 11:43			0.1		0.3	
19	10/1/2007 11:58			0.1		0.3	
20	10/1/2007 12:13			0.1		2.1	
21	10/1/2007 12:28			0.1		0.7	
22	10/1/2007 12:43			0.1		0.3	
23	10/1/2007 12:58			0.1		0.3	
24	10/1/2007 13:13			0.1		0.3	
25	10/1/2007 13:28			0.1		0.2	
26	10/1/2007 13:43			0.1		0.8	
27	10/1/2007 13:58			0.1		0.2	
28	10/1/2007 14:13			0.1		0.3	
29	10/1/2007 14:28			0.1		0.3	
30	10/1/2007 14:43			0		0.2	
31	10/1/2007 14:58			0		0.5	
32	10/1/2007 15:13			0		0.1	
33	10/1/2007 15:28			0		0.6	
34	10/1/2007 15:43			0		0.1	
35	10/1/2007 15:58			0		0.1	
36	10/1/2007 16:13			0		0.1	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 07:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/2/2007 7:28			0		0.1	
2	10/2/2007 7:43			0		0.1	
3	10/2/2007 7:58			0		0.1	
4	10/2/2007 8:13			0		0.2	
5	10/2/2007 8:28			0		0.2	
6	10/2/2007 8:43			0		0.1	
7	10/2/2007 8:58			0		0.1	
8	10/2/2007 9:13			0		0.1	
9	10/2/2007 9:28			0		0.1	
10	10/2/2007 9:43			0		0.1	
11	10/2/2007 9:58			0		0.1	
12	10/2/2007 10:13			0		0.2	
13	10/2/2007 10:28			0		0.1	
14	10/2/2007 10:43			0		0.1	
15	10/2/2007 10:58			0		0	
16	10/2/2007 11:13			0		0.1	
17	10/2/2007 11:28			0		0.1	
18	10/2/2007 11:43			0		0.1	
19	10/2/2007 11:58			0		0	
20	10/2/2007 12:13			0		0	
21	10/2/2007 12:28			0		0	
22	10/2/2007 12:43			0		0	
23	10/2/2007 12:58			0		0.2	
24	10/2/2007 13:13			0.1		0.2	
25	10/2/2007 13:28			0.1		0.2	
26	10/2/2007 13:43			0.2		0.4	
27	10/2/2007 13:58			0.2		0.3	
28	10/2/2007 14:13			0.1		0.3	
29	10/2/2007 14:28			0.1		0.6	
30	10/2/2007 14:43			0.2		0.3	
31	10/2/2007 14:58			0.2		0.4	
32	10/2/2007 15:13			0.3		0.5	
33	10/2/2007 15:28			0.4		0.6	
34	10/2/2007 15:43			0.3		0.5	
35	10/2/2007 15:58			0.3		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 07:11

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/3/2007 7:58			0		0.2	
2	10/3/2007 8:13			0.1		0.3	
3	10/3/2007 8:28			0		0.2	
4	10/3/2007 8:43			0		0.2	
5	10/3/2007 8:58			0		0.1	
6	10/3/2007 9:13			0.4		9	
7	10/3/2007 9:28			0		0.5	
8	10/3/2007 9:43			0		0	
9	10/3/2007 9:58			0		0	
10	10/3/2007 10:13			0		0	
11	10/3/2007 10:28			0		0	
12	10/3/2007 10:43			0		0	
13	10/3/2007 10:58			0		0	
14	10/3/2007 11:13			0		0	
15	10/3/2007 11:28			0		0	
16	10/3/2007 11:43			0		0	
17	10/3/2007 11:58			0		0	
18	10/3/2007 12:13			0		0	
19	10/3/2007 12:28			0		0	
20	10/3/2007 12:43			0		0	
21	10/3/2007 12:58			0		0	
22	10/3/2007 13:13			0		0	
23	10/3/2007 13:28			0		0	
24	10/3/2007 13:43			0		0	
25	10/3/2007 13:58			0		0	
26	10/3/2007 14:13			0		0	
27	10/3/2007 14:28			0		0	
28	10/3/2007 14:43			0		0	
29	10/3/2007 14:58			0		0	
30	10/3/2007 15:13			0		0	
31	10/3/2007 15:28			0		0	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 6 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/01/2007 07:11

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100               100
Low Alarm Levels:          50              50                50
=====
  
```

```

=====
Line#   Date Time   Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
      1  10/4/2007 7:27                0             0.1
      2  10/4/2007 7:42                0             0
      3  10/4/2007 7:57                0             0.1
      4  10/4/2007 8:12                0             0
      5  10/4/2007 8:27                0             0
      6  10/4/2007 8:42                0             0
10/4/2007      900                N/A
10/4/2007      930
10/4/2007     1000
10/4/2007     1030
10/4/2007     1100
10/4/2007     1130
10/4/2007     1200
10/4/2007     1230
10/4/2007     1300
10/4/2007     1330
10/4/2007     1400
10/4/2007     1430
10/4/2007     1500
10/4/2007     1530
      10/4/2007 15:48                0             0
      10/4/2007 16:03                0             0
      10/4/2007 16:18                0             0
=====
  
```

PID screening borings

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/05/2007 07:07

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/5/2007 7:28			3.1		4.4	
2	10/5/2007 7:43			3.3		4.7	
3	10/5/2007 7:58			4		5	
4	10/5/2007 8:13			4.5		5.4	
5	10/5/2007 8:28			4.5		5.4	
6	10/5/2007 8:43			4.4		4.9	
7	10/5/2007 8:58			3.9		4.5	
8	10/5/2007 9:13			3.4		3.9	
9	10/5/2007 9:28			3		3.6	
10	10/5/2007 9:43			2.4		2.9	
11	10/5/2007 9:58			2.4		2.8	
12	10/5/2007 10:13			2.8		3.9	
13	10/5/2007 10:28			3.3		16.3	
14	10/5/2007 10:43			2.3		3.7	
15	10/5/2007 10:58			2		2.9	
1	10/5/2007 13:37			0		0	
2	10/5/2007 13:52			0		0	
3	10/5/2007 14:07			0		2.4	
4	10/5/2007 14:22			0		0	
5	10/5/2007 14:37			0		0	
6	10/5/2007 14:52			0		0	
7	10/5/2007 15:07			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/06/2007 09:06

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1      10/6/2007 9:20           0       0       0       0
  2      10/6/2007 9:35           0       0       0       0
  3      10/6/2007 9:50           0       0       0       0
  4      10/6/2007 10:05          0       0       0       0
  5      10/6/2007 10:20          0       0       0       0
  6      10/6/2007 10:35          0       0       0       0
  7      10/6/2007 10:50          0       0       0       0
  8      10/6/2007 11:05          0       0       0       0
  9      10/6/2007 11:20          0       0       0       0
 10      10/6/2007 11:35          0       0       0       0
 11      10/6/2007 11:50          0       0       0       0
 12      10/6/2007 12:05          0       0       0       0
 13      10/6/2007 12:20          0       0       0       0
 14      10/6/2007 12:35          0       0       0       0
 15      10/6/2007 12:50          0       0       0       0
 16      10/6/2007 13:05          0       0       0       0
 17      10/6/2007 13:20          0       0       0       0
 18      10/6/2007 13:35          0       0       0       0
 19      10/6/2007 13:50          0       0       0       0
 20      10/6/2007 14:05          0       0       0       0
 21      10/6/2007 14:20          0       0       0       0
 22      10/6/2007 14:35          0       0       0       0
 23      10/6/2007 14:50          0       0       0       0
 24      10/6/2007 15:05          0       0       0       0
 25      10/6/2007 15:20          0       0       0       0
 26      10/6/2007 15:35          0       0       0       0
 27      10/6/2007 15:50          0       0       0       0
 28      10/6/2007 16:05          0       0       0       0
 29      10/6/2007 16:20          0       0       0       0
 30      10/6/2007 16:35          0       0       0       0
=====

```

	ppm	
10/8/2007	700	0.0
10/8/2007	730	0.0
10/8/2007	800	0.0
10/8/2007	830	0.0
10/8/2007	900	0.0
10/8/2007	930	0.0
10/8/2007	1000	0.0
10/8/2007	1030	0.0
10/8/2007	1100	0.0
10/8/2007	1130	0.0
10/8/2007	1200	0.0
10/8/2007	1230	0.0
10/8/2007	1300	0.0
10/8/2007	1330	0.0
10/8/2007	1400	0.0
10/8/2007	1430	0.0
10/8/2007	1500	0.0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/06/2007 09:06

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100               100
Low Alarm Levels:          50              50                50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       10/9/2007 7:18           0           0
2       10/9/2007 7:33           0           0
3       10/9/2007 7:48           0           0
4       10/9/2007 8:03           0           0
5       10/9/2007 8:18           0           0
6       10/9/2007 8:33           0           0
7       10/9/2007 8:48           0           0
8       10/9/2007 9:03           0           0
9       10/9/2007 9:18           0           0
10      10/9/2007 9:33           0           0
11      10/9/2007 9:48           0           0
12      10/9/2007 10:03          0           0
13      10/9/2007 10:18          0           0
14      10/9/2007 10:33          0           0
15      10/9/2007 10:48          0           0
16      10/9/2007 11:03          0           0
17      10/9/2007 11:18          0           0
18      10/9/2007 11:33          0           0
19      10/9/2007 11:48          0           0
20      10/9/2007 12:03          0           0
21      10/9/2007 12:18          0           0
22      10/9/2007 12:33          0           0
23      10/9/2007 12:48          0           0
24      10/9/2007 13:03          0           0
25      10/9/2007 13:18          0           0
26      10/9/2007 13:33          0           0
27      10/9/2007 13:48          0           0
28      10/9/2007 14:03          0           0
29      10/9/2007 14:18          0           0
30      10/9/2007 14:33          0           0
31      10/9/2007 14:48          0           0
32      10/9/2007 15:03          0           0
=====

```

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/06/2007 09:06

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
   1    10/10/2007 7:13           0      0      0      0
   2    10/10/2007 7:28           0      0      0      0
   3    10/10/2007 7:43           0      0      0      0
   4    10/10/2007 7:58           0      0      0      0
   5    10/10/2007 8:13           0      0      0      0
   6    10/10/2007 8:28           0      0      0      0
   7    10/10/2007 8:43           0      0      0      0
   8    10/10/2007 8:58           0      0      0      0
   9    10/10/2007 9:13           0      0      0      0
  10    10/10/2007 9:28           0      0      0      0
  11    10/10/2007 9:43           0      0      0      0
  12    10/10/2007 9:58           0      0      0      0
  13    10/10/2007 10:13          0      0      0      0
  14    10/10/2007 10:28          0      0      0      0
  15    10/10/2007 10:43          0.1      0      1.4      0
  16    10/10/2007 10:58          0      0      1.7      0
  17    10/10/2007 11:13          0      0      0      0
  18    10/10/2007 11:28          0      0      0      0
  19    10/10/2007 11:43          0      0      0      0
  20    10/10/2007 11:58          0      0      0      0
  21    10/10/2007 12:13          0      0      0      0
  22    10/10/2007 12:28          0      0      0      0
  23    10/10/2007 12:43          0      0      0      0
  24    10/10/2007 12:58          0      0      0      0
  25    10/10/2007 13:13          0      0      0      0
  26    10/10/2007 13:28          0      0      0      0
  27    10/10/2007 13:43          0      0      0      0
  28    10/10/2007 13:58          0      0      0      0
  29    10/10/2007 14:13          0      0      0      0
  30    10/10/2007 14:28          0      0      0      0
  31    10/10/2007 14:43          0      0      0      0
  32    10/10/2007 14:58          0      0      0      0
  33    10/10/2007 15:13          0      0      0      0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/06/2007 09:06

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100              100
Low Alarm Levels:          50               50               50
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/11/2007 7:26			0		0	
2	10/11/2007 7:41			0		0	
3	10/11/2007 7:56			0		0	
4	10/11/2007 8:11			0		0	
5	10/11/2007 8:26			0		0	
6	10/11/2007 8:41			0		0	
7	10/11/2007 8:56			0		0	
8	10/11/2007 9:11			0		0	
9	10/11/2007 9:26			0		0	
10	10/11/2007 9:41			0		0	
11	10/11/2007 9:56			0		0	
12	10/11/2007 10:11			0		0	
13	10/11/2007 10:26			0		0	
14	10/11/2007 10:41			0		0	
15	10/11/2007 10:56			0		0	
16	10/11/2007 11:11			0		0	
17	10/11/2007 11:26			0		0	
18	10/11/2007 11:41			0		0	
19	10/11/2007 11:56			0		0	
20	10/11/2007 12:11			0		0	
21	10/11/2007 12:26			0		0	
22	10/11/2007 12:41			0		0	
23	10/11/2007 12:56			0		0	
24	10/11/2007 13:11			0		0	
25	10/11/2007 13:26			0		0	
26	10/11/2007 13:41			0		0	
27	10/11/2007 13:56			0		0	
28	10/11/2007 14:11			0		0	
29	10/11/2007 14:26			0		0	
30	10/11/2007 14:41			0		0	
31	10/11/2007 14:56			0		0	
32	10/11/2007 15:11			0		0	
33	10/11/2007 15:26			0		0.7	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 07:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/12/2007 7:24			0.5		1	
2	10/12/2007 7:39			1.5		2.2	
3	10/12/2007 7:54			3.1		4.1	
4	10/12/2007 8:09			3.9		4.8	
5	10/12/2007 8:24			4.1		4.8	
6	10/12/2007 8:39			3.7		4.6	
7	10/12/2007 8:54			3.1		3.7	
8	10/12/2007 9:09			2.7		3.5	
9	10/12/2007 9:24			2.2		3.3	
10	10/12/2007 9:39			1.9		2.3	
11	10/12/2007 9:54			1.7		2.2	
12	10/12/2007 10:09			1.2		1.8	
13	10/12/2007 10:24			0.9		1.4	
14	10/12/2007 10:39			1		1.7	
15	10/12/2007 10:54			0.8		1.3	
16	10/12/2007 11:09			0.4		0.8	
17	10/12/2007 11:24			0.2		0.6	
18	10/12/2007 11:39			0.1		0.6	
19	10/12/2007 11:54			0.1		0.5	
20	10/12/2007 12:09			0.1		0.5	
21	10/12/2007 12:24			0		0.2	
22	10/12/2007 12:39			0		0.1	
23	10/12/2007 12:54			0		0.1	
24	10/12/2007 13:09			0		0	
25	10/12/2007 13:24			0		0	
26	10/12/2007 13:39			0		0.2	
27	10/12/2007 13:54			0		0	
28	10/12/2007 14:09			0		0	
29	10/12/2007 14:24			0.1		12.4	
30	10/12/2007 14:39			0		1.1	
31	10/12/2007 14:54			0		1.9	
32	10/12/2007 15:09			0		0	
33	10/12/2007 15:24			0		0	
34	10/12/2007 15:39			0		0	
35	10/12/2007 15:54			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 07:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/13/2007 9:45			0		0	
2	10/13/2007 10:00			0		0	
3	10/13/2007 10:15			0		0	
4	10/13/2007 10:30			0		0	
5	10/13/2007 10:45			0		0	
6	10/13/2007 11:00			0		0	
7	10/13/2007 11:15			0.1		9.5	
8	10/13/2007 11:30			0		0.9	
9	10/13/2007 11:45			0		5.1	
10	10/13/2007 12:00			0		0	
11	10/13/2007 12:15			0		0	
12	10/13/2007 12:30			0		0	
13	10/13/2007 12:45			0		2.2	
14	10/13/2007 13:00			0		0.1	
15	10/13/2007 13:15			0		0	
16	10/13/2007 13:30			0		0	
17	10/13/2007 13:45			0		0	
18	10/13/2007 14:00			0		0	
19	10/13/2007 14:15			0		1.1	
20	10/13/2007 14:30			0		0	
21	10/13/2007 14:45			0		0	
22	10/13/2007 15:00			0		0	
23	10/13/2007 15:15			0		0	
24	10/13/2007 15:30			0		0	
25	10/13/2007 15:45			0		0	
26	10/13/2007 16:00			0		0	
27	10/13/2007 16:15			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 07:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/15/2007 7:22			0		0.1	
2	10/15/2007 7:37			0		0	
3	10/15/2007 7:52			0		0	
4	10/15/2007 8:07			0		0	
5	10/15/2007 8:22			0		0	
6	10/15/2007 8:37			0		0	
7	10/15/2007 8:52			0		0	
8	10/15/2007 9:07			0		0	
9	10/15/2007 9:22			0		0	
10	10/15/2007 9:37			0		0	
11	10/15/2007 9:52			0		0	
12	10/15/2007 10:07			0		0	
13	10/15/2007 10:22			0		0	
14	10/15/2007 10:37			0		0	
15	10/15/2007 10:52			0		0	
16	10/15/2007 11:07			0		0	
17	10/15/2007 11:22			0		0	
18	10/15/2007 11:37			0		1.8	
19	10/15/2007 11:52			0		0	
20	10/15/2007 12:07			0		0	
21	10/15/2007 12:22			0		0	
22	10/15/2007 12:37			0		0	
23	10/15/2007 12:52			0		0	
24	10/15/2007 13:07			0		0	
25	10/15/2007 13:22			0		0	
26	10/15/2007 13:37			0		0	
27	10/15/2007 13:52			0		0	
28	10/15/2007 14:07			0		0	
29	10/15/2007 14:22			0		0	
30	10/15/2007 14:37			0		0	
31	10/15/2007 14:52			0		0	
32	10/15/2007 15:07			0		0	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 07:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/16/2007 7:28			0		0	
2	10/16/2007 7:43			0		0	
3	10/16/2007 7:58			0		0	
4	10/16/2007 8:13			0		0	
5	10/16/2007 8:28			0		0	
6	10/16/2007 8:43			0		0	
7	10/16/2007 8:58			0		0	
8	10/16/2007 9:13			0		0	
9	10/16/2007 9:28			0		0	
10	10/16/2007 9:43			0		0	
11	10/16/2007 9:58			0		0	
12	10/16/2007 10:13			0		0	
13	10/16/2007 10:28			0		0	
14	10/16/2007 10:43			0		0	
15	10/16/2007 10:58			0		0	
16	10/16/2007 11:13			0		0	
17	10/16/2007 11:28			0		0	
18	10/16/2007 11:43			0		0	
19	10/16/2007 11:58			0		0	
20	10/16/2007 12:13			0		0	
21	10/16/2007 12:28			0		0	
22	10/16/2007 12:43			0		0	
23	10/16/2007 12:58			0		0	
24	10/16/2007 13:13			0		0	
25	10/16/2007 13:28			0		0	
26	10/16/2007 13:43			0		0	
27	10/16/2007 13:58			0		0	
28	10/16/2007 14:13			0		0	
29	10/16/2007 14:28			0		0	
30	10/16/2007 14:43			0		0	
31	10/16/2007 14:58			0		0	
32	10/16/2007 15:13			0		0	
33	10/16/2007 15:28			0		0	
34	10/16/2007 15:43			0		0	
35	10/16/2007 15:58			0		0	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/12/2007 07:08

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/17/2007 7:17			0		0.2	
2	10/17/2007 7:32			0		0.2	
3	10/17/2007 7:47			0.2		0.5	
4	10/17/2007 8:02			0.3		0.5	
5	10/17/2007 8:17			0.5		1	
6	10/17/2007 8:32			0.8		1.2	
7	10/17/2007 8:47			1		1.4	
8	10/17/2007 9:02			1.2		1.5	
9	10/17/2007 9:17			1.2		1.5	
10	10/17/2007 9:32			1.5		1.9	
11	10/17/2007 9:47			1.6		1.9	
12	10/17/2007 10:02			1.6		2.1	
13	10/17/2007 10:17			1.5		2	
14	10/17/2007 10:32			0.9		1.3	
15	10/17/2007 10:47			1		1.4	
16	10/17/2007 11:02			0.8		1	
17	10/17/2007 11:17			0.8		1	
18	10/17/2007 11:32			1		1.2	
19	10/17/2007 11:47			1		1.2	
20	10/17/2007 12:02			1		1.2	
21	10/17/2007 12:17			0.8		1.1	
22	10/17/2007 12:32			0.7		0.9	
23	10/17/2007 12:47			0.7		1.2	
24	10/17/2007 13:02			0.7		1	
25	10/17/2007 13:17			0.7		1	
26	10/17/2007 13:32			0.6		0.9	
27	10/17/2007 13:47			0.6		0.8	
28	10/17/2007 14:02			0.5		0.8	
29	10/17/2007 14:17			0.5		0.8	
30	10/17/2007 14:32			0.5		0.8	
31	10/17/2007 14:47			0.3		0.6	
32	10/17/2007 15:02			0.1		0.4	
33	10/17/2007 15:17			0.1		0.3	
34	10/17/2007 15:32			0.1		0.3	
35	10/17/2007 15:47			0		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/18/2007 7:37			0		0	
2	10/18/2007 7:52			0		0.2	
3	10/18/2007 8:07			0.4		1.3	
4	10/18/2007 8:22			1		1.5	
5	10/18/2007 8:37			1.2		1.7	
6	10/18/2007 8:52			1.8		2.1	
7	10/18/2007 9:07			1.6		2.1	
8	10/18/2007 9:22			1		1.6	
9	10/18/2007 9:37			1		1.5	
10	10/18/2007 9:52			0.9		1.3	
11	10/18/2007 10:07			0.6		1.1	
12	10/18/2007 10:22			0.6		0.9	
13	10/18/2007 10:37			0.6		1	
14	10/18/2007 10:52			1.1		2.1	
15	10/18/2007 11:07			1.5		1.9	
16	10/18/2007 11:22			0.9		1.5	
17	10/18/2007 11:37			0.7		1.1	
18	10/18/2007 11:52			0.8		1.2	
19	10/18/2007 12:07			0.9		1.8	
20	10/18/2007 12:22			1.1		1.7	
21	10/18/2007 12:37			0.5		1.1	
22	10/18/2007 12:52			0		0.3	
23	10/18/2007 13:07			0		0	
24	10/18/2007 13:22			0		0	
25	10/18/2007 13:37			0		0	
26	10/18/2007 13:52			0		0	
27	10/18/2007 14:07			0		0	
28	10/18/2007 14:22			0		0	
29	10/18/2007 14:37			0		0	
30	10/18/2007 14:52			0		0	
31	10/18/2007 15:07			0		0	
32	10/18/2007 15:22			0		0	
33	10/18/2007 15:37			0		0	
34	10/18/2007 15:52			0		0	
35	10/18/2007 16:07			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/19/2007 7:30			5.7		7.6	
2	10/19/2007 7:45			2.6		4.2	
3	10/19/2007 8:00			0.4		1.3	
4	10/19/2007 8:15			0		0.4	
5	10/19/2007 8:30			0		0	
6	10/19/2007 8:45			0		0	
7	10/19/2007 9:00			0		0	
8	10/19/2007 9:15			0		0	
9	10/19/2007 9:30			0		0	
10	10/19/2007 9:45			0		0	
11	10/19/2007 10:00			0		0	
12	10/19/2007 10:15			0		0	
13	10/19/2007 10:30			0		0	
14	10/19/2007 10:45			0		0	
15	10/19/2007 11:00			0		0	
16	10/19/2007 11:15			0		0	
17	10/19/2007 11:30			0		0	
18	10/19/2007 11:45			0		0	
19	10/19/2007 12:00			0		0	
20	10/19/2007 12:15			0		0	
21	10/19/2007 12:30			0		0	
22	10/19/2007 12:45			0		0	
23	10/19/2007 13:00			0		0	
24	10/19/2007 13:15			0		0	
25	10/19/2007 13:30			0		0	
26	10/19/2007 13:45			0		0	
27	10/19/2007 14:00			0		0	
28	10/19/2007 14:15			0		0	
29	10/19/2007 14:30			0		0	
30	10/19/2007 14:45			0		0	
31	10/19/2007 15:00			0		0.6	
32	10/19/2007 15:15			0		0	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
User ID: 00000001 Site ID: 00000873
Data Points: 3 Gas Name: Isobutylene Sample Period: 900 sec
Last Calibration Time: 10/18/2007 07:15

=====
Measurement Type: Min(ppm) Avg(ppm) Max(ppm)
High Alarm Levels: 100 100 100
Low Alarm Levels: 50 50 50
=====

=====
Line# Date Time Min(ppm) Alarm Avg(ppm) Alarm Max(ppm) Alarm
=====
1 10/20/2007 9:54 0 0
2 10/20/2007 10:09 0 0
3 10/20/2007 10:24 0 0
=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/22/2007 8:02			0		0	
2	10/22/2007 8:17			0		0	
3	10/22/2007 8:32			0		0	
4	10/22/2007 8:47			0		0	
5	10/22/2007 9:02			0		0	
6	10/22/2007 9:17			0		0	
7	10/22/2007 9:32			0		0	
8	10/22/2007 9:47			0		0	
9	10/22/2007 10:02			0		0	
10	10/22/2007 10:17			0		0	
11	10/22/2007 10:32			0		0	
12	10/22/2007 10:47			0		0	
13	10/22/2007 11:02			0		0	
14	10/22/2007 11:17			0		0	
15	10/22/2007 11:32			0		0	
16	10/22/2007 11:47			0		0	
17	10/22/2007 12:02			0		0	
18	10/22/2007 12:17			0		0	
19	10/22/2007 12:32			0		0	
20	10/22/2007 12:47			0		0	
21	10/22/2007 13:02			0		0	
22	10/22/2007 13:17			0		0	
23	10/22/2007 13:32			0		0	
24	10/22/2007 13:47			0		0	
25	10/22/2007 14:02			0		0	
26	10/22/2007 14:17			0		0	
27	10/22/2007 14:32			0		0	
28	10/22/2007 14:47			0		0	
29	10/22/2007 15:02			0		0	
30	10/22/2007 15:17			0		0	
31	10/22/2007 15:32			0		0	
32	10/22/2007 15:47			0		0	
33	10/22/2007 16:02			0		0	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100              100
Low Alarm Levels:          50               50               50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     10/23/2007 7:24           0      0     0      0     0      0
  2     10/23/2007 7:39           0      0     0      0     0      0
  3     10/23/2007 7:54           0      0     0      0     0      0
  4     10/23/2007 8:09           0      0     0      0     0      0
  5     10/23/2007 8:24           0      0     0      0     0      0
  6     10/23/2007 8:39           0      0     0      0     0      0
  7     10/23/2007 8:54           0      0     0      0     0      0
  8     10/23/2007 9:09           0      0     0      0     0      0
  9     10/23/2007 9:24           0      0     0      0     0      0
 10     10/23/2007 9:39           0      0     0      0     0      0
 11     10/23/2007 9:54           0      0     0      0     0      0
 12     10/23/2007 10:09          0      0     0      0     0      0
 13     10/23/2007 10:24          0      0     0      0     0      0
 14     10/23/2007 10:39          0      0     0      0     0      0
 15     10/23/2007 10:54          0      0     0      0     0      0
 16     10/23/2007 11:09          0      0     0      0     0      0
 17     10/23/2007 11:24          0      0     0      0     0      0
 18     10/23/2007 11:39          0      0     0      0     0      0
 19     10/23/2007 11:54          0      0     0      0     0      0
 20     10/23/2007 12:09          0      0     0      0     0      0
 21     10/23/2007 12:24          0      0     0      0     0      0
 22     10/23/2007 12:39          0      0     0      0     0      0
 23     10/23/2007 12:54          0      0     0      0     0      0
 24     10/23/2007 13:09          0      0     0      0     0      0
 25     10/23/2007 13:24          0      0     0      0     0      0
 26     10/23/2007 13:39          0      0     0      0     0      0
 27     10/23/2007 13:54          0      0     0      0     0      0
 28     10/23/2007 14:09          0      0     0      0     0      0
 29     10/23/2007 14:24          0      0     0      0     0      0
 30     10/23/2007 14:39          0      0     0      0     0      0
 31     10/23/2007 14:54          0      0     0      0     0      0
 32     10/23/2007 15:09          0      0     0      0     0      0
 33     10/23/2007 15:24          0      0     0      0     0      0
 34     10/23/2007 15:39          0      0     0      0     0      0
 35     10/23/2007 15:54          0      0     0      0     0      0
 36     10/23/2007 16:09          0      0     0      0     0      0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/24/2007 7:30			0		0	
2	10/24/2007 7:45			0		0	
3	10/24/2007 8:00			0		0	
4	10/24/2007 8:15			0		0	
5	10/24/2007 8:30			0		0	
6	10/24/2007 8:45			0		0	
7	10/24/2007 9:00			0		0	
8	10/24/2007 9:15			0		0	
9	10/24/2007 9:30			0		0	
10	10/24/2007 9:45			0		0	
11	10/24/2007 10:00			0		0	
12	10/24/2007 10:15			0		0	
13	10/24/2007 10:30			0		0	
14	10/24/2007 10:45			0		0	
15	10/24/2007 11:00			0		0	
16	10/24/2007 11:15			0		0	
17	10/24/2007 11:30			0		0	
18	10/24/2007 11:45			0		0	
19	10/24/2007 12:00			0		0	
20	10/24/2007 12:15			0		0	
21	10/24/2007 12:30			0		0	
22	10/24/2007 12:45			0		0	
23	10/24/2007 13:00			0		0	
24	10/24/2007 13:15			0		0	
25	10/24/2007 13:30			0		0	
26	10/24/2007 13:45			0		0	
27	10/24/2007 14:00			0		0	
28	10/24/2007 14:15			0		0	
29	10/24/2007 14:30			0		0	
30	10/24/2007 14:45			0		0	
31	10/24/2007 15:00			0		0	
32	10/24/2007 15:15			0		0	
33	10/24/2007 15:30			0		0	
34	10/24/2007 15:45			0		0	
35	10/24/2007 16:00			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/25/2007 8:25			0		0	
2	10/25/2007 8:40			0		0	
3	10/25/2007 8:55			0		0	
4	10/25/2007 9:10			0		0	
5	10/25/2007 9:25			0		0	
6	10/25/2007 9:40			0		0	
7	10/25/2007 9:55			0		0	
8	10/25/2007 10:10			0		0	
9	10/25/2007 10:25			0		0	
10	10/25/2007 10:40			0		0	
11	10/25/2007 10:55			0		0	
12	10/25/2007 11:10			0		0	
13	10/25/2007 11:25			0		0	
14	10/25/2007 11:40			0		0	
15	10/25/2007 11:55			0		0	
16	10/25/2007 12:10			0		0	
17	10/25/2007 12:25			0		0	
18	10/25/2007 12:40			0		0	
19	10/25/2007 12:55			0		0	
20	10/25/2007 13:10			0		0	
21	10/25/2007 13:25			0		0	
22	10/25/2007 13:40			0		0	
23	10/25/2007 13:55			0		0	
24	10/25/2007 14:10			0		0	
25	10/25/2007 14:25			0		0	
26	10/25/2007 14:40			0		0	
27	10/25/2007 14:55			0		0	
28	10/25/2007 15:10			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

```

=====
Measurement Type:                Min(ppm)      Avg(ppm)      Max(ppm)
High Alarm Levels:                100          100           100
Low Alarm Levels:                 50           50            50
=====
  
```

```

=====
Line#   Date Time                Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/26/2007 7:52			0		0	
2	10/26/2007 8:07			0		0	
3	10/26/2007 8:22			0		0	
4	10/26/2007 8:37			0		0	
5	10/26/2007 8:52			0		0	
6	10/26/2007 9:07			0		0	
7	10/26/2007 9:22			0		0	
8	10/26/2007 9:37			0		0	
9	10/26/2007 9:52			0		0	
10	10/26/2007 10:07			0		0	
11	10/26/2007 10:22			0		0	
12	10/26/2007 10:37			0		0	
13	10/26/2007 10:52			0		0	
14	10/26/2007 11:07			0		0	
15	10/26/2007 11:22			0		0	
16	10/26/2007 11:37			0		0	
17	10/26/2007 11:52			0		0	
18	10/26/2007 12:07			0		0	
19	10/26/2007 12:22			0		0	
20	10/26/2007 12:37			0		0	
21	10/26/2007 12:52			0		0	
22	10/26/2007 13:07			0		0	
23	10/26/2007 13:22			0		0	
24	10/26/2007 13:37			0		0	
25	10/26/2007 13:52			0		0	
26	10/26/2007 14:07			0		0	
27	10/26/2007 14:22			0		0	
28	10/26/2007 14:37			0		0	
29	10/26/2007 14:52			0		0	
30	10/26/2007 15:07			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/29/2007 7:40			0		0	
2	10/29/2007 7:55			0		0	
3	10/29/2007 8:10			0		0	
4	10/29/2007 8:25			0		0	
5	10/29/2007 8:40			0		0	
6	10/29/2007 8:55			0		0	
7	10/29/2007 9:10			0		0	
8	10/29/2007 9:25			0		0	
9	10/29/2007 9:40			0		0	
10	10/29/2007 9:55			0		0	
11	10/29/2007 10:10			0		0	
12	10/29/2007 10:25			0		0	
13	10/29/2007 10:40			0		0	
14	10/29/2007 10:55			0		0	
15	10/29/2007 11:10			0		0	
16	10/29/2007 11:25			0		0	
17	10/29/2007 11:40			0		0	
18	10/29/2007 11:55			0		0	
19	10/29/2007 12:10			0		0	
20	10/29/2007 12:25			0		0	
21	10/29/2007 12:40			0		0	
22	10/29/2007 12:55			0		0	
23	10/29/2007 13:10			0		0	
24	10/29/2007 13:25			0		0	
25	10/29/2007 13:40			0		0	
26	10/29/2007 13:55			0		0	
27	10/29/2007 14:10			0		0	
28	10/29/2007 14:25			0		0	
29	10/29/2007 14:40			0		0	
30	10/29/2007 14:55			0		0	
31	10/29/2007 15:10			0		0	
32	10/29/2007 15:25			0		0	
33	10/29/2007 15:40			0		0	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/18/2007 07:15

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/30/2007 7:34			0		0	
2	10/30/2007 7:49			0		0	
3	10/30/2007 8:04			0		0	
4	10/30/2007 8:19			0		0	
5	10/30/2007 8:34			0		0	
6	10/30/2007 8:49			0		0	
7	10/30/2007 9:04			0		0	
8	10/30/2007 9:19			0		0	
9	10/30/2007 9:34			0		0	
10	10/30/2007 9:49			0		0	
11	10/30/2007 10:04			0		0	
12	10/30/2007 10:19			0		0	
13	10/30/2007 10:34			0		0	
14	10/30/2007 10:49			0		0	
15	10/30/2007 11:04			0		0	
16	10/30/2007 11:19			0		0	
17	10/30/2007 11:34			0		0	
18	10/30/2007 11:49			0		0	
19	10/30/2007 12:04			0		0	
20	10/30/2007 12:19			0		0	
21	10/30/2007 12:34			0		0	
22	10/30/2007 12:49			0		0	
23	10/30/2007 13:04			0		0	
24	10/30/2007 13:19			0		0	
25	10/30/2007 13:34			0		0	
26	10/30/2007 13:49			0		0	
27	10/30/2007 14:04			0		0	
28	10/30/2007 14:19			0		0	
29	10/30/2007 14:34			0		0	
30	10/30/2007 14:49			0		0	
31	10/30/2007 15:04			0		0	
32	10/30/2007 15:19			0		0	
33	10/30/2007 15:34			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	10/31/2007 7:34			0		0.2	
2	10/31/2007 7:49			0		0.1	
3	10/31/2007 8:04			0		0.3	
4	10/31/2007 8:19			0		0.2	
5	10/31/2007 8:34			0		0	
6	10/31/2007 8:49			0		0	
7	10/31/2007 9:04			0		0	
8	10/31/2007 9:19			0		0	
9	10/31/2007 9:34			0		0	
10	10/31/2007 9:49			0		0.1	
11	10/31/2007 10:04			0		0.1	
12	10/31/2007 10:19			0		0	
13	10/31/2007 10:34			0		0.1	
14	10/31/2007 10:49			0		0	
15	10/31/2007 11:04			0		0	
16	10/31/2007 11:19			0		0	
17	10/31/2007 11:34			0		0	
18	10/31/2007 11:49			0		0	
19	10/31/2007 12:04			0		0	
20	10/31/2007 12:19			0		0	
21	10/31/2007 12:34			0		0	
22	10/31/2007 12:49			0		0	
23	10/31/2007 13:04			0		0	
24	10/31/2007 13:19			0		0	
25	10/31/2007 13:34			0		0	
26	10/31/2007 13:49			0		0	
27	10/31/2007 14:04			0		0	
28	10/31/2007 14:19			0		0	
29	10/31/2007 14:34			0		0	
30	10/31/2007 14:49			0		0	
31	10/31/2007 15:04			0		0	
32	10/31/2007 15:19			0		0	
33	10/31/2007 15:34			0		0	
34	10/31/2007 15:49			0		0	
35	10/31/2007 16:04			0		0.1	
36	10/31/2007 16:19			0		0	

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/1/2007	700	0.014
11/1/2007	730	0.023
11/1/2007	800	0.021
11/1/2007	830	0.026
11/1/2007	900	0.018
11/1/2007	930	0.027
11/1/2007	1000	0.023
11/1/2007	1030	0.029
11/1/2007	1100	0.037
11/1/2007	1130	0.038
11/1/2007	1200	0.036
11/1/2007	1230	0.039
11/1/2007	1300	0.038
11/1/2007	1330	0.038
11/1/2007	1400	0.038
11/1/2007	1430	0.039
11/1/2007	1500	0.037
11/1/2007	1530	0.039
11/1/2007	1600	0.041

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 3
 Test Abbreviation:
 Start Date: 11/2/2007
 Start Time: 7:08:08
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.012
 Minimum: 0.008
 Time of Minimum: 7:23:08
 Date of Minimum: 11/2/2007
 Maximum: 0.054
 Time of Maximum: 9:23:08
 Date of Maximum: 11/2/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/2/2007	7:23:08	0.008
11/2/2007	7:38:08	0.009
11/2/2007	7:53:08	0.01
11/2/2007	8:08:08	0.011
11/2/2007	8:23:08	0.011
11/2/2007	8:38:08	0.012
11/2/2007	8:53:08	0.01
11/2/2007	9:08:08	0.011
11/2/2007	9:23:08	0.054
11/2/2007	9:38:08	0.016
11/2/2007	9:53:08	0.009
11/2/2007	10:08:08	0.011
11/2/2007	10:23:08	0.015
11/2/2007	10:38:08	0.012
11/2/2007	10:53:08	0.012
11/2/2007	11:08:08	0.01
11/2/2007	11:23:08	0.008
11/2/2007	11:38:08	0.012
11/2/2007	11:53:08	0.011
11/2/2007	12:08:08	0.009
11/2/2007	12:23:08	0.008
11/2/2007	12:38:08	0.008
11/2/2007	12:53:08	0.009
11/2/2007	13:08:08	0.01
11/2/2007	13:23:08	0.011
11/2/2007	13:38:08	0.012
11/2/2007	13:53:08	0.01
11/2/2007	14:08:08	0.014
11/2/2007	14:23:08	0.014
11/2/2007	14:38:08	0.011
11/2/2007	14:53:08	0.01
11/2/2007	15:08:08	0.01
11/2/2007	15:23:08	0.01

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 4
 Test Abbreviation:
 Start Date: 11/5/2007
 Start Time: 8:08:10
 Duration (dd:hh:mm:ss): 00:08:45:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 35
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.035
 Minimum: 0.019
 Time of Minimum: 15:38:10
 Date of Minimum: 11/5/2007
 Maximum: 0.045
 Time of Maximum: 8:53:10
 Date of Maximum: 11/5/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/5/2007	8:23:10	0.039
11/5/2007	8:38:10	0.042
11/5/2007	8:53:10	0.045
11/5/2007	9:08:10	0.029
11/5/2007	9:23:10	0.035
11/5/2007	9:38:10	0.031
11/5/2007	9:53:10	0.029
11/5/2007	10:08:10	0.025
11/5/2007	10:23:10	0.042
11/5/2007	10:38:10	0.031
11/5/2007	10:53:10	0.035
11/5/2007	11:08:10	0.041
11/5/2007	11:23:10	0.037
11/5/2007	11:38:10	0.043
11/5/2007	11:53:10	0.044
11/5/2007	12:08:10	0.04
11/5/2007	12:23:10	0.045
11/5/2007	12:38:10	0.042
11/5/2007	12:53:10	0.044
11/5/2007	13:08:10	0.036
11/5/2007	13:23:10	0.028
11/5/2007	13:38:10	0.025
11/5/2007	13:53:10	0.029
11/5/2007	14:08:10	0.036
11/5/2007	14:23:10	0.03
11/5/2007	14:38:10	0.037
11/5/2007	14:53:10	0.028
11/5/2007	15:08:10	0.025
11/5/2007	15:23:10	0.03
11/5/2007	15:38:10	0.019
11/5/2007	15:53:10	0.031
11/5/2007	16:08:10	0.027
11/5/2007	16:23:10	0.042
11/5/2007	16:38:10	0.039
11/5/2007	16:53:10	0.038

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 5
 Test Abbreviation:
 Start Date: 11/6/2007
 Start Time: 8:05:12
 Duration (dd:hh:mm:ss): 00:08:45:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 35
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.017
 Minimum: 0.007
 Time of Minimum: 15:35:12
 Date of Minimum: 11/6/2007
 Maximum: 0.032
 Time of Maximum: 9:20:12
 Date of Maximum: 11/6/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/6/2007	8:20:12	0.021
11/6/2007	8:35:12	0.029
11/6/2007	8:50:12	0.03
11/6/2007	9:05:12	0.029
11/6/2007	9:20:12	0.032
11/6/2007	9:35:12	0.032
11/6/2007	9:50:12	0.032
11/6/2007	10:05:12	0.03
11/6/2007	10:20:12	0.032
11/6/2007	10:35:12	0.029
11/6/2007	10:50:12	0.027
11/6/2007	11:05:12	0.025
11/6/2007	11:20:12	0.023
11/6/2007	11:35:12	0.018
11/6/2007	11:50:12	0.018
11/6/2007	12:05:12	0.013
11/6/2007	12:20:12	0.013
11/6/2007	12:35:12	0.015
11/6/2007	12:50:12	0.011
11/6/2007	13:05:12	0.011
11/6/2007	13:20:12	0.01
11/6/2007	13:35:12	0.009
11/6/2007	13:50:12	0.01
11/6/2007	14:05:12	0.011
11/6/2007	14:20:12	0.008
11/6/2007	14:35:12	0.008
11/6/2007	14:50:12	0.01
11/6/2007	15:05:12	0.009
11/6/2007	15:20:12	0.008
11/6/2007	15:35:12	0.007
11/6/2007	15:50:12	0.008
11/6/2007	16:05:12	0.008
11/6/2007	16:20:12	0.01
11/6/2007	16:35:12	0.009
11/6/2007	16:50:12	0.008

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 6
 Test Abbreviation:
 Start Date: 11/7/2007
 Start Time: 8:09:01
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.009
 Minimum: 0.005
 Time of Minimum: 16:39:01
 Date of Minimum: 11/7/2007
 Maximum: 0.021
 Time of Maximum: 9:09:01
 Date of Maximum: 11/7/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/7/2007	8:24:01	0.011
11/7/2007	8:39:01	0.012
11/7/2007	8:54:01	0.014
11/7/2007	9:09:01	0.021
11/7/2007	9:24:01	0.014
11/7/2007	9:39:01	0.011
11/7/2007	9:54:01	0.011
11/7/2007	10:09:01	0.009
11/7/2007	10:24:01	0.008
11/7/2007	10:39:01	0.009
11/7/2007	10:54:01	0.007
11/7/2007	11:09:01	0.007
11/7/2007	11:24:01	0.007
11/7/2007	11:39:01	0.006
11/7/2007	11:54:01	0.007
11/7/2007	12:09:01	0.006
11/7/2007	12:24:01	0.008
11/7/2007	12:39:01	0.009
11/7/2007	12:54:01	0.014
11/7/2007	13:09:01	0.008
11/7/2007	13:24:01	0.006
11/7/2007	13:39:01	0.006
11/7/2007	13:54:01	0.006
11/7/2007	14:09:01	0.012
11/7/2007	14:24:01	0.007
11/7/2007	14:39:01	0.006
11/7/2007	14:54:01	0.01
11/7/2007	15:09:01	0.012
11/7/2007	15:24:01	0.007
11/7/2007	15:39:01	0.008
11/7/2007	15:54:01	0.008
11/7/2007	16:09:01	0.014
11/7/2007	16:24:01	0.006
11/7/2007	16:39:01	0.005
11/7/2007	16:54:01	0.006
11/7/2007	17:09:01	0.005

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 0
 Test ID: 7
 Test Abbreviation:
 Start Date: 11/8/2007
 Start Time: 8:20:34
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 1
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.017
 Minimum: 0.012
 Time of Minimum: 10:35:34
 Date of Minimum: 11/8/2007
 Maximum: 0.024
 Time of Maximum: 15:35:34
 Date of Maximum: 11/8/2007

Calibration Sensor: Aerosol
 Cal. date 6/22/2005

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/8/2007	8:35:34	0.016
11/8/2007	8:50:34	0.016
11/8/2007	9:05:34	0.016
11/8/2007	9:20:34	0.016
11/8/2007	9:35:34	0.017
11/8/2007	9:50:34	0.015
11/8/2007	10:05:34	0.013
11/8/2007	10:20:34	0.013
11/8/2007	10:35:34	0.012
11/8/2007	10:50:34	0.013
11/8/2007	11:05:34	0.013
11/8/2007	11:20:34	0.013
11/8/2007	11:35:34	0.016
11/8/2007	11:50:34	0.015
11/8/2007	12:05:34	0.016
11/8/2007	12:20:34	0.015
11/8/2007	12:35:34	0.014
11/8/2007	12:50:34	0.015
11/8/2007	13:05:34	0.017
11/8/2007	13:20:34	0.017
11/8/2007	13:35:34	0.018
11/8/2007	13:50:34	0.017
11/8/2007	14:05:34	0.018
11/8/2007	14:20:34	0.02
11/8/2007	14:35:34	0.017
11/8/2007	14:50:34	0.02
11/8/2007	15:05:34	0.019
11/8/2007	15:20:34	0.022
11/8/2007	15:35:34	0.024
11/8/2007	15:50:34	0.019
11/8/2007	16:05:34	0.02
11/8/2007	16:20:34	0.019
11/8/2007	16:35:34	0.021
11/8/2007	16:50:34	0.021

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/9/2007	700	0.021
11/9/2007	730	0.021
11/9/2007	800	0.021
11/9/2007	830	0.022
11/9/2007	900	0.022
11/9/2007	930	0.023
11/9/2007	1000	0.023
11/9/2007	1030	0.024
11/9/2007	1100	0.032
11/9/2007	1130	0.034
11/9/2007	1200	0.078
11/9/2007	1230	0.076
11/9/2007	1300 -	
11/9/2007	1330	0.036
11/9/2007	1400	0.051
11/9/2007	1430	0.048

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/9/2007	900	0.017
11/9/2007	930	0.019
11/9/2007	1000	0.018
11/9/2007	1030	0.019
11/9/2007	1100	0.017
11/9/2007	1130	0.017
11/9/2007	1200	0.016
11/9/2007	1230	0.015
11/9/2007	1300	0.016
11/9/2007	1330	0.015
11/9/2007	1400	0.015
11/9/2007	1430	0.016
11/9/2007	1500	0.016
11/9/2007	1530	0.016
11/9/2007	1600	0.015
11/9/2007	1630	0.015
11/9/2007	1700	0.015

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/12/2007	700	0.037
11/12/2007	730	0.037
11/12/2007	800	0.036
11/12/2007	830	0.036
11/12/2007	900	0.037
11/12/2007	930	0.037
11/12/2007	1000	0.035
11/12/2007	1030	0.035
11/12/2007	1100	0.038
11/12/2007	1130	0.038
11/12/2007	1200	0.038
11/12/2007	1230	0.041
11/12/2007	1300	0.041
11/12/2007	1330	0.041
11/12/2007	1400	0.041
11/12/2007	1430	0.040
11/12/2007	1500	0.043
11/12/2007	1530	0.043

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/13/2007	700	0.058
11/13/2007	730	0.061
11/13/2007	800	0.076
11/13/2007	830	0.078
11/13/2007	900	0.082
11/13/2007	930	0.088
11/13/2007	1000	0.089
11/13/2007	1030	0.090
11/13/2007	1100	0.091
11/13/2007	1130	0.055
11/13/2007	1200	0.047
11/13/2007	1230	0.046
11/13/2007	1300	0.043
11/13/2007	1330	0.031
11/13/2007	1400	0.033
11/13/2007	1430	0.036
11/13/2007	1500	0.026
11/13/2007	1530	0.031

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/14/2007	700	0.048
11/14/2007	730	0.052
11/14/2007	800	0.056
11/14/2007	830	0.058
11/14/2007	900	0.061
11/14/2007	930	0.071
11/14/2007	1000	0.086
11/14/2007	1030	0.085
11/14/2007	1100	0.082
11/14/2007	1130	0.073
11/14/2007	1200	0.061
11/14/2007	1230	0.820
11/14/2007	1300	0.091
11/14/2007	1330	0.076
11/14/2007	1400	0.081
11/14/2007	1430	0.087

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/15/2007	700	0.063
11/15/2007	730	0.068
11/15/2007	800	0.073
11/15/2007	830	0.075
11/15/2007	900	0.081
11/15/2007	930	0.071
11/15/2007	1000	0.063
11/15/2007	1030	0.054
11/15/2007	1100	0.048
11/15/2007	1130	0.043
11/15/2007	1200	0.041
11/15/2007	1230	0.035
11/15/2007	1300	0.024
11/15/2007	1330	0.022
11/15/2007	1400	0.021
11/15/2007	1430	0.021
11/15/2007	1500	0.022
11/15/2007	1530	0.024

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/16/2007	700	0.002
11/16/2007	730	0.002
11/16/2007	800	0.003
11/16/2007	830	0.003
11/16/2007	900	0.003
11/16/2007	930	0.006
11/16/2007	1000	0.005
11/16/2007	1030	0.005
11/16/2007	1100	0.007
11/16/2007	1130	0.005
11/16/2007	1200	0.003
11/16/2007	1230	0.004
11/16/2007	1300	0.006
11/16/2007	1330	0.006
11/16/2007	1400	0.003
11/16/2007	1430	0.000
11/16/2007	1500	0.004
11/16/2007	1530	0.002

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/17/2007	900	0.015
11/17/2007	930	0.023
11/17/2007	1000	0.016
11/17/2007	1030	0.043
11/17/2007	1100	0.014
11/17/2007	1130	0.028
11/17/2007	1200	0.016
11/17/2007	1230	0.010
11/17/2007	1300	0.013
11/17/2007	1330	0.018
11/17/2007	1400	0.012
11/17/2007	1430	0.032
11/17/2007	1500	0.014
11/17/2007	1530	0.026
11/17/2007	1600	0.021
11/17/2007	1630	0.015
11/17/2007	1700	0.018

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/19/2007	700	0.026
11/19/2007	730	0.010
11/19/2007	800	0.090
11/19/2007	830	0.014
11/19/2007	900	0.016
11/19/2007	930	0.013
11/19/2007	1000	0.018
11/19/2007	1030	0.022
11/19/2007	1100	0.028
11/19/2007	1130	0.016
11/19/2007	1200	0.017
11/19/2007	1230	0.023
11/19/2007	1300	0.025
11/19/2007	1330	0.018
11/19/2007	1400	0.022
11/19/2007	1430	0.020
11/19/2007	1500	0.015
11/19/2007	1530	0.018

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/20/2007	700	0.020
11/20/2007	730	0.017
11/20/2007	800	0.018
11/20/2007	830	0.022
11/20/2007	900	0.025
11/20/2007	930	0.031
11/20/2007	1000	0.016
11/20/2007	1030	0.035
11/20/2007	1100	0.041
11/20/2007	1130	0.048
11/20/2007	1200	0.041
11/20/2007	1230	0.036
11/20/2007	1300	0.024
11/20/2007	1330	0.028
11/20/2007	1400	0.033
11/20/2007	1430	0.026
11/20/2007	1500	0.027
11/20/2007	1530	0.034

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/21/2007	700	0.000
11/21/2007	730	0.000
11/21/2007	800	0.000
11/21/2007	830	0.000
11/21/2007	900	0.000
11/21/2007	930	0.000
11/21/2007	1000	0.000
11/21/2007	1030	0.000
11/21/2007	1100	0.000
11/21/2007	1130	0.000
11/21/2007	1200	0.000
11/21/2007	1230	0.000
11/21/2007	1300	0.000
11/21/2007	1330	0.000
11/21/2007	1400	0.000
11/21/2007	1430	0.000
11/21/2007	1500	0.000
11/21/2007	1530	0.000

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/23/2007	700	0.000
11/23/2007	730	0.000
11/23/2007	800	0.000
11/23/2007	830	0.000
11/23/2007	900	0.000
11/23/2007	930	0.000
11/23/2007	1000	0.000
11/23/2007	1030	0.000
11/23/2007	1100	0.000
11/23/2007	1130	0.000
11/23/2007	1200	0.000
11/23/2007	1230	0.000
11/23/2007	1300	0.000
11/23/2007	1330	0.000
11/23/2007	1400	0.000
11/23/2007	1430	0.000
11/23/2007	1500	0.000
11/23/2007	1530	0.000

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/24/2007	700	0.000
11/24/2007	730	0.000
11/24/2007	800	0.000
11/24/2007	830	0.000
11/24/2007	900	0.000
11/24/2007	930	0.000
11/24/2007	1000	0.000
11/24/2007	1030	0.000
11/24/2007	1100	0.000
11/24/2007	1130	0.000
11/24/2007	1200	0.000
11/24/2007	1230	0.000
11/24/2007	1300	0.000
11/24/2007	1330	0.000
11/24/2007	1400	0.000
11/24/2007	1430	0.000
11/24/2007	1500	0.000
11/24/2007	1530	0.000

Downwind monitor not monitoring due to very heavy rains

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/27/2007	700	0.000
11/27/2007	730	0.000
11/27/2007	800	0.000
11/27/2007	830	0.000
11/27/2007	900	0.000
11/27/2007	930	0.000
11/27/2007	1000	0.000
11/27/2007	1030	0.000
11/27/2007	1100	0.000
11/27/2007	1130	0.000
11/27/2007	1200	0.000
11/27/2007	1230	0.000
11/27/2007	1300	0.000
11/27/2007	1330	0.000
11/27/2007	1400	0.000
11/27/2007	1430	0.000
11/27/2007	1500	0.000
11/27/2007	1530	0.000

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/28/2007	700	0.000
11/28/2007	730	0.000
11/28/2007	800	0.000
11/28/2007	830	0.000
11/28/2007	900	0.000
11/28/2007	930	0.000
11/28/2007	1000	0.000
11/28/2007	1030	0.000
11/28/2007	1100	0.000
11/28/2007	1130	0.000
11/28/2007	1200	0.000
11/28/2007	1230	0.000
11/28/2007	1300	0.000
11/28/2007	1330	0.000
11/28/2007	1400	0.000
11/28/2007	1430	0.000
11/28/2007	1500	0.000
11/28/2007	1530	0.000

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/29/2007	700	0.000
11/29/2007	730	0.001
11/29/2007	800	0.001
11/29/2007	830	0.000
11/29/2007	900	0.002
11/29/2007	930	0.001
11/29/2007	1000	0.000
11/29/2007	1030	0.000
11/29/2007	1100	0.000
11/29/2007	1130	0.000
11/29/2007	1200	0.001
11/29/2007	1230	0.000
11/29/2007	1300	0.000
11/29/2007	1330	0.000
11/29/2007	1400	0.000
11/29/2007	1430	0.000
11/29/2007	1500	0.000
11/29/2007	1530	0.000

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
11/30/2007	700	0.000
11/30/2007	730	0.000
11/30/2007	800	0.000
11/30/2007	830	0.000
11/30/2007	900	0.000
11/30/2007	930	0.000
11/30/2007	1000	0.000
11/30/2007	1030	0.000
11/30/2007	1100	0.000
11/30/2007	1130	0.000
11/30/2007	1200	0.000
11/30/2007	1230	0.000
11/30/2007	1300	0.000
11/30/2007	1330	0.000
11/30/2007	1400	0.000
11/30/2007	1430	0.000
11/30/2007	1500	0.000
11/30/2007	1530	0.000

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000069
 Data Points: 7 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/1/2007 7:37			0		0	
2	11/1/2007 7:52			0		0	
3	11/1/2007 8:07			0		0.1	
4	11/1/2007 8:22			0		0.2	
5	11/1/2007 8:37			0		0.1	
6	11/1/2007 8:52			0		0.7	
7	11/1/2007 9:07			0		0.2	
11/1/2007 930- 1630				N/A			

PID not functioning

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000070
 Data Points: 11 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/2/2007 7:21			0		0.2	
2	11/2/2007 7:36			0		0	
3	11/2/2007 7:51			0		0.2	
4	11/2/2007 8:06			0		0	
5	11/2/2007 8:21			0		0.1	
6	11/2/2007 8:36			0		0.1	
7	11/2/2007 8:51			0		0.5	
8	11/2/2007 9:06			0.1		0.3	
9	11/2/2007 9:21			0		0.6	
10	11/2/2007 9:36			0		0	
11	11/2/2007 9:51			0		0	
1	11/2/2007 10:24			0		0	
2	11/2/2007 10:39			0		0	
3	11/2/2007 10:54			0		0.2	
4	11/2/2007 11:09			0		0.1	
5	11/2/2007 11:24			0		0.1	
6	11/2/2007 11:39			0		0.2	
7	11/2/2007 11:54			0		0.1	
8	11/2/2007 12:09			0		0.1	
9	11/2/2007 12:24			0		0	
10	11/2/2007 12:39			0		0	
11	11/2/2007 12:54			0		0	
12	11/2/2007 13:09			0		0	
13	11/2/2007 13:24			0		0.2	
14	11/2/2007 13:39			0		0	
15	11/2/2007 13:54			0		0.1	
16	11/2/2007 14:09			0		0.1	
17	11/2/2007 14:24			0		0	
18	11/2/2007 14:39			0		0	
19	11/2/2007 14:54			0		0	
20	11/2/2007 15:09			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000073
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50                50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/5/2007 8:28			0		0.1	
2	11/5/2007 8:43			0		0	
3	11/5/2007 8:58			0		0.2	
4	11/5/2007 9:13			0		0.1	
5	11/5/2007 9:28			0		0	
6	11/5/2007 9:43			0		0	
7	11/5/2007 9:58			0		0.1	
8	11/5/2007 10:13			0		0.2	
9	11/5/2007 10:28			0		0.1	
10	11/5/2007 10:43			0.1		0.6	
11	11/5/2007 10:58			0.1		0.2	
12	11/5/2007 11:13			0.1		0.2	
13	11/5/2007 11:28			0.1		0.2	
14	11/5/2007 11:43			0.1		0.2	
15	11/5/2007 11:58			0.1		0.2	
16	11/5/2007 12:13			0.1		0.2	
17	11/5/2007 12:28			0.1		0.4	
18	11/5/2007 12:43			0.1		0.3	
19	11/5/2007 12:58			0.1		0.2	
20	11/5/2007 13:13			0.1		0.2	
21	11/5/2007 13:28			0.1		0.1	
22	11/5/2007 13:43			0.1		0.2	
23	11/5/2007 13:58			0.1		0.2	
24	11/5/2007 14:13			0.1		0.2	
25	11/5/2007 14:28			0.1		0.7	
26	11/5/2007 14:43			0.1		0.6	
27	11/5/2007 14:58			0.1		0.5	
28	11/5/2007 15:13			0.1		0.3	
29	11/5/2007 15:28			0.1		0.5	
30	11/5/2007 15:43			0		0.4	
31	11/5/2007 15:58			0		0.2	
32	11/5/2007 16:13			0		0.2	
33	11/5/2007 16:28			0.1		0.3	
34	11/5/2007 16:43			0.1		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000074
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/6/2007 8:18			0		0.3	
2	11/6/2007 8:33			0		0.1	
3	11/6/2007 8:48			0		0.1	
4	11/6/2007 9:03			0		0	
5	11/6/2007 9:18			0		0.1	
6	11/6/2007 9:33			0		0	
7	11/6/2007 9:48			0		0	
8	11/6/2007 10:03			0		0	
9	11/6/2007 10:18			0		0.2	
10	11/6/2007 10:33			0		0	
11	11/6/2007 10:48			0		0.1	
12	11/6/2007 11:03			0.1		0.7	
13	11/6/2007 11:18			0.1		0.3	
14	11/6/2007 11:33			0.1		0.2	
15	11/6/2007 11:48			0.1		0.2	
16	11/6/2007 12:03			0.1		0.2	
17	11/6/2007 12:18			0.1		0.2	
18	11/6/2007 12:33			0.1		0.2	
19	11/6/2007 12:48			0.1		0.3	
20	11/6/2007 13:03			0.1		0.4	
21	11/6/2007 13:18			0.1		0.2	
22	11/6/2007 13:33			0.1		0.2	
23	11/6/2007 13:48			0.1		0.3	
24	11/6/2007 14:03			0.1		0.2	
25	11/6/2007 14:18			0.1		0.2	
26	11/6/2007 14:33			0.1		0.2	
27	11/6/2007 14:48			0.1		0.2	
28	11/6/2007 15:03			0.1		0.2	
29	11/6/2007 15:18			0.1		0.2	
30	11/6/2007 15:33			0.1		0.2	
31	11/6/2007 15:48			0.1		0.2	
32	11/6/2007 16:03			0.1		0.2	
33	11/6/2007 16:18			0.1		0.1	
34	11/6/2007 16:33			0.1		0.6	

```

=====
  
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000077
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     11/7/2007 8:26           0           0           0.3
  2     11/7/2007 8:41           0           0           0.2
  3     11/7/2007 8:56           0           0           0.2
  4     11/7/2007 9:11           0           0           0.2
  5     11/7/2007 9:26           0           0           0.1
  6     11/7/2007 9:41           0           0           0.1
  7     11/7/2007 9:56           0           0           0.2
  8     11/7/2007 10:11          0           0           0.2
  9     11/7/2007 10:26          0.1           0           0.1
 10     11/7/2007 10:41          0.1           0           0.1
 11     11/7/2007 10:56          0.1           0           0.2
 12     11/7/2007 11:11          0.1           0           0.1
 13     11/7/2007 11:26          0.1           0           0.1
 14     11/7/2007 11:41          0.1           0           0.2
 15     11/7/2007 11:56          0.1           0           0.2
 16     11/7/2007 12:11          0.1           0           0.2
 17     11/7/2007 12:26          0.1           0           0.2
 18     11/7/2007 12:41          0.1           0           0.3
 19     11/7/2007 12:56          0.1           0           0.2
 20     11/7/2007 13:11          0.1           0           0.2
 21     11/7/2007 13:26          0.1           0           0.1
 22     11/7/2007 13:41          0.1           0           0.2
 23     11/7/2007 13:56          0.1           0           0.2
 24     11/7/2007 14:11          0.1           0           0.1
 25     11/7/2007 14:26          0.1           0           0.1
 26     11/7/2007 14:41          0.1           0           0.2
 27     11/7/2007 14:56          0.1           0           0.2
 28     11/7/2007 15:11          0.1           0           0.1
 29     11/7/2007 15:26          0           0           0.2
 30     11/7/2007 15:41          0           0           0.1
 31     11/7/2007 15:56          0           0           0.1
 32     11/7/2007 16:11          0           0           0
 33     11/7/2007 16:26          0           0           0.1
 34     11/7/2007 16:41          0           0           0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000078
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/8/2007 8:33			0		0	
2	11/8/2007 8:48			0		0	
3	11/8/2007 9:03			0		0	
4	11/8/2007 9:18			0		0	
5	11/8/2007 9:33			0		0	
6	11/8/2007 9:48			0		0	
7	11/8/2007 10:03			0		0	
8	11/8/2007 10:18			0		0.1	
9	11/8/2007 10:33			0		0.1	
10	11/8/2007 10:48			0		0.1	
11	11/8/2007 11:03			0.1		0.1	
12	11/8/2007 11:18			0.1		0.2	
13	11/8/2007 11:33			0.1		0.2	
14	11/8/2007 11:48			0.1		0.2	
15	11/8/2007 12:03			0.1		0.1	
16	11/8/2007 12:18			0.1		0.1	
17	11/8/2007 12:33			0.1		0.1	
18	11/8/2007 12:48			0.1		0.1	
19	11/8/2007 13:03			0.1		0.1	
20	11/8/2007 13:18			0.1		0.2	
21	11/8/2007 13:33			0.1		0.1	
22	11/8/2007 13:48			0.1		0.1	
23	11/8/2007 14:03			0.1		0.2	
24	11/8/2007 14:18			0.1		0.2	
25	11/8/2007 14:33			0.1		0.2	
26	11/8/2007 14:48			0.1		0.2	
27	11/8/2007 15:03			0.1		0.2	
28	11/8/2007 15:18			0.1		0.2	
29	11/8/2007 15:33			0.1		0.1	
30	11/8/2007 15:48			0		0.1	
31	11/8/2007 16:03			0		0.1	
32	11/8/2007 16:18			0		0.2	
33	11/8/2007 16:33			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000079
 Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/9/2007 8:04			0		0	
2	11/9/2007 8:19			0		0	
3	11/9/2007 8:34			0		0	
4	11/9/2007 8:49			0		0.1	
5	11/9/2007 9:04			0		0.1	
6	11/9/2007 9:19			0		0.1	
7	11/9/2007 9:34			0		0.1	
8	11/9/2007 9:49			0		0.1	
9	11/9/2007 10:04			0.1		0.1	
10	11/9/2007 10:19			0.1		0.1	
11	11/9/2007 10:34			0.1		0.1	
12	11/9/2007 10:49			0.1		0.1	
13	11/9/2007 11:04			0.1		0.1	
14	11/9/2007 11:19			0.1		0.2	
15	11/9/2007 11:34			0.1		0.2	
16	11/9/2007 11:49			0.1		1.7	
17	11/9/2007 12:04			0.2		2.6	
18	11/9/2007 12:19			0.2		1.8	
19	11/9/2007 12:34			0		0	
20	11/9/2007 12:49			0		0	
21	11/9/2007 13:04			0		0	
22	11/9/2007 13:19			0		0	
23	11/9/2007 13:34			0		0	
1	11/9/2007 14:05			0		0	
2	11/9/2007 14:20			0		0	
3	11/9/2007 14:35			0		1.2	
4	11/9/2007 14:50			0.1		10.1	
5	11/9/2007 15:05			0		0.8	
6	11/9/2007 15:20			0		0.1	
7	11/9/2007 15:35			0		0.1	
8	11/9/2007 15:50			0.1		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000081
 Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/10/2007 12:17			0		0	
2	11/10/2007 12:32			0		0	
3	11/10/2007 12:47			0		0	
4	11/10/2007 13:02			0		0	
5	11/10/2007 13:17			0		3.6	
6	11/10/2007 13:32			0		0	
7	11/10/2007 13:47			0		1.2	
8	11/10/2007 14:02			0		0.3	
9	11/10/2007 14:17			0		0	
10	11/10/2007 14:32			0		0	
11	11/10/2007 14:47			0		0	
12	11/10/2007 15:02			0		0	
13	11/10/2007 15:17			0		0.1	
14	11/10/2007 15:32			0		0	
15	11/10/2007 15:47			0		0	
16	11/10/2007 16:02			0		1.3	
17	11/10/2007 16:17			0		0	
18	11/10/2007 16:32			0		0.3	
19	11/10/2007 16:47			0		0.1	
20	11/10/2007 17:02			0		0	
21	11/10/2007 17:17			0		0.2	
22	11/10/2007 17:32			0		0.5	
23	11/10/2007 17:47			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000082
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:49

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/12/2007 8:26			0		0	
2	11/12/2007 8:41			0		0.2	
3	11/12/2007 8:56			0		0	
4	11/12/2007 9:11			0		0.7	
5	11/12/2007 9:26			0		0	
6	11/12/2007 9:41			0		0	
7	11/12/2007 9:56			0		0	
8	11/12/2007 10:11			0		0	
9	11/12/2007 10:26			0		0	
10	11/12/2007 10:41			0		0	
11	11/12/2007 10:56			0		0	
12	11/12/2007 11:11			0		0	
13	11/12/2007 11:26			0		0	
14	11/12/2007 11:41			0		0	
15	11/12/2007 11:56			0		0.1	
16	11/12/2007 12:11			0		0.1	
17	11/12/2007 12:26			0		0.1	
18	11/12/2007 12:41			0		0.1	
19	11/12/2007 12:56			0		0.2	
20	11/12/2007 13:11			0		0.1	
21	11/12/2007 13:26			0		0.1	
22	11/12/2007 13:41			0		0.1	
23	11/12/2007 13:56			0		0.1	
24	11/12/2007 14:11			0		0.4	
25	11/12/2007 14:26			0.2		6.7	
26	11/12/2007 14:41			0		0.1	
27	11/12/2007 14:56			0		0.1	
28	11/12/2007 15:11			0		0.1	
29	11/12/2007 15:26			0.1		0.4	
30	11/12/2007 15:41			0		0.1	
31	11/12/2007 15:56			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000083
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/13/2007 8:15			0		0.3	
2	11/13/2007 8:30			0		0.4	
3	11/13/2007 8:45			0.1		0.9	
4	11/13/2007 9:00			0.1		1.9	
5	11/13/2007 9:15			0.1		0.9	
6	11/13/2007 9:30			0.1		0.3	
7	11/13/2007 9:45			0.2		0.3	
8	11/13/2007 10:00			0.2		0.3	
9	11/13/2007 10:15			0.2		0.4	
10	11/13/2007 10:30			0.2		0.4	
11	11/13/2007 10:45			0.2		0.5	
12	11/13/2007 11:00			0.3		1.8	
13	11/13/2007 11:15			0.3		1.9	
14	11/13/2007 11:30			0.3		0.3	
15	11/13/2007 11:45			0.3		0.4	
16	11/13/2007 12:00			0.3		0.4	
17	11/13/2007 12:15			0.3		3.3	
18	11/13/2007 12:30			0.3		0.8	
19	11/13/2007 12:45			0.3		1.3	
20	11/13/2007 13:00			0.3		0.4	
21	11/13/2007 13:15			0.3		0.3	
22	11/13/2007 13:30			0.3		0.3	
23	11/13/2007 13:45			0.3		0.4	
24	11/13/2007 14:00			0.3		0.3	
25	11/13/2007 14:15			0.3		0.3	
26	11/13/2007 14:30			0.3		0.5	
27	11/13/2007 14:45			0.3		0.4	
28	11/13/2007 15:00			0.3		0.4	
29	11/13/2007 15:15			0.3		0.4	
30	11/13/2007 15:30			0.3		0.6	
31	11/13/2007 15:45			0.3		0.4	
32	11/13/2007 16:00			0.3		0.3	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000084
 Data Points: 14 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/14/2007 8:23			0.1		5.4	
2	11/14/2007 8:38			0		0	
3	11/14/2007 8:53			0		0	
4	11/14/2007 9:08			0		0	
5	11/14/2007 9:23			0		0	
6	11/14/2007 9:38			0		0	
7	11/14/2007 9:53			0		0	
8	11/14/2007 10:08			0		0.2	
9	11/14/2007 10:23			0		0	
10	11/14/2007 10:38			0		0	
11	11/14/2007 10:53			0		0	
12	11/14/2007 11:08			0		0	
13	11/14/2007 11:23			0		0	
14	11/14/2007 11:38			0		0	
1	11/14/2007 12:28			0.1		1.6	
2	11/14/2007 12:43			0.1		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000086
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/15/2007 8:18			0.1		1.8	
2	11/15/2007 8:33			0.3		1.5	
3	11/15/2007 8:48			1		6.2	
4	11/15/2007 9:03			0.2		1	
5	11/15/2007 9:18			0.2		0.7	
6	11/15/2007 9:33			0.4		2.5	
7	11/15/2007 9:48			0.3		0.7	
8	11/15/2007 10:03			0.1		0.3	
9	11/15/2007 10:18			0.1		0.2	
10	11/15/2007 10:33			0.1		0.2	
11	11/15/2007 10:48			0.1		0.1	
12	11/15/2007 11:03			0.1		0.2	
13	11/15/2007 11:18			0.1		0.1	
14	11/15/2007 11:33			0.1		0.1	
15	11/15/2007 11:48			0.1		0.2	
16	11/15/2007 12:03			0.1		0.2	
17	11/15/2007 12:18			0.1		0.2	
18	11/15/2007 12:33			0.1		0.2	
19	11/15/2007 12:48			0.1		0.2	
20	11/15/2007 13:03			0.1		0.2	
21	11/15/2007 13:18			0.1		0.2	
22	11/15/2007 13:33			0.1		0.2	
23	11/15/2007 13:48			0.1		0.2	
24	11/15/2007 14:03			0.1		0.2	
25	11/15/2007 14:18			0.1		0.2	
26	11/15/2007 14:33			0.1		0.2	
27	11/15/2007 14:48			0.1		0.2	
28	11/15/2007 15:03			0.2		0.2	
29	11/15/2007 15:18			0.2		0.3	
30	11/15/2007 15:33			0.2		0.3	
31	11/15/2007 15:48			0.2		0.3	
32	11/15/2007 16:03			0.2		0.3	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000087
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/16/2007 8:27			0		0.3	
2	11/16/2007 8:42			0.1		0.2	
3	11/16/2007 8:57			0.1		0.2	
4	11/16/2007 9:12			0.1		0.2	
5	11/16/2007 9:27			0.1		0.2	
6	11/16/2007 9:42			0.2		0.3	
7	11/16/2007 9:57			0.2		0.3	
8	11/16/2007 10:12			0.2		0.2	
9	11/16/2007 10:27			0.2		0.3	
10	11/16/2007 10:42			0.2		0.3	
11	11/16/2007 10:57			0.2		0.3	
12	11/16/2007 11:12			0.2		0.3	
13	11/16/2007 11:27			0.2		0.3	
14	11/16/2007 11:42			0.2		0.3	
15	11/16/2007 11:57			0.2		0.3	
16	11/16/2007 12:12			0.2		0.3	
17	11/16/2007 12:27			0.2		0.4	
18	11/16/2007 12:42			0.2		0.3	
19	11/16/2007 12:57			0.2		0.3	
20	11/16/2007 13:12			0.2		0.3	
21	11/16/2007 13:27			0.2		0.3	
22	11/16/2007 13:42			0.3		0.4	
23	11/16/2007 13:57			0.2		0.3	
24	11/16/2007 14:12			0.3		0.4	
25	11/16/2007 14:27			0.3		0.4	
26	11/16/2007 14:42			0.3		0.3	
27	11/16/2007 14:57			0.3		0.5	
28	11/16/2007 15:12			0.3		0.8	
29	11/16/2007 15:27			0.3		0.7	
30	11/16/2007 15:42			0.3		0.5	
31	11/16/2007 15:57			0.3		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000089
 Data Points: 29 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/17/2007 10:11			0.4		5.6	
2	11/17/2007 10:26			0.1		0.4	
3	11/17/2007 10:41			0.2		0.7	
4	11/17/2007 10:56			0.2		0.5	
5	11/17/2007 11:11			0.2		0.4	
6	11/17/2007 11:26			0.2		0.4	
7	11/17/2007 11:41			0.2		2	
8	11/17/2007 11:56			0.2		0.7	
9	11/17/2007 12:11			0.3		0.8	
10	11/17/2007 12:26			0.3		1.5	
11	11/17/2007 12:41			0.3		0.5	
12	11/17/2007 12:56			0.2		0.4	
13	11/17/2007 13:11			0.2		0.5	
14	11/17/2007 13:26			0.2		0.5	
15	11/17/2007 13:41			0.2		0.6	
16	11/17/2007 13:56			0.3		0.7	
17	11/17/2007 14:11			0.3		0.9	
18	11/17/2007 14:26			0.3		1	
19	11/17/2007 14:41			0.2		0.4	
20	11/17/2007 14:56			0.3		0.4	
21	11/17/2007 15:11			0.3		1	
22	11/17/2007 15:26			0.3		1.1	
23	11/17/2007 15:41			0.3		1.3	
24	11/17/2007 15:56			0.3		0.6	
25	11/17/2007 16:11			0.3		0.7	
26	11/17/2007 16:26			0.3		0.4	
27	11/17/2007 16:41			0.3		0.6	
28	11/17/2007 16:56			0.3		0.5	
29	11/17/2007 17:11			0.3		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000090
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/19/2007 8:09			0		0	
2	11/19/2007 8:24			0		0.1	
3	11/19/2007 8:39			0		0.1	
4	11/19/2007 8:54			0.1		0.2	
5	11/19/2007 9:09			0.1		0.3	
6	11/19/2007 9:24			0.2		0.5	
7	11/19/2007 9:39			0.2		0.3	
8	11/19/2007 9:54			0.2		0.3	
9	11/19/2007 10:09			0.2		0.2	
10	11/19/2007 10:24			0.2		0.2	
11	11/19/2007 10:39			0.2		0.2	
12	11/19/2007 10:54			0.2		0.3	
13	11/19/2007 11:09			0.2		0.4	
14	11/19/2007 11:24			0.2		0.4	
15	11/19/2007 11:39			0.2		0.4	
16	11/19/2007 11:54			0.2		0.6	
17	11/19/2007 12:09			0.2		0.3	
18	11/19/2007 12:24			0.8		17.2	
19	11/19/2007 12:39			0.3		1.2	
20	11/19/2007 12:54			0.3		0.5	
21	11/19/2007 13:09			0.3		0.5	
22	11/19/2007 13:24			0.3		0.8	
23	11/19/2007 13:39			0.3		0.4	
24	11/19/2007 13:54			0.3		0.4	
25	11/19/2007 14:09			0.3		0.7	
26	11/19/2007 14:24			0.3		0.5	
27	11/19/2007 14:39			0.3		0.6	
28	11/19/2007 14:54			0.3		0.4	
29	11/19/2007 15:09			0.3		0.4	
30	11/19/2007 15:24			0.3		0.4	
31	11/19/2007 15:39			0.4		0.6	
32	11/19/2007 15:54			0.3		0.5	
33	11/19/2007 16:09			0.4		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000091
 Data Points: 14 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
   1    11/20/2007 8:37           0           0.1
   2    11/20/2007 8:52           0           0.6
   3    11/20/2007 9:07           0.1          0.2
   4    11/20/2007 9:22           0.2          7.8
   5    11/20/2007 9:37           0.2          0.5
   6    11/20/2007 9:52           0.2          0.5
   7    11/20/2007 10:07          0.2          0.5
   8    11/20/2007 10:22          0.2          0.4
   9    11/20/2007 10:37          0.2          0.3
  10    11/20/2007 10:52          0.2          0.7
  11    11/20/2007 11:07          0.2          0.5
  12    11/20/2007 11:22           0           0.4
  13    11/20/2007 11:37           0           0
  14    11/20/2007 11:52           0           0
   1    11/20/2007 12:43          0.1          0.3
   2    11/20/2007 12:58          0.1          0.3
   3    11/20/2007 13:13          0.1          0.2
   4    11/20/2007 13:28          0.1          0.3
   5    11/20/2007 13:43          0.1          0.3
   6    11/20/2007 13:58          0.1          0.3
   7    11/20/2007 14:13           0           0.3
   8    11/20/2007 14:28           0           0
   9    11/20/2007 14:43           0           0
  10    11/20/2007 14:58           0           0
  11    11/20/2007 15:13           0           0
  12    11/20/2007 15:28           0           0
  13    11/20/2007 15:43           0           0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000094
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/21/2007 8:14			0		0.1	
2	11/21/2007 8:29			0		0.2	
3	11/21/2007 8:44			0.1		0.3	
4	11/21/2007 8:59			0.1		0.3	
5	11/21/2007 9:14			0.1		0.3	
6	11/21/2007 9:29			0.2		0.3	
7	11/21/2007 9:44			0.2		0.3	
8	11/21/2007 9:59			0.2		0.4	
9	11/21/2007 10:14			0.2		0.4	
10	11/21/2007 10:29			0		0	
11	11/21/2007 10:44			0		0	
12	11/21/2007 10:59			0		0	
13	11/21/2007 11:14			0		0	
14	11/21/2007 11:29			0		0	
15	11/21/2007 11:44			0		0	
16	11/21/2007 11:59			0		0	
17	11/21/2007 12:14			0		0	
18	11/21/2007 12:29			0		0	
19	11/21/2007 12:44			0		0	
20	11/21/2007 12:59			0		0	
21	11/21/2007 13:14			0		0	
22	11/21/2007 13:29			0		0	
23	11/21/2007 13:44			0		0	
24	11/21/2007 13:59			0		0	
25	11/21/2007 14:14			0		0	
26	11/21/2007 14:29			0		0	
27	11/21/2007 14:44			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000095
 Data Points: 6 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/23/2007 8:19			0		0	
2	11/23/2007 8:34			0		0	
3	11/23/2007 8:49			0		0	
4	11/23/2007 9:04			0		0	
5	11/23/2007 9:19			0		0	
6	11/23/2007 9:34			0		0	
11/23/2007 1000-1230							
PID used for headspace monitoring							
1	11/23/2007 12:49			0		0	
2	11/23/2007 13:04			0		0	
3	11/23/2007 13:19			0		0	
4	11/23/2007 13:34			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000101
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/24/2007 10:39			0		0	
2	11/24/2007 10:54			0		0	
3	11/24/2007 11:09			0		0	
4	11/24/2007 11:24			0		0	
5	11/24/2007 11:39			0		0	
6	11/24/2007 11:54			0		0	
7	11/24/2007 12:09			0		0	
8	11/24/2007 12:24			0		0	
9	11/24/2007 12:39			0		0	
10	11/24/2007 12:54			0		0	
11	11/24/2007 13:09			0		0	
12	11/24/2007 13:24			0		0	
13	11/24/2007 13:39			0		0	
14	11/24/2007 13:54			0		0	
15	11/24/2007 14:09			0		0	
16	11/24/2007 14:24			0		0	
17	11/24/2007 14:39			0		0	
18	11/24/2007 14:54			0		0	
19	11/24/2007 15:09			0		0	
20	11/24/2007 15:24			0		0	
21	11/24/2007 15:39			0		0	
22	11/24/2007 15:54			0		0	
23	11/24/2007 16:09			0		0	
24	11/24/2007 16:24			0		0	
25	11/24/2007 16:39			0		0	
26	11/24/2007 16:54			0		0	
27	11/24/2007 17:09			0		0	

Downwind Vapor monitor not monitoring due to heavy rains

	ppm	
11/27/2007	700	0.0
11/27/2007	730	0.0
11/27/2007	800	0.0
11/27/2007	830	0.0
11/27/2007	900	0.0
11/27/2007	930	0.0
11/27/2007	1000	0.0
11/27/2007	1030	0.0
11/27/2007	1100	0.0
11/27/2007	1130	0.0
11/27/2007	1200	0.0
11/27/2007	1230	0.0
11/27/2007	1300	0.0
11/27/2007	1330	0.0
11/27/2007	1400	0.0
11/27/2007	1430	0.0
11/27/2007	1500	0.0
11/27/2007	1530	0.0
11/27/2007	1600	0.0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000105
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/28/2007 8:29			0		0.2	
2	11/28/2007 8:44			0		0.3	
3	11/28/2007 8:59			0		0.4	
4	11/28/2007 9:14			0.1		0.2	
5	11/28/2007 9:29			0.1		0.2	
6	11/28/2007 9:44			0.1		0.2	
7	11/28/2007 9:59			0.1		0.3	
8	11/28/2007 10:14			0.1		0.4	
9	11/28/2007 10:29			0.1		0.2	
10	11/28/2007 10:44			0.2		0.2	
11	11/28/2007 10:59			0.2		0.3	
12	11/28/2007 11:14			0.2		0.2	
13	11/28/2007 11:29			0.2		0.3	
14	11/28/2007 11:44			0.2		0.3	
15	11/28/2007 11:59			0.2		0.4	
16	11/28/2007 12:14			0.2		0.3	
17	11/28/2007 12:29			0.2		0.4	
18	11/28/2007 12:44			0.2		0.3	
19	11/28/2007 12:59			0.2		0.4	
20	11/28/2007 13:14			0.3		0.6	
21	11/28/2007 13:29			0.3		0.3	
22	11/28/2007 13:44			0.3		0.3	
23	11/28/2007 13:59			0.3		0.6	
24	11/28/2007 14:14			0.3		0.7	
25	11/28/2007 14:29			0.3		0.8	
26	11/28/2007 14:44			0.4		0.7	
27	11/28/2007 14:59			0.3		0.5	
28	11/28/2007 15:14			0.3		0.4	
29	11/28/2007 15:29			0.4		0.5	
30	11/28/2007 15:44			0.4		0.6	
31	11/28/2007 15:59			0.4		0.9	
32	11/28/2007 16:14			0.3		0.6	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000106
 Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50                50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/29/2007 8:17			0		0	
2	11/29/2007 8:32			0		0.1	
3	11/29/2007 8:47			0.1		0.1	
4	11/29/2007 9:02			0.1		0.2	
5	11/29/2007 9:17			0.2		0.2	
6	11/29/2007 9:32			0.2		0.2	
7	11/29/2007 9:47			0.2		0.3	
8	11/29/2007 10:02			0.3		0.3	
9	11/29/2007 10:17			0.3		0.3	
10	11/29/2007 10:32			0.3		0.6	
11	11/29/2007 10:47			0.5		0.7	
12	11/29/2007 11:02			0.4		0.6	
13	11/29/2007 11:17			0.4		0.4	
14	11/29/2007 11:32			0.4		0.4	
15	11/29/2007 11:47			0.3		0.4	
16	11/29/2007 12:02			0.3		0.4	
17	11/29/2007 12:17			0.3		0.4	
18	11/29/2007 12:32			0.4		0.4	
19	11/29/2007 12:47			0.4		0.4	
20	11/29/2007 13:02			0.4		0.4	
21	11/29/2007 13:17			0.4		0.4	
22	11/29/2007 13:32			0.4		0.5	
23	11/29/2007 13:47			0.4		0.5	
24	11/29/2007 14:02			0.4		0.5	
25	11/29/2007 14:17			0.5		0.5	
26	11/29/2007 14:32			0.4		0.5	
27	11/29/2007 14:47			0.5		0.5	
28	11/29/2007 15:02			0.5		0.6	
29	11/29/2007 15:17			0.5		0.5	
30	11/29/2007 15:32			0.5		0.6	
31	11/29/2007 15:47			0.5		0.6	
32	11/29/2007 16:02			0.5		0.5	
33	11/29/2007 16:17			0.5		0.5	
34	11/29/2007 16:32			0.5		0.5	
35	11/29/2007 16:47			0.4		0.5	
36	11/29/2007 17:02			0.5		0.5	

```

=====

```


Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000107
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:                Min(ppm)          Avg(ppm)          Max(ppm)
High Alarm Levels:                100              100              100
Low Alarm Levels:                 50               50               50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm  Avg(ppm) Alarm  Max(ppm) Alarm
=====
   1     11/30/2007 8:23                0                1
   2     11/30/2007 8:38                0                0.2
   3     11/30/2007 8:53                0                0.1
   4     11/30/2007 9:08                0                0.9
   5     11/30/2007 9:23                0.1              0.2
   6     11/30/2007 9:38                0.1              0.3
   7     11/30/2007 9:53                0.1              0.3
   8     11/30/2007 10:08               0.2              0.4
   9     11/30/2007 10:23               0.2              0.6
  10     11/30/2007 10:38               0.2              0.4
  11     11/30/2007 10:53               0.2              0.5
  12     11/30/2007 11:08               0.3              0.4
  13     11/30/2007 11:23               0.2              0.5
  14     11/30/2007 11:38               0.2              0.5
  15     11/30/2007 11:53               0.2              0.5
  16     11/30/2007 12:08               0.3              0.7
  17     11/30/2007 12:23               0.3              0.5
  18     11/30/2007 12:38               0.3              0.4
  19     11/30/2007 12:53               0.3              0.4
  20     11/30/2007 13:08               0.3              0.4
  21     11/30/2007 13:23               0.3              0.4
  22     11/30/2007 13:38               0.3              0.5
  23     11/30/2007 13:53               0.3              0.5
  24     11/30/2007 14:08               0.3              0.5
  25     11/30/2007 14:23               0.3              0.9
  26     11/30/2007 14:38               0.3              0.7
  27     11/30/2007 14:53               0.3              0.4
  28     11/30/2007 15:08               0.3              0.5
  29     11/30/2007 15:23               0.3              0.7
  30     11/30/2007 15:38               0.3              0.4
  31     11/30/2007 15:53               0.3              0.4
  32     11/30/2007 16:08               0.3              0.5
=====

```

MM/dd/yyyy	Time	Aerosol mg/m ³
11/1/2007	700	0.000
11/1/2007	730	0.000
11/1/2007	800	0.000
11/1/2007	830	0.000
11/1/2007	900	0.000
11/1/2007	930	0.000
11/1/2007	1000	0.000
11/1/2007	1030	0.000
11/1/2007	1100	0.000
11/1/2007	1130	0.000
11/1/2007	1200	0.000
11/1/2007	1230	0.000
11/1/2007	1300	0.000
11/1/2007	1330	0.000
11/1/2007	1400	0.000
11/1/2007	1430	0.000
11/1/2007	1500	0.000
11/1/2007	1530	0.000
11/1/2007	1600	0.000

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 8
 Test Abbreviation:
 Start Date: 11/2/2007
 Start Time: 5:25:54
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 5:40:54
 Date of Minimum: 11/2/2007
 Maximum: 0
 Time of Maximum: 5:40:54
 Date of Maximum: 11/2/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/2/2007	5:40:54	0
11/2/2007	5:55:54	0
11/2/2007	6:10:54	0
11/2/2007	6:25:54	0
11/2/2007	6:40:54	0
11/2/2007	6:55:54	0
11/2/2007	7:10:54	0
11/2/2007	7:25:54	0
11/2/2007	7:40:54	0
11/2/2007	7:55:54	0
11/2/2007	8:10:54	0
11/2/2007	8:25:54	0
11/2/2007	8:40:54	0
11/2/2007	8:55:54	0
11/2/2007	9:10:54	0
11/2/2007	9:25:54	0
11/2/2007	9:40:54	0
11/2/2007	9:55:54	0
11/2/2007	10:10:54	0
11/2/2007	10:25:54	0
11/2/2007	10:40:54	0
11/2/2007	10:55:54	0
11/2/2007	11:10:54	0
11/2/2007	11:25:54	0
11/2/2007	11:40:54	0
11/2/2007	11:55:54	0
11/2/2007	12:10:54	0
11/2/2007	12:25:54	0
11/2/2007	12:40:54	0
11/2/2007	12:55:54	0
11/2/2007	13:10:54	0
11/2/2007	13:25:54	0
11/2/2007	13:40:54	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 9
 Test Abbreviation:
 Start Date: 11/5/2007
 Start Time: 6:34:12
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.001
 Minimum: 0
 Time of Minimum: 6:49:12
 Date of Minimum: 11/5/2007
 Maximum: 0.014
 Time of Maximum: 7:49:12
 Date of Maximum: 11/5/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/5/2007	6:49:12	0
11/5/2007	7:04:12	0
11/5/2007	7:19:12	0.004
11/5/2007	7:34:12	0.001
11/5/2007	7:49:12	0.014
11/5/2007	8:04:12	0.002
11/5/2007	8:19:12	0
11/5/2007	8:34:12	0
11/5/2007	8:49:12	0
11/5/2007	9:04:12	0
11/5/2007	9:19:12	0
11/5/2007	9:34:12	0
11/5/2007	9:49:12	0
11/5/2007	10:04:12	0
11/5/2007	10:19:12	0
11/5/2007	10:34:12	0
11/5/2007	10:49:12	0
11/5/2007	11:04:12	0
11/5/2007	11:19:12	0.002
11/5/2007	11:34:12	0
11/5/2007	11:49:12	0
11/5/2007	12:04:12	0.001
11/5/2007	12:19:12	0.004
11/5/2007	12:34:12	0
11/5/2007	12:49:12	0
11/5/2007	13:04:12	0
11/5/2007	13:19:12	0.004
11/5/2007	13:34:12	0
11/5/2007	13:49:12	0.001
11/5/2007	14:04:12	0
11/5/2007	14:19:12	0
11/5/2007	14:34:12	0
11/5/2007	14:49:12	0
11/5/2007	15:04:12	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 10
Test Abbreviation:
Start Date: 11/6/2007
Start Time: 6:19:39
Duration (dd:hh:mm:ss): 00:08:45:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 35
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:34:39
Date of Minimum: 11/6/2007
Maximum: 0.003
Time of Maximum: 8:34:39
Date of Maximum: 11/6/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/6/2007	6:34:39	0
11/6/2007	6:49:39	0
11/6/2007	7:04:39	0
11/6/2007	7:19:39	0
11/6/2007	7:34:39	0
11/6/2007	7:49:39	0
11/6/2007	8:04:39	0
11/6/2007	8:19:39	0
11/6/2007	8:34:39	0.003
11/6/2007	8:49:39	0.001
11/6/2007	9:04:39	0
11/6/2007	9:19:39	0
11/6/2007	9:34:39	0
11/6/2007	9:49:39	0.001
11/6/2007	10:04:39	0.001
11/6/2007	10:19:39	0
11/6/2007	10:34:39	0
11/6/2007	10:49:39	0
11/6/2007	11:04:39	0
11/6/2007	11:19:39	0
11/6/2007	11:34:39	0
11/6/2007	11:49:39	0
11/6/2007	12:04:39	0
11/6/2007	12:19:39	0
11/6/2007	12:34:39	0
11/6/2007	12:49:39	0
11/6/2007	13:04:39	0
11/6/2007	13:19:39	0
11/6/2007	13:34:39	0
11/6/2007	13:49:39	0
11/6/2007	14:04:39	0
11/6/2007	14:19:39	0
11/6/2007	14:34:39	0
11/6/2007	14:49:39	0
11/6/2007	15:04:39	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 11
 Test Abbreviation:
 Start Date: 11/7/2007
 Start Time: 6:24:43
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:39:43
 Date of Minimum: 11/7/2007
 Maximum: 0.002
 Time of Maximum: 13:24:43
 Date of Maximum: 11/7/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/7/2007	6:39:43	0
11/7/2007	6:54:43	0
11/7/2007	7:09:43	0
11/7/2007	7:24:43	0.001
11/7/2007	7:39:43	0
11/7/2007	7:54:43	0
11/7/2007	8:09:43	0
11/7/2007	8:24:43	0
11/7/2007	8:39:43	0
11/7/2007	8:54:43	0
11/7/2007	9:09:43	0
11/7/2007	9:24:43	0
11/7/2007	9:39:43	0
11/7/2007	9:54:43	0
11/7/2007	10:09:43	0
11/7/2007	10:24:43	0
11/7/2007	10:39:43	0
11/7/2007	10:54:43	0
11/7/2007	11:09:43	0
11/7/2007	11:24:43	0
11/7/2007	11:39:43	0
11/7/2007	11:54:43	0
11/7/2007	12:09:43	0
11/7/2007	12:24:43	0
11/7/2007	12:39:43	0.001
11/7/2007	12:54:43	0.001
11/7/2007	13:09:43	0
11/7/2007	13:24:43	0.002
11/7/2007	13:39:43	0
11/7/2007	13:54:43	0
11/7/2007	14:09:43	0.001
11/7/2007	14:24:43	0.002
11/7/2007	14:39:43	0
11/7/2007	14:54:43	0
11/7/2007	15:09:43	0
11/7/2007	15:24:43	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 12
 Test Abbreviation:
 Start Date: 11/8/2007
 Start Time: 6:32:12
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:47:12
 Date of Minimum: 11/8/2007
 Maximum: 0.008
 Time of Maximum: 11:17:12
 Date of Maximum: 11/8/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/8/2007	6:47:12	0
11/8/2007	7:02:12	0
11/8/2007	7:17:12	0
11/8/2007	7:32:12	0
11/8/2007	7:47:12	0
11/8/2007	8:02:12	0
11/8/2007	8:17:12	0
11/8/2007	8:32:12	0
11/8/2007	8:47:12	0
11/8/2007	9:02:12	0
11/8/2007	9:17:12	0
11/8/2007	9:32:12	0
11/8/2007	9:47:12	0
11/8/2007	10:02:12	0
11/8/2007	10:17:12	0
11/8/2007	10:32:12	0
11/8/2007	10:47:12	0
11/8/2007	11:02:12	0
11/8/2007	11:17:12	0.008
11/8/2007	11:32:12	0.002
11/8/2007	11:47:12	0
11/8/2007	12:02:12	0
11/8/2007	12:17:12	0
11/8/2007	12:32:12	0
11/8/2007	12:47:12	0.002
11/8/2007	13:02:12	0
11/8/2007	13:17:12	0
11/8/2007	13:32:12	0
11/8/2007	13:47:12	0.001
11/8/2007	14:02:12	0
11/8/2007	14:17:12	0
11/8/2007	14:32:12	0
11/8/2007	14:47:12	0
11/8/2007	15:02:12	0.001

MM/dd/yyyy	Time	Aerosol mg/m ³
11/9/2007	700	0.000
11/9/2007	730	0.000
11/9/2007	800	0.000
11/9/2007	830	0.000
11/9/2007	900	0.000
11/9/2007	930	0.000
11/9/2007	1000	0.000
11/9/2007	1030	0.000
11/9/2007	1100	0.000
11/9/2007	1130	0.000
11/9/2007	1200	0.000
11/9/2007	1230	0.000
11/9/2007	1300	0.000
11/9/2007	1330	0.000
11/9/2007	1400	0.000
11/9/2007	1430	0.000
11/9/2007	1500	0.000
11/9/2007	1530	0.000
11/9/2007	1600	0.000

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 2
Test Abbreviation:
Start Date: 11/10/2007
Start Time: 10:24:46
Duration (dd:hh:mm:ss): 00:05:30:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 22
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 10:39:46
Date of Minimum: 11/10/2007
Maximum: 0.001
Time of Maximum: 14:24:46
Date of Maximum: 11/10/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/10/2007	10:39:46	0
11/10/2007	10:54:46	0
11/10/2007	11:09:46	0
11/10/2007	11:24:46	0
11/10/2007	11:39:46	0
11/10/2007	11:54:46	0
11/10/2007	12:09:46	0
11/10/2007	12:24:46	0
11/10/2007	12:39:46	0
11/10/2007	12:54:46	0
11/10/2007	13:09:46	0
11/10/2007	13:24:46	0
11/10/2007	13:39:46	0
11/10/2007	13:54:46	0
11/10/2007	14:09:46	0
11/10/2007	14:24:46	0.001
11/10/2007	14:39:46	0
11/10/2007	14:54:46	0.001
11/10/2007	15:09:46	0
11/10/2007	15:24:46	0
11/10/2007	15:39:46	0
11/10/2007	15:54:46	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 3
Test Abbreviation:
Start Date: 11/12/2007
Start Time: 6:27:22
Duration (dd:hh:mm:ss) 00:08:00:00
Time constant (sec) 15
Log Interval (mm:ss): 15:00
Number of points: 32
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:42:22
Date of Minimum: 11/12/2007
Maximum: 0.002
Time of Maximum: 9:42:22
Date of Maximum: 11/12/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/12/2007	6:42:22	0
11/12/2007	6:57:22	0
11/12/2007	7:12:22	0
11/12/2007	7:27:22	0
11/12/2007	7:42:22	0
11/12/2007	7:57:22	0
11/12/2007	8:12:22	0
11/12/2007	8:27:22	0
11/12/2007	8:42:22	0
11/12/2007	8:57:22	0
11/12/2007	9:12:22	0
11/12/2007	9:27:22	0
11/12/2007	9:42:22	0.002
11/12/2007	9:57:22	0
11/12/2007	10:12:22	0
11/12/2007	10:27:22	0
11/12/2007	10:42:22	0
11/12/2007	10:57:22	0
11/12/2007	11:12:22	0
11/12/2007	11:27:22	0
11/12/2007	11:42:22	0
11/12/2007	11:57:22	0
11/12/2007	12:12:22	0
11/12/2007	12:27:22	0
11/12/2007	12:42:22	0
11/12/2007	12:57:22	0
11/12/2007	13:12:22	0
11/12/2007	13:27:22	0
11/12/2007	13:42:22	0
11/12/2007	13:57:22	0
11/12/2007	14:12:22	0
11/12/2007	14:27:22	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 4
 Test Abbreviation:
 Start Date: 11/13/2007
 Start Time: 6:17:51
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:32:51
 Date of Minimum: 11/13/2007
 Maximum: 0.001
 Time of Maximum: 7:17:51
 Date of Maximum: 11/13/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/13/2007	6:32:51	0
11/13/2007	6:47:51	0
11/13/2007	7:02:51	0
11/13/2007	7:17:51	0.001
11/13/2007	7:32:51	0
11/13/2007	7:47:51	0.001
11/13/2007	8:02:51	0.001
11/13/2007	8:17:51	0
11/13/2007	8:32:51	0.001
11/13/2007	8:47:51	0
11/13/2007	9:02:51	0
11/13/2007	9:17:51	0
11/13/2007	9:32:51	0.001
11/13/2007	9:47:51	0
11/13/2007	10:02:51	0
11/13/2007	10:17:51	0
11/13/2007	10:32:51	0
11/13/2007	10:47:51	0
11/13/2007	11:02:51	0
11/13/2007	11:17:51	0
11/13/2007	11:32:51	0
11/13/2007	11:47:51	0
11/13/2007	12:02:51	0
11/13/2007	12:17:51	0
11/13/2007	12:32:51	0
11/13/2007	12:47:51	0
11/13/2007	13:02:51	0
11/13/2007	13:17:51	0
11/13/2007	13:32:51	0
11/13/2007	13:47:51	0
11/13/2007	14:02:51	0
11/13/2007	14:17:51	0
11/13/2007	14:32:51	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 5
 Test Abbreviation:
 Start Date: 11/14/2007
 Start Time: 6:28:23
 Duration (dd:hh:mm:ss): 00:08:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 32
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:43:23
 Date of Minimum: 11/14/2007
 Maximum: 0.001
 Time of Maximum: 8:28:23
 Date of Maximum: 11/14/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/14/2007	6:43:23	0
11/14/2007	6:58:23	0
11/14/2007	7:13:23	0
11/14/2007	7:28:23	0
11/14/2007	7:43:23	0
11/14/2007	7:58:23	0
11/14/2007	8:13:23	0
11/14/2007	8:28:23	0.001
11/14/2007	8:43:23	0.001
11/14/2007	8:58:23	0
11/14/2007	9:13:23	0
11/14/2007	9:28:23	0
11/14/2007	9:43:23	0
11/14/2007	9:58:23	0
11/14/2007	10:13:23	0
11/14/2007	10:28:23	0
11/14/2007	10:43:23	0
11/14/2007	10:58:23	0
11/14/2007	11:13:23	0
11/14/2007	11:28:23	0
11/14/2007	11:43:23	0
11/14/2007	11:58:23	0
11/14/2007	12:13:23	0
11/14/2007	12:28:23	0
11/14/2007	12:43:23	0
11/14/2007	12:58:23	0
11/14/2007	13:13:23	0
11/14/2007	13:28:23	0
11/14/2007	13:43:23	0
11/14/2007	13:58:23	0
11/14/2007	14:13:23	0
11/14/2007	14:28:23	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 6
 Test Abbreviation:
 Start Date: 11/15/2007
 Start Time: 6:20:09
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:35:09
 Date of Minimum: 11/15/2007
 Maximum: 0.006
 Time of Maximum: 12:50:09
 Date of Maximum: 11/15/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/15/2007	6:35:09	0
11/15/2007	6:50:09	0
11/15/2007	7:05:09	0
11/15/2007	7:20:09	0
11/15/2007	7:35:09	0
11/15/2007	7:50:09	0
11/15/2007	8:05:09	0
11/15/2007	8:20:09	0
11/15/2007	8:35:09	0
11/15/2007	8:50:09	0
11/15/2007	9:05:09	0
11/15/2007	9:20:09	0
11/15/2007	9:35:09	0
11/15/2007	9:50:09	0
11/15/2007	10:05:09	0
11/15/2007	10:20:09	0
11/15/2007	10:35:09	0
11/15/2007	10:50:09	0
11/15/2007	11:05:09	0
11/15/2007	11:20:09	0
11/15/2007	11:35:09	0
11/15/2007	11:50:09	0
11/15/2007	12:05:09	0
11/15/2007	12:20:09	0
11/15/2007	12:35:09	0
11/15/2007	12:50:09	0.006
11/15/2007	13:05:09	0
11/15/2007	13:20:09	0
11/15/2007	13:35:09	0
11/15/2007	13:50:09	0
11/15/2007	14:05:09	0
11/15/2007	14:20:09	0
11/15/2007	14:35:09	0

MM/dd/yyyy	Time	Aerosol mg/m ³
11/16/2007	700	0.000
11/16/2007	730	0.000
11/16/2007	800	0.000
11/16/2007	830	0.000
11/16/2007	900	0.000
11/16/2007	930	0.000
11/16/2007	1000	0.000
11/16/2007	1030	0.000
11/16/2007	1100	0.000
11/16/2007	1130	0.000
11/16/2007	1200	0.000
11/16/2007	1230	0.000
11/16/2007	1300	0.000
11/16/2007	1330	0.000
11/16/2007	1400	0.000
11/16/2007	1430	0.000
11/16/2007	1500	0.000
11/16/2007	1530	0.000
11/16/2007	1600	0.000

MM/dd/yyyy	Time	Aerosol mg/m ³
11/17/2007	700	0.000
11/17/2007	730	0.000
11/17/2007	800	0.000
11/17/2007	830	0.000
11/17/2007	900	0.000
11/17/2007	930	0.000
11/17/2007	1000	0.000
11/17/2007	1030	0.000
11/17/2007	1100	0.000
11/17/2007	1130	0.000
11/17/2007	1200	0.000
11/17/2007	1230	0.000
11/17/2007	1300	0.000
11/17/2007	1330	0.000
11/17/2007	1400	0.000
11/17/2007	1430	0.000
11/17/2007	1500	0.000
11/17/2007	1530	0.000
11/17/2007	1600	0.000

MM/dd/yyyy	Time	Aerosol mg/m ³
11/19/2007	700	0.000
11/19/2007	730	0.000
11/19/2007	800	0.000
11/19/2007	830	0.000
11/19/2007	900	0.000
11/19/2007	930	0.000
11/19/2007	1000	0.000
11/19/2007	1030	0.000
11/19/2007	1100	0.000
11/19/2007	1130	0.000
11/19/2007	1200	0.000
11/19/2007	1230	0.000
11/19/2007	1300	0.000
11/19/2007	1330	0.000
11/19/2007	1400	0.000
11/19/2007	1430	0.000
11/19/2007	1500	0.000
11/19/2007	1530	0.000

MM/dd/yyyy	Time	Aerosol mg/m ³
11/20/2007	700	0.000
11/20/2007	730	0.000
11/20/2007	800	0.000
11/20/2007	830	0.000
11/20/2007	900	0.000
11/20/2007	930	0.000
11/20/2007	1000	0.000
11/20/2007	1030	0.000
11/20/2007	1100	0.000
11/20/2007	1130	0.000
11/20/2007	1200	0.000
11/20/2007	1230	0.000
11/20/2007	1300	0.000
11/20/2007	1330	0.000
11/20/2007	1400	0.000
11/20/2007	1430	0.000
11/20/2007	1500	0.000
11/20/2007	1530	0.000

Upwind Dust monitor in for repairs

Upwind Dustmonitor is in for repairs

Upwind Dustmonitor is in for repairs

Upwind dust monitor not monitoring due to very heavy rains

Upwind Dust monitor is in for repairs

Upwind Dust monitor is in for repairs

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 10
 Test Abbreviation:
 Start Date: 11/29/2007
 Start Time: 6:21:43
 Duration (dd:hh:mm:ss): 00:09:15:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 37
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:36:43
 Date of Minimum: 11/29/2007
 Maximum: 0.001
 Time of Maximum: 10:06:43
 Date of Maximum: 11/29/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/29/2007	6:36:43	0
11/29/2007	6:51:43	0
11/29/2007	7:06:43	0
11/29/2007	7:21:43	0
11/29/2007	7:36:43	0
11/29/2007	7:51:43	0
11/29/2007	8:06:43	0
11/29/2007	8:21:43	0
11/29/2007	8:36:43	0
11/29/2007	8:51:43	0
11/29/2007	9:06:43	0
11/29/2007	9:21:43	0
11/29/2007	9:36:43	0
11/29/2007	9:51:43	0
11/29/2007	10:06:43	0.001
11/29/2007	10:21:43	0
11/29/2007	10:36:43	0
11/29/2007	10:51:43	0
11/29/2007	11:06:43	0
11/29/2007	11:21:43	0
11/29/2007	11:36:43	0
11/29/2007	11:51:43	0
11/29/2007	12:06:43	0
11/29/2007	12:21:43	0
11/29/2007	12:36:43	0
11/29/2007	12:51:43	0
11/29/2007	13:06:43	0
11/29/2007	13:21:43	0
11/29/2007	13:36:43	0
11/29/2007	13:51:43	0
11/29/2007	14:06:43	0
11/29/2007	14:21:43	0
11/29/2007	14:36:43	0
11/29/2007	14:51:43	0
11/29/2007	15:06:43	0
11/29/2007	15:21:43	0
11/29/2007	15:36:43	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 11
 Test Abbreviation:
 Start Date: 11/30/2007
 Start Time: 6:27:18
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:42:18
 Date of Minimum: 11/30/2007
 Maximum: 0
 Time of Maximum: 6:42:18
 Date of Maximum: 11/30/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
11/30/2007	6:42:18	0
11/30/2007	6:57:18	0
11/30/2007	7:12:18	0
11/30/2007	7:27:18	0
11/30/2007	7:42:18	0
11/30/2007	7:57:18	0
11/30/2007	8:12:18	0
11/30/2007	8:27:18	0
11/30/2007	8:42:18	0
11/30/2007	8:57:18	0
11/30/2007	9:12:18	0
11/30/2007	9:27:18	0
11/30/2007	9:42:18	0
11/30/2007	9:57:18	0
11/30/2007	10:12:18	0
11/30/2007	10:27:18	0
11/30/2007	10:42:18	0
11/30/2007	10:57:18	0
11/30/2007	11:12:18	0
11/30/2007	11:27:18	0
11/30/2007	11:42:18	0
11/30/2007	11:57:18	0
11/30/2007	12:12:18	0
11/30/2007	12:27:18	0
11/30/2007	12:42:18	0
11/30/2007	12:57:18	0
11/30/2007	13:12:18	0
11/30/2007	13:27:18	0
11/30/2007	13:42:18	0
11/30/2007	13:57:18	0
11/30/2007	14:12:18	0
11/30/2007	14:27:18	0
11/30/2007	14:42:18	0
11/30/2007	14:57:18	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/1/2007 7:39			0		0	
2	11/1/2007 7:54			0		0	
3	11/1/2007 8:09			0		0	
4	11/1/2007 8:24			0		0	
5	11/1/2007 8:39			0		0.1	
6	11/1/2007 8:54			0		0.1	
7	11/1/2007 9:09			0		0.1	
8	11/1/2007 9:24			0		0.1	
9	11/1/2007 9:39			0		0.1	
10	11/1/2007 9:54			0		0.1	
11	11/1/2007 10:09			0		0.1	
12	11/1/2007 10:24			0		0	
13	11/1/2007 10:39			0		0.1	
14	11/1/2007 10:54			0		0.1	
15	11/1/2007 11:09			0		0.1	
16	11/1/2007 11:24			0		0.1	
17	11/1/2007 11:39			0		0.1	
18	11/1/2007 11:54			0		0	
19	11/1/2007 12:09			0		0	
20	11/1/2007 12:24			0		0	
21	11/1/2007 12:39			0		0	
22	11/1/2007 12:54			0		0	
23	11/1/2007 13:09			0		0	
24	11/1/2007 13:24			0		0.1	
25	11/1/2007 13:39			0		0.1	
26	11/1/2007 13:54			0		0	
27	11/1/2007 14:09			0		0	
28	11/1/2007 14:24			0		0	
29	11/1/2007 14:39			0		0	
30	11/1/2007 14:54			0		0	
31	11/1/2007 15:09			0		0	
32	11/1/2007 15:24			0		0	
33	11/1/2007 15:39			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/2/2007 7:29			0		0.1	
2	11/2/2007 7:44			0		0.1	
3	11/2/2007 7:59			0		0	
4	11/2/2007 8:14			0		0	
5	11/2/2007 8:29			0		0.1	
6	11/2/2007 8:44			0		0	
7	11/2/2007 8:59			0		0	
8	11/2/2007 9:14			0		0	
9	11/2/2007 9:29			0		0	
10	11/2/2007 9:44			0		0	
11	11/2/2007 9:59			0		0.1	
12	11/2/2007 10:14			0		0	
13	11/2/2007 10:29			0		0	
14	11/2/2007 10:44			0		0	
15	11/2/2007 10:59			0		0	
16	11/2/2007 11:14			0		0	
17	11/2/2007 11:29			0		0	
18	11/2/2007 11:44			0		0	
19	11/2/2007 11:59			0		0	
20	11/2/2007 12:14			0		0	
21	11/2/2007 12:29			0		0	
22	11/2/2007 12:44			0		0	
23	11/2/2007 12:59			0		0	
24	11/2/2007 13:14			0		0	
25	11/2/2007 13:29			0		0	
26	11/2/2007 13:44			0		0	
27	11/2/2007 13:59			0		0	
28	11/2/2007 14:14			0		0	
29	11/2/2007 14:29			0		0	
30	11/2/2007 14:44			0		0	
31	11/2/2007 14:59			0		0	
32	11/2/2007 15:14			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/5/2007 8:39			0		0	
2	11/5/2007 8:54			0		0	
3	11/5/2007 9:09			0		0	
4	11/5/2007 9:24			0		0.1	
5	11/5/2007 9:39			0		0	
6	11/5/2007 9:54			0		0.7	
7	11/5/2007 10:09			0		0.7	
8	11/5/2007 10:24			0		0.1	
9	11/5/2007 10:39			0		0	
10	11/5/2007 10:54			0		0.1	
11	11/5/2007 11:09			0		0.1	
12	11/5/2007 11:24			0		0	
13	11/5/2007 11:39			0		0.1	
14	11/5/2007 11:54			0		0	
15	11/5/2007 12:09			0		0	
16	11/5/2007 12:24			0		0.1	
17	11/5/2007 12:39			0		0.8	
18	11/5/2007 12:54			0		0	
19	11/5/2007 13:09			0		0.2	
20	11/5/2007 13:24			0		0	
21	11/5/2007 13:39			0		0	
22	11/5/2007 13:54			0		0.3	
23	11/5/2007 14:09			0		0	
24	11/5/2007 14:24			0		0	
25	11/5/2007 14:39			0		0	
26	11/5/2007 14:54			0		0	
27	11/5/2007 15:09			0		0.1	
28	11/5/2007 15:24			0		0	
29	11/5/2007 15:39			0		0	
30	11/5/2007 15:54			0		0.2	
31	11/5/2007 16:09			0		0	
32	11/5/2007 16:24			0		0	
33	11/5/2007 16:39			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/6/2007 8:09			0		0	
2	11/6/2007 8:24			0		0	
3	11/6/2007 8:39			0		0	
4	11/6/2007 8:54			0		0	
5	11/6/2007 9:09			0		0	
6	11/6/2007 9:24			0		0	
7	11/6/2007 9:39			0		0	
8	11/6/2007 9:54			0		0	
9	11/6/2007 10:09			0		0	
10	11/6/2007 10:24			0		0	
11	11/6/2007 10:39			0		0	
12	11/6/2007 10:54			0		0	
13	11/6/2007 11:09			0		0	
14	11/6/2007 11:24			0		0	
15	11/6/2007 11:39			0		0	
16	11/6/2007 11:54			0		0	
17	11/6/2007 12:09			0		0.2	
18	11/6/2007 12:24			0		0.3	
19	11/6/2007 12:39			0		0	
20	11/6/2007 12:54			0		0	
21	11/6/2007 13:09			0		0	
22	11/6/2007 13:24			0		0	
23	11/6/2007 13:39			0		0	
24	11/6/2007 13:54			0		0	
25	11/6/2007 14:09			0		0	
26	11/6/2007 14:24			0		0	
27	11/6/2007 14:39			0		0.3	
28	11/6/2007 14:54			0		0	
29	11/6/2007 15:09			0		0	
30	11/6/2007 15:24			0		0	
31	11/6/2007 15:39			0		0	
32	11/6/2007 15:54			0		0	
33	11/6/2007 16:09			0		0	
34	11/6/2007 16:24			0		0.3	
35	11/6/2007 16:39			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100               100
Low Alarm Levels:          50              50                50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     11/7/2007 8:29           0           0           0.1
  2     11/7/2007 8:44           0           0           0
  3     11/7/2007 8:59           0           0           0
  4     11/7/2007 9:14           0           0           0.1
  5     11/7/2007 9:29           0           0           0.8
  6     11/7/2007 9:44           0           0           0.2
  7     11/7/2007 9:59           0           0           0.7
  8     11/7/2007 10:14          0           0           0
  9     11/7/2007 10:29          0           0           0.7
 10     11/7/2007 10:44          0           0           0.1
 11     11/7/2007 10:59          0           0           0.1
 12     11/7/2007 11:14          0           0           0
 13     11/7/2007 11:29          0           0           0.1
 14     11/7/2007 11:44          0           0           0.3
 15     11/7/2007 11:59          0           0           0
 16     11/7/2007 12:14          0           0           0
 17     11/7/2007 12:29          0           0           0.1
 18     11/7/2007 12:44          0           0           0
 19     11/7/2007 12:59          0           0           0
 20     11/7/2007 13:14          0           0           0
 21     11/7/2007 13:29          0           0           0
 22     11/7/2007 13:44          0           0           0
 23     11/7/2007 13:59          0           0           0
 24     11/7/2007 14:14          0           0           0.4
 25     11/7/2007 14:29          0           0           1.1
 26     11/7/2007 14:44          0           0           0
 27     11/7/2007 14:59          0           0           0
 28     11/7/2007 15:14          0           0           0
 29     11/7/2007 15:29          0           0           0
 30     11/7/2007 15:44          0           0           0.7
 31     11/7/2007 15:59          0           0           0.6
 32     11/7/2007 16:14          0           0           0
 33     11/7/2007 16:29          0           0           0
 34     11/7/2007 16:44          0           0           0.2
 35     11/7/2007 16:59          0           0           0.2
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/8/2007 8:34			0		0.7	
2	11/8/2007 8:49			0		0	
3	11/8/2007 9:04			0		0	
4	11/8/2007 9:19			0		0.7	
5	11/8/2007 9:34			0		0.1	
6	11/8/2007 9:49			0		0	
7	11/8/2007 10:04			0		0	
8	11/8/2007 10:19			0		0	
9	11/8/2007 10:34			0		0	
10	11/8/2007 10:49			0		0	
11	11/8/2007 11:04			0		0.7	
12	11/8/2007 11:19			0		0	
13	11/8/2007 11:34			0		0	
14	11/8/2007 11:49			0		0.1	
15	11/8/2007 12:04			0		0.6	
16	11/8/2007 12:19			0		0.1	
17	11/8/2007 12:34			0		0.3	
18	11/8/2007 12:49			0		0	
19	11/8/2007 13:04			0		0	
20	11/8/2007 13:19			0		0	
21	11/8/2007 13:34			0		0	
22	11/8/2007 13:49			0		0	
23	11/8/2007 14:04			0		0.1	
24	11/8/2007 14:19			0		0	
25	11/8/2007 14:34			0		0	
26	11/8/2007 14:49			0		0	
27	11/8/2007 15:04			0		0	
28	11/8/2007 15:19			0		0	
29	11/8/2007 15:34			0		0.1	
30	11/8/2007 15:49			0		0	
31	11/8/2007 16:04			0		0	
32	11/8/2007 16:19			0		0	
33	11/8/2007 16:34			0		0.5	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     11/9/2007 8:15           0           0           0
  2     11/9/2007 8:30           0           0           0
  3     11/9/2007 8:45           0           0           0
  4     11/9/2007 9:00           0           0           0
  5     11/9/2007 9:15           0           0           0
  6     11/9/2007 9:30           0           0           0
  7     11/9/2007 9:45           0           0           0
  8     11/9/2007 10:00          0           0           0
  9     11/9/2007 10:15          0           0           0
 10     11/9/2007 10:30          0           0           0
 11     11/9/2007 10:45          0           0           0
 12     11/9/2007 11:00          0           0           0
 13     11/9/2007 11:15          0           0           0
 14     11/9/2007 11:30          0           0           0
 15     11/9/2007 11:45          0           0           0
 16     11/9/2007 12:00          0           0           0
 17     11/9/2007 12:15          0           0           0
 18     11/9/2007 12:30          0           0           0
 19     11/9/2007 12:45          0           0           0
 20     11/9/2007 13:00          0           0           0
 21     11/9/2007 13:15          0           0           0
 22     11/9/2007 13:30          0           0           0
 23     11/9/2007 13:45          0           0           0
 24     11/9/2007 14:00          0           0           0
 25     11/9/2007 14:15          0           0           0
 26     11/9/2007 14:30          0           0           0
 27     11/9/2007 14:45          0           0           0
 28     11/9/2007 15:00          0           0           0
 29     11/9/2007 15:15          0           0           0
 30     11/9/2007 15:30          0           0           0
 31     11/9/2007 15:45          0           0           0
 32     11/9/2007 16:00          0           0           0.1
=====
  
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 21 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/10/2007 12:28			0		0	
2	11/10/2007 12:43			0		0	
3	11/10/2007 12:58			0		0	
4	11/10/2007 13:13			0		0	
5	11/10/2007 13:28			0		0	
6	11/10/2007 13:43			0		0	
7	11/10/2007 13:58			0		0	
8	11/10/2007 14:13			0		0	
9	11/10/2007 14:28			0		0	
10	11/10/2007 14:43			0		0	
11	11/10/2007 14:58			0		0	
12	11/10/2007 15:13			0		0	
13	11/10/2007 15:28			0		0.6	
14	11/10/2007 15:43			0		0.7	
15	11/10/2007 15:58			0		0	
16	11/10/2007 16:13			0		0	
17	11/10/2007 16:28			0		0	
18	11/10/2007 16:43			0		0	
19	11/10/2007 16:58			0		0	
20	11/10/2007 17:13			0		0	
21	11/10/2007 17:28			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 10/31/2007 06:56

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/12/2007 8:31			0		0	
2	11/12/2007 8:46			0		0	
3	11/12/2007 9:01			0		0	
4	11/12/2007 9:16			0		0	
5	11/12/2007 9:31			0		0.2	
6	11/12/2007 9:46			0		0.2	
7	11/12/2007 10:01			0		0	
8	11/12/2007 10:16			0		0	
9	11/12/2007 10:31			0		0	
10	11/12/2007 10:46			0		0	
11	11/12/2007 11:01			0		0	
12	11/12/2007 11:16			0		0	
13	11/12/2007 11:31			0		0.2	
14	11/12/2007 11:46			0		0	
15	11/12/2007 12:01			0		0	
16	11/12/2007 12:16			0		0	
17	11/12/2007 12:31			0		0	
18	11/12/2007 12:46			0		0	
19	11/12/2007 13:01			0		0	
20	11/12/2007 13:16			0		0.2	
21	11/12/2007 13:31			0		0.6	
22	11/12/2007 13:46			0.1		0.8	
23	11/12/2007 14:01			0		0.6	
24	11/12/2007 14:16			0		0.1	
25	11/12/2007 14:31			0		0.1	
26	11/12/2007 14:46			0		0	
27	11/12/2007 15:01			0		0	
28	11/12/2007 15:16			0		0	
29	11/12/2007 15:31			0		0.1	
30	11/12/2007 15:46			0		0	
31	11/12/2007 16:01			0		0	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       11/13/2007 8:20           0             0.1
2       11/13/2007 8:35           0             0.1
3       11/13/2007 8:50           0             0.1
4       11/13/2007 9:05           0             0.1
5       11/13/2007 9:20           0             0.2
6       11/13/2007 9:35           0             0.1
7       11/13/2007 9:50           0             0.1
8       11/13/2007 10:05          0             0.1
9       11/13/2007 10:20          0             0
10      11/13/2007 10:35          0             0.1
11      11/13/2007 10:50          0             0.1
12      11/13/2007 11:05          0             0.1
13      11/13/2007 11:20          0             0.1
14      11/13/2007 11:35          0             0.1
15      11/13/2007 11:50          0             0.1
16      11/13/2007 12:05          0             0.1
17      11/13/2007 12:20          0             0.1
18      11/13/2007 12:35          0             0.2
19      11/13/2007 12:50          0             0.1
20      11/13/2007 13:05          0             0.1
21      11/13/2007 13:20          0             0
22      11/13/2007 13:35          0             0
23      11/13/2007 13:50          0             0
24      11/13/2007 14:05          0             0
25      11/13/2007 14:20          0             0
26      11/13/2007 14:35          0             0
27      11/13/2007 14:50          0             0
28      11/13/2007 15:05          0             0
29      11/13/2007 15:20          0             0
30      11/13/2007 15:35          0             0
31      11/13/2007 15:50          0             0
32      11/13/2007 16:05          0             0
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/14/2007 8:31			0		0.2	
2	11/14/2007 8:46			0		0.2	
3	11/14/2007 9:01			0		0.2	
4	11/14/2007 9:16			0.1		0.9	
5	11/14/2007 9:31			0.1		0.3	
6	11/14/2007 9:46			0.1		0.3	
7	11/14/2007 10:01			0.1		0.3	
8	11/14/2007 10:16			0.1		0.3	
9	11/14/2007 10:31			0.1		0.3	
10	11/14/2007 10:46			0.1		0.3	
11	11/14/2007 11:01			0		0.2	
12	11/14/2007 11:16			0		0.1	
13	11/14/2007 11:31			0		0.1	
14	11/14/2007 11:46			0		0.1	
15	11/14/2007 12:01			0.3		2.4	
16	11/14/2007 12:16			0		0.2	
17	11/14/2007 12:31			0		0.1	
18	11/14/2007 12:46			0		0.1	
19	11/14/2007 13:01			0		0	
20	11/14/2007 13:16			0		0.1	
21	11/14/2007 13:31			0		0.2	
22	11/14/2007 13:46			0		0.1	
23	11/14/2007 14:01			0		0.1	
24	11/14/2007 14:16			0		0	
25	11/14/2007 14:31			0		0	
26	11/14/2007 14:46			0		0	
27	11/14/2007 15:01			0		0	
28	11/14/2007 15:16			0		0	
29	11/14/2007 15:31			0		0	
30	11/14/2007 15:46			0		0	
31	11/14/2007 16:01			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/15/2007 8:21			0		0	
2	11/15/2007 8:36			0		0	
3	11/15/2007 8:51			0		0	
4	11/15/2007 9:06			0		0	
5	11/15/2007 9:21			0		0.2	
6	11/15/2007 9:36			0		0.1	
7	11/15/2007 9:51			0		0.2	
8	11/15/2007 10:06			0		0.2	
9	11/15/2007 10:21			0		0.1	
10	11/15/2007 10:36			0		0.2	
11	11/15/2007 10:51			0		0.1	
12	11/15/2007 11:06			0		0.3	
13	11/15/2007 11:21			0		0.2	
14	11/15/2007 11:36			0		0.1	
15	11/15/2007 11:51			0		0.1	
16	11/15/2007 12:06			0		0.1	
17	11/15/2007 12:21			0		0.1	
18	11/15/2007 12:36			0		0.1	
19	11/15/2007 12:51			0		0.1	
20	11/15/2007 13:06			0		0.1	
21	11/15/2007 13:21			0		0	
22	11/15/2007 13:36			0		0.1	
23	11/15/2007 13:51			0		0.1	
24	11/15/2007 14:06			0		0.1	
25	11/15/2007 14:21			0		0.1	
26	11/15/2007 14:36			0		0.1	
27	11/15/2007 14:51			0		0.1	
28	11/15/2007 15:06			0		0.1	
29	11/15/2007 15:21			0		0.3	
30	11/15/2007 15:36			0.1		0.9	
31	11/15/2007 15:51			0		0.6	
32	11/15/2007 16:06			0		0.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100              100
Low Alarm Levels:          50               50               50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/16/2007 8:32			0		0.1	
2	11/16/2007 8:47			0		0.1	
3	11/16/2007 9:02			0		0.4	
4	11/16/2007 9:17			0.1		0.9	
5	11/16/2007 9:32			0		0.4	
6	11/16/2007 9:47			0		0.1	
7	11/16/2007 10:02			0		0.3	
8	11/16/2007 10:17			0		0.1	
9	11/16/2007 10:32			0		0.8	
10	11/16/2007 10:47			0		0.1	
11	11/16/2007 11:02			0		0.1	
12	11/16/2007 11:17			0		0.1	
13	11/16/2007 11:32			0		0.1	
14	11/16/2007 11:47			0		0.1	
15	11/16/2007 12:02			0		0	
16	11/16/2007 12:17			0		0	
17	11/16/2007 12:32			0		0	
18	11/16/2007 12:47			0		1.1	
19	11/16/2007 13:02			0		0	
20	11/16/2007 13:17			0		0	
21	11/16/2007 13:32			0		0	
22	11/16/2007 13:47			0		0	
23	11/16/2007 14:02			0		0	
24	11/16/2007 14:17			0		13.5	
25	11/16/2007 14:32			0		0	
26	11/16/2007 14:47			0		0.1	
27	11/16/2007 15:02			0		0.1	
28	11/16/2007 15:17			0		0.1	
29	11/16/2007 15:32			0.1		0.8	
30	11/16/2007 15:47			0		0.5	
31	11/16/2007 16:02			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/17/2007 10:12			0		0.1	
2	11/17/2007 10:27			0		0.4	
3	11/17/2007 10:42			0		0.1	
4	11/17/2007 10:57			0		0.8	
5	11/17/2007 11:12			0		0.1	
6	11/17/2007 11:27			0		0.2	
7	11/17/2007 11:42			0		0.1	
8	11/17/2007 11:57			0		0.1	
9	11/17/2007 12:12			0		0.1	
10	11/17/2007 12:27			0		0.1	
11	11/17/2007 12:42			0		0.2	
12	11/17/2007 12:57			0		0	
13	11/17/2007 13:12			0		0	
14	11/17/2007 13:27			0		0.1	
15	11/17/2007 13:42			0		0	
16	11/17/2007 13:57			0		0.1	
17	11/17/2007 14:12			0		0	
18	11/17/2007 14:27			0		0.1	
19	11/17/2007 14:42			0		0	
20	11/17/2007 14:57			0		0.1	
21	11/17/2007 15:12			0		0.2	
22	11/17/2007 15:27			0		0.1	
23	11/17/2007 15:42			0		0	
24	11/17/2007 15:57			0		0.7	
25	11/17/2007 16:12			0		0.5	
26	11/17/2007 16:27			0		0.3	
27	11/17/2007 16:42			0		0.2	
28	11/17/2007 16:57			0		0.2	
29	11/17/2007 17:12			0		0.2	
30	11/17/2007 17:27			0		0.1	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/19/2007 8:14			0		0.7	
2	11/19/2007 8:29			0		0.8	
3	11/19/2007 8:44			0		0.1	
4	11/19/2007 8:59			0		0	
5	11/19/2007 9:14			0		0.1	
6	11/19/2007 9:29			0		0.1	
7	11/19/2007 9:44			0		0.1	
8	11/19/2007 9:59			0		0	
9	11/19/2007 10:14			0		0.3	
10	11/19/2007 10:29			0		0.1	
11	11/19/2007 10:44			0		0	
12	11/19/2007 10:59			0		0	
13	11/19/2007 11:14			0		0.1	
14	11/19/2007 11:29			0		0.1	
15	11/19/2007 11:44			0		0.4	
16	11/19/2007 11:59			0		0.3	
17	11/19/2007 12:14			0		0.1	
18	11/19/2007 12:29			0		0.1	
19	11/19/2007 12:44			0		0.1	
20	11/19/2007 12:59			0		0	
21	11/19/2007 13:14			0		0	
22	11/19/2007 13:29			0		0	
23	11/19/2007 13:44			0		0	
24	11/19/2007 13:59			0		0.1	
25	11/19/2007 14:14			0		0	
26	11/19/2007 14:29			0		0	
27	11/19/2007 14:44			0		0	
28	11/19/2007 14:59			0		0.1	
29	11/19/2007 15:14			0		0	
30	11/19/2007 15:29			0		0	
31	11/19/2007 15:44			0		0	
32	11/19/2007 15:59			0		0	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/20/2007 8:44			0		0	
2	11/20/2007 8:59			0		0	
3	11/20/2007 9:14			0		0	
4	11/20/2007 9:29			0		0	
5	11/20/2007 9:44			0		0	
6	11/20/2007 9:59			0		0.1	
7	11/20/2007 10:14			0		0.1	
8	11/20/2007 10:29			0		0.8	
9	11/20/2007 10:44			0.1		0.8	
10	11/20/2007 10:59			0		0.4	
11	11/20/2007 11:14			0		0.2	
12	11/20/2007 11:29			0		0.1	
13	11/20/2007 11:44			0		0.2	
14	11/20/2007 11:59			0		0.5	
15	11/20/2007 12:14			0.1		0.9	
16	11/20/2007 12:29			0.2		0.9	
17	11/20/2007 12:44			0.2		0.9	
18	11/20/2007 12:59			0.2		1	
19	11/20/2007 13:14			0.2		1.1	
20	11/20/2007 13:29			0.2		1.1	
21	11/20/2007 13:44			0.2		0.7	
22	11/20/2007 13:59			0.2		0.5	
23	11/20/2007 14:14			0.2		0.4	
24	11/20/2007 14:29			0.2		0.4	
25	11/20/2007 14:44			0.2		0.4	
26	11/20/2007 14:59			0.2		0.4	
27	11/20/2007 15:14			0.2		0.4	
28	11/20/2007 15:29			0.2		0.3	
29	11/20/2007 15:44			0.1		0.3	
30	11/20/2007 15:59			0.1		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/21/2007 8:23			0.1		1.2	
2	11/21/2007 8:38			0.1		0.4	
3	11/21/2007 8:53			0		0.2	
4	11/21/2007 9:08			0		0.1	
5	11/21/2007 9:23			0		0.1	
6	11/21/2007 9:38			0		0	
7	11/21/2007 9:53			0		0.1	
8	11/21/2007 10:08			0		0.1	
9	11/21/2007 10:23			0		0.1	
10	11/21/2007 10:38			0		0.1	
11	11/21/2007 10:53			0		0.1	
12	11/21/2007 11:08			0		0.1	
13	11/21/2007 11:23			0		1	
14	11/21/2007 11:38			0		0.1	
15	11/21/2007 11:53			0		0.1	
16	11/21/2007 12:08			0		0.1	
17	11/21/2007 12:23			0		0	
18	11/21/2007 12:38			0		0.1	
19	11/21/2007 12:53			0		0.1	
20	11/21/2007 13:08			0		0.3	
21	11/21/2007 13:23			0		0.2	
22	11/21/2007 13:38			0		0.2	
23	11/21/2007 13:53			0		0.2	
24	11/21/2007 14:08			0		0.2	
25	11/21/2007 14:23			0		0.1	
26	11/21/2007 14:38			0		0.1	
27	11/21/2007 14:53			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/23/2007 8:25			0		0	
2	11/23/2007 8:40			0		0	
3	11/23/2007 8:55			0		0	
4	11/23/2007 9:10			0		0.8	
5	11/23/2007 9:25			0		0.1	
6	11/23/2007 9:40			0		0	
7	11/23/2007 9:55			0		0.5	
8	11/23/2007 10:10			0		0.3	
9	11/23/2007 10:25			0		0.1	
10	11/23/2007 10:40			0		0.1	
11	11/23/2007 10:55			0		0.3	
12	11/23/2007 11:10			0		0	
13	11/23/2007 11:25			0		0	
14	11/23/2007 11:40			0		0.1	
15	11/23/2007 11:55			0		0	
16	11/23/2007 12:10			0		0.1	
17	11/23/2007 12:25			0		0	
18	11/23/2007 12:40			0		0.5	
19	11/23/2007 12:55			0		0	
20	11/23/2007 13:10			0		0	
21	11/23/2007 13:25			0		0.7	
22	11/23/2007 13:40			0		0.1	
23	11/23/2007 13:55			0		1.8	
24	11/23/2007 14:10			0		0	
25	11/23/2007 14:25			0		0.7	
26	11/23/2007 14:40			0		0	
27	11/23/2007 14:55			0		0	
28	11/23/2007 15:10			0		0	
29	11/23/2007 15:25			0		0	
30	11/23/2007 15:40			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm
1	11/24/2007 10:42		0	0
2	11/24/2007 10:57		0	0
3	11/24/2007 11:12		0	0.1
4	11/24/2007 11:27		0	0.1
5	11/24/2007 11:42		0	0.2
6	11/24/2007 11:57		0	0.1
7	11/24/2007 12:12		0	0.8
8	11/24/2007 12:27		0	0.7
9	11/24/2007 12:42		0	0
10	11/24/2007 12:57		0	0
11	11/24/2007 13:12		0	0
12	11/24/2007 13:27		0	0.1
13	11/24/2007 13:42		0	1.2
14	11/24/2007 13:57		0	0.8
15	11/24/2007 14:12		0	0.6
16	11/24/2007 14:27		0	0.1
17	11/24/2007 14:42		0	0
18	11/24/2007 14:57		0	0.1
19	11/24/2007 15:12		0	0.1
20	11/24/2007 15:27		0	0
21	11/24/2007 15:42		0	0
22	11/24/2007 15:57		0	0
23	11/24/2007 16:12		0	0
24	11/24/2007 16:27		0	0.1
25	11/24/2007 16:42		0	0.2
26	11/24/2007 16:57		0	0.1
27	11/24/2007 17:12		0	0.1
28	11/24/2007 17:27		0	0.1

Upwind Vapor monitor not monitoring due to heavy rains

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/27/2007 8:28			0		0	
2	11/27/2007 8:43			0		0	
3	11/27/2007 8:58			0		0	
4	11/27/2007 9:13			0		0.4	
5	11/27/2007 9:28			0		0.1	
6	11/27/2007 9:43			0		0.1	
7	11/27/2007 9:58			0		0	
8	11/27/2007 10:13			0		0	
9	11/27/2007 10:28			0		0	
10	11/27/2007 10:43			0		0	
11	11/27/2007 10:58			0		0	
12	11/27/2007 11:13			0		0	
13	11/27/2007 11:28			0		0	
14	11/27/2007 11:43			0		0	
15	11/27/2007 11:58			0		0	
16	11/27/2007 12:13			0		0	
17	11/27/2007 12:28			0		0	
18	11/27/2007 12:43			0		0	
19	11/27/2007 12:58			0		0	
20	11/27/2007 13:13			0		0	
21	11/27/2007 13:28			0		0	
22	11/27/2007 13:43			0		0	
23	11/27/2007 13:58			0		0.1	
24	11/27/2007 14:13			0		0	
25	11/27/2007 14:28			0		0	
26	11/27/2007 14:43			0		0	
27	11/27/2007 14:58			0		0	
28	11/27/2007 15:13			0		0	
29	11/27/2007 15:28			0		0	
30	11/27/2007 15:43			0		0	
31	11/27/2007 15:58			0		0	
32	11/27/2007 16:13			0		0	
33	11/27/2007 16:28			0		0	
34	11/27/2007 16:43			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/29/2007 13:14			0		0.2	
2	11/29/2007 13:29			0		0.2	
3	11/29/2007 13:44			0		0.2	
4	11/29/2007 13:59			0		0.4	
5	11/29/2007 14:14			0		0.1	
6	11/29/2007 14:29			0.1		0.4	
7	11/29/2007 14:44			0		0.3	
8	11/29/2007 14:59			0		0.1	
9	11/29/2007 15:14			0		0.6	
10	11/29/2007 15:29			0.1		0.4	
11	11/29/2007 15:44			0		0.2	
12	11/29/2007 15:59			0		0.1	
13	11/29/2007 16:14			0		0.1	
14	11/29/2007 16:29			0.1		1.2	
15	11/29/2007 16:44			0.2		0.6	
16	11/29/2007 16:59			0		0.3	
17	11/29/2007 17:14			0		0.2	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/28/2007 8:26			0		0.2	
2	11/28/2007 8:41			0		2	
3	11/28/2007 8:56			0		0.5	
4	11/28/2007 9:11			0		0.2	
5	11/28/2007 9:26			0.1		0.3	
6	11/28/2007 9:41			0		0.1	
7	11/28/2007 9:56			0		0.1	
8	11/28/2007 10:11			0		0.1	
9	11/28/2007 10:26			0		0.1	
10	11/28/2007 10:41			0		0.2	
11	11/28/2007 10:56			0		0	
12	11/28/2007 11:11			0		0.1	
13	11/28/2007 11:26			0		0.2	
14	11/28/2007 11:41			0		0.1	
15	11/28/2007 11:56			0		0.1	
16	11/28/2007 12:11			0		0.1	
17	11/28/2007 12:26			0		0	
18	11/28/2007 12:41			0		0	
19	11/28/2007 12:56			0		0	
20	11/28/2007 13:11			0		0.3	
21	11/28/2007 13:26			0.1		0.8	
22	11/28/2007 13:41			0		0.3	
23	11/28/2007 13:56			0		0.3	
24	11/28/2007 14:11			0		0.3	
25	11/28/2007 14:26			0		0.2	
26	11/28/2007 14:41			0		0.6	
27	11/28/2007 14:56			0		0.1	
28	11/28/2007 15:11			0		0.1	
29	11/28/2007 15:26			0		0	
30	11/28/2007 15:41			0		0	
31	11/28/2007 15:56			0		0	
32	11/28/2007 16:11			0		0.1	
33	11/28/2007 16:26			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	11/30/2007 8:24			0		0	
2	11/30/2007 8:39			0		0	
3	11/30/2007 8:54			0		0.1	
4	11/30/2007 9:09			0		0.1	
5	11/30/2007 9:24			0		0.2	
6	11/30/2007 9:39			0.1		0.9	
7	11/30/2007 9:54			0.1		0.9	
8	11/30/2007 10:09			0		0.2	
9	11/30/2007 10:24			0		0.1	
10	11/30/2007 10:39			0		0.1	
11	11/30/2007 10:54			0		0.1	
12	11/30/2007 11:09			0		0.2	
13	11/30/2007 11:24			0		0.2	
14	11/30/2007 11:39			0.1		2.4	
15	11/30/2007 11:54			0		0.2	
16	11/30/2007 12:09			0		0.1	
17	11/30/2007 12:24			0		0	
18	11/30/2007 12:39			0		0.1	
19	11/30/2007 12:54			0		0	
20	11/30/2007 13:09			0		0.2	
21	11/30/2007 13:24			0		0.3	
22	11/30/2007 13:39			0.1		0.4	
23	11/30/2007 13:54			0		0.2	
24	11/30/2007 14:09			0		0.1	
25	11/30/2007 14:24			0		0.1	
26	11/30/2007 14:39			0		0.1	
27	11/30/2007 14:54			0		0.1	
28	11/30/2007 15:09			0		0.1	
29	11/30/2007 15:24			0		0	
30	11/30/2007 15:39			0		0	
31	11/30/2007 15:54			0		0.1	
32	11/30/2007 16:09			0		0	
33	11/30/2007 16:24			0		0.1	
34	11/30/2007 16:39			0		0.1	

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/1/2007	900	0.026
12/1/2007	930	0.028
12/1/2007	1000	0.031
12/1/2007	1030	0.038
12/1/2007	1100	0.041
12/1/2007	1130	0.035
12/1/2007	1200	0.040
12/1/2007	1230	0.042
12/1/2007	1300	0.042
12/1/2007	1330	0.040
12/1/2007	1400	0.038
12/1/2007	1430	0.036
12/1/2007	1500	0.036
12/1/2007	1530	0.041
12/1/2007	1600	0.042
12/1/2007	1630	0.044
12/1/2007	1700	0.041

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/3/2007	700	0.056
12/3/2007	730	0.058
12/3/2007	800	0.066
12/3/2007	830	0.076
12/3/2007	900	0.07
12/3/2007	930	0.072
12/3/2007	1000	0.065
12/3/2007	1030	0.064
12/3/2007	1100	0.058
12/3/2007	1130	0.051
12/3/2007	1200	0.042
12/3/2007	1230	0.035
12/3/2007	1300	0.022
12/3/2007	1330	0.024
12/3/2007	1400	0.031
12/3/2007	1430	0.042
12/3/2007	1500	0.051
12/3/2007	1530	0.056
12/3/2007	1600	0.047
12/3/2007	1630	0.038
12/3/2007	1700	0.028

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/4/2007	700	0.046
12/4/2007	730	0.046
12/4/2007	800	0.052
12/4/2007	830	0.063
12/4/2007	900	0.051
12/4/2007	930	0.046
12/4/2007	1000	0.042
12/4/2007	1030	0.038
12/4/2007	1100	0.039
12/4/2007	1130	0.035
12/4/2007	1200	0.036
12/4/2007	1230	0.042
12/4/2007	1300	0.053
12/4/2007	1330	0.043
12/4/2007	1400	0.048
12/4/2007	1430	0.049
12/4/2007	1500	0.041
12/4/2007	1530	0.033
12/4/2007	1600	0.035
12/4/2007	1630	0.038

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/5/2007	700	0.015
12/5/2007	730	0.02
12/5/2007	800	0.022
12/5/2007	830	0.019
12/5/2007	900	-
12/5/2007	930	0.024
12/5/2007	1000	0.022
12/5/2007	1030	0.025
12/5/2007	1100	0.021
12/5/2007	1130	0.023
12/5/2007	1200	0.020
12/5/2007	1230	0.019
12/5/2007	1300	0.018
12/5/2007	1330	0.021
12/5/2007	1400	-
12/5/2007	1430	-

"-" Dust monitor reading "service"

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/5/2007	700	0.019
12/5/2007	730	0.018
12/5/2007	800	0.02
12/5/2007	830	0.023
12/5/2007	900	0.021
12/5/2007	930	0.022
12/5/2007	1000	0.019
12/5/2007	1030	0.017
12/5/2007	1100	0.000
12/5/2007	1130	0.023
12/5/2007	1200	0.021
12/5/2007	1230	-
12/5/2007	1300	-
12/5/2007	1330	-
12/5/2007	1400	-
12/5/2007	1430	-
12/5/2007	1500	-
12/5/2007	1530	-
12/5/2007	1600	-
12/5/2007	1630	-
12/5/2007	1700	-

"-" Dust monitor reading "service"

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/7/2007	700	0.035
12/7/2007	730	0.042
12/7/2007	800	-
12/7/2007	830	-
12/7/2007	900	-
12/7/2007	930	-
12/7/2007	1000	-
12/7/2007	1030	-
12/7/2007	1100	-
12/7/2007	1130	-
12/7/2007	1200	0.016
12/7/2007	1230	0.022
12/7/2007	1300	0.030
12/7/2007	1330	0.045
12/7/2007	1400	0.073
12/7/2007	1430	0.081
12/7/2007	1500	0.093
12/7/2007	1530	0.091

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 7
Test Abbreviation:
Start Date: 12/8/2007
Start Time: 9:12:37
Duration (dd:hh:mm:ss): 00:01:45:00
Time constant (seconds): 5
Log Interval (mm:ss): 15:00
Number of points: 7
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.085
Minimum: 0.073
Time of Minimum: 9:27:37
Date of Minimum: 12/8/2007
Maximum: 0.1
Time of Maximum: 10:57:37
Date of Maximum: 12/8/2007

Calibration Sensor: Aerosol
Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/8/2007	9:27:37	0.073
12/8/2007	9:42:37	0.079
12/8/2007	9:57:37	0.077
12/8/2007	10:12:37	0.089
12/8/2007	10:27:37	0.085
12/8/2007	10:42:37	0.093
12/8/2007	10:57:37	0.1
12/8/2007	1100	N/A

Downwind dust monitor not functioning

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 8
Test Abbreviation:
Start Date: 12/10/2007
Start Time: 7:14:29
Duration (dd:hh:mm:ss): 00:00:57:00
Time constant (seconds): 5
Log Interval (mm:ss): 1:00
Number of points: 57
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.05
Minimum: 0.036
Time of Minimum: 7:16:29
Date of Minimum: 12/10/2007
Maximum: 0.08
Time of Maximum: 8:10:29
Date of Maximum: 12/10/2007

Calibration Sensor: Aerosol
Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/10/2007	7:15:29	0.038
12/10/2007	7:16:29	0.036
12/10/2007	7:17:29	0.036
12/10/2007	7:18:29	0.037
12/10/2007	7:19:29	0.036
12/10/2007	7:20:29	0.039
12/10/2007	7:21:29	0.037
12/10/2007	7:22:29	0.036
12/10/2007	7:23:29	0.039
12/10/2007	7:24:29	0.039
12/10/2007	7:25:29	0.04
12/10/2007	7:26:29	0.039
12/10/2007	7:27:29	0.041
12/10/2007	7:28:29	0.04
12/10/2007	7:29:29	0.041
12/10/2007	7:30:29	0.042
12/10/2007	7:31:29	0.042
12/10/2007	7:32:29	0.044
12/10/2007	7:33:29	0.047
12/10/2007	7:34:29	0.044
12/10/2007	7:35:29	0.047
12/10/2007	7:36:29	0.048
12/10/2007	7:37:29	0.051

12/10/2007	7:38:29	0.051
12/10/2007	7:39:29	0.052
12/10/2007	7:40:29	0.052
12/10/2007	7:41:29	0.053
12/10/2007	7:42:29	0.055
12/10/2007	7:43:29	0.056
12/10/2007	7:44:29	0.06
12/10/2007	7:45:29	0.059
12/10/2007	7:46:29	0.057
12/10/2007	7:47:29	0.055
12/10/2007	7:48:29	0.055
12/10/2007	7:49:29	0.055
12/10/2007	7:50:29	0.054
12/10/2007	7:51:29	0.055
12/10/2007	7:52:29	0.055
12/10/2007	7:53:29	0.054
12/10/2007	7:54:29	0.054
12/10/2007	7:55:29	0.053
12/10/2007	7:56:29	0.057
12/10/2007	7:57:29	0.058
12/10/2007	7:58:29	0.059
12/10/2007	7:59:29	0.064
12/10/2007	8:00:29	0.059
12/10/2007	8:01:29	0.057
12/10/2007	8:02:29	0.059
12/10/2007	8:03:29	0.056
12/10/2007	8:04:29	0.055
12/10/2007	8:05:29	0.057
12/10/2007	8:06:29	0.057
12/10/2007	8:07:29	0.057
12/10/2007	8:08:29	0.058
12/10/2007	8:09:29	0.058
12/10/2007	8:10:29	0.08
12/10/2007	8:11:29	0.058

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/11/2007	900	0.026
12/11/2007	930	0.028
12/11/2007	1000	0.031
12/11/2007	1030	0.038
12/11/2007	1100	0.041
12/11/2007	1130	0.035
12/11/2007	1200	0.040
12/11/2007	1230	0.042
12/11/2007	1300	0.042
12/11/2007	1330	0.040
12/11/2007	1400	0.038
12/11/2007	1430	0.036
12/11/2007	1500	0.036
12/11/2007	1530	0.041
12/11/2007	1600	0.042
12/11/2007	1630	0.044
12/11/2007	1700	0.041

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 9
Test Abbreviation:
Start Date: 12/12/2007
Start Time: 6:57:50
Duration (dd:hh:mm:ss): 00:02:28:00
Time constant (seconds): 5
Log Interval (mm:ss): 1:00
Number of points: 148
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.066
Minimum: 0.007
Time of Minimum: 9:20:50
Date of Minimum: 12/12/2007
Maximum: 0.132
Time of Maximum: 7:39:50
Date of Maximum: 12/12/2007

Calibration Sensor: Aerosol
Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/12/2007	6:58:50	0.09
12/12/2007	6:59:50	0.092
12/12/2007	7:00:50	0.092
12/12/2007	7:01:50	0.093
12/12/2007	7:02:50	0.094
12/12/2007	7:03:50	0.101
12/12/2007	7:04:50	0.109
12/12/2007	7:05:50	0.105
12/12/2007	7:06:50	0.098
12/12/2007	7:07:50	0.096
12/12/2007	7:08:50	0.107
12/12/2007	7:09:50	0.105
12/12/2007	7:10:50	0.103
12/12/2007	7:11:50	0.109
12/12/2007	7:12:50	0.098
12/12/2007	7:13:50	0.098
12/12/2007	7:14:50	0.104
12/12/2007	7:15:50	0.107
12/12/2007	7:16:50	0.106
12/12/2007	7:17:50	0.105
12/12/2007	7:18:50	0.103
12/12/2007	7:19:50	0.102
12/12/2007	7:20:50	0.1

12/12/2007	7:21:50	0.107
12/12/2007	7:22:50	0.109
12/12/2007	7:23:50	0.126
12/12/2007	7:24:50	0.116
12/12/2007	7:25:50	0.107
12/12/2007	7:26:50	0.106
12/12/2007	7:27:50	0.105
12/12/2007	7:28:50	0.107
12/12/2007	7:29:50	0.106
12/12/2007	7:30:50	0.108
12/12/2007	7:31:50	0.107
12/12/2007	7:32:50	0.113
12/12/2007	7:33:50	0.098
12/12/2007	7:34:50	0.107
12/12/2007	7:35:50	0.112
12/12/2007	7:36:50	0.117
12/12/2007	7:37:50	0.113
12/12/2007	7:38:50	0.117
12/12/2007	7:39:50	0.132
12/12/2007	7:40:50	0.1
12/12/2007	7:41:50	0.108
12/12/2007	7:42:50	0.11
12/12/2007	7:43:50	0.097
12/12/2007	7:44:50	0.096
12/12/2007	7:45:50	0.098
12/12/2007	7:46:50	0.097
12/12/2007	7:47:50	0.097
12/12/2007	7:48:50	0.091
12/12/2007	7:49:50	0.086
12/12/2007	7:50:50	0.089
12/12/2007	7:51:50	0.09
12/12/2007	7:52:50	0.088
12/12/2007	7:53:50	0.089
12/12/2007	7:54:50	0.09
12/12/2007	7:55:50	0.089
12/12/2007	7:56:50	0.089
12/12/2007	7:57:50	0.081
12/12/2007	7:58:50	0.077
12/12/2007	7:59:50	0.08
12/12/2007	8:00:50	0.079
12/12/2007	8:01:50	0.078
12/12/2007	8:02:50	0.075
12/12/2007	8:03:50	0.073
12/12/2007	8:04:50	0.074
12/12/2007	8:05:50	0.065
12/12/2007	8:06:50	0.061
12/12/2007	8:07:50	0.065
12/12/2007	8:08:50	0.062
12/12/2007	8:09:50	0.063
12/12/2007	8:10:50	0.063
12/12/2007	8:11:50	0.071

12/12/2007	8:12:50	0.065
12/12/2007	8:13:50	0.064
12/12/2007	8:14:50	0.059
12/12/2007	8:15:50	0.06
12/12/2007	8:16:50	0.059
12/12/2007	8:17:50	0.058
12/12/2007	8:18:50	0.053
12/12/2007	8:19:50	0.056
12/12/2007	8:20:50	0.055
12/12/2007	8:21:50	0.05
12/12/2007	8:22:50	0.048
12/12/2007	8:23:50	0.046
12/12/2007	8:24:50	0.048
12/12/2007	8:25:50	0.048
12/12/2007	8:26:50	0.048
12/12/2007	8:27:50	0.05
12/12/2007	8:28:50	0.057
12/12/2007	8:29:50	0.05
12/12/2007	8:30:50	0.054
12/12/2007	8:31:50	0.065
12/12/2007	8:32:50	0.06
12/12/2007	8:33:50	0.056
12/12/2007	8:34:50	0.054
12/12/2007	8:35:50	0.053
12/12/2007	8:36:50	0.051
12/12/2007	8:37:50	0.044
12/12/2007	8:38:50	0.045
12/12/2007	8:39:50	0.046
12/12/2007	8:40:50	0.049
12/12/2007	8:41:50	0.054
12/12/2007	8:42:50	0.058
12/12/2007	8:43:50	0.043
12/12/2007	8:44:50	0.042
12/12/2007	8:45:50	0.039
12/12/2007	8:46:50	0.041
12/12/2007	8:47:50	0.05
12/12/2007	8:48:50	0.041
12/12/2007	8:49:50	0.046
12/12/2007	8:50:50	0.042
12/12/2007	8:51:50	0.038
12/12/2007	8:52:50	0.035
12/12/2007	8:53:50	0.036
12/12/2007	8:54:50	0.037
12/12/2007	8:55:50	0.042
12/12/2007	8:56:50	0.047
12/12/2007	8:57:50	0.039
12/12/2007	8:58:50	0.031
12/12/2007	8:59:50	0.026
12/12/2007	9:00:50	0.02
12/12/2007	9:01:50	0.02
12/12/2007	9:02:50	0.014

12/12/2007	9:03:50	0.013
12/12/2007	9:04:50	0.012
12/12/2007	9:05:50	0.012
12/12/2007	9:06:50	0.012
12/12/2007	9:07:50	0.012
12/12/2007	9:08:50	0.012
12/12/2007	9:09:50	0.01
12/12/2007	9:10:50	0.01
12/12/2007	9:11:50	0.01
12/12/2007	9:12:50	0.009
12/12/2007	9:13:50	0.009
12/12/2007	9:14:50	0.009
12/12/2007	9:15:50	0.008
12/12/2007	9:16:50	0.008
12/12/2007	9:17:50	0.012
12/12/2007	9:18:50	0.015
12/12/2007	9:19:50	0.008
12/12/2007	9:20:50	0.007
12/12/2007	9:21:50	0.007
12/12/2007	9:22:50	0.007
12/12/2007	9:23:50	0.009
12/12/2007	9:24:50	0.008
12/12/2007	9:25:50	0.011

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 10
Test Abbreviation:
Start Date: 12/13/2007
Start Time: 7:06:33
Duration (dd:hh:mm:ss): 00:01:00:00
Time constant (seconds): 5
Log Interval (mm:ss): 15:00
Number of points: 4
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.015
Minimum: 0.011
Time of Minimum: 8:06:33
Date of Minimum: 12/13/2007
Maximum: 0.02
Time of Maximum: 7:36:33
Date of Maximum: 12/13/2007

Calibration Sensor: Aerosol
Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/13/2007	7:21:33	0.014
12/13/2007	7:36:33	0.02
12/13/2007	7:51:33	0.013
12/13/2007	8:06:33	0.011
12/13/2007	830	0.02
12/13/2007	900	0.02
12/13/2007	930	0.019
12/13/2007	1000	N/A

Downwind dust monitor not functioning

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 11
Test Abbreviation:
Start Date: 12/14/2007
Start Time: 7:09:06
Duration (dd:hh:mm:ss): 00:08:00:00
Time constant (seconds): 5
Log Interval (mm:ss): 15:00
Number of points: 32
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.076
Minimum: 0.048
Time of Minimum: 15:09:06
Date of Minimum: 12/14/2007
Maximum: 0.108
Time of Maximum: 10:54:06
Date of Maximum: 12/14/2007

Calibration Sensor: Aerosol
Cal. date: 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/14/2007	7:24:06	0.072
12/14/2007	7:39:06	0.076
12/14/2007	7:54:06	0.078
12/14/2007	8:09:06	0.081
12/14/2007	8:24:06	0.079
12/14/2007	8:39:06	0.087
12/14/2007	8:54:06	0.086
12/14/2007	9:09:06	0.088
12/14/2007	9:24:06	0.087
12/14/2007	9:39:06	0.086
12/14/2007	9:54:06	0.1
12/14/2007	10:09:06	0.084
12/14/2007	10:24:06	0.085
12/14/2007	10:39:06	0.097
12/14/2007	10:54:06	0.108
12/14/2007	11:09:06	0.095
12/14/2007	11:24:06	0.086
12/14/2007	11:39:06	0.082
12/14/2007	11:54:06	0.078
12/14/2007	12:09:06	0.073
12/14/2007	12:24:06	0.07
12/14/2007	12:39:06	0.073
12/14/2007	12:54:06	0.071
12/14/2007	13:09:06	0.067
12/14/2007	13:24:06	0.062
12/14/2007	13:39:06	0.061
12/14/2007	13:54:06	0.067
12/14/2007	14:09:06	0.054
12/14/2007	14:24:06	0.057
12/14/2007	14:39:06	0.054
12/14/2007	14:54:06	0.052
12/14/2007	15:09:06	0.048

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85202262
 Test ID: 1
 Test Abbreviation:
 Start Date: 12/15/2007
 Start Time: 9:22:18
 Duration (dd:hh:mm:ss): 00:07:00:00
 Time constant (seconds): 5
 Log Interval (mm:ss): 15:00
 Number of points: 28
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.009
 Minimum: 0.004
 Time of Minimum: 9:37:18
 Date of Minimum: 12/15/2007
 Maximum: 0.03
 Time of Maximum: 16:22:18
 Date of Maximum: 12/15/2007

Calibration Sensor: Aerosol
 Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/15/2007	9:37:18	0.004
12/15/2007	9:52:18	0.006
12/15/2007	10:07:18	0.004
12/15/2007	10:22:18	0.005
12/15/2007	10:37:18	0.009
12/15/2007	10:52:18	0.005
12/15/2007	11:07:18	0.005
12/15/2007	11:22:18	0.006
12/15/2007	11:37:18	0.006
12/15/2007	11:52:18	0.005
12/15/2007	12:07:18	0.006
12/15/2007	12:22:18	0.005
12/15/2007	12:37:18	0.004
12/15/2007	12:52:18	0.004
12/15/2007	13:07:18	0.006
12/15/2007	13:22:18	0.007
12/15/2007	13:37:18	0.008
12/15/2007	13:52:18	0.01
12/15/2007	14:07:18	0.007
12/15/2007	14:22:18	0.008
12/15/2007	14:37:18	0.014
12/15/2007	14:52:18	0.011
12/15/2007	15:07:18	0.009
12/15/2007	15:22:18	0.014
12/15/2007	15:37:18	0.022
12/15/2007	15:52:18	0.012
12/15/2007	16:07:18	0.027
12/15/2007	16:22:18	0.03

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 2
Test Abbreviation:
Start Date: 12/17/2007
Start Time: 7:12:59
Duration (dd:hh:mm:ss): 00:08:00:00
Time constant (seconds): 5
Log Interval (mm:ss): 15:00
Number of points: 32
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.031
Minimum: 0.012
Time of Minimum: 10:12:59
Date of Minimum: 12/17/2007
Maximum: 0.058
Time of Maximum: 11:12:59
Date of Maximum: 12/17/2007

Calibration Sensor: Aerosol
Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/17/2007	7:27:59	0.033
12/17/2007	7:42:59	0.021
12/17/2007	7:57:59	0.018
12/17/2007	8:12:59	0.02
12/17/2007	8:27:59	0.016
12/17/2007	8:42:59	0.013
12/17/2007	8:57:59	0.016
12/17/2007	9:12:59	0.021
12/17/2007	9:27:59	0.021
12/17/2007	9:42:59	0.018
12/17/2007	9:57:59	0.018
12/17/2007	10:12:59	0.012
12/17/2007	10:27:59	0.016
12/17/2007	10:42:59	0.019
12/17/2007	10:57:59	0.019
12/17/2007	11:12:59	0.058
12/17/2007	11:27:59	0.056
12/17/2007	11:42:59	0.057
12/17/2007	11:57:59	0.051
12/17/2007	12:12:59	0.037
12/17/2007	12:27:59	0.032
12/17/2007	12:42:59	0.036
12/17/2007	12:57:59	0.035
12/17/2007	13:12:59	0.043
12/17/2007	13:27:59	0.036
12/17/2007	13:42:59	0.036
12/17/2007	13:57:59	0.044
12/17/2007	14:12:59	0.043
12/17/2007	14:27:59	0.04
12/17/2007	14:42:59	0.032
12/17/2007	14:57:59	0.037
12/17/2007	15:12:59	0.027

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 3
Test Abbreviation:
Start Date: 12/18/2007
Start Time: 7:03:48
Duration (dd:hh:mm:ss): 00:00:30:00
Time constant (seconds): 5
Log Interval (mm:ss): 15:00
Number of points: 2
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.047
Minimum: 0.035
Time of Minimum: 7:33:48
Date of Minimum: 12/18/2007
Maximum: 0.059
Time of Maximum: 7:18:48
Date of Maximum: 12/18/2007

Calibration Sensor: Aerosol
Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/18/2007	7:18:48	0.059
12/18/2007	7:33:48	0.035
12/18/2007	9:13:10	0.052
12/18/2007	9:28:10	0.08
12/18/2007	9:43:10	0.085
12/18/2007	9:58:10	0.067
12/18/2007	10:13:10	0.062
12/18/2007	10:28:10	0.064
12/18/2007	10:43:10	0.061
12/18/2007	10:58:10	0.061
12/18/2007	11:13:10	0.063
12/18/2007	11:28:10	0.047
12/18/2007	11:43:10	0.062
12/18/2007	11:58:10	0.056
12/18/2007	12:13:10	0.045
12/18/2007	12:28:10	0.037
12/18/2007	12:43:10	0.038
12/18/2007	12:58:10	0.035
12/18/2007	13:13:10	0.035
12/18/2007	13:28:10	0.049
12/18/2007	13:43:10	0.058
12/18/2007	13:58:10	0.065
12/18/2007	14:13:10	0.058
12/18/2007	14:28:10	0.053
12/18/2007	14:43:10	0.053
12/18/2007	14:58:10	0.049
12/18/2007	15:13:10	0.051
12/18/2007	15:28:10	0.068
12/18/2007	15:43:10	0.067
12/18/2007	15:58:10	0.074
12/18/2007	16:13:10	0.045

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85202262
 Test ID: 5
 Test Abbreviation:
 Start Date: 12/19/2007
 Start Time: 7:15:05
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 5
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.041
 Minimum: 0.023
 Time of Minimum: 12:00:05
 Date of Minimum: 12/19/2007
 Maximum: 0.075
 Time of Maximum: 15:00:05
 Date of Maximum: 12/19/2007

Calibration Sensor: Aerosol
 Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/19/2007	7:30:05	0.035
12/19/2007	7:45:05	0.029
12/19/2007	8:00:05	0.037
12/19/2007	8:15:05	0.031
12/19/2007	8:30:05	0.03
12/19/2007	8:45:05	0.039
12/19/2007	9:00:05	0.038
12/19/2007	9:15:05	0.047
12/19/2007	9:30:05	0.063
12/19/2007	9:45:05	0.046
12/19/2007	10:00:05	0.055
12/19/2007	10:15:05	0.053
12/19/2007	10:30:05	0.046
12/19/2007	10:45:05	0.052
12/19/2007	11:00:05	0.034
12/19/2007	11:15:05	0.024
12/19/2007	11:30:05	0.031
12/19/2007	11:45:05	0.025
12/19/2007	12:00:05	0.023
12/19/2007	12:15:05	0.027
12/19/2007	12:30:05	0.031
12/19/2007	12:45:05	0.027
12/19/2007	13:00:05	0.05
12/19/2007	13:15:05	0.057
12/19/2007	13:30:05	0.053
12/19/2007	13:45:05	0.026
12/19/2007	14:00:05	0.043
12/19/2007	14:15:05	0.033
12/19/2007	14:30:05	0.044
12/19/2007	14:45:05	0.062
12/19/2007	15:00:05	0.075
12/19/2007	15:15:05	0.04
12/19/2007	15:30:05	0.04
12/19/2007	15:45:05	0.043
12/19/2007	16:00:05	0.042
12/19/2007	16:15:05	0.039

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/20/2007	900	0.000
12/20/2007	930	0.000
12/20/2007	1000	0.000
12/20/2007	1030	0.000
12/20/2007	1100	0.000
12/20/2007	1130	0.000
12/20/2007	1200	0.000
12/20/2007	1230	0.000
12/20/2007	1300	0.000
12/20/2007	1330	0.000
12/20/2007	1400	0.000
12/20/2007	1430	0.000
12/20/2007	1500	0.000
12/20/2007	1530	0.000
12/20/2007	1600	0.000
12/20/2007	1630	0.000
12/20/2007	1700	0.000

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/21/2007	700	0.033
12/21/2007	730	0.034
12/21/2007	800	0.041
12/21/2007	830	0.038
12/21/2007	900	0.032
12/21/2007	1000	0.033
12/21/2007	1030	0.036
12/21/2007	1100	0.037
12/21/2007	1130	0.033
12/21/2007	1200	0.042
12/21/2007	1230	0.048
12/21/2007	1300	0.046
12/21/2007	1330	0.045
12/21/2007	1400	0.042
12/21/2007	1430	0.055
12/21/2007	1500	0.051
12/21/2007	1530	0.060
12/21/2007	1600	0.045
12/21/2007	1630	0.042
12/21/2007	1700	0.042

Equipment failure

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/24/2007	700	0.007
12/24/2007	730	0.0012
12/24/2007	800	0.008
12/24/2007	830	0.01
12/24/2007	900	0.015
12/24/2007	930	0.018
12/24/2007	1000	0.020
12/24/2007	1030	0.028
12/24/2007	1100	0.030
12/24/2007	1130	0.061
12/24/2007	1200	0.052

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/26/2007	700	0.05
12/26/2007	730	0.048
12/26/2007	800	0.042
12/26/2007	830	0.047
12/26/2007	900	0.041
12/26/2007	930	0.060
12/26/2007	1000	0.052
12/26/2007	1030	0.055
12/26/2007	1100	0.052
12/26/2007	1130	0.051
12/26/2007	1200	0.059
12/26/2007	1230	0.067
12/26/2007	1300	0.071
12/26/2007	1330	0.073
12/26/2007	1400	0.070
12/26/2007	1430	0.063
12/26/2007	1500	0.051
12/26/2007	1530	0.052
12/26/2007	1600	0.054
12/26/2007	1630	0.060

Date	Time	Aerosol
MM/dd/yyyy		mg/m ³
12/27/2007	700	0.022
12/27/2007	730	0.024
12/27/2007	800	0.023
12/27/2007	830	0.021
12/27/2007	900	0.033
12/27/2007	930	0.030
12/27/2007	1000	0.030
12/27/2007	1030	0.034
12/27/2007	1100	0.042
12/27/2007	1130	0.043
12/27/2007	1200	0.055
12/27/2007	1230	0.057
12/27/2007	1300	0.051
12/27/2007	1330	0.056
12/27/2007	1400	0.063
12/27/2007	1430	0.067
12/27/2007	1500	0.068
12/27/2007	1530	0.061
12/27/2007	1600	0.066

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 6
 Test Abbreviation:
 Start Date: 12/28/2007
 Start Time: 6:30:56
 Duration (dd:hh:mm:ss): 00:11:45:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 47
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:45:56
 Date of Minimum: 12/28/2007
 Maximum: 0
 Time of Maximum: 6:45:56
 Date of Maximum: 12/28/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/28/2007	6:45:56	0
12/28/2007	7:00:56	0
12/28/2007	7:15:56	0
12/28/2007	7:30:56	0
12/28/2007	7:45:56	0
12/28/2007	8:00:56	0
12/28/2007	8:15:56	0
12/28/2007	8:30:56	0
12/28/2007	8:45:56	0
12/28/2007	9:00:56	0
12/28/2007	9:15:56	0
12/28/2007	9:30:56	0
12/28/2007	9:45:56	0
12/28/2007	10:00:56	0
12/28/2007	10:15:56	0
12/28/2007	10:30:56	0
12/28/2007	10:45:56	0
12/28/2007	11:00:56	0
12/28/2007	11:15:56	0
12/28/2007	11:30:56	0
12/28/2007	11:45:56	0
12/28/2007	12:00:56	0
12/28/2007	12:15:56	0
12/28/2007	12:30:56	0
12/28/2007	12:45:56	0
12/28/2007	13:00:56	0
12/28/2007	13:15:56	0
12/28/2007	13:30:56	0
12/28/2007	13:45:56	0
12/28/2007	14:00:56	0
12/28/2007	14:15:56	0
12/28/2007	14:30:56	0
12/28/2007	14:45:56	0
12/28/2007	15:00:56	0
12/28/2007	15:15:56	0
12/28/2007	15:30:56	0
12/28/2007	15:45:56	0
12/28/2007	16:00:56	0
12/28/2007	16:15:56	0
12/28/2007	16:30:56	0
12/28/2007	16:45:56	0
12/28/2007	17:00:56	0
12/28/2007	17:15:56	0
12/28/2007	17:30:56	0
12/28/2007	17:45:56	0
12/28/2007	18:00:56	0
12/28/2007	18:15:56	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 7
Test Abbreviation:
Start Date: 12/31/2007
Start Time: 6:28:29
Duration (dd:hh:mm:ss): 00:07:15:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 29
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:43:29
Date of Minimum: 12/31/2007
Maximum: 0
Time of Maximum: 6:43:29
Date of Maximum: 12/31/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/31/2007	6:43:29	0
12/31/2007	6:58:29	0
12/31/2007	7:13:29	0
12/31/2007	7:28:29	0
12/31/2007	7:43:29	0
12/31/2007	7:58:29	0
12/31/2007	8:13:29	0
12/31/2007	8:28:29	0
12/31/2007	8:43:29	0
12/31/2007	8:58:29	0
12/31/2007	9:13:29	0
12/31/2007	9:28:29	0
12/31/2007	9:43:29	0
12/31/2007	9:58:29	0
12/31/2007	10:13:29	0
12/31/2007	10:28:29	0
12/31/2007	10:43:29	0
12/31/2007	10:58:29	0
12/31/2007	11:13:29	0
12/31/2007	11:28:29	0
12/31/2007	11:43:29	0
12/31/2007	11:58:29	0
12/31/2007	12:13:29	0
12/31/2007	12:28:29	0
12/31/2007	12:43:29	0
12/31/2007	12:58:29	0
12/31/2007	13:13:29	0
12/31/2007	13:28:29	0
12/31/2007	13:43:29	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000108
 Data Points: 8 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
1       12/1/2007 10:23           0              0.2
2       12/1/2007 10:38           0.1            1.6
3       12/1/2007 10:53           0.1            0.8
4       12/1/2007 11:08           0              0
5       12/1/2007 11:23           0              0
6       12/1/2007 11:38           0              0
7       12/1/2007 11:53           0              0
8       12/1/2007 12:08           0              0
1      12/1/2007 12:54           0.1            1
2      12/1/2007 13:09           0.1            1.6
3      12/1/2007 13:24           0              0.2
4      12/1/2007 13:39           0              0.2
5      12/1/2007 13:54           0.1            0.4
6      12/1/2007 14:09           0              0.2
7      12/1/2007 14:24           0              0.1
8      12/1/2007 14:39           0              0.1
9      12/1/2007 14:54           0              0.2
10     12/1/2007 15:09           0.1            0.2
11     12/1/2007 15:24           0.1            0.3
12     12/1/2007 15:39           0.1            0.7
=====
  
```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000110
 Data Points: 12 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/3/2007 8:18			0		0	
2	12/3/2007 8:33			0		0	
3	12/3/2007 8:48			0		0	
4	12/3/2007 9:03			0		0.1	
5	12/3/2007 9:18			0		0.1	
6	12/3/2007 9:33			0		0.1	
7	12/3/2007 9:48			0		0	
8	12/3/2007 10:03			0		0	
9	12/3/2007 10:18			0		0	
10	12/3/2007 10:33			0		0	
11	12/3/2007 10:48			0		0	
12	12/3/2007 11:03			0		0	
1	12/3/2007 11:47			0		0.1	
2	12/3/2007 12:02			0.1		0.2	
3	12/3/2007 12:17			0.1		0.7	
4	12/3/2007 12:32			0.1		0.5	
5	12/3/2007 12:47			0.2		0.4	
6	12/3/2007 13:02			0.2		0.3	
7	12/3/2007 13:17			0.2		0.3	
8	12/3/2007 13:32			0.2		0.3	
9	12/3/2007 13:47			0.2		0.5	
10	12/3/2007 14:02			0.2		0.5	
11	12/3/2007 14:17			0.3		0.9	
12	12/3/2007 14:32			0.2		0.4	
13	12/3/2007 14:47			0.3		0.8	
14	12/3/2007 15:02			0.3		0.8	
15	12/3/2007 15:17			0.3		0.9	
16	12/3/2007 15:32			0.3		0.6	
17	12/3/2007 15:47			0.3		0.6	
18	12/3/2007 16:02			0.3		0.6	
19	12/3/2007 16:17			0.3		0.5	
20	12/3/2007 16:32			0.3		0.4	
21	12/3/2007 16:47			0.3		0.5	
22	12/3/2007 17:02			0.3		0.5	
23	12/3/2007 17:17			0.3		0.5	
24	12/3/2007 17:32			0.3		0.5	
25	12/3/2007 17:47			0.3		0.4	
26	12/3/2007 18:02			0.4		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000112
 Data Points: 37 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/4/2007 8:27			0		0.2	
2	12/4/2007 8:42			0		0.1	
3	12/4/2007 8:57			0		0.1	
4	12/4/2007 9:12			0		0.1	
5	12/4/2007 9:27			0.1		0.3	
6	12/4/2007 9:42			0.1		0.2	
7	12/4/2007 9:57			0.1		0.2	
8	12/4/2007 10:12			0.1		0.2	
9	12/4/2007 10:27			0.1		0.2	
10	12/4/2007 10:42			0.1		0.6	
11	12/4/2007 10:57			0.1		0.5	
12	12/4/2007 11:12			0.2		0.3	
13	12/4/2007 11:27			0.2		0.2	
14	12/4/2007 11:42			0.2		0.4	
15	12/4/2007 11:57			0.2		0.7	
16	12/4/2007 12:12			0.2		0.5	
17	12/4/2007 12:27			0.2		0.4	
18	12/4/2007 12:42			0.2		0.4	
19	12/4/2007 12:57			0.2		0.3	
20	12/4/2007 13:12			0.2		0.2	
21	12/4/2007 13:27			0.2		0.4	
22	12/4/2007 13:42			0.2		0.3	
23	12/4/2007 13:57			0.2		0.3	
24	12/4/2007 14:12			0.2		0.3	
25	12/4/2007 14:27			0.2		0.4	
26	12/4/2007 14:42			0.2		0.5	
27	12/4/2007 14:57			0.2		0.5	
28	12/4/2007 15:12			0.2		0.5	
29	12/4/2007 15:27			0.2		0.6	
30	12/4/2007 15:42			0.2		0.4	
31	12/4/2007 15:57			0.2		0.5	
32	12/4/2007 16:12			0.2		0.3	
33	12/4/2007 16:27			0.2		0.3	
34	12/4/2007 16:42			0.2		0.4	
35	12/4/2007 16:57			0.2		0.4	
36	12/4/2007 17:12			0.2		0.4	
37	12/4/2007 17:27			0.2		0.5	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000113
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/5/2007 8:37			0		0	
2	12/5/2007 8:52			0		0	
3	12/5/2007 9:07			0		0.2	
4	12/5/2007 9:22			0		0.1	
5	12/5/2007 9:37			0.1		0.2	
6	12/5/2007 9:52			0.1		0.3	
7	12/5/2007 10:07			0.2		0.6	
8	12/5/2007 10:22			0.2		0.4	
9	12/5/2007 10:37			0.2		0.3	
10	12/5/2007 10:52			0.2		0.9	
11	12/5/2007 11:07			0.3		0.4	
12	12/5/2007 11:22			0.2		0.4	
13	12/5/2007 11:37			0.3		0.6	
14	12/5/2007 11:52			0.3		0.5	
15	12/5/2007 12:07			0.3		0.7	
16	12/5/2007 12:22			0.3		0.5	
17	12/5/2007 12:37			0.3		0.9	
18	12/5/2007 12:52			0.3		0.4	
19	12/5/2007 13:07			0.3		0.3	
20	12/5/2007 13:22			0.3		0.4	
21	12/5/2007 13:37			0.3		0.8	
22	12/5/2007 13:52			0.3		0.6	
23	12/5/2007 14:07			0.3		0.7	
24	12/5/2007 14:22			0.3		0.6	
25	12/5/2007 14:37			0.3		0.5	
26	12/5/2007 14:52			0.4		0.5	
27	12/5/2007 15:07			0.3		0.5	
28	12/5/2007 15:22			0.3		0.6	
29	12/5/2007 15:37			0.3		0.5	
30	12/5/2007 15:52			0.4		1.7	
31	12/5/2007 16:07			0.4		1.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000114
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/6/2007 8:53			0		0.2	
2	12/6/2007 9:08			0		0.2	
3	12/6/2007 9:23			0		0.2	
4	12/6/2007 9:38			0.1		0.2	
5	12/6/2007 9:53			0.1		0.5	
6	12/6/2007 10:08			0.1		0.8	
7	12/6/2007 10:23			0.1		0.3	
8	12/6/2007 10:38			0.8		9.1	
9	12/6/2007 10:53			1		8.7	
10	12/6/2007 11:08			1		5.5	
11	12/6/2007 11:23			0.3		1.1	
12	12/6/2007 11:38			0.4		5.3	
13	12/6/2007 11:53			0.7		3.3	
14	12/6/2007 12:08			0.4		1.7	
15	12/6/2007 12:23			0.4		2.6	
16	12/6/2007 12:38			0.2		0.4	
17	12/6/2007 12:53			0.2		0.6	
18	12/6/2007 13:08			0.2		1	
19	12/6/2007 13:23			0.2		0.5	
20	12/6/2007 13:38			0.2		0.4	
21	12/6/2007 13:53			0.3		3.7	
22	12/6/2007 14:08			0.2		0.6	
23	12/6/2007 14:23			0.2		0.5	
24	12/6/2007 14:38			0.2		0.6	
25	12/6/2007 14:53			0.2		0.4	
26	12/6/2007 15:08			0.3		0.7	
27	12/6/2007 15:23			0.2		0.3	
28	12/6/2007 15:38			0.2		1.2	
29	12/6/2007 15:53			0.2		0.4	
30	12/6/2007 16:08			0.3		0.5	
31	12/6/2007 16:23			0.4		1.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000115
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/7/2007 8:22			0		0.1	
2	12/7/2007 8:37			0		0.1	
3	12/7/2007 8:52			0.1		0.4	
4	12/7/2007 9:07			0.5		4.4	
5	12/7/2007 9:22			0.4		1.5	
6	12/7/2007 9:37			0.4		0.8	
7	12/7/2007 9:52			0.4		0.8	
8	12/7/2007 10:07			0.3		0.5	
9	12/7/2007 10:22			0.3		0.9	
10	12/7/2007 10:37			0.4		0.7	
11	12/7/2007 10:52			0.4		0.6	
12	12/7/2007 11:07			0.6		2.6	
13	12/7/2007 11:22			0.7		3	
14	12/7/2007 11:37			0.5		1	
15	12/7/2007 11:52			0.6		1.9	
16	12/7/2007 12:07			0.5		0.9	
17	12/7/2007 12:22			0.4		0.7	
18	12/7/2007 12:37			0.4		1.2	
19	12/7/2007 12:52			0.4		0.7	
20	12/7/2007 13:07			0.4		0.5	
21	12/7/2007 13:22			0.4		0.5	
22	12/7/2007 13:37			0.5		0.9	
23	12/7/2007 13:52			0.7		4.1	
24	12/7/2007 14:07			0.5		0.9	
25	12/7/2007 14:22			0.5		0.6	
26	12/7/2007 14:37			0.5		0.6	
27	12/7/2007 14:52			0.4		0.6	
28	12/7/2007 15:07			0.4		0.8	
29	12/7/2007 15:22			0.6		2.5	
30	12/7/2007 15:37			0.5		0.9	
31	12/7/2007 15:52			0.4		0.6	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000116
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/8/2007 10:29			0		0.3	
2	12/8/2007 10:44			0		0.2	
3	12/8/2007 10:59			0		0.3	
4	12/8/2007 11:14			0.1		0.2	
5	12/8/2007 11:29			0.1		0.3	
6	12/8/2007 11:44			0.1		0.4	
7	12/8/2007 11:59			0.2		0.2	
8	12/8/2007 12:14			0.2		0.3	
9	12/8/2007 12:29			0.2		0.3	
10	12/8/2007 12:44			0.2		0.4	
11	12/8/2007 12:59			0.2		0.4	
12	12/8/2007 13:14			0.3		0.8	
13	12/8/2007 13:29			0.3		0.7	
14	12/8/2007 13:44			0.3		1	
15	12/8/2007 13:59			0.3		0.4	
16	12/8/2007 14:14			0.2		0.3	
17	12/8/2007 14:29			0.3		0.3	
18	12/8/2007 14:44			0.3		0.3	
19	12/8/2007 14:59			0.3		0.3	
20	12/8/2007 15:14			0.2		0.3	
21	12/8/2007 15:29			0.3		0.3	
22	12/8/2007 15:44			0.2		0.4	
23	12/8/2007 15:59			0.2		0.3	
24	12/8/2007 16:14			0.2		0.3	
25	12/8/2007 16:29			0.2		0.6	
26	12/8/2007 16:44			0.2		0.2	
27	12/8/2007 16:59			0.2		0.3	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000117
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/10/2007 8:31			0		0.1	
2	12/10/2007 8:46			0		0	
3	12/10/2007 9:01			0.1		8.5	
4	12/10/2007 9:16			0		0.2	
5	12/10/2007 9:31			0.1		0.3	
6	12/10/2007 9:46			0.3		0.7	
7	12/10/2007 10:01			0.5		0.7	
8	12/10/2007 10:16			0.4		0.7	
9	12/10/2007 10:31			0.4		0.7	
10	12/10/2007 10:46			0.4		0.6	
11	12/10/2007 11:01			0.4		0.7	
12	12/10/2007 11:16			0.5		0.9	
13	12/10/2007 11:31			0.5		0.7	
14	12/10/2007 11:46			0.5		0.7	
15	12/10/2007 12:01			0.6		0.7	
16	12/10/2007 12:16			0.6		0.8	
17	12/10/2007 12:31			0.6		1	
18	12/10/2007 12:46			0.6		1	
19	12/10/2007 13:01			0.6		1	
20	12/10/2007 13:16			0.5		0.6	
21	12/10/2007 13:31			0.6		0.9	
22	12/10/2007 13:46			0.5		0.7	
23	12/10/2007 14:01			0.5		0.7	
24	12/10/2007 14:16			0.6		1.1	
25	12/10/2007 14:31			0.6		1	
26	12/10/2007 14:46			0.6		3	
27	12/10/2007 15:01			0.6		1.3	
28	12/10/2007 15:16			0.8		1.2	
29	12/10/2007 15:31			0.5		0.9	
30	12/10/2007 15:46			0.6		0.7	
31	12/10/2007 16:01			0.7		1	
32	12/10/2007 16:16			1.1		2.9	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000118
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/11/2007 8:19			0		0	
2	12/11/2007 8:34			0		0	
3	12/11/2007 8:49			0		0	
4	12/11/2007 9:04			0		0.1	
5	12/11/2007 9:19			0		0.1	
6	12/11/2007 9:34			0		0.1	
7	12/11/2007 9:49			0.1		0.2	
8	12/11/2007 10:04			0.1		0.2	
9	12/11/2007 10:19			0.1		0.2	
10	12/11/2007 10:34			0.1		0.2	
11	12/11/2007 10:49			0.2		0.5	
12	12/11/2007 11:04			0.3		0.9	
13	12/11/2007 11:19			0.5		1.2	
14	12/11/2007 11:34			0.6		1.5	
15	12/11/2007 11:49			0.4		1.2	
16	12/11/2007 12:04			0.4		1.3	
17	12/11/2007 12:19			0.4		0.8	
18	12/11/2007 12:34			0.4		0.6	
19	12/11/2007 12:49			0.4		0.5	
20	12/11/2007 13:04			0.3		0.5	
21	12/11/2007 13:19			0.4		0.5	
22	12/11/2007 13:34			0.3		0.5	
23	12/11/2007 13:49			0.3		0.4	
24	12/11/2007 14:04			0.4		0.6	
25	12/11/2007 14:19			0.4		0.5	
26	12/11/2007 14:34			0.4		0.5	
27	12/11/2007 14:49			0.4		0.4	
28	12/11/2007 15:04			0.4		0.5	
29	12/11/2007 15:19			0.4		0.6	
30	12/11/2007 15:34			0.4		0.8	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000119
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/12/2007 8:12			0		0.1	
2	12/12/2007 8:27			0.1		0.2	
3	12/12/2007 8:42			0.1		1	
4	12/12/2007 8:57			0.3		1	
5	12/12/2007 9:12			0.1		0.2	
6	12/12/2007 9:27			0.1		0.3	
7	12/12/2007 9:42			0.3		0.9	
8	12/12/2007 9:57			0.2		0.7	
9	12/12/2007 10:12			0.2		0.4	
10	12/12/2007 10:27			0.2		0.5	
11	12/12/2007 10:42			0.3		1	
12	12/12/2007 10:57			0.3		1.6	
13	12/12/2007 11:12			0.5		1.2	
14	12/12/2007 11:27			0.3		1	
15	12/12/2007 11:42			0.3		0.4	
16	12/12/2007 11:57			0.3		1.2	
17	12/12/2007 12:12			0.9		4.1	
18	12/12/2007 12:27			0.5		0.8	
19	12/12/2007 12:42			0.4		1.5	
20	12/12/2007 12:57			0.4		1	
21	12/12/2007 13:12			0.4		0.7	
22	12/12/2007 13:27			0.4		0.6	
23	12/12/2007 13:42			0.4		0.9	
24	12/12/2007 13:57			0.4		0.7	
25	12/12/2007 14:12			0.5		1.3	
26	12/12/2007 14:27			0.5		1.1	
27	12/12/2007 14:42			0.5		1.1	
28	12/12/2007 14:57			0.4		0.6	
29	12/12/2007 15:12			0.6		1.5	
30	12/12/2007 15:27			0.7		1.7	
31	12/12/2007 15:42			0.8		2.4	
32	12/12/2007 15:57			0.9		1.9	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000120
 Data Points: 17 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/13/2007 8:23			0		0	
2	12/13/2007 8:38			0		0	
3	12/13/2007 8:53			0		0	
4	12/13/2007 9:08			0		0.1	
5	12/13/2007 9:23			0		0.4	
6	12/13/2007 9:38			0.1		0.5	
7	12/13/2007 9:53			0.1		0.2	
8	12/13/2007 10:08			0.1		0.2	
9	12/13/2007 10:23			0.2		0.3	
10	12/13/2007 10:38			0		0.2	
11	12/13/2007 10:53			0.1		0.3	
12	12/13/2007 11:08			0.1		0.2	
13	12/13/2007 11:23			0.3		0.9	
14	12/13/2007 11:38			0.3		0.9	
15	12/13/2007 11:53			0.3		0.6	
16	12/13/2007 12:08			0.2		0.4	
17	12/13/2007 12:23			0		0.2	
	12/13/2007	1300		0			
	12/13/2007	1330		0			
	12/13/2007	1400		0			
	12/13/2007	1430		0			
	12/13/2007	1500		0			
	12/13/2007	1530		0			

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000122
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/14/2007 8:26			0		0	
2	12/14/2007 8:41			0		0	
3	12/14/2007 8:56			0		0	
4	12/14/2007 9:11			0		0.1	
5	12/14/2007 9:26			0.1		0.2	
6	12/14/2007 9:41			0.1		0.2	
7	12/14/2007 9:56			0.2		0.2	
8	12/14/2007 10:11			0.5		19.8	
9	12/14/2007 10:26			0.5		30.1	
10	12/14/2007 10:41			1		11.8	
11	12/14/2007 10:56			0.6		3.2	
12	12/14/2007 11:11			0.4		0.7	
13	12/14/2007 11:26			0.4		0.6	
14	12/14/2007 11:41			0.3		0.7	
15	12/14/2007 11:56			0.3		0.4	
16	12/14/2007 12:11			0.3		0.4	
17	12/14/2007 12:26			0.3		0.4	
18	12/14/2007 12:41			0.3		0.4	
19	12/14/2007 12:56			0.2		0.3	
20	12/14/2007 13:11			0.2		0.3	
21	12/14/2007 13:26			0.2		0.2	
22	12/14/2007 13:41			0.2		0.3	
23	12/14/2007 13:56			0.2		0.3	
24	12/14/2007 14:11			0.2		0.4	
25	12/14/2007 14:26			0.2		0.3	
26	12/14/2007 14:41			0.8		74.6 L	
27	12/14/2007 14:56			0.3		1.2	
28	12/14/2007 15:11			0.4		3.3	
29	12/14/2007 15:26			0.3		1	
30	12/14/2007 15:41			0.3		0.9	
31	12/14/2007 15:56			0.3		0.6	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000124
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/15/2007 10:39			0		0	
2	12/15/2007 10:54			0		0	
3	12/15/2007 11:09			0		0.1	
4	12/15/2007 11:24			0		0.2	
5	12/15/2007 11:39			0		0.1	
6	12/15/2007 11:54			0		0.5	
7	12/15/2007 12:09			0		0.1	
8	12/15/2007 12:24			0		0.2	
9	12/15/2007 12:39			0		0.1	
10	12/15/2007 12:54			0		0.1	
11	12/15/2007 13:09			0		0.2	
12	12/15/2007 13:24			0		0.1	
13	12/15/2007 13:39			0		0.1	
14	12/15/2007 13:54			0.1		0.1	
15	12/15/2007 14:09			0.1		0.3	
16	12/15/2007 14:24			0.5		4.6	
17	12/15/2007 14:39			0.4		3.9	
18	12/15/2007 14:54			0.1		0.8	
19	12/15/2007 15:09			0.2		1.2	
20	12/15/2007 15:24			0.4		1.9	
21	12/15/2007 15:39			0.4		1.7	
22	12/15/2007 15:54			0.7		6.8	
23	12/15/2007 16:09			2.1		13.7	
24	12/15/2007 16:24			0.7		1.9	
25	12/15/2007 16:39			0.8		3	
26	12/15/2007 16:54			0.9		6	
27	12/15/2007 17:09			3.1		22.1	

```

=====

```


Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000127
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/17/2007 8:36			0		0.2	
2	12/17/2007 8:51			0		0.1	
3	12/17/2007 9:06			0		0.2	
4	12/17/2007 9:21			0.1		0.2	
5	12/17/2007 9:36			0.1		0.2	
6	12/17/2007 9:51			0.1		0.7	
7	12/17/2007 10:06			0.2		0.5	
8	12/17/2007 10:21			0.2		0.7	
9	12/17/2007 10:36			0.2		0.4	
10	12/17/2007 10:51			0.2		5.3	
11	12/17/2007 11:06			0.2		0.4	
12	12/17/2007 11:21			0.2		0.5	
13	12/17/2007 11:36			0.3		1	
14	12/17/2007 11:51			0.3		0.7	
15	12/17/2007 12:06			0.3		0.7	
16	12/17/2007 12:21			0.4		0.7	
17	12/17/2007 12:36			0.4		0.8	
18	12/17/2007 12:51			0.4		0.6	
19	12/17/2007 13:06			0.4		1.5	
20	12/17/2007 13:21			0.4		0.5	
21	12/17/2007 13:36			0.5		1	
22	12/17/2007 13:51			0.5		0.9	
23	12/17/2007 14:06			0.5		0.7	
24	12/17/2007 14:21			0.5		0.9	
25	12/17/2007 14:36			0.5		5.4	
26	12/17/2007 14:51			0.5		1.4	
27	12/17/2007 15:06			0.5		0.9	
28	12/17/2007 15:21			0.5		0.9	
29	12/17/2007 15:36			0.5		1.2	
30	12/17/2007 15:51			0.5		0.6	
31	12/17/2007 16:06			0.5		0.6	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000128
 Data Points: 15 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/18/2007 8:21			0		0	
2	12/18/2007 8:36			0		2.8	
3	12/18/2007 8:51			0		0.1	
4	12/18/2007 9:06			0		0.2	
5	12/18/2007 9:21			0.1		0.3	
6	12/18/2007 9:36			0.1		0.6	
7	12/18/2007 9:51			0.2		4.9	
8	12/18/2007 10:06			0.2		0.3	
9	12/18/2007 10:21			0.2		1.2	
10	12/18/2007 10:36			0.3		1	
11	12/18/2007 10:51			0.2		0.5	
12	12/18/2007 11:06			0.3		0.6	
13	12/18/2007 11:21			0		0.4	
14	12/18/2007 11:36			0		0	
15	12/18/2007 11:51			0		0	
1	12/18/2007 12:21			0.1		0.3	
2	12/18/2007 12:36			0.1		0.3	
3	12/18/2007 12:51			0		3.6	
4	12/18/2007 13:06			0		0	
5	12/18/2007 13:21			0		7.6	
6	12/18/2007 13:36			0		0.5	
7	12/18/2007 13:51			0		0.1	
8	12/18/2007 14:06			0		0.3	
9	12/18/2007 14:21			0.1		0.3	
10	12/18/2007 14:36			0.1		0.3	
11	12/18/2007 14:51			0.2		0.4	
12	12/18/2007 15:06			0.2		0.3	
13	12/18/2007 15:21			0.2		0.3	
14	12/18/2007 15:36			0.2		0.8	
15	12/18/2007 15:51			0.2		0.9	
16	12/18/2007 16:06			0.2		0.7	
17	12/18/2007 16:21			0.8		9.9	
18	12/18/2007 16:36			1		6.8	
19	12/18/2007 16:51			0.4		2.2	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000130
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/19/2007 8:23			0		0	
2	12/19/2007 8:38			0		1.5	
3	12/19/2007 8:53			0		0.3	
4	12/19/2007 9:08			0		0.2	
5	12/19/2007 9:23			0.1		1.2	
6	12/19/2007 9:38			0.1		0.6	
7	12/19/2007 9:53			0.2		0.3	
8	12/19/2007 10:08			0.2		0.5	
9	12/19/2007 10:23			0.3		0.7	
10	12/19/2007 10:38			0.3		0.5	
11	12/19/2007 10:53			0.6		6	
12	12/19/2007 11:08			0.7		3.8	
13	12/19/2007 11:23			0.4		1.2	
14	12/19/2007 11:38			0.6		5.6	
15	12/19/2007 11:53			0.3		1.3	
16	12/19/2007 12:08			0.3		0.5	
17	12/19/2007 12:23			0.4		3.3	
18	12/19/2007 12:38			0.3		0.9	
19	12/19/2007 12:53			0.3		1	
20	12/19/2007 13:08			0.4		1	
21	12/19/2007 13:23			0.3		0.8	
22	12/19/2007 13:38			0.5		5.2	
23	12/19/2007 13:53			0.6		3.6	
24	12/19/2007 14:08			0.5		4.9	
25	12/19/2007 14:23			0.5		2.6	
26	12/19/2007 14:38			0.4		0.9	
27	12/19/2007 14:53			0.4		2	
28	12/19/2007 15:08			0.3		1.1	
29	12/19/2007 15:23			0.4		3	
30	12/19/2007 15:38			0.4		1.6	
31	12/19/2007 15:53			0.3		0.9	

	ppm	
12/20/2007	700	0.0
12/20/2007	730	0.2
12/20/2007	800	0.0
12/20/2007	830	0.0
12/20/2007	900	0.0
12/20/2007	930	0.8
12/20/2007	1000	0.0
12/20/2007	1030	0.0
12/20/2007	1100	0.0
12/20/2007	1130	0.0
12/20/2007	1200	0.0
12/20/2007	1230	0.0
12/20/2007	1300	0.0
12/20/2007	1330	0.0
12/20/2007	1400	0.0
12/20/2007	1430	0.0
12/20/2007	1500	0.0
12/20/2007	1530	0.0
12/20/2007	1600	0.0

	ppm	
12/21/2007	700	0.0
12/21/2007	730	0.2
12/21/2007	800	0.0
12/21/2007	830	0.0
12/21/2007	900	0.0
12/21/2007	930	0.8
12/21/2007	1000	0.0
12/21/2007	1030	0.0
12/21/2007	1100	0.0
12/21/2007	1130	0.0
12/21/2007	1200	0.0
12/21/2007	1230	0.0
12/21/2007	1300	0.0
12/21/2007	1330	0.0
12/21/2007	1400	0.0
12/21/2007	1430	0.0
12/21/2007	1500	0.0
12/21/2007	1530	0.0
12/21/2007	1600	0.0
12/21/2007	1630	0.0
12/21/2007	1700	0.0

Equipment failure

	ppm	
12/24/2007	700	0.1
12/24/2007	730	0.1
12/24/2007	800	0.1
12/24/2007	830	0.1
12/24/2007	900	0.1
12/24/2007	930	0.1
12/24/2007	1000	0.1
12/24/2007	1030	0.1
12/24/2007	1100	0.1
12/24/2007	1130	0.1
12/24/2007	1200	0.1

	ppm	
12/26/2007	700	0.0
12/26/2007	730	0.1
12/26/2007	800	0.1
12/26/2007	830	0.2
12/26/2007	900	0.3
12/26/2007	930	0.4
12/26/2007	1000	0.4
12/26/2007	1030	0.4
12/26/2007	1100	0.5
12/26/2007	1130	0.5
12/26/2007	1200	0.2
12/26/2007	1230	0.2
12/26/2007	1300	0.3
12/26/2007	1330	0.3
12/26/2007	1400	0.3
12/26/2007	1430	0.2
12/26/2007	1500	0.2
12/26/2007	1530	0.1
12/26/2007	1600	0.1
12/26/2007	1630	0.1

12/27/2007	700	0.0
12/27/2007	730	0.0
12/27/2007	800	0.0
12/27/2007	830	0.0
12/27/2007	900	0.0
12/27/2007	930	0.0
12/27/2007	1000	0.0
12/27/2007	1030	0.0
12/27/2007	1100	0.0
12/27/2007	1130	0.0
12/27/2007	1200	0.0
12/27/2007	1230	0.0
12/27/2007	1300	0.0
12/27/2007	1330	0.0
12/27/2007	1400	0.0
12/27/2007	1430	0.0
12/27/2007	1500	0.0
12/27/2007	1530	0.0
12/27/2007	1600	0.0
12/27/2007	1630	0.0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 69 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)      Avg(ppm)      Max(ppm)
High Alarm Levels:         100         100          100
Low Alarm Levels:          50          50           50
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/28/2007 8:34			0		0.2	
2	12/28/2007 8:49			0		3	
3	12/28/2007 9:04			0		0	
4	12/28/2007 9:19			0		0.7	
5	12/28/2007 9:34			0		0.1	
6	12/28/2007 9:49			0		0.1	
7	12/28/2007 10:04			0		0	
8	12/28/2007 10:19			0		0	
9	12/28/2007 10:34			0		0.3	
10	12/28/2007 10:49			0		0	
11	12/28/2007 11:04			0		0	
12	12/28/2007 11:19			0		0	
13	12/28/2007 11:34			0		0	
14	12/28/2007 11:49			0		0	
15	12/28/2007 12:04			0		0	
16	12/28/2007 12:19			0		0	
17	12/28/2007 12:34			0		0	
18	12/28/2007 12:49			0		0.3	
19	12/28/2007 13:04			0		0.3	
20	12/28/2007 13:19			0		0	
21	12/28/2007 13:34			0		0	
22	12/28/2007 13:49			0		0.1	
23	12/28/2007 14:04			0		0.1	
24	12/28/2007 14:19			0		0	
25	12/28/2007 14:34			0		0	
26	12/28/2007 14:49			0		0.6	
27	12/28/2007 15:04			0		0	
28	12/28/2007 15:19			0		0	
29	12/28/2007 15:34			0		0	
30	12/28/2007 15:49			0		0	
31	12/28/2007 16:04			0		0.1	
32	12/28/2007 16:19			0		0.2	
33	12/28/2007 16:34			0		0.7	
34	12/28/2007 16:49			0		0.1	
35	12/28/2007 17:04			0		0	
36	12/28/2007 17:19			0		0	
37	12/28/2007 17:34			0		0	
38	12/28/2007 17:49			0		5.3	
39	12/28/2007 18:04			0		0	
40	12/28/2007 18:19			0		0.1	
41	12/28/2007 18:34			0		0	
42	12/28/2007 18:49			0		0	
43	12/28/2007 19:04			0		0	
44	12/28/2007 19:19			0		0	
45	12/28/2007 19:34			0		0	
46	12/28/2007 19:49			0		0	
47	12/28/2007 20:04			0.5		2.4	
48	12/28/2007 20:19			2		2.4	
49	12/28/2007 20:34			2		2.8	
50	12/28/2007 20:49			2.1		2.5	
51	12/28/2007 21:04			2.1		2.5	
52	12/28/2007 21:19			2.2		2.6	
53	12/28/2007 21:34			2.3		2.6	
54	12/28/2007 21:49			2.3		2.6	
55	12/28/2007 22:04			2.1		3.1	
56	12/28/2007 22:19			2.3		2.9	
57	12/28/2007 22:34			1.7		2.9	
58	12/28/2007 22:49			1.6		3.4	
59	12/28/2007 23:04			2.1		3	
60	12/28/2007 23:19			2.2		2.5	
61	12/28/2007 23:34			2.2		2.7	
62	12/28/2007 23:49			2.2		2.5	
63	12/29/2007 0:04			2.2		2.5	
64	12/29/2007 0:19			2.1		2.4	
65	12/29/2007 0:34			2.1		2.4	
66	12/29/2007 0:49			2		2.4	
67	12/29/2007 1:04			2.1		2.4	
68	12/29/2007 1:19			2.1		2.4	
69	12/29/2007 1:34			2.2		2.5	

		ppm
12/31/2007	700	0.0
12/31/2007	730	0.0
12/31/2007	800	0.0
12/31/2007	830	0.0
12/31/2007	900	0.0
12/31/2007	930	0.0
12/31/2007	1000	0.0
12/31/2007	1030	0.0
12/31/2007	1100	0.0
12/31/2007	1130	0.0
12/31/2007	1200	0.0
12/31/2007	1230	0.0
12/31/2007	1300	0.0
12/31/2007	1330	0.0
12/31/2007	1400	0.0
12/31/2007	1430	0.0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 12
 Test Abbreviation:
 Start Date: 12/1/2007
 Start Time: 8:28:11
 Duration (dd:hh:mm:ss): 00:07:15:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 29
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 8:43:11
 Date of Minimum: 12/1/2007
 Maximum: 0
 Time of Maximum: 8:43:11
 Date of Maximum: 12/1/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/1/2007	8:43:11	0
12/1/2007	8:58:11	0
12/1/2007	9:13:11	0
12/1/2007	9:28:11	0
12/1/2007	9:43:11	0
12/1/2007	9:58:11	0
12/1/2007	10:13:11	0
12/1/2007	10:28:11	0
12/1/2007	10:43:11	0
12/1/2007	10:58:11	0
12/1/2007	11:13:11	0
12/1/2007	11:28:11	0
12/1/2007	11:43:11	0
12/1/2007	11:58:11	0
12/1/2007	12:13:11	0
12/1/2007	12:28:11	0
12/1/2007	12:43:11	0
12/1/2007	12:58:11	0
12/1/2007	13:13:11	0
12/1/2007	13:28:11	0
12/1/2007	13:43:11	0
12/1/2007	13:58:11	0
12/1/2007	14:13:11	0
12/1/2007	14:28:11	0
12/1/2007	14:43:11	0
12/1/2007	14:58:11	0
12/1/2007	15:13:11	0
12/1/2007	15:28:11	0
12/1/2007	15:43:11	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 13
 Test Abbreviation:
 Start Date: 12/3/2007
 Start Time: 6:22:58
 Duration (dd:hh:mm:ss): 00:10:15:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 41
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:37:58
 Date of Minimum: 12/3/2007
 Maximum: 0
 Time of Maximum: 6:37:58
 Date of Maximum: 12/3/2007

Calibration Sensor: Aerosol
 Cal. date: 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m ³
12/3/2007	6:37:58	0
12/3/2007	6:52:58	0
12/3/2007	7:07:58	0
12/3/2007	7:22:58	0
12/3/2007	7:37:58	0
12/3/2007	7:52:58	0
12/3/2007	8:07:58	0
12/3/2007	8:22:58	0
12/3/2007	8:37:58	0
12/3/2007	8:52:58	0
12/3/2007	9:07:58	0
12/3/2007	9:22:58	0
12/3/2007	9:37:58	0
12/3/2007	9:52:58	0
12/3/2007	10:07:58	0
12/3/2007	10:22:58	0
12/3/2007	10:37:58	0
12/3/2007	10:52:58	0
12/3/2007	11:07:58	0
12/3/2007	11:22:58	0
12/3/2007	11:37:58	0
12/3/2007	11:52:58	0
12/3/2007	12:07:58	0
12/3/2007	12:22:58	0
12/3/2007	12:37:58	0
12/3/2007	12:52:58	0
12/3/2007	13:07:58	0
12/3/2007	13:22:58	0
12/3/2007	13:37:58	0
12/3/2007	13:52:58	0
12/3/2007	14:07:58	0
12/3/2007	14:22:58	0
12/3/2007	14:37:58	0
12/3/2007	14:52:58	0
12/3/2007	15:07:58	0
12/3/2007	15:22:58	0
12/3/2007	15:37:58	0
12/3/2007	15:52:58	0
12/3/2007	16:07:58	0
12/3/2007	16:22:58	0
12/3/2007	16:37:58	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 14
 Test Abbreviation:
 Start Date: 12/4/2007
 Start Time: 6:29:33
 Duration (dd:hh:mm:ss): 00:10:45:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 43
 Notes:

Statistics Channel: Aerosol
 Units: mg/m^3
 Average: 0
 Minimum: 0
 Time of Minimum: 6:44:33
 Date of Minimum: 12/4/2007
 Maximum: 0
 Time of Maximum: 6:44:33
 Date of Maximum: 12/4/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date	Time	Aerosol
MM/dd/yyyy	hh:mm:ss	mg/m^3
12/4/2007	6:44:33	0
12/4/2007	6:59:33	0
12/4/2007	7:14:33	0
12/4/2007	7:29:33	0
12/4/2007	7:44:33	0
12/4/2007	7:59:33	0
12/4/2007	8:14:33	0
12/4/2007	8:29:33	0
12/4/2007	8:44:33	0
12/4/2007	8:59:33	0
12/4/2007	9:14:33	0
12/4/2007	9:29:33	0
12/4/2007	9:44:33	0
12/4/2007	9:59:33	0
12/4/2007	10:14:33	0
12/4/2007	10:29:33	0
12/4/2007	10:44:33	0
12/4/2007	10:59:33	0
12/4/2007	11:14:33	0
12/4/2007	11:29:33	0
12/4/2007	11:44:33	0
12/4/2007	11:59:33	0
12/4/2007	12:14:33	0
12/4/2007	12:29:33	0
12/4/2007	12:44:33	0
12/4/2007	12:59:33	0
12/4/2007	13:14:33	0
12/4/2007	13:29:33	0
12/4/2007	13:44:33	0
12/4/2007	13:59:33	0
12/4/2007	14:14:33	0
12/4/2007	14:29:33	0
12/4/2007	14:44:33	0
12/4/2007	14:59:33	0
12/4/2007	15:14:33	0
12/4/2007	15:29:33	0
12/4/2007	15:44:33	0
12/4/2007	15:59:33	0
12/4/2007	16:14:33	0
12/4/2007	16:29:33	0
12/4/2007	16:44:33	0
12/4/2007	16:59:33	0
12/4/2007	17:14:33	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 1
 Test Abbreviation:
 Start Date: 12/5/2007
 Start Time: 6:47:48
 Duration (dd:hh:mm:ss): 00:01:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 6
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 7:02:48
 Date of Minimum: 12/5/2007
 Maximum: 0
 Time of Maximum: 7:02:48
 Date of Maximum: 12/5/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/5/2007	7:02:48	0
12/5/2007	7:17:48	0
12/5/2007	7:32:48	0
12/5/2007	7:47:48	0
12/5/2007	8:02:48	0
12/5/2007	8:17:48	0
12/5/2007	830	0.000
12/5/2007	900	0.000
12/5/2007	930	0.000
12/5/2007	1000	0.000
12/5/2007	1030	0.000
12/5/2007	1100	0.000
12/5/2007	1130	0.000
12/5/2007	1200	0.000
12/5/2007	1230	0.000
12/5/2007	1330	0.000
12/5/2007	1400	0.000
12/5/2007	1430	0.000
12/5/2007	1500	0.000
12/5/2007	1530	0.000
12/5/2007	1600	0.000
12/5/2007	1630	0.000
12/5/2007	1700	0.000
12/5/2007	1730	0.000

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 2
 Test Abbreviation:
 Start Date: 12/6/2007
 Start Time: 6:57:47
 Duration (dd:hh:mm:ss): 00:08:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 32
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 7:12:47
 Date of Minimum: 12/6/2007
 Maximum: 0
 Time of Maximum: 7:12:47
 Date of Maximum: 12/6/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/6/2007	7:12:47	0
12/6/2007	7:27:47	0
12/6/2007	7:42:47	0
12/6/2007	7:57:47	0
12/6/2007	8:12:47	0
12/6/2007	8:27:47	0
12/6/2007	8:42:47	0
12/6/2007	8:57:47	0
12/6/2007	9:12:47	0
12/6/2007	9:27:47	0
12/6/2007	9:42:47	0
12/6/2007	9:57:47	0
12/6/2007	10:12:47	0
12/6/2007	10:27:47	0
12/6/2007	10:42:47	0
12/6/2007	10:57:47	0
12/6/2007	11:12:47	0
12/6/2007	11:27:47	0
12/6/2007	11:42:47	0
12/6/2007	11:57:47	0
12/6/2007	12:12:47	0
12/6/2007	12:27:47	0
12/6/2007	12:42:47	0
12/6/2007	12:57:47	0
12/6/2007	13:12:47	0
12/6/2007	13:27:47	0
12/6/2007	13:42:47	0
12/6/2007	13:57:47	0
12/6/2007	14:12:47	0
12/6/2007	14:27:47	0
12/6/2007	14:42:47	0
12/6/2007	14:57:47	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 3
Test Abbreviation:
Start Date: 12/7/2007
Start Time: 6:26:37
Duration (dd:hh:mm:ss): 00:01:30:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 6
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:41:37
Date of Minimum: 12/7/2007
Maximum: 0
Time of Maximum: 6:41:37
Date of Maximum: 12/7/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/7/2007	6:41:37	0
12/7/2007	6:56:37	0
12/7/2007	7:11:37	0
12/7/2007	7:26:37	0
12/7/2007	7:41:37	0
12/7/2007	7:56:37	0
12/7/2007	8:37:32	0
12/7/2007	8:52:32	0
12/7/2007	9:07:32	0
12/7/2007	9:22:32	0
12/7/2007	9:37:32	0
12/7/2007	9:52:32	0
12/7/2007	10:07:32	0
12/7/2007	10:22:32	0
12/7/2007	10:37:32	0
12/7/2007	10:52:32	0
12/7/2007	11:07:32	0
12/7/2007	11:22:32	0
12/7/2007	11:37:32	0
12/7/2007	11:52:32	0
12/7/2007	12:07:32	0
12/7/2007	12:22:32	0
12/7/2007	12:37:32	0

12/7/2007	12:52:32	0
12/7/2007	13:07:32	0
12/7/2007	13:22:32	0
12/7/2007	13:37:32	0
12/7/2007	13:52:32	0
12/7/2007	14:07:32	0
12/7/2007	14:22:32	0
12/7/2007	14:37:32	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 5
 Test Abbreviation:
 Start Date: 12/8/2007
 Start Time: 8:37:14
 Duration (dd:hh:mm:ss): 00:07:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 28
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.001
 Minimum: 0
 Time of Minimum: 8:52:14
 Date of Minimum: 12/8/2007
 Maximum: 0.006
 Time of Maximum: 10:07:14
 Date of Maximum: 12/8/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/8/2007	8:52:14	0
12/8/2007	9:07:14	0
12/8/2007	9:22:14	0
12/8/2007	9:37:14	0
12/8/2007	9:52:14	0.003
12/8/2007	10:07:14	0.006
12/8/2007	10:22:14	0.001
12/8/2007	10:37:14	0
12/8/2007	10:52:14	0
12/8/2007	11:07:14	0
12/8/2007	11:22:14	0.001
12/8/2007	11:37:14	0.002
12/8/2007	11:52:14	0.001
12/8/2007	12:07:14	0
12/8/2007	12:22:14	0
12/8/2007	12:37:14	0
12/8/2007	12:52:14	0
12/8/2007	13:07:14	0
12/8/2007	13:22:14	0
12/8/2007	13:37:14	0
12/8/2007	13:52:14	0
12/8/2007	14:07:14	0
12/8/2007	14:22:14	0
12/8/2007	14:37:14	0
12/8/2007	14:52:14	0
12/8/2007	15:07:14	0
12/8/2007	15:22:14	0
12/8/2007	15:37:14	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 1
Test Abbreviation:
Start Date: 12/11/2007
Start Time: 6:24:42
Duration (dd:hh:mm:ss): 00:08:15:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 33
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:39:42
Date of Minimum: 12/11/2007
Maximum: 0.002
Time of Maximum: 9:54:42
Date of Maximum: 12/11/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/11/2007	6:39:42	0
12/11/2007	6:54:42	0
12/11/2007	7:09:42	0
12/11/2007	7:24:42	0
12/11/2007	7:39:42	0
12/11/2007	7:54:42	0
12/11/2007	8:09:42	0
12/11/2007	8:24:42	0
12/11/2007	8:39:42	0
12/11/2007	8:54:42	0
12/11/2007	9:09:42	0
12/11/2007	9:24:42	0
12/11/2007	9:39:42	0.001
12/11/2007	9:54:42	0.002
12/11/2007	10:09:42	0.001
12/11/2007	10:24:42	0
12/11/2007	10:39:42	0
12/11/2007	10:54:42	0
12/11/2007	11:09:42	0
12/11/2007	11:24:42	0
12/11/2007	11:39:42	0
12/11/2007	11:54:42	0
12/11/2007	12:09:42	0
12/11/2007	12:24:42	0
12/11/2007	12:39:42	0
12/11/2007	12:54:42	0
12/11/2007	13:09:42	0
12/11/2007	13:24:42	0
12/11/2007	13:39:42	0
12/11/2007	13:54:42	0
12/11/2007	14:09:42	0
12/11/2007	14:24:42	0
12/11/2007	14:39:42	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 2
 Test Abbreviation:
 Start Date: 12/12/2007
 Start Time: 6:18:09
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:33:09
 Date of Minimum: 12/12/2007
 Maximum: 0.001
 Time of Maximum: 6:48:09
 Date of Maximum: 12/12/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/12/2007	6:33:09	0
12/12/2007	6:48:09	0.001
12/12/2007	7:03:09	0.001
12/12/2007	7:18:09	0
12/12/2007	7:33:09	0
12/12/2007	7:48:09	0
12/12/2007	8:03:09	0
12/12/2007	8:18:09	0
12/12/2007	8:33:09	0
12/12/2007	8:48:09	0
12/12/2007	9:03:09	0
12/12/2007	9:18:09	0
12/12/2007	9:33:09	0
12/12/2007	9:48:09	0
12/12/2007	10:03:09	0
12/12/2007	10:18:09	0
12/12/2007	10:33:09	0
12/12/2007	10:48:09	0
12/12/2007	11:03:09	0
12/12/2007	11:18:09	0
12/12/2007	11:33:09	0
12/12/2007	11:48:09	0
12/12/2007	12:03:09	0
12/12/2007	12:18:09	0
12/12/2007	12:33:09	0
12/12/2007	12:48:09	0
12/12/2007	13:03:09	0
12/12/2007	13:18:09	0
12/12/2007	13:33:09	0
12/12/2007	13:48:09	0
12/12/2007	14:03:09	0
12/12/2007	14:18:09	0
12/12/2007	14:33:09	0
12/12/2007	14:48:09	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 3
Test Abbreviation:
Start Date: 12/13/2007
Start Time: 6:25:24
Duration (dd:hh:mm:ss): 00:08:00:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 32
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:40:24
Date of Minimum: 12/13/2007
Maximum: 0
Time of Maximum: 6:40:24
Date of Maximum: 12/13/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/13/2007	6:40:24	0
12/13/2007	6:55:24	0
12/13/2007	7:10:24	0
12/13/2007	7:25:24	0
12/13/2007	7:40:24	0
12/13/2007	7:55:24	0
12/13/2007	8:10:24	0
12/13/2007	8:25:24	0
12/13/2007	8:40:24	0
12/13/2007	8:55:24	0
12/13/2007	9:10:24	0
12/13/2007	9:25:24	0
12/13/2007	9:40:24	0
12/13/2007	9:55:24	0
12/13/2007	10:10:24	0
12/13/2007	10:25:24	0
12/13/2007	10:40:24	0
12/13/2007	10:55:24	0
12/13/2007	11:10:24	0
12/13/2007	11:25:24	0
12/13/2007	11:40:24	0
12/13/2007	11:55:24	0
12/13/2007	12:10:24	0
12/13/2007	12:25:24	0
12/13/2007	12:40:24	0
12/13/2007	12:55:24	0
12/13/2007	13:10:24	0
12/13/2007	13:25:24	0
12/13/2007	13:40:24	0
12/13/2007	13:55:24	0
12/13/2007	14:10:24	0
12/13/2007	14:25:24	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 4
 Test Abbreviation:
 Start Date: 12/14/2007
 Start Time: 6:30:20
 Duration (dd:hh:mm:ss): 00:08:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 32
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:45:20
 Date of Minimum: 12/14/2007
 Maximum: 0
 Time of Maximum: 6:45:20
 Date of Maximum: 12/14/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/14/2007	6:45:20	0
12/14/2007	7:00:20	0
12/14/2007	7:15:20	0
12/14/2007	7:30:20	0
12/14/2007	7:45:20	0
12/14/2007	8:00:20	0
12/14/2007	8:15:20	0
12/14/2007	8:30:20	0
12/14/2007	8:45:20	0
12/14/2007	9:00:20	0
12/14/2007	9:15:20	0
12/14/2007	9:30:20	0
12/14/2007	9:45:20	0
12/14/2007	10:00:20	0
12/14/2007	10:15:20	0
12/14/2007	10:30:20	0
12/14/2007	10:45:20	0
12/14/2007	11:00:20	0
12/14/2007	11:15:20	0
12/14/2007	11:30:20	0
12/14/2007	11:45:20	0
12/14/2007	12:00:20	0
12/14/2007	12:15:20	0
12/14/2007	12:30:20	0
12/14/2007	12:45:20	0
12/14/2007	13:00:20	0
12/14/2007	13:15:20	0
12/14/2007	13:30:20	0
12/14/2007	13:45:20	0
12/14/2007	14:00:20	0
12/14/2007	14:15:20	0
12/14/2007	14:30:20	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 5
Test Abbreviation:
Start Date: 12/15/2007
Start Time: 8:30:01
Duration (dd:hh:mm:ss): 00:07:15:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 29
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 8:45:01
Date of Minimum: 12/15/2007
Maximum: 0
Time of Maximum: 8:45:01
Date of Maximum: 12/15/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/15/2007	8:45:01	0
12/15/2007	9:00:01	0
12/15/2007	9:15:01	0
12/15/2007	9:30:01	0
12/15/2007	9:45:01	0
12/15/2007	10:00:01	0
12/15/2007	10:15:01	0
12/15/2007	10:30:01	0
12/15/2007	10:45:01	0
12/15/2007	11:00:01	0
12/15/2007	11:15:01	0
12/15/2007	11:30:01	0
12/15/2007	11:45:01	0
12/15/2007	12:00:01	0
12/15/2007	12:15:01	0
12/15/2007	12:30:01	0
12/15/2007	12:45:01	0
12/15/2007	13:00:01	0
12/15/2007	13:15:01	0
12/15/2007	13:30:01	0
12/15/2007	13:45:01	0
12/15/2007	14:00:01	0
12/15/2007	14:15:01	0
12/15/2007	14:30:01	0
12/15/2007	14:45:01	0
12/15/2007	15:00:01	0
12/15/2007	15:15:01	0
12/15/2007	15:30:01	0
12/15/2007	15:45:01	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 6
Test Abbreviation:
Start Date: 12/17/2007
Start Time: 6:45:43
Duration (dd:hh:mm:ss): 00:07:45:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 31
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 7:00:43
Date of Minimum: 12/17/2007
Maximum: 0
Time of Maximum: 7:00:43
Date of Maximum: 12/17/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/17/2007	7:00:43	0
12/17/2007	7:15:43	0
12/17/2007	7:30:43	0
12/17/2007	7:45:43	0
12/17/2007	8:00:43	0
12/17/2007	8:15:43	0
12/17/2007	8:30:43	0
12/17/2007	8:45:43	0
12/17/2007	9:00:43	0
12/17/2007	9:15:43	0
12/17/2007	9:30:43	0
12/17/2007	9:45:43	0
12/17/2007	10:00:43	0
12/17/2007	10:15:43	0
12/17/2007	10:30:43	0
12/17/2007	10:45:43	0
12/17/2007	11:00:43	0
12/17/2007	11:15:43	0
12/17/2007	11:30:43	0
12/17/2007	11:45:43	0
12/17/2007	12:00:43	0
12/17/2007	12:15:43	0
12/17/2007	12:30:43	0
12/17/2007	12:45:43	0
12/17/2007	13:00:43	0
12/17/2007	13:15:43	0
12/17/2007	13:30:43	0
12/17/2007	13:45:43	0
12/17/2007	14:00:43	0
12/17/2007	14:15:43	0
12/17/2007	14:30:43	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 7
 Test Abbreviation:
 Start Date: 12/18/2007
 Start Time: 6:30:07
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m^3
 Average: 0
 Minimum: 0
 Time of Minimum: 6:45:07
 Date of Minimum: 12/18/2007
 Maximum: 0
 Time of Maximum: 6:45:07
 Date of Maximum: 12/18/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
12/18/2007	6:45:07	0
12/18/2007	7:00:07	0
12/18/2007	7:15:07	0
12/18/2007	7:30:07	0
12/18/2007	7:45:07	0
12/18/2007	8:00:07	0
12/18/2007	8:15:07	0
12/18/2007	8:30:07	0
12/18/2007	8:45:07	0
12/18/2007	9:00:07	0
12/18/2007	9:15:07	0
12/18/2007	9:30:07	0
12/18/2007	9:45:07	0
12/18/2007	10:00:07	0
12/18/2007	10:15:07	0
12/18/2007	10:30:07	0
12/18/2007	10:45:07	0
12/18/2007	11:00:07	0
12/18/2007	11:15:07	0
12/18/2007	11:30:07	0
12/18/2007	11:45:07	0
12/18/2007	12:00:07	0
12/18/2007	12:15:07	0
12/18/2007	12:30:07	0
12/18/2007	12:45:07	0
12/18/2007	13:00:07	0
12/18/2007	13:15:07	0
12/18/2007	13:30:07	0
12/18/2007	13:45:07	0
12/18/2007	14:00:07	0
12/18/2007	14:15:07	0
12/18/2007	14:30:07	0
12/18/2007	14:45:07	0
12/18/2007	15:00:07	0
12/18/2007	15:15:07	0
12/18/2007	15:30:07	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 8
 Test Abbreviation:
 Start Date: 12/19/2007
 Start Time: 6:27:47
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:42:47
 Date of Minimum: 12/19/2007
 Maximum: 0
 Time of Maximum: 6:42:47
 Date of Maximum: 12/19/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/19/2007	6:42:47	0
12/19/2007	6:57:47	0
12/19/2007	7:12:47	0
12/19/2007	7:27:47	0
12/19/2007	7:42:47	0
12/19/2007	7:57:47	0
12/19/2007	8:12:47	0
12/19/2007	8:27:47	0
12/19/2007	8:42:47	0
12/19/2007	8:57:47	0
12/19/2007	9:12:47	0
12/19/2007	9:27:47	0
12/19/2007	9:42:47	0
12/19/2007	9:57:47	0
12/19/2007	10:12:47	0
12/19/2007	10:27:47	0
12/19/2007	10:42:47	0
12/19/2007	10:57:47	0
12/19/2007	11:12:47	0
12/19/2007	11:27:47	0
12/19/2007	11:42:47	0
12/19/2007	11:57:47	0
12/19/2007	12:12:47	0
12/19/2007	12:27:47	0
12/19/2007	12:42:47	0
12/19/2007	12:57:47	0
12/19/2007	13:12:47	0
12/19/2007	13:27:47	0
12/19/2007	13:42:47	0
12/19/2007	13:57:47	0
12/19/2007	14:12:47	0
12/19/2007	14:27:47	0
12/19/2007	14:42:47	0
12/19/2007	14:57:47	0
12/19/2007	15:12:47	0
12/19/2007	15:27:47	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 1
 Test Abbreviation:
 Start Date: 12/20/2007
 Start Time: 6:48:53
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 7:03:53
 Date of Minimum: 12/20/2007
 Maximum: 0
 Time of Maximum: 7:03:53
 Date of Maximum: 12/20/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/20/2007	7:03:53	0
12/20/2007	7:18:53	0
12/20/2007	7:33:53	0
12/20/2007	7:48:53	0
12/20/2007	8:03:53	0
12/20/2007	8:18:53	0
12/20/2007	8:33:53	0
12/20/2007	8:48:53	0
12/20/2007	9:03:53	0
12/20/2007	9:18:53	0
12/20/2007	9:33:53	0
12/20/2007	9:48:53	0
12/20/2007	10:03:53	0
12/20/2007	10:18:53	0
12/20/2007	10:33:53	0
12/20/2007	10:48:53	0
12/20/2007	11:03:53	0
12/20/2007	11:18:53	0
12/20/2007	11:33:53	0
12/20/2007	11:48:53	0
12/20/2007	12:03:53	0
12/20/2007	12:18:53	0
12/20/2007	12:33:53	0
12/20/2007	12:48:53	0
12/20/2007	13:03:53	0
12/20/2007	13:18:53	0
12/20/2007	13:33:53	0
12/20/2007	13:48:53	0
12/20/2007	14:03:53	0
12/20/2007	14:18:53	0
12/20/2007	14:33:53	0
12/20/2007	14:48:53	0
12/20/2007	15:03:53	0
12/20/2007	15:18:53	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 2
 Test Abbreviation:
 Start Date: 12/21/2007
 Start Time: 6:21:05
 Duration (dd:hh:mm:ss): 00:09:15:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 37
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:36:05
 Date of Minimum: 12/21/2007
 Maximum: 0.007
 Time of Maximum: 11:21:05
 Date of Maximum: 12/21/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/21/2007	6:36:05	0
12/21/2007	6:51:05	0
12/21/2007	7:06:05	0
12/21/2007	7:21:05	0
12/21/2007	7:36:05	0
12/21/2007	7:51:05	0
12/21/2007	8:06:05	0
12/21/2007	8:21:05	0
12/21/2007	8:36:05	0
12/21/2007	8:51:05	0
12/21/2007	9:06:05	0
12/21/2007	9:21:05	0
12/21/2007	9:36:05	0
12/21/2007	9:51:05	0
12/21/2007	10:06:05	0
12/21/2007	10:21:05	0
12/21/2007	10:36:05	0
12/21/2007	10:51:05	0
12/21/2007	11:06:05	0
12/21/2007	11:21:05	0.007
12/21/2007	11:36:05	0
12/21/2007	11:51:05	0
12/21/2007	12:06:05	0
12/21/2007	12:21:05	0
12/21/2007	12:36:05	0
12/21/2007	12:51:05	0
12/21/2007	13:06:05	0
12/21/2007	13:21:05	0
12/21/2007	13:36:05	0
12/21/2007	13:51:05	0
12/21/2007	14:06:05	0
12/21/2007	14:21:05	0
12/21/2007	14:36:05	0
12/21/2007	14:51:05	0
12/21/2007	15:06:05	0
12/21/2007	15:21:05	0
12/21/2007	15:36:05	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 3
Test Abbreviation:
Start Date: 12/24/2007
Start Time: 6:46:04
Duration (dd:hh:mm:ss): 00:04:15:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 17
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 7:01:04
Date of Minimum: 12/24/2007
Maximum: 0.001
Time of Maximum: 7:31:04
Date of Maximum: 12/24/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/24/2007	7:01:04	0
12/24/2007	7:16:04	0
12/24/2007	7:31:04	0.001
12/24/2007	7:46:04	0
12/24/2007	8:01:04	0
12/24/2007	8:16:04	0
12/24/2007	8:31:04	0
12/24/2007	8:46:04	0
12/24/2007	9:01:04	0
12/24/2007	9:16:04	0
12/24/2007	9:31:04	0
12/24/2007	9:46:04	0
12/24/2007	10:01:04	0
12/24/2007	10:16:04	0
12/24/2007	10:31:04	0
12/24/2007	10:46:04	0
12/24/2007	11:01:04	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 4
 Test Abbreviation:
 Start Date: 12/26/2007
 Start Time: 6:23:06
 Duration (dd:hh:mm:ss): 00:08:30:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 34
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0
 Minimum: 0
 Time of Minimum: 6:38:06
 Date of Minimum: 12/26/2007
 Maximum: 0.001
 Time of Maximum: 7:38:06
 Date of Maximum: 12/26/2007

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/26/2007	6:38:06	0
12/26/2007	6:53:06	0
12/26/2007	7:08:06	0
12/26/2007	7:23:06	0
12/26/2007	7:38:06	0.001
12/26/2007	7:53:06	0
12/26/2007	8:08:06	0
12/26/2007	8:23:06	0
12/26/2007	8:38:06	0
12/26/2007	8:53:06	0
12/26/2007	9:08:06	0
12/26/2007	9:23:06	0
12/26/2007	9:38:06	0
12/26/2007	9:53:06	0
12/26/2007	10:08:06	0.001
12/26/2007	10:23:06	0
12/26/2007	10:38:06	0
12/26/2007	10:53:06	0
12/26/2007	11:08:06	0
12/26/2007	11:23:06	0
12/26/2007	11:38:06	0
12/26/2007	11:53:06	0
12/26/2007	12:08:06	0
12/26/2007	12:23:06	0
12/26/2007	12:38:06	0
12/26/2007	12:53:06	0
12/26/2007	13:08:06	0
12/26/2007	13:23:06	0
12/26/2007	13:38:06	0
12/26/2007	13:53:06	0
12/26/2007	14:08:06	0
12/26/2007	14:23:06	0
12/26/2007	14:38:06	0
12/26/2007	14:53:06	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 5
Test Abbreviation:
Start Date: 12/27/2007
Start Time: 6:49:54
Duration (dd:hh:mm:ss): 00:08:15:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 33
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 7:04:54
Date of Minimum: 12/27/2007
Maximum: 0.003
Time of Maximum: 12:19:54
Date of Maximum: 12/27/2007

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/27/2007	7:04:54	0
12/27/2007	7:19:54	0
12/27/2007	7:34:54	0
12/27/2007	7:49:54	0
12/27/2007	8:04:54	0
12/27/2007	8:19:54	0
12/27/2007	8:34:54	0
12/27/2007	8:49:54	0
12/27/2007	9:04:54	0
12/27/2007	9:19:54	0
12/27/2007	9:34:54	0
12/27/2007	9:49:54	0
12/27/2007	10:04:54	0
12/27/2007	10:19:54	0
12/27/2007	10:34:54	0
12/27/2007	10:49:54	0
12/27/2007	11:04:54	0
12/27/2007	11:19:54	0
12/27/2007	11:34:54	0
12/27/2007	11:49:54	0
12/27/2007	12:04:54	0
12/27/2007	12:19:54	0.003
12/27/2007	12:34:54	0
12/27/2007	12:49:54	0
12/27/2007	13:04:54	0.001
12/27/2007	13:19:54	0
12/27/2007	13:34:54	0
12/27/2007	13:49:54	0
12/27/2007	14:04:54	0
12/27/2007	14:19:54	0
12/27/2007	14:34:54	0
12/27/2007	14:49:54	0
12/27/2007	15:04:54	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85202262
 Test ID: 11
 Test Abbreviation:
 Start Date: 12/28/2007
 Start Time: 7:09:52
 Duration (dd:hh:mm:ss): 00:11:45:00
 Time constant (seconds): 5
 Log Interval (mm:ss): 15:00
 Number of points: 47
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.089
 Minimum: 0.031
 Time of Minimum: 12:39:52
 Date of Minimum: 12/28/2007
 Maximum: 0.265
 Time of Maximum: 15:39:52
 Date of Maximum: 12/28/2007

Calibration Sensor: Aerosol
 Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/28/2007	7:24:52	0.068
12/28/2007	7:39:52	0.063
12/28/2007	7:54:52	0.071
12/28/2007	8:09:52	0.081
12/28/2007	8:24:52	0.08
12/28/2007	8:39:52	0.084
12/28/2007	8:54:52	0.089
12/28/2007	9:09:52	0.078
12/28/2007	9:24:52	0.076
12/28/2007	9:39:52	0.076
12/28/2007	9:54:52	0.078
12/28/2007	10:09:52	0.094
12/28/2007	10:24:52	0.07
12/28/2007	10:39:52	0.059
12/28/2007	10:54:52	0.064
12/28/2007	11:09:52	0.074
12/28/2007	11:24:52	0.091
12/28/2007	11:39:52	0.048
12/28/2007	11:54:52	0.047
12/28/2007	12:09:52	0.046
12/28/2007	12:24:52	0.055
12/28/2007	12:39:52	0.031
12/28/2007	12:54:52	0.056
12/28/2007	13:09:52	0.066
12/28/2007	13:24:52	0.104
12/28/2007	13:39:52	0.221
12/28/2007	13:54:52	0.102
12/28/2007	14:09:52	0.115
12/28/2007	14:24:52	0.091
12/28/2007	14:39:52	0.096
12/28/2007	14:54:52	0.122
12/28/2007	15:09:52	0.162
12/28/2007	15:24:52	0.18
12/28/2007	15:39:52	0.265
12/28/2007	15:54:52	0.154
12/28/2007	16:09:52	0.151
12/28/2007	16:24:52	0.206
12/28/2007	16:39:52	0.15
12/28/2007	16:54:52	0.057
12/28/2007	17:09:52	0.049
12/28/2007	17:24:52	0.052
12/28/2007	17:39:52	0.049
12/28/2007	17:54:52	0.055
12/28/2007	18:09:52	0.042
12/28/2007	18:24:52	0.039
12/28/2007	18:39:52	0.033
12/28/2007	18:54:52	0.031

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85202262
Test ID: 12
Test Abbreviation:
Start Date: 12/31/2007
Start Time: 8:04:03
Duration (dd:hh:mm:ss): 00:06:15:00
Time constant (seconds): 5
Log Interval (mm:ss): 15:00
Number of points: 25
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0.032
Minimum: 0.016
Time of Minimum: 8:19:03
Date of Minimum: 12/31/2007
Maximum: 0.043
Time of Maximum: 9:19:03
Date of Maximum: 12/31/2007

Calibration Sensor: Aerosol
Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
12/31/2007	8:19:03	0.016
12/31/2007	8:34:03	0.018
12/31/2007	8:49:03	0.023
12/31/2007	9:04:03	0.032
12/31/2007	9:19:03	0.043
12/31/2007	9:34:03	0.043
12/31/2007	9:49:03	0.036
12/31/2007	10:04:03	0.034
12/31/2007	10:19:03	0.031
12/31/2007	10:34:03	0.036
12/31/2007	10:49:03	0.033
12/31/2007	11:04:03	0.032
12/31/2007	11:19:03	0.028
12/31/2007	11:34:03	0.032
12/31/2007	11:49:03	0.043
12/31/2007	12:04:03	0.027
12/31/2007	12:19:03	0.024
12/31/2007	12:34:03	0.023
12/31/2007	12:49:03	0.038
12/31/2007	13:04:03	0.04
12/31/2007	13:19:03	0.034
12/31/2007	13:34:03	0.037
12/31/2007	13:49:03	0.032
12/31/2007	14:04:03	0.033
12/31/2007	14:19:03	0.023

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/1/2007 10:30			0		0.1	
2	12/1/2007 10:45			0		0.1	
3	12/1/2007 11:00			0		0.2	
4	12/1/2007 11:15			0		0.2	
5	12/1/2007 11:30			0		0.3	
6	12/1/2007 11:45			0		0	
7	12/1/2007 12:00			0		0.1	
8	12/1/2007 12:15			0		0	
9	12/1/2007 12:30			0		0.7	
10	12/1/2007 12:45			0		0.3	
11	12/1/2007 13:00			0		0.1	
12	12/1/2007 13:15			0		0.5	
13	12/1/2007 13:30			0		0.2	
14	12/1/2007 13:45			0		0.2	
15	12/1/2007 14:00			0		0	
16	12/1/2007 14:15			0		0	
17	12/1/2007 14:30			0		0	
18	12/1/2007 14:45			0		0.1	
19	12/1/2007 15:00			0		0.2	
20	12/1/2007 15:15			0		0.1	
21	12/1/2007 15:30			0		0.2	
22	12/1/2007 15:45			0		0	
23	12/1/2007 16:00			0		0	
24	12/1/2007 16:15			0		0	
25	12/1/2007 16:30			0		0	
26	12/1/2007 16:45			0		0	
27	12/1/2007 17:00			0		0	
28	12/1/2007 17:15			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 40 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/3/2007 8:25			0		0	
2	12/3/2007 8:40			0		0	
3	12/3/2007 8:55			0		0.1	
4	12/3/2007 9:10			0		0	
5	12/3/2007 9:25			0		0.1	
6	12/3/2007 9:40			0		0	
7	12/3/2007 9:55			0		0	
8	12/3/2007 10:10			0		0	
9	12/3/2007 10:25			0		0	
10	12/3/2007 10:40			0		0	
11	12/3/2007 10:55			0		0.1	
12	12/3/2007 11:10			0		0	
13	12/3/2007 11:25			0		0	
14	12/3/2007 11:40			0.1		1.3	
15	12/3/2007 11:55			0		0.6	
16	12/3/2007 12:10			0		0.1	
17	12/3/2007 12:25			0		0.1	
18	12/3/2007 12:40			0		0	
19	12/3/2007 12:55			0		0.1	
20	12/3/2007 13:10			0		0.1	
21	12/3/2007 13:25			0		0.2	
22	12/3/2007 13:40			0		0.7	
23	12/3/2007 13:55			0.1		0.8	
24	12/3/2007 14:10			0		0.1	
25	12/3/2007 14:25			0		0	
26	12/3/2007 14:40			0		0	
27	12/3/2007 14:55			0		0.1	
28	12/3/2007 15:10			0		0	
29	12/3/2007 15:25			0		0	
30	12/3/2007 15:40			0		0	
31	12/3/2007 15:55			0		0	
32	12/3/2007 16:10			0		0	
33	12/3/2007 16:25			0		0	
34	12/3/2007 16:40			0		0	
35	12/3/2007 16:55			0		0	
36	12/3/2007 17:10			0		0	
37	12/3/2007 17:25			0		0	
38	12/3/2007 17:40			0		0.4	
39	12/3/2007 17:55			0		1.1	
40	12/3/2007 18:10			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 42 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/4/2007 8:25			0		0.5	
2	12/4/2007 8:40			0		0.2	
3	12/4/2007 8:55			0		0	
4	12/4/2007 9:10			0		0.8	
5	12/4/2007 9:25			0		0.5	
6	12/4/2007 9:40			0		0.3	
7	12/4/2007 9:55			0		0.2	
8	12/4/2007 10:10			0		0.3	
9	12/4/2007 10:25			0		0.2	
10	12/4/2007 10:40			0		0	
11	12/4/2007 10:55			0		0.2	
12	12/4/2007 11:10			0		0.1	
13	12/4/2007 11:25			0		0	
14	12/4/2007 11:40			0		0.1	
15	12/4/2007 11:55			0		0.1	
16	12/4/2007 12:10			0		0	
17	12/4/2007 12:25			0		0.2	
18	12/4/2007 12:40			0		0.2	
19	12/4/2007 12:55			0		0	
20	12/4/2007 13:10			0		0.2	
21	12/4/2007 13:25			0		0.1	
22	12/4/2007 13:40			0		0.1	
23	12/4/2007 13:55			0		0	
24	12/4/2007 14:10			0		0	
25	12/4/2007 14:25			0		0	
26	12/4/2007 14:40			0		0	
27	12/4/2007 14:55			0		0	
28	12/4/2007 15:10			0		0	
29	12/4/2007 15:25			0		0	
30	12/4/2007 15:40			0		0	
31	12/4/2007 15:55			0		0.1	
32	12/4/2007 16:10			0		0.1	
33	12/4/2007 16:25			0		0	
34	12/4/2007 16:40			0		0.2	
35	12/4/2007 16:55			0		0	
36	12/4/2007 17:10			0		0	
37	12/4/2007 17:25			0		0	
38	12/4/2007 17:40			0		0	
39	12/4/2007 17:55			0		0	
40	12/4/2007 18:10			0		0	
41	12/4/2007 18:25			0		0	
42	12/4/2007 18:40			0		0	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100               100
Low Alarm Levels:          50              50                50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/5/2007 8:50			0		0.1	
2	12/5/2007 9:05			0		0.1	
3	12/5/2007 9:20			0		0.4	
4	12/5/2007 9:35			0		0.9	
5	12/5/2007 9:50			0		0.1	
6	12/5/2007 10:05			0		1.3	
7	12/5/2007 10:20			0		0.4	
8	12/5/2007 10:35			0		0.2	
9	12/5/2007 10:50			0		0.2	
10	12/5/2007 11:05			0		0.7	
11	12/5/2007 11:20			0		0.2	
12	12/5/2007 11:35			0		0.2	
13	12/5/2007 11:50			0		0.2	
14	12/5/2007 12:05			0		0.2	
15	12/5/2007 12:20			0		0.1	
16	12/5/2007 12:35			0		0.1	
17	12/5/2007 12:50			0		0.2	
18	12/5/2007 13:05			0		0.2	
19	12/5/2007 13:20			0		0.1	
20	12/5/2007 13:35			0		0.2	
21	12/5/2007 13:50			0		0.1	
22	12/5/2007 14:05			0.1		0.7	
23	12/5/2007 14:20			0		0.4	
24	12/5/2007 14:35			0		0.1	
25	12/5/2007 14:50			0		0.1	
26	12/5/2007 15:05			0		0.4	
27	12/5/2007 15:20			0		0.1	
28	12/5/2007 15:35			0		0.1	
29	12/5/2007 15:50			0		0	
30	12/5/2007 16:05			0		0.2	
31	12/5/2007 16:20			0		0.1	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:                Min(ppm)          Avg(ppm)          Max(ppm)
High Alarm Levels:                100              100              100
Low Alarm Levels:                 50               50               50
=====
  
```

```

=====
Line#   Date Time                Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/6/2007 9:00			0		0	
2	12/6/2007 9:15			0		0.8	
3	12/6/2007 9:30			0		0.2	
4	12/6/2007 9:45			0		0.4	
5	12/6/2007 10:00			0		0.3	
6	12/6/2007 10:15			0		0.1	
7	12/6/2007 10:30			0		0.2	
8	12/6/2007 10:45			0		0.3	
9	12/6/2007 11:00			0		0.3	
10	12/6/2007 11:15			0.1		1	
11	12/6/2007 11:30			0.2		0.7	
12	12/6/2007 11:45			0.1		0.4	
13	12/6/2007 12:00			0.2		0.9	
14	12/6/2007 12:15			0.1		0.3	
15	12/6/2007 12:30			0		0.3	
16	12/6/2007 12:45			0		0.3	
17	12/6/2007 13:00			0		0.3	
18	12/6/2007 13:15			0		0.3	
19	12/6/2007 13:30			0		0	
20	12/6/2007 13:45			0		0.3	
21	12/6/2007 14:00			0		0.1	
22	12/6/2007 14:15			0		0.2	
23	12/6/2007 14:30			0		0.2	
24	12/6/2007 14:45			0		0.1	
25	12/6/2007 15:00			0		0.1	
26	12/6/2007 15:15			0		0.2	
27	12/6/2007 15:30			0.1		0.5	
28	12/6/2007 15:45			0.1		1.2	
29	12/6/2007 16:00			0.1		5.7	
30	12/6/2007 16:15			0		0.2	
31	12/6/2007 16:30			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     12/7/2007 8:30           0             0.1
  2     12/7/2007 8:45           0             0.7
  3     12/7/2007 9:00           0             0.2
  4     12/7/2007 9:15           0             0.3
  5     12/7/2007 9:30           0.4            2
  6     12/7/2007 9:45           0.1            0.3
  7     12/7/2007 10:00          0.1            4.2
  8     12/7/2007 10:15           0             0.2
  9     12/7/2007 10:30           0             0.2
 10     12/7/2007 10:45           0             0.2
 11     12/7/2007 11:00           0             0.2
 12     12/7/2007 11:15           0             0.3
 13     12/7/2007 11:30           0             0.2
 14     12/7/2007 11:45           0             0.2
 15     12/7/2007 12:00           0             0.3
 16     12/7/2007 12:15           0             0.2
 17     12/7/2007 12:30           0             0.1
 18     12/7/2007 12:45           0             0.2
 19     12/7/2007 13:00           0             0.2
 20     12/7/2007 13:15           0             0.2
 21     12/7/2007 13:30           0             0.2
 22     12/7/2007 13:45           0             0.2
 23     12/7/2007 14:00           0             0.1
 24     12/7/2007 14:15           0             0.1
 25     12/7/2007 14:30           0             0.1
 26     12/7/2007 14:45           0             0.1
 27     12/7/2007 15:00           0             0.1
 28     12/7/2007 15:15           0             0.1
 29     12/7/2007 15:30           0             0.1
 30     12/7/2007 15:45           0             0.1
 31     12/7/2007 16:00           0             0.1
=====

```


Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 27 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/8/2007 10:40			0		0	
2	12/8/2007 10:55			0		0.1	
3	12/8/2007 11:10			0		0.1	
4	12/8/2007 11:25			0		0.2	
5	12/8/2007 11:40			0		0.9	
6	12/8/2007 11:55			0		0.1	
7	12/8/2007 12:10			0		0.2	
8	12/8/2007 12:25			0		0.1	
9	12/8/2007 12:40			0		0.4	
10	12/8/2007 12:55			0		0.3	
11	12/8/2007 13:10			0		0.3	
12	12/8/2007 13:25			0.1		0.5	
13	12/8/2007 13:40			0		0.3	
14	12/8/2007 13:55			0.1		0.4	
15	12/8/2007 14:10			0.1		0.3	
16	12/8/2007 14:25			0		0.2	
17	12/8/2007 14:40			0		0.2	
18	12/8/2007 14:55			0		0.1	
19	12/8/2007 15:10			0		0.2	
20	12/8/2007 15:25			0		0.2	
21	12/8/2007 15:40			0		0.1	
22	12/8/2007 15:55			0		0.4	
23	12/8/2007 16:10			0.1		1.9	
24	12/8/2007 16:25			0.1		0.3	
25	12/8/2007 16:40			0		0.2	
26	12/8/2007 16:55			0		0.2	
27	12/8/2007 17:10			0		0.3	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/10/2007 8:45			0		0.2	
2	12/10/2007 9:00			0		0.1	
3	12/10/2007 9:15			0		0.1	
4	12/10/2007 9:30			0.1		0.8	
5	12/10/2007 9:45			0.1		0.5	
6	12/10/2007 10:00			0.1		0.2	
7	12/10/2007 10:15			0		0.2	
8	12/10/2007 10:30			0.2		1	
9	12/10/2007 10:45			0.1		0.4	
10	12/10/2007 11:00			0		0.2	
11	12/10/2007 11:15			0		0.2	
12	12/10/2007 11:30			0.1		0.2	
13	12/10/2007 11:45			0.1		0.4	
14	12/10/2007 12:00			0.1		0.5	
15	12/10/2007 12:15			0.1		0.4	
16	12/10/2007 12:30			0.1		0.3	
17	12/10/2007 12:45			0.1		0.3	
18	12/10/2007 13:00			0.1		0.2	
19	12/10/2007 13:15			0		0.3	
20	12/10/2007 13:30			0		0.2	
21	12/10/2007 13:45			0		0.2	
22	12/10/2007 14:00			0		0.2	
23	12/10/2007 14:15			0		0.2	
24	12/10/2007 14:30			0		0.4	
25	12/10/2007 14:45			0		0.2	
26	12/10/2007 15:00			0		0.2	
27	12/10/2007 15:15			0		0.5	
28	12/10/2007 15:30			0		0.4	
29	12/10/2007 15:45			0		0.2	
30	12/10/2007 16:00			0.1		0.2	
31	12/10/2007 16:15			0		0.2	
32	12/10/2007 16:30			0.1		0.4	
33	12/10/2007 16:45			0.2		2	
34	12/10/2007 17:00			0.1		0.5	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/11/2007 8:18			0		0.2	
2	12/11/2007 8:33			0.1		0.2	
3	12/11/2007 8:48			0.1		0.7	
4	12/11/2007 9:03			0.1		0.4	
5	12/11/2007 9:18			0		0.3	
6	12/11/2007 9:33			0		0.2	
7	12/11/2007 9:48			0		0.2	
8	12/11/2007 10:03			0		0.3	
9	12/11/2007 10:18			0		0.4	
10	12/11/2007 10:33			0.1		0.3	
11	12/11/2007 10:48			0.1		0.4	
12	12/11/2007 11:03			0.1		0.8	
13	12/11/2007 11:18			0.1		0.9	
14	12/11/2007 11:33			0		0.5	
15	12/11/2007 11:48			0.1		1.2	
16	12/11/2007 12:03			0.2		0.4	
17	12/11/2007 12:18			0.1		0.9	
18	12/11/2007 12:33			0		1.2	
19	12/11/2007 12:48			0.1		0.4	
20	12/11/2007 13:03			0.1		0.2	
21	12/11/2007 13:18			0.1		0.2	
22	12/11/2007 13:33			0		1.4	
23	12/11/2007 13:48			0		0.2	
24	12/11/2007 14:03			0		0.3	
25	12/11/2007 14:18			0		0.1	
26	12/11/2007 14:33			0		0.5	
27	12/11/2007 14:48			0		0.2	
28	12/11/2007 15:03			0.1		0.9	
29	12/11/2007 15:18			0.1		2.4	
30	12/11/2007 15:33			0.1		0.3	
31	12/11/2007 15:48			0.1		0.2	
32	12/11/2007 16:03			0.1		0.2	
33	12/11/2007 16:18			0		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/12/2007 8:16			0		0.1	
2	12/12/2007 8:31			0		0	
3	12/12/2007 8:46			0		0	
4	12/12/2007 9:01			0		0	
5	12/12/2007 9:16			0		0	
6	12/12/2007 9:31			0		0	
7	12/12/2007 9:46			0		0	
8	12/12/2007 10:01			0		0	
9	12/12/2007 10:16			0		0	
10	12/12/2007 10:31			0		0.6	
11	12/12/2007 10:46			0		0.8	
12	12/12/2007 11:01			0		0.1	
13	12/12/2007 11:16			0		0	
14	12/12/2007 11:31			0		0	
15	12/12/2007 11:46			0		0	
16	12/12/2007 12:01			0		0	
17	12/12/2007 12:16			0		0	
18	12/12/2007 12:31			0		0	
19	12/12/2007 12:46			0		0	
20	12/12/2007 13:01			0		0	
21	12/12/2007 13:16			0		0	
22	12/12/2007 13:31			0		0	
23	12/12/2007 13:46			0		0	
24	12/12/2007 14:01			0		0	
25	12/12/2007 14:16			0		0	
26	12/12/2007 14:31			0		0	
27	12/12/2007 14:46			0		0	
28	12/12/2007 15:01			0		0	
29	12/12/2007 15:16			0		0	
30	12/12/2007 15:31			0		0	
31	12/12/2007 15:46			0		0	
32	12/12/2007 16:01			0		0.3	
33	12/12/2007 16:16			0		0.1	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/13/2007 8:26			0		0	
2	12/13/2007 8:41			0		0	
3	12/13/2007 8:56			0		0.1	
4	12/13/2007 9:11			0		0.1	
5	12/13/2007 9:26			0		0.1	
6	12/13/2007 9:41			0		0.8	
7	12/13/2007 9:56			0		0.1	
8	12/13/2007 10:11			0		0	
9	12/13/2007 10:26			0		0.1	
10	12/13/2007 10:41			0		0	
11	12/13/2007 10:56			0		1.3	
12	12/13/2007 11:11			0		0	
13	12/13/2007 11:26			0		0.1	
14	12/13/2007 11:41			0		0.2	
15	12/13/2007 11:56			0		0.2	
16	12/13/2007 12:11			0		0	
17	12/13/2007 12:26			0		0.2	
18	12/13/2007 12:41			0		0.1	
19	12/13/2007 12:56			0		0.3	
20	12/13/2007 13:11			0		0.3	
21	12/13/2007 13:26			0		0.3	
22	12/13/2007 13:41			0		0.1	
23	12/13/2007 13:56			0		0.1	
24	12/13/2007 14:11			0		0.1	
25	12/13/2007 14:26			0		0	
26	12/13/2007 14:41			0		0	
27	12/13/2007 14:56			0		0.1	
28	12/13/2007 15:11			0		0.1	
29	12/13/2007 15:26			0		0.1	
30	12/13/2007 15:41			0		0.1	
31	12/13/2007 15:56			0		0.1	
32	12/13/2007 16:11			0		0.1	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/14/2007 8:29			0		0.1	
2	12/14/2007 8:44			0		0	
3	12/14/2007 8:59			0		0.1	
4	12/14/2007 9:14			0		0	
5	12/14/2007 9:29			0		0	
6	12/14/2007 9:44			0		0.8	
7	12/14/2007 9:59			0		0.1	
8	12/14/2007 10:14			0		0	
9	12/14/2007 10:29			0		0.1	
10	12/14/2007 10:44			0		0	
11	12/14/2007 10:59			0		0	
12	12/14/2007 11:14			0		0	
13	12/14/2007 11:29			0		0	
14	12/14/2007 11:44			0		0.1	
15	12/14/2007 11:59			0		0.1	
16	12/14/2007 12:14			0		0	
17	12/14/2007 12:29			0		0	
18	12/14/2007 12:44			0		0.1	
19	12/14/2007 12:59			0		0.8	
20	12/14/2007 13:14			0		0	
21	12/14/2007 13:29			0		0	
22	12/14/2007 13:44			0		0	
23	12/14/2007 13:59			0		0.1	
24	12/14/2007 14:14			0		0.8	
25	12/14/2007 14:29			0		0	
26	12/14/2007 14:44			0		0.3	
27	12/14/2007 14:59			0		0	
28	12/14/2007 15:14			0		0.3	
29	12/14/2007 15:29			0		0.2	
30	12/14/2007 15:44			0		0.1	
31	12/14/2007 15:59			0		0	
32	12/14/2007 16:14			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/15/2007 10:29			0		0	
2	12/15/2007 10:44			0		0	
3	12/15/2007 10:59			0		0.1	
4	12/15/2007 11:14			0		0.8	
5	12/15/2007 11:29			0		0	
6	12/15/2007 11:44			0		0	
7	12/15/2007 11:59			0		0	
8	12/15/2007 12:14			0		0	
9	12/15/2007 12:29			0		0	
10	12/15/2007 12:44			0		0	
11	12/15/2007 12:59			0		0	
12	12/15/2007 13:14			0		0	
13	12/15/2007 13:29			0		0	
14	12/15/2007 13:44			0		0.2	
15	12/15/2007 13:59			0		0	
16	12/15/2007 14:14			0		0	
17	12/15/2007 14:29			0		0.3	
18	12/15/2007 14:44			0		0	
19	12/15/2007 14:59			0		0.2	
20	12/15/2007 15:14			0		0	
21	12/15/2007 15:29			0		0.1	
22	12/15/2007 15:44			0		0.1	
23	12/15/2007 15:59			0		0	
24	12/15/2007 16:14			0		0	
25	12/15/2007 16:29			0		0	
26	12/15/2007 16:44			0		0	
27	12/15/2007 16:59			0		0	
28	12/15/2007 17:14			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/17/2007 8:39			0		0	
2	12/17/2007 8:54			0		0.4	
3	12/17/2007 9:09			0		0.2	
4	12/17/2007 9:24			0		0.1	
5	12/17/2007 9:39			0		0	
6	12/17/2007 9:54			0.1		0.5	
7	12/17/2007 10:09			0.2		1	
8	12/17/2007 10:24			0.1		0.3	
9	12/17/2007 10:39			0		0.2	
10	12/17/2007 10:54			0		0.1	
11	12/17/2007 11:09			0		0.1	
12	12/17/2007 11:24			0		0.1	
13	12/17/2007 11:39			0		0.1	
14	12/17/2007 11:54			0		0.1	
15	12/17/2007 12:09			0		0.2	
16	12/17/2007 12:24			0		0.6	
17	12/17/2007 12:39			0		0.3	
18	12/17/2007 12:54			0		0.1	
19	12/17/2007 13:09			0		0	
20	12/17/2007 13:24			0		0	
21	12/17/2007 13:39			0		0	
22	12/17/2007 13:54			0.1		0.8	
23	12/17/2007 14:09			0		0.3	
24	12/17/2007 14:24			0		0.2	
25	12/17/2007 14:39			0.1		0.5	
26	12/17/2007 14:54			0.2		0.5	
27	12/17/2007 15:09			0.2		0.4	
28	12/17/2007 15:24			0.1		0.3	
29	12/17/2007 15:39			0		1.4	
30	12/17/2007 15:54			0		0.1	
31	12/17/2007 16:09			0		0.1	

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/18/2007 8:33			0		0.1	
2	12/18/2007 8:48			0		0.3	
3	12/18/2007 9:03			0.1		1.2	
4	12/18/2007 9:18			0.2		1	
5	12/18/2007 9:33			0.3		1.7	
6	12/18/2007 9:48			0.2		0.5	
7	12/18/2007 10:03			0.3		0.6	
8	12/18/2007 10:18			0.2		0.4	
9	12/18/2007 10:33			0.3		1.2	
10	12/18/2007 10:48			0.8		2.6	
11	12/18/2007 11:03			0.8		1.5	
12	12/18/2007 11:18			0.6		1	
13	12/18/2007 11:33			0.5		0.8	
14	12/18/2007 11:48			0.3		0.6	
15	12/18/2007 12:03			0.3		0.7	
16	12/18/2007 12:18			0.2		0.4	
17	12/18/2007 12:33			0.2		0.4	
18	12/18/2007 12:48			0.2		0.4	
19	12/18/2007 13:03			0.2		0.3	
20	12/18/2007 13:18			0.1		0.3	
21	12/18/2007 13:33			0.1		0.2	
22	12/18/2007 13:48			0.1		0.3	
23	12/18/2007 14:03			0.1		0.2	
24	12/18/2007 14:18			0.1		0.4	
25	12/18/2007 14:33			0.1		0.2	
26	12/18/2007 14:48			0.1		0.5	
27	12/18/2007 15:03			0		0.2	
28	12/18/2007 15:18			0		0.3	
29	12/18/2007 15:33			0.4		2.3	
30	12/18/2007 15:48			1.4		4.2	
31	12/18/2007 16:03			0.6		1.1	
32	12/18/2007 16:18			0.5		0.8	
33	12/18/2007 16:33			0.2		0.4	
34	12/18/2007 16:48			0.3		0.5	
35	12/18/2007 17:03			0.2		0.4	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 35 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm) Alarm	Avg(ppm) Alarm	Max(ppm) Alarm
1	12/19/2007 8:30		0	0.2
2	12/19/2007 8:45		0	0.2
3	12/19/2007 9:00		0	0.9
4	12/19/2007 9:15		0	0.1
5	12/19/2007 9:30		0	0.2
6	12/19/2007 9:45		0	0.1
7	12/19/2007 10:00		0	0.3
8	12/19/2007 10:15		0	0.2
9	12/19/2007 10:30		0.1	0.3
10	12/19/2007 10:45		0.2	0.5
11	12/19/2007 11:00		0.1	0.2
12	12/19/2007 11:15		0.1	0.2
13	12/19/2007 11:30		0	0.2
14	12/19/2007 11:45		0	0.4
15	12/19/2007 12:00		0	12.5
16	12/19/2007 12:15		0	0
17	12/19/2007 12:30		0	0.1
18	12/19/2007 12:45		0	0.1
19	12/19/2007 13:00		0	0
20	12/19/2007 13:15		0	0.1
21	12/19/2007 13:30		0	0.5
22	12/19/2007 13:45		0	0.1
23	12/19/2007 14:00		0	0.1
24	12/19/2007 14:15		0	0.1
25	12/19/2007 14:30		0	0.1
26	12/19/2007 14:45		0	0.1
27	12/19/2007 15:00		0	0.1
28	12/19/2007 15:15		0	0.1
29	12/19/2007 15:30		0	0.1
30	12/19/2007 15:45		0	0.2
31	12/19/2007 16:00		0	0.2
32	12/19/2007 16:15		0	0.2
33	12/19/2007 16:30		0	0.3
34	12/19/2007 16:45		0.1	0.3
35	12/19/2007 17:00		0.1	0.2

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/20/2007 8:51			0		0.8	
2	12/20/2007 9:06			0		0.1	
3	12/20/2007 9:21			0		0.9	
4	12/20/2007 9:36			0		0.2	
5	12/20/2007 9:51			0.1		0.4	
6	12/20/2007 10:06			0.1		0.4	
7	12/20/2007 10:21			0.1		0.5	
8	12/20/2007 10:36			0.1		0.4	
9	12/20/2007 10:51			0.1		0.3	
10	12/20/2007 11:06			0.1		0.5	
11	12/20/2007 11:21			0.1		0.2	
12	12/20/2007 11:36			0		0.4	
13	12/20/2007 11:51			0		0.2	
14	12/20/2007 12:06			0		0.2	
15	12/20/2007 12:21			0.1		1.3	
16	12/20/2007 12:36			0.2		1	
17	12/20/2007 12:51			0.1		0.7	
18	12/20/2007 13:06			0.1		0.6	
19	12/20/2007 13:21			0.1		0.5	
20	12/20/2007 13:36			0.1		0.7	
21	12/20/2007 13:51			0		0.2	
22	12/20/2007 14:06			0		0.2	
23	12/20/2007 14:21			0.1		0.4	
24	12/20/2007 14:36			0.1		0.5	
25	12/20/2007 14:51			0.1		0.4	
26	12/20/2007 15:06			0.1		0.4	
27	12/20/2007 15:21			0		0.2	
28	12/20/2007 15:36			0.1		0.8	
29	12/20/2007 15:51			0.3		3.8	
30	12/20/2007 16:06			0.6		3.4	
31	12/20/2007 16:21			0.4		1.7	
32	12/20/2007 16:36			0.4		3.3	
33	12/20/2007 16:51			0.3		18.9	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 36 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/21/2007 8:24			0		0.1	
2	12/21/2007 8:39			0		0.8	
3	12/21/2007 8:54			0.1		0.2	
4	12/21/2007 9:09			0.1		0.3	
5	12/21/2007 9:24			0.2		0.5	
6	12/21/2007 9:39			0.2		0.7	
7	12/21/2007 9:54			0.3		0.6	
8	12/21/2007 10:09			0.3		0.6	
9	12/21/2007 10:24			0.4		0.6	
10	12/21/2007 10:39			0.4		0.7	
11	12/21/2007 10:54			0.4		0.8	
12	12/21/2007 11:09			0.4		0.8	
13	12/21/2007 11:24			0.5		0.8	
14	12/21/2007 11:39			0.5		0.9	
15	12/21/2007 11:54			0.5		0.8	
16	12/21/2007 12:09			0.5		0.7	
17	12/21/2007 12:24			0.5		0.6	
18	12/21/2007 12:39			0.5		0.7	
19	12/21/2007 12:54			0.4		2.1	
20	12/21/2007 13:09			0		0.2	
21	12/21/2007 13:24			0		0.3	
22	12/21/2007 13:39			0		0.3	
23	12/21/2007 13:54			0		0	
24	12/21/2007 14:09			0		0.1	
25	12/21/2007 14:24			0		0.1	
26	12/21/2007 14:39			0		0.2	
27	12/21/2007 14:54			0		0.2	
28	12/21/2007 15:09			0		0.2	
29	12/21/2007 15:24			0		0	
30	12/21/2007 15:39			0		0	
31	12/21/2007 15:54			0		0	
32	12/21/2007 16:09			0		0.3	
33	12/21/2007 16:24			0		0.1	
34	12/21/2007 16:39			0		0	
35	12/21/2007 16:54			0		0	
36	12/21/2007 17:09			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 30 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====

```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/22/2007 10:27			0		0.1	
2	12/22/2007 10:42			0		0	
3	12/22/2007 10:57			0		0.2	
4	12/22/2007 11:12			0		0.7	
5	12/22/2007 11:27			0.1		2.6	
6	12/22/2007 11:42			0		0.2	
7	12/22/2007 11:57			0		0.4	
8	12/22/2007 12:12			0		0.7	
9	12/22/2007 12:27			0		0.4	
10	12/22/2007 12:42			0		0.3	
11	12/22/2007 12:57			0		0.9	
12	12/22/2007 13:12			0		0.3	
13	12/22/2007 13:27			0		0.1	
14	12/22/2007 13:42			0		0.1	
15	12/22/2007 13:57			0		0.1	
16	12/22/2007 14:12			0		0.2	
17	12/22/2007 14:27			0		0.6	
18	12/22/2007 14:42			0		0.1	
19	12/22/2007 14:57			0		0.1	
20	12/22/2007 15:12			0		0.2	
21	12/22/2007 15:27			0.1		1	
22	12/22/2007 15:42			0.1		0.5	
23	12/22/2007 15:57			0		0.4	
24	12/22/2007 16:12			0		0.7	
25	12/22/2007 16:27			0.1		1.9	
26	12/22/2007 16:42			0.1		9.8	
27	12/22/2007 16:57			0.1		1.1	
28	12/22/2007 17:12			0		1.6	
29	12/22/2007 17:27			0		0.2	
30	12/22/2007 17:42			0		0	

```

=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 16 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/24/2007 8:50			0.1		1.1	
2	12/24/2007 9:05			0.9		7.5	
3	12/24/2007 9:20			0.3		1.5	
4	12/24/2007 9:35			0.2		0.7	
5	12/24/2007 9:50			0.1		0.6	
6	12/24/2007 10:05			0		0.4	
7	12/24/2007 10:20			0		0.3	
8	12/24/2007 10:35			0		0.2	
9	12/24/2007 10:50			0		0.4	
10	12/24/2007 11:05			0		0.3	
11	12/24/2007 11:20			0		0.3	
12	12/24/2007 11:35			0		0.2	
13	12/24/2007 11:50			0		0.1	
14	12/24/2007 12:05			0		0.3	
15	12/24/2007 12:20			0		0.1	
16	12/24/2007 12:35			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 33 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     12/26/2007 8:19           0           0.1
  2     12/26/2007 8:34           0.1          1.7
  3     12/26/2007 8:49           0.1          0.8
  4     12/26/2007 9:04           0           0.6
  5     12/26/2007 9:19           0.1          1
  6     12/26/2007 9:34           0           0.5
  7     12/26/2007 9:49           0           0.3
  8     12/26/2007 10:04          0.5          1.5
  9     12/26/2007 10:19           0.1          0.4
 10     12/26/2007 10:34           0.1          0.5
 11     12/26/2007 10:49           0.6          3.8
 12     12/26/2007 11:04           0.3          1
 13     12/26/2007 11:19           0.1          0.8
 14     12/26/2007 11:34           0.3          1.7
 15     12/26/2007 11:49           0.5          3.9
 16     12/26/2007 12:04           0.1          0.5
 17     12/26/2007 12:19           0.2          0.6
 18     12/26/2007 12:34           0.1          0.5
 19     12/26/2007 12:49           0.2          0.9
 20     12/26/2007 13:04           0           0.3
 21     12/26/2007 13:19           0           0.1
 22     12/26/2007 13:34           0           0.2
 23     12/26/2007 13:49           0.1          0.6
 24     12/26/2007 14:04           0.1          0.7
 25     12/26/2007 14:19           0.1          0.7
 26     12/26/2007 14:34           0.5          3.5
 27     12/26/2007 14:49           0.1          0.4
 28     12/26/2007 15:04           0.1          0.4
 29     12/26/2007 15:19           0.1          0.5
 30     12/26/2007 15:34           0.1          1.4
 31     12/26/2007 15:49           0           0.4
 32     12/26/2007 16:04           0           0.2
 33     12/26/2007 16:19           0           0.2
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 32 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100               100
Low Alarm Levels:          50               50                50
=====
  
```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  
```

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/27/2007 8:53			0		0.1	
2	12/27/2007 9:08			0		0.1	
3	12/27/2007 9:23			0		0.7	
4	12/27/2007 9:38			0		0.1	
5	12/27/2007 9:53			0		0.4	
6	12/27/2007 10:08			0		0.3	
7	12/27/2007 10:23			0		0.6	
8	12/27/2007 10:38			0		0.1	
9	12/27/2007 10:53			0		0.3	
10	12/27/2007 11:08			0		0.4	
11	12/27/2007 11:23			0		0.2	
12	12/27/2007 11:38			0.1		0.4	
13	12/27/2007 11:53			0.1		0.3	
14	12/27/2007 12:08			0.2		0.7	
15	12/27/2007 12:23			0.2		0.7	
16	12/27/2007 12:38			0.8		3.1	
17	12/27/2007 12:53			1.3		1.7	
18	12/27/2007 13:08			1.3		1.8	
19	12/27/2007 13:23			0.1		0.2	
20	12/27/2007 13:38			0.1		0.3	
21	12/27/2007 13:53			0.2		0.4	
22	12/27/2007 14:08			0.3		0.8	
23	12/27/2007 14:23			0.3		0.6	
24	12/27/2007 14:38			0.2		0.4	
25	12/27/2007 14:53			0.3		0.5	
26	12/27/2007 15:08			0.2		0.5	
27	12/27/2007 15:23			0.2		0.5	
28	12/27/2007 15:38			0.1		0.3	
29	12/27/2007 15:53			0.1		0.2	
30	12/27/2007 16:08			0		0.3	
31	12/27/2007 16:23			0		0.4	
32	12/27/2007 16:38			0		0.1	

```

=====
  
```

=====

=====

=====

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000141
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100             100                100
Low Alarm Levels:          50              50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     12/28/2007 8:24           0             0.5
  2     12/28/2007 8:39           0             0.5
  3     12/28/2007 8:54           0.1           0.3
  4     12/28/2007 9:09           0.2           0.5
  5     12/28/2007 9:24           0.2           0.3
  6     12/28/2007 9:39           0.3           0.5
  7     12/28/2007 9:54           0.2           0.4
  8     12/28/2007 10:09          0.3           0.4
  9     12/28/2007 10:24          0.3           0.4
 10     12/28/2007 10:39          0.3           0.4
 11     12/28/2007 10:54          0.3           0.5
 12     12/28/2007 11:09          0.2           0.3
 13     12/28/2007 11:24          0.2           0.3
 14     12/28/2007 11:39          0.2           0.3
 15     12/28/2007 11:54          0.2           0.5
 16     12/28/2007 12:09          0.2           0.4
 17     12/28/2007 12:24          0.2           0.4
 18     12/28/2007 12:39          0.3           0.6
 19     12/28/2007 12:54          0.2           0.3
 20     12/28/2007 13:09          0.2           0.3
 21     12/28/2007 13:24          0.2           0.4
 22     12/28/2007 13:39          0.3           0.4
 23     12/28/2007 13:54          0.3           0.4
 24     12/28/2007 14:09          0.4           1.1
 25     12/28/2007 14:24          0.6           1.1
 26     12/28/2007 14:39          0.7           1.6
 27     12/28/2007 14:54          0.7           1.2
 28     12/28/2007 15:09          0.8           2.2
 29     12/28/2007 15:24          0.7           1.4
 30     12/28/2007 15:39          0.6           1.2
 31     12/28/2007 15:54          0.6           1.7
=====

```

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000142
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	12/31/2007 8:19			0		0	
2	12/31/2007 8:34			0		0.1	
3	12/31/2007 8:49			0		0.1	
4	12/31/2007 9:04			0		0.1	
5	12/31/2007 9:19			0.1		0.5	
6	12/31/2007 9:34			0.6		0.8	
7	12/31/2007 9:49			0.7		0.9	
8	12/31/2007 10:04			0.9		1.1	
9	12/31/2007 10:19			0.7		1	
10	12/31/2007 10:34			0.7		0.8	
11	12/31/2007 10:49			0.6		0.8	
12	12/31/2007 11:04			0.2		0.3	
13	12/31/2007 11:19			0.2		0.3	
14	12/31/2007 11:34			0.2		0.3	
15	12/31/2007 11:49			0.2		0.3	
16	12/31/2007 12:04			0.2		0.2	
17	12/31/2007 12:19			0.2		0.3	
18	12/31/2007 12:34			0.2		0.3	
19	12/31/2007 12:49			0.2		0.2	
20	12/31/2007 13:04			0.2		0.2	
21	12/31/2007 13:19			0.2		0.2	
22	12/31/2007 13:34			0.2		0.3	
23	12/31/2007 13:49			0.2		0.2	
24	12/31/2007 14:04			0.2		0.3	
25	12/31/2007 14:19			0.2		0.2	
26	12/31/2007 14:34			0.2		0.3	
27	12/31/2007 14:49			0.2		0.3	
28	12/31/2007 15:04			0.2		0.2	

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85201469
 Test ID: 8
 Test Abbreviation:
 Start Date: 1/2/2008
 Start Time: 6:40:37
 Duration (dd:hh:mm:ss): 00:08:45:00
 Time constant (seconds): 15
 Log Interval (mm:ss): 15:00
 Number of points: 35
 Notes:

Statistics Channel: Aerosol
 Units: mg/m^3
 Average: 0
 Minimum: 0
 Time of Minimum: 6:55:37
 Date of Minimum: 1/2/2008
 Maximum: 0
 Time of Maximum: 6:55:37
 Date of Maximum: 1/2/2008

Calibration Sensor: Aerosol
 Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
1/2/2008	6:55:37	0
1/2/2008	7:10:37	0
1/2/2008	7:25:37	0
1/2/2008	7:40:37	0
1/2/2008	7:55:37	0
1/2/2008	8:10:37	0
1/2/2008	8:25:37	0
1/2/2008	8:40:37	0
1/2/2008	8:55:37	0
1/2/2008	9:10:37	0
1/2/2008	9:25:37	0
1/2/2008	9:40:37	0
1/2/2008	9:55:37	0
1/2/2008	10:10:37	0
1/2/2008	10:25:37	0
1/2/2008	10:40:37	0
1/2/2008	10:55:37	0
1/2/2008	11:10:37	0
1/2/2008	11:25:37	0
1/2/2008	11:40:37	0
1/2/2008	11:55:37	0
1/2/2008	12:10:37	0
1/2/2008	12:25:37	0
1/2/2008	12:40:37	0
1/2/2008	12:55:37	0
1/2/2008	13:10:37	0
1/2/2008	13:25:37	0
1/2/2008	13:40:37	0
1/2/2008	13:55:37	0
1/2/2008	14:10:37	0
1/2/2008	14:25:37	0
1/2/2008	14:40:37	0
1/2/2008	14:55:37	0
1/2/2008	15:10:37	0
1/2/2008	15:25:37	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 1
Test Abbreviation:
Start Date: 1/3/2008
Start Time: 6:29:37
Duration (dd:hh:mm:ss): 00:08:45:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 35
Notes:

Statistics Channel: Aerosol
Units: mg/m^3
Average: 0
Minimum: 0
Time of Minimum: 6:44:37
Date of Minimum: 1/3/2008
Maximum: 0
Time of Maximum: 6:44:37
Date of Maximum: 1/3/2008

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m^3
1/3/2008	6:44:37	0
1/3/2008	6:59:37	0
1/3/2008	7:14:37	0
1/3/2008	7:29:37	0
1/3/2008	7:44:37	0
1/3/2008	7:59:37	0
1/3/2008	8:14:37	0
1/3/2008	8:29:37	0
1/3/2008	8:44:37	0
1/3/2008	8:59:37	0
1/3/2008	9:14:37	0
1/3/2008	9:29:37	0
1/3/2008	9:44:37	0
1/3/2008	9:59:37	0
1/3/2008	10:14:37	0
1/3/2008	10:29:37	0
1/3/2008	10:44:37	0
1/3/2008	10:59:37	0
1/3/2008	11:14:37	0
1/3/2008	11:29:37	0
1/3/2008	11:44:37	0
1/3/2008	11:59:37	0
1/3/2008	12:14:37	0
1/3/2008	12:29:37	0
1/3/2008	12:44:37	0
1/3/2008	12:59:37	0
1/3/2008	13:14:37	0
1/3/2008	13:29:37	0
1/3/2008	13:44:37	0
1/3/2008	13:59:37	0
1/3/2008	14:14:37	0
1/3/2008	14:29:37	0
1/3/2008	14:44:37	0
1/3/2008	14:59:37	0
1/3/2008	15:14:37	0

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
Serial Number: 85201469
Test ID: 2
Test Abbreviation:
Start Date: 1/4/2008
Start Time: 6:24:11
Duration (dd:hh:mm:ss): 00:08:00:00
Time constant (seconds): 15
Log Interval (mm:ss): 15:00
Number of points: 32
Notes:

Statistics Channel: Aerosol
Units: mg/m³
Average: 0
Minimum: 0
Time of Minimum: 6:39:11
Date of Minimum: 1/4/2008
Maximum: 0
Time of Maximum: 6:39:11
Date of Maximum: 1/4/2008

Calibration Sensor: Aerosol
Cal. date 6/20/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
1/4/2008	6:39:11	0
1/4/2008	6:54:11	0
1/4/2008	7:09:11	0
1/4/2008	7:24:11	0
1/4/2008	7:39:11	0
1/4/2008	7:54:11	0
1/4/2008	8:09:11	0
1/4/2008	8:24:11	0
1/4/2008	8:39:11	0
1/4/2008	8:54:11	0
1/4/2008	9:09:11	0
1/4/2008	9:24:11	0
1/4/2008	9:39:11	0
1/4/2008	9:54:11	0
1/4/2008	10:09:11	0
1/4/2008	10:24:11	0
1/4/2008	10:39:11	0
1/4/2008	10:54:11	0
1/4/2008	11:09:11	0
1/4/2008	11:24:11	0
1/4/2008	11:39:11	0
1/4/2008	11:54:11	0
1/4/2008	12:09:11	0
1/4/2008	12:24:11	0
1/4/2008	12:39:11	0
1/4/2008	12:54:11	0
1/4/2008	13:09:11	0
1/4/2008	13:24:11	0
1/4/2008	13:39:11	0
1/4/2008	13:54:11	0
1/4/2008	14:09:11	0
1/4/2008	14:24:11	0

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	1/2/2008 8:40			0		0	
2	1/2/2008 8:55			0		0.2	
3	1/2/2008 9:10			0		0.1	
4	1/2/2008 9:25			0		0	
5	1/2/2008 9:40			0		0	
6	1/2/2008 9:55			0		0	
7	1/2/2008 10:10			0		0	
8	1/2/2008 10:25			0		0	
9	1/2/2008 10:40			0		1	
10	1/2/2008 10:55			0		0	
11	1/2/2008 11:10			0		0	
12	1/2/2008 11:25			0		0	
13	1/2/2008 11:40			0		0.1	
14	1/2/2008 11:55			0		0.1	
15	1/2/2008 12:10			0		0	
16	1/2/2008 12:25			0		0	
17	1/2/2008 12:40			0		0	
18	1/2/2008 12:55			0		0	
19	1/2/2008 13:10			0		0	
20	1/2/2008 13:25			0		0	
21	1/2/2008 13:40			0		0	
22	1/2/2008 13:55			0		0.1	
23	1/2/2008 14:10			0		0	
24	1/2/2008 14:25			0		0.1	
25	1/2/2008 14:40			0		0	
26	1/2/2008 14:55			0		0	
27	1/2/2008 15:10			0		0.1	
28	1/2/2008 15:25			0		0.2	
29	1/2/2008 15:40			0		0.1	
30	1/2/2008 15:55			0		0.1	
31	1/2/2008 16:10			0		0.1	
32	1/2/2008 16:25			0		0.1	
33	1/2/2008 16:40			0		0.1	
34	1/2/2008 16:55			0		0.1	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 34 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	1/3/2008 8:32			0		0.2	
2	1/3/2008 8:47			0		0.8	
3	1/3/2008 9:02			0		0.3	
4	1/3/2008 9:17			0		0.1	
5	1/3/2008 9:32			0		0	
6	1/3/2008 9:47			0		0	
7	1/3/2008 10:02			0		0	
8	1/3/2008 10:17			0		0	
9	1/3/2008 10:32			0		0	
10	1/3/2008 10:47			0.1		3.5	
11	1/3/2008 11:02			0		0	
12	1/3/2008 11:17			0		0	
13	1/3/2008 11:32			0		0.1	
14	1/3/2008 11:47			0		0	
15	1/3/2008 12:02			0		0	
16	1/3/2008 12:17			0		0	
17	1/3/2008 12:32			0		0	
18	1/3/2008 12:47			0		0	
19	1/3/2008 13:02			0		0	
20	1/3/2008 13:17			0		0	
21	1/3/2008 13:32			0		0	
22	1/3/2008 13:47			0		0	
23	1/3/2008 14:02			0		0	
24	1/3/2008 14:17			0		0	
25	1/3/2008 14:32			0		0	
26	1/3/2008 14:47			0		0	
27	1/3/2008 15:02			0		0	
28	1/3/2008 15:17			0		0	
29	1/3/2008 15:32			0		0	
30	1/3/2008 15:47			0		0	
31	1/3/2008 16:02			0		0	
32	1/3/2008 16:17			0		0	
33	1/3/2008 16:32			0		0	
34	1/3/2008 16:47			0		0	

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 007869
 User ID: 00000001 Site ID: 00000873
 Data Points: 31 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 08:00

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	1/4/2008 8:25			0		0.7	
2	1/4/2008 8:40			0		0.3	
3	1/4/2008 8:55			0		0.2	
4	1/4/2008 9:10			0		0	
5	1/4/2008 9:25			0		0	
6	1/4/2008 9:40			0		0	
7	1/4/2008 9:55			0		0	
8	1/4/2008 10:10			0		0	
9	1/4/2008 10:25			0		0	
10	1/4/2008 10:40			0		0	
11	1/4/2008 10:55			0		0	
12	1/4/2008 11:10			0		0	
13	1/4/2008 11:25			0		0	
14	1/4/2008 11:40			0		0	
15	1/4/2008 11:55			0		0	
16	1/4/2008 12:10			0		0.1	
17	1/4/2008 12:25			0		0.1	
18	1/4/2008 12:40			0		0.1	
19	1/4/2008 12:55			0		0.1	
20	1/4/2008 13:10			0		0.1	
21	1/4/2008 13:25			0		0.1	
22	1/4/2008 13:40			0		0.1	
23	1/4/2008 13:55			0		0.1	
24	1/4/2008 14:10			0		0.2	
25	1/4/2008 14:25			0		0.4	
26	1/4/2008 14:40			0		0.1	
27	1/4/2008 14:55			0		0.1	
28	1/4/2008 15:10			0		0.1	
29	1/4/2008 15:25			0		0.4	
30	1/4/2008 15:40			0		0.1	
31	1/4/2008 15:55			0		0.1	

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85202262
 Test ID: 13
 Test Abbreviation:
 Start Date: 1/2/2008
 Start Time: 7:18:14
 Duration (dd:hh:mm:ss): 00:09:00:00
 Time constant (seconds): 5
 Log Interval (mm:ss): 15:00
 Number of points: 36
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.044
 Minimum: 0.006
 Time of Minimum: 16:03:14
 Date of Minimum: 1/2/2008
 Maximum: 0.099
 Time of Maximum: 8:03:14
 Date of Maximum: 1/2/2008

Calibration Sensor: Aerosol
 Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
1/2/2008	7:33:14	0.041
1/2/2008	7:48:14	0.055
1/2/2008	8:03:14	0.099
1/2/2008	8:18:14	0.028
1/2/2008	8:33:14	0.026
1/2/2008	8:48:14	0.041
1/2/2008	9:03:14	0.061
1/2/2008	9:18:14	0.045
1/2/2008	9:33:14	0.056
1/2/2008	9:48:14	0.042
1/2/2008	10:03:14	0.057
1/2/2008	10:18:14	0.071
1/2/2008	10:33:14	0.06
1/2/2008	10:48:14	0.079
1/2/2008	11:03:14	0.075
1/2/2008	11:18:14	0.047
1/2/2008	11:33:14	0.08
1/2/2008	11:48:14	0.061
1/2/2008	12:03:14	0.02
1/2/2008	12:18:14	0.009
1/2/2008	12:33:14	0.01
1/2/2008	12:48:14	0.045
1/2/2008	13:03:14	0.034
1/2/2008	13:18:14	0.045
1/2/2008	13:33:14	0.02
1/2/2008	13:48:14	0.019
1/2/2008	14:03:14	0.014
1/2/2008	14:18:14	0.026
1/2/2008	14:33:14	0.029
1/2/2008	14:48:14	0.046
1/2/2008	15:03:14	0.076
1/2/2008	15:18:14	0.075
1/2/2008	15:33:14	0.032
1/2/2008	15:48:14	0.013
1/2/2008	16:03:14	0.006
1/2/2008	16:18:14	0.028

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85202262
 Test ID: 14
 Test Abbreviation:
 Start Date: 1/3/2008
 Start Time: 7:12:18
 Duration (dd:hh:mm:ss): 00:08:45:00
 Time constant (seconds): 5
 Log Interval (mm:ss): 15:00
 Number of points: 35
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.028
 Minimum: 0.003
 Time of Minimum: 12:42:18
 Date of Minimum: 1/3/2008
 Maximum: 0.093
 Time of Maximum: 13:27:18
 Date of Maximum: 1/3/2008

Calibration Sensor: Aerosol
 Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
1/3/2008	7:27:18	0.026
1/3/2008	7:42:18	0.062
1/3/2008	7:57:18	0.036
1/3/2008	8:12:18	0.035
1/3/2008	8:27:18	0.017
1/3/2008	8:42:18	0.012
1/3/2008	8:57:18	0.011
1/3/2008	9:12:18	0.015
1/3/2008	9:27:18	0.027
1/3/2008	9:42:18	0.019
1/3/2008	9:57:18	0.013
1/3/2008	10:12:18	0.011
1/3/2008	10:27:18	0.023
1/3/2008	10:42:18	0.021
1/3/2008	10:57:18	0.011
1/3/2008	11:12:18	0.045
1/3/2008	11:27:18	0.012
1/3/2008	11:42:18	0.038
1/3/2008	11:57:18	0.034
1/3/2008	12:12:18	0.004
1/3/2008	12:27:18	0.004
1/3/2008	12:42:18	0.003
1/3/2008	12:57:18	0.009
1/3/2008	13:12:18	0.06
1/3/2008	13:27:18	0.093
1/3/2008	13:42:18	0.049
1/3/2008	13:57:18	0.048
1/3/2008	14:12:18	0.016
1/3/2008	14:27:18	0.079
1/3/2008	14:42:18	0.043
1/3/2008	14:57:18	0.033
1/3/2008	15:12:18	0.011
1/3/2008	15:27:18	0.029
1/3/2008	15:42:18	0.007
1/3/2008	15:57:18	0.009

TrakPro Version 3.41 ASCII Data File

Model: Dust Trak
 Serial Number: 85202262
 Test ID: 15
 Test Abbreviation:
 Start Date: 1/4/2008
 Start Time: 7:03:31
 Duration (dd:hh:mm:ss): 00:08:15:00
 Time constant (seconds): 5
 Log Interval (mm:ss): 15:00
 Number of points: 33
 Notes:

Statistics Channel: Aerosol
 Units: mg/m³
 Average: 0.062
 Minimum: 0.028
 Time of Minimum: 12:33:31
 Date of Minimum: 1/4/2008
 Maximum: 0.099
 Time of Maximum: 7:48:31
 Date of Maximum: 1/4/2008

Calibration Sensor: Aerosol
 Cal. date 6/5/2007

Date MM/dd/yyyy	Time hh:mm:ss	Aerosol mg/m ³
1/4/2008	7:18:31	0.033
1/4/2008	7:33:31	0.04
1/4/2008	7:48:31	0.099
1/4/2008	8:03:31	0.058
1/4/2008	8:18:31	0.079
1/4/2008	8:33:31	0.099
1/4/2008	8:48:31	0.086
1/4/2008	9:03:31	0.084
1/4/2008	9:18:31	0.069
1/4/2008	9:33:31	0.086
1/4/2008	9:48:31	0.068
1/4/2008	10:03:31	0.084
1/4/2008	10:18:31	0.068
1/4/2008	10:33:31	0.062
1/4/2008	10:48:31	0.075
1/4/2008	11:03:31	0.08
1/4/2008	11:18:31	0.056
1/4/2008	11:33:31	0.055
1/4/2008	11:48:31	0.054
1/4/2008	12:03:31	0.042
1/4/2008	12:18:31	0.031
1/4/2008	12:33:31	0.028
1/4/2008	12:48:31	0.029
1/4/2008	13:03:31	0.062
1/4/2008	13:18:31	0.055
1/4/2008	13:33:31	0.057
1/4/2008	13:48:31	0.037
1/4/2008	14:03:31	0.067
1/4/2008	14:18:31	0.061
1/4/2008	14:33:31	0.066
1/4/2008	14:48:31	0.094
1/4/2008	15:03:31	0.047
1/4/2008	15:18:31	0.051

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000144
 Data Points: 28 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

Measurement Type:	Min(ppm)	Avg(ppm)	Max(ppm)
High Alarm Levels:	100	100	100
Low Alarm Levels:	50	50	50

Line#	Date Time	Min(ppm)	Alarm	Avg(ppm)	Alarm	Max(ppm)	Alarm
1	1/2/2008 8:31			0		0.2	
2	1/2/2008 8:46			0.1		0.3	
3	1/2/2008 9:01			0.1		0.3	
4	1/2/2008 9:16			0.2		0.3	
5	1/2/2008 9:31			0.2		0.4	
6	1/2/2008 9:46			0.2		0.4	
7	1/2/2008 10:01			0.2		0.3	
8	1/2/2008 10:16			0.2		0.3	
9	1/2/2008 10:31			0.3		0.4	
10	1/2/2008 10:46			0.3		0.4	
11	1/2/2008 11:01			0.3		0.8	
12	1/2/2008 11:16			0.3		0.7	
13	1/2/2008 11:31			0.4		0.5	
14	1/2/2008 11:46			0.4		0.5	
15	1/2/2008 12:01			0.3		0.5	
16	1/2/2008 12:16			0.4		0.5	
17	1/2/2008 12:31			0.4		0.6	
18	1/2/2008 12:46			0.4		0.5	
19	1/2/2008 13:01			0.3		0.4	
20	1/2/2008 13:16			0.4		0.5	
21	1/2/2008 13:31			0.4		0.8	
22	1/2/2008 13:46			0.6		2.6	
23	1/2/2008 14:01			0.8		3	
24	1/2/2008 14:16			0.6		1.6	
25	1/2/2008 14:31			0.5		1.4	
26	1/2/2008 14:46			0.5		1.1	
27	1/2/2008 15:01			0.5		0.9	
28	1/2/2008 15:16			0.4		0.7	

Upwind PID not functioning

Instrument: MiniRAE 2000 (PGM7600) Serial Number: 011679
 User ID: 00000001 Site ID: 00000146
 Data Points: 23 Gas Name: Isobutylene Sample Period: 900 sec
 Last Calibration Time: 11/13/2007 07:52

```

=====
Measurement Type:           Min(ppm)           Avg(ppm)           Max(ppm)
High Alarm Levels:         100              100                100
Low Alarm Levels:          50               50                 50
=====

```

```

=====
Line#   Date Time           Min(ppm) Alarm   Avg(ppm) Alarm   Max(ppm) Alarm
=====
  1     1/4/2008 8:17           0              0.1
  2     1/4/2008 8:32           0              0.1
  3     1/4/2008 8:47           0.1            0.2
  4     1/4/2008 9:02           0.2            0.4
  5     1/4/2008 9:17           0.2            0.4
  6     1/4/2008 9:32           0.3            0.4
  7     1/4/2008 9:47           0.3            0.5
  8     1/4/2008 10:02          0.3            0.5
  9     1/4/2008 10:17          0.4            0.5
 10     1/4/2008 10:32          0.4            0.5
 11     1/4/2008 10:47          0.4            0.5
 12     1/4/2008 11:02          0.4            0.5
 13     1/4/2008 11:17          0.4            0.6
 14     1/4/2008 11:32          0.4            0.6
 15     1/4/2008 11:47          0.4            0.6
 16     1/4/2008 12:02          0.4            0.8
 17     1/4/2008 12:17          0.5            0.8
 18     1/4/2008 12:32          0.5            0.7
 19     1/4/2008 12:47          0.5            0.8
 20     1/4/2008 13:02          0.4            0.5
 21     1/4/2008 13:17          0.4            0.7
 22     1/4/2008 13:32          0.4            0.6
 23     1/4/2008 13:47          0.4            0.6
  1     1/4/2008 14:29          0.5            1.1
  2     1/4/2008 14:44          0.5            0.6
  1     1/4/2008 15:16          0.3            0.5
  2     1/4/2008 15:31          0.3            0.5
=====

```

C231049 - West 34th Street Project
Summary of Recorded Dust Concentration Above Action Level of 150 $\mu\text{g}/\text{m}^3$

Date	Time	Area	Recorded Concentration ($\mu\text{g}/\text{m}^3$)	Notes
8/29/2007	7:08:53	Upwind	186	Dustrack not functioning properly.
8/29/2007	12:00:53	Upwind	205	Dustrack sent in for repairs August 31, 2007
8/30/2007	7:31:31	Upwind	161	Dustrack not functioning properly.
8/30/2007	12:46:31	Upwind	263	Dustrack sent in for repairs August 31, 2007
9/10/2007	7:35:29	Upwind	205	Humid weather. Field readings at 0730 is 38 $\mu\text{g}/\text{m}^3$ and at 1300 is 84 $\mu\text{g}/\text{m}^3$. No action taken.
9/10/2007	8:57:29	Upwind	166	
9/10/2007	8:58:29	Upwind	603	
9/10/2007	10:57:29	Upwind	714	
9/10/2007	11:01:29	Upwind	195	
9/10/2007	12:35:29	Upwind	162	
9/10/2007	12:36:29	Upwind	2309	
9/12/2007	7:45:39	Upwind	487	Demolish building foundation. Field readings at 0730 is 31 $\mu\text{g}/\text{m}^3$ and at 0800 is 0.014 $\mu\text{g}/\text{m}^3$. No action taken
9/14/2007	11:15:59	Upwind	406	Decommissioning USTs. Field readings at 1100 is 25 $\mu\text{g}/\text{m}^3$ and at 1130 is 0.027 $\mu\text{g}/\text{m}^3$. No action taken
9/14/2007	11:16:59	Upwind	242	
10/4/2007	11:02:32	Upwind	169	Recorded readings of 144 $\mu\text{g}/\text{m}^3$ at 1101 and 52 $\mu\text{g}/\text{m}^3$ at 1103
10/4/2007	15:09:32	Upwind	314	Concrete breaking starts at 1500. Reading at 1500 is 66 $\mu\text{g}/\text{m}^3$ and at 1629 8 $\mu\text{g}/\text{m}^3$. No action taken
10/4/2007	16:27:32	Upwind	249	
10/13/2007	15:21:21	Upwind	199	Hammering Bedrock. Field readings at 1500 is 87 $\mu\text{g}/\text{m}^3$ and at 1600 is 82 $\mu\text{g}/\text{m}^3$. No action taken
10/13/2007	15:55:21	Upwind	202	
10/29/2007	13:51:13	Downwind	188	Excavation activities. Field readings at 1330 is 13 $\mu\text{g}/\text{m}^3$ and 9 $\mu\text{g}/\text{m}^3$ at 1400.
11/14/2007	12:30:00	Downwind	820	Hammering Bedrock. Field readings at 1200 is 18 $\mu\text{g}/\text{m}^3$ and at 1300 is 15 $\mu\text{g}/\text{m}^3$. No action taken
12/28/2007	13:39:52	Upwind	221	Field notes indicate that dust monitor readings are irregular. Field readings were also elevated, however downwind field readings are 0.0 $\mu\text{g}/\text{m}^3$ for same time period. No action taken.
	15:09:52		162	
	15:39:52		265	
	15:54:52		154	
	16:24:52		206	