

November 18, 2020

Michael MacCabe
New York State Department of Environmental Conservation
625 Broadway, 12th Floor
Albany, New York 12207

**RE: Fourth Quarterly Post-Remedial Groundwater Monitoring Report
144-150 Barrow Street
New York, New York 10014
NYSDEC BCP Site No. C231092
Langan Project No.: 170170901**

Dear Mr. MacCabe:

In accordance with the December 16, 2019 Site Management Plan (SMP), Langan Engineering, Environmental, Surveying, Landscape Architecture and Geology, D.P.C. (Langan) conducted post-remediation performance monitoring at 144-150 Barrow Street (the site) located in the West Village neighborhood of New York, New York. A Site Location Map is provided as Figure 1. This groundwater sampling event was performed in July 2020 and is the fourth sampling event since the completion of the groundwater treatment plan and removal of source material, and the third sampling event after the December 19, 2019 New York State Department of Environmental Conservation (NYSDEC) Certificate of Completion.

Project Background

The site (Block 604, Lot 1 and southern portion of Lot 30) is located in the West Village neighborhood of New York, New York and comprises an area of about 7,300-square feet. Lot 1 is improved with the landmarked Keller Hotel building, a vacant six-story structure with a basement level. Lot 30 is vacant following the demolition of a one-story, slab-on-grade garage structure and completion of the remedial excavation. The site is bound by multiple-story residential buildings and a vacant lot to the north, multiple-story residential buildings to the east, Barrow Street to the south, and West Street to the west.

In 2019, the site was remediated in accordance with the NYSDEC-approved Remedial Work Plan (RWP), dated December 19, 2017, Remedial Design 1 (RD1), dated April 12, 2019, and Remedial

Design 2 (RD 2), dated April 29, 2019. Under these plans, a Track 4 remedy was completed on September 16, 2019.

In 2019, the site was remediated in accordance with the NYSDEC-approved Remedial Work Plan (RWP), dated December 19, 2017, Remedial Design 1 (RD1), dated April 12, 2019, and Remedial Design 2 (RD 2), dated April 29, 2019. Under these plans, a Track 4 remedy was completed on September 16, 2019. In general accordance with the RWP and design documents, the completed remedy included the following:

1. Abatement of asbestos containing materials to prepare the one-story garage building on Lot 30 for demolition;
2. Demolition of the one-story garage/storage building on southern portion of Lot 30;
3. Excavation of historic fill and petroleum impacted soil on the southern portion of Lot 30 to about 10 feet below sidewalk grade (bsg) across the area of Lot 30 within the Brownfield Cleanup Agreement (BCA), and to about 12 feet bsg in areas set back from the eastern adjoining property and from support of excavation (SOE) elements (e.g. heel blocks). Excavation also included removal of petroleum-impacted soil to 12.5 feet bgs within a 525-square-foot area on the Barrow Street sidewalk.
4. Off-site disposal of soil exceeding Track 4 site-specific Soil Cleanup Objectives (SCOs) and grossly-impacted soil to the extent practical that was excavated as part of the remedy;
5. Removal of one underground storage tank (UST), and closure of NYSDEC Spill No. 9400447;
6. Placement of temporary cover system consisting of the following:
 - a. A minimum of 2-feet of 3/4-inch gravel from a virgin source on the southern part of Lot 30 and within the sidewalk excavation; the sidewalk excavation was then backfilled to surrounding grade with additional gravel and finished with concrete.
 - b. A 3-inch concrete slab was installed within the basement of the hotel building on Lot 1.

The intent is for each cover system material to be temporary and to be replaced during future renovation and construction, including permanent building slabs with a waterproof/vapor barrier membrane. Temporary and future permanent cover systems, and future vapor barriers are considered engineering controls.

7. In-situ treatment of groundwater via injection points in the following locations to treat the remainder of source material (below excavation depths) and reduce residual dissolved volatile organic compound (VOC) concentrations:
 - a. A 2,400-square-foot area in the eastern part of the site (southern part of Lot 30), following excavation and placement of a temporary cap

- b. A 525-square-foot area on the Barrow Street sidewalk south of Lot 30, following excavation and backfilling with gravel and capping with concrete sidewalk
- c. A 600 square foot area in the southwest part of the basement on Lot 1

The post-injection groundwater monitoring plan is summarized in the SMP and includes a minimum of one year of post-injection groundwater sampling on a quarterly basis, and at a reduced frequency thereafter if approved by the NYSDEC. The first post-injection groundwater sampling event was conducted in October 2019 and summarized in the December 2019 Final Engineering Report (FER). The second and third post-injection groundwater sampling events were conducted in January and April 2020. Results of the prior quarterly sampling indicated the following:

- Petroleum-related VOCs in MW18 were detected at concentrations above NYSDEC Technical & Operational Guidance Series (TOGS) Ambient Water Quality Standards and Guidance Values (SGVs) for Class GA drinking water (TOGS SGVs); however concentrations in this area decreased by 1 to 2 orders of magnitude, depending on the specific compound, from 2017 baseline samples. Benzene appeared to have reached an asymptotic level compared to the January 2020 results.
- Naphthalene was not detected in two monitoring wells MW16 and MW17 in the basement on Lot 1.

Performance monitoring well locations MW16, MW17, and MW18 are shown on Figure 2. The fourth post-injection sampling event was conducted in July 2020 and is discussed below.

July 2020 Performance Monitoring Scope of Work

Well Purging and Sampling

Monitoring well sampling was conducted on July 15, 2020 in accordance with the NYSDEC-approved SMP. Before sampling, each of the three performance monitoring wells were purged using the low-flow method developed by the United States Environmental Protection Agency (USEPA) ("Low-Flow [Minimal Drawdown] Ground-Water Sampling Procedures," EPA/540/S-95/504, April 1996) and accepted by the NYSDEC. Purging was performed using a peristaltic pump fitted with dedicated tubing at all wells. During purging, turbidity, pH, temperature, conductivity, oxidation-reduction potential, and dissolved oxygen groundwater quality parameters were monitored using a Horiba U-52 Water Quality Meter with a flow-through cell. Purging was considered complete after three well volumes were purged and groundwater quality parameter had stabilized for three successive readings within a reasonable time frame. Purged water was containerized into a 55-gallon drum and temporarily stored in a secured area pending proper off-site disposal. Stability of sampling parameters was not achieved because of low groundwater recharge at MW16 and MW17. After about 35 minutes of purging, stability was achieved at MW18, and the

sample was collected. The groundwater quality parameters were recorded on the Well Purging and Sampling Logs provided in Attachment A.

After purging each well, a groundwater sample was collected directly from the pump discharge line using USEPA low-flow techniques. For quality assurance and quality control (QA/QC), a field blank and a duplicate sample were collected. A trip blank was included in the shipment for quality control during transport. Samples from MW16 and MW17 were analyzed for naphthalene only. The sample from MW18 and QA/QC samples were analyzed for Commissioner Policy (CP)-51 VOCs by York Analytical Laboratories, a New York State Department of Health (NYSDOH) Environmental Laboratory Approval Program (ELAP)-accredited laboratory in Hauppauge, New York.

July 2020 Performance Monitoring Analytical Results

Consistent with downward trend of naphthalene from the October 2019, January 2020, and April 2020 performance monitoring results, concentrations of naphthalene in MW16 were not detected. Naphthalene in MW17 was detected at a concentration below the TOGS SGV.

Petroleum-related VOC concentrations in MW18 are 75 – 100% less than baseline concentrations; however, several compounds showed an increase from the April 2020 sampling event. The noted increases in MW18 were primarily within 1 order of magnitude, depending on the specific compound. Table 2 provides a cumulative summary of historical groundwater data starting from the baseline sampling event in September 2017. The percent reduction for detected VOCs between the baseline sample collected from MW14 in September 2017 and this sampling event for MW18 is shown in the following table:

VOC	September 2017 (µg/L)	July 2020 (µg/L)	Percent Reduction (%)
1,2,4-Trimethylbenzene	840	121	86%
1,3,5-Trimethylbenzene	150	7.92	95%
Benzene	250	6.13	98%
Ethylbenzene	1,300	93.3	93%
Isopropylbenzene	62	15.4	75%
Naphthalene	310	<u>7.45</u>	98%
n-Butylbenzene	11	<u>1.98</u>	82%
n-Propylbenzene	100	22.5	78%
o-Xylene	1,100	80.4	93%
p/m-Xylene	2,500	128	95%
sec-Butylbenzene	5,400	<u>3.15</u>	100%
Toluene	82	<u>2.52</u>	97%
Total xylenes	3,600	208	94%

Note: Results below SGVs are italicized and underlined.

The laboratory analytical results for the July 2020 sampling event are summarized in Table 1. Laboratory analytical reports are provided as Attachment B.

Data Validation

Copies of the Analytical Services Protocol (ASP) Category B laboratory reports were submitted to Langan's data validation department for review in accordance with the USEPA validation guidelines for organic and inorganic data. The data were found to be 100% acceptable.

Data reduction, validation, and reporting procedures were completed in accordance with the Quality Assurance Project Plan (QAPP) provided in Appendix J of the SMP. The Data Usability Report (DUSR) is included in Attachment C.

Closure

Petroleum-related VOC concentrations in MW18 are 75 – 100% less than baseline concentrations. Naphthalene was not detected in MW16 and MW17 during the first three post-remediation monitoring events and then detected, but at a concentration below TOGS SGV for samples collected in July 2020.

We recommend sampling MW18 at a reduced frequency of twice annually to evaluate trends of petroleum-related VOC concentrations. If the proposed sampling frequency is acceptable to the NYSDEC, MW18 would be sampled in January 2021. We also recommend that the sampling program for MW16 and MW17 cease based on consistent naphthalene non-detect results or results below TOGS SGV.

Should you have any questions, please call the undersigned at 212-479-5413.

Sincerely,

**Langan Engineering, Environmental, Surveying
Landscape Architecture, and Geology, D.P.C.**




Michael D. Burke, PG, CHMM
Principal/Vice President

Enclosures:

Figure 1	Site Location Map
Figure 2	Groundwater Sample Locations and Results
Table 1	Quarterly Groundwater Sampling Results Summary- July 2020
Table 2	Historical Performance Monitoring Analytical Results
Attachment A	Well Purging and Sampling Logs
Attachment B	Laboratory Analytical Reports
Attachment C	Data Usability Reports

FIGURES



NOTES: BASE MAP IS REFERENCED FROM USGS TOPOGRAPHIC MAPS FOR THE CENTRAL PARK, WEEHAWKEN, BROOKLYN, AND JERSEY CITY QUADRANGLE DATED, JULY 2011.

LANGAN

Langan Engineering, Environmental, Surveying,
Landscape Architecture and Geology, D.P.C.
21 Penn Plaza, 360 West 31st Street, 8th Floor
New York, NY 10001

T: 212.479.5400 F: 212.479.5444 www.langan.com

Project

**KELLER HOTEL SITE
144-150 BARROW STREET**

BLOCK No. 604, LOT Nos. 1 & 30
MANHATTAN

NEW YORK

NEW YORK

Figure Title

**SITE LOCATION
MAP**

Project No.
170170910



Date
08/09/2019

Drawn By
EB

Checked By
JL

Figure No.

1



LANGAN
Langan Engineering, Environmental, Surveying,
Landscape Architecture and Geology, D.P.C.
21 Penn Plaza, 360 West 31st Street, 8th Floor
New York, NY 10001
T: 212.479.5400 F: 212.479.5444 www.langan.com

Project

KELLER HOTEL SITE
144-150 BARROW STREET
BLOCK No. 604, LOT Nos. 1 & 30

NEW YORKNEW YORK

Figure Title		Project No.	Figure No.
GROUNDWATER SAMPLE LOCATIONS AND RESULTS		170170901	2
		Date 09/10/2020	
		Drawn By EB	
		Checked By JL	

TABLES

Table 1
Fourth Quarterly Post-Remedial Groundwater Monitoring Report
Quarterly Groundwater Sampling Results Summary - July 2020

Keller Hotel
144-150 Barrow Street
New York, New York
Langan Project No.: 170170901

Location Sample ID Laboratory ID Sample Date	NYSDEC SGVs	MW16 MW16_071520 20G0567-03 7/15/2020	MW17 MW17_071520 20G0567-02 7/15/2020	MW18 MW18_071520 20G0567-01 7/15/2020	MW18 DUP01_071520 20G0567-05 7/15/2020
Volatile Organic Compounds (µg/L)					
1,2,4-Trimethylbenzene	5	NA	NA	121	129
1,3,5-Trimethylbenzene (Mesitylene)	5	NA	NA	7.92	9.23
Benzene	1	NA	NA	6.13	7.16
Ethylbenzene	5	NA	NA	93.3	109
Isopropylbenzene (Cumene)	5	NA	NA	15.4	18.4
M,P-Xylene	5	NA	NA	128	149
Naphthalene	10	1 UJ	1.22 J	7.45 J	6.77 J
n-Butylbenzene	5	NA	NA	1.98	2.51
n-Propylbenzene	5	NA	NA	22.5	27.7
o-Xylene (1,2-Dimethylbenzene)	5	NA	NA	80.4	91.7
p-Cymene (p-Isopropyltoluene)	~	NA	NA	0.54	0.66
Sec-Butylbenzene	5	NA	NA	3.15	3.87
Toluene	5	NA	NA	2.52	3.19
Total Xylenes	5	NA	NA	208	240

Notes:

- Groundwater sample analytical results are compared to the New York State Department of Environmental Conservation (NYSDEC) Title 6 of the Official Compilation of New York Codes, Rules and Regulations (NYCRR) Part 703.5 and the NYSDEC Technical and Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values for Class GA Water (herein collectively referenced as "NYSDEC SGVs").
- Criterion comparisons for total xylenes and m,p-xylene are provided for reference. Promulgated NYSDEC SGVs are for o-xylene, m-xylene, and p-xylene.
- Only detected analytes are shown in the table.
- Detected analytical results above NYSDEC SGVs are bolded and shaded.
- Analytical results with reporting limits (RL) above NYSDEC SGVs are italicized.
- Sample DUP01_071520 is a duplicate sample of MW18_071520.
- ~ = Regulatory limit for this analyte does not exist
- ug/l = micrograms per liter

Qualifiers:

J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample.
 UJ = The analyte was not detected at a level greater than or equal to the RL; however, the reported RL is approximate and may be inaccurate or imprecise.
 U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the RL or the sample concentration for results impacted by blank contamination.

Table 2
Quarterly Post-Remedial Groundwater Monitoring Report
Historical Performance Monitoring Analytical Results

Keller Hotel
144-150 Barrow Street
New York, New York
BCP Site No.: C231123
Langan Project No.: 170170902

Sample ID	NYSDEC	MW16	MW16	MW16	MW16	MW16	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW17	MW1
-----------	--------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

Table 2
Quarterly Post-Remedial Groundwater Monitoring Report
Historical Performance Monitoring Analytical Results

Keller Hotel
144-150 Barrow Street
New York, New York
BCP Site No.: C231123
Langan Project No.: 170170902

Notes:
1. Groundwater sample analytical results are compared to the New York State Department of Environmental Conservation (NYSDEC) Title 6 of the Official Compilation of New York Codes, Rules and Regulations (NYCRR) Part 703.5 and the NYSDEC Technical and Operational Guidance Series (TOGS) 1.1.1 Ambient Water Quality Standards and Guidance Values for Class GA Water (herein collectively referenced as "NYSDEC SGVs").
2. Criterion comparisons for total xylenes and m,p-xylene are provided for reference. Promulgated NYSDEC SGVs are for o-xylene, m-xylene, and p-xylene.
3. Only detected analytes are shown in the table.
4. Detected analytical results above NYSDEC SGVs are bolded and shaded.
5. Analytical results with reporting limits (RL) above NYSDEC SGVs are italicized.
6. Sample GWDUP_101419 is a duplicate sample of MW-18_101419; sample DUP01_010920 is a duplicate sample of MW18_010920; and sample GWDUP_042020 is a duplicate sample of MW-18_042020; and sample DUP01_071520 is a duplicate of sample MW18_071520
7. ~ = Regulatory limit for this analyte does not exist
8. ug/l = micrograms per liter
9. NA = Not analyzed

Qualifiers:
D = The concentration reported is a result of a diluted sample.
J = The analyte was detected above the Method Detection Limit (MDL), but below the RL; therefore, the result is an estimated concentration.
R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
UJ = The analyte was not detected at a level greater than or equal to the RL; however, the reported RL is approximate and may be inaccurate or imprecise.
U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the RL or the sample concentration for results impacted by blank contamination.

ATTACHMENT A

GROUND WATER SAMPLE FIELD INFORMATION FORM

[illegible]


GROUND WATER SAMPLE FIELD INFORMATION FORM

[illegible]

GROUND WATER SAMPLE FIELD INFORMATION FORM

[illegible]

ATTACHMENT B



Technical Report

prepared for:

Langan Engineering & Environmental Services (NYC)

21 Penn Plaza, 360 West 31st Street

New York NY, 10001

Attention: Julia Leung

Report Date: 07/22/2020

Client Project ID: 170170901

York Project (SDG) No.: 20G0567



CT Cert. No. PH-0723

New Jersey Cert. No. CT005 and NY037

New York Cert. Nos. 10854 and 12058

PA Cert. No. 68-04440

Report Date: 07/22/2020
Client Project ID: 170170901
York Project (SDG) No.: 20G0567

Langan Engineering & Environmental Services (NYC)
21 Penn Plaza, 360 West 31st Street
New York NY, 10001
Attention: Julia Leung

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on July 15, 2020 and listed below. The project was identified as your project: **170170901**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
20G0567-01	MW18_071520	Water	07/15/2020	07/15/2020
20G0567-02	MW17_071520	Water	07/15/2020	07/15/2020
20G0567-03	MW16_071520	Water	07/15/2020	07/15/2020
20G0567-04	FB01_071520	Water	07/15/2020	07/15/2020
20G0567-05	DUP01_071520	Water	07/15/2020	07/15/2020
20G0567-06	TB01_071520	Water	07/15/2020	07/15/2020

General Notes for York Project (SDG) No.: 20G0567

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058.

Approved By:



Benjamin Gulizia
Laboratory Director

Date: 07/22/2020





Sample Information

Client Sample ID: MW18_071520

York Sample ID: 20G0567-01

York Project (SDG) No.

Client Project ID

Matrix

Collection Date/Time

Date Received

20G0567

170170901

Water

July 15, 2020 9:45 am

07/15/2020

Volatile Organics, 8260 CP-51

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-63-6	1,2,4-Trimethylbenzene	121		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
108-67-8	1,3,5-Trimethylbenzene	7.92		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
71-43-2	Benzene	6.13		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
100-41-4	Ethyl Benzene	93.3		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
98-82-8	Isopropylbenzene	15.4		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
91-20-3	Naphthalene	7.45		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
104-51-8	n-Butylbenzene	1.98		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
103-65-1	n-Propylbenzene	22.5		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
95-47-6	o-Xylene	80.4		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
179601-23-1	p- & m- Xylenes	128		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
99-87-6	p-Isopropyltoluene	0.540		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
135-98-8	sec-Butylbenzene	3.15		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
108-88-3	Toluene	2.52		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 21:19	TMP
1330-20-7	Xylenes, Total	208		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	07/17/2020 06:36	07/17/2020 21:19	TMP
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	103 %	70-130								
2037-26-5	Surrogate: SURR: Toluene-d8	94.6 %	70-130								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	103 %	70-130								



Sample Information

Client Sample ID: MW17_071520

York Sample ID: 20G0567-02

York Project (SDG) No.
20G0567

Client Project ID
170170901

Matrix
Water

Collection Date/Time
July 15, 2020 1:00 pm

Date Received
07/15/2020

Volatile Organics, 8260 Naphthalene

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	1.22	CCV-E, QL-02	ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 18:21	TMP
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	108 %	70-130								
2037-26-5	Surrogate: SURR: Toluene-d8	101 %	70-130								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	106 %	70-130								



Sample Information

Client Sample ID: MW16_071520

York Sample ID: 20G0567-03

York Project (SDG) No.
20G0567

Client Project ID
170170901

Matrix
Water

Collection Date/Time
July 15, 2020 2:25 pm

Date Received
07/15/2020

Volatile Organics, 8260 Naphthalene

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C	07/17/2020 06:36	07/17/2020 22:10	TMP
Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP											
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	102 %	70-130								
2037-26-5	Surrogate: SURR: Toluene-d8	96.2 %	70-130								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	102 %	70-130								



Sample Information

Client Sample ID: FB01_071520

York Sample ID: 20G0567-04

York Project (SDG) No.
20G0567

Client Project ID
170170901

Matrix
Water

Collection Date/Time
July 15, 2020 10:00 am

Date Received
07/15/2020

Volatile Organics, 8260 CP-51

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/17/2020 06:36	07/17/2020 22:35	TMP
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	07/17/2020 06:36	07/17/2020 22:35	TMP
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	107 %	70-130								
2037-26-5	Surrogate: SURR: Toluene-d8	94.8 %	70-130								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	103 %	70-130								



Sample Information

Client Sample ID: DUP01_071520

York Sample ID: 20G0567-05

York Project (SDG) No.
20G0567

Client Project ID
170170901

Matrix
Water

Collection Date/Time
July 15, 2020 12:00 am

Date Received
07/15/2020

Volatile Organics, 8260 CP-51

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-63-6	1,2,4-Trimethylbenzene	129		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
108-67-8	1,3,5-Trimethylbenzene	9.23		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
71-43-2	Benzene	7.16		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
100-41-4	Ethyl Benzene	109		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
98-82-8	Isopropylbenzene	18.4		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
91-20-3	Naphthalene	6.77	CCV-E, QL-02	ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
104-51-8	n-Butylbenzene	2.51		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
103-65-1	n-Propylbenzene	27.7		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
95-47-6	o-Xylene	91.7		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
179601-23-1	p- & m- Xylenes	149		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
99-87-6	p-Isopropyltoluene	0.660		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
135-98-8	sec-Butylbenzene	3.87		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
108-88-3	Toluene	3.19		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 19:14	TMP
1330-20-7	Xylenes, Total	240		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	07/20/2020 06:07	07/20/2020 19:14	TMP
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	106 %	70-130								
2037-26-5	Surrogate: SURR: Toluene-d8	99.5 %	70-130								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	98.5 %	70-130								



Sample Information

Client Sample ID: TB01_071520

York Sample ID: 20G0567-06

York Project (SDG) No.
20G0567

Client Project ID
170170901

Matrix
Water

Collection Date/Time
July 15, 2020 12:00 am

Date Received
07/15/2020

Volatile Organics, 8260 CP-51

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
71-43-2	Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
100-41-4	Ethyl Benzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
98-82-8	Isopropylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
91-20-3	Naphthalene	ND		ug/L	1.00	2.00	1	EPA 8260C Certifications: NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
104-51-8	n-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
103-65-1	n-Propylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
95-47-6	o-Xylene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
179601-23-1	p- & m- Xylenes	ND		ug/L	0.500	1.00	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
99-87-6	p-Isopropyltoluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
135-98-8	sec-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
98-06-6	tert-Butylbenzene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
108-88-3	Toluene	ND		ug/L	0.200	0.500	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP,PADEP	07/20/2020 06:07	07/20/2020 17:00	TMP
1330-20-7	Xylenes, Total	ND		ug/L	0.600	1.50	1	EPA 8260C Certifications: CTDOH,NELAC-NY10854,NELAC-NY12058,NJDEP	07/20/2020 06:07	07/20/2020 17:00	TMP
Surrogate Recoveries		Result	Acceptance Range								
17060-07-0	Surrogate: SURR: 1,2-Dichloroethane-d4	102 %	70-130								
2037-26-5	Surrogate: SURR: Toluene-d8	102 %	70-130								
460-00-4	Surrogate: SURR: p-Bromofluorobenzene	104 %	70-130								



Analytical Batch Summary

Batch ID: BG00744

Preparation Method: EPA 5030B

Prepared By: AS

YORK Sample ID	Client Sample ID	Preparation Date
20G0567-01	MW18_071520	07/17/20
20G0567-03	MW16_071520	07/17/20
20G0567-04	FB01_071520	07/17/20
BG00744-BLK1	Blank	07/17/20
BG00744-BS1	LCS	07/17/20
BG00744-BSD1	LCS Dup	07/17/20

Batch ID: BG01105

Preparation Method: EPA 5030B

Prepared By: TMP

YORK Sample ID	Client Sample ID	Preparation Date
20G0567-02	MW17_071520	07/20/20
20G0567-05	DUP01_071520	07/20/20
20G0567-06	TB01_071520	07/20/20
BG01105-BLK1	Blank	07/20/20
BG01105-BS1	LCS	07/20/20
BG01105-BSD1	LCS Dup	07/20/20



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	--------------------	-------	----------------	-------------------	------	----------------	------	-----	--------------	------

Batch BG00744 - EPA 5030B

Blank (BG00744-BLK1)	Blank		Prepared & Analyzed: 07/17/2020								
1,2,4-Trimethylbenzene	ND	0.500	ug/L								
1,3,5-Trimethylbenzene	ND	0.500	"								
Benzene	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								
n-Propylbenzene	ND	0.500	"								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Toluene	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
Surrogate: SURR: 1,2-Dichloroethane-d4	10.7		"	10.0		107	70-130				
Surrogate: SURR: Toluene-d8	9.41		"	10.0		94.1	70-130				
Surrogate: SURR: p-Bromofluorobenzene	10.3		"	10.0		103	70-130				

LCS (BG00744-BS1)	LCS		Prepared & Analyzed: 07/17/2020								
1,2,4-Trimethylbenzene	11.5		ug/L	10.0		115	82-132			20	
1,3,5-Trimethylbenzene	11.3		"	10.0		113	80-131			30	
Benzene	11.8		"	10.0		118	70-130			20	
Ethyl Benzene	10.9		"	10.0		109	70-130			20	
Isopropylbenzene	10.5		"	10.0		105	70-130			20	
Methyl tert-butyl ether (MTBE)	10.6		"	10.0		106	70-130			20	
Naphthalene	6.75		"	10.0		67.5	70-147	Low Bias		30	
n-Butylbenzene	10.2		"	10.0		102	79-132			30	
n-Propylbenzene	10.3		"	10.0		103	78-133			30	
o-Xylene	11.0		"	10.0		110	70-130			20	
p- & m- Xylenes	22.1		"	20.0		110	70-130			20	
p-Isopropyltoluene	10.6		"	10.0		106	81-136			30	
sec-Butylbenzene	10.2		"	10.0		102	79-137			30	
tert-Butylbenzene	8.56		"	10.0		85.6	77-138			30	
Toluene	10.6		"	10.0		106	70-130			20	
Surrogate: SURR: 1,2-Dichloroethane-d4	10.5		"	10.0		105	70-130				
Surrogate: SURR: Toluene-d8	9.25		"	10.0		92.5	70-130				
Surrogate: SURR: p-Bromofluorobenzene	10.2		"	10.0		102	70-130				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BG00744 - EPA 5030B

LCS Dup (BG00744-BSD1)	LCS Dup	Prepared & Analyzed: 07/17/2020									
1,2,4-Trimethylbenzene	9.63		ug/L	10.0		96.3	82-132		17.4	20	
1,3,5-Trimethylbenzene	9.53		"	10.0		95.3	80-131		17.3	30	
Benzene	9.63		"	10.0		96.3	70-130		20.3	20	Non-dir.
Ethyl Benzene	9.35		"	10.0		93.5	70-130		15.1	20	
Isopropylbenzene	9.01		"	10.0		90.1	70-130		15.2	20	
Methyl tert-butyl ether (MTBE)	9.07		"	10.0		90.7	70-130		15.5	20	
Naphthalene	6.60		"	10.0		66.0	70-147	Low Bias	2.25	30	
n-Butylbenzene	8.72		"	10.0		87.2	79-132		15.3	30	
n-Propylbenzene	8.88		"	10.0		88.8	78-133		14.5	30	
o-Xylene	9.31		"	10.0		93.1	70-130		17.1	20	
p- & m- Xylenes	18.6		"	20.0		93.2	70-130		16.8	20	
p-Isopropyltoluene	9.13		"	10.0		91.3	81-136		15.4	30	
sec-Butylbenzene	9.06		"	10.0		90.6	79-137		12.2	30	
tert-Butylbenzene	7.49		"	10.0		74.9	77-138	Low Bias	13.3	30	
Toluene	8.97		"	10.0		89.7	70-130		16.2	20	
Surrogate: SURR: 1,2-Dichloroethane-d4	10.6		"	10.0		106	70-130				
Surrogate: SURR: Toluene-d8	9.49		"	10.0		94.9	70-130				
Surrogate: SURR: p-Bromofluorobenzene	10.2		"	10.0		102	70-130				

Batch BG01105 - EPA 5030B

Blank (BG01105-BLK1)	Blank	Prepared & Analyzed: 07/20/2020									
1,2,4-Trimethylbenzene	ND	0.500	ug/L								
1,3,5-Trimethylbenzene	ND	0.500	"								
Benzene	ND	0.500	"								
Ethyl Benzene	ND	0.500	"								
Isopropylbenzene	ND	0.500	"								
Methyl tert-butyl ether (MTBE)	ND	0.500	"								
Naphthalene	ND	2.00	"								
n-Butylbenzene	ND	0.500	"								
n-Propylbenzene	ND	0.500	"								
o-Xylene	ND	0.500	"								
p- & m- Xylenes	ND	1.00	"								
p-Isopropyltoluene	ND	0.500	"								
sec-Butylbenzene	ND	0.500	"								
tert-Butylbenzene	ND	0.500	"								
Toluene	ND	0.500	"								
Xylenes, Total	ND	1.50	"								
Surrogate: SURR: 1,2-Dichloroethane-d4	10.4		"	10.0		104	70-130				
Surrogate: SURR: Toluene-d8	10.1		"	10.0		101	70-130				
Surrogate: SURR: p-Bromofluorobenzene	10.6		"	10.0		106	70-130				



Volatile Organic Compounds by GC/MS - Quality Control Data

York Analytical Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source* Result	%REC	%REC Limits	Flag	RPD	RPD Limit	Flag
---------	--------	-----------------	-------	-------------	----------------	------	-------------	------	-----	-----------	------

Batch BG01105 - EPA 5030B

LCS (BG01105-BS1)	LCS	Prepared & Analyzed: 07/20/2020									
1,2,4-Trimethylbenzene	11.7	ug/L	10.0	117	82-132					20	
1,3,5-Trimethylbenzene	12.2	"	10.0	122	80-131					30	
Benzene	10.3	"	10.0	103	70-130					20	
Ethyl Benzene	11.1	"	10.0	111	70-130					20	
Isopropylbenzene	12.5	"	10.0	125	70-130					20	
Methyl tert-butyl ether (MTBE)	9.58	"	10.0	95.8	70-130					20	
Naphthalene	5.62	"	10.0	56.2	70-147	Low Bias				30	
n-Butylbenzene	11.8	"	10.0	118	79-132					30	
n-Propylbenzene	12.3	"	10.0	123	78-133					30	
o-Xylene	10.6	"	10.0	106	70-130					20	
p- & m- Xylenes	21.9	"	20.0	110	70-130					20	
p-Isopropyltoluene	12.0	"	10.0	120	81-136					30	
sec-Butylbenzene	12.6	"	10.0	126	79-137					30	
tert-Butylbenzene	10.4	"	10.0	104	77-138					30	
Toluene	10.6	"	10.0	106	70-130					20	
Surrogate: SURR: 1,2-Dichloroethane-d4	10.5	"	10.0	105	70-130						
Surrogate: SURR: Toluene-d8	10.1	"	10.0	101	70-130						
Surrogate: SURR: p-Bromofluorobenzene	11.0	"	10.0	110	70-130						

LCS Dup (BG01105-BSD1)	LCS Dup	Prepared & Analyzed: 07/20/2020									
1,2,4-Trimethylbenzene	11.3	ug/L	10.0	113	82-132				3.48	20	
1,3,5-Trimethylbenzene	11.6	"	10.0	116	80-131				4.89	30	
Benzene	9.87	"	10.0	98.7	70-130				4.36	20	
Ethyl Benzene	10.6	"	10.0	106	70-130				4.14	20	
Isopropylbenzene	12.0	"	10.0	120	70-130				4.40	20	
Methyl tert-butyl ether (MTBE)	8.77	"	10.0	87.7	70-130				8.83	20	
Naphthalene	4.98	"	10.0	49.8	70-147	Low Bias			12.1	30	
n-Butylbenzene	11.5	"	10.0	115	79-132				2.66	30	
n-Propylbenzene	11.8	"	10.0	118	78-133				4.06	30	
o-Xylene	10.3	"	10.0	103	70-130				2.95	20	
p- & m- Xylenes	21.2	"	20.0	106	70-130				3.15	20	
p-Isopropyltoluene	11.8	"	10.0	118	81-136				2.27	30	
sec-Butylbenzene	12.3	"	10.0	123	79-137				2.64	30	
tert-Butylbenzene	10.2	"	10.0	102	77-138				2.04	30	
Toluene	10.0	"	10.0	100	70-130				5.33	20	
Surrogate: SURR: 1,2-Dichloroethane-d4	9.87	"	10.0	98.7	70-130						
Surrogate: SURR: Toluene-d8	10.1	"	10.0	101	70-130						
Surrogate: SURR: p-Bromofluorobenzene	11.1	"	10.0	111	70-130						



Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
20G0567-01	MW18_071520	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
20G0567-02	MW17_071520	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
20G0567-03	MW16_071520	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
20G0567-04	FB01_071520	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
20G0567-05	DUP01_071520	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C
20G0567-06	TB01_071520	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C



Sample and Data Qualifiers Relating to This Work Order

QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
CCV-E	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).

Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon NELAC 2009 Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.



For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.



York Analytical Laboratories, Inc.
120 Research Drive
Stratford, CT 06615
clientservices@yorklab.com
www.yorklab.com



Field Chain-of-Custody Record

NOTE: YORK's Standard Terms & Conditions are listed on the back side of this document. This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

YORK Project No.

20G 0567

Page 1 of 1

YOUR INFORMATION		Report To:		Invoice To:		YOUR Project Number		Turn-Around Time	
Company:	LANGAN, OPC	Company:	Same	Company:	Same	170170901		RUSH - Next Day	
Address:	360 W. 51st St. NY, NY 10001	Address:		Address:				RUSH - Two Day	
Phone:	212-479-5400	Phone:		Phone:				RUSH - Three Day	
Contact:	Julia Leung	Contact:		Contact:				RUSH - Four Day	
E-mail:	JLEUNG@LANGAN.COM	E-mail:		E-mail:				Standard (5-7 Day)	

Report / EDD Type (circle selections)		YORK Reg. Comp.	
Summary Report	CT RCP	Standard Excel EDD	Compared to the following Regulation(s): (please fill in)
QA Report	CT RCP DQA/DUE	EquiS (Standard)	
NY ASP A Package	NJDEP Reduced Deliverables	NYSDEC EQUiS	
NY ASP B Package	NJDKQP	NJDEP SRP HazSite	

Samples Collected by: (print your name above and sign below)		Analysis Requested		Container Description	
Sample Identification	Matrix	Date/Time Sampled	Sample Matrix	Date/Time Sampled	Container Description
MW18-071520	GW	7/15/2020 945	↓	CP-51 VOCs	3) VOAs
MW17-071520	↓	1300	↓	Naphthalene	
MW16-071520	↓	1425	↓	Naphthalene	
FB01-071520	↓	1000	↓	CP-51 VOCs	
DW001-071520	↓	7/15/2020 -	↓	CP-51 VOCs	

Comments:		Preservation: (check all that apply)		Special Instruction				
		HCl	MeOH	HNO ₃	H ₂ SO ₄	NaOH	ZnAc	Field Filtered
		Ascorbic Acid	Other:					Lab to Filter
Samples Relinquished by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Temp. Received at Lab
Langston/Langan	7/15/2020 1445	Langston/Langan	7/15/2020 1445	Langston/Langan	7/15/2020 1445	Langston/Langan	7/15/2020 1445	3.4
Received by / Company	Date/Time	Received by / Company	Date/Time	Received by / Company	Date/Time	Received by / Company	Date/Time	
Relinquished by / Company	Date/Time	Relinquished by / Company	Date/Time	Relinquished by / Company	Date/Time	Relinquished by / Company	Date/Time	

ATTACHMENT C

1818 Market Street, Suite 3300 Philadelphia, PA 19103 T: 215.845.8900 F: 215.845.8901
Mailing Address: 1818 Market Street, Suite 3300 Philadelphia, PA 19103

To: Elizabeth Burgess, Langan Senior Staff Engineer

From: Joe Conboy, Langan Staff Chemist

Date: September 2, 2020

Re: Data Usability Summary Report
For 144-150 Barrow Street
July 2020 Groundwater Samples
Langan Project No.: 170170901

This memorandum presents the findings of an analytical data validation of the data generated from the analysis of groundwater samples collected in July 2020 by Langan Engineering and Environmental Services ("Langan") at the 144-150 Barrow Street site ("the site"). The samples were analyzed by York Analytical Laboratories, Inc. (NYSDOH NELAP registration # 10854 and 12058) for volatile organic compounds (VOCs) by the methods specified below.

- VOCs by SW-846 Method 8260C

Table 1, below, summarizes the laboratory and client sample identification numbers, sample collection dates, and analytical parameters subject to review.

TABLE 1: SAMPLE SUMMARY

<i>SDG</i>	<i>Lab Sample ID</i>	<i>Client Sample ID</i>	<i>Sample Date</i>	<i>Analytical Parameters</i>
20G0567	20G0567-01	MW18_071520	7/15/2020	VOCs
20G0567	20G0567-02	MW17_071520	7/15/2020	Naphthalene
20G0567	20G0567-03	MW16_071520	7/15/2020	Naphthalene
20G0567	20G0567-04	FB01_071520	7/15/2020	VOCs
20G0567	20G0567-05	DUP01_071520	7/15/2020	VOCs
20G0567	20G0567-06	TB01_071520	7/15/2020	VOCs

Validation Overview

This data validation was performed in accordance with USEPA Region II Standard Operating Procedure (SOP) #HW-34A, "Trace Volatile Data Validation" (September 2016, Revision 1), USEPA Region II SOP #HW-33A, "Low/Medium Volatile Data Validation" (September 2016,

Technical Memorandum

Data Usability Summary Report
For 144-150 Barrow Street
July 2020 Groundwater Samples
Langan Project No.: 170170901
September 2, 2020 Page 2 of 4

Revision 1), USEPA Region II SOP #HW-35A, the USEPA Contract Laboratory Program "National Functional Guidelines for Organic Superfund Methods Data Review" (EPA-540-R-2017-002, January 2017), and the specifics of the methods employed.

Validation includes review of the analytical data to verify that data are easily traceable and sufficiently complete to permit logical reconstruction by a qualified individual other than the originator. Items subject to review in this memorandum include holding times, sample preservation, instrument tuning, instrument calibration, laboratory blanks, laboratory control samples/laboratory control sample duplicates (LCS/LCSD), system monitoring compounds, internal standard area counts, matrix spike/spike duplicate (MS/MSDs) recoveries, target compound identification and quantification, chromatograms, overall system performance, field duplicate, trip blank (TB) sample results, and field blank (FB) sample results.

As a result of the review process, the following qualifiers may be assigned to the data in accordance with the USEPA's guidelines and best professional judgment:

- R** – The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- J** – The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample.
- UJ** – The analyte was not detected at a level greater than or equal to the reporting limit (RL); however, the reported RL is approximate and may be inaccurate or imprecise.
- U** – The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the RL or the sample concentration for results impacted by blank contamination.
- NJ** – The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

If any validation qualifiers are assigned these qualifiers should supersede any laboratory-applied qualifiers. Data that is not qualified as a result of this data validation is considered acceptable on the basis of the items specified for review. Data that is qualified as "R" are not sufficiently valid and technically supportable to be used for data interpretation. Data that is otherwise qualified due to minor data quality anomalies are usable, as qualified.

Technical Memorandum

Data Usability Summary Report
For 144-150 Barrow Street
July 2020 Groundwater Samples
Langan Project No.: 170170901
September 2, 2020 Page 3 of 4

TABLE 2: VALIDATOR-APPLIED QUALIFICATION

<i>Client Sample ID</i>	<i>Analysis</i>	<i>CAS #</i>	<i>Analyte</i>	<i>Validator Qualifier</i>
DUP01_071520	SW8260C	91-20-3	Naphthalene	J
MW16_071520	SW8260C	91-20-3	Naphthalene	UJ
MW17_071520	SW8260C	91-20-3	Naphthalene	J
MW18_071520	SW8260C	71-43-2	Benzene	J
MW18_071520	SW8260C	91-20-3	Naphthalene	J
MW18_071520	SW8260C	98-06-6	tButylbenzene	UJ

MAJOR DEFICIENCIES:

Major deficiencies include those that grossly impact data quality and necessitate the rejection of results. The section below describes the major deficiencies that were identified.

MINOR DEFICIENCIES:

Minor deficiencies include anomalies that directly impact data quality and necessitate qualification, but do not result in unusable data. The section below describes the minor deficiencies that were identified.

VOCs by SW-846 Method 8260C

20G0567

The LCS/LCSD for batch BG00744 exhibited a percent recovery below the lower control limit (LCL) for naphthalene (67.5%, 66%). The associated results in sample MW16_071520 and MW18_071520 are qualified as "J" or "UJ" based on potential low bias.

The LCS/LCSD for batch BG00744 exhibited a relative percent difference (RPD) above the control limit for benzene (20.3%). The associated result in sample MW18_071520 is qualified as "J" based on potential indeterminate bias.

The LCSD for batch BG00744 exhibited a percent recovery below the LCL for tert-butylbenzene (74.9%). The associated result in sample MW18_071520 is qualified as "UJ" based on potential low bias.

The LCS for batch BG01105 exhibited a percent recovery below the LCL for naphthalene (56.2%, 49.8%). The associated results in sample DUP01_071520 and MW17_071520 are qualified as "J" based on potential low bias.

Technical Memorandum

Data Usability Summary Report
For 144-150 Barrow Street
July 2020 Groundwater Samples
Langan Project No.: 170170901
September 2, 2020 Page 4 of 4

OTHER DEFICIENCIES:

Other deficiencies include anomalies that do not directly impact data quality and do not necessitate qualification. The section below describes the other deficiencies that were identified.

VOCs by SW-846 Method 8260C

20G0567

The continuing calibration verification (CCV) analyzed on 7/17/2020 at 11:36 exhibited a percent drift (%D) above the control limit for naphthalene (-34.9%). The associated results were previously qualified. No further action is necessary.

The CCV analyzed on 7/20/2020 at 09:58 exhibited a %D above the control limit for naphthalene (-46.1%). The associated results were previously qualified. No further action is necessary.

COMMENTS:

One field duplicate and parent sample pair was collected and analyzed for all parameters. For results less than 5X the RL, analytes meet the precision criteria if the absolute difference is less than $\pm 1X$ the RL. For results greater than 5X the RL, analytes meet the precision criteria if the RPD is less than or equal to 30% for groundwater. The following field duplicate and parent sample pair was compared to and met the precision criteria:

- MW18_071520 and DUP01_071520

On the basis of this evaluation, the laboratory appears to have followed the specified analytical methods with the exception of errors discussed above. If a given fraction is not mentioned above, that means that all specified criteria were met for that parameter. All of the data packages met ASP Category B requirements.

All data are considered usable, as qualified. In addition, completeness, defined as the percentage of analytical results that are judged to be valid, is 100%.

Signed:



Joe Conboy
Staff Chemist