

SITE OBSERVATION REPORT

PROJECT No.: 170381202

CLIENT:

LLC

Thursday, June 29, 2023

PROJECT:

250 Water Street

Partly Sunny, 65 – 80 °F

WEATHER:

Wind: E @ 0.24 - 2.09 mph

LOCATION:

New York, NY

TIME:

DATE:

5:45 am - 3:45 pm

BCP SITE ID:

C231127

MONITOR

Jack Millman

EQUIPMENT:

CAT 335 Excavator Komatsu PC138 Excavator ABI Mobilram Drill Rig Jerome J505 Mercury Vapor Analyzer RKI GX-6000 Photoionization Detector (PID) Aeroqual ASQ1 Air Monitoring Station

PRESENT AT SITE:

250 Seaport District,

Hughes Corporation

c/o The Howard

Day 151 Langan (Environmental) Jack Millman, Gabriella DeGennaro, Brayden

Suffolk Construction (Suffolk) (General Contractor) Anthony Galu East Coast Drilling, Inc. (ECD) (Foundation Contractor) Danny Rodgers **New York State Department of Environmental Conservation**

(NYSDEC) Mike Sollecito

OBSERVATIONS, DISCUSSIONS, TEST RESULTS, ETC.:

Langan was present to document remediation activities in accordance with the NYSDEC-approved November 2021 Remedial Action Work Plan (RAWP) at the 250 Water Street site (NYSDEC Brownfield Cleanup Program [BCP] Site No C231127).

Site Activities

- Suffolk and ECD continued mobilizing equipment in preparation for the next phase of remediation.
- ECD poured flowable fill behind existing support-of-excavation in the northern and eastern parts of the site.
- Ground-intrusive activities were not conducted throughout the workday; however, Langan implemented the community air monitoring plan (CAMP) from about 6:40 am to 3:00 pm.

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Jack Millman
	S. Simpson		LANGAN



Page 2 of 6

SITE OBSERVATION REPORT

Material Tracking

- No material was exported from the site.
- No material was imported to the site.

	Material Import Summary							
Facility Name Location Type of Material	Haledon, NJ Haledon,		on, NJ h Virgin	Impact Reuse & Recovery Center or Impact Materials Jersey City, Lyndhurst/Jersey City, NJ 1.5-inch Clean Bluestone		Impact Reuse & Recovery Center, Lyndhurst, NJ General Fill		
Quantities	No. of Loads	Approx. Volume (Tons)	No. of Loads	Approx. Volume (Tons)	No. of Loads	Approx. Volume (Tons)	No. of Loads	Approx. Volume (Tons)
Today	0	0	0	0	0	0	0	0
Project Total	8	184.42	0	0	15	339.65	336	8,216.79
NYSDEC Approved:	1,800 tons*			72	20 tons*	19,500	tons*	

^{*0.75-}inch, 1.5-inch, and 2.5-inch virgin stone from the Stone Industries, Inc. facility and 1.5-inch clean bluestone from the Impact Reuse & Recovery Center (IRRC) facility were approved for import of 1,000 cubic yards (CY) and 400 CY, respectively. Assuming a conversion factor of 1.8, each quantity was converted to tons in order to accurately compare with import weight tickets. General fill from the IRRC facility was approved for import of 13,000 CY and a conversion factor of 1.5 is applied.

	Material Export Summary (1 of 2)								
Facility Name Location Type of Material Allocco Recycling Brooklyn, NY Construction & Demolition (C&D) Debris		IRRC Lyndhurst, NJ Construction & Demolition (C&D) Debris		Clean Earth of North Jersey Kearny, NJ Hazardous Lead-Impacted Soil/Fill		Clean Earth of North Jersey Kearny, NJ Non-hazardous Soil/Fill			
Quantities	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	
Today	0	0	0	0	0	0	0	0	
Project Total	5	85	42	840	95	1,900	216	4,320	

	Material Export Summary (2 of 2)						
Facility Name Location Type of Material	Location East Brunswick, NJ		Keas	oil Management Bbey, NJ mpacted Soil/Fill	Clean Earth of Carteret, NJ Carteret, NJ Non-hazardous Soil/Fill		
Quantities	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	No. of Loads	Approx. Volume (CY)	
Today	0	0	0	0	0	0	
Project Total	261	5,220	267	5,340	66	1,320	

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Jack Millman
	S. Simpson		LANGAN



Page 3 of 6

SITE OBSERVATION REPORT

Sampling

No samples were collected.

CAMP Activities

Langan performed air monitoring at the perimeter of the site and at the northern sidewalk of Pearl Street at five total locations for mercury vapor, volatile organic compounds (VOCs), and particulate matter less than 10 microns in diameter (PM10) from about 6:40am to 3:00pm. There were no fifteen-minute average concentrations for mercury vapor, VOCs, or PM10 that approached or exceeded the action levels established by the CAMP (1.00 μ g/m³, 5.0 parts per million [ppm], and 0.100 mg/m³ respectively).

Background Concentrations

Prior to implementation of CAMP, instantaneous background concentrations of mercury vapor and VOCs were recorded using a handheld Jerome[®] J505 mercury vapor analyzer and a handheld photoionization detector (PID), respectively.

- Background concentrations of mercury vapor at each CAMP station were recorded at 0.00 μg/m³.
- Background concentrations of VOCs at each CAMP station were recorded at 0.0 ppm.

Perimeter and Work Zone Concentrations

Daily Average Concentrations

Station ID	Particulate (mg/m³)	Organic Vapor (ppm)	Mercury Vapor (µg/m³)
PM-1	0.029	0.00	0.01
PM-2	0.031	0.00	0.01
PM-3	0.030	0.00	0.01
PM-4	0.034	0.00	0.01
WZ-1	-	-	-
WZ-2	-	-	-
WZ-3	-	-	-
WZ-4	0.031	0.00	0.00

Maximum 15-Minute-Average Concentrations

Station ID	Particulate (mg/m³)	Organic Vapor (ppm)	Mercury Vapor (µg/m³)
PM-1	0.053	0.00	0.02
PM-2	0.055	0.00	0.02
PM-3	0.053	0.00	0.04
PM-4	0.056	0.01	0.03
WZ-1	-	-	-
WZ-2	-	-	-
WZ-3	-	-	-
WZ-4	0.060	0.00	0.01

•mg/m³ = milligrams per cubic meter •ppm = parts per million •µg/m³ = micrograms per cubic meter

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Jack Millman
	S. Simpson		LANGAN



Page 4 of 6

SITE OBSERVATION REPORT

Equipment Troubleshooting

• Mercury vapor, VOCs, and PM10 concentrations were not recorded at perimeter CAMP station PM-1 between 2:25pm and 2:32pm due to depleted battery. Datalogging resumed at about 2:33pm following replacement of the battery. No ground-intrusive work occurred throughout the day. Fugitive dust and odors were not observed migrating off-site during this time.

Ambient Air (Handheld Jerome® J505 and Handheld PID)

- The dedicated mobile monitor (Langan) used a handheld Jerome® J505 mercury vapor analyzer to monitor ambient air conditions at various heights throughout the site. Instantaneous mercury vapor concentrations throughout the site ranged from 0.00 µg/m³ to 0.09 µg/m³.
- The dedicated mobile monitor (Langan) used a handheld PID to monitor VOC concentrations throughout the site. Instantaneous VOC concentrations were not detected above background concentrations throughout the workday.

Prior to CAMP Shutdown

Prior to discontinuing CAMP, mercury vapor and VOC concentrations were confirmed to return to background conditions at each perimeter station using the handheld Jerome® J505 mercury vapor analyzer and handheld PID, respectively. CAMP stations were discontinued sequentially between 3:02 pm and 3:17 pm.

- Background concentrations of mercury vapor at each CAMP station ranged from 0.00 to 0.04 μg/m³.
- Background concentrations of VOCs at each CAMP station were recorded at 0.0 ppm.

Anticipated Activities


Aiiticipa	ateu Activities
•	Suffolk and ECD will continue mobilization in preparation for the next phase of remediation.

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Jack Millman
	S. Simpson		LANGAN



Page 5 of 6

SITE OBSERVATION REPORT





Page 6 of 6

SITE OBSERVATION REPORT

Select Site Photographs:



Photo 1: Dust suppression in the northwestern part of the site (facing south)




Photo 2: CAMP station PM-3 in the eastern part of the site (facing north)

Cc:	M. Raygorodetsky, P. McMahon, M. Au, J. Frey,	Ву:	Jack Millman
	S. Simpson		LANGAN